CITATION REPORT List of articles citing

Non-psychotic psychiatric disorder after childbirth. A prospective study of prevalence, incidence, course and natur

DOI: 10.1192/bjp.152.6.799 British Journal of Psychiatry, 1988, 152, 799-806.

Source: https://exaly.com/paper-pdf/20183149/citation-report.pdf

Version: 2024-04-25

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper IF		Citations
368	Postnatal depression and the child. 1989 , 3, 105-8		3
367	Psychological strategies in the prevention and treatment of postnatal depression. 1989 , 3, 879-903		22
366	Postpartum psychosis. 1989 , 3, 823-38		4
365	The effects of postnatal depression on the infant. 1989 , 3, 921-33		34
364	Postnatal depression: a serious and neglected postpartum complication. 1989 , 3, 839-55		21
363	Management of major mental illness in pregnancy and the puerperium. 1989, 3, 905-20		11
362	Social adversity and perinatal complications: their relation to postnatal depression. 1989 , 298, 1073-4		70
361	Psychiatric disorders associated with childbearing. 1990 , 8, 63-65		1
3 60	Commentary on Ehildbirth as a life event[1990, 8, 147-159		16
359	Life events and social stress in puerperal psychoses: absence of effect. 1990 , 20, 655-62		43
358	Estimating psychiatric morbidity by logistic regression: application to post-natal depression in a community sample. 1990 , 20, 695-702		48
357	Controlled prospective study of postpartum mood disorders: Comparison of childbearing and nonchildbearing women 1990 , 99, 3-15		453
356	The validation of the Edinburgh Post-natal Depression Scale on a community sample. <i>British Journal of Psychiatry</i> , 1990 , 157, 288-90		714
355	Screening for depression during pregnancy with the edinburgh depression scale (EDDS). 1990 , 8, 99-107		671
354	Database. 1990 , 12, 13-53		
353	Parents, partners or personality? Risk factors for post-natal depression. <i>Journal of Affective Disorders</i> , 1991 , 21, 245-55	ó	105
352	Validation of a computerised version of the 10-item (self-rating) Edinburgh Postnatal Depression Scale. <i>Journal of Affective Disorders</i> , 1991 , 22, 73-7	5	31

351	Prevalence and correlates of postpartum depression in first-time mothers 1991 , 100, 594-599		176
350	The relationship between post-natal depression and mother-child interaction. <i>British Journal of Psychiatry</i> , 1991 , 158, 46-52	5.4	297
349	Postnatal depression and infant development. 1991 , 302, 978-9		61
348	Postnatal depression: its nature, effects, and identification using the Edinburgh Postnatal Depression scale. <i>Birth</i> , 1991 , 18, 211-21	3.1	78
347	Intersubjectivity, object relations theory, and empirical evidence from mother-infant interactions. 1991 , 12, 219-232		68
346	Suicide during pregnancy and in the first postnatal year. 1991 , 302, 137-40		165
345	The Patterning of Depressive Symptoms in a Sample of First-Time Mothers. 1991 , 12, 263-275		15
344	Personality as a vulnerability factor to depression. <i>British Journal of Psychiatry</i> , 1991 , 159, 106-14	5.4	278
343	Links between early post-partum mood and post-natal depression. <i>British Journal of Psychiatry</i> , 1992 , 160, 777-80	5.4	178
342	Association between postpartum thyroid dysfunction and thyroid antibodies and depression. 1992 , 305, 152-6		153
341	Research and theory related to female reproduction: implications for clinical psychology. 1992 , 31, 129-	-51	33
340	Course and correlates of postpartum depression during the transition to parenthood. 1992 , 4, 29-47		136
339	Increased risk of postnatal depression after emergency caesarean section. 1992 , 157, 172-4		95
338	The impact of postnatal depression on infant development. 1992 , 33, 543-61		778
337	Abnormal platelet 5-hydroxytryptamine uptake and imipramine binding in postnatal dysphoria. <i>Journal of Psychiatric Research</i> , 1992 , 26, 69-75	5.2	14
336	Are postpartum depressions a mother-infant relationship disorder?. 1993 , 14, 283-297		46
335	Depressed mothers' speech to their infants and its relation to infant gender and cognitive development. 1993 , 34, 1083-101		247
334	Should postpartum mood disorders be given a more prominent or distinct place in the DSM-IV?. 1993 , 1, 59-70		14

333	Psychosocial factors associated with the early termination of breast-feeding. <i>Journal of Psychosomatic Research</i> , 1993 , 37, 171-6	4.1	80
332	Relationship of psychiatric illness to childbearing status: a hospital-based epidemiologic study. Journal of Affective Disorders, 1993 , 28, 39-50	6.6	50
331	A controlled study of the onset, duration and prevalence of postnatal depression. <i>British Journal of Psychiatry</i> , 1993 , 163, 27-31	5.4	495
330	Use of Edinburgh Postnatal Depression Scale in a North American population. 1993 , 17, 501-4		15
329	The role of obstetric factors in postpartum depression. 1993 , 11, 215-219		28
328	The Edinburgh Postnatal Depression Scale: validation for an Australian sample. 1993 , 27, 472-6		245
327	Working with adult survivors of child sexual abuse. 1993 , 306, 859		
326	Psychological and social correlates of the onset of affective disorders among pregnant women. 1993 , 23, 967-75		85
325	Psychiatric outcome of termination of pregnancy for foetal abnormality. 1993 , 23, 407-13		46
324	Mothers' consent to screening newborn babies for disease. 1993 , 306, 858-9		16
323	Mothering skills of women with mental illness. 1993 , 306, 859		1
322	Medical management of Duchenne muscular dystrophy. 1993 , 306, 859		1
321	Post-natal psychiatric morbidity. British Journal of Psychiatry, 1994, 165, 551	5.4	1
320	Understanding the experience and emotional consequences of miscarriage∄ditorial. 1994 , 12, 1-3		9
319	Missing voices: What women say and do about depression after childbirth. 1994 , 12, 89-103		74
318	Life events, social support and depression. <i>Acta Psychiatrica Scandinavica</i> , 1994 , 377, 50-8	6.5	257
317	Postnatal depression in a community cohort. 1994 , 28, 42-9		51
316	Prevalence of postnatal psychiatric morbidity in mothers and fathers. <i>British Journal of Psychiatry</i> , 1994 , 164, 782-8	5.4	204

(1995-1994)

315	Postnatal mental illness: a transcultural perspective. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1994 , 29, 250-64	4.5	141
314	Childbearing in women with and without a history of affective disorder. I. Psychiatric symptomatology. 1994 , 35, 205-14		17
313	A pilot study of postnatal depression following caesarean section using two retrospective self-rating instruments. <i>Journal of Psychosomatic Research</i> , 1994 , 38, 111-7	4.1	36
312	Symptomatology of affective and psychotic illnesses related to childbearing. <i>Journal of Affective Disorders</i> , 1994 , 30, 77-87	6.6	101
311	Depression in first-time mothers: Mother-infant interaction and depression chronicity 1995 , 31, 349-3	57	342
310	Depression During Pregnancy and Post-partum. 1995 , 17, 657-663		2
309	Screening for post-partum depression in a community sample. 1995 , 40, 80-6		98
308	Effects of postpartum psychiatric illnesses on family planning. 1995 , 25, 291-300		14
307	Screening methods for postpartum depression. <i>JOGNN - Journal of Obstetric, Gynecologic, and Neonatal Nursing</i> , 1995 , 24, 308-12	1.2	34
306	Postnatal maternal morbidity: extent, causes, prevention and treatment. 1995, 102, 282-7		299
305	Postnatal depression: a normal response to motherhood?. 1995 , 3, 632-635		3
304	Gender differences in parental psychological distress following perinatal death or sudden infant death syndrome. <i>British Journal of Psychiatry</i> , 1995 , 167, 806-11	5.4	77
303	Course and recurrence of postnatal depression. Evidence for the specificity of the diagnostic concept. <i>British Journal of Psychiatry</i> , 1995 , 166, 191-5	5.4	368
302	'Listening visits' in pregnancy: a strategy for preventing postnatal depression?. 1995 , 11, 75-80		15
301	Use of the Edinburgh Postnatal Depression Scale in a southern, rural population in the United States. 1995 , 19, 1219-24		16
300	Women at risk for postpartum-onset major depression. 1995 , 173, 639-45		169
299	Gender Differences in Psychiatry. 1995 , 3, 393-407		6
298	Childbirth: life event or start of a long-term difficulty? Further data from the Stoke-on-Trent controlled study of postnatal depression. <i>British Journal of Psychiatry</i> , 1995 , 166, 595-600	5.4	65

297	Clinical implications and management strategies when depression occurs during pregnancy. 1996 , 36, 424-9		12
296	Transdermal oestrogen for treatment of severe postnatal depression. 1996 , 347, 930-3		479
295	Rates and risk of postpartum depression meta-analysis. 1996 , 8, 37-54		2115
294	The prevention of postnatal depression. 1996 , 57-73		1
293	Demographic and obstetric risk factors for postnatal psychiatric morbidity. <i>British Journal of Psychiatry</i> , 1996 , 168, 607-11	5.4	235
292	Maternal thinking and the treatment of postnatal depression. 1996 , 8, 73-78		30
291	Letters to the Editor. 1996 , 41, 60-63		
290	The mental health impact of stillbirth, neonatal death or SIDS: prevalence and patterns of distress among mothers. 1996 , 43, 1273-82		106
289	Effects of childbearing on the natural history of panic disorder with comorbid mood disorder. Journal of Affective Disorders, 1996 , 41, 173-80	6.6	45
288	The Edinburgh Postnatal Depression Scale: validation on a Swedish community sample. <i>Acta Psychiatrica Scandinavica</i> , 1996 , 94, 181-4	6.5	206
287	The cognitive development of 5-year-old children of postnatally depressed mothers. 1996 , 37, 927-35		237
286	The development and validation of a predictive index for postpartum depression. 1996 , 26, 627-34		122
285	Childbearing and Women's Mental Health. 1996 , 33, 391-412		12
284	Psychosocial study of depression in early pregnancy. <i>British Journal of Psychiatry</i> , 1996 , 168, 732-8	5.4	70
283	Primary health care management of postnatal depression in Sweden. 1996 , 14, 69-76		11
282	The impact of postpartum depression on child development. 1996 , 8, 55-63		129
281	The psychological sequelae of miscarriage: a critical review of the literature. 1996 , 30, 54-62		86
280	The role of health visitors in postnatal depression. 1996 , 8, 79-86		25

279	Hormonal aspects of postnatal depression. 1996 , 8, 27-36		20
278	Characteristics and causes of infanticide in Britain. 1996 , 8, 99-106		25
277	Perinatal psychiatry. 1996 , 8, 5-7		8
276	Prediction, detection, and treatment of postnatal depression. 1997 , 77, 97-9		79
275	Effects of postnatal depression on infant development. 1997 , 77, 99-101		288
274	Postpartum psychiatric disorders : guidelines for management. 1997 , 8, 113-23		4
273	Symptoms in post-partum and non-post-partum samples: Implications for postnatal depression. 1997 , 15, 31-42		15
272	Postpartum psychiatric illness in Arab culture: prevalence and psychosocial correlates. <i>British Journal of Psychiatry</i> , 1997 , 171, 65-8	5.4	97
271	Postnatal depression: how can midwives help?. 1997 , 13, 163-71		27
270	Patients as parents: the risk to children. <i>British Journal of Psychiatry</i> , 1997 , 170, 22-27	5.4	83
269	Postnatal depression: a prospective study of its prevalence, incidence and psychosocial determinants in an Israeli sample. 1997 , 23, 547-54		31
268	Single Parents: Risk or Resource?. 1997 , 2, 2-14		
267	Screening for postnatal depression in a population-based Swedish sample. <i>Acta Psychiatrica Scandinavica</i> , 1997 , 95, 62-6	6.5	74
266	Postnatal depression in Japanese women who have given birth in England. <i>Journal of Affective Disorders</i> , 1997 , 43, 69-77	6.6	87
265	Screening an Australian community sample for risk of postnatal depression. 1998 , 33, 138-142		9
264	Postnatal depression: a hidden illness. <i>Acta Psychiatrica Scandinavica</i> , 1998 , 98, 272-5	6.5	61
263	Patients as parents: possible impact of changing childbirth and faltering families. <i>Archives of Womenis Mental Health</i> , 1998 , 1, 55-61	5	2
262	Incidence and demographic correlates of depressive symptoms during pregnancy in an inner London population. 1998 , 19, 202-9		66

261	Effectiveness of antenatal education about postnatal depression: A comparison of two groups of Japanese mothers. 1998 , 7, 191-198	15
260	Childhood abuse, postpartum depression and parenting difficulties: a literature review of associations. 1998 , 32, 370-8	76
259	Use of psychotropic medications in breast-feeding women: acute and prophylactic treatment. 1998 , 32, 778-84	22
258	'It's a Woman's Cry for Help': A Relational Perspective on Postnatal Depression. 1998 , 8, 325-355	40
257	Re-assessing the importance and role of the marital relationship in postnatal depression: Methodological and theoretical implications. 1998 , 16, 157-175	19
256	Postnatal depression. 1998 , 316, 1884-6	275
255	Prospective study of postpartum depression in an Israeli cohort: prevalence, incidence and demographic risk factors. 1998 , 19, 155-64	57
254	Detecting postnatal depression in Chinese women. Validation of the Chinese version of the Edinburgh Postnatal Depression Scale. <i>British Journal of Psychiatry</i> , 1998 , 172, 433-7	303
253	[Prevalence of depressive disorders in early puerperium]. 1998, 38, 232-7	13
252	Psychological sequelae in women following either parturition or non-gynaecological surgery. 1998 , 16, 133-141	2
251	The Leicester 500 Project. Social support and the development of postnatal depressive symptoms, a prospective cohort survey. 1998 , 28, 63-79	148
250	Postpartum depression and thyroid antibody status. 1999 , 9, 699-703	21
249	What makes new mothers unhappy: psychological distress one year after birth in Italy and France. 1999 , 49, 1651-61	51
248	Post-partum depression and the mother-infant relationship in a South African peri-urban settlement. <i>British Journal of Psychiatry</i> , 1999 , 175, 554-8	317
247	Timing of suicide attempts by self-poisoning during pregnancy and pregnancy outcomes. 1999 , 65, 39-45	22
246	Gonadal steroids in the treatment of mood disorders. 1999 , 61, 676-97	90
245	The impact of partner support in the treatment of postpartum depression. 2000 , 45, 554-8	134
244	The science of infanticide and mental illness 2000 , 6, 1098-1112	25

(2001-2000)

243	Pragmatic randomized trial of antenatal intervention to prevent post-natal depression by reducing psychosocial risk factors. 2000 , 30, 1273-81		139	
242	Postpartum and nonpostpartum depression: differences in presentation and response to pharmacologic treatment. <i>Depression and Anxiety</i> , 2000 , 11, 66-72	8.4	120	
241	Effects of Early Maternal Depression on Patterns of Infant-Mother Attachment: A Meta-analytic Investigation. 2000 , 41, 737-746		411	
240	Postpartum depression: identification of women at risk. 2000 , 107, 1210-7		279	
239	Acute psychiatric disturbance in pregnancy and the puerperium. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2000 , 14, 73-87	4.6	56	
238	Promoting mental health after childbirth: a controlled trial of primary prevention of postnatal depression. 2000 , 39, 223-41		119	
237	[Differential diagnosis, course and outcome of postpartum psychoses. A catamnestic investigation]. 2000 , 71, 386-92		5	
236	Predictors of postpartum depressive symptoms in Icelandic women. <i>Archives of Womenis Mental Health</i> , 2000 , 3, 7-14	5	13	
235	Is the EPDS a magic wand?: 1. A comparison of the Edinburgh Postnatal Depression Scale and health visitor report as predictors of diagnosis on the Present State Examination. 2000 , 18, 279-296		41	
234	Effects of gonadal steroids in women with a history of postpartum depression. 2000 , 157, 924-30		634	
233	Health insurance status and mood during pregnancy and following birth: a longitudinal study of multiparous women. 2000 , 34, 664-70		17	
232	The evaluation of determinants of early postpartum low mood: the importance of parity and inter-pregnancy interval. 2000 , 91, 21-4		38	
231	The North Staffordshire Maternity Hospital prospective study of pregnancy-associated depression. 2000 , 21, 93-7		85	
230	Trastornos psiqui E ricos postparto. 2000 , 36, 1-8			
229	Neuroendocrine and emotional changes in the post-partum period. 2001 , 133, 241-9		95	
228	Nurses' and physicians' assessment of mother-infant mental health at the first postnatal visits. 2001 , 40, 803-10		14	
227	Predictors, prodromes and incidence of postpartum depression. 2001 , 22, 103-12		105	
226	Cohort study of depressed mood during pregnancy and after childbirth. 2001 , 323, 257-60		881	

225	The treatment of postnatal depression: A comprehensive literature review. 2001 , 19, 215-248	53
224	The long-term impact of postnatal depressed mood on mother-child interaction: A preliminary study. 2001 , 19, 61-71	33
223	La dpression du post-partum: Les tudes de l'Iowa. 2001 , 13, 7	5
222	Depression among postnatal women in an urban Irish community. 2001 , 18, 5-10	13
221	Prevalence of depressive symptoms in late pregnancy and postpartum. 2001 , 80, 251-5	284
220	Effects of Maternal Depression on Cognitive Development of Children Over the First 7 Years of Life. 2001 , 42, 623-636	146
219	Debt, social disadvantage and maternal depression. 2001 , 53, 441-53	141
218	Training health visitors to reduce levels of depression after childbirth: An evaluation. 2001 , 10, 613-625	24
217	The role of alternative medicine in treating postnatal depression. 2001 , 6, 363-8	Ο
216	Screening for postnatal depression in Bengali women: Preliminary observations from using a translated version of the Edinburgh Postnatal Depression Scale (EPDS). 2002 , 20, 71-82	21
215	Randomised controlled trial of behavioural infant sleep intervention to improve infant sleep and maternal mood. 2002 , 324, 1062-5	203
214	Obstetric, Somatic, and Demographic Risk Factors for Postpartum Depressive Symptoms. 2002 , 99, 223-228	6
213	Skating to where the puck is going to be: a plan for clinical trials and translation research in mood disorders. 2002 , 52, 631-54	13
212	Post-partum depression in a cohort of women from a rural area of Tamil Nadu, India. Incidence and risk factors. <i>British Journal of Psychiatry</i> , 2002 , 181, 499-504	240
211	Les dpressions du post-partum: une pathologie de la proccupation maternelle primaire?. 2002 , 14, 89	7
210	The role of alternative medicine in treating postnatal depression. 2002 , 8, 197-203	14
209	Postpartum depression and mother-infant relationship at 3 months old. <i>Journal of Affective Disorders</i> , 2002 , 70, 291-306	188
208	Stability and change in level of maternal depressive symptomatology during the first postpartum year. <i>Journal of Affective Disorders</i> , 2002 , 71, 169-80	124

207	Comparative levels of psychological distress, stress symptoms, depression and anxiety after childbirth prospective population-based study of mothers and fathers. 2002 , 109, 1154-1163		6
206	Depression in postpartum and non-postpartum women: prevalence and risk factors. <i>Acta Psychiatrica Scandinavica</i> , 2002 , 106, 426-33	6.5	112
205	Prevalence and persistence of health problems after childbirth: associations with parity and method of birth. <i>Birth</i> , 2002 , 29, 83-94	3.1	358
204	A controlled study of postpartum depression among Nepalese women: validation of the Edinburgh Postpartum Depression Scale in Kathmandu. 2002 , 7, 378-82		60
203	Comparative levels of psychological distress, stress symptoms, depression and anxiety after childbirtha prospective population-based study of mothers and fathers. 2002 , 109, 1154-63		60
202	Correlates of self-reports of being very depressed in the months after delivery: results from the Pregnancy Risk Assessment Monitoring System. 2002 , 6, 247-53		47
201	Prevalence, stability, and socio-demographic correlates of depressive symptoms in Black mothers during the first 18 months postpartum. 2003 , 7, 157-68		110
200	A comparison of anxiety and depressive symptomatology in postpartum and non-postpartum mothers. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2003 , 38, 551-6	4.5	55
199	Risk factors for postnatal depression: a review and risk factors in Australian populations. <i>Archives of Womenis Mental Health</i> , 2003 , 6 Suppl 2, S43-50	5	69
198	Validation of the Edinburgh Postnatal Depression Scale (EPDS) in Spanish mothers. <i>Journal of Affective Disorders</i> , 2003 , 75, 71-6	6.6	203
197	Prediction of depression in the postpartum period: a longitudinal follow-up study in high-risk and low-risk women. <i>Journal of Affective Disorders</i> , 2003 , 77, 159-66	6.6	81
196	Effectiveness of informational support in reducing the severity of postnatal depression in Taiwan. 2003 , 42, 30-6		40
195	Risk of postnatal depression after emergency delivery. 2003 , 29, 246-50		35
194	Postpartum mood disorders. 2003 , 15, 231-42		97
193	Life events, social support and depression in childbirth: perspectives from a rural community in the developing world. 2003 , 33, 1161-7		270
192	Depressive symptoms among pregnant women screened in obstetrics settings. 2003 , 12, 373-80		501
191	Perinatal Mental Health: Opportunities and Challenges for Psychiatry. 2003 , 11, 399-403		20
190	Bulimia nervosa, childbirth, and psychopathology. <i>Journal of Psychosomatic Research</i> , 2003 , 55, 357-61	4.1	23

189	Endocrine factors in the etiology of postpartum depression. 2003 , 44, 234-46		29 0
188	Strategies to Reduce Postnatal Psychological Morbidity. 2003 , 11, 11-20		10
187	The role of estrogen in mood disorders in women. 2003 , 15, 280-90		95
186	Controlled trial of the short- and long-term effect of psychological treatment of post-partum depression: I. Impact on maternal mood. <i>British Journal of Psychiatry</i> , 2003 , 182, 412-419	5.4	314
185	Stress debriefing after childbirth: a randomised controlled trial. 2003, 178, 542-5		94
184	Depress® materna e intera® më-beb″no final do primeiro ano de vida. 2004 , 20, 233-240		13
183	Perinatal mental illness: nature/nurture. 2004 , 123-138		1
182	Health services research into postnatal depression: results from a preliminary cross-cultural study. <i>British Journal of Psychiatry</i> , 2004 , 46, s45-52	5.4	24
181	Depression during pregnancy and after delivery: a repeated measurement study. 2004 , 25, 15-21		58
180	Cognitive vulnerability to postnatal depressive symptomatology. 2004 , 22, 211-227		15
179	Group Therapy with Mothers and Babies in Postpartum Crises: Preliminary Evaluation of a Pilot Project. 2004 , 37, 137-151		3
178	The relationship between postpartum depression and abusive parenting behavior of Japanese mothers: a survey of mothers with a child less than one year old. 2004 , 68, 174-87		22
177	Catatonic features noted in patients with post-partum mental illness. 2004 , 58, 157-62		10
176	Gestational stress induces post-partum depression-like behaviour and alters maternal care in rats. <i>Psychoneuroendocrinology</i> , 2004 , 29, 227-44	5	223
175	Maternal touch and maternal child-directed speech: effects of depressed mood in the postnatal period. <i>Journal of Affective Disorders</i> , 2004 , 81, 29-39	6.6	136
174	Detection of postpartum depression and anxiety in a large health plan. 2004 , 31, 117-33		60
173	Improving the postnatal outcomes of new mothers. 2004 , 45, 465-74		15
172	Treating Psychologic Disorders During Pregnancy and Lactation. 2004 , 167-181		

171	Changes in cerebrospinal fluid neurochemistry during pregnancy. 2004 , 56, 386-92	71
170	Postpartum psychiatric disorders. 2004 , 363, 303-10	361
169	Detection of Postpartum Depression and Anxiety in a Large Health Plan. 2004, 31, 117-133	4
168	Perinatal risk factors for neonaticide and infant homicide: can we identify those at risk?. 2004 , 97, 57-61	42
167	Social Factors and Postpartum Depression in Khayelitsha, Cape Town. 2004 , 34, 409-420	16
166	Prevalence and detection of postnatal depression in an Irish community sample. 2004 , 21, 117-121	12
165	Prevalence of mood symptoms and depressions during pregnancy: implications for clinical practice and research. 2004 , 9, 177-84	49
164	Detection of postpartum depressive symptoms by screening at well-child visits. 2004 , 113, 551-8	171
163	Postnatal depression and faltering growth: a community study. 2004 , 113, 1242-7	89
162	Diagnostic Classification of Perinatal Mood Disorders. 2005 , 173, 6-27	12
161	Perinatal depression: a systematic review of prevalence and incidence. 2005 , 106, 1071-83	2082
160	Estrogen action in mood and neurodegenerative disorders: estrogenic compounds with selective properties-the next generation of therapeutics. 2005 , 28, 235-42	51
159	Negative thoughts after childbirth: development and preliminary validation of a self-report scale. Depression and Anxiety, 2005, 22, 121-9 8.4	17
158	Depressive symptoms in early pregnancy, two months and one year postpartum-prevalence and psychosocial risk factors in a national Swedish sample. <i>Archives of Womenis Mental Health</i> , 2005 , 8, 97-10 ⁷ 4	180
157	A longitudinal study of psychiatric symptoms in primiparous women: relation to personality disorders and sociodemographic factors. <i>Archives of Womenis Mental Health</i> , 2005 , 8, 232-42	26
156	Some early indicators for depressive symptoms and bonding 2 months postpartuma study of new mothers and fathers. <i>Archives of Womenis Mental Health</i> , 2005 , 8, 221-31	101
155	Intera® më-beb″em contexto de depress® materna: aspectos telicos e emplicos. 2005 , 10, 47	23
154	Estrogens and Perinatal Disorders. 2005 , 191-206	2

Pharmacotherapy of postpartum depression: current practice and future directions. **2005**, 6, 1999-2005

152	Estrogen Effects in Psychiatric Disorders. 2005 ,		7
151	Reduced anxiety in postpartum rats requires recent physical interactions with pups, but is independent of suckling and peripheral sources of hormones. 2005 , 47, 241-55		102
150	Why do women experience mood disorders following childbirth?. 2006 , 14, 654-657		
149	A public health role in perinatal mental health: Are midwives ready?. 2006, 14, 330-334		54
148	Troubles psychiatriques du post-partum. 2006 , 1, 1-7		
147	Cesarean section and postpartum depression: a review of the evidence examining the link. 2006 , 68, 321-30		73
146	Risk of postnatal depression, miscarriage, and preterm birth in bulimia nervosa: retrospective controlled study. 2006 , 68, 487-92		75
145	Women's mental health before, during, and after pregnancy: a population-based controlled cohort study. <i>Birth</i> , 2006 , 33, 297-302	3.1	58
144	Making up is hard to do, especially for mothers with high levels of depressive symptoms and their infant sons. 2006 , 47, 670-83		130
143	Postnatal depressive symptoms go largely untreated: a probability study in urban New Zealand. Social Psychiatry and Psychiatric Epidemiology, 2006 , 41, 814-8	1.5	22
142	Validation of the Punjabi version of the Edinburgh postnatal depression scale (EPDS). 2006 , 43, 227-36		23
141	Is perinatal depression familial?. <i>Journal of Affective Disorders</i> , 2006 , 90, 49-55	5.6	73
140	Anxiety and stress in the postpartum: is there more to postnatal distress than depression?. 2006 , 6, 12		152
139	The transition to parenthood: Stress, resources, and gender differences in a Chinese society. 2006 , 34, 471-488		42
138	Psychosocial Risk Factors in Families with Infants: A Municipality Survey. 2006 , 26, 9-13		1
137	Postnatal adjustment of Chinese parents: A two-wave panel study in Taiwan. 2006, 41, 371-384		4
136	Treating Depression During Pregnancy and the Postpartum: A Preliminary Meta-Analysis. 2006 , 16, 109-1	20	88

135	Postpartum Psychiatric Disorders: What Do We Know And Where Do We Go?. 2006, 2, 151-158		11
134	The Birmingham Registry for Twin and Heritability Studies (BiRTHS). 2006 , 9, 907-912		1
133	Comparing postpartum depression and major depressive disorder: issues in assessment. 2007 , 28, 765-80		18
132	Self-rated health and postnatal depressive symptoms among immigrant mothers in Qubec. 2007 , 45, 1-17		50
131	Translation, validation and cultural aspects of postpartum depression screening scale in Brazilian Portuguese. 2007 , 44, 672-84		20
130	Effect of kangaroo mother care on postpartum depression. 2009 , 55, 36-8		38
129	Clinical presentation of postnatal and non-postnatal depressive episodes. 2007, 37, 1273-80		21
128	Perinatal and gynaecological disorders. 632-672		
127	Women's psychological health according to their maternal status: a study in France. 2007 , 28, 243-9		7
126	Postnatal depression: prevalence, mothers' perspectives, and treatments. 2007 , 21, 91-100		61
125	Postnatal psychiatric morbidity: a validation study of the GHQ-12 and the EPDS as screening tools. 2007 , 29, 1-7		85
124	Maternal depression and psychiatric outcomes in adolescent offspring: a 13-year longitudinal study. <i>Journal of Affective Disorders</i> , 2007 , 97, 145-54	5	294
123	Is there evidence of an association between postnatal distress and premenstrual symptoms?. Journal of Affective Disorders, 2007 , 99, 241-5	5	11
122	Regulation of anxiety during the postpartum period. 2007 , 28, 115-41		150
121	Complex emotions, complex problems: understanding the experiences of perinatal depression among new mothers in urban Indonesia. 2007 , 31, 101-22		38
120	The role of exercise in treating postpartum depression: a review of the literature. 2007, 52, 56-62		72
119	Postpartum depression: racial differences and ethnic disparities in a tri-racial and bi-ethnic population. 2008 , 12, 699-707		41
118	The course of maternal depressive symptomatology during the first 18 months postpartum in an Italian sample. <i>Archives of Womenis Mental Health</i> , 2008 , 11, 231-8		29

117	Evidence-based recommendations for depressive symptoms in postpartum women. <i>JOGNN</i> - <i>Journal of Obstetric, Gynecologic, and Neonatal Nursing</i> , 2008 , 37, 127-36	1.2	17
116	Familial aggregation of postpartum mood symptoms in bipolar disorder pedigrees. 2008 , 10, 38-44		42
115	A holistic programme for mothers with postnatal depression: pilot study. 2008 , 63, 181-8		7
114	Brief antenatal cognitive behaviour therapy group intervention for the prevention of postnatal depression and anxiety: a randomised controlled trial. <i>Journal of Affective Disorders</i> , 2008 , 105, 35-44	6.6	137
113	Non-psychotic psychiatric disorders after childbirth: prevalence and comorbidity in a community sample. <i>Journal of Affective Disorders</i> , 2008 , 109, 171-6	6.6	55
112	The relationship between mental disorders, quality of life, and pregnancy: findings from a nationally representative sample. <i>Journal of Affective Disorders</i> , 2008 , 109, 300-4	6.6	40
111	Decreased brain docosahexaenoic acid content produces neurobiological effects associated with depression: Interactions with reproductive status in female rats. <i>Psychoneuroendocrinology</i> , 2008 , 33, 1279-92	5	82
110	[Study of the prevalence of postpartum depression among 213 Tunisian parturients]. 2008, 36, 782-7		15
109	Psychiatric disorders in pregnant and postpartum women in the United States. 2008, 65, 805-15		684
108	Pharmacotherapy of postpartum depression. 2009 , 10, 2593-607		27
107	Differentials and income-related inequalities in maternal depression during the first two years after childbirth: birth cohort studies from Brazil and the UK. 2009 , 5, 12		13
106	Genome-wide linkage and follow-up association study of postpartum mood symptoms. 2009 , 166, 1229	9-37	68
105	[Pre-, peri- and postpartal depression]. 2009, 77, 708-13		33
104	Post-adoption depression among adoptive mothers. <i>Journal of Affective Disorders</i> , 2009 , 115, 62-8	6.6	53
103	Postpartum depression: what we know. 2009 , 65, 1258-69		319
102	Occurrence and correlates of postpartum depression in overweight and obese women: results from the active mothers postpartum (AMP) study. 2009 , 13, 832-8		21
101	Differentiation and clinical implications of postpartum depression and postpartum psychosis. JOGNN - Journal of Obstetric, Gynecologic, and Neonatal Nursing, 2009 , 38, 269-79	1.2	26
100	Is it clinically and cost effective to screen for postnatal depression: a systematic review of controlled clinical trials and economic evidence. 2009 , 116, 1019-27		46

(2011-2009)

99	Depressive symptoms during late pregnancy and early parenthood following assisted reproductive technology. 2009 , 91, 851-7		55
98	Comparison of scoring methods and thresholds of the General Health Questionnaire-12 with the Edinburgh Postnatal Depression Scale in English women. 2009 , 123, 789-93		25
97	Rationale for a long-term evaluation of the consequences of potentially life-threatening maternal conditions and maternal "near-miss" incidents using a multidimensional approach. 2010 , 32, 730-8		28
96	Cognitive style, personality and vulnerability to postnatal depression. <i>British Journal of Psychiatry</i> , 2010 , 196, 200-5	5.4	27
95	The classification of perinatal mood disorderssuggestions for DSMV and ICD11. <i>Archives of Womenis Mental Health</i> , 2010 , 13, 33-6	5	26
94	Stability of maternal depressive symptoms among urban, low-income, African American adolescent mothers. <i>Journal of Affective Disorders</i> , 2010 , 122, 68-75	6.6	41
93	Perinatal complications increase the risk of postpartum depression. The Generation R Study. 2010 , 117, 1390-8		132
92	Prospective study of postpartum depression in eastern Turkey prevalence, socio-demographic and obstetric correlates, prenatal anxiety and early awareness. 2010 , 19, 422-31		41
91	Junkie on the Phone. British Journal of Psychiatry, 2010, 196, 205-205	5.4	1
90	Instruments to identify post-natal depression: Which methods have been the most extensively validated, in what setting and in which language?. 2010 , 14, 72-6		44
89	Screening for postnatal depression ls it acceptable to women and healthcare professionals? A systematic review and meta-synthesis. 2010 , 28, 328-344		54
88	The Portuguese version of the postpartum depression screening scale. 2010 , 31, 90-100		9
87	Infanticide and neonaticide: a review of 40 years of research literature on incidence and causes. 2010 , 11, 99-112		106
86	Childbirth and mental disorders. 2010 , 22, 453-71		60
85	Postpartum depression and adolescent mothers: a review of assessment and treatment approaches. 2010 , 23, 172-8		39
84	The incidence of mental illness in early motherhood in a population-based survey. 2011 , 199, 170-5		2
83	Perinatal mental health. 2011 , 199, 575-7		30
82	Diagnosis, pathophysiology, and management of mood disorders in pregnant and postpartum women. 2011 , 117, 961-977		98

81	The study of relationship between depression with the type of pregnancy (wanted and unwanted) in Tamine Ejtemaee Hospital in Iran. 2011 , 28, 87-91		1
80	Pregnancy and post-partum depression and anxiety in a longitudinal general population cohort: the effect of eating disorders and past depression. <i>Journal of Affective Disorders</i> , 2011 , 131, 150-7	6.6	58
79	What lies behind postnatal depression: is it only a mood disorder?. <i>Journal of Personality Disorders</i> , 2012 , 26, 357-67	2.6	25
78	From stress to postpartum mood and anxiety disorders: how chronic peripartum stress can impair maternal adaptations. 2012 , 95, 22-38		55
77	The development and content of an interpersonal psychotherapy group for postnatal depression. 2012 , 62, 221-51		13
76	Diagnosis, Pathophysiology, and Management of Mood Disorders in Pregnant and Postpartum Women. 2012 , 10, 51-66		4
75	Spcificit et enjeux de la dpression de la grossesse. Principaux reultats dune recherche longitudinale sur les dpressions du pripartum, du troisime trimestre de grossesse au 12e mois de lanfant. 2012 , 60, 138-146		5
74	Irrational beliefs and motherhood: Hot cognitions and their relationship to perinatal psychopathology. 2013 , 23, 3-8		3
73	Infant interest in their mother's face is associated with maternal psychological health. 2013 , 36, 686-93		8
72	Postpartum depression: current status and future directions. 2013 , 9, 379-407		854
72 71	Postpartum depression: current status and future directions. 2013 , 9, 379-407 Is group cognitive behaviour therapy for postnatal depression evidence-based practice? A systematic review. 2013 , 13, 321		8 ₅₄
	Is group cognitive behaviour therapy for postnatal depression evidence-based practice? A		
71	Is group cognitive behaviour therapy for postnatal depression evidence-based practice? A systematic review. 2013 , 13, 321 Anxiety and depression following preeclampsia or hemolysis, elevated liver enzymes, and low	5.4	19
71 70	Is group cognitive behaviour therapy for postnatal depression evidence-based practice? A systematic review. 2013 , 13, 321 Anxiety and depression following preeclampsia or hemolysis, elevated liver enzymes, and low platelets syndrome. A systematic review. 2013 , 92, 746-61 Should psychiatrists be prescribing oestrogen therapy to their female patients?. <i>British Journal of</i>	5.4	19
71 70 69	Is group cognitive behaviour therapy for postnatal depression evidence-based practice? A systematic review. 2013 , 13, 321 Anxiety and depression following preeclampsia or hemolysis, elevated liver enzymes, and low platelets syndrome. A systematic review. 2013 , 92, 746-61 Should psychiatrists be prescribing oestrogen therapy to their female patients?. <i>British Journal of Psychiatry</i> , 2013 , 202, 9-13 Prevalence and risk factors for postpartum depressive symptoms in Argentina: a cross-sectional		19 29 15
71 70 69 68	Is group cognitive behaviour therapy for postnatal depression evidence-based practice? A systematic review. 2013, 13, 321 Anxiety and depression following preeclampsia or hemolysis, elevated liver enzymes, and low platelets syndrome. A systematic review. 2013, 92, 746-61 Should psychiatrists be prescribing oestrogen therapy to their female patients?. British Journal of Psychiatry, 2013, 202, 9-13 Prevalence and risk factors for postpartum depressive symptoms in Argentina: a cross-sectional study. International Journal of Womenis Health, 2013, 5, 787-93		19 29 15
71 70 69 68 67	Is group cognitive behaviour therapy for postnatal depression evidence-based practice? A systematic review. 2013, 13, 321 Anxiety and depression following preeclampsia or hemolysis, elevated liver enzymes, and low platelets syndrome. A systematic review. 2013, 92, 746-61 Should psychiatrists be prescribing oestrogen therapy to their female patients?. British Journal of Psychiatry, 2013, 202, 9-13 Prevalence and risk factors for postpartum depressive symptoms in Argentina: a cross-sectional study. International Journal of Womenis Health, 2013, 5, 787-93 References. 2014, 169-216 Electroconvulsive treatment during pregnancy: a systematic review. Expert Review of	2.8	19 29 15 32

(2018-2014)

63	Depressive symptoms and access to mental health care in women screened for postpartum depression who lose health insurance coverage after delivery: findings from the Translating Research into Practice for Postpartum Depression (TRIPPD) effectiveness study. <i>Mayo Clinic</i>	6.4	6
62	Proceedings, 2014 , 89, 1220-8 Perinatal mental illness: definition, description and aetiology. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2014 , 28, 3-12	4.6	404
61	Overcoming Barriers to Physical Activity During Pregnancy and the Postpartum Period: The Potential Impact of Social Support. <i>Kinesiology Review</i> , 2014 , 3, 135-148	2	11
60	Attempting to prevent postnatal depression by targeting the mother-infant relationship: a randomised controlled trial. <i>Primary Health Care Research and Development</i> , 2015 , 16, 383-97	1.6	22
59	Depressione e psicosi perinatali: un aggiornamento [translation of P erinatal depression and psychosis: an updatelby Mattia Marchi]. <i>BJ Psych Advances</i> , 2015 , 21,	0.8	
58	Interventions for postnatal depression assessing the mother-infant relationship and child developmental outcomes: a systematic review. <i>International Journal of Womenis Health</i> , 2015 , 7, 429-47	, 2.8	42
57	Diagnostic accuracy of the Edinburgh Postnatal Depression Scale (EPDS) for detecting major depression in pregnant and postnatal women: protocol for a systematic review and individual patient data meta-analyses. <i>BMJ Open</i> , 2015 , 5, e009742	3	35
56	The relationship between sleep and postpartum mental disorders: A systematic review. <i>Journal of Affective Disorders</i> , 2015 , 176, 65-77	6.6	79
55	Perinatal depression and psychosis: an update. <i>BJ Psych Advances</i> , 2015 , 21, 5-14	0.8	5
54	Dpression prinatale. 2015 , 143-183		0
54	Dpression prinatale. 2015, 143-183 Are symptom features of depression during pregnancy, the postpartum period and outside the peripartum period distinct? Results from a nationally representative sample using item response theory (IRT). Depression and Anxiety, 2015, 32, 129-40	8.4	o 36
	Are symptom features of depression during pregnancy, the postpartum period and outside the peripartum period distinct? Results from a nationally representative sample using item response	8.4	
53	Are symptom features of depression during pregnancy, the postpartum period and outside the peripartum period distinct? Results from a nationally representative sample using item response theory (IRT). <i>Depression and Anxiety</i> , 2015 , 32, 129-40	8.4	36
53 52	Are symptom features of depression during pregnancy, the postpartum period and outside the peripartum period distinct? Results from a nationally representative sample using item response theory (IRT). <i>Depression and Anxiety</i> , 2015 , 32, 129-40 Diagnostic Assessment of Depression, Anxiety, and Related Disorders. 2015 , 108-120 Sociodemographic and clinical features of postpartum depression among Turkish women: a		36
53 52 51	Are symptom features of depression during pregnancy, the postpartum period and outside the peripartum period distinct? Results from a nationally representative sample using item response theory (IRT). <i>Depression and Anxiety</i> , 2015 , 32, 129-40 Diagnostic Assessment of Depression, Anxiety, and Related Disorders. 2015 , 108-120 Sociodemographic and clinical features of postpartum depression among Turkish women: a prospective study. <i>BMC Pregnancy and Childbirth</i> , 2015 , 15, 108 A pilot randomised controlled trial to evaluate the feasibility and acceptability of the Baby Triple P Positive Parenting Programme in mothers with postnatal depression. <i>Clinical Child Psychology and</i>	3.2	36 1 43
53 52 51 50	Are symptom features of depression during pregnancy, the postpartum period and outside the peripartum period distinct? Results from a nationally representative sample using item response theory (IRT). Depression and Anxiety, 2015, 32, 129-40 Diagnostic Assessment of Depression, Anxiety, and Related Disorders. 2015, 108-120 Sociodemographic and clinical features of postpartum depression among Turkish women: a prospective study. BMC Pregnancy and Childbirth, 2015, 15, 108 A pilot randomised controlled trial to evaluate the feasibility and acceptability of the Baby Triple P Positive Parenting Programme in mothers with postnatal depression. Clinical Child Psychology and Psychiatry, 2015, 20, 532-54 Differences in symptom expression between unipolar and bipolar spectrum depression: Results from a nationally representative sample using item response theory (IRT). Journal of Affective	3.2	36 1 43 35
53 52 51 50 49	Are symptom features of depression during pregnancy, the postpartum period and outside the peripartum period distinct? Results from a nationally representative sample using item response theory (IRT). Depression and Anxiety, 2015, 32, 129-40 Diagnostic Assessment of Depression, Anxiety, and Related Disorders. 2015, 108-120 Sociodemographic and clinical features of postpartum depression among Turkish women: a prospective study. BMC Pregnancy and Childbirth, 2015, 15, 108 A pilot randomised controlled trial to evaluate the feasibility and acceptability of the Baby Triple P Positive Parenting Programme in mothers with postnatal depression. Clinical Child Psychology and Psychiatry, 2015, 20, 532-54 Differences in symptom expression between unipolar and bipolar spectrum depression: Results from a nationally representative sample using item response theory (IRT). Journal of Affective Disorders, 2016, 204, 24-31 Effects of exercise-based interventions on postpartum depression: A meta-analysis of randomized	3.2	36 1 43 35 6

45	Emerging literature in the Microbiota-Brain Axis and Perinatal Mood and Anxiety Disorders. <i>Psychoneuroendocrinology</i> , 2018 , 95, 86-96	5	35
44	Prevalence and incidence of postpartum depression among healthy mothers: A systematic review and meta-analysis. <i>Journal of Psychiatric Research</i> , 2018 , 104, 235-248	5.2	240
43	Is depression more likely following childbirth? A population-based study. <i>Archives of Womenis Mental Health</i> , 2019 , 22, 253-258	5	6
42	Transdermal estradiol for postpartum depression: results from a pilot randomized, double-blind, placebo-controlled study. <i>Archives of Womenis Mental Health</i> , 2020 , 23, 401-412	5	6
41	The Effects of Exercise on Anxiety and Depression. 2020 , 872-890		10
40	What parents want to know in the first postnatal year: A Delphi consensus study. <i>Child: Care, Health and Development</i> , 2021 , 47, 47-56	2.8	Ο
39	Perinatal Mood and Anxiety Disorders: Research and Implications for Nursing Care. <i>JOGNN - Journal of Obstetric, Gynecologic, and Neonatal Nursing</i> , 2021 , 50, e1-e46	1.2	0
38	Olfactory shifts linked to postpartum depression. <i>Scientific Reports</i> , 2021 , 11, 14947	4.9	2
37	Prevalence and risk factors of postpartum depression in the Middle East: a systematic review and meta-analysis. <i>BMC Pregnancy and Childbirth</i> , 2021 , 21, 542	3.2	9
36	Perinatal Mood and Anxiety Disorders: Research and Implications for Nursing Care. <i>Nursing for Womenis Health</i> , 2021 , 25, e8-e53	1.3	
35	Shortening the Edinburgh postnatal depression scale using optimal test assembly methods: Development of the EPDS-Dep-5. <i>Acta Psychiatrica Scandinavica</i> , 2021 , 143, 348-362	6.5	1
34	The validity of the Arabic Edinburgh Postnatal Depression Scale. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1997 , 32, 474-6	4.5	88
33	Postnatale und spler auftretende Depressionen bei Metern: Pr\u00edalenz und Zusammenh\u00edge mit obstetrischen, soziodemographischen sowie psychosozialen Faktoren. Zeitschrift F\u00ed Klinische Psychologie Und Psychotherapie, 2001, 30, 33-41	0.4	4
32	Social Science, Parenting and Child Development. 2015 , 8-29		1
31	**IlWasn't Being True to Myself**IlWomen's Narratives of Postpartum Depression. 2010 , 459-484		10
30	Time off work and the postpartum health of employed women. <i>Medical Care</i> , 1997 , 35, 507-21	3.1	74
29	Puerperal disorders. Advances in Psychiatric Treatment, 1998, 4, 312-319		4
28	Risk, treatment duration, and recurrence risk of postpartum affective disorder in women with no prior psychiatric history: A population-based cohort study. <i>PLoS Medicine</i> , 2017 , 14, e1002392	11.6	51

27	What Lies Behind Postnatal Depression: Is It Only a Mood Disorder?. <i>Journal of Personality Disorders</i> , 1-11	2.6	0
26	Prenatal depression: a randomized controlled trial in the emotional health of primiparous women. <i>Research and Theory for Nursing Practice</i> , 2004 , 18, 165-83	0.8	25
25	Gonadal steroids, brain, and behavior: role of context. <i>Dialogues in Clinical Neuroscience</i> , 2002 , 4, 123-3	7 5.7	22
24	Les dpressions maternelles en question. <i>Le Carnet Psy</i> , 2008 , 129, 38	0.4	1
23	Epidemiology and Phenomenology of Postpartum Mood Disorders. <i>Psychiatric Annals</i> , 2005 , 35, 544-55	10.5	12
22	Identification and Classification of Postpartum Psychiatric Disorders. <i>Journal of Psychosocial Nursing and Mental Health Services</i> , 2001 , 39, 23-30	1.1	15
21	Psychiatrische Erkrankungen bei Frauen. 2000 , 313-377	О	
20	Psychiatric Illnesses in Women. 2001 , 927-963		
19	traitement comportemental et cognitif de la dpression du post-partum. 2008, 87-116		
18	Aspects cliniques et psychopathologiques de la dpression du post-partum : rapport dune sfie de onze cas shgalais. <i>Perspectives Psy</i> , 2008 , 47, 119-125	0.1	2
17	Problems. 1992 , 208-246		
16	PREVALENCE OF DEPRESSION, ANXIETY AND STRESS AMONG POST-NATAL MOTHERS HAVING LOW BIRTH WEIGHT (LBW) INFANTS. <i>Malaysian Journal of Medical Research</i> , 2018 , 2, 18-29	1	
15	Effect of Korean medicine health promotion program for maternal health. <i>Journal of Korean Medicine</i> , 2019 , 40, 106-118	0.3	
14	NATURE DE LA SYMPTOMATOLOGIE DERESSIVE POSTNATALE VERSUS NON POSTNATALE : UNE ANALYSE QUALITATIVE. Revue Qubitoise De Psychologie, 2020 , 41, 105	0.1	
13	The contribution of group prenatal care to maternal psychological health outcomes: A systematic review. <i>Women and Birth</i> , 2021 , 34, e631-e642	3.3	0
12	Intergenerational Aspects of Immune and Endocrine Function in Perinatal Depression. <i>Agents and Actions Supplements</i> , 2020 , 63-80	0.2	
11	Comparing the Different Manifestations of Postpartum Mental Disorders by Origin, among Immigrants and Native-Born in Israel According to Different Mental Scales. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	1
10	A qualitative study of the acceptability of routine screening of postnatal women using the Edinburgh Postnatal Depression Scale. <i>British Journal of General Practice</i> , 2003 , 53, 614-9	1.6	86

9	Postnatal depression: a review of recent literature. British Journal of General Practice, 1990, 40, 472-6	1.6	23
8	Psychological sequelae of miscarriage: a controlled study using the general health questionnaire and the hospital anxiety and depression scale. <i>British Journal of General Practice</i> , 1992 , 42, 94-6	1.6	97
7	Postnatal depression in the community. British Journal of General Practice, 1998, 48, 1064-6	1.6	91
6	Postpartum depression: a survey of the incidence and associated risk factors among malay women in beris kubor besar, bachok, kelantan. <i>The Malaysian Journal of Medical Sciences</i> , 2002 , 9, 41-8	1.3	13
5	Bibliographie. Le Fil Rouge Section 2, Psychanalyse Et Psychiatrie De Lienfant, 2008, 201-213	0	
4	A Review on the Postpartum Depression Management Systems in Korea. <i>Journal of the Korean Society of Maternal and Child Health</i> , 2022 , 26, 52-60	0.6	O
3	Psychological health status in postpartum women during COVID-19 pandemic: A systematic review and meta-analysis. 2022 , 319, 99-111		1
2	Postpartum depression and ADHD in the offspring: Systematic review and meta-analysis. 2022 , 318, 314	4-330	0
1	Extreme Acts of Violence. 2022 , 1-17		0