CITATION REPORT List of articles citing

Changes in behaviour in dementia: a neglected research area

DOI: 10.1192/bjp.152.3.406 British Journal of Psychiatry, 1988, 152, 406-7.

Source: https://exaly.com/paper-pdf/20242300/citation-report.pdf

Version: 2024-04-23

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
64	HIV infection presenting as psychosis: a critique. <i>Acta Psychiatrica Scandinavica</i> , 1988 , 78, 652-6	6.5	19
63	Pharmacological treatment of symptomatic behaviors in dementia. <i>Topics in Geriatrics</i> , 1989 , 2, 57-8		1
62	Increased eating in dementia. International Journal of Eating Disorders, 1989, 8, 111-115	6.3	25
61	Eating habits in dementia. A descriptive study. British Journal of Psychiatry, 1989, 154, 801-6	5.4	94
60	Validity and reliability of the dementia behavior disturbance scale. <i>Journal of the American Geriatrics Society</i> , 1990 , 38, 221-6	5.6	168
59	The nature of wandering in dementia: A community-based study. <i>International Journal of Geriatric Psychiatry</i> , 1990 , 5, 239-245	3.9	63
58	Rapid autopsy brains for biochemical research: Experiences in establishing a programme. <i>International Journal of Geriatric Psychiatry</i> , 1990 , 5, 287-294	3.9	17
57	A community-based study of aggressive behaviour in dementia. <i>International Journal of Geriatric Psychiatry</i> , 1990 , 5, 337-342	3.9	39
56	Organic Psychiatry. <i>British Journal of Psychiatry</i> , 1990 , 156, 913-916	5.4	
55	Psychiatric phenomena in Alzheimer disease. IV: Disorders of behaviour. <i>British Journal of Psychiatry</i> , 1990 , 157, 86-94	5.4	305
54	Animal models of human amnesia and dementia: hippocampal and amygdala ablation compared with serotonergic and cholinergic blockade in the rat. <i>Behavioural Brain Research</i> , 1990 , 41, 215-27	3.4	19
53	Functional assessment in severely demented patients. <i>Age and Ageing</i> , 1991 , 20, 212-6	3	12
52	Wandering in dementia sufferers. International Journal of Geriatric Psychiatry, 1991, 6, 611-614	3.9	37
51	Assessing the severity of dementia. Patient and caregiver. <i>Archives of Neurology</i> , 1991 , 48, 274-7		113
50	The Nursing Home Behavior Problem Scale. <i>Journal of Gerontology</i> , 1992 , 47, M9-16		99
49	Clinical staging of dementia in a population survey: comparison of DSM-III-R and the Washington University Clinical Dementia Rating Scale. <i>Acta Psychiatrica Scandinavica</i> , 1992 , 86, 49-54	6.5	49
48	Behavioral Syndromes in Alzheimer Disease. International Psychogeriatrics, 1992, 4, 161-184	3.4	134

47	The Present Behavioural Examination (PBE): the development of an interview to measure current behavioural abnormalities. <i>Psychological Medicine</i> , 1992 , 22, 223-30	6.9	96
46	Aggressive behaviour in elderly psychiatric inpatients. Acta Psychiatrica Scandinavica, 1992, 85, 131-5	6.5	43
45	An observational study of two long-stay psychogeriatric wards. <i>International Journal of Geriatric Psychiatry</i> , 1992 , 7, 211-217	3.9	15
44	Psychotic symptoms in Alzheimer disease. International Journal of Geriatric Psychiatry, 1992, 7, 341-34	53.9	9
43	A survey of frontal lobe dementia in a psychogeriatric day unit population. <i>International Journal of Geriatric Psychiatry</i> , 1992 , 7, 731-738	3.9	5
42	Brief report: Abnormal eating behavior in demential descriptive study. <i>International Journal of Geriatric Psychiatry</i> , 1992 , 7, 799-803	3.9	12
41	Physical assaults by psychogeriatric patients: Patient characteristics and implications for placement. <i>International Journal of Geriatric Psychiatry</i> , 1993 , 8, 515-520	3.9	15
40	Measuring feeding difficulty in patients with dementia: perspectives and problems. <i>Journal of Advanced Nursing</i> , 1993 , 18, 25-31	3.1	66
39	Crying behavior and psychiatric disorder in adults: a review. Comprehensive Psychiatry, 1993, 34, 206-11	7.3	25
38	⊮ ick⊌ disease⊎ 101 years on still there, but in need of reform. <i>British Journal of Psychiatry</i> , 1993 , 163, 100-4	5.4	30
37	Reducing Antipsychotic Drug Use in Nursing Homes. Archives of Internal Medicine, 1993, 153, 713		104
36	Feeding behaviors in mid-stage Alzheimer disease: A review. <i>American Journal of Alzheimer S Care and Related Disorders & Research</i> , 1993 , 8, 22-27		7
35	Aggressive behaviour among patients referred to a psychogeriatric service. <i>Medicine, Science and the Law,</i> 1993 , 33, 144-50	1.1	6
34	Assessment in severe dementia: the Guyld Advanced Dementia Schedule. <i>Age and Ageing</i> , 1993 , 22, 183	-93	11
33	Early noncognitive change in Alzheimer U disease and healthy aging. <i>Journal of Geriatric Psychiatry and Neurology</i> , 1994 , 7, 199-205	3.8	16
32	Disturbed behaviour in dementia sufferers: A comparison of three nursing home settings. <i>International Journal of Geriatric Psychiatry</i> , 1994 , 9, 393-398	3.9	10
31	The behavioral neurobiology of learning and memory: a conceptual reorientation. <i>Brain Research Reviews</i> , 1994 , 19, 264-97		106
30	Carbamazepine treatment of agitation in nursing home patients with dementia: a preliminary study. <i>Journal of the American Geriatrics Society</i> , 1994 , 42, 1160-6	5.6	78

29	The management of other psychiatric states. Hallucinations, delusions, and other disturbances. <i>Medical Clinics of North America</i> , 1994 , 78, 841-59	7	5
28	Neuroleptic treatment of agitation and psychosis in dementia. <i>Journal of Geriatric Psychiatry and Neurology</i> , 1995 , 8 Suppl 1, S18-27	3.8	41
27	The noncognitive features of dementia. Reviews in Clinical Gerontology, 1995, 5, 57-75		34
26	AGGRESSIVE INCIDENTS TOWARDS STAFF BY ELDERLY PATIENTS WITH DEMENTIA IN A LONG-STAY WARD. <i>International Journal of Geriatric Psychiatry</i> , 1996 , 11, 57-63	3.9	21
25	Undernutrition, weight loss and feeding difficulty in elderly patients with dementia: a nursing perspective. <i>Reviews in Clinical Gerontology</i> , 1997 , 7, 317-326		20
24	An open trial of valproate for agitation in geriatric neuropsychiatric disorders. <i>American Journal of Geriatric Psychiatry</i> , 1997 , 5, 344-51	6.5	46
23	Prevalence and correlates of aggressive behaviours occurring in patients with Alzheimer u disease. <i>International Journal of Geriatric Psychiatry</i> , 1997 , 12, 484-7	3.9	52
22	Evaluation of three aggression/agitation behaviour rating scales for use on an acute admission and assessment psychogeriatric ward. <i>International Journal of Geriatric Psychiatry</i> , 1998 , 13, 415-20	3.9	26
21	Neuropsychological correlates of wandering in persons with Alzheimer disease. 1998 , 13, 317-329		11
20	Wandering. 1998 , 371-412		1
20	Wandering. 1998, 371-412 Aggressive behaviour in the elderly. <i>International Journal of Psychiatry in Clinical Practice</i> , 1999, 3, 85-10	03 .4	13
		,	
19	Aggressive behaviour in the elderly. <i>International Journal of Psychiatry in Clinical Practice</i> , 1999 , 3, 85-10	,	13
19 18	Aggressive behaviour in the elderly. <i>International Journal of Psychiatry in Clinical Practice</i> , 1999 , 3, 85-10. Is improvement possible in the measurement of behaviour disturbance in dementia?. 1999 , 14, 512-519. Risperidone for control of agitation in dementia patients. <i>American Journal of Health-System</i>)	13 5
19 18 17	Aggressive behaviour in the elderly. <i>International Journal of Psychiatry in Clinical Practice</i> , 1999 , 3, 85-10. Is improvement possible in the measurement of behaviour disturbance in dementia?. 1999 , 14, 512-519. Risperidone for control of agitation in dementia patients. <i>American Journal of Health-System Pharmacy</i> , 2000 , 57, 862-70. A double-blind randomised comparison of risperidone and haloperidol in the treatment of behavioural and psychological symptoms in Chinese dementia patients. <i>International Journal of</i>	2.2	13 5 18
19 18 17	Aggressive behaviour in the elderly. <i>International Journal of Psychiatry in Clinical Practice</i> , 1999 , 3, 85-10. Is improvement possible in the measurement of behaviour disturbance in dementia?. 1999 , 14, 512-519. Risperidone for control of agitation in dementia patients. <i>American Journal of Health-System Pharmacy</i> , 2000 , 57, 862-70. A double-blind randomised comparison of risperidone and haloperidol in the treatment of behavioural and psychological symptoms in Chinese dementia patients. <i>International Journal of Geriatric Psychiatry</i> , 2001 , 16, 1156-62. Changes in appetite, food preference, and eating habits in frontotemporal dementia and	2.2	13 5 18 87
19 18 17 16	Aggressive behaviour in the elderly. <i>International Journal of Psychiatry in Clinical Practice</i> , 1999 , 3, 85-10. Is improvement possible in the measurement of behaviour disturbance in dementia?. 1999 , 14, 512-519. Risperidone for control of agitation in dementia patients. <i>American Journal of Health-System Pharmacy</i> , 2000 , 57, 862-70. A double-blind randomised comparison of risperidone and haloperidol in the treatment of behavioural and psychological symptoms in Chinese dementia patients. <i>International Journal of Geriatric Psychiatry</i> , 2001 , 16, 1156-62. Changes in appetite, food preference, and eating habits in frontotemporal dementia and Alzheimer disease. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2002 , 73, 371-6. Combined beta-adrenergic and cholinergic antagonism produces behavioral and cognitive impairments in the water maze: implications for Alzheimer disease and pharmacotherapy with	2.2 3.9 5.5	13 5 18 87 295

CITATION REPORT

Brief checklist for non-cognitive symptoms of dementia. *Australasian Journal on Ageing*, **2005**, 24, 88-93 1.5

10	Behavioural and psychological signs and symptoms of dementia across cultures: current status and the future. <i>International Journal of Geriatric Psychiatry</i> , 2005 , 20, 1187-95	3.9	28
9	Geriatric psychiatry 2050?. International Psychogeriatrics, 2005, 17, 518-520	3.4	О
8	Behavioral and psychological symptoms in Alzheimerঙ disease: frequency and relationship with duration and severity of the disease. <i>Dementia and Geriatric Cognitive Disorders</i> , 2005 , 19, 276-81	2.6	72
7	Water maze impairments after combined depletion of somatostatin and serotonin in the rat. <i>Behavioural Brain Research</i> , 2007 , 181, 85-95	3.4	10
6	Combined but not individual administration of beta-adrenergic and serotonergic antagonists impairs water maze acquisition in the rat. <i>Neuropsychopharmacology</i> , 2008 , 33, 1298-311	8.7	16
5	Feeling happy and thinking about food. Counteractive effects of mood and memory on food consumption. <i>Appetite</i> , 2015 , 84, 107-12	4.5	12
4	Drugs for Alzheimer ⊍ disease. <i>Psychiatric Bulletin</i> , 1990 , 14, 676-676		
3	Typische hūfige Krankheitssyndrome. 1991 , 385-489		1
2	Recent Developments in Neuropsychological Assessment of the Elderly and Individuals with Severe Dementia. <i>Critical Issues in Neuropsychology</i> , 1997 , 277-324		
1	ALZHEIMERUS DISEASE AND NURSING. 1994 , 29, 85-99		1