CITATION REPORT List of articles citing

Identification of the RNA binding segment of human U1 A protein and definition of its binding site on U1 snRNA.

DOI: 10.1002/j.1460-2075.1989.tb08601.x EMBO Journal, 1989, 8, 4163-4170.

Source: https://exaly.com/paper-pdf/20319229/citation-report.pdf

Version: 2024-04-25

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
202	Major determinants of the specificity of interaction between small nuclear ribonucleoproteins U1A and U2BSand their cognate RNAs. 1990 , 345, 502-6		299
201	Crystal structure of the RNA-binding domain of the U1 small nuclear ribonucleoprotein A. 1990 , 348, 515-20		632
200	Structure and function of La and Ro RNPs. 1990 , 14, 43-8		40
199	Functional analyses of the Xenopus La protein. 1990 , 14, 51		7
198	A selective review of RNA-protein interactions in eukaryotes. 1990 , 14, 151-5		11
197	Analysis of the in vitro binding of A and B" snRNP proteins to U1 and U2 snRNAs using mutated A and B" proteins. 1990 , 14, 159		3
196	Characterization of a Drosophila U snRNP RNA-binding protein. 1990 , 14, 163		1
195	Binding specificity determinants of U1A and U2BSproteins. 1990 , 14, 181-2		5
194	Structure-function in Xenopus snRNPs. 1990 , 14, 209-10		2
193	An essential signaling role for the m3G cap in the transport of U1 snRNP to the nucleus. 1990 , 249, 786-	-90	226
192	Human U1-70K ribonucleoprotein antigen gene: organization, nucleotide sequence, and mapping to locus 19q13.3. 1990 , 8, 371-9		14
191	The trimethylguanosine cap structure of U1 snRNA is a component of a bipartite nuclear targeting signal. 1990 , 62, 569-77		294
190	Structure of spliceosomal snRNPs and their role in pre-mRNA splicing. 1990 , 1087, 265-92		344
189	The human RD protein is closely related to nuclear RNA-binding proteins and has been highly conserved. 1990 , 90, 299-302		41
188	Modeling by homology of RNA binding domain in A1 hnRNP protein. 1990 , 277, 272-6		9
187	Structure, chromosomal localization and evolutionary conservation of the gene encoding human U1 snRNP-specific A protein. 1991 , 102, 189-96		25
186	Small ribonucleoproteins. 1991 , 1, 251-257		5

185	RNA recognition: towards identifying determinants of specificity. 1991 , 16, 214-20	706
184	Structural elements in RNA. 1991 , 41, 131-77	104
183	Spliceosomal small nuclear RNAs of Tetrahymena thermophila and some possible snRNA-snRNA base-pairing interactions. 1991 , 222, 219-32	31
182	Sex-specific splicing and polyadenylation of dsx pre-mRNA requires a sequence that binds specifically to tra-2 protein in vitro. 1991 , 65, 579-86	239
181	Glycine loops in proteins: their occurrence in certain intermediate filament chains, loricrins and single-stranded RNA binding proteins. 1991 , 13, 130-9	175
180	Protein-RNA interactions in 20S U5 snRNPs. 1991 , 1088, 139-43	18
179	Conserved amino acid residues within and outside of the N-terminal ribonucleoprotein motif of U1A small nuclear ribonucleoprotein involved in U1 RNA binding. 1991 , 219, 577-84	46
178	rRNA binding domain of yeast ribosomal protein L25. Identification of its borders and a key leucine residue. 1991 , 218, 375-85	30
177	Nuclear RNA-binding proteins. 1991 , 41, 179-202	58
176	Autoregulation of the splicing of transcripts from the transformer-2 gene of Drosophila. 1991 , 5, 786-96	88
175	Suppressors of a U4 snRNA mutation define a novel U6 snRNP protein with RNA-binding motifs.	
	1991 , 5, 773-85	134
174	1991, 5, 773-85 Interaction of U6 snRNA with a sequence required for function of the nematode SL RNA in trans-splicing. 1992, 258, 1775-80	134 52
174 173	Interaction of U6 snRNA with a sequence required for function of the nematode SL RNA in	
	Interaction of U6 snRNA with a sequence required for function of the nematode SL RNA in trans-splicing. 1992 , 258, 1775-80 Spatial localization of distinct rheumatic disease-associated epitopes and the RNA "cap" of the U1	52
173	Interaction of U6 snRNA with a sequence required for function of the nematode SL RNA in trans-splicing. 1992 , 258, 1775-80 Spatial localization of distinct rheumatic disease-associated epitopes and the RNA "cap" of the U1 snRNP particle. 1992 , 21, 111-22	52 O
173 172	Interaction of U6 snRNA with a sequence required for function of the nematode SL RNA in trans-splicing. 1992, 258, 1775-80 Spatial localization of distinct rheumatic disease-associated epitopes and the RNA "cap" of the U1 snRNP particle. 1992, 21, 111-22 RNA processing. 1992, 4, 444-52 Ro ribonucleoprotein assembly in vitro. Identification of RNA-protein and protein-protein	52 0 29
173 172 171	Interaction of U6 snRNA with a sequence required for function of the nematode SL RNA in trans-splicing. 1992, 258, 1775-80 Spatial localization of distinct rheumatic disease-associated epitopes and the RNA "cap" of the U1 snRNP particle. 1992, 21, 111-22 RNA processing. 1992, 4, 444-52 Ro ribonucleoprotein assembly in vitro. Identification of RNA-protein and protein-protein interactions. 1992, 227, 361-6	52 0 29 102

167	Characterization and expression of U1snRNA genes from potato. 1992 , 19, 959-71	14
166	The NAM8 gene in Saccharomyces cerevisiae encodes a protein with putative RNA binding motifs and acts as a suppressor of mitochondrial splicing deficiencies when overexpressed. 1992 , 233, 136-44	16
165	Purification of ribonucleoproteins by a novel approach: isolation of the SSB1 ribonucleoprotein from yeast and demonstration that it has no role in mRNA splicing. 1992 , 1171, 176-86	2
164	Concerted activities of the RNA recognition and the glycine-rich C-terminal domains of nucleolin are required for efficient complex formation with pre-ribosomal RNA. 1992 , 209, 541-8	99
163	Autoantigenic epitopes of the B polypeptide of Sm small nuclear RNP particles. Identification of regions accessible only within the U1 small nuclear RNP. 1992 , 35, 960-6	12
162	Structure and expression of the tobacco nuclear gene encoding the 33 kDa chloroplast ribonucleoprotein. 1993 , 239, 304-9	7
161	Structure and function of La and Ro RNPs. 1993 , 18, 113-9	57
160	Recombinant iron-regulatory factor functions as an iron-responsive-element-binding protein, a translational repressor and an aconitase. A functional assay for translational repression and direct demonstration of the iron switch. 1993 , 218, 657-67	125
159	Non-snRNP protein splicing factors. 1993 , 1173, 247-65	62
0		
158	Evolutionary clustering and functional similarity of RNA-binding proteins. 1993 , 335, 289-93	29
158	Uridylate-Rich Small Nuclear RNAs (UsnRNAs), Their Genes and Pseudogenes, and UsnRNPs in Plants: Structure and Function. A Comparative Approach. 1993 , 12, 275-369	29
	Uridylate-Rich Small Nuclear RNAs (UsnRNAs), Their Genes and Pseudogenes, and UsnRNPs in	
157	Uridylate-Rich Small Nuclear RNAs (UsnRNAs), Their Genes and Pseudogenes, and UsnRNPs in Plants: Structure and Function. A Comparative Approach. 1993 , 12, 275-369	21
157 156	Uridylate-Rich Small Nuclear RNAs (UsnRNAs), Their Genes and Pseudogenes, and UsnRNPs in Plants: Structure and Function. A Comparative Approach. 1993, 12, 275-369 U2AF homolog required for splicing in vivo. 1993, 262, 573-5 The prespliceosome components SAP 49 and SAP 145 interact in a complex implicated in tethering	21 97
157 156 155	Uridylate-Rich Small Nuclear RNAs (UsnRNAs), Their Genes and Pseudogenes, and UsnRNPs in Plants: Structure and Function. A Comparative Approach. 1993, 12, 275-369 U2AF homolog required for splicing in vivo. 1993, 262, 573-5 The prespliceosome components SAP 49 and SAP 145 interact in a complex implicated in tethering U2 snRNP to the branch site. 1994, 8, 1974-83 Direct interaction of the U1 snRNP-A protein with the upstream efficiency element of the SV40 late	21 97 89
157 156 155	Uridylate-Rich Small Nuclear RNAs (UsnRNAs), Their Genes and Pseudogenes, and UsnRNPs in Plants: Structure and Function. A Comparative Approach. 1993, 12, 275-369 U2AF homolog required for splicing in vivo. 1993, 262, 573-5 The prespliceosome components SAP 49 and SAP 145 interact in a complex implicated in tethering U2 snRNP to the branch site. 1994, 8, 1974-83 Direct interaction of the U1 snRNP-A protein with the upstream efficiency element of the SV40 late polyadenylation signal. 1994, 8, 576-86 Requirement of human renal water channel aquaporin-2 for vasopressin-dependent concentration	21 97 89
157 156 155 154 153	Uridylate-Rich Small Nuclear RNAs (UsnRNAs), Their Genes and Pseudogenes, and UsnRNPs in Plants: Structure and Function. A Comparative Approach. 1993, 12, 275-369 U2AF homolog required for splicing in vivo. 1993, 262, 573-5 The prespliceosome components SAP 49 and SAP 145 interact in a complex implicated in tethering U2 snRNP to the branch site. 1994, 8, 1974-83 Direct interaction of the U1 snRNP-A protein with the upstream efficiency element of the SV40 late polyadenylation signal. 1994, 8, 576-86 Requirement of human renal water channel aquaporin-2 for vasopressin-dependent concentration of urine. 1994, 264, 92-5 A molecular dynamics approach for the generation of complete protein structures from limited	21 97 89 131 738

[1996-1994]

149	polymerase. 1994 , 76, 531-41	198
148	The role of specific protein-RNA and protein-protein interactions in positive and negative control of pre-mRNA splicing by Transformer 2. 1994 , 76, 735-46	172
147	Conserved structures and diversity of functions of RNA-binding proteins. 1994 , 265, 615-21	1761
146	Analysis of the yeast NSR1 gene and protein domain comparison between Nsr1 and human hnRNP type A1. 1994 , 148, 59-66	3
145	New insights into the auxiliary domains of eukaryotic RNA binding proteins. 1994 , 340, 1-8	66
144	A nuclear cap binding protein complex involved in pre-mRNA splicing. 1994 , 78, 657-68	439
143	Interaction of RNA hairpins with the human U1A N-terminal RNA binding domain. 1994 , 33, 10076-88	116
142	Thermodynamics and mutations in RNA-protein interactions. 1995 , 259, 261-81	23
141	U1 snRNA variants coexist in Bombyx mori cells. 1995 , 4, 193-202	8
140	Anti-La monoclonal antibodies recognizing epitopes within the RNA-binding domain of the La protein show differential capacities to immunoprecipitate RNA-associated La protein. 1995 , 232, 611-9	42
139	Nucleotide sequence and analysis of the centromeric region of yeast chromosome IX. 1995 , 11, 61-78	19
138	Crystallisation of RNA-protein complexes. II. The application of protein engineering for crystallisation of the U1A protein-RNA complex. 1995 , 249, 409-23	50
137	An RBD that does not bind RNA: NMR secondary structure determination and biochemical properties of the C-terminal RNA binding domain from the human U1A protein. 1995 , 247, 739-752	19
136	Isolation and embryonic expression of Xel-1, a nervous system-specific Xenopus gene related to the elav gene family. 1995 , 51, 235-49	19
135	Origins of binding specificity of the A1 heterogeneous nuclear ribonucleoprotein. 1996 , 35, 3545-54	46
134	RNA-protein complexes. 1996 , 6, 53-61	163
133	Sex-lethal interacts with splicing factors in vitro and in vivo. 1996 , 16, 5036-47	36
132	In vitro genetic analysis of RNA-binding proteins using phage display libraries. 1996 , 267, 149-68	15

131	Characterisation of the nucleic-acid-binding activity of KH domains. Different properties of different domains. 1996 , 241, 425-31	97
130	Two structurally different RNA molecules are bound by the spliceosomal protein U1A using the same recognition strategy. 1996 , 4, 621-31	29
129	Characterization of human variable domain antibody fragments against the U1 RNA-associated A protein, selected from a synthetic and patient-derived combinatorial V gene library. 1996 , 26, 629-39	43
128	RNA recognition by autoantigens and autoantibodies. 1996 , 23, 173-81	12
127	Contribution of the tyrosines to the structure and function of the human U1A N-terminal RNA binding domain. 1996 , 5, 1567-83	34
126	Interaction between the U1 snRNP-A protein and the 160-kD subunit of cleavage-polyadenylation specificity factor increases polyadenylation efficiency in vitro. 1996 , 10, 325-37	143
125	Purification and properties of HuD, a neuronal RNA-binding protein. 1996 , 271, 11518-24	137
124	Individual RNA recognition motifs of TIA-1 and TIAR have different RNA binding specificities. 1996 , 271, 2783-8	162
123	trans-Activation by the hnRNP K protein involves an increase in RNA synthesis from the reporter genes. 1996 , 271, 3420-7	50
122	Detection and isolation of RNA-binding proteins by RNA-ligand screening of a cDNA expression library. 1997 , 25, 3816-22	39
121	The yeast nucleolar protein Nop4p contains four RNA recognition motifs necessary for ribosome biogenesis. 1997 , 272, 25345-52	27
120	Two RNA-binding domains determine the RNA-binding specificity of nucleolin. 1997 , 272, 13109-16	75
119	Involvement of the carboxyl terminus of vertebrate poly(A) polymerase in U1A autoregulation and in the coupling of splicing and polyadenylation. 1997 , 11, 761-73	102
118	Interaction between the human nuclear cap-binding protein complex and hnRNP F. 1997 , 17, 2587-97	44
117	The neuronal RNA binding protein Nova-1 recognizes specific RNA targets in vitro and in vivo. 1997 , 17, 3194-201	215
116	Probing the 3SUTR structure of U1A mRNA and footprinting analysis of its complex with U1A protein. 1997 , 36, 1782-9	8
115	Tertiary structure of RBD2 and backbone dynamics of RBD1 and RBD2 of the human U1A protein determined by NMR spectroscopy. 1997 , 36, 10393-405	38
114	Nuclear accumulation of the U1 snRNP-specific protein C is due to diffusion and retention in the nucleus. 1997 , 235, 265-73	7

113	The bifunctional protein DCoH modulates interactions of the homeodomain transcription factor HNF1 with nucleic acids. 1997 , 265, 20-9	36
112	Sequential assignments and secondary structure of the RNA-binding transcriptional regulator NusB. 1997 , 415, 221-6	8
111	Sequence-specific RNA binding by an SR protein requires RS domain phosphorylation: creation of an SRp40-specific splicing enhancer. 1997 , 94, 1148-53	169
110	Crystal structure of the two RNA binding domains of human hnRNP A1 at 1.75 A resolution. 1997 , 4, 215-22	106
109	Crystal structure of human UP1, the domain of hnRNP A1 that contains two RNA-recognition motifs. 1997 , 5, 559-70	97
108	Thermal unfolding of the N-terminal RNA binding domain of the human U1A protein studied by differential scanning calorimetry. 1997 , 64, 111-9	4
107	Crystal structure of the spliceosomal U2B"-U2ASprotein complex bound to a fragment of U2 small nuclear RNA. 1998 , 394, 645-50	320
106	RNA binding mediates the local cooperativity between the beta-sheet and the C-terminal tail of the human U1A RBD1 protein. 1998 , 275, 465-81	44
105	At least three linear regions but not the zinc-finger domain of U1C protein are exposed at the surface of the protein in solution and on the human spliceosomal U1 snRNP particle. 1998 , 26, 5486-91	7
104	RNA recognition by RNP proteins during RNA processing. 1998 , 27, 407-45	250
104	RNA recognition by RNP proteins during RNA processing. 1998 , 27, 407-45 Purified recombinant Fmrp exhibits selective RNA binding as an intrinsic property of the fragile X mental retardation protein. 1998 , 273, 15521-7	250 130
	Purified recombinant Fmrp exhibits selective RNA binding as an intrinsic property of the fragile X	
103	Purified recombinant Fmrp exhibits selective RNA binding as an intrinsic property of the fragile X mental retardation protein. 1998 , 273, 15521-7 Gar1p binds to the small nucleolar RNAs snR10 and snR30 in vitro through a nontypical RNA	130
103	Purified recombinant Fmrp exhibits selective RNA binding as an intrinsic property of the fragile X mental retardation protein. 1998, 273, 15521-7 Gar1p binds to the small nucleolar RNAs snR10 and snR30 in vitro through a nontypical RNA binding element. 1998, 273, 10868-73 A thermodynamic analysis of the sequence-specific binding of RNA by bacteriophage MS2 coat	130 46
103	Purified recombinant Fmrp exhibits selective RNA binding as an intrinsic property of the fragile X mental retardation protein. 1998, 273, 15521-7 Gar1p binds to the small nucleolar RNAs snR10 and snR30 in vitro through a nontypical RNA binding element. 1998, 273, 10868-73 A thermodynamic analysis of the sequence-specific binding of RNA by bacteriophage MS2 coat protein. 1998, 95, 9244-9 cDNA cloning and characterization of the human U3 small nucleolar ribonucleoprotein	130 46 75
103 102 101	Purified recombinant Fmrp exhibits selective RNA binding as an intrinsic property of the fragile X mental retardation protein. 1998, 273, 15521-7 Gar1p binds to the small nucleolar RNAs snR10 and snR30 in vitro through a nontypical RNA binding element. 1998, 273, 10868-73 A thermodynamic analysis of the sequence-specific binding of RNA by bacteriophage MS2 coat protein. 1998, 95, 9244-9 cDNA cloning and characterization of the human U3 small nucleolar ribonucleoprotein complex-associated 55-kilodalton protein. 1998, 18, 488-98	130 46 75 41
103 102 101 100	Purified recombinant Fmrp exhibits selective RNA binding as an intrinsic property of the fragile X mental retardation protein. 1998, 273, 15521-7 Gar1p binds to the small nucleolar RNAs snR10 and snR30 in vitro through a nontypical RNA binding element. 1998, 273, 10868-73 A thermodynamic analysis of the sequence-specific binding of RNA by bacteriophage MS2 coat protein. 1998, 95, 9244-9 cDNA cloning and characterization of the human U3 small nucleolar ribonucleoprotein complex-associated 55-kilodalton protein. 1998, 18, 488-98 A translational repression assay procedure (TRAP) for RNA-protein interactions in vivo. 1998, 95, 951-6	130 46 75 41 37

95	Global and local dynamics of the human U1A protein determined by tryptophan fluorescence. 1999 , 8, 2110-20	14
94	SIN, a novel Drosophila protein that associates with the RNA binding protein sex-lethal. 1999 , 237, 421-8	9
93	Recognition of polyadenylate RNA by the poly(A)-binding protein. 1999 , 98, 835-45	412
92	RNA recognition by the human U1A protein is mediated by a network of local cooperative interactions that create the optimal binding surface. 1999 , 285, 215-31	60
91	Themes in RNA-protein recognition. 1999 , 293, 255-70	339
90	Directed cleavage of RNA with protein-tethered EDTA-Fe. 1999 , 18, 78-84	19
89	Monte Carlo applications to thermal and chemical denaturation experiments of nucleic acids and proteins. 2000 , 321, 330-52	27
88	Fourteen residues of the U1 snRNP-specific U1A protein are required for homodimerization, cooperative RNA binding, and inhibition of polyadenylation. 2000 , 20, 2209-17	26
87	The splicing factor U1C represses EWS/FLI-mediated transactivation. 2000, 275, 24865-71	100
86	A general approach for identification of RNA-protein cross-linking sites within native human spliceosomal small nuclear ribonucleoproteins (snRNPs). Analysis of RNA-protein contacts in native U1 and U4/U6.U5 snRNPs. 2000 , 275, 41458-68	53
85	Detailed analysis of the phosphorylation of the human La (SS-B) autoantigen. (De)phosphorylation does not affect its subcellular distribution. 2000 , 39, 3023-33	39
84	Spatial orientation and dynamics of the U1A proteins in the U1A-UTR complex. 2000 , 39, 7320-9	4
83	Contribution of RNA Conformation to the Stability of a High-Affinity RNA P rotein Complex. 2000 , 122, 7130-7131	13
82	From RNA helicases to RNPases. 2001 , 26, 339-41	55
81	T7 phage display: a novel genetic selection system for cloning RNA-binding proteins from cDNA libraries. 2001 , 98, 12954-9	110
80	Mutational definition of RNA-binding and protein-protein interaction domains of heterogeneous nuclear RNP C1. 2001 , 276, 7681-8	23
79	Two functionally distinct steps mediate high affinity binding of U1A protein to U1 hairpin II RNA. 2001 , 276, 21476-81	70
78	Complex role of the beta 2-beta 3 loop in the interaction of U1A with U1 hairpin II RNA. 2002, 277, 33267-74	26

77	Crp79p, like Mex67p, is an auxiliary mRNA export factor in Schizosaccharomyces pombe. 2002 , 13, 2571-84	8
76	Nucleolin associates with a subset of the human Ro ribonucleoprotein complexes. 2002 , 320, 475-88	61
75	A functional role for correlated motion in the N-terminal RNA-binding domain of human U1A protein. 2002 , 322, 533-42	39
74	Specificity analysis of the conserved hexanucleotides for the replication of bamboo mosaic potexvirus RNA. 2002 , 83, 159-67	21
73	Anti-U1A monoclonal antibodies recognize unique epitope targets of U1A which are involved in the binding of U1 RNA. 2002 , 15, 163-70	8
72	Molecular dynamics simulation studies of induced fit and conformational capture in U1A-RNA binding: do molecular substates code for specificity?. 2002 , 65, 424-35	46
71	Design of an adenosine analogue that selectively improves the affinity of a mutant U1A protein for RNA. 2003 , 125, 2480-8	16
70	A novel mode of RBD-protein recognition in the Y14-Mago complex. 2003 , 10, 433-9	134
69	Solution structure and RNA interactions of the RNA recognition motif from eukaryotic translation initiation factor 4B. 2003 , 42, 8966-75	20
68	Determinants within an 18-amino-acid U1A autoregulatory domain that uncouple cooperative RNA binding, inhibition of polyadenylation, and homodimerization. 2003 , 23, 3163-72	6
67	Sequences adjacent to the 5Ssplice site control U1A binding upstream of the IgM heavy chain secretory poly(A) site. 2003 , 278, 22102-11	8
66	XSEB4R, a novel RNA-binding protein involved in retinal cell differentiation downstream of bHLH proneural genes. 2004 , 131, 851-62	15
65	U2AF homology motifs: protein recognition in the RRM world. 2004 , 18, 1513-26	180
64	The structural basis for the interaction between nonsense-mediated mRNA decay factors UPF2 and UPF3. 2004 , 11, 330-7	145
63	Contributions of the RNA-binding and linker domains and RNA structure to the specificity and affinity of the nucleolin RBD12/NRE interaction. 2004 , 43, 6937-47	8
62	Global and local dynamics of the U1A polyadenylation inhibition element (PIE) RNA and PIE RNA-U1A complexes. 2004 , 43, 13404-15	10
61	Single neurons as experimental systems in molecular biology. 2004 , 72, 129-42	20
60	A binding mechanism in protein-nucleotide interactions: implication for U1A RNA binding. 2005 , 102, 3954-9	35

59	Correlated motions in the U1 snRNA stem/loop 2:U1A RBD1 complex. 2005 , 89, 2046-58	30
58	The role of RNA structure in the interaction of U1A protein with U1 hairpin II RNA. 2006 , 12, 1168-78	33
57	Identification of the major spliceosomal RNAs in Dictyostelium discoideum reveals developmentally regulated U2 variants and polyadenylated snRNAs. 2006 , 5, 924-34	33
56	p54nrb is a component of the snRNP-free U1A (SF-A) complex that promotes pre-mRNA cleavage during polyadenylation. 2006 , 12, 111-21	41
55	The U1 snRNA hairpin II as a RNA affinity tag for selecting snoRNP complexes. 2007 , 425, 317-53	6
54	Structural RNAs of known and unknown function identified in malaria parasites by comparative genomics and RNA analysis. 2007 , 13, 1923-39	75
53	Functional redundancy of worm spliceosomal proteins U1A and U2B S 2007 , 104, 9753-7	21
52	Effects of pH and salt concentration on the siRNA binding activity of the RNA silencing suppressor protein p19. 2007 , 581, 3051-6	21
51	A birth-to-death view of mRNA from the RNA recognition motif perspective. 2008 , 36, 1-8	1
50	Characterization of the dynamics of an essential helix in the U1A protein by time-resolved fluorescence measurements. 2008 , 112, 6122-30	12
49	Conformationally restricted nucleotides as a probe of structure-function relationships in RNA. 2008 , 14, 1632-43	18
48	A three-dimensional model of the U1 small nuclear ribonucleoprotein particle. 2010 , 40, 104-112	1
47	The U1-snRNP complex: structural properties relating to autoimmune pathogenesis in rheumatic diseases. 2010 , 233, 126-45	44
46	Induced fit or conformational selection for RNA/U1A folding. 2010 , 16, 1053-61	41
45	Multistep kinetics of the U1A-SL2 RNA complex dissociation. 2011 , 408, 896-908	13
44	The linked units of 5S rDNA and U1 snDNA of razor shells (Mollusca: Bivalvia: Pharidae). 2011 , 107, 127-42	16
43	Intrinsic flexibility of snRNA hairpin loops facilitates protein binding. 2012 , 18, 1984-95	15
42	Predicting protein-RNA residue-base contacts using two-dimensional conditional random field. 2012 ,	1

41	Pre-mRNA Splicing in Trypanosoma brucei: Factors, Mechanisms, and Regulation. 2012 , 49-77	4
40	Design of modified U1i molecules against HIV-1 RNA. 2012 , 94, 208-16	10
39	Systematic analysis and evolution of 5S ribosomal DNA in metazoans. 2013 , 111, 410-21	28
38	U1A regulates 3Sprocessing of the survival motor neuron mRNA. 2014 , 289, 3703-12	20
37	Enzymatic combinatorial nucleoside deletion scanning mutagenesis of functional RNA. 2014 , 50, 10937-40	3
36	A compare-and-contrast NMR dynamics study of two related RRMs: U1A and SNF. 2014 , 107, 208-19	4
35	Binding affinity and cooperativity control U2B?/snRNA/U2ASRNP formation. 2014, 53, 3727-37	11
34	Native conformational dynamics of the spliceosomal U1A protein. 2015 , 119, 3651-61	9
33	The reciprocal regulation between splicing and 3Send processing. 2016 , 7, 499-511	26
32	Response to Comment on "Xist recruits the X chromosome to the nuclear lamina to enable chromosome-wide silencing". 2017 , 356,	5
31	Role of Electrostatics in Protein-RNA Binding: The Global vs the Local Energy Landscape. 2017 , 121, 8437-844	16 10
30	Spliceosomal protein U1A is involved in alternative splicing and salt stress tolerance in Arabidopsis thaliana. 2018 , 46, 1777-1792	35
29	QM/MM Calculations on Protein-RNA Complexes: Understanding Limitations of Classical MD Simulations and Search for Reliable Cost-Effective QM Methods. 2018 , 14, 5419-5433	22
28	A novel role of U1 snRNP: Splice site selection from a distance. 2019 , 1862, 634-642	18
27	Characterization of Pre-mRNA Splicing and Spliceosomal Machinery in Porphyridium purpureum and Evolutionary Implications for Red Algae. 2021 , 68, e12844	1
26	Human spliceosomal snRNA sequence variants generate variant spliceosomes. 2021 , 27, 1186-1203	O
25	Identification and functional analysis of mammalian splicing factors. 1990 , 12, 201-24	20
24	Crystallization of RNA-protein complexes. 2007 , 363, 259-76	12

23	In vivo visualization of RNA using the U1A-based tagged RNA system. 2011 , 714, 221-35	6
22	Multiple roles of the SR protein family in splicing regulation. 2003 , 31, 33-58	52
21	Autoantigens contained in the U1 small nuclear ribonucleoprotein complex. 1994 , 391-410	3
20	The determinants of RNA-binding specificity of the heterogeneous nuclear ribonucleoprotein C proteins 1994 , 269, 23074-23078	123
19	Regulation of tissue-specific splicing of the calcitonin/calcitonin gene-related peptide gene by RNA-binding proteins 1993 , 268, 8366-8375	24
18	Shuffling of amino acid sequence: an important control in synthetic peptide studies of nucleic acid-binding domains. Binding properties of fragments of a conserved eukaryotic RNA binding motif 1992 , 267, 3750-3757	2
17	ANTIBODIES TO snRNPs IN SYSTEMIC LUPUS ERYTHEMATOSUS. 1992 , 18, 311-335	52
16	Posttranscriptional Modifications in the U Small Nuclear RNAs. 201-227	60
15	Site-specific RNA binding by a hepatitis B virus reverse transcriptase initiates two distinct reactions: RNA packaging and DNA synthesis. 1994 , 68, 5579-87	152
14	A splicing enhancer in the 3Sterminal c-H-ras exon influences mRNA abundance and transforming activity. 1997 , 71, 6416-26	6
13	Recognition of U1 and U2 small nuclear RNAs can be altered by a 5-amino-acid segment in the U2 small nuclear ribonucleoprotein particle (snRNP) B" protein and through interactions with U2 snRNP-ASprotein. 1991 , 11, 1829-1839	68
12	The multiple RNA-binding domains of the mRNA poly(A)-binding protein have different RNA-binding activities. 1991 , 11, 3419-3424	115
11	Isolation of RRM-type RNA-binding protein genes and the analysis of their relatedness by using a numerical approach. 1993 , 13, 174-183	29
10	The SR protein B52/SRp55 is essential for Drosophila development. 1994 , 14, 7499-7506	65
9	The translation initiation factor eIF-4B contains an RNA-binding region that is distinct and independent from its ribonucleoprotein consensus sequence. 1994 , 14, 2307-2316	52
8	The concentration of B52, an essential splicing factor and regulator of splice site choice in vitro, is critical for Drosophila development. 1994 , 14, 5360-5370	43
7	Proteins binding to 5Suntranslated region sites: a general mechanism for translational regulation of mRNAs in human and yeast cells. 1994 , 14, 5898-5909	43
6	Cellular localization of RNA14p and RNA15p, two yeast proteins involved in mRNA stability. 1994 , 107, 913-921	26

- Molecular comparison of monocot and dicot U1 and U2 snRNAs. **1992**, 2, 589-599

 4

 Autoantigens contained in the U1 small nuclear ribonucleoprotein complex. **1994**, 383-401
- 3 Strategies for Regulating Nuclear pre-mRNA Polyadenylation. **1995**, 135-149
- Biotin-Labeled Riboprobes to Study RNA-Binding Proteins. **1996**, 215-225
- Analysis of RNA Binding Proteins Using in Vitro Genetics. **1997**, 211-236