

CITATION REPORT

List of articles citing

Modification of the Bogue calculation

DOI: 10.1680/adcr.1989.2.6.73

Advances in Cement Research, 1989, 2, 73-77.

Source: <https://exaly.com/paper-pdf/20398196/citation-report.pdf>

Version: 2024-04-29

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
120	A conduction calorimetric study of gasifier slag-portland cement blends. 1991 , 21, 359-367		9
119	Microstructural and microanalytical studies of sulfate attack. I. Ordinary portland cement paste. 1992 , 22, 1027-1038		153
118	Relationship between raw mixture and mineralogical composition of sulphoaluminate belite clinkers in the system $\text{CaO?SiO}_2\text{?Al}_2\text{O}_3\text{?Fe}_2\text{O}_3\text{?SO}_3$. 1993 , 23, 1351-1356		26
117	Studies about a sulphate resistant cement. Influence of admixtures. 1994 , 24, 1177-1184		6
116	Microstructural and microanalytical studies of sulfate attack. II. Sulfate-resisting Portland cement: Ferrite composition and hydration chemistry. 1994 , 24, 1347-1358		36
115	Application of the NaOH bath test method for assessing the effectiveness of mineral admixtures against reaction of alkali with artificial siliceous aggregate. 1994 , 16, 207-218		9
114	Model for the Developing Microstructure in Portland Cement Pastes. 1994 , 77, 3161-3172		124
113	Neutron Powder Diffraction Studies of Portland Cement and Cement Compounds. 1994 , 376, 487		
112	Determining cement composition by Fourier transform infrared spectroscopy. 1995 , 2, 91-104		139
111	Delayed ettringite formation in 4-year old cement pastes. 1996 , 26, 1649-1659		35
110	Oilwell Cement Clinkers. 1998 , 7, 28-38		21
109	The Constitution and Specification of Portland Cements. 1998 , 131-193		12
108	The Burning of Portland Cement. 1998 , 195-240		3
107	Characterization of the Calcium Silicate and Aluminate Phases in Anhydrous and Hydrated Portland Cements by ^{27}Al and ^{29}Si MAS NMR Spectroscopy. 1998 , 3-45		6
106	Clinker mineral hydration at reduced relative humidities. 1999 , 29, 1505-1512		59
105	Delayed ettringite formation in heat-cured Portland cement mortars. 1999 , 29, 17-25		44
104	Distribution of sulfate between phases in Portland cement clinkers. 1999 , 29, 1173-1179		46

103	Generalized Bogue computations to forecast the mineralogical composition of sulfoaluminate cements based on fly ashes. <i>Advances in Cement Research</i> , 1999 , 11, 27-34	1.8	10
102	Calculations of Portland cement clinkering reactions. <i>Advances in Cement Research</i> , 2000 , 12, 19-28	1.8	32
101	A model for two types of calcium silicate hydrate in the microstructure of Portland cement pastes. 2000 , 30, 855-863		411
100	Percolation of capillary pores in hardening cement pastes. 2005 , 35, 167-176		117
99	Polymorphism of tricalcium silicate, the major compound of Portland cement clinker. 2006 , 36, 54-64		53
98	A Combined ²⁹ Si MAS NMR and Selective Dissolution Technique for the Quantitative Evaluation of Hydrated Blast Furnace Slag Cement Blends. 2007 , 90, 598-602		49
97	Characterization of cement minerals, cements and their reaction products at the atomic and nano scale. 2008 , 38, 205-225		89
96	QUANTITATIVE ANALYSIS OF CEMENT HYDRATION BY XRD/RIETVELD ANALYSIS. 2008 , 73, 1-8		2
95	Early-Age Heat Evolution and Pore Structure of Portland Cement Blended with Blast Furnace Slag, Fly Ash or Limestone Powder. 2009 , 405-406, 242-246		2
94	Improved quantification of alite and belite in anhydrous Portland cements by (²⁹ Si MAS NMR: effects of paramagnetic ions. 2009 , 36, 32-44		57
93	Determining the water/cement ratio, cement content, water content and degree of hydration of hardened cement paste: Method development and validation on paste samples. 2009 , 39, 957-965		73
92	Modeling Concrete at Early Age Using Percolation. 2010 , 333-346		
91	Incorporation of phosphorus guest ions in the calcium silicate phases of Portland cement from ³¹ P MAS NMR spectroscopy. 2010 , 49, 5522-9		17
90	Application of the Rietveld method to the analysis of anhydrous cement. 2011 , 41, 133-148		138
89	Rietveld Quantitative Phase Analysis of OPC Clinkers, Cements and Hydration Products. 2012 , 74, 169-209		98
88	Deleterious Reactions of Aggregate With Alkalis in Concrete. 2012 , 74, 279-364		33
87	5. Rietveld Quantitative Phase Analysis of OPC Clinkers, Cements and Hydration Products. 2012 , 169-210		
86	4. Industrial X-ray Diffraction Analysis of Building Materials. 2012 , 147-168		

85	7. Deleterious Reactions of Aggregate With Alkalis in Concrete. 2012 , 279-366		
84	Industrial X-ray Diffraction Analysis of Building Materials. 2012 , 74, 147-165		5
83	Pore structure and permeability of hardened calcium aluminate cement pastes of low w/c ratio. 2013 , 46, 1497-1506		5
82	Influence of cement content and environmental humidity on asphalt emulsion and cement composites performance. 2013 , 46, 1275-1289		72
81	Mineralogical Composition of Clinker as an Indicator of Sulfate Resistance: A Rietveld XRD/Takashima Approach. 2013 , 96, 3637-3642		1
80	An analytical model for determining the relative electrical resistivity of cement paste and CSEI gel. <i>Construction and Building Materials</i> , 2013 , 48, 647-655	6.7	29
79	¹³ C chemical shift anisotropies for carbonate ions in cement minerals and the use of ¹³ C, ²⁷ Al and ²⁹ Si MAS NMR in studies of Portland cement including limestone additions. 2013 , 52, 100-111		41
78	Controlling the coefficient of thermal expansion of cementitious materials [A new application for superabsorbent polymers. 2013 , 35, 49-58		70
77	Moisture dependence of thermal expansion in cement-based materials at early ages. 2013 , 53, 25-35		54
76	Pozzolanic contribution of rice husk ash in cementitious system. <i>Construction and Building Materials</i> , 2013 , 47, 588-593	6.7	77
75	Estimating the original cement content and water-cement ratio of Portland cement concrete and mortar using backscattered electron microscopy. 2013 , 65, 693-706		21
74	Influence of superabsorbent polymers on hydration of cement pastes with low water-to-binder ratio. 2014 , 115, 425-432		91
73	X-ray diffraction [New eyes on the process. 2014 ,		1
72	Influences of superplasticizer modification and mixture composition on the performance of self-compacting concrete at varied ambient temperatures. 2014 , 49, 111-126		47
71	Internal curing with lightweight aggregate produced from biomass-derived waste. 2014 , 59, 24-33		80
70	Uncertainty in Bogue-calculated phase composition of hydraulic cements. 2014 , 61-62, 40-48		23
69	Prospection of Portland cement raw material: A case study in the Marmara region of Turkey. 2014 , 97, 230-243		6
68	Simultaneous assessment of phase chemistry, phase abundance and bulk chemistry with statistical electron probe micro-analyses: Application to cement clinkers. 2014 , 55, 35-48		17

67	Internal curing by superabsorbent polymers in ultra-high performance concrete. 2015 , 76, 82-90		253
66	X-Ray Diffraction: New Eyes on the Process. 2015 , 51, 20-27		2
65	Statistical analysis of the effective factors on the 28 days compressive strength and setting time of the concrete. 2015 , 6, 699-709		11
64	Thermodynamic modeling of hydrated white Portland cement–metakaolin–limestone blends utilizing hydration kinetics from 29Si MAS NMR spectroscopy. 2016 , 86, 29-41		59
63	Improving the mechanical properties of rapid air cooled ladle furnace slag powder by gypsum. <i>Construction and Building Materials</i> , 2016 , 127, 93-101	6.7	14
62	Quantitative characterisation of absorption capacity and dosage of SAP in cement paste. <i>Advances in Cement Research</i> , 2016 , 28, 518-528	1.8	5
61	Ladle metallurgy stainless steel slag as a raw material in Ordinary Portland Cement production: a possibility for industrial symbiosis. <i>Journal of Cleaner Production</i> , 2016 , 112, 872-881	10.3	49
60	Friedel’s salt profiles from thermogravimetric analysis and thermodynamic modelling of Portland cement-based mortars exposed to sodium chloride solution. 2017 , 78, 73-83		145
59	Mercury intrusion porosimetry characterization of micropore structures of high-strength cement pastes incorporating high volume ground granulated blast-furnace slag. <i>Construction and Building Materials</i> , 2017 , 137, 96-103	6.7	46
58	Influence of emulsifier content on cement hydration and mechanical performance of bitumen emulsion mortar. 2017 , 50, 1		22
57	Recycling of hydrated cement pastes by synthesis of PH-C2S. 2017 , 100, 398-412		20
56	Inter-comparative study of quantitative methods of industrial clinker. 2017 , 32, 1250-1260		1
55	Valorization of Iron Ore Beneficiation Rejects from the Iron Deposit of Boukhadra (Algeria) in the Fabrication of Ordinary Portland Cement. 2018 , 59-79		1
54	Efficacy of carbonated petroleum coke fly ash as supplementary cementitious materials in cement mortars. <i>Journal of Cleaner Production</i> , 2018 , 180, 689-697	10.3	19
53	Phase evolution of slag-rich cementitious grouts for immobilisation of nuclear wastes. <i>Advances in Cement Research</i> , 2018 , 30, 345-360	1.8	5
52	A poromechanics model for plastic shrinkage of fresh cementitious materials. 2018 , 109, 120-132		31
51	Thermogravimetric analysis. 2018 , 196-231		6
50	Proton nuclear magnetic resonance relaxometry. 2018 , 306-369		1

49	Fractal Characteristics of Pore Structures in GGBFS-based Cement Pastes. 2018 , 428, 304-314		32
48	Influence of internal curing on the pore size distribution of high strength concrete. <i>Construction and Building Materials</i> , 2018 , 192, 50-57	6.7	26
47	Does phosphorus affect the industrial Portland cement reactivity?. <i>Construction and Building Materials</i> , 2018 , 188, 599-606	6.7	2
46	Characterization of CSH formed in coupled CO ₂ /water cured Portland cement pastes. 2018 , 51, 1		12
45	Mechanical behaviour of bitumen emulsion-cement composites across the structural transition of the co-binder system. <i>Construction and Building Materials</i> , 2019 , 215, 217-232	6.7	19
44	Solid-state nuclear magnetic resonance spectroscopy of cements. 2019 , 1, 100007		71
43	Low clinker high performance concretes and their potential in CFRP-prestressed structural elements. 2019 , 100, 130-138		13
42	Thermodynamic modeling of Portland cement without mineral additives. 2019 , 1145, 012016		1
41	A review of reactive transport modeling in wellbore integrity problems. 2019 , 175, 785-803		20
40	Effects of plutonium dioxide encapsulation on the physico-chemical development of Portland cement blended grouts. 2020 , 530, 151960		3
39	Comparison of Different Approaches for Testing Sorption by a Superabsorbent Polymer to Be Used in Cement-Based Materials. 2020 , 13,		3
38	Modeling the instantaneous phase composition of cement pastes under elevated temperatures. 2020 , 130, 105987		7
37	Synthesis and characterization of cement clinker using recycled pulverized oyster and scallop shell as limestone substitutes. <i>Journal of Cleaner Production</i> , 2021 , 278, 123987	10.3	17
36	Influence of shotcrete accelerators on the hydration of cement pastes and their impact on sulfate resistance. <i>Construction and Building Materials</i> , 2021 , 266, 120782	6.7	5
35	Cyclic heating and mechanical properties of CNT reinforced cement composite. 2021 , 256, 113104		15
34	Revisiting the iron-rich ordinary Portland cement—towards valorisation of wastes: study of Fe-to-Al ratio on the clinker production and the hydration reaction. 2021 , 54, 1		1
33	A review on steel slag valorisation via mineral carbonation.		6
32	An Experimental Study on Various Industrial Wastes in Concrete for Sustainable Construction. 2021 , 19, 133-148		6

31	Evaluating the impact of curing temperature in delayed ettringite formation using electrochemical impedance spectroscopy. <i>Construction and Building Materials</i> , 2021 , 282, 122726	6.7	1
30	Boosting the use of bauxite residue (red mud) in cement - Production of an Fe-rich calciumsulfoaluminate-ferrite clinker and characterisation of the hydration. 2021 , 145, 106463		9
29	Calculation of Cement Composition Using a New Model Compared to the Bogue Model. 2021 , 14,		1
28	Multi-level modeling of thermal behavior of phase change material incorporated lightweight aggregate and concrete. 2021 , 122, 104131		2
27	Synthesis and characterisation of alites from reduced basic oxygen furnace slags. 2021 , 147, 106518		1
26	Enabling phase quantification of anhydrous cements via Raman imaging. 2021 , 150, 106592		2
25	A calculator for valorizing bauxite residue in the cement industry. 2021 , 1, 100009		0
24	x-. 1999 , 333-367		2
23	CHARACTERIZATION OF WHITE PORTLAND CEMENT GRINDED FOR A LONG TIME BY USING X-RAY POWDER DIFFRACTION AND 29Si NMR SPECTROSCOPY. 2014 , 68, 30-37		1
22	HYDRATION OF TRICALCIUM ALUMINATE. 2011 , 65, 69-75		1
21	Effects of the Characteristics of High Range Water Reducing Agents and the Water to Powder Ratio on Rheological and Setting Behavior of Self-Consolidating Concrete. 2015 , 3, 20130094		0
20	Experimental Investigation on the Effect of Nano Silica Fume on Physical Properties and Microstructural Characteristics of Lightweight Cement Slurry. <i>SSRN Electronic Journal</i> ,	1	
19	Synthesis of MgO-Belite calcium sulfoaluminate cement from phosphate mine waste rock and phosphogypsum. <i>Materials Today: Proceedings</i> , 2022 ,	1.4	
18	Effect of clam shell from kitchen waste on the synthesis, performance, and hydration of cementitious clinker. <i>Construction and Building Materials</i> , 2022 , 323, 126588	6.7	0
17	Formulation of Bogue Equations from Thermodynamic Modelling for Low-Carbon Dioxide Ferrite-Belite Clinkers. 2022 , 5,		
16	Effect of flotation phosphorus tailings on the microstructure and compressive strength of white Portland cement□ <i>Advances in Cement Research</i> , 1-9	1.8	
15	Experimental investigation on the effect of nano silica fume on physical properties and microstructural characteristics of lightweight cement slurry. <i>Construction and Building Materials</i> , 2022 , 329, 127172	6.7	1
14	Quantitative phase analysis of anhydrous clinker Portland using Rietveld method. <i>Reviews in Inorganic Chemistry</i> , 2022 ,	2.4	

- 13 Physical properties, hydration mechanism, and leaching evaluation of the Portland cement prepared from carbide residue. *Journal of Cleaner Production*, **2022**, 132777 10.3 ○
- 12 Mitigating Autogenous Shrinkage of Alkali-Activated Slag Mortar by Using Porous Fine Aggregates as Internal Curing Agents. **2022**, 14, 9823
- 11 Characterization and comparison of the grindability, residual compressive strength, and hydrated phases of traditional cement prepared from lime rock and carbide slag. **2022**, 105159
- 10 Incorporating elastic and creep deformations in modelling the three-dimensional autogenous shrinkage of cement paste. **2022**, 160, 106907 ○
- 9 Effect of Water Content in the Raw Material Mixture during Grinding on Alite Monoclinic Phase Formation. **2022**, 338, 147-152 ○
- 8 Oil-well lightweight cement slurry for improving compressive strength and hydration rate in low-temperature conditions. **2022**, 357, 129301 ○
- 7 Influence of carlin-type gold mine tailings addition on the synthesis temperature, alkali-resistant performance, and hydration mechanism of Portland cement. **2022**, 359, 129458 ○
- 6 Deep learning to predict the hydration and performance of fly ash-containing cementitious binders. **2023**, 165, 107093 ○
- 5 Pore solution alkalinity of cement paste as determined by Cold Water Extraction. **2023**, 11, 100055 ○
- 4 Quantification of Residual Unhydrated Cement Content in Cement Pastes as a Potential for Recovery. **2023**, 15, 263 ○
- 3 Production of cement and its environmental impact. **2023**, 11-46 ○
- 2 Design, development, and control of cement composition. **2023**, 39-55 ○
- 1 Development of non-Portland cements. **2023**, 811-839 ○