

CITATION REPORT

List of articles citing

Complex permittivity of water as a function of frequency and temperature

DOI: 10.1021/je00058a001

Journal of Chemical & Engineering Data, 1989, 34, 371-377

Source: <https://exaly.com/paper-pdf/20496875/citation-report.pdf>

Version: 2024-04-25

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
685	25 degrees C complex permittivity of water from 65 to 75 GHz. 1990 , 23, 1464-1467		14
684	On the existence of bound water in biological systems as probed by dielectric spectroscopy. 1990 , 35, 1663-81		51
683	Surface transmission probe for noninvasive measurements of dielectric properties of organ tissues at frequencies between 1 MHz and 300 MHz. 1990 , 35, 158-61		1
682	Dielectric measurements on reference liquids using automatic network analysers and calculable geometries. <i>Measurement Science and Technology</i> , 1990 , 1, 691-702	2	58
681	A Computer-controlled System of Transmission Lines for the Determination of the Complex Permittivity of Lossy Liquids between 8.5 and 90 GHz. 1991 , 95, 853-859		91
680	The Dielectric Properties of tert.-Butanol/Water Mixtures as a Function of Composition. 1991 , 95, 585-592		33
679	Dielectric spectroscopy on binary mixtures of organic solvents. 1991 , 48, 45-60		14
678	Dielectric and ultrasonic spectroscopy of liquids. Comparative view for binary aqueous solutions. 1991 , 49, 225-248		6
677	9.355 GHz complex permittivity of water from 1 degrees C to 90 degrees C. 1992 , 4, 8671-8682		13
676	The structure of water and methanol in p-dioxane as determined by microwave dielectric spectroscopy. 1992 , 96, 6358-6361		65
675	Dielectric relaxation of aqueous electrolyte solutions. I. Solvent relaxation of 1:2, 2:1, and 2:2 electrolyte solutions. 1992 , 96, 988-997		35
674	The structure of water determined by microwave dielectric study on water mixtures with glucose, polysaccharides, and L-ascorbic acid. 1992 , 97, 6759-6765		92
673	Dielectric properties of binary mixtures of n-methylbenzenesulfonamide. 1992 , 21, 229-238		8
672	Dynamical solvent effect on the reduction kinetics of cobalt(III) anchored to a mercury electrode via a bridging ligand in water + DMF mixtures. 1992 , 333, 371-378		3
671	Dielectric properties of organic solute/water mixtures. Hydrophobic hydration and relaxation. 1992 , 52, 181-210		34
670	Dielectric relaxation of H2O/D2O mixtures. 1993 , 203, 1-4		68
669	Dielectric spectroscopy of aqueous solutions. Hydration phenomena and hydrogen-bonded networks. 1993 , 56, 95-115		37

668	Dynamic solvent effect on the kinetics of the inner-sphere reduction of cobalt(III) anchored to a mercury electrode in mixtures of water with an organic solvent. 1993 , 354, 209-222		3
667	Rotational and translational water diffusion in the hemoglobin hydration shell: dielectric and proton nuclear relaxation measurements. 1993 , 65, 1486-95		49
666	High order and local structure of water determined by microwave dielectric study. 1993 , 99, 9874-9881		45
665	An Original Way to Select and Control Hydrodynamic Instabilities: Microwave Heating. 1993 , 28, 219-233		7
664	Far Beyond Small Perturbations. 1993 , 28, 73-83		4
663	On the low frequency permittivity of liquid-filled porous media. 1994 , 90, 201-204		7
662	Activation enthalpy for ligand-bridged electroreduction of cobalt(III) complexes in mixtures of water with acetone. 1994 , 370, 259-267		5
661	Dielectric spectroscopy on C_2E_1 /water mixtures as a function of composition. 1994 , 98, 9-19		23
660	Measurements of the relative permittivity of liquid water at frequencies in the range of 0.1 to 10 kHz and at temperatures between 273.1 and 373.2 K at ambient pressure. 1995 , 16, 929-955		25
659	Microwave dielectric properties of liquids. 1995 , 45, 549-566		52
658	Intercomparison of dielectric reference materials available for the calibration of an open-ended probe at different temperatures. <i>Measurement Science and Technology</i> , 1995 , 6, 1721-1732	2	23
657	A new automated waveguide system for the precise measurement of complex permittivity of low-to-high-loss liquids at microwave frequencies. <i>Measurement Science and Technology</i> , 1995 , 6, 1201-1207		42
656	Coaxial to circular waveguide transition as high-precision easy-to-handle measuring cell for the broad band dielectric spectrometry of liquids. <i>Measurement Science and Technology</i> , 1996 , 7, 525-534	2	66
655	Determination of the pKa of Ethyl Acetate: Brønsted Correlation for Deprotonation of a Simple Oxygen Ester in Aqueous Solution. 1996 , 118, 3129-3141		158
654	Salt effects on the amide hydrogen exchange of bovine pancreatic trypsin inhibitor. 1996 , 35, 2309-15		24
653	Permittivity measurement of thin liquid layers using open-ended coaxial probes. <i>Measurement Science and Technology</i> , 1996 , 7, 1164-1173	2	38
652	Tetrahedral Displacement: The Molecular Mechanism behind the Debye Relaxation in Water. 1996 , 100, 1072-1080		183
651	Hydration Study of Proteins in Solution by Microwave Dielectric Analysis. 1996 , 100, 7279-7282		68

650	Dynamic structure of water in ultra pure water producing system observed by dielectric and ¹⁷ O-NMR relaxations.. 1996 , 29, 421-426		3
649	Water: a dielectric reference. 1996 , 68, 171-279		229
648	Microwave heating profiles and property-structure relationships in a family of alcohols. 1996 , 15, 1730-1732	2	
647	Thermal runaway and bistability in microwave heated isothermal slabs. 1996 , 79, 1779-1783		23
646	Measurements of the dielectric relaxation spectra of nine liquids and binary mixtures at 20/spl deg/C and microwave frequencies.		4
645	Dielectric Relaxation Spectrometry of Mixtures of Water with Isopropoxy- and Isobutoxyethanol. Comparison to Unbranched Poly(ethylene glycol) Monoalkyl Ethers. 1996 , 100, 2360-2366		39
644	Microwave spectroscopy of supercritical water. 1997 , 107, 9302-9311		55
643	MODELLING TRANSPORT PROCESSES DURING MICROWAVE HEATING: A REVIEW. 1997 , 13, 1-69		48
642	Hydrophobic Hydration Analysis on Amino Acid Solutions by the Microwave Dielectric Method. <i>Journal of Physical Chemistry B</i> , 1997 , 101, 3839-3845	3-4	49
641	Dielectric Properties of Aqueous NaCl Solutions at Microwave Frequencies. 1997 , 101, 6864-6869		156
640	Dielectric measurements of gas hydrate formation in water-in-oil emulsions using open-ended coaxial probes. <i>Measurement Science and Technology</i> , 1997 , 8, 1006-1015	2	28
639	Dielectric relaxation of aqueous solutions of ribonuclease A in the absence and presence of urea. 1997 , 101, 1921-1927		15
638	Dielectric Properties of Alkanediol/Water Mixtures. <i>Journal of Physical Chemistry B</i> , 1997 , 101, 922-929	3-4	65
637	Dielectric relaxations in liquid-impregnated porous solids. 1997 , 32, 3783-3800		19
636	The dielectric properties of water in its different states of interaction. 1997 , 26, 1049-1112		154
635	Calculation of thermodynamic parameters of relaxation process using a microwave attenuation method. 1997 , 42, 737-741		7
634	Dielectric relaxation of acetonitrile-water mixtures. 1997 , 73-74, 179-193		29
633	A study of the interaction of some neuropeptides and their analogs with bilayer lipid membranes and liposomes. 1997 , 42, 123-132		14

- 632 Orientational dynamics of hydrogen-bonded liquids I A comparative study of dielectric and nuclear magnetic relaxation in n-butanol-tetrachloromethane mixtures. **1998**, 102, 866-871 18
- 631 Shape of dielectric relaxation curves of ethylene glycol oligomer-water mixtures. **1998**, 109, 9843-9847 76
- 630 New permittivity measurements of seawater. **1998**, 33, 639-648 157
- 629 Far-infrared spectra and associated dynamics in acetonitrile-water mixtures measured with femtosecond THz pulse spectroscopy. **1998**, 108, 4935-4944 114
- 628 A systematic study of water models for molecular simulation: Derivation of water models optimized for use with a reaction field. **1998**, 108, 10220-10230 514
- 627 Dynamics in supercritical fluid water. **1998**, 10, 11459-11468 5
- 626 Effect of Distribution of Free Volume on Concentration Dependence of Dielectric Relaxation in Water Mixtures with Poly(Ethylene Glycol) and Glucose. **1998**, 37, 900-902 4
- 625 Dynamical structure of oligo(ethylene glycol)s-water solutions studied by time domain reflectometry. **1998**, 108, 4138-4147 91
- 624 Thermal runaway in microwave heated isothermal slabs, cylinders, and spheres. **1998**, 83, 438-442 24
- 623 Dielectric Relaxation of Surfactant Micellar Solutions. **1998**, 14, 6804-6810 46
- 622 Hinge-bending deformation of enzyme observed by microwave dielectric measurement. **1998**, 39, 183-187 11
- 621 Time domain reflectometry: measurement of free water in normal lung and pulmonary edema. **1999**, 276, L207-12 5
- 620 Dielectric dispersion of biological matter: model combining Debye-type and "universal" responses. **1999**, 60, 4677-80 40
- 619 Thermal profiles and thermal runaway in microwave heated slabs. **1999**, 85, 3774-3779 26
- 618 The structuredness of supercritical water up to 600 °C and 100 MPa as obtained from relative permittivity data. **1999**, 81, 101-113 9
- 617 Dynamical aspects of mixing schemes in ethanol-water mixtures in terms of the excess partial molar activation free energy, enthalpy, and entropy of the dielectric relaxation process. **1999**, 110, 2508-2521 116
- 616 Dielectric Relaxation of H-Bonded Liquids. Mixtures of Ethanol and n-Hexanol at Different Compositions and Temperatures. **1999**, 103, 6114-6121 90
- 615 Dielectric relaxation of water and heavy water in the whole fluid phase. **1999**, 110, 3026-3036 107

614	Experimental and Computational Determination of the Effect of the Cyano Group on Carbon Acidity in Water. 1999 , 121, 715-726		98
613	Comparison of Dielectric Relaxations of Water Mixtures of Poly(vinylpyrrolidone) and 1-Vinyl-2-pyrrolidinone. <i>Journal of Physical Chemistry B</i> , 1999 , 103, 4481-4484	3-4	45
612	Globule-coil transition of denatured globular protein investigated by a microwave dielectric technique. 2000 , 54, 388-97		22
611	Cavity Perturbation Techniques for Measuring Dielectric Parameters of Water and Other Allied Liquids. 2000 , 7, 185-210		20
610	MEASURING FREQUENCY- AND TEMPERATURE-DEPENDENT DIELECTRIC PROPERTIES OF FOOD MATERIALS. 2000 , 43, 1733-1736		46
609	Free space microwave permittivity and permeability measurements.		4
608	Hydrophobic hydration and molecular association in methanol/water mixtures studied by microwave dielectric analysis. 2000 , 112, 2924-2932		128
607	Ricin A-Chain: Kinetic Isotope Effects and Transition State Structure with Stem-Loop RNA 2000 , 122, 1609-1617		70
606	Composition-dependent dynamical structures of 1-propanol/water mixtures determined by dynamical dielectric properties. 2000 , 113, 9748-9758		52
605	Molecular Dynamics and Kinetics of Monosaccharides in Solution. A Broadband Ultrasonic Relaxation Study. <i>Journal of Physical Chemistry B</i> , 2000 , 104, 4782-4790	3-4	50
604	Water/Ethanol Mixtures at Different Compositions and Temperatures. A Dielectric Relaxation Study. 2000 , 104, 7420-7428		161
603	Formation and Stability of Organic Zwitterions in Aqueous Solution: Enolates of the Amino Acid Glycine and Its Derivatives. 2000 , 122, 9373-9385		104
602	Molecular Dynamics Simulations of Water with Novel Shell-Model Potentials. <i>Journal of Physical Chemistry B</i> , 2001 , 105, 2618-2626	3-4	151
601	Molecular Dynamics of Carbohydrate Aqueous Solutions. Dielectric Relaxation as a Function of Glucose and Fructose Concentration. <i>Journal of Physical Chemistry B</i> , 2001 , 105, 2036-2042	3-4	107
600	Explicit-solvent molecular dynamics simulation at constant pH: Methodology and application to small amines. 2001 , 114, 9706-9719		104
599	Dielectric Relaxation Behavior of Aqueous Dodecyldimethylamineoxide Solutions. 2001 , 17, 6841-6850		19
598	The Dielectric Spectrum of Ubiquitin in Aqueous Solution. <i>Journal of Physical Chemistry B</i> , 2001 , 105, 3635-3638	3-4	47
597	Two Types of Protein Hydration Measured by Dielectric Dispersion in the Gigahertz Region, and Effects of Anesthetics. <i>Journal of Physical Chemistry B</i> , 2001 , 105, 256-260	3-4	4

596	Hydration Study of Globular Proteins by Microwave Dielectric Spectroscopy. <i>Journal of Physical Chemistry B</i> , 2001 , 105, 12622-12627	3-4	50
595	Dielectric properties of grape juice at 0.2 and 3 GHz. <i>Journal of Food Engineering</i> , 2001 , 48, 203-211	6	40
594	Dielectric spectroscopy in aqueous solutions of oligosaccharides: Experiment meets simulation. 2001 , 115, 1463-1472		49
593	Dielectric relaxation of hydrogen bonded liquids: Mixtures of monohydric alcohols with n-alkanes. 2001 , 115, 4186-4194		74
592	Abnormal dielectric relaxation phenomena in mixture of polar liquid and conductive particles. 2002 , 91, 4506-4510		2
591	Dielectric spectra of mono- and disaccharide aqueous solutions. 2002 , 116, 7137-7144		60
590	Dielektrische Eigenschaften von Wasser und wässrigen Lösungen (Dielectric Properties of Water and Aqueous Solutions). 2002 , 69, 5		5
589	Analysis of Operational Regimes of a High Power Water Load. 2002 , 37, 127-144		10
588	Unusual Temperature Dependence of Proton Transfer. 2. Excited-State Proton Transfer from Photoacids to Water. 2002 , 106, 11115-11122		25
587	Pronounced Dielectric Relaxation Behavior of a Small Ionic Species, p-Toluenesulfonate, in Aqueous Solution. 2002 , 106, 12405-12411		10
586	The symmetric broadening of the water relaxation peak in polymer/water mixtures and its relationship to the hydrophilic and hydrophobic properties of polymers. 2002 , 116, 8610		62
585	Derivation of an improved simple point charge model for liquid water: SPC/A and SPC/L. 2002 , 116, 9811-9828	173	
584	Dielectric Relaxation Time and Relaxation Time Distribution of Alcohol/Water Mixtures. 2002 , 106, 458-464		90
583	On the temperature dependence of the primary yield and the product G _{max} of hydrated electrons in the low-LET radiolysis of liquid water. 2002 , 80, 767-773		10
582	Hydrogen network fluctuations and dielectric spectrometry of liquids. 2002 , 305, 19-28		153
581	Hierarchy of dielectric relaxation times in water. 2002 , 305, 127-135		19
580	Dynamical structure of water around biopolymers investigated by microwave dielectric measurements using time domain reflectometry method. 2002 , 305, 328-332		43
579	Formation and stability of enolates of acetamide and acetate anion: an Eigen plot for proton transfer at alpha-carbonyl carbon. 2002 , 124, 2957-68		95

578	WaveMaterial Interactions, Microwave Technology and Equipment. 1-33	6
577	Reliability and limitations of the Hubbard-Onsager continuum dielectric friction theory for the limiting ionic mobility in sub- and supercritical water. 2002 , 98-99, 129-144	7
576	Dielectric relaxation of supercritical water and methanol. 2002 , 96-97, 207-220	16
575	Composition-dependent dynamical structures of monohydric alcohol-water mixtures studied by microwave dielectric analysis. 2002 , 96-97, 327-339	34
574	Dielectric relaxation mechanism and dynamical structures of the alcohol/water mixtures. 2002 , 101, 99-111	56
573	Anharmonic dynamics of condensed phase. 2002 , 101, 169-180	1
572	Thermal runaway in microwave heating: a mathematical analysis. 2002 , 26, 1029-1038	45
571	Non-Debye dielectric relaxation in complex materials. 2002 , 284, 139-168	115
570	Microwave Power Absorption in Single - and Multiple - Item Foods. 2003 , 81, 257-265	37
569	A novel approach for designing simple point charge models for liquid water with three interaction sites. 2003 , 24, 1087-96	22
568	Rotational reorientation dynamics of Nile blue A and oxazine 720 in protic solvents. 2003 , 286, 81-96	31
567	Thermally induced coupling of phase separation and gelation in an aqueous solution of hydroxypropylmethylcellulose (HPMC). 2003 , 319, 56-64	17
566	Microwave Dielectric Properties of Solid and Liquid Foods Investigated by Time-domain Reflectometry. 2003 , 68, 1396-1403	60
565	Development of a simple, self-consistent polarizable model for liquid water. 2003 , 118, 221-234	195
564	A simple polarizable model of water based on classical Drude oscillators. 2003 , 119, 5185-5197	584
563	Free-space measurement of dielectric properties of cereal grain and oilseed at microwave frequencies. <i>Measurement Science and Technology</i> , 2003 , 14, 589-600	2 112
562	Dielectric relaxation spectroscopy of 2-propanol/water mixtures. 2003 , 118, 4606-4613	98
561	Dielectric Spectroscopy of Aqueous Solutions of KCl and CsCl. 2003 , 107, 4025-4031	110

560	The cooperative dynamics of the H-bond system in 2-propanol/water mixtures: Steric hindrance effects of nonpolar head group. 2003 , 119, 10789-10800	64
559	THE RELATIONSHIP BETWEEN THE SCALING PARAMETER AND RELAXATION TIME FOR NON-EXPONENTIAL RELAXATION IN DISORDERED SYSTEMS. 2003 , 11, 173-183	8
558	Imaging of Water Content Distributions inside a Lysimeter using GPR Tomography. 2004 , 3, 1106-1115	21
557	Charge-on-spring polarizable water models revisited: from water clusters to liquid water to ice. 2004 , 121, 9549-64	177
556	Full-wave analysis of industrial microwave applicators: TE modes. 2004 , 42, 46-50	4
555	An Overview of Microwave Processing and Dielectric Properties of Agri-food Materials. 2004 , 88, 1-18	468
554	Dynamics for the reactions of ion pair intermediates of solvolysis. 2004 , 39, 1-26	12
553	Protein hydration dynamics in solution: a critical survey. 2004 , 359, 1207-23; discussion 1223-4, 1323-8	419
552	Water structures of differing order and mobility in aqueous solutions of schizophyllan, a triple-helical polysaccharide as revealed by dielectric dispersion measurements. 2004 , 5, 2137-46	11
551	Formation and stability of N-heterocyclic carbenes in water: the carbon acid pKa of imidazolium cations in aqueous solution. 2004 , 126, 4366-74	442
550	Dielectric Relaxation Processes in Ethanol/Water Mixtures. 2004 , 108, 5007-5015	129
549	Determinants of selectivity in alkylation of nucleosides and DNA by secondary diazonium ions: evidence for, and consequences of, a preassociation mechanism. 2004 , 17, 1531-9	13
548	A basic study on monitoring method of contamination of soil and groundwater by using Frequency Domain Reflectometry method. 2004 , 46, 145-157	6
547	Structural and kinetic modification of aqueous hydroxypropylmethylcellulose (HPMC) induced by electron beam irradiation. 2005 , 353, 9-20	6
546	Accounting for polarization in molecular simulation. 2005 , 172, 69-85	195
545	Heating Concentrations of Microwaves in Spherical and Cylindrical Foods. 2005 , 83, 14-24	26
544	Traceable measurements of the static permittivity of dielectric reference liquids over the temperature range 5B0 °C. <i>Measurement Science and Technology</i> , 2005 , 16, 1506-1516	2 66
543	Dielectric Spectroscopy of Fresh Fruits and Vegetables.	9

542	MICROWAVE DRYING OF NICKELIFEROUS LIMONITIC LATERITE ORES. 2005 , 44, 397-408		11
541	Formation and stability of organic zwitterions ? The carbon acid pKas of the trimethylsulfonium and tetramethylphosphonium cations in water. 2005 , 83, 1536-1542		7
540	Kinetics and mechanism of hydration of o-thioquinone methide in aqueous solution. Rate-determining protonation of sulfur. 2005 , 70, 1643-6		10
539	Dielectric spectroscopy in agriculture. 2005 , 351, 2940-2944		34
538	Dielectric spectroscopy and micellization of aqueous solutions p-isononylphenoxyethyleneglycolether. 2005 , 351, 2868-2881		
537	The high-frequency dielectric spectroscopy of the aqueous solutions of tetrabutylammonium carboxylates. 2005 , 351, 2882-2887		11
536	Electromagnetic Wave Interactions with Water and Aqueous Solutions. 2005 , 15-37		17
535	Free water content and monitoring of healing processes of skin burns studied by microwave dielectric spectroscopy in vivo. 2005 , 50, 599-612		31
534	Molecular dynamics simulations of liquid water using various long-range electrostatics techniques. 2005 , 103, 1945-1960		46
533	. 2006 , 13, 727-743		124
532	Hydration and dynamic behavior of poly(N-isopropylacrylamide)s in aqueous solution: a sharp phase transition at the lower critical solution temperature. 2006 , 128, 10030-1		293
531	Effect of water drag on diffusion of drifting polarons in DNA. <i>Journal of Physical Chemistry B</i> , 2006 , 110, 23603-6	3-4	14
530	Flexible simple point-charge water model with improved liquid-state properties. 2006 , 124, 024503		742
529	Dielectric properties of glycerol/water mixtures at temperatures between 10 and 50 degrees C. 2006 , 124, 144512		61
528	When does an intermediate become a transition state? Degenerate isomerization without competing racemization during solvolysis of (S)-1-(3-nitrophenyl)ethyl tosylate. 2006 , 128, 17139-45		14
527	Dielectric relaxation behavior of aqueous solutions of carbobetaines with varying interchange distances. <i>Journal of Physical Chemistry B</i> , 2006 , 110, 9426-33	3-4	7
526	High Frequency Dielectric Behavior of Polyelectrolytes with Controlled Charge Densities in Aqueous Solution. <i>Macromolecules</i> , 2006 , 39, 1577-1584	5-5	6
525	Hydration of poly(ethylene oxide)s in aqueous solution as studied by dielectric relaxation measurements. <i>Journal of Physical Chemistry B</i> , 2006 , 110, 8941-5	3-4	45

524	A polarizable model of water for molecular dynamics simulations of biomolecules. 2006 , 418, 245-249		448
523	Conformation transitions of blood proteins under influence of physical factors on microwave dielectric method. 2006 , 102, 18-24		6
522	Rotational reorientation dynamics of ionic dye solutes in polar solvents with the application of a general model for the solvation shell. 2006 , 322, 247-253		8
521	Molecular dynamics simulations of liquid methanol and methanol-water mixtures with polarizable models. 2006 , 27, 1494-504		98
520	Temperature-dependent behaviour of dielectric properties of bound water in grain at microwave frequencies. <i>Measurement Science and Technology</i> , 2006 , 17, 2289-2293	2	22
519	Hydrogen network fluctuations of associating liquids: dielectric relaxation of ethylene glycol oligomers and their mixtures with water. 2006 , 125, 084507		17
518	State of Water in Nafion 117 Proton Exchange Membranes Studied by Dielectric Relaxation Spectroscopy. 2006 , 972, 1		1
517	Proton Transfer to and from Carbon in Model Reactions. 949-973		
516	Microwave-Material Interactions and Dielectric Properties, Key Ingredients for Mastery of Chemical Microwave Processes. 1-61		22
515	Broadband dielectric spectrometry of liquids and biosystems. <i>Measurement Science and Technology</i> , 2006 , 17, R17-R35	2	127
514	Microwave heating of water, ice, and saline solution: molecular dynamics study. 2007 , 126, 034509		108
513	Dielectric metrology with coaxial sensors. <i>Measurement Science and Technology</i> , 2007 , 18, 1372-1386	2	67
512	Retro-modelling of a dual resonant applicator and accurate dielectric properties of liquid water from 0 °C to +100 °C. <i>Measurement Science and Technology</i> , 2007 , 18, 959-966	2	14
511	A frequency-domain method for extending TDR performance in quality determination of fluids. <i>Measurement Science and Technology</i> , 2007 , 18, 675-688	2	27
510	Miniature open-ended coaxial probes for dielectric spectroscopy applications. 2007 , 40, 45-53		17
509	Complex permittivity measurement at millimetre-wave frequencies during the fermentation process of Japanese sake. 2007 , 40, 54-60		20
508	Protein-solvent interaction in urea-water systems studied by dielectric spectroscopy. 2007 , 353, 4492-4496		12
507	Hydration and dynamic behavior of cyclodextrins in aqueous solution. <i>Journal of Physical Chemistry B</i> , 2007 , 111, 12239-47	3-4	38

506	Reference liquids for the calibration of dielectric sensors and measurement instruments. <i>Measurement Science and Technology</i> , 2007 , 18, 967-976	2	118
505	Liquid structure of the urea-water system studied by dielectric spectroscopy. <i>Journal of Physical Chemistry B</i> , 2007 , 111, 1076-80	3-4	77
504	Broadband dielectric study of dynamics of polymer and solvent in poly(vinyl pyrrolidone)/normal alcohol mixtures. <i>Journal of Physical Chemistry B</i> , 2007 , 111, 2181-7	3-4	44
503	Comparative study of urea and betaine solutions by dielectric spectroscopy: liquid structures of a protein denaturant and stabilizer. <i>Journal of Physical Chemistry B</i> , 2007 , 111, 11858-63	3-4	21
502	Contrary hydration behavior of N-isopropylacrylamide to its polymer, P(NIPAm), with a lower critical solution temperature. <i>Journal of Physical Chemistry B</i> , 2007 , 111, 1511-3	3-4	104
501	Using nonuniform electric fields to accelerate the transport of viruses to surfaces from media of physiological ionic strength. 2007 , 23, 3840-8		33
500	A Marcus treatment of rate constants for protonation of ring-substituted alpha-methoxystyrenes: intrinsic reaction barriers and the shape of the reaction coordinate. 2007 , 129, 6952-61		35
499	The Johari-Goldstein beta-relaxation of water. <i>Journal of Physical Chemistry B</i> , 2007 , 111, 8197-209	3-4	130
498	Material Properties: Measurement and Data. 2007 , 85-177		6
497	Permittivity of Pure Water, at Standard Atmospheric Pressure, over the Frequency Range 0.025THz and the Temperature Range 0-100°C. 2007 , 36, 1-18		400
496	Terahertz time-domain attenuated total reflection spectroscopy in water and biological solution. 2007 , 27, 505-515		104
495	Numerical investigation of AC electrokinetic virus trapping inside high ionic strength media. 2007 , 3, 547-560		11
494	Microwave peak absorption frequency of liquid. 2008 , 51, 1254-1263		2
493	Characterizing hydration state in solution using terahertz time-domain attenuated total reflection spectroscopy. 2008 , 457, 12-17		117
492	Origin of the fast relaxation component of water and heavy water revealed by terahertz time-domain attenuated total reflection spectroscopy. 2008 , 464, 166-170		181
491	Dielectric Properties of Pumpable Food Materials at 915 MHz. 2008 , 11, 508-518		30
490	Improved Monte Carlo uncertainty modelling with cross-frequency correlation for microwave dielectric reference liquid data. 2008 ,		
489	Fermentation process monitoring of Japanese sake by dielectric measurement. 2008 ,		

488	Measurement of the dielectric relaxation property of water-ion loose complex in aqueous solutions of salt at low concentrations. 2008 , 112, 10801-6		19
487	Hydration Structure and Dynamic Behavior of Poly(vinyl alcohol)s in Aqueous Solution. <i>Macromolecules</i> , 2008 , 41, 2908-2913	5.5	45
486	State of Water in Perfluorosulfonic Ionomer (Nafion 117) Proton Exchange Membranes. 2008 , 155, B163		94
485	Charge-transfer excitons in DNA. <i>Journal of Physical Chemistry B</i> , 2008 , 112, 2268-72	3.4	29
484	Dielectric Spectroscopy on Propylene Glycol/Poly(Vinyl Pyrrolidone) Solutions: Polymer and Solvent Dynamics in Hydrogen-Bonding Systems. 2008 ,		4
483	Continuous and simultaneous measurement of reflector depth and average soil-water content with multichannel ground-penetrating radar. 2008 , 73, J15-J23		56
482	Dielectric Spectroscopy Measurements on Fruit, Meat, and Grain. 2008 , 51, 1829-1834		29
481	. 2009 , 57, 3000-3010		6
480	Deviations from a simple Debye relaxation in aqueous solutions of differently flexible polyions induced by polymer concentration. 2009 , 131, 034901		1
479	An innovative method for TDR measurement of static electrical conductivity in granular materials. 2009 ,		1
478	Implementation of a fast reconfigurable array for tissue impedance characterization. 2009 , 2009, 2284-7		2
477	Measurements of dielectric properties of foods and associated materials. 2009 , 129-152		2
476	Enhanced reflectometry measurements of permittivities and levels in layered petrochemical liquids using an in-situ coaxial probe. <i>Measurement: Journal of the International Measurement Confederation</i> , 2009 , 42, 685-696	4.6	29
475	Analysis of bread loss factor using modified Debye equations. <i>Journal of Food Engineering</i> , 2009 , 93, 453-459		26
474	The intermolecular stretching vibration mode in water isotopes investigated with broadband terahertz time-domain spectroscopy. 2009 , 473, 279-283		89
473	Hydration and Dynamic Behavior of a Cyclic Poly(N-isopropylacrylamide) in Aqueous Solution: Effects of the Polymer Chain Topology. <i>Macromolecules</i> , 2009 , 42, 1400-1403	5.5	76
472	Structure, dynamics, and hydration of a collagen model polypeptide, (L-prolyl-L-prolylglycyl) ₁₀ , in aqueous media: a chemical equilibrium analysis of triple helix-to-single coil transition. <i>Journal of Physical Chemistry B</i> , 2009 , 113, 14504-12	3.4	16
471	Traceable measurement of dielectric reference liquids over the temperature interval 1050 °C using coaxial-line methods. <i>Measurement Science and Technology</i> , 2009 , 20, 075106	2	19

470	Terahertz reflection spectroscopy of Debye relaxation in polar liquids [Invited]. 2009 , 26, A113		106
469	Millimetre wave permittivity of water near 25 °C. 2009 , 42, 205501		17
468	Microwave dielectric study of an oligomeric electrolyte gelator by time domain reflectometry. <i>Journal of Physical Chemistry B</i> , 2009 , 113, 10112-6	3.4	6
467	Dielectric relaxation in dimethyl sulfoxide/water mixtures studied by microwave dielectric relaxation spectroscopy. 2009 , 113, 12207-14		107
466	Two-port transmission line technique for dielectric property characterization of polymer electrolyte membranes. <i>Journal of Physical Chemistry B</i> , 2009 , 113, 13551-9	3.4	22
465	Dielectric properties of differently flexible polyions: a scaling approach. <i>Physical Chemistry Chemical Physics</i> , 2009 , 11, 1780-6	3.6	17
464	Microwave complex permittivity measurement of biological medium for stem cell culture. 2009 ,		
463	Microwave-Assisted Extraction of Protoberberine Alkaloids from <i>Coscinium fenestratum</i> . 2009 , 42, 752-759		1
462	. 2010 , 7, 487-490		2
461	Hydration analysis of <i>Pseudomonas aeruginosa</i> cytochrome c551 upon acid unfolding by dielectric relaxation spectroscopy. 2010 , 151, 160-9		14
460	. 2010 , 59, 1207-1215		8
459	An Improved Reflectometric Method for Soil Moisture Measurement Exploiting an Innovative Triple-Short Calibration. 2010 , 59, 2747-2754		22
458	Sugar and water contents of honey with dielectric property sensing. <i>Journal of Food Engineering</i> , 2010 , 97, 275-281	6	67
457	Monitoring of active layer dynamics at a permafrost site on Svalbard using multi-channel ground-penetrating radar. 2010 , 4, 475-487		50
456	Multi-channel ground-penetrating radar to explore spatial variations in thaw depth and moisture content in the active layer of a permafrost site. 2010 , 4, 269-283		44
455	Two-dimensional dielectric spectroscopy: implementation and validation of a scanning open-ended coaxial probe. 2010 , 81, 075108		11
454	Structural aspects in the dielectric properties of pentyl alcohols. 2010 , 133, 094508		23
453	Electromagnetic techniques for moisture content determination of materials. <i>Measurement Science and Technology</i> , 2010 , 21, 082001	2	48

452	Anomalous Dehydration Behavior of a Short Collagen Model Polypeptide, (L-Prolyl-L-ProlylGlycyl) ₅ , in Aqueous Solution. 2010 , 1, 412-416		5
451	Mapping of RFID tag readability in relation to the food content in a refrigerated sea container at 915 MHz. 2010 , 11, 703-706		13
450	Techniques for measuring the microwave dielectric properties of materials. 2010 , 47, S91-S113		112
449	Dielectric properties of fully hydrated nucleotides in the terahertz frequency range. 2010 , 132, 245102		19
448	Fluid antennas as EMI sensors. 2010 ,		
447	Freshwater ground penetrating radar the significance of seasonal temperature variation. 2010 ,		1
446	Fluid antennas. 2010 ,		4
445	Broadband characterization of carbon nanotube networks. 2010 ,		2
444	Performance and calibration of the helicopter GPR system BGR-P30. 2011 ,		19
443	Dielectric relaxation spectroscopy of lysozyme aqueous solutions: analysis of the dispersion and the contribution of the hydration water. <i>Journal of Physical Chemistry B</i> , 2011 , 115, 7144-53	3.4	93
442	Electromagnetic absorption mechanisms in metal nanospheres: Bulk and surface effects in radiofrequency-terahertz heating of nanoparticles. 2011 , 109, 124306		50
441	Temperature sensor tag for passive UHF RFID systems. 2011 ,		23
440	Reconsideration of the anomalous dielectric behavior of dimethyl sulfoxide in the pure liquid state. <i>Physical Chemistry Chemical Physics</i> , 2011 , 13, 16542-7	3.6	43
439	Qualitative Characterization of Granular Materials and Moisture Measurements. 2011 , 85-131		
438	Determination of the pKa of cyclobutanone: Brønsted correlation of the general base-catalyzed enolization in aqueous solution and the effect of ring strain. 2011 , 76, 380-90		8
437	Mode matching technique-based modeling of coaxial and circular waveguide discontinuities for material characterization purposes. 2011 , 3, 679-690		11
436	Broadband dielectric spectroscopy on human blood. 2011 , 1810, 727-40		100
435	Use of Microwaves in Coal Research and in Materials Synthesis. 2011 ,		1

434	Cryosurgery with pulsed electric fields. <i>PLoS ONE</i> , 2011 , 6, e26219	3-7	6
433	Bound water: Evidence from and implications for the dielectric properties of aqueous solutions. 2011 , 162, 105-112		32
432	RFID system for newborn identity reconfirmation in hospital: exposure assessment of a realistic newborn model and effects of the change of the dielectric properties with age. 2011 , 107, 443-8		6
431	Measurement and estimation of aromatic plant dielectric properties. Application to low moisture rosemary. 2011 , 33, 697-703		19
430	Relationship between the mobility of phosphocholine headgroups of liposomes and the hydrophobicity at the membrane interface: a characterization with spectrophotometric measurements. 2011 , 88, 221-30		38
429	On the Calculation of the Dielectric Permittivity and Relaxation of Molecular Models in the Liquid Phase. 2011 , 7, 1469-75		45
428	Dielectric properties of glucose in bulk aqueous solutions: Influence of electrode polarization and modeling. 2011 , 26, 2347-53		40
427	Hydration properties of adenosine phosphate series as studied by microwave dielectric spectroscopy. 2011 , 154, 1-7		20
426	Direct current insulator-based dielectrophoretic characterization of erythrocytes: ABO-Rh human blood typing. 2011 , 32, 2530-40		49
425	Gaussian distribution of relaxation through human blood. 2011 , 406, 584-587		12
424	Effects of antenna position on readability of RFID tags in a refrigerated sea container of frozen bread at 433 and 915MHz. 2011 , 19, 1071-1077		21
423	Observation of volumetric water content and reflector depth with multichannel ground-penetrating radar in an artificial sand volume. 2011 ,		3
422	Precision waveguide system for measurement of complex permittivity of liquids at frequencies from 60 to 90 GHz. 2011 , 82, 104703		5
421	Characterization of free falling drops inside a microwave cavity. 2012 ,		2
420	Customized systems for complex permittivity measurements on liquid samples at microwave frequencies: A comparative analysis. 2012 ,		1
419	Inverting surface GPR data using FDTD simulation and automatic detection of reflections to estimate subsurface water content and geometry. 2012 , 77, H45-H55		14
418	ON BODY CONCEALED WEAPON DETECTION USING A PHASED ANTENNA ARRAY. 2012 , 124, 187-210		6
417	Proton transfer reactions of triazol-3-ylidenes: kinetic acidities and carbon acid pKa values for twenty triazolium salts in aqueous solution. 2012 , 134, 20421-32		127

416	Measurement and hemodialysis effect of complex relative permittivity for blood of kidney patients using open-ended coaxial measurement probe. 2012 , 95, 56-61	2
415	Hydrogen network fluctuations: Dielectric spectra of glycerol-ethanol mixtures. 2012 , 403, 74-80	13
414	Hydrophobic hydration displayed by the molal shift in the isentropic compressibility. 2012 , 544, 28-33	2
413	Multi-channel GPR to assess the influence of shallow structural heterogeneity on spatio-temporal variations of near-surface soil water content. 2012 ,	2
412	Permeability changes of cationic liposomes loaded with carbonic anhydrase induced by millimeter waves radiation. 2012 , 178, 437-46	8
411	. 2012 , 12, 3019-3030	14
410	GPR investigations of an island aquifer as a contribution to groundwater modelling. 2012 ,	1
409	Monitoring oil-water mixture separation by time domain reflectometry. <i>Measurement Science and Technology</i> , 2012 , 23, 125303	2 3
408	Increased bandwidth for dielectric spectroscopy of proteins through electrode surface preparation. 2012 , 83, 015110	13
407	Base-catalyzed dehydration of 3-substituted benzene cis-1,2-dihydrodiols: stabilization of a cyclohexadienide anion intermediate by negative aromatic hyperconjugation. 2012 , 134, 14056-69	27
406	. 2012 , 2, 513-524	27
405	Optimization of multi-channel ground-penetrating radar for quantifying field-scale soil water dynamics. 2012 , 82, 101-109	7
404	Relaxation dynamics of a protein solution investigated by dielectric spectroscopy. 2012 , 1824, 723-30	75
403	Passive Wireless Sensing of Micro coil parameters in fluidic environments. 2012 , 186, 69-79	4
402	High Dielectric Constant and Relaxation Mechanism of Water with Hydrated Copper(II) Ions in a Cucurbit[8]uril-Based Supramolecular Architecture. <i>Journal of Physical Chemistry C</i> , 2012 , 116, 14199-14204	38 7
401	Dielectric behavior of some small ketones as ideal polar molecules. 2012 , 116, 4735-44	14
400	Microwave Processing. 2012 , 371-393	2
399	Estimating field-scale soil water dynamics at a heterogeneous site using multi-channel GPR. 2012 , 16, 4361-4372	14

398	Investigating Influence of Temperature on Radio-Frequency Dielectric Properties of Chicken Meat. 2012 ,		
397	Microwave Dielectric Properties of Cereal Grains. 2012 , 55, 1989-1996		5
396	Cherenkov emission in a nanowire material. 2012 , 85,		56
395	Open-Ended Waveguide Measurement and Numerical Simulation of the Reflectivity of Petri Dish Supported Skin Cell Monolayers in the mm-wave Range. 2012 , 33, 529-547		4
394	Dielectric relaxation study of DNA in aqueous solution using time domain reflectometry. 2013 , 87, 543-550		4
393	Dielectric properties of solvents and their limiting high-frequency conductivity. 2013 , 87, 1048-1051		7
392	Polarizable water models from mixed computational and empirical optimization. <i>Journal of Physical Chemistry B</i> , 2013 , 117, 9486-500	3-4	23
391	Hydration-state change of horse heart cytochrome c corresponding to trifluoroacetic-acid-induced unfolding. 2013 , 104, 163-72		10
390	Microwave dielectric method for the rapid, non-destructive determination of bulk density and moisture content of peanut hull pellets. 2013 , 115, 332-338		34
389	Microwave dielectric relaxation studies of hydrogen bonded polar binary mixtures of isobutanol and aniline. 2013 , 1035, 46-53		8
388	A calibration technique for measuring the complex permittivity of materials with planar transmission lines. 2013 ,		0
387	Epoxy-based hydrogels investigated by high-frequency dielectric relaxation spectroscopy. <i>Journal of Physical Chemistry B</i> , 2013 , 117, 14122-8	3-4	3
386	Aspects of ion hydration. Adiabatic compressibility compared to the dielectric properties of aqueous electrolyte solutions. <i>Journal of Physical Chemistry B</i> , 2013 , 117, 12252-60	3-4	7
385	Modelling of microwave heating of water in a monomode applicator [Influence of operating conditions. 2013 , 74, 214-229		44
384	Broadband permittivity measurements of low-loss materials using the Hilbert transform. 2013 ,		
383	Determination of renewable energy yield from mixed waste material from the use of novel image analysis methods. 2013 , 33, 2449-56		5
382	Limiting equivalent electrical conductivity of inorganic salt solutions and dielectric properties of a polar solvent. 2013 , 58, 968-971		1
381	Mean field QM/MM method: average position approximation. 2013 , 138, 174114		6

380	Model-free simulation approach to molecular diffusion tensors. 2013 , 139, 154110		11
379	Measuring the dielectric properties of materials. Ninety-year development from low-frequency techniques to broadband spectroscopy and high-frequency imaging. <i>Measurement Science and Technology</i> , 2013 , 24, 012005	2	66
378	Quantitative cw Overhauser effect dynamic nuclear polarization for the analysis of local water dynamics. 2013 , 74, 33-56		81
377	Microwave-Materials Interactions and Dielectric Properties: From Molecules and Macromolecules to Solids and Colloidal Suspensions. 2013 , 1-56		4
376	Study of hydrogen bonding and thermodynamic behavior in water-1,4-dioxane mixture using time domain reflectometry. 2013 , 421, 1-7		25
375	A Comparative Analysis Between Customized and Commercial Systems for Complex Permittivity Measurements on Liquid Samples at Microwave Frequencies. 2013 , 62, 1034-1046		36
374	Anion-dependence of fast relaxation component in Na-, K-halide solutions at low concentrations measured by high-resolution microwave dielectric spectroscopy. 2013 , 117, 4851-62		9
373	Method to reduce non-specific tissue heating of small animals in solenoid coils. 2013 , 29, 106-20		19
372	Characterization method of dielectric properties of free falling drops in a microwave processing cavity and its application in microwave internal gelation. <i>Measurement Science and Technology</i> , 2013 , 24, 095009	2	4
371	Improvement in the Accuracy of Dielectric Measurement of Open-Ended Coaxial Resonators by an Enhanced De-Embedding of the Coupling Network. 2013 , 61, 4636-4645		9
370	Dielectric Properties of Glucose Solutions in the 0.5-7 GHz Range. 2013 , 55, 1916-1917		11
369	Power and thermal study of a single drop heated while passing through a TE _{10p} rectangular cavity. 2013 ,		1
368	Dielectric contrast measurements on biological substances with resonant microwave near-field sensors. 2013 , 5, 221-230		3
367	Pedophysical Models for Resistivity and Permittivity of Partially Water-Saturated Soils. 2013 , 12, vjz2013.01.0023		1
366	Ground-penetrating radar insight into a coastal aquifer: the freshwater lens of Borkum Island. 2013 , 17, 519-531		20
365	Ion Pairing Kinetics Does not Necessarily Follow the Eigen-Tamm Mechanism. 2013 , 26, 694-700		2
364	Modeling of Dielectric Relaxation for Lossy Materials at Microwave Frequencies using Polynomial Approaches. 2014 , 58,		1
363	The hydrogen bonding dynamics and cooperative interactions of DMAC-water mixture studied by dielectric relaxation spectroscopy. 2014 , 52, 608-617		2

362	Temperature controlled measurement setup for permittivity extraction of water up to 40 GHz from 10 to 40 °C. 2014,	2
361	Dual port temperature sensor tag for passive UHF RFID systems. 2014, 34, 154-169	12
360	Factors affecting soil permittivity and proposals to obtain gravimetric water content from time domain reflectometry measurements. 2014, 51, 1303-1317	8
359	The Design and Operation of Ultra-Sensitive and Tunable Radio-Frequency Interferometers. 2014, 62, 3172-3182	29
358	Testing dielectric properties of tissue-equivalent liquid using open-ended coaxial line technique based on the transverse electromagnetic model. 2014,	
357	Effect of thermal motion on catalytic activity of nanoparticles in polar solvent. 2014, 140, 044703	2
356	Airborne GPR on high Andean glaciers - First results from 6000 m altitude. 2014,	2
355	A near-field scanning microwave microscope for measurement of the permittivity and loss of high-loss materials. 2014,	8
354	Mapping Permafrost Features that Influence the Hydrological Processes of a Thermokarst Lake on the Qinghai-Tibet Plateau, China. 2014, 25, 60-68	24
353	RF monitoring of commercial vascular stents with dipole scattering resonances. 2014,	1
352	Sectorial substrate-integrated half-mode near-field sensors for biological liquid characterization. 2014, 6, 305-312	1
351	Time and spatial resolved optical and electrical characteristics of continuous and time modulated RF plasmas in contact with conductive and dielectric substrates. 2014, 68, 1	33
350	Relationship between the mobility of phosphocholine headgroup and the protein-liposome interaction: a dielectric spectroscopic study. 2014, 116, 343-50	10
349	The Microscopic Physical Cause for the Density Maximum of Liquid Water. 2014, 5, 138-42	9
348	Investigation of dielectric properties of the reaction mixture during the acid-catalyzed transesterification of Brazil nut oil for biodiesel production. 2014, 117, 957-965	41
347	Dielectric properties and high-frequency conductivity of the sodium chloride-water system. 2014, 59, 922-926	8
346	Femtosecond and temperature-dependent picosecond dynamics of ultrafast excited-state proton transfer in water-dioxane mixtures. 2014, 118, 10448-55	15
345	Water temperature measurement by microwave six-port interferometry at 24 GHz. 2014,	

344	. <i>IEEE Transactions on Antennas and Propagation</i> , 2014 , 62, 4008-4014	4.9	20
343	Dielectric measurement of liquids in terahertz frequency band. 2014 ,		
342	Broadband complex dielectric constants of water and sodium chloride aqueous solutions with different DC conductivities. 2014 , 9, S8-S12		18
341	Water under inner pressure: a dielectric spectroscopy study. 2014 , 89, 022406		4
340	Including the Dispersion Attraction into Structure-Adapted Fast Multipole Expansions for MD Simulations. 2014 , 10, 3244-59		7
339	Development and assessment of a microwave void-fraction measurement system. 2014 , 85, 015103		1
338	Complex permittivity of fully ripe palm fruit and its application for microwave heating. 2014 , 21, 1415-1423		4
337	Dynamics of linear poly(N-isopropylacrylamide) in water around the phase transition investigated by dielectric relaxation spectroscopy. <i>Journal of Physical Chemistry B</i> , 2014 , 118, 3750-9	3-4	56
336	Microwave open-ended coaxial dielectric probe: interpretation of the sensing volume re-visited. 2014 , 14, 3		44
335	The dielectric response of interfacial water from the ordered structures to the single hydrated shell. 2014 , 292, 1923-1932		18
334	Polarizable six-point water models from computational and empirical optimization. <i>Journal of Physical Chemistry B</i> , 2014 , 118, 1589-602	3-4	24
333	Complementary analyses of fractal and dynamic water structures in protein/water mixtures and cheeses. 2014 , 440, 42-48		10
332	Intermolecular interactions and molecular dynamics in bovine serum albumin solutions studied by small angle X-ray scattering and dielectric relaxation spectroscopy. 2014 , 200, 59-66		7
331	Exogenous contrast agents for thermoacoustic imaging: an investigation into the underlying sources of contrast. 2015 , 42, 170-80		20
330	New terahertz dielectric spectroscopy for the study of aqueous solutions. 2015 , 86, 123105		21
329	Determination of loss tangent of human tear film at 9.8 GHz. 2015 ,		
328	Differential dielectric responses of chondrocyte and Jurkat cells in electromanipulation buffers. 2015 , 36, 1499-506		14
327	High-precision gigahertz-to-terahertz spectroscopy of aqueous salt solutions as a probe of the femtosecond-to-picosecond dynamics of liquid water. 2015 , 142, 164502		68

326	Microfluidically Tunable Microstrip Filters. 2015 , 63, 2245-2252		16
325	Phase diagram for the transition from photonic crystals to dielectric metamaterials. 2015 , 6, 10102		84
324	Theory and Fundamental Principles. 2015 , 1-9		1
323	Influence of a sample surface on single electrode atmospheric plasma jet parameters. 2015 , 103-104, 124-130		37
322	Dielectric properties of green coconut water relevant to microwave processing: Effect of temperature and field frequency. <i>Journal of Food Engineering</i> , 2015 , 155, 69-78	6	61
321	Variation of the dielectric properties of chicken meat with frequency and temperature. 2015 , 9, 299-304		12
320	Proton transfer reactions of N-aryl triazolium salts: unusual ortho-substituent effects. 2015 , 28, 108-115		12
319	Dielectric properties of corn flour from 0.2 to 10 GHz. <i>Journal of Food Engineering</i> , 2015 , 166, 255-262	6	22
318	Dielectric Properties of Selected Food Materials. 2015 , 147-165		2
317	Differential six-port reflectometer for determining dry rubber content of latex. 2015 , 9, 847-851		6
316	Textures on the surface of BSA films with different concentrations of sodium halides and water state in solution. 2015 , 10, 155		7
315	Impact of secondary structure and hydration water on the dielectric spectrum of poly-alanine and possible relation to the debate on slaved versus slaving water. 2015 , 142, 215104		5
314	. 2015 ,		1
313	Evapotranspiration and energy balance dynamics of a semi-arid mountainous steppe and shrubland site in Northern Mongolia. 2015 , 73, 593-609		33
312	Proton transfer reactions of a bridged bis-propyl bis-imidazolium salt. 2016 , 29, 735-740		6
311	TSVs embedded in a microfluidic heat sink: High-frequency characterization and thermal modeling. 2016 ,		2
310	Towards Understanding Early Failures Behavior during Device Burn-In: Broadband RF Monitoring of Atomistic Changes in Materials. 2016 , 5, N61-N66		
309	Accurate measurements of the dielectric constant of seawater at L band. 2016 , 51, 2-24		31

308	A polarizable QM/MM approach to the molecular dynamics of amide groups solvated in water. 2016 , 144, 114504		13
307	Liquid Antennas. 2016 , 1-23		12
306	Dielectric Properties of Cloudy Apple Juices Relevant to Microwave Pasteurization. 2016 , 9, 1345-1357		20
305	High-Frequency Analysis of Embedded Microfluidic Cooling within 3-D ICs Using a TSV Testbed. 2016 ,		3
304	System for Bulk Dielectric Permittivity Estimation of Breast Tissues at Microwave Frequencies. 2016 , 64, 3001-3009		24
303	Ring resonator for detection of melting brine under shallow subsurface of Mars. 2016 ,		0
302	Impact of measurement uncertainty on modelling. 2016 ,		1
301	Experimental and Theoretical Study of the High-Temperature UV-Visible Spectra of Aqueous Hydroquinone and 1,4-Benzoquinone. <i>Journal of Physical Chemistry B</i> , 2016 , 120, 10547-10552	3-4	3
300	Study of Disordered Materials by Terahertz Spectroscopy. 2016 , 393-426		1
299	Interface description of Milli-Q water cells: Temperature dependence of the CPE parameters. 2016 , 777, 19-25		3
298	Temperature and size-dependent Hamaker constants for metal nanoparticles. 2016 , 27, 345710		26
297	Broad-Band Permittivity Measurements of Formation of Gas Hydrate Layers Using Open-Ended Coaxial Probes. 2016 , 30, 7196-7205		8
296	Dielectric Response of Cytoplasmic Water and Its Connection to the Vitality of Human Red Blood Cells: I. Glucose Concentration Influence. <i>Journal of Physical Chemistry B</i> , 2016 , 120, 10214-10220	3-4	12
295	Planning and extension of simulation area for electromagnetic computation on the sea surface. 2016 ,		
294	Dielectric characterization of concrete at high temperatures. 2016 , 73, 54-61		12
293	Dielectric Behavior of Terrestrial Materials. 2016 , 31-71		
292	Calibration scheme for microwave biosensors using exclusively liquid calibration standards. 2016 ,		2
291	Understanding the electromagnetic interaction of metal organic framework reactants in aqueous solution at microwave frequencies. <i>Physical Chemistry Chemical Physics</i> , 2016 , 18, 5419-31	3.6	27

290	Nondestructive testing and structural health monitoring of marine composite structures. 2016 , 147-183	15
289	. 2016 , 63, 1176-1181	4
288	Reconsideration of Dielectric Relaxation of Aqueous Urea Solutions at Different Temperatures. 2016 , 45, 485-496	4
287	Dielectric characterization of rapeseed (<i>Brassica napus</i> L.) from 10 to 3000 MHz. 2016 , 143, 1-8	19
286	Temperature effects on the electrohydrodynamic and electrokinetic behaviour of ion-selective nanochannels. 2016 , 28, 114002	15
285	Nanoscale Electric Permittivity of Single Bacterial Cells at Gigahertz Frequencies by Scanning Microwave Microscopy. 2016 , 10, 280-8	55
284	Consideration of fractal and ion-water cooperative interactions in aqueous Na ₂ SO ₄ and K ₂ SO ₄ solutions by dielectric relaxation spectroscopy. 2016 , 441, 15-22	2
283	Determination of Acrylamide Content in Refined Wheat Starch (RWS) Based on Dielectric Property (DP) During Deep-Frying Process. 2016 , 9, 1068-1078	2
282	Reconsideration of the dielectric properties response of concentration dependence of aqueous urea solution at the microwave frequency. 2016 , 54, 258-267	1
281	Solution Properties of NaHSO ₄ and Na ₂ SO ₄ : A New Sight from the Water _{bn} and WaterDipole Cooperative Interactions Using Dielectric Relaxation Spectroscopy. 2016 , 37, 97-103	
280	Molecular dynamics simulations for the prediction of the dielectric spectra of alcohols, glycols and monoethanolamine. 2016 , 42, 370-390	27
279	Room-temperature-densified Li ₂ MoO ₄ ceramic patch antenna and the effect of humidity. 2017 , 14, 50-55	22
278	Cost-Effective, Microstrip Antenna Driven Ring Resonator Microwave Biosensor for Biospecific Detection of Glucose. 2017 , 23, 404-409	25
277	Unique heating curves generated by radiofrequency electric-field interactions with semi-aqueous solutions. 2017 , 110, 013701	2
276	Electrical Characterization of Glycerin: Water Mixtures: Implications for Use as a Coupling Medium in Microwave Tomography. 2017 , 65, 1471-1478	65
275	Dual Mode Microwave Microfluidic Sensor for Temperature Variant Liquid Characterization. 2017 , 65, 2572-2582	30
274	Characterization of the hydrogen-bond network of water around sucrose and trehalose: Microwave and terahertz spectroscopic study. 2017 , 146, 105102	42
273	Electrokinetic device design and constraints for use in high conductance solutions. 2017 , 38, 1475-1482	11

272	Electromagnetic Heating for Industrial Kilning of Malt: a Feasibility Study. 2017 , 10, 687-698		4
271	Frequency-dependent stability of CNT Joule heaters in ionizable media and desalination processes. 2017 , 12, 557-563		148
270	Microwave dielectric spectroscopy study of water dynamics in normal and contaminated raw bovine milk. 2017 , 154, 391-396		6
269	. 2017 , 7, 502-510		3
268	Giant field enhancement in high-index dielectric subwavelength particles. <i>Scientific Reports</i> , 2017 , 7, 731	4-9	35
267	Wetland monitoring with Global Navigation Satellite System reflectometry. 2017 , 4, 16-39		61
266	Development of a detection method based on dielectric spectroscopy for real-time monitoring of meta-cresol contamination in beach-sand. 2017 , 268, 16-26		5
265	A review on data and predictions of water dielectric spectra for calculations of van der Waals surface forces. 2017 , 250, 54-63		15
264	3D printed wearable flexible SIW and microfluidics sensors for Internet of Things and smart health applications. 2017 ,		5
263	Full-wave finite space model of open-ended coaxial line for dielectric spectroscopy of liquids. 2017 , 88, 084703		1
262	Predicting the dielectric behavior of orange and other citrus fruit juices at 915 and 2450 MHz. 2017 , 1-21		4
261	A coplanar waveguide microfluidic sensor for a micrometric local spectroscopy of liquid solutions. 2017 ,		
260	References. 2017 , 663-689		
259	Hybrid Characterization of Nanolitre Dielectric Fluids in a Single Microfluidic Channel Up to 110 GHz. 2017 , 65, 5063-5073		24
258	Quantification of solvent water and hydration dynamic of thermo-sensitive microgel by dielectric spectroscopy. 2017 , 55, 1859-1864		6
257	Insight into the effect mechanism of urea-induced protein denaturation by dielectric spectroscopy. <i>Physical Chemistry Chemical Physics</i> , 2017 , 19, 32007-32015	3.6	4
256	Electric impedance of aqueous KCl and NaCl solutions: Salt concentration dependence on components of the equivalent electric circuit. 2017 , 241, 530-539		30
255	Full-time response of starch subjected to microwave heating. <i>Scientific Reports</i> , 2017 , 7, 3967	4.9	10

254	Research on EM characteristics modeling of sea surface by ship EDF. 2017 ,		
253	Dielectric and structural relaxation in water and some monohydric alcohols. 2017 , 147, 024502		20
252	SMAP radar receiver measures land surface freeze/thaw state through capture of forward-scattered L-band signals. 2017 , 198, 333-344		33
251	Measurement and correlation of the dielectric properties of a grape pomace extraction media. Effect of temperature and composition. <i>Journal of Food Engineering</i> , 2017 , 197, 98-106	6	16
250	Microwave Biosensors for Noninvasive Molecular and Cellular Investigations. 124-153		
249	Phase transitions in multiband periodic all-dielectric photonic structures. 2017 ,		
248	Dielectric Characteristics of Water and Electric Conductivity of Aqueous Electrolytes. 2017 , 53, 1301-1306		3
247	Invisibility cloaking of a high-index dielectric cylinder via Fano resonances. 2017 ,		
246	Autonomous Sensors for Measuring Continuously the Moisture and Salinity of a Porous Medium. 2017 , 17,		10
245	Effect of unrepresented model errors on estimated soil hydraulic material properties. 2017 , 21, 4301-4322		7
244	Low-THz Transmission Through Water-Containing Contaminants on Antenna Radome. 2018 , 8, 63-75		12
243	Dielectric permittivity diagnostics as a tool for cultural heritage preservation: Application on degradable globigerina limestone. <i>Measurement: Journal of the International Measurement Confederation</i> , 2018 , 123, 270-274	4.6	6
242	Using satellite radar amplitude imaging for monitoring syn-eruptive changes in surface morphology at an ice-capped stratovolcano. 2018 , 209, 480-488		19
241	On the molecular origin of the cooperative coil-to-globule transition of poly(N-isopropylacrylamide) in water. <i>Physical Chemistry Chemical Physics</i> , 2018 , 20, 9997-10010	3.6	66
240	An approach based on ANFIS and input selection procedure for microwave characterization of dielectric materials. 2018 , 37, 799-813		2
239	Hydration of urea and alkylated urea derivatives. 2018 , 148, 014504		6
238	Classical molecular dynamics simulation of microwave heating of liquids: The case of water. 2018 , 148, 024508		10
237	The Effect of Humidity on Microwave Characteristics of Screen Printed Paper-Based Electronics. 2018 , 215, 1700689		1

236	Microwave processing: Effects and impacts on food components. 2018 , 58, 2476-2489		40
235	Dielectric properties of milk during ultra-heat treatment. <i>Journal of Food Engineering</i> , 2018 , 219, 137-146		18
234	Physical properties of tofu gel probed by water translational/rotational dynamics. 2018 , 77, 474-481		9
233	Soil hydraulic material properties and layered architecture from time-lapse GPR. 2018 , 22, 2551-2573		8
232	Reconsideration of the relaxational and vibrational line shapes of liquid water based on ultrabroadband dielectric spectroscopy. <i>Physical Chemistry Chemical Physics</i> , 2018 , 20, 26200-26209	3.6	18
231	Effect of Applied Pressure on Patch Resonator-Based Measurements of Moisture Level for Cultural Heritage Materials. 2018 ,		2
230	Compensating for Density Effect in Permittivity-Based Moisture Content Measurements on Historic Masonry Materials. 2018 ,		
229	. 2018 ,		
228	Terahertz biophotonics as a tool for studies of dielectric and spectral properties of biological tissues and liquids. 2018 , 62, 1-77		113
227	. 2018 ,		
226	Development of a Tissue Dielectric Properties Model Based on Maxwell-Fricke Mixture Theory. 2018 ,		1
225	Numerical Calculation of Permittivity and Dielectric Loss of Aqueous KF Solution Depending on State Parameters. 2018 , 59, 604-611		2
224	LiquidD. 2018 ,		40
223	Physical Meanings of Fractal Behaviors of Water in Aqueous and Biological Systems. 2018 ,		1
222	Dielectric measurement of low-concentration aqueous solutions: assessment of uncertainty and ion-specific responses. <i>Measurement Science and Technology</i> , 2018 , 29, 085801	2	2
221	Microwave-Pumped Electric-Dipole Resonance Absorption for Noninvasive Functional Imaging. 2018 , 10,		15
220	Experimental Evaluation of Uniform Heating of Object Arranged in Microwave Oven by Planar Electromagnetic Stirrer. 2018 ,		
219	High-Precision Megahertz-to-Terahertz Dielectric Spectroscopy of Protein Collective Motions and Hydration Dynamics. <i>Journal of Physical Chemistry B</i> , 2018 , 122, 6341-6350	3.4	42

218	A Comprehensive Study of Albumin Solutions in the Extended Terahertz Frequency Range. 2018 , 39, 840-853	14
217	Zinc oxide nanoparticles as contrast-enhancing agents for microwave imaging. 2018 , 45, 3820	13
216	Extremely High Frequency Electromagnetic Fields Facilitate Electrical Signal Propagation by Increasing Transmembrane Potassium Efflux in an Artificial Axon Model. <i>Scientific Reports</i> , 2018 , 8, 9299 ⁴⁻⁹	8
215	An efficient water force field calibrated against intermolecular THz and Raman spectra. 2018 , 148, 244504	15
214	Open-Ended Coaxial Probe Technique for Dielectric Measurement of Biological Tissues: Challenges and Common Practices. 2018 , 8,	81
213	A novel 3D silver nanowires@polypyrrole sponge loaded with water giving excellent microwave absorption properties. 2018 , 352, 490-500	65
212	Comments to: A Novel Low-Cost Instrumentation System for Measuring the Water Content and Apparent Electrical Conductivity of Soils, , , 25546?25563. 2018 , 18,	4
211	Double Microstrip Microfluidic Sensor for Temperature Correction of Liquid Characterization. 2018 , 28, 735-737	12
210	A microfluidic sensor in coplanar waveguide configuration for localized micrometric liquid spectroscopy in microwaves regime. 2018 , 1	1
209	Efficient Determination of Reverberation Chamber Time Constant. 2018 , 60, 1296-1303	6
208	Cooperativity in Molecular Dynamics Structural Models and the Dielectric Spectra of 1,2-Ethandiol. 2018 , 92, 933-942	2
207	. 2018 , 1-10	9
206	Determination of Complex Permittivity by Inverting Coaxial Transmission Line Data Using FDTD. 2018 ,	1
205	Dielectric Properties of Beverages (Tamarind and Green) Relevant to Microwave-Assisted Pasteurization. 2018 , 83, 2317-2323	4
204	An improved noninvasive resonance method for water content characterization of Cultural Heritage stone materials. <i>Measurement: Journal of the International Measurement Confederation</i> , 2018 , 125, 257-261	4.6 5
203	Spatial Distribution of Ionic Hydration Energy and Hyper-Mobile Water. 2018 , 33-52	1
202	Characteristics and limitations of GPS L1 observations from submerged antennas. 2019 , 93, 267-280	7
201	Sensitivity and accuracy of Casimir force measurements in air. 2019 , 100,	4

200	Measured relative complex permittivities for multiple series of ionic liquids. 2019 , 294, 111571		10
199	The theoretical study of dielectric properties of water using the modified Onsager-Kirkwood-Fröhlich theory. 2019 ,		
198	A Compact Microwave Applicator for the Rapid Detection of Clostridium Difficile. 2019 ,		0
197	Microwave Induced Electroporation of Adherent Mammalian Cells at 18 GHz. 2019 , 7, 78698-78705		2
196	Activity Coefficient Modeling for Aqueous Aluminum Salt Solutions in Terms of the Generalized Debye-Hückel Theory. 2019 , 64, 1186-1189		5
195	Resonance effects in photonic crystals and metamaterials (100th anniversary of the Ioffe Institute). 2019 , 62, 823-838		6
194	Complex Permittivity of NaOH Solutions Used in Liquid-Metal Circuits. 2019 , 7, 150150-150156		6
193	The comparative investigation on synthesis, characterizations of silver ion-imprinting and non-imprinting cryogels, their impedance spectroscopies and relaxation mechanisms. 2019 , 76, 5701-5716		6
192	Generating and Detecting High-Frequency Liquid-Based Sound Resonances with Nanoplasmonics. 2019 , 19, 7050-7053		3
191	Insights into Hydration Dynamics and Cooperative Interactions in Glycerol-Water Mixtures by Terahertz Dielectric Spectroscopy. <i>Journal of Physical Chemistry B</i> , 2019 , 123, 8791-8799	3-4	16
190	Development of Water Content Dependent Tissue Dielectric Property Models. 2019 , 3, 105-110		4
189	Temperature, concentration, and frequency dependent dielectric properties of pineapple juice relevant to its concentration by microwave energy. 2019 , 42, e13013		3
188	Confinement Effect of Sub-nanometer Difference on Melting Point of Ice-Nanotubes Measured by Photoluminescence Spectroscopy. 2019 , 13, 1177-1182		9
187	A resonant half-wave antenna for moisture content assessment in wood chips. <i>Measurement Science and Technology</i> , 2019 , 30, 125108	2	1
186	Dynamics of a parallel-plate electrostatic actuator in viscous dielectric media. 2019 , 295, 366-373		11
185	Experimental and computational investigation of heat transfer in a microwave-assisted flow system. 2019 , 142, 107537		24
184	Physical Meanings of Fractal Behaviors of Water in Aqueous and Biological Systems with Open-Ended Coaxial Electrodes. 2019 , 19,		3
183	Ultra-Wideband Temperature Dependent Dielectric Spectroscopy of Porcine Tissue and Blood in the Microwave Frequency Range. 2019 , 19,		18

182	Development of a Microwave Irradiation Probe for a Cylindrical Applicator. 2019 , 7, 143		1
181	Experimental study of electrostatic hazard inside scrubber column using response surface methodology. 2019 , 200, 46-68		15
180	Uncertainties and temperature correction in molecular dynamic simulations of dielectric properties of condensed polar systems. 2019 , 278, 546-552		2
179	Anion-Specific Effects on Activity Coefficients in Aqueous Solutions of Sodium Salts: Modeling with the Extended Debye-Hückel Theory. 2019 , 48, 234-247		12
178	Property Measurement Errors Based on Application of an Estimation Equation Using the Coaxial Probe Method. 2019 ,		2
177	. 2019 ,		8
176	. 2019 ,		
175	S11 Calibration Method for a Coaxial Line with Three Reference Materials and no Short Termination Condition for Dielectric Measurement in Liquids. 2019 ,		4
174	Continuous noninvasive glucose monitoring; water as a relevant marker of glucose uptake in vivo. 2019 , 11, 1017-1035		8
173	Austin RCS Benchmark Suite Developments. 2019 ,		1
172	Temperature Correction Using Degenerate Modes for Cylindrical Cavity Perturbation Measurements. 2019 , 67, 800-805		4
171	Modeling Tetra-n-butyl ammonium halides aqueous solutions with the electrolyte cubic plus association equation of state. 2019 , 486, 37-47		10
170	A label-free aptamer-based nanogap capacitive biosensor with greatly diminished electrode polarization effects. <i>Physical Chemistry Chemical Physics</i> , 2019 , 21, 681-691	3.6	13
169	Comment on "The Debye-Hückel theory and its importance in modeling electrolyte solutions" 2019 , 485, 248-250		4
168	How Do Ice Crystals Grow inside Quasiliquid Layers?. 2019 , 122, 026102		10
167	An investigation of the variation of dielectric properties of ovine lung tissue with temperature. <i>Biomedical Physics and Engineering Express</i> , 2019 , 5, 045024	1.5	3
166	. 2020 , 62, 330-337		2
165	Dielectric Permittivity Properties of Hydrated Polymers: Measurement and Connection to Ion Transport Properties. 2020 , 59, 5205-5217		9

164	Impact of GPS Processing on the Estimation of Snow Water Equivalent Using Refracted GPS Signals. 2020 , 58, 123-135		10
163	Study and Suppression of Multipath Signals in a Non-Invasive Millimeter Wave Transmission Glucose-Sensing System. 2020 , 4, 187-193		3
162	Theoretical Modeling and Design Guidelines for a New Class of Wearable Bio-Matched Antennas. <i>IEEE Transactions on Antennas and Propagation</i> , 2020 , 68, 2040-2049	4.9	6
161	Design and Analysis of a Microwave-Optical Dual Modality Biomolecular Sensing Platform. 2020 , 55, 639-649		2
160	Electric-field penetration depth and dielectric spectroscopy observations of human skin. 2020 , 26, 255-262		4
159	Toroidal Dipole Mode Observation In Situ. 2020 , 257, 1900406		6
158	Temperature-dependence of the dielectric relaxation of water using non-polarizable water models. <i>Physical Chemistry Chemical Physics</i> , 2020 , 22, 1011-1018	3.6	16
157	Versatile energy loss conversion for recovering waste alternating potential through polarization transfer medium. 2020 , 69, 104400		2
156	Seeing the Unseen: Experimental Observation of Magnetic Anapole State Inside a High-Index Dielectric Particle. 2020 , 532, 2000293		8
155	Simple corrections for the static dielectric constant of liquid mixtures from model force fields. <i>Physical Chemistry Chemical Physics</i> , 2020 , 22, 21741-21749	3.6	7
154	A state-of-the-art review of intrinsic and enhanced electrical properties of asphalt materials: Theories, analyses and applications. 2020 , 195, 109067		11
153	Dielectric permittivity of aqueous solutions of electrolytes probed by THz time-domain and FTIR spectroscopy. 2020 , 384, 126865		5
152	Relaxation Resonance Properties of the Dielectric Response of Water. 2020 , 84, 1053-1057		0
151	Dielectric Spectroscopy and Application of Mixing Models Describing Dielectric Dispersion in Clay Minerals and Clayey Soils. 2020 , 20,		3
150	Electrical Circuit Modeling and Validation of Through-Silicon Vias Embedded in a Silicon Microfluidic Pin-Fin Heat Sink Filled With Deionized Water. 2020 , 10, 1337-1347		3
149	Quantitative Analysis of Guided Wave in Dielectric Logging Through Numerical Simulation. 2020 , 1-5		
148	Real-time nanodiamond thermometry probing in vivo thermogenic responses. 2020 , 6,		40
147	Relationship of the Permittivity with the Activity Coefficients of Water and Ions in Aqueous Solutions of Lithium and Sodium Sulfates. 2020 , 65, 1240-1244		2

146	Dielectric spectra broadening as a signature for dipole-matrix interactions. V. Water in protein solutions. 2020 , 153, 045102		4
145	Evidence of a new phase in gypsum-anhydrite transformations under microwave heating by dielectric analysis and Raman spectroscopy. <i>Physical Chemistry Chemical Physics</i> , 2020 , 22, 27713-27723	3.6	1
144	S11 Calibration Method for a Coaxial-loaded Cut-off Circular Waveguide using SOM Termination. 2020 ,		3
143	Full-Spectrum High-Resolution Modeling of the Dielectric Function of Water. <i>Journal of Physical Chemistry B</i> , 2020 , 124, 3103-3113	3.4	14
142	Estimating inundation extent using CYGNSS data: A conceptual modeling study. 2020 , 246, 111869		24
141	Reliable Computational Prediction of the Supramolecular Ordering of Complex Molecules under Electrochemical Conditions. 2020 , 16, 5227-5243		4
140	Water is a biomarker of changes in the cellular environment in live animals. <i>Scientific Reports</i> , 2020 , 10, 9095	4.9	1
139	Dielectric relaxation of neodymium chloride in water and in methanol. 2020 , 308, 112981		3
138	Calculation of microwave peak absorbing frequency of polar liquids including dielectric friction. 2020 , 74, 1		0
137	Measurements of dielectric properties of foods and associated materials. 2020 , 201-223		1
136	Monitoring Water Content of Blood During Hemodialysis Based on Complex Permittivity Measurement. 2020 , 20, 7347-7353		1
135	Radiation of Aqueous Solutions of Salts with Multiply Charged Cations and Their Dielectric Properties in the Millimeter Band. 2020 , 65, 241-246		4
134	Active Microwave Thermography to Detect and Locate Water Ingress. 2020 , 69, 9774-9783		6
133	A Nondestructive Testing Method for the Determination of the Complex Refractive Index Using Ultra Wideband Radar in Industrial Applications. 2020 , 20,		4
132	Static permittivity of environmentally relevant low-concentration aqueous solutions of NaCl, NaNO ₃ , and Na ₂ SO ₄ . 2020 , 153, 014503		1
131	Exploring the Absorption Spectrum of Simulated Water from MHz to Infrared. 2020 , 124, 5599-5605		8
130	Novel Metamaterials-Based Hypersensitized Liquid Sensor Integrating Omega-Shaped Resonator with Microstrip Transmission Line. 2020 , 20,		29
129	A dielectric and spectrophotometric study of the tautomerization of 2-hydroxypyridine and 2-mercaptopyridine in water.. 2020 , 10, 2389-2395		1

128	Frequency Response of Induced-Charge Electrophoretic Metallic Janus Particles. 2020 , 11,	4
127	Protein dielectrophoresis: Key dielectric parameters and evolving theory. 2021 , 42, 513-538	5
126	Dielectric Characterization of Water-Glucose Solutions. 2021 , 69-89	
125	Multifunctional Admittance-Type Sensor and Its Instrumentation for Simultaneous Measurement of Liquid Level and Temperature. 2021 , 70, 1-10	2
124	Water Content Estimation in Thermal Insulation Layer Using Millimeter-Wave Optical Coherence Tomography. <i>IEICE Transactions on Electronics</i> , 2021 ,	0.4
123	Lipid oxidation studied by electron paramagnetic resonance (EPR). 2021 , 201-213	
122	State of the Art. 2021 , 17-67	
121	Characterization of Permittivity of Liquids-in-Flow with Spherical Dielectric Resonators. 2021 ,	3
120	Microwaves Are Everywhere: SMM: Nano-Microwaves 2021 , 1-15	3
119	Glucose Concentration Detection in Biological Solutions with Microwave Sensors. 2021 , 133-153	
118	S11 Calibration of Cut-Off Circular Waveguide with Three Materials and Related Application to Dielectric Measurement for Liquids. <i>IEICE Transactions on Electronics</i> , 2021 , E104.C, 93-101	0.4 1
117	A non-contact planar microwave sensor for detection of high-salinity water containing NaCl, KCl, CaCl ₂ , MgCl ₂ and Na ₂ CO ₃ . 2021 , 331, 129355	10
116	Dielectric continuum methods for quantum chemistry. 2021 , 11, e1519	31
115	Nondestructive Testing of Defects in Polymer Matrix Composite Materials for Marine Applications Using Terahertz Waves. 2021 , 40, 1	4
114	Review of moisture measurements in civil engineering with ground penetrating radar Applied methods and signal features. 2021 , 278, 122250	12
113	Dielectric Spectroscopy Based Detection of Specific and Nonspecific Cellular Mechanisms. 2021 , 21,	2
112	Lattice Boltzmann Simulations of Multiphase Dielectric Fluids. 2021 , 37, 7328-7340	0
111	Attoampere Nanoelectrochemistry. 2021 , 17, e2101253	2

110	<i>STH-net</i>: a soil monitoring network for process-based hydrological modelling from the pedon to the hillslope scale. 2021 , 13, 2529-2539	0
109	Non-Contact Time Domain Ultra Wide Band Milk Spectroscopy. 2021 , 21, 13849-13857	3
108	Evaluating a low-cost self-manufactured Coaxial Open-Ended Probe for the Measurement of the Complex Permittivity of Granular Media. 2021 ,	1
107	Complex Permittivity of Mixtures of Sand With Aqueous NaCl Solutions Measured at 2.5 GHz. 2021 ,	
106	Analysis of Activity Coefficients in Aqueous Solutions of Alkali Metal Nitrates on the Basis of Dielectric Properties. 2021 , 66, 1036-1039	0
105	Photo-Switching of Protein Dynamical Collectivity. 2021 , 8, 302	1
104	Dielectric Relaxation of Decyltrimethylammonium Bromide-Water-Styrene Oil-in-Water Microemulsion. 2021 , 50, 1-14	0
103	A Novel Sample Holder for S11 Calibration Using SOM for Dielectric Measurement in Liquids via the Cut-off Waveguide Reflection Method. 2021 ,	
102	S_{11} Calibration of a Coaxial-Loaded-Type Stepped Cut-Off Circular Waveguide with SOM Termination. 2021 ,	
101	Nondestructive, Microwave Testing of Compression Strength and Moisture Content of Green Molding Sands. 2021 , 40, 1	1
100	. 2021 , 69, 4082-4092	2
99	Manipulation of a Nonconductive Droplet in an Aqueous Fluid with AC Electric Fields: Droplet Dewetting, Oscillation, and Detachment. 2021 , 37, 12098-12111	2
98	Dielectric Characteristics, Electrical Conductivity and Solvation of Ions in Electrolyte Solutions. <i>Materials</i> , 2021 , 14,	3.5 6
97	Dielectric properties of water relevant to microwave assisted thermal pasteurization and sterilization of packaged foods. 2021 , 74, 102837	5
96	Temperature dependence of the microwave dielectric properties of [Formula: see text]-aminobutyric acid. <i>Scientific Reports</i> , 2021 , 11, 18082	4.9
95	Combining Signal Features of Ground-Penetrating Radar to Classify Moisture Damage in Layered Building Floors. 2021 , 11, 8820	2
94	Seawater Debye Model Function at L-Band and Its Impact on Salinity Retrieval From Aquarius Satellite Data. 2021 , 59, 8103-8116	7
93	Size and roughness dependent temperature effects on surface charge of silica nanoparticles. 2021 , 629, 127407	0

92	Oil property sensing array based on a general regression neural network. 2021 , 164, 107221		1
91	The Microwave Response of Water as the Measure of Interactions in a Complex Liquid. 2021 , 283-300		
90	Characterization Model of Dielectric Properties of Cane Sugar Solution Over 0.5-4 GHz. 2021 , 1-1		1
89	A review of time domain reflectometry (TDR) applications in porous media. 2021 , 168, 83-155		4
88	On the laboratory calibration of dielectric permittivity models for agricultural soils: Effect of systematic porosity variation. 2021 , 20, e20096		0
87	Thermodynamic and Dynamic Properties of Water. 1993 , 45-59		1
86	Bound states in the continuum and Fano resonances in the strong mode coupling regime. 2019 , 1, 1		114
85	Terahertz Attenuated Total Internal Reflection Spectroscopy for Water and Water Solution. 2007 ,		1
84	Temperature modulation of electric fields in biological matter. <i>PLoS ONE</i> , 2011 , 6, e20877	3.7	10
83	Dynamics and Aggregate Structuring of Water Molecules in Edible Oil Analyzed by Dielectric Spectroscopy. <i>Transactions of the Materials Research Society of Japan</i> , 2018 , 43, 201-204	0.2	2
82	Measurement of Complex Relative Permittivity of Pure Water and its Variation with Respect to Water Amount using Open-Ended Coaxial Probe. <i>IEEJ Transactions on Fundamentals and Materials</i> , 2011 , 131, 523-528	0.2	6
81	Ground-penetrating radar insight into a coastal aquifer: the freshwater lens of Borkum Island.		3
80	Estimating field-scale soil water dynamics at a heterogeneous site using multi-channel GPR.		1
79	Monitoring of active layer dynamics at a permafrost site on Svalbard using multi-channel ground-penetrating radar.		4
78	Simultaneous neutron powder diffraction and microwave characterisation at elevated temperatures. <i>Physical Chemistry Chemical Physics</i> , 2021 , 23, 23602-23609	3.6	
77	Comprehensive characterization of osseous tissues from impedance measurements by effective medium approximation. <i>AIP Advances</i> , 2021 , 11, 105316	1.5	0
76	On electromagnetic wave ignited sparks in aqueous dimers. <i>Physics of Plasmas</i> , 2021 , 28, 102102	2.1	3
75	Functional-State Dependence of Picosecond Protein Dynamics. <i>Journal of Physical Chemistry B</i> , 2021 , 125, 11134-11140	3.4	1

74	Multi-channel ground-penetrating radar to explore spatial variations in thaw depth and moisture content in the active layer of a permafrost site.		2
73	Measurement and Hemodialysis Effect of Complex Relative Permittivity for Blood of Kidney Patients Using Open-Ended Coaxial Measurement Probe. <i>IEEJ Transactions on Electronics, Information and Systems</i> , 2011 , 131, 2046-2050	0.1	
72	A Broadband Complex Permittivity Probe Using Stepped Coaxial Line. <i>Journal of Electromagnetic Analysis and Applications</i> , 2011 , 03, 312-318	0.3	4
71	Correlation Analysis between Complex Relative Permittivity and Temperature for Human Blood. <i>IEEJ Transactions on Electronics, Information and Systems</i> , 2013 , 133, 350-355	0.1	
70	Studies of Structure and Viscoelasticity of Soft Matter Formed by Non-Covalent Bonding and Molecular Dynamics at Extremely High Frequencies. <i>Nihon Reoroji Gakkaishi</i> , 2015 , 42, 271-278	0.8	
69	 1,2-  -Russian <i>Journal of Physical Chemistry A</i> , 2018 , 760-769	1.5	
68	Dielectric Measurement in Liquids Using an Estimation Equation without Short Termination via the Cut-Off Circular Waveguide Reflection Method. <i>IEICE Transactions on Electronics</i> , 2018 , E101.C, 627-636	0.4	5
67	DIELECTRIC MIXING MODELS OF MOIST SOILS FOR MICROWAVE SATELLITE OBSERVATION OF SOIL MOISTURE: A THEORETICAL ANALYSIS. <i>Journal of Japan Society of Civil Engineers Ser B1 (Hydraulic Engineering)</i> , 2019 , 75, 1_7-1_12	0.1	
66	Effect of moisture content on dielectric properties of banana leaves and peels in frequency range of 100 GHz. <i>Frequenz</i> , 2021 ,	0.6	
65	A Novel Background Calibration Technique for Microwave Radiometric Sensors in Indoor Applications. 2020 , 4, 1-4		1
64	Electroosmotic flow in small-scale channels induced by surface-acoustic waves. <i>Physical Review Fluids</i> , 2020 , 5,	2.8	1
63	In situ measurement of sludge thickness in high-centrifugal force by optimized particle resistance normalization for wireless electrical resistance detector (WERD). <i>Measurement Science and Technology</i> , 2021 , 32, 034001	2	3
62	Understanding the decay of Proteins: A Study of Time dependent Microwave Response of pM concentration of Insulin in Buffer Solution. <i>International Journal on Smart Sensing and Intelligent Systems</i> , 2020 , 7, 1-5	0.4	
61	Milk Characterization Using Time Domain Wide Band Dielectric Spectroscopy. 2020 ,		0
60	Improvement on Uneven Heating in Microwave Oven by Diodes-Loaded Planar Electromagnetic Field Stirrer. <i>IEICE Transactions on Electronics</i> , 2020 , E103.C, 388-395	0.4	
59	Dielectric Measurement in Liquids via the Cut-off Circular Waveguide Reflection Method After Sil Calibration Using SOM Termination. 2020 ,		0
58	Direct Evidence of Ice Crystallization Inhibition by Dielectric Relaxation of Hydrated Ions. <i>Materials</i> , 2021 , 14,	3.5	1
57	Polyolithic Integrated Circuits using 2.5D and 3D Heterogeneous Integration: Electrical and Thermal Design Considerations and Demonstrations. 2022 , 261-287		

56	Calibration of a Coaxial-loaded Stepped Cut-off Circular Waveguide and Related Application of Dielectric Measurement for Liquids. <i>IEICE Transactions on Electronics</i> , 2021 , E105.C,	0.4	1
55	Elektromagnetische Eigenschaften. 2021 , 441-469		
54	Cadmium Sulfide/Zinc Sulfide CoreShell Nanocomposite-Based Microwave Notch Filter for Biomedical Imaging. <i>Journal of Electronic Materials</i> , 2022 , 51, 888	1.9	
53	Comparison of Theory and Experiments on van der Waals Forces in Media. Survey. <i>Journal of Physical Chemistry C</i> , 2020 , 124, 24179-24186	3.8	0
52	Dielectric Measurement of Liquids via the Cut-off Circular Waveguide Reflection Method After S11 Calibration Using Three Reference Materials. 2020 ,		1
51	Online measurement of syrup brix with microwave open coaxial resonator sensor. <i>Journal of Food Engineering</i> , 2022 , 322, 110975	6	1
50	DEVELOPING REALISTIC FDTD GPR ANTENNA SURROGATES BY MEANS OF PARTICLE SWARM OPTIMIZATION. <i>IEEE Transactions on Antennas and Propagation</i> , 2022 , 1-1	4.9	0
49	Measurement of the electric permittivity using Bleustein-Gulyaev wave sensor. <i>Journal of Micromechanics and Microengineering</i> , 2022 , 32, 034004	2	0
48	Design Considerations of a Dual Mode X-Band EPR Resonator for Rapid In-Situ Microwave Heating. <i>Applied Magnetic Resonance</i> , 1	0.8	0
47	Assessing the role of clay and salts on the origin of MARSIS basal bright reflections. <i>Earth and Planetary Science Letters</i> , 2022 , 579, 117370	5.3	4
46	Dynamics of the Poly(N-Isopropylacrylamide) Microgel Aqueous Suspension Investigated by Dielectric Relaxation Spectroscopy. <i>Macromolecules</i> ,	5.5	3
45	A Label-Free Electrical Impedance Spectroscopy for Detection of Clusters of Extracellular Vesicles Based on Their Unique Dielectric Properties.. <i>Biosensors</i> , 2022 , 12,	5.9	1
44	Water Uptake in Epoxy Ionic Liquid Free Film Polymer by Gravimetric Analysis and Comparison with Nondestructive Dielectric Analysis.. <i>Nanomaterials</i> , 2022 , 12,	5.4	0
43	Small intestinal viability assessment using dielectric relaxation spectroscopy and deep learning.. <i>Scientific Reports</i> , 2022 , 12, 3279	4.9	1
42	Measurement of the broadband complex permittivity of soils in the frequency domain with a low-cost Vector Network Analyzer and an Open-Ended coaxial probe. <i>Computers and Electronics in Agriculture</i> , 2022 , 195, 106847	6.5	1
41	Dielectric Properties of Water in Charged Nanopores.. <i>Journal of Physical Chemistry B</i> , 2022 ,	3.4	1
40	Review on condition monitoring techniques for water pipelines. <i>Measurement: Journal of the International Measurement Confederation</i> , 2022 , 193, 110895	4.6	2
39	RFTemp. 2021 , 5, 1-25		1

38	Effect of Moisture Content on Calculated Dielectric Properties of Asphalt Concrete Pavements from Ground-Penetrating Radar Measurements. <i>Remote Sensing</i> , 2022 , 14, 34	5	6
37	Dielectric characterization and modelling of aqueous solutions involving sodium chloride and sucrose and application to the design of a bi-parameter RF-sensor.. <i>Scientific Reports</i> , 2022 , 12, 7209	4.9	0
36	An Interfacial Study of Au(111) Electrodes in Deep Eutectic Solvents. <i>ChemElectroChem</i> ,	4.3	
35	Signal Reduction Due to Layer of Water at Low-THz Frequency for Automotive Radar Applications. 2022 ,		
34	Modeling the drying kinetics of microwave vacuum drying of concentrated skim milk: correlation of dielectric properties, drying stages, and specific energy demand at pilot scale. <i>Drying Technology</i> , 1-17	2.6	
33	Tailoring Instantaneous Time Mirrors for Time Reversal Focusing in Absorbing Media. <i>IEEE Transactions on Antennas and Propagation</i> , 2022 , 1-1	4.9	
32	Pulsed-Active Microwave Thermography. 2022 ,		
31	Microwaves reduce water refractive index. <i>Scientific Reports</i> , 2022 , 12,	4.9	0
30	Utilization of dielectric properties for assessment of liver ischemia-reperfusion injury in vivo and during machine perfusion. <i>Scientific Reports</i> , 2022 , 12,	4.9	0
29	Temperature dependence studies of tissue-mimicking phantoms for ultra-wideband microwave breast tumor detection. <i>Biomedical Physics and Engineering Express</i> ,	1.5	
28	Ground Penetrating Radar Measurements in Shallow Water Environments A Case Study. 2022 , 14, 3659		0
27	Dielectric behavior of soil as a function of frequency, temperature, moisture content and soil texture: a deep neural networks based regression model. 2022 , 56, 145-167		
26	A metamaterial based microfluidic sensor for permittivity detection of liquid. 2022 , 55, 435001		1
25	Dielectric Permittivity Measurement Using Open-Ended Coaxial Probe Modeling and Simulation Based on the Simple Capacitive-Load Model. 2022 , 22, 6024		1
24	Single-molecule junctions sensitive to binary solvent mixtures. 2022 , 106,		0
23	Dielectric spectra of liquid water: Ultrabroadband modeling and interpretation. 2022 , 120044		1
22	PyOECF: A flexible open-source software library for estimating and modeling the complex permittivity based on the open-ended coaxial probe (OECF) technique. 2023 , 282, 108517		0
21	Biological Tissue Interaction with Sub-Terahertz Wave. 2022 , 57-92		0

20	Integrated Microwave Antenna/Sensor for Sensing and Communication Applications. 2022 , 1-12	○
19	WiNE. 2022 , 6, 1-24	○
18	Extraction of Dielectric Permittivity from Atomistic Molecular Dynamics Simulations and Microwave Measurements.	○
17	Measurement of complex permittivity of liquids in the frequency range 100–1000 MHz by using a re-entrant cavity. 2022 , 93, 104701	○
16	An overview of GPR subsurface exploration of planets and moons. 2022 , 41, 672-680	○
15	LiqRay. 2022 ,	○
14	Analyzing Values of the Coefficients of Activity in Solutions of Formates of Alkali Metals, Based on Their Dielectric Properties. 2022 , 96, 2395-2399	○
13	Hydrogen-Bond Configurations of Hydration Water around Glycerol Investigated by HOH Bending and OH Stretching Analysis.	1
12	Richards equation at the hillslope scale: Can we resolve the heterogeneity of soil hydraulic material properties?.	○
11	Theoretical Derivation of and Experimental Investigations into the Dielectric Properties Modeling of Concrete. 2023 , 35,	1
10	Pavement Moisture Content Prediction: A Deep Residual Neural Network Approach for Analyzing Ground Penetrating Radar. 2022 , 60, 1-11	○
9	Dielectric Measurement of Liquids After Calibration of S11 Using a Stepped Cut-off Circular Waveguide. 2022 ,	○
8	Towards Pactive (Passive +Active) Sensing for Improved Identification of Material Properties. 2023 , 1-1	○
7	Hyper-mobile Water and Raman 2900 cm^{-1} Peak Band of Water Observed around Backbone Phosphates of Double Stranded DNA by High-Resolution Spectroscopies and MD Structural Feature Analysis of Water. 2023 , 127, 285-299	○
6	PackquID. 2022 , 6, 1-27	○
5	Investigation of an Embedded Cooling RF Silicon Interposer for an Ultrahigh Heat Flux GaN TR Array. 2023 , 1-1	○
4	Broadband Dielectric Spectroscopy with a Microwave Ablation Antenna. 2023 , 23, 2579	○
3	Relative Permittivity Measurement of Microliter Volume Liquid Samples through Microwave Filters. 2023 , 23, 2884	○

- 2 A Jig Structure Based on an Open-Ended Coaxial Line for S11 Calibration for Dielectric Measurement. **2022**,
- 1 Real-time sensing of disinfectant by a novel dielectric methodology. **2023**, 357, 114350