

CITATION REPORT

List of articles citing

Two-dimensional echocardiographic aortic root dimensions in normal children and adults

DOI: 10.1016/0002-9149(89)90430-x
American Journal of Cardiology, 1989, 64, 507-12.

Source: <https://exaly.com/paper-pdf/20532475/citation-report.pdf>

Version: 2024-04-19

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| # | Paper | IF | Citations |
|-----|---|----|-----------|
| 937 | Ability of left ventricular stress-shortening relations, end-systolic stress/volume ratio and indirect indexes to detect severe contractile failure in ischemic or idiopathic dilated cardiomyopathy. <i>American Journal of Cardiology</i> , 1989 , 64, 1338-43 | 3 | 33 |
| 936 | Nongeometric Doppler stroke volume determination is limited by aortic size. <i>American Journal of Cardiology</i> , 1990 , 66, 883-4 | 3 | 0 |
| 935 | Two-dimensional and Doppler echocardiographic and pathologic characteristics of the infantile Marfan syndrome. <i>American Journal of Cardiology</i> , 1990 , 65, 1230-7 | 3 | 69 |
| 934 | A Doppler echocardiographic examination of the normal aortic valve and left ventricular outflow tract. <i>American Journal of Cardiology</i> , 1991 , 67, 547-9 | 3 | 13 |
| 933 | Color flow and conventional echocardiography of the Marfan syndrome. 1992 , 9, 627-36 | | 10 |
| 932 | Congenital aortic regurgitation: natural history and management. 1992 , 20, 366-72 | | 16 |
| 931 | Association of aortic dilation with regurgitant, stenotic and functionally normal bicuspid aortic valves. 1992 , 19, 283-8 | | 322 |
| 930 | Aortic dimensions in tall men and women. <i>American Journal of Cardiology</i> , 1993 , 71, 608-10 | 3 | 63 |
| 929 | Prognostic significance of the pattern of aortic root dilation in the Marfan syndrome. 1993 , 22, 1470-6 | | 206 |
| 928 | Ascertainment and severity of Marfan syndrome in a Scottish population. 1994 , 31, 51-4 | | 80 |
| 927 | Replacement of the aortic root with a pulmonary autograft in children and young adults with aortic-valve disease. 1994 , 330, 1-6 | | 242 |
| 926 | Progression of aortic dilatation and the benefit of long-term beta-adrenergic blockade in Marfan's syndrome. 1994 , 330, 1335-41 | | 819 |
| 925 | Echocardiographic assessment of aortic root dimensions in normal children based on measurement of a new ratio of aortic size independent of growth. <i>American Journal of Cardiology</i> , 1995 , 75, 711-5 | 3 | 65 |
| 924 | The question of heterogeneity in Marfan syndrome. 1995 , 9, 228-31 | | 41 |
| 923 | Reply to "The question of heterogeneity in Marfan syndrome". 1995 , 9, 230-231 | | 5 |
| 922 | A prospective longitudinal evaluation of pregnancy in the Marfan syndrome. 1995 , 173, 1599-606 | | 258 |
| 921 | Cardiac index quantification by Doppler ultrasound in patients without left ventricular outflow tract abnormalities. 1995 , 25, 710-6 | | 46 |

| | | | |
|-----|---|-----|------|
| 920 | Family history of severe cardiovascular disease in Marfan syndrome is associated with increased aortic diameter and decreased survival. 1995 , 26, 1062-7 | | 79 |
| 919 | Echocardiographic reference values for aortic root size: the Framingham Heart Study. <i>Journal of the American Society of Echocardiography</i> , 1995 , 8, 793-800 | 5.8 | 81 |
| 918 | Reference values for normal adult transesophageal echocardiographic measurements. <i>Journal of the American Society of Echocardiography</i> , 1995 , 8, 221-30 | 5.8 | 54 |
| 917 | Aortic manifestations and surgery in Marfan syndrome in pediatric patients. 1996 , 5, 189-203 | | 5 |
| 916 | The Marfan syndrome in childhood: features, natural history and differential diagnosis. 1996 , 5, 151-157 | | 5 |
| 915 | Diagnostic imaging of the cardiovascular system in the Marfan syndrome. 1996 , 5, 175-188 | | |
| 914 | The aorta. Aortic aneurysm, trauma, and dissection. 1996 , 12, 733-66 | | 15 |
| 913 | Pulmonary autografts in patients with aortic annulus dysplasia. 1996 , 61, 1141-5 | | 40 |
| 912 | Hemodynamic and angiographic findings following arterial switch repair for complete transposition. 1996 , 6, 298-307 | | 2 |
| 911 | Revised diagnostic criteria for the Marfan syndrome. 1996 , 62, 417-26 | | 1060 |
| 910 | Noninvasive Evaluation of Aortic Valve Anatomy. 1996 , 13, 315-324 | | 3 |
| 909 | The Value of Aortic Valve and Aortic Arch Imaging in the Identification of Genetic Syndromes. 1996 , 13, 447-458 | | 5 |
| 908 | Aortic root complications in Marfan's syndrome: identification of a lower risk group. 1996 , 75, 389-95 | | 76 |
| 907 | Marfan syndrome. 1996 , 33, 403-8 | | 42 |
| 906 | A clinical severity grading scale for Marfan syndrome. 1996 , 33, 758-9 | | 13 |
| 905 | Evolving phenotype of Marfan's syndrome. 1997 , 76, 41-6 | | 59 |
| 904 | Two-dimensional echocardiographic assessment of the progression of aortic root size in 127 patients with chronic aortic regurgitation: role of the supraaortic ridge and relation to the progression of the lesion. <i>American Heart Journal</i> , 1997 , 134, 814-21 | 4.9 | 32 |
| 903 | Relations of Doppler stroke volume and its components to left ventricular stroke volume in normotensive and hypertensive American Indians: the Strong Heart Study. 1997 , 10, 619-28 | | 84 |

| | | | |
|-----|---|---|------|
| 902 | A novel de novo mutation in exon 14 of the fibrillin-1 gene associated with delayed secretion of fibrillin in a patient with a mild Marfan phenotype. 1997 , 100, 195-200 | | 18 |
| 901 | Kardiovaskuläre Probleme bei Kindern und Jugendlichen mit Marfan-Syndrom. 1997 , 145, 1307-1311 | | 0 |
| 900 | Das Marfan-Syndrom: Prävalenz und natürlicher Verlauf der kardiovaskulären Manifestationen. 1998 , 87, 150-160 | | |
| 899 | Aneurysms of the ascending aorta: diagnostic features and prognosis in patients with Marfan's syndrome versus hypertension. 1998 , 21, 817-24 | | 16 |
| 898 | Reduced penetrance and variable expressivity of familial thoracic aortic aneurysms/dissections. <i>American Journal of Cardiology</i> , 1998 , 82, 474-9 | 3 | 125 |
| 897 | A family study of anterior mitral leaflet thickness and mitral valve prolapse. <i>American Journal of Cardiology</i> , 1998 , 82, 823-6, A10 | 3 | 16 |
| 896 | Ehlers-Danlos syndromes: revised nosology, Villefranche, 1997. Ehlers-Danlos National Foundation (USA) and Ehlers-Danlos Support Group (UK). 1998 , 77, 31-7 | | 1401 |
| 895 | Gradient echo MRI for measurement of the pulmonary autograft diameter after transplantation to the aortic root: validation and comparison with ultrasound. 1998 , 8, 1015-21 | | 1 |
| 894 | Aortic root replacement with a pulmonary autograft in young adults: medium-term results in 70 patients. 1998 , 66, S148-52 | | 9 |
| 893 | Marfan syndrome in children and adolescents: an adjusted nomogram for screening aortic root dilatation. 1998 , 79, 69-72 | | 42 |
| 892 | Age-related deterioration in arterial structure and function in postmenopausal women: impact of hormone replacement therapy. 1998 , 18, 1149-56 | | 121 |
| 891 | Marfan syndrome in children and adolescents: predictive and prognostic value of aortic root growth for screening for aortic complications. 1998 , 80, 163-9 | | 40 |
| 890 | A comparison of adult pulmonary autograft diameter measurements with echocardiography and magnetic resonance imaging. 1998 , 19, 301-9 | | 5 |
| 889 | Further delineation of aortic dilation, dissection, and rupture in patients with Turner syndrome. 1998 , 102, e12 | | 146 |
| 888 | Endothelial function in Marfan syndrome: selective impairment of flow-mediated vasodilation. 1999 , 99, 909-15 | | 51 |
| 887 | Aortic root dilatation in young men with normally functioning bicuspid aortic valves. 1999 , 82, 19-22 | | 333 |
| 886 | Opening and closing characteristics of the aortic valve after different types of valve-preserving surgery. 1999 , 100, 2153-60 | | 240 |
| 885 | Stroke volume/pulse pressure ratio and cardiovascular risk in arterial hypertension. 1999 , 33, 800-5 | | 211 |

| | | | |
|-----|--|-----|-----|
| 884 | Survival and complication free survival in Marfan's syndrome: implications of current guidelines. 1999 , 82, 499-504 | | 112 |
| 883 | Central pulse pressure is a major determinant of ascending aorta dilation in Marfan syndrome. 1999 , 99, 2677-81 | | 157 |
| 882 | Phenotypic features and impact of beta blocker or calcium antagonist therapy on aortic lumen size in the Marfan syndrome. <i>American Journal of Cardiology</i> , 1999 , 83, 1364-8 | 3 | 117 |
| 881 | Clinical outcome in the Marfan syndrome with ascending aortic dilatation followed annually by echocardiography. <i>American Journal of Cardiology</i> , 1999 , 84, 753-5, A9 | 3 | 30 |
| 880 | Importance of dural ectasia in phenotypic assessment of Marfan's syndrome. 1999 , 354, 910-3 | | 176 |
| 879 | Surgical treatment of the dilated ascending aorta: when and how?. 1999 , 67, 1834-9; discussion 1853-6 | | 156 |
| 878 | Aortic root replacement with the pulmonary autograft: an invariably competent aortic valve?. 1999 , 68, 1302-7 | | 13 |
| 877 | The Ross operation: a 12-year experience. 1999 , 68, S14-8 | | 73 |
| 876 | A comparison of the Berlin and Ghent nosologies and the influence of dural ectasia in the diagnosis of Marfan syndrome. 2000 , 2, 278-82 | | 33 |
| 875 | Atrial right-to-left shunting causing severe hypoxaemia despite normal right-sided pressures. Report of 11 consecutive cases corrected by percutaneous closure. 2000 , 21, 483-9 | | 126 |
| 874 | Body surface area as a predictor of aortic and pulmonary valve diameter. 2000 , 119, 975-82 | | 92 |
| 873 | Size and distensibility of the aortic root and aortic valve function after different techniques of the ross procedure. 2000 , 119, 990-7 | | 37 |
| 872 | Increase in size of the pulmonary autograft after the Ross operation in children: growth or dilation?. 2000 , 119, 4-9 | | 71 |
| 871 | Echocardiographic follow-up after Ross procedure in 100 patients. <i>American Journal of Cardiology</i> , 2000 , 85, 854-7 | 3 | 16 |
| 870 | Normal Age-Related Changes in the Heart: Relevance to Echocardiography in the Elderly. 2000 , 9, 311-320 | | 5 |
| 869 | Impact of diabetes on cardiac structure and function: the strong heart study. 2000 , 101, 2271-6 | | 690 |
| 868 | Aortic root dilatation among young competitive athletes: echocardiographic screening of 1929 athletes between 15 and 34 years of age. <i>American Heart Journal</i> , 2000 , 139, 723-8 | 4.9 | 73 |
| 867 | Interpretation of echocardiographic measurements: a call for standardization. <i>American Heart Journal</i> , 2000 , 139, 412-22 | 4.9 | 52 |

| | | | |
|-----|--|-----|-----|
| 866 | Differences in echocardiographic findings and systemic hemodynamics among non-diabetic American Indians in different regions: The Strong Heart Study. 2000 , 10, 324-32 | | 8 |
| 865 | The Marfan syndrome. 2000 , 51, 481-510 | | 333 |
| 864 | Prevalence and correlates of aortic regurgitation in American Indians: the Strong Heart Study. 2000 , 36, 461-7 | | 94 |
| 863 | Relationship of impaired glucose tolerance to left ventricular structure and function: The Strong Heart Study. <i>American Heart Journal</i> , 2001 , 141, 992-8 | 4.9 | 101 |
| 862 | Midterm results of the Ross procedure. 2001 , 71, S336-9 | | 24 |
| 861 | Reference values for echocardiographic measurements in urban and rural populations of differing ethnicity: the Strong Heart Study. <i>Journal of the American Society of Echocardiography</i> , 2001 , 14, 601-11 | 5.8 | 87 |
| 860 | Diagnosis and management of aortic dissection. 2001 , 22, 1642-81 | | 811 |
| 859 | Primate mammary gland insulin-like growth factor system: cellular localization and regulation by sex steroids. 2001 , 49, 47-55 | | 11 |
| 858 | Marfan's syndrome: a review. 2001 , 62, 153-7 | | 12 |
| 857 | Prevalence and correlates of mitral regurgitation in a population-based sample (the Strong Heart Study). <i>American Journal of Cardiology</i> , 2001 , 87, 298-304 | 3 | 133 |
| 856 | Bicuspid aortic valve disease and pulmonary autograft root dilatation after the Ross procedure: a clinicopathologic study. 2001 , 122, 74-9 | | 33 |
| 855 | Fate of the aortic root after arterial switch operation. 2001 , 20, 82-8 | | 66 |
| 854 | Natural history of cardiovascular manifestations in Marfan syndrome. 2001 , 84, 129-37 | | 132 |
| 853 | Disorders of Vascular Fragility. 2001 , 29, 53-60 | | |
| 852 | Relations of stroke volume and cardiac output to body composition: the strong heart study. 2001 , 103, 820-5 | | 178 |
| 851 | Aortic root dilatation at sinuses of valsalva and aortic regurgitation in hypertensive and normotensive subjects: The Hypertension Genetic Epidemiology Network Study. 2001 , 37, 1229-35 | | 112 |
| 850 | Familial thoracic aortic aneurysms and dissections: genetic heterogeneity with a major locus mapping to 5q13-14. 2001 , 103, 2461-8 | | 177 |
| 849 | Identification of a chromosome 11q23.2-q24 locus for familial aortic aneurysm disease, a genetically heterogeneous disorder. 2001 , 103, 2469-75 | | 150 |

| | | |
|-----|---|-----|
| 848 | Clinical characteristics influence aortic root dimension and blood flow velocity in healthy subjects. 2001 , 52, 457-61 | 4 |
| 847 | Time course of aortic valve function and root dimensions after subcoronary ross procedure for bicuspid versus tricuspid aortic valve disease. 2001 , 104, 121-4 | 15 |
| 846 | Genetic influences on aortic root size in American Indians: the Strong Heart Study. 2002 , 22, 1008-11 | 25 |
| 845 | Medial degeneration does not involve uniformly the whole ascending aorta: morphological, biochemical and clinical correlations. 2002 , 21, 675-82 | 21 |
| 844 | Twelve novel FBN1 mutations in Marfan syndrome and Marfan related phenotypes test the feasibility of FBN1 mutation testing in clinical practice. 2002 , 39, 589-93 | 39 |
| 843 | Progressive aortic root dilatation in adults late after repair of tetralogy of Fallot. 2002 , 106, 1374-8 | 223 |
| 842 | Prevalence of aortic root dilation in the Ehlers-Danlos syndrome. 2002 , 4, 112-7 | 101 |
| 841 | Marfan Syndrome and Other Microfibrillar Disorders. 585-626 | 12 |
| 840 | Current insights in diagnosis and management of the cardiovascular complications of Marfan's syndrome. 2002 , 12, 320-7 | 12 |
| 839 | Cineangiographic aortic dimensions in normal children. 2002 , 12, 339-44 | 6 |
| 838 | The Ehlers-Danlos Syndrome. 431-523 | 119 |
| 837 | Appetite suppressants and valvular heart disease in a population-based sample: the HyperGEN study. 2002 , 112, 710-5 | 26 |
| 836 | Doppler echocardiography for the estimation of cardiac output with exercise. 2002 , 32, 973-86 | 44 |
| 835 | [Severe hypoxemia due to interauricular right-to-left shunt in a patient with pulmonary hypertension]. 2002 , 38, 100 | 1 |
| 834 | Aortic valve reimplantation in ascending aortic aneurysm: risk factors for early valve failure. 2002 , 73, 29-33 | 102 |
| 833 | [Chylothorax after pneumonectomy]. 2002 , 38, 100-1 | 1 |
| 832 | [Mediastinal choriocarcinoma. A case report]. 2002 , 38, 99-100 | 1 |
| 831 | Diameters of the thoracic aorta throughout life as measured with helical computed tomography. 2002 , 123, 1060-6 | 198 |

| | | | |
|-----|---|-----|-----|
| 830 | Relation of left ventricular geometry and function to aortic root dilatation in patients with systemic hypertension and left ventricular hypertrophy (the LIFE study). <i>American Journal of Cardiology</i> , 2002 , 89, 337-41 | 3 | 53 |
| 829 | New insights into diastolic dysfunction as the cause of acute left-sided heart failure associated with systemic hypertension and/or coronary artery disease. <i>American Journal of Cardiology</i> , 2002 , 89, 341-5 | 3 | 19 |
| 828 | Long-term follow-up of patients after coarctation of the aorta repair. <i>American Journal of Cardiology</i> , 2002 , 89, 541-7 | 3 | 262 |
| 827 | Segregation of a novel FBN1 gene mutation, G1796E, with kyphoscoliosis and radiographic evidence of vertebral dysplasia in three generations. 2002 , 109, 261-70 | | 28 |
| 826 | Extrapolation of cardiac index from analysis of the left ventricular outflow velocities in children: implication of the relationship between aortic size and body surface area. 2002 , 12, 220-6 | | 9 |
| 825 | Diastolic subclinical primary alterations in Marfan syndrome and Marfan-related disorders. 2002 , 25, 416-20 | | 20 |
| 824 | Magnetic resonance imaging of the main pulmonary artery: reliable assessment of dimensions in Marfan patients on a simple axial spin echo image. 2003 , 19, 141-7; discussion 149-50 | | 10 |
| 823 | A new on-line method for predicting aortic root dilatation during two-dimensional echocardiography in pediatric patients with Marfan syndrome using the sinus of valsalva to annulus ratio. 2003 , 24, 118-21 | | 14 |
| 822 | [Ross procedure with combined replacement of the ascending aorta: impact on autograft root function and distensibility]. 2003 , 92, 392-7 | | |
| 821 | Comparison of outcome of the Marfan Syndrome in patients diagnosed at age 6 years of age. <i>American Journal of Cardiology</i> , 2003 , 91, 102-3 | 3 | 11 |
| 820 | Changes in size of ascending aorta and aortic valve function with time in patients with congenitally bicuspid aortic valves. <i>American Journal of Cardiology</i> , 2003 , 92, 43-6 | 3 | 143 |
| 819 | Current indications for elective surgical treatment of dilated ascending aorta: a new formula. 2003 , 125, 1528-30 | | 3 |
| 818 | Normal aortic dimensions and flow in 168 children and young adults. 2003 , 23, 224-9 | | 51 |
| 817 | An integrated approach to management of Marfan syndrome caused by an FBN1 exon 18 mutation in an Australian Aboriginal family. 2004 , 65, 66-9 | | 13 |
| 816 | Long-term outcome in patients with Marfan syndrome: is aortic dissection the only cause of sudden death?. 2003 , 41, 329-32 | | 137 |
| 815 | Neo-aortic root dilation and valve regurgitation up to 21 years after staged reconstruction for hypoplastic left heart syndrome. 2003 , 42, 533-40 | | 87 |
| 814 | Is aortic dilatation an atherosclerosis-related process? Clinical, laboratory, and transesophageal echocardiographic correlates of thoracic aortic dimensions in the population with implications for thoracic aortic aneurysm formation. 2003 , 42, 1076-83 | | 126 |
| 813 | Associations of aortic and mitral regurgitation with body composition and myocardial energy expenditure in adults with hypertension: the Hypertension Genetic Epidemiology Network study. <i>American Heart Journal</i> , 2003 , 145, 1071-7 | 4.9 | 20 |

| | | |
|-----|--|-----|
| 812 | An appraisal of echocardiography as an epidemiological tool. The Strong Heart Study. 2003 , 13, 238-44 | 20 |
| 811 | Phenotypic variability of cardiovascular manifestations in Marfan Syndrome. Possible role of hyperhomocysteinemia and C677T MTHFR gene polymorphism. 2003 , 24, 2038-45 | 41 |
| 810 | Mapping a locus for familial thoracic aortic aneurysms and dissections (TAAD2) to 3p24-25. 2003 , 107, 3184-90 | 124 |
| 809 | Allelic variation in normal human FBN1 expression in a family with Marfan syndrome: a potential modifier of phenotype?. 2003 , 12, 2269-76 | 95 |
| 808 | Fate of the aortic root late after Ross operation. 2003 , 108 Suppl 1, II61-7 | 37 |
| 807 | Bicuspid aortic valve associated with aortic dilatation: a community-based study. 2003 , 23, 351-6 | 150 |
| 806 | Genetic fibrillinopathies: new insights in molecular diagnosis and clinical management. 2003 , 58, 3-11 | 18 |
| 805 | Midterm results of the Ross procedure preserving the patient's aortic root. 2003 , 108 Suppl 1, II55-60 | 5 |
| 804 | [Difficulties in diagnosing Marfan's syndrome in childhood and adolescence]. 2003 , 215, 262-7 | 5 |
| 803 | Progressive dilation of the diameter of the aortic root in adults with a bicuspid aortic valve. 2003 , 13, 526-531 | 25 |
| 802 | Preoperative Evaluation of Aortic Insufficiency: Optimal Timing. 2004 , 69-76 | |
| 801 | Cusp extension technique for bicuspid aortic valve in Turner-like stigmata. 2004 , 12, 266-9 | 2 |
| 800 | A comparison of echocardiography and magnetic resonance imaging in cardiovascular screening of adults with Turner syndrome. 2004 , 89, 5966-71 | 118 |
| 799 | FBN2 mutation associated with manifestations of Marfan syndrome and congenital contractural arachnodactyly. 2004 , 41, e56 | 53 |
| 798 | Heterozygous TGFBR2 mutations in Marfan syndrome. 2004 , 36, 855-60 | 509 |
| 797 | Familial thoracic aortic aneurysm/dissection with patent ductus arteriosus: genetic arguments for a particular pathophysiological entity. 2004 , 12, 173-80 | 45 |
| 796 | Association of left bundle branch block with left ventricular structure and function in hypertensive patients with left ventricular hypertrophy: the LIFE study. 2004 , 18, 397-402 | 14 |
| 795 | Reflections on reduction ascending aortoplasty's liveliness. 2004 , 128, 499-501 | 14 |

| | | | |
|-----|---|---|-----|
| 794 | Frequency of aortic root dilation in children with a bicuspid aortic valve. <i>American Journal of Cardiology</i> , 2004 , 94, 1337-40 | 3 | 93 |
| 793 | [Platypnea-orthodeoxia of a 69-year old woman with a patent foramen ovale]. 2004 , 93, 403-6 | | 1 |
| 792 | [Imaging of the thoracic aorta in adults: when, how and why?]. 2004 , 85, 854-69 | | 12 |
| 791 | Congenital heart disease in the adult: 2004. 2004 , 42, 675-90, vii | | 3 |
| 790 | The Ross procedure: long-term clinical and echocardiographic follow-up. 2004 , 78, 773-81; discussion 773-81 | | 170 |
| 789 | [Echocardiography in elderly patients]. 2004 , 33, 406-12 | | |
| 788 | Marfan syndrome as a predisposing factor for traumatic aortic insufficiency. 2004 , 77, 2192-4 | | 5 |
| 787 | Intracranial arterial dolichoectasia is associated with enlarged descending thoracic aorta. 2004 , 63, 2016-21 | | 54 |
| 786 | Approach to the dilated aortic root. 2004 , 19, 563-9 | | 21 |
| 785 | Reflections on reduction ascending aortoplasty's liveliness. 2004 , 128, 499-501 | | 18 |
| 784 | Cardiovascular risk factors and migraine: the GEM population-based study. 2005 , 65, 1683; author reply 1683 | | 3 |
| 783 | Ruptured congenital sinus of Valsalva aneurysm. 2005 , 22, 625-8 | | 8 |
| 782 | Factors related to aortic regurgitation in the presence of a dilated aortic root. <i>American Journal of Cardiology</i> , 2005 , 95, 417-20 | 3 | 11 |
| 781 | Usefulness of enalapril versus propranolol or atenolol for prevention of aortic dilation in patients with the Marfan syndrome. <i>American Journal of Cardiology</i> , 2005 , 95, 1125-7 | 3 | 138 |
| 780 | Echocardiographic Doppler assessment of the biophysical properties of the aorta in pediatric patients with the Marfan syndrome. <i>American Journal of Cardiology</i> , 2005 , 96, 1317-21 | 3 | 32 |
| 779 | Diagnostic power of aortic elastic properties in young patients with Marfan syndrome. 2005 , 129, 730-9 | | 61 |
| 778 | Two-dimensional echocardiographic valve measurements in healthy children: gender-specific differences. 2005 , 26, 356-60 | | 66 |
| 777 | Reduced aortic elastic properties in a child with Takayasu arteritis: case report and literature review. 2005 , 164, 685-90 | | 9 |

| | | |
|-----|--|-----|
| 776 | Tricuspid aortic valve aneurysm. 2005 , 91, 1035 | 3 |
| 775 | Intracranial arterial dolichoectasia is associated with enlarged descending thoracic aorta. 2005 , 65, 1681-2; author reply 1681-2 | 3 |
| 774 | Progressive outer retinal necrosis presenting with isolated optic neuropathy. 2005 , 65, 1682-3 | 1 |
| 773 | Mapping of familial thoracic aortic aneurysm/dissection with patent ductus arteriosus to 16p12.2-p13.13. 2005 , 112, 200-6 | 56 |
| 772 | Mutations in transforming growth factor-beta receptor type II cause familial thoracic aortic aneurysms and dissections. 2005 , 112, 513-20 | 296 |
| 771 | Treatment of aortic disease in patients with Marfan syndrome. 2005 , 111, e150-7 | 273 |
| 770 | A population association study of angiotensinogen polymorphisms and haplotypes with left ventricular phenotypes. 2005 , 46, 1294-9 | 12 |
| 769 | Aortic aneurysmal disease and cutis laxa caused by defects in the elastin gene. 2006 , 43, 255-8 | 105 |
| 768 | Impaired elastic properties of the ascending aorta in newborns before and early after successful coarctation repair: proof of a systemic vascular disease of the prestenotic arteries?. 2005 , 111, 3269-73 | 132 |
| 767 | Marfan syndrome: what internists and pediatric or adult cardiologists need to know. 2005 , 3, 891-909 | 10 |
| 766 | Results of the Ross operation in a pediatric population. 2005 , 27, 975-9 | 37 |
| 765 | Hypoxaemia associated with an enlarged aortic root: a new syndrome?. 2005 , 91, 1030-5 | 52 |
| 764 | Posterior thalamic hemorrhage induces "pusher syndrome". 2005 , 65, 1682; author reply 1682 | 4 |
| 763 | Marfan's syndrome. 2005 , 366, 1965-76 | 813 |
| 762 | Theoretical and empirical derivation of cardiovascular allometric relationships in children. 2005 , 99, 445-57 | 397 |
| 761 | Ross operation in the young: a ten-year experience. 2005 , 80, 2271-7 | 56 |
| 760 | A genome scan for linkage with aortic root diameter in hypertensive African Americans and whites in the Hypertension Genetic Epidemiology Network (HyperGEN) study. 2005 , 18, 627-32 | 4 |
| 759 | Task Force 4: HCM and other cardiomyopathies, mitral valve prolapse, myocarditis, and Marfan syndrome. 2005 , 45, 1340-5 | 199 |

| | | | |
|-----|--|-----|------|
| 758 | Recommendations for chamber quantification: a report from the American Society of Echocardiography's Guidelines and Standards Committee and the Chamber Quantification Writing Group, developed in conjunction with the European Association of Echocardiography, a branch of the European Society of Cardiology. <i>Journal of the American Society of Echocardiography</i> , 2005 , 18, 1440-63 | 5.8 | 8967 |
| 757 | Clinical features of Ehlers-Danlos syndrome. 2006 , 105, 475-80 | | 64 |
| 756 | Effect of Age on Valvular Dysfunction and Aortic Dilatation in Patients With a Bicuspid Aortic Valve. 2006 , 59, 503-506 | | |
| 755 | Efecto de la edad en la disfunci3n valvular y la dilataci3n a3rtica en pacientes con v3lvula a3rtica bicuspid. 2006 , 59, 503-506 | | 4 |
| 754 | ACC/AHA 2006 guidelines for the management of patients with valvular heart disease: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (writing Committee to Revise the 1998 guidelines for the management of patients with valvular heart disease) developed in collaboration with the Society of Cardiovascular Anesthesiologists | | 1307 |
| 753 | ACC/AHA 2006 Practice Guidelines for the Management of Patients With Valvular Heart Disease: Executive Summary. 2006 , 48, 598-675 | | 119 |
| 752 | Aneurysms after coarctation repair associated with hypoplastic aortic arch: surgical management through median sternotomy. 2006 , 81, 758-60 | | 2 |
| 751 | Reduction ascending aortoplasty: midterm follow-up and predictors of redilatation. 2006 , 82, 586-91 | | 13 |
| 750 | Monitoring of congenital heart disease (CHD) and aortic dilatation in Turner syndrome: Italian experience. 2006 , 1298, 123-130 | | 7 |
| 749 | Spectrum of cardiovascular abnormalities in Turner syndrome. 2006 , 1298, 111-116 | | |
| 748 | Making treatment decisions for those with congenital heart disease in Turner syndrome: The need for evidence-based medicine. 2006 , 1298, 131-136 | | 6 |
| 747 | Determinants of rapid progression of aortic root dilatation and complications in Marfan syndrome. 2006 , 106, 177-82 | | 30 |
| 746 | Echocardiographic anatomy of ascending aorta dilatation: correlations with aortic valve morphology and function. 2006 , 113, 320-6 | | 31 |
| 745 | Challenges in the diagnosis of Marfan syndrome. 2006 , 184, 627-31 | | 26 |
| 744 | An3vrismes de l'aorte thoracique. 2006 , 1, 1-17 | | |
| 743 | Aortic root disease after the Ross procedure. 2006 , 21, 555-60 | | 17 |
| 742 | Prevalence and correlates of aortic root dilatation in patients with essential hypertension: relationship with cardiac and extracardiac target organ damage. 2006 , 24, 573-80 | | 69 |
| 741 | E3chocardiogramme du sujet 3. 2006 , 1, 1-5 | | |

| | | | |
|-----|--|---|------|
| 740 | Imagerie de l'aorte thoracique normale. Variantes et anomalies congénitales. 2006 , 1, 1-11 | | |
| 739 | Aortic dilatation in patients with bicuspid aortic valve. 2006 , 7, 11-20 | | 54 |
| 738 | Aortic intramural hematoma: a case report of spontaneous resolution. 2006 , 7, 224-6 | | 1 |
| 737 | Structural and functional genetic disorders of the great vessels and outflow tracts. 2006 , 1085, 256-69 | | 6 |
| 736 | Ascending aorta dilatation in aortic valve disease: morphological analysis of medial changes. 2006 , 21, 213-20 | | 20 |
| 735 | Normal mitral and aortic valve areas assessed by three- and two-dimensional echocardiography in 168 children and young adults. 2006 , 27, 217-25 | | 23 |
| 734 | Aortic root dilatation is a rare complication of Noonan syndrome. 2006 , 27, 478-80 | | 16 |
| 733 | Cardiovascular management of marfan syndrome in the young. 2006 , 8, 396-402 | | 7 |
| 732 | Usefulness of aortic root dimension in persons > or = 65 years of age in predicting heart failure, stroke, cardiovascular mortality, all-cause mortality and acute myocardial infarction (from the Cardiovascular Health Study). <i>American Journal of Cardiology</i> , 2006 , 97, 270-5 | 3 | 79 |
| 731 | Aortic root dilation and aortic elastic properties in children after repair of tetralogy of Fallot. <i>American Journal of Cardiology</i> , 2006 , 97, 905-9 | 3 | 95 |
| 730 | Different patterns of aortic wall elasticity in patients with Marfan syndrome: a noninvasive follow-up study. 2006 , 132, 811-9 | | 35 |
| 729 | Familial thoracic aortic aneurysms and dissections: three families with early-onset ascending and descending aortic dissections in women. 2006 , 140, 1196-202 | | 15 |
| 728 | A critical analysis of minor cardiovascular criteria in the diagnostic evaluation of patients with Marfan syndrome. 2006 , 8, 401-8 | | 53 |
| 727 | ACC/AHA 2006 guidelines for the management of patients with valvular heart disease: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (writing committee to revise the 1998 Guidelines for the Management of Patients With Valvular Heart Disease). developed in collaboration with the Society of Cardiovascular Anesthesiologists. | | 1634 |
| 726 | Central and peripheral arterial stiffness in patients after surgical repair of tetralogy of Fallot: implications for aortic root dilatation. 2006 , 92, 1827-30 | | 47 |
| 725 | Recommendations for chamber quantification. 2006 , 7, 79-108 | | 2545 |
| 724 | ACC/AHA 2006 Guidelines for the Management of Patients With Valvular Heart Disease: Executive Summary. 2006 , 114, 450-527 | | 157 |
| 723 | Aortic dimensions and the risk of dissection. 2006 , 92, 137-42 | | 106 |

| | | |
|-----|--|-----|
| 722 | The natural history of thoracic aortic aneurysms: implications for surgical intervention. 2006 , 4, 131-4 | |
| 721 | Bicuspid aortic valve in competitive athletes. 2008 , 42, 31-5; discussion 35 | 31 |
| 720 | Cardiac and systemic hemodynamic characteristics of hypertension and prehypertension in adolescents and young adults: the Strong Heart Study. 2007 , 115, 221-7 | 156 |
| 719 | Ambulatory blood pressure, target organ damage and aortic root size in never-treated essential hypertensive patients. 2007 , 21, 531-8 | 35 |
| 718 | Is size-reducing ascending aortoplasty with external reinforcement an option in modern aortic surgery?. 2007 , 31, 614-7 | 21 |
| 717 | Echocardiography. 2007 , | 5 |
| 716 | Severe aortic stenosis and its association with hypertension: analysis of clinical and echocardiographic parameters. 2007 , 16, 122-8 | 16 |
| 715 | Differences in clinical manifestations in patients with bicuspid and tricuspid aortic valves undergoing surgery of the aortic valve and/or ascending aorta. 2007 , 55, 485-90 | 10 |
| 714 | Predictors of ascending aortic dilatation with bicuspid aortic valve: a wide spectrum of disease expression. 2007 , 31, 397-404; discussion 404-5 | 227 |
| 713 | Functional anatomy of aortic regurgitation: accuracy, prediction of surgical reparability, and outcome implications of transesophageal echocardiography. 2007 , 116, 1264-9 | 104 |
| 712 | Marfan's syndrome and the heart. 2007 , 92, 351-6 | 55 |
| 711 | Autograft regurgitation and aortic root dimensions after the Ross procedure: the German Ross Registry experience. 2007 , 116, 1251-8 | 38 |
| 710 | Effect of perindopril on large artery stiffness and aortic root diameter in patients with Marfan syndrome: a randomized controlled trial. 2007 , 298, 1539-47 | 134 |
| 709 | Aortic stenosis severity is not a risk factor for poststenotic dilatation of the ascending aorta. 2007 , 71, 84-8 | 14 |
| 708 | Aortic valve-sparing operations and aortic root replacement. 2007 , 8, 97-101 | 3 |
| 707 | Approach to the Athlete with Thoracic Aortic Disease. 2007 , 6, 101-107 | |
| 706 | Aortic dimensions in Turner's syndrome: two-dimensional echocardiography versus magnetic resonance imaging. 2007 , 8, 428-37 | 24 |
| 705 | Unsupported reduction ascending aortoplasty: fate of diameter and of Windkessel function. 2007 , 83, 1047-53 | 16 |

| | | | |
|-----|--|-----|-----|
| 704 | Incidence of and risk factors for pulmonary autograft dilation after Ross aortic valve replacement. 2007 , 83, 1781-7; discussion 1787-9 | | 33 |
| 703 | Atraumatic fracture neck of femur in Marfan's syndrome: A case report. 2007 , 38, 343-345 | | 2 |
| 702 | Approach to the athlete with thoracic aortic disease. 2007 , 6, 101-7 | | 3 |
| 701 | Anatomic interaction between the aortic root and the atrial septum: a prospective echocardiographic study. <i>Journal of the American Society of Echocardiography</i> , 2007 , 20, 409-14 | 5.8 | 26 |
| 700 | Tratamiento quirúrgico de la raíz de la aorta. 2007 , 14, 305-310 | | |
| 699 | Prospective evaluation of aortic dimensions in Turner syndrome: a 2-dimensional echocardiographic study. <i>Journal of the American Society of Echocardiography</i> , 2007 , 20, 307-13 | 5.8 | 28 |
| 698 | [Update on cardiac imaging techniques. Echocardiography, cardiac magnetic resonance imaging, and multidetector computed tomography]. 2007 , 60 Suppl 1, 41-57 | | 3 |
| 697 | Guidelines for the diagnosis and management of Marfan syndrome. <i>Heart Lung and Circulation</i> , 2007 , 16, 28-30 | 1.8 | 38 |
| 696 | The relationship between neo-aortic root dilation, insufficiency, and reintervention following the Ross procedure in infants, children, and young adults. 2007 , 49, 1806-12 | | 91 |
| 695 | Search for correlations between FBN1 genotype and complete Ghent phenotype in 44 unrelated Norwegian patients with Marfan syndrome. 2007 , 143A, 1968-77 | | 28 |
| 694 | Familial thoracic aortic dilation and bicommissural aortic valve: a prospective analysis of natural history and inheritance. 2007 , 143A, 1960-7 | | 133 |
| 693 | Homozygosity for a FBN1 missense mutation: clinical and molecular evidence for recessive Marfan syndrome. 2007 , 15, 930-5 | | 26 |
| 692 | Utility of molecular analyses in the exploration of extreme intrafamilial variability in the Marfan syndrome. 2007 , 72, 188-98 | | 39 |
| 691 | Effect of beta-blockade on ascending aortic dilatation in children with the Marfan syndrome. <i>American Journal of Cardiology</i> , 2007 , 99, 406-9 | 3 | 98 |
| 690 | Aortic root size and prevalence of aortic regurgitation in elite strength trained athletes. <i>American Journal of Cardiology</i> , 2007 , 100, 528-30 | 3 | 59 |
| 689 | Tissue Doppler imaging identifies myocardial dysfunction in adults with Marfan syndrome. 2007 , 30, 19-24 | | 73 |
| 688 | Morphometric study of the ascending aorta in human fetuses. 2007 , 189, 465-72 | | 11 |
| 687 | New insights into the pathogenesis and treatment of arterial aneurysms and dissections. 2007 , 1, 401-409 | | 2 |

| | | |
|-----|--|---------|
| 686 | A single center's experience with the Ross procedure in pediatrics. 2008 , 29, 894-900 | 14 |
| 685 | Fortschritt in der Pathogenese des Marfan-Syndroms und verwandter Krankheiten. 2008 , 20, 6-17 | 1 |
| 684 | Follow-up outcomes 10 years after arterial switch operation for transposition of the great arteries: comparison of cardiological health status and health-related quality of life to those of the a normal reference population. 2008 , 167, 995-1004 | 34 |
| 683 | Compliance and pulse wave velocity assessed by MRI detect early aortic impairment in young patients with mutation of the smooth muscle myosin heavy chain. 2008 , 28, 1180-7 | 23 |
| 682 | The spectrum of syndromes and manifestations in individuals screened for suspected Marfan syndrome. 2008 , 146A, 3157-66 | 54 |
| 681 | Aortic root dilatation in Ehlers-Danlos syndrome types I, II and III. A report of five cases. 1998 , 53, 460-5 | 24 |
| 680 | Ehlers-Danlos syndromes and Marfan syndrome. 2008 , 22, 165-89 | 175 |
| 679 | Marfan syndrome-diagnosis and management. 2008 , 33, 7-39 | 127 |
| 678 | Congenital cardiovascular disease in Turner syndrome. 2008 , 3, 2-15 | 79 |
| 677 | Histopathologic changes in ascending aorta and risk factors related to histopathologic conditions and aortic dilatation in patients with tetralogy of Fallot. 2008 , 135, 69-77, 77.e1-11 | 49 |
| 676 | Role of fibrillin-1 genetic mutations and polymorphism in aortic dilatation in patients undergoing intracardiac repair of tetralogy of Fallot. 2008 , 136, 757-66, 766.e1-10 | 28 |
| 675 | Ross operation: 16-year experience. 2008 , 136, 623-30, 630.e1-5 | 134 |
| 674 | Adults with genetic syndromes and cardiovascular abnormalities: clinical history and management. 2008 , 10, 469-94 | 106 |
| 673 | Regression equations for calculation of z scores of cardiac structures in a large cohort of healthy infants, children, and adolescents: an echocardiographic study. <i>Journal of the American Society of Echocardiography</i> , 2008 , 21, 922-34 | 5.8 470 |
| 672 | Aortic valve disease in Turner syndrome. 2008 , 51, 1904-9 | 126 |
| 671 | 2008 focused update incorporated into the ACC/AHA 2006 guidelines for the management of patients with valvular heart disease: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Writing Committee to revise the 1998 guidelines for the management of patients with valvular heart disease). Endorsed by the Society of | 1183 |
| 670 | Aortic size assessment by noncontrast cardiac computed tomography: normal limits by age, gender, and body surface area. 2008 , 1, 200-92, e1-142 | 203 |
| 669 | Cardiovascular abnormalities in Turner's syndrome: what prevention?. 2008 , 101, 485-90 | 45 |

| | | |
|-----|---|-----|
| 668 | Is the aortic root dilated in obstructive sleep apnoea syndrome?. 2008 , 101, 391-7 | 18 |
| 667 | Normal thoracic aorta diameter on cardiac computed tomography in healthy asymptomatic adults: impact of age and gender. 2008 , 15, 827-34 | 155 |
| 666 | Nieprawidłowości w układzie sercowo-naczyniowym u dzieci z zespołem Marfana. 2008 , 83, 240-245 | |
| 665 | Right ventricular outflow tract reconstruction in Ross patients: does the homograft fare better?. 2008 , 86, 1607-12 | 34 |
| 664 | Assessment of the thoracic aorta by multidetector computed tomography: age- and sex-specific reference values in adults without evident cardiovascular disease. 2008 , 2, 298-308 | 106 |
| 663 | Sudden death in competitive athletes. 2008 , 27, 153-81, ix | 26 |
| 662 | The bicuspid aortic valve: an integrated phenotypic classification of leaflet morphology and aortic root shape. 2008 , 94, 1634-8 | 287 |
| 661 | Congenital quadricuspid aortic valve in children. 2008 , 18, 324-7 | 7 |
| 660 | 2008 Focused update incorporated into the ACC/AHA 2006 guidelines for the management of patients with valvular heart disease: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Writing Committee to Revise the 1998 Guidelines for the Management of Patients With Valvular Heart Disease): endorsed by the Society | 928 |
| 659 | Rétrospective study to identify predictors of the presence and rapid progression of aortic dissections, and dilatation in patients with bicuspid aortic valves. 2008 , 5, 821-8 | 102 |
| 658 | Medical management of Marfan syndrome. 2008 , 117, 2802-13 | 192 |
| 657 | Prophylactic aortic root surgery in patients with Marfan syndrome: 10 years' experience with a protocol based on body surface area. 2008 , 34, 589-94 | 9 |
| 656 | Aortic root dimension and hypertension: a chicken-egg dilemma. 2008 , 21, 489-90 | 7 |
| 655 | Pulse pressure is inversely related to aortic root diameter implications for the pathogenesis of systolic hypertension. 2008 , 51, 196-202 | 66 |
| 654 | Do hypertensive individuals have enlarged aortic root diameters? Insights from studying the various subtypes of hypertension. 2008 , 21, 558-63 | 30 |
| 653 | Diagnosis and management of Marfan syndrome. 2008 , 4, 85-96 | 24 |
| 652 | Normal values of echocardiographic parameters in relation to age in a healthy Japanese population: the JAMP study. 2008 , 72, 1859-66 | 146 |
| 651 | Aortic size in acute type A dissection: implications for preventive ascending aortic replacement. 2009 , 35, 941-5; discussion 945-6 | 76 |

| | | |
|-----|--|-----|
| 650 | Autograft reinforcement to preserve autograft function after the ross procedure: a report from the german-dutch ross registry. 2009 , 120, S146-54 | 61 |
| 649 | Correlations of phenotype and genotype in relation to morphologic remodelling of the aortic root in patients with Turner's syndrome. 2009 , 19, 264-71 | 10 |
| 648 | Treating the thoracic aorta in Marfan syndrome: surgery or TEVAR?. 2009 , 16, 60-70 | 44 |
| 647 | Comparison of clinical presentations and outcomes between patients with TGFBR2 and FBN1 mutations in Marfan syndrome and related disorders. 2009 , 120, 2541-9 | 160 |
| 646 | Aortic distensibility and dilation in Turner's syndrome. 2009 , 19, 568-72 | 26 |
| 645 | Long-term follow-up of arterial switch operation with an emphasis on function and dimensions of left ventricle and aorta. 2009 , 35, 582-7; discussion 587-8 | 31 |
| 644 | Derivation of a size-independent variable for scaling of cardiac dimensions in a normal paediatric population. 2009 , 10, 50-5 | 26 |
| 643 | Normalization of echocardiographically derived paediatric cardiac dimensions to body surface area: time for a standardized approach. 2009 , 10, 44-5 | 19 |
| 642 | The prevalence of obstructive sleep apnoea and its association with aortic dilatation in Marfan's syndrome. 2009 , 64, 162-6 | 60 |
| 641 | Augmentation index relates to progression of aortic disease in adults with Marfan syndrome. 2009 , 22, 971-9 | 40 |
| 640 | Congenital and acquired conditions of the aortic root: multidetector computed tomography features. 2009 , 85, 383-91 | 1 |
| 639 | A measured approach to managing the aortic root in patients with bicuspid aortic valve disease. 2009 , 11, 94-100 | 36 |
| 638 | Prevalence data on all Ghent features in a cross-sectional study of 87 adults with proven Marfan syndrome. 2009 , 17, 1222-30 | 31 |
| 637 | Repair, replacement, Ross: how I approach the older child with mixed aortic stenosis/aortic insufficiency. 2009 , 133-8 | 2 |
| 636 | Mutations in smooth muscle alpha-actin (ACTA2) cause coronary artery disease, stroke, and Moyamoya disease, along with thoracic aortic disease. 2009 , 84, 617-27 | 364 |
| 635 | Syndrom de Turner et grossesse. Recommandations pour la pratique clinique. 2009 , 38, 669-688 | |
| 634 | Central pulmonary artery histopathology in patients with cyanotic congenital heart diseases. 2009 , 87, 589-96, 596.e1-3 | 8 |
| 633 | Neoaortic root diameters and aortic regurgitation in children after the Ross operation. 2009 , 88, 594-600; discussion 600 | 44 |

| | | | |
|-----|--|-----|-----|
| 632 | Is obstructive sleep apnea associated with greater thoracic aortic size?. 2009 , 53, 815; author reply 815-6 | | 3 |
| 631 | Reply. 2009 , 53, 815-816 | | 1 |
| 630 | Reply. 2009 , 53, 814-815 | | |
| 629 | Aortopathy is prevalent in relatives of bicuspid aortic valve patients. 2009 , 53, 2288-95 | | 164 |
| 628 | Mechanisms of recurrent aortic regurgitation after aortic valve repair: predictive value of intraoperative transesophageal echocardiography. 2009 , 2, 931-9 | | 130 |
| 627 | Echocardiography. 2009 , | | 8 |
| 626 | Le syndrome de Turner. 2009 , | | |
| 625 | Analysis of multigenerational families with thoracic aortic aneurysms and dissections due to TGFBR1 or TGFBR2 mutations. 2009 , 46, 607-13 | | 140 |
| 624 | Marfan and Marfan-like syndromes. 2009 , 3, 9 | | 7 |
| 623 | Coronary artery Z score regression equations and calculators derived from a large heterogeneous population of children undergoing echocardiography. <i>Journal of the American Society of Echocardiography</i> , 2009 , 22, 159-64 | 5.8 | 53 |
| 622 | Screening for aortic root dilation in marfan syndrome using the ratio of the aortic root to descending aortic diameters in children. <i>Journal of the American Society of Echocardiography</i> , 2009 , 22, 1109-13 | 5.8 | 10 |
| 621 | Aportaci3n de la ecocardiograf3a en la valoraci3n de la enfermedad a3rtica. 2009 , 16, 289-298 | | |
| 620 | Gender, age, and body surface area are the major determinants of ascending aorta dimensions in subjects with apparently normal echocardiograms. <i>Journal of the American Society of Echocardiography</i> , 2009 , 22, 720-5 | 5.8 | 51 |
| 619 | Connective Tissue Disorders. 537-546 | | |
| 618 | Rationale and design of a trial evaluating the effects of losartan vs. nebivolol vs. the association of both on the progression of aortic root dilation in Marfan syndrome with FBN1 gene mutations. 2009 , 10, 354-62 | | 56 |
| 617 | Histopathologic findings in ascending aortas from individuals with Loeys-Dietz syndrome (LDS). 2009 , 33, 194-201 | | 90 |
| 616 | 2010 ACCF/AHA/AATS/ACR/ASA/SCA/SCAI/SIR/STS/SVM Guidelines for the diagnosis and management of patients with thoracic aortic disease: Executive summary: A report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines, American Association for Thoracic Surgery, American College of Radiology, American Stroke | | 89 |
| 615 | Early thoracic aorta enlargement in asymptomatic individuals at risk for cardiovascular disease: by determinant factors and clinical implication. 2010 , 28, 2134-81, 279-315 | | 10 |

| | | | |
|-----|--|---|-----|
| 614 | Diagnosis and management of Marfan syndrome. 2010 , 9, 93-8 | | 8 |
| 613 | Marfan Syndrome. 2010 , 495-515 | | |
| 612 | Syndrom de Marfan. 2010 , 5, 1-10 | | 0 |
| 611 | Left outflow tract anomalies in children. 2010 , 22, 593-7 | | 1 |
| 610 | The Aortic Root. 2010 , 133-161 | | |
| 609 | Accuracy of transthoracic echocardiography for the measurement of the ascending aorta: comparison with transesophageal echocardiography. 2010 , 33, 502-7 | | 22 |
| 608 | Relation of uric acid levels to aortic root dilatation in hypertensive patients with and without metabolic syndrome. 2010 , 11, 592-8 | | 6 |
| 607 | Die Ross-Operation bei Kindern. 2010 , 24, 115-121 | | 1 |
| 606 | Unexplained dyspnea in an old patient with recurrent stroke: platypnea-orthodeoxia syndrome and evidence of patent foramen ovale. 2010 , 31, 93-4 | | 6 |
| 605 | Aortic dissection and rupture in a 16-year-old girl with Turner syndrome following previous progression of aortic dilation. 2010 , 169, 1283-6 | | 8 |
| 604 | Automated analysis of four-dimensional magnetic resonance images of the human aorta. 2010 , 26, 571-8 | | 7 |
| 603 | Nomograms for aortic root diameters in children using two-dimensional echocardiography. <i>American Journal of Cardiology</i> , 2010 , 105, 888-94 | 3 | 110 |
| 602 | Aortic root dimensions in elite athletes. <i>American Journal of Cardiology</i> , 2010 , 105, 1629-34 | 3 | 72 |
| 601 | Frequency of sleep apnea in adults with the Marfan syndrome. <i>American Journal of Cardiology</i> , 2010 , 105, 1836-41 | 3 | 41 |
| 600 | Frequency and age-related course of mitral valve dysfunction in the Marfan syndrome. <i>American Journal of Cardiology</i> , 2010 , 106, 1048-53 | 3 | 64 |
| 599 | Neo-aortic valve and root complex evolution after Ross operation in infants, children, and adolescents. 2010 , 90, 1278-85 | | 21 |
| 598 | Device closure of patent ductus arteriosus in Marfan patients: safety and effect on the aortic root diameter. 2010 , 5, 439-43 | | 4 |
| 597 | The clinical spectrum of missense mutations of the first aspartic acid of cbEGF-like domains in fibrillin-1 including a recessive family. 2010 , 31, E1915-27 | | 19 |

| | | |
|-----|--|------|
| 596 | 2010 ACCF/AHA/AATS/ACR/ASA/SCA/SCAI/SIR/STS/SVM guidelines for the diagnosis and management of patients with thoracic aortic disease: executive summary. A report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines, American Association for Thoracic Surgery, American College of Radiology, American Stroke Association, Society of Cardiovascular Anesthesiologists, Society for Cardiovascular Angiography and Interventions, Society of Interventional Radiology. 2010 , 76, E43-86 | 210 |
| 595 | Aortic annulus evaluation in transcatheter aortic valve implantation. 2010 , 76, 1009-19 | 40 |
| 594 | Predictors for new-onset complete heart block after transcatheter aortic valve implantation. 2010 , 3, 524-30 | 165 |
| 593 | Thoracic aortopathy in Turner syndrome and the influence of bicuspid aortic valves and blood pressure: a CMR study. 2010 , 12, 12 | 61 |
| 592 | Association of Bicuspid aortic valve morphology and aortic root dimensions: a substudy of the aortic stenosis progression observation measuring effects of rosuvastatin (ASTRONOMER) study. 2010 , 27, 174-9 | 25 |
| 591 | . 2010 , | 3 |
| 590 | Transesophageal echocardiographic evaluation during aortic valve repair surgery. 2010 , 111, 59-70 | 39 |
| 589 | Modification of the Ross aortic valve replacement to prevent late autograft dilatation. 2010 , 37, 1002-7 | 37 |
| 588 | 2010 ACCF/AHA/AATS/ACR/ASA/SCA/SCAI/SIR/STS/SVM Guidelines for the Diagnosis and Management of Patients With Thoracic Aortic Disease: Executive Summary. 2010 , 121, 1544-1579 | 51 |
| 587 | The fate of the aortic root after early repair of tetralogy of Fallot. 2010 , 37, 1254-8 | 28 |
| 586 | Aortic root and cusp configuration determine aortic valve function. 2010 , 38, 400-6 | 105 |
| 585 | Augmentation index and the evolution of aortic disease in marfan-like syndromes. 2010 , 23, 716-24 | 19 |
| 584 | Main pulmonary artery dilation in association with congenital bicuspid aortic valve in the absence of pulmonary valve abnormality. 2010 , 96, 1756-61 | 23 |
| 583 | 2010 ACCF/AHA/AATS/ACR/ASA/SCA/SCAI/SIR/STS/SVM guidelines for the diagnosis and management of patients with Thoracic Aortic Disease: a report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines, American Association for Thoracic Surgery, American College of Radiology, American Stroke Association, Society of Cardiovascular Anesthesiologists, Society for Cardiovascular Angiography and Interventions, Society of Interventional Radiology, Society of Thoracic Radiology. 2010 , 121, 1544-1579 | 1569 |
| 582 | The Ross operation - a feasible and safe option in the setting of a bicuspid aortic valve?. 2010 , 38, 333-9 | 21 |
| 581 | The modified Ross operation using a Dacron prosthetic vascular jacket does prevent pulmonary autograft dilatation at 4.5-year follow-up. 2010 , 37, 928-33 | 21 |
| 580 | Adults with genetic syndromes. 2010 , 9, | |
| 579 | The Aortic Valve and Aorta. 2010 , 67-79 | |

| | | | |
|-----|--|-----|-----|
| 578 | Aortic remodelling in Fabry disease. 2010 , 31, 347-53 | | 46 |
| 577 | Cardiovascular manifestations in men and women carrying a FBN1 mutation. 2010 , 31, 2223-9 | | 98 |
| 576 | Echocardiography in aortic diseases: EAE recommendations for clinical practice. 2010 , 11, 645-58 | | 320 |
| 575 | Sinus of valsalva aneurysms: assessment with cardiovascular MRI. 2010 , 194, W495-504 | | 21 |
| 574 | Prise en charge thérapeutique des anévrismes de l'aorte ascendante. 2010 , 2010, 15-21 | | |
| 573 | Marfan syndrome. Part 1: pathophysiology and diagnosis. 2010 , 7, 256-65 | | 112 |
| 572 | Recommendations for quantification methods during the performance of a pediatric echocardiogram: a report from the Pediatric Measurements Writing Group of the American Society of Echocardiography Pediatric and Congenital Heart Disease Council. <i>Journal of the American Society of Echocardiography</i> , 2010 , 23, 465-95; quiz 576-7 | 5.8 | 924 |
| 571 | Bicuspid aortic valve disease. 2010 , 55, 2789-800 | | 618 |
| 570 | 2010 ACCF/AHA/AATS/ACR/ASA/SCA/SCAI/SIR/STS/SVM Guidelines for the Diagnosis and Management of Patients With Thoracic Aortic Disease: Executive Summary. 2010 , 55, 1509-1544 | | 119 |
| 569 | 2010 ACCF/AHA/AATS/ACR/ASA/SCA/SCAI/SIR/STS/SVM Guidelines for the diagnosis and management of patients with thoracic aortic disease. A Report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines, American Association for Thoracic Surgery, American College of Radiology, American Stroke Association, | | 980 |
| 568 | Rationale and design of a randomized clinical trial (Marfan Sartan) of angiotensin II receptor blocker therapy versus placebo in individuals with Marfan syndrome. 2010 , 103, 317-25 | | 59 |
| 567 | Dilated aortic root is related to a global aortic dilating diathesis. 2010 , 52, 867-71 | | 10 |
| 566 | Effects of sports activity in athletes with bicuspid aortic valve and mild aortic regurgitation. 2010 , 44, 275-9 | | 34 |
| 565 | Prevalence and clinical significance of aortic root dilation in highly trained competitive athletes. 2010 , 122, 698-706, 3 p following 706 | | 86 |
| 564 | Bicuspid aortic valve: four-dimensional MR evaluation of ascending aortic systolic flow patterns. 2010 , 255, 53-61 | | 307 |
| 563 | [Aneurysms of the ascending thoracic aorta]. 2010 , 39, 26-33 | | 3 |
| 562 | Paucity of skeletal manifestations in Hispanic families with FBN1 mutations. 2010 , 53, 80-4 | | 11 |
| 561 | Turner syndrome and pregnancy: clinical practice. Recommendations for the management of patients with Turner syndrome before and during pregnancy. 2010 , 152, 18-24 | | 78 |

| | | |
|-----|---|------|
| 560 | The revised Ghent nosology for the Marfan syndrome. 2010 , 47, 476-85 | 1282 |
| 559 | A role for plasma transforming growth factor-beta and matrix metalloproteinases in aortic aneurysm surveillance in Marfan syndrome?. 2010 , 209, 211-4 | 10 |
| 558 | Long-term outcomes after autograft versus homograft aortic root replacement in adults with aortic valve disease: a randomised controlled trial. 2010 , 376, 524-31 | 229 |
| 557 | Genome-wide association study identifies a susceptibility locus for thoracic aortic aneurysms and aortic dissections spanning FBN1 at 15q21.1. 2011 , 43, 996-1000 | 148 |
| 556 | [Genotypic characterization of a Portuguese population of Marfan syndrome patients]. 2011 , 30, 649-54 | |
| 555 | The development of the aorta in prenatal human life. 2011 , 18, 20-30 | 2 |
| 554 | Genotypic characterization of a Portuguese population of Marfan syndrome patients. 2011 , 30, 649-654 | 1 |
| 553 | Nuevos criterios diagn3sticos en el s3ndrome de Marfan. 2011 , 46, 85-88 | 0 |
| 552 | Ipertensione arteriosa e dilatazione dell'aorta toracica: un mistero insoluto. 2011 , 5, 6-11 | 1 |
| 551 | Anesthesia for Surgery of the Ascending Aorta and Aortic Arch. 2011 , 123-144 | |
| 550 | Imagerie en coupes du coeur et des vaisseaux. 2011 , | |
| 549 | Modulating effects of matrix metalloproteinase-3 and -9 polymorphisms on aortic stiffness and aortic root dilation in patients after tetralogy of Fallot repair. 2011 , 151, 214-7 | 6 |
| 548 | Marfan Syndrome—An Echocardiographer's Perspective. 2011 , 19, 1-6 | 2 |
| 547 | Value of molecular diagnosis in a family with Marfan syndrome and an atypical vascular phenotype. 2011 , 64, 151-4 | 4 |
| 546 | Value of Molecular Diagnosis in a Family With Marfan Syndrome and an Atypical Vascular Phenotype. 2011 , 64, 151-154 | |
| 545 | Alternative Surgical Management of Ascending Aorta Aneurysm. 2011 , | |
| 544 | Aorta Measurements are Heritable and Influenced by Bicuspid Aortic Valve. 2011 , 2, 61 | 22 |
| 543 | Pregnancy-associated aortic dilatation or dissection in Japanese women with Marfan syndrome. 2011 , 75, 2545-51 | 31 |

| | | | |
|-----|---|---|-----|
| 542 | Dural ectasia in individuals with Marfan-like features but exclusion of mutations in the genes FBN1, TGFBR1 and TGFBR2. 2011 , 79, 568-74 | | 15 |
| 541 | Critical appraisal of the revised Ghent criteria for diagnosis of Marfan syndrome. 2011 , 80, 346-53 | | 35 |
| 540 | Aortic root physiology late after a "perfect" ross operation: magnetic resonance imaging study of three operative techniques. 2011 , 35, 1142-50 | | 3 |
| 539 | Mutations in SMAD3 cause a syndromic form of aortic aneurysms and dissections with early-onset osteoarthritis. 2011 , 43, 121-6 | | 496 |
| 538 | The effect of beta-blocker therapy on progressive aortic dilatation in children and adolescents with Marfan's syndrome: a meta-analysis. 2011 , 100, e101-5 | | 31 |
| 537 | Root dilation in patients with truncus arteriosus. 2011 , 6, 228-33 | | 22 |
| 536 | Aortic aneurysm with valvular insufficiency: is it due to Marfan syndrome or hypertension? A case report and review of literature. 2011 , 29, 16-22 | | |
| 535 | Predictors of outcome of mitral valve prolapse in patients with the Marfan syndrome. <i>American Journal of Cardiology</i> , 2011 , 107, 268-74 | 3 | 32 |
| 534 | Evaluating Japanese patients with the Marfan syndrome using high-throughput microarray-based mutational analysis of fibrillin-1 gene. <i>American Journal of Cardiology</i> , 2011 , 108, 1801-7 | 3 | 17 |
| 533 | Dynamic normal aortic root diameters: implications for aortic root reconstruction. 2011 , 91, 485-9 | | 20 |
| 532 | Performance of SynerGraft decellularized pulmonary homograft in patients undergoing a Ross procedure. 2011 , 91, 416-22; discussion 422-3 | | 65 |
| 531 | The Ross operation in children and young adults: a fifteen-year, single-institution experience. 2011 , 91, 1936-41; discussion 1941-2 | | 14 |
| 530 | Cardiac aneurysms and diverticula: magnetic resonance and computed tomography appearances. 2011 , 40, 72-84 | | 7 |
| 529 | The usefulness of multidetector computed tomographic angiography for the diagnosis of Marfan syndrome by Ghent criteria. 2011 , 27, 679-88 | | 9 |
| 528 | Automatic evaluation of the Valsalva sinuses from cine-MRI. 2011 , 24, 359-70 | | 2 |
| 527 | [Modern aortic surgery in Marfan syndrome--2011]. 2011 , 36, 505-12 | | 5 |
| 526 | Chamber and Vessel Quantification in Pediatric Echocardiography: What Do the Guidelines Teach Us?. 2011 , 4, 416-425 | | |
| 525 | Bicuspid aortic valve and aortic root disease. 2011 , 13, 234-41 | | 15 |

| | | |
|-----|---|-----|
| 524 | Genome-wide joint SNP and CNV analysis of aortic root diameter in African Americans: the HyperGEN study. 2011 , 4, 4 | 14 |
| 523 | Standardized multidisciplinary evaluation yields significant previously undiagnosed morbidity in adult women with Turner syndrome. 2011 , 96, E1517-26 | 91 |
| 522 | Incidence of aortic complications in patients with bicuspid aortic valves. 2011 , 306, 1104-12 | 499 |
| 521 | Risk of dissection in thoracic aneurysms associated with mutations of smooth muscle alpha-actin 2 (ACTA2). 2011 , 97, 321-6 | 51 |
| 520 | Optimal normative pediatric cardiac structure dimensions for clinical use. 2011 , 2, 85-9 | 7 |
| 519 | Aortic root geometry in aortic stenosis patients (a SEAS substudy). 2011 , 12, 585-90 | 16 |
| 518 | Quantitative assessment of the entire thoracic aorta from magnetic resonance images. 2011 , 21, 170-7 | 2 |
| 517 | Impact of genetic insights into mendelian disease on cardiovascular clinical practice. 2011 , 123, 544-50 | 5 |
| 516 | The effect of simulated obstructive apnea and hypopnea on aortic diameter and BP. 2011 , 140, 675-680 | 23 |
| 515 | Dissection in Marfan syndrome: the importance of the descending aorta. 2011 , 32, 443-9 | 60 |
| 514 | Automatic evaluation of the Valsalva sinuses from cine-MRI. 2011 , | |
| 513 | Aneurysms of the ascending aorta and arch: the role of imaging in diagnosis and surgical management. 2011 , 9, 45-61 | 9 |
| 512 | Plasma C-terminal pro-endothelin-1 is associated with left ventricular mass index and aortic root diameter in African-American adults with hypertension. 2011 , 25, 106-13 | 7 |
| 511 | The translational science of Marfan syndrome. 2011 , 97, 1206-14 | 53 |
| 510 | [Low arterial pressure on admission as a predictor of mortality in operated patients with type A aortic dissection]. 2011 , 68, 410-6 | 1 |
| 509 | Rare copy number variants contribute to congenital left-sided heart disease. 2012 , 8, e1002903 | 102 |
| 508 | The methodology of Doppler-derived central blood flow measurements in newborn infants. 2012 , 2012, 680162 | 22 |
| 507 | Cardiovascular findings and management in Turner syndrome: insights from a French cohort. 2012 , 167, 517-22 | 27 |

| | | | |
|-----|--|-----|-----|
| 506 | The pulmonary artery in patients with Marfan syndrome: a cross-sectional study. 2012 , 14, 922-7 | | 21 |
| 505 | Evaluation of the adolescent or adult with some features of Marfan syndrome. 2012 , 14, 171-7 | | 11 |
| 504 | Clinical features and genetic analysis of Korean patients with Loeys-Dietz syndrome. 2012 , 57, 52-6 | | 9 |
| 503 | No evidence of a detrimental effect of cabergoline therapy on cardiac valves in patients with acromegaly. 2012 , 97, E1714-9 | | 47 |
| 502 | Anomalous right coronary artery and sudden cardiac death. 2012 , 5, e1111-2 | | 16 |
| 501 | Phenotypic spectrum of the SMAD3-related aneurysms-osteoarthritis syndrome. 2012 , 49, 47-57 | | 189 |
| 500 | Aortic event rate in the Marfan population: a cohort study. 2012 , 125, 226-32 | | 117 |
| 499 | European Society of Hypertension scientific newsletter: hypertension and aortic diseases. 2012 , 30, 440-3 | | 30 |
| 498 | Échocardiographie transœsophagienne. 2012 , 7, 1-28 | | |
| 497 | Anévrysmes de l'åorte thoracique. 2012 , 7, 1-21 | | 2 |
| 496 | Connective Tissue Disorders. 2012 , 969-981 | | 0 |
| 495 | Restricted cusp motion in right-left type of bicuspid aortic valves: a new risk marker for aortopathy. 2012 , 144, 360-9, 369.e1 | | 66 |
| 494 | Limitations of current echocardiographic nomograms for left ventricular, valvular, and arterial dimensions in children: a critical review. <i>Journal of the American Society of Echocardiography</i> , 2012 , 25, 142-52 | 5.8 | 74 |
| 493 | [Recent progress in Marfan syndrome]. 2012 , 19, 551-5 | | 1 |
| 492 | The Ghent Marfan Trial--a randomized, double-blind placebo controlled trial with losartan in Marfan patients treated with ßblockers. 2012 , 157, 354-8 | | 51 |
| 491 | Rationale and design of a trial on the effect of high dose statins on cardiovascular risk in adults after successful coarctation repair. 2012 , 33, 410-6 | | 4 |
| 490 | Aortic valve repair for aortic insufficiency: a review. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2012 , 26, 923-32 | 2.1 | 17 |
| 489 | Aortic valve repair--current status, indications, and outcomes. 2012 , 24, 195-201 | | 15 |

| | | | |
|-----|--|-----|-----|
| 488 | Aortic root dilatation in young patients with cryptogenic stroke and patent foramen ovale. 2012 , 105, 13-7 | | 7 |
| 487 | Surgical management of patients with Marfan syndrome: evolution throughout the years. 2012 , 105, 84-90 | | 4 |
| 486 | Association of Marfan syndrome and bicuspid aortic valve: frequency and outcome. 2012 , 155, 324-5 | | 37 |
| 485 | The immediate and long-term impact of pregnancy on aortic growth rate and mortality in women with Marfan syndrome. 2012 , 60, 224-9 | | 148 |
| 484 | Normal limits in relation to age, body size and gender of two-dimensional echocardiographic aortic root dimensions in persons \geq 15 years of age. <i>American Journal of Cardiology</i> , 2012 , 110, 1189-94 | 3 | 230 |
| 483 | Morphology of the bicuspid aortic valve and elasticity of the adjacent aorta in children. <i>American Journal of Cardiology</i> , 2012 , 110, 1354-60 | 3 | 35 |
| 482 | Comparison of aortic root diameter to left ventricular outflow diameter versus body surface area in patients with marfan syndrome. <i>American Journal of Cardiology</i> , 2012 , 110, 1518-22 | 3 | 6 |
| 481 | The 2010 AHA/ACC/AATS Guidelines on the Management of Thoracic Aortic Disease: What they say and why. 2012 , 34, 3-7 | | 1 |
| 480 | Marfan syndrome: Progress report. 2012 , 34, 9-14 | | 13 |
| 479 | Should z-scores be used in adults with congenital heart disease?. 2012 , 34, 39-41 | | |
| 478 | Aortic stiffness and distensibility in top-level athletes. <i>Journal of the American Society of Echocardiography</i> , 2012 , 25, 561-7 | 5.8 | 26 |
| 477 | Cardiovascular imaging in aortic disease. Multimodality approach in clinical practice. 2012 , 22, 41-53 | | |
| 476 | EHLERS-DANLOS SYNDROME—AN OVERVIEW. 2012 , 1, | | |
| 475 | Recent developments in the diagnosis of Marfan syndrome and related disorders. 2012 , 197, 494-7 | | 11 |
| 474 | Aneurysms of the ascending aorta. 2012 , 109, 227-33 | | 30 |
| 473 | Aortic flow patterns in patients with Marfan syndrome assessed by flow-sensitive four-dimensional MRI. 2012 , 35, 594-600 | | 47 |
| 472 | Low bone mass and high material bone density in two patients with Loeys-Dietz syndrome caused by transforming growth factor beta receptor 2 mutations. 2012 , 27, 713-8 | | 18 |
| 471 | A comparison of the Ghent and revised Ghent nosologies for the diagnosis of Marfan syndrome in an adult Korean population. 2012 , 158A, 989-95 | | 24 |

| | | |
|-----|---|---------|
| 470 | Dilatation of the ascending aorta and serum alpha 1-antitrypsin level in patients with bicuspid aortic valve. 2012 , 27, 391-7 | 20 |
| 469 | Aortic root dilatation in athletic population. 2012 , 54, 432-7 | 38 |
| 468 | Effects of atenolol, perindopril and verapamil on haemodynamic and vascular function in Marfan syndrome - a randomised, double-blind, crossover trial. 2012 , 42, 891-9 | 31 |
| 467 | The 8th international research symposium on the Marfan syndrome and related conditions. 2012 , 158A, 42-9 | 20 |
| 466 | Experimental measurement of dynamic fluid shear stress on the ventricular surface of the aortic valve leaflet. 2012 , 11, 231-44 | 58 |
| 465 | Reference values of aortic flow velocity integral in 1193 healthy infants, children, and adolescents to quickly estimate cardiac stroke volume. 2013 , 34, 1194-200 | 20 |
| 464 | Tetralogy of Fallot and aortic root dilation: a long-term outlook. 2013 , 34, 809-16 | 20 |
| 463 | Impact of age and gender on cardiac pathology in children and adolescents with Marfan syndrome. 2013 , 34, 991-8 | 29 |
| 462 | Prevalence and long-term predictors of left ventricular hypertrophy, late hypertension, and hypertensive response to exercise after successful aortic coarctation repair. 2013 , 34, 620-9 | 33 |
| 461 | Aortopathies: etiologies, genetics, differential diagnosis, prognosis and management. 2013 , 126, 670-8 | 49 |
| 460 | Thoracic aortic aneurysm in infancy in aneurysms-osteoarthritis syndrome due to a novel SMAD3 mutation: further delineation of the phenotype. 2013 , 161A, 1028-35 | 52 |
| 459 | Coexisting cardiac diseases and pressure recovery phenomenon contribute to discrepancy between the echocardiographic severity of aortic stenosis and left ventricular hypertrophy. 2013 , 11, 41-9 | 1 |
| 458 | Long-term outcome and quality of life after arterial switch operation: a prospective study with a historical comparison. 2013 , 8, 203-10 | 28 |
| 457 | Aortic root dimensions and stiffness in healthy subjects. <i>American Journal of Cardiology</i> , 2013 , 112, 1224-9 | 55 |
| 456 | Marfan Syndrome and Related Disorders. 2013 , 1-52 | 1 |
| 455 | Aortic root disease in athletes: aortic root dilation, anomalous coronary artery, bicuspid aortic valve, and Marfan's syndrome. 2013 , 43, 721-32 | 18 |
| 454 | Guidelines for performing a comprehensive transesophageal echocardiographic examination: recommendations from the American Society of Echocardiography and the Society of Cardiovascular Anesthesiologists. <i>Journal of the American Society of Echocardiography</i> , 2013 , 26, 921-64 | 5.8 646 |
| 453 | The Ross-Konno is a high-risk procedure when compared with the Ross operation in children. 2013 , 95, 670-5 | 14 |

| | | | |
|-----|--|-----|-----|
| 452 | Effect of annulus dimension and annuloplasty on bicuspid aortic valve repair. 2013 , 44, 316-22; discussion 322-3 | | 67 |
| 451 | Sinus valsalva aneurysm on cardiac CT angiography: assessment and detection. 2013 , 57, 444-7 | | 9 |
| 450 | Immune mechanisms in medium and large-vessel vasculitis. 2013 , 9, 731-40 | | 243 |
| 449 | Circulating transforming growth factor- β s a prognostic biomarker in Marfan syndrome. 2013 , 168, 2441-6 | | 58 |
| 448 | Pattern of ascending aortic dimensions predicts the growth rate of the aorta in patients with bicuspid aortic valve. 2013 , 6, 1301-10 | | 98 |
| 447 | Comparative measurement of aortic root by transthoracic echocardiography in normal Korean population based on two different guidelines. 2013 , 11, 28 | | 23 |
| 446 | Age-dependent ascending aorta mechanics assessed through multiphase CT. 2013 , 41, 2565-74 | | 36 |
| 445 | Thoracic aortic disease in two patients with juvenile polyposis syndrome and SMAD4 mutations. 2013 , 161A, 185-91 | | 36 |
| 444 | FBN1 gene mutation characteristics and clinical features for the prediction of mitral valve disease progression. 2013 , 168, 953-9 | | 12 |
| 443 | Surgical treatment of aortic valve regurgitation secondary to ascending aorta aneurysm: is adjunctive subcommissural annuloplasty necessary?. 2013 , 95, 586-92 | | 2 |
| 442 | Diagnostic rôle de l'anévrisme de l'aorte : place de l'imagerie dans le diagnostic et la surveillance de l'anévrisme de l'aorte thoracique. 2013 , 2013, 9-17 | | |
| 441 | Genotype-phenotype correlation in patients with bicuspid aortic valve and aneurysm. 2013 , 146, 158-165.e1 | | 34 |
| 440 | Patterns of aortic dilatation in bicuspid aortic valve-associated aortopathy. <i>Journal of the American Society of Echocardiography</i> , 2013 , 26, 600-5 | 5.8 | 32 |
| 439 | Ascending aortic aneurysm and aortic valve dysfunction in bicuspid aortic valve disease. 2013 , 164, 301-5 | | 20 |
| 438 | Distribution, determinants, and normal reference values of thoracic and abdominal aortic diameters by computed tomography (from the Framingham Heart Study). <i>American Journal of Cardiology</i> , 2013 , 111, 1510-6 | 3 | 107 |
| 437 | Hereditary patterns of bicuspid aortic valve in a hundred families. 2013 , 168, 3443-9 | | 26 |
| 436 | Quantitative assessment of asymmetric aortic dilation with valve-related aortic disease. 2013 , 20, 10-5 | | 14 |
| 435 | Aortic stiffness in heritable aortopathies: relationship to aneurysm growth rate. <i>Heart Lung and Circulation</i> , 2013 , 22, 3-11 | 1.8 | 34 |

| | | | |
|-----|--|-----|-----|
| 434 | Body-surface adjusted aortic reference diameters for improved identification of patients with thoracic aortic aneurysms: results from the population-based Heinz Nixdorf Recall study. 2013 , 163, 72-8 | | 72 |
| 433 | Effects of aging and body size on proximal and ascending aorta and aortic arch: inner edge-to-inner edge reference values in a large adult population by two-dimensional transthoracic echocardiography. <i>Journal of the American Society of Echocardiography</i> , 2013 , 26, 419-27 | 5.8 | 42 |
| 432 | Prevalence of thoracic ascending aortic aneurysm in adult patients with known abdominal aortic aneurysm: an echocardiographic study. 2013 , 168, 3147-8 | | 8 |
| 431 | Increased risk for ascending aortic dilatation in patients with complex compared to simple aortic coarctation. 2013 , 167, 827-32 | | 6 |
| 430 | A review and critique of the statistical methods used to generate reference values in pediatric echocardiography. <i>Journal of the American Society of Echocardiography</i> , 2013 , 26, 29-37 | 5.8 | 59 |
| 429 | Echocardiographic methods, quality review, and measurement accuracy in a randomized multicenter clinical trial of Marfan syndrome. <i>Journal of the American Society of Echocardiography</i> , 2013 , 26, 657-66 | 5.8 | 43 |
| 428 | Dilation of peripheral vessels in Marfan syndrome: importance of thoracoabdominal MR angiography. 2013 , 167, 2928-31 | | 18 |
| 427 | Assessment of aortic root dimensions in patients with suspected Marfan syndrome: intraindividual comparison of contrast-enhanced and non-contrast magnetic resonance angiography with echocardiography. 2013 , 167, 190-6 | | 21 |
| 426 | The Kid-Short Marfan Score (Kid-SMS) - an easy executable risk score for suspected paediatric patients with Marfan syndrome. 2013 , 102, e84-9 | | 17 |
| 425 | Body surface area as a key determinant of aortic root and arch dimensions in a population-based study. 2013 , 5, 406-410 | | 2 |
| 424 | Outcome in adult patients after arterial switch operation for transposition of the great arteries. 2013 , 167, 2588-93 | | 61 |
| 423 | Comparison of incidence and predictors of left bundle branch block after transcatheter aortic valve implantation using the CoreValve versus the Edwards valve. <i>American Journal of Cardiology</i> , 2013 , 112, 554-9 | 3 | 102 |
| 422 | Helical flows and asymmetry of blood jet in dilated ascending aorta with normally functioning bicuspid valve. 2013 , 12, 801-13 | | 39 |
| 421 | Similarities and differences of the aortic root after arterial switch and ross operation in children. <i>American Journal of Cardiology</i> , 2013 , 111, 125-30 | 3 | 12 |
| 420 | Aortic dilatation and calcification in asymptomatic patients with bicuspid aortic valve: analysis in a Korean health screening population. 2013 , 29, 553-60 | | 5 |
| 419 | Focused physician-performed echocardiography in sports medicine: a potential screening tool for detecting aortic root dilatation in athletes. 2013 , 32, 2101-6 | | 9 |
| 418 | Losartan added to β -blockade therapy for aortic root dilation in Marfan syndrome: a randomized, open-label pilot study. 2013 , 88, 271-6 | | 120 |
| 417 | Genetics of ectopia lentis. 2013 , 28, 313-20 | | 31 |

| | | |
|-----|---|----|
| 416 | A clinical appraisal of different Z-score equations for aortic root assessment in the diagnostic evaluation of Marfan syndrome. 2013 , 15, 528-32 | 27 |
| 415 | Pediatric patients with Marfan syndrome: frequency of dural ectasia and its correlation with common cardiovascular manifestations. 2014 , 186, 61-6 | 5 |
| 414 | Patient age at the Ross operation in children influences aortic root dimensions and aortic regurgitation. 2013 , 4, 245-52 | 9 |
| 413 | Health supervision for children with Marfan syndrome. 2013 , 132, e1059-72 | 34 |
| 412 | Aortic valve anatomy and assessment by transesophageal echocardiography. 2013 , 117, 1286-90 | 1 |
| 411 | Aortic root dilatation in adults with surgically repaired tetralogy of fallot: a multicenter cross-sectional study. 2013 , 127, 172-9 | 80 |
| 410 | The impact of obstructive sleep apnea on aortic disease in Marfan's syndrome. 2013 , 86, 39-44 | 32 |
| 409 | A meta-analysis of aortic root size in elite athletes. 2013 , 127, 791-8 | 71 |
| 408 | Matrix metalloproteinase-2 and -9 levels in patients with dilated ascending aorta and bicuspid aortic valve. 2013 , 30, 121-6 | 5 |
| 407 | GenTAC registry report: gender differences among individuals with genetically triggered thoracic aortic aneurysm and dissection. 2013 , 161A, 779-86 | 28 |
| 406 | Screening of families of patients with left-sided cardiovascular anomalies. 2013 , 55, 555-60 | 5 |
| 405 | Assessing and addressing cardiovascular risk in adults with Turner syndrome. 2013 , 78, 639-45 | 38 |
| 404 | Apparent germline mosaicism for a novel 19p13.13 deletion disrupting NFIX and CACNA1A. 2013 , 161A, 1105-9 | 22 |
| 403 | Ross procedure in children: 17-year experience at a single institution. 2013 , 2, e000153 | 22 |
| 402 | Tetralogy of Fallot and aortic root disease. 2013 , 11, 233-8 | 5 |
| 401 | Positive correlation between the dysregulation of transforming growth factor- β and aneurysmal pathological changes in patients with Marfan syndrome. 2013 , 77, 952-8 | 20 |
| 400 | Clinical features differ substantially between Caucasian and Asian populations of Marfan syndrome. 2013 , 77, 2793-8 | 12 |
| 399 | Aortic root dilatation in essential hypertension: prevalence according to new reference values. 2013 , 31, 1189-95 | 21 |

- 398 Factors related to the need for surgery after the diagnosis of bicuspid aortic valve: one center's experience under a conservative approach. **2013**, 10, 176-82 11
- 397 Measurement of the Aortic Diameter in the Asymptomatic Korean Population: Assessment with Multidetector CT. **2013**, 69, 105 5
- 396 Evaluation of cardiovascular anomalies in patients with asymptomatic turner syndrome using multidetector computed tomography. **2013**, 28, 1169-73 13
- 395 Circulating transforming growth factor $\beta 1$ level in Japanese patients with Marfan syndrome. **2013**, 54, 23-6 12
- 394 Observational cohort study of ventricular arrhythmia in adults with Marfan syndrome caused by FBN1 mutations. **2013**, 8, e81281 36
- 393 Gonadal dysgenesis: ovarian function and reproductive health in Turner syndrome. 65-78
- 392 Ascending aortic dilatation, arterial stiffness and cardiac organ damage in essential hypertension. **2013**, 31, 109-16 33
- 391 Arterial hypertension and aortic root dilatation: an unsolved mystery. **2013**, 6-11
- 390 Quantitative and Semiquantitative Echocardiography. **2014**, 72-89
- 389 Early-onset osteoarthritis, Charcot-Marie-Tooth like neuropathy, autoimmune features, multiple arterial aneurysms and dissections: an unrecognized and life threatening condition. **2014**, 9, e96387 33
- 388 Cardiovascular Disease in Osteogenesis Imperfecta. **2014**, 329-334 1
- 387 Aneurysms and Dissections. **2014**, 191-217
- 386 Absence of significant aortic regurgitation seven years after closure of patent foramen ovale. **2014**, 4, 59-62
- 385 Retrospective analysis of the effect of angiotensin II receptor blocker versus β blocker on aortic root growth in paediatric patients with Marfan syndrome. **2014**, 100, 214-8 27
- 384 Comparison of the Ross/Ross-Konno aortic root in children before and after the age of 18 months. **2014**, 46, 450-7; discussion 457 25
- 383 The main pulmonary artery in adults: a controlled multicenter study with assessment of echocardiographic reference values, and the frequency of dilatation and aneurysm in Marfan syndrome. *Orphanet Journal of Rare Diseases*, **2014**, 9, 203 4.2 26
- 382 Collaghenopathies. **2014**, 361-373
- 381 Structural and functional left ventricular impairment in subjects with chronic spinal cord injury and no overt cardiovascular disease. **2014**, 37, 85-92 23

| | | | |
|-----|--|-----|-----|
| 380 | The David procedure for salvage of a failing autograft after the Ross operation. 2014 , 98, 2046-52 | | 16 |
| 379 | Screening of TGFBR1, TGFBR2, and FLNA in familial mitral valve prolapse. 2014 , 164A, 113-9 | | 9 |
| 378 | Towards an individualized approach to bicuspid aortopathy: different valve types have unique determinants of aortic dilatation. 2014 , 45, e118-24; discussion e124 | | 40 |
| 377 | Successful pregnancy outcome in a woman with Turner's syndrome. 2014 , 7, 126-7 | | 1 |
| 376 | Midterm follow up in patients with reduction ascending aortoplasty. <i>Journal of Cardiothoracic Surgery</i> , 2014 , 9, 120 | 1.6 | 5 |
| 375 | Echocardiographic aortic root dilatation in hypertensive patients: a systematic review and meta-analysis. 2014 , 32, 1928-35; discussion 1935 | | 44 |
| 374 | Aortic dilatation patterns and rates in adults with bicuspid aortic valves: a comparative study with Marfan syndrome and degenerative aortopathy. 2014 , 100, 126-34 | | 140 |
| 373 | Guidelines for performing a comprehensive transesophageal echocardiographic examination: recommendations from the American Society of Echocardiography and the Society of Cardiovascular Anesthesiologists. 2014 , 118, 21-68 | | 147 |
| 372 | The effects of positioning of transcatheter aortic valves on fluid dynamics of the aortic root. 2014 , 60, 545-552 | | 35 |
| 371 | Surgical treatment of bicuspid aortic valve disease: knowledge gaps and research perspectives. 2014 , 147, 1749-57, 1757.e1 | | 65 |
| 370 | Toward individualized management of the ascending aorta in bicuspid aortic valve surgery: the role of valve phenotype in 1362 patients. 2014 , 148, 2072-80 | | 41 |
| 369 | Aortic dilatation in children with systemic hypertension. 2014 , 8, 239-45 | | 13 |
| 368 | Midterm follow-up of the reimplantation technique in patients with relatively normal annulus: is David I still a clinically valid option?. 2014 , 148, 1334-40 | | 5 |
| 367 | Failed autograft after the ross procedure in children: management and outcome. 2014 , 98, 112-8 | | 12 |
| 366 | Observational study of regional aortic size referenced to body size: production of a cardiovascular magnetic resonance nomogram. 2014 , 16, 9 | | 57 |
| 365 | Diagnosis and treatment of Marfan syndrome: an update. 2014 , 100, 1382-91 | | 47 |
| 364 | Frequency of aortic dilation in Noonan syndrome. <i>American Journal of Cardiology</i> , 2014 , 113, 368-71 | 3 | 17 |
| 363 | Thoracic aortic aneurysm and dissection. 2014 , 64, 1725-39 | | 215 |

| | | | |
|-----|--|-----|------|
| 362 | βBlockers and angiotensin converting enzyme inhibitors: comparison of effects on aortic growth in pediatric patients with Marfan syndrome. 2014 , 165, 951-5 | | 15 |
| 361 | Normal values of aortic root dimensions in healthy adults. <i>American Journal of Cardiology</i> , 2014 , 114, 921-7 | 3 | 59 |
| 360 | Major adverse maternal cardiovascular-related events in those with aortopathies. What should we expect?. 2014 , 177, 229-34 | | 7 |
| 359 | Reference values for echocardiographic assessment of the diameter of the aortic root and ascending aorta spanning all age categories. <i>American Journal of Cardiology</i> , 2014 , 114, 914-20 | 3 | 112 |
| 358 | The ascending aorta with bicuspid aortic valve: a phenotypic classification with potential prognostic significance. 2014 , 46, 240-7; discussion 247 | | 58 |
| 357 | Controversies in Aortic Dissection and Aneurysmal Disease. 2014 , | | 1 |
| 356 | 2014 ESC Guidelines on the diagnosis and treatment of aortic diseases: Document covering acute and chronic aortic diseases of the thoracic and abdominal aorta of the adult. The Task Force for the Diagnosis and Treatment of Aortic Diseases of the European Society of Cardiology (ESC). 2014 , 35, 2873-926 | | 2334 |
| 355 | Study of phenotype evolution during childhood in Marfan syndrome to improve clinical recognition. 2014 , 16, 246-50 | | 37 |
| 354 | Identification of fibrillin 1 gene mutations in patients with bicuspid aortic valve (BAV) without Marfan syndrome. 2014 , 15, 23 | | 66 |
| 353 | Echocardiographic nomograms for ventricular, valvular and arterial dimensions in caucasian children with a special focus on neonates, infants and toddlers. <i>Journal of the American Society of Echocardiography</i> , 2014 , 27, 179-191.e2 | 5.8 | 35 |
| 352 | Relation between genotype and left-ventricular dilatation in patients with Marfan syndrome. 2014 , 534, 40-3 | | 25 |
| 351 | Ascending aorta diameters measured by echocardiography using both leading edge-to-leading edge and inner edge-to-inner edge conventions in healthy volunteers. <i>European Heart Journal Cardiovascular Imaging</i> , 2014 , 15, 415-22 | 4.1 | 59 |
| 350 | Analysis of the aortic root in patients with tetralogy of Fallot undergoing early repair: form follows function. 2014 , 148, 1555-9 | | 16 |
| 349 | A novel fibrillin 1 gene mutation leading to marfan syndrome with minimal cardiac features. 2014 , 5, 236-40 | | 4 |
| 348 | Impact of methodology and the use of allometric scaling on the echocardiographic assessment of the aortic root and arch: a study by the Research and Audit Sub-Committee of the British Society of Echocardiography. 2014 , 1, 1-9 | | 9 |
| 347 | Eligibility and Disqualification Recommendations for Competitive Athletes With Cardiovascular Abnormalities: Task Force 7: Aortic Diseases, Including Marfan Syndrome: A Scientific Statement From the American Heart Association and American College of Cardiology. 2015 , 132, e303-9 | | 39 |
| 346 | Familial Incidence of Cardiovascular Malformations in Hypoplastic Left Heart Syndrome. <i>American Journal of Cardiology</i> , 2015 , 116, 1762-6 | 3 | 15 |
| 345 | Diagnostic performance of focused cardiac ultrasound performed by emergency physicians for the assessment of ascending aorta dilation and aneurysm. 2015 , 22, 536-41 | | 7 |

| | | | |
|-----|---|-----|------|
| 344 | Cardiovascular and Musculoskeletal Assessment of Elite US Volleyball Players. 2015 , 25, 546-50 | | 6 |
| 343 | Thoracic aortopathies in the military patient. 2015 , 161, 230-6 | | 1 |
| 342 | Clinical and genetic aspects of bicuspid aortic valve: a proposed model for family screening based on a review of literature. 2015 , 5, | | |
| 341 | Hemodynamic Correlates of Abnormal Aortic Root Dimension in an Adult Population: The Strong Heart Study. 2015 , 4, e002309 | | 20 |
| 340 | Screening for Familial Thoracic Aortic Aneurysms with Aortic Imaging Does Not Detect All Potential Carriers of the Disease. 2015 , 3, 1-8 | | 8 |
| 339 | Perspectives on the revised Ghent criteria for the diagnosis of Marfan syndrome. 2015 , 8, 137-55 | | 88 |
| 338 | Kid-Short Marfan Score (Kid-SMS) Is a Useful Diagnostic Tool for Stratifying the Pre-Test Probability of Marfan Syndrome in Childhood. 2015 , 3, 24-33 | | 1 |
| 337 | Genetic and Environmental Effects on the Abdominal Aortic Diameter Development. 2016 , 106, 13-7 | | 2 |
| 336 | Recommendations for cardiac chamber quantification by echocardiography in adults: an update from the American Society of Echocardiography and the European Association of Cardiovascular Imaging. <i>European Heart Journal Cardiovascular Imaging</i> , 2015 , 16, 233-70 | 4.1 | 3615 |
| 335 | The clinical presentation of Marfan syndrome is modulated by expression of wild-type FBN1 allele. 2015 , 24, 2764-70 | | 35 |
| 334 | Marfan Sartan: a randomized, double-blind, placebo-controlled trial. 2015 , 36, 2160-6 | | 134 |
| 333 | Aortopathy associated with congenital heart disease: A current literature review. 2015 , 8, 25-36 | | 22 |
| 332 | Effect of statins on aortic root growth rate in patients with bicuspid aortic valve anatomy. 2015 , 31, 1583-90 | | 7 |
| 331 | Aortic Size Distribution in the General Population: Explaining the Size Paradox in Aortic Dissection. 2015 , 131, 265-72 | | 42 |
| 330 | Recommendations for cardiac chamber quantification by echocardiography in adults: an update from the American Society of Echocardiography and the European Association of Cardiovascular Imaging. <i>Journal of the American Society of Echocardiography</i> , 2015 , 28, 1-39.e14 | 5.8 | 6118 |
| 329 | Multimodality imaging of diseases of the thoracic aorta in adults: from the American Society of Echocardiography and the European Association of Cardiovascular Imaging: endorsed by the Society of Cardiovascular Computed Tomography and Society for Cardiovascular Magnetic Resonance. <i>Journal of the American Society of Echocardiography</i> , 2015 , 28, 119-82 | 5.8 | 347 |
| 328 | Early and medium term results of the sleeve valve-sparing procedure for aortic root ectasia. 2015 , 99, 1228-33 | | 18 |
| 327 | Thoracic aorta 3D hemodynamics in pediatric and young adult patients with bicuspid aortic valve. 2015 , 42, 954-63 | | 30 |

| | | | |
|-----|---|-----|----|
| 326 | Electrocardiographic and electrophysiological predictors of atrioventricular block after transcatheter aortic valve replacement. 2015 , 12, 321-9 | | 59 |
| 325 | Guía ESC 2014 sobre diagnóstico y tratamiento de la patología de la aorta. 2015 , 68, 242.e1-242.e69 | | 4 |
| 324 | The New Dimension in Aortic Measurements - Use of the Inner Edge Measurement for the Thoracic Aorta in Australian Patients. <i>Heart Lung and Circulation</i> , 2015 , 24, 1104-10 | 1.8 | 5 |
| 323 | Determinants of Aortic Root Dilatation and Reference Values Among Young Adults Over a 20-Year Period: Coronary Artery Risk Development in Young Adults Study. 2015 , 66, 23-9 | | 29 |
| 322 | Clinical Stratification of Pediatric Patients with Idiopathic Thoracic Aortic Aneurysm. 2015 , 167, 131-7.e1-5 | | 7 |
| 321 | Imaging of cardiovascular risk in patients with Turner's syndrome. 2015 , 70, 803-14 | | 21 |
| 320 | Role of Computed Tomography in Assessment of the Thoracic Aorta. 2015 , 17, 395 | | 8 |
| 319 | Diseases of the Aorta in Elite Athletes. 2015 , 34, 461-72 | | 2 |
| 318 | Bicuspid valve-related aortic disease: flow assessment with conventional phase-contrast MRI. 2015 , 22, 690-6 | | 17 |
| 317 | Long-term results of the Ross procedure in a population-based follow-up. 2015 , 47, e164-70 | | 18 |
| 316 | Comparison of Cine-MRI and Transthoracic Echocardiography for the Assessment of Aortic Root Diameters in Patients with Suspected Marfan Syndrome. 2015 , 187, 1022-8 | | 5 |
| 315 | Coronary flow velocity reserve in patients with ascending aorta aneurysm. 2015 , 32, 975-82 | | 1 |
| 314 | Coupling between MRI-assessed regional aortic pulse wave velocity and diameters in patients with thoracic aortic aneurysm: a feasibility study. 2015 , 23, 493-501 | | 6 |
| 313 | Thoracic aortic aneurysms and pregnancy. 2015 , 44, 1126-35 | | 13 |
| 312 | Usefulness of aortic knob width on chest radiography to predict central hemodynamics in patients with known or suspected coronary artery disease. 2015 , 37, 440-4 | | 6 |
| 311 | Bicuspid aortic valve aortopathy in adults: Incidence, etiology, and clinical significance. 2015 , 201, 400-7 | | 89 |
| 310 | Eligibility and Disqualification Recommendations for Competitive Athletes With Cardiovascular Abnormalities: Task Force 7: Aortic Diseases, Including Marfan Syndrome: A Scientific Statement From the American Heart Association and American College of Cardiology. 2015 , 66, 2398-2405 | | 54 |
| 309 | Surgical anatomy of the aortic root: implication for valve-sparing reimplantation and aortic valve annuloplasty. 2015 , 149, 425-33 | | 69 |

| | | |
|-----|---|--------|
| 308 | Bias related to body mass index in pediatric echocardiographic Z scores. 2015 , 36, 667-76 | 28 |
| 307 | A Case Based Approach to Clinical Genetics of Thoracic Aortic Aneurysm/Dissection. 2016 , 2016, 9579654 | 8 |
| 306 | Should patients undergo ascending aortic replacement with concomitant cardiac surgery?. 2016 , 27, 338-344 | 4 |
| 305 | Diagnostic Accuracy of Aortic Root Cross-sectional Area/Height Ratio in Children and Young Adults with Marfan and Loeys-Dietz Syndrome. 2016 , 11, 276-82 | 4 |
| 304 | Computed Tomographic Angiography in the Assessment of Congenital Heart Disease and Coronary Artery Anomalies. 2016 , 429-454 | 0 |
| 303 | Relationship between aortic root size and glomerular filtration rate in hypertensive patients. 2016 , 34, 1232-3 | 1 |
| 302 | Strengths and Limitations of Current Adult Nomograms for the Aorta Obtained by Noninvasive Cardiovascular Imaging. 2016 , 33, 1046-68 | 5 |
| 301 | Cardiac CT Imaging. 2016 , | 4 |
| 300 | Diagnosis and Management of Marfan Syndrome. 2016 , | 0 |
| 299 | The effect of losartan on progressive aortic dilatation in patients with Marfan's syndrome: a meta-analysis of prospective randomized clinical trials. 2016 , 217, 190-4 | 27 |
| 298 | Circulating endothelial microparticles are elevated in bicuspid aortic valve disease and related to aortic dilation. 2016 , 217, 35-41 | 14 |
| 297 | Reference Values of Aortic Root in Male and Female White Elite Athletes According to Sport. <i>Circulation: Cardiovascular Imaging</i> , 2016 , 9, | 3.9 41 |
| 296 | Connective Tissue Disorders. 2016 , 624-640 | |
| 295 | Dilatation and Dysfunction of the Neo-aortic Root and in 76 Patients After the Ross Procedure. 2016 , 37, 1175-83 | 5 |
| 294 | Statin Use and Aneurysm Risk in Patients With Bicuspid Aortic Valve Disease. 2016 , 39, 41-7 | 13 |
| 293 | Out of proportion proximal aortic remodeling: A subclinical marker of early vascular ageing? A systematic review. 2016 , 223, 999-1006 | 9 |
| 292 | The Relationship Between Aortic Root Size and Hypertension: An Unsolved Conundrum. 2017 , 956, 427-445 | 10 |
| 291 | Aortic root dilatation in the children and young adults: prevalence, determinants, and association with target organ damage. 2016 , 10, 782-789 | 4 |

| | | | |
|-----|---|-----|----|
| 290 | Effect of Aortic Valve Replacement on Aortic Root Dilatation Rate in Patients With Bicuspid and Tricuspid Aortic Valves. 2016 , 102, 1981-1987 | | 23 |
| 289 | Aortale Bildgebung als Schlüssel zur Therapie genetischer Aortenerkrankungen. 2016 , 21, 411-417 | | |
| 288 | Prevalence of left atrial enlargement and its risk factors in general Chinese population. 2016 , 16, 53 | | 9 |
| 287 | Epiaortic fat pad area: A novel index for the dimensions of the ascending aorta. 2016 , 21, 191-8 | | 1 |
| 286 | The role of annular dimension and annuloplasty in tricuspid aortic valve repair. 2016 , 49, 428-37; discussion 437-8 | | 62 |
| 285 | Twenty-year experience with the Ross-Konno procedure. 2016 , 49, 1564-70 | | 9 |
| 284 | Quadricuspid Aortic Valve: Characteristics, Associated Structural Cardiovascular Abnormalities, and Clinical Outcomes. 2016 , 133, 312-9 | | 72 |
| 283 | The Need for Standardized Methods for Measuring the Aorta: Multimodality Core Lab Experience From the GenTAC Registry. 2016 , 9, 219-26 | | 38 |
| 282 | Multimodality Noninvasive Imaging of Thoracic Aortic Aneurysms: Time to Standardize?. 2016 , 32, 48-59 | | 19 |
| 281 | Overview of current surgical strategies for aortic disease in patients with Marfan syndrome. 2016 , 46, 1006-18 | | 12 |
| 280 | Normal Values and Differences in Ascending Aortic Diameter in a Healthy Population of Adults as Measured by the Pediatric versus Adult American Society of Echocardiography Guidelines. <i>Journal of the American Society of Echocardiography</i> , 2016 , 29, 166-72 | 5.8 | 15 |
| 279 | The role of multimodality imaging in the selection of patients for aortic valve repair. 2016 , 14, 75-86 | | 2 |
| 278 | Two-dimensional transthoracic echocardiographic normal reference ranges for proximal aorta dimensions: results from the EACVI NORRE study. <i>European Heart Journal Cardiovascular Imaging</i> , 2017 , 18, 167-179 | 4.1 | 51 |
| 277 | Measurement of Aortic Valve Coaptation and Effective Height Using Echocardiography in Patients with Ventricular Septal Defects and Aortic Valve Prolapse. 2017 , 38, 608-616 | | 1 |
| 276 | Adaptación de la aorta al entrenamiento. Perspectiva fisiológica. 2017 , 52, 3-9 | | 1 |
| 275 | Value of serum N-terminal B-type natriuretic peptide in asymptomatic structural heart disease in Taiwanese population: Comparisons with current ESC Guidelines. 2017 , 231, 195-200 | | 5 |
| 274 | Aortic root dimensions are predominantly determined by genetic factors: a classical twin study. 2017 , 27, 2419-2425 | | 2 |
| 273 | Normative Values of Aortic Arch Structures in Premature Infants. <i>Journal of the American Society of Echocardiography</i> , 2017 , 30, 227-232 | 5.8 | 1 |

| | | | |
|-----|--|-----|-----|
| 272 | A correlative study of aortic valve rotation angle and thoracic aortic sizes using ECG gated CT angiography. 2017 , 89, 60-66 | | 14 |
| 271 | Sex Differences in Phenotypes of Bicuspid Aortic Valve and Aortopathy: Insights From a Large Multicenter, International Registry. <i>Circulation: Cardiovascular Imaging</i> , 2017 , 10, | 3.9 | 33 |
| 270 | The impact of body weight on the diagnosis of aortic dilation-misdiagnosis in overweight and underweight groups. 2017 , 34, 1029-1034 | | 8 |
| 269 | Transthoracic Echocardiography versus Computed Tomography for Ascending Aortic Measurements in Patients with Bicuspid Aortic Valve. <i>Journal of the American Society of Echocardiography</i> , 2017 , 30, 625-635 | 5.8 | 24 |
| 268 | Marfan Syndrome: Always Evolving. 2017 , 10, | | 1 |
| 267 | Outcomes in Transcatheter Aortic Valve Replacement for Bicuspid Versus Tricuspid Aortic Valve Stenosis. 2017 , 69, 2579-2589 | | 240 |
| 266 | Aortic assessment of bicuspid aortic valve patients and their first-degree relatives. 2017 , 25, 192-198 | | 1 |
| 265 | Gothic aortic arch and cardiac mechanics in young patients after arterial switch operation for d-transposition of the great arteries. 2017 , 241, 163-167 | | 6 |
| 264 | Diagnosis of a pericardial effusion with a thoracic aortic aneurysm by point-of-care ultrasound. 2017 , 19, 71-74 | | |
| 263 | Characterization of blood flow through intrapulmonary arteriovenous anastomoses and patent foramen ovale at rest and during exercise in stroke and transient ischemic attack patients. 2017 , 34, 676-682 | | 4 |
| 262 | Athletes and the Aorta: Normal Adaptations and the Diagnosis and Management of Pathology. 2017 , 19, 88 | | 9 |
| 261 | Progressive aortic root dilatation in pediatric heart transplant recipients. 2017 , 34, 1035-1039 | | |
| 260 | Thoracic aortic aneurysms: state of the art and current controversies. 2017 , 15, 667-680 | | 5 |
| 259 | Factors associated with aortic root dilatation after surgically repaired ventricular septal defect. 2017 , 34, 1203-1209 | | 2 |
| 258 | Increased blood levels of transforming growth factor β in patients with aortic dilatation. 2017 , 25, 571-574 | | 5 |
| 257 | Abdominal Aorta Dilatation and Cardiovascular Outcomes: Another Dimension of Arterial Age?. <i>Circulation: Cardiovascular Imaging</i> , 2017 , 10, | 3.9 | 1 |
| 256 | Automatic measurement of the sinus of Valsalva by image analysis. 2017 , 148, 123-135 | | |
| 255 | Anatomy of the aortic root: implications for aortic root reconstruction. 2017 , 65, 488-499 | | 7 |

| | | |
|-----|---|-----|
| 254 | Acute effect of static exercise in patients with aortic regurgitation assessed by cardiovascular magnetic resonance: role of left ventricular remodelling. 2017 , 27, 1424-1430 | 1 |
| 253 | Early Prognosis of Reduction Ascending Aortoplasty in Patients With Aortic Valve Disease: A Single Center's Experience. 2017 , 103, 511-516 | 10 |
| 252 | Fibrillin 2 is upregulated in the ascending aorta of patients with bicuspid aortic valve. 2017 , 51, 104-111 | 4 |
| 251 | Adult echocardiographic nomograms: overview, critical review and creation of a software for automatic, fast and easy calculation of normal values. 2017 , 9, 5404-5422 | 2 |
| 250 | Normal abdominal aorta diameter in infants, children and adolescents. 2018 , 60, 455-460 | 5 |
| 249 | Thiol/disulphide homeostasis in thoracic aortic aneurysm and acute aortic syndrome. 2018 , 12, 349-358 | 3 |
| 248 | Aortic Valvuloplasty or Rootplasty for Aortic Regurgitation. 2018 , 21, 33-40 | 4 |
| 247 | European Association of Preventive Cardiology (EAPC) and European Association of Cardiovascular Imaging (EACVI) joint position statement: recommendations for the indication and interpretation of cardiovascular imaging in the evaluation of the athlete's heart. 2018 , 39, 1949-1969 | 118 |
| 246 | Visceral fat index/percentage body fat ratio is independently associated with proximal aortic dilatation in a middle-aged and aged Chinese population in Liujiang of Guangxi. 2018 , 268, 19-26 | 3 |
| 245 | Consensus on Perioperative Transesophageal Echocardiography of the Brazilian Society of Anesthesiology and the Department of Cardiovascular Image of the Brazilian Society of Cardiology. 2018 , 68, 1-32 | |
| 244 | Yield of family screening in patients with isolated bicuspid aortic valve in a general hospital. 2018 , 255, 55-58 | 7 |
| 243 | Mid-term Outcome of 100 Consecutive Ross Procedures: Excellent Survival, But Yet to Be a Cure. 2018 , 39, 595-603 | 3 |
| 242 | Free margin length and coaptation surface area in normal tricuspid aortic valve: an anatomical study. 2018 , 53, 1040-1048 | 21 |
| 241 | Distinct variants affecting differential splicing of TGFBR1 exon 5 cause either Loays-Dietz syndrome or multiple self-healing squamous epithelioma. 2018 , 26, 1151-1158 | 10 |
| 240 | The Pulmonary Artery in Pediatric Patients with Marfan Syndrome: An Underestimated Aspect of the Disease. 2018 , 39, 1194-1199 | 9 |
| 239 | Aortic elongation part I: the normal aortic ageing process. 2018 , 104, 1772-1777 | 39 |
| 238 | Peripartum type B aortic dissection in patients with Marfan syndrome who underwent aortic root replacement: a case series study. 2018 , 125, 487-493 | 20 |
| 237 | Ventricular-arterial coupling in centenarians without cardiovascular diseases. 2018 , 30, 367-373 | 3 |

| | | | |
|-----|--|-----|----|
| 236 | Ascending aorta dilatation rates in patients with tricuspid and bicuspid aortic stenosis: the COFRASA/GENERAC study. <i>European Heart Journal Cardiovascular Imaging</i> , 2018 , 19, 792-799 | 4.1 | 9 |
| 235 | Inter-ethnic differences in valve morphology, valvular dysfunction, and aortopathy between Asian and European patients with bicuspid aortic valve. 2018 , 39, 1308-1313 | | 29 |
| 234 | Isolated aortic root dilation in homocystinuria. 2018 , 41, 109-115 | | 7 |
| 233 | [Consensus on Perioperative Transesophageal Echocardiography of the Brazilian Society of Anesthesiology and the Department of Cardiovascular Image of the Brazilian Society of Cardiology]. 2018 , 68, 1-32 | | 7 |
| 232 | A Comparative Study of Histopathological Changes in the Ascending Aorta and the Risk Factors Related to Histopathological Conditions and Aortic Dilatation in Patients With Tetralogy of Fallot and a Functionally Univentricular Heart. <i>Heart Lung and Circulation</i> , 2018 , 27, 1004-1010 | 1.8 | 1 |
| 231 | Normal reference ranges for aortic diameters in preterm infants. 2018 , 30, 86-94 | | |
| 230 | Aortic sinus diameter in middle age is associated with body size in young adulthood. 2018 , 104, 773-778 | | 1 |
| 229 | Technological Advancements in Echocardiographic Assessment of Thoracic Aortic Dilatation: Head to Head Comparison Among Multidetector Computed Tomography, 2-Dimensional, and 3-Dimensional Echocardiography Measurements. 2018 , 33, 232-239 | | 7 |
| 228 | Evaluation of the impact of aortic root dimension on arterial stiffness in the general population: insights from a large Asian population. 2018 , 36, 1944-1945 | | 1 |
| 227 | Cardiac Phenotypes in Hereditary Muscle Disorders: JACC State-of-the-Art Review. 2018 , 72, 2485-2506 | | 42 |
| 226 | Aortic disease and interventions in adults with tetralogy of Fallot. 2019 , 105, 926-931 | | 9 |
| 225 | Bicuspid Aortic Valve: Role of Multiple Gene Variants in Influencing the Clinical Phenotype. 2018 , 2018, 8386123 | | 4 |
| 224 | The Usefulness of Magnetic Resonance Imaging of the Cardiovascular System in the Diagnostic Work-Up of Patients With Turner Syndrome. 2018 , 9, 609 | | 3 |
| 223 | Cardiovascular Health in Turner Syndrome: A Scientific Statement From the American Heart Association. 2018 , 11, e000048 | | 70 |
| 222 | Pregnancy Outcomes in Women With Transposition of the Great Arteries After an Arterial Switch Operation. 2018 , 3, 1119-1122 | | 6 |
| 221 | Aortic elasticity deterioration proves intrinsic abnormality of the ascending aorta in pediatric Turner syndrome unrelated to the aortic valve morphology. 2018 , 33, 1350-1357 | | 6 |
| 220 | Reference Values for Mid-Ascending Aorta Diameters by Transthoracic Echocardiography in Adults. <i>American Journal of Cardiology</i> , 2018 , 122, 1068-1073 | 3 | 2 |
| 219 | Aortic dilatation after tetralogy of Fallot repair: A ghost from the past or a problem in the future?. 2018 , 37, 549-557 | | 5 |

| | | | |
|-----|--|---|-----|
| 218 | Aortic dilatation in repaired tetralogy of Fallot: Can an old problem be solved?. 2018 , 37, 559-561 | | |
| 217 | Predictors of Rapid Aortic Root Dilation and Referral for Aortic Surgery in Marfan Syndrome. 2018 , 39, 1453-1461 | | 10 |
| 216 | Correction: Sex, pregnancy and aortic disease in Marfan syndrome. 2018 , 13, e0197631 | | 1 |
| 215 | Association of modifiers and other genetic factors explain Marfan syndrome clinical variability. 2018 , 26, 1759-1772 | | 43 |
| 214 | Systematic Review of Studies That Have Evaluated Screening Tests in Relatives of Patients Affected by Nonsyndromic Thoracic Aortic Disease. 2018 , 7, e009302 | | 18 |
| 213 | The American Association for Thoracic Surgery consensus guidelines on bicuspid aortic valve-related aortopathy: Full online-only version. 2018 , 156, e41-e74 | | 109 |
| 212 | Clinical and Echocardiographic Prevalence and Detection of Congenital and Acquired Cardiac Abnormalities in Girls and Women with the Turner Syndrome. <i>American Journal of Cardiology</i> , 2018 , 122, 327-330 | 3 | 9 |
| 211 | Aortic dilatation after tetralogy of Fallot repair: A ghost from the past or a problem in the future?. 2018 , 37, 549-557 | | 1 |
| 210 | Aortic dilatation in repaired tetralogy of Fallot: Can an old problem be solved?. 2018 , 37, 559-561 | | |
| 209 | Full Issue PDF. 2018 , 11, e431-e582 | | |
| 208 | Multimodality Imaging of Thoracic Aortic Diseases in Adults. 2018 , 11, 902-919 | | 27 |
| 207 | Impact of Pathogenic Variant Types on the Progression of Aortic Disease in Patients With Marfan Syndrome. 2018 , 11, e002058 | | 27 |
| 206 | Ascending aorta in tetralogy of Fallot: Beyond echocardiographic dimensions. 2018 , 35, 1362-1369 | | 9 |
| 205 | Aortic root size is associated with nocturnal blood pressure in a population of hypertensive patients under treatment for obstructive sleep apnea. 2019 , 23, 439-446 | | 1 |
| 204 | Diseases of the Aorta. 2019 , 354-368.e1 | | 2 |
| 203 | Role of lipoprotein (a) and LPA KIV2 repeat polymorphism in bicuspid aortic valve stenosis and calcification: a proof of concept study. 2019 , 14, 45-50 | | 7 |
| 202 | Ascending aorta and aortic root replacement (with or without valve sparing) in early childhood: surgical strategies and long-term outcomes. 2020 , 57, 373-379 | | 1 |
| 201 | Immersogeometric fluid-structure interaction modeling and simulation of transcatheter aortic valve replacement. 2019 , 357, | | 23 |

| | | |
|-----|---|-----|
| 200 | Predictive imaging for thoracic aortic dissection and rupture: moving beyond diameters. 2019 , 29, 6396-6404 | 26 |
| 199 | Patterns of ascending aortic dilatation and predictors of surgical replacement of the aorta: A comparison of bicuspid and tricuspid aortic valve patients over eight years of follow-up. 2019 , 135, 31-39 | 9 |
| 198 | Renal-aortic ratio as an objective measure of renal artery diameter a computed tomography angiography study. 2019 , 19, 181 | |
| 197 | Exploring the Aortic Root Diameter and Left Ventricle Size Among Lithuanian Athletes. 2019 , 55, | 0 |
| 196 | Activation of TGF- β signaling in an aortic aneurysm in a patient with Loeys-Dietz syndrome caused by a novel loss-of-function variant of. 2019 , 6, 6 | 8 |
| 195 | Seno-destructive smooth muscle cells in the ascending aorta of patients with bicuspid aortic valve disease. 2019 , 43, 54-66 | 17 |
| 194 | Differences in Echocardiographic Measures of Aortic Dimensions by Race. <i>American Journal of Cardiology</i> , 2019 , 123, 2015-2021 | 3 1 |
| 193 | Long-Term Growth of the Neoaortic Root After Arterial Switch Operation. 2019 , 107, 1203-1211 | 1 |
| 192 | Arterial Stiffness and Endothelial Function in Young Obese Patients - Vascular Resistance Matters. 2019 , 26, 1015-1025 | 17 |
| 191 | Echocardiographic measurements of aortic root diameter (ARD) in collegiate football Athletes at pre-participation evaluation. 2019 , 5, e000546 | 2 |
| 190 | Maternal and Fetal Cardiovascular Disease. 2019 , | |
| 189 | Differences in Cardiovascular Manifestation of Marfan Syndrome Between Children and Adults. 2019 , 40, 393-403 | 17 |
| 188 | Assessment of Systemic Blood Flow and Myocardial Function in the Neonatal Period Using Ultrasound. 2019 , 191-204 | |
| 187 | Scaling to produce size-independent indices of echocardiographic derived aortic root dimensions in elite Rugby Football League players. 2019 , 27, 94-100 | 3 |
| 186 | Characterization of aortic root geometry in transcatheter aortic valve replacement patients. 2019 , 93, 134-140 | 8 |
| 185 | High prevalence of ascending aortic dilatation in a consecutive coronary CT angiography patient population. 2020 , 30, 1079-1087 | 7 |
| 184 | Late management of the aortic root after repair of tetralogy of Fallot: A European multicentre study. 2020 , 35, 40-47 | 4 |
| 183 | Incidence of cardiovascular events and risk markers in a prospective study of children diagnosed with Marfan syndrome. 2020 , 113, 40-49 | 5 |

| | | | |
|-----|--|-----|----|
| 182 | Correlation Between Total Repair Timing and Late Aortic Root Dilatation in Repaired Tetralogy of Fallot. 2020 , 41, 1501-1508 | | 0 |
| 181 | [Aortic stenosis-which diagnostic algorithms and which treatment?]. 2020 , 45, 703-714 | | 0 |
| 180 | Low correlation between biometric parameters, cardiovascular risk factors and aortic dimensions by computed tomography coronary angiography. 2020 , 99, e21891 | | 3 |
| 179 | Diagnosis and Surveillance of Aortic Root Dilatation. 2020 , | | |
| 178 | Retinal and Choroidal Vasculature in Patients with Marfan Syndrome. 2020 , 9, 5 | | 3 |
| 177 | Marfan syndrome revisited: From genetics to clinical practice. 2020 , 39, 215-226 | | |
| 176 | Sinus of Valsalva Aneurysms: A Review with Perioperative Considerations. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2021 , 35, 3340-3349 | 2.1 | 1 |
| 175 | Recommendations on the Use of Multimodality Cardiovascular Imaging in Young Adult Competitive Athletes: A Report from the American Society of Echocardiography in Collaboration with the Society of Cardiovascular Computed Tomography and the Society for Cardiovascular Magnetic Resonance. <i>Journal of the American Society of Echocardiography</i> , 2020 , 33, 523-543 | 5.8 | 25 |
| 174 | Inherited Thoracic Aortic Disease: New Insights and Translational Targets. 2020 , 141, 1570-1587 | | 16 |
| 173 | An ultrasound-based approach for the characterization of fluid-structure interaction of large arterial vessels. 2020 , 61, 1 | | |
| 172 | A Case of Trisomy 13 Mosaicism Presenting with a Severe Aortic Root Dilatation and Marfanoid Habitus due to an Unpredictable Cytogenetic Mechanism. 2020 , 160, 72-79 | | 0 |
| 171 | Epicardial adipose tissue is a predictor of ascending aortic dilatation in hypertensive patients, but not paracardial adipose tissue. 2020 , 20, 142 | | 3 |
| 170 | Sinus of Valsalva Aneurysms: A State-of-the-Art Imaging Review. <i>Journal of the American Society of Echocardiography</i> , 2020 , 33, 295-312 | 5.8 | 12 |
| 169 | The science of BAV aortopathy. 2020 , 63, 465-474 | | 7 |
| 168 | Normal right and left ventricular volumes prospectively obtained from cardiovascular magnetic resonance in awake, healthy, 0- 12 year old children. 2020 , 22, 11 | | 6 |
| 167 | The TAGA Study: A Study of Factors Determining Aortic Diameter in Families at High Risk of Abdominal Aortic Aneurysm Reveal Two New Candidate Genes. 2020 , 9, | | 0 |
| 166 | A smaller heart-aorta-angle associates with ascending aortic dilatation and increases wall shear stress. 2020 , 30, 5149-5157 | | 8 |
| 165 | Subcoronary Ross/Ross-Konno operation in children and young adults: initial single-centre experience. 2021 , 59, 226-233 | | 1 |

| | | | |
|-----|---|-----|----|
| 164 | Dilatation of the Ascending Aorta in Turner Syndrome: Influence of Bicuspid Aortic Valve Morphology and Body Composition. <i>Heart Lung and Circulation</i> , 2021 , 30, e29-e36 | 1.8 | 1 |
| 163 | Bicuspid aortic valve and sports: From the echocardiographic evaluation to the eligibility for sports competition. 2021 , 31, 510-520 | | 3 |
| 162 | Artificial intelligence assistance improves reporting efficiency of thoracic aortic aneurysm CT follow-up. 2021 , 134, 109424 | | 7 |
| 161 | Prevalence and Clinical Correlates of Aortic Dilation in Hypertrophic Cardiomyopathy. <i>Journal of the American Society of Echocardiography</i> , 2021 , 34, 279-285 | 5.8 | 1 |
| 160 | Anatomical factors influencing traditional abdominal examination in Kampo diagnosis: Analysis by computed tomography. 2021 , 8, 22-28 | | 0 |
| 159 | Aortic dimensions as predictors of adverse events. 2021 , 161, 1193-1197 | | 9 |
| 158 | Inter-operative determination of the aortic root and cusp geometry associated with the aortic regurgitation grade. 2021 , 51, 384-390 | | |
| 157 | A Case of Paradoxical Cerebellar Embolism Associated with Platypnea-orthodeoxia Syndrome. 2021 , , | | |
| 156 | Analysis of Axial Length in Young Patients with Marfan Syndrome and Bilateral Ectopia Lentis by Z-Scores. 2021 , 64, 811-819 | | 2 |
| 155 | Transcatheter Aortic Valve Replacement in Bicuspid Aortic Valve Stenosis. 2021 , 143, 1043-1061 | | 20 |
| 154 | Is Aortic Z-score an Appropriate Index of Beneficial Drug Effect in Clinical Trials in Aortic Aneurysm Disease?. <i>American Journal of Cardiology</i> , 2021 , 143, 145-153 | 3 | 1 |
| 153 | Obstructive Sleep Apnea, Palatal Morphology, and Aortic Dilatation in Marfan Syndrome Growing Subjects: A Retrospective Study. 2021 , 18, | | 3 |
| 152 | Comparability of different Z-score equations for aortic root dimensions in children with Marfan syndrome. 2021 , 31, 1962-1968 | | 2 |
| 151 | Aortic root measurement on CT: linear dimensions, aortic root area and comparison with echocardiography. A retrospective cross sectional study. 2021 , 94, 20201232 | | 1 |
| 150 | Indirect ultrasound evaluation of left ventricular outflow tract diameter implications for heart failure and aortic stenosis severity assessment. 2021 , 38, 1104-1114 | | 0 |
| 149 | Left ventricular function and cardiac valvar annular dimensions among children with sickle cell anemia compared to those with hemoglobin AA type in Enugu, Nigeria. 2021 , 33, 127-134 | | 1 |
| 148 | Aortic annuloplasty: Subcommissural, intra-annular suture techniques, external and internal rings. 2021 , 7, 98-102 | | 4 |
| 147 | Multimodality imaging assessment of bicuspid aortic valve disease, thoracic aortic ectasia, and thoracic aortic aneurysmal disease. 2021 , 11, 896-910 | | |

| | | |
|-----|---|---|
| 146 | Adolescents with bicuspid aortic valve: Which criteria should we use for aortic dilatation?. 2021 , 333, 90-93 | 1 |
| 145 | Relationship between the aortic root Z-score and degree of translamellar mucoid extracellular matrix accumulation. 2021 , 1 | |
| 144 | Transthoracic echocardiographic reference values of the aortic root: results from the Hamburg City Health Study. 2021 , 37, 3513-3524 | 1 |
| 143 | Importance of complex blood flow in the assessment of aortic regurgitation severity using phase contrast magnetic resonance imaging. 2021 , 37, 3561-3572 | 2 |
| 142 | Aortic root dimensions as a correlate for aortic regurgitation's severity. 2021 , 37, 3439-3449 | 2 |
| 141 | International consensus statement on nomenclature and classification of the congenital bicuspid aortic valve and its aortopathy, for clinical, surgical, interventional and research purposes. 2021 , 60, 448-476 | 5 |
| 140 | Clinical manifestations and genetic characteristics in the Taiwan thoracic aortic aneurysm and dissection cohort - a prospective cohort study. 2021 , | 0 |
| 139 | International Consensus Statement on Nomenclature and Classification of the Congenital Bicuspid Aortic Valve and Its Aortopathy, for Clinical, Surgical, Interventional and Research Purposes. 2021 , 3, e200496 | 2 |
| 138 | Echocardiography in Women: How Are Mars and Venus Different?. 2021 , 23, 149 | 0 |
| 137 | Potential role of an athlete-focused echocardiogram in sports eligibility. 2021 , 13, 271-297 | 8 |
| 136 | Surgical options for aortic root aneurysm disease: which procedure, which patient. 2021 , 36, 683-688 | |
| 135 | Connective Tissue Disorders. 2021 , 700-727 | |
| 134 | Differential Diagnosis between Marfan Syndrome and Loeys-Dietz Syndrome Type 4: A Novel Chromosomal Deletion Covering TGFB2. 2021 , 12, | 0 |
| 133 | International Consensus Statement on Nomenclature and Classification of the Congenital Bicuspid Aortic Valve and Its Aortopathy, for Clinical, Surgical, Interventional and Research Purposes. 2021 , 112, e203-e235 | 3 |
| 132 | Characteristics of the aortic root morphology in conotruncal anomaly of the congenital heart disease. 2021 , | 1 |
| 131 | International consensus statement on nomenclature and classification of the congenital bicuspid aortic valve and its aortopathy, for clinical, surgical, interventional and research purposes. 2021 , 162, e383-e414 | 9 |
| 130 | Marfan Syndrome and Other Genetic Aortopathies. 2021 , 227-243 | |
| 129 | Reference values of thoracic aorta and pulmonary artery diameters by age and gender in healthy Chinese adults assessed by cardiac magnetic resonance imaging: data from national center for cardiovascular diseases of China. 2021 , 37, 1423-1431 | 0 |

| | | |
|-----|---|-----|
| 128 | Thoracic aortic size in Brazilian smokers: measures using low-dose chest computed tomography anatomical and epidemiological assessment. 2021 , 76, e2315 | 0 |
| 127 | Ehlers-Danlos Syndromes. | 5 |
| 126 | Transesophageal Echocardiography for Diagnosis and Treatment of Aortic Diseases. 2006 , 33-53 | 2 |
| 125 | Cardiovascular Aspects of the Marfan Syndrome: A Systematic Review. 2004 , 45-69 | 11 |
| 124 | Aortic Annular Geometry and Sizing: Echocardiography. 2014 , 297-310 | 1 |
| 123 | Heritable Hypermobility Syndromes. 1999 , 147-177 | 1 |
| 122 | When Should Surgery Be Performed in Marfan Syndrome and Other Connective Tissue Disorders to Protect Against Type A Dissection?. 2014 , 17-47 | 5 |
| 121 | Echocardiographic Assessment of Valvular Heart Disease. 2007 , 487-536 | 2 |
| 120 | Cardiovascular Imaging in Aneurysm-Osteoarthritis Syndrome. 2017 , 103-114 | 1 |
| 119 | Evaluation of Valvular Heart Disease by Echocardiography. 2009 , 62-84 | 3 |
| 118 | The Bicuspid Aortic Valve. 2009 , 169-186 | 7 |
| 117 | Marfan syndrome revisited: From genetics to the clinic. 2020 , 39, 215-226 | 6 |
| 116 | Diseases of the Aorta and Trauma to the Aorta and the Heart. 2009 , 1173-1214 | 3 |
| 115 | Exercise and the Marfan syndrome. 1998 , 30, S387-95 | 49 |
| 114 | Aortic valve annulus and sinus-tube joint diameters in normal adults of Chinese Han ethnic group. 2008 , 121, 1093-1095 | 6 |
| 113 | Determinants of echocardiographic aortic root size. The Framingham Heart Study. 1995 , 91, 734-40 | 215 |
| 112 | Relations of left ventricular mass to demographic and hemodynamic variables in American Indians: the Strong Heart Study. 1997 , 96, 1416-23 | 138 |
| 111 | Effect of hypertension on aortic root size and prevalence of aortic regurgitation. 1996 , 28, 47-52 | 86 |

| | | | |
|-----|--|-----|----|
| 110 | Age-related changes in total arterial capacitance from birth to maturity in a normotensive population. 1997 , 29, 1213-7 | | 59 |
| 109 | Time Course of Aortic Valve Function and Root Dimensions After Subcoronary Ross Procedure for Bicuspid Versus Tricuspid Aortic Valve Disease. 2001 , 104, | | 2 |
| 108 | Histologic Abnormalities of the Ascending Aorta: Effects on Aortic Remodeling after Intracardiac Repair of Tetralogy of Fallot. 2020 , 47, 86-95 | | 2 |
| 107 | Normal reference intervals for cardiac dimensions and function for use in echocardiographic practice: a guideline from the British Society of Echocardiography. 2020 , 7, G1-G18 | | 29 |
| 106 | Current role of endovascular therapy in Marfan patients with previous aortic surgery. 2008 , 4, 59-66 | | 17 |
| 105 | Quantitative morphology of the left subclavian artery in human fetuses. 2008 , 53, 69-75 | | 5 |
| 104 | The Palm-Heart Diameter: A Prospective Simple Screening Tool for Identifying Heart Enlargement. 2017 , 5, 818-824 | | 5 |
| 103 | Assessment and feasibility of the four landmarks of the aortic root in a cohort of very preterm infants. 2015 , 8, 184-8 | | 1 |
| 102 | Arterial mechanical properties after replacement or reconstruction of the aortic root. 2012 , 02, 8-13 | | 3 |
| 101 | Predictors for Dilated Aorta in Repaired and Unrepaired Tetralogy of Fallot. 2015 , 05, 233-253 | | 1 |
| 100 | Echocardiographic findings in children with Marfan syndrome. 2011 , 22, 245-8 | | 4 |
| 99 | Echocardiography for the Diagnosis and Management of Acute Aortic Syndromes. 2021 , 175-188 | | |
| 98 | Preservation of the Aortic Root During Type A Aortic Dissection Surgery: An Effective Strategy?. 2021 , 9, 67-75 | | |
| 97 | Prognostic Implications of Bicuspid and Tricuspid Aortic Valve Phenotype on Progression of Moderate Aortic Stenosis and Ascending Aorta Dilatation. <i>American Journal of Cardiology</i> , 2021 , 161, 76-83 | 3 | 1 |
| 96 | Relationship between echocardiogram and physical parameters in experienced resistance trainers: a pilot study. 2021 , 61, 1290-1300 | | |
| 95 | Normal Values of Aortic Root Size According to Age, Sex, and Race: Results of the World Alliance of Societies of Echocardiography Study. <i>Journal of the American Society of Echocardiography</i> , 2021 , | 5.8 | 0 |
| 94 | Aortic root diameter in hypertensive patients with various stages of obstructive sleep apnea. 2021 , | | 1 |
| 93 | Prediction of Judkins Left Catheter Size during Left Transradial Coronary Angiography by Simple Chest Radiographic and Echocardiographic Index. 2021 , 57, | | |

- 92 Marfan Syndrome and Related Disorders of Fibrillin. **2000**, 329-353
- 91 Diseases of the Thoracic Aorta: The Surgical Approach. **2002**, 1561-1572
- 90 Familial Thoracic Aortic Aneurysms and Dissections. **2004**, 113-122
- 89 Echocardiographic evaluation of left ventricle function in the Marfan syndrome: Relation to progression of aortic root dilatation. **2004**, 35, 1-8
- 88 Marfan Syndrome.
- 87 Rehabilitation. **2006**, 32-39
- 86 Late aortic root dilatation and aortic regurgitation in repaired tetralogy of fallot. **2007**, 50, 976
- 85 Echocardiography in Patients with Inherited Connective Tissue Disorders. **2007**, 932-951
- 84 PERICARDIAL EFFUSION. **2007**, 119-124 1
- 83 Turner Syndrome. **2008**, 610-661 3
- 82 An adult patient with coarctation of aorta found by back vascular murmur. **2008**, 35, 437-441
- 81 Clinical significance of the mechanical properties of the abdominal aorta in Kawasaki disease. **2008**, 51, 1012 1
- 80 Aspects għtīques. **2009**, 3-16
- 79 20 Aorta thoracalis en abdominalis. **2009**, 211-220
- 78 Surveillance cardiologique du syndrome de Turner. **2009**, 135-142
- 77 Aortic Disorders. **2009**, 473-487
- 76 Echocardiography of Aortic Insufficiency. 134-143
- 75 Echocardiographic Assessment of Aortic Aneurysms and Dissections. 502-509

- 74 A sporadic case of Loeys-Dietz syndrome type I with two novel mutations of the TGFBR2 gene. **2011**, 54, 272-5 3
- 73 IRM des valvulopathies r̄urgitantes. **2011**, 153-166
- 72 Quantitative Echocardiography. **2012**, 96-127
- 71 Size Matters: Intervention Thresholds for Dissection Prophylaxis in the Ascending Aorta. **2014**, 67-84
- 70 Aortenchirurgie. **2014**, 87-113
- 69 The Aortopathy of Bicuspid Aortic Valves. **2014**, 49-65
- 68 Neonatal Marfan Syndrome: Improving the Bad Prognosis with a Strict Conservative Treatment with Carvedilol?. **2014**, 04, 44-47 3
- 67 Normal Anatomy and Flow During the Complete Examination: Epi-aortic Imaging. **2014**, 47-53
- 66 Inherited disorders of the aorta. **1999**, 129-160
- 65 Thorakales Aortenaneurysma. **2015**, 1-8
- 64 Kongenitale und vererbte Erkrankungen der Aorta. **2015**, 1-7
- 63 Aorta thoracalis en abdominalis. **2015**, 299-312
- 62 The role of echocardiography in the assessment of hemodynamics in patients with connective tissue dysplasia. **2015**, 14, 16-25
- 61 The Child with Marfan Syndrome: A Paediatric Cardiology Approach. **2016**, 27-38
- 60 Echocardiography in Diagnosis and Management of Patients with Marfan Syndrome. **2016**, 57-71
- 59 Imaging: Echo, CT and MRI. **2017**, 75-111 1
- 58 Pregnancy and Delivery. **2017**, 141-153
- 57 Tetralogy of Fallot and Pulmonary Atresia with Ventricular Septal Defect. **2017**, 277-289

| | | |
|----|---|---|
| 56 | Future Research Projects on Aortopathy in Congenital Heart Anomalies. 2017 , 325-333 | |
| 55 | Marfan Syndrome and Related Disorders. 2018 , 589-615 | 0 |
| 54 | Correlating possible predisposing demographics and systemic conditions with the aortic root. 2018 , 17, 133-139 | 1 |
| 53 | Sklerosierende Knochenerkrankungen und Dysostosen. 2018 , 277-302 | |
| 52 | Cardiovascular Manifestations in Inherited Connective Tissue Disorders. 2018 , 617-646 | |
| 51 | Aortic Disorder. 2019 , 147-161 | |
| 50 | Ascending Aortic Aneurysm. 2019 , 161-173 | 1 |
| 49 | Imaging of the Thoracic Aorta. 2019 , 333-370 | |
| 48 | Aortic Valve Repair. 2019 , 449-456 | |
| 47 | Summary of guidelines for cardiology follow-up of Turner syndrome patients (the International Turner Syndrome Consensus Group) with commentary. 2019 , 61, 60-67 | 1 |
| 46 | MANAGEMENT OF YOUNG PATIENTS WITH MARFAN SYNDROME. 2019 , 22, 395-400 | |
| 45 | Ultrasound assessment of the thoracic and abdominal aorta in civil aviation pilots of senior age group. 2020 , 92-103 | |
| 44 | Normative Values of Pediatric Thoracic Aortic Diameters Indexed to Body Surface Area Using Computed Tomography. 2021 , | 0 |
| 43 | Aortic complications in pregnancy: the less remembered chapter – narrative review. | |
| 42 | Peak Flow in Model Aorta Through Bi-Leaflet Mechanical Heart Valve with Varying Orientation. 2021 , 67, 757-768 | |
| 41 | Measurement of aortic root dimensions by transesophageal echocardiography in adult patients undergoing cardiac surgery. 2020 , 23, 409-413 | |
| 40 | Causes, Diagnosis, Risk Stratification and Treatment of Bicuspid Aortic Valve Disease: An Updated Review. 2020 , 11, 205-212 | 2 |
| 39 | Sleeve valve-sparing procedure in bicuspid aortic valve: early and midterm clinical results. 2020 , 61, 250-255 | |

| | | | |
|----|--|-----|----|
| 38 | Sindrome di Marfan. 2007 , 165-173 | | |
| 37 | Clinical 3D and 4D Imaging of the Thoracic Aorta. 2007 , 119-130 | | 2 |
| 36 | Medical Aspect of the Aortic Diseases: the Follow-Up and Its Warnings. 2006 , 71-79 | | |
| 35 | MARFAN SYNDROME. 2021 , 577-596 | | |
| 34 | Echocardiographic findings and abnormalities in HIV-infected patients: results from a large, prospective, multicenter HIV-heart study. <i>American Journal of Cardiovascular Disease</i> , 2011 , 1, 176-84 | 0.9 | 26 |
| 33 | Prevalence of aortic dilation in hypertrophic cardiomyopathy. <i>American Journal of Cardiovascular Disease</i> , 2013 , 3, 79-84 | 0.9 | 6 |
| 32 | Enlargement of the aorta: An occupational disease?. <i>Experimental and Clinical Cardiology</i> , 2013 , 18, 93-7 | | 5 |
| 31 | Anatomy and pathophysiology of the ventriculo-aortic junction: implication in aortic valve repair surgery. <i>Annals of Cardiothoracic Surgery</i> , 2013 , 2, 57-64 | 4.7 | 26 |
| 30 | Multi-detector CT angiography of the aortic valve-Part 1: anatomy, technique and systematic approach to interpretation. <i>Quantitative Imaging in Medicine and Surgery</i> , 2014 , 4, 265-72 | 3.6 | 3 |
| 29 | Determinants of descending thoracic aortic size measured by echocardiography. <i>International Journal of Medicine and Health Development</i> , 2022 , 27, 99 | 0.1 | |
| 28 | Sinus of Valsalva Dimension and Clinical Outcomes in Patients Undergoing Transcatheter Aortic Valve Implantation: SOV dilatation in TAVI patients. <i>American Heart Journal</i> , 2021 , | 4.9 | 2 |
| 27 | Relationship Between Leaflets and Root in Normal Aortic Valve Based on Computed Tomography Imaging: Implication for Aortic Valve Repair. <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 731440 | 5.4 | |
| 26 | Inter-Ethnic Differences in Valvular Dysfunction, Aortopathy, and Progression of Disease of an Asian Bicuspid Aortic Valve Population. <i>Heart Lung and Circulation</i> , 2021 , | 1.8 | 0 |
| 25 | Family with congenital contractural arachnodactyly due to a novel multiexon deletion of the gene.. <i>Clinical Case Reports (discontinued)</i> , 2022 , 10, e05335 | 0.7 | |
| 24 | The prevalence of thoracic aorta aneurysm as an important cardiovascular disease in the general population.. <i>Journal of Cardiothoracic Surgery</i> , 2022 , 17, 51 | 1.6 | 0 |
| 23 | Normal Aortic Dimensions: From A-to-Z-score.. <i>Journal of the American Society of Echocardiography</i> , 2021 , | 5.8 | |
| 22 | Imaging and Surveillance of Chronic Aortic Dissection: A Scientific Statement From the American Heart Association.. <i>Circulation: Cardiovascular Imaging</i> , 2022 , HCl0000000000000075 | 3.9 | 5 |
| 21 | Prevalence and risk of progressive aortic aneurysm and dissection in adults with conotruncal anomalies.. <i>European Heart Journal Cardiovascular Imaging</i> , 2021 , | 4.1 | |

20 Table_1.DOCX. 2018,

| | | | |
|----|---|-----|---|
| 19 | Normal Aortic Root: When One Size Does not Fit All. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2022, | 2.1 | |
| 18 | Echocardiography in Patients with Inherited Connective Tissue Disorders. 2017, 763-780 | | |
| 17 | Turner syndrome: French National Diagnosis and Care Protocol (NDCP; National Diagnosis and Care Protocol). <i>Orphanet Journal of Rare Diseases</i> , 2022, 17, | 4.2 | ○ |
| 16 | Aortic Dilatation at Different Levels of the Ascending Aorta in Patients with Bicuspid Aortic Valve. 2016, 45, 251-255 | | 2 |
| 15 | Sleep apnea predicts cardiovascular death in patients with Marfan syndrome: a cohort study. | | ○ |
| 14 | Imaging of Genetic Thoracic Aortopathy. | | |
| 13 | PIV visualization of flow pattern in left heart ventricle model with double valve replacement. | | ○ |
| 12 | Angiotensin receptor blockers and β-blockers in Marfan syndrome: an individual patient data meta-analysis of randomised trials. 2022, 400, 822-831 | | 1 |
| 11 | Nocturia independently predicts left ventricular hypertrophy and left atrial enlargement among patients with cardiac symptoms. 2022, 12, | | ○ |
| 10 | Evaluation of the relationship between para-aortic adipose tissue and ascending aortic diameter using a new method. 1-7 | | 1 |
| 9 | Evaluation of aortic root dilation in adult patients after repair of tetralogy of Fallot. 2022, 11, 59 | | ○ |
| 8 | Long Term Results of Reduction Ascending Aortoplasty. 2022, 12, 1526 | | ○ |
| 7 | Vascular involvements are common in the branch arteries of the abdominal aorta rather than in the aorta in vascular Ehlers-Danlos syndrome. 2022, | | ○ |
| 6 | HTAD patient pathway: Strategy for diagnostic work-up of patients and families with (suspected) heritable thoracic aortic diseases (HTAD). A statement from the HTAD working group of VASCERN. 2023, 66, 104673 | | ○ |
| 5 | Refining the upper limit of normal for the ascending aorta: In search of optimal criteria -- a large database study of normal individuals. 170853812211401 | | ○ |
| 4 | Growth of the aortic root in children and young adults with Marfan syndrome. 2022, 9, e002097 | | ○ |
| 3 | Endovascular Technique for Ascending Aorta Repair Based on TEVAR and TAVI Procedures. 152660282211483 | | ○ |

- 2 Hypertrophic cardiomyopathy is associated with dilated sinus of Valsalva: A case-control study. **2023**, 45, 101180 ○
- 1 Two-dimensional echocardiographic and strain values of the proximal thoracic aorta in a normal sub-Saharan African population. **2023**, 10, ○