

CITATION REPORT

List of articles citing

A brief self-administered questionnaire to determine functional capacity (the Duke Activity Status Index)

DOI: 10.1016/0002-9149(89)90496-7

American Journal of Cardiology, 1989, 64, 651-4.

Source: <https://exaly.com/paper-pdf/20532540/citation-report.pdf>

Version: 2024-04-23

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1276	Ischaemic Heart Disease. 1-15		
1275	Quality of life in cardiovascular disease. 1990 , 54, 99-109		20
1274	Optimizing the exercise test for pharmacological investigations. <i>Circulation</i> , 1990 , 82, 1839-46	16.7	102
1273	Patient characteristics in SUPPORT: activity status and cognitive function. 1990 , 43 Suppl, 33S-36S		18
1272	Clinical judgment and therapeutic decision making. 1990 , 15, 1-14		40
1271	Relation of clinical and angiographic factors to functional capacity as measured by the Duke Activity Status Index. <i>American Journal of Cardiology</i> , 1991 , 68, 973-5	3	126
1270	Identification of patients with coronary disease at high risk for loss of employment. A prospective validation study. <i>Circulation</i> , 1992 , 86, 1485-94	16.7	66
1269	The Canadian Cardiovascular Society grading scale for angina pectoris: is it time for refinements?. 1992 , 117, 677-83		57
1268	Individualized Ramp Treadmill. 1992 , 101, 236S-241S		3
1267	Prognostic value of exercise thallium scintigraphy in patients with good exercise tolerance and a normal or abnormal exercise electrocardiogram and suspected or confirmed coronary artery disease. <i>American Journal of Cardiology</i> , 1992 , 69, 607-11	3	20
1266	Efficacy of amlodipine besilate therapy for variant angina: evaluation by 24-hour Holter monitoring. 1993 , 7, 923-8		7
1265	Measuring functioning and health in the very old. 1993 , 48, M10-4		25
1264	Influence of age on measurement of health status in patients undergoing elective surgery. 1993 , 41, 377-83		43
1263	Effects of coronary angioplasty, coronary bypass surgery, and medical therapy on employment in patients with coronary artery disease. A prospective comparison study. 1994 , 120, 111-7		42
1262	Statistical Issues in Collecting Quality of Life Data in Clinical Trials. 1994 , 28, 81-88		
1261	Effect of captopril on functional mitral regurgitation in dilated heart failure: a randomised double blind placebo controlled trial. 1994 , 72, 63-8		48
1260	Differences in the Treatment of Myocardial Infarction in the United States and Canada. 1994 , 154, 1090		37

1259	Percutaneous balloon valvuloplasty compared with open surgical commissurotomy for mitral stenosis. 1994 , 331, 961-7		315
1258	A nomogram to predict exercise capacity from a specific activity questionnaire and clinical data. <i>American Journal of Cardiology</i> , 1994 , 73, 591-6	3	157
1257	Use of medical resources and quality of life after acute myocardial infarction in Canada and the United States. 1994 , 331, 1130-5		269
1256	Evaluation of the MOS SF-36 physical functioning scale (PF-10): I. Unidimensionality and reproducibility of the Rasch item scale. 1994 , 47, 671-84		222
1255	Methods for assessing health-related quality of life in HIV-infected patients. 1994 , 9, 19-30		15
1254	Predicting future functional status for seriously ill hospitalized adults. The SUPPORT prognostic model. 1995 , 122, 342-50		95
1253	Health values of the seriously ill. SUPPORT investigators. 1995 , 122, 514-20		122
1252	Variation in Patient Utilities for Outcomes of the Management of Chronic Stable Angina. 1995 , 273, 1185		146
1251	Patient Preferences and Clinical Guidelines. 1995 , 273, 1219		27
1250	Ethnicity and Attitudes Toward Patient Autonomy. 1995 , 274, 820		463
1249	Development and evaluation of the Seattle Angina Questionnaire: a new functional status measure for coronary artery disease. 1995 , 25, 333-41		964
1248	Better functional status in American than Canadian patients with heart disease: an effect of medical care?. 1995 , 26, 1115-20		22
1247	Is functional status better in U.S. patients with cardiac disease than in their Canadian counterparts?. 1995 , 26, 1121-2		0
1246	Importance of baseline functional and socioeconomic factors for participation in cardiac rehabilitation. <i>American Journal of Cardiology</i> , 1995 , 76, 36-9	3	111
1245	Guidelines for perioperative cardiovascular evaluation for noncardiac surgery. Report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Committee on Perioperative Cardiovascular Evaluation for Noncardiac Surgery). 1996 , 27, 910-48		309
1244	The Effectiveness of Right Heart Catheterization in the Initial Care of Critically Ill Patients. 1996 , 276, 889		1243
1243	ACC/AHA task force report. Special report: guidelines for perioperative cardiovascular evaluation for noncardiac surgery. Report of the American College of Cardiology/American Heart Association Task Force on practice guidelines (Committee on Perioperative Cardiovascular Evaluation for Noncardiac Surgery). 1996 , 10, 540-52		16
1242	Race, resource use, and survival in seriously ill hospitalized adults. The SUPPORT Investigators. 1996 , 11, 387-96		80

1241	Predictors of physical activity in patients with chronic heart failure secondary to either ischemic or idiopathic dilated cardiomyopathy. <i>American Journal of Cardiology</i> , 1996 , 77, 159-63	3	55
1240	A specific activity questionnaire to measure the functional capacity of cardiac patients. <i>American Journal of Cardiology</i> , 1996 , 77, 1220-3	3	57
1239	The exercise capacity of three socio-economic groups of elderly hypertensive patients. 1996 , 1, 255-64		0
1238	Comorbidities and utility for angina symptoms. 1996 , 16, 300-2		3
1237	Comparison of three regimens for treatment of mild to moderate <i>Pneumocystis carinii</i> pneumonia in patients with AIDS. A double-blind, randomized, trial of oral trimethoprim-sulfamethoxazole, dapsone-trimethoprim, and clindamycin-primaquine. ACTG 108 Study Group. 1996 , 124, 792-802		144
1236	The relationship between cardiac functional capacity and patients' symptom-specific utilities for angina: some findings and methodologic lessons. 1996 , 16, 78-85		25
1235	Angina patients' ratings of current health and health without angina: associations with severity of angina and comorbidity. 1996 , 16, 169-77		27
1234	Can the Measurement of Quality of Life Contribute to Evaluation in Cardiac Rehabilitation Services?. 1996 , 3, 148-153		
1233	Variation among hospitals in coronary-angiography practices and outcomes after myocardial infarction in a large health maintenance organization. 1996 , 335, 1888-96		145
1232	Pain in the oldest-old during hospitalization and up to one year later. HELP Investigators. Hospitalized Elderly Longitudinal Project. 1997 , 45, 1167-72		48
1231	Patient preferences for communication with physicians about end-of-life decisions. SUPPORT Investigators. Study to Understand Prognoses and Preference for Outcomes and Risks of Treatment. 1997 , 127, 1-12		320
1230	[Investigation methods in clinical cardiology. VI. Evaluation of results (outcomes) and its clinical relevance in cardiology: with a special reference to the quality of life]. 1997 , 50, 192-200		5
1229	Medical care costs and quality of life after randomization to coronary angioplasty or coronary bypass surgery. Bypass Angioplasty Revascularization Investigation (BARI) Investigators. 1997 , 336, 92-9		255
1228	Measuring functional status of chronic coronary patients. Reliability, validity and responsiveness to clinical change of the reduced version of the Duke Activity Status Index (DASI). 1997 , 18, 414-9		63
1227	Dihydropyridine calcium antagonists: beneficial or adverse effects in the setting of myocardial ischaemia/reperfusion?. 1997 , 88 Suppl 1, 3-14; discussion 15-6		7
1226	Surrogate assessment of coronary artery disease patients' functional capacity. 1997 , 44, 1491-502		16
1225	Role of right ventricular and pulmonary functional abnormalities in limiting exercise capacity in adults with congenital heart disease. <i>American Journal of Cardiology</i> , 1997 , 80, 315-22	3	21
1224	A comprehensive management system for heart failure improves clinical outcomes and reduces medical resource utilization. <i>American Journal of Cardiology</i> , 1997 , 79, 58-63	3	266

1223	Robert McKinnon Califf, MD: a conversation with the editor. Interview by William Clifford Roberts. <i>American Journal of Cardiology</i> , 1998 , 82, 639-58	3
1222	Minimally invasive port-access mitral valve surgery. 1998 , 115, 567-74; discussion 574-6	349
1221	Clinical determinants in perioperative cardiac evaluation. 1998 , 40, 373-81	6
1220	Correlates of self-efficacy expectation and prediction of walking behavior in cardiac surgery elders. 1998 , 20, 99-103	45
1219	The question: to test or not to test in preoperative cardiac risk evaluation. 1998 , 5, 332-42	9
1218	Assessment of functional status in patients with cardiac disease. 1998 , 27, 263-73	19
1217	Patient empowerment and feedback did not decrease pain in seriously ill hospitalized adults. 1998 , 75, 237-46	19
1216	[Assessment of cardiovascular perioperative risk in non-cardiac surgery]. 1998 , 17, 1225-31	3
1215	Review of available instruments and methods for assessing quality of life in anti-anginal trials. 1998 , 13, 311-20	7
1214	Development and validation of a clinical history form for the diagnosis of congestive heart failure. 1998 , 10, 39-47	3
1213	Stress and peptic ulcer: life beyond Helicobacter. 1998 , 316, 538-41	57
1212	The assault on the Swan-Ganz catheter: a case history of constrained technology, constrained bedside clinicians, and constrained monetary expenditures. 1998 , 113, 1379-86	38
1211	Improving health care, Part 5: Applying the Dartmouth clinical improvement model to community health. 1998 , 24, 679-703	6
1210	What are quality of life measurements measuring?. 1998 , 316, 542-5	277
1209	Outcomes of acute exacerbation of severe congestive heart failure: quality of life, resource use, and survival. SUPPORT Investigators. The Study to Understand Prognosis and Preferences for Outcomes and Risks of Treatments. 1998 , 158, 1081-9	88
1208	Risk for valvular heart disease among users of fenfluramine and dexfenfluramine who underwent echocardiography before use of medication. 1998 , 129, 870-4	39
1207	Beneficial effects of verapamil on intestinal ischemia and reperfusion injury: pretreatment versus postischemic treatment. 1998 , 30, 191-7	15
1206	Comparison of post-operative pain, stress response, and quality of life in port access vs. standard sternotomy coronary bypass patients. 1999 , 16, S39-S42	13

1205	Comparison of transmyocardial revascularization with medical therapy in patients with refractory angina. 1999 , 341, 1029-36		311
1204	Perioperative Risk Stratification in Patients Undergoing Noncardiac Surgery: Kloehn, GC and O'Rourke, RA Perioperative Risk Stratification in Patients Undergoing Noncardiac Surgery J Intensive Care Med 1999,14 95-108. 1999 , 14, 95-108		
1203	The relationship between self-rated health and health status among coronary artery patients. 1999 , 11, 565-84		40
1202	The Value of Questionnaires in Assessing Physical Activity, Fitness, and Quality of Life. 1999 , 3, 305-311		2
1201	QT interval analysis on ambulatory electrocardiogram recordings: a selective beat averaging approach. 1999 , 37, 71-9		70
1200	Quality of life before and after radiofrequency catheter ablation in patients with drug refractory atrioventricular nodal reentrant tachycardia. <i>American Journal of Cardiology</i> , 1999 , 84, 471-3, A9	3	20
1199	Perioperative Risk Stratification in Patients Undergoing Noncardiac Surgery. 1999 , 14, 95-108		
1198	The health care burden of unstable angina. 1999 , 17, 247-61		7
1197	Evaluating Health-related quality-of-life outcomes in patients with congestive heart failure. A review of recent randomised controlled trials. 1999 , 15, 19-46		36
1196	Myocardial revascularization in patients 1999, 7, 128-33		8
1195	Gender and functional outcome after coronary artery bypass. 1999 , 126, 184-190		26
1194	Preoperative screening. 1999 , 83, 1565-81		12
1193	The Women's Ischemia Syndrome Evaluation (WISE) study: protocol design, methodology and feasibility report. 1999 , 33, 1453-61		269
1192	Health status versus quality of life in older patients: does the distinction matter?. 1999 , 106, 435-40		120
1191	Preoperative cardiac risk assessment. 1999 , 115, 51S-57S		24
1190	In the queue for coronary artery bypass grafting: patients' perceptions of risk and 'maximal acceptable waiting time'. 1999 , 4, 65-72		16
1189	Patient age and decisions to withhold life-sustaining treatments from seriously ill, hospitalized adults. SUPPORT Investigators. Study to Understand Prognoses and Preferences for Outcomes and Risks of Treatment. 1999 , 130, 116-25		203
1188	Older age, aggressiveness of care, and survival for seriously ill, hospitalized adults. SUPPORT Investigators. Study to Understand Prognoses and Preferences for Outcomes and Risks of Treatments. 1999 , 131, 721-8		115

1187	Predicting functional status outcomes in hospitalized patients aged 80 years and older. 2000 , 48, S6-15	116	
1186	Prediction of survival for older hospitalized patients: the HELP survival model. Hospitalized Elderly Longitudinal Project. 2000 , 48, S16-24	97	
1185	The last six months of life for patients with congestive heart failure. 2000 , 48, S101-9	254	
1184	Dying with lung cancer or chronic obstructive pulmonary disease: insights from SUPPORT. Study to Understand Prognoses and Preferences for Outcomes and Risks of Treatments. 2000 , 48, S146-53	259	
1183	Challenges in the validation of preference-based measures of health-related quality of life. 2000 , 38, II155-9	8	
1182	Elderly persons' last six months of life: findings from the Hospitalized Elderly Longitudinal Project. 2000 , 48, S131-9	58	
1181	Survey methods for seriously ill hospitalized adults: practical lessons from SUPPORT. The Study to Understand Prognoses and Preferences for Outcomes and Risks of Treatments. 2000 , 48, S168-75	10	
1180	Living and dying with chronic obstructive pulmonary disease. 2000 , 48, S91-100	119	
1179	The effect of nutritional supplementation on survival in seriously ill hospitalized adults: an evaluation of the SUPPORT data. Study to Understand Prognoses and Preferences for Outcomes and Risks of Treatments. 2000 , 48, S33-8	40	
1178	Dying with End Stage Liver Disease with Cirrhosis: Insights from SUPPORT. 2000 , 48, S122-S130	47	
1177	Dying with cancer: patients' function, symptoms, and care preferences as death approaches. 2000 , 48, S110-21	161	
1176	Long-term survival and functional capacity in cardiac surgery patients after prolonged intensive care. 2000 , 28, 3847-53	119	
1175	Dying with acute respiratory failure or multiple organ system failure with sepsis. 2000 , 48, S140-5	25	
1174	Economic aspects of transesophageal echocardiography and atrial fibrillation. 2000 , 17, 407-18	2	
1173	Accuracy of a pretest questionnaire in exercise test protocol selection. <i>American Journal of Cardiology</i> , 2000 , 85, 767-70, A8-9	3	16
1172	Quality of life after coronary revascularization in the United States and Canada. <i>American Journal of Cardiology</i> , 2000 , 85, 548-53	3	17
1171	Use of resources, quality of life, and clinical outcomes in patients with and without new Q waves after thrombolytic therapy for acute myocardial infarction (from the GUSTO-I trial). <i>American Journal of Cardiology</i> , 2000 , 86, 24-9	3	5
1170	Role of gender and personality on quality-of-life impairment in intermittent atrial fibrillation. <i>American Journal of Cardiology</i> , 2000 , 86, 764-8	3	132

1169	Prognostic value and quality of life in patients with normal rest thallium-201/stress technetium 99m-tetrofosmin dual-isotope myocardial SPECT. 2000 , 7, 333-41	34
1168	ACC/AHA guidelines as predictors of postoperative cardiac outcomes. 2000 , 47, 10-9	18
1167	Oxygen Uptake Kinetics and Functional Status Issues in Congestive Heart Failure: A Pilot Report. 2000 , 11, 54-58	
1166	Relationship of infarct artery patency and left ventricular ejection fraction to health-related quality of life after myocardial infarction: the GUSTO-I Angiographic Study experience. <i>Circulation</i> , 2000 , 102, 1245-51	16.7 27
1165	Physical activity and functional capacity measurement in women: a report from the NHLBI-sponsored WISE study. 2000 , 9, 769-77	36
1164	Utility-based estimates of the relative morbidity of visual impairment and angina. 2000 , 7, 169-185	16
1163	Social support and physical and psychological recovery one year after myocardial infarction or coronary artery bypass surgery. 2000 , 28, 62-70	15
1162	The aged cardiovascular risk patient. 2000 , 85, 763-78	162
1161	Should we measure health-related quality of life?. 2000 , 140, 359-60	8
1160	Cardiovascular responses to epinephrine-containing local anesthetics for dental use: a comparison of hemodynamic responses to infiltration anesthesia and ergometer-stress testing. 2000 , 90, 171-81	17
1159	The health and activities limitation index in patients with acute myocardial infarction. 2000 , 53, 555-62	13
1158	Assessment of quality of life in patients with cardiac disease: the role of psychosomatic medicine. 2000 , 48, 405-15	50
1157	Ramp exercise protocols for clinical and cardiopulmonary exercise testing. 2000 , 30, 23-9	106
1156	Guidelines for perioperative cardiac evaluation from the American College of Cardiology/American Heart Association task force are effective for stratifying cardiac risk before aortic surgery. 2000 , 31, 971-9	31
1155	Weight cycling and high-density lipoprotein cholesterol in women: evidence of an adverse effect: a report from the NHLBI-sponsored WISE study. Women's Ischemia Syndrome Evaluation Study Group. 2000 , 36, 1565-71	78
1154	History of anxiety disorders is associated with a decreased likelihood of angiographic coronary artery disease in women with chest pain: the WISE study. 2001 , 37, 780-5	38
1153	Exercise training intervention after coronary angioplasty: the ETICA trial. 2001 , 37, 1891-900	216
1152	Value of coronary stenotic flow velocity acceleration on the prediction of long-term improvement in functional status after angioplasty. 2001 , 142, 81-6	1

1151	Combination of minimally invasive coronary bypass and percutaneous transluminal coronary angioplasty in the treatment of double-vessel coronary disease: Two-year follow-up of a new hybrid procedure compared with "on-pump" double bypass grafting. 2001 , 142, 563-70	69
1150	Validation of a specific activity questionnaire to estimate exercise tolerance in patients referred for exercise testing. 2001 , 142, 1041-6	74
1149	Impact of the Duett sealing device on quality of life and hospitalization costs for coronary diagnostic and interventional procedures: Results from the Study of Economic and Quality of Life substudy of the SEAL trial. 2001 , 142, 982-8	14
1148	Advanced coronary artery disease: Appropriate end points for trials of novel therapies. 2001 , 142, 843-51	25
1147	Temperature during coronary artery bypass surgery affects quality of life. 2001 , 71, 110-6	18
1146	Trial of invasive versus medical therapy in elderly patients with chronic symptomatic coronary-artery disease (TIME): a randomised trial. 2001 , 358, 951-7	303
1145	An evaluation of symptom classification systems used for the assessment of patients with heart failure in France. 2001 , 3, 739-46	14
1144	Use of transesophageal echocardiography to guide cardioversion in patients with atrial fibrillation. 2001 , 344, 1411-20	736
1143	Trial of Invasive versus Medical Therapy in the Elderly (TIME). 2001 , 1, 144-147	5
1142	The use of a questionnaire and simple exercise test in the preoperative assessment of vascular surgery patients. 2001 , 29, 520-6	15
1141	Characteristics of socially isolated patients with coronary artery disease who are at elevated risk for mortality. 2001 , 63, 267-72	235
1140	Psychosocial variables are associated with atherosclerosis risk factors among women with chest pain: the WISE study. 2001 , 63, 282-8	40
1139	Cardiac risk assessment in noncardiac thoracic surgery. 2001 , 13, 137-46	5
1138	Report of the substudy assessing the impact of neurocognitive function on quality of life 5 years after cardiac surgery. 2001 , 32, 2874-81	271
1137	Cardiac risk assessment for noncardiac surgery: current concepts. 2001 , 27, 47-55	
1136	Development and validation of the ITG Health-Related Quality-of-Life Short-Form measure for use in patients with coronary artery disease. Integrated Therapeutics Group. 2001 , 24, 556-63	1
1135	Anesthesia for thoracoscopy. 2001 , 19, 153-71	4
1134	Chinese seniors' perspectives on end-of-life decisions. 2001 , 53, 455-64	131

1133	The Preoperative Evaluation of the Patient With Cardiac Risk Factors for Noncardiac Surgery: Which Patients Need Further Cardiac Risk Stratification Tests?. 2001 , 5, 154-165	2
1132	Recommendations for exercise testing in chronic heart failure patients. 2001 , 22, 37-45	97
1131	Preoperative cardiac risk assessment: an updated approach. 2001 , 136, 1370-6	14
1130	Secondary prevention of coronary artery disease in patients undergoing elective surgery for peripheral arterial disease. 2001 , 6, 35-41	34
1129	Perceived activity and functional capacity in a rural elderly population. 2001 , 93, 103-4	
1128	Preoperative evaluation of patients with, or at risk of, coronary artery disease undergoing non-cardiac surgery. 2002 , 89, 747-759	91
1127	Chelation therapy for ischemic heart disease: a randomized controlled trial. 2002 , 287, 481-6	84
1126	Quality-of-life and depressive symptoms in postmenopausal women after receiving hormone therapy: results from the Heart and Estrogen/Progestin Replacement Study (HERS) trial. 2002 , 287, 591-7	198
1125	Criterion validity of the Duke Activity Status Index for assessing functional capacity in patients with chronic obstructive pulmonary disease. 2002 , 22, 298-308	54
1124	ACC/AHA Guideline Update for Perioperative Cardiovascular Evaluation for Noncardiac Surgery--Executive Summary. A report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Committee to Update the 1996 Guidelines on Perioperative Cardiovascular Evaluation for Noncardiac Surgery). 2002 , 94, 1052-64	249
1123	Using the Duke Activity Status Index in heart failure. 2002 , 22, 93-5	18
1122	Preoperative noninvasive cardiac testing: which test and why?. 2002 , 40, 121-32	2
1121	Effects of a telephone-based psychosocial intervention for patients awaiting lung transplantation. 2002 , 122, 1176-84	62
1120	Outcomes in cardiac rehabilitation programs across Illinois. 2002 , 22, 329-33	8
1119	Quality of life after acute myocardial infarction among patients treated at sites with and without on-site availability of angiography. 2002 , 162, 553-9	24
1118	Cholesterol-lowering medication, cholesterol level, and reproductive hormones in women: the Women's Ischemia Syndrome Evaluation (WISE). 2002 , 113, 723-7	18
1117	A randomized trial of the efficacy of multidisciplinary care in heart failure outpatients at high risk of hospital readmission. 2002 , 39, 471-80	311
1116	ACC/AHA guideline update for perioperative cardiovascular evaluation for noncardiac surgery--executive summary: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Committee to Update the 1996 Guidelines on Perioperative Cardiovascular Evaluation for Noncardiac Surgery). 2002 , 99, 542-53	507

1115	Stress management improves long-term glycemic control in type 2 diabetes. 2002 , 25, 30-4		211
1114	Are stentless valves hemodynamically superior to stented valves? A prospective randomized trial. 2002 , 73, 767-75; discussion 775-8		99
1113	Quality of life improves with treatment in the Canadian Trial of Atrial Fibrillation. 2002 , 143, 984-90		184
1112	Life after a ventricular arrhythmia. 2002 , 144, 404-12		20
1111	Investigation of the difference between treadmill self-efficacy and actual performance in Taiwanese patients with chronic obstructive pulmonary disease. 2002 , 31, 150-6		4
1110	Women recovering from acute myocardial infarction: psychosocial and physical functioning outcomes for 12 months after acute myocardial infarction. 2002 , 31, 399-410		28
1109	Effectiveness of a home-based exercise intervention for HIV-infected adults: a randomized trial. 2002 , 13, 33-45		55
1108	Cardiac testing for noncardiac surgery: past, present, and future. 2002 , 14, 321-3		
1107	Does increasing age have a negative impact on six-month functional outcome after coronary artery bypass?. 2002 , 132, 239-44		18
1106	Perioperative management of the hospitalized patient. 2002 , 86, 731-48		15
1105	An Alternative Model of Outpatient Cardiac Rehabilitation Program Delivery. 2002 , 13, 3-10		
1104	ACC/AHA Guideline Update for Perioperative Cardiovascular Evaluation for Noncardiac Surgery—Executive Summary A Report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Committee to Update the 1996 Guidelines on Perioperative Cardiovascular Evaluation for Noncardiac Surgery). <i>Circulation</i> , 2002 , 105, 1257-1267	16.7	496
1103	Evaluating the Reliability and Validity of the Questionnaire for Lung Transplant Patients. 2002 , 12, 191-200		9
1102	Outcomes research in the development and evaluation of practice guidelines. 2002 , 2, 7		10
1101	Women's angiographic vitamin and estrogen trial: design and methods. 2002 , 23, 708-27		19
1100	The provision of secondary cardiac prevention measures in a hospital cardiac clinic population and the relationship to psychological variables. 2002 , 171, 24-7		
1099	Medical care inconsistent with patients' treatment goals: association with 1-year Medicare resource use and survival. 2002 , 50, 496-500		153
1098	Do vascular surgery patients need a cardiology work-up? A review of pre-operative cardiac clearance guidelines in vascular surgery. 2003 , 25, 110-7		16

1097	Predictors of quality of life in women 1 year after myocardial infarction. 2003 , 18, 6-12		14
1096	Comparison of presentation, perception, and six-month outcome between women and men > or =75 years of age with angina pectoris. <i>American Journal of Cardiology</i> , 2003 , 91, 436-9	3	14
1095	One-year results of percutaneous myocardial revascularization for refractory angina pectoris. <i>American Journal of Cardiology</i> , 2003 , 91, 1342-6	3	14
1094	Incidence and correlates of near-death experiences in a cardiac care unit. 2003 , 25, 269-76		106
1093	Pacemaker mode selection: the evidence from randomized trials. 2003 , 26, 1270-82		23
1092	ROC methodology within a monitoring framework. 2003 , 22, 3473-88		22
1091	[Assessment of three activity questionnaires in patients with heart failure]. 2003 , 56, 100-3		1
1090	Arteriopatía periférica, tratamiento y cumplimiento. 2003 , 55, 217-227		3
1089	Enhanced external counterpulsation improves endothelial function in patients with symptomatic coronary artery disease. 2003 , 41, 1761-8		331
1088	Predicting oxygen uptake for men and women with moderate to severe chronic obstructive pulmonary disease. 2003 , 84, 1158-64		38
1087	The value of preoperative pharmacologic stress testing before vascular surgery using ACC/AHA guidelines: a prospective, randomized trial. 2003 , 17, 694-8		41
1086	Effect of pacing mode on health-related quality of life in the Canadian Trial of Physiologic Pacing. 2003 , 145, 430-7		69
1085	Quality of life and time trade-off utility measures in patients with coronary artery disease. 2003 , 145, 36-41		44
1084	Distance between patients' subjective perceptions and objectively evaluated disease severity in chronic heart failure. 2003 , 72, 166-70		27
1083	Outcome of elderly patients with chronic symptomatic coronary artery disease with an invasive vs optimized medical treatment strategy: one-year results of the randomized TIME trial. 2003 , 289, 1117-23		156
1082	Measurement of cardiac functioning in older adults with heart failure after exercise. 2003 , 20, 109-17		4
1081	Socioeconomic status variables predict cardiovascular disease risk factors and prospective mortality risk among women with chest pain. The WISE Study. 2003 , 27, 54-67		29
1080	Symptoms, myocardial ischaemia and quality of life in women: results from the NHLBI-sponsored WISE Study. 2003 , 24, 1506-14		67

1079	Functional status during immediate recovery after hospitalization for coronary heart disease. 2003 , 23, 203-7		14
1078	Clinical trial of an Internet-based case management system for secondary prevention of heart disease. 2003 , 23, 341-8		155
1077	Female gender is associated with impaired quality of life 1 year after coronary artery bypass surgery. 2003 , 65, 944-51		59
1076	Assessment of Quality of Life in Pharmacological Treatment of Atrial Fibrillation. 2003 , 3, 14-24		3
1075	Equaões de prediõ da aptidõ cardiorrespiratõria sem testes de exercõio e sua aplicabilidade em estudos epidemiolõgicos: revisõ descritiva e anõlise dos estudos. 2003 , 9, 304-314		13
1074	[Prediction of aerobic fitness without stress testing and applicability to epidemiological studies: a systematic review]. 2004 , 20, 48-56		12
1073	Role of NT-proBNP in Evaluation of Functional Status in Congestive Heart Failure. 2004 , 34, 894		5
1072	Medical costs and quality of life 10 to 12 years after randomization to angioplasty or bypass surgery for multivessel coronary artery disease. <i>Circulation</i> , 2004 , 110, 1960-6	16.7	80
1071	The fitness, obesity, and health equation: is physical activity the common denominator?. 2004 , 292, 1232-4		154
1070	Rationale and study design of the CardioGene Study: genomics of in-stent restenosis. 2004 , 5, 952-1004		33
1069	Risks and benefits of optimised medical and revascularisation therapy in elderly patients with angina--on-treatment analysis of the TIME trial. 2004 , 25, 1036-42		27
1068	Cost-effectiveness of invasive versus medical management of elderly patients with chronic symptomatic coronary artery disease. Findings of the randomized trial of invasive versus medical therapy in elderly patients with chronic angina (TIME). 2004 , 25, 2195-203		34
1067	Preoperative optimization of the high-risk surgical patient. 2004 , 93, 121-8		72
1066	Nuclear Cardiology and Correlative Imaging. 2004 ,		2
1065	Long-term outcome in elderly patients with chronic angina managed invasively versus by optimized medical therapy: four-year follow-up of the randomized Trial of Invasive versus Medical therapy in Elderly patients (TIME). <i>Circulation</i> , 2004 , 110, 1213-8	16.7	139
1064	Peri-operative beta-blockade and haemodynamic optimisation in patients with coronary artery disease and decreasing exercise capacity presenting for major noncardiac surgery. 2004 , 59, 60-8		16
1063	Quality of life and daily hemodialysis. 2004 , 17, 92-8		22
1062	Religion, spirituality, and health in medically ill hospitalized older patients. 2004 , 52, 554-62		289

1061	Health-related quality of life after coronary artery bypass grafting: a gender analysis using the Duke Activity Status Index. 2004 , 128, 284-95		61
1060	Physical and sexual function in women with chronic kidney disease. 2004 , 43, 868-76		32
1059	Care of elderly patients with chronic symptomatic coronary artery disease: is it TIME to be more offensive?. 2004 , 19, 102-6		
1058	Evaluation of routine functional testing after percutaneous coronary intervention. <i>American Journal of Cardiology</i> , 2004 , 93, 744-7	3	18
1057	Therapeutic delay and reduced functional status six months after thrombolysis for acute myocardial infarction. <i>American Journal of Cardiology</i> , 2004 , 94, 415-20	3	15
1056	Effects of ventricular rate regularization pacing on quality of life and symptoms in patients with atrial fibrillation (Atrial fibrillation symptoms mediated by pacing to mean rates [AF SYMPTOMS study]). <i>American Journal of Cardiology</i> , 2004 , 94, 938-41	3	38
1055	Quality of life in patients with coronary artery disease and the impact of depression. 2004 , 6, 438-45		20
1054	The relationship between health perception and utility in heart failure patients in a clinical trial: results from an OVERTURE substudy. 2004 , 10, 339-43		13
1053	Home-based exercise improves functional performance and quality of life in women with diastolic heart failure. 2004 , 33, 210-8		123
1052	Implementation of an iron reduction protocol in patients with peripheral vascular disease: VA cooperative study no. 410: the Iron (Fe) and Atherosclerosis Study (FeAST). 2004 , 148, 386-92		18
1051	Prognostic value of pre-discharge electrocardiographic measurement of infarct size after thrombolysis: insights from GUSTO I Economics and Quality of Life substudy. 2004 , 148, 795-802		15
1050	Mortality in patients with microvascular disease. 2004 , 6, 304-9		43
1049	Relationship of physical fitness vs body mass index with coronary artery disease and cardiovascular events in women. 2004 , 292, 1179-87		237
1048	Religion, spirituality, and acute care hospitalization and long-term care use by older patients. 2004 , 164, 1579-85		45
1047	Use of the 6-minute walk test for women with diastolic heart failure. 2004 , 24, 264-8		10
1046	Process and outcome in cardiac rehabilitation: an examination of cross-lagged effects. 2004 , 72, 605-16		29
1045	Long-term beneficial effect of infarct-related artery patency in acute anterior myocardial infarction in patients with poor myocardial viability in the region-at-risk. 2004 , 68, 1110-6		1
1044	Le Score d'activit� physique de Dijon: reproductibilit� et corr� lations avec l'aptitude physique de sujets sains g� s. 2004 , 47, 546-554		14

1043	Pre-coronary artery bypass graft measures and enrollment in cardiac rehabilitation. 2005 , 25, 343-9		13
1042	Patient preferences for home-based versus hospital-based cardiac rehabilitation. 2005 , 25, 24-9		42
1041	Measures of surgical quality: what will patients know by 2005?. 2005 , 11, 209-17		7
1040	Relationship between the inability to climb two flights of stairs and outcome after major non-cardiac surgery: implications for the pre-operative assessment of functional capacity. 2005 , 60, 588-93		86
1039	Influence of revascularization on long-term outcome in patients > or =75 years of age with diabetes mellitus and angina pectoris. <i>American Journal of Cardiology</i> , 2005 , 96, 193-8	3	8
1038	Functional capacity and cardiovascular assessment: submaximal exercise testing and hidden candidates for pharmacologic stress. <i>American Journal of Cardiology</i> , 2005 , 96, 11J-19J	3	7
1037	Surgical risk for patients with Chagas's achalasia and its correlation with the degree of esophageal dilation. <i>World Journal of Gastroenterology</i> , 2005 , 11, 5840-4	5.6	3
1036	Noncardiac Surgery: Evaluating and Minimizing Cardiac Risk. 2005 , 1, 71-79		
1035	Addressing end-of-life issues. 2005 , 293, 162		1
1034	Impact of prosthesis-patient size on functional recovery after aortic valve replacement. <i>Circulation</i> , 2005 , 111, 3221-9	16.7	72
1033	Relationship of Fitness and Body Mass Index to Cardiac Disease—Reply. 2005 , 293, 161		
1032	Long-term benefits and limitations of combined antianginal drug therapy in elderly patients with symptomatic chronic coronary artery disease. 2005 , 10, 29-37		4
1031	Clinical predictions and decisions to perform cardiac surgery on high-risk patients. 2005 , 9, 179-86		4
1030	Relationship of fitness and body mass index to cardiac disease. 2005 , 293, 161-2; author reply 162		1
1029	Perceived work performance of patients who experienced an acute coronary syndrome event. 2005 , 104, 120-6		10
1028	Erectile dysfunction prevalence and sexual function status in patients with chronic obstructive pulmonary disease. 2005 , 174, 249-52; discussion 252		47
1027	Validation of the EQ-5D in patients with a history of acute coronary syndrome. 2005 , 21, 1209-16		69
1026	Role of noninvasive testing in the clinical evaluation of women with suspected coronary artery disease: Consensus statement from the Cardiac Imaging Committee, Council on Clinical Cardiology, and the Cardiovascular Imaging and Intervention Committee, Council on Cardiovascular Radiology and Intervention, American Heart Association. <i>Circulation</i> , 2005 , 111, 682-96	16.7	366

1025	Illness perceptions among cardiac patients: relation to depressive symptomatology and sex. 2005 , 59, 153-60	64
1024	Depressive symptoms and treatment after acute coronary syndrome. 2005 , 99, 443-7	26
1023	Activity questionnaires; a useful tool in accessing heart failure patients. 2005 , 105, 294-9	10
1022	Impact of cardioversion strategy on functional capacity in patients with atrial fibrillation: the Assessment of Cardioversion Using Transesophageal Echocardiography (ACUTE) study. 2005 , 149, 309-15	5
1021	Impact of invasive management versus noninvasive management on functional status and quality of life following non-Q-wave myocardial infarction: a randomized clinical trial. 2005 , 149, 813-9	11
1020	Comparative efficacy of nebivolol versus carvedilol on left ventricular function and exercise capacity in patients with nonischemic dilated cardiomyopathy. A 12-month study. 2005 , 150, 985	20
1019	Characterizing Gulf War Illnesses: neurally mediated hypotension and postural tachycardia syndrome. 2005 , 118, 1421-7	7
1018	Gender and perceived severity of cardiac disease: evidence that women are "tougher". 2005 , 118, 1256-61	33
1017	[Assessment of physical activity in cardiovascular diseases]. 2005 , 48, 404-10	12
1016	Quality of life after acute myocardial infarction: a comparison of diabetic versus non-diabetic acute myocardial infarction patients in Quebec acute care hospitals. 2005 , 3, 80	17
1015	Guidelines on the management of stable angina pectoris: executive summary: The Task Force on the Management of Stable Angina Pectoris of the European Society of Cardiology. 2006 , 27, 1341-81	981
1014	Comparison of major and minor depression in older medical inpatients with chronic heart and pulmonary disease. 2006 , 47, 296-303	9
1013	Differences between depressed patients with heart failure and those with pulmonary disease. 2006 , 14, 211-9	18
1012	Predictors of depression outcomes in medical inpatients with chronic pulmonary disease. 2006 , 14, 939-48	11
1011	[Guidelines on the management of stable angina pectoris. Executive summary]. 2006 , 59, 919-70	22
1010	The value of estimated functional capacity in estimating outcome: results from the NHLBI-Sponsored Women's Ischemia Syndrome Evaluation (WISE) Study. 2006 , 47, S36-43	104
1009	Impaired coronary vascular reactivity and functional capacity in women: results from the NHLBI Women's Ischemia Syndrome Evaluation (WISE) Study. 2006 , 47, S44-9	34
1008	Association of functional and health status measures in heart failure. 2006 , 12, 439-45	92

1007	Multivariable analysis of factors associated with hospital readmission after intestinal surgery. 2006 , 191, 364-71	91
1006	Persistent effect of red cell transfusion on health-related quality of life after cardiac surgery. 2006 , 82, 13-20	101
1005	Evaluation of a specific activity questionnaire to predict mortality in men referred for exercise testing. 2006 , 151, 890.e1-7	34
1004	Management of elderly patients with congestive heart failure--design of the Trial of Intensified versus standard Medical therapy in Elderly patients with Congestive Heart Failure (TIME-CHF). 2006 , 151, 949-55	86
1003	Coronary heart disease risks and lifestyle behaviors in persons with HIV infection. 2006 , 17, 3-17	12
1002	Selection bias of elderly patients with chronic angina referred for catheterization. 2006 , 110, 80-5	7
1001	Perioperative management of the geriatric patient. Part II: cardiovascular system. 2006 , 102, e7-12	6
1000	Interpretation of Hemodynamic Responses to Exercise Testing. 2006 , 93-125	2
999	Avaliação m ^o dica: o consumo na medicina e a mercantilização da saúde. 2006 , 26, 70-85	2
998	1.11 Kardiomyopathien. 2006 ,	
997	Cardiovascular disease. 63-101	
996	Submaximal Exercise Testing: an Important Evaluative Tool in your Physical Therapy Practice. 2006 , 17, 63-66	
995	Health Behavior Goals of Cardiac Patients After Hospitalization. 2006 , 30, 387-399	16
994	Sertraline to treat hot flashes: a randomized controlled, double-blind, crossover trial in a general population. 2006 , 13, 568-75	71
993	Resource loss predicts depression and anxiety among patients treated with an implantable cardioverter defibrillator. 2006 , 68, 794-800	37
992	Vascular surgery critical care: perioperative cardiac optimization to improve survival. 2006 , 34, S200-7	18
991	Major depression and physical illness trajectories in heart failure and pulmonary disease. 2006 , 194, 909-16	12
990	Association of neurocognitive function and quality of life 1 year after coronary artery bypass graft (CABG) surgery. 2006 , 68, 369-75	134

989	Do people turn to religion in times of stress?: an examination of change in religiousness among elderly, medically ill patients. 2006 , 194, 114-20		19
988	Minor depression and physical outcome trajectories in heart failure and pulmonary disease. 2006 , 194, 209-17		12
987	Depression outcome in inpatients with congestive heart failure. 2006 , 166, 991-6		40
986	Rectocele repair: a randomized trial of three surgical techniques including graft augmentation. 2006 , 195, 1762-71		280
985	Practicality of Veterans Specific Activity Questionnaire in evaluation of exercise capacity of community-dwelling Japanese elderly. 2006 , 11, 313-20		11
984	Gender differences in implantable cardioverter-defibrillator patients at the time of insertion. 2006 , 21, 76-82		24
983	The role of cardiopulmonary fitness and its genetic influences on surgical outcomes. 2006 , 93, 147-57		24
982	The economic burden of angina in women with suspected ischemic heart disease: results from the National Institutes of Health--National Heart, Lung, and Blood Institute--sponsored Women's Ischemia Syndrome Evaluation. <i>Circulation</i> , 2006 , 114, 894-904	16.7	235
981	Evolving concepts in the measurement of treatment effects. 2006 , 3, 212-7		8
980	Preoperative assessment for cardiac surgery. 2006 , 6, 109-113		8
979	Comparing interventions in older unpartnered adults after myocardial infarction. <i>European Journal of Cardiovascular Nursing</i> , 2006 , 5, 83-9	3.3	23
978	Anger, hostility, and cardiac symptoms in women with suspected coronary artery disease: the Women's Ischemia Syndrome Evaluation (WISE) Study. 2006 , 15, 1214-23		33
977	Effect of functional health-related quality of life on long-term survival after cardiac surgery. <i>Circulation</i> , 2007 , 115, 692-9	16.7	60
976	ACC/AHA 2007 guidelines for the management of patients with unstable angina/non ST-elevation myocardial infarction: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Writing Committee to Revise the 2002 Guidelines for the Management of Patients With Unstable Angina/Non ST-Elevation Myocardial Infarction). developed in collaboration with the American College of Emergency Physicians, the Society for Cardiovascular Angiography and Interventions, and the <i>Circulation</i> , 2007, 116:1-50	16.7	927
975	Interpretation of Hemodynamic Responses to Exercise Testing. 2007 , 51-85		1
974	ACC/AHA 2007 Guidelines on Perioperative Cardiovascular Evaluation and Care for Noncardiac Surgery: Executive Summary: A Report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Writing Committee to Revise the 2002 Guidelines on Perioperative Cardiovascular Evaluation for Noncardiac Surgery): Developed in Collaboration with	16.7	493
973	A structured weight management programme can achieve improved functional ability and significant weight loss in obese patients with chronic kidney disease. 2008 , 23, 263-8		49
972	Transmyocardial revascularization: peril and potential. 2007 , 12, 44-53		5

971	Assessment of functional capacity in clinical and research settings: a scientific statement from the American Heart Association Committee on Exercise, Rehabilitation, and Prevention of the Council on Clinical Cardiology and the Council on Cardiovascular Nursing. <i>Circulation</i> , 2007 , 116, 329-43	16.7	370
970	ACC/AHA 2007 guidelines on perioperative cardiovascular evaluation and care for noncardiac surgery: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Writing Committee to Revise the 2002 Guidelines on Perioperative Cardiovascular Evaluation for Noncardiac Surgery): developed in collaboration with the American Society of Echocardiography, American Society of Nuclear Cardiology, Heart Rhythm Society, Society of Cardiovascular Anesthesiologists, Society. <i>Circulation</i> , 2007 , 116, e418-85	16.7	540
969	Preoperative shuttle walking testing and outcome after oesophagogastrectomy. 2007 , 99, 809-11		45
968	Religion and remission of depression in medical inpatients with heart failure/pulmonary disease. 2007 , 195, 389-95		76
967	Routine functional testing after percutaneous coronary intervention: results of the aggressive diagnosis of restenosis in high-risk patients (ADORE II) trial. 2007 , 62, 143-50		12
966	The variable response of women with menopausal hot flashes when treated with sertraline. 2007 , 14, 841-5		13
965	Relationship of initial level of distress to changes in health-related quality of life during cardiac rehabilitation or usual care. 2007 , 69, 793-7		17
964	Impact of perioperative cardiac assessment guidelines on management of orthopedic surgery patients. 2007 , 120, 185.e1-6		18
963	Latency and exposure-health associations in Gulf War veterans with early fatigue onsets: a case-control study. 2007 , 17, 799-806		6
962	Comorbid depression and health-related quality of life in patients with coronary artery disease. 2007 , 62, 401-10		69
961	A comparison of health-related quality of life between older adults with heart failure and healthy older adults. 2007 , 36, 16-24		78
960	Functional status of patients during subacute recovery from coronary artery bypass surgery. 2007 , 36, 114-24		24
959	Continuity of cardiac care: cardiac rehabilitation participation and other correlates. 2007 , 119, 326-33		17
958	Resistance exercise in individuals with and without cardiovascular disease: 2007 update: a scientific statement from the American Heart Association Council on Clinical Cardiology and Council on Nutrition, Physical Activity, and Metabolism. <i>Circulation</i> , 2007 , 116, 572-84	16.7	767
957	Religion and depression in older medical inpatients. 2007 , 15, 282-91		100
956	Measuring functional performance in patients with COPD: a discussion of patient-reported outcome measures. 2007 , 23, 2655-65		24
955	Open lobectomy for patients with stage I non-small cell lung cancer. 2007 , 17, 203-15		1
954	ACC/AHA 2007 guidelines for the management of patients with unstable angina/non-ST-Elevation myocardial infarction: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Writing Committee to Revise the 2002 Guidelines for the Management of Patients With Unstable Angina/Non-ST-Elevation Myocardial Infarction) developed in collaboration with the American College of Emergency Physicians, the Society for Cardiovascular Angiography and Interventions, and the. 2007 , 50, e1-e157		1412

953	Depression, inflammation, and incident cardiovascular disease in women with suspected coronary ischemia: the National Heart, Lung, and Blood Institute-sponsored WISE study. 2007 , 50, 2044-50	204
952	ACC/AHA 2007 Guidelines on Perioperative Cardiovascular Evaluation and Care for Noncardiac Surgery: Executive Summary: A Report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Writing Committee to Revise the 2002 Guidelines on	994
951	ACC/AHA 2007 guidelines on perioperative cardiovascular evaluation and care for noncardiac surgery: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Writing Committee to Revise the 2002 Guidelines on Perioperative	409
950	Cardiovascular Evaluation for Noncardiac Surgery) developed in collaboration with the American Impact of rate-modulated pacing on quality of life and exercise capacity—evidence from the Advanced Elements of Pacing Randomized Controlled Trial (ADEPT). 2007 , 4, 1125-32	71
949	Perioperative cardiac evaluation: novel interventions and clinical challenges. 2007 , 100, 486-92; quiz 493, 511	2
948	A prospective comparison of cardiac rehabilitation enrollment following automatic vs usual referral. 2007 , 39, 239-45	57
947	GUIDELINES ON THE MANAGEMENT OF STABLE ANGINA PECTORIS (ENDING). 2007 , 3, 69-100	
946	. 2007 ,	3
945	The role of cardiopulmonary exercise testing in preoperative evaluation of surgical patients. 1-20	1
944	Oesophagectomy for cancer. 21-40	
943	Body composition, muscle strength deficits and mobility limitations in adult survivors of childhood acute lymphoblastic leukemia. 2007 , 49, 975-81	105
942	[Accelerated postoperative recovery after colorectal surgery]. 2007 , 144, 191-6	1
941	Impact of external counterpulsation treatment on emergency department visits and hospitalizations in refractory angina patients with left ventricular dysfunction. 2007 , 13, 36-40	16
940	Physical function and quality of life in older women with diastolic heart failure: effects of a progressive walking program on sleep patterns. 2007 , 22, 72-80	46
939	Usefulness of RISKO Heart Hazard Appraisal to Quantify CAD risk factor burden on the preoperative functioning of coronary artery bypass graft surgery patients. 2007 , 22, 81-7	2
938	The burden of angina pectoris and its complications [corrected]. 2007 , 30, 110-5	10
937	Quality of life after surgery for genital prolapse in elderly women: obliterative and reconstructive surgery. 2007 , 18, 799-806	86
936	A prospective examination of patterns and correlates of exercise maintenance in coronary artery disease patients. 2007 , 30, 411-21	26

935	Effects of levosimendan on quality of life and emotional stress in advanced heart failure patients. 2007 , 21, 263-8	19
934	Kommentar zu den Leitlinien zur perioperativen kardiovaskulären Evaluation bei nichtkardialer Chirurgie der ACC/AHA. 2007 , 1, 18-30	5
933	Health-related quality of life following coronary artery bypass graft surgery in post-menopausal women. 2008 , 23, 1429-34	7
932	Does outpatient telephone coaching add to hospital quality improvement following hospitalization for acute coronary syndrome?. 2008 , 23, 1464-70	36
931	Do emergency department patients with possible acute coronary syndrome have better outcomes when admitted to cardiology versus other services?. 2008 , 51, 561-70, 570.e1	9
930	Risk factors associated with failure 1 year after retropubic or transobturator midurethral slings. 2008 , 199, 666.e1-7	74
929	An audit of the pre-operative high risk colorectal assessment clinic at James Cook Hospital. 2008 , 63, 1269-1269	
928	The relationship between depressive symptoms, health service consumption, and prognosis after acute myocardial infarction: a prospective cohort study. 2008 , 8, 200	40
927	"Concordance between comorbidity data from patient self-report interviews and medical record documentation". 2008 , 8, 85	70
926	Risk stratification. 2008 , 22, 1-21	3
925	Anaesthetic considerations for endovascular abdominal aortic aneurysm repair (EVAR). 2008 , 19, 150-162	1
924	Gender differences in and factors related to self-care behaviors: a cross-sectional, correlational study of patients with heart failure. 2008 , 45, 1807-15	100
923	Socioeconomic status and comorbidity as predictors of preoperative quality of life in cardiac surgery. 2008 , 136, 665-72, 672.e1	20
922	A simple subclassification of American Society of Anesthesiology III patients undergoing peripheral revascularization based on functional capacity. 2008 , 47, 766-72; discussion 722-3	22
921	Depression, the metabolic syndrome and cardiovascular risk. 2008 , 70, 40-8	133
920	No benefit from defibrillation threshold testing in the SCD-HeFT (Sudden Cardiac Death in Heart Failure Trial). 2008 , 52, 551-6	114
919	A prospective, controlled multisite study of psychosocial and behavioral change following women's cardiac rehabilitation participation. 2008 , 17, 241-8	18
918	Preoperative cardiac evaluation of lung resection candidates. 2008 , 18, 45-59	8

917	Perioperative medicine for the hospitalized patient. 2008 , 92, 325-48, viii		5
916	Cardiologists' charting varied by risk factor, and was often discordant with patient report. 2008 , 61, 1073-9		11
915	Outcome in African Americans and other minorities in the Sudden Cardiac Death in Heart Failure Trial (SCD-HeFT). 2008 , 155, 501-6		36
914	Clinical and research issues regarding chronic advanced coronary artery disease part II: Trial design, outcomes, and regulatory issues. 2008 , 155, 435-44		42
913	Health status outcomes after cardioversion for atrial fibrillation: results from the Assessment of Cardioversion Using Transesophageal Echocardiography (ACUTE) II Trial. 2008 , 156, 374.e1-6		2
912	The prevalence and correlates of mind-body therapy practices in patients with acute coronary syndrome. 2008 , 16, 254-61		10
911	A prospective examination of antidepressant use and its correlates in patients with acute coronary syndrome. 2008 , 49, 199-207		8
910	Perioperative cardiac evaluation: assessment, risk reduction, and complication management. 2008 , 24, 585-605, vii		9
909	Assessing fitness for surgery: a comparison of questionnaire, incremental shuttle walk, and cardiopulmonary exercise testing in general surgical patients. 2008 , 101, 774-80		93
908	Can we accurately assess an individual's perioperative risk?. 2008 , 101, 747-9		16
907	Patient satisfaction and its relationship with quality and outcomes of care after acute myocardial infarction. <i>Circulation</i> , 2008 , 118, 1938-45	16.7	79
906	Predictors of outcomes in low-flow, low-gradient aortic stenosis: results of the multicenter TOPAS Study. <i>Circulation</i> , 2008 , 118, S234-42	16.7	166
905	Health-related quality of life after cardiac surgery. 2008 , 12, 203-17		23
904	Contribution of patient and physician factors to cardiac rehabilitation referral: a prospective multilevel study. 2008 , 5, 653-62		52
903	Screening for Coronary Artery Disease in Patients With Diabetes. 2008 , 21, 166-171		7
902	Work-heart balance: the influence of biobehavioral variables on self-care among employees with heart failure. 2008 , 56, 63-73; quiz 74-6		22
901	A typology of heart failure self-care management in non-elders. <i>European Journal of Cardiovascular Nursing</i> , 2008 , 7, 171-81	3.3	96
900	Contribution of patient and physician factors to cardiac rehabilitation enrollment: a prospective multilevel study. 2008 , 15, 548-56		96

899	Quality of life with defibrillator therapy or amiodarone in heart failure. 2008 , 359, 999-1008	192
898	Clinical and prognostic implications of self-rating depression scales and plasma B-type natriuretic peptide in hospitalised patients with chronic heart failure. 2008 , 94, 585-9	45
897	Prognostic importance of defibrillator shocks in patients with heart failure. 2008 , 359, 1009-17	1033
896	Perioperative Management of Vascular Surgery. 2008 , 115-123	
895	Transobturator tape compared with tension-free vaginal tape for the treatment of stress urinary incontinence: a randomized controlled trial. 2008 , 111, 611-21	171
894	ACC/AHA 2007 guidelines on perioperative cardiovascular evaluation and care for noncardiac surgery: executive summary: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Writing Committee to Revise the 2002 Guidelines on Perioperative Cardiovascular Evaluation for Noncardiac Surgery). 2008 , 106, 685-712	156
893	Is your preanesthetic medical history form state-of-the-art?. 2008 , 55, 107-8	
892	Predicting Oxygen Uptake for Men with Moderate to Severe Chronic Obstructive Pulmonary Disease. 2008 , 64, 433	3
891	Preoperative Assessment for the Healthy Patient. 2008 , 15-33	
890	Assessment of cardiovascular risk. 31-57	
889	Preoperative medical evaluation: part 1: general principles and cardiovascular considerations. 2009 , 56, 92-102; quiz 103-4	15
888	Stentless bioprosthesis provided excellent hemodynamic performance in a military scuba diver with infective endocarditis. 2009 , 174, 770-2	
887	Preoperative management. 1-24	
886	The joint impact of smoking and exercise capacity on clinical outcomes among women with suspected myocardial ischemia: the WISE study. 2009 , 18, 443-50	3
885	Patients' survival expectations before localized prostate cancer treatment by treatment status. 2009 , 22, 247-56	24
884	Prospective study of associations among positive emotion and functional status in older patients with coronary artery disease. 2009 , 64, 461-9	15
883	Effect of race on the clinical outcomes in the bypass angioplasty revascularization investigation trial. 2009 , 2, 186-90	2
882	BNP-guided vs symptom-guided heart failure therapy: the Trial of Intensified vs Standard Medical Therapy in Elderly Patients With Congestive Heart Failure (TIME-CHF) randomized trial. 2009 , 301, 383-92	425

881	Quality of life after late invasive therapy for occluded arteries. 2009 , 360, 774-83		28
880	Lowering interleukin-1 activity with anakinra improves myocardial deformation in rheumatoid arthritis. 2009 , 95, 1502-7		60
879	Telephone-delivered collaborative care for treating post-CABG depression: a randomized controlled trial. 2009 , 302, 2095-103		240
878	A framework for assessment in oncology rehabilitation. 2009 , 89, 286-306		74
877	The coronary artery bypass graft surgery trajectory: Gender differences revisited. <i>European Journal of Cardiovascular Nursing</i> , 2009 , 8, 302-8	3.3	20
876	Recommendations for clinical exercise laboratories: a scientific statement from the american heart association. <i>Circulation</i> , 2009 , 119, 3144-61	16.7	203
875	2009 ACCF/AHA focused update on perioperative beta blockade incorporated into the ACC/AHA 2007 guidelines on perioperative cardiovascular evaluation and care for noncardiac surgery: a report of the American college of cardiology foundation/American heart association task force on practice guidelines. <i>Circulation</i> , 2009 , 120, e169-276	16.7	226
874	Effect of job strain and depressive symptoms upon returning to work after acute coronary syndrome. 2009 , 68, 1875-81		27
873	Clinical and prognostic value of Duke's Activity Status Index along with plasma B-type natriuretic peptide levels in chronic heart failure secondary to ischemic or idiopathic dilated cardiomyopathy. <i>American Journal of Cardiology</i> , 2009 , 103, 73-5	3	31
872	The association among depressive symptoms, smoking status and antidepressant use in cardiac outpatients. 2009 , 32, 478-90		28
871	The WOMEN study: what is the optimal method for ischemia evaluation in women? A multi-center, prospective, randomized study to establish the optimal method for detection of coronary artery disease (CAD) risk in women at an intermediate-high pretest likelihood of CAD: study design. 2009 , 16, 105-12		9
870	Degree and correlates of patient trust in their cardiologist. 2009 , 15, 634-40		17
869	Effect of a psychoeducational intervention on depression, anxiety, and health resource use in implantable cardioverter defibrillator patients. 2009 , 32, 1259-71		77
868	The effect of age on functional and mortality outcomes after acute myocardial infarction. 2009 , 57, 209-17		22
867	Degree and correlates of cardiac knowledge and awareness among cardiac inpatients. 2009 , 75, 99-107		69
866	Clinical review: Goal-directed therapy in high risk surgical patients. 2009 , 13, 231		95
865	Depression and cardiovascular health care costs among women with suspected myocardial ischemia: prospective results from the WISE (Women's Ischemia Syndrome Evaluation) Study. 2009 , 53, 176-83		70
864	2009 ACCF/AHA focused update on perioperative beta blockade incorporated into the ACC/AHA 2007 guidelines on perioperative cardiovascular evaluation and care for noncardiac surgery. 2009 , 54, e13-e118		223

863	Rationale präoperative Risikoabschätzung â Kardiale und pulmonale Risikoabschätzung bei nicht-kardio-pulmonalen Operationen. 2009 , 1, 15-30		2
862	Gua de prctica clnica para la valoracin del riesgo cardiaco preoperatorio y el manejo cardiaco perioperatorio en la ciruga no cardiaca. 2009 , 62, 1467.e1-1467.e56		
861	Cardiac screening before noncardiac surgery. 2009 , 89, 747-62, vii		21
860	Satisfaction with current health status in patients with a history of acute coronary syndrome. 2009 , 25, 683-9		6
859	Assessment of activity status and survival according to the Canadian Cardiovascular Society angina classification. 2009 , 25, e225-31		33
858	Gua de prctica clnica para la valoracin del riesgo cardiaco preoperatorio y el manejo cardiaco perioperatorio en la ciruga no cardiaca. 2009 , 62, 1467.e1-1467.e56		4
857	Guidelines for pre-operative cardiac risk assessment and perioperative cardiac management in non-cardiac surgery. 2009 , 30, 2769-812		545
856	Hopelessness and its effect on cardiac rehabilitation exercise participation following hospitalization for acute coronary syndrome. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2009 , 29, 32-9	3.6	23
855	The Montana cardiac rehabilitation regional outcomes project. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2009 , 29, 370-5	3.6	1
854	Coronary artery bypass graft surgery: exploring a broader perspective of risks and outcomes. 2009 , 24, 198-206		11
853	Patient-related risk factors for postoperative adverse events. 2009 , 15, 320-7		13
852	The Bypassing the Blues treatment protocol: stepped collaborative care for treating post-CABG depression. 2009 , 71, 217-30		52
851	BENEFITS OF PHYSICAL ACTIVITY IN OLDER ADULTS. 2009 , 13, 12-16		3
850	Gender differences in ischemic heart disease. 2009 , 4, 234-40		32
849	Cardiopulmonary exercise testing: a review of methods and applications in surgical patients. 2010 , 27, 858-65		21
848	Predictors of depressive symptoms in caregivers of patients with heart failure. 2010 , 25, 411-9		59
847	Self-rated versus objective health indicators as predictors of major cardiovascular events: the NHLBI-sponsored Women's Ischemia Syndrome Evaluation. 2010 , 72, 549-55		36
846	Cognitive deficits and health-related quality of life in chronic heart failure. 2010 , 25, 189-98		69

845	Guidelines for pre-operative cardiac risk assessment and perioperative cardiac management in non-cardiac surgery: the Task Force for Preoperative Cardiac Risk Assessment and Perioperative Cardiac Management in Non-cardiac Surgery of the European Society of Cardiology (ESC) and endorsed by the European Society of Anaesthesiology (ESA). 2010 , 27, 92-137	158
844	The impact of pain and depression on recovery after coronary artery bypass grafting. 2010 , 72, 620-5	34
843	Symptom burden clusters and their impact on psychosocial functioning following coronary artery bypass surgery. 2010 , 25, 301-10	14
842	Preoperative Evaluation. 2010 , 1001-1066	20
841	Outpatient pulmonary rehabilitation. 2010 , 6, 334-341	
840	Preoperative evaluation and a risk assessment in patients undergoing abdominal surgery. 2010 , 40, 108-13	13
839	Comparison of actigraphic and subjective measures of sleep in implantable cardioverter defibrillator and coronary artery disease patients. 2010 , 33, 753-9	12
838	[Limitation of operability. What does the internist need to know?]. 2010 , 51, 442-50	1
837	Exercise program to enhance physical performance and quality of life of older hemodialysis patients: a feasibility study. 2010 , 42, 1125-30	31
836	Angina crónica estable: fisiopatología y formas de manifestación clínica. 2010 , 10, 11B-21B	
835	Are stentless valves hemodynamically superior to stented valves? Long-term follow-up of a randomized trial comparing Carpentier-Edwards pericardial valve with the Toronto Stentless Porcine Valve. 2010 , 139, 848-59	40
834	Physical performance limitations among adult survivors of childhood brain tumors. 2010 , 116, 3034-44	93
833	The benefits from TAVI: mortality and beyond. 2010 , 75, 1127-8	2
832	The relationship between functional capacity (FC) and cardiovascular risk factors (CVRFs) in senile patients after noncardiac surgery. 2010 , 51, 92-4	3
831	Drive time to cardiac rehabilitation: at what point does it affect utilization?. 2010 , 9, 27	41
830	Maximum daily 6 minutes of activity: an index of functional capacity derived from actigraphy and its application to older adults with heart failure. 2010 , 58, 931-6	29
829	Fit for surgery? A study of self-reported exercise capacity in vascular surgical patients. 2010 , 65, 218-218	
828	Identification and management of perioperative cardiovascular risk. 2010 , 71, M12-5	

827	In search of parsimony: reliability and validity of the Functional Performance Inventory-Short Form. 2010 , 5, 415-23		17
826	The future of aerobic exercise testing in clinical practice: is it the ultimate vital sign?. 2010 , 6, 325-42		54
825	Health insurance status and control of diabetes and coronary artery disease risk factors on enrollment into the Bypass Angioplasty Revascularization Investigation 2 Diabetes (BARI 2D) trial. 2010 , 36, 774-83		2
824	Nocturnal rostral fluid shift: a unifying concept for the pathogenesis of obstructive and central sleep apnea in men with heart failure. <i>Circulation</i> , 2010 , 121, 1598-605	16.7	332
823	Operative and middle-term results of cardiac surgery in nonagenarians: a bridge toward routine practice. <i>Circulation</i> , 2010 , 121, 208-13	16.7	50
822	Post-traumatic growth among cardiac outpatients: degree comparison with other chronic illness samples and correlates. 2010 , 15, 1049-63		35
821	Dental care for patients with heart failure: an update. 2010 , 141, 845-53		12
820	Health status after treatment for coronary artery disease and type 2 diabetes mellitus in the Bypass Angioplasty Revascularization Investigation 2 Diabetes trial. <i>Circulation</i> , 2010 , 122, 1690-9	16.7	25
819	Cardiopulmonary exercise testing: relevant but underused. 2010 , 122, 68-86		67
818	Impaired functional capacity is associated with all-cause mortality after major elective intra-abdominal surgery. 2010 , 105, 297-303		243
817	Nonsurgical weight loss for extreme obesity in primary care settings: results of the Louisiana Obese Subjects Study. 2010 , 170, 146-54		99
816	Development of the performance measure for activities of daily living-8 for patients with congestive heart failure: a preliminary study. 2010 , 56, 459-66		11
815	Memory dysfunction, psychomotor slowing, and decreased executive function predict mortality in patients with heart failure and low ejection fraction. 2010 , 16, 750-60		101
814	The effect of obesity on quality of life in patients with diabetes and coronary artery disease. 2010 , 159, 292-300		39
813	Predictors of early readmission or death in elderly patients with heart failure. 2010 , 160, 308-14		80
812	An initial analysis: working hours and delay in seeking care during acute coronary events. 2010 , 28, 734-40		11
811	Current best evidence recommendations on measurement and interpretation of physical function in patients with chronic kidney disease. 2010 , 40, 1055-74		36
810	Improved Patient Outcomes through Collaborative Monitoring and Management of Subtle Behavioral and Physiological Health Changes. 2011 ,		4

809	A simultaneous test of the relationship between identified psychosocial risk factors and recurrent events in coronary artery disease patients. 2011 , 24, 463-75	13
808	2011 ACCF/AHA focused update incorporated into the ACC/AHA 2007 Guidelines for the Management of Patients with Unstable Angina/Non-ST-Elevation Myocardial Infarction: a report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines developed in collaboration with the American Academy of Family Physicians, Society for	338
807	The effect of age on clinical outcomes and health status BARI 2D (Bypass Angioplasty Revascularization Investigation in Type 2 Diabetes). 2011 , 57, e215-367	29
806	Ranolazine improves angina in women with evidence of myocardial ischemia but no obstructive coronary artery disease. 2011 , 4, 514-22	144
805	Effectiveness of exercise after PCI in the secondary prevention of coronary heart disease: A systematic review. 2011 , 3, e63-e69	1
804	Identifying and reporting risk factors for adverse events in endoscopy. Part I: cardiopulmonary events. 2011 , 73, 579-85	39
803	High fitness is associated with a better cardiovascular risk profile in patients with type 2 diabetes mellitus. 2011 , 34, 856-61	15
802	Treating post-CABG depression with telephone-delivered collaborative care: does patient age affect treatment and outcome?. 2011 , 19, 871-80	4
801	Combined aerobic and resistance exercise program improves task performance in patients with heart failure. 2011 , 92, 1371-81	40
800	Performance-based functional assessment of patients undergoing transcatheter aortic valve implantation. 2011 , 161, 726-34	30
799	Body mass index and health status in the Bypass Angioplasty Revascularization Investigation 2 Diabetes Trial (BARI 2D). 2011 , 162, 184-92.e3	5
798	Depressive symptom trajectory predicts 1-year health-related quality of life in patients with heart failure. 2011 , 17, 755-63	32
797	Effects of sertraline on circulating markers of oxidative stress in depressed patients with chronic heart failure: a pilot study. 2011 , 17, 748-54	21
796	Nurse-Enhanced Memory Intervention in Heart Failure: the MEMOIR study. 2011 , 17, 832-43	49
795	Depressive symptoms and poor social support have a synergistic effect on event-free survival in patients with heart failure. 2011 , 40, 492-501	35
794	Effect of enhanced external counterpulsation on circulating CD34+ progenitor cell subsets. 2011 , 153, 202-6	18
793	Exercise oscillatory ventilation reflects diminished quality of life and perceived functional capacity in patients with heart failure. 2011 , 153, 213-4	6
792	Gender differences in the treatment of ischemic heart disease. 2011 , 17, 1059-69	8

791	High-risk surgery: epidemiology and outcomes. 2011 , 112, 891-901	64
790	Depression and self-reported functional status: impact on mortality following acute myocardial infarction. 2011 , 17, 444-51	10
789	Short-term and long-term results of cardiac surgery in elderly and very elderly patients. 2011 , 141, 725-31, 731.e1	32
788	A comprehensive systematic review of the development process of 104 patient-reported outcomes (PROs) for physical activity in chronically ill and elderly people. 2011 , 9, 116	26
787	Event-free survival in adults with heart failure who engage in self-care management. 2011 , 40, 12-20	126
786	Perioperative cardiopulmonary exercise testing in the elderly. 2011 , 25, 427-37	39
785	Self-rated health as a tool for estimating health-adjusted life expectancy among patients newly diagnosed with localized prostate cancer: a preliminary study. 2011 , 20, 713-21	18
784	The impact of disease severity on EQ-5D and SF-6D utility discrepancies in chronic heart failure. 2011 , 12, 383-91	25
783	Sex differences in the diagnostic evaluation of coronary artery disease. 2011 , 18, 144-52	14
782	Clinical role of the Duke Activity Status Index in the selection of the optimal type of stress myocardial perfusion imaging study in patients with known or suspected ischemic heart disease. 2011 , 18, 1015-20	19
781	The relationship between functional capacity (FC) and cardiac autonomic nervous dysfunction to surgery stress in senile patients. 2011 , 53, 95-9	2
780	Cardiorespiratory fitness is independently associated with 25-hydroxyvitamin D in chronic kidney disease. 2011 , 6, 512-8	14
779	Signs and symptoms of suspected myocardial ischemia in women: results from the What is the Optimal Method for Ischemia Evaluation in Women? Trial. 2011 , 20, 1261-8	25
778	An ontology-based framework aiming to support personalized exercise prescription: application in cardiac rehabilitation. 2011 , 2011, 1567-70	7
777	Quality of life following participation in cardiac rehabilitation programs of longer or shorter than 6 months: does duration matter?. 2011 , 14, 181-8	9
776	Effect of cardiac rehabilitation referral strategies on utilization rates: a prospective, controlled study. 2011 , 171, 235-41	137
775	Utility of clinical risk predictors for preoperative cardiovascular risk prediction. 2011 , 107, 133-43	29
774	The evolving role of preoperative testing in vascular surgery patients: can a little knowledge be dangerous?. 2011 , 15, 75-84	

773	Preoperative cardiac management of the patient for non-cardiac surgery: an individualized and evidence-based approach. 2011 , 107, 83-96		42
772	Percutaneous coronary intervention in the elderly. 2011 , 8, 79-90		51
771	2011 ACCF/AHA Focused Update Incorporated Into the ACC/AHA 2007 Guidelines for the Management of Patients With Unstable Angina/Non-ST-Elevation Myocardial Infarction: a report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines. <i>Circulation</i> , 2011 , 123, e426-579	16.7	365
770	[Perioperative cardiac risk management]. 2011 , 100, 687-96; quiz 695		
769	Managing complexity in pre-operative information management systems. 2011 ,		3
768	Recovery expectations and long-term prognosis of patients with coronary heart disease. 2011 , 171, 929-35		52
767	The Preoperative Cardiac Evaluation. 2012 , 208-217		
766	General and disease-specific psychosocial adjustment in patients with arrhythmogenic right ventricular dysplasia/cardiomyopathy with implantable cardioverter defibrillators: a large cohort study. 2012 , 5, 18-24		49
765	The role of systematic inpatient cardiac rehabilitation referral in increasing equitable access and utilization. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2012 , 32, 41-7	3.6	33
764	Design and implementation of a stand-alone chest pain evaluation center within an academic emergency department. 2012 , 11, 123-7		6
763	Commonalities and differences in correlates of depressive symptoms in men and women with heart failure. <i>European Journal of Cardiovascular Nursing</i> , 2012 , 11, 356-65	3.3	19
762	Posthospital heart-healthy behaviors in adults with comorbid diabetes. 2012 , 21, 327-49		2
761	The Duke Activity Status Index in patients with chronic kidney disease: a reliability study. 2012 , 7, 573-80		25
760	Variation in patient perceptions of healthcare provider endorsement of cardiac rehabilitation. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2012 , 32, 192-7	3.6	20
759	The role of clinical and geographic factors in the use of hospital versus home-based cardiac rehabilitation. 2012 , 35, 220-6		18
758	End-of-life preferences of elderly patients with chronic heart failure. 2012 , 33, 752-9		67
757	Rostral overnight fluid shift in end-stage renal disease: relationship with obstructive sleep apnea. 2012 , 27, 1569-73		111
756	Editorial: recent advances in anesthetic management. 2012 , 18, 6181		

755	Optimism, response to treatment of depression, and rehospitalization after coronary artery bypass graft surgery. 2012 , 74, 200-7	50
754	Differences in Clinical Presentation and Findings between Idiopathic Dilated and Ischaemic Cardiomyopathy in an Unselected Population of Heart Failure Patients. 2012 , 6, 98-105	2
753	Miscellaneous topics. 447-452	
752	Cardiovascular disease and non-cardiac surgery. 469-478	1
751	The enigma of heart disease in women: new insights may precipitate diagnosis and improve patient outcomes. 2012 , 24, 574-8	5
750	Long-term limb salvage and survival after endovascular and open revascularization for critical limb ischemia after adoption of endovascular-first approach by vascular surgeons. 2012 , 56, 361-71	70
749	Prognostic value of self-reported versus objectively measured functional capacity in patients with heart failure: results from the TIME-CHF (Trial of Intensified Versus Standard Medical Therapy in Elderly Patients with Congestive Heart Failure). 2012 , 60, 2125-6	7
748	Guidelines for liver transplantation for patients with non-alcoholic steatohepatitis. 2012 , 61, 484-500	52
747	Evaluation of a pragmatic exercise rehabilitation programme in chronic kidney disease. 2012 , 27 Suppl 3, iii126-34	77
746	Design of the Trial to Assess Chelation Therapy (TACT). 2012 , 163, 7-12	54
745	Musculoskeletal comorbidities in cardiac patients: prevalence, predictors, and health services utilization. 2012 , 93, 856-62	21
744	Posttraumatic growth in coronary artery disease outpatients: relationship to degree of trauma and health service use. 2012 , 72, 293-9	20
743	Referral and use of heart failure clinics: what factors are related to use?. 2012 , 28, 483-9	11
742	A prospective examination of disease management program use by complex cardiac outpatients. 2012 , 28, 490-6	3
741	Do self-report and medical record comorbidity data predict longitudinal functional capacity and quality of life health outcomes similarly?. 2012 , 12, 398	30
740	Patient-reported physical activity questionnaires: a systematic review of content and format. 2012 , 10, 28	37
739	Effectiveness of inpatient and outpatient strategies in increasing referral and utilization of cardiac rehabilitation: a prospective, multi-site study. 2012 , 7, 120	20
738	Special Anesthetic Considerations for Endourology: Ureteroscopy and Percutaneous Nephrolithotomy. 2012 , 120-134	

737 Impaired aerobic capacity/endurance. **2012**, 228-247

736 Manual of Fast Track Recovery for Colorectal Surgery. **2012**, 10

735 The impact of emotional well-being on long-term recovery and survival in physical illness: a meta-analysis. **2012**, 35, 538-47 132

734 Total Hip Arthroplasty. **2012**, 4

733 A cross-sectional survey of the relationship between walking, biking, and the built environment for adults aged over 70 years. **2012**, 5, 35-41 16

732 Enhanced recovery after surgery program for elective abdominal surgery at three Victorian hospitals. **2012**, 40, 450-9 11

731 Clinical, methodological and theoretical issues in the assessment of cognition after anaesthesia and surgery: a review. **2012**, 29, 409-22 28

730 Evaluating the Association of Preoperative Functional Status and Postoperative Functional Decline in Older Patients Undergoing Major Surgery. **2012**, 78, 1336-1344 35

729 Gender Differences in Coronary Artery Disease. **2012**, 1

728 Noninvasive diagnostic techniques for coronary disease in women. **2012**, 35, 149-55 5

727 Patient-centered imaging. **2012**, 19, 185-215 83

726 Sleep quality and sleepiness in persons with implantable cardioverter defibrillators: outcome from a clinical randomized longitudinal trial. **2012**, 35, 431-43 14

725 The relationship of work, self-care, and quality of life in a sample of older working adults with cardiovascular disease. **2012**, 41, 5-14 22

724 Cardiac rehabilitation and quality of life: a systematic review. **2012**, 49, 755-71 109

723 Prevalence and correlates of complicated grief in adults who have undergone a coronary artery bypass graft. **2012**, 136, 381-5 3

722 Quality of life after early mitral valve repair using conventional and robotic approaches. **2012**, 93, 761-9 94

721 Use of the pre-operative shuttle walk test to predict morbidity and mortality after elective major colorectal surgery. **2012**, 67, 839-49 20

720 Endovascular aneurysm repair: a perioperative perspective. **2012**, 56, 941-9 6

719	Quality and acceptability of patient-reported outcome measures used in chronic fatigue syndrome/myalgic encephalomyelitis (CFS/ME): a systematic review. 2012 , 21, 35-52	58
718	Speckle tracking echocardiography-determined measures of global and regional left ventricular function correlate with functional capacity in patients with and without preserved ejection fraction. 2013 , 11, 20	14
717	Encyclopedia of Otolaryngology, Head and Neck Surgery. 2013 , 2179-2179	
716	Cardiovascular fitness associated with cognitive performance in heart failure patients enrolled in cardiac rehabilitation. 2013 , 13, 29	31
715	A hypothetical protocol for the provisional use of perfusion imaging with exercise stress testing. 2013 , 20, 739-47	10
714	A strategy of symptom-limited exercise with regadenoson-as-needed for stress myocardial perfusion imaging: a randomized controlled trial. 2013 , 20, 185-96	20
713	A novel approach to long-term respiratory care: results of a community-based post-rehabilitation maintenance program in COPD. 2013 , 107, 1210-6	29
712	Chronic obstructive pulmonary disease in patients undergoing transcatheter aortic valve implantation: insights on clinical outcomes, prognostic markers, and functional status changes. 2013 , 6, 1072-84	67
711	End points for comparative effectiveness research in heart failure. 2013 , 9, 15-28	14
710	Hormone therapy for preventing cardiovascular disease in post-menopausal women. 2013 , CD002229	18
709	Patient questionnaires for use in the integrative medicine primary care setting—a systematic literature review. 2013 , 5, 194-216	14
708	The association of the distance walked in 6 min with pre-operative peak oxygen consumption and complications 1 month after colorectal resection. 2013 , 68, 811-6	62
707	2012 ACCF/AHA focused update incorporated into the ACCF/AHA 2007 guidelines for the management of patients with unstable angina/non-ST-elevation myocardial infarction: a report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines. 2013 , 61, e179-217	328
706	Sex differences in presentation and outcome among patients with type 2 diabetes and coronary artery disease treated with contemporary medical therapy with or without prompt revascularization: a report from the BARI 2D Trial (Bypass Angioplasty Revascularization Intervention 2 Diabetes). 2013 , 11, 1717-24	48
705	Rapid-rate nonsustained ventricular tachycardia found on implantable cardioverter-defibrillator interrogation: relationship to outcomes in the SCD-HeFT (Sudden Cardiac Death in Heart Failure Trial). 2013 , 61, 2161-8	51
704	Risk assessment in anaesthesia. 2013 , 14, 434-439	1
703	No benefit of a dual coil over a single coil ICD lead: evidence from the Sudden Cardiac Death in Heart Failure Trial. 2013 , 10, 970-6	43
702	Effect of cardiorespiratory fitness on short-term morbidity and mortality after coronary artery bypass grafting. <i>American Journal of Cardiology</i> , 2013 , 112, 1104-9	3 18

701	Indexes of von Willebrand factor as biomarkers of aortic stenosis severity (from the Biomarkers of Aortic Stenosis Severity [BASS] study). <i>American Journal of Cardiology</i> , 2013 , 111, 374-81	3	38
700	Healthcare resource use among heart failure patients in a randomized pilot study of a cognitive training intervention. 2013 , 42, 332-8		16
699	A non-exercise testing method for estimating cardiorespiratory fitness: associations with all-cause and cardiovascular mortality in a pooled analysis of eight population-based cohorts. 2013 , 34, 750-8		77
698	Perceived social support predicted quality of life in patients with heart failure, but the effect is mediated by depressive symptoms. 2013 , 22, 1555-63		49
697	Clinical implications of the Women's Ischemia Syndrome Evaluation: inter-relationships between symptoms, psychosocial factors and cardiovascular outcomes. 2013 , 9, 479-90		27
696	Neuropsychological patterns differ by type of left ventricle dysfunction in heart failure. 2013 , 28, 114-24		22
695	2012 ACCF/AHA focused update incorporated into the ACCF/AHA 2007 guidelines for the management of patients with unstable angina/non-ST-elevation myocardial infarction: a report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines. <i>Circulation</i> , 2013 , 127, e663-828	16.7	193
694	Assessing physical function and physical activity in patients with CKD. 2013 , 8, 861-72		116
693	Age-specific normal values for the incremental shuttle walk test in a healthy British population. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2013 , 33, 309-13	3.6	32
692	Depressive symptomatology, exercise adherence, and fitness are associated with reduced cognitive performance in heart failure. 2013 , 25, 459-77		12
691	Cardiovascular health: the importance of measuring patient-reported health status: a scientific statement from the American Heart Association. <i>Circulation</i> , 2013 , 127, 2233-49	16.7	326
690	'It could be worse ... lot's worse!' Why health-related quality of life is better in older compared with younger individuals with heart failure. 2013 , 42, 626-32		37
689	Encyclopedia of Otolaryngology, Head and Neck Surgery. 2013 , 2044-2053		
688	Effects of pharmacologic therapy on health-related quality of life in elderly patients with atrial fibrillation: a systematic review of randomized and nonrandomized trials. 2013 , 7, 1-20		13
687	Evaluating symptoms to improve quality of life in patients with chronic stable angina. 2013 , 2013, 504915		7
686	Effect of percutaneous coronary intervention on quality of life: a consensus statement from the Society for Cardiovascular Angiography and Interventions. 2013 , 81, 243-59		24
685	Anginal symptoms, coronary artery disease, and adverse outcomes in Black and White women: the NHLBI-sponsored Women's Ischemia Syndrome Evaluation (WISE) study. 2013 , 22, 724-32		49
684	Development and evaluation of a treadmill-based exercise tolerance test in cardiac rehabilitation. 2013 , 26, 247-51		6

683	Cardiac risk assessment before non-cardiac surgery. 2013 , 14, 316-22	16
682	Predictors of cognitive recovery after cardiac surgery. 2013 , 116, 435-42	32
681	Preoperative testing. 26-31	
680	Translation and cross-cultural adaptation of the Duke activity status index to Brazilian Portuguese. 2013 , 26, 631-638	2
679	Recent trends in nuclear cardiology practice. 2013 , 49, 55-64	3
678	The impact of patient-healthcare provider discussions on enrollment in cardiovascular rehabilitation. 2014 , 46, 924-31	10
677	Duke Activity Status Index for cardiovascular diseases: validation of the Portuguese translation. 2014 , 102, 383-90	25
676	Risk assessment and reduction. 2014 , 41-58	
675	Sensitivity, specificity, and sex differences in symptoms reported on the 13-item acute coronary syndrome checklist. 2014 , 3, e000586	57
674	Measurement of depressive symptoms among cardiac patients: should sex differences be considered?. 2014 , 19, 943-52	7
673	Quality-of-life outcomes with a disodium EDTA chelation regimen for coronary disease: results from the trial to assess chelation therapy randomized trial. 2014 , 7, 508-16	6
672	A TACTful reappraisal of chelation therapy in cardiovascular disease. 2014 , 11, 180-3	5
671	Metabolic equivalent determination in the cultural dance of hula. 2014 , 35, 399-402	11
670	A systematic approach to the preoperative medical evaluation of adults. 2014 , 42, 52-64	1
669	Physical comorbidities affect physical activity in chronic obstructive pulmonary disease: a prospective cohort study. 2014 , 19, 866-72	16
668	Grupo de Trabajo Conjunto sobre cirugía no cardíaca: Evaluación y manejo cardiovascular de la Sociedad Europea de Cardiología (ESC) y la European Society of Anesthesiology (ESA). 2014 , 67, 1052.e1-1052.e43	
667	2014 ESC/ESA Guidelines on non-cardiac surgery: cardiovascular assessment and management: The Joint Task Force on non-cardiac surgery: cardiovascular assessment and management of the European Society of Cardiology (ESC) and the European Society of Anaesthesiology (ESA). 2014 , 35, 2383-431	849
666	2014 AHA/ACC guideline for the management of patients with non-ST-elevation acute coronary syndromes: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines. <i>Circulation</i> , 2014 , 130, e344-426	16.7 754

665	2014 ACC/AHA guideline on perioperative cardiovascular evaluation and management of patients undergoing noncardiac surgery: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines. <i>Circulation</i> , 2014 , 130, e278-333	16.7	272
664	2014 ACC/AHA guideline on perioperative cardiovascular evaluation and management of patients undergoing noncardiac surgery: executive summary: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines. <i>Circulation</i> , 2014 , 130, 2215-45	16.7	426
663	Prognostic value of estimated functional capacity incremental to cardiac biomarkers in stable cardiac patients. 2014 , 3, e000960		20
662	Life satisfaction in adult survivors of childhood brain tumors. 2014 , 31, 317-26		9
661	Shocktivity: ability and avoidance of daily activity behaviors in ICD patients. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2014 , 34, 241-7	3.6	24
660	2014 ESC/ESA Guidelines on non-cardiac surgery: cardiovascular assessment and management: The Joint Task Force on non-cardiac surgery: cardiovascular assessment and management of the European Society of Cardiology (ESC) and the European Society of Anaesthesiology (ESA). 2014 , 31, 517-73		242
659	Development and psychometric evaluation of a cardiovascular risk and disease management knowledge assessment tool. 2014 , 29, 242-56		4
658	Blood pressure circadian pattern and physical exercise assessment by accelerometer and 7-day physical activity recall scale. 2014 , 27, 665-73		16
657	Assessment of safety of non-anesthesiologist-assisted endoscopic retrograde cholangiopancreatography based on performance status in elderly patients. 2014 , 29, 1943-8		8
656	The State-Trait Hopelessness Scale: development and testing. 2014 , 36, 552-70		23
655	Preoperative assessment and investigation. 2014 , 32, 63-68		2
654	Coexisting anxiety and depressive symptoms in patients with heart failure. <i>European Journal of Cardiovascular Nursing</i> , 2014 , 13, 168-76	3.3	30
653	Not fit for a haircut – how should we assess fitness and stratify risk for surgery?. 2014 , 112, 955-7		5
652	The effect of short, unplanned hospitalizations on older adult functional status. 2014 , 62, 788-9		5
651	Intra-dialytic exercise training: a pragmatic approach. 2014 , 40, 219-26		18
650	Monitorizaci3n ambulatoria de la presi3n arterial y actividad f3sica en pacientes hipertensos. 2014 , 31, 125-131		
649	Predictors of memory performance among Taiwanese postmenopausal women with heart failure. 2014 , 20, 679-88		2
648	A randomized controlled trial of acupuncture in stable ischemic heart disease patients. 2014 , 176, 367-74		23

647	2014 ACC/AHA Guideline on Perioperative Cardiovascular Evaluation and Management of Patients Undergoing Noncardiac Surgery: Executive Summary. 2014 , 64, 2373-2405		64
646	A modified nomogram for ramp treadmill testing using the Veterans Specific Activity Questionnaire. <i>American Journal of Cardiology</i> , 2014 , 114, 803-5	3	1
645	Management of Chronic Kidney Disease. 2014 ,		1
644	Noninvasive stress testing for coronary artery disease. 2014 , 32, 387-404		7
643	2014 ACC/AHA guideline on perioperative cardiovascular evaluation and management of patients undergoing noncardiac surgery: a report of the American College of Cardiology/American Heart Association Task Force on practice guidelines. 2014 , 64, e77-137		855
642	2014 AHA/ACC Guideline for the Management of Patients with Non-ST-Elevation Acute Coronary Syndromes: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines. 2014 , 64, e139-e228		1822
641	Perioperative Care of the Orthopedic Patient. 2014 ,		1
640	Surgical resection of primary tumour improves aerobic performance in colorectal cancer. 2014 , 40, 220-6		7
639	Religious involvement is associated with greater purpose, optimism, generosity and gratitude in persons with major depression and chronic medical illness. 2014 , 77, 135-43		58
638	Benefits of collaborative care for post-CABG depression are not related to adjustments in antidepressant pharmacotherapy. 2014 , 76, 28-33		6
637	Nouveautés dans la prise en charge cardiovasculaire en période préopératoire. 2014 , 23, 202-210		
636	Suboptimal risk factor control in patients undergoing elective coronary or peripheral percutaneous intervention. 2014 , 168, 310-316.e3		8
635	Exercise as a therapeutic intervention in patients with stable ischemic heart disease: an underfilled prescription. 2014 , 127, 905-11		15
634	Patient outcomes in the field of nursing: A concept analysis. 2014 , 1, 69-74		12
633	Ambulatory percutaneous endovascular abdominal aortic aneurysm repair. 2014 , 59, 58-64		39
632	Integrative approach for hemodynamic monitoring. 107-119		1
631	Assessment of cardiovascular disease. 30-49		
630	Peri-Operative Intensive Care Medicine. 2014 , 375-402		

629	Functional status and quality of life after transcatheter aortic valve replacement: a systematic review. 2014 , 160, 243-54		53
628	Activities worth living for: call to action beyond prognosis. 2015 , 8, 231-2		3
627	Effects of religious versus conventional cognitive-behavioral therapy on generosity in major depression and chronic medical illness: A randomized clinical trial.. 2015 , 2, 202-215		4
626	EFFECTS OF RELIGIOUS VERSUS STANDARD COGNITIVE-BEHAVIORAL THERAPY ON OPTIMISM IN PERSONS WITH MAJOR DEPRESSION AND CHRONIC MEDICAL ILLNESS. 2015 , 32, 835-42		20
625	Physical Activity and Falls in Older Men: The Critical Role of Mobility Limitations. 2015 , 47, 2119-28		51
624	Health-related quality of life and hospital costs following esophageal resection: a prospective cohort study. 2015 , 13, 266		5
623	Kidney Paired Donation Protocol for Participating Donors 2014. 2015 , 99, S1-S88		24
622	Update on perioperative care of the cardiac patient for noncardiac surgery. 2015 , 28, 342-8		7
621	Evidence-based clinical practice manual: Patient preparation for surgery and transfer to the operating room?. 2015 , 43, 32-50		
620	"I Just Can't Do It Anymore" Patterns of Physical Activity and Cardiac Rehabilitation in African Americans with Heart Failure: A Mixed Method Study. 2015 , 3, 973-86		4
619	A Comparison of Accelerometer Cut-Points among Individuals with Coronary Artery Disease. 2015 , 10, e0137759		20
618	History and Physical Evaluation. 2015 , 7-14		
617	[Comparative Effectiveness of Remote Monitoring of People with Cardiac Pacemaker versus Conventional: quality of Life at the 6 Months]. 2015 , 89, 149-58		14
616	Night-to-night variability in obstructive sleep apnea severity: relationship to overnight rostral fluid shift. 2015 , 11, 149-56		48
615	Integrated cardiovascular rehabilitation: how do noncardiac and polyvascular disease patients fare?. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2015 , 35, 114-23	3.6	4
614	Ranolazine: Drug overview and possible role in primary microvascular angina management. 2015 , 181, 376-81		17
613	Evidence-based clinical practice manual: Patient preparation for surgery and transfer to the operating room. 2015 , 43, 32-50		
612	Manual de práctica clínica basado en la evidencia: preparación del paciente para el acto quirúrgico y traslado al quirófano. 2015 , 43, 32-50		9

611	Effect on outcomes and exercise performance of anemia in patients with aortic stenosis who underwent transcatheter aortic valve replacement. <i>American Journal of Cardiology</i> , 2015 , 115, 472-9	3	29
610	Anesthesia for esophagectomy. 2015 , 33, 143-63		24
609	2014 ACC/AHA guideline on perioperative cardiovascular evaluation and management of patients undergoing noncardiac surgery: executive summary: a report of the American College of Cardiology/American Heart Association Task Force on practice guidelines. Developed in collaboration with the American College of Surgeons, American Society of Anesthesiologists, American Society of Echocardiography, American Society of Nuclear Cardiology, Heart Rhythm Society, Society for Cardiovascular Angiography and Intervention. 2015 , 12, 236-46		123
608	Patient-reported outcomes in heart failure: existing measures and future uses. 2015 , 22, 162-215		16
607	Valued Life Activities, Smoking Cessation, and Mood in Post-Acute Coronary Syndrome Patients. 2015 , 22, 563-8		3
606	Nurse-Enhanced Computerized Cognitive Training Increases Serum Brain-Derived Neurotrophic Factor Levels and Improves Working Memory in Heart Failure. 2015 , 21, 630-41		39
605	Development and psychometric properties of the Pulmonary-specific Quality-of-Life Scale in lung transplant patients. 2015 , 34, 1058-65		10
604	Aerobic or Resistance Training and Pulse Wave Velocity in Kidney Transplant Recipients: A 12-Week Pilot Randomized Controlled Trial (the Exercise in Renal Transplant [ExeRT] Trial). 2015 , 66, 689-98		61
603	Psychometric testing of the Duke Activity Status Index in patients with heart failure. <i>European Journal of Cardiovascular Nursing</i> , 2015 , 14, 214-21	3-3	22
602	Management of Complications After Pneumonectomy. 2015 , 25, 335-48		12
601	Dairy intake is associated with memory and pulsatility index in heart failure. 2015 , 125, 247-52		8
600	Oxidative stress contributes to muscle atrophy in chronic kidney disease patients. 2015 , 20, 126-32		15
599	Effect of below-the-knee compression stockings on severity of obstructive sleep apnea. 2015 , 16, 258-64		35
598	Exercise training improves functional walking capacity and activity level of Nigerians with chronic biventricular heart failure. 2015 , 33, 42-49		4
597	Religious vs. conventional cognitive behavioral therapy for major depression in persons with chronic medical illness: a pilot randomized trial. 2015 , 203, 243-51		63
596	Symptom clusters in patients presenting to the emergency department with possible acute coronary syndrome differ by sex, age, and discharge diagnosis. 2015 , 44, 368-75		23
595	Physical function and body composition in kidney transplant recipients over time with physiotherapy intervention. 2015 , 24, 208-212		1
594	Echocardiographic indices associated with frailty in adults ≥85 years. <i>American Journal of Cardiology</i> , 2015 , 116, 1591-5	3	17

593	Pr ^e habilitation. 2015 , 1, 409-415		3
592	NGAL and ST2 levels in ambulatory patients with chronic heart failure. Clinical and echocardiographic correlates. 2015 , 49, 213-9		7
591	PM-02 * CONDITIONAL INACTIVATION OF SMARCB1 IN P0 PERMISSIVE MOUSE CELLS GENERATES RHABDOID TUMORS IN THE PERIPHERAL NERVOUS SYSTEM AND IN THE BRAIN. 2015 , 17, iii31-iii31		78
590	Assessment of the emergency surgical patient. 2015 , 16, 431-434		1
589	Prognostic value of estimating functional capacity with the use of the duke activity status index in stable patients with chronic heart failure. 2015 , 21, 44-50		28
588	[Management of aortic stenosis in patients undergoing non-cardiac surgery]. 2015 , 44, 11-9		
587	Elements of patient-health-care provider communication related to cardiovascular rehabilitation referral. 2016 , 21, 468-82		2
586	Physical rehabilitation for lung transplant candidates and recipients: An evidence-informed clinical approach. 2016 , 6, 517-31		51
585	Periprosthetic pathology in 'at risk' ceramic-on-polyethylene total hip arthroplasty: a clinical study using MARS-MRI in 50 patients. 2016 , 26, 244-8		1
584	Research on rehabilitation interventions for adults living with HIV: a scoping review. 2016 , 39, 106-16		3
583	Preoperative Cardiac Evaluation and Management of the Patient Undergoing Major Vascular Surgery. 2016 , 54, 1-32		10
582	Utility of the Diamond-Forrester Classification in Stratifying Acute Chest Pain in an Academic Chest Pain Center. 2016 , 15, 56-9		3
581	Effectiveness of pacemaker tele-monitoring on quality of life, functional capacity, event detection and workload: The PONIENTE trial. 2016 , 16, 1188-1195		12
580	Randomized controlled trial of a self-efficacy enhancement program for the cardiac rehabilitation of Thai patients with myocardial infarction. 2016 , 18, 188-95		7
579	The cardiac consult for patients undergoing non-cardiac surgery. 2016 , 102, 1322-32		1
578	Significant discrepancies exist between clinician assessment and patient self-assessment of functional capacity by validated scoring tools during preoperative evaluation. 2016 , 5, 18		18
577	Measurement of Exercise Tolerance before Surgery (METS) study: a protocol for an international multicentre prospective cohort study of cardiopulmonary exercise testing prior to major non-cardiac surgery. <i>BMJ Open</i> , 2016 , 6, e010359	3	40
576	Direct to consumer advertising of robotic heart bypass surgery: effectiveness, patient satisfaction and clinical outcomes. 2016 , 10, 358-375		6

575 Preoperative management. **2016**, 1-28

574 Conduct of anaesthesia. **2016**, 29-45

573 Intraoperative management. **2016**, 46-56

1

572 Postoperative management. **2016**, 57-78

571 Special patient circumstances. **2016**, 79-127

570 The surgical insult. **2016**, 128-138

569 Regional anaesthesia. **2016**, 139-169

1

568 Principles of resuscitation. **2016**, 170-194

567 Major trauma. **2016**, 195-195

566 Cellular physiology. **2016**, 210-231

565 Body fluids. **2016**, 232-246

564 Haematology and immunology. **2016**, 247-268

563 Muscle physiology. **2016**, 269-281

562 Cardiac physiology. **2016**, 282-314

0

561 Physiology of the circulation. **2016**, 315-343

1

560 Renal physiology. **2016**, 344-370

559 Respiratory physiology. **2016**, 371-403

558 Physiology of the nervous system. **2016**, 404-430

557 Physiology of pain. **2016**, 431-453

556 Gastrointestinal physiology. **2016**, 454-465

555 Metabolism and temperature regulation. **2016**, 466-490

554 Endocrine physiology. **2016**, 491-511

553 Physiology of pregnancy. **2016**, 512-530

552 Fetal and newborn physiology. **2016**, 531-531

551 Physical chemistry. **2016**, 537-549

1

550 Pharmacodynamics. **2016**, 550-561

549 Pharmacokinetics. **2016**, 562-577

1

548 Mechanisms of drug action. **2016**, 578-593

547 Anaesthetic gases and vapours. **2016**, 594-605

546 Hypnotics and intravenous anaesthetic drugs. **2016**, 606-620

545 Analgesic drugs. **2016**, 621-646

544 Neuromuscular blocking agents. **2016**, 647-657

543 Local anaesthetic agents. **2016**, 658-666

542 Central nervous system pharmacology. **2016**, 667-679

541 Autonomic nervous system pharmacology. **2016**, 680-694

540 Cardiovascular pharmacology. **2016**, 695-707

539 Respiratory pharmacology. **2016**, 708-713

538 Endocrine pharmacology. **2016**, 714-720

537 Gastrointestinal pharmacology. **2016**, 721-726

536 Intravenous fluids. **2016**, 727-732

535 Pharmacology of haemostasis. **2016**, 733-738

534 Antimicrobial therapy. **2016**, 739-753

533 Clinical trials and basic statistics. **2016**, 754-754

532 Applied physics. **2016**, 782-844

531 Clinical measurement. **2016**, 845-892

530 Anaesthetic equipment. **2016**, 893-893

529 A randomized, placebo-controlled trial of late Na current inhibition (ranolazine) in coronary microvascular dysfunction (CMD): impact on angina and myocardial perfusion reserve. **2016**, 37, 1504-13 114

528 Understanding motivations to participate in an observational research study: Why do patients enroll?. **2016**, 55, 231-46 20

527 Mechanisms of Chronic Muscle Wasting and Dysfunction after an Intensive Care Unit Stay. A Pilot Study. **2016**, 194, 821-830 122

526 Effects of Religious Versus Conventional Cognitive-Behavioral Therapy on Gratitude in Major Depression and Chronic Medical Illness: A Randomized Clinical Trial. **2016**, 18, 124-144 7

525 Quality-of-Life Outcomes With Anatomic Versus Functional Diagnostic Testing Strategies in Symptomatic Patients With Suspected Coronary Artery Disease: Results From the PROMISE Randomized Trial. *Circulation*, **2016**, 133, 1995-2007 16.7 26

524 Cross-sectional associations of objectively measured physical activity and sedentary time with sarcopenia and sarcopenic obesity in older men. **2016**, 91, 264-272 54

523 Ambient Air Pollution Is Associated With the Severity of Coronary Atherosclerosis and Incident Myocardial Infarction in Patients Undergoing Elective Cardiac Evaluation. **2016**, 5, 35

522 The role of physical activity in early adulthood and middle-age on bone health after menopause in epidemiological population from Silesia Osteo Active Study. **2016**, 70, 835-842 3

521	Relationships between self-reported and performance-based measures of functional capacity in individuals with chronic stroke. 2016 , 28, 1208-12		4
520	Preoperative Frailty Assessment and Outcomes at 6 Months or Later in Older Adults Undergoing Cardiac Surgical Procedures: A Systematic Review. 2016 , 165, 650-660		121
519	Cognitive remediation to enhance mobility in older adults: the CREM study. 2016 , 6, 457-466		7
518	Spiritual Struggles and Religious Cognitive Behavioral Therapy: A Randomized Clinical Trial in those with Depression and Chronic Medical Illness. 2016 , 44, 3-15		7
517	Intradialytic Exercise is Medicine for Hemodialysis Patients. 2016 , 15, 269-75		24
516	Effects on Daily Spiritual Experiences of Religious Versus Conventional Cognitive Behavioral Therapy for Depression. 2016 , 55, 1763-77		7
515	Failure to rescue patients from early critical complications of oesophagogastric cancer surgery. 2016 , 7, 34-41		23
514	Body composition and functional assessment of nutritional status in adults: a narrative review of imaging, impedance, strength and functional techniques. 2016 , 29, 714-732		23
513	Effects of religious vs. standard cognitive behavioral therapy on therapeutic alliance: A randomized clinical trial. 2016 , 26, 365-76		7
512	Gastrointestinal and Colorectal Anesthesia. 2016 ,		1
511	Importance of Abnormal Chloride Homeostasis in Stable Chronic Heart Failure. 2016 , 9, e002453		45
510	Cardiac function in BRCA1/2 mutation carriers with history of breast cancer treated with anthracyclines. 2016 , 155, 285-93		17
509	Objectively-measured sedentary time and its association with markers of cardiometabolic health and fitness among cardiac rehabilitation graduates. <i>European Journal of Preventive Cardiology</i> , 2016 , 23, 818-25	3.9	40
508	Effects of Ranolazine on Angina and Quality of Life After Percutaneous Coronary Intervention With Incomplete Revascularization: Results From the Ranolazine for Incomplete Vessel Revascularization (RIVER-PCI) Trial. <i>Circulation</i> , 2016 , 133, 39-47	16.7	46
507	Adherence of French cardiologists to guidelines for non-cardiac surgery. 2016 , 35, 249-53		4
506	Preoperative and Postoperative Medical Management for Rheumatoid Hand Surgery. 2016 , 21-30		
505	Assessing quality-of-life outcomes in cardiovascular clinical research. 2016 , 13, 286-308		34
504	Health-Related Quality of Life, Functional Status, and Cardiac Event-Free Survival in Patients With Heart Failure. 2016 , 31, 236-44		27

503	Non-alcoholic fatty liver disease and liver transplantation. 2016 , 65, 1208-23		35
502	Individualised prediction of postoperative cardiorespiratory complications after upper abdominal surgery. 2016 , 6, 11-19		5
501	Noninvasive Stress Testing for Coronary Artery Disease. 2016 , 12, 65-82		7
500	Does collaborative care improve social functioning in adults with depression? The application of the WHO ICF framework and meta-analysis of outcomes. 2016 , 189, 379-91		8
499	A Telemedicine-Based Intervention Reduces the Frequency and Severity of COPD Exacerbation Symptoms: A Randomized, Controlled Trial. <i>Telemedicine Journal and E-Health</i> , 2016 , 22, 114-122	5.9	31
498	Young women post-MI have higher plasma concentrations of interleukin-6 before and after stress testing. 2016 , 51, 92-98		20
497	A Pilot Examination of a Mosque-Based Physical Activity Intervention for South Asian Muslim Women in Ontario, Canada. 2017 , 19, 349-357		23
496	An Exercise Counseling Intervention in Minority Adults With Heart Failure. 2017 , 42, 146-156		3
495	Assessing the accuracy of algorithm-derived cardiorespiratory fitness in surgical patients: a prospective cohort study. 2017 , 64, 361-369		1
494	The incidence of cardiomyopathy in BRCA1 and BRCA2 mutation carriers after anthracycline-based adjuvant chemotherapy. 2017 , 162, 59-67		10
493	Evaluaci3n cardiol3gica preoperatoria en cirug3a no card3ca. 2017 , 43, 1-11		
492	Frequency of and Significance of Physical Frailty in Patients With Heart Failure. <i>American Journal of Cardiology</i> , 2017 , 119, 1243-1249	3	13
491	Exercise and mental health of people living with HIV: A systematic review. 2017 , 13, 299-319		27
490	Functional Status is a Predictor of Postoperative Complications After Cancer Surgery in the Very Old. 2017 , 24, 1159-1164		8
489	Refining Low Physical Activity Measurement Improves Frailty Assessment in Advanced Lung Disease and Survivors of Critical Illness. 2017 , 14, 1270-1279		20
488	Symptoms Suggestive of Acute Coronary Syndrome: When Is Sex Important?. 2017 , 32, 383-392		20
487	Experiences of Older Adult Trauma Patients Discharged Home From a Level I Trauma Center. 2017 , 24, 182-192		3
486	Ensuring Early Mobilization Within an Enhanced Recovery Program for Colorectal Surgery: A Randomized Controlled Trial. 2017 , 266, 223-231		49

485	Typical angina is associated with greater coronary endothelial dysfunction but not abnormal vasodilatory reserve. 2017 , 40, 886-891		6
484	A survey of UK peri-operative medicine: pre-operative care. 2017 , 72, 1010-1015		17
483	The Impact of Frailty on Patient-Centered Outcomes Following Aortic Valve Replacement. 2017 , 72, 917-921		23
482	Assessment of Mitral Valve Repair With Exercise Echocardiography: Artificial Chordae vs Leaflet Resection. 2017 , 29, 25-32		2
481	Valutazione cardiologica preoperatoria in chirurgia non cardiaca. 2017 , 22, 1-11		
480	Electronically self-assessed functional capacity and exercise testing: A comparison of the Duke Activity Status Index and Patient-Reported Outcomes Measurement Information System tools. 2017 , 188, 82-86		6
479	Prioritizing Functional Capacity as a Principal End Point for Therapies Oriented to Older Adults With Cardiovascular Disease: A Scientific Statement for Healthcare Professionals From the American Heart Association. <i>Circulation</i> , 2017 , 135, e894-e918	16.7	119
478	Identification of factors associated with self-care behaviors using the COM-B model in patients with chronic heart failure. <i>European Journal of Cardiovascular Nursing</i> , 2017 , 16, 530-538	3.3	27
477	Impact of comorbidities by age on symptom presentation for suspected acute coronary syndromes in the emergency department. <i>European Journal of Cardiovascular Nursing</i> , 2017 , 16, 511-521	3.3	4
476	Preoperative cardiac evaluation and anesthetic considerations for cancer patients who underwent chemotherapy. 2017 , 14, 9-18		2
475	Predicting long-term prognosis in stable peripheral artery disease with baseline functional capacity estimated by the Duke Activity Status Index. 2017 , 184, 17-25		5
474	Re-evaluation of peri-operative cardiac risk (the MET REPAIR study): Study protocol of a prospective, multicentre cohort study sponsored by the European Society of Anaesthesiology. 2017 , 34, 709-712		9
473	Participant acceptability of exercise in kidney disease (PACE-KD): a feasibility study protocol in renal transplant recipients. <i>BMJ Open</i> , 2017 , 7, e017494	3	1
472	Poor Performance on a Preoperative Cognitive Screening Test Predicts Postoperative Complications in Older Orthopedic Surgical Patients. 2017 , 127, 765-774		109
471	Patient Assessment. 2017 , 75, e12-e33		7
470	Predicting hospitalisation duration after transcatheter aortic valve implantation. <i>Open Heart</i> , 2017 , 4, e000549	3	7
469	Epidemiological profile of patients seen in the pre-anesthetic assessment clinic of a university hospital. 2017 , 67, 457-467		5
468	Le patient coronarien en chirurgie non cardiaque : quand envisager des explorations fonctionnelles ?. 2017 , 3, 313-318		

467	Severely Impaired Cardiorespiratory Fitness in Patients With Recently Decompensated Systolic Heart Failure. <i>American Journal of Cardiology</i> , 2017 , 120, 1854-1857	3	7
466	Postoperative Reverse Remodeling and Symptomatic Improvement in Normal-Flow Low-Gradient Aortic Stenosis After Aortic Valve Replacement. 2017 , 10,		12
465	Interleukin-1 Blockade in Recently Decompensated Systolic Heart Failure: Results From REDHART (Recently Decompensated Heart Failure Anakinra Response Trial). 2017 , 10,		114
464	Cardiac Evaluation and Monitoring of Patients Undergoing Noncardiac Surgery. 2017 , 9, 1178632916686074		4
463	Prognostic Markers of Outcome in Patients Undergoing Infra-inguinal Revascularisation: A Prospective Observational Pilot Study. 2017 , 54, 212-219		3
462	Rationale and design of BISTRO: a randomized controlled trial to determine whether bioimpedance spectroscopy-guided fluid management maintains residual kidney function in incident haemodialysis patients. 2017 , 18, 138		10
461	Middle Ear Obliteration with Blind-Sac Closure of the External Auditory Canal for Spontaneous CSF Otorrhea. 2017 , 156, 534-542		8
460	Home- and Hospital-Based Cardiac Rehabilitation Exercise: The Important Role of Physician Recommendation. 2017 , 39, 214-233		7
459	Quality of Life in Relation to Length of Intensive Care Unit Stay After Cardiac Surgery. 2017 , 31, 1080-1090		5
458	[Epidemiological profile of patients seen in the pre-anesthetic assessment clinic of a university hospital]. 2017 , 67, 457-467		4
457	Effects of Changing the Amount and Source of Dietary Carbohydrates on Symptoms and Dietary Satisfaction Over a 1-Year Period in Subjects with Type 2 Diabetes: Canadian Trial of Carbohydrates in Diabetes (CCD). 2017 , 41, 164-176		8
456	Relation of Functional Status to Risk of Development of Atrial Fibrillation. <i>American Journal of Cardiology</i> , 2017 , 119, 572-578	3	3
455	Evaluation of coronary artery disease in potential liver transplant recipients. 2017 , 23, 386-395		38
454	Cohort profile: the Emory Cardiovascular Biobank (EmCAB). <i>BMJ Open</i> , 2017 , 7, e018753	3	15
453	Preanesthetic Evaluation of Neurosurgical Patients. 2017 , 209-227		0
452	Physical Activity, Function, and Exercise-Based Rehabilitation for Dialysis Patients. 2017 , 819-828.e2		
451	Home-based preoperative rehabilitation (prehab) to improve physical function and reduce hospital length of stay for frail patients undergoing coronary artery bypass graft and valve surgery. 2017 , 12, 91		94
450	The utility of whole body vibration exercise in haemodialysis patients: a pilot study. 2017 , 10, 822-829		9

449	Patient satisfaction with cardiac rehabilitation: association with utilization, functional capacity, and heart-health behaviors. 2017 , 11, 821-830		6
448	Long-Term Follow-Up of Cardiac Function and Quality of Life for Patients in NSABP Protocol B-31/NRG Oncology: A Randomized Trial Comparing the Safety and Efficacy of Doxorubicin and Cyclophosphamide (AC) Followed by Paclitaxel With AC Followed by Paclitaxel and Trastuzumab in Patients With Node-Positive Breast Cancer With Tumors Overexpressing Human Epidermal Growth		39
447	3rd Guideline for Perioperative Cardiovascular Evaluation of the Brazilian Society of Cardiology. 2017 , 109, 1-104		11
446	Exercise Training in "At-Risk" Black and White Women: A Comparative Cohort Analyses. 2018 , 50, 1350-1356		2
445	Cardiopulmonary exercise testing in hepato-biliary & pancreas cancer surgery - A systematic review: Are we any further than walking up a flight of stairs?. 2018 , 52, 201-207		9
444	Evaluation of cardiac risk in dental patients. 2018 , 224, 620-6		3
443	Frailty phenotypes and mortality after lung transplantation: A prospective cohort study. 2018 , 18, 1995-2004		55
442	Late right ventricular performance after mitral valve repair assessed by exercise echocardiography. 2018 , 66, 398-404		2
441	Interatrial Shunting, a Novel Device-Based Therapy for Patients With Heart Failure. 2018 , 26, 267-273		1
440	Simultaneous Risk Factor Control Using Telehealth to sLOw Progression of Diabetic Kidney Disease (STOP-DKD) study: Protocol and baseline characteristics of a randomized controlled trial. <i>Contemporary Clinical Trials</i> , 2018 , 69, 28-39	2,3	11
439	Do patients have a say? A narrative review of the development of patient-reported outcome measures used in elective procedures for coronary revascularisation. 2018 , 27, 1369-1380		2
438	Systematic Review and Meta-analysis of Objective Assessment of Physical Fitness in Patients Undergoing Colorectal Cancer Surgery. 2018 , 61, 400-409		32
437	Cardiac Events after Noncardiac Surgery in Patients Undergoing Preoperative Dobutamine Stress Echocardiography: Findings From the Mayo Poce-DSE Investigators. 2018 , 131, 702.e15-702.e22		6
436	The association of pre-operative home accelerometry with cardiopulmonary exercise variables. 2018 , 73, 738-745		5
435	Sex Differences in Hemodynamic and Microvascular Mechanisms of Myocardial Ischemia Induced by Mental Stress. 2018 , 38, 473-480		34
434	Self-compassion, physical fitness and climacteric symptoms in oophorectomized BRCA1/2 mutation carriers. 2018 , 108, 13-17		3
433	Perceived acceptability and preferences for low-intensity early activity interventions of older hospitalized medical patients exposed to bed rest: a cross sectional study. 2018 , 18, 53		7
432	COMRADE: A randomized trial of an individually tailored integrated care intervention for uncontrolled type 2 diabetes with depression and/or distress in the rural southeastern US. <i>Contemporary Clinical Trials</i> , 2018 , 70, 8-14	2,3	9

431	Catheter Ablation versus Antiarrhythmic Drug Therapy for Atrial Fibrillation (CABANA) Trial: Study Rationale and Design. 2018 , 199, 192-199		76
430	Self-Care Behaviors in Heart Failure. 2018 , 29, 146-155		2
429	Health Care Use and Associated Time and Out of Pocket Expenditures for Patients With Cardiovascular Disease in a Publicly Funded Health Care System. 2018 , 34, 52-60		0
428	Self-care Moderates the Relationship Between Symptoms and Health-Related Quality of Life in Heart Failure. 2018 , 33, 217-224		25
427	The prognostic significance of frailty compared to peak oxygen consumption and B-type natriuretic peptide in patients with advanced heart failure. 2018 , 32, e13158		10
426	Memory loss and decreased executive function are associated with limited functional capacity in patients with heart failure compared to patients with other medical conditions. 2018 , 47, 61-67		11
425	Quality of life, functional status and adhesiolysis during elective abdominal surgery. 2018 , 215, 104-112		8
424	Mixed-methods evaluation of the Perioperative Medicine Service for High-Risk Patients Implementation Pilot (POMSHIP): a study protocol. <i>BMJ Open</i> , 2018 , 8, e021647	3	3
423	Sedentary behavior is associated with physical activity, functional capacity, and a history of stroke in patients with heart failure. A cross-sectional study. 2018 , 24,		1
422	Comparison of the Efficacy of Neuromuscular Electrostimulation and Interval Exercise Training in Early Rehabilitation of Patients Hospitalized with Decompensation of Chronic Heart Failure. 2018 , 44, 663-672		5
421	A Mobile Application for Patients With Heart Failure: Theory- and Evidence-Based Design and Testing. 2018 , 36, 540-549		9
420	Perioperative Management in Heart Failure. 2018 , 37-41		
419	Implementing a theory-based intradialytic exercise programme in practice: a quality improvement project. 2018 , 11, 832-840		10
418	The management of surgery and therapy for rheumatic disease. 2018 , 32, 735-749		3
417	OBSOLETE: Perioperative Management in Heart Failure. 2018 ,		
416	What's the Risk? Older Women Report Fewer Symptoms for Suspected Acute Coronary Syndrome than Younger Women. 2018 , 7, 131-138		6
415	Economic and Quality-of-Life Outcomes of Natriuretic Peptide-Guided Therapy for Heart Failure. 2018 , 72, 2551-2562		13
414	Agreement between cystatin-C and creatinine based eGFR estimates after a 12-month exercise intervention in patients with chronic kidney disease. 2018 , 19, 366		10

413	Comparison of Preoperative Assessment of Patient's Metabolic Equivalents (METs) Estimated from History versus Measured by Exercise Cardiac Stress Testing. 2018 , 2018, 5912726	3
412	Long-term mortality and estimated functional capacity among women with symptoms of ischemic heart disease: From the NHLBI-sponsored Women's Ischemia Syndrome Evaluation. 2018 , 206, 123-126	5
411	IL-1 Blockade in Patients With Heart Failure With Preserved Ejection Fraction. 2018 , 11, e005036	76
410	Validaci3n para Colombia del cuestionario para la âMedici3n de la capacidad funcional en pacientes con falla cardıacaâ. 2018 , 25, 356-365	2
409	Reliability and validity of the five-repetition sit-to-stand test in adult kidney transplant recipients. 2018 , 25, 158-166	2
408	Assessment of functional capacity before major non-cardiac surgery: an international, prospective cohort study. 2018 , 391, 2631-2640	186
407	Exercise Recommendations for Older Adults for Prevention of Disability. 2018 , 181-193	
406	Superior Effects of High-Intensity Interval Training Compared to Conventional Therapy on Cardiovascular and Psychological Aspects in Myocardial Infarction. 2018 , 42, 145-153	17
405	Facility-level association of preoperative stress testing and postoperative adverse cardiac events. 2018 , 104, 2018-2025	4
404	A mobile health technology enabled home-based intervention to treat frailty in adult lung transplant candidates: A pilot study. 2018 , 32, e13274	34
403	Assessment of the emergency surgical patient. 2018 , 19, 453-456	1
402	Comparison of Duke Activity Status Index with cardiopulmonary exercise testing in cancer patients. 2018 , 32, 576-584	11
401	Musculoskeletal pain and related factors in coronary artery disease: An observational cross-sectional study. 2018 , 31, 839-847	2
400	Predictive Value of Stress Testing, Revised Cardiac Risk Index, and Functional Status in Patients Undergoing Noncardiac Surgery. 2019 , 33, 927-932	11
399	A novel anesthesiologist-led multidisciplinary model for evaluating high-risk surgical patients at a comprehensive cancer center. 2019 , 38, 12-23	8
398	Atherosclerosis. 2019 , 5, 56	657
397	Preoperative Assessment of Older Adults. 2019 , 37, 423-436	5
396	Benefits and Barriers to Exercise among Individuals with Class III Obesity. 2019 , 43, 1136-1147	2

395	Proper Selection of the Mode of Stress Testing. 2019 , 173-189		
394	Exercise Training for Liver Transplant Candidates. 2019 , 51, 3330-3337		4
393	Relationships among measures of physical fitness in adult patients with heart failure. 2019 , 51, 607-615		
392	Development of a cardiac-centered frailty ontology. 2019 , 10, 3		2
391	Does adherence to perioperative enhanced recovery pathway elements influence patient-reported recovery following colorectal resection?. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2019 , 33, 3806-3815	5.2	1
390	Patient-reported outcome measures for life participation in kidney transplantation: A systematic review. 2019 , 19, 2306-2317		10
389	Protein Cytokines, Cytokine Gene Polymorphisms, and Potential Acute Coronary Syndrome Symptoms. 2019 , 21, 552-563		1
388	Behavioral Medicine. 2019 ,		
387	Cardiovascular and pregnancy outcomes in women with coronary microvascular dysfunction: a case series. 2019 , 3,		0
386	Models of Stress and Methodological Considerations in Behavioral Medicine. 2019 , 1-20		1
385	End-systolic wall stress in aortic stenosis: comparing symptomatic and asymptomatic patients. <i>Open Heart</i> , 2019 , 6, e001021	3	7
384	Cardiovascular Risk Factor Control and Lifestyle Factors in Young to Middle-Aged Adults with Newly Diagnosed Obstructive Coronary Artery Disease. 2019 , 142, 83-90		8
383	The Global Perspective of Cardiovascular Assessment for Noncardiac Surgery: Comparisons from Around the World. 2019 , 33, 2287-2295		2
382	Association of Preoperative Functional Performance With Outcomes After Surgical Treatment of Head and Neck Cancer: A Clinical Severity Staging System. 2019 , 145, 1128-1136		5
381	High-intensity interval training in chronic kidney disease: A randomized pilot study. 2019 , 29, 1197-1204		13
380	Ranolazine Reduces Angina in Women with Ischemic Heart Disease: Results of an Open-Label, Multicenter Trial. 2019 , 28, 573-582		5
379	Functional status in a geriatric oncology setting: A review. 2019 , 10, 884-894		18
378	Association of self-reported physical function with survival in patients with chronic kidney disease. 2019 , 12, 122-128		10

377	The Sex-Specific Detrimental Effect of Diabetes and Gender-Related Factors on Pre-admission Medication Adherence Among Patients Hospitalized for Ischemic Heart Disease: Insights From EVA Study. 2019 , 10, 107	4
376	Effect of Catheter Ablation vs Medical Therapy on Quality of Life Among Patients With Atrial Fibrillation: The CABANA Randomized Clinical Trial. 2019 , 321, 1275-1285	209
375	Time to rehabilitate the idea of exercise for patients with chronic kidney disease?. 2019 , 34, 551-554	4
374	The association between preoperative physical functioning and short-term postoperative outcomes: a cohort study of patients undergoing elective hepatic resection. 2019 , 21, 1362-1370	6
373	Preoperative Pulmonary Evaluation. 2019 , 103, 585-599	3
372	Ethnic minority members may be at risk for state hopelessness following hospitalization for ischemic heart disease. 2019 , 33, 51-56	1
371	Functional status measures for the COPD patient: A practical categorization. 2019 , 16, 1479973118816464	6
370	A Longitudinal Examination of the Social-Ecological Correlates of Exercise in Men and Women Following Cardiac Rehabilitation. 2019 , 8,	1
369	Patients report more severe daily limitations than recognized by their physicians. 2019 , 42, 1181-1188	3
368	Can lung transplant patients efficiently exercise at home?. 2019 , 26, 1-4	2
367	The Cognitive Impact of Chronic Diseases on Functional Capacity in Community-Dwelling Adults. 2019 , 27, 1-8	12
366	Preoperative Assessment of Functional Capacity: Looking beyond the Ability to Climb Stairs. 2019 , 131, 960-961	1
365	Feasibility and Rationale for Incorporating Frailty and Cognitive Screening Protocols in a Preoperative Anesthesia Clinic. 2019 , 129, 830-838	27
364	From preoperative risk assessment and prediction to risk attenuation: a case for prehabilitation. 2019 , 122, 11-13	13
363	Perioperative Cardiac Considerations in the Surgical Patient. 2019 , 36, 103-113	
362	Exercise training in kidney transplant recipients: a systematic review. 2019 , 32, 567-579	31
361	Microsurgical head and neck reconstruction in patients with coronary artery disease: A perioperative assessment algorithm. 2019 , 39, 290-296	4
360	Six-minute walk test in pre-operative evaluation of patients for upper abdominal surgery. 2019 , 36, 164-166	7

359	Neighborhood poverty and hemodynamic, neuroendocrine, and immune response to acute stress among patients with coronary artery disease. 2019 , 100, 145-155		11
358	Relation of Hepatic Fibrosis in Nonalcoholic Fatty Liver Disease to Left Ventricular Diastolic Function and Exercise Tolerance. <i>American Journal of Cardiology</i> , 2019 , 123, 466-473	3	17
357	Using the 6-minute walk test to predict disability-free survival after major surgery. 2019 , 122, 111-119		28
356	Measuring what matters to the patient: health related quality of life after aortic valve and thoracic aortic surgery. 2019 , 67, 37-43		8
355	Sex and Gender Differences in Ischemic Heart Disease: Endocrine Vascular Disease Approach (EVA) Study Design. 2020 , 13, 14-25		7
354	Cost-effectiveness of coronary artery bypass grafting plus mitral valve repair versus coronary artery bypass grafting alone for moderate ischemic mitral regurgitation. 2020 , 159, 2230-2240.e15		4
353	Validaci3n del Minnesota Living with Heart Failure questionnaire (MLFHQ) en pacientes con falla cardıaca. 2020 , 27, 564-572		
352	Implementation and Impact of Home-Based Cardiac Rehabilitation in a Veterans Affairs Medical Center. 2020 , 185, e859-e863		0
351	Cardiorespiratory fitness as a quantitative predictor of the risk of stroke: a dose-response meta-analysis. 2020 , 267, 491-501		3
350	Integration of the Duke Activity Status Index into preoperative risk evaluation: a multicentre prospective cohort study. 2020 , 124, 261-270		35
349	Test-Retest Reliability for Physical Function Measures in Patients with Chronic Kidney Disease. 2020 , 46, 25-34		4
348	Preoperative Evaluation Before Noncardiac Surgery. 2020 , 95, 807-822		12
347	A new algorithm for optimization of rate-adaptive pacing improves exercise tolerance in patients with HFpEF. 2020 , 43, 223-233		7
346	Feasibility of low-cost accelerometers in measuring functional recovery after major oncologic surgery. 2019 , 121, 279		5
345	Submaximal Exercise Testing in Cardiovascular Rehabilitation Settings (BEST Study). 2019 , 10, 1517		7
344	An Outpatient Hospital-based Exercise Training Program for Patients With Cirrhotic Liver Disease Awaiting Transplantation: A Feasibility Trial. 2020 , 104, 97-103		18
343	Design, methodology and baseline characteristics of the Women's Ischemia Syndrome Evaluation-Coronary Vascular Dysfunction (WISE-CVD). 2020 , 220, 224-236		10
342	The Mismatch of Nutrition and Lifestyle Beliefs and Actions Among Physicians: A Wake-Up Call. 2020 , 14, 304-315		10

341	Development and Pilot Study of an iOS Smartphone Application for Perioperative Functional Capacity Assessment. 2020 , 131, 830-839		4
340	Symptom-burden in people living with frailty and chronic kidney disease. 2020 , 21, 411		3
339	Perioperative Cardiovascular Risk Assessment and Management for Noncardiac Surgery: A Review. 2020 , 324, 279-290		45
338	Psychometric validation of the Brazilian Portuguese version of Bandura's exercise self-efficacy scale in diabetes patients. 2020 , 19, 925-932		1
337	. 2020 ,		1
336	Association Between Mental Stress-Induced Inferior Frontal Cortex Activation and Angina in Coronary Artery Disease. 2020 , 13, e010710		6
335	Handbook of Inpatient Cardiology. 2020 ,		1
334	The Chief Scientist Office Cardiovascular and Pulmonary Imaging in SARS Coronavirus disease-19 (CISCO-19) study. 2020 , 116, 2185-2196		13
333	Rationale and design of a risk-guided strategy for reducing readmissions for acute decompensated heart failure: the Risk-HF study. 2020 , 7, 3151-3160		2
332	Association Between the Predictors of Functional Capacity and Heart Rate Off-Kinetics in Patients with Chronic Obstructive Pulmonary Disease. 2020 , 15, 1977-1986		1
331	Effects of Home-Based Cardiac Rehabilitation on Time to Enrollment and Functional Status in Patients With Ischemic Heart Disease. 2020 , 9, e016456		9
330	Functional status mediates the association of nutritional status with depressive symptoms in patients with heart failure. 2020 , 76, 3363-3371		0
329	Cardiac Rehabilitation Is Associated With Improved Physical Function in Frail Older Adults With Cardiovascular Disease. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2020 , 40, 310-318	3.6	13
328	Which functional outcome measures can we use as a surrogate for exercise capacity during remote cardiopulmonary rehabilitation assessments? A rapid narrative review. 2020 , 6,		4
327	Chelation therapy for atherosclerotic cardiovascular disease. <i>The Cochrane Library</i> , 2020 , 5, CD002785	5.2	3
326	The MARBLE Study Protocol: Modulating ApoE Signaling to Reduce Brain Inflammation, DeLirium, and Postoperative Cognitive Dysfunction. 2020 , 75, 1319-1328		4
325	Frailty for Perioperative Clinicians: A Narrative Review. 2020 , 130, 1450-1460		50
324	Measurement of Functional Capacity to Discriminate Clinical From Subclinical Heart Failure in Patients ≥5 Years of Age. <i>American Journal of Cardiology</i> , 2020 , 127, 84-91	3	2

323	Antidepressant use in patients with heart failure. 2020 , 65, 1-8		1
322	Symptoms and Signs of Cardiac Disease. 2020 , 6-10		
321	Risk Assessment and Reduction. 2020 , 49-66		
320	Effect of physical and psychocognitive function and perceived health status on 12-month adverse cardiac events among implantable cardioverter-defibrillator recipients. 2020 , 49, 530-536		
319	Home-Based Cardiac Rehabilitation (HBCR) In Post-TAVR Patients: A Prospective, Single-Center, Cohort, Pilot Study. 2020 , 9, 541-548		1
318	Gender-Related Determinants of Adherence to the Mediterranean Diet in Adults with Ischemic Heart Disease. 2020 , 12,		6
317	High-intensity interval training produces a significant improvement in fitness in less than 31 days before surgery for urological cancer: a randomised control trial. 2020 , 23, 696-704		13
316	Preoperative evaluation in 2020: does exercise capacity fit into decision-making?. 2020 , 125, 224-226		5
315	Effectiveness and Safety in Remote Monitoring of Patients with Pacemakers Five Years after an Implant: The Poniente Study. 2020 , 17,		2
314	Preoperative Assessment for Inpatients. <i>Current Anesthesiology Reports</i> , 2020 , 10, 43-48		1
313	Preoperative Dobutamine Stress Echocardiography and Clinical Factors for Assessment of Cardiac Risk after Noncardiac Surgery. 2020 , 33, 423-432		5
312	Estimated cardiorespiratory fitness in childhood and cardiometabolic health in adulthood: 1970 British Cohort Study. 2020 , 30, 932-938		10
311	Psychological stress, cardiac symptoms, and cardiovascular risk in women with suspected ischaemia but no obstructive coronary disease. 2020 , 36, 264-273		4
310	Changes in the Physical Function and Psychological Distress from Pre-Implant to 1, 6, and 12 Months Post-Implant in Patients Undergoing Implantable Cardioverter Defibrillator Therapy. 2020 , 9,		
309	Postoperative complications and mobilisation following major abdominal surgery with vs. without fitness tracker-based feedback (EXPELLIARMUS): study protocol for a student-led multicentre randomised controlled trial (CHIR-Net SIGMA study group). 2020 , 21, 293		5
308	Added value of subjective assessed functional capacity before non-cardiac surgery in predicting postoperative myocardial injury. <i>European Journal of Preventive Cardiology</i> , 2021 , 28, 262-269	3.9	3
307	Duke Activity Status Index cut-off scores for assessing functional capacity after stroke. <i>Disability and Rehabilitation</i> , 2021 , 43, 713-717	2.4	1
306	Rationale and design of the TAILOR-PCI digital study: Transitioning a randomized controlled trial to a digital registry. 2021 , 232, 84-93		7

305	From preoperative assessment to preoperative optimization of frail older patients. 2021 , 47, 519-523	9
304	Non-cardiac surgery in patients with coronary artery disease: risk evaluation and periprocedural management. 2021 , 18, 37-57	9
303	A simplified (modified) Duke Activity Status Index (M-DASI) to characterise functional capacity: a secondary analysis of the Measurement of Exercise Tolerance before Surgery (METS) study. 2021 , 126, 181-190	10
302	Frailty in heart transplantation: Report from the heart workgroup of a consensus conference on frailty. 2021 , 21, 636-644	3
301	Assessing physical activity and function in patients with chronic kidney disease: a narrative review. 2021 , 14, 768-779	5
300	Patient-centred measurement of recovery from day-case surgery using wrist worn accelerometers: a pilot and feasibility study. 2021 , 76, 785-797	0
299	Occam's razor at the sharp end: simplified preoperative risk assessment. 2021 , 126, 27-30	1
298	The Relationship Between Physical Activity and Self-Compassion: a Systematic Review and Meta-analysis. 2021 , 12, 547-563	9
297	Left ventricular circumferential strain and coronary microvascular dysfunction: A report from the Women's Ischemia Syndrome Evaluation Coronary Vascular Dysfunction (WISE-CVD) Project. 2021 , 327, 25-30	3
296	Frailty subtypes and recovery in older survivors of acute respiratory failure: a pilot study. 2021 , 76, 350-359	1
295	Efficacy of Ranolazine for Treatment of Coronary Microvascular Dysfunction-A Systematic Review and Meta-analysis of Randomized Trials. 2021 , 3, 101-108	2
294	No signs of subclinical atherosclerosis after risk-reducing salpingo-oophorectomy in BRCA1/2 mutation carriers. 2021 , 77, 570-575	1
293	Device-measured physical activity and its association with physical function in adults with type 2 diabetes mellitus. 2021 , 38, e14393	3
292	Anesthetic Considerations in Cardiac Patients Undergoing Neurosurgery. 2021 , 08, 020-027	
291	Prevalence and correlates of physical activity across kidney disease stages: an observational multicentre study. 2021 , 36, 641-649	27
290	Inappropriate screening of obstructive coronary artery disease during pre-anesthesia assessment of candidates for non-cardiac surgery. 2021 , 54, e10466	
289	Effects of the Level and Duration of Mobilization Therapy in the Surgical ICU on the Loss of the Ability to Live Independently: An International Prospective Cohort Study. 2021 , 49, e247-e257	7
288	Conceptualisation and Operationalisation of a Holistic Indicator of Health for Older Inuit: Results of a Sequential Mixed-Methods Project. 2021 , 155, 47-72	2

287	Left Ventricular Dysfunction and Depression in Hospitalized Patients with Heart Failure. 2021 , 83, 274-282	0
286	Cardio-Pulmonary Exercise Testing and Major Urological Surgery: Risk Stratification and Preoperative Assessment. 2021 , 407-411	
285	Preoperative Assessment and Optimization. 2021 , 1-2	
284	Estimating VO ₂ peak in 18-91 year-old adults: Development and Validation of the FitM [®] - Questionnaire.	0
283	Assessment of the Frail Patient With End-Stage Liver Disease: A Practical Overview of Sarcopenia, Physical Function, and Disability. 2021 , 5, 923-937	3
282	Mobile health technology to improve emergent frailty after lung transplantation. 2021 , 35, e14236	1
281	Proof of concept: digital clock drawing behaviors prior to transcatheter aortic valve replacement may predict length of hospital stay and cost of care. 2021 , 2, 110-121	3
280	Home-based exercise in patients with refractory fatigue associated with primary biliary cholangitis: a protocol for the EXerCise Intervention in cholestatic LivEr Disease (EXCITED) feasibility trial. 2021 , 8,	0
279	Home-Based Cardiac Rehabilitation: EXPERIENCE FROM THE VETERANS AFFAIRS. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2021 , 41, 93-99	3.6 5
278	A Pragmatic Non-Randomized Trial of Prehabilitation Prior to Cancer Surgery: Study Protocol and COVID-19-Related Adaptations. 2021 , 11, 629207	4
277	Prognostic performance of clinical assessment tools following hip fracture in patients with chronic kidney disease. 2021 , 53, 2359-2367	2
276	Perioperative risk assessment - focus on functional capacity. 2021 , 34, 309-316	3
275	Cardiovascular screening for pilots, aircrew, and high performance & spaceflight passengers. 2021 , 21-22, 100040	0
274	Integrating Behavioral Health and Primary Care (IBH-PC) to improve patient-centered outcomes in adults with multiple chronic medical and behavioral health conditions: study protocol for a pragmatic cluster-randomized control trial. 2021 , 22, 200	3
273	Risk assessment in patients with pulmonary arterial hypertension in the era of COVID 19 pandemic and the telehealth revolution: State of the art review. 2021 , 40, 172-182	2
272	Factors associated with the risk subclinical carotid atherosclerosis in rotational shift workers in the Arctic. 2021 , 27, 100-109	
271	Bridging the gap from research to practice for enhanced health-related quality of life in people with chronic kidney disease. 2021 , 14, ii34-ii42	1
270	Efficacy, Feasibility, Adherence, and Cost Effectiveness of a mHealth Telerehabilitation Program in Low Risk Cardiac Patients: A Study Protocol. 2021 , 18,	0

269	Scalable modELs of Community rehAbilitation for Individuals Recovering From COVID:19 reLated illnEss: A Longitudinal Service Evaluation Protocol-"SeaCole Cohort Evaluation". 2021 , 9, 628333		
268	Does Duke Activity Status Index help predicting functional exercise capacity and long-term prognosis in patients with pulmonary hypertension?. 2021 , 181, 106375		1
267	The physiological impact of high-intensity interval training in octogenarians with comorbidities. 2021 , 12, 866-879		6
266	A mixed methods study describing the self-care practices in an older working population with cardiovascular disease (CVD): Balancing work, life and health. 2021 , 50, 447-454		0
265	Usefulness of the Duke Activity Status Index to Select an Optimal Cardiovascular Exercise Stress Test Protocol. <i>American Journal of Cardiology</i> , 2021 , 146, 107-114	3	0
264	Effects of Depression on Heart Failure Self-Care. 2021 , 27, 522-532		5
263	Utility of wearable physical activity monitors in cardiovascular disease: a systematic review of 11 464 patients and recommendations for optimal use. 2021 , 2, 231-243		1
262	An Adaptive Text Message Intervention to Promote Well-Being and Health Behavior Adherence for Patients With Cardiovascular Disease: Intervention Design and Preliminary Results. 2021 , 62, 617-624		0
261	Reduced heart rate variability is associated with higher illness burden in bipolar disorder. 2021 , 145, 110478		5
260	Angina relates to coronary flow in women with ischemia and no obstructive coronary artery disease. 2021 , 333, 35-39		7
259	Preoperative assessment and optimisation: the key to good outcomes after the pandemic. 2021 , 82, 1-6		1
258	Routine preoperative resting echocardiography does not predict adverse cardiopulmonary events after bariatric surgery. 2021 , 17, 1133-1137		1
257	Coronary atheroma burden predicts flow reserve in women with ischemia and nonobstructive coronary artery disease. 2021 , 6, 100027		
256	Implementing Cardiorespiratory Fitness as a Routine Measure in Health Care Settings. 2021 , 10, 62-69		1
255	Monitoring Patients Reported Outcomes after Valve Replacement Using Wearable Devices: Insights on Feasibility and Capability Study: Feasibility Results. 2021 , 18,		0
254	Screening for occult coronary artery disease in potential kidney transplant recipients: time for reappraisal?. 2021 , 14, 2472-2482		
253	Optimizing hospital-to-home transitions for older persons in rural communities: a participatory, multimethod study protocol. 2021 , 2, 81		4
252	Functional decline after major elective non-cardiac surgery: a multicentre prospective cohort study. 2021 , 76, 1593-1599		2

251	Assessment of functional status by the Duke Activity Status Index in stable bronchiectasis. 2021 , 15, 1239-1244		
250	Differential Evaluating Effect on Exercise Capacity of Cardiopulmonary Exercise Testing and Treadmill Exercise Testing in Post-percutaneous Coronary Intervention Patients. 2021 , 8, 682253		0
249	Risk of cardiovascular complications during non-cardiac surgery and preoperative cardiac evaluation. 2021 ,		0
248	Translation, cross-cultural adaptation, reliability, and validity of the Turkish version of the Duke Activity Status Index in patients with pulmonary hypertension. 2021 ,		
247	Evaluation of the effectiveness of a phase three specialised heart failure cardiac rehabilitation programme on cardiovascular risk factor profile. 2021 , 16, 1-10		
246	Intensity of care and perceived burden among informal caregivers to persons with chronic medical conditions: a systematic review and meta-analysis. <i>Disability and Rehabilitation</i> , 2021 , 1-17	2.4	2
245	An online intervention for increasing physical activity in individuals with mood disorders at risk for cardiovascular disease: Design considerations. 2021 , 291, 102-109		3
244	Risk factors for heart failure in women with ischemia and no obstructive coronary artery disease. 2021 , 8, 100035		
243	Prognostic value of the Duke Activity Status Index (DASI) in patients undergoing colorectal surgery. 2021 , 45, 3677-3685		0
242	Assessment of the emergency surgical patient. 2021 ,		
241	The inductor role of cardiac consultation in the pre-anesthetic evaluation of asymptomatic patients submitted to non-cardiac minor and intermediate-risk surgery: a cross-sectional study. 2021 , 71, 530-537		1
240	Variation in preoperative stress testing by patient, physician and surgical type: a cohort study. <i>BMJ Open</i> , 2021 , 11, e048052	3	2
239	The Year in Cardiothoracic Transplant Anesthesia: Selected Highlights From 2020 Part II: Cardiac Transplantation. 2021 ,		
238	Informing behaviour change intervention design using Bayesian meta-analysis: physical activity in heart failure.		
237	Los equivalentes metabólicos estimados no se relacionan con el consumo máximo de oxígeno calculado en pacientes candidatos a cirugía de resección pulmonar. 2021 ,		
236	Physical Fitness and Skeletal Muscle Mass During Neoadjuvant Chemoradiotherapy in Patients with Locally Advanced Rectal Cancer: An Observational Study. 2021 , 39, E73-E82		
235	Multimorbidity phenotypes in patients presenting to the emergency department with possible acute coronary syndrome. 2021 , 50, 648-653		1
234	Investigating Rurality as a Risk Factor for State and Trait Hopelessness in Hospitalized Patients With Ischemic Heart Disease. 2021 , 10, e020768		

233	Evaluation of Postoperative Complication with Medically Necessary, Time-Sensitive Scoring System During Acute COVID-19 Pandemic: A Prospective Observational Study. 2021 , 233, 435-444.e1	1
232	Association of coronary microvascular dysfunction and cardiac bridge integrator 1, a cardiomyocyte dysfunction biomarker. 2021 , 44, 1586-1593	1
231	Relation between preoperative aerobic fitness estimated by steep ramp test performance and postoperative morbidity in colorectal cancer surgery: prospective observational study. 2021 ,	2
230	Assessment of cardiovascular risk and prevention of complications in non-cardiac surgery in patients with coronary heart disease. 2021 , 26, 629-639	
229	Systemic Sclerosis. 2021 , 183-189	
228	The Cardiac Patient Undergoing Noncardiac Surgery. 2021 , 5-15	
227	Interleukin-1 blockade in heart failure with preserved ejection fraction: rationale and design of the Diastolic Heart Failure Anakinra Response Trial 2 (D-HART2). 2017 , 40, 626-632	42
226	Surgical Approaches to the Geriatric Patient. 2003 , 239-257	2
225	Preoperative Optimisation and Conditioning of Expectations. 2012 , 15-35	2
224	Preanesthetic Assessment for Thoracic Surgery. 2011 , 11-34	7
223	Clinical Value of Anginal Symptoms and their Assessment in Drug Trials. 1994 , 15-30	1
222	Quality-of-Life Issues for Women With Coronary Disease. 2004 , 143-157	1
221	Cardiac Rehabilitation for Frail Older People. 2020 , 1216, 131-147	3
220	Psychosocial Management of Patients with Heart Disease. 2017 , 211-229	1
219	Preoperative Assessment. 2002 , 61-76	1
218	Core Principles of Perioperative Care. 2012 , 159-176.e2	3
217	Comparison of post-operative pain, stress response, and quality of life in port access vs. standard sternotomy coronary bypass patients*1. 1999 , 16, S39-S42	30
216	Fundamentals of Anaesthesia. 2016 ,	2

215	Psychometric properties of the Adulthood Trauma Inventory. 2020 , 39, 679-688	3
214	Cohort Profile: The St. Jude Lifetime Cohort Study (SJLIFE) for paediatric cancer survivors. 2021 , 50, 39-49	18
213	Chronic Ischaemic Heart Disease. 2009 , 597-664	5
212	How well do surrogates assess the pain of seriously ill patients?. 2000 , 28, 1347-52	60
211	Application of random effects models and other methods to the analysis of multidimensional quality of life data in an AIDS clinical trial. 1999 , 37, 249-58	14
210	The SF-36 Arthritis-Specific Health Index (ASHI): I. Development and cross-validation of scoring algorithms. 1999 , 37, MS40-50	45
209	The association between self-rated health and mortality in a well-characterized sample of coronary artery disease patients. 1999 , 37, 1226-36	101
208	Psychometric properties of the functional performance inventory in patients with chronic obstructive pulmonary disease. 1999 , 48, 20-8	78
207	Gender and short-term recovery from cardiac surgery. 2000 , 49, 29-36	76
206	Validity and reliability of the 6-minute walk test in a cardiac rehabilitation population. 2000 , 20, 156-64	191
205	Impact of cardiac symptoms on self-reported household task performance in women with coronary artery disease. 2001 , 21, 18-23	16
204	Functional status assessment for preoperative cardiac risk prediction. 2021 , 59, 15-21	1
203	Phase 1B, Randomized, Double-Blinded, Dose Escalation, Single-Center, Repeat Dose Safety and Pharmacodynamics Study of the Oral NLRP3 Inhibitor Dapansutrile in Subjects With NYHA II-III Systolic Heart Failure. 2020 , 77, 49-60	25
202	Cardiac risk stratification for high-risk vascular surgery. <i>Circulation</i> , 1997 , 95, 2473-5	16.7 71
201	High prevalence of concentric remodeling in elderly individuals with isolated systolic hypertension from a population survey. 1997 , 29, 539-43	31
200	A scoping review and mapping exercise comparing the content of patient-reported outcome measures (PROMs) across heart disease-specific scales. 2020 , 4, 7	5
199	Enhanced interleukin-1 activity contributes to exercise intolerance in patients with systolic heart failure. 2012 , 7, e33438	145
198	Socioeconomic status, functional recovery, and long-term mortality among patients surviving acute myocardial infarction. 2014 , 8, e65130	49

197	Heart Failure and Problems with Frailty Syndrome: Why it is Time to Care About Frailty Syndrome in Heart Failure. 2019 , 5, 37-43	25
196	Quality of life in patients with three forms of coronary heart disease: status of the problem, assessment methods, relationship to psychological status, and prognostic value. 2015 , 18, 97	2
195	Effects of a Community-Based, Post-Rehabilitation Exercise Program in COPD: Protocol for a Randomized Controlled Trial With Embedded Process Evaluation. <i>JMIR Research Protocols</i> , 2016 , 5, e63 ²	7
194	Psychosocial Issues of Patients With Implantable Cardioverter Defibrillators. 2005 , 14, 294-303	44
193	Translation, cultural adaptation, and validation of the duke activity status index in the hindi language. 2020 , 23, 315-320	2
192	The patient with ischaemic heart disease undergoing non cardiac surgery. 2017 , 61, 705-711	11
191	Religious Involvement, Inflammatory Markers and Stress Hormones in Major Depression and Chronic Medical Illness. 2014 , 04, 335-352	4
190	Effects of Religious vs. Conventional Cognitive-Behavioral Therapy on Inflammatory Markers and Stress Hormones in Major Depression and Chronic Medical Illness: A Randomized Clinical Trial. 2015 , 05, 238-259	6
189	Perioperative management of the patient with rheumatoid arthritis. 2014 , 5, 283-91	39
188	Validation of the Thai version of the Duke Activity Status Index in patients with a previous myocardial infarction. 2014 , 8, 623-630	6
187	Infliximab, an anti-TNF-alpha agent, improves left atrial abnormalities in patients with rheumatoid arthritis: preliminary results. 2014 , 25, 168-75	18
186	. 2017 , 109, 1-76	119
185	Evaluating the reliability and validity of the Questionnaire for Lung Transplant Patients. 2002 , 12, 191-200	11
184	Effect of Ranolazine in Patients with Chest Pain and Normal Coronaries- A Hospital Based Study. 2017 , 11, OC14-OC16	4
183	Preoperative Assessment and Management of Cardiovascular Risk in Patients Undergoing Non-Cardiac Surgery: Implementing a Systematic Stepwise Approach during the COVID-19 Pandemic Era. 2021 , 8,	1
182	Increased sympathetic tone is associated with illness burden in bipolar disorder. 2022 , 297, 471-476	0
181	A pilot randomised controlled trial of a structured, home-based exercise programme on cardiovascular structure and function in kidney transplant recipients: the ECSERT study design and methods. <i>BMJ Open</i> , 2021 , 11, e046945	3 1
180	Long-term survival and functional capacity in cardiac surgery patients after prolonged intensive care. 2000 , 28, 3938-9	

179 Preoperative Cardiac Evaluation. **2001**, 3-16

178 PERCEIVED ACTIVITY AND FUNCTIONAL CAPACITY IN A RURAL ELDERLY POPULATION. **2001**, 93, 103

177 Preoperative Evaluation of the Elderly Surgical Patient. **2001**, 126-143

2

176 Myocardial Ischemia or Cardiac Failure: Which Constitutes the Major Perioperative Risk?. **2003**, 377-387

175 Risk Assessment Before Noncardiac Surgery. **2004**, 309-330

174 Functional Capacity and Activities of Daily Living in Women. **2004**, 103-118

173 State-of-the-Art Diagnostic Testing in Women. **2004**, 173-194

172 Perioperative cardiac risk stratification. **2006**, 537-549

171 Perioperative Cardiac Risk Stratification. **2007**, 109-134

170 Early Optimization of Oxygen Delivery in High-risk Surgical Patients. **2008**, 654-664

169 Perioperative Cardiovascular Evaluation and Treatment of Elderly Patients Undergoing Noncardiac Surgery. **2008**, 769-810

168 [Assessment of perioperative fluid balance]. **2009**, 56, 67-76

167 Perioperative Evaluation. **2010**, 1277-1284

166 Preoperative Evaluation of Patients Undergoing Thoracic Surgery. **2010**, 39-45

165 Imaging for Preoperative Risk Stratification. **2010**, 437-449

164 Preoperative Evaluation and Medication. **2011**, 165-189

2

163 Preoperative Evaluation of the Older Surgical Patient. **2011**, 267-288

162 Health Status and HRQOL Assessment. **2012**, 247-291

- 161 Functional Status and HRQOL. **2012**, 293-338
- 160 Pŕava kardiaka k nekardiĀoperaci. **2011**, 53, 78-85
- 159 Polyethylene Wear in Metal-Backed Cups: A Retrospective Analysis of 200 Uncemented Prostheses. **2012**, 99-111
- 158 P. **2013**, 784-929
- 157 Perioperative Cardiovascular Management. **2014**, 505-514
- 156 Noninvasive Diagnosis of Coronary Artery Disease in Women. **2014**, 61-81
- 155 Management of Stable Ischemic Heart Disease in Women. **2014**, 83-111
- 154 General Principles and Practices of Perioperative Medicine. **2014**, 3-12
- 153 Recent knowledge of preoperative evaluation and preanesthetic management in infants. **2014**, 57, 819 1
- 152 Perioperative Care of the Orthopedic Patient with Cardiac Disease. **2014**, 125-138
- 151 THE ROLE OF GAS ANALYSIS IN STRESS TESTING. **1994**, 21, 557-567
- 150 SPECIAL CONSIDERATIONS IN EXERCISE TESTING. **1994**, 21, 459-474 1
- 149 AvaliaĀ da capacidade aerĀbia de pacientes em hemodiĀlise. **1997**, 3, 1-5 1
- 148 Perioperatives anĀesthesiologisches Management koronarkranker Patienten fĀ. nichtherzchirurgische Eingriffe. **1999**, 227-236
- 147 Strategies for Patient Assessment and Scheduling. **2015**, 159-177
- 146 Cardiac Anesthesia. **2015**, 311-353
- 145 Cost of Medical Care: Whose Money Are We Talking About?. **2015**, 647-652
- 144 Selection and perioperative management of patients undergoing radical cystectomy and urinary reconstruction. 109-126

143 Preface to the first edition. **2016**, xi-xi

142 Preface to the third edition. **2016**, xiii-xiii

141 Index. **2016**, 932-968

140 Preface to the fourth edition. **2016**, xiv-xiv

139 Preface to the second edition. **2016**, xii-xii

138 PREOPERATIVE ASSESSMENT OF A PATIENT'S FUNCTIONAL STATUS. CURRENT STATE OF THE PROBLEM. **2017**, 35-41 2

137 Tailoring cardiovascular risk assessment and prevention for women: One size does not fit all. **2017**, 2017, e201701 5

136 Function and Prehabilitation. **2018**, 1-17

135 Iron Deficiency Predictors in Patients with Chronic Heart Failure and Reduced Left Ventricular Ejection Fraction. **2018**, 45-49

134 Anästhesiologische Aspekte der Uroonkologie. **2019**, 1-12

133 Evaluación geriátrica del anciano en Unidad de Cuidado Intensivo. **2019**, 19, 133-147

132 Risk factors and subclinical carotid atherosclerosis in rotating scheme conditions in the Arctic. **2019**, 18, 86-91 0

131 Carotid atherosclerosis, arterial hypertension, and left ventricular remodeling in men working on a rotational basis in the Far North. **2020**, 35, 159-166 1

130 Efficacy and safety of ERCP in elderly patients with an ECOG performance status of 3-4.

129 Perioperative Assessment and Risk Stratification. **2020**, 37-44

128 Function and Prehabilitation. **2020**, 105-121 0

127 A constructivist approach to teaching patients with heart failure: results from an intervention study. *European Journal of Cardiovascular Nursing*, **2021**, 20, 331-341 3:3 0

126 The Patient With Cardiovascular Disease for Lung Resection Surgery. **2022**, 423-437

- 125 Quantification of metabolic equivalents (METs) by the MET-REPAIR questionnaire: A validation study in patients with a high cardiovascular burden. **2022**, 76, 110559 0
- 124 Web Exclusive. Annals for Hospitalists Inpatient Notes - Rethinking the Role of Functional Capacity in Preoperative Risk Stratification. **2019**, 171, HO2-HO3
- 123 . **2020**, 37-72
- 122 Translation, cultural adaptation, and validation of the duke activity status index in the hindi language. **2020**, 23, 315-320 1
- 121 Medical Care of the Surgical Patient. **2020**, 1-15
- 120 General Principles and Practices of Perioperative Medicine. **2020**, 3-10
- 119 Gesundheitsbezogene Lebensqualität nach herzchirurgischen Eingriffen. **2020**, 303-315
- 118 Preoperative Cardiovascular Risk Assessment Prior Non Cardiac Surgery: A Case Series of Patients Undergoing Urological Surgery in Ngaoundere, Cameroon. **2020**, 10, 446-454
- 117 Perioperative Evaluation and Management of Patients Undergoing Noncardiac Surgery. **2020**, 411-428
- 116 Discordant Echocardiographic Grading in Low Gradient Aortic Stenosis (DEGAS Study) From the Italian Society of Echocardiography and Cardiovascular Imaging Research Network: Rationale and Study Design. **2020**, 30, 52-61 1
- 115 Perioperative Care of the Orthopedic Patient with Cardiac Disease. **2020**, 167-182
- 114 Perioperative Risk Models. **2020**, 11-30
- 113 Cardiovascular Comorbidities in the Elderly Undergoing Surgery. **2020**, 45-65 0
- 112 Perioperative Cardiac Risk Assessment. **2020**, 457-466
- 111 Basics of Pre and Postoperative Management Specific to Urology Patients. **2020**, 221-249
- 110 Perioperative Assessment of High-Risk Abdominal Surgery: A Case Study. **2020**, 8, 374-382
- 109 Early Optimization of Oxygen Delivery in High-risk Surgical Patients. **2008**, 654-664
- 108 Cardiac Assessment in Noncardiac Surgery. **2021**, 251-267

107	Exercise Echocardiography following Septal Myectomy for Hypertrophic Obstructive Cardiomyopathy. 2020 ,	0
106	The role of cardiopulmonary exercise testing in perioperative risk assessment. 2021 , 59, 22-29	
105	Perioperative Cardiovascular Management. 2021 , 483-496	
104	Clustering and the design of preference-assessment surveys in healthcare. 1999 , 34, 1033-45	6
103	Health-related quality of life relative to clinical outcomes in patients with atrial fibrillation treated with ventricular rate stabilisation pacing. 2006 , 14, 81-88	
102	Activities of daily living and cardiovascular complications following elective, noncardiac surgery. 2001 , 74, 75-87	38
101	Perioperative evaluation of cardiac surgical risk: particularities in the emergency surgery - from the guidelines to the clinical practice. 2013 , 6, 310-5	
100	Evaluating the association of preoperative functional status and postoperative functional decline in older patients undergoing major surgery. 2012 , 78, 1336-44	16
99	Quality-of-Life measures for cardiac surgery practice and research: a review and primer. 2013 , 45, 8-15	13
98	Validation of Veterans Specific Activity Questionnaire to assess exercise tolerance of Chinese elderly with coronary heart disease. 2016 , 13, 973-977	1
97	Pattern of muscle involvement in inclusion body myositis: a sonographic study. 2018 , 36, 996-1002	11
96	EECP improves markers of functional capacity regardless of underlying ranolazine therapy. 2020 , 10, 593-601	
95	Cardiovascular Outcomes of Patients Referred to Home Based Cardiac Rehabilitation. 2021 , 52, 1-7	2
94	Implementation and Effectiveness of a Veterans Affairs-Based Comprehensive Lung Cancer Survivorship Program. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2021 ,	3.6
93	Modified Application of Cardiac Rehabilitation in Older Adults (MACRO) Trial: Protocol changes in a pragmatic multi-site randomized controlled trial in response to the COVID-19 pandemic. <i>Contemporary Clinical Trials</i> , 2021 , 112, 106633	2.3 2
92	Cardiopulmonary Exercise Testing and Other Tests of Functional Capacity. <i>Current Anesthesiology Reports</i> , 2021 , 12, 1-8	1
91	Functional Assessment. 2022 , 13-34	
90	THE PREDICTIVE VALUE OF THE INDEX BAEVSKY AND ITS RELATIONSHIP WITH CLINICAL AND FUNCTIONAL DATA IN PATIENTS WITH ISCHEMIC HEART DISEASE. <i>Eurasian Heart Journal</i> , 2015 , 24-31	0.7

89	Assessment of diastolic function in aortic stenosis: A comparison between 2009 and 2016 guidelines.. 2021 , 38, 2006-2015		
88	Reliability and Validity of the State-Trait Hopelessness Scale in a Primarily Rural Population of Adults With Ischemic Heart Disease in the US Great Plains.. 2022 ,		0
87	Does Activity Tracking Serve as a Cue to Increase Activity in Implantable Cardioverter Defibrillator Patients?: A Randomized Pilot Study.. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2022 , 42, 64-66	3.6	
86	Agreement between Duke Activity Status Index and Modified Veterans Specific Activity Questionnaire in Healthy Individuals: A Cross-sectional Study. 2022 , 7, 1-4		
85	Multi-Disciplinary Collaborative Consensus Guidance Statement on the Assessment and Treatment of Breathing Discomfort and Respiratory Sequelae in Patients with Post-Acute Sequelae of SARS-CoV-2 Infection (PASC).. 2021 ,		2
84	Medical Care of the Surgical Patient. 2022 , 777-791		
83	Pre-Anesthetic Medical Evaluations: Criteria Considerations for Telemedicine Alternatives to Face to Face Visits.. 2022 , 9, 23333928221074895		0
82	Geographical Differences in the Self-Reported Functional Impairment of People with HIV and Associations with Cardiometabolic Risk.. 2022 ,		0
81	The Physical Activity Levels and Sitting Time of Adults Living with Atrial Fibrillation âThe CHAMPLAIN-AF Study. 2022 ,		
80	Arterial stiffness and functional capacity in individuals with chronic stroke: a cross-sectional study.. 2022 , 1-6		0
79	Home Physical Exercise Protocol for Older Adults, Applied Remotely During the COVID-19 Pandemic: Protocol for Randomized and Controlled Trial.. 2022 , 13, 828495		1
78	Colorectal Surgery in Critically Unwell Patients: A Multidisciplinary Approach.		
77	Effect of a 3-Year Lifestyle Intervention in Patients with Chronic Kidney Disease: A Randomized Clinical Trial. <i>Journal of the American Society of Nephrology: JASN</i> , 2021 ,	12.7	3
76	Follow up for COVID-19 in Belfast City Hospital. <i>Ulster Medical Journal</i> , 2021 , 90, 157-161	0.4	
75	Virtual Prehabilitation in Patients With Cancer Undergoing Surgery During the COVID-19 Pandemic: Protocol for a Prospective Feasibility Study.. <i>JMIR Research Protocols</i> , 2022 , 11, e29936		2
74	Perioperative Cardiovascular Risk Assessment. 2022 , 519-533		
73	Psychometric properties of the Arabic version of Duke Activity Status Index in patients with chronic obstructive pulmonary disease.. <i>Disability and Rehabilitation</i> , 2022 , 1-6	2.4	0
72	Construct validity and responsiveness of the Duke Activity Status Index (DASI) as a measure of recovery after colorectal surgery.. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2022 , 1	5.2	

71	Physical and Psychological Health Behavior Changes During the COVID-19 Pandemic that May Inform Surgical Prehabilitation: a Narrative Review.. <i>Current Anesthesiology Reports</i> , 2022 , 12, 1-16	1	1
70	Body weight and physical fitness in women with ischemic heart disease: Does physical fitness contribute to our understanding of the obesity paradox in women?. <i>European Journal of Preventive Cardiology</i> , 2022 ,	3.9	1
69	Comprehensive Quality of Life Outcomes with Invasive versus Conservative Management of Chronic Coronary Disease in ISCHEMIA.. <i>Circulation</i> , 2022 ,	16.7	2
68	Depressive Symptoms After Acute Myocardial Infarction and Its Association With Low Functional Capacity and Physical Activity.. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2022 ,	3.6	
67	Estimating VO in 18-90 Year-Old Adults: Development and Validation of the FitM [®] -Questionnaire.. <i>International Journal of General Medicine</i> , 2022 , 15, 3727-3737	2.3	1
66	Heart failure clinical trial enrollment at a rural satellite hospital.. <i>Contemporary Clinical Trials</i> , 2022 , 115, 106731	2.3	
65	Prehabilitation in cancer care: preparing people for treatment physically and mentally. <i>Cancer Nursing Practice</i> , 2022 , 21, 34-42	0.6	
64	Patient Onboarding and Engagement to Build a Digital Registry after Enrollment in a Clinical Trial: Results of the TAILOR-PCI Digital Study (Preprint). <i>JMIR Formative Research</i> ,	2.5	
63	Short-Course of Methylprednisolone Improves Respiratory Functional Parameters After 120 Days in Hospitalized COVID-19 Patients (Metcovid Trial): A Randomized Clinical Trial.. <i>Frontiers in Medicine</i> , 2021 , 8, 758405	4.9	1
62	Depressive symptoms and their associated factors in heart failure patients. <i>Frontiers of Nursing</i> , 2021 , 8, 389-397	0.4	
61	Identifying patient-specific behaviors to understand illness trajectories and predict relapses in bipolar disorder using passive sensing and deep anomaly detection: protocol for a contactless cohort study.. <i>BMC Psychiatry</i> , 2022 , 22, 288	4.2	0
60	THE PROBLEM OF THE QUALITY OF LIFE IN CHRONIC HEART FAILURE. <i>Eurasian Heart Journal</i> , 2012 , 49-56	0.7	1
59	Effectiveness of a Home-Based Pulmonary Rehabilitation Program in Veterans.. <i>Telemedicine Journal and E-Health</i> , 2022 ,	5.9	
58	Subjective methods for preoperative assessment of functional capacity. <i>BJA Education</i> , 2022 ,	1.2	0
57	Cardiac telerehabilitation in a middle-income country: analysis of adherence, effectiveness and cost through a randomized clinical trial. <i>European Journal of Physical and Rehabilitation Medicine</i> ,	4.4	0
56	A multisystem, cardio-renal investigation of post-COVID-19 illness. <i>Nature Medicine</i> ,	50.5	0
55	SOP Präoperative kardiologische Abklärung vor nicht kardiochirurgischen Operationen. <i>Kardiologie Up2date</i> , 2022 , 18, 115-119	0	
54	Functional Improvement Trajectories After Surgery (FIT After Surgery) study: protocol for a multicentre prospective cohort study to evaluate significant new disability after major surgery in older adults. <i>BMJ Open</i> , 2022 , 12, e062524	3	0

- 53 Prehabilitation prior to intestinal resection in Crohn's disease patients: An opinion review. *World Journal of Gastroenterology*, **2022**, 28, 2403-2416 5.6
- 52 Self-reported engagement in exercise is associated with longer event-free survival in heart failure patients with poor functional capacity. *European Journal of Cardiovascular Nursing*, 3.3
- 51 Preoperative Optimization and Intraoperative Enhanced Recovery Principles for Patients Undergoing Spine Surgery. **2022**, 355-379
- 50 Preoperative optimization. **2022**, 17-30
- 49 Early versus late surgical start times for on-pump cardiac surgery'. *The Cochrane Library*, **2022**, 2022, 5.2
- 48 In-hospital electrical muscle stimulation for patients early after heart failure decompensation: results from a prospective randomised controlled pilot trial. *Open Heart*, **2022**, 9, e001965 3
- 47 Functional Assessment and Prehabilitation. **2023**, 171-184
- 46 Should Preoperative Brain Natriuretic Peptide (BNP) Be Measured Routinely?. **2023**, 67-74
- 45 Estimated metabolic equivalents of task do not correlate with the maximal oxygen consumption of patients undergoing lung resection surgery. *Revista Española De Anestesiología Y Reanimación (English Edition)*, **2022**, 0.1
- 44 Medical Management and Preoperative Patient Assessment. **2022**, 19-51
- 43 Prevention and early treatment of the long-term physical effects of COVID-19 in adults: design of a randomised controlled trial of resistance exerciseâISCO-21. **2022**, 23, 1
- 42 Physical Activity, Function, and Exercise-Based Rehabilitation for People on Dialysis. **2023**, 582-589
- 41 Predictive Model for Quality of Life in Patients With Heart Failure. Publish Ahead of Print, 0
- 40 Dialysis Patients's Preferences on Resuscitation: A Cross-Sectional Study Design. **2022**, 9, 205435812211133 0
- 39 Preoperative incremental shuttle walk test for morbidity and mortality prediction in elective major colorectal surgery. **2022**, 66, 250 0
- 38 Anesthesia-related unexpected cardiac arrestâWhat are we doing wrong on preoperative evaluation?. **2022**, 7, e157 0
- 37 Preoperative Evaluation and Cardiac Risk Assessment in Vascular Surgery. **2022**, 0
- 36 Ischemia with no obstructive coronary artery disease (INOCA): A patient self-report quality of life survey from INOCA international. **2022**, 0

- 35 Calf circumference predicts falls in older adults on hemodialysis. **2022**, ○
- 34 Clinical and Biochemical diagnostic measures of sarcopenia in trauma and emergency laparotomy elderly patients. (PILOT STUDY). ○
- 33 Percutaneous Coronary Intervention. **2022**, 233-248 ○
- 32 Quality of Life and Subjective Health: Strengthening the Subjective Perspective in Cardiology. **2022**, 1341-1362○
- 31 Pre-operative screening for sleep disordered breathing: obstructive sleep apnoea and beyond. **2022**, 18, 220072 ○
- 30 Measurement Properties of the Duke Activity Status Index in Arab Patients with Cardiovascular Disease. **2022**, 19, 13783 ○
- 29 Subcutaneous and Transvenous Defibrillators in Arrhythmogenic Right Ventricular Cardiomyopathy. **2022**, ○
- 28 Intraclass Correlation and Variance in the Characteristics of Primary Care Patients Managing Chronic Medical and Behavioral Conditions. **2022**, ○
- 27 Perioperative Management of Patients Affected by Ischemic Cardiomyopathy. **2022**, 3-17 ○
- 26 Telerehabilitation: Future of Phase II Cardiac Rehabilitation: Review of Preliminary Outcomes. **2022**, 46, ○
- 25 Predicting Length of Stay using machine learning for total joint replacements performed at a rural community hospital. **2022**, 17, e0277479 ○
- 24 Patient-centered care in Coronary Heart Disease: what do you want to measure? A systematic review of reviews on patient-reported outcome measures. ○
- 23 Technology-based Comprehensive Cardiac Rehabilitation Therapy (TaCT) for women with cardiovascular disease in a middle-income setting: A randomized controlled trial protocol. ○
- 22 Urban&Rural Differences in Mental and Physical Health among Primary Care Patients with Multiple Chronic Conditions: A Secondary Analysis from a Randomized Clinical Trial. **2022**, 19, 15580 ○
- 21 Protocol for a case&control prospective study to investigate the impact ofHepaticEncephalopathy onNutritional Intake andSarcopenia status in patients with end-stageLIVer disease: HENS-LIV study. **2022**, 9, e001052 ○
- 20 Cardiovascular Disease: Preoperative Testing and Evaluation for Noncardiac Surgery. **2023**, 352-360 ○
- 19 Elaboration of a French version of the Duke Activity Status Index questionnaire and performance to predict functional capacity. **2023**, 42, 101199 ○
- 18 The Frail Patient in the Operating Room: Practical Steps to Reduce the Operative Risk. **2023**, 9-17 ○

- 17 Wearable Health Technology for Preoperative Risk Assessment in Elderly Patients: The WELCOME Study. **2023**, 13, 630 ○
- 16 Cardiac assessment and management in older surgical patients. **2023**, 61, 1-7 ○
- 15 Adjudicated myocarditis and multisystem illness trajectory in healthcare workers post-COVID-19. **2023**, 10, e002192 ○
- 14 A Novel Preoperative Patient Survey Predicts Adverse Patient OutcomesâImplementation and Preliminary Results of the Tennessee Preoperative Assessment Tool. 000313482311578 ○
- 13 Does ASA classification effectively risk stratify patients undergoing bariatric surgery: a MBSAQIP retrospective cohort of 138,612 of patients. ○
- 12 Effects of the Strong Hearts program after a major cardiovascular event in patients with cardiovascular disease. **2023**, ○
- 11 Reply letter to the editor 'cardiovascular outcomes of patients referred to home-based cardiac rehabilitation'. **2023**, ○
- 10 Facility-based and virtual cardiac rehabilitation in young patients with heart disease during the COVID-19 era. ○
- 9 A machine-learning based bio-psycho-social model for the prediction of non-obstructive and obstructive coronary artery disease. ○
- 8 A Role for Blood-brain Barrier Dysfunction in Delirium following Non-Cardiac Surgery in Older adults. ○
- 7 Usefulness of the Duke Activity Status Index to Assess Exercise Capacity and Predict Risk Stratification in Patients with Pulmonary Arterial Hypertension. **2023**, 12, 2761 ○
- 6 PULMONARY SEQUELAE OF COVID-19. **2023**, ○
- 5 Change in Eosinophil Count in Patients with Heart Failure Treated with Anakinra. **2023**, 12, 1129 ○
- 4 The TeLeFI (Tele-Liver Frailty Index): Development of a novel frailty tool in patients with cirrhosis via telemedicine. **2023**, ○
- 3 Fitbit Data to Assess Functional Capacity in Patients Before Elective Surgery: Pilot Prospective Observational Study (Preprint). ○
- 2 Fitbit Data to Assess Functional Capacity in Patients Before Elective Surgery: Pilot Prospective Observational Study. 25, e42815 ○
- 1 Fitness Attenuates Long-term Cardiovascular Outcomes in Women with Ischemic Heart Disease and Metabolic Syndrome. **2023**, 100498 ○