

The use of c-fos as a metabolic marker in neuronal path

Journal of Neuroscience Methods

29, 261-265

DOI: [10.1016/0165-0270\(89\)90150-7](https://doi.org/10.1016/0165-0270(89)90150-7)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Fos-Jun and the primary genomic response in the nervous system. <i>Molecular Neurobiology</i> , 1990, 4, 27-55.	1.9	79
2	Light pulses that shift rhythms induce gene expression in the suprachiasmatic nucleus. <i>Science</i> , 1990, 248, 1237-1240.	6.0	542
3	Sex steroids and fos expression in the CNS of prepubertal and newborn rats. <i>Molecular and Cellular Neurosciences</i> , 1990, 1, 250-261.	1.0	16
4	Opiates modify induction of c-fos proto-oncogene in the spinal cord of the rat following noxious stimulation. <i>Neuroscience Letters</i> , 1990, 111, 46-51.	1.0	108
5	Electrical stimulation in the medullary nucleus raphe magnus inhibits noxious heat-evoked fos protein-like immunoreactivity in the rat lumbar spinal cord. <i>Brain Research</i> , 1990, 530, 335-338.	1.1	70
6	Brain activity patterns: Assessment by high resolution autoradiographic imaging of radiolabeled 2-deoxyglucose and glucose uptake. <i>Progress in Neurobiology</i> , 1991, 37, 365-382.	2.8	36
7	Norepinephrine neurons in mouse locus coeruleus express c-fos protein after N-methyl-D, L-aspartic acid (NMDA) treatment: relation to LH release. <i>Brain Research</i> , 1991, 561, 11-19.	1.1	48
8	Intravenous hypertonic saline induces Fos immunoreactivity in neurons throughout the lamina terminalis. <i>Brain Research</i> , 1991, 561, 151-156.	1.1	154
9	Differential effects of reserpine on brainstem catecholaminergic neurons revealed by Fos protein immunohistochemistry. <i>Brain Research</i> , 1991, 562, 48-56.	1.1	39
10	Fos-like protein is induced in neurons of the medulla oblongata after stimulation of the carotid sinus nerve in awake and anesthetized rats. <i>Brain Research</i> , 1991, 567, 11-24.	1.1	177
11	Cisplatin-evoked induction of c-fos protein in the brainstem of the ferret: the effect of cervical vagotomy and the anti-emetic 5-HT <sub>3</sub> receptor antagonist granisetron (BRL 43694). <i>Brain Research</i> , 1991, 565, 231-236.	1.1	85
12	Transient expression of c-fos during the development of the rat cerebral cortex. <i>Developmental Brain Research</i> , 1991, 59, 109-112.	2.1	27
13	Enkephalin, substance P, and serotonin axonal input to c-fos-like immunoreactive neurons of the rat spinal cord. <i>Peptides</i> , 1991, 12, 1243-1250.	1.2	33
14	Stimulus-Transcription Coupling in the Nervous System: Involvement of the Inducible Proto-Oncogenes fos and jun. <i>Annual Review of Neuroscience</i> , 1991, 14, 421-451.	5.0	2,558
15	Post-ischemic and kainic acid-induced c-fos protein expression in the rat hippocampus. <i>Acta Neurologica Scandinavica</i> , 1991, 84, 352-356.	1.0	37
16	Differential neuronal expression of c-fos proto-oncogene following peripheral nerve injury or chemically-induced seizure. <i>Journal of Neuroscience Research</i> , 1991, 28, 291-298.	1.3	31
17	ACTH and enkephalin axonal input to paraventricular neurons containing c-fos-like immunoreactivity. <i>Synapse</i> , 1991, 8, 100-106.	0.6	17
18	Thyroidectomy Induces Fos-like Immunoreactivity Within Thyrotropin-Releasing Hormone-Expressing Neurons Located in the Paraventricular Nucleus of the Adult Rat Hypothalamus*. <i>Endocrinology</i> , 1991, 129, 3208-3216.	1.4	23

#	ARTICLE	IF	CITATIONS
19	Protein Kinases and Growth Associated Proteins in Plaque Formation in Alzheimer's Disease. <i>Reviews in the Neurosciences</i> , 1992, 3, 99-108.	1.4	15
20	Detection and partial purification of ischaemia-related neurotrophic activity in the periinfarcted brain tissue. <i>Neurological Research</i> , 1992, 14, 267-272.	0.6	3
21	Chapter 51: Efferent neural pathways of the lamina terminalis subserving osmoregulation. <i>Progress in Brain Research</i> , 1992, 91, 395-402.	0.9	81
22	Chapter 13 Behavioural consequences of manipulating GABA neurotransmission in the superior colliculus. <i>Progress in Brain Research</i> , 1992, 90, 263-281.	0.9	13
23	Osmotic and hormonal regulation of thirst in domestic animals. <i>Domestic Animal Endocrinology</i> , 1992, 9, 1-11.	0.8	6
24	Absence of c-fos induction in neonatal rat brain after seizures. <i>Neuroscience Letters</i> , 1992, 136, 31-35.	1.0	63
25	Anticonvulsant role of nigrotectal projection in the maximal electroshock model of epilepsy. Pathways from substantia nigra pars lateralis and adjacent peripeduncular area to the dorsal midbrain. <i>Neuroscience</i> , 1992, 46, 391-406.	1.1	47
26	Alterations in mRNA of enkephalin, dynorphin and thyrotropin releasing hormone during amygdala kindling: an in situ hybridization study. <i>Molecular Brain Research</i> , 1992, 15, 247-255.	2.5	111
27	Potentiated expression of FOS protein in the rat spinal cord following bilateral noxious cutaneous stimulation. <i>Neuroscience</i> , 1992, 48, 525-532.	1.1	78
28	Expression of c-fos in regions of the basal limbic forebrain following intra-cerebroventricular corticotropin-releasing factor in unstressed or stressed male rats. <i>Neuroscience</i> , 1992, 51, 377-390.	1.1	156
29	Expression of c-fos protein in lumbosacral spinal cord in response to vaginocervical stimulation in rats. <i>Neuroscience Letters</i> , 1992, 145, 93-96.	1.0	43
30	Mapping of c-fos expression elicited by pure tones stimulation in the auditory pathways of the rat, with emphasis on the cochlear nucleus. <i>Neuroscience Letters</i> , 1992, 144, 19-24.	1.0	97
31	Changing pattern Of C-FOS expression in spinal cord neurons after electrical stimulation of the chronically injured sciatic nerve in the rat. <i>Neuroscience</i> , 1992, 50, 223-236.	1.1	124
32	D1 and D2 dopamine receptors differentially regulate c-fos expression in striatonigral and striatopallidal neurons. <i>Neuroscience</i> , 1992, 49, 285-296.	1.1	325
33	Mapping of the motor pathways in rats: c-fos induction by intracortical microstimulation of the motor cortex correlated with efferent connectivity of the site of cortical stimulation. <i>Neuroscience</i> , 1992, 49, 749-761.	1.1	82
34	Regionally specific effects of atypical antipsychotic drugs on striatal Fos expression: The nucleus accumbens shell as a locus of antipsychotic action. <i>Molecular and Cellular Neurosciences</i> , 1992, 3, 332-341.	1.0	231
35	Increased expression of c-fos in the medial preoptic area after mating in male rats: Role of afferent inputs from the medial amygdala and midbrain central tegmental field. <i>Neuroscience</i> , 1992, 50, 627-646.	1.1	329
36	FOS expression in gonadotropin-releasing hormone neurons: enhancement by steroid treatment and mating. <i>Endocrinology</i> , 1992, 131, 2045-2050.	1.4	72

#	ARTICLE	IF	CITATIONS
37	c-fos proto-oncogene change in relation to REM sleep duration. <i>Brain Research</i> , 1992, 579, 342-346.	1.1	43
38	Hemorrhage induces c-fos immunoreactivity in spinally projecting neurons of cat subretrofacial nucleus. <i>Brain Research</i> , 1992, 575, 329-332.	1.1	49
39	Distribution of hypothalamic, medullary and lamina terminalis neurons expressing Fos after hemorrhage in conscious rats. <i>Brain Research</i> , 1992, 582, 323-328.	1.1	90
40	Induction of c-fos mRNA in rat brain by conditioned and unconditioned stressors. <i>Brain Research</i> , 1992, 578, 135-141.	1.1	161
41	Expression of c-fos protein in rat brain after electrical stimulation of the aortic depressor nerve. <i>Brain Research</i> , 1992, 599, 215-222.	1.1	97
42	C-fos immunoreactivity in the brain following unilateral electrical stimulation of the dorsal periaqueductal gray in freely moving rats. <i>Brain Research</i> , 1992, 573, 276-283.	1.1	47
43	The effect of stimulus duration on noxious-stimulus induced c-fos expression in the rodent spinal cord. <i>Brain Research</i> , 1992, 580, 172-179.	1.1	152
44	Intravenous angiotensin II induces Fos-immunoreactivity in circumventricular organs of the lamina terminalis. <i>Brain Research</i> , 1992, 594, 295-300.	1.1	159
45	Induction of fos expression by activity in the spinal rhythm generator for scratching. <i>Brain Research</i> , 1992, 588, 168-172.	1.1	47
46	Immunohistochemical studies of noradrenergic-induced expression of c-fos in the rat CNS. <i>Brain Research</i> , 1992, 592, 57-62.	1.1	71
47	Influence of medial septal cholinceptive cells on c-Fos-like proteins induced by soman. <i>Brain Research</i> , 1992, 592, 157-162.	1.1	14
48	Regional expression of fos-like immunoreactivity following seizures induced by pentylenetetrazole and maximal electroshock. <i>Experimental Neurology</i> , 1992, 118, 261-274.	2.0	74
49	Evidence for conditional neuronal activation following exposure to a cocaine-paired environment: role of forebrain limbic structures. <i>Journal of Neuroscience</i> , 1992, 12, 4112-4121.	1.7	275
50	Fos-defined activity in rat brainstem following centripetal acceleration. <i>Journal of Neuroscience</i> , 1992, 12, 4489-4500.	1.7	81
51	Expression of c-fos protein in rat brain elicited by electrical stimulation of the pontine parabrachial nucleus. <i>Journal of Neuroscience</i> , 1992, 12, 3582-3590.	1.7	118
52	Tonotopic Order in the Adult and Developing Auditory System of the Rat as Shown by c-fos Immunocytochemistry. <i>European Journal of Neuroscience</i> , 1992, 4, 798-812.	1.2	174
53	Involvement of $\gamma$ -Aminobutyric Acid and N-Methyl-D-Aspartate Receptors in the Inhibitory Effect of Ethanol on Pentylenetetrazole-Induced c-fos Expression in Rat Brain. <i>Journal of Neurochemistry</i> , 1992, 59, 1309-1315.	2.1	29
54	Colocalization of Fos- and Glucocorticoid Receptor-Like Immunoreactivities in the Rat Amygdaloid Complex After Immobilization Stress. <i>Journal of Neuroendocrinology</i> , 1992, 4, 547-555.	1.2	23

#	ARTICLE	IF	CITATIONS
55	Mapping rat brain structures activated during ethanol withdrawal: role of glutamate and NMDA receptors. <i>European Journal of Pharmacology</i> , 1992, 225, 217-223.	2.7	66
56	Expression of Fos-like immunoreactivity by yohimbine and clonidine in the rat brain. <i>European Journal of Pharmacology</i> , 1992, 226, 69-78.	2.7	23
57	Morphine or U-50,488 suppresses fos protein-like immunoreactivity in the spinal cord and nucleus tractus solitarii evoked by a noxious visceral stimulus in the rat. <i>Journal of Comparative Neurology</i> , 1992, 315, 244-253.	0.9	205
58	Fos-like immunoreactivity in the brain of homozygous diabetes insipidus brattleboro and normal long-evans rats. <i>Journal of Comparative Neurology</i> , 1992, 322, 439-448.	0.9	24
59	Neurochemical identification of fos-positive neurons using two-colour immunoperoxidase staining. <i>Journal of Neuroscience Methods</i> , 1993, 47, 73-83.	1.3	40
60	Transsynaptic induction of c-fos in basal forebrain, diencephalic and midbrain neurons following AMPA-induced activation of the dorsal and ventral striatum. <i>Experimental Brain Research</i> , 1993, 93, 399-411.	0.7	20
61	Selective induction of Fos and FRA immunoreactivity within the mesolimbic and mesostriatal dopamine terminal fields. <i>Synapse</i> , 1993, 13, 251-263.	0.6	69
62	Expression of c-fos protein in the experimental epilepsy induced by pilocarpine. <i>Synapse</i> , 1993, 14, 1-9.	0.6	60
63	Fos Expression in the Rat Brain Following Vaginal-Cervical Stimulation by Mating and Manual Probing. <i>Journal of Neuroendocrinology</i> , 1993, 5, 397-404.	1.2	158
64	Expression of c-fos in studies of central autonomic and sensory systems. <i>Molecular Neurobiology</i> , 1993, 7, 247-263.	1.9	70
66	Intracerebroventricular administration of corticotropin-releasing factor induces c-fos mRNA expression in brain regions related to stress responses: comparison with pattern of c-fos mRNA induction after stress. <i>Brain Research</i> , 1993, 616, 114-125.	1.1	192
67	Simultaneous demonstration of Fos-like immunoreactivity and 2-deoxy-glucose uptake in the inferior colliculus of the mouse. <i>Brain Research</i> , 1993, 616, 339-343.	1.1	38
68	Interleukin-1 activation of FOS proto-oncogene protein in the rat hypothalamus. <i>Brain Research</i> , 1993, 617, 123-130.	1.1	55
69	Co-expression of Fos immunoreactivity in protein kinase (PKC $\beta$ )-positive neurones: quantitative analysis of a brain region involved in learning. <i>Brain Research</i> , 1993, 606, 315-318.	1.1	41
70	Fos induction by nerve growth factor in the adult rat brain. <i>Brain Research</i> , 1993, 632, 57-67.	1.1	19
71	Variation in the expression of c-fos after intoxication by soman. Comparative study using in situ hybridization and immunohistochemistry. <i>Brain Research</i> , 1993, 603, 32-37.	1.1	8
72	Sensitization of c-fos expression in rat striatum following multiple challenges with d-amphetamine. <i>Brain Research</i> , 1993, 603, 125-128.	1.1	30
73	A comparison of hypotensive and non-hypotensive hemorrhage on Fos expression in spinally projecting neurons of the paraventricular nucleus and rostral ventrolateral medulla. <i>Brain Research</i> , 1993, 610, 216-223.	1.1	104

#	ARTICLE	IF	CITATIONS
74	Hemorrhage induces Fos immunoreactivity in rat medullary catecholaminergic neurons. <i>Brain Research</i> , 1993, 608, 223-232.	1.1	79
75	Induction of Fos immunoreactivity in the brain by exposure to the elevated plus-maze. <i>Behavioural Brain Research</i> , 1993, 56, 115-118.	1.2	200
76	What brain structures are active during emotions? Effects of brain stimulation elicited aversion on c-fos immunoreactivity and behavior. <i>Behavioural Brain Research</i> , 1993, 58, 9-18.	1.2	60
77	Role of the amygdala and periaqueductal gray in anxiety and panic. <i>Behavioural Brain Research</i> , 1993, 58, 123-131.	1.2	271
78	Destruction of the nigrostriatal pathway increases Fos-like immunoreactivity predominantly in striatopallidal neurons. <i>Molecular Brain Research</i> , 1993, 19, 156-160.	2.5	40
79	Effects of renal denervation and reinnervation on ganglionic gene expression of neurotransmitter proteins and c-fos in rat. <i>Molecular Brain Research</i> , 1993, 19, 287-292.	2.5	0
80	Relationship between hippocampal opioid peptides and seizures. <i>Progress in Neurobiology</i> , 1993, 40, 507-528.	2.8	61
81	Immediate early gene induction after neonatal hypoxia-ischemia. <i>Molecular Brain Research</i> , 1993, 18, 228-238.	2.5	117
82	Expression of c-fos in restricted areas of the basal forebrain and brainstem following single or combined intraventricular infusions of vasopressin and corticotropin-releasing factor. <i>Neuroscience</i> , 1993, 53, 735-748.	1.1	46
83	Haemorrhage-induced production of Fos in neurons of the lamina terminalis: role of endogenous angiotensin II. <i>Neuroscience Letters</i> , 1993, 159, 151-154.	1.0	33
84	C-fos expression in arcuate nucleus following intracerebroventricular hypertonic saline injections. <i>Neuroscience Letters</i> , 1993, 164, 217-220.	1.0	13
85	On the expression of Fos-like protein in the subthalamic nucleus and basal ganglia output systems following kainic acid injections into the rodent striatum. <i>Neuroscience Letters</i> , 1993, 152, 25-28.	1.0	6
86	The distribution of brain-stem and spinal cord nuclei associated with different frequencies of electroacupuncture analgesia. <i>Pain</i> , 1993, 52, 11-28.	2.0	164
87	Serotonin <sub>2/1C</sub> receptor activation causes a localized expression of the immediate-early gene c-fos in rat brain: evidence for involvement of dorsal raphe nucleus projection fibres. <i>Neuroscience</i> , 1993, 53, 457-463.	1.1	83
88	Peripheral peptide YY induces c-fos-like immunoreactivity in the rat brain. <i>Neuroscience Letters</i> , 1993, 163, 77-80.	1.0	36
89	Spatial and temporal aspects of spinal cord and brainstem activation in the formalin pain model. <i>Progress in Neurobiology</i> , 1993, 41, 565-607.	2.8	222
90	Expression of Egr-1 in the brain of sleep deprived rats. <i>Molecular Brain Research</i> , 1993, 17, 300-306.	2.5	23
91	High-dose ketamine does not induce c-Fos protein expression in rat hippocampus. <i>Neuroscience Letters</i> , 1993, 151, 33-36.	1.0	30

#	ARTICLE	IF	CITATIONS
92	Age- and dose-related NMDA induction of Fos-like immunoreactivity and c-fos mRNA in the arcuate nucleus of immature female rats. <i>Developmental Brain Research</i> , 1993, 73, 193-198.	2.1	22
93	Glutamate, Immediate-Early Genes, and Cell Death in the Nervous System. <i>Annals of the New York Academy of Sciences</i> , 1993, 679, 132-141.	1.8	27
94	Afferent Signaling and Forebrain Mechanisms in the Behavioral Control of Extracellular Fluid Volume. <i>Annals of the New York Academy of Sciences</i> , 1993, 689, 161-176.	1.8	83
95	Fos expression during the estradiol-induced gonadotropin-releasing hormone (GnRH) surge of the ewe: induction in GnRH and other neurons.. <i>Endocrinology</i> , 1993, 133, 896-903.	1.4	97
96	Equivalent Levels of Mating-Induced Neural c-fos Immunoreactivity in Castrated Male Rats Given Androgen, Estrogen, or No Steroid Replacement <sup>1</sup> . <i>Biology of Reproduction</i> , 1993, 48, 1341-1347.	1.2	42
97	Topographic patterns of brain activity in response to swim stress: assessment by 2-deoxyglucose uptake and expression of Fos-like immunoreactivity. <i>Journal of Neuroscience</i> , 1993, 13, 3932-3943.	1.7	205
98	Cocaine-induced c-fos messenger RNA is inversely related to dynorphin expression in striatum. <i>Journal of Neuroscience</i> , 1993, 13, 5066-5081.	1.7	230
99	Otolith-brain stem connectivity: evidence for differential neural activation by vestibular hair cells based on quantification of FOS expression in unilateral labyrinthectomized rats. <i>Journal of Neurophysiology</i> , 1993, 70, 117-127.	0.9	59
100	C-fos expression in the pons and medulla of the cat during carbachol- induced active sleep. <i>Journal of Neuroscience</i> , 1993, 13, 2703-2718.	1.7	91
101	The functional anatomy of limbic status epilepticus in the rat. I. Patterns of 14C-2-deoxyglucose uptake and Fos immunocytochemistry. <i>Journal of Neuroscience</i> , 1993, 13, 4787-4809.	1.7	102
102	Neurotransmitter Receptors in Fetal Tissue Transplants: Expression and Functional Significance. <i>Journal of Neural Transplantation &amp; Plasticity</i> , 1993, 4, 215-226.	0.7	7
103	Neurobiological analyses of behavioural mechanisms in development. , 1994, , 16-46.		9
104	Differential effects of morphine on noxious stimulus-evoked fos-like immunoreactivity in subpopulations of spinoparabrachial neurons. <i>Journal of Neuroscience</i> , 1994, 14, 7252-7260.	1.7	85
105	Emetic reflex arc revealed by expression of the immediate-early gene c- fos in the cat. <i>Journal of Neuroscience</i> , 1994, 14, 871-888.	1.7	127
106	Effect of a Null Mutation of the c-fos Proto-Oncogene on Sexual Behavior of Male Mice <sup>1</sup> . <i>Biology of Reproduction</i> , 1994, 50, 1040-1048.	1.2	47
107	Differential effect of MK 801 and scopolamine on c-fos expression induced by L-dopa in the striatum of 6-hydroxydopamine lesioned rats. <i>Synapse</i> , 1994, 18, 288-293.	0.6	27
108	Colocalization of tyrosine hydroxylase and Fos in the male Syrian hamster brain following different states of arousal. <i>Journal of Neurobiology</i> , 1994, 25, 156-168.	3.7	26
109	Tactile sensory input regulates basal and apomorphine-induced immediate-early gene expression in rat barrel cortex. <i>Journal of Comparative Neurology</i> , 1994, 344, 297-304.	0.9	55

#	ARTICLE	IF	CITATIONS
110	Hypoxia and electrical stimulation of the carotid sinus nerve induce fos-like immunoreactivity within catecholaminergic and serotonergic neurons of the rat brainstem. <i>Journal of Comparative Neurology</i> , 1994, 348, 161-182.	0.9	245
111	Spatially and temporally differentiated patterns of c-fos expression in brainstem catecholaminergic cell groups induced by cardiovascular challenges in the rat. <i>Journal of Comparative Neurology</i> , 1994, 348, 433-460.	0.9	288
112	Directionally specific changes in arterial pressure induce differential patterns of Fos expression in discrete areas of the rat brainstem: A double-labeling study for Fos and catecholamines. <i>Journal of Comparative Neurology</i> , 1994, 349, 36-50.	0.9	107
113	Abdominal surgery induces Fos immunoreactivity in the rat brain. <i>Journal of Comparative Neurology</i> , 1994, 349, 212-222.	0.9	59
114	Double immunofluorescence staining of Fos and Jun in the hypothalamus of the rat. <i>Cell and Tissue Research</i> , 1994, 276, 1-6.	1.5	10
115	Vomeroneasal system, LHRH, and sex behaviour. <i>Psychoneuroendocrinology</i> , 1994, 19, 657-672.	1.3	56
116	Induction of Fos protein in the rat trigeminal nucleus complex during an experimental tooth movement. <i>Archives of Oral Biology</i> , 1994, 39, 723-726.	0.8	28
117	Elevated neuronal c-Fos-like immunoreactivity and messenger ribonucleic acid (mRNA) in genetically obese (ob/ob) mice. <i>Brain Research</i> , 1994, 666, 53-60.	1.1	23
118	Localization of barosensitive neurons in the caudal ventrolateral medulla which project to the rostral ventrolateral medulla. <i>Brain Research</i> , 1994, 657, 258-268.	1.1	42
119	Fos protein expression in the nucleus of the solitary tract in response to intestinal nutrients in awake rats. <i>Brain Research</i> , 1994, 663, 266-270.	1.1	73
120	Fos-like immunoreactivity elicited by sound stimulation in the auditory neurons of the big brown bat <i>Eptesicus fuscus</i> . <i>Brain Research</i> , 1994, 664, 241-246.	1.1	19
121	Distribution of Fos in rat brain resulting from endogenously-generated angiotensin II. <i>Kidney International</i> , 1994, 46, 1567-1569.	2.6	29
122	Intraneuronal Convergence of Tactile and Hormonal Stimuli Associated with Female Reproduction in Rats. <i>Journal of Neuroendocrinology</i> , 1994, 6, 211-216.	1.2	52
123	Lignocaine-induced convulsion does not induce c-fos protein (c-Fos) in rat hippocampus. <i>Acta Anaesthesiologica Scandinavica</i> , 1994, 38, 845-851.	0.7	2
124	Immediate-early genes in spontaneous wakefulness and sleep: expression of c-fos and NGF mRNA and protein. <i>Journal of Sleep Research</i> , 1994, 3, 80-96.	1.7	137
125	c-Fos expression in hypothalamic neurosecretory and brainstem catecholamine cells following noxious somatic stimuli. <i>Neuroscience</i> , 1994, 58, 765-775.	1.1	57
126	Differential regional and time course increases in thyrotropin-releasing hormone, neuropeptide Y and enkephalin mRNAs following an amygdala kindled seizure. <i>Molecular Brain Research</i> , 1994, 27, 71-80.	2.5	33
127	The Functional Neuroanatomy of the Acute-Phase Response. <i>Annals of the New York Academy of Sciences</i> , 1994, 739, 282-291.	1.8	11



#	ARTICLE	IF	CITATIONS
128	Neural and biochemical mediators of endotoxin and stress-induced c-fos expression in the rat brain. <i>Brain Research Bulletin</i> , 1994, 34, 7-14.	1.4	301
129	D1 dopamine receptor agonist-induced fos-like immunoreactivity occurs in basal forebrain and mesopontine tegmentum cholinergic neurons and striatal neurons immunoreactive for neuropeptide Y. <i>Neuroscience</i> , 1994, 59, 375-387.	1.1	17
130	Neuronal expression of Fos and Jun protein in the rat medulla and spinal cord after anoxic and hypercapnic stimulations. <i>Neuroscience Letters</i> , 1994, 178, 227-230.	1.0	32
131	Disinhibition of the rostral ventral medulla increases blood pressure and Fos expression in bulbospinal neurons. <i>Brain Research</i> , 1994, 646, 44-52.	1.1	35
132	Estradiol and progesterone influence the response of ventromedial hypothalamic neurons to tactile stimuli associated with female reproduction. <i>Brain Research</i> , 1994, 646, 267-272.	1.1	46
133	Translabrynth electrical stimulation for the induction of immediate-early genes in the gerbil brainstem. <i>Brain Research</i> , 1994, 646, 345-350.	1.1	31
134	Vasoconstriction induced by inhalation of irritant vapour is associated with appearance of Fos protein in C1 catecholamine neurons in rabbit medulla oblongata. <i>Brain Research</i> , 1994, 636, 157-161.	1.1	28
135	Changes in GABA and parvalbumin immunoreactivities in the cerebral cortex of lizards after narine occlusion. <i>Brain Research</i> , 1994, 652, 334-340.	1.1	5
136	Induction of Fos immunoreactivity in the rat brain after cold-restraint induced gastric lesions and fecal excretion. <i>Brain Research</i> , 1994, 652, 56-64.	1.1	71
137	Identification of neural pathways activated in dehydrated rats by means of Fos-immunohistochemistry and neural tracing. <i>Brain Research</i> , 1994, 653, 305-314.	1.1	104
138	Contingent tolerance to carbamazepine: alterations in TRH mRNA and TRH receptor binding in limbic structures. <i>Brain Research</i> , 1994, 651, 252-260.	1.1	32
139	c-Fos induction in response to a conditioned stimulus after single trial taste aversion learning. <i>Brain Research</i> , 1994, 636, 202-208.	1.1	134
140	Formalin induced FOS-like immunoreactive neurons in the trigeminal spinal caudal subnucleus project to contralateral parabrachial nucleus in the rat. <i>Brain Research</i> , 1994, 649, 62-70.	1.1	23
141	Closely spaced recurrent hippocampal seizures elicit two types of heightened epileptogenesis: a rapidly developing, transient kindling and a slowly developing, enduring kindling. <i>Brain Research</i> , 1994, 649, 71-84.	1.1	99
142	Hypercapnia induces c-fos expression in neurons of retrotrapezoid nucleus in cats. <i>Brain Research</i> , 1994, 635, 353-356.	1.1	42
143	Dopamine agonists and stress produce different patterns of Fos-like immunoreactivity in the lateral habenula. <i>Brain Research</i> , 1994, 633, 21-26.	1.1	128
144	Neurocircuitry of illness-induced hyperalgesia. <i>Brain Research</i> , 1994, 639, 283-299.	1.1	267
145	Disruption of a putative working memory task and selective expression of brain c-fos following microwave-induced hyperthermia. <i>Physiology and Behavior</i> , 1994, 55, 1029-1038.	1.0	37

#	ARTICLE	IF	CITATIONS
146	Ontogeny of the O <sub>2</sub> -sensitive pathway in medulla oblongata of postnatal rat. <i>Respiration Physiology</i> , 1994, 98, 123-135.	2.8	16
147	Neuronal expression of Fos protein in the rat brain after baroreceptor stimulation. <i>Journal of the Autonomic Nervous System</i> , 1994, 50, 31-43.	1.9	52
148	Neuronal expression of Fos protein in the paraventricular nucleus of the hypothalamus after i.p. injection of ulcerogenic cinchophen. <i>Neuroscience Letters</i> , 1994, 172, 55-58.	1.0	5
149	Convergence of deep somatic and visceral nociceptive information onto a discrete ventrolateral midbrain periaqueductal gray region. <i>Neuroscience</i> , 1994, 61, 727-732.	1.1	173
150	Fos production in retrogradely labelled neurons of the lamina terminalis following intravenous infusion of either hypertonic saline or angiotensin II. <i>Neuroscience</i> , 1994, 60, 255-262.	1.1	199
151	The comparison of effects of various anesthetics on expression of Fos protein in the rat brain. <i>Neuroscience Letters</i> , 1994, 176, 59-62.	1.0	142
152	Localization of changes in immediate early genes in brain in relation to hydromineral balance: intravenous angiotensin II. <i>Brain Research Bulletin</i> , 1994, 33, 427-436.	1.4	97
153	Distribution of Fos-like immunoreactivity in the auditory pathway of the Sprague-Dawley rat elicited by cochlear electrical stimulation. <i>Neuroscience Research</i> , 1994, 19, 175-185.	1.0	63
154	Walking evokes a distinctive pattern of Fos-like immunoreactivity in the caudal brainstem and spinal cord of the rat. <i>Neuroscience</i> , 1994, 58, 275-286.	1.1	113
155	Expression of fos-like protein in brain following sustained hypertension and hypotension in conscious rabbits. <i>Neuroscience</i> , 1994, 61, 613-634.	1.1	251
156	C-fos expression after single and kindled audiogenic seizures in Wistar rats. <i>Neuroscience Letters</i> , 1994, 175, 58-62.	1.0	71
157	Interactive effects of stimulation of D1 and D2 dopamine receptors on fos-like immunoreactivity in the normosensitive rat striatum. <i>Brain Research Bulletin</i> , 1994, 35, 85-91.	1.4	58
158	Electrical stimulation of the central nucleus of the amygdala induces fos-like immunoreactivity in the hypothalamus of the rat: a quantitative study. <i>Molecular Brain Research</i> , 1994, 22, 333-340.	2.5	25
159	Altered striatal function in a mutant mouse lacking D1A dopamine receptors.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1994, 91, 12564-12568.	3.3	319
160	Learning-related changes in Fos-like immunoreactivity in the chick forebrain after imprinting.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1994, 91, 11417-11421.	3.3	124
161	Sleep deprivation and Fos expression in the rat brain. <i>Journal of Sleep Research</i> , 1995, 4, 92-106.	1.7	87
162	Neurotransmitter modulation of Fos- and Jun-like proteins in the turtle retina. <i>Journal of Comparative Neurology</i> , 1995, 354, 481-500.	0.9	12
163	Distinct patterns of activated neurons throughout the rat midbrain periaqueductal gray induced by chemical stimulation within its subdivisions. <i>Journal of Comparative Neurology</i> , 1995, 357, 546-553.	0.9	22

#	ARTICLE	IF	CITATIONS
164	Fos expression induced by changes in arterial pressure is localized in distinct, longitudinally organized columns of neurons in the rat midbrain periaqueductal gray. <i>Journal of Comparative Neurology</i> , 1995, 360, 286-300.	0.9	52
165	Type 1 interleukin-1 receptor in the rat brain: Distribution, regulation, and relationship to sites of IL-1-induced cellular activation. <i>Journal of Comparative Neurology</i> , 1995, 361, 681-698.	0.9	433
166	Photoperiodic activation of Fos-like immunoreactive protein in neurones within the tuberal hypothalamus of Japanese quail. <i>Journal of Comparative Physiology A: Neuroethology, Sensory, Neural, and Behavioral Physiology</i> , 1995, 176, 79-89.	0.7	59
167	Cocaine and d-amphetamine increase c-fos expression in the rat cerebellum. <i>Synapse</i> , 1995, 19, 29-36.	0.6	25
168	Modulation of dopamine D1-mediated turning behavior and striatal c-fos expression by the substantia nigra. <i>Synapse</i> , 1995, 19, 233-240.	0.6	19
169	Regional induction of fos immunoreactivity in the brain by anticonvulsant stimulation of the vagus nerve. <i>Epilepsy Research</i> , 1995, 22, 53-62.	0.8	272
170	Identification of hypothalamic nuclei involved in osmoregulation using fos immunocytochemistry in the domestic hen ( <i>Gallus domesticus</i> ), Ring dove ( <i>Streptopelia risoria</i> ), Japanese quail ( <i>Coturnix</i> )	1.0	310
171	Dopamine antagonists induce fos-like-immunoreactivity in the substantia nigra and entopeduncular nucleus of the rat. <i>Brain Research</i> , 1995, 670, 205-214.	1.1	30
172	C-fos immunoreactivity in the brain following electrical or chemical stimulation of the medial hypothalamus of freely moving rats. <i>Brain Research</i> , 1995, 674, 265-274.	1.1	48
173	Herpes Simplex Virus induces Fos expression in rat brainstem neurons. <i>Brain Research</i> , 1995, 675, 329-332.	1.1	10
174	Brain distribution of c-fos expression as a result of prolonged rapid eye movement (REM) sleep period duration. <i>Brain Research</i> , 1995, 681, 15-22.	1.1	30
175	Systemic nitroglycerin induces Fos immunoreactivity in brainstem and forebrain structures of the rat. <i>Brain Research</i> , 1995, 682, 167-181.	1.1	224
176	c-fos expression in specific rat brain nuclei after intestinal anaphylaxis: involvement of 5-HT3 receptors and vagal afferent fibers. <i>Brain Research</i> , 1995, 688, 149-160.	1.1	47
177	NADPH-diaphorase activity and Fos expression in brain nuclei following nitroglycerin administration. <i>Brain Research</i> , 1995, 695, 37-44.	1.1	63
178	Cellular colocalization of Fos and neuropeptide Y in the intergeniculate leaflet after nonphotic phase-shifting events. <i>Brain Research</i> , 1995, 698, 137-145.	1.1	77
180	Intracerebroventricular Administration of Corticotropin-Releasing Factor Antagonist Attenuates c-fos mRNA Expression in the Paraventricular Nucleus after Stress. <i>Neuroendocrinology</i> , 1995, 61, 445-452.	1.2	38
181	Regional patterns of c-fos mRNA expression in rat hippocampus following exploration of a novel environment versus performance of a well-learned discrimination. <i>Journal of Neuroscience</i> , 1995, 15, 7796-7809.	1.7	103
182	C-FOS Expression in Central Cardiovascular Pathways. <i>Clinical and Experimental Hypertension</i> , 1995, 17, 67-79.	0.5	8

#	ARTICLE	IF	CITATIONS
184	Contingent tolerance to the anticonvulsant effects of carbamazepine: Relationship to loss of endogenous adaptive mechanisms. <i>Brain Research Reviews</i> , 1995, 20, 305-325.	9.1	72
185	Chlordiazepoxide attenuates stress-induced activation of neurons, corticotropin-releasing factor (CRF) gene transcription and CRF biosynthesis in the paraventricular nucleus (PVN). <i>Molecular Brain Research</i> , 1995, 32, 261-270.	2.5	57
186	Caudal raphe-dorsal vagal complex peptidergic projections: Role in gastric vagal control. <i>Peptides</i> , 1995, 16, 431-435.	1.2	67
187	Fos immuno-positive neurons in the subthalamic nucleus following reversal of parkinsonian symptoms by antagonism of excitatory amino acid transmission in the entopeduncular nucleus of the monoamine depleted rat. <i>Neuroscience Letters</i> , 1995, 201, 251-254.	1.0	7
189	Increased body temperature, cortisol secretion, and hypothalamic expression of c fos, corticotrophin releasing hormone and interleukin-1 $\beta$ mRNAs, following central administration of interleukin-1 $\beta$ in the sheep. <i>Molecular Brain Research</i> , 1995, 29, 64-70.	2.5	34
190	Mechanisms of action of clozapine in the treatment of neuroleptic-resistant and neuroleptic-intolerant schizophrenia. <i>European Psychiatry</i> , 1995, 10, 39s-46s.	0.1	8
191	Clonidine and rilmenidine suppress hypotension-induced Fos expression in the lower brainstem of the conscious rabbit. <i>Neuroscience</i> , 1995, 66, 391-402.	1.1	17
192	Mating and agonistic behavior produce different patterns of Fos immunolabeling in the male Syrian hamster brain. <i>Neuroscience</i> , 1995, 66, 721-736.	1.1	295
193	Anatomic patterns of FOS immunostaining in rat brain following systemic endotoxin administration. <i>Brain Research Bulletin</i> , 1995, 36, 381-392.	1.4	134
194	Use of C-Fos Functional Mapping to Identify the Central Baroreceptor Reflex Pathway: Advantages and Limitations. <i>Clinical and Experimental Hypertension</i> , 1995, 17, 197-208.	0.5	69
195	Sodium depletion induces Fos immunoreactivity in circumventricular organs of the lamina terminalis. <i>Brain Research</i> , 1995, 679, 34-41.	1.1	48
196	C-fos immunocytochemical evidence for acoustic pathway mapping in rats. <i>Behavioural Brain Research</i> , 1995, 66, 217-224.	1.2	48
197	Neuronal activity in primate visual cortex assessed by immunostaining for the transcription factor Zif268. <i>Visual Neuroscience</i> , 1995, 12, 35-50.	0.5	97
198	Expression of c-fos protein in the nucleus tractus solitarius in response to physiological activation of carotid baroreceptors. <i>Neuroscience</i> , 1995, 69, 249-257.	1.1	43
199	Cytochemical characteristics of cat spinal neurons activated during fictive locomotion. <i>Brain Research Bulletin</i> , 1995, 37, 213-218.	1.4	49
200	Fetal neocortical transplants grafted into neocortical lesion cavities made in newborn rats: An analysis of transplant integration with the host brain. <i>Cell Transplantation</i> , 1995, 4, 123-132.	1.2	13
201	Hemodynamic regulation of tyrosine hydroxylase messenger RNA in medullary catecholamine neurons: a c-fos-guided hybridization histochemical study. <i>Neuroscience</i> , 1995, 66, 377-390.	1.1	79
202	Responses of electrophysiologically identified rat paraventricular neurons to cholecystokinin and other stimuli. <i>Neuroscience</i> , 1995, 65, 869-878.	1.1	8

#	ARTICLE	IF	CITATIONS
203	The induction of Fos-like immunoreactivity by noxious thermal, mechanical and chemical stimuli in the lumbar spinal cord of infant rats. <i>Pain</i> , 1995, 60, 257-265.	2.0	59
204	Fos expression in neurons projecting to the pressor region in the rostral ventrolateral medulla after sustained hypertension in conscious rabbits. <i>Neuroscience</i> , 1995, 67, 107-123.	1.1	59
205	The association of thirst, sodium appetite and vasopressin release with c-fos expression in the forebrain of the rat after intracerebroventricular injection of angiotensin II, angiotensin-(1-7) or carbachol. <i>Neuroscience</i> , 1995, 69, 199-208.	1.1	77
206	Comparison of c-fos expression in the lamina terminalis of conscious rats after intravenous or intracerebroventricular angiotensin. <i>Brain Research Bulletin</i> , 1995, 37, 131-137.	1.4	90
207	Cortical maldevelopment, anti-psychotic drugs, and schizophrenia: a search for common ground. <i>Schizophrenia Research</i> , 1995, 16, 87-110.	1.1	475
208	Antipsychotic drugs induce Fos protein in the thalamic paraventricular nucleus: a novel locus of antipsychotic drug action. <i>Neuroscience</i> , 1995, 66, 337-346.	1.1	87
209	Fos and serotonin immunoreactivity in the raphe nuclei of the cat during carbachol-induced active sleep: A double-labeling study. <i>Neuroscience</i> , 1995, 67, 211-223.	1.1	46
210	D1 and D2 dopamine receptors differentially increase fos-like immunoreactivity in accumbal projections to the ventral pallidum and midbrain. <i>Neuroscience</i> , 1995, 64, 1019-1034.	1.1	133
211	Morphology and Fos immunoreactivity reveal two subpopulations of striatal neurotensin neurons following acute 6-hydroxydopamine lesions and reserpine administration. <i>Neuroscience</i> , 1995, 65, 71-86.	1.1	27
212	Map of spinal neurons activated by chemical stimulation in the nucleus raphe magnus of the unanesthetized rat. <i>Neuroscience</i> , 1995, 67, 497-504.	1.1	15
213	The effects of antipsychotic drugs on fos protein expression in the prefrontal cortex: Cellular localization and pharmacological characterization. <i>Neuroscience</i> , 1996, 70, 377-389.	1.1	138
214	C-fos expression in the rat brain after unilateral labyrinthectomy and its relation to the uncompensated and compensated stages. <i>Neuroscience</i> , 1996, 70, 515-546.	1.1	98
215	Parapyramidal rostroventromedial medulla as a respiratory rhythm modulator. <i>Neuroscience Letters</i> , 1996, 203, 41-44.	1.0	13
216	Fos oncoprotein expression in the rat forebrain following muscimol-induced absence seizures. <i>Neuroscience Letters</i> , 1996, 210, 169-172.	1.0	4
217	Increased nerve growth factor inducible-A gene and c-fos messenger RNA levels in the rat midbrain and hindbrain associated with the cardiovascular response to electrical stimulation of the mesencephalic cuneiform nucleus. <i>Neuroscience</i> , 1996, 71, 193-211.	1.1	21
218	C-Fos immunoreactivity in the sexually dimorphic area of the hypothalamus and related brain regions of male gerbils after exposure to sex-related stimuli or performance of specific sexual behaviors. <i>Neuroscience</i> , 1996, 72, 1049-1071.	1.1	154
219	Comparison of neurons in rat medulla oblongata with Fos immunoreactivity evoked by seizures, chemoreceptor, or baroreceptor stimulation. <i>Neuroscience</i> , 1996, 73, 807-816.	1.1	24
220	The massive expression of c-Fos protein in spinal dorsal horn neurons is not followed by long-term changes in spinal nociception. <i>Neuroscience</i> , 1996, 73, 657-666.	1.1	39

#	ARTICLE	IF	CITATIONS
221	Hippocampal-dependent learning and experience-dependent activation of the hippocampus are preferentially disrupted by ethanol. <i>Neuroscience</i> , 1996, 74, 313-322.	1.1	120
222	Long-lasting potentiation in the secondary somatosensory cortex affects motor control: Assessment by h-reflex. <i>Neuroscience</i> , 1996, 74, 1125-1133.	1.1	3
223	Barosensitive and chemosensitive neurons in the rat medulla: A double labeling study with c-Fos/glutamate, GAD, PNMT and calbindin. <i>Journal of the Autonomic Nervous System</i> , 1996, 61, 17-25.	1.9	20
224	Differential expression of fos-like immunoreactivity in the descending projections of superior colliculus after electrical stimulation in the rat. <i>Behavioural Brain Research</i> , 1996, 78, 131-145.	1.2	42
225	Effect of MK 801 on priming of D1-dependent contralateral turning and its relationship to c-fos expression in the rat caudate-putamen. <i>Behavioural Brain Research</i> , 1996, 79, 93-100.	1.2	17
226	Fenfluramine-induced activation of the immediate-early gene c-fos in the striatum: possible interaction between serotonin and dopamine. <i>Molecular Brain Research</i> , 1996, 37, 105-115.	2.5	40
227	Neuropeptide genes: Targets of activity-dependent signal transduction. <i>Peptides</i> , 1996, 17, 721-728.	1.2	37
228	The organization and function of endogenous antinociceptive systems. <i>Progress in Neurobiology</i> , 1996, 50, 49-81.	2.8	235
229	Detection of living cells that express AP1 using a fluorolabeled DNA probe. <i>FEBS Letters</i> , 1996, 388, 16-20.	1.3	4
230	Brain Fos Induction Is a Sensitive Biomarker for the Lowest Observed Neuroexcitatory Effects of Domoic Acid. <i>Fundamental and Applied Toxicology</i> , 1996, 31, 162-168.	1.9	47
231	Electrically induced Fos-like immunoreactivity in the auditory pathway of the rat: Effects of survival time, duration, and intensity of stimulation. <i>Brain Research Bulletin</i> , 1996, 39, 75-82.	1.4	50
232	FOS and JUN as markers for ethanol-sensitive pathways in the rat brain. <i>Brain Research Bulletin</i> , 1996, 39, 177-184.	1.4	20
233	Activation of in the brain. <i>Progress in Neurobiology</i> , 1996, 50, 83-107.	2.8	610
234	Brain substrates activated by electroacupuncture of different frequencies (I): comparative study on the expression of oncogene c-fos and genes coding for three opioid peptides. <i>Molecular Brain Research</i> , 1996, 43, 157-166.	2.5	87
235	Activation of Ventrolateral Preoptic Neurons During Sleep. <i>Science</i> , 1996, 271, 216-219.	6.0	1,074
236	Effect of sinus denervation and vagotomy on c-fos expression in the nucleus tractus solitarius after exposure to CO <sub>2</sub> . <i>Pflugers Archiv European Journal of Physiology</i> , 1996, 431, 876-881.	1.3	1
237	Effect of sinus denervation and vagotomy on c-fos expression in the nucleus tractus solitarius after exposure to CO <sub>2</sub> . <i>Pflugers Archiv European Journal of Physiology</i> , 1996, 431, 876-881.	1.3	10
238	Immediate Early Genes in Blood Pressure Regulation. <i>Clinical and Experimental Hypertension</i> , 1996, 18, 279-290.	0.5	11

#	ARTICLE	IF	CITATIONS
239	Visual Stimulation Regulates the Expression of Transcription Factors and Modulates the Composition of AP-1 in Visual Cortex. Journal of Neuroscience, 1996, 16, 3968-3978.	1.7	69
240	Medial preoptic area afferents to periaqueductal gray medullo-output neurons: a combined Fos and tract tracing study. Journal of Neuroscience, 1996, 16, 333-344.	1.7	88
241	Halothane and Diazepam Inhibit Ketamine-induced c-fos Expression in the Rat Cingulate Cortex. Anesthesiology, 1996, 85, 874-882.	1.3	32
242	Hyperexcitability: Exaggerated fear-potentiated startle produced by partial amygdala kindling.. Behavioral Neuroscience, 1996, 110, 43-50.	0.6	83
243	Different Expression of Immediate-Early Genes in the Rat Paraventricular Nucleus Induced by Stress: Relation to Corticotropin-Releasing Factor Gene Transcription.. Endocrine Journal, 1996, 43, 629-638.	0.7	48
244	Expression of fos protein in various rat brain areas following acute nicotine and diazepam. Pharmacology Biochemistry and Behavior, 1996, 54, 241-248.	1.3	62
245	Connectivity between brainstem autonomic structures and expression of c-fos following electrical stimulation of the central nucleus of the amygdala in rat. Cell and Tissue Research, 1996, 283, 367-374.	1.5	23
246	Increased c-fos expression in spinal neurons induced by electrical stimulation of the ureter in the rat. Brain Research, 1996, 709, 197-204.	1.1	14
247	Fos-like immunoreactivity in the mamillary body and thalamus following injections of muscimol into the ventral tegmental nucleus of Gudden in the rat. Brain Research, 1996, 712, 173-178.	1.1	5
248	Topographic organization of Fos-like immunoreactivity in the rostral nucleus of the solitary tract evoked by gustatory stimulation with sucrose and quinine. Brain Research, 1996, 711, 125-137.	1.1	121
249	Amphetamine induces Fos-like immunoreactivity in the striatum of primates. Brain Research, 1996, 719, 138-142.	1.1	20
250	Ureteral ligation induces Fos expression in the dorsal horn. Brain Research, 1996, 723, 199-205.	1.1	16
251	Acoustically activated c-fos expression in auditory nuclei of the anaesthetised guinea pig. Brain Research, 1996, 728, 72-78.	1.1	13
252	Induction of fos-like immunoreactivity by opioids in guinea-pig brain. Brain Research, 1996, 731, 45-56.	1.1	29
253	Altered Fos-like immunoreactivity in terminal regions of the mesotelencephalic dopamine system is associated with reappearance of tyrosine hydroxylase immunoreactivity at the sites of focal 6-hydroxydopamine lesions in the nucleus accumbens. Brain Research, 1996, 736, 270-279.	1.1	12
254	Latent inhibition in conditioned emotional response: c-fos immunolabelling evidence for brain areas involved in the rat. Brain Research, 1996, 737, 243-254.	1.1	57
255	Participation of Fos protein at the nucleus tractus solitarius in inhibitory modulation of baroreceptor reflex response in the rat. Brain Research, 1996, 738, 39-47.	1.1	38
256	Neuronal expression of Fos-like protein along the afferent pathway of the milk-ejection reflex in the sheep. Brain Research, 1996, 741, 309-313.	1.1	11

#	ARTICLE	IF	CITATIONS
257	Peptide changes in the parabrachial nucleus following cervical vagal stimulation. Journal of Comparative Neurology, 1996, 366, 390-405.	0.9	29
258	Common patterns of increased and decreased Fos expression in midbrain and pons evoked by noxious deep somatic and noxious visceral manipulations in the rat. , 1996, 366, 495-515.		94
259	Time course and regional expression of C-FOS and HSP70 in hippocampus and piriform cortex following soman-induced seizures. Journal of Neuroscience Research, 1996, 45, 513-524.	1.3	25
260	FOS expression in grafted gonadotropin-releasing hormone neurons in hypogonadal mouse: Mating and steroid induction. Journal of Neurobiology, 1996, 31, 67-76.	3.7	9
261	Amphetamine-induced c-fos mRNA expression is altered in rats with neonatal ventral hippocampal damage. , 1996, 23, 292-301.		31
262	Stimulus-dependent, reciprocal up- and downregulation of glutamic acid decarboxylase and Ca <sup>2+</sup> /calmodulin-dependent protein kinase II gene expression in rat cerebral cortex. Experimental Brain Research, 1996, 110, 163-74.	0.7	35
263	Peripheral nerve stimulation increases fos immunoreactivity without affecting type II Ca <sup>2+</sup> /calmodulin-dependent protein kinase, glutamic acid decarboxylase, or GABAA receptor gene expression in cat spinal cord. Experimental Brain Research, 1996, 111, 326-36.	0.7	9
264	Chronic Alterations in Dopaminergic Neurotransmission Produce a Persistent Elevation of $\hat{I}$ "FosB-like Protein(s) in both the Rodent and Primate Striatum. European Journal of Neuroscience, 1996, 8, 365-381.	1.2	178
265	Blockade of A <sub>2a</sub> Adenosine Receptors Positively Modulates Turning Behaviour and c-Fos Expression Induced by D <sub>1</sub> Agonists in Dopamine-denervated Rats. European Journal of Neuroscience, 1996, 8, 1176-1181.	1.2	141
266	Contrasting Effects of Chronic Clozapine, Seroquel™ (ICI 204,636) and Haloperidol Administration on $\hat{I}$ "FosB-like Immunoreactivity in the Rodent Forebrain. European Journal of Neuroscience, 1996, 8, 927-936.	1.2	47
267	Expression of Heat Shock Protein-70 and Limbic Seizure-induced Neuronal Death in the Rat Brain. European Journal of Neuroscience, 1996, 8, 1432-1440.	1.2	40
269	Brain Fos Induction Is a Sensitive Biomarker for the Lowest Observed Neuroexcitatory Effects of Domoic Acid. Toxicological Sciences, 1996, 31, 162-168.	1.4	23
270	ACUPUNCTURE NORMALIZES DYSFUNCTION OF HYPOTHALAMIC-PITUITARY-OVARIAN AXIS. Acupuncture and Electro-Therapeutics Research, 1997, 22, 97-108.	0.0	80
271	c-fos expression in the trigeminal sensory complex and pontine parabrachial areas following experimental tooth movement. NeuroReport, 1997, 8, 2351-2353.	0.6	33
272	C-Fos Expression in Central Neurons Mediating the Arterial Baroreceptor Reflex. Clinical and Experimental Hypertension, 1997, 19, 631-643.	0.5	28
273	Paradoxical effects of kappa-opioid stimulation on the locomotor activity and fos immunoreactivity of the preweanling rat: Role of dopamine receptors.. Behavioral Neuroscience, 1997, 111, 1114-1122.	0.6	16
274	Patterns of Fos-Immunoreactivity in the CNS Induced by Repeated Hemorrhage in Conscious Rats: Correlations with Pituitary-Adrenal Axis Activity. Stress, 1997, 2, 145-158.	0.8	58
275	Opposite effects of GABAB receptor antagonists on absences and convulsive seizures. European Journal of Pharmacology, 1997, 332, 245-255.	1.7	125



#	ARTICLE	IF	CITATIONS
276	Identification of pressor regions activated by central cholinergic stimulation in rat brain. <i>European Journal of Pharmacology</i> , 1997, 337, 227-233.	1.7	11
277	Seizures and Proto-Oncogene Expression offosin the Brain of Adult Genetically Epilepsy-Prone Rats. <i>Experimental Neurology</i> , 1997, 146, 341-353.	2.0	41
278	Co-localization of c-Fos and neurotransmitter immunoreactivities in the cat brain stem after carotid sinus nerve stimulation. <i>Journal of Chemical Neuroanatomy</i> , 1997, 13, 189-200.	1.0	8
279	Fronto-striato-thalamic perfusion and clozapine response in treatment-refractory schizophrenic patients. A99mTc-HMPAO study. <i>Psychiatry Research - Neuroimaging</i> , 1997, 76, 51-61.	0.9	51
280	Sensory regulation of immediate-early gene expression in mammalian visual cortex: implications for functional mapping and neural plasticity. <i>Brain Research Reviews</i> , 1997, 23, 237-256.	9.1	235
281	Barosensitive cardioinhibitory neurons in the medulla: Comparison of FosB/ChAT-positive neurons with CT-HRP-labeled neurons. <i>Journal of the Autonomic Nervous System</i> , 1997, 64, 85-90.	1.9	13
282	Fos-like immunoreactivity in the caudal diencephalon and brainstem following lateral hypothalamic self-stimulation. <i>Behavioural Brain Research</i> , 1997, 88, 275-279.	1.2	39
283	Effects of pentylenetetrazol-induced status epilepticus on c-Fos and HSP72 immunoreactivity in the immature rat brain. <i>Molecular Brain Research</i> , 1997, 50, 79-84.	2.5	22
284	Regulation of NMDA receptor subunit messenger RNA levels in the rat brain following acute and chronic exposure to antipsychotic drugs. <i>Molecular Brain Research</i> , 1997, 50, 136-142.	2.5	75
285	Formalin-induced c- fos expression in the spinal cord of fetal rats. <i>Pain</i> , 1997, 73, 347-354.	2.0	26
286	Changes in formalin-evoked spinal Fos expression and nociceptive behaviour after oral administration of Bufferin A (aspirin) and L-5409709 (ibuprofen+caffeine+paracetamol). <i>Pain</i> , 1997, 70, 253-266.	2.0	15
287	Amphetamine sensitization enhances regional c-fos expression produced by conditioned fear. <i>Neuroscience</i> , 1997, 76, 1097-1103.	1.1	25
288	Effects of Sinoaortic Denervation on Fos Expression in the Brain Evoked by Hypertension and Hypotension in Conscious Rabbits. <i>Neuroscience</i> , 1997, 77, 503-520.	1.1	76
289	Ventral pallidum self-stimulation induces stimulus dependent increase in c-fos expression in reward-related brain regions. <i>Neuroscience</i> , 1997, 77, 175-186.	1.1	60
290	The amygdala is critical for seizure propagation from brainstem to forebrain. <i>Neuroscience</i> , 1997, 77, 975-984.	1.1	85
291	Neuronal activation in the forebrain following electrical stimulation of the cuneiform nucleus in the rat: hypothalamic expression of c-fos and NGFI-A messenger RNA. <i>Neuroscience</i> , 1997, 78, 1069-1085.	1.1	25
292	Increased sodium appetite stimulates c-fos expression in the organum vasculosum of the lamina terminalis. <i>Neuroscience</i> , 1997, 78, 1167-1176.	1.1	29
293	Fos immunohistochemical determination of brainstem neuronal activation in the muskrat after nasal stimulation. <i>Neuroscience</i> , 1997, 78, 913-925.	1.1	53

#	ARTICLE	IF	CITATIONS
294	Hypoxia-induced Fos expression in neurons projecting to the pressor region in the rostral ventrolateral medulla. <i>Neuroscience</i> , 1997, 80, 1209-1224.	1.1	120
295	Sex-dependent effects of formalin and restraint on c-Fos expression in the septum and hippocampus of the rat. <i>Neuroscience</i> , 1997, 81, 951-958.	1.1	77
296	Conditioned fear to context is associated with increased Fos expression in the caudal ventrolateral region of the midbrain periaqueductal gray.. <i>Neuroscience</i> , 1997, 78, 165-177.	1.1	144
297	Central C-Fos Expression Following 20kHz/Ultrasound Induced Defence Behaviour in the Rat. <i>Brain Research Bulletin</i> , 1997, 42, 421-426.	1.4	86
298	Effect of the Estrous Cycle on Olfactory Bulb Response to Vagino-cervical Stimulation in the Rat. <i>Brain Research Bulletin</i> , 1997, 44, 141-149.	1.4	19
299	Sex Differences in Function of a Pheromonally Stimulated Pathway: Role of Steroids and the Main Olfactory System. <i>Brain Research Bulletin</i> , 1997, 44, 409-413.	1.4	37
300	The GnRH System of Seasonal Breeders: Anatomy and Plasticity. <i>Brain Research Bulletin</i> , 1997, 44, 445-457.	1.4	69
301	Metabotropic Glutamate Agonist-Induced Rotation: A Pharmacological, FOS Immunohistochemical, and [ <sup>14</sup> C]-2-Deoxyglucose Autoradiographic Study. <i>Journal of Neuroscience</i> , 1997, 17, 4415-4425.	1.7	86
302	Differential Brainstem Fos-Like Immunoreactivity after Laryngeal-Induced Coughing and Its Reduction by Codeine. <i>Journal of Neuroscience</i> , 1997, 17, 9340-9352.	1.7	84
303	Distribution of Fos-Like Immunoreactivity in the Medullary Reticular Formation of the Rat after Gustatory Elicited Ingestion and Rejection Behaviors. <i>Journal of Neuroscience</i> , 1997, 17, 3826-3839.	1.7	71
304	Effect of intravenous angiotensin II on Fos distribution and drinking behavior in rabbits. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 1997, 272, R1515-R1524.	0.9	6
305	Insensitivity of the Hippocampus to Environmental Stimulation during Postnatal Development. <i>Journal of Neuroscience</i> , 1997, 17, 7967-7973.	1.7	40
306	Prevention of Kainic Acid-induced Limbic Seizures and Fos Expression by the GABA-A Receptor Agonist Muscimol. <i>European Journal of Neuroscience</i> , 1997, 9, 29-40.	1.2	16
307	Gradation of Kainic Acid-induced Rat Limbic Seizures and Expression of Hippocampal Heat Shock Protein-70. <i>European Journal of Neuroscience</i> , 1997, 9, 760-769.	1.2	85
308	CENTRAL PATHWAYS SUBSERVING THE BARORECEPTOR REFLEX IN CONSCIOUS ANIMALS: STUDIES USING Fos GENE EXPRESSION. <i>Fundamental and Clinical Pharmacology</i> , 1997, 11, 11s.	1.0	2
309	Adrenalectomy does not affect the nocturnal peak of fos expression within hypothalamic pro-opiomelanocortin neurons. <i>Biology of the Cell</i> , 1997, 89, 579-585.	0.7	1
310	Distribution of Fos-immunoreactivity in rat brain following a dipsogenic dose of captopril and effects of angiotensin receptor blockade. <i>Brain Research</i> , 1997, 747, 43-51.	1.1	25
311	Identification of brainstem neurons responding to hypoxia in fetal and newborn sheep. <i>Brain Research</i> , 1997, 748, 107-121.	1.1	44

#	ARTICLE	IF	CITATIONS
312	Corticotropin-releasing factor and systemic capsaicin-sensitive afferents are involved in abdominal surgery-induced Fos expression in the paraventricular nucleus of the hypothalamus. <i>Brain Research</i> , 1997, 748, 12-20.	1.1	51
313	Interactive effects of stimulation of D1 and D2 dopamine receptors on Fos expression in the lateral habenula. <i>Brain Research</i> , 1997, 750, 245-250.	1.1	11
314	Inhalation anesthetics suppress the expression of c-Fos protein evoked by noxious somatic stimulation in the deeper layer of the spinal cord in the rat. <i>Brain Research</i> , 1997, 751, 124-130.	1.1	30
315	Identification of hypothalamic vasopressin and oxytocin neurons activated during the exercise pressor reflex in cats. <i>Brain Research</i> , 1997, 752, 45-51.	1.1	28
316	Fos induction in central structures after afferent renal nerve stimulation. <i>Brain Research</i> , 1997, 753, 102-119.	1.1	68
317	Saccul contribution to immediate early gene induction in the gerbil brainstem with posterior canal galvanic or hypergravity stimulation. <i>Brain Research</i> , 1997, 761, 51-58.	1.1	33
318	Increased renal interstitial hydrostatic pressure causes c-fos expression in the rat's spinal cord dorsal horn. <i>Brain Research</i> , 1997, 753, 340-347.	1.1	8
319	Adenosine A2A receptor agonists increase Fos-like immunoreactivity in mesolimbic areas. <i>Brain Research</i> , 1997, 759, 41-49.	1.1	66
320	Serotonin1A receptor agonists induce Fos protein expression in the locus coeruleus of the conscious rat. <i>Brain Research</i> , 1997, 759, 156-159.	1.1	18
321	Desensitization of Fos protein induction in rat striatum and nucleus accumbens following repeated administration of $\Delta^9$ -tetrahydrocannabinol. <i>Brain Research</i> , 1997, 763, 137-140.	1.1	6
322	Daily cycle of fos expression within hypothalamic POMC neurons of the male rat. <i>Brain Research</i> , 1997, 771, 45-54.	1.1	23
323	Compartmentally specific effects of quinpirole on the striatal Fos expression induced by stimulation of D1-dopamine receptors in intact rats. <i>Brain Research</i> , 1997, 771, 271-277.	1.1	21
324	Treadmill running induces striatal Fos expression via NMDA glutamate and dopamine receptors. <i>Experimental Brain Research</i> , 1997, 115, 458-469.	0.7	61
325	In situ hybridization for c-fos mRNA reveals the involvement of the superior colliculus in the propagation of seizure activity in genetically epilepsy-prone rats. <i>Epilepsy Research</i> , 1997, 26, 397-406.	0.8	53
326	Blunted responsiveness of the neuronal activation marker Fos in brainstem cardiovascular nuclei of cirrhotic rats. <i>Hepatology</i> , 1997, 26, 1380-1385.	3.6	15
327	Stimulus-dependent expression of immediate-early genes in rat somatosensory cortex. , 1997, 380, 145-153.		58
328	Expression of c-fos in the rat brainstem after exposure to hypoxia and to normoxic and hyperoxic hypercapnia. , 1997, 388, 169-190.		265
329	Mating-induced expression of c-fos in the male Syrian hamster brain: Role of experience, pheromones, and ejaculations. , 1997, 32, 481-501.		128

#	ARTICLE	IF	CITATIONS
330	Invited review c-Fos as a transcription factor: a stressful (re)view from a functional map. <i>Neurochemistry International</i> , 1998, 33, 287-297.	1.9	620
331	Metabolic mapping of the rat brain after subanesthetic doses of ketamine: potential relevance to schizophrenia. <i>Brain Research</i> , 1998, 787, 181-190.	1.1	107
332	Placement in a novel environment induces Fos-like immunoreactivity in supramammillary cells projecting to the hippocampus and midbrain. <i>Brain Research</i> , 1998, 789, 331-334.	1.1	36
333	Spatial and temporal evolution of neuronal activation, stress and injury in lithium-induced pilocarpine seizures in adult rats. <i>Brain Research</i> , 1998, 793, 61-72.	1.1	80
334	Neurons in the hypothalamic paraventricular nucleus that project to the rostral ventrolateral medulla are activated by haemorrhage. <i>Brain Research</i> , 1998, 791, 317-320.	1.1	58
335	Motion-sensitive neurons in the chick retina: a study using Fos immunohistochemistry. <i>Brain Research</i> , 1998, 794, 333-337.	1.1	12
336	Neurons in the hypothalamic paraventricular nucleus that project to the rostral ventrolateral medulla are not activated by hypotension. <i>Brain Research</i> , 1998, 801, 224-227.	1.1	11
337	Propranolol attenuates haloperidol-induced Fos expression in discrete regions of rat brain: possible brain regions responsible for akathisia. <i>Brain Research</i> , 1998, 802, 134-140.	1.1	10
338	Phenotypic Characterization of Neuroleptic-Sensitive Neurons in the Forebrain Contrasting Targets of Haloperidol and Clozapine. <i>Neuropsychopharmacology</i> , 1998, 19, 133-145.	2.8	30
339	Proximal colon distention increases Fos expression in the lumbosacral spinal cord and activates sacral parasympathetic NADPHd-positive neurons in rats. <i>Journal of Comparative Neurology</i> , 1998, 390, 311-321.	0.9	34
340	Neocortex in the hippocampus: An anatomical and functional study of CA1 heterotopias after prenatal treatment with methylazoxymethanol in rats. , 1998, 394, 520-536.		67
341	Immunohistochemical localization of caffeine-induced c-Fos protein expression in the rat brain. , 1998, 401, 89-108.		45
342	Interaction between the serotonergic, dopaminergic, and glutamatergic systems in fenfluramine-induced Fos expression in striatal neurons. , 1998, 28, 71-82.		29
343	Kappa opioid-mediated behavioral sensitization in the preweanling rat: relationship to Fos immunoreactivity. <i>Psychopharmacology</i> , 1998, 137, 282-291.	1.5	11
344	The corticostriatal system mediates the "paradoxical" contraversive rotation but not the striatal hyperexpression of Fos induced by amphetamine early after 6-hydroxydopamine lesion of the nigrostriatal pathway. <i>Experimental Brain Research</i> , 1998, 120, 153-163.	0.7	8
345	Role of dynorphin and enkephalin in the regulation of striatal output pathways and behavior. <i>Experimental Brain Research</i> , 1998, 123, 60-76.	0.7	361
346	Differential time- and dose-related effects of haemorrhage on tyrosine hydroxylase and neuropeptide Y mRNA expression in medullary catecholamine neurons. <i>European Journal of Neuroscience</i> , 1998, 10, 3747-3758.	1.2	25
347	Viruses as Transneuronal Tracers for Defining Neural Circuits. <i>Neuroscience and Biobehavioral Reviews</i> , 1998, 22, 679-684.	2.9	79

#	ARTICLE	IF	CITATIONS
348	The antisense strategy applied to the study of dopamine D3 receptor functions in rat forebrain. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 1998, 22, 857-882.	2.5	8
349	Cortical Modulation of the Cardiovascular System. Progress in Neurobiology, 1998, 54, 149-168.	2.8	312
350	Chronic ethanol consumption: from neuroadaptation to neurodegeneration. Progress in Neurobiology, 1998, 56, 385-431.	2.8	492
351	Volume expansion fails to normally activate neural pathways in the brain of conscious rabbits with heart failure. Journal of the Autonomic Nervous System, 1998, 73, 54-62.	1.9	13
352	Clozapine and haloperidol block the induction of behavioral sensitization to amphetamine and associated genomic responses in rats. Molecular Brain Research, 1998, 61, 39-50.	2.5	57
353	C-Fos, Jun D and HSP72 immunoreactivity, and neuronal injury following lithium-pilocarpine induced status epilepticus in immature and adult rats. Molecular Brain Research, 1998, 63, 139-154.	2.5	45
354	Effects of the globus pallidus lesion on the induction of c-Fos by dopaminergic drugs in the striatum possibly via pallido-striatal feedback loops. Neuroscience Letters, 1998, 240, 167-170.	1.0	12
355	Globus pallidus lesions inhibit the induction of c-Fos by haloperidol in the basal ganglia output nuclei in rats. Neuroscience Letters, 1998, 250, 29-32.	1.0	5
356	Mediation by N-methyl- d-aspartate and non- N-methyl- d-aspartate receptors in the expression of fos protein at the nucleus tractus solitarii in response to baroreceptor activation in the rat. Neuroscience, 1998, 83, 93-105.	1.1	31
357	Rewarding brain stimulation induces only sparse Fos-like immunoreactivity in dopaminergic neurons. Neuroscience, 1998, 83, 501-515.	1.1	61
358	Injection of corticotropin-releasing hormone into the locus coeruleus or foot shock increases neuronal fos expression. Neuroscience, 1998, 85, 259-268.	1.1	39
359	Neuroanatomical basis for facilitation of hypothalamic-pituitary-adrenal responses to a novel stressor after chronic stress. Neuroscience, 1998, 84, 1025-1039.	1.1	463
360	The role of nigrostriatal dopamine in metabotropic glutamate agonist-induced rotation. Neuroscience, 1998, 87, 881-891.	1.1	31
361	Using c-fos as a Neural Marker of Pain. Brain Research Bulletin, 1998, 45, 1-8.	1.4	433
362	Vasopressin Neuron Activation and Fos Expression by Stimulation of the Caudal Ventrolateral Medulla. Brain Research Bulletin, 1998, 45, 443-450.	1.4	13
363	Expression of Fos immunoreactivity in the rat supraspinal regions following noxious visceral stimulation. Brain Research Bulletin, 1998, 47, 357-366.	1.4	71
364	Glutamate Antagonists for Parkinson's Disease. CNS Drugs, 1998, 9, 421-429.	2.7	6
365	Fos-Immunoreactivity within the Extended Amygdala Is Correlated with the Onset of Sexual Satiety. Hormones and Behavior, 1998, 34, 17-29.	1.0	60

#	ARTICLE	IF	CITATIONS
366	Mapping Brain Networks Engaged by, and Changed by, Learning. <i>Neurobiology of Learning and Memory</i> , 1998, 70, 14-36.	1.0	80
367	MK-801 reverses Fos expression induced by the full dopamine D1 receptor agonist SKF-82958 in the rat striatum. <i>European Journal of Pharmacology</i> , 1998, 342, 209-212.	1.7	15
368	Induction of Fos-like immunoreactivity in the hypothalamic, medullary and thoracic spinal cord neurons following middle cerebral artery occlusion in rats. <i>Neuroscience Research</i> , 1998, 30, 145-153.	1.0	12
369	Expression of Fos in the Rat Forebrain Following Experimental Tooth Movement. <i>Journal of Dental Research</i> , 1998, 77, 1920-1925.	2.5	35
370	Evolutionary conservation of the immediate-early gene ZENK. <i>Molecular Biology and Evolution</i> , 1998, 15, 284-292.	3.5	42
371	C-Fos-Like Immunoreactivity in the Upper Cervical Spinal Dorsal Horn Neurons Following Noxious Chemical Stimulation of the Nasal Mucosa in Pentobarbital-Anesthetized Rats.. <i>Archives of Histology and Cytology</i> , 1998, 61, 83-87.	0.2	14
372	Propofol Inhibits Ketamine-Induced c-fos Expression in the Rat Posterior Cingulate Cortex. <i>Anesthesia and Analgesia</i> , 1998, 87, 1416-1420.	1.1	8
373	Propofol Inhibits Ketamine-Induced c-fos Expression in the Rat Posterior Cingulate Cortex. <i>Anesthesia and Analgesia</i> , 1998, 87, 1416-1420.	1.1	26
374	Volhard Lecture Brain, blood pressure and stroke. <i>Journal of Hypertension</i> , 1998, 16, 1849-1858.	0.3	23
375	Divergence in the Expression of Molecular Markers of Neuronal Activation in the Parvocellular Paraventricular Nucleus of the Hypothalamus Evoked by Alcohol Administration via Different Routes. <i>Journal of Neuroscience</i> , 1998, 18, 4344-4352.	1.7	64
376	Amphetamine-Induced Behavior, Dopamine Release, and c-fos mRNA Expression: Modulation by Environmental Novelty. <i>Journal of Neuroscience</i> , 1998, 18, 10579-10593.	1.7	217
377	Fos expression following isotonic volume expansion of the unanesthetized male rat. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 1998, 274, R1345-R1352.	0.9	27
378	Hypothalamic Ventromedial Nuclei Amplify Circadian Rhythms: Do They Contain a Food-Entrained Endogenous Oscillator?. <i>Journal of Neuroscience</i> , 1998, 18, 3843-3852.	1.7	91
379	c-fos Expression in Brainstem Premotor Interneurons during Cholinergically Induced Active Sleep in the Cat. <i>Journal of Neuroscience</i> , 1999, 19, 9508-9518.	1.7	42
380	c-Fos induction in spinal cord neurons after renal arterial or venous occlusion. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 1999, 276, R120-R127.	0.9	7
381	Volume expansion does not activate neuronal projections from the NTS or depressor VLM to the RVLM. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 1999, 277, R39-R46.	0.9	12
382	Fos expression in brain stem nuclei of pregnant rats after hydralazine-induced hypotension. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 1999, 277, R532-R540.	0.9	22
383	Differential c-Fos Expression in Cholinergic, Monoaminergic, and GABAergic Cell Groups of the Pontomesencephalic Tegmentum after Paradoxical Sleep Deprivation and Recovery. <i>Journal of Neuroscience</i> , 1999, 19, 3057-3072.	1.7	259

#	ARTICLE	IF	CITATIONS
384	Corticotropin-Releasing Factor and the Brain-Gut Motor Response to Stress. <i>Canadian Journal of Gastroenterology &amp; Hepatology</i> , 1999, 13, 18A-25A.	1.8	143
385	Glossopharyngeal Nerve Transection Eliminates Quinine-Stimulated Fos-Like Immunoreactivity in the Nucleus of the Solitary Tract: Implications for a Functional Topography of Gustatory Nerve Input in Rats. <i>Journal of Neuroscience</i> , 1999, 19, 3107-3121.	1.7	75
386	Mechanisms underlying epileptogenesis in cortical malformations. <i>Epilepsy Research</i> , 1999, 36, 165-188.	0.8	154
387	Region-dependent difference in the sleep-promoting potency of an adenosine A2A receptor agonist. <i>European Journal of Neuroscience</i> , 1999, 11, 1587-1597.	1.2	111
388	Expression of c-fos, c-jun, and N-terminal kinase (JNK) in a Development Model of Induced Apoptotic Death in Neurons of the Substantia Nigra. <i>Journal of Neurochemistry</i> , 1999, 72, 557-564.	2.1	79
389	Light- and focus-dependent expression of the transcription factor ZENK in the chick retina. <i>Nature Neuroscience</i> , 1999, 2, 706-712.	7.1	199
390	Effects of N-methyl-D-aspartate (NMDA) and non-NMDA receptor antagonists on excitation of the tooth-pulp-evoked C1 spinal neurons in the rat. <i>Experimental Brain Research</i> , 1999, 128, 303-308.	0.7	15
391	Projections of the mediolateral part of the lateral septum to the hypothalamus, revealed by Fos expression and axonal tracing in rats. <i>Anatomy and Embryology</i> , 1999, 199, 249-263.	1.5	22
392	Regional expressions of Fos-like immunoreactivity in rat cerebral cortex after stress; restraint and intraperitoneal lipopolysaccharide. <i>Brain Research</i> , 1999, 816, 267-275.	1.1	56
393	Expression of c-fos in the rat brainstem after chronic intermittent hypoxia. <i>Brain Research</i> , 1999, 816, 638-645.	1.1	88
394	Unilateral dopamine depletion paradoxically enhances amphetamine-induced Fos expression in basal ganglia output structures. <i>Brain Research</i> , 1999, 824, 81-88.	1.1	7
395	Activation of serotonin-immunoreactive cells in the dorsal raphe nucleus in rats exposed to an uncontrollable stressor. <i>Brain Research</i> , 1999, 826, 35-43.	1.1	264
396	Systematic expression of immediate early genes and intensive astrocyte activation induced by intrastriatal ferrous iron injection. <i>Brain Research</i> , 1999, 828, 145-153.	1.1	15
397	Differential recruitment of hypothalamic neuroendocrine and ventrolateral medulla catecholamine cells by non-hypotensive and hypotensive hemorrhages. <i>Brain Research</i> , 1999, 834, 42-54.	1.1	67
398	Haloperidol induces Fos expression in the globus pallidus and substantia nigra of cynomolgus monkeys. <i>Brain Research</i> , 1999, 835, 154-161.	1.1	8
399	Reciprocal circuits involved in nitroglycerin-induced neuronal activation of autonomic regions and pain pathways: a double immunolabeling and tract-tracing study. <i>Brain Research</i> , 1999, 842, 294-310.	1.1	12
400	c-Fos expression in the auditory pathways related to the significance of acoustic signals in rats performing a sensory-motor task. <i>Brain Research</i> , 1999, 841, 170-183.	1.1	41
401	C-fos protein expression in the nucleus of the solitary tract correlates with cholecystokinin dose injected and food intake in rats. <i>Brain Research</i> , 1999, 846, 1-11.	1.1	101

#	ARTICLE	IF	CITATIONS
402	Effects of leptin on spinally projecting neurons in the PVN of the hypothalamus. <i>Brain Research</i> , 1999, 844, 210-215.	1.1	9
403	Effects of Antidepressants on 5-HT <sub>7</sub> Receptor Regulation in the Rat Hypothalamus. <i>Neuropsychopharmacology</i> , 1999, 21, 352-367.	2.8	140
404	Effect of 5-HT <sub>1A</sub> receptor ligands on Fos-like immunoreactivity in rat brain: Evidence for activation of noradrenergic transmission. , 1999, 34, 145-153.		22
405	Laryngeal afferent stimulation enhances fos immunoreactivity in periaqueductal gray in the cat. <i>Journal of Comparative Neurology</i> , 1999, 409, 411-423.	0.9	17
406	Motor effects and mapping of cerebral alterations in animal models of Parkinson's and Huntington's diseases. , 1999, 410, 99-114.		9
407	Characterization of Melatonin-Induced FOS-Like Immunoreactivity in the Hypothalamic Suprachiasmatic Nucleus of the Rat. <i>Journal of Receptor and Signal Transduction Research</i> , 1999, 19, 781-801.	1.3	2
408	Preferential induction of fos-like immunoreactivity in granule cells of the cochlear nucleus by acoustic stimulation in behaving rats. <i>Neuroscience Letters</i> , 1999, 259, 123-126.	1.0	8
409	Distribution of neurons projecting to the rostral ventrolateral medullary pressor region that are activated by sustained hypotension. <i>Neuroscience</i> , 1999, 89, 1319-1329.	1.1	50
410	Alterations of neuronal activity in the superior colliculus of rotating animals. <i>Neuroscience</i> , 1999, 90, 423-432.	1.1	10
411	Regional differences in desensitization of c-Fos expression following repeated self-stimulation of the medial forebrain bundle in the rat. <i>Neuroscience</i> , 1999, 90, 1013-1020.	1.1	32
412	Activation of brain neurons by circulating angiotensin II. Direct effects and baroreceptor-mediated secondary effects. <i>Neuroscience</i> , 1999, 90, 581-594.	1.1	51
413	Fos-like immunoreactivity in the auditory brain stem evoked by bipolar intracochlear electrical stimulation: effects of current level and pulse duration. <i>Neuroscience</i> , 1999, 91, 139-161.	1.1	35
414	Learning-related Fos-like immunoreactivity in the chick brain: time-course and co-localization with GABA and parvalbumin. <i>Neuroscience</i> , 1999, 93, 1515-1524.	1.1	31
415	Tachykinin receptor inhibition and c-Fos expression in the rat brain following formalin-induced pain. <i>Neuroscience</i> , 1999, 95, 813-820.	1.1	57
416	Activation of the parapyramidal region in the ventral medulla stimulates gastric acid secretion through vagal pathways in rats. <i>Neuroscience</i> , 1999, 95, 773-779.	1.1	43
417	Sites of action of thyrotropin-releasing hormone on central nervous system neurons revealed by expression of the immediate-early gene c-fos in the rat. <i>Neuroscience</i> , 1999, 95, 1167-1177.	1.1	3
418	Distribution of neurons in the anterior hypothalamic nucleus activated by blood pressure changes in the rat. <i>Brain Research Bulletin</i> , 1999, 49, 163-172.	1.4	7
419	Altered hypothalamic c-Fos-like immunoreactivity in diet-induced obese mice. <i>Brain Research Bulletin</i> , 1999, 49, 215-219.	1.4	18



#	ARTICLE	IF	CITATIONS
420	Chemical stimulation of the laryngopharynx increases Fos-like immunoreactivity in the rat hypothalamus and amygdala. <i>Brain Research Bulletin</i> , 1999, 48, 629-639.	1.4	8
421	Role of the locus coeruleus on blood pressure response and atrial natriuretic peptide secretion following extracellular volume expansion. <i>Brain Research Bulletin</i> , 1999, 50, 173-177.	1.4	12
422	The effects on the central nervous system of nitroglycerinâ€™ putative mechanisms and mediators. <i>Progress in Neurobiology</i> , 1999, 57, 607-624.	2.8	81
423	Distribution, biochemistry and function of striatal adenosine A2A receptors. <i>Progress in Neurobiology</i> , 1999, 59, 355-396.	2.8	468
424	Endothelin-1 stimulates c-fos mRNA expression in C6 glioma cells via MAP kinase pathway. <i>Peptides</i> , 1999, 20, 907-914.	1.2	7
425	c-Fos proteins, induced by the serotonin receptor agonist DOI, are not expressed in 5-HT2A positive cortical neurons. <i>Molecular Brain Research</i> , 1999, 71, 358-363.	2.5	32
426	Baclofen and midazolam alter c-fos induction by peripheral noxious or innocuous stimulation in the spinal cord of normal and monoarthritic rats. <i>Neuropharmacology</i> , 1999, 38, 1775-1788.	2.0	22
427	c-Fos in Enteric Nerves after Extrinsic Denervation of Guinea Pig Ileum. <i>Journal of Surgical Research</i> , 1999, 82, 324-330.	0.8	5
428	The Stimulatory Action and the Development of Tolerance to Caffeine Is Associated with Alterations in Gene Expression in Specific Brain Regions. <i>Journal of Neuroscience</i> , 1999, 19, 4011-4022.	1.7	165
429	Chronic Brain Inflammation and Persistent Herpes Simplex Virus 1 Thymidine Kinase Expression in Survivors of Syngeneic Glioma Treated by Adenovirus-Mediated Gene Therapy: Implications for Clinical Trials. <i>Neurosurgical Focus</i> , 1999, 7, E13.	1.0	11
430	Decreased c-fos expression in experimental neonatal hydrocephalus: evidence for reduced neuronal activation. <i>Neurosurgical Focus</i> , 1999, 7, E14.	1.0	1
431	On the Functional Significance of c-fos Induction During the Sleep-waking Cycle. <i>Sleep</i> , 2000, 23, 9-25.	0.6	127
432	Immunocytochemical mapping of Fos protein following seizures in gerbils indicates the activation of hippocampal neurons. <i>Hippocampus</i> , 2000, 10, 31-36.	0.9	11
433	Spinal sources of noxious visceral and noxious deep somatic afferent drive onto the ventrolateral periaqueductal gray of the rat. <i>Journal of Comparative Neurology</i> , 2000, 425, 323-344.	0.9	59
434	Investigation of cortical reorganization in area 17 and nine extrastriate visual areas through the detection of changes in immediate early gene expression as induced by retinal lesions. <i>Journal of Comparative Neurology</i> , 2000, 425, 531-544.	0.9	58
435	Distribution of fos-like immunoreactivity within the rat brain following intraventricular injection of the selective NK3 receptor agonist senktide. <i>Journal of Comparative Neurology</i> , 2000, 426, 413-428.	0.9	25
436	Epileptogenesis after status epilepticus reflects age- and model-dependent plasticity. <i>Annals of Neurology</i> , 2000, 48, 580-589.	2.8	130
437	Identifying cortical inputs to the rat hippocampus that subservise allocentric spatial processes: A simple problem with a complex answer. <i>Hippocampus</i> , 2000, 10, 466-474.	0.9	120

#	ARTICLE	IF	CITATIONS
438	Differential c-fos expression in the rhinencephalon and striatum after enhanced sleep-wake states in the cat. <i>European Journal of Neuroscience</i> , 2000, 12, 1397-1410.	1.2	39
439	Expression of Fos-related antigens in the nucleus accumbens and associated regions following exposure to a cocaine-paired environment. <i>European Journal of Neuroscience</i> , 2000, 12, 2097-2106.	1.2	115
440	Effects of glutamate agonist versus procaine microinjections into the basal forebrain cholinergic cell area upon gamma and theta EEG activity and sleep-wake state. <i>European Journal of Neuroscience</i> , 2000, 12, 2166-2184.	1.2	122
441	Fedotozine, a kappa-opioid agonist, prevents spinal and supra-spinal Fos expression induced by a noxious visceral stimulus in the rat. <i>Neurogastroenterology and Motility</i> , 2000, 12, 135-147.	1.6	37
442	The retrograde tracer fluoro-gold interferes with the expression of fos-related antigens. <i>Journal of Neuroscience Methods</i> , 2000, 98, 1-8.	1.3	22
443	Pressor response to pulsatile compression of the rostral ventrolateral medulla mediated by nitric oxide and c-fos expression. <i>British Journal of Pharmacology</i> , 2000, 129, 859-864.	2.7	18
444	Clozapine- and Olanzapine-induced Fos Expression in the Rat Medial Prefrontal Cortex is Mediated by $\beta^2$ -Adrenoceptors. <i>Neuropsychopharmacology</i> , 2000, 23, 162-169.	2.8	34
445	Expression of Fos-related Antigens in the Nucleus Accumbens during Opiate Withdrawal and Their Attenuation by a D2 Dopamine Receptor Agonist. <i>Neuropsychopharmacology</i> , 2000, 23, 307-315.	2.8	28
446	Carbamazepine Suppresses Methamphetamine-Induced Fos Expression in a Regionally Specific Manner in the Rat Brain Possible Neural Substrates Responsible for Antimanic Effects of Mood Stabilizers. <i>Neuropsychopharmacology</i> , 2000, 22, 530-537.	2.8	16
447	Effect of Acute Nicotine on Fos Protein Expression in Rat Brain During Chronic Nicotine and Its Withdrawal. <i>Pharmacology Biochemistry and Behavior</i> , 2000, 66, 87-93.	1.3	23
448	Combined c-fos and 14C-2-deoxyglucose method to differentiate site-specific excitation from disinhibition: analysis of maternal behavior in the rat. <i>Brain Research</i> , 2000, 859, 262-272.	1.1	36
449	Activation of renal afferent pathways following furosemide treatment. <i>Brain Research</i> , 2000, 861, 363-376.	1.1	17
450	Fos induction in the brain of mice exhibiting behavioral abnormalities following administration of allylnitrile or crotononitrile. <i>Brain Research</i> , 2000, 868, 141-146.	1.1	4
451	Endomorphin-1 and endomorphin-2 induce the expression of c-FOS immunoreactivity in the rat brain. <i>Brain Research</i> , 2000, 873, 291-296.	1.1	3
452	Postnatal changes in Fos-like immunoreactivity evoked by hypoxia in the rat brainstem and hypothalamus. <i>Brain Research</i> , 2000, 877, 149-159.	1.1	33
453	Cocaine- and alcohol-mediated expression of inducible transcription factors is blocked by pentobarbital anesthesia. <i>Brain Research</i> , 2000, 877, 251-261.	1.1	32
454	Distinctive amygdala kindled seizures differentially affect neurobehavioral recovery and lesion-induced basic fibroblast growth factor (bFGF) expression. <i>Brain Research</i> , 2000, 880, 38-50.	1.1	6
455	GABAergic neurons of the cat dorsal raphe nucleus express c-fos during carbachol-induced active sleep. <i>Brain Research</i> , 2000, 884, 68-76.	1.1	38

#	ARTICLE	IF	CITATIONS
456	The 5-HT1A receptor agonist, 8-OH-DPAT, attenuates stress-induced anorexia in conjunction with the suppression of hypothalamic serotonin release in rats. <i>Brain Research</i> , 2000, 887, 178-182.	1.1	11
457	cFos induction during conditioned taste aversion expression varies with aversion strength. <i>Brain Research</i> , 2000, 887, 450-453.	1.1	46
458	Fos induction in selective hypothalamic neuroendocrine and medullary nuclei by intravenous injection of urocortin and corticotropin-releasing factor in rats. <i>Brain Research</i> , 2000, 855, 47-57.	1.1	35
459	Brainstem and hypothalamic areas involved in respiratory chemoreflexes: a Fos study in adult rats. <i>Brain Research</i> , 2000, 857, 30-40.	1.1	151
460	Nitric oxide synthase and glutamate receptor immunoreactivity in the rat spinal trigeminal neurons expressing Fos protein after formalin injection. <i>Brain Research</i> , 2000, 855, 107-115.	1.1	31
461	Expression of Fos protein in adrenal preganglionic neurons following chemical stimulation of the rostral ventrolateral medulla of the rat. <i>Brain Research</i> , 2000, 854, 189-196.	1.1	10
462	Clonidine diminishes c-jun gene expression in the cardiovascular sensitive areas of the rat brainstem. <i>Brain Research</i> , 2000, 856, 245-249.	1.1	11
463	Fos Imaging Reveals Differential Patterns of Hippocampal and Parahippocampal Subfield Activation in Rats in Response to Different Spatial Memory Tests. <i>Journal of Neuroscience</i> , 2000, 20, 2711-2718.	1.7	243
464	Role of the locus ceruleus in baroreceptor regulation of supraoptic vasopressin neurons in the rat. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2000, 279, R306-R319.	0.9	31
465	c-Fos Expression in GABAergic, Serotonergic, and Other Neurons of the Pontomedullary Reticular Formation and Raphe after Paradoxical Sleep Deprivation and Recovery. <i>Journal of Neuroscience</i> , 2000, 20, 4669-4679.	1.7	113
466	Effects of right atrial distension on the activity of magnocellular neurons in the supraoptic nucleus. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2000, 278, R1605-R1615.	0.9	21
467	Cuneiform Neurons Activated during Cholinergically Induced Active Sleep in the Cat. <i>Journal of Neuroscience</i> , 2000, 20, 3319-3327.	1.7	18
468	Dopamine-Deficient Mice Are Hypersensitive to Dopamine Receptor Agonists. <i>Journal of Neuroscience</i> , 2000, 20, 4405-4413.	1.7	134
469	Regulation of Rat Cortex Function by D1 Dopamine Receptors in the Striatum. <i>Journal of Neuroscience</i> , 2000, 20, 5449-5460.	1.7	82
470	Using Fos Imaging in the Rat to Reveal the Anatomical Extent of the Disruptive Effects of Fornix Lesions. <i>Journal of Neuroscience</i> , 2000, 20, 8144-8152.	1.7	61
471	Neural Connections of the Anterior Hypothalamus and Agonistic Behavior in Golden Hamsters. <i>Brain, Behavior and Evolution</i> , 2000, 55, 53-76.	0.9	239
472	Neuroplasticity in the spinal cord of monoarthritic rats: from metabolic changes to the detection of interleukin-6 using mRNA differential display. <i>Progress in Brain Research</i> , 2000, 129, 191-203.	0.9	2
473	Activation of c-fos Expression in Hypothalamic Nuclei by $\hat{1}/4$ - and $\hat{p}$ -Receptor Agonists: Correlation with Catecholaminergic Activity in the Hypothalamic Paraventricular Nucleus*. <i>Endocrinology</i> , 2000, 141, 1366-1376.	1.4	46

#	ARTICLE	IF	CITATIONS
474	Fos expression in the rostral thalamic nuclei and associated cortical regions in response to different spatial memory tests. <i>Neuroscience</i> , 2000, 101, 983-991.	1.1	106
475	Somatotopical organization of Fos-like immunoreactivity in rat cervical spinal cord following noxious stimulation of the forelimb. <i>Neuroscience</i> , 2000, 101, 179-188.	1.1	13
476	Acute immediate-early gene response to 6-hydroxydopamine infusions into the medial forebrain bundle. <i>Neuroscience</i> , 2000, 96, 51-58.	1.1	7
477	Hypothalamic c-fos-like immunoreactivity in high-fat diet-induced obese and resistant mice. <i>Brain Research Bulletin</i> , 2000, 52, 235-242.	1.4	43
478	Induction and adaptation of Fos expression in the rat brain by two types of acute restraint stress. <i>Brain Research Bulletin</i> , 2000, 52, 171-182.	1.4	137
479	Fos expression following self-stimulation of the medial prefrontal cortex. <i>Behavioural Brain Research</i> , 2000, 107, 123-132.	1.2	33
480	A low dose of lithium chloride selectively induces fos protein in the central nucleus of the amygdala of rat brain. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2000, 24, 285-294.	2.5	11
481	Fetal tissue transplants in animal models of Huntington's disease: the effects on damaged neuronal circuitry and behavioral deficits. <i>Progress in Neurobiology</i> , 2000, 61, 313-338.	2.8	57
482	Nitric oxide is an excitatory modulator in the rostral ventrolateral medulla in rats. <i>American Journal of Hypertension</i> , 2000, 13, 1125-1134.	1.0	39
483	Double immunocytochemistry for the detection of Fos protein in retrogradely identified neurons using cholera toxin B subunit. <i>Brain Research Protocols</i> , 2000, 5, 298-304.	1.7	8
484	Immunocytochemical detection of Fos protein combined with anterograde tract-tracing using biotinylated dextran. <i>Brain Research Protocols</i> , 2000, 5, 49-56.	1.7	5
485	Effects of compounds acting on GABAB receptors in the pentylenetetrazole kindling model of epilepsy in mice. <i>Neuropharmacology</i> , 2000, 39, 2147-2161.	2.0	40
486	Chronic-intermittent hypoxia: a model of sympathetic activation in the rat. <i>Respiration Physiology</i> , 2000, 121, 173-184.	2.8	97
487	A New Cat Fos Antibody to Localize the Immediate Early Gene c-fos in Mammalian Visual Cortex after Sensory Stimulation. <i>Journal of Histochemistry and Cytochemistry</i> , 2000, 48, 671-684.	1.3	27
488	Estrogen Increases Angiotensin II-Induced c-Fos Expression in the Vasopressinergic Neurons of the Paraventricular Nucleus in the Female Rat. <i>Neuroendocrinology</i> , 2000, 72, 306-317.	1.2	28
489	Evaluating the protective role of the olivocochlear bundle against acoustic overexposure in rats by using Fos immunohistochemistry. <i>Journal of the Neurological Sciences</i> , 2000, 177, 104-113.	0.3	9
490	Neural systems underlying episodic memory: insights from animal research. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2001, 356, 1467-1482.	1.8	133
491	Central TRH receptor 1 antisense blocks cold-induced gastric emptying but not brain c-Fos induction. <i>Peptides</i> , 2001, 22, 81-90.	1.2	23

#	ARTICLE	IF	CITATIONS
492	Mechanisms of the effects of exogenous levodopa on the dopamine-denervated striatum. <i>Neuroscience</i> , 2001, 103, 639-651.	1.1	80
493	The main olfactory system mediates pheromone-induced fos expression in the extended amygdala and preoptic area of the male Syrian hamster. <i>Neuroscience</i> , 2001, 105, 695-706.	1.1	50
494	Intracranial self-stimulation induces Fos expression in GABAergic neurons in the rat mesopontine tegmentum. <i>Neuroscience</i> , 2001, 106, 633-641.	1.1	19
495	Nicotine-induced behavioral sensitization is associated with extracellular dopamine release and expression of c-Fos in the striatum and nucleus accumbens of the rat. <i>Behavioural Brain Research</i> , 2001, 121, 137-147.	1.2	83
496	Double activity imaging reveals distinct cellular targets of haloperidol, clozapine and dopamine D3 receptor selective RGH-1756. <i>Neuropharmacology</i> , 2001, 40, 383-393.	2.0	25
497	Enriched-environment housing increases neuronal Fos-staining in the dentate gyrus after a water maze spatial learning task. <i>Neuropharmacology</i> , 2001, 40, 440-447.	2.0	24
498	Effects of neonatal polychlorinated biphenyl exposure on female sexual behavior. <i>Physiology and Behavior</i> , 2001, 74, 363-370.	1.0	52
499	Neuroanatomy of Magnetoreception: The Superior Colliculus Involved in Magnetic Orientation in a Mammal. <i>Science</i> , 2001, 294, 366-368.	6.0	151
500	Injection of muscimol in dorsomedial hypothalamus and stress-induced Fos expression in paraventricular nucleus. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2001, 280, R1276-R1284.	0.9	35
501	Lesion of the perinuclear zone attenuates cardiac sensitivity of vasopressinergic supraoptic neurons. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2001, 280, R630-R638.	0.9	19
502	Limbic-Cortical-Ventral Striatal Activation during Retrieval of a Discrete Cocaine-Associated Stimulus: A Cellular Imaging Study with $\text{F}^3$ Protein Kinase C Expression. <i>Journal of Neuroscience</i> , 2001, 21, 2526-2535.	1.7	65
503	Postprandial neuronal activation in the nucleus of the solitary tract is partly mediated by CCK-A receptors. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2001, 281, R222-R229.	0.9	38
504	Decreased CSF pH at ventral brain stem induces widespread c-Fos immunoreactivity in rat brain neurons. <i>Journal of Applied Physiology</i> , 2001, 90, 475-485.	1.2	14
505	c-Fos expression in the central nervous system elicited by phrenic nerve stimulation. <i>Journal of Applied Physiology</i> , 2001, 90, 1291-1298.	1.2	15
506	Disordered central cardiovascular regulation in portal hypertensive and cirrhotic rats. <i>American Journal of Physiology - Renal Physiology</i> , 2001, 280, G420-G430.	1.6	23
507	Subthalamo-pallido-striatal axis: a feedback system in the basal ganglia. <i>NeuroReport</i> , 2001, 12, 3795-3798.	0.6	7
508	Xenon Inhibits but N2O Enhances Ketamine-Induced c-Fos Expression in the Rat Posterior Cingulate and Retrosplenial Cortices. <i>Anesthesia and Analgesia</i> , 2001, 92, 362-368.	1.1	14
509	Xenon Inhibits but N2O Enhances Ketamine-Induced c-Fos Expression in the Rat Posterior Cingulate and Retrosplenial Cortices. <i>Anesthesia and Analgesia</i> , 2001, 92, 362-368.	1.1	45

#	ARTICLE	IF	CITATIONS
510	Association of Pressure Induced Hypertension with Specific Area of Ventrolateral Surface of Medulla Oblongata and Catecholamine Neurons.. Acta Histochemica Et Cytochemica, 2001, 34, 185-191.	0.8	0
511	Transtympanic tetrodotoxin alters the VOR and Fos labeling in the vestibular complex. NeuroReport, 2001, 12, 3051-3055.	0.6	20
512	Hippocampal involvement in the expression of kindling-induced fear in rats. Neuroscience and Biobehavioral Reviews, 2001, 25, 687-696.	2.9	22
513	Experimental Biology 2000 Symposium on Differential Control of Sympathetic Outflow NEUROANATOMICAL SPECIFICITY OF THE CIRCUITS CONTROLLING SYMPATHETIC OUTFLOW TO DIFFERENT TARGETS. Clinical and Experimental Pharmacology and Physiology, 2001, 28, 115-119.	0.9	93
514	Immunohistochemical characterisation of Fos-positive cells in brainstem monoaminergic nuclei following intracranial self-stimulation of the medial forebrain bundle in the rat. European Journal of Neuroscience, 2001, 13, 1600-1608.	1.2	23
515	Amphetamine and cocaine induce different patterns of c-fosmRNA expression in the striatum and subthalamic nucleus depending on environmental context. European Journal of Neuroscience, 2001, 13, 1977-1983.	1.2	105
516	Localized immediate early gene expression related to the strength of song learning in socially reared zebra finches. European Journal of Neuroscience, 2001, 13, 2165-2170.	1.2	102
517	Sensitivity to naloxone of the behavioral signs of morphine withdrawal and c-Fos expression in the rat CNS: A quantitative dose-response analysis. Journal of Comparative Neurology, 2001, 433, 272-296.	0.9	33
518	Cochlear electrical stimulation: Influence of age of implantation on Fos immunocytochemical reactions in inferior colliculi and dorsal cochlear nuclei of the rat. Journal of Comparative Neurology, 2001, 438, 226-238.	0.9	14
519	Anatomical and functional connections among cell groups in the gerbil brain that are activated with ejaculation. Journal of Comparative Neurology, 2001, 439, 248-258.	0.9	58
520	FosB in rat striatum: Normal regional distribution and enhanced expression after 6-month haloperidol administration. Synapse, 2001, 39, 122-132.	0.6	23
521	Neurochemistry of superficial spinal neurones projecting to nucleus of the solitary tract that express c-fos on chemical somatic and visceral nociceptive input in the rat. Metabolic Brain Disease, 2001, 16, 151-164.	1.4	36
522	Differential expression of Fos protein in the rat brain induced by performance of avoidance or escape in the elevated T-maze. Behavioural Brain Research, 2001, 126, 13-21.	1.2	62
523	GABAergic neurons of the laterodorsal and pedunculopontine tegmental nuclei of the cat express c-fos during carbachol-induced active sleep. Brain Research, 2001, 892, 309-319.	1.1	55
524	Glucose induced IEG expression in the thiamin-deficient rat brain11Published on the World Wide Web 3 January 2001.. Brain Research, 2001, 892, 218-227.	1.1	18
525	Comparative effects of scopolamine and quinpirole on the striatal fos expression induced by stimulation of D1 dopamine receptors in the rat. Brain Research, 2001, 893, 202-214.	1.1	17
526	Chorda tympani nerve stimulation evokes Fos expression in regionally limited neuron populations within the gustatory nucleus of the solitary tract. Brain Research, 2001, 904, 54-66.	1.1	15
527	Temporal and spatial distribution of Fos protein in the lumbar spinal dorsal horn neurons in the rat with chronic constriction injury to the sciatic nerve. Brain Research, 2001, 914, 106-114.	1.1	30

#	ARTICLE	IF	CITATIONS
528	C-FOS expression in the rat brain in response to substance P and neurokinin B. <i>Brain Research</i> , 2001, 916, 11-21.	1.1	20
529	M100907, a selective 5-HT <sub>2A</sub> receptor antagonist, attenuates phencyclidine-induced Fos expression in discrete regions of rat brain. <i>European Journal of Pharmacology</i> , 2001, 417, 189-194.	1.7	24
530	Cerebral Regulation of Thirst. , 2001, , 28-38.		0
531	5-HT <sub>2A/2C</sub> Receptor-Mediated Hypopnea in the Newborn Rat: Relationship to Fos Immunoreactivity. <i>Pediatric Research</i> , 2001, 50, 596-603.	1.1	12
532	Induction of stereotypy in dopamine-deficient mice requires striatal D1 receptor activation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001, 98, 10451-10456.	3.3	84
533	Neural Activity Profiles of the Neocortex and Superior Colliculus after Bimodal Sensory Stimulation. <i>Cerebral Cortex</i> , 2001, 11, 924-935.	1.6	18
534	The Central Nucleus of the Amygdala; a Conduit for Modulation of HPA Axis Responses to an Immune Challenge?. <i>Stress</i> , 2001, 4, 277-287.	0.8	9
535	Mapping of Brain Stem Neuronal Circuitry Active during Swallowing. <i>Annals of Otolaryngology, Rhinology and Laryngology</i> , 2001, 110, 502-513.	0.6	28
536	Cocaine-predictive stimulus induces drug-seeking behavior and neural activation in limbic brain regions after multiple months of abstinence: Reversal by D1 antagonists. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001, 98, 1976-1981.	3.3	333
537	Male Sexual Behavior. , 2002, , 3-137.		90
538	Circulating relaxin acts on subfornical organ neurons to stimulate water drinking in the rat. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 1701-1706.	3.3	99
539	Neuroendocrinology of Body Fluid Homeostasis. , 2002, , 525-569.		4
540	Dexamethasone Inhibits the Inducible Bioconversion of Glycerol Trinitrate to Nitric Oxide. <i>Journal of Cardiovascular Pharmacology</i> , 2002, 39, 544-551.	0.8	1
541	Dissociation of conditioned locomotion and Fos induction in response to stimuli formerly paired with cocaine.. <i>Behavioral Neuroscience</i> , 2002, 116, 634-645.	0.6	28
542	Intrapericardial Procaine Affects Volume Expansion-Induced Fos Immunoreactivity in Unanesthetized Rats. <i>Experimental Neurology</i> , 2002, 174, 181-192.	2.0	18
543	Olfactory Bulb Cells Generated in Adult Male Golden Hamsters Are Specifically Activated by Exposure to Estrous Females. <i>Hormones and Behavior</i> , 2002, 41, 343-350.	1.0	45
544	Sevoflurane suppresses noxious stimulus-evoked expression of Fos-like immunoreactivity in the rat spinal cord via activation of endogenous opioid systems. <i>Life Sciences</i> , 2002, 71, 571-580.	2.0	31
545	Development of CO <sub>2</sub> -response in the early newborn period in rat. <i>Respiratory Physiology and Neurobiology</i> , 2002, 132, 145-158.	0.7	36

#	ARTICLE	IF	CITATIONS
546	c-Fos expression as endogenous marker of lumbosacral spinal neuron activity in response to vaginocervical-stimulation. <i>Brain Research Protocols</i> , 2002, 9, 1-8.	1.7	14
547	Excitatory and inhibitory neurons express c-Fos in barrel-related columns after exploration of a novel environment. <i>Neuroscience</i> , 2002, 109, 687-699.	1.1	88
548	Serotonin <sub>3</sub> receptor stimulation in the nucleus tractus solitarii activates non-catecholaminergic neurons in the rat ventrolateral medulla. <i>Neuroscience</i> , 2002, 112, 935-949.	1.1	11
549	Distinct pattern of c-fos mRNA expression after systemic and intra-accumbens amphetamine and MK-801. <i>Neuroscience</i> , 2002, 115, 67-78.	1.1	26
550	The molarless condition in aged SAMP8 mice attenuates hippocampal Fos induction linked to water maze performance. <i>Behavioural Brain Research</i> , 2002, 128, 19-25.	1.2	91
551	Induction of a brainstem correlate of conditioned taste aversion expression: role of the pontine parabrachial nucleus. <i>Behavioural Brain Research</i> , 2002, 131, 205-209.	1.2	12
552	Learning and memory in two different reward tasks in a radial arm maze in rats. <i>Behavioural Brain Research</i> , 2002, 134, 139-148.	1.2	24
553	Temporal changes of cFos-like protein expression in medial vestibular nuclei following arsanilate-induced unilateral labyrinthectomy in rats. <i>Neuroscience Letters</i> , 2002, 319, 9-12.	1.0	30
554	Fos Imaging Reveals that Lesions of the Anterior Thalamic Nuclei Produce Widespread Limbic Hypoactivity in Rats. <i>Journal of Neuroscience</i> , 2002, 22, 5230-5238.	1.7	71
555	Role of the vestibular nuclei in endothelin-1-induced barrel rotation in rats. <i>European Journal of Pharmacology</i> , 2002, 454, 199-207.	1.7	8
556	Central nucleus of the amygdala and the effects of alcohol and alcohol-drinking behavior in rodents. <i>Pharmacology Biochemistry and Behavior</i> , 2002, 71, 509-515.	1.3	184
557	Ketamine-induced c-Fos expression in the mouse posterior cingulate and retrosplenial cortices is mediated not only via NMDA receptors but also via sigma receptors. <i>Brain Research</i> , 2002, 926, 191-196.	1.1	32
558	Involvement of the suprachiasmatic nucleus in body temperature modulation by food deprivation in rats. <i>Brain Research</i> , 2002, 929, 26-36.	1.1	36
559	Gudden's dorsal tegmental nucleus is activated in carbachol-induced active (REM) sleep and active wakefulness. <i>Brain Research</i> , 2002, 944, 184-189.	1.1	20
560	The distribution of fos immunoreactivity in rat brain following freezing and escape responses elicited by electrical stimulation of the inferior colliculus. <i>Brain Research</i> , 2002, 950, 186-194.	1.1	65
561	Chronic Antipsychotic Drug Treatment Induces Long-lasting Expression of fos and jun Family Genes and Activator Protein 1 Complex in the Rat Prefrontal Cortex. <i>Neuropsychopharmacology</i> , 2002, 27, 152-162.	2.8	38
562	Atomoxetine Increases Extracellular Levels of Norepinephrine and Dopamine in Prefrontal Cortex of Rat A Potential Mechanism for Efficacy in Attention Deficit/Hyperactivity Disorder. <i>Neuropsychopharmacology</i> , 2002, 27, 699-711.	2.8	961
563	c-Fos expression in the spinal cord after acute sacral segmental nerve stimulation. <i>Neurourology and Urodynamics</i> , 2002, 21, 495-501.	0.8	7



#	ARTICLE	IF	CITATIONS
564	Projections of the posterodorsal preoptic nucleus and the lateral part of the posterodorsal medial amygdala in male gerbils, with emphasis on cells activated with ejaculation. <i>Journal of Comparative Neurology</i> , 2002, 444, 75-94.	0.9	24
565	Neurochemistry of nerve fibers apposing sympathetic preganglionic neurons activated by sustained hypotension. <i>Journal of Comparative Neurology</i> , 2002, 449, 307-318.	0.9	24
566	Induction of Fos-like immunoreactivity in the basal ganglia by ether anaesthesia: effects of injections of muscimol in rostral versus caudal substantia nigra pars reticulata. <i>Experimental Brain Research</i> , 2002, 142, 227-240.	0.7	6
567	C-fos and c-jun expressions in nitric oxide synthase immunoreactive neurons in the lateral geniculate nucleus of experimental glaucomatous rats. <i>Experimental Brain Research</i> , 2002, 144, 365-372.	0.7	15
568	Fos Immunoreactivity in the Diagonal Band and the Perinuclear Zone of the Supraoptic Nucleus after Hypertension and Hypervolaemia in Unanaesthetized Rats. <i>Journal of Neuroendocrinology</i> , 2002, 14, 219-227.	1.2	23
569	Endogenous histamine in the medial septum-diagonal band complex increases the release of acetylcholine from the hippocampus: a dual-probe microdialysis study in the freely moving rat. <i>European Journal of Neuroscience</i> , 2002, 15, 1669-1680.	1.2	56
570	Changes in Fos expression in the rat brain after unilateral lesions of the anterior thalamic nuclei. <i>European Journal of Neuroscience</i> , 2002, 16, 1425-1432.	1.2	44
571	Nitroglycerin-Induced Activation of Monoaminergic Transmission in the Rat. <i>Cephalalgia</i> , 2002, 22, 226-232.	1.8	29
572	Endothelins Induce Fos Expression in Neurons and Glia in Organotypic Cultures of Rat Cerebellum. <i>Journal of Neurochemistry</i> , 1996, 67, 1409-1418.	2.1	11
573	Neural Circuits Controlling Cardiorespiratory Responses: Baroreceptor And Somatic Afferents In The Nucleus Tractus Solitarius. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2002, 29, 103-111.	0.9	50
574	Fos expression in GABAergic cells and cells immunopositive for NMDA receptors in the inferior and superior colliculi following audiogenic seizures in rats. <i>Synapse</i> , 2002, 46, 100-107.	0.6	16
575	Right Atrial Stretch Induces Renal Nerve Inhibition and c-fos Expression in Parvocellular Neurones of the Paraventricular Nucleus in Rats. <i>Experimental Physiology</i> , 2002, 87, 25-32.	0.9	42
576	Effect of intracerebroventricular infusion of urocortin on feed and salt intake in parotid fistulated sheep. <i>Animal Science Journal</i> , 2002, 73, 35-40.	0.6	6
577	Cardiac Nociception in Rats: Neuronal Pathways and the Influence of Dermal Neurostimulation on Conveyance to the Central Nervous System. <i>Journal of Molecular Neuroscience</i> , 2003, 20, 43-52.	1.1	7
578	Secretin activates visceral brain regions in the rat including areas abnormal in autism. <i>Cellular and Molecular Neurobiology</i> , 2003, 23, 817-837.	1.7	38
579	Functional organization of brain pathways subserving the baroreceptor reflex: studies in conscious animals using immediate early gene expression. <i>Cellular and Molecular Neurobiology</i> , 2003, 23, 597-616.	1.7	145
580	Distinct patterns of hippocampal formation activity associated with different spatial tasks: a Fos imaging study in rats. <i>Experimental Brain Research</i> , 2003, 151, 514-523.	0.7	33
581	Characterization and opioid modulation of inflammatory temporomandibular joint pain in the rat. <i>Journal of Oral and Maxillofacial Surgery</i> , 2003, 61, 1302-1309.	0.5	26

#	ARTICLE	IF	CITATIONS
582	A role of melanin-concentrating hormone producing neurons in the central regulation of paradoxical sleep. <i>BMC Neuroscience</i> , 2003, 4, 19.	0.8	379
583	Differential induction of c-fos expression in brain nuclei by noxious and non-noxious colonic distension. <i>Brain Research</i> , 2003, 966, 253-264.	1.1	69
584	Distribution of Fos labeling in the inferior olive following transient blockade of the VIIIth cranial nerve. <i>Brain Research</i> , 2003, 966, 134-149.	1.1	8
585	Intraperitoneal corticotropin-releasing factor and urocortin induce Fos expression in brain and spinal autonomic nuclei and long lasting stimulation of colonic motility in rats. <i>Brain Research</i> , 2003, 974, 70-81.	1.1	34
586	Activation of brainstem catecholaminergic neurons during voluntary diving in rats. <i>Brain Research</i> , 2003, 984, 42-53.	1.1	28
587	Neural correlates of IgE-mediated food allergy. <i>Journal of Neuroimmunology</i> , 2003, 140, 69-77.	1.1	60
588	Localization of trigeminal, spinal, and reticular neurons involved in the rat blink reflex. <i>Journal of Comparative Neurology</i> , 2003, 467, 173-184.	0.9	21
589	Motor cortical control of cardiovascular bulbar neurones projecting to spinal autonomic areas. <i>Journal of Neuroscience Research</i> , 2003, 73, 122-135.	1.3	17
590	Role of kynurenic acid on vestibulo-autonomic symptoms following unilateral labyrinthectomy in rats. <i>Neuroscience Research Communications</i> , 2003, 33, 227-234.	0.2	0
591	Inhibitory effect of propofol on ketamine-induced c-Fos expression in the rat posterior cingulate and retrosplenial cortices is mediated by GABAA receptor activation. <i>Acta Anaesthesiologica Scandinavica</i> , 2003, 47, 284-290.	0.7	42
592	Induction of the learning and plasticity-associated gene Zif268 following exposure to a discrete cocaine-associated stimulus. <i>European Journal of Neuroscience</i> , 2003, 17, 1964-1972.	1.2	102
593	Activation of the amygdalo-entorhinal pathway in fear-conditioning in rat. <i>European Journal of Neuroscience</i> , 2003, 18, 1652-1659.	1.2	50
594	Fos expression in serotonergic neurons in the rat brainstem following noxious stimuli: an immunohistochemical double-labelling study. <i>Journal of Anatomy</i> , 2003, 203, 579-588.	0.9	22
595	Functional organisation of central cardiovascular pathways: studies using c-fos gene expression. <i>Progress in Neurobiology</i> , 2003, 71, 359-384.	2.8	133
596	Trace but not delay fear conditioning requires attention and the anterior cingulate cortex. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 13087-13092.	3.3	289
597	Fos-like immunoreactive neurons following electrical stimulation of the dorsal periaqueductal gray at freezing and escape thresholds. <i>Brain Research Bulletin</i> , 2003, 62, 179-189.	1.4	69
598	Systemic apomorphine alters HPA axis responses to interleukin-1 $\beta$ administration but not sound stress. <i>Psychoneuroendocrinology</i> , 2003, 28, 715-732.	1.3	9
599	Cortical spreading depression affects Fos expression in the hypothalamic paraventricular nucleus and the cerebral cortex of both hemispheres. <i>Neuroscience Research</i> , 2003, 45, 149-155.	1.0	13

#	ARTICLE	IF	CITATIONS
600	Molecular cloning and differential expression of the cat immediate early gene c-fos. <i>Molecular Brain Research</i> , 2003, 111, 198-210.	2.5	9
601	Materno-fetal coordination of stress-induced fos expression in the hypothalamic paraventricular nucleus during pregnancy. <i>Neuroscience</i> , 2003, 118, 409-415.	1.1	34
602	A secretin i.v. infusion activates gene expression in the central amygdala of rats. <i>Neuroscience</i> , 2003, 118, 881-888.	1.1	33
603	Descending pathways from the paraventricular nucleus contribute to the recruitment of brainstem nuclei following a systemic immune challenge. <i>Neuroscience</i> , 2003, 118, 189-203.	1.1	44
604	Voluntary freewheel running selectively modulates catecholamine content in peripheral tissue and c-fos expression in the central sympathetic circuit following exposure to uncontrollable stress in rats. <i>Neuroscience</i> , 2003, 120, 269-281.	1.1	74
605	Ampakines reduce methamphetamine-driven rotation and activate neocortex in a regionally selective fashion. <i>Neuroscience</i> , 2003, 121, 509-521.	1.1	28
606	Stimulant doses of caffeine induce c-FOS activation in orexin/hypocretin-containing neurons in rat. <i>Neuroscience</i> , 2003, 121, 269-275.	1.1	35
607	Depressive-like behavioral alterations and c-fos expression in the dopaminergic brain regions in WAG/Rij rats with genetic absence epilepsy. <i>Behavioural Brain Research</i> , 2003, 144, 211-226.	1.2	95
608	Neuroimmune Stress Responses: Reciprocal Connections Between the Hypothalamus and the Brainstem. <i>Stress</i> , 2003, 6, 11-17.	0.8	38
609	Effect of the anorectic fatty acid synthase inhibitor C75 on neuronal activity in the hypothalamus and brainstem. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 5628-5633.	3.3	91
610	Effect of neonatal capsaicin treatment on haemodynamics and renal function in cirrhotic rats. <i>Gut</i> , 2003, 52, 293-299.	6.1	31
611	COX-2 dependent inflammation increases spinal Fos expression during rodent postoperative ileus. <i>Gut</i> , 2003, 52, 527-534.	6.1	75
612	Glucocorticoid Maintains Pulsatile Secretion of Luteinizing Hormone under Infectious Stress Condition. <i>Endocrinology</i> , 2003, 144, 3477-3482.	1.4	22
613	Consequences of In Utero Caffeine Exposure on Respiratory Output in Normoxic and Hypoxic Conditions and Related Changes of Fos Expression: A Study on Brainstem-Spinal Cord Preparations Isolated From Newborn Rats. <i>Pediatric Research</i> , 2003, 53, 266-273.	1.1	17
614	The $\alpha_2$ -Adrenoceptor Agonist Dexmedetomidine Converges on an Endogenous Sleep-promoting Pathway to Exert Its Sedative Effects. <i>Anesthesiology</i> , 2003, 98, 428-436.	1.3	738
615	Effect of Ginseng radix on c-Fos Expression in the Hippocampus of Streptozotocin-Induced Diabetic Rats. <i>Journal of Pharmacological Sciences</i> , 2003, 91, 149-152.	1.1	15
616	Patterns of Brain Activity Associated With Variation in Voluntary Wheel-Running Behavior.. <i>Behavioral Neuroscience</i> , 2003, 117, 1243-1256.	0.6	218
617	Hypocretinergic Neurons are Primarily involved in Activation of the Somatomotor System. <i>Sleep</i> , 2003, , .	0.6	32

#	ARTICLE	IF	CITATIONS
618	Circuitry Underlying Regulation of the Serotonergic System by Swim Stress. <i>Journal of Neuroscience</i> , 2003, 23, 970-977.	1.7	181
619	The Role of the Vestibular System in Modulating Blood Pressure of Sinoaortic Denervated Rats. Sunhwan'gi, 2003, 33, 513.	0.3	0
620	Prolonged retention of the anorectic cobalt protoporphyrin in the hypothalamus and the resulting expression of Fos. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2004, 287, R465-R471.	0.9	7
621	Neurobiology of Sodium Appetite. , 2004, , 547-587.		2
622	Dynamics and regional distribution of c-fos protein expression in rat brain after a closed head injury. <i>International Journal of Molecular Medicine</i> , 2004, 14, 247.	1.8	2
623	Electroacupuncture Reduces Stress-Induced Expression of c-Fos in the Brain of the Rat. <i>The American Journal of Chinese Medicine</i> , 2004, 32, 795-806.	1.5	32
624	Cryptochromes and neuronal-activity markers colocalize in the retina of migratory birds during magnetic orientation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 14294-14299.	3.3	257
625	Water deprivation increases Fos immunoreactivity in PVN autonomic neurons with projections to the spinal cord and rostral ventrolateral medulla. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2004, 287, R1172-R1183.	0.9	92
626	Differential involvement of rat medial prefrontal cortex dopamine receptors in modulation of hypothalamic- pituitary-adrenal axis responses to different stressors. <i>European Journal of Neuroscience</i> , 2004, 20, 1008-1016.	1.2	31
627	Induction of c-fos in specific thalamic nuclei following stimulation of the pedunculopontine tegmental nucleus. <i>European Journal of Neuroscience</i> , 2004, 20, 1827-1837.	1.2	21
628	Physiology of Female Sexual Function: Animal Models. <i>Journal of Sexual Medicine</i> , 2004, 1, 237-253.	0.3	100
629	A critical role for the parabrachial nucleus in generating central nervous system responses elicited by a systemic immune challenge. <i>Journal of Neuroimmunology</i> , 2004, 152, 20-32.	1.1	27
630	Induction of c-fos in forebrain circumventricular organs after renal artery stenosis. <i>Brain Research</i> , 2004, 995, 109-117.	1.1	5
631	Episodic blockade of cranial nerve VIII provokes asymmetric changes in lobule X of the rat. <i>Brain Research</i> , 2004, 997, 165-175.	1.1	7
632	Response of seizure-induced newborn neurons in the dentate gyrus of adult rats to second episode of seizures. <i>Brain Research</i> , 2004, 1006, 248-252.	1.1	13
633	The use of stereological counting methods to assess immediate early gene immunoreactivity. <i>Brain Research</i> , 2004, 1009, 120-128.	1.1	22
634	Differential activation of medullary vagal nuclei during different phases of swallowing in the cat. <i>Brain Research</i> , 2004, 1014, 145-163.	1.1	28
635	Catalase-independent early-gene expression in rat brain following acute ethanol exposure. <i>Brain Research</i> , 2004, 1016, 96-101.	1.1	14

#	ARTICLE	IF	CITATIONS
636	Central injection of senktide, an NK3 receptor agonist, or neuropeptide Y inhibits LH secretion and induces different patterns of Fos expression in the rat hypothalamus. <i>Brain Research</i> , 2004, 1026, 307-312.	1.1	146
637	Harmaline-induced climbing fiber activation causes amino acid and peptide release in the rodent cerebellar cortex and a unique temporal pattern of Fos expression in the olivo-cerebellar pathway. <i>Journal of Neurocytology</i> , 2004, 33, 49-74.	1.6	47
638	Caffeine as a psychomotor stimulant: mechanism of action. <i>Cellular and Molecular Life Sciences</i> , 2004, 61, 857-872.	2.4	425
639	Testing the validity of c-fos expression profiling to aid the therapeutic classification of psychoactive drugs. <i>Psychopharmacology</i> , 2004, 171, 306-321.	1.5	76
640	Does whisker stimulation induce c-Fos expression in the rat ipsilateral deafferented cerebral cortex?. <i>Neuroscience Research Communications</i> , 2004, 34, 56-62.	0.2	0
641	Prenatal Protein Malnutrition in Rats Alters the c-Fos Response of Neurons in the Anterior Cingulate and Medial Prefrontal Region to Behavioral Stress. <i>Nutritional Neuroscience</i> , 2004, 7, 281-289.	1.5	31
642	Anaesthesia, Pain, Intensive Care and Emergency Medicine " A.P.I.C.E. , 2004, , .		0
643	Biphasic Response to Nitric Oxide of Spinal Trigeminal Neurons With Meningeal Input in Rat"Possible Implications for the Pathophysiology of Headaches. <i>Journal of Neurophysiology</i> , 2004, 92, 1320-1328.	0.9	66
644	An Integrated Study of Heart Pain and Behavior in Freely Moving Rats (Using Fos as a Marker for) Tj ETQq0 0 0 rgBT/Overlock 10 Tf 50 4	0.5	20
645	Two immunocytochemical protocols for immunofluorescent detection of c-Fos positive neurons in the rat brain. <i>Brain Research Protocols</i> , 2004, 13, 45-52.	1.7	30
646	FosB expression in the central nervous system following isotonic volume expansion in unanesthetized rats. <i>Experimental Neurology</i> , 2004, 187, 190-198.	2.0	29
647	Effects of isoflurane on prefrontal acetylcholine release and hypothalamic Fos response in young adult and aged rats. <i>Experimental Neurology</i> , 2004, 190, 535-543.	2.0	31
648	c-fos and CRF receptor gene transcription in the brain of acetic acid-induced somato-visceral pain in rats. <i>Pain</i> , 2004, 110, 738-750.	2.0	30
649	Comparative fos immunoreactivity in the brain after forebrain, brainstem, or combined seizures induced by electroshock, pentylene tetrazol, focally induced and audiogenic seizures in rats. <i>Neuroscience</i> , 2004, 123, 279-292.	1.1	88
650	Peripheral secretin-induced Fos expression in the rat brain is largely vagal dependent. <i>Neuroscience</i> , 2004, 128, 131-141.	1.1	37
651	Gabaergic neurons with $\beta$ -adrenergic receptors in basal forebrain and preoptic area express c-Fos during sleep. <i>Neuroscience</i> , 2004, 129, 803-810.	1.1	96
652	Endogenous 5-HT <sub>1/2</sub> systems and the newborn rat respiratory control. <i>Respiratory Physiology and Neurobiology</i> , 2004, 141, 47-57.	0.7	14
653	Evidence for tinnitus-related plasticity in the auditory and limbic system, demonstrated by arg3.1 and c-fos immunocytochemistry. <i>Hearing Research</i> , 2004, 195, 17-34.	0.9	94

#	ARTICLE	IF	CITATIONS
654	Molecular mechanism of changes in the morphine-induced pharmacological actions under chronic pain-like state: Suppression of dopaminergic transmission in the brain. <i>Life Sciences</i> , 2004, 74, 2655-2673.	2.0	22
655	Atypical properties of several classes of antipsychotic drugs on the basis of differential induction of Fos-like immunoreactivity in the rat brain. <i>Life Sciences</i> , 2004, 76, 225-237.	2.0	25
656	Contextual Fear Conditioning Is Associated With Lateralized Expression of the Immediate Early Gene c-fos in the Central and Basolateral Amygdalar Nuclei.. <i>Behavioral Neuroscience</i> , 2004, 118, 5-14.	0.6	65
657	Neuronal Activation in the Medulla Oblongata During Selective Elicitation of the Laryngeal Adductor Response. <i>Journal of Neurophysiology</i> , 2004, 92, 2920-2932.	0.9	38
658	Maintaining Euglycemia Prevents Insulin-induced Fos Expression in Brain Autonomic Regulatory Circuits. <i>Pancreas</i> , 2005, 31, 142-147.	0.5	14
659	Neural Substrates of Coping Behavior in the Rat: Possible Importance of Mesocorticolimbic Dopamine System.. <i>Behavioral Neuroscience</i> , 2005, 119, 429-445.	0.6	18
660	Fast Fos: rapid protocols for single- and double-labeling c-Fos immunohistochemistry in fresh frozen brain sections. <i>Journal of Neuroscience Methods</i> , 2005, 141, 9-20.	1.3	39
661	Conditioned taste aversion and amygdala lesions in the rat: A critical review. <i>Neuroscience and Biobehavioral Reviews</i> , 2005, 29, 1067-1088.	2.9	158
662	Cholinergic and noncholinergic brainstem neurons expressing Fos after paradoxical (REM) sleep deprivation and recovery. <i>European Journal of Neuroscience</i> , 2005, 21, 2488-2504.	1.2	115
663	Hypotension and short-term anaesthesia induce ERK1/2 phosphorylation in autonomic nuclei of the brainstem. <i>European Journal of Neuroscience</i> , 2005, 22, 2257-2270.	1.2	32
664	Differential involvement of the prelimbic cortex and striatum in conditioned heroin and sucrose seeking following long-term extinction. <i>European Journal of Neuroscience</i> , 2005, 22, 2347-2356.	1.2	53
665	Different neuronal populations of the rat median preoptic nucleus express c-fos during sleep and in response to hypertonic saline or angiotensin-II. <i>Journal of Physiology</i> , 2005, 569, 587-599.	1.3	27
666	The hypothalamic paraventricular nucleus and cardiovascular homeostasis: a role in chronic heart failure. <i>Current Anaesthesia and Critical Care</i> , 2005, 16, 58-68.	0.3	0
667	Molecular responses to acidosis of central chemosensitive neurons in brain. <i>Cellular Signalling</i> , 2005, 17, 799-808.	1.7	17
668	Neural segregation of Fos-protein distribution in the brain following freezing and escape behaviors induced by injections of either glutamate or NMDA into the dorsal periaqueductal gray of rats. <i>Brain Research</i> , 2005, 1031, 151-163.	1.1	47
669	Multiple neurotransmitter receptors contribute to the spinal Fos expression. <i>Brain Research</i> , 2005, 1033, 202-209.	1.1	16
670	Activation of feeding-related neural circuitry after unilateral injections of muscimol into the nucleus accumbens shell. <i>Brain Research</i> , 2005, 1048, 241-250.	1.1	40
671	Fos-like immunoreactivity in the brain associated with freezing or escape induced by inhibition of either glutamic acid decarboxylase or GABAA receptors in the dorsal periaqueductal gray. <i>Brain Research</i> , 2005, 1051, 100-111.	1.1	59

#	ARTICLE	IF	CITATIONS
672	Reduced CCK-induced Fos expression in the hindbrain, nodose ganglia, and enteric neurons of rats lacking CCK-1 receptors. <i>Brain Research</i> , 2005, 1051, 155-163.	1.1	26
673	Fluorescent Cell Chip for immunotoxicity testing: Development of the c-fos expression reporter cell lines. <i>Toxicology and Applied Pharmacology</i> , 2005, 207, 133-141.	1.3	3
674	Activation and circuitry of uterine-cervix-related neurons in the lumbosacral dorsal root ganglia and spinal cord at parturition. <i>Journal of Neuroscience Research</i> , 2005, 82, 875-889.	1.3	7
675	Contrasting Fos expression induced by acute reboxetine and fluoxetine in the rat forebrain: neuroanatomical substrates for the antidepressant effect. <i>Psychopharmacology</i> , 2005, 177, 289-295.	1.5	21
676	Identification of c-Fos immunoreactive brainstem neurons activated during fictive mastication in the rabbit. <i>Experimental Brain Research</i> , 2005, 165, 478-489.	0.7	21
677	Expanded mesencephalic precursors develop into grafts of densely packed dopaminergic neurons that reinnervate the surrounding striatum and induce functional responses in the striatal neurons. <i>Synapse</i> , 2005, 58, 13-22.	0.6	5
678	Induced expression of c-fos in the diencephalon and pituitary gland of goats following transportation. <i>Journal of Animal Science</i> , 2005, 83, 1845-1853.	0.2	11
679	Secretin activates vagal primary afferent neurons in the rat: evidence from electrophysiological and immunohistochemical studies. <i>American Journal of Physiology - Renal Physiology</i> , 2005, 289, G745-G752.	1.6	21
680	Alteration of sensorineural circuits in spinal cord by chronic contact dermatitis. <i>Somatosensory &amp; Motor Research</i> , 2005, 22, 115-121.	0.4	4
681	The Association of Cardiovascular Responses with Brain c-fos Expression after Central Carbachol in the Near-Term Ovine Fetus. <i>Neuropsychopharmacology</i> , 2005, 30, 2162-2168.	2.8	8
682	Comparison of Alterations in c-fos and Egr-1 (zif268) Expression Throughout the Rat Brain Following Acute Administration of Different Classes of Antidepressant Compounds. <i>Neuropsychopharmacology</i> , 2005, 30, 1278-1287.	2.8	56
683	Localization of Spinal Neurons Activated During Locomotion Using the c-fos Immunohistochemical Method. <i>Journal of Neurophysiology</i> , 2005, 93, 3442-3452.	0.9	76
684	Neuronal Norepinephrine Responses of the Rostral Ventrolateral Medulla and Nucleus Tractus Solitarius Neurons Distinguish the 11- from the $\alpha_2$ -Receptor-Mediated Hypotension in Conscious SHR. <i>Journal of Cardiovascular Pharmacology</i> , 2005, 46, 52-62.	0.8	7
685	From synapse to gene product: prolonged expression of c-fos induced by a single microinjection of carbachol in the pontomesencephalic tegmentum. <i>Molecular Brain Research</i> , 2005, 136, 164-176.	2.5	7
686	Ovariectomy and persistent pain affect long-term Fos expression in spinal cord. <i>Neuroscience Letters</i> , 2005, 375, 165-169.	1.0	3
687	Influence of maternal alcohol administration on c-Fos expression in the hippocampus of infant rats. <i>Neuroscience Letters</i> , 2005, 378, 44-48.	1.0	12
688	A brightness-area-product-based protocol for the quantitative assessment of antigen abundance in fluorescent immunohistochemistry. <i>Brain Research Protocols</i> , 2005, 15, 21-29.	1.7	14
689	Why does the rapid delivery of drugs to the brain promote addiction?. <i>Trends in Pharmacological Sciences</i> , 2005, 26, 82-87.	4.0	184

#	ARTICLE	IF	CITATIONS
690	Dissection of peripheral and central endogenous opioid modulation of systemic interleukin-1 $\beta$ responses using c- expression in the rat brain. <i>Neuropharmacology</i> , 2005, 49, 230-242.	2.0	17
691	Neurochemical phenotype of vagal afferent neurons activated to express C-FOS in response to luminal stimulation in the rat. <i>Neuroscience</i> , 2005, 130, 757-767.	1.1	31
692	A brainstem substrate for analgesia elicited by intraoral sucrose. <i>Neuroscience</i> , 2005, 133, 231-243.	1.1	68
693	Effects of repeated maternal stress on FOS expression in the hypothalamic paraventricular nucleus of fetal rats. <i>Neuroscience</i> , 2005, 134, 387-395.	1.1	32
694	The role of tropomyosin-related kinase receptors in neurotrophin-induced rapid eye movement sleep in the cat. <i>Neuroscience</i> , 2005, 135, 357-369.	1.1	4
695	Comparison of Fos Expression Within the Ferret's Spinal Trigeminal Nuclear Complex Evoked by Electrical or Noxious-Thermal Pulpal Stimulation. <i>Journal of Pain</i> , 2005, 6, 569-580.	0.7	11
696	Neurobiology of Mice Selected for High Voluntary Wheel-running Activity. <i>Integrative and Comparative Biology</i> , 2005, 45, 438-455.	0.9	176
697	Neurobiology of Male Sexual Behavior. , 2006, , 1729-1824.		48
698	A Systematic Review of Modafinil. <i>Journal of Clinical Psychiatry</i> , 2006, 67, 554-566.	1.1	317
699	C-fos induction in forebrain areas of two different visual pathways during consolidation of sexual imprinting in the zebra finch ( <i>Taeniopygia guttata</i> ). <i>Behavioural Brain Research</i> , 2006, 173, 262-267.	1.2	13
700	Neuronal expression of nuclear transcription factor MafG in the rat medulla oblongata after baroreceptor stimulation. <i>Life Sciences</i> , 2006, 78, 1760-1766.	2.0	4
701	Light delays synaptic deafferentation and potentiates the survival of axotomized retinal ganglion cells. <i>Neuroscience Letters</i> , 2006, 395, 255-260.	1.0	8
702	5-HT1A receptor activation counteracts c-Fos immunoreactivity induced in serotonin neurons of the raphe nuclei after immobilization stress in the male rat. <i>Neuroscience Letters</i> , 2006, 397, 190-195.	1.0	17
703	Differential responsiveness of c-Fos expression in the rat medulla oblongata to different treadmill running speeds. <i>Neuroscience Research</i> , 2006, 54, 124-132.	1.0	30
704	Reticulo-collicular and spino-collicular projections involved in eye and eyelid movements during the blink reflex. <i>Neuroscience Research</i> , 2006, 56, 363-371.	1.0	8
705	Changes in immediate early gene expression in the rat brain after unilateral lesions of the hippocampus. <i>Neuroscience</i> , 2006, 137, 747-759.	1.1	30
706	Modifications of local cerebral glucose utilization during circadian food-anticipatory activity. <i>Neuroscience</i> , 2006, 139, 741-748.	1.1	27
707	Increased limbic phosphorylated extracellular-regulated kinase 1 and 2 expression after chronic stress is reduced by cyclic 17 $\beta$ -estradiol administration. <i>Neuroscience</i> , 2006, 142, 1293-1302.	1.1	27



#	ARTICLE	IF	CITATIONS
708	Effects of short-term and chronic olanzapine treatment on immediate early gene protein and tyrosine hydroxylase immunoreactivity in the rat locus coeruleus and medial prefrontal cortex. <i>Neuroscience</i> , 2006, 143, 573-585.	1.1	22
709	Chapter 5 Functional activity mapping of brainstem nociceptive networks in animals. <i>Supplements To Clinical Neurophysiology</i> , 2006, 58, 38-51.	2.1	0
710	Maturation of otolith-related brainstem neurons in the detection of vertical linear acceleration in rats. <i>European Journal of Neuroscience</i> , 2006, 23, 2431-2446.	1.2	23
711	Novel temporal configurations of stimuli produce discrete changes in immediate-early gene expression in the rat hippocampus. <i>European Journal of Neuroscience</i> , 2006, 24, 2611-2621.	1.2	32
712	Neural Overexcitation and Implication of NMDA and AMPA Receptors in a Mouse Model of Temporal Lobe Epilepsy Implying Zinc Chelation. <i>Epilepsia</i> , 2006, 47, 887-899.	2.6	21
713	Assessment by c-Fos Immunostaining of Changes in Brain Neural Activity Induced by 2,3,7,8-Tetrachlorodibenzo-p-Dioxin (TCDD) and Leptin in Rats*. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2006, 98, 363-371.	1.2	6
714	Exercise and Sensory Integration. <i>Annals of the New York Academy of Sciences</i> , 2001, 940, 221-236.	1.8	49
715	Regulation of Sympathetic Nervous System Function after Cardiovascular Deconditioning. <i>Annals of the New York Academy of Sciences</i> , 2001, 940, 454-468.	1.8	49
716	Hypoxia-sensing properties of the newborn rat ventral medullary surface in vitro. <i>Journal of Physiology</i> , 2006, 577, 55-68.	1.3	27
717	Neural Correlates of IgE-Mediated Allergy. <i>Annals of the New York Academy of Sciences</i> , 2006, 1088, 116-131.	1.8	37
718	Experimental manipulations of the subthalamic nucleus fail to suppress tonic seizures in the electroshock model of epilepsy. <i>Experimental Brain Research</i> , 2006, 173, 274-281.	0.7	14
719	The anterior ethmoidal nerve is necessary for the initiation of the nasopharyngeal response in the rat. <i>Brain Research</i> , 2006, 1075, 122-132.	1.1	29
720	Effects of herbimycin A in the pilocarpine model of temporal lobe epilepsy. <i>Brain Research</i> , 2006, 1081, 219-227.	1.1	6
721	Proximal colon distension induces Fos expression in the brain and inhibits gastric emptying through capsaicin-sensitive pathways in conscious rats. <i>Brain Research</i> , 2006, 1086, 168-180.	1.1	31
722	MCH-containing neurons in the hypothalamus of the cat: Searching for a role in the control of sleep and wakefulness. <i>Brain Research</i> , 2006, 1119, 101-114.	1.1	69
723	Modulation of anxiety by $\mu$ -opioid receptors of the lateral septal region in mice. <i>Pharmacology Biochemistry and Behavior</i> , 2006, 83, 465-479.	1.3	35
724	Water deprivation activates a glutamatergic projection from the hypothalamic paraventricular nucleus to the rostral ventrolateral medulla. <i>Journal of Comparative Neurology</i> , 2006, 494, 673-685.	0.9	117
725	Localization of the neurons active during paradoxical (REM) sleep and projecting to the locus coeruleus noradrenergic neurons in the rat. <i>Journal of Comparative Neurology</i> , 2006, 495, 573-586.	0.9	102

#	ARTICLE	IF	CITATIONS
726	Differential c-Fos immunoreactivity in arousal-promoting cell groups following systemic administration of caffeine in rats. <i>Journal of Comparative Neurology</i> , 2006, 498, 667-689.	0.9	64
727	Neonatal Ventral Hippocampal Lesions Produce an Elevation of $\beta$ -FosB-Like Protein(s) in the Rodent Neocortex. <i>Neuropsychopharmacology</i> , 2006, 31, 700-711.	2.8	19
728	Preoptic Area Neurons and the Homeostatic Regulation of Rapid Eye Movement Sleep. <i>Journal of Neuroscience</i> , 2006, 26, 3037-3044.	1.7	96
729	miR-7b, a microRNA up-regulated in the hypothalamus after chronic hyperosmolar stimulation, inhibits Fos translation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 15669-15674.	3.3	89
730	Peripheral Phosphodiesterase 4 Inhibition Produced by 4-[2-(3,4-Bis-difluoromethoxyphenyl)-2-[4-(1,1,1,3,3,3-hexafluoro-2-hydroxypropan-2-yl)-phenyl]-ethyl]-3-methylpyridine-1-oxide (L-826,141) Prevents Experimental Autoimmune Encephalomyelitis. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2006, 319, 63-72.	1.3	15
731	Homeostatic Regulation of Sleep: A Role for Preoptic Area Neurons. <i>Journal of Neuroscience</i> , 2006, 26, 9426-9433.	1.7	116
732	Immediate-early gene expression in the barrel cortex. <i>Somatosensory &amp; Motor Research</i> , 2006, 23, 135-146.	0.4	15
733	The Nucleus Accumbens Shell as a Model of Integrative Subcortical Forebrain Systems Regulating Food Intake. , 2007, , 27-65.		4
734	Splenic reflex modulation of central cardiovascular regulatory pathways. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2007, 293, R234-R242.	0.9	8
735	The Melanocortinergic Pathway Is Rapidly Recruited by Emotional Stress and Contributes to Stress-Induced Anorexia and Anxiety-Like Behavior. <i>Endocrinology</i> , 2007, 148, 5531-5540.	1.4	119
736	Leptin and the Control of Food Intake: Neurons in the Nucleus of the Solitary Tract Are Activated by Both Gastric Distension and Leptin. <i>Endocrinology</i> , 2007, 148, 2189-2197.	1.4	117
737	The Number and Location of Fos-like Immunoreactive Neurons in the Central Gustatory System Following Electrical Stimulation of the Parabrachial Nucleus in Conscious Rats. <i>Chemical Senses</i> , 2007, 32, 543-555.	1.1	8
738	Characterization of the neurotoxicity induced by the extract of <i>Magnistipula butayei</i> (Chrysobalanaceae) in rat: Effects of a new natural convulsive agent. <i>Toxicon</i> , 2007, 49, 1109-1119.	0.8	5
739	c-Fos immunoreactivity induced by intraperitoneal LPS administration is reduced in the brain of mice lacking the microsomal prostaglandin E synthase-1 (mPGES-1). <i>Brain, Behavior, and Immunity</i> , 2007, 21, 1109-1121.	2.0	41
740	Morphine self-administration into the lateral septum depends on dopaminergic mechanisms: Evidence from pharmacology and Fos neuroimaging. <i>Behavioural Brain Research</i> , 2007, 180, 203-217.	1.2	27
741	Differential effects of exposure to low-light or high-light open-field on anxiety-related behaviors: Relationship to c-Fos expression in serotonergic and non-serotonergic neurons in the dorsal raphe nucleus. <i>Brain Research Bulletin</i> , 2007, 72, 32-43.	1.4	144
742	Effects of spontaneous and forced running on activation of hypothalamic corticotropin-releasing hormone neurons in rats. <i>Life Sciences</i> , 2007, 80, 356-363.	2.0	92
743	Expression of c-Fos protein in the brain after intravenous injection of ghrelin in rats. <i>Neuroscience Letters</i> , 2007, 417, 292-296.	1.0	37

#	ARTICLE	IF	CITATIONS
744	Chronic high-dose haloperidol has qualitatively similar effects to risperidone and clozapine on immediate-early gene and tyrosine hydroxylase expression in the rat locus coeruleus but not medial prefrontal cortex. <i>Neuroscience Research</i> , 2007, 57, 17-28.	1.0	32
745	Threshold-like pattern of neuronal activation in the hypothalamus during treadmill running: Establishment of a minimum running stress (MRS) rat model. <i>Neuroscience Research</i> , 2007, 58, 341-348.	1.0	134
746	Neuronal expression of c-Fos protein in the brain after intraperitoneal injection of apelin-12 in Wistar rats. <i>Neuroscience Research</i> , 2007, 58, S104.	1.0	1
747	Comparison of functional activity in the rat cervical spinal cord during alpha-chloralose and halothane anesthesia. <i>NeuroImage</i> , 2007, 34, 1665-1672.	2.1	15
748	Endogenous cholecystokinin reduces food intake and increases Fos-like immunoreactivity in the dorsal vagal complex but not in the myenteric plexus by CCK1 receptor in the adult rat. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2007, 292, R1071-R1080.	0.9	43
749	Distinct Patterns of Neural Activation Associated with Ethanol Seeking: Effects of Naltrexone. <i>Biological Psychiatry</i> , 2007, 61, 979-989.	0.7	136
750	Acupuncture at GV01 Relieves Somatic Pain Referred by Colitis in Rats. <i>Journal of Physiological Sciences</i> , 2007, 57, 253-258.	0.9	6
751	Structural learning and the hippocampus. <i>Hippocampus</i> , 2007, 17, 723-734.	0.9	29
752	Sodium deprivation and salt intake activate separate neuronal subpopulations in the nucleus of the solitary tract and the parabrachial complex. <i>Journal of Comparative Neurology</i> , 2007, 504, 379-403.	0.9	61
753	Characterization of the melanin-concentrating hormone neurons activated during paradoxical sleep hypersomnia in rats. <i>Journal of Comparative Neurology</i> , 2007, 505, 147-157.	0.9	77
754	Oestrogen affects the cardiovascular and central responses to isoproterenol of female rats. <i>Journal of Physiology</i> , 2007, 582, 435-447.	1.3	17
755	EXERCISE TRAINING AND SYMPATHETIC NERVOUS SYSTEM ACTIVITY: EVIDENCE FOR PHYSICAL ACTIVITY DEPENDENT NEURAL PLASTICITY. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2007, 34, 377-384.	0.9	174
756	Changes in neural activity associated with a surprising change in the predictive validity of a conditioned stimulus. <i>European Journal of Neuroscience</i> , 2007, 26, 2669-2676.	1.2	19
757	Expression of Adhesion Factors Induced by Epileptiform Activity in the Endothelium of the Isolated Guinea Pig Brain In Vitro. <i>Epilepsia</i> , 2007, 48, 743-751.	2.6	69
758	Contusive spinal cord injury evokes localized changes in NADPH-d activity but extensive changes in Fos-like immunoreactivity in the rat. <i>Journal of Anatomy</i> , 2007, 211, 352-370.	0.9	5
759	C-fos expression in the rat brain following lithium chloride-induced illness. <i>Brain Research</i> , 2007, 1135, 122-128.	1.1	30
760	Brainstem areas activated by diazepam withdrawal as measured by Fos-protein immunoreactivity in rats. <i>Brain Research</i> , 2007, 1166, 35-46.	1.1	17
761	Brainstem regions involved in the expiration reflex A c-fos study in anesthetized cats. <i>Brain Research</i> , 2007, 1184, 168-177.	1.1	9

#	ARTICLE	IF	CITATIONS
762	Altered brain activity processing in high-anxiety rodents revealed by challenge paradigms and functional mapping. <i>Neuroscience and Biobehavioral Reviews</i> , 2007, 31, 18-40.	2.9	91
763	Effects of special brain area regional cerebral blood flow abnormal perfusion on learning and memory function and its molecular mechanism in rats. <i>Frontiers of Biology in China: Selected Publications From Chinese Universities</i> , 2008, 3, 147-153.	0.2	2
764	Developmental expression of NMDA and AMPA receptor subunits in vestibular nuclear neurons that encode gravity-related horizontal orientations. <i>Journal of Comparative Neurology</i> , 2008, 508, 343-364.	0.9	25
765	Plasticity of lumbosacral propriospinal neurons is associated with the development of autonomic dysreflexia after thoracic spinal cord transection. <i>Journal of Comparative Neurology</i> , 2008, 509, 382-399.	0.9	101
766	The amygdala modulates neuronal activation in the hippocampus in response to spatial novelty. <i>Hippocampus</i> , 2008, 18, 169-181.	0.9	40
767	Functional MRI of the cervical spinal cord during noxious and innocuous thermal stimulation in the $\hat{1}\pm$ -chloralose- and halothane-anesthetized rat. <i>Magnetic Resonance Imaging</i> , 2008, 26, 1-10.	1.0	15
768	Developmental maturation of ionotropic glutamate receptor subunits in rat vestibular nuclear neurons responsive to vertical linear acceleration. <i>European Journal of Neuroscience</i> , 2008, 28, 2157-2172.	1.2	17
769	Effect of postnatal treadmill exercise on c-Fos expression in the hippocampus of rat pups born from the alcohol-intoxicated mothers. <i>Brain and Development</i> , 2008, 30, 118-125.	0.6	24
770	Peripheral injection of ghrelin induces Fos expression in the dorsomedial hypothalamic nucleus in rats. <i>Brain Research</i> , 2008, 1204, 77-86.	1.1	48
771	Cholecystokinin-33 is more effective than cholecystokinin-8 in inhibiting food intake and in stimulating the myenteric plexus and dorsal vagal complex. <i>Brain Research</i> , 2008, 1205, 27-35.	1.1	11
772	Ethanol-induced alterations of c-Fos immunoreactivity in specific limbic brain regions following ethanol discrimination training. <i>Brain Research</i> , 2008, 1232, 124-131.	1.1	9
773	Environmental modulation of ethanol-induced locomotor activity: Correlation with neuronal activity in distinct brain regions of adolescent and adult Swiss mice. <i>Brain Research</i> , 2008, 1239, 127-140.	1.1	60
774	Maternal profiling of corticotropin-releasing factor receptor 2 deficient mice in association with restraint stress. <i>Brain Research</i> , 2008, 1241, 110-121.	1.1	8
775	Distribution of c-Fos immunoreactive neurons in the brain after intraperitoneal injection of apelin-12 in Wistar rats. <i>Neuroscience Letters</i> , 2008, 431, 247-250.	1.0	18
776	Effects of acupuncture on abdominal leak point pressure and c-Fos expression in the brain of rats with stress urinary incontinence. <i>Neuroscience Letters</i> , 2008, 439, 18-23.	1.0	21
777	Are locus coeruleus neurons involved in blinking?. <i>Neuroscience Research</i> , 2008, 61, 182-191.	1.0	14
778	Fos expression in pontomedullary catecholaminergic cells following rapid eye movement sleep-like episodes elicited by pontine carbachol in urethane-anesthetized rats. <i>Neuroscience</i> , 2008, 152, 208-222.	1.1	29
779	Topographical Fos induction within the ventral midbrain and projection sites following self-stimulation of the posterior mesencephalon. <i>Neuroscience</i> , 2008, 154, 1227-1241.	1.1	14

#	ARTICLE	IF	CITATIONS
780	Cholecystokinin-58 and cholecystokinin-8 produce similar but not identical activations of myenteric plexus and dorsal vagal complex. <i>Regulatory Peptides</i> , 2008, 148, 88-94.	1.9	9
781	Activation of submucosal but not myenteric plexus of the gastrointestinal tract accompanies reduction of food intake by camostat. <i>Regulatory Peptides</i> , 2008, 150, 73-80.	1.9	14
782	Convergence of nociceptive information in the forebrain of female rats: Reproductive organ response variations with stage of estrus. <i>Experimental Neurology</i> , 2008, 210, 375-387.	2.0	19
783	Step Training Reinforces Specific Spinal Locomotor Circuitry in Adult Spinal Rats. <i>Journal of Neuroscience</i> , 2008, 28, 7370-7375.	1.7	157
784	Induction of c-Fos and FosB Immunoreactivity in Rat Brain by Vagal Nerve Stimulation. <i>Neuropsychopharmacology</i> , 2008, 33, 1884-1895.	2.8	143
785	Microinjection of muscimol into the periaqueductal gray suppresses cardiovascular and neuroendocrine response to air jet stress in conscious rats. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2008, 295, R881-R890.	0.9	31
786	Blockade of NK3R signaling in the PVN decreases vasopressin and oxytocin release and c-Fos expression in the magnocellular neurons in response to hypotension. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2008, 295, R1158-R1167.	0.9	9
787	Qualitatively Different Hippocampal Subfield Engagement Emerges with Mastery of a Spatial Memory Task by Rats. <i>Journal of Neuroscience</i> , 2008, 28, 1034-1045.	1.7	65
788	Novel Trends in Brain Science. , 2008, , .		1
789	Reduced Responsiveness to Long-Term Monocular Deprivation of Parvalbumin Neurons Assessed by c-Fos Staining in Rat Visual Cortex. <i>PLoS ONE</i> , 2009, 4, e4342.	1.1	32
790	Analysis of c-fos and zif268 Expression Reveals Time-Dependent Changes in Activity Inside and Outside the Lesion Projection Zone in Adult Cat Area 17 after Retinal Lesions. <i>Cerebral Cortex</i> , 2009, 19, 2982-2992.	1.6	29
791	Disruption of Glial Function Regulates the Effects of Electro-Acupuncture at Tsusanli on Gastric Activity in Rats. <i>The American Journal of Chinese Medicine</i> , 2009, 37, 647-656.	1.5	5
792	Olfactory Regulation of the Sexual Behavior and Reproductive Physiology of the Laboratory Mouse: Effects and Neural Mechanisms. <i>ILAR Journal</i> , 2009, 50, 28-42.	1.8	36
793	Cerebral Activity during the Anesthesia-Like State Induced by Mesopontine Microinjection of Pentobarbital. <i>Journal of Neuroscience</i> , 2009, 29, 7053-7064.	1.7	42
794	Receptor-selective agonists induce emesis and Fos expression in the brain and enteric nervous system of the least shrew ( <i>Cryptotis parva</i> ). <i>Pharmacology Biochemistry and Behavior</i> , 2009, 94, 211-218.	1.3	33
796	Behavioural disturbances and altered Fos protein expression in adult rats after chronic pubertal cannabinoid treatment. <i>Brain Research</i> , 2009, 1253, 81-91.	1.1	85
797	State-dependent pattern of Fos protein expression in regionally-specific sites within the preoptic area of the cat. <i>Brain Research</i> , 2009, 1267, 44-56.	1.1	26
798	Trigeminal projections on gustatory neurons of the nucleus of the solitary tract: A double-label strategy using electrical stimulation of the chorda tympani and tracer injection in the lingual nerve. <i>Brain Research</i> , 2009, 1288, 60-68.	1.1	38

#	ARTICLE	IF	CITATIONS
799	Unmyelinated fibers of the anterior ethmoidal nerve in the rat co-localize with neurons in the medullary dorsal horn and ventrolateral medulla activated by nasal stimulation. <i>Brain Research</i> , 2009, 1298, 131-144.	1.1	18
800	Restraint stress activates nesfatin-1-immunoreactive brain nuclei in rats. <i>Brain Research</i> , 2009, 1300, 114-124.	1.1	110
801	Damage to the central amygdala produces differential encephalic c-fos expression in the water deprivationâ€“partial rehydration protocol. <i>Brain Research</i> , 2009, 1304, 80-89.	1.1	2
802	Hippocampal, retrosplenial, and prefrontal hypoactivity in a model of diencephalic amnesia: Evidence towards an interdependent subcorticalâ€“cortical memory network. <i>Hippocampus</i> , 2009, 19, 1090-1102.	0.9	63
803	Synaptic Degeneration of Retinal Ganglion Cells in a Rat Ocular Hypertension Glaucoma Model. <i>Cellular and Molecular Neurobiology</i> , 2009, 29, 575-581.	1.7	31
804	Differential induction of c-Fos and c-Jun in the lateral geniculate nucleus of rats following unilateral optic nerve injury with contralateral retinal blockade. <i>Experimental Brain Research</i> , 2009, 193, 9-18.	0.7	9
805	Cardiovascular and thermal responses evoked from the periaqueductal grey require neuronal activity in the hypothalamus. <i>Journal of Physiology</i> , 2009, 587, 1201-1215.	1.3	60
806	<i>Trpc2</i> gene impacts on maternal aggression, accessory olfactory bulb anatomy and brain activity. <i>Genes, Brain and Behavior</i> , 2009, 8, 639-649.	1.1	60
807	Adrenergic Receptor Signaling Underlies Synergistic Enhancement of Ethanolâ€“Induced Behavioral Impairment by Clonidine. <i>Alcoholism: Clinical and Experimental Research</i> , 2009, 33, 408-418.	1.4	12
808	Cocaine-induced Fos expression is detectable in the frontal cortex and striatum of rats under isoflurane but not $\pm$ -chloralose anesthesia: Implications for fMRI. <i>Journal of Neuroscience Methods</i> , 2009, 181, 241-248.	1.3	19
809	c-Fos protein expression is increased in cholinergic neurons of the rodent basal forebrain during spontaneous and induced wakefulness. <i>Brain Research Bulletin</i> , 2009, 80, 382-388.	1.4	22
810	Novel, continuous visual motion induces c-fos expression in the avian optokinetic nuclei and optic tectum. <i>Neuroscience</i> , 2009, 160, 540-554.	1.1	3
811	Neural correlates of scent marking behavior in C57BL/6J mice: detection and recognition of a social stimulus. <i>Neuroscience</i> , 2009, 162, 914-923.	1.1	22
812	Noradrenergic neurons expressing Fos during waking and paradoxical sleep deprivation in the rat. <i>Journal of Chemical Neuroanatomy</i> , 2009, 37, 149-157.	1.0	41
813	Three-dimensional distribution of Fos-positive neurons in the supramammillary nucleus of the rat exposed to novel environment. <i>Neuroscience Research</i> , 2009, 64, 397-402.	1.0	34
814	Central nesfatin-1-expressing neurons are sensitive to peripheral inflammatory stimulus. <i>Journal of Neuroinflammation</i> , 2009, 6, 27.	3.1	74
815	The Neuroimmunological Basis of Behavior and Mental Disorders. , 2009, , .		15
816	The caudal solitary complex is a site of central CO <sub>2</sub> chemoreception and integration of multiple systems that regulate expired CO <sub>2</sub> . <i>Respiratory Physiology and Neurobiology</i> , 2010, 173, 274-287.	0.7	44

#	ARTICLE	IF	CITATIONS
817	Visualizing acute pain-morphine interaction in descending monoamine nuclei with Fos. Brain Research, 2010, 1306, 29-38.	1.1	8
818	Pattern of Fos expression in the brain induced by selective activation of somatostatin receptor 2 in rats. Brain Research, 2010, 1351, 150-164.	1.1	15
819	Agonistic behavior and electrical stimulation of the antennae induces Fos-like protein expression in the male cricket brain. Archives of Insect Biochemistry and Physiology, 2010, 74, 38-51.	0.6	10
820	Role of adenosine and wake-promoting basal forebrain in insomnia and associated sleep disruptions caused by ethanol dependence. Journal of Neurochemistry, 2010, 115, 782-794.	2.1	67
821	c-Fos Expression during Temporal Order Judgment in Mice. PLoS ONE, 2010, 5, e10483.	1.1	11
822	A Very Large Number of GABAergic Neurons Are Activated in the Tuberal Hypothalamus during Paradoxical (REM) Sleep Hypersomnia. PLoS ONE, 2010, 5, e11766.	1.1	77
823	Identification of Brain Nuclei Implicated in Cocaine-Primed Reinstatement of Conditioned Place Preference: A Behaviour Dissociable from Sensitization. PLoS ONE, 2010, 5, e15889.	1.1	58
824	Neurotransmitter Phenotype Differentiation and Synapse Formation of Neural Precursors Engrafting in Amyloid- $\beta$ 1-40 Injured Rat Hippocampus}. Journal of Alzheimer's Disease, 2010, 21, 1233-1247.	1.2	13
825	Cryptochromes-a potential magnetoreceptor: what do we know and what do we want to know?. Journal of the Royal Society Interface, 2010, 7, S147-62.	1.5	174
826	SIRT1 Promotes the Central Adaptive Response to Diet Restriction through Activation of the Dorsomedial and Lateral Nuclei of the Hypothalamus. Journal of Neuroscience, 2010, 30, 10220-10232.	1.7	217
827	Kisspeptin Signaling Is Required for Peripheral But Not Central Stimulation of Gonadotropin-Releasing Hormone Neurons by NMDA. Journal of Neuroscience, 2010, 30, 8581-8590.	1.7	57
828	Protective effects of the calcium-channel blocker flunarizine on crush injury of sciatic nerves in a rat model. Neurology India, 2010, 58, 530.	0.2	3
829	Treatment with Neuropeptides Attenuates c-fos Expression in a Mouse Model of Fetal Alcohol Syndrome. American Journal of Perinatology, 2010, 27, 743-748.	0.6	4
830	Dorsomedial hypothalamus mediates autonomic, neuroendocrine, and locomotor responses evoked from the medial preoptic area. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2010, 298, R130-R140.	0.9	34
831	Antidepressant-Like Effects of $\mu$ -Opioid Receptor Antagonists in Wistar Kyoto Rats. Neuropsychopharmacology, 2010, 35, 752-763.	2.8	116
832	Cardiorespiratory and neural consequences of rats brought past their aerobic dive limit. Journal of Applied Physiology, 2010, 109, 1256-1269.	1.2	18
833	Antidepressant Effect of Optogenetic Stimulation of the Medial Prefrontal Cortex. Journal of Neuroscience, 2010, 30, 16082-16090.	1.7	542
834	Underlying Brain Mechanisms that Regulate Sleep-Wakefulness Cycles. International Review of Neurobiology, 2010, 93, 1-21.	0.9	31

#	ARTICLE	IF	CITATIONS
835	Dopaminergic neurons expressing Fos during waking and paradoxical sleep in the rat. <i>Journal of Chemical Neuroanatomy</i> , 2010, 39, 262-271.	1.0	33
836	Fos expression in the NTS in response to peripheral chemoreflex activation in awake rats. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2010, 152, 27-34.	1.4	19
837	Effects of central neuropeptide S in the mouse formalin test. <i>Peptides</i> , 2010, 31, 1878-1883.	1.2	36
838	Colorectal distension-induced prefrontal cortex activation in the Wistar-Kyoto rat: implications for irritable bowel syndrome. <i>Neuroscience</i> , 2010, 165, 675-683.	1.1	70
839	Somatosensory cross-modal plasticity in the superior colliculus of visually deafferented rats. <i>Neuroscience</i> , 2010, 165, 1457-1470.	1.1	8
840	Acute noxious stimulation modifies morphine effect in serotonergic but not dopaminergic midbrain areas. <i>Neuroscience</i> , 2010, 166, 720-729.	1.1	7
841	Sensory afferent and hypoxia-mediated activation of nucleus tractus solitarius neurons that project to the rostral ventrolateral medulla. <i>Neuroscience</i> , 2010, 167, 510-527.	1.1	51
842	Enhanced c-Fos expression in superior colliculus, paraventricular thalamus and septum during learning of cue-reward association. <i>Neuroscience</i> , 2010, 168, 706-714.	1.1	47
843	Neuronal representation of conditioned taste in the basolateral amygdala of rats. <i>Neurobiology of Learning and Memory</i> , 2010, 93, 406-414.	1.0	18
844	c-Fos expression is elevated in GABAergic interneurons of the gustatory cortex following novel taste learning. <i>Neurobiology of Learning and Memory</i> , 2010, 94, 21-29.	1.0	25
845	Increased voluntary ethanol consumption and c-Fos expression in selected brain areas induced by fear memory retrieval in ethanol withdrawn rats. <i>European Neuropsychopharmacology</i> , 2010, 20, 568-581.	0.3	17
846	Histology Protocols. <i>Methods in Molecular Biology</i> , 2010, , .	0.4	17
847	Activation of Thalamocortical Networks by the N-methyl-D-aspartate Receptor Antagonist Phencyclidine: Reversal by Clozapine. <i>Biological Psychiatry</i> , 2011, 69, 918-927.	0.7	72
848	Regional brain c-fos activation associated with penile erection and other symptoms induced by the spider toxin Tx2-6. <i>Toxicon</i> , 2011, 58, 202-208.	0.8	6
849	Chlordiazepoxide and lavender oil alter unconditioned anxiety-induced c-fos expression in the rat brain. <i>Behavioural Brain Research</i> , 2011, 224, 1-7.	1.2	26
850	c-Fos expression after deep brain stimulation of the pedunculopontine tegmental nucleus in the rat 6-hydroxydopamine Parkinson model. <i>Journal of Chemical Neuroanatomy</i> , 2011, 42, 210-217.	1.0	19
851	Muscarinic receptors within the ventromedial hypothalamic nuclei modulate metabolic rate during physical exercise. <i>Neuroscience Letters</i> , 2011, 488, 210-214.	1.0	16
852	Evidence for altered hippocampal function in a mouse model of the human 22q11.2 microdeletion. <i>Molecular and Cellular Neurosciences</i> , 2011, 47, 293-305.	1.0	46



#	ARTICLE	IF	CITATIONS
853	The dorsomedial hypothalamus and the central pathways involved in the cardiovascular response to emotional stress. <i>Neuroscience</i> , 2011, 184, 64-74.	1.1	91
854	Brain regions associated with the reversal of cocaine conditioned place preference by environmental enrichment. <i>Neuroscience</i> , 2011, 184, 88-96.	1.1	61
855	A restricted parabrachial pontine region is active during non-rapid eye movement sleep. <i>Neuroscience</i> , 2011, 190, 184-193.	1.1	16
856	Maturation of sleep homeostasis in developing rats: a role for preoptic area neurons. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2011, 300, R885-R894.	0.9	19
857	Proteins and neuropeptides in REM-sleep regulation and function. , 0, , 395-402.		0
858	Soluble Nogo-66 Receptor Prevents Synaptic Dysfunction and Rescues Retinal Ganglion Cell Loss in Chronic Glaucoma. , 2011, 52, 8374.		21
859	A Trigeminothalamic Pathway: Implications in Pain. <i>PLoS ONE</i> , 2011, 6, e24499.	1.1	14
860	Effective inhibition of substantia nigra by deep brain stimulation fails to suppress tonic epileptic seizures. <i>Neurobiology of Disease</i> , 2011, 43, 725-735.	2.1	9
861	Hypocretinergic neurons are activated in conjunction with goal-oriented survival-related motor behaviors. <i>Physiology and Behavior</i> , 2011, 104, 823-830.	1.0	22
862	The Fos expression in rat brain following electrical stimulation of dura mater surrounding the superior sagittal sinus changed with the pre-treatment of rizatriptan benzoate. <i>Brain Research</i> , 2011, 1367, 340-346.	1.1	14
863	Differential activation of medullary vagal nuclei caused by stimulation of different esophageal mechanoreceptors. <i>Brain Research</i> , 2011, 1368, 119-133.	1.1	20
864	Localization of nesfatin-1 neurons in the mouse brain and functional implication. <i>Brain Research</i> , 2011, 1396, 20-34.	1.1	116
865	Rotavirus Stimulates Release of Serotonin (5-HT) from Human Enterochromaffin Cells and Activates Brain Structures Involved in Nausea and Vomiting. <i>PLoS Pathogens</i> , 2011, 7, e1002115.	2.1	152
866	Blood-Borne Angiotensin II Acts in the Brain to Influence Behavioral and Endocrine Responses to Psychogenic Stress. <i>Journal of Neuroscience</i> , 2011, 31, 15009-15015.	1.7	65
867	Central Inflammation and Sickness-Like Behavior Induced by the Food Contaminant Deoxynivalenol: A PGE2-Independent Mechanism. <i>Toxicological Sciences</i> , 2011, 124, 179-191.	1.4	54
868	5-HT1A Receptor Agonists Enhance Pyramidal Cell Firing in Prefrontal Cortex Through a Preferential Action on GABA Interneurons. <i>Cerebral Cortex</i> , 2012, 22, 1487-1497.	1.6	139
869	Resting neural activity patterns in auditory brainstem and midbrain in conductive hearing loss. <i>Acta Oto-Laryngologica</i> , 2012, 132, 409-414.	0.3	13
870	Advances in Deoxynivalenol Toxicity Mechanisms: The Brain as a Target. <i>Toxins</i> , 2012, 4, 1120-1138.	1.5	80

#	ARTICLE	IF	CITATIONS
871	Activation of brainstem neurons by underwater diving in the rat. <i>Frontiers in Physiology</i> , 2012, 3, 111.	1.3	32
872	Tracheal occlusions evoke respiratory load compensation and neural activation in anesthetized rats. <i>Journal of Applied Physiology</i> , 2012, 112, 435-442.	1.2	14
873	Brain Activity Mapping in <i>Mecp2</i> Mutant Mice Reveals Functional Deficits in Forebrain Circuits, Including Key Nodes in the Default Mode Network, that are Reversed with Ketamine Treatment. <i>Journal of Neuroscience</i> , 2012, 32, 13860-13872.	1.7	136
874	Active coping with stress suppresses glucose metabolism in the rat hypothalamus. <i>Stress</i> , 2012, 15, 207-217.	0.8	25
875	Importance of inter-hemispheric prefrontal connection in the effects of non-competitive NMDA receptor antagonists. <i>International Journal of Neuropsychopharmacology</i> , 2012, 15, 945-956.	1.0	29
876	Brain Pathways Involved in the Modulatory Effects of Noradrenaline in Lateral Septal Area on Cardiovascular Responses. <i>Cellular and Molecular Neurobiology</i> , 2012, 32, 1147-1157.	1.7	4
877	Neuropeptide S promotes wakefulness through activation of the posterior hypothalamic histaminergic and orexinergic neurons. <i>Neuroscience</i> , 2012, 207, 218-226.	1.1	43
878	Immunohistochemical determination of the site of hypotensive effects of glucagon-like peptide-2 in the rat brain. <i>Neuroscience</i> , 2012, 212, 140-148.	1.1	11
879	Cholinergic denervation attenuates phencyclidine-induced c-fos responses in rat cortical neurons. <i>Neuroscience</i> , 2012, 216, 38-45.	1.1	3
880	Evidence that the nucleus accumbens shell, ventral pallidum, and lateral hypothalamus are components of a lateralized feeding circuit. <i>Behavioural Brain Research</i> , 2012, 226, 548-554.	1.2	48
881	Acute behavioural responses to nicotine and nicotine withdrawal syndrome are modified in GABAB1 knockout mice. <i>Neuropharmacology</i> , 2012, 63, 863-872.	2.0	33
882	Periaqueductal gray neuroplasticity following chronic morphine varies with age: Role of oxidative stress. <i>Neuroscience</i> , 2012, 226, 165-177.	1.1	24
883	Differential involvement of dorsal raphe subnuclei in the regulation of anxiety- and panic-related defensive behaviors. <i>Neuroscience</i> , 2012, 227, 350-360.	1.1	59
884	Role of the Lateral Paragigantocellular Nucleus in the Network of Paradoxical (REM) Sleep: An Electrophysiological and Anatomical Study in the Rat. <i>PLoS ONE</i> , 2012, 7, e28724.	1.1	48
885	Context-Dependent Effects of a Single Administration of Mirtazapine on the Expression of Methamphetamine-Induced Conditioned Place Preference. <i>Frontiers in Behavioral Neuroscience</i> , 2012, 5, 92.	1.0	20
886	Subscribe to Alerts Search Article Type Publication Date ..... Go Author Info Why Submit? Fees Article Types Author Guidelines Submission Checklist Contact Editorial Office Submit Manuscript Original Research ARTICLE This article is part of a Research Topic 0 Share Facebook LinkedIn Like 0 Comment 0 Share 0 Fos expression in neurons of the rat vestibulo-autonomic pathway activated by sinusoidal vibration. <i>PLoS ONE</i> , 2012, 7, e34123.	1.1	43
887	Central Actions of Somatostatin-28 and Oligosomatostatin Agonists to Prevent Components of the Endocrine, Autonomic and Visceral Responses to Stress Through Interaction with Different Somatostatin Receptor Subtypes. <i>Current Pharmaceutical Design</i> , 2012, 19, 98-105.	0.9	2
888	Manganese-enhanced magnetic resonance imaging in the acute phase of the pilocarpine-induced model of epilepsy. <i>Einstein (Sao Paulo, Brazil)</i> , 2012, 10, 247-252.	0.3	6

#	ARTICLE	IF	CITATIONS
889	Potential Monoclonal Antibody Therapy for the Treatment of Ovarian Cancer. , 0, , .		9
890	Differential role of serotonin projections from the dorsal and median raphe nuclei in phencyclidine-induced hyperlocomotion and fos-like immunoreactivity in rats. Synapse, 2012, 66, 885-892.	0.6	9
891	Post-training unilateral amygdala lesions selectively impair contextual fear memories. Learning and Memory, 2012, 19, 256-263.	0.5	16
892	Hippocampal microRNA-132 mediates stress-inducible cognitive deficits through its acetylcholinesterase target. Brain Structure and Function, 2013, 218, 59-72.	1.2	157
893	A review of the abuse potential assessment of atomoxetine: a nonstimulant medication for attention-deficit/hyperactivity disorder. Psychopharmacology, 2013, 226, 189-200.	1.5	57
894	Epigenetics of stress adaptations in the brain. Brain Research Bulletin, 2013, 98, 76-92.	1.4	168
895	Nucleus accumbens <scp>GABA</scp>ergic inhibition generates intense eating and fear that resists environmental retuning and needs no local dopamine. European Journal of Neuroscience, 2013, 37, 1789-1802.	1.2	32
896	Early-life stress has persistent effects on amygdala function and development in mice and humans. Proceedings of the National Academy of Sciences of the United States of America, 2013, 110, 18274-18278.	3.3	240
897	Animal Migraine Models for Drug Development: Status and Future Perspectives. CNS Drugs, 2013, 27, 1049-1068.	2.7	26
898	Differential Effects of Electrical Stimulation of the Central Amygdala and Lateral Hypothalamus on Fos-immunoreactive Neurons in the Gustatory Brainstem and Taste Reactivity Behaviors in Conscious Rats. Chemical Senses, 2013, 38, 705-717.	1.1	12
899	Neuronal Fos-like immunoreactivity associated with dexamethasone-induced hypertension in rats and effects of glucagon-like peptide-2. Life Sciences, 2013, 93, 889-896.	2.0	7
900	An animal study to compare the degree of the suppressive effects on the afferent pathways of micturition between tamsulosin and sildenafil. Journal of Biomedical Science, 2013, 20, 81.	2.6	9
901	Study on the expression of c-Fos protein in the brain of rats after ingestion of food rich in lycopene. Neuroscience Letters, 2013, 536, 1-5.	1.0	3
902	Differential activation of neuronal cell types in the basolateral amygdala by corticotropin releasing factor. Neuropeptides, 2013, 47, 273-280.	0.9	18
903	Effect of blonanserin on methamphetamine-induced disruption of latent inhibition and c-Fos expression in rats. Neuroscience Letters, 2013, 549, 97-102.	1.0	1
904	Chronic d-amphetamine administered from childhood to adulthood dose-dependently increases the survival of new neurons in the hippocampus of male C57BL/6J mice. Neuroscience, 2013, 231, 125-135.	1.1	14
905	Modulation of the adaptive response to stress by brain activation of selective somatostatin receptor subtypes. Peptides, 2013, 42, 70-77.	1.2	21
906	An accurate method for the quantification of cytochrome C oxidase in tissue sections. Journal of Neuroscience Methods, 2013, 214, 156-162.	1.3	18

#	ARTICLE	IF	CITATIONS
907	The Role of Cholecystinin Receptors in the Short-Term Control of Food Intake. <i>Progress in Molecular Biology and Translational Science</i> , 2013, 114, 277-316.	0.9	49
908	Learning-facilitated long-term depression requires activation of the immediate early gene, c-fos, and is transcription dependent. <i>Behavioural Brain Research</i> , 2013, 254, 83-91.	1.2	38
909	c-Fos immunoreactivity in the pig brain following deoxynivalenol intoxication: Focus on NUCB2/nesfatin-1 expressing neurons. <i>NeuroToxicology</i> , 2013, 34, 135-149.	1.4	40
910	ENaC-expressing neurons in the sensory circumventricular organs become c-Fos activated following systemic sodium changes. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2013, 305, R1141-R1152.	0.9	31
911	Magel2 Is Required for Leptin-Mediated Depolarization of POMC Neurons in the Hypothalamic Arcuate Nucleus in Mice. <i>PLoS Genetics</i> , 2013, 9, e1003207.	1.5	60
912	Upper Gastrointestinal Visceral Pain Models in Guinea-Pigs (Mini-Review). <i>Acta Medica Martiniana</i> , 2013, 13, 37-42.	0.4	2
913	Tracheal occlusion conditioning causes stress, anxiety and neural state changes in conscious rats. <i>Experimental Physiology</i> , 2013, 98, 819-829.	0.9	4
914	Neurochemical codes of sympathetic preganglionic neurons activated by glucoprivation. <i>Journal of Comparative Neurology</i> , 2013, 521, 2703-2718.	0.9	21
915	Early Life Stress Causes Refractoriness to Haloperidol-Induced Catalepsy. <i>Molecular Pharmacology</i> , 2013, 84, 244-251.	1.0	9
916	Neuropeptide S Facilitates Mice Olfactory Function through Activation of Cognate Receptor-Expressing Neurons in the Olfactory Cortex. <i>PLoS ONE</i> , 2013, 8, e62089.	1.1	10
917	Early Phase of Plasticity-Related Gene Regulation and SRF Dependent Transcription in the Hippocampus. <i>PLoS ONE</i> , 2013, 8, e68078.	1.1	10
918	Effects of Antioxidant Treatment on Blast-Induced Brain Injury. <i>PLoS ONE</i> , 2013, 8, e80138.	1.1	35
919	Deep brain stimulation of the ventral striatum increases BDNF in the fear extinction circuit. <i>Frontiers in Behavioral Neuroscience</i> , 2013, 7, 102.	1.0	48
920	Trigeminal Medullary Dorsal Horn Neurons Activated by Nasal Stimulation Coexpress AMPA, NMDA, and NK1 Receptors. <i>ISRN Neuroscience</i> , 2013, 2013, 1-10.	1.5	5
921	Identification of Neural Networks That Contribute to Motion Sickness through Principal Components Analysis of Fos Labeling Induced by Galvanic Vestibular Stimulation. <i>PLoS ONE</i> , 2014, 9, e86730.	1.1	39
922	Deep brain stimulation macroelectrodes compared to multiple microelectrodes in rat hippocampus. <i>Frontiers in Neuroengineering</i> , 2014, 7, 16.	4.8	26
923	Origin and function of short-latency inputs to the neural substrates underlying the acoustic startle reflex. <i>Frontiers in Neuroscience</i> , 2014, 8, 216.	1.4	41
924	CART in the regulation of appetite and energy homeostasis. <i>Frontiers in Neuroscience</i> , 2014, 8, 313.	1.4	102

#	ARTICLE	IF	CITATIONS
925	Intragastric gavage with denatonium benzoate acutely induces neuronal activation in the solitary tract nucleus via the vagal afferent pathway. <i>Journal of Veterinary Science</i> , 2014, 15, 459.	0.5	4
926	Effect of acute asenapine treatment on Fos expression in the forebrain structures under normal conditions and mild stress preconditioning in the rat. <i>Brain Research Bulletin</i> , 2014, 108, 60-66.	1.4	10
927	c-Fos positive nucleus reveals that contextual specificity of latent inhibition is dependent of insular cortex. <i>Brain Research Bulletin</i> , 2014, 108, 74-79.	1.4	6
928	The subfornical organ: a novel site of action of cholecystokinin. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2014, 306, R363-R373.	0.9	15
929	Long-Term Exposure to Concentrated Ambient PM <sub>2.5</sub> Increases Mouse Blood Pressure through Abnormal Activation of the Sympathetic Nervous System: A Role for Hypothalamic Inflammation. <i>Environmental Health Perspectives</i> , 2014, 122, 79-86.	2.8	161
930	Tracheal occlusion-evoked respiratory load compensation and inhibitory neurotransmitter expression in rats. <i>Journal of Applied Physiology</i> , 2014, 116, 1006-1016.	1.2	3
931	Neonatal hypoxic-ischemic encephalopathy reduces c-Fos activation in the rat hippocampus: evidence of a long-lasting effect. <i>International Journal of Developmental Neuroscience</i> , 2014, 38, 213-222.	0.7	7
932	Involvement of GABAB receptors in biochemical alterations induced by anxiety-related responses to nicotine in mice: Genetic and pharmacological approaches. <i>Neuropharmacology</i> , 2014, 81, 31-41.	2.0	13
933	Activation of mammalian target of rapamycin contributes to pain nociception induced in rats by BmK I, a sodium channel-specific modulator. <i>Neuroscience Bulletin</i> , 2014, 30, 21-32.	1.5	16
934	Food hoarding, but not food intake, is attenuated by acute diazepam treatment in female Mongolian gerbils ( <i>Meriones unguiculatus</i> ). <i>Hormones and Behavior</i> , 2014, 66, 186-195.	1.0	1
935	In vivo imaging of immediate early gene expression reveals layer-specific memory traces in the mammalian brain. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 2788-2793.	3.3	64
936	Concordant localization of functional urotensin II and urotensin II-related peptide binding sites in the rat brain: Atypical occurrence close to the fourth ventricle. <i>Journal of Comparative Neurology</i> , 2014, 522, 2634-2649.	0.9	3
937	Report on a case series investigating a neurostimulation device for the treatment of pain and improvement of mobility and function following elbow surgery. <i>Acupuncture and Related Therapies</i> , 2014, 2, 71-77.	0.3	2
938	The effect of tracheal occlusion on respiratory load compensation: Changes in neurons containing inhibitory neurotransmitter in the nucleus of the solitary tract in conscious rats. <i>Respiratory Physiology and Neurobiology</i> , 2014, 204, 138-146.	0.7	2
939	Restoration of quinine-stimulated fos-immunoreactive neurons in the central nucleus of the amygdala and gustatory cortex following reinnervation or cross-reinnervation of the lingual taste nerves in rats. <i>Journal of Comparative Neurology</i> , 2014, 522, 2498-2517.	0.9	17
940	Development of a pluripotent stem cell derived neuronal model to identify chemically induced pathway perturbations in relation to neurotoxicity: Effects of CREB pathway inhibition. <i>Toxicology and Applied Pharmacology</i> , 2014, 280, 378-388.	1.3	31
941	Baclofen prevented the changes in c-Fos and brain-derived neutrophic factor expressions during mecamylamine-precipitated nicotine withdrawal in mice. <i>Synapse</i> , 2014, 68, 508-517.	0.6	13
942	Effects of cabergoline and rotigotine on tacrine-induced tremulous jaw movements in rats. <i>Pharmacology Biochemistry and Behavior</i> , 2014, 126, 103-108.	1.3	5

#	ARTICLE	IF	CITATIONS
943	Time course of cochlear injury discharge (excitotoxicity) determined by ABR monitoring of contralateral cochlear events. <i>Hearing Research</i> , 2014, 315, 34-39.	0.9	3
944	Genipin attenuates lipopolysaccharide-induced persistent changes of emotional behaviors and neural activation in the hypothalamic paraventricular nucleus and the central amygdala nucleus. <i>European Journal of Pharmacology</i> , 2014, 741, 1-7.	1.7	26
945	Molecular Neuroimaging of Post-Injury Plasticity. <i>Journal of Molecular Neuroscience</i> , 2014, 54, 630-638.	1.1	12
946	Fos and pERK immunoreactivity in spinal cord slices: Comparative analysis of in vitro models for testing putative antinociceptive molecules. <i>Annals of Anatomy</i> , 2014, 196, 217-223.	1.0	12
947	Reduced activity-dependent protein levels in a mouse model of the fragile X premutation. <i>Neurobiology of Learning and Memory</i> , 2014, 109, 160-168.	1.0	7
948	Reinforcing and neural activating effects of norharmane, a non-nicotine tobacco constituent, alone and in combination with nicotine. <i>Neuropharmacology</i> , 2014, 85, 293-304.	2.0	31
949	Optogenetic examination identifies a context-specific role for orexins/hypocretins in anxiety-related behavior. <i>Physiology and Behavior</i> , 2014, 130, 182-190.	1.0	70
950	High-frequency electrical stimulation of the subthalamic nucleus excites target structures in a model using c-fos immunohistochemistry. <i>Neuroscience</i> , 2014, 270, 212-225.	1.1	19
951	The Changes of c-Fos Expression by Motor Cortex Stimulation in the Deafferentation Pain Model. <i>Neurologia Medico-Chirurgica</i> , 2014, 54, 537-544.	1.0	10
952	Î²-glucan reduces exercise-induced stress through downregulation of c-Fos and c-Jun expression in the brains of exhausted rats. <i>Molecular Medicine Reports</i> , 2014, 9, 1660-1666.	1.1	11
953	Caffeine enhances micturition through neuronal activation in micturition centers. <i>Molecular Medicine Reports</i> , 2014, 10, 2931-2936.	1.1	15
954	Differential Roles of Cyclooxygenase-2-Related Signaling in Regulating Hypothalamic Neuronal Activity under Various Acute Stresses. <i>Journal of Veterinary Medical Science</i> , 2014, 76, 219-227.	0.3	7
955	Effects of Chronic Sleep Fragmentation on Wake-Active Neurons and the Hypercapnic Arousal Response. <i>Sleep</i> , 2014, 37, 51-64.	0.6	60
956	A novel intracerebral hemorrhage-induced rat model of neurogenic voiding dysfunction: Analysis of lower urinary tract function. <i>Molecular Medicine Reports</i> , 2015, 12, 2563-2569.	1.1	8
957	Site and mechanism of the colokinetic action of the ghrelin receptor agonist, <sc>HM</sc>01. <i>Neurogastroenterology and Motility</i> , 2015, 27, 1764-1771.	1.6	20
958	Distribution of Fos-Like Immunoreactivity, Catecholaminergic and Serotonergic Neurons Activated by the Laryngeal Chemoreflex in the Medulla Oblongata of Rats. <i>PLoS ONE</i> , 2015, 10, e0130822.	1.1	7
959	High Sensitivity of Aged Mice to Deoxynivalenol (Vomitoxin)-Induced Anorexia Corresponds to Elevated Proinflammatory Cytokine and Satiety Hormone Responses. <i>Toxins</i> , 2015, 7, 4199-4215.	1.5	18
960	Early Exposure to Intermediate-Frequency Magnetic Fields Alters Brain Biomarkers without Histopathological Changes in Adult Mice. <i>International Journal of Environmental Research and Public Health</i> , 2015, 12, 4406-4421.	1.2	14

#	ARTICLE	IF	CITATIONS
961	Activation of the mouse primary visual cortex by medial prefrontal subregion stimulation is not mediated by cholinergic basalo-cortical projections. <i>Frontiers in Systems Neuroscience</i> , 2015, 9, 1.	1.2	115
962	Role of Corticotropin-releasing Factor Signaling in Stress-related Alterations of Colonic Motility and Hyperalgesia. <i>Journal of Neurogastroenterology and Motility</i> , 2015, 21, 008-024.	0.8	77
963	Injections of Algesic Solutions into Muscle Activate the Lateral Reticular Formation: A Nociceptive Relay of the Spinoreticulothalamic Tract. <i>PLoS ONE</i> , 2015, 10, e0130939.	1.1	4
964	Why do lesions in the rodent anterior thalamic nuclei cause such severe spatial deficits?. <i>Neuroscience and Biobehavioral Reviews</i> , 2015, 54, 131-144.	2.9	88
965	FAAH genetic variation enhances fronto-amygdala function in mouse and human. <i>Nature Communications</i> , 2015, 6, 6395.	5.8	227
966	Thalamocortical Connections Drive Intracortical Activation of Functional Columns in the Mislaminated Reeler Somatosensory Cortex. <i>Cerebral Cortex</i> , 2015, 26, bhv257.	1.6	29
967	Suppression of preoptic sleep-regulatory neuronal activity during corticotropin-releasing factor-induced sleep disturbance. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2015, 309, R1092-R1100.	0.9	5
968	Electrical Stimulation of the Vagus Nerve Dermatome in the External Ear is Protective in Rat Cerebral Ischemia. <i>Brain Stimulation</i> , 2015, 8, 7-12.	0.7	71
969	Blockade of ENaCs by amiloride induces c-Fos activation of the area postrema. <i>Brain Research</i> , 2015, 1601, 40-51.	1.1	2
970	$\hat{\pm}$ CaMKII autophosphorylation mediates neuronal activation in the hippocampal dentate gyrus after alcohol and cocaine in mice. <i>Neuroscience Letters</i> , 2015, 591, 65-68.	1.0	13
971	Withdrawal of repeated morphine enhances histamine-induced scratching responses in mice. <i>Drug and Chemical Toxicology</i> , 2015, 38, 167-173.	1.2	5
972	Role of cerebrospinal fluid-contacting nucleus in sodium sensing and sodium appetite. <i>Physiology and Behavior</i> , 2015, 147, 291-299.	1.0	19
973	The supramammillary nucleus and the claustrum activate the cortex during REM sleep. <i>Science Advances</i> , 2015, 1, e1400177.	4.7	115
974	PCP-based mice models of schizophrenia: differential behavioral, neurochemical and cellular effects of acute and subchronic treatments. <i>Psychopharmacology</i> , 2015, 232, 4085-4097.	1.5	54
975	Changes in the expression of genes encoding for mGlu4 and mGlu5 receptors and other regulators of the indirect pathway in acute mouse models of drug-induced parkinsonism. <i>Neuropharmacology</i> , 2015, 95, 50-58.	2.0	6
976	Phosphodiesterase 10A inhibitor, MP-10 (PF-2545920), produces greater induction of c-Fos in dopamine D2 neurons than in D1 neurons in the neostriatum. <i>Neuropharmacology</i> , 2015, 99, 379-386.	2.0	32
977	Beyond a means of exposure: a new view of the mother in toxicology research. <i>Toxicology Research</i> , 2015, 4, 592-612.	0.9	29
978	c-Fos induction in mesotelencephalic dopamine pathway projection targets and dorsal striatum following oral intake of sugars and fats in rats. <i>Brain Research Bulletin</i> , 2015, 111, 9-19.	1.4	23

#	ARTICLE	IF	CITATIONS
979	A Novel Anxiogenic Role for the Delta Opioid Receptor Expressed in GABAergic Forebrain Neurons. <i>Biological Psychiatry</i> , 2015, 77, 404-415.	0.7	31
980	Distribution and neurochemical characterization of neurons in the rat ventrolateral medulla activated by glucoprivation. <i>Brain Structure and Function</i> , 2015, 220, 117-134.	1.2	25
981	Atipamezole Attenuated Telazol/Xylazine-Induced Expression of C-Fos in Rat Thalamencephal and Cerebral Cortex. <i>Acta Veterinaria</i> , 2016, 66, 489-496.	0.2	0
982	Reorganization of Basolateral Amygdala-Subiculum Circuitry in Mouse Epilepsy Model. <i>Frontiers in Neuroanatomy</i> , 2016, 9, 167.	0.9	7
983	How Does the Sparse Memory "Engram" Neurons Encode the Memory of a Spatial-Temporal Event?. <i>Frontiers in Neural Circuits</i> , 2016, 10, 61.	1.4	12
984	Adolescent Maturation of Dopamine D1 and D2 Receptor Function and Interactions in Rodents. <i>PLoS ONE</i> , 2016, 11, e0146966.	1.1	37
985	Repetitive Diving in Trained Rats Still Increases Fos Production in Brainstem Neurons after Bilateral Sectioning of the Anterior Ethmoidal Nerve. <i>Frontiers in Physiology</i> , 2016, 7, 148.	1.3	7
986	The ventromedial hypothalamus mediates predator fear memory. <i>European Journal of Neuroscience</i> , 2016, 43, 1431-1439.	1.2	39
987	Activation of maternal toll-like receptor-2 causes social deficits and memory impairment in female offspring. <i>NeuroReport</i> , 2016, 27, 224-229.	0.6	1
988	Surge-Like Luteinising Hormone Secretion Induced by Retrochiasmatic Area NK3R Activation is Mediated Primarily by Arcuate Kisspeptin Neurons in the Ewe. <i>Journal of Neuroendocrinology</i> , 2016, 28, .	1.2	16
989	Molecular and behavioral profiling of Dbx1-derived neurons in the arcuate, lateral and ventromedial hypothalamic nuclei. <i>Neural Development</i> , 2016, 11, 12.	1.1	12
990	Effect of Atipamezole on Fos Protein Expression Induced by Telazol/Xylazine in Rat Cerebral Cortex and Thalamencephal. <i>The Journal of Northeast Agricultural University</i> , 2016, 23, 61-66.	0.1	0
991	Bidirectional Modulation of Extinction of Drug Seeking by Deep Brain Stimulation of the Ventral Striatum. <i>Biological Psychiatry</i> , 2016, 80, 682-690.	0.7	49
992	Stress alters asenapine-induced Fos expression in the Meynert's nucleus: response of adjacent hypocretin and melanin-concentrating hormone neurons in rat. <i>Neurological Research</i> , 2016, 38, 32-39.	0.6	5
993	Role of the paraventricular nucleus in the reflex diuresis to pulmonary lymphatic obstruction in rabbits. <i>Canadian Journal of Physiology and Pharmacology</i> , 2016, 94, 18-27.	0.7	1
994	Vesicular acetylcholine transporter knock down-mice are more susceptible to inflammation, c-Fos expression and sickness behavior induced by lipopolysaccharide. <i>Brain, Behavior, and Immunity</i> , 2016, 57, 282-292.	2.0	32
995	Dominance status predicts social fear transmission in laboratory rats. <i>Animal Cognition</i> , 2016, 19, 1051-1069.	0.9	67
996	RigiScan data under long-term testosterone therapy: improving long-term blood circulation of penile arteries, penile length and girth, erectile function, and nocturnal penile tumescence and duration. <i>Aging Male</i> , 2016, 19, 215-220.	0.9	13



#	ARTICLE	IF	CITATIONS
997	Impaired sodium-evoked paraventricular nucleus neuronal activation and blood pressure regulation in conscious Sprague-Dawley rats lacking central G-protein-coupled receptor proteins. <i>Acta Physiologica</i> , 2016, 216, 314-329.	1.8	13
998	Collateral projections from the lateral parabrachial nucleus to the paraventricular thalamic nucleus and the central amygdaloid nucleus in the rat. <i>Neuroscience Letters</i> , 2016, 629, 245-250.	1.0	19
999	Kamikihito Ameliorates Lipopolysaccharide-Induced Sickness Behavior & Attenuating Neural Activation, but Not Inflammation, in the Hypothalamic Paraventricular Nucleus and Central Nucleus of the Amygdala in Mice. <i>Biological and Pharmaceutical Bulletin</i> , 2016, 39, 289-294.	0.6	11
1000	Sex-Specific Effects of Prenatal Stress on Memory and Markers of Neuronal Activity in Juvenile Rats. <i>Developmental Neuroscience</i> , 2016, 38, 206-219.	1.0	12
1001	Cellular activation of hypothalamic hypocretin/orexin neurons facilitates short-term spatial memory in mice. <i>Neurobiology of Learning and Memory</i> , 2016, 136, 183-188.	1.0	39
1002	The c-FOS Protein Immunohistological Detection: A Useful Tool As a Marker of Central Pathways Involved in Specific Physiological Responses & In Vivo and Ex Vivo. <i>Journal of Visualized Experiments</i> , 2016, , .	0.2	27
1003	Simultaneous Detection of c-Fos Activation from Mesolimbic and Mesocortical Dopamine Reward Sites Following Naive Sugar and Fat Ingestion in Rats. <i>Journal of Visualized Experiments</i> , 2016, , .	0.2	16
1004	Expression of the NMDA receptor subunit GluN3A (NR3A) in the olfactory system and its regulatory role on olfaction in the adult mouse. <i>Brain Structure and Function</i> , 2016, 221, 3259-3273.	1.2	22
1005	A brain motivated to play: insights into the neurobiology of playfulness. <i>Behaviour</i> , 2016, 153, 819-844.	0.4	59
1006	Neuropeptide S ameliorates olfactory spatial memory impairment induced by scopolamine and MK801 through activation of cognate receptor-expressing neurons in the subiculum complex. <i>Brain Structure and Function</i> , 2016, 221, 3327-3336.	1.2	12
1007	Effects of acute treadmill running at different intensities on activities of serotonin and corticotropin-releasing factor neurons, and anxiety- and depressive-like behaviors in rats. <i>Behavioural Brain Research</i> , 2016, 298, 44-51.	1.2	56
1008	Activation of AMPA Receptors Mediates the Antidepressant Action of Deep Brain Stimulation of the Infralimbic Prefrontal Cortex. <i>Cerebral Cortex</i> , 2016, 26, 2778-2789.	1.6	60
1009	Spatial clusters of constitutively active neurons in mouse visual cortex. <i>Anatomical Science International</i> , 2016, 91, 188-195.	0.5	9
1010	An abnormal GABAergic system in the inferior colliculus provides a basis for audiogenic seizures in genetically epilepsy-prone rats. <i>Epilepsy and Behavior</i> , 2017, 71, 160-164.	0.9	28
1011	Abnormalities in the Structure and Function of Cerebellar Neurons and Neuroglia in the Lc/+ Chimeric Mouse Model of Variable Developmental Purkinje Cell Loss. <i>Cerebellum</i> , 2017, 16, 40-54.	1.4	7
1012	Stimulation of renal afferent fibers leads to activation of catecholaminergic and non-catecholaminergic neurons in the medulla oblongata. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2017, 204, 48-56.	1.4	14
1013	Involvement of serotonin 2A receptor activation in modulating medial prefrontal cortex and amygdala neuronal activation during novelty-exposure. <i>Behavioural Brain Research</i> , 2017, 326, 1-12.	1.2	8
1014	Acute restraint stress decreases c-fos immunoreactivity in hilar mossy cells of the adult dentate gyrus. <i>Brain Structure and Function</i> , 2017, 222, 2405-2419.	1.2	22

#	ARTICLE	IF	CITATIONS
1015	Prediction of regional functional impairment following experimental stroke via connectome analysis. <i>Scientific Reports</i> , 2017, 7, 46316.	1.6	11
1016	Effect of a single asenapine treatment on Fos expression in the brain catecholamine-synthesizing neurons: impact of a chronic mild stress preconditioning. <i>Endocrine Regulations</i> , 2017, 51, 73-83.	0.5	2
1017	Neurochemistry of neurons in the ventrolateral medulla activated by hypotension: Are the same neurons activated by glucoprivation?. <i>Journal of Comparative Neurology</i> , 2017, 525, 2249-2264.	0.9	12
1018	Molecular mechanisms underlying the positive role of treadmill training in locomotor recovery after spinal cord injury. <i>Spinal Cord</i> , 2017, 55, 441-446.	0.9	10
1019	Clobetasol propionate causes immunosuppression in zebrafish ( <i>Danio rerio</i> ) at environmentally relevant concentrations. <i>Ecotoxicology and Environmental Safety</i> , 2017, 138, 16-24.	2.9	21
1020	The Physiology of Vomiting. , 2017, , 15-25.		6
1021	Stimulation of ganglionated plexus attenuates cardiac neural remodeling and heart failure progression in a canine model of acute heart failure post-myocardial infarction. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2017, 208, 73-79.	1.4	6
1022	Investigating the role of dopamine receptor- and parvalbumin-expressing cells in extinction of conditioned fear. <i>Neurobiology of Learning and Memory</i> , 2017, 145, 7-17.	1.0	20
1023	Nexalin and Related Forms of Subcortical Electrical Stimulation. , 2017, , 131-157.		2
1024	Simultaneous intrinsic signal imaging of auditory and visual cortex reveals profound effects of acute hearing loss on visual processing. <i>NeuroImage</i> , 2017, 159, 459-472.	2.1	24
1025	Stress Facilitates the Development of Cognitive Dysfunction After Chronic Ethanol Exposure. <i>Alcoholism: Clinical and Experimental Research</i> , 2017, 41, 1574-1583.	1.4	28
1026	Sacral Neuromodulation for Fecal Incontinence. <i>Journal of Clinical Gastroenterology</i> , 2017, 51, 669-676.	1.1	29
1027	Activation of P2X3 receptors in the cerebrospinal fluid-contacting nucleus neurons reduces formalin-induced pain behavior via PAG in a rat model. <i>Neuroscience</i> , 2017, 358, 93-102.	1.1	14
1028	Progressive neuronal activation accompanies epileptogenesis caused by hippocampal glutamine synthetase inhibition. <i>Experimental Neurology</i> , 2017, 288, 122-133.	2.0	16
1029	CNS sites activated by renal pelvic epithelial sodium channels (ENaCs) in response to hypertonic saline in awake rats. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2017, 204, 35-47.	1.4	12
1030	Cellular and molecular mechanisms triggered by Deep Brain Stimulation in depression: A preclinical and clinical approach. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2017, 73, 1-10.	2.5	29
1031	Aripiprazole Facilitates Extinction of Conditioned Fear in Adolescent Rats. <i>Frontiers in Behavioral Neuroscience</i> , 2017, 11, 76.	1.0	21
1032	Adaptive Changes in the Sensitivity of the Dorsal Raphe and Hypothalamic Paraventricular Nuclei to Acute Exercise, and Hippocampal Neurogenesis May Contribute to the Antidepressant Effect of Regular Treadmill Running in Rats. <i>Frontiers in Behavioral Neuroscience</i> , 2017, 11, 235.	1.0	22

#	ARTICLE	IF	CITATIONS
1033	Neural Synchrony and Memory In and Out of Sleep. , 2017, , 563-583.		0
1034	Alcohol on Histaminergic Neurons of Brain. , 2017, , 23-29.		0
1035	Dual control of the vestibulosympathetic reflex following hypotension in rats. Korean Journal of Physiology and Pharmacology, 2017, 21, 675.	0.6	3
1036	Distribution of Spinal Neuronal Networks Controlling Forward and Backward Locomotion. Journal of Neuroscience, 2018, 38, 4695-4707.	1.7	31
1037	Effects of centrally administered glucagon-like peptide-2 on blood pressure and barosensitive neurons in spontaneously hypertensive rats. Neuropeptides, 2018, 69, 66-75.	0.9	4
1038	Central Noradrenergic Interactions with Alcohol and Regulation of Alcohol-Related Behaviors. Handbook of Experimental Pharmacology, 2018, 248, 239-260.	0.9	22
1039	Traumatic Brain Injury Disrupts Pain Signaling in the Brainstem and Spinal Cord. Journal of Neurotrauma, 2018, 35, 1495-1509.	1.7	21
1040	Alterations of L-type voltage dependent calcium channel alpha 1 subunit in the hippocampal CA3 region during and after pilocarpine-induced epilepsy. Neurochemistry International, 2018, 114, 108-119.	1.9	4
1041	Activation of the subthalamic nucleus suppressed by high frequency stimulation: A c-Fos immunohistochemical study. Brain Research, 2018, 1685, 42-50.	1.1	2
1042	c-Fos mapping of brain regions activated by multi-modal and electric foot shock stress. Neurobiology of Stress, 2018, 8, 92-102.	1.9	48
1043	Nicotine-induced molecular alterations are modulated by <sc>GABA<sub>B</sub></sc> receptor activity. Addiction Biology, 2018, 23, 230-246.	1.4	14
1044	Reconnectable fiberscopes for chronic in vivo deep-brain imaging. Journal of Biophotonics, 2018, 11, e201700106.	1.1	9
1045	Soluble guanylyl cyclase is a critical regulator of migraine-associated pain. Cephalalgia, 2018, 38, 1471-1484.	1.8	44
1046	Striatal dopamine D1-type receptor availability: no difference from control but association with cortical thickness in methamphetamine users. Molecular Psychiatry, 2018, 23, 1320-1327.	4.1	19
1047	Chemically activated luminopsins allow optogenetic inhibition of distributed nodes in an epileptic network for non-invasive and multi-site suppression of seizure activity. Neurobiology of Disease, 2018, 109, 1-10.	2.1	27
1048	How does early maternal separation and chronic stress in adult rats affect the immunoreactivity of serotonergic neurons within the dorsal raphe nucleus?. Stress, 2018, 21, 59-68.	0.8	7
1049	Rapamycin Exacerbates Cardiovascular Dysfunction after Complete High-Thoracic Spinal Cord Injury. Journal of Neurotrauma, 2018, 35, 842-853.	1.7	9
1050	20(S)-protopanaxadiol (PPD) alleviates scopolamine-induced memory impairment via regulation of cholinergic and antioxidant systems, and expression of Egr-1, c-Fos and c-Jun in mice. Chemico-Biological Interactions, 2018, 279, 64-72.	1.7	30

#	ARTICLE	IF	CITATIONS
1051	How Senses Work Together: Cross-Modal Interactions between Primary Sensory Cortices. <i>Neural Plasticity</i> , 2018, 2018, 1-11.	1.0	14
1052	Neurotoxicity, behavioral changes and gene-expression profile of mice exposed to SnS <sub>2</sub> nanoflowers. <i>Toxicology Research</i> , 2018, 7, 1267-1279.	0.9	5
1053	Restoration of the nasopharyngeal response after bilateral sectioning of the anterior ethmoidal nerve in the rat. <i>Physiological Reports</i> , 2018, 6, e13830.	0.7	3
1054	Activation of oxytocin neurons in the paraventricular nucleus drives cardiac sympathetic nerve activation following myocardial infarction in rats. <i>Communications Biology</i> , 2018, 1, 160.	2.0	20
1055	Immediate early gene expression related to learning and retention of a visual discrimination task in bamboo sharks ( <i>Chiloscyllium griseum</i> ). <i>Brain Structure and Function</i> , 2018, 223, 3975-4003.	1.2	10
1056	Cortico-hippocampal Schemas Enable NMDAR-Independent Fear Conditioning in Rats. <i>Current Biology</i> , 2018, 28, 2900-2909.e5.	1.8	16
1057	Central action of CART induces neuronal activation in the paraventricular and dorsomedial hypothalamus of diet-induced obese and lean mice. <i>Neuroscience Letters</i> , 2018, 686, 175-180.	1.0	2
1058	Hypoxia activates a neuropeptidergic pathway from the paraventricular nucleus of the hypothalamus to the nucleus tractus solitarius. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2018, 315, R1167-R1182.	0.9	27
1059	Stress-induced brain activation: buffering role of social behavior and neuronal nicotinic receptors. <i>Brain Structure and Function</i> , 2018, 223, 4259-4274.	1.2	5
1060	Familiarity with social sounds alters c-Fos expression in auditory cortex and interacts with estradiol in locus coeruleus. <i>Hearing Research</i> , 2018, 366, 38-49.	0.9	16
1061	Corticotrophin-releasing factor-mediated effects of DA in Postoperative Ileus Guinea Pig Model. <i>Neurogastroenterology and Motility</i> , 2018, 30, e13385.	1.6	7
1062	Distribution of Fos-immunoreactive neurons in the gustatory cortex elicited by intra-oral infusion of taste solutions in conscious rats. <i>Brain Research</i> , 2018, 1683, 67-77.	1.1	8
1063	Neuronal Activation in the Periaqueductal Gray Matter Upon Electrical Stimulation of the Bladder. <i>Frontiers in Cellular Neuroscience</i> , 2018, 12, 133.	1.8	13
1064	Divergent brain gene expression profiles between alternative behavioural helper types in a cooperative breeder. <i>Molecular Ecology</i> , 2018, 27, 4136-4151.	2.0	11
1065	Both Basal and Acute Restraint Stress-Induced c-Fos Expression Is Influenced by Age in the Extended Amygdala and Brainstem Stress Centers in Male Rats. <i>Frontiers in Aging Neuroscience</i> , 2018, 10, 248.	1.7	28
1066	The subfornical organ in sodium appetite: Recent insights. <i>Neuropharmacology</i> , 2019, 154, 107-113.	2.0	6
1067	A cFos activation map of remote fear memory attenuation. <i>Psychopharmacology</i> , 2019, 236, 369-381.	1.5	86
1068	Embracing Complexity in Defensive Networks. <i>Neuron</i> , 2019, 103, 189-201.	3.8	38

#	ARTICLE	IF	CITATIONS
1069	Neuropeptide S Ameliorates Cognitive Impairment of APP/PS1 Transgenic Mice by Promoting Synaptic Plasticity and Reducing A $\beta$ Deposition. <i>Frontiers in Behavioral Neuroscience</i> , 2019, 13, 138.	1.0	25
1070	Oxidative metabolism alterations in the emotional brain of anxiety-prone rats. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019, 95, 109706.	2.5	13
1071	Activation of the spinal neuronal network responsible for visceral control during locomotion. <i>Experimental Neurology</i> , 2019, 320, 112986.	2.0	9
1072	Chronic nigral neuromodulation aggravates behavioral deficits and synaptic changes in an $\alpha$ -synuclein based rat model for Parkinson's disease. <i>Acta Neuropathologica Communications</i> , 2019, 7, 160.	2.4	9
1073	Spexin/NPQ Induces FBJ Osteosarcoma Oncogene (Fos) and Produces Antinociceptive Effect against Inflammatory Pain in the Mouse Model. <i>American Journal of Pathology</i> , 2019, 189, 886-899.	1.9	17
1074	In vivo glutamate clearance defects in a mouse model of Lafora disease. <i>Experimental Neurology</i> , 2019, 320, 112959.	2.0	15
1075	The parental brain and behavior: A target for endocrine disruption. <i>Frontiers in Neuroendocrinology</i> , 2019, 54, 100765.	2.5	31
1076	SIRT3 mediates hippocampal synaptic adaptations to intermittent fasting and ameliorates deficits in APP mutant mice. <i>Nature Communications</i> , 2019, 10, 1886.	5.8	114
1077	Exposure to prenatal antidepressant alters medial prefrontal-striatal synchronization in mice. <i>Brain Research</i> , 2019, 1717, 27-34.	1.1	6
1078	GABAB receptors modulate morphine antinociception: Pharmacological and genetic approaches. <i>Pharmacology Biochemistry and Behavior</i> , 2019, 180, 11-21.	1.3	9
1079	Transcranial Low-Intensity Pulsed Ultrasound Modulates Structural and Functional Synaptic Plasticity in Rat Hippocampus. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2019, 66, 930-938.	1.7	29
1080	A GPR17-cAMP-Lactate Signaling Axis in Oligodendrocytes Regulates Whole-Body Metabolism. <i>Cell Reports</i> , 2019, 26, 2984-2997.e4.	2.9	45
1081	Comparative analyses of the neurobehavioral, molecular, and enzymatic effects of organophosphates on embryo-larval zebrafish ( <i>Danio rerio</i> ). <i>Neurotoxicology and Teratology</i> , 2019, 73, 67-75.	1.2	29
1082	Crucial role of feedback signals from prelimbic cortex to basolateral amygdala in the retrieval of morphine withdrawal memory. <i>Science Advances</i> , 2019, 5, eaat3210.	4.7	31
1083	The molecular neurobiology of chronic pain-induced depression. <i>Cell and Tissue Research</i> , 2019, 377, 21-43.	1.5	88
1084	Gamma oscillations in somatosensory cortex recruit prefrontal and descending serotonergic pathways in aversion and nociception. <i>Nature Communications</i> , 2019, 10, 983.	5.8	94
1085	Acute myocardial infarction activates magnocellular vasopressin and oxytocin neurones. <i>Journal of Neuroendocrinology</i> , 2019, 31, e12808.	1.2	10
1086	The microbiota regulate neuronal function and fear extinction learning. <i>Nature</i> , 2019, 574, 543-548.	13.7	302

#	ARTICLE	IF	CITATIONS
1087	Development of multi-layer lateral-mode ultrasound needle transducer for brain stimulation in mice. <i>IEEE Transactions on Biomedical Engineering</i> , 2019, 67, 1-1.	2.5	7
1088	Brain Sub/Region-Specific Effects of Olanzapine on c-Fos Expression of Chronically Socially Isolated Rats. <i>Neuroscience</i> , 2019, 396, 46-65.	1.1	22
1089	Impaired chemoreflex correlates with decreased c-Fos in respiratory brainstem centers of the streptozotocin-induced Alzheimer's disease rat model. <i>Experimental Neurology</i> , 2019, 311, 285-292.	2.0	9
1090	Collateral Projections from the Lateral Parabrachial Nucleus to the Central Amygdaloid Nucleus and the Ventral Tegmental Area in the Rat. <i>Anatomical Record</i> , 2019, 302, 1178-1186.	0.8	9
1091	Prefrontal circuits signaling active avoidance—retrieval and extinction. <i>Psychopharmacology</i> , 2019, 236, 399-406.	1.5	27
1092	Illuminating the Activated Brain: Emerging Activity-Dependent Tools to Capture and Control Functional Neural Circuits. <i>Neuroscience Bulletin</i> , 2019, 35, 369-377.	1.5	18
1093	What single-unit recording studies tell us about the basic mechanisms of sleep and wakefulness. <i>European Journal of Neuroscience</i> , 2020, 52, 3507-3530.	1.2	8
1094	Neuronal activation in zebra finch parents associated with reintroduction of nestlings. <i>Journal of Comparative Neurology</i> , 2020, 528, 363-379.	0.9	4
1095	Finding intestinal fortitude: Integrating the microbiome into a holistic view of depression mechanisms, treatment, and resilience. <i>Neurobiology of Disease</i> , 2020, 135, 104578.	2.1	38
1096	c-Fos Expression after Stochastic Vestibular Stimulation and Levodopa in 6-OHDA Hemilesioned Rats. <i>Neuroscience</i> , 2020, 424, 146-154.	1.1	6
1097	An Optimized Mouse Brain Atlas for Automated Mapping and Quantification of Neuronal Activity Using iDISCO+ and Light Sheet Fluorescence Microscopy. <i>Neuroinformatics</i> , 2021, 19, 433-446.	1.5	33
1098	The Combination of Cholecystokinin and Stress Amplifies an Inhibition of Appetite, Gastric Emptying, and an Increase in c-Fos Expression in Neurons of the Hypothalamus and the Medulla Oblongata. <i>Neurochemical Research</i> , 2020, 45, 2173-2183.	1.6	3
1099	A projection from the paraventricular nucleus of the thalamus to the shell of the nucleus accumbens contributes to footshock stress-induced social avoidance. <i>Neurobiology of Stress</i> , 2020, 13, 100266.	1.9	16
1100	The food contaminant deoxynivalenol provokes metabolic impairments resulting in non-alcoholic fatty liver (NAFL) in mice. <i>Scientific Reports</i> , 2020, 10, 12072.	1.6	4
1101	A Conditioning-Strengthened Circuit From CA1 of Dorsal Hippocampus to Basolateral Amygdala Participates in Morphine-Withdrawal Memory Retrieval. <i>Frontiers in Neuroscience</i> , 2020, 14, 646.	1.4	9
1102	<i>In Vivo</i> Photopharmacology Enabled by Multifunctional Fibers. <i>ACS Chemical Neuroscience</i> , 2020, 11, 3802-3813.	1.7	23
1103	&#x26;p&#x27;Dapagliflozin Activates Neurons in the Central Nervous System and Regulates Cardiovascular Activity by Inhibiting SGLT-2 in Mice&#x26;p&#x27;. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2020, Volume 13, 2781-2799.	1.1	42
1104	Hyperexcitability of the Nucleus Accumbens Is Involved in Noise-Induced Hyperacusis. <i>Neural Plasticity</i> , 2020, 2020, 1-7.	1.0	2

#	ARTICLE	IF	CITATIONS
1105	Involvement of NMDA receptors containing the GluN2C subunit in the psychotomimetic and antidepressant-like effects of ketamine. <i>Translational Psychiatry</i> , 2020, 10, 427.	2.4	13
1106	Blockade of Glial Connexin 43 Hemichannels Reduces Food Intake. <i>Cells</i> , 2020, 9, 2387.	1.8	9
1107	The positive allosteric modulator of the mGlu2 receptor JNJ-46356479 partially improves neuropathological deficits and schizophrenia-like behaviors in a postnatal ketamine mice model. <i>Journal of Psychiatric Research</i> , 2020, 126, 8-18.	1.5	9
1108	Glial Endozeptines Reverse High-Fat Diet-Induced Obesity by Enhancing Hypothalamic Response to Peripheral Leptin. <i>Molecular Neurobiology</i> , 2020, 57, 3307-3333.	1.9	20
1109	Noninvasive ultrasound deep brain stimulation of nucleus accumbens induces behavioral avoidance. <i>Science China Life Sciences</i> , 2020, 63, 1328-1336.	2.3	17
1110	Brain regions of marine medaka activated by acute and short-term ocean acidification. <i>Science of the Total Environment</i> , 2020, 720, 137279.	3.9	4
1111	Evolution of brain-wide activity in the awake behaving mouse after acute fear by longitudinal manganese-enhanced MRI. <i>NeuroImage</i> , 2020, 222, 116975.	2.1	9
1112	Optogenetic mapping of feeding and self-stimulation within the lateral hypothalamus of the rat. <i>PLoS ONE</i> , 2020, 15, e0224301.	1.1	15
1113	Repeated Exposure to Multiple Concurrent Stresses Induce Circuit Specific Loss of Inputs to the Posterior Parietal Cortex. <i>Journal of Neuroscience</i> , 2020, 40, 1849-1861.	1.7	12
1114	Chronically Implanted Microelectrodes Cause c-fos Expression Along Their Trajectory. <i>Frontiers in Neuroscience</i> , 2019, 13, 1367.	1.4	11
1115	Antagonism of Histamine H3 receptors Alleviates Pentylentetrazole-Induced Kindling and Associated Memory Deficits by Mitigating Oxidative Stress, Central Neurotransmitters, and c-Fos Protein Expression in Rats. <i>Molecules</i> , 2020, 25, 1575.	1.7	21
1116	Long-term chemogenetic activation of M1 glutamatergic neurons attenuates the behavioral and cognitive deficits caused by intracerebral hemorrhage. <i>Biochemical and Biophysical Research Communications</i> , 2020, 527, 22-28.	1.0	5
1117	Treatment with Mesenchymal-Derived Extracellular Vesicles Reduces Injury-Related Pathology in Pyramidal Neurons of Monkey Perilesional Ventral Premotor Cortex. <i>Journal of Neuroscience</i> , 2020, 40, 3385-3407.	1.7	31
1118	Estradiol Replacement Improves High-Fat Diet-Induced Obesity by Suppressing the Action of Ghrelin in Ovariectomized Rats. <i>Nutrients</i> , 2020, 12, 907.	1.7	11
1119	Early ethanol pre-exposure alters breathing patterns by disruptions in the central respiratory network and serotonergic balance in neonate rats. <i>Behavioural Brain Research</i> , 2021, 396, 112908.	1.2	2
1120	Postsynaptic activity of inhibitory neurons evokes hemodynamic fMRI responses. <i>NeuroImage</i> , 2021, 225, 117457.	2.1	9
1121	Altered neuronal activity in the visual processing region of eye-fluke-infected fish. <i>Parasitology</i> , 2021, 148, 115-121.	0.7	2
1122	Neural correlates of safety learning. <i>Behavioural Brain Research</i> , 2021, 396, 112884.	1.2	8

#	ARTICLE	IF	CITATIONS
1123	A semi-automated brain atlas-based analysis pipeline for c-Fos immunohistochemical data. <i>Journal of Neuroscience Methods</i> , 2021, 348, 108982.	1.3	4
1124	Neuronal activity associated with cocaine preference: Effects of differential cocaine intake. <i>Neuropharmacology</i> , 2021, 184, 108441.	2.0	3
1125	Transcranial Low-Intensity Pulsed Ultrasound Stimulation Induces Neuronal Autophagy. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2021, 68, 46-53.	1.7	8
1126	Fetal and lactational exposure to the no-observed-adverse-effect level (NOAEL) dose of the neonicotinoid pesticide clothianidin inhibits neurogenesis and induces different behavioral abnormalities at the developmental stages in male mice. <i>Journal of Veterinary Medical Science</i> , 2021, 83, 542-548.	0.3	17
1127	Transcranial Ultrasound Stimulation Suppresses Neuroinflammation in a Chronic Mouse Model of Parkinson's Disease. <i>IEEE Transactions on Biomedical Engineering</i> , 2021, 68, 3375-3387.	2.5	26
1128	Interaction between intensity and duration of acute exercise on neuronal activity associated with depression-related behavior in rats. <i>Journal of Physiological Sciences</i> , 2021, 71, 1.	0.9	8
1129	The subfornical organ and organum vasculosum of the lamina terminalis: Critical roles in cardiovascular regulation and the control of fluid balance. <i>Handbook of Clinical Neurology</i> / Edited By P J Vinken and G W Bruyn, 2021, 180, 203-215.	1.0	5
1130	Behavioral Deficits Induced by Somatostatin-Positive GABA Neuron Silencing Are Rescued by Alpha 5 GABA-A Receptor Potentiation. <i>International Journal of Neuropsychopharmacology</i> , 2021, 24, 505-518.	1.0	31
1131	MiR-101a-3p Attenuated Pilocarpine-Induced Epilepsy by Downregulating c-FOS. <i>Neurochemical Research</i> , 2021, 46, 1119-1128.	1.6	9
1132	Intrahematoma Ultrasound Enhances RtPA-Fibrinolysis in a Porcine Model of Intracerebral Hemorrhage. <i>Journal of Clinical Medicine</i> , 2021, 10, 563.	1.0	1
1133	Serotonin transporter genotype modulates resting state and predator stress-induced amygdala perfusion in mice in a sex-dependent manner. <i>PLoS ONE</i> , 2021, 16, e0247311.	1.1	4
1134	The Making of Long-Lasting Memories: A Fruit Fly Perspective. <i>Frontiers in Behavioral Neuroscience</i> , 2021, 15, 662129.	1.0	10
1135	Transcranial focused ultrasound stimulation with high spatial resolution. <i>Brain Stimulation</i> , 2021, 14, 290-300.	0.7	47
1136	The PGE2 receptor EP3 plays a positive role in the activation of hypothalamic-pituitary-adrenal axis and neuronal activity in the hypothalamus under immobilization stress. <i>Brain Research Bulletin</i> , 2021, 168, 45-51.	1.4	4
1138	Intraperitoneal injection of lithium chloride induces lateralized activation of the insular cortex in adult mice. <i>Molecular Brain</i> , 2021, 14, 71.	1.3	6
1139	Noninvasive Ultrasound Stimulation of Ventral Tegmental Area Induces Reanimation from General Anaesthesia in Mice. <i>Research</i> , 2021, 2021, 2674692.	2.8	18
1140	Extra-forebrain impact of antipsychotics indicated by c-Fos or FosB/Δ <sup>100</sup> FosB expression: A minireview. <i>Endocrine Regulations</i> , 2021, 55, 120-130.	0.5	1
1141	Medial septum glutamatergic neurons control wakefulness through a septo-hypothalamic circuit. <i>Current Biology</i> , 2021, 31, 1379-1392.e4.	1.8	16



#	ARTICLE	IF	CITATIONS
1142	Inputs from paraventricular nucleus of thalamus and locus coeruleus contribute to the activation of central nucleus of amygdala during context-induced retrieval of morphine withdrawal memory. <i>Experimental Neurology</i> , 2021, 338, 113600.	2.0	5
1143	Distinct behavioral traits and associated brain regions in mouse models for obsessive-compulsive disorder. <i>Behavioral and Brain Functions</i> , 2021, 17, 4.	1.4	10
1144	Ameliorating effects of histamine H3 receptor antagonist E177 on acute pentylentetrazole-induced memory impairments in rats. <i>Behavioural Brain Research</i> , 2021, 405, 113193.	1.2	2
1145	In vivo imaging of immediate early gene expression dynamics segregates neuronal ensemble of memories of dual events. <i>Molecular Brain</i> , 2021, 14, 102.	1.3	12
1146	Discovery of TAK-041: a Potent and Selective GPR139 Agonist Explored for the Treatment of Negative Symptoms Associated with Schizophrenia. <i>Journal of Medicinal Chemistry</i> , 2021, 64, 11527-11542.	2.9	15
1147	Perineuronal net abnormalities in Slc13a4 mice are rescued by postnatal administration of N-acetylcysteine. <i>Experimental Neurology</i> , 2021, 342, 113734.	2.0	2
1148	Is Galactose a Hormetic Sugar? An Exploratory Study of the Rat Hippocampal Redox Regulatory Network. <i>Molecular Nutrition and Food Research</i> , 2021, 65, e2100400.	1.5	16
1149	Gabra6100Q allele Sprague-Dawley rats have a higher sensitivity to hypnosis induced by isoflurane and ethanol than the wild type rats. <i>Neuroscience Letters</i> , 2021, 762, 136142.	1.0	0
1150	Antidepressant Effect of Liver Tonification and Four Gate Acupuncture Treatments and Its Brain Neural Activity. <i>Korean Journal of Acupuncture</i> , 2021, 38, 162-174.	0.1	0
1151	Homologous organization of cerebellar pathways to sensory, motor, and associative forebrain. <i>Cell Reports</i> , 2021, 36, 109721.	2.9	68
1152	Neural Mechanisms of Imprinting. , 2022, , 102-108.		0
1153	Parallel Organization of Cerebellar Pathways to Sensory, Motor, and Associative Forebrain. <i>SSRN Electronic Journal</i> , 0, , .	0.4	0
1154	Mapping Sleep-Wake Control with the Transcription Factor c-Fos. , 2006, , 113-136.		2
1155	Mapping Activity in the Auditory Pathway with C-Fos. , 1997, , 33-48.		2
1156	Evolution of C-Fos Expression in Auditory Structures During a Sensori-Motor Learning in Rats. , 1997, , 49-55.		1
1157	Possible Genomic Mechanism Involved in Control Systems Responses to Hypoxia. <i>Advances in Experimental Medicine and Biology</i> , 1995, 393, 89-94.	0.8	1
1158	Expression of C-FOS in the Brain Stem of Rats during Hypercapnia. <i>Advances in Experimental Medicine and Biology</i> , 1995, 393, 47-51.	0.8	8
1159	Effect of Acute and Chronic Administration of Ethanol on c-fos Expression in Brain. , 1993, , 305-316.		3

#	ARTICLE	IF	CITATIONS
1160	Induction of the Proto-Oncogene c-fos as a Cellular Marker of Brainstem Neurons Activated from the PAG. , 1991, , 267-286.		9
1161	The Neuroanatomy of Cardiac Nociceptive Pathways. , 2000, , 303-342.		9
1162	Sites and Mechanisms of Action of Antipsychotic Drugs as Revealed by Immediate-Early Gene Expression. Handbook of Experimental Pharmacology, 1996, , 117-161.	0.9	14
1163	Frontal Cingulotomy Reconsidered from a WGA-HRP and c-Fos Study in Cat. Acta Neurochirurgica Supplementum, 1995, 64, 69-73.	0.5	8
1164	Neuroimaging studies on ketamine. , 2004, , 881-891.		1
1165	Loss of Brain-Derived Neurotrophic Factor Mediates Inhibition of Hippocampal Long-Term Potentiation by High-Intensity Sound. Cellular and Molecular Neurobiology, 2021, 41, 751-763.	1.7	6
1166	Primary Response Gene Expression in the Nervous System. , 1993, , 89-128.		3
1167	Pseudorabies Virus. , 1995, , 349-366.		33
1168	Neuroendocrine Control of Mating-Induced Ovulation. , 2006, , 2283-2326.		14
1169	Hyperexcitability: exaggerated fear-potentiated startle produced by partial amygdala kindling. Behavioral Neuroscience, 1996, 110, 43-50.	0.6	33
1170	Significance of the orexinergic system in modulating stress-related responses in an animal model of post-traumatic stress disorder. Translational Psychiatry, 2020, 10, 10.	2.4	33
1171	Halothane-induced Hypnosis Is Not Accompanied by Inactivation of Orexinergic Output in Rodents. Anesthesiology, 2009, 111, 1001-1009.	1.3	34
1174	Expression of Fos and Jun Proteins Following Passive Avoidance Training in the Day-Old Chick. Learning and Memory, 1999, 6, 389-397.	0.5	23
1175	Medullary Neurons Activated by Angiotensin II in the Conscious Rabbit. Hypertension, 1996, 27, 287-296.	1.3	26
1176	Altered c-fos in Rostral Medulla and Spinal Cord of Spontaneously Hypertensive Rats. Hypertension, 1996, 27, 433-441.	1.3	66
1177	Stress-induced activation of neuronal activity and corticotropin-releasing factor gene expression in the paraventricular nucleus is modulated by glucocorticoids in rats.. Journal of Clinical Investigation, 1995, 96, 231-238.	3.9	119
1178	Neuronal Hyperactivity Disturbs ATP Microgradients, Impairs Microglial Motility, and Reduces Phagocytic Receptor Expression Triggering Apoptosis/Microglial Phagocytosis Uncoupling. PLoS Biology, 2016, 14, e1002466.	2.6	140
1179	Localization of the Brainstem GABAergic Neurons Controlling Paradoxical (REM) Sleep. PLoS ONE, 2009, 4, e4272.	1.1	207

#	ARTICLE	IF	CITATIONS
1180	Differential Stress-Induced Neuronal Activation Patterns in Mouse Lines Selectively Bred for High, Normal or Low Anxiety. PLoS ONE, 2009, 4, e5346.	1.1	65
1181	Deletion of Running-Induced Hippocampal Neurogenesis by Irradiation Prevents Development of an Anxious Phenotype in Mice. PLoS ONE, 2010, 5, e12769.	1.1	93
1182	Cultured Subventricular Zone Progenitor Cells Transduced with Neurogenin-2 Become Mature Glutamatergic Neurons and Integrate into the Dentate Gyrus. PLoS ONE, 2012, 7, e31547.	1.1	16
1183	Genetic Susceptibility to Refractive Error: Association of Vasoactive Intestinal Peptide Receptor 2 (VIPR2) with High Myopia in Chinese. PLoS ONE, 2013, 8, e61805.	1.1	23
1184	The Kick-In System: A Novel Rapid Knock-In Strategy. PLoS ONE, 2014, 9, e88549.	1.1	14
1185	Integration of Hypernatremia and Angiotensin II by the Organum Vasculosum of the Lamina Terminalis Regulates Thirst. Journal of Neuroscience, 2020, 40, 2069-2079.	1.7	12
1186	Hypothalamic $\beta$ FosB prevents age-related metabolic decline and functions via SNS. Aging, 2017, 9, 353-369.	1.4	5
1187	Central Actions of Somatostatin-28 and Oligosomatostatin Agonists to Prevent Components of the Endocrine, Autonomic and Visceral Responses to Stress Through Interaction with Different Somatostatin Receptor Subtypes. Current Pharmaceutical Design, 2012, 19, 98-105.	0.9	11
1188	Effects of granisetron and vagotomy on c-fos mRNA expression in the rat medulla oblongata as assessed by in situ hybridization. Biomedical Research, 2004, 25, 229-235.	0.3	7
1189	Noninvasive Ultrasound Deep Brain Stimulation for the Treatment of Parkinson's Disease Model Mouse. Research, 2019, 2019, 1748489.	2.8	49
1190	Expression of c-fos Like Protein in the Rat Brainstem Following Intense Sound Stimulation.. Equilibrium Research, 2000, 59, 266-276.	0.2	2
1191	CX3 chemokine receptor 1 deficiency leads to reduced dendritic complexity and delayed maturation of newborn neurons in the adult mouse hippocampus. Neural Regeneration Research, 2015, 10, 772.	1.6	22
1192	Effect of Treadmill Exercise on Leak-point pressure and Neuronal Activation in Brain of Rats with Stress Urinary Incontinence. International Neurourology Journal, 2010, 14, 141.	0.5	6
1193	Vardenafil Enhances Oxytocin Expression in the Paraventricular Nucleus without Sexual Stimulation. International Neurourology Journal, 2010, 14, 213-219.	0.5	5
1194	Cannabidiol (CBD) suppresses pentylenetetrazole (PTZ)-induced increases in epilepsy-related gene expression. PeerJ, 2013, 1, e214.	0.9	63
1195	Neuronal Pathophysiology of Migraine as a Basis for Acute Treatment with 5-HT Receptor Ligands. Handbook of Experimental Pharmacology, 2000, , 613-635.	0.9	1
1196	Immunohistochemical Study of the Carotid Body During Acute Hypoxia. Advances in Experimental Medicine and Biology, 2003, 536, 109-116.	0.8	0
1197	Consequences of In Utero Caffeine Exposure on Respiratory Output in Normoxic and Hypoxic Conditions and Related Changes of Fos Expression: A Study on Brainstem Spinal Cord Preparations Isolated From Newborn Rats. Pediatric Research, 2003, 53, 266-273.	1.1	12

#	ARTICLE	IF	CITATIONS
1198	INDUCTION OF FOS-LIKE IMMUNOREACTIVITY IN THE LATERAL HYPOTHALAMIC AREA OF THE RAT AFTER MURICIDE. KANSEI Engineering International, 2006, 6, 3-6.	0.2	0
1199	Expression of Spinal c-fos in a Rat Model of Postoperative Pain. Daehan Macwi'gwa Haghojeji, 2008, 54, 328.	0.2	0
1201	Retrogradely Transported Neuronal Tracers Combined with Immunohistochemistry Using Free-Floating Brain Sections. Methods in Molecular Biology, 2010, 611, 73-85.	0.4	0
1202	Sweet and Bitter Tastes Evoked Different Neuronal Activation in the Rostral Portion of the Nucleus of the Solitary Tract of Developing Rats. Journal of Behavioral and Brain Science, 2012, 02, 291-298.	0.2	0
1203	Emerging Themes in Thermoregulation and Fever. , 1994, , 357-367.		0
1204	Lipopolysaccharide (LPS)-Induced Fos Expression in the Brains of Febrile Rats. , 1994, , 81-85.		0
1205	Neuronal Activation Visualized by Fos-Expression after Intracerebral Microdialysis of Drugs. , 1997, , 1161-1166.		0
1206	Organization of Cardiovascular Neurons in the Brain Stem.. Kitakanto Medical Journal, 1998, 48, 103-125.	0.0	0
1207	Immediate Early Gene Expression in Sleep and Wakefulness. , 1998, , .		0
1208	Comparison of sucrose and ethanol-induced c-Fos-like immunoreactivity in the parabrachial nuclei and accumbens nucleus. Journal of Biomedical Research, 2015, 16, 29-34.	0.1	4
1209	The Effect of Gyejakjimo-tang on c-Fos Expression in Mice Model of Acute Pain. The Journal of Korean Medicine Ophthalmology and Otolaryngology and Dermatology, 2016, 29, 150-158.	0.0	0
1216	Increased Accuracy to c-Fos-Positive Neuron Counting. BioMed Research International, 2021, 2021, 1-8.	0.9	3
1218	Involvement of Dysfunctional Mastication in Cognitive System Deficits in the Mouse. , 2008, , 115-129.		0
1219	Parkinsonâ€™s Disease, the Dopamine System and Immediate Early Genes. , 2006, , 261-290.		0
1220	Exercise and Stress Resistance: Neural-Immune Mechanisms. , 2009, , 87-107.		1
1221	Immediate Early Gene Expression in Sleep and Wakefulness. , 1998, , .		0
1223	Expression of Fos and Jun proteins following passive avoidance training in the day-old chick. Learning and Memory, 1999, 6, 389-97.	0.5	20
1224	The effects of panretinal photocoagulation on the primary visual cortex of the adult monkey. Transactions of the American Ophthalmological Society, 2001, 99, 33-42; discussion 42-3.	1.4	2

#	ARTICLE	IF	CITATIONS
1227	Lesion of the Subfornical Organ attenuates Neuronal Activation of the Paraventricular Nucleus in response to Angiotensin II in normal rats. <i>Open Journal of Neuroscience</i> , 2011, 1, 1.	1.2	5
1228	LncRNA H19 secreted by umbilical cord blood mesenchymal stem cells through microRNA-29a-3p/FOS axis for central sensitization of pain in advanced osteoarthritis. <i>American Journal of Translational Research (discontinued)</i> , 2021, 13, 1245-1256.	0.0	3
1229	Protein-Protein Interaction Network Analysis Revealed a New Prospective of Posttraumatic Stress Disorder. <i>Galen</i> , 2018, 7, e1137.	0.6	0
1230	The Wake Promoting Role of the Mediodorsal Thalamic Nuclei in Rat. <i>Sleep and Vigilance</i> , 0, , 1.	0.4	0
1231	Structure and function differences in the prelimbic cortex to basolateral amygdala circuit mediate trait vulnerability in a novel model of acute social defeat stress in male mice. <i>Neuropsychopharmacology</i> , 2022, 47, 788-799.	2.8	12
1232	An ontogenic study of receptor mechanisms by which acute administration of low-doses of methamphetamine suppresses DOI-induced 5-HT <sub>2A</sub> -receptor mediated head-twitch response in mice. <i>BMC Neuroscience</i> , 2022, 23, 2.	0.8	3
1233	Tau Knockout and $\beta$ -Synuclein A53T Synergy Modulated Parvalbumin-Positive Neurons Degeneration Staging in Substantia Nigra Pars Reticulata of Parkinson's Disease-Liked Model. <i>Frontiers in Aging Neuroscience</i> , 2021, 13, 784665.	1.7	1
1236	Ultrasound deep brain stimulation decelerates telomere shortening in Alzheimer's disease and aging mice. <i>Fundamental Research</i> , 2023, 3, 469-478.	1.6	4
1237	Arcuate NPY is involved in salt-induced hypertension via modulation of paraventricular vasopressin and brain-derived neurotrophic factor. <i>Journal of Cellular Physiology</i> , 2022, 237, 2574-2588.	2.0	6
1238	Increased burst coding in deep layers of the ventral anterior cingulate cortex during neuropathic pain. <i>Scientific Reports</i> , 2021, 11, 24240.	1.6	9
1240	Neuropeptide S Attenuates the Alarm Pheromone-Evoked Defensive and Risk Assessment Behaviors Through Activation of Cognate Receptor-Expressing Neurons in the Posterior Medial Amygdala. <i>Frontiers in Molecular Neuroscience</i> , 2021, 14, 752516.	1.4	3
1241	In Transgenic Erythropoietin Deficient Mice, an Increase in Respiratory Response to Hypercapnia Parallels Abnormal Distribution of CO <sub>2</sub> /H <sup>+</sup> -Activated Cells in the Medulla Oblongata. <i>Frontiers in Physiology</i> , 2022, 13, 850418.	1.3	4
1246	Paradoxical effects of kappa-opioid stimulation on the locomotor activity and Fos immunoreactivity of the preweanling rat: role of dopamine receptors. <i>Behavioral Neuroscience</i> , 1997, 111, 1114-22.	0.6	12
1247	Behavioral and slice electrophysiological assessment of DREADD ligand, deschloroclozapine (DCZ) in rats. <i>Scientific Reports</i> , 2022, 12, 6595.	1.6	13
1249	A review of potential neuropathological changes associated with ketamine. <i>Expert Opinion on Drug Safety</i> , 2022, 21, 813-831.	1.0	5
1250	Discrimination of motor and sensorimotor effects of phencyclidine and MK-801: Involvement of GluN2C-containing NMDA receptors in psychosis-like models. <i>Neuropharmacology</i> , 2022, 213, 109079.	2.0	3
1251	Neuroimmune circuits involved in $\beta$ -lactoglobulin-induced food allergy. <i>Brain, Behavior, &amp; Immunity - Health</i> , 2022, 23, 100471.	1.3	2
1255	Ultrasound Deep Brain Stimulation Modulates Body Temperature in Mice. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2022, 30, 1851-1857.	2.7	4

#	ARTICLE	IF	CITATIONS
1256	CXCR4/CX43 Regulate Diabetic Neuropathic Pain via Intercellular Interactions between Activated Neurons and Dysfunctional Astrocytes during Late Phase of Diabetes in Rats and the Effects of Antioxidant N-Acetyl-L-Cysteine. <i>Oxidative Medicine and Cellular Longevity</i> , 2022, 2022, 1-15.	1.9	4
1258	A modified mouse model for observational fear learning and the influence of social hierarchy. <i>Frontiers in Behavioral Neuroscience</i> , 0, 16, .	1.0	2
1259	Social Fear Affects Limbic System Neuronal Activity and Gene Expression. <i>International Journal of Molecular Sciences</i> , 2022, 23, 8228.	1.8	3
1260	The roles of rat medial prefrontal and orbitofrontal cortices in relapse to cocaine-seeking: A comparison across methods for identifying neurocircuits. <i>Addiction Neuroscience</i> , 2022, 4, 100031.	0.4	6
1261	Nucleus of the lateral olfactory tract: A hub linking the water homeostasis-associated supraoptic nucleus-arginine vasopressin circuit and neocortical regions to promote social behavior under osmotic challenge. <i>Journal of Neuroendocrinology</i> , 2023, 35, .	1.2	2
1262	CO2 exposure enhances Fos expression in hypothalamic neurons in rats during the light and dark phases of the diurnal cycle. <i>Brain Structure and Function</i> , 2022, 227, 2667-2679.	1.2	1
1263	Fast identification and quantification of c-Fos protein using you-only-look-once-v5. <i>Frontiers in Psychiatry</i> , 0, 13, .	1.3	1
1264	Epigenetic and Neuronal Activity Markers Suggest the Recruitment of the Prefrontal Cortex and Hippocampus in the Three-Hit Model of Depression in Male PACAP Heterozygous Mice. <i>International Journal of Molecular Sciences</i> , 2022, 23, 11739.	1.8	0
1265	General-Purpose Ultrasound Neuromodulation System for Chronic, Closed-Loop Preclinical Studies in Freely Behaving Rodents. <i>Advanced Science</i> , 2022, 9, .	5.6	7
1266	A Role for Thalamic Projection GABAergic Neurons in Circadian Responses to Light. <i>Journal of Neuroscience</i> , 2022, 42, 9158-9179.	1.7	5
1267	BCL7A-containing SWI/SNF/BAF complexes modulate mitochondrial bioenergetics during neural progenitor differentiation. <i>EMBO Journal</i> , 2022, 41, .	3.5	5
1268	Transcription Factors as Important Regulators of Changes in Behavior through Domestication of Gray Rats: Quantitative Data from RNA Sequencing. <i>International Journal of Molecular Sciences</i> , 2022, 23, 12269.	1.8	6
1269	p53-dependent c-Fos expression is a marker but not executor for motor neuron death in spinal muscular atrophy mouse models. <i>Frontiers in Cellular Neuroscience</i> , 0, 16, .	1.8	1
1271	Circadian clock organization in the retina: From clock components to rod and cone pathways and visual function. <i>Progress in Retinal and Eye Research</i> , 2023, 94, 101119.	7.3	9
1272	Mechanism of LH release after peripheral administration of kisspeptin in cattle. <i>PLoS ONE</i> , 2022, 17, e0278564.	1.1	1
1274	Coordinated neurostimulation promotes circuit rewiring and unlocks recovery after spinal cord injury. <i>Journal of Experimental Medicine</i> , 2023, 220, .	4.2	4
1275	Nucleus accumbens circuit disinhibits lateral hypothalamus glutamatergic neurons contributing to morphine withdrawal memory in male mice. <i>Nature Communications</i> , 2023, 14, .	5.8	4
1276	Effects of low-doses of methamphetamine on d-fenfluramine-induced head-twitch response (HTR) in mice during ageing and c-fos expression in the prefrontal cortex. <i>BMC Neuroscience</i> , 2023, 24, .	0.8	0

#	ARTICLE	IF	CITATIONS
1277	Shared and Distinct Brain Regions Targeted for Immediate Early Gene Expression by Ketamine and Psilocybin. ACS Chemical Neuroscience, 2023, 14, 468-480.	1.7	33
1278	Copper nanoclusters based short-term memory "eraser". Chemical Engineering Journal, 2023, 463, 142366.	6.6	2
1280	Histochemical analysis of the biphasic properties of formalin pain-induced behavior. Biochemistry and Biophysics Reports, 2023, 34, 101467.	0.7	0
1282	Brainstem areas involved in the aspiration reflex: c-Fos study in anesthetized cats.. Physiological Research, 2006, , 703-717.	0.4	4