Somatic embryogenesis and plant regeneration in inflor cultures of Poa pratensis L. (Kentucky bluegrass)

Plant Cell Reports 7, 644-647 DOI: 10.1007/bf00272050

Citation Report

#	Article	IF	CITATIONS
1	Somatic embryogenesis and plant regeneration from embryogenic suspension cultures of perennial ryegrass. In Vitro Cellular & Developmental Biology, 1990, 26, 419-424.	1.0	11
2	Plant regeneration through somatic embryogenesis in the forage grass Caucasian bluestem (Bothriochloa caucasica). Plant Cell Reports, 1990, 9, 443-6.	5.6	11
3	New efforts to overcome apomixis in Poa pratensis L. Euphytica, 1991, 55, 65-72.	1.2	32
4	Improvement of the tissue culture response of seed-derived callus cultures of Poa pratensis L.: Effect of gelling agent and abscisic acid. Plant Cell, Tissue and Organ Culture, 1991, 27, 275-280.	2.3	25
5	Somatic embryogenesis and plant regeneration from cultured immature inflorescences of apomictic dallisgrass (Paspalum dilatatum Poir.). Plant Science, 1992, 82, 213-218.	3.6	27
7	Origin and development of embryo and bud primordia during maturation of embryogenic calli of Zea mays. Canadian Journal of Botany, 1993, 71, 1349-1356.	1.1	18
8	Regeneration of green plants from embryogenic suspension on cultures of kentucky blue grass (Poa) Tj ETQq0 0	0 rgBT /O	verlock 10 T
9	Plant regeneration from seed-derived embryogenic callus and cell suspension cultures of bahiagrass (Paspalum notatum). Plant Science, 1993, 90, 73-80.	3.6	25
10	Cleavage polyembryonyin vivo andin vitro. Biologia Plantarum, 1994, 36, 329-334.	1.9	6
11	Somatic embryogenesis: cell biological aspects. Acta Botanica Neerlandica, 1994, 43, 1-14.	0.9	91

- 12Optimizing plant regeneration from seed-derived callus cultures of Kentucky bluegrass. The effect of
benzyladenine. Plant Cell, Tissue and Organ Culture, 1995, 40, 101-103.2.333
- High-frequency plant regeneration from seed-derived callus cultures of Kentucky bluegrass (Poa) Tj ETQq1 1 0.784314 rgBT /Overlock

14	Somatic Embryogenesis in Herbaceous Monocots. Current Plant Science and Biotechnology in Agriculture, 1995, , 417-470.	0.0	24
15	Turfgrass biotechnology. Plant Science, 1996, 115, 1-8.	3.6	40
16	Plant regeneration in Kentucky bluegrass (Poa pratensis L.) via coleoptile tissue cultures. Plant Cell Reports, 1996, 15, 882-887.	5.6	23
17	Somatic embryogenesis and plant regeneration of pepper in liquid media. Plant Cell, Tissue and Organ Culture, 1996, 46, 227-235.	2.3	30
19	Plant regeneration and multiplication of the emergent wetland monocot Juncus accuminatus. Plant Cell Reports, 1998, 17, 656-660.	5.6	20
20	Shoot regeneration and plant acclimatization of the wetland monocot Cattail (Typha latifolia). Plant Cell Reports, 1998, 18, 71-75.	5.6	19

#	Article	IF	CITATIONS
21	Stable transformation of a recalcitrant kentucky bluegrass (Poa pratensis L.) cultivar using mature seed-derived highly regenerative tissues. In Vitro Cellular and Developmental Biology - Plant, 2001, 37, 6-11.	2.1	29
22	Tissue culture and plant regeneration of blue grama grass, Bouteloua gracilis (H.B.K.) Lag. Ex Steud. In Vitro Cellular and Developmental Biology - Plant, 2001, 37, 182-189.	2.1	9
23	Forage and Turf Grass Biotechnology. Critical Reviews in Plant Sciences, 2001, 20, 573-619.	5.7	56
24	Title is missing!. Plant Cell, Tissue and Organ Culture, 2002, 71, 213-222.	2.3	20

CITATION REPORT

25 Plants regenerated from embryo cultures of an apomictic clone of Kentucky bluegrass (Poa pratensis) Tj ETQq0 0 0.rgBT /Overlock 10 Tf

26	Optimization of inÂvitro multiple shoot clump induction and plantlet regeneration of Kentucky bluegrass (PoaÂpratensis). Plant Cell, Tissue and Organ Culture, 2006, 84, 90-99.	2.3	6
28	Agrobacterium-mediated transformation of shoot apices of Kentucky bluegrass (Poa pratensis L.) and production of transgenic plants carrying a betA gene. Plant Cell, Tissue and Organ Culture, 2010, 102, 135-143.	2.3	22
29	Synthetic seeds: A review in agriculture and forestry. African Journal of Biotechnology, 2012, 11, .	0.6	19
30	Cool-Season Grasses: Biology and Breeding. , 0, , 591-660.		32
31	Improved tissue culture conditions for the emerging C4 model Panicum hallii. BMC Biotechnology, 2017, 17, 39.	3.3	8
32	Bluegrasses. , 2010, , 345-379.		16
33	Forage and Turf-Grass Biotechnology: Principles, Methods, and Prospects. , 1999, , 191-237.		17
34	Forage and Turf Grass Biotechnology. Critical Reviews in Plant Sciences, 2001, 20, 573-619.	5.7	57
35	High frequency somatic embryo formation in cultures of immature embryos of guineagrass, Panicum maximum Jacq Breeding Science, 1991, 41, 85-93.	0.2	17
36	Plant Regeneration from Seed-derived Callus in Kentucky Bluegrass(Poa pratensis L.). Journal of the Korean Society of Grassland and Forage Science, 2004, 24, 265-270.	0.4	0
37	Callus Cultures and Somaclonal Variation. Monographs on Theoretical and Applied Genetics, 1998, , 19-45.	0.2	0