

# CITATION REPORT

List of articles citing

## Powder Processing Science and Technology for Increased Reliability

DOI: 10.1111/j.1151-2916.1989.tb05945.x

Journal of the American Ceramic Society, 1989, 72, 3-15.

**Source:** <https://exaly.com/paper-pdf/20707170/citation-report.pdf>

**Version:** 2024-04-26

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1050	Effects of surface purification on the properties of aqueous silicon nitride suspensions. <b>1989</b> , 5, 155-163		29
1049	Sol-gel coating of silicon nitride with MgAl oxide sintering aid. <b>1989</b> , 5, 209-217		48
1048	Dispersion and Consolidation of the Colloidal Suspension in the Al <sub>2</sub> O <sub>3</sub> Powder-Si <sub>3</sub> N <sub>4</sub> Whisker System. <b>1989</b> , 155, 343		2
1047	Formulation and Processing of Colloidal Dispersions. <b>1989</b> , 177, 281		2
1046	ChemInform Abstract: Powder Processing Science and Technology for Increased Reliability. <b>1989</b> , 20, no		7
1045	Rheological Properties and Consolidation of the Suspension in the Alumina Powder-Silicon Nitride Whisker System. <b>1989</b> , 97, 881-887		14
1044	Calculation of Interaction Energy and Phase Diagram for Colloidal Systems. <b>1990</b> , 98, 316-321		24
1043	Recent Advances in Fast Ion Conducting Materials and Devices. <b>1990</b> ,		1
1042	Surface Forces and Their Action in Ceramic Materials. <i>Journal of the American Ceramic Society</i> , <b>1990</b> , 73, 1117-1135	3.8	311
1041	Perspective on the Development of High-Toughness Ceramics. <i>Journal of the American Ceramic Society</i> , <b>1990</b> , 73, 187-206	3.8	1263
1040	Method for Processing Metal-Reinforced Ceramic Composites. <i>Journal of the American Ceramic Society</i> , <b>1990</b> , 73, 388-393	3.8	65
1039	Development of Superplastic Structural Ceramics. <i>Journal of the American Ceramic Society</i> , <b>1990</b> , 73, 2585-2609	3.8	447
1038	Influence of pore structure inhomogeneities in green compacts on strength and reliability of Y-TZP. <b>1990</b> , 6, 317-322		9
1037	Pore size distribution during compaction and early stage sintering of silicon nitride. <b>1990</b> , 25, 1686-1689		5
1036	Werkstoffspezifische Probleme bei der mikrostrukturellen und mikroanalytischen Charakterisierung keramischer Werkstoffe. <b>1990</b> , 21, 36-48		3
1035	Advanced Ceramics III. <b>1990</b> ,		2
1034	DEPOSITION AND RESTRUCTURING OF ADHESIVE PARTICLES IN UNIDIRECTIONAL FIELDS. <b>1991</b> , 108, 147-164		5

1033	Advances in the Design of Toughened Ceramics. <b>1991</b> , 99, 993-1001		28
1032	Synthesis of dense $\alpha$ -alumina ceramics by reaction sintering of Na <sub>2</sub> O-containing alumina compact. <b>1991</b> , 6, 585-591		8
1031	Coating of Silicon Nitride with Sintering Aid. <b>1991</b> , 249, 443		
1030	Powder processing of ceramic matrix composites. <b>1991</b> , 144, 143-152		11
1029	Evaluation of oxygen content on silicon nitride powder surface from the measurement of the isoelectric point. <b>1991</b> , 7, 353-359		36
1028	Consolidation of Alumina-Zirconia Mixtures by a Colloidal Process. <i>Journal of the American Ceramic Society</i> , <b>1991</b> , 74, 625-632	3.8	30
1027	Preparation of Colloidal Boehmite Needles by Hydrothermal Treatment of Aluminum Alkoxide Precursors. <i>Journal of the American Ceramic Society</i> , <b>1991</b> , 74, 1303-1307	3.8	133
1026	Effects of pH and Particle Size on the Processing of and the Development of Microstructure in Alumina-Zirconia Composites. <i>Journal of the American Ceramic Society</i> , <b>1991</b> , 74, 3100-3111	3.8	52
1025	Colloidal Processing and Mechanical Properties of Whisker-Reinforced Mullite Matrix Composites. <i>Journal of the American Ceramic Society</i> , <b>1991</b> , 74, 2438-2442	3.8	41
1024	Microstructural Design of Toughened Ceramics. <i>Journal of the American Ceramic Society</i> , <b>1991</b> , 74, 255-268	3.8	837
1023	Aqueous Dispersion and Slip Casting of Boron Carbide Powder: Effect of pH and Oxygen Content. <i>Journal of the American Ceramic Society</i> , <b>1991</b> , 74, 1614-1618	3.8	33
1022	Effect of Interparticle Potentials and Sedimentation on Particle Packing Density of Bimodal Particle Distributions During Pressure Filtration. <i>Journal of the American Ceramic Society</i> , <b>1991</b> , 74, 166-172	3.8	143
1021	Low-Temperature Sintering of Alumina with Liquid-Forming Additives. <i>Journal of the American Ceramic Society</i> , <b>1991</b> , 74, 2011-2013	3.8	62
1020	Centrifugal Consolidation of Al <sub>2</sub> O <sub>3</sub> and Al <sub>2</sub> O <sub>3</sub> /ZrO <sub>2</sub> Composite Slurries vs Interparticle Potentials: Particle Packing and Mass Segregation. <i>Journal of the American Ceramic Society</i> , <b>1991</b> , 74, 2201-2204	3.8	104
1019	Submicron-powder starting materials for advanced ferrites. <b>1991</b> , 3, 394-396		7
1018	Pressure casting of silicon nitride. <b>1991</b> , 7, 307-314		10
1017	Molecular and colloidal engineering of ceramics. <i>Ceramics International</i> , <b>1991</b> , 17, 267-274	5.1	27
1016	Packing of bimodal mixtures of colloidal silica. <b>1991</b> , 26, 6035-6043		7

1015	Chemical control in precipitation of spherical zirconia particles. <b>1991</b> , 26, 2353-2358		49
1014	Fluidity-increasing behaviour of silicon nitride powder by aqueous washing. <b>1991</b> , 10, 279-281		14
1013	Surface chemistry and suspension stability of oxide-nitride powder mixtures. <b>1991</b> , 26, 216-224		28
1012	Powder Processing Technique for Development of Zirconia-Nickel Functionally Gradient Materials. <b>1992</b> , 100, 387-391		21
1011	The Effect of Polymers on Ceramic Suspension Rheology and Green Component Properties. <b>1992</b> , 289, 117		6
1010	Sinter-forging of nanophase TiO <sub>2</sub> . <b>1992</b> , 26, 791-796		41
1009	Modified resinâ€”intermediate processing of perovskite powders: Part I. Optimization of polymeric precursors. <b>1992</b> , 7, 502-510		193
1008	Production of reactive single- and multi-component ceramic oxide powders and fabrication of high-strength ceramics. <b>1992</b> , 27, 433-440		3
1007	Barium titanate formation by organic resins formed with mixed citrate. <b>1992</b> , 27, 1849-1856		44
1006	An application of sol gelation in the dispersion mixing of ceramic-matrix composites. <b>1992</b> , 11, 807-809		2
1005	Interpenetrating Phase Composites. <i>Journal of the American Ceramic Society</i> , <b>1992</b> , 75, 739-758	3.8	271
1004	Direct Study of the Behavior of Flaw-Forming Defect in Sintering. <i>Journal of the American Ceramic Society</i> , <b>1992</b> , 75, 1016-1018	3.8	40
1003	Consolidation Behavior of Flocculated Alumina Suspensions. <i>Journal of the American Ceramic Society</i> , <b>1992</b> , 75, 3305-3314	3.8	170
1002	Factors Controlling the Sintering of Ceramic Particulate Composites: I, Conventional Processing. <i>Journal of the American Ceramic Society</i> , <b>1992</b> , 75, 2056-2065	3.8	51
1001	Effect of Aqueous Processing Conditions on the Microstructure and Transformation Behavior in Al <sub>2</sub> O <sub>3</sub> -ZrO <sub>2</sub> (CeO <sub>2</sub> ) Composites. <i>Journal of the American Ceramic Society</i> , <b>1992</b> , 75, 2649-2658	3.8	29
1000	Surface chemistry of silicon nitride powders: Adsorption from non-aqueous solutions. <b>1992</b> , 69, 53-64		16
999	Controlled-fracture forming for alumina wires and plates I. Cold-working and resintering characteristic. <b>1992</b> , 151, 45-52		3
998	Characterization of internal structure in Y-TZP powder compacts. <b>1992</b> , 27, 587-591		1

997	Effects of organic binders on the sintering of isostatically compacted zirconia powders. <b>1992</b> , 27, 63-67		5
996	Characterization of internal structure in Y-TZP powder compacts. <b>1992</b> , 27, 587-591		7
995	Preparation and characterization of ultrafine zirconia powder. <i>Ceramics International</i> , <b>1992</b> , 18, 343-351	5.1	10
994	Zeta potential modification of ceramic powders using zirconium hydrogel. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , <b>1993</b> , 78, 235-243	5.1	15
993	Colloidal processing of sol-sprayed ceramic particulate composites. <b>1993</b> , 12, 449-453		3
992	Sintering and evolution of porosity in compacts obtained from ZrO <sub>2</sub> (Y <sub>2</sub> O <sub>3</sub> ) powders under pressure of 6 GPa. <b>1993</b> , 32, 126-130		1
991	A modified powder route for the preparation of sol-gel process-synthesized magnesia and alumina. <b>1993</b> , 12, 1025-1027		14
990	Polycrystalline t'-ZrO <sub>2</sub> (Ln <sub>2</sub> O <sub>3</sub> ) formed by displacive transformations. <b>1993</b> , 28, 4503-4509		10
989	Effects of powder processing on the characterization of magnesia derived from alkoxide precursors. <b>1993</b> , 28, 4530-4535		7
988	Effect of processing conditions on the characteristics of pores in hot isostatically pressed alumina. <b>1993</b> , 28, 1788-1792		27
987	Toughening by Metallic Lamina in Nickel/Alumina Composites. <i>Journal of the American Ceramic Society</i> , <b>1993</b> , 76, 1258-1264	3.8	62
986	Liquid Permeability of Packed Particles: Why Perpetuate the Carman-Kozeny Model?. <i>Journal of the American Ceramic Society</i> , <b>1993</b> , 76, 547-548	3.8	27
985	R-Curve Behavior and Flaw Insensitivity of Ce-TZP/Al <sub>2</sub> O <sub>3</sub> Composite. <i>Journal of the American Ceramic Society</i> , <b>1993</b> , 76, 961-969	3.8	31
984	Flaw-Tolerance and Crack-Resistance Properties of Alumina-Aluminum Titanate Composites with Tailored Microstructures. <i>Journal of the American Ceramic Society</i> , <b>1993</b> , 76, 2312-2320	3.8	85
983	Effect of compaction pressure on the sinterability of submicron powders of tetragonal zirconium dioxide. <b>1993</b> , 34, 70-81		5
982	Sintering ability of BaTiO <sub>3</sub> powders elaborated by citric process. <b>1993</b> , 12, 153-157		16
981	Characterization of nano-sized ZrO <sub>2</sub> powder. <b>1993</b> , 74, 7-12		7
980	An approach to improve the accuracy of sub-micron particle size distribution measurement using the Horiba CAPA-700. <b>1993</b> , 74, 67-71		9

979	SOLID SOLUTION APPROACH FOR THE FABRICATION OF CERAMICS WITH HIGH DENSITY AND CONTROLLED MICROSTRUCTURE. <b>1993</b> , 8, 475-490		
978	Fabrication of Zirconia-Nickel Functionally Gradient Materials by Slip Casting and Pressureless-Sintering. <b>1994</b> , 9, 721-733		3
977	Sedimentation in flocculating colloidal suspensions. <b>1994</b> , 9, 451-461		40
976	Microstructure evolution and mechanical strength of silicon nitride ceramics. <b>1994</b> , 9, 1208-1213		18
975	Processing and densification of ceria-zirconia ceramic through extrusion of ceramic-polymer mixture. <i>Ceramics International</i> , <b>1994</b> , 20, 183-187	5.1	2
974	Contribution to fuel element fabrication of UO <sub>2</sub> pellets using lower sintering temperatures. <b>1994</b> , 217, 217-219		3
973	Development of porous zirconia spheres by polymerization-induced colloid aggregation – effect of polymerization rate. <b>1994</b> , 29, 6123-6130		20
972	Microstructure and properties of large ceramic parts made from a Sol-Salt yttried zirconia powder. <b>1994</b> , 2, 403-405		
971	Sintering of sol sprayed alumina-zirconia composites. <b>1994</b> , 13, 784-786		1
970	Improvement of sintering and piezoelectric properties of soft lead zirconate titanate ceramics. <b>1994</b> , 29, 4975-4983		14
969	Microstructural development and mechanical properties of pressureless-sintered SiC with plate-like grains using Al <sub>2</sub> O <sub>3</sub> -Y <sub>2</sub> O <sub>3</sub> additives. <b>1994</b> , 29, 5321-5326		69
968	Surface characterization of Si <sub>3</sub> N <sub>4</sub> and SiAlON powders. <b>1994</b> , 13, 1101-1103		2
967	Production of spherical ZrO <sub>2</sub> -Y <sub>2</sub> O <sub>3</sub> and ZnO particles. <b>1994</b> , 28, 1087-93		11
966	Controlled modification of silicon nitride interactions in water via zwitterionic surfactant adsorption. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , <b>1994</b> , 93, 275-292	5.1	42
965	Centrifugal slip casting of zirconia (TZP). <b>1994</b> , 13, 33-39		40
964	Exploitation of interparticle forces in the processing of colloidal ceramic materials. <b>1994</b> , 15, 141-147		15
963	Colloidal Processing of Structurally Reliable Si <sub>3</sub> N <sub>4</sub> . <b>1994</b> , 3-18		3
962	Electrokinetic behaviour and dispersion characteristics of ceramic powders with cationic and anionic polyelectrolytes. <b>1994</b> , 17, 911-920		29

961	Metal-organic Surfactants as Sintering Aids for Silicon Nitride in an Aqueous Medium. <i>Journal of the American Ceramic Society</i> , <b>1994</b> , 77, 2926-2934	3.8	17
960	Synthesis of Yttria Powders by Electrospray Pyrolysis. <i>Journal of the American Ceramic Society</i> , <b>1994</b> , 77, 3244-3250	3.8	63
959	Osmotic Consolidation of Suspensions and Gels. <i>Journal of the American Ceramic Society</i> , <b>1994</b> , 77, 2473-2478	3.8	28
958	Viscosity and Yield Stress of Alumina Slurries Containing Large Concentrations of Electrolyte. <i>Journal of the American Ceramic Society</i> , <b>1994</b> , 77, 19-26	3.8	117
957	Equilibrium-State Density Profiles of Centrifuged Cakes. <i>Journal of the American Ceramic Society</i> , <b>1994</b> , 77, 540-546	3.8	21
956	Effect of Grain Size on Hertzian Contact Damage in Alumina. <i>Journal of the American Ceramic Society</i> , <b>1994</b> , 77, 1825-1831	3.8	206
955	Tape Casting of Fine Alumina/Zirconia Powders for Composite Fabrication. <i>Journal of the American Ceramic Society</i> , <b>1994</b> , 77, 2137-2144	3.8	46
954	Processing of Tape-Cast Laminates Prepared from Fine Alumina/Zirconia Powders. <i>Journal of the American Ceramic Society</i> , <b>1994</b> , 77, 2145-2153	3.8	48
953	Processing of nanocomposite silicon nitride-mullite-alumina by reaction sintering. <b>1994</b> , 4, 169-182		3
952	Interfacial cracking in ceramic laminates. <b>1994</b> , 2, 337-349		4
951	Correlation of Green Microstructure of Al <sub>2</sub> O <sub>3</sub> with Colloid/Interface Variables. <b>1994</b> , 102, 119-127		1
950	Densification of powder compacts by vibration. <b>1995</b> , 12, 488-490		1
949	An improvement in processing of hydroxyapatite ceramics. <b>1995</b> , 30, 3061-3074		96
948	Microstructure development of Si <sub>3</sub> N <sub>4</sub> -TiN composite prepared by in situ compositing. <b>1995</b> , 30, 3222-3230		24
947	Microstructure and mechanical properties of spherical zirconia-yttria granules. <b>1995</b> , 30, 2121-2129		5
946	Direct observation of non-uniform distribution of PVA binder in alumina green body. <b>1995</b> , 30, 1357-1360		24
945	Coating layer formation mechanism in coating of Si <sub>3</sub> N <sub>4</sub> particles. <b>1995</b> , 14, 129-131		5
944	Effect of Glass Additions on the Indentation-Strength Behavior of Alumina. <i>Journal of the American Ceramic Society</i> , <b>1995</b> , 78, 849-856	3.8	19

943	Boehmite Coating as a Consolidation and Forming Aid in Aqueous Silicon Nitride Processing. <i>Journal of the American Ceramic Society</i> , <b>1995</b> , 78, 1252-1260	3.8	34
942	VibraForming and In Situ Flocculation of Consolidated, Coagulated, Alumina Slurries. <i>Journal of the American Ceramic Society</i> , <b>1995</b> , 78, 1324-1328	3.8	46
941	Processing of Silicon Carbide-Mullite-Alumina Nanocomposites. <i>Journal of the American Ceramic Society</i> , <b>1995</b> , 78, 479-486	3.8	53
940	The properties of zirconia powders produced by homogeneous precipitation. <i>Ceramics International</i> , <b>1995</b> , 21, 195-206	5.1	52
939	Investigation of the powder characteristics and microstructures of alumina-zirconia composites. <b>1995</b> , 194, 235-241		3
938	Molecular dynamics simulations of densification processes in nanocrystalline materials. <b>1995</b> , 204, 96-100		52
937	Effect of hydrolysis on the colloidal stability of fine alumina suspensions. <b>1995</b> , 204, 169-175		3
936	Alumina of high reliability by centrifugal casting. <b>1995</b> , 15, 811-821		59
935	Effect of powder granulometry and pre-treatment on sintering behavior of submicron-grained alumina. <b>1995</b> , 15, 9-16		27
934	Electrophoretic deposition of Al <sub>2</sub> O <sub>3</sub> -SiC composite. <b>1995</b> , 40, 285-290		16
933	Processing ceramic-matrix composites using electrophoretic deposition. <b>1995</b> , 47, 34-37		18
932	Particle interactions in suspensions. <b>1995</b> , 58-101		4
931	Interfacial phenomena in Y <sub>2</sub> O <sub>3</sub> -ZrO <sub>2</sub> -based ceramics: A surface science perspective. <b>1995</b> , 183-238		4
930	Synthesis of partially stabilized zirconia by a sol-gel process. <b>1995</b> , 22, 71-75		3
929	Ceramic Processing. <b>1995</b> ,		6
928	Effect of Temperature on the Slurry Characteristics and Green Bodies of Alumina. <i>Journal of the American Ceramic Society</i> , <b>1995</b> , 78, 2153-2156	3.8	16
927	Processing of fine hydroxyapatite powders via an inverse microemulsion route. <b>1996</b> , 28, 431-436		88
926	Sintering. <b>1996</b> , 781-874		1



925	Preparation and Sintering of Silica-Doped Zirconia by Colloidal Processing. <b>1996</b> , 457, 33		1
924	Influence of Spray-Dry Slurry Flocculation on the Structure of Sintered Silicon Nitride. <b>1996</b> , 104, 59-62		13
923	Influence of pore structure in green compacts on the densification of SiC?Al <sub>2</sub> O <sub>3</sub> ?Y <sub>2</sub> O <sub>3</sub> . <i>Ceramics International</i> , <b>1996</b> , 22, 403-406	5.1	9
922	Immersion microscopy for detailed characterization of defects in ceramic powders and green bodies. <b>1996</b> , 88, 291-298		69
921	Microstructure, permeability and mechanical behaviour of ceramic foams. <b>1996</b> , 209, 149-155		31
920	Microstructural changes and phase transformations in a plasma-sprayed zirconia-yttria-titania thermal barrier coating. <b>1996</b> , 82, 284-290		11
919	Effect of rheological behavior on properties of cast and sintered silicon carbide. <i>Ceramics International</i> , <b>1996</b> , 22, 101-106	5.1	24
918	Rheological properties of Al <sub>2</sub> O <sub>3</sub> -SiC whisker composite suspensions. <b>1996</b> , 31, 5257-5270		33
917	Microstructural homogeneity improvement in Si <sub>3</sub> N <sub>4</sub> by a powder coating method. <b>1996</b> , 31, 4709-4718		14
916	Rheological Properties of Concentrated, Nonaqueous Silicon Nitride Suspensions. <i>Journal of the American Ceramic Society</i> , <b>1996</b> , 79, 3033-3040	3.8	70
915	Plastic-to-Brittle Transition of Saturated, Alumina Powder Compacts. <i>Journal of the American Ceramic Society</i> , <b>1996</b> , 79, 3161-3168	3.8	79
914	Stereological Observations of Platelet-Reinforced Mullite- and Zirconia-Matrix Composites. <i>Journal of the American Ceramic Society</i> , <b>1996</b> , 79, 3273-3281	3.8	10
913	Estimation of Hamaker Constants of Ceramic Materials from Optical Data Using Lifshitz Theory. <i>Journal of the American Ceramic Society</i> , <b>1996</b> , 79, 339-348	3.8	92
912	Effect of Poly(vinyl alcohol) Adsorption on Binder Segregation during Drying. <i>Journal of the American Ceramic Society</i> , <b>1996</b> , 79, 435-440	3.8	36
911	Influence of Granule Character and Compaction on the Mechanical Properties of Sintered Silicon Nitride. <i>Journal of the American Ceramic Society</i> , <b>1996</b> , 79, 843-848	3.8	46
910	Formation and Control of Agglomerates in Alumina Powder. <i>Journal of the American Ceramic Society</i> , <b>1996</b> , 79, 2003-2011	3.8	28
909	Improved Aqueous Dispersion of Silicon Nitride with Aminosilanes. <i>Journal of the American Ceramic Society</i> , <b>1996</b> , 79, 2940-2946	3.8	15
908	Sintering of Nano-Particle Powders: Simulations and Experiments. <b>1996</b> , 11, 905-923		45

907	Yielding of Suspensions in Compression. <b>1997</b> , 36, 4984-4992		68
906	Ceramic Powder Preparation: A Handbook. <b>1997</b> ,		33
905	Near-Net-Shaping of Engineering Ceramics: Potentials and Prospects of Aqueous Injection Molding (AIM). <b>1997</b> , 13-22		
904	Ultrafine zirconia powders via microemulsion processing route. <b>1997</b> , 8, 499-505		32
903	Influence of SiC particle size and drying method on mechanical properties and microstructure of nanocomposite. <b>1997</b> , 32, 251-257		23
902	Microstructure Development in Al <sub>2</sub> O <sub>3</sub> -Platelet-Reinforced Ce-ZrO <sub>2</sub> /Al <sub>2</sub> O <sub>3</sub> Composites. <i>Journal of the American Ceramic Society</i> , <b>1997</b> , 80, 27-36	3.8	14
901	A finite element method for simulating interface motion— Migration of phase and grain boundaries. <b>1997</b> , 45, 1907-1915		55
900	Dispersion characteristic of nano-sized ceramic powder in an aqueous medium. <b>1997</b> , 17, 207-210		7
899	Aqueous zeta potentials of molybdenum disilicide. <b>1997</b> , 16, 1336-1338		9
898	A novel sol-gel route to prepare 50% PSZ-50% Al <sub>2</sub> O <sub>3</sub> composite with duplex microstructure. <b>1997</b> , 16, 190-191		4
897	Preparation and analysis of aluminate sodalite ceramics from solution spray-dried precursors. <b>1997</b> , 48, 647-656		
896	Reliability of alumina ceramics. 2: Effect of processing. <b>1997</b> , 17, 727-733		24
895	Electroacoustic and rheological properties of aqueous Ce-ZrO <sub>2</sub> (Ce-TZP) suspensions. <b>1997</b> , 17, 537-548		58
894	Characterization of micro- and macrostructure of injection-molded green body by liquid immersion method. <b>1997</b> , 17, 177-181		7
893	Influence of pH on the pressure slip casting of silicon carbide bodies. <b>1997</b> , 17, 259-266		8
892	Influence of the dispersant structure on properties of electrostatically stabilized aqueous alumina suspensions. <b>1997</b> , 17, 239-249		183
891	Structural ceramic nanocomposites. <b>1997</b> , 17, 1061-1082		404
890	Quantification of the internal structure in ceramic green bodies using computer-assisted optical imaging. <b>1997</b> , 17, 1193-1200		2

889	Influence of magnesia on colloidal processing of alumina. <b>1997</b> , 17, 1341-1350	33
888	Microstructure designing of silicon nitride. <b>1997</b> , 17, 1841-1847	44
887	Processing of hydroxyapatite via microemulsion and emulsion routes. <b>1997</b> , 18, 1433-9	121
886	The adsorption of tri alkoxy silane on silicon nitride for colloidal processing. <b>1998</b> , 18, 1493-1502	4
885	Deposition mechanism of oxide thin films on self-assembled organic monolayers <sup>11</sup> Paper presented at Sympos. Synergistic Synthesis of Inorganic Materials, March 1996, Schloß Ringberg, Germany. <b>1998</b> , 46, 801-815	79
884	Shear yield stress of flocculated alumina-zirconia mixed suspensions. <b>1998</b> , 53, 3073-3079	31
883	In vitro stability predictions for the bone/hydroxyapatite composite system. <b>1998</b> , 42, 412-6	17
882	Colloidal filtration of silicon nitride aqueous slips. Part I: optimization of the slip parameters. <b>1998</b> , 18, 405-416	50
881	Pressure filtration and sintering of fine zirconia powder. <b>1998</b> , 18, 669-674	20
880	Role of the clogging effect in the slip casting process. <b>1998</b> , 18, 1161-1169	37
879	Effect of driving force on pressure slip casting of silicon carbide bodies. <b>1998</b> , 18, 1171-1175	9
878	slip casting of cordierite and cordierite-mullite materials. <b>1998</b> , 18, 2149-2157	16
877	Processing, toughness improvement and microstructural analysis of SiC platelet-reinforced Al <sub>2</sub> O <sub>3</sub> /Y-TZP nano-ceramic matrix composites. <b>1998</b> , 247, 75-80	10
876	Near net-shape forming of ceramics by absorbing dewax with fibrous absorbers. <b>1998</b> , 73, 226-233	5
875	A new near net-shape forming process for alumina. <b>1998</b> , 79, 125-132	6
874	Indentation fracture toughness of high purity submicron alumina. <b>1998</b> , 46, 1683-1690	46
873	A Bicontinuous Microemulsion Route to Zinc Oxide Powder. <i>Ceramics International</i> , <b>1998</b> , 24, 205-209	5.1 36
872	A 1000-cell SOFC reactor for domestic cogeneration. <b>1998</b> , 71, 271-274	44

871	Colloidal processing of powder for reliable ceramics. <b>1998</b> , 3, 496-500		35
870	Effect of powder size on the stability of concentrated aqueous suspensions of Y-TZP. <b>1998</b> , 10, 1081-1086		6
869	Characterization of Al <sub>2</sub> O <sub>3</sub> composites with Mo particulates, II. Densification and mechanical properties. <b>1998</b> , 10, 983-1000		24
868	Influence of particle size distribution on colloidal processing of alumina. <b>1998</b> , 18, 249-253		63
867	An Aggregation Index for Monitoring the State of the Suspensions. <b>1998</b> , 14, 7364-7370		4
866	Preparation of fine-grained monoclinic zirconia ceramics by colloidal processing. <b>1998</b> , 13, 840-843		15
865	Binder surface segregation during spray drying of ceramic slurry. <b>1998</b> , 13, 1881-1887		28
864	Effect of Ultrasonication on Colloidal Dispersion of Al <sub>2</sub> O <sub>3</sub> and ZrO <sub>2</sub> Powders in pH Controlled Suspension. <b>1998</b> , 39, 689-692		21
863	Fractography and fracture mechanics property assessment of advanced structural ceramics. <b>1999</b> , 44, 165-216		33
862	Three-dimensional evolution of interfaces under evaporation-condensation kinetics: a finite-element simulation. <b>1999</b> , 7, 87-105		14
861	Chapter 13 Powder consolidation. <b>1999</b> , 347-372		6
860	Origin of strength change in ceramics associated with the alteration of spray dryer. <b>1999</b> , 14, 2974-2979		27
859	Liquid immersion technique coupled with infrared microscopy for direct observation of internal structure of ceramic powder compact, with alumina as an example. <b>1999</b> , 14, 4463-4465		20
858	Gelation forming of ceramic compacts using agarose. <b>1999</b> , 98, 58-61		32
857	Mechanical behavior of saturated, consolidated, alumina powder compacts: effect of particle size and morphology on the plastic-to-brittle transition. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , <b>1999</b> , 146, 5-17	5.1	40
856	Colloidal Filtration of Silicon Nitride Aqueous Slips, Part II: Slip Casting and Pressure Casting Performance. <b>1999</b> , 19, 49-59		19
855	Selection of Suitable Dispersants for Aqueous Suspensions of Zirconia and Titania Powders using Acoustophoresis. <b>1999</b> , 19, 479-488		283
854	Pressureless sinterability of slip cast silicon nitride bodies prepared from coprecipitation-coated powders. <b>1999</b> , 19, 433-439		28

853	Temperature induced gelation of concentrated ceramic suspensions: rheological properties. <b>1999</b> , 19, 2117-2123		49
852	The characterisation of aqueous silicon slips. <b>1999</b> , 19, 2763-2771		18
851	Gel Casting of Alumina using Boehmite as a Binder. <b>1999</b> , 19, 2875-2881		22
850	Electrokinetic and Rheological Properties of Aqueous TiN Suspensions with Ammonium Salt of Poly(methacrylic acid). <b>1999</b> , 19, 2773-2780		15
849	Zirconia/alumina functionally graded material made by ceramic ink jet printing. <b>1999</b> , 271, 344-352		110
848	Dispersion of concentrated aqueous Si <sub>3</sub> N <sub>4</sub> /ZrO <sub>2</sub> /Al <sub>2</sub> O <sub>3</sub> slips with tetramethylammonium hydroxide. <i>Ceramics International</i> , <b>1999</b> , 25, 13-18	5.1	4
847	The microstructure-mechanical properties relationships of BaTiO <sub>3</sub> . <i>Ceramics International</i> , <b>1999</b> , 25, 35-40	5.1	11
846	Pressure slip casting of bimodal silicon carbide powder suspensions. <i>Ceramics International</i> , <b>1999</b> , 25, 491-495	5.1	14
845	Interdependence between green compact property and powder agglomeration and their relation to the sintering behaviour of zirconia powder. <i>Ceramics International</i> , <b>1999</b> , 25, 551-559	5.1	25
844	Adsorption, rheology, packing, and sintering of nanosize ceramic powders. <i>Ceramics International</i> , <b>1999</b> , 25, 107-113	5.1	24
843	Micropatterning of ceramics by slip pressing. <i>Ceramics International</i> , <b>1999</b> , 25, 201-205	5.1	33
842	Effect of pH on the dispersability of silicon carbide powders in aqueous media. <i>Ceramics International</i> , <b>1999</b> , 25, 223-230	5.1	75
841	Sintering kinetics of Al <sub>2</sub> O <sub>3</sub> powder. <i>Ceramics International</i> , <b>1999</b> , 25, 723-726	5.1	54
840	Alumina casting based on gelation of gelatine. <b>1999</b> , 19, 271-275		94
839	Influence of ceramic powders of different characteristics on particle packing structure and sintering behaviour. <b>1999</b> , 34, 1959-1972		12
838	Processing of concentrated aqueous Si <sub>3</sub> N <sub>4</sub> slips stabilized with tetramethylammonium hydroxide. <b>1999</b> , 8, 184-189		2
837	Colloidal processing of titanium nitride with poly-(methacrylic acid) polyelectrolyte. <b>1999</b> , 60, 150-157		21
836	The effect of surface grinding and sandblasting on flexural strength and reliability of Y-TZP zirconia ceramic. <b>1999</b> , 15, 426-33		561

835	Laminar Ceramics That Exhibit a Threshold Strength. <b>1999</b> , 286, 102-105	199
834	Characterization of adsorption and distribution of polyelectrolyte on stability of nano-zirconia suspensions by auger electron spectroscopy. <b>1999</b> , 11, 441-450	18
833	A novel class of dispersants for colloidal processing of Si <sub>3</sub> N <sub>4</sub> in non-aqueous media. <b>1999</b> , 40, 14-17	10
832	Formation of Nanocrystalline Hydroxyapatite in Nonionic Surfactant Emulsions. <b>1999</b> , 15, 7472-7477	86
831	A Comparison of Fine-Grained Alumina-Zirconia Prepared by Slip Casting and Electrophoretic Deposition.. <b>1999</b> , 46, 1284-1291	1
830	pH Controlled Dispersion of Non-oxide Ceramic Powders in Aqueous Media. <b>1999</b> , 58, 25-28	1
829	Alumina Ceramics Fabricated by Colloidal Processing. <b>1999</b> , 58, 9-14	1
828	Characterization of processing pores and their relevance to the strength in alumina ceramics. <b>1999</b> , 14, 3370-3374	33
827	Adsorption of PBTCa on Alumina Surfaces and Its Influence on the Fractal Characteristics of Sediments. <b>2000</b> , 227, 164-170	43
826	Electrosteric Stabilization of Al <sub>2</sub> O <sub>3</sub> , ZrO <sub>2</sub> , and 3Y-ZrO <sub>2</sub> Suspensions: Effect of Dissociation and Type of Polyelectrolyte. <b>2000</b> , 228, 73-81	103
825	Probing the crystalline environment of alumina via luminescence of metal ion impurities: an optical method of ceramic flaw detection. <b>2000</b> , 281, 45-55	20
824	The extrusion of alumina composite billets. <b>2000</b> , 100, 47-52	
823	Synthesis and sintering behavior of a nanocrystalline alumina powder. <b>2000</b> , 48, 3103-3112	151
822	Adsorption of acrylic copolymers at the alumina-water interface. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , <b>2000</b> , 174, 349-356	5.1 25
821	The role of ammonium polyacrylate in dispersing concentrated alumina suspensions. <b>2000</b> , 20, 1539-1553	111
820	The use of poly ( N -isopropylacrylamide) microgels as a multi-functional processing aid for aqueous alumina suspensions. <b>2000</b> , 20, 1707-1716	10
819	Co-precipitation synthesis and sintering of yttrium aluminum garnet (YAG) powders: the effect of precipitant. <b>2000</b> , 20, 2395-2405	280
818	Aqueous injection moulding of silicon nitride. <b>2000</b> , 20, 2661-2666	21

817	Sintering of tin oxide processed by slip casting. <b>2000</b> , 20, 2407-2413		5
816	Hydrothermal synthesis of ZrO <sub>2</sub> •2O <sub>3</sub> solid solutions at low temperature. <b>2000</b> , 20, 139-145		82
815	Synergy of polysaccharide mixtures in gelcasting of alumina. <b>2000</b> , 20, 423-429		63
814	Processing defects and their relevance to strength in alumina ceramics made by slip casting. <b>2000</b> , 20, 389-395		19
813	Effect of polymer molecular weight variations on PZT slip for tape casting. <b>2000</b> , 20, 685-688		26
812	The effect of acids and bases on the dispersion and stabilization of ceramic particles in ethanol. <b>2000</b> , 20, 659-665		42
811	Stability of colloidal silicon nitride suspension with poly-electrolyte. <i>Ceramics International</i> , <b>2000</b> , 26, 47-55	5.1	12
810	Effect of dispersants on surface chemical properties of nano-zirconia suspensions. <i>Ceramics International</i> , <b>2000</b> , 26, 93-97	5.1	143
809	Surface and electrokinetic properties of Y-TZP suspensions stabilized by polyelectrolytes. <i>Ceramics International</i> , <b>2000</b> , 26, 187-191	5.1	18
808	Optimizing the rheological behavior of silicon nitride aqueous suspensions. <i>Ceramics International</i> , <b>2000</b> , 26, 337-340	5.1	7
807	Crystallization of monoclinic zirconia from metastable phases. <b>2000</b> , 127, 223-230		26
806	Acoustophoretic studies of aqueous suspensions of alumina and 8 mol% yttria stabilised zirconia powders. <b>2000</b> , 20, 77-84		29
805	Gelcasting of concentrated aqueous silicon carbide suspension. <b>2000</b> , 20, 85-90		64
804	Influence of suspension concentration on cast formation time in pressure filtration. <b>2000</b> , 20, 835-842		7
803	Probing Polymeric Stabilization in Nonaqueous Media by Direct Measurements. <i>Journal of the American Ceramic Society</i> , <b>2000</b> , 83, 217-19	3.8	12
802	Oxidation and dissolution of tungsten carbide powder in water. <b>2000</b> , 18, 121-129		79
801	Dispersing WC•Co powders in aqueous media with polyethylenimine. <b>2000</b> , 18, 281-286		23
800	Effect of ionic strength on the adsorption of cationic polyelectrolytes onto alumina studied using electroacoustic measurements. <b>2000</b> , 113, 148-157		21

799	Effect of polyethylene oxide on the viscosity of dispersions of charged silica particles: interplay between rheology, adsorption, and surface charge. <b>2000</b> , 278, 1187-1197	46
798	Reactive yttrium aluminate garnet powder via coprecipitation using ammonium hydrogen carbonate as the precipitant. <b>2000</b> , 15, 1864-1867	20
797	Fracture mode of alumina/silicon carbide nanocomposites. <b>2000</b> , 15, 107-114	6
796	Water-based Si <sub>3</sub> N <sub>4</sub> suspensions: Part I. Effect of processing routes on the surface chemistry and particle interactions. <b>2000</b> , 15, 155-163	15
795	Effect of nanoparticulate boehmite sol as a dispersant for slurry compaction of alumina ceramics. <b>2000</b> , 43, 174-179	45
794	Effect of ultrasonication on the rheological behavior of alumina slurries with maltodextrin. <b>2000</b> , 42, 390-393	
793	Synthesis of lead zirconate titanate from an amorphous precursor by mechanical activation. <b>2000</b> , 308, 139-146	20
792	Water-based Si <sub>3</sub> N <sub>4</sub> suspensions: Part II. Effect of wet mixing/milling processes on the addition of the sintering aids. <b>2000</b> , 15, 164-169	5
791	Interaction of Hydrogen Chloride with Thin Ice Films: The Effect of Ice Morphology and Evidence for Unique Surface Species on Crystalline Vapor-Deposited Ice. <b>2000</b> , 104, 9421-9429	37
790	Reinforced n-AlN-Ceramics. <b>2001</b> , 257-264	
789	Reactive Ce <sub>0.8</sub> RE <sub>0.2</sub> O <sub>1.9</sub> (RE = La, Nd, Sm, Gd, Dy, Y, Ho, Er, and Yb) Powders via Carbonate Coprecipitation. 2. Sintering. <b>2001</b> , 13, 2921-2927	22
788	Colloid Casting. <b>2001</b> , 1314-1319	1
787	Aqueous injection moulding of alumina using agarose. <b>2001</b> , 47, 324-328	12
786	Zener Pinning. <b>2001</b> , 9855-9859	3
785	Rheology Control of Ceramic Slurries for Sintering of Thin Films.. <b>2001</b> , 29, 205-210	5
784	Synthesis and Sintering of Zirconia Nano-Powder by Non-Isothermal Decomposition from Hydroxide.. <b>2001</b> , 109, 500-505	16
783	Relevance of the Fracture Strength to Process-Related Defects in Alumina Ceramics. <b>2001</b> , 42, 114-119	4
782	Sintering and Ionic Conductivity of CuO-Doped Tetragonal ZrO <sub>2</sub> Prepared by Novel Colloidal Processing.. <b>2001</b> , 109, 1004-1009	6



781	pH controlled dispersion and slip casting of Si <sub>3</sub> N <sub>4</sub> in aqueous media. <b>2001</b> , 24, 57-61		6
780	The dispersion behavior of Si <sub>3</sub> N <sub>4</sub> nanopowders in organic liquids. <i>Ceramics International</i> , <b>2001</b> , 27, 73-79	5.1	11
779	A wet-chemical process yielding reactive magnesium aluminate spinel (MgAl <sub>2</sub> O <sub>4</sub> ) powder. <i>Ceramics International</i> , <b>2001</b> , 27, 481-489	5.1	83
778	Fabrication of hydroxyapatite bodies by uniaxial pressing from a precipitated powder. <b>2001</b> , 22, 583-8		79
777	Mechanochemical synthesis of nanocrystalline hydroxyapatite from CaO and CaHPO <sub>4</sub> . <b>2001</b> , 22, 2705-12		191
776	Colloidal processing of hydroxyapatite. <b>2001</b> , 22, 1847-52		61
775	Aqueous colloidal processing of nickel powder. <b>2001</b> , 49, 645-651		29
774	Processing and characterization of alumina wire by controlled fracture forming process. <b>2001</b> , 316, 238-247		4
773	Morphological structure of nanometer TiO <sub>2</sub> /Al <sub>2</sub> O <sub>3</sub> composite powders synthesized in high temperature gas phase reactor. <b>2001</b> , 84, 405-411		5
772	Comparative study on the stabilizing effect of 2-phosphonobutane-1,2,4-tricarboxylic acid and citric acid for alumina suspensions. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , <b>2001</b> , 193, 187-195	5.1	28
771	Destabilisation of an alkaline aqueous alumina suspension by the addition of magnesium acetate. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , <b>2001</b> , 195, 197-203	5.1	2
770	Extrusion characteristics of alumina/aluminium titanate composite using boehmite as a reactive binder. <b>2001</b> , 21, 71-78		28
769	Optimization of the rheological properties of alumina slurries for ceramic processing applications Part I: Slip-casting. <b>2001</b> , 21, 363-373		91
768	Synthesis of Mg/Al spinel powder via precipitation using ammonium bicarbonate as the precipitant. <b>2001</b> , 21, 139-148		91
767	Origin of the strength change of silicon nitride ceramics with the alteration of spray drying conditions. <b>2001</b> , 21, 603-610		16
766	Plastic clay-like flow stress of saturated advanced ceramic powder compacts. <b>2001</b> , 21, 893-899		11
765	The influence of green processing on the sintering and mechanical properties of Bialon. <b>2001</b> , 21, 2153-2160		10
764	Short-range repulsive potential developed by the addition of Mg(II) ions to aqueous alumina slurries. <b>2001</b> , 21, 2361-2368		12

763	Rapid filtration measurement of dewatering design and optimization parameters. <b>2001</b> , 47, 1758-1769		97
762	The influence of wall slip on yield stress and viscoelastic measurements of cement paste. <b>2001</b> , 31, 205-212		158
761	Characterization and sintering of nanocrystalline CeO <sub>2</sub> powders synthesized by a mimic alkoxide method. <b>2001</b> , 49, 419-426		92
760	Infrared Microscopy for Examination of Structure in Spray-Dried Granules and Compacts. <i>Journal of the American Ceramic Society</i> , <b>2001</b> , 84, 254-256	3.8	14
759	Effects of Particle Size and Molecular Weight of Polyethylenimine on Properties of Nanoparticulate Silicon Dispersions. <i>Journal of the American Ceramic Society</i> , <b>2001</b> , 84, 806-812	3.8	39
758	Nonisothermal Synthesis of Yttria-Stabilized Zirconia Nanopowder through Oxalate Processing: II, Morphology Manipulation. <i>Journal of the American Ceramic Society</i> , <b>2001</b> , 84, 2484-2488	3.8	30
757	Synthesis and Colloidal Processing of Zirconia Nanopowder. <i>Journal of the American Ceramic Society</i> , <b>2001</b> , 84, 2489-2494	3.8	146
756	Effect of Magnesium Ions on the Adsorption of Poly(acrylic acid) onto Alumina. <i>Journal of the American Ceramic Society</i> , <b>2001</b> , 84, 2710-2712	3.8	34
755	Determination of surface area and porosity of sol-gel derived ceramic powders in the system TiO <sub>2</sub> -BiO <sub>2</sub> -Al <sub>2</sub> O <sub>3</sub> . <b>2001</b> , 114, 106-111		24
754	Origin of strength variation of silicon nitride ceramics with CIP condition in a powder compaction process. <b>2001</b> , 119, 194-200		21
753	Hydroxide synthesis, colloidal processing and sintering of nano-size 3Y-TZP powder. <b>2001</b> , 44, 2219-2223		32
752	Processing of zirconia and alumina fine particles through electrophoretic deposition. <b>2001</b> , 132, 343-346		1
751	Production of Ceramic Bodies. <b>2001</b> , 85-207		7
750	Hydrothermal synthesis of nano-size ZrO <sub>2</sub> powder, its characterization and colloidal processing. <b>2001</b> , 233-236		7
749	New characterization method for pore and packing structure in powder compacts using confocal laser scanning microscope. <b>2002</b> , 51, 215-23		1
748	Temperature Induced Bridge Flocculation of Aqueous Zirconia Suspensions in the Presence of Polyacrylic Acid.. <b>2002</b> , 110, 609-613		2
747	Control of Texture in ZnO by Slip Casting in a Strong Magnetic Field and Heating. <b>2002</b> , 31, 1204-1205		62
746	Consolidation of silicon carbide in aqueous medium based on gelation of agarose. <b>2002</b> , 101, 255-258		5

745	Effects of Processing on Properties. <b>2002</b> , 333-377		
744	Slip Preparation Procedures. <b>2002</b> , 56-113		0
743	From powders to sintered pieces: forming, transformations and sintering of nanostructured ceramic oxides. <b>2002</b> , 128, 248-255		131
742	Hydroxyapatite ceramic bodies with tailored mechanical properties for different applications. <b>2002</b> , 60, 159-66		77
741	Low temperature processing of dense nanocrystalline yttrium-doped cerium oxide ceramics. <b>2002</b> , 50, 1433-1440		35
740	Theoretical determination of floc size in highly-concentrated zirconia/water suspensions. <b>2002</b> , 50, 1927-1935		6
739	Adsorption of salicylic acid, 5-sulfosalicylic acid and Tiron at the alumina/water interface. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , <b>2002</b> , 211, 165-172	5.1	38
738	Near-net shaping of aqueous alumina slurries using carrageenan. <b>2002</b> , 22, 297-303		26
737	Microstructure of alumina compact body made by slip casting. <b>2002</b> , 22, 397-401		31
736	Rheology of alumina nanoparticle suspensions: effects of lower saccharides and sugar alcohols. <b>2002</b> , 22, 917-921		49
735	Optimization of an aqueous, commercial silicon nitride slurry for colloidal isopressing. <b>2002</b> , 22, 1061-1066		4
734	Influence of the deagglomeration procedure on aqueous dispersion, slip casting and sintering of Si <sub>3</sub> N <sub>4</sub> -based ceramics. <b>2002</b> , 22, 1601-1607		29
733	Expanded percolation theory model for the temperature induced forming (TIF) of alumina aqueous suspensions. <b>2002</b> , 22, 1791-1799		7
732	Thermogelling polysaccharides for aqueous gelcasting part I: a comparative study of gelling additives. <b>2002</b> , 22, 2209-2215		56
731	Gelcasting of a rutile mixture applied to extrusion forming. <b>2002</b> , 22, 2291-2296		7
730	Effect of particle size distribution on sintering of agglomerate-free submicron alumina powder compacts. <b>2002</b> , 22, 2197-2208		89
729	Effect of heat treatment of alumina granules on the compaction behavior and properties of green and sintered bodies. <b>2002</b> , 22, 2841-2848		17
728	Temperature induced forming of zirconia from aqueous slurries: mechanism and rheology. <b>2002</b> , 22, 2805-2812		30

727	Threshold strength predictions for laminar ceramics with cracks that grow straight. <b>2002</b> , 34, 755-772		24
726	Particle segregation phenomena occurring during the slip casting process. <i>Ceramics International</i> , <b>2002</b> , 28, 377-386	5.1	19
725	Microstructural changes in sintered Al <sub>2</sub> O <sub>3</sub> by acid treatment of compacts produced by slip casting in gypsum molds. <i>Ceramics International</i> , <b>2002</b> , 28, 593-599	5.1	5
724	Dynamic rheology of agar gels: theory and experiments. Part I. Development of a rheological model. <b>2002</b> , 50, 393-406		77
723	Compact Formation during Colloidal Isopressing. <i>Journal of the American Ceramic Society</i> , <b>2002</b> , 85, 1456-1460	3.8	8
722	Spark Plasma Sintering of Alumina. <i>Journal of the American Ceramic Society</i> , <b>2002</b> , 85, 1921-1927	3.8	642
721	Electrophoretic Deposition Behavior of Aqueous Nanosized Zinc Oxide Suspensions. <i>Journal of the American Ceramic Society</i> , <b>2002</b> , 85, 2161-2165	3.8	65
720	Rheological Characterization of Synergistic Mixtures of Carrageenan and Locust Bean Gum for Aqueous Gelcasting of Alumina. <i>Journal of the American Ceramic Society</i> , <b>2002</b> , 85, 2432-2436	3.8	28
719	Transparent Alumina with Submicrometer Grains by Float Packing and Sintering. <i>Journal of the American Ceramic Society</i> , <b>2002</b> , 85, 2449-2456	3.8	32
718	Aggregation, rheology and electrophoretic packing structure of aqueous Al <sub>2</sub> O <sub>3</sub> nanoparticle suspensions. <b>2002</b> , 50, 3757-3766		93
717	Influence of initial pH on the particle size and fluorescence properties of the nano scale Eu(III) doped yttria. <b>2002</b> , 63, 171-177		59
716	Effect of dewaxing procedures of cold isostatically pressed silicon nitride ceramics on its microstructure and fracture strength. <b>2003</b> , 14, 505-517		9
715	Deflocculation study of aqueous nanosized Y <sub>2</sub> O <sub>3</sub> /ZrO <sub>2</sub> suspensions. <b>2003</b> , 78, 480-485		10
714	Effect of Tiron adsorption on the colloidal stability of nano-sized alumina suspension. <b>2003</b> , 80, 157-161		30
713	Dispersion of aqueous alumina suspensions using copolymers with synergistic functional groups. <b>2003</b> , 82, 362-369		19
712	Pore defects related to slurry character and their relevance to strength distribution in alumina ceramics. <b>2003</b> , 134, 58-64		8
711	In situ preparation of weakly flocculated aqueous anatase suspensions by a hydrothermal technique. <b>2003</b> , 260, 82-8		36
710	Effect of solvent composition on dispersing ability of reaction sialon suspensions. <b>2003</b> , 259, 391-7		27

709	Controlling hydrolysis and dispersion of AlN powders in aqueous media. <b>2003</b> , 261, 456-63		66
708	Fabrication and surface characterization of NH <sub>4</sub> PAA-stabilized HAZ suspensions. <b>2003</b> , 262, 428-34		6
707	Application of the method of images on electrostatic phenomena in aqueous Al <sub>2</sub> O <sub>3</sub> and ZrO <sub>2</sub> suspensions. <b>2003</b> , 265, 359-71		9
706	(ZrO <sub>2</sub> ) <sub>0.85</sub> (REO <sub>1.5</sub> ) <sub>0.15</sub> (RE=Sc, Y) solid solutions prepared via three Pechini-type gel routes: 2 <sup>nd</sup> interring and electrical properties. <b>2003</b> , 171, 439-443		7
705	Centrifugal casting of Al <sub>2</sub> O <sub>3</sub> 15 wt.%ZrO <sub>2</sub> ceramic composites. <i>Ceramics International</i> , <b>2003</b> , 29, 209-213	3.1	27
704	Sedimentation, rheology and particle-packing structure of aqueous Al <sub>2</sub> O <sub>3</sub> suspensions. <i>Ceramics International</i> , <b>2003</b> , 29, 821-828	5.1	35
703	Influence of temperature on the colloidal processing of electrostatically stabilised alumina suspensions. <b>2003</b> , 137, 102-109		10
702	Effect of polysaccharide polymer on sedimentation and rheological behavior of aqueous BaTiO <sub>3</sub> suspensions. <b>2003</b> , 142, 408-414		2
701	Dispersion of Al <sub>2</sub> O <sub>3</sub> suspension with acrylic copolymers bearing carboxylic groups. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , <b>2003</b> , 212, 271-283	5.1	40
700	Alternative gelling agents for the gelcasting of ceramic foams. <b>2003</b> , 23, 75-80		77
699	The role of organic dispersants in aqueous alumina suspensions. <b>2003</b> , 23, 913-919		30
698	Effect of copolymer dispersant structure on the properties of alumina suspensions. <b>2003</b> , 23, 905-911		35
697	Effect of dispersant on the rheological properties and slip casting of concentrated sialon precursor suspensions. <b>2003</b> , 23, 1525-1530		40
696	Characterization of coarse particles in alumina powders by a wet sieving method. <b>2003</b> , 23, 1661-1666		12
695	Effect of the surfactant and precipitant on the synthesis of pink coral by a microemulsion method. <b>2003</b> , 23, 1829-1838		21
694	Effects of PVB on the gelation behavior of BaTiO <sub>3</sub> -based dielectric particles and glass suspension. <b>2003</b> , 23, 2315-2322		14
693	Low-Temperature Processing and Mechanical Properties of Zirconia and Zirconia-Alumina Nanoceramics. <i>Journal of the American Ceramic Society</i> , <b>2003</b> , 86, 299-304	3.8	104
692	SiALON Ceramics Obtained by Slip Casting and Pressureless Sintering. <i>Journal of the American Ceramic Society</i> , <b>2003</b> , 86, 366-368	3.8	15

691	Interparticle Potentials in Nonaqueous Silicon Nitride Suspensions. <i>Journal of the American Ceramic Society</i> , <b>2003</b> , 86, 59-64	3.8	16
690	Slow-Crack-Growth Behavior of Zirconia-Toughened Alumina Ceramics Processed by Different Methods. <i>Journal of the American Ceramic Society</i> , <b>2003</b> , 86, 115-120	3.8	86
689	Flaw Size Distribution in High-Quality Alumina. <i>Journal of the American Ceramic Society</i> , <b>2003</b> , 86, 1019-1021	3.8	25
688	Synthesis of Nanocrystalline $\alpha$ - $\text{Al}_2\text{O}_3$ Powders from Nanometric Ammonium Aluminum Carbonate Hydroxide. <i>Journal of the American Ceramic Society</i> , <b>2003</b> , 86, 1321-1325	3.8	42
687	Dispersing Behavior of Hydroxyapatite Powders Produced by Wet-Chemical Synthesis. <i>Journal of the American Ceramic Society</i> , <b>2003</b> , 86, 1534-1539	3.8	32
686	2.1 Raw Materials. <b>2003</b> , 81-129		2
685	Control of Texture in Electroceramics by Slip-Casting in a High Magnetic Field. <i>Key Engineering Materials</i> , <b>2003</b> , 248, 191-194	0.4	9
684	Structural Behavior of Ceramics. <b>2003</b> , 429-454		3
683	Colloidal characterization and electrophoretic deposition of PZT. <b>2003</b> , 57, 4648-4654		13
682	Direct visualization of flow-induced microstructure in dense colloidal gels by confocal laser scanning microscopy. <b>2003</b> , 47, 943-968		54
681	A Comparative Study of Fabrication and Performance of Ni/3 mol % $\text{Y}_{2}\text{O}_{3}$ - $\text{ZrO}_{2}$ and Ni/8 mol % $\text{Y}_{2}\text{O}_{3}$ - $\text{ZrO}_{2}$ Cermet Electrodes. <b>2003</b> , 150, E548		22
680	Interparticle potentials of aqueous $\text{Al}_2\text{O}_3$ suspensions. <b>2003</b> , 102, 219-224		10
679	Low-temperature preparation of dense 10 mol%- $\text{Y}_2\text{O}_3$ -doped $\text{CeO}_2$ ceramics using powders synthesized via carbonate coprecipitation. <b>2003</b> , 18, 1239-1246		11
678	Morphological Change of Large Pores in Alumina Ceramics in the Final Stage of Densification. <b>2003</b> , 111, 525-527		6
677	Effect of Powder Characteristics on Centrifugal Slip Casting of Alumina Powders. <b>2003</b> , 111, 594-599		4
676	Hardness and Fracture Toughness of Alumina-Doped Tetragonal Zirconia with Different Yttria Contents. <b>2003</b> , 44, 2235-2238		28
675	Consolidation Induced Microstructural Inhomogeneities in $\text{Al}_2\text{O}_3$ - $\text{ZrO}_2$ Composites Prepared by Centrifugal Slip Casting. <b>2003</b> , 111, 890-896		1
674	Morphology and Sintering of $\text{CeO}_2$ Powders Produced by Homogeneous Precipitation Method. <b>2003</b> , 50, 354-358		4

673	Use of Polymeric and other Organic Additives in Ceramic Slurry Processing for Casting – A Review. <b>2004</b> , 63, 1-8		1
672	Effect of Quaternary Ammonium Hydroxides on the Stabilisation of Al <sub>2</sub> O <sub>3</sub> Aqueous Suspensions. <b>2004</b> , 455-456, 631-634		2
671	PAA-PEO Comb Polymer Dispersants for Colloidal Processing. <i>Key Engineering Materials</i> , <b>2004</b> , 264-268, 161-164	0.4	4
670	Effect of Different Oxide Additives on Colloidal Processing and Sintering of Alumina. <b>2004</b> , 455-456, 216-220		1
669	Control of Texture in Al <sub>2</sub> O <sub>3</sub> Composites by Slip Casting in a Strong Magnetic Field Followed by Heating. <i>Key Engineering Materials</i> , <b>2004</b> , 264-268, 245-248	0.4	1
668	Sintering of Nanocrystalline Alpha Alumina Powders. <i>Key Engineering Materials</i> , <b>2004</b> , 264-268, 205-208	0.4	
667	Size Control of ZnO Nanofibril within Template by Electrophoretic Deposition. <b>2004</b> , 7, D15		6
666	Development of Short-Range Repulsive Potentials by Short-Chain Surfactants in Aqueous Slurries. <i>Journal of the American Ceramic Society</i> , <b>2004</b> , 82, 74-80	3.8	9
665	Elastic and Yield Behavior of Strongly Flocculated Colloids. <i>Journal of the American Ceramic Society</i> , <b>2004</b> , 82, 616-624	3.8	121
664	Processing of Silicon Nitride from Water-Based alpha-Silicon Nitride, Alumina, and Yttria Powder Suspensions. <i>Journal of the American Ceramic Society</i> , <b>2004</b> , 82, 2039-2043	3.8	26
663	Surface Modification of Si <sub>3</sub> N <sub>4</sub> Powders by Coprecipitation of Sintering Aids. <i>Journal of the American Ceramic Society</i> , <b>2004</b> , 82, 2653-2659	3.8	9
662	Influence of Particle Diameter on Surface Silanol Structure, Hydration Forces, and Aggregation Behavior of Alkoxide-Derived Silica Particles. <i>Journal of the American Ceramic Society</i> , <b>2004</b> , 83, 287-293	3.8	76
661	Effect of the Interparticle Pair Potential on the Rheological Behavior of Zirconia Powders: I, Electrostatic Double Layer Approach. <i>Journal of the American Ceramic Society</i> , <b>2004</b> , 83, 513-517	3.8	10
660	Weakly Flocculated Aqueous Alumina Suspensions Prepared by the Addition of Mg(II) Ions. <i>Journal of the American Ceramic Society</i> , <b>2004</b> , 83, 666-668	3.8	13
659	Systematic Approach for Dispersion of Silicon Nitride Powder in Organic Media: I, Surface Chemistry of the Powder. <i>Journal of the American Ceramic Society</i> , <b>2004</b> , 83, 691-696	3.8	15
658	Systematic Approach for Dispersion of Silicon Nitride Powder in Organic Media: II, Dispersion of the Powder. <i>Journal of the American Ceramic Society</i> , <b>2004</b> , 83, 697-702	3.8	35
657	Compaction and Sintering Behavior of Bimodal Alumina Powder Suspensions by Pressure Filtration. <i>Journal of the American Ceramic Society</i> , <b>2004</b> , 83, 737-742	3.8	12
656	Novel Powder-Processing Methods for Advanced Ceramics. <i>Journal of the American Ceramic Society</i> , <b>2004</b> , 83, 1557-1574	3.8	349

655	Dispersion and Consolidation of Alumina Using a Bis-Hydrophilic Diblock Copolymer. <i>Journal of the American Ceramic Society</i> , <b>2004</b> , 83, 1585-1591	3.8	16
654	Morphological Changes in Process-Related Large Pores of Granular Compacted and Sintered Alumina. <i>Journal of the American Ceramic Society</i> , <b>2004</b> , 83, 1633-1640	3.8	36
653	Effects of Solvent Mixtures on Dispersion of Lanthanum-Modified Lead Zirconate Titanate Tape Casting Slurries. <i>Journal of the American Ceramic Society</i> , <b>2004</b> , 83, 1681-1686	3.8	29
652	Rheological Behavior of Slurries and Consolidated Bodies Containing Mixed Silicon Nitride Networks. <i>Journal of the American Ceramic Society</i> , <b>2004</b> , 83, 1861-1867	3.8	8
651	Nonisothermal Synthesis of Yttria-Stabilized Zirconia Nanopowder through Oxalate Processing: I, Characteristics of Y-Zr Oxalate Synthesis and Its Decomposition. <i>Journal of the American Ceramic Society</i> , <b>2004</b> , 83, 2196-2202	3.8	42
650	Colloidal Processing of Ceramics. <i>Journal of the American Ceramic Society</i> , <b>2004</b> , 83, 2341-2359	3.8	930
649	Dissolution and Deagglomeration of Silicon Nitride in Aqueous Medium. <i>Journal of the American Ceramic Society</i> , <b>2004</b> , 83, 2394-400	3.8	74
648	Slurry Chemistry Control to Produce Easily Redispersible Ceramic Powder Compacts. <i>Journal of the American Ceramic Society</i> , <b>2004</b> , 83, 2401-2408	3.8	20
647	Solid Freeforming of Silicon Carbide by Inkjet Printing Using a Polymeric Precursor. <i>Journal of the American Ceramic Society</i> , <b>2004</b> , 84, 307-13	3.8	38
646	Dynamic Rheology of Agar Gel Based Aqueous Binders. <i>Journal of the American Ceramic Society</i> , <b>2004</b> , 84, 1217-1224	3.8	30
645	Synthesis of Ultrafine Ceria Powders by Mechanochemical Processing. <i>Journal of the American Ceramic Society</i> , <b>2004</b> , 84, 1453-1458	3.8	78
644	Dispersion and Slip Casting of Hydroxyapatite. <i>Journal of the American Ceramic Society</i> , <b>2004</b> , 84, 1710-1716	3.8	33
643	Colloidal Processing and Ionic Conductivity of Fine-Grained Cupric-Oxide-Doped Tetragonal Zirconia. <i>Journal of the American Ceramic Society</i> , <b>2004</b> , 84, 2129-2131	3.8	5
642	Effect of Ultrasonication on the Microstructure and Tensile Elongation of Zirconia-Dispersed Alumina Ceramics Prepared by Colloidal Processing. <i>Journal of the American Ceramic Society</i> , <b>2004</b> , 84, 2132-2134	3.8	58
641	Processing-Dependent Microstructural Factors Affecting Cavitation Damage and Tensile Ductility in a Superplastic Alumina Dispersed with Zirconia. <i>Journal of the American Ceramic Society</i> , <b>2004</b> , 85, 2763-2770	3.8	25
640	Self-Reinforced SiALON Ceramics with Improved Damage Tolerance Developed by a New Processing Strategy. <i>Journal of the American Ceramic Society</i> , <b>2004</b> , 85, 2876-2878	3.8	12
639	Laminar Ceramics Utilizing the Zirconia Tetragonal-to-Monoclinic Phase Transformation to Obtain a Threshold Strength. <i>Journal of the American Ceramic Society</i> , <b>2004</b> , 85, 3041-3048	3.8	43
638	Spark-Plasma-Sintering Consolidation of SiC-Whisker-Reinforced Mullite Composites. <i>Journal of the American Ceramic Society</i> , <b>2004</b> , 87, 42-46	3.8	10



637	Poly(acrylic acid)âPoly(ethylene oxide) Comb Polymer Effects on BaTiO <sub>3</sub> Nanoparticle Suspension Stability. <i>Journal of the American Ceramic Society</i> , <b>2004</b> , 87, 181-186	3.8	111
636	Crack Interactions in Laminar Ceramics That Exhibit a Threshold Strength. <i>Journal of the American Ceramic Society</i> , <b>2004</b> , 87, 1694-1700	3.8	10
635	Forces Measured between Zirconia Surfaces in Poly(acrylic acid) Solutions. <i>Journal of the American Ceramic Society</i> , <b>2004</b> , 82, 1137-1145	3.8	63
634	Effect of Solids Loading on Slip-Casting Performance of Silicon Carbide Slurries. <i>Journal of the American Ceramic Society</i> , <b>2004</b> , 82, 1993-2000	3.8	46
633	Influence of particle size distribution on rheology and particle packing of silica-based suspensions. <b>2004</b> , 139, 69-75		138
632	Development of porous ceramic bodies for applications in tissue engineering and drug delivery systems. <b>2004</b> , 39, 83-91		51
631	Preparation of Tungsten Carbide Nanopowders by Self-propagating High-Temperature Synthesis. <b>2004</b> , 40, 1043-1048		24
630	Net shape formation of sub-micron alumina with reduced flaws by high-speed centrifugal compaction process. <b>2004</b> , 10, 185-191		7
629	Preparation of the preform of pure carbon reaction bonded silicon carbide by in-situ consolidation molding method. <b>2004</b> , 19, 43-45		1
628	Temperature-induced gelation of concentrated silicon carbide suspensions. <b>2004</b> , 277, 111-5		8
627	Flocculation and coagulation kinetics of Al <sub>2</sub> O <sub>3</sub> suspensions. <b>2004</b> , 24, 2717-2722		9
626	Correlation between densification rate and microstructural evolution for pure alpha alumina. <b>2004</b> , 24, 2749-2761		26
625	Dispersion of Al <sub>2</sub> O <sub>3</sub> concentrated suspensions with new molecules able to act as binder. <b>2004</b> , 24, 2723-2731		24
624	Preparation of YAG:Nd nano-sized powder by co-precipitation method. <b>2004</b> , 379, 347-350		54
623	Silicon carbide ceramics through temperature-induced gelation and pressureless sintering. <b>2004</b> , 382, 335-340		7
622	Binary solvent mixture for tape casting of TiO <sub>2</sub> sheets. <b>2004</b> , 24, 147-155		27
621	Deflocculants for tape casting of TiO <sub>2</sub> slurries. <b>2004</b> , 24, 2259-2265		33
620	Electrostatic interactions as a predictor for osteoblast attachment to biomaterials. <b>2004</b> , 70, 436-41		56

619	The effect of magnetized water on TiO <sub>2</sub> based varistors. <b>2004</b> , 24, 2605-2611		10
618	Thermogelation of Al <sub>2</sub> O <sub>3</sub> /Y-TZP films produced by electrophoretic co-deposition. <b>2004</b> , 24, 3073-3080		16
617	Predicting processing-sintering-related properties of mullite-alumina ceramic bodies based on Al-rich anodising sludge by impedance spectroscopy. <b>2004</b> , 24, 3841-3848		22
616	Production of Al-rich sludge-containing ceramic bodies by different shaping techniques. <b>2004</b> , 148, 139-146		26
615	Effects of porosity on the electrical characteristics of current-limiting BaTiO <sub>3</sub> -based positive-temperature-coefficient (PTC) ceramic thermistors coated with electroless nickel-phosphorous electrode. <b>2004</b> , 112, 94-100		12
614	Characteristic and dispersion of a treated AlN powder in aqueous solvent. <b>2004</b> , 368, 126-130		8
613	Effect of homogenizing procedures on the slip casting of reaction sialon suspensions. <i>Ceramics International</i> , <b>2004</b> , 30, 745-749	5.1	10
612	Texture development in zirconia-dispersed alumina composites by slip casting in a high magnetic field. <b>2004</b> , 14, 1584-1587		11
611	Dispersion behavior and stabilization mechanism of alumina powders in silica sol. <b>2004</b> , 58, 3503-3508		45
610	Improving the homogeneity and reliability of ceramic parts with complex shapes by pressure-assisted gel-casting. <b>2004</b> , 58, 3893-3897		23
609	Elastic modulus of porous Ce-TZP ceramics. <b>2004</b> , 58, 172-175		8
608	Infrared Microscopy as a Powerful Tool for the Examination of Internal Microstructure of Nano-Powder Compact-Yttria Stabilized Zirconia as a Model. <b>2004</b> , 112, 114-116		4
607	Particle Orientation Distribution in Alumina Compact Body Prepared by the Slip Casting Method. <b>2004</b> , 112, 276-279		18
606	Sintering Curve Inflection in Densification of Fine CeO <sub>2</sub> Powders at High Temperature. <b>2004</b> , 112, 321-326		3
605	Effects of slurry pH on porosity, pore radius distribution, microstructure and sinterability of alumina filter cake. <b>2004</b> , 21, 435		
604	Influence of Dehydration Rate on the Degree of Particle Orientation in Alumina Green Body Made by Slip Casting. <b>2004</b> , 112, 641-645		4
603	Further Ceramic Replication Techniques. <b>2005</b> , 421-447		
602	Si <sub>3</sub> O <sub>4</sub> and Al <sub>2</sub> O <sub>3</sub> based ceramic. <b>2005</b> , 23, 91		4

601	Textured Development of Feeble Magnetic Ceramics by Colloidal Processing Under High Magnetic Field. <b>2005</b> , 113, 26-36		203
600	Evaluation of Bubble Content in Aqueous Alumina Slurries. <b>2005</b> , 113, 449-451		2
599	Characterization of Al <sub>2</sub> O <sub>3</sub> Slurries Prepared by Wet Jet Milling. <b>2005</b> , 113, 491-494		13
598	Dispersion of SiC Suspensions with Cationic Dispersant of Polyethylenimine. <b>2005</b> , 113, 584-587		13
597	Mutual Linkage of Particles in a Ceramic Green Body through Photoreactive Organic Binders. <b>2005</b> , 113, 687-691		16
596	Microstructural Design for High-Strain-Rate Superplastic Oxide Ceramics. <b>2005</b> , 113, 191-197		20
595	Slip Casting of Al <sub>2</sub> O <sub>3</sub> Slurries Prepared by Wet Jet Milling. <b>2005</b> , 113, 495-497		20
594	Microstructure and mechanical properties of silicon nitride ceramics prepared by pressureless sintering with MgO-Al <sub>2</sub> O <sub>3</sub> -SiO <sub>2</sub> as sintering additive. <b>2005</b> , 25, 3353-3359		45
593	Macroporous ZrO <sub>2</sub> ceramics prepared from colloidally stable nanoparticles building blocks and organic templates. <b>2005</b> , 291, 292-5		22
592	Effect of coarse particles on the strength of alumina made by slip casting. <b>2005</b> , 149, 106-111		20
591	Colloidal processing and sintering of nanosized transition aluminas. <b>2005</b> , 157, 100-107		73
590	Effects of granule compaction procedures on defect structure, fracture strength and thermal conductivity of AlN ceramics. <b>2005</b> , 159, 155-160		12
589	Surface chemical studies on the competitive adsorption of poly(ethylene glycol) and ammonium poly(methacrylate) onto zirconia. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , <b>2005</b> , 252, 175-185	5.1	22
588	New characterization method for macrostructures of ceramics hybrid material. <b>2005</b> , 6, 135-137		2
587	Forming of nickel compacts by a colloidal filtration route. <b>2005</b> , 53, 919-925		24
586	Suppression of edge cracking in layered ceramic composites by edge coating. <b>2005</b> , 42, 581-590		12
585	Homogeneity of isostatic pressure-assisted sintering of agglomerated powder. <b>2005</b> , 42, 503-515		10
584	Alumina bodies with near-to-theoretical density by aqueous gelcasting using concentrated agarose solutions. <i>Ceramics International</i> , <b>2005</b> , 31, 439-445	5.1	61

583	Aqueous processing of fine ZrO <sub>2</sub> particles. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , <b>2005</b> , 254, 199-205	5.1	25
582	Dispersion of Si <sub>3</sub> N <sub>4</sub> powders in aqueous media. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , <b>2005</b> , 259, 117-123	5.1	24
581	Charge nonuniformity light scattering. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , <b>2005</b> , 267, 79-85	5.1	11
580	Innovative Applications of Controlled Particle Interactions. <b>2005</b> , 83, 937-946		8
579	Microstructural Characterization of Alumina and Silicon Carbide Slip-Cast Cakes. <i>Journal of the American Ceramic Society</i> , <b>2005</b> , 79, 2515-2526	3.8	6
578	Yield Stress of Alumina-Zirconia Suspensions. <i>Journal of the American Ceramic Society</i> , <b>2005</b> , 79, 2567-2576	3.8	22
577	Colloidal Processing of a Very Fine BaTiO <sub>3</sub> Powder—Effect of Particle Interactions on the Suspension Properties, Consolidation, and Sintering Behavior. <i>Journal of the American Ceramic Society</i> , <b>2005</b> , 80, 291-300	3.8	57
576	New Concept for Simulating Particle Packing in Colloidal Forming Processes. <i>Journal of the American Ceramic Society</i> , <b>2005</b> , 80, 2517-2524	3.8	25
575	Alumina/Silicon Carbide Nanocomposites by Hybrid Polymer/Powder Processing: Microstructures and Mechanical Properties. <i>Journal of the American Ceramic Society</i> , <b>2005</b> , 81, 41-48	3.8	65
574	Adsorption Effects on the Rheological Properties of Aqueous Alumina Suspensions with Polyelectrolyte. <i>Journal of the American Ceramic Society</i> , <b>2005</b> , 81, 549-556	3.8	80
573	Processing and Performance of an All-Oxide Ceramic Composite. <i>Journal of the American Ceramic Society</i> , <b>2005</b> , 81, 2077-2086	3.8	170
572	Chemisorption of Organofunctional Silanes on Silicon Nitride for Improved Aqueous Processing. <i>Journal of the American Ceramic Society</i> , <b>2005</b> , 81, 2157-2163	3.8	25
571	New Freeze-Casting Technique for Ceramics with Sublimable Vehicles. <i>Journal of the American Ceramic Society</i> , <b>2005</b> , 87, 1859-1863	3.8	93
570	Room-Temperature Freeze Casting for Ceramics with Nonaqueous Sublimable Vehicles in the Naphthalene—Camphor Eutectic System. <i>Journal of the American Ceramic Society</i> , <b>2005</b> , 87, 2014-2019	3.8	74
569	Grain-Oriented Microstructure of Alumina Ceramics Made through the Injection Molding Process. <i>Journal of the American Ceramic Society</i> , <b>2005</b> , 80, 1313-1315	3.8	17
568	Sonochemical Preparation and Properties of Pt—Y-TZP Nano-Composites. <i>Journal of the American Ceramic Society</i> , <b>2005</b> , 88, 639-644	3.8	19
567	The Effect of Ionic Surfactant Adsorption on the Rheology of Ceramic Glaze Suspensions. <i>Journal of the American Ceramic Society</i> , <b>2005</b> , 88, 540-546	3.8	13
566	Temperature-Induced Gelation of Concentrated Sialon Suspensions. <i>Journal of the American Ceramic Society</i> , <b>2005</b> , 88, 593-598	3.8	28

565	Solvothermal Synthesis and Processing of Yttria-Stabilized Zirconia Nanopowder. <i>Journal of the American Ceramic Society</i> , <b>2005</b> , 88, 809-816	3.8	26
564	Influence of Sucrose Addition on Rheology of Alumina Slurries Dispersed with a Polyacrylate Dispersant. <i>Journal of the American Ceramic Society</i> , <b>2005</b> , 88, 833-838	3.8	30
563	Dispersion of SiC in Aqueous Media with Al <sub>2</sub> O <sub>3</sub> and Y <sub>2</sub> O <sub>3</sub> as Sintering Additives. <i>Journal of the American Ceramic Society</i> , <b>2005</b> , 88, 1013-1016	3.8	20
562	Poly(Vinyl Pyrrolidone), a Dispersant for Non-Aqueous Processing of Silicon Carbide. <i>Journal of the American Ceramic Society</i> , <b>2005</b> , 88, 1054-1056	3.8	20
561	Ceramic Composites with Three-Dimensional Architectures Designed to Produce a Threshold Strength Processing. <i>Journal of the American Ceramic Society</i> , <b>2005</b> , 88, 1158-1164	3.8	3
560	Effects of Aluminum and Zirconia Contents on the Sintering of Reaction-Bonded Aluminum Oxide Ceramics. <i>Journal of the American Ceramic Society</i> , <b>2005</b> , 88, 2046-2052	3.8	1
559	Tailored Residual Stresses in High Reliability Alumina-Mullite Ceramic Laminates. <i>Journal of the American Ceramic Society</i> , <b>2005</b> , 88, 2826-2832	3.8	61
558	Compressive Surface Layer to Avoid Edge Cracking in Laminar Ceramic Composite. <i>Journal of the American Ceramic Society</i> , <b>2005</b> , 88, 2855-2858	3.8	11
557	Relationship Between Water Mobility and Viscosity of Nanometric Alumina Suspensions. <i>Journal of the American Ceramic Society</i> , <b>2005</b> , 88, 2762-2768	3.8	21
556	Compaction as a Critical Factor for Success in the Sintering of Ultra-Fine WC Powders. <i>Journal of the American Ceramic Society</i> , <b>2005</b> , 88, 3032-3036	3.8	7
555	Green Machining to Net Shape Alumina Ceramics Prepared Using Different Processing Routes. <b>2005</b> , 2, 262-270		26
554	Densification behaviour of oxide-coated silicon nitride powders. <b>2005</b> , 59, 1897-1901		6
553	Preparation of Dense Mullite Ceramics through Gelcasting of Alumina Slurry Dispersed in Silica Sol. <i>Advanced Engineering Materials</i> , <b>2005</b> , 7, 746-750	3.5	3
552	Improvements Offered by Coprecipitation of Sintering Additives on Ultra-Fine SiC Materials. <i>Advanced Engineering Materials</i> , <b>2005</b> , 7, 152-158	3.5	7
551	Dispersion of TiN in aqueous media. <b>2005</b> , 286, 209-15		17
550	Electrical conductivity and stability of concentrated aqueous alumina suspensions. <b>2005</b> , 286, 579-88		63
549	Tribological behaviour of colloiddally processed sialon ceramics sliding against steel under dry conditions. <b>2005</b> , 18, 295-301		18
548	Preparation of highly concentrated aqueous hydroxyapatite suspensions for slip casting. <b>2005</b> , 40, 4619-4623		10

547	Features of Preparing Nano-Size Powders of Tetragonal Zirconium Dioxide Stabilized with Yttrium. <b>2005</b> , 44, 228-239		9
546	Microstructural prototyping of ceramics by kinetic engineering: applications of spark plasma sintering. <b>2005</b> , 5, 173-84		60
545	Water-based technique to produce porous PZT materials. <b>2005</b> , 128, 27-31		1
544	. <b>2005</b> ,		5
543	Enhanced fracture toughness by ceramic laminate design. <b>2005</b> , 104, 103-109		12
542	Thermal Shock Behavior of an Al <sub>2</sub> O <sub>3</sub> /ZrO <sub>2</sub> Multilayered Ceramic with Residual Stresses due to Phase Transformations. <i>Key Engineering Materials</i> , <b>2005</b> , 290, 191-198	0.4	20
541	Comparison of Two Different Commercially Available Polyacrylate Dispersants for Gelcasting Alumina Slurries. <b>2005</b> , 64, 21-24		2
540	Highly dispersed suspension of YSZ and zirconia nanoparticles by solvothermal processing. <b>2005</b> , 104, 135-141		6
539	Modeling of Threshold Strength in Cylindrical Ceramic Structures. <b>2005</b> , 72, 381-388		1
538	Dispersion of alpha-alumina ultrafine powders using 2-phosphonobutane-1,2,4-tricarboxylic acid for the implementation of a DCC process. <b>2005</b> , 25, 1109-1118		38
537	Glass-Containing Composite Materials. Alternative Reinforcement Concepts. <b>2005</b> , 511-532		
536	Selective pervaporation of water through a nonselective microporous titania membrane by a dynamically induced molecular sieving mechanism. <b>2005</b> , 21, 508-10		25
535	Plasma treatment of diamond nanoparticles for dispersion improvement in water. <b>2006</b> , 88, 231503		25
534	Packing density and consolidation energy of flocculated aqueous SiC suspension. <b>2006</b> , 26, 217-221		12
533	Solvothermal synthesis of titania-zirconia composite. <b>2006</b> , 21, 355-368		11
532	AlN ceramics processed by aqueous slip casting. <b>2006</b> , 21, 2460-2469		13
531	Forming of Aqueous SiC Suspension by Pressure Filtration. <b>2006</b> , 114, 259-264		10
530	Fabrication of Highly Microstructure Controlled Ceramics by Novel Colloidal Processing. <b>2006</b> , 114, 371-376		22

529	Texture Development in Alumina Composites by Slip Casting in a Strong Magnetic Field. <b>2006</b> , 114, 59-62		21
528	Stabilization of Ethanol-Based Alumina Suspensions. <i>Journal of the American Ceramic Society</i> , <b>2006</b> , 89, 457-464	3.8	29
527	Effects of CnTAB Chain Length and Concentration on the Rheological Properties of Aqueous Suspensions of Alkylated Alumina Powders. <i>Journal of the American Ceramic Society</i> , <b>2006</b> , 89, 817-822	3.8	1
526	Homogeneous ZrO <sub>2</sub> -Al <sub>2</sub> O <sub>3</sub> Composite Prepared by Nano-ZrO <sub>2</sub> Particle Multilayer-Coated Al <sub>2</sub> O <sub>3</sub> Particles. <i>Journal of the American Ceramic Society</i> , <b>2006</b> , 89, 1103-1106	3.8	15
525	Rheological Characterisation of Electrosterically Dispersed Alumina Suspensions During In Situ Coagulation. <i>Journal of the American Ceramic Society</i> , <b>2006</b> , 89, 863-868	3.8	17
524	Improvement of the Dispersion of Al <sub>2</sub> O <sub>3</sub> Slurries Using EDTA-4Na. <i>Journal of the American Ceramic Society</i> , <b>2006</b> , 89, 1440-1442	3.8	8
523	Coagulation of Concentrated Suspensions of Ultrafine Alumina Powders by pH Shift. <i>Journal of the American Ceramic Society</i> , <b>2006</b> , 89, 060601012420006-???	3.8	
522	Fabrication of Hard and Strong $\text{Al}_2\text{Si}_3\text{N}_4$ Composites With $\text{MgSiN}_2$ as Additives. <i>Journal of the American Ceramic Society</i> , <b>2006</b> , 89, 3824-3826	3.8	31
521	Phase Behavior, 3-D Structure, and Rheology of Colloidal Microsphere-Nanoparticle Suspensions. <i>Journal of the American Ceramic Society</i> , <b>2006</b> , 89, 1840-1846	3.8	16
520	Gelcasting of Zirconia Using Agarose. <i>Journal of the American Ceramic Society</i> , <b>2006</b> , 89, 1897-1902	3.8	56
519	Rheological Behavior and Slip Casting of Al <sub>2</sub> O <sub>3</sub> -Ni Aqueous Suspensions. <i>Journal of the American Ceramic Society</i> , <b>2006</b> , 89, 1890-1896	3.8	23
518	Dispersing Multi-Component and Unstable Powders in Aqueous Media Using Comb-Type Anionic Polymers*. <i>Journal of the American Ceramic Society</i> , <b>2006</b> , 89, 1847-1852	3.8	27
517	Mechanical Properties of Dry-Pressed Powder Compacts: Case Study on Alumina Nanoparticles. <i>Journal of the American Ceramic Society</i> , <b>2006</b> , 89, 2641-2644	3.8	11
516	Fabrication of Stable Al <sub>2</sub> O <sub>3</sub> Slurries and Dense Green Bodies Using Wet Jet Milling. <i>Journal of the American Ceramic Society</i> , <b>2006</b> , 89, 060623005134012-???	3.8	3
515	Fabrication of Hydroxyapatite-Zirconia Composites for Orthopedic Applications. <i>Journal of the American Ceramic Society</i> , <b>2006</b> , 89, 3348-3355	3.8	43
514	Design and production of ceramic laminates with high mechanical resistance and reliability. <b>2006</b> , 54, 4929-4937		66
513	Rheological characterisation of ammonium polyacrylate dispersed, concentrated alumina suspensions. <i>Ceramics International</i> , <b>2006</b> , 32, 803-810	5.1	19
512	Effect of citric acid on the adsorption behavior of polyethylene imine (PEI) and the relevant stability of SiC slurries. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , <b>2006</b> , 276, 168-175	5.1	45

511	Effect of preparation methods on rheological properties of Al <sub>2</sub> O <sub>3</sub> /ZrO <sub>2</sub> suspensions. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , <b>2006</b> , 281, 171-176	5.1	6
510	Control of the inner stresses in ceramic green bodies formed by gelcasting. <i>Ceramics International</i> , <b>2006</b> , 32, 93-98	5.1	23
509	Influence of powder pre-treatments and milling on dispersion ability of aqueous hydroxyapatite-based suspensions. <i>Ceramics International</i> , <b>2006</b> , 32, 331-337	5.1	18
508	The interaction of organic dispersant with alumina: A molecular modelling approach. <i>Ceramics International</i> , <b>2006</b> , 32, 521-525	5.1	21
507	The effect of powder forming method on the pull-out flaw populations observed on polished surfaces of alumina ceramics. <b>2006</b> , 427, 160-166		1
506	Effect of polyethylenimine on the dispersion and electrophoretic deposition of nano-sized titania aqueous suspensions. <b>2006</b> , 26, 1555-1560		105
505	Slip casting of barium zirconate aqueous concentrated suspensions. <b>2006</b> , 26, 1591-1598		20
504	Observation of the granule packing structure using a confocal laser-scanning microscope. <b>2006</b> , 26, 683-687		4
503	Control of texture in alumina by colloidal processing in a strong magnetic field. <b>2006</b> , 7, 356-364		90
502	Colloidal Consolidation of Ceramic Nanoparticles by Pressure Filtration. <i>Journal of the American Ceramic Society</i> , <b>2006</b> , 89, 1883-1889	3.8	23
501	Direct observation of powder agglomerated structure in ceramic slurries using optical microscopy. <b>2006</b> , 17, 681-688		3
500	Microstructural evolution of BaTiO <sub>3</sub> /ultrahigh-molecular-weight poly(ethylene) (UHMWPE) cast body: influence of free organic additive in a nonaqueous medium. <b>2006</b> , 17, 345-349		1
499	In-situ acidification of electrosterically dispersed alumina suspensions: Effect of coagulant structure. <b>2006</b> , 41, 1893-1903		3
498	Synthesis of multilayer Nano-ZrO <sub>2</sub> coated polystyrene spheres on fabrication of three-dimensional ordered macroporous structures. <b>2006</b> , 41, 2779-2786		10
497	Design and production of ceramic laminates with high mechanical reliability. <b>2006</b> , 37, 481-489		31
496	Processing of Al <sub>2</sub> O <sub>3</sub> /Y-TZP laminates from water-based cast tapes. <b>2006</b> , 37, 499-508		20
495	Fabrication of Si <sub>3</sub> N <sub>4</sub> /SiC nano-composite ceramics through temperature-induced gelation and liquid phase sintering. <b>2006</b> , 26, 337-341		7
494	The effect of heat-treatment on the suspension stability and gelation behavior of Li <sub>2</sub> O-BaO-Al <sub>2</sub> O <sub>3</sub> -SiO <sub>2</sub> -CaO (LBASC). <b>2006</b> , 99, 418-423		8



493	Effects of modified poly(methacrylic acid) copolymer on rheological properties of ceramic suspension and sintered ceramic strength. <b>2006</b> , 102, 2661-2667		4
492	Interparticle Potentials of Aqueous Alumina Suspensions. <b>2006</b> , 45, 337-346		
491	Stabilisation of CuO Aqueous Suspensions. <b>2006</b> , 514-516, 1369-1373		2
490	Development of Near Net Shape Forming Processes of Ceramic Parts by Colloidal Processing. <b>2006</b> , 45, 374-381		1
489	Development of High-Speed Centrifugal Compaction Process of Alumina. <b>2006</b> , 45, 421-426		0
488	NANO-/MICRO-COMPOSITE CERAMIC COATINGS PREPARED BY THERMAL PRESSURE FILTRATION OF SOL-GEL PAINTS. <b>2006</b> , 20, 4649-4654		7
487	Preparation and Properties of Al <sub>2</sub> O <sub>3</sub> -Mullite-SiC Nano-Composite by Slip Casting in a High Magnetic Field and Reaction Sintering. <i>Key Engineering Materials</i> , <b>2007</b> , 336-338, 1133-1136	0.4	1
486	Water Based Colloidal Processing of Ceramic Laminates. <i>Key Engineering Materials</i> , <b>2007</b> , 333, 39-48	0.4	12
485	Ultra-Fine Treatment of SiC Powder and Its Effect on Microstructure and Properties of SiC Ceramic. <i>Key Engineering Materials</i> , <b>2007</b> , 280-283, 1313-1316	0.4	
484	Drying-induced forming of alumina ceramics using high solid-loaded slurries with addition of glycerol. <b>2007</b> , 22, 244-248		2
483	Suspension Characteristics and Rheological Properties of Aqueous Alumina/Zirconia Freeze Casting Slurries. <i>Key Engineering Materials</i> , <b>2007</b> , 336-338, 2382-2384	0.4	0
482	Solvothermal synthesis of zirconia and yttria-stabilized zirconia nanocrystalline particles. <b>2007</b> , 22, 46-55		5
481	Geometry Effect on the Thermal Shock Response of Al <sub>2</sub> O <sub>3</sub> /ZrO <sub>2</sub> Multilayered Ceramics. <i>Key Engineering Materials</i> , <b>2007</b> , 333, 251-254	0.4	0
480	Preparation of Nano-Sized Lutetium Aluminum Garnet Powders Using Ammonia Hydrogen Carbonate as Precipitant. <b>2007</b> , 121-123, 283-286		1
479	Orientation Control in Multilayered Alumina Prepared Using Electrophoretic Deposition in a Strong Magnetic Field. <b>2007</b> , 29-30, 223-226		1
478	Stress and Crack Extension in Multi-Layered Ceramic Composites. <i>Key Engineering Materials</i> , <b>2007</b> , 333, 1-16	0.4	1
477	Deflocculation of Alumina Suspensions Using Polyelectrolyte Dispersants. <i>Key Engineering Materials</i> , <b>2007</b> , 352, 81-84	0.4	
476	Development of High-Strain-Rate Superplastic Oxide Ceramics. <b>2007</b> , 115, 395-401		7

475	Lanthanum strontium manganese chromite cathode and anode synthesized by gel-casting for solid oxide fuel cells. <b>2007</b> , 17, 2627		71
474	Preparation of Sialon from Solid Wastes by Colloidal Process. <i>Key Engineering Materials</i> , <b>2007</b> , 336-338, 1927-1929	0.4	2
473	Fabrication of Highly Microstructure Controlled Ceramics by Novel Colloidal Processing. <i>Key Engineering Materials</i> , <b>2007</b> , 336-338, 2372-2377	0.4	
472	Physical Properties and Composition Effects on the Reactivity of Calcium-Based Sulfur Sorbents. <b>2007</b> , 46, 5913-5921		2
471	Nanocrystalline Powder Consolidation Methods. <b>2007</b> , 173-233		12
470	Forming. <b>2007</b> , 18-20		
469	Nanoparticle Coating for Advanced Optical, Mechanical and Rheological Properties. <b>2007</b> , 17, 3175-3181		52
468	High-strain-rate superplasticity in oxide ceramics. <b>2007</b> , 8, 578-587		34
467	Dispersion studies of sub-micron zirconia using Dolapix CE 64. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , <b>2007</b> , 302, 553-558	5.1	48
466	Effect of temperature on the stability of aqueous ZrO <sub>2</sub> suspensions. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , <b>2007</b> , 304, 1-6	5.1	8
465	Gel-casting without de-airing process using silica sol as a binder. <i>Ceramics International</i> , <b>2007</b> , 33, 133-139	5.1	29
464	Increasing the sinterability of tape cast oxalate-derived doped ceria powder by ball milling. <i>Ceramics International</i> , <b>2007</b> , 33, 201-205	5.1	10
463	Properties of Al <sub>2</sub> O <sub>3</sub> ceramics consolidated with sulfanilic acid. <i>Ceramics International</i> , <b>2007</b> , 33, 401-404	5.1	
462	Dispersion of concentrated aqueous yttria-stabilized zirconia with ammonium polyacrylate. <i>Ceramics International</i> , <b>2007</b> , 33, 925-929	5.1	11
461	Tape casting of Y-TZP with low binder content. <i>Ceramics International</i> , <b>2007</b> , 33, 1099-1103	5.1	12
460	Effect of ionic strength on rheological properties of binary Al <sub>2</sub> O <sub>3</sub> /ZrO <sub>2</sub> suspensions. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , <b>2007</b> , 297, 7-13	5.1	4
459	Study of agglomeration of alumina nanoparticles by atomic force microscopy (AFM) and photon correlation spectroscopy (PCS). <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , <b>2007</b> , 302, 269-275	5.1	26
458	A note on tribological behaviour of Sialon/steel couples under dry conditions. <b>2007</b> , 28, 1343-1347		4

457	Effects of powder characteristics, solid loading and dispersant on bubble content in aqueous alumina slurries. <b>2007</b> , 27, 879-885		7
456	The application of automated image analysis to dense heterogeneities in partially sintered alumina. <b>2007</b> , 27, 1927-1933		4
455	Dispersion of alumina suspension using comb-like and diblock copolymers produced by RAFT polymerization of AMPS and MPEG. <b>2007</b> , 312, 279-91		52
454	Effect of Polyethylenimine on Hydrolysis and Dispersion Properties of Aqueous Si <sub>3</sub> N <sub>4</sub> Suspensions. <i>Journal of the American Ceramic Society</i> , <b>2007</b> , 90, 797-804	3.8	38
453	Production of Ceramic Green Bodies Using a Microwave-Reactive Organic Binder. <i>Journal of the American Ceramic Society</i> , <b>2007</b> , 90, 1319-1322	3.8	10
452	Lanthanum Strontium Manganite Powders Synthesized by Gel-Casting for Solid Oxide Fuel Cell Cathode Materials. <i>Journal of the American Ceramic Society</i> , <b>2007</b> , 90, 1406-1411	3.8	15
451	Effect of Green-State Processing on the Sintering Stress and Viscosity of Alumina Compacts. <i>Journal of the American Ceramic Society</i> , <b>2007</b> , 90, 1637-1640	3.8	25
450	Complex Oxide Ferroelectric Ceramics Pb(Ni <sub>1/3</sub> Nb <sub>2/3</sub> )O <sub>3</sub> ∩Pb(Zn <sub>1/3</sub> Nb <sub>2/3</sub> )O <sub>3</sub> ∩Pb(Mg <sub>1/3</sub> Nb <sub>2/3</sub> )O <sub>3</sub> ∩PbZrO <sub>3</sub> ∩PbTiO <sub>3</sub> with a Low Sintering Temperature. <i>Journal of the American Ceramic Society</i> , <b>2007</b> , 90, 1186-1192	3.8	15
449	Constrained Sintering of Alumina Thin Films: Comparison Between Experiment and Modeling. <i>Journal of the American Ceramic Society</i> , <b>2007</b> , 90, 1733-1737	3.8	40
448	Effect of Ionic Strength on the Stability of Binary Ceramic Suspensions. <i>Journal of the American Ceramic Society</i> , <b>2007</b> , 90, 3435-3440	3.8	4
447	Rheological Characterization and Coagulation Casting of Al <sub>2</sub> O <sub>3</sub> ∩Nano Zirconia Suspensions. <i>Journal of the American Ceramic Society</i> , <b>2007</b> , 91, 33-40	3.8	13
446	Charging Behavior at the Alumina∩Water Interface and Implications for Ceramic Processing. <i>Journal of the American Ceramic Society</i> , <b>2007</b> , 90, 3373-3388	3.8	185
445	Dispersion of Zirconium Diboride in an Aqueous, High-Solids Paste. <b>2007</b> , 4, 470-479		39
444	Shrinkage and strength characterization of an alumina-glass interpenetrating phase composite for dental use. <b>2007</b> , 23, 1108-13		20
443	Synthesis of SnO <sub>2</sub> nanoparticles through the controlled precipitation route. <b>2007</b> , 101, 433-440		108
442	Effects of powder processing on colloidal and microstructural characteristics of SiC powders. <b>2007</b> , 103, 70-77		9
441	Fabrication and material properties of powder injection molded Fe sintered bodies using nano Fe powder. <b>2007</b> , 61, 1218-1222		9
440	Disperse systems in calcium hydroxyapatite ceramics technology. <b>2007</b> , 64, 22-26		3

439	A novel method for producing open-cell Al <sub>2</sub> O <sub>3</sub> -ZrO <sub>2</sub> ceramic foams with controlled cell structure. <b>2007</b> , 42, 8215-8221		1
438	Adsorption property of citrate dispersant on BaTiO <sub>3</sub> particles in aqueous solution. <b>2007</b> , 14, 202-205		1
437	An X-ray micro-computed tomography study of agglomerate breakdown during the extrusion of ceramic pastes. <b>2007</b> , 62, 6451-6456		5
436	Slip casting using wet-jet milled slurry. <b>2007</b> , 27, 753-757		10
435	Processing of nanocrystalline hydroxyapatite particles via reverse microemulsions. <b>2008</b> , 43, 384-389		29
434	Dispersing and doping of BaTiO <sub>3</sub> powder by adsorption. <b>2008</b> , 23, 644-646		
433	Effect of sucrose on rheological properties of aqueous zirconia suspensions with polyacrylate. <b>2008</b> , 186, 107-112		10
432	Preparation of Al <sub>2</sub> O <sub>3</sub> and Al <sub>2</sub> O <sub>3</sub> -ZrO <sub>2</sub> ceramic foams with adjustable cell structure by centrifugal slip casting. <b>2008</b> , 476, 274-280		18
431	Synthesis and characterization of zirconia- and silica-doped zirconia nanopowders by oxalate processing. <b>2008</b> , 206, 315-321		31
430	Densification of powder compacts: An unfinished story. <b>2008</b> , 28, 1509-1516		60
429	Colloidal stability of nanosized titania aqueous suspensions. <b>2008</b> , 28, 2171-2176		85
428	In situ vibration enhanced pressure slip casting of submicrometer alumina powders. <b>2008</b> , 28, 3059-3064		8
427	Effect of tetramethyl ammonium hydroxide on rheological properties of aqueous zirconia suspensions with polyacrylate. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , <b>2008</b> , 324, 126-130	5.1	1
426	Loading configuration effects on the strength reliability of alumina-zirconia multilayered ceramics. <b>2008</b> , 68, 244-250		7
425	The rheological behavior and surface charging of gelcasting alumina suspensions. <i>Ceramics International</i> , <b>2008</b> , 34, 237-241	5.1	8
424	YAG ceramic processed by slip casting via aqueous slurries. <i>Ceramics International</i> , <b>2008</b> , 34, 397-401	5.1	24
423	I: Dispersibility of robust alumina particles in non-aqueous solution. <i>Ceramics International</i> , <b>2008</b> , 34, 523-529	5.1	12
422	Pressureless sintered Al <sub>2</sub> O <sub>3</sub> -SiC nanocomposites. <i>Ceramics International</i> , <b>2008</b> , 34, 1609-1615	5.1	25

421	Novel Coagulation Method for Direct Coagulation Casting of Aqueous Alumina Slurries Prepared Using a Poly(Acrylate) Dispersant. <i>Journal of the American Ceramic Society</i> , <b>2008</b> , 91, 615-619	3.8	34
420	Effect of Milling Time on the Rheology of Highly Loaded Aqueous-Fused Silica Slurry. <i>Journal of the American Ceramic Society</i> , <b>2008</b> , 91, 640-643	3.8	6
419	Preparation of High Solids Content Nanozirconia Suspensions. <i>Journal of the American Ceramic Society</i> , <b>2008</b> , 91, 398-405	3.8	50
418	□Potential of Nanoparticle Suspensions: Effect of Electrolyte Concentration, Particle Size, and Volume Fraction. <i>Journal of the American Ceramic Society</i> , <b>2008</b> , 91, 1141-1147	3.8	52
417	Tailoring Texture of $\text{Y}_2\text{Si}_2\text{O}_7$ by Strong Magnetic Field Alignment and Two-Step Sintering. <i>Journal of the American Ceramic Society</i> , <b>2008</b> , 91, 2521-2528	3.8	12
416	Electrokinetic and Rheological Properties of Nano Zirconia in the Presence of Rhamnolipid Biosurfactant. <i>Journal of the American Ceramic Society</i> , <b>2008</b> , 91, 3197-3201	3.8	27
415	The role of interparticle and external forces in nanoparticle assembly. <b>2008</b> , 7, 527-38		936
414	A Novel Temperature Induced Gelation Forming Method. <i>Key Engineering Materials</i> , <b>2008</b> , 368-372, 669-674		
413	Dispersibility of Barium Titanate Suspension in the Presence of Polyelectrolytes: A Review. <b>2008</b> , 29, 230-239		16
412	Uniform Colloidal Spheres for $(\text{Y}_{1-x}\text{Gd}_x)_2\text{O}_3$ ( $x = 0\text{--}1$ ): Formation Mechanism, Compositional Impacts, and Physicochemical Properties of the Oxides. <b>2008</b> , 20, 2274-2281		142
411	Densification and grain growth during sintering of nanosized particles. <b>2008</b> , 53, 326-352		173
410	Relationship of densification rate and relative density for submicron $\text{Al}_2\text{O}_3$ green compacts during low heating rate sintering. <b>2008</b> , 23, 148-151		3
409	Creep characteristics of alumina, nickel aluminate spinel, zirconia composites. <b>2008</b> , 23, 556-564		4
408	Consolidation of ceramic nanopowders. <b>2008</b> , 107, 118-134		47
407	Ageing of glass-ceramic matrix composites. <b>2008</b> , 34-70		
406	. <b>2009</b> ,		1
405	Analyses of effective viscosity of suspensions with deformable polydispersed spheres. <b>2009</b> , 42, 075503		8
404	Powder Selection in Cosintering Multi-layered Ceramic Functionally Graded Materials Based on the Densification Kinetics Curves. <b>2009</b> , 43, 469-482		4

403	Fracture of Layered Ceramics. <i>Key Engineering Materials</i> , <b>2009</b> , 409, 94-106	0.4	9
402	Biomimetic Design of Haute-Temperature Lightweight Ceramics: A Review. <b>2009</b> , 2, 73-93		3
401	A tailored design for dispersion stabilization of a dispersant-free BaMgAl <sub>10</sub> O <sub>17</sub> :Eu <sup>2+</sup> (BAM) paste based on the acid/base properties of the particle surface. <b>2009</b> , 113, 909-912		2
400	Influence of behaviour of alumina slurry on quality of alumina powder prepared by jet wheel impact atomization. <b>2009</b> , 196, 272-277		7
399	Dense and near-net-shape fabrication of Si <sub>3</sub> N <sub>4</sub> ceramics. <b>2009</b> , 500, 130-149		84
398	Agglomerates in nanopowders and ceramic technology. <b>2009</b> , 50, 348-353		11
397	Preparation and properties of multi-wall carbon nanotube/SiC composites by aqueous tape casting. <b>2009</b> , 52, 132-136		13
396	Colloidal Stability for Concentrated Zirconia Aqueous Suspensions. <i>Journal of the American Ceramic Society</i> , <b>2009</b> , 92, S50-S56	3.8	18
395	Two-Stage Sintering of Nanosize Pure Zirconia. <i>Journal of the American Ceramic Society</i> , <b>2009</b> , 92, S103-S106	3.8	26
394	Dispersion of Ceramic Particles in Aqueous Media with Surface-Grafted Dispersant. <i>Journal of the American Ceramic Society</i> , <b>2009</b> , 92, 256-259	3.8	7
393	Surface Chemistry, Dispersion Behavior, and Slip Casting of Ti <sub>3</sub> AlC <sub>2</sub> Suspensions. <i>Journal of the American Ceramic Society</i> , <b>2009</b> , 92, 1695-1702	3.8	33
392	A Screening Design Approach for the Understanding of Spark Plasma Sintering Parameters: A Case of Translucent Polycrystalline Undoped Alumina. <b>2009</b> , 7, 574-586		14
391	Dispersion and Rheology of Aqueous Suspensions of Nanosized BaTiO <sub>3</sub> . <b>2009</b> , 7, E135-E143		
390	Fabrication of stable Al <sub>2</sub> O <sub>3</sub> slurries and dense green bodies using soft-energy milling process. <b>2009</b> , 29, 869-874		4
389	Surface charge and rheological properties of raw porcelain gres suspension with acrylic copolymers bearing carboxylic groups. <b>2009</b> , 29, 559-564		10
388	Stability of concentrated suspensions of Al <sub>2</sub> O <sub>3</sub> -Bi <sub>2</sub> O <sub>3</sub> measured by multiple light scattering. <b>2009</b> , 29, 603-610		24
387	Fabrication of green and sintered bodies prepared by centrifugal compaction process using wet-jet milled slurries. <b>2009</b> , 29, 1323-1329		8
386	Slip casting of nanozirconia/MWCNT composites using a heterocoagulation process. <b>2009</b> , 29, 1939-1945		46

385	Starch consolidation of alumina: Fabrication and mechanical properties. <b>2009</b> , 29, 2219-2224		23
384	Fabrication of yttria-stabilized-zirconia coatings using electrophoretic deposition: Effects of agglomerate size distribution on particle packing. <b>2009</b> , 29, 3167-3175		19
383	Influence of green state processes on the sintering behaviour and the subsequent optical properties of spark plasma sintered alumina. <b>2009</b> , 29, 3363-3370		41
382	Effect of medium temperature on the dispersion of WC/ZrO <sub>2</sub> /VC composite powders. <b>2009</b> , 209, 2161-2166		4
381	Is Weibull distribution the most appropriate statistical strength distribution for brittle materials?. <i>Ceramics International</i> , <b>2009</b> , 35, 237-246	5.1	136
380	Gel casting of aqueous suspensions of BaTiO <sub>3</sub> nanopowders. <i>Ceramics International</i> , <b>2009</b> , 35, 321-326	5.1	14
379	A new direct coagulation casting process for alumina slurries prepared using poly(acrylate) dispersant. <i>Ceramics International</i> , <b>2009</b> , 35, 979-985	5.1	17
378	Alumina/silicon carbide composites fabricated via in situ synthesis of nano-sized SiC particles. <i>Ceramics International</i> , <b>2009</b> , 35, 1293-1296	5.1	14
377	Structure and properties of short fibre reinforced silica matrix composite foams. <i>Ceramics International</i> , <b>2009</b> , 35, 3111-3116	5.1	12
376	Fabrication of transparent yttrium aluminum garnet ceramic. <b>2009</b> , 152, 012079		8
375	Shape forming of ceramics with controllable microstructure by drying-free colloidal casting. <b>2009</b> , 19, 7070		7
374	Control of Texture in Diamagnetic Ceramics by Using a Strong Magnetic Field. <b>2009</b> , 48, 321-326		
373	Fabrication and physicochemical properties of particulate-reinforced precursor-derived Si-C-N ceramics. <b>2009</b> , 117, 1339-1344		1
372	Advanced colloidal techniques for characterization of the effect of electrosteric dispersant on the colloidal stability of nanocrystalline ZrO <sub>2</sub> suspension. <b>2009</b> , 117, 302-307		6
371	Effect of bead-milling treatment on the dispersion of tetragonal zirconia nanopowder and improvements of two-step sintering. <b>2009</b> , 117, 470-474		13
370	Estimation of Weibull modulus from coarser defect distribution in dry-pressed alumina ceramics. <b>2009</b> , 117, 742-747		10
369	The role of interparticle and external forces in nanoparticle assembly. <b>2009</b> , 38-49		8
368	Rheology and Rotational Rheometry of Concentrated Clay Based Ceramic Suspensions: Steps From Measured to Relevant Data. <b>2010</b> ,		

- 367 The influence of solid loading in suspensions of a submicrometric alumina powder on green and sintered pressure filtrated samples. *Ceramics International*, **2010**, 36, 385-390 5.1 13
- 366 Gelcasting preparation of porous silicon nitride ceramics by adjusting the content of monomers. **2010**, 53, 515-523 52
- 365 Tape casting of strontium and cobalt doped lanthanum chromite suspensions. **2010**, 30, 2897-2903 19
- 364 Correlation between slurry properties and structures and properties of granules. **2010**, 30, 3291-3296 15
- 363 Gelation of water-based PZT slurries in the presence of ammonium polyacrylate using agarose. **2010**, 30, 3425-3434 11
- 362 Modeling of viscosity for power plant ash slurry at higher concentrations: Effect of solids volume fraction, particle size and hydrodynamic interactions. **2010**, 197, 1-8 70
- 361 Synergistic effect of copolymer and poly(vinylpyrrolidone) mixtures on rheology of aqueous SiC suspensions. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, **2010**, 355, 104-108 5.1 13
- 360 Rational design in suspension rheology of cellular silica. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, **2010**, 370, 102-112 5.1
- 359 High failure resistance layered ceramics using crack bifurcation and interface delamination as reinforcement mechanisms. **2010**, 77, 2126-2135 42
- 358 Role of Molecular Architecture of Citric and Related Polyacids on the Yield Stress of  $\alpha$ -Alumina Slurries: Inter- and Intramolecular Forces. *Journal of the American Ceramic Society*, **2010**, 93, 2598-2605 3.8 22
- 357 Microstructure and Mechanical Properties of Zirconium Diboride Obtained by Aqueous Tape Casting Process and Hot Pressing. *Journal of the American Ceramic Society*, **2010**, 93, 4153-4157 3.8 10
- 356 Forming and Microstructure Control of Ceramics by Electrophoretic Deposition (EPD). **2010**, 28, 74-90 29
- 355 Dispersion of Zirconia in the Presence of Dolapix PC75. **2010**, 31, 1173-1177 3
- 354 Sintering of ultrafine and nanosized particles. **2010**, 434-473 11
- 353 Aqueous colloidal processing of PLZT ceramics near the morphotropic phase boundary. **2010**, 109, 189-195
- 352 Simple Rheological Tests and Protocols for SME Ceramic Producers. **2010**, 68, 65-74 1
- 351 Gelation Forming Process for Low Toxicity System. **2010**, 74-128 1
- 350 Application of New Colloidal Forming. **2010**, 283-324



349	Generation, Development, Inheritance, and Control of the Defects during the Transformation from Suspension to Green Body. <b>2010</b> , 129-210	1
348	Fabrication and evaluation of powder injection molded Fe <sub>50</sub> Ni sintered bodies using nano Fe <sub>50</sub> Ni powder. <b>2010</b> , 491, 391-394	16
347	In situ preparation of Al <sub>2</sub> O <sub>3</sub> -SiC nanocomposites via sol-gel method followed by pressureless sintering. <b>2010</b> , 496, 678-682	5
346	Fabrication of ultrahigh density ZnO-Al <sub>2</sub> O <sub>3</sub> ceramic composites by slip casting. <b>2010</b> , 20, 624-631	21
345	Layered Machinable and Electrically Conductive Ti <sub>2</sub> AlC and Ti <sub>3</sub> AlC <sub>2</sub> Ceramics: a Review. <b>2010</b> , 26, 385-416	372
344	Novel Colloidal Forming of Ceramics. <b>2010</b> ,	8
343	Quantitative Phases Determination of Zirconia Ceramics via Rietveld Method. <b>2010</b> , 660-661, 989-994	
342	Optical properties of nanocrystal interfaces in compressed MgO nanopowders. <b>2011</b> , 5, 3003-9	42
341	Surface-induced patterns from evaporating droplets of aqueous carbon nanotube dispersions. <b>2011</b> , 27, 7163-7	40
340	Isomerism and solubility of benzene mono- and dicarboxylic acid: its effect on alumina dispersions. <b>2011</b> , 27, 49-58	9
339	Advances in Processing of Bulk Ferroelectric Materials. <b>2011</b> , 1-37	4
338	Laminated object manufacturing of LZSA glass-ceramics. <b>2011</b> , 17, 424-428	30
337	Processing and Characterization of Alumina/ Chromium Carbide Ceramic Nanocomposite. <b>2011</b> ,	
336	Application of Zirconia in Dentistry: Biological, Mechanical and Optical Considerations. <b>2011</b> ,	11
335	Preparation of Bulk Na <sub>2</sub> O-BaO-PbO-Nb <sub>2</sub> O <sub>5</sub> -Bi <sub>2</sub> O <sub>3</sub> Glass-Ceramic Dielectrics for Energy Storage Sources. <b>2011</b> , 18, 202024	2
334	Recent trends in shape forming from colloidal processing: A review. <b>2011</b> , 119, 147-160	49
333	Electrochemical and mechanical properties of solid oxide fuel cell Ni/YSZ anode fabricated from NiO/YSZ composite powder. <b>2011</b> , 119, 876-883	7
332	Development of Optical Techniques for Noncontact Inspection of Y <sub>2</sub> O <sub>3</sub> -ZrO <sub>2</sub> Parts. <b>2011</b> , 8, 140-151	2

331	Colloidal Shaping of Alumina Ceramics by Thermally Induced Gelation of Methylcellulose. <i>Journal of the American Ceramic Society</i> , <b>2011</b> , 94, 749-753	3.8	20
330	Dispersion of Aqueous Alumina Suspensions with Biodegradable Polymers. <i>Journal of the American Ceramic Society</i> , <b>2011</b> , 94, 3276-3281	3.8	9
329	Recent developments in gelcasting of ceramics. <b>2011</b> , 31, 2569-2591		224
328	Osmotic drying of gelcast bodies in liquid desiccant. <b>2011</b> , 31, 2519-2524		24
327	Effect of varied powder processing routes on the stabilizing performance and coordination type of polyacrylate in alumina suspensions. <b>2011</b> ,		2
326	Fabrication of Sr- and Co-doped lanthanum chromite interconnectors for SOFC. <b>2011</b> , 46, 983-986		12
325	Improved discharge properties of bulk $\text{Na}_2\text{O} \cdot \text{BaO} \cdot \text{PbO} \cdot \text{Nb}_2\text{O}_5 \cdot \text{SiO}_2$ glass-ceramic dielectrics through electrode structure design. <b>2011</b> , 65, 1976-1978		10
324	Fatigue behavior in water of Y-TZP zirconia ceramics after abrasion with 30 $\mu\text{m}$ silica-coated alumina particles. <b>2011</b> , 27, e28-42		102
323	Effect of the microstructure on the lifetime of dental ceramics. <b>2011</b> , 27, 710-21		68
322	Estimation of Agglomeration Degree and Nanoparticles Shape of Zirconia Nanopowders. <b>2011</b> , 28, 13-18		8
321	Shaped Coarse Grained Refractories by Pressure Slip Casting. <i>Advanced Engineering Materials</i> , <b>2011</b> , 13, 68-76	3.5	8
320	Low-Temperature Preparation of $\text{La}_{0.6}\text{Sr}_{0.4}\text{Fe}_{0.8}\text{Co}_{0.2}\text{O}_{3-\delta}$ Interable Nanopowders by the Polymeric Organic Complex Solution Method. <b>2011</b> , 11, 75-80		2
319	Processing and properties of $\text{ZrB}_2/\text{SiC}$ composites obtained by aqueous tape casting and hot pressing. <i>Ceramics International</i> , <b>2011</b> , 37, 293-301	5.1	38
318	The transformation mechanism from suspension to green body and the development of colloidal forming. <i>Ceramics International</i> , <b>2011</b> , 37, 1435-1451	5.1	37
317	Investigation on the Sedimentation Behavior of the $\text{Al}_2\text{O}_3$ Aqueous Suspension by the Combination of Two Dispersants. <i>Key Engineering Materials</i> , <b>2011</b> , 474-476, 687-692	0.4	
316	Densification of Alumina Ceramics by Infiltration of a Nano-Sized Alumina Sol into Alumina Green Samples. <b>2011</b> , 675-677, 183-186		
315	Strategies for fracture toughness, strength and reliability optimisation of ceramic-ceramic laminates. <i>International Journal of Materials Research</i> , <b>2011</b> , 102, 613-626	0.5	49
314	Effect On The Processing Characteristics Of ZnO Varistors Produced Using Vibratory Milling. <b>2011</b> ,		1

313	Rheological Analysis of Ceramics Suspensions with High Solids Loading. <b>2012</b> , 727-728, 646-651		7
312	A Review of Studies on the Granular Agglomeration Mechanisms and Anti-Agglomeration Methods. <i>Key Engineering Materials</i> , <b>2012</b> , 501, 515-519	0.4	8
311	Colloidal Processing of Silicon Nitride. <i>Ceramic Transactions</i> , <b>2012</b> , 1-34	0.1	
310	The Preparation of Nanostructured ZrO <sub>2</sub> Microspheres. <b>2012</b> , 41, 883-885		2
309	Electrophoretic Deposition of Titania Nanoparticles: Sticking Parameter Determination by an In situ Study of the EPD Kinetics. <i>Journal of the American Ceramic Society</i> , <b>2012</b> , 95, 3434-3440	3.8	45
308	Experimental study about the agglomeration behavior in slurry prepared by adding excess polyelectrolyte dispersant. <b>2012</b> , 23, 661-666		6
307	Molecular attributes of an effective steric agent: Yield stress of dispersions in the presence of pure enantiomeric and racemate malic acids. <b>2012</b> , 23, 459-464		7
306	Diametral deformation behavior and machinability of methyl cellulose thermal gel cast processed alumina ceramics. <i>Ceramics International</i> , <b>2012</b> , 38, 6115-6121	5.1	3
305	Steady shear microstructure in dilute colloidal-polymer mixtures. <b>2012</b> , 8, 7699		12
304	Powder Compaction by Dry Pressing. <b>2012</b> , 1-37		4
303	Process Defects. <b>2012</b> , 369-394		
302	Hot Pressing and Spark Plasma Sintering. <b>2012</b> , 189-214		1
301	Colloidal processing of ceramics and composites. <b>2012</b> , 111, 246-253		35
300	Sintering of Nanograin Ceramics. <b>2012</b> , 439-455		1
299	Nanoparticles Dispersion and the Effect of Related Parameters in the EPD Kinetics. <b>2012</b> , 73-128		4
298	Acetic acid mediated interactions between alumina surfaces. <b>2012</b> , 258, 4011-4015		8
297	Colloidal Methods. <b>2012</b> , 145-181		
296	Aluminum doped zinc oxide sputtering targets obtained from nanostructured powders: Processing and application. <b>2012</b> , 32, 4381-4391		54

295	Rheology of aqueous BeO suspension with NH <sub>4</sub> PAA as a dispersant. <b>2012</b> , 22, 347-353		3
294	Effect of organic dispersants on structural and mechanical properties of Al <sub>2</sub> O <sub>3</sub> /ZrO <sub>2</sub> composites. <b>2012</b> , 47, 4210-4215		9
293	Rheological studies of aqueous stabilised nano-zirconia particle suspensions. <b>2012</b> , 15, 21-26		5
292	Viscoelastic Properties of Concentrated Silicon Nitride Slurries. <i>Ceramic Transactions</i> , <b>2012</b> , 35-45	0.1	
291	Nanoparticle assisted coagulation of aqueous alumina suspensions. <b>2012</b> , 15, 81-89		0
290	Exfoliation and reassembly of cobalt oxide nanosheets into a reversible lithium-ion battery cathode. <b>2012</b> , 8, 1110-6		31
289	The influence of agglomerates on the densification and microstructural evolution in sintering of a multi-particle system. <b>2012</b> , 55, 1051-1058		6
288	Sintering Behavior of Nano- and Micro-Sized ZnO Powder Targets for rf Magnetron Sputtering Applications. <i>Journal of the American Ceramic Society</i> , <b>2012</b> , 95, 204-210	3.8	25
287	Nanostructured, Infrared-Transparent Magnesium-Aluminate Spinel with Superior Mechanical Properties. <b>2012</b> , 9, 83-90		24
286	Fabrication of novel multilayer Al <sub>2</sub> O <sub>3</sub> /(m-ZrO <sub>2</sub> )/t-ZrO <sub>2</sub> fibrous ceramics composites. <i>Ceramics International</i> , <b>2012</b> , 38, 1043-1050	5.1	2
285	Dense nanostructured zirconia compacts obtained by colloidal filtration of binary mixtures. <i>Ceramics International</i> , <b>2012</b> , 38, 2111-2117	5.1	15
284	Formulation and preparation of low-concentrated yttria colloidal dispersions. <i>Ceramics International</i> , <b>2012</b> , 38, 2701-2709	5.1	5
283	Effect of powder dispersion on sintering behavior and mechanical properties of nanostructured 3YSZ ceramics. <i>Ceramics International</i> , <b>2012</b> , 38, 2835-2843	5.1	9
282	Preparation of lanthanum tungstate membranes by tape casting technique. <b>2012</b> , 37, 8056-8061		18
281	Preparation of transparent Y <sub>2</sub> O <sub>3</sub> ceramic by slip casting and vacuum sintering. <b>2012</b> , 30, 57-62		19
280	Low Temperature Sintering of Nanocrystalline Zinc Oxide: Effect of Heating Rate Achieved by Field Assisted Sintering/Spark Plasma Sintering. <i>Journal of the American Ceramic Society</i> , <b>2012</b> , 95, 2451-2457 <sup>3.8</sup>		34
279	Synthesis of monodisperse spherical nanometer ZrO <sub>2</sub> (Y <sub>2</sub> O <sub>3</sub> ) powders via the coupling route of w/o emulsion with urea homogenous precipitation. <b>2012</b> , 47, 527-531		10
278	Fourfold power efficiency improvement in organic light-emitting devices using an embedded nanocomposite scattering layer. <b>2012</b> , 13, 1073-1080		44

277	Processing of thin film ceramic membranes for oxygen separation. <b>2012</b> , 32, 649-655		8
276	Problems of particle aggregation in ceramics. <b>2012</b> , 32, 2589-2596		3
275	The densification and strength of porous Y-TZP materials with a bimodal particle size distribution for dental applications. <b>2012</b> , 32, 2633-2639		6
274	Correlation between MgAl <sub>2</sub> O <sub>4</sub> -spinel structure, processing factors and functional properties of transparent parts (progress review). <b>2012</b> , 32, 2869-2886		112
273	Effects of granule density on strength and granule related defects in zirconia. <b>2012</b> , 32, 2653-2659		13
272	Nanopowders M <sub>2</sub> O <sub>3</sub> (M = Y, La, Yb, Nd) with spherical particles and laser ceramics based on them. <b>2013</b> , 43, 271-275		11
271	Layered Ceramics. <b>2013</b> , 733-751		1
270	Theoretical calculation and analysis of ZrO <sub>2</sub> spherical nanometer powders. <b>2013</b> , 2, 21-25		15
269	Improved ceramics leading to microtubular Solid Oxide Fuel Cells (mSOFCs). <b>2013</b> , 38, 1725-1730		8
268	Poly(maleic acid) a novel dispersant for aqueous alumina slurryPeer review under responsibility of The Ceramic Society of Japan and the Korean Ceramic Society.View all notes. <b>2013</b> , 1, 184-190		19
267	Ions effects on sol-gel transition and rheological behavior in alumina slurries. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , <b>2013</b> , 430, 39-45	5.1	8
266	Hydrostatic pressure measurement for evaluation of particle dispersion and flocculation in slurries containing temperature responsive polymers. <b>2013</b> , 85, 38-45		13
265	Effect of BN content on microstructures, mechanical and dielectric properties of porous BN/Si <sub>3</sub> N <sub>4</sub> composite ceramics prepared by gel casting. <i>Ceramics International</i> , <b>2013</b> , 39, 4231-4237	5.1	50
264	Influence of corrosion and mechanical loads on advanced ceramic components. <i>Ceramics International</i> , <b>2013</b> , 39, 2723-2741	5.1	14
263	Aqueous colloidal processing of carriers for delivering silica nanoparticles in iron matrix nanocomposites. <b>2013</b> , 48, 2430-2436		6
262	Effect of sample manipulation on the Couette rheometry of copper concentrates. <b>2013</b> , 239, 78-85		8
261	Producing Large Complex-Shaped Ceramic Particle Stabilized Foams. <i>Journal of the American Ceramic Society</i> , <b>2013</b> , 96, 1407-1413	3.8	22
260	From powder to technical body: the undervalued science of catalyst scale up. <b>2013</b> , 42, 6094-112		170

259	Colloidal Processing Fundamentals. <b>2013</b> , 911-926		4
258	Colloidal Processing of Zirconium Diboride Ultra-High Temperature Ceramics. <i>Journal of the American Ceramic Society</i> , <b>2013</b> , 96, 2374-2381	3.8	18
257	Fracture Behavior of Layered Alumina Microstructural Composites with Highly Textured Layers. <i>Journal of the American Ceramic Society</i> , <b>2013</b> , 96, 1577-1585	3.8	19
256	Two step sintering of cubic yttria stabilized zirconia using Field Assisted Sintering Technique/Spark Plasma Sintering. <b>2013</b> , 33, 637-641		19
255	Effect of highly dispersed yttria addition on thermal stability of hydroxyapatite. <b>2013</b> , 33, 864-9		5
254	Failure mechanisms of ceramic nanocomposites. <b>2013</b> , 117-152		3
253	Sintering of ultrafine and nanosized ceramic and metallic particles. <b>2013</b> , 431-473		2
252	Co-Dispersion Behavior of ZrO <sub>2</sub> -SiC-C Powders with Polyethyleneimine. <b>2013</b> , 6, 4249-4258		4
251	Optimized Slurries for Spray Drying: Different Approaches to Obtain Homogeneous and Deformable Alumina-Zirconia Granules. <b>2013</b> , 6, 5382-5397		21
250	Efeito do processamento em misturas de alumina/ligantes orgânicos usadas na moldagem por injeção em baixa pressão. <b>2013</b> , 59, 71-77		
249	Novel zirconia surface treatments for enhanced osseointegration: laboratory characterization. <b>2014</b> , 2014, 203940		9
248	. <b>2014</b> ,		58
247	Near-Net-Shaping of Ultra-High Temperature Ceramics. <b>2014</b> , 83-111		2
246	Sintering of Nanograin Ceramics. <b>2014</b> , 439-455		1
245	Hot Pressing and Spark Plasma Sintering. <b>2014</b> , 189-214		
244	Powder Compaction by Dry Pressing. <b>2014</b> , 1-37		3
243	Process Defects. <b>2014</b> , 369-394		
242	Processing of Alumina and Corresponding Composites. <b>2014</b> , 31-72		7

241	Synthesis/Processing of Silicon Nitride Ceramics. <b>2014</b> , 73-88		2
240	Shaping of Dense Advanced Ceramics and Coatings by Gelation of Polysaccharides. <i>Advanced Engineering Materials</i> , <b>2014</b> , 16, 637-654	3.5	15
239	Near-Net-Shaping Methods for Ceramic Elements of (Body) Armor Systems. <i>Journal of the American Ceramic Society</i> , <b>2014</b> , 97, 3013-3033	3.8	36
238	Aqueous and Nonaqueous Colloidal Processing of Difficult-to-Densify Ceramics: Suspension Rheology and Particle Packing. <i>Journal of the American Ceramic Society</i> , <b>2014</b> , 97, 3807-3817	3.8	28
237	Transparent Tetragonal Zirconia Ceramics by Colloidal Processing of Nanoparticle Suspension. <b>2014</b> , 87, 85-90		
236	Layer-by-layer laser synthesis of composite ceramics in the system Al-Ti-Y-O. <b>2014</b> , 1611, 55-60		
235	Densification of SiC by colloidal processing and SPS without sintering additives. <b>2014</b> , 113, 85-88		12
234	Characterization and fabrication of LSCF tapes. <b>2014</b> , 34, 953-959		11
233	Thermal shock resistance of two micro-structured alumina obtained by natural sintering and SPS. <i>Ceramics International</i> , <b>2014</b> , 40, 619-627	5.1	12
232	Colloidal Shaping of 8mol% Ytria-Stabilized Zirconia Electrolyte Honeycomb Structures by Microwave-Assisted Thermal Gelation of Methyl Cellulose. <b>2014</b> , 11, 154-163		4
231	Cold Compaction of Copper Powders Under Mechanical Vibration and Uniaxial Compression. <b>2014</b> , 45, 2171-2179		15
230	The influence of the agglomeration state of nanometric MgAl <sub>2</sub> O <sub>4</sub> powders on their consolidation and sintering. <i>Ceramics International</i> , <b>2014</b> , 40, 9783-9790	5.1	4
229	A comparative study of the synthesis of nanocrystalline Yttrium Aluminium Garnet using sol-gel and co-precipitation methods. <i>Ceramics International</i> , <b>2014</b> , 40, 4179-4186	5.1	36
228	Biopolymer-Based Gel Casting of Ferroelectric Ceramics. <i>Advanced Engineering Materials</i> , <b>2014</b> , 16, 684-698	5.5	1
227	A facile water-assisted route for synthesis of tungsten dioxide (WO <sub>2</sub> ) nanopowders. <b>2014</b> , 256, 1-4		7
226	Particulate Products. <i>Particle Technology Series</i> , <b>2014</b> ,	0	14
225	A top-down approach to densify ZrB <sub>2</sub> -SiC-BN composites with deeper homogeneity and improved reliability. <b>2014</b> , 249, 93-101		29
224	Effect of ball-milling granulation with PVB adhesive on the sinterability of co-precipitated Yb:YAG nanopowders. <b>2014</b> , 589, 448-454		25

223	Defect Minimization in Prosthetic Ceramics. <b>2014</b> , 359-373		1
222	Investigation of High Temperature Co-fired Ceramics sintering conditions using Taguchi Design of the experiment. <i>Ceramics International</i> , <b>2014</b> , 40, 10447-10455	5.1	9
221	Advanced Ceramic Processes. <b>2014</b> , 123-150		9
220	Impact of oral fluids on dental ceramics: what is the clinical relevance?. <b>2014</b> , 30, 33-42		53
219	Comparative investigation on the adhesion of hydroxyapatite coating on Ti-6Al-4V implant: A review paper. <b>2014</b> , 48, 238-257		359
218	Removal of Amorphous Carbon from SiC Powder using Flotation. <b>2014</b> , 49, 792-796		3
217	Microstructural evolution of gas atomized Al <sub>2</sub> N-Mg <sub>2</sub> Ti <sub>2</sub> Zr powders during semi-solid rolling process. <b>2014</b> , 24, 2475-2481		9
216	Dry ball mixing and deagglomeration of alumina and zirconia composite fine powders using a bimodal ball size distribution. <i>Ceramics International</i> , <b>2014</b> , 40, 15293-15302	5.1	17
215	Recent progress on synthesis, multi-scale structure, and properties of Y <sub>2</sub> Si <sub>2</sub> O <sub>7</sub> oxides. <b>2014</b> , 59, 357-383		64
214	Electrophoretic deposition of alumina, yttria, yttrium aluminium garnet and lutetium aluminium garnet. <b>2014</b> , 49, 6975-6985		6
213	Thermal and spectroscopic characterization of nanostructured zirconia-scandia-dysprosia. <b>2014</b> , 117, 567-572		4
212	Al <sub>2</sub> O <sub>3</sub> -3YTZP-Graphene multilayers produced by tape casting and spark plasma sintering. <b>2014</b> , 34, 2427-2434		23
211	Effect of pH on rheology of aqueous Al <sub>2</sub> O <sub>3</sub> /SiC colloidal system. <b>2014</b> , 3, 125-131		8
210	Consolidation of nanoparticle suspensions by centrifugation in non-porous moulds. <i>Ceramics International</i> , <b>2014</b> , 40, 7775-7782	5.1	4
209	Evaluation of the homogeneity in Pb(Zr,Ti)O <sub>3</sub> -zirconia composites prepared by the hetero-agglomeration of precursors using the Voronoi-diagram approach. <b>2014</b> , 34, 669-675		3
208	Processing defects in ceramic powders and powder compacts. <b>2014</b> , 25, 154-162		9
207	Lanthanum Strontium Manganite Powders Synthesized by Gel-Casting for Solid Oxide Fuel Cell Cathode Materials. <b>2014</b> , 71-76		
206	Influence of the Hydroxyapatite Powder Properties on its Properties Rheology Behavior. <i>Ceramic Engineering and Science Proceedings</i> , <b>2015</b> , 1-12	0.1	



205	Parameters for Inherently Homogeneous Sintering Processes. <i>Advanced Engineering Materials</i> , <b>2015</b> , 17, 1374-1382	3.5	3
204	Porous YbB6 Ceramics Prepared by In Situ Reaction between Yb2O3 and B4C Combined with Partial Sintering. <i>Journal of the American Ceramic Society</i> , <b>2015</b> , 98, 2234-2239	3.8	22
203	Additive technologies for making highly permeable inorganic materials with tailored morphological architectonics for medicine. <b>2015</b> , 51, 1297-1315		26
202	Application of the coupled stress-energy criterion to predict the fracture behaviour of layered ceramics designed with internal compressive stresses. <b>2015</b> , 54, 94-104		24
201	Direct Probing of Dispersion Quality of ZrO2 Nanoparticles Coated by Polyelectrolyte at Different Concentrated Suspensions. <b>2015</b> , 10, 456		11
200	Time-Dependent and Shear-Dependent Transient Viscosity of an Alumina Suspension. <b>2015</b> , 36, 951-969		8
199	Effect of the Iron Ion Doping in LaCoO3 Perovskite, Both in Powders and in Sintered Samples Obtained from Combustion Reaction and Solid State Route. <b>2015</b> , 1120-1121, 58-63		
198	Feedstock suspensions and solutions. <b>2015</b> , 51-80		2
197	Correlation between microstructure evolution and drying behavior of gelcast alumina green bodies. <i>Ceramics International</i> , <b>2015</b> , 41, 11870-11875	5.1	10
196	Preparation of porous YB4 ceramics using a combination of in-situ borothermal reaction and high temperature partial sintering. <b>2015</b> , 35, 3411-3418		14
195	The influence of pH dependent ion leaching on the processing of lead-zirconate-titanate ceramics. <b>2015</b> , 35, 2295-2302		12
194	Effect of temperature difference on presintering behavior of gelcast thick alumina bodies. <i>Ceramics International</i> , <b>2015</b> , 41, 7151-7156	5.1	2
193	Spark plasma versus conventional sintering in the electrical properties of Nasicon-type materials. <b>2015</b> , 651, 636-642		14
192	Rheological fingerprints of time-evolving polymer-particle interaction and sol-gel transition in silver pastes. <b>2015</b> , 22, 1		10
191	Polyelectrolyte-mediated interparticle forces in aqueous suspensions: Molecular structure and surface forces relationship. <b>2015</b> , 101, 44-55		17
190	A fast pressureless sintering method for transparent ALON ceramics by using a bimodal particle size distribution powder. <i>Ceramics International</i> , <b>2015</b> , 41, 3992-3998	5.1	44
189	Design of alumina-zirconia composites with spatially tailored strength and toughness. <b>2015</b> , 35, 631-640		23
188	Preparation of Sphere-like Al2O3 from Commercial Al(OH)3 with a Mechanical Ball Milling Process. <b>2016</b> , 65, 60-64		

187	Transient viscosities of negatively buoyant concentrated alumina suspensions. <b>2016</b> , 11, 500-521		
186	Influence of granule characteristics on fabrication of translucent alumina ceramics with high strength and reliability. <b>2016</b> , 124, 426-431		3
185	Influence of the SiC content and sintering temperature on the microstructure, mechanical properties and friction behaviour of sintered self-lubricating composites. <b>2016</b> , 59, 384-393		18
184	Portable early market SOFCs. <b>2016</b> , 329-356		1
183	Study of citric acid dispersant in the settling behavior of slate powder suspensions. <b>2016</b> , 150, 39-46		
182	The effect of wall thickness distribution on mechanical reliability and strength in unidirectional porous ceramics. <b>2016</b> , 17, 128-135		17
181	Colloidal processing of low-concentrated zirconia nanosuspension using osmotic consolidation. <i>Ceramics International</i> , <b>2016</b> , 42, 11838-11843	5.1	5
180	Performances of screen-printing silver thick films: Rheology, morphology, mechanical and electronic properties. <b>2016</b> , 176, 96-103		9
179	Exploring inexpensive processing routes to prepare dense TiB <sub>2</sub> components. <b>2016</b> , 115, 403-410		2
178	Subcritical crack growth in multilayer Low Temperature Co-fired Ceramics designed with surface compressive stresses. <b>2016</b> , 36, 4095-4105		10
177	Pressureless Sintering of ZrB <sub>2</sub> Prepared by Colloidal Processing: Particle Packing, Sintering Conditions, and Additives. <i>Journal of the American Ceramic Society</i> , <b>2016</b> , 99, 3883-3892	3.8	3
176	Alumina ceramics with uniform grains prepared from Al <sub>2</sub> O <sub>3</sub> nanospheres. <b>2016</b> , 688, 933-938		49
175	Impregnation of Porous P/M Bodies with Molten Alloy under High Centrifugal Force. <b>2016</b> , 63, 530-536		1
174	Sintering and grain growth control of high dense YIG. <i>Ceramics International</i> , <b>2016</b> , 42, 13996-14005	5.1	9
173	Coarse pore evolution in dry-pressed alumina ceramics during sintering. <b>2016</b> , 27, 1006-1012		23
172	Aqueous gelcasted ZrB <sub>2</sub> - SiC foams derived from composite poring mechanisms. <i>Ceramics International</i> , <b>2016</b> , 42, 1573-1580	5.1	3
171	Modelling of edge crack formation and propagation in ceramic laminates using the stress-energy coupled criterion. <b>2016</b> , 167, 45-55		6
170	Dispersion of nano-sized yttria powder using triammonium citrate dispersant for the fabrication of transparent ceramics. <i>Ceramics International</i> , <b>2016</b> , 42, 9737-9743	5.1	11

169	On the Trail of Better Dispersion: Rheological Characterization of Moderately Loaded, Finely Balanced, Negatively Buoyant Ceramic Suspensions. <b>2016</b> , 37, 139-159		1
168	Microstructure and optical properties of transparent MgAl <sub>2</sub> O <sub>4</sub> prepared by Ca-infiltrated slip-casting and sinter-HIP process. <b>2016</b> , 36, 2027-2034		22
167	Functional composites based on refractories produced by pressure slip casting. <b>2016</b> , 36, 2109-2117		11
166	Aqueous colloidal processing of near-net shape B <sub>4</sub> Câi cermet compacts. <b>2016</b> , 36, 1915-1921		16
165	A Historical Perspective on the Toughness of Ceramics. <b>2016</b> , 1-23		
164	Effect of hybrid nanoinks on solution-based Sn-doped In <sub>2</sub> O <sub>3</sub> Films under low-temperature microwave annealing. <i>Ceramics International</i> , <b>2016</b> , 42, 509-517	5.1	16
163	Effect of spark plasma sintering of alumina nanopowder on the mechanical properties. <b>2017</b> , 53, 49-55		6
162	Colloidal processing: enabling complex shaped ceramics with unique multiscale structures. <i>Journal of the American Ceramic Society</i> , <b>2017</b> , 100, 458-490	3.8	76
161	Powder systems for calcium phosphate ceramics. <b>2017</b> , 53, 17-26		17
160	Computation of sintering stress and bulk viscosity from microtomographic images in viscous sintering of glass particles. <i>Journal of the American Ceramic Society</i> , <b>2017</b> , 100, 867-875	3.8	14
159	Processing alumina spheres by a colloidal route using silica-polystyrene hybrid nanoparticles. <b>2017</b> , 37, 5149-5156		1
158	Stability and combustion of metal nano-particles and their additive impact with diesel and biodiesel on engine efficiency: A comprehensive study. <b>2017</b> , 9, 022701		16
157	âoward seashells under stressâBioinspired concepts to design tough layered ceramic composites. <b>2017</b> , 37, 3823-3839		17
156	The Structure, Dielectric and Energy Storage Properties of Strontium Barium Niobate-Based GlassâCeramics Doped with La <sub>2</sub> O <sub>3</sub> . <b>2017</b> , 46, 4557-4561		7
155	Multiscale Nanoparticle Assembly: From Particulate Precise Manufacturing to Colloidal Processing. <b>2017</b> , 27, 1703647		47
154	The agglomeration, coalescence and sliding of nanoparticles, leading to the rapid sintering of zirconia nanoceramics. <b>2017</b> , 7, 2541		61
153	Glasses and ceramics. <b>2017</b> , 331-393		3
152	Ceramic Matrix Composites (CMCs) for Aerospace Applications. <i>Indian Institute of Metals Series</i> , <b>2017</b> , 371-389	0.3	6

151	Monolithic Ceramics for Aerospace Applications. <i>Indian Institute of Metals Series</i> , <b>2017</b> , 415-437		0.3
150	Tantalum carbide coating via wet powder process: From slurry design to practical process tests. <b>2017</b> , 37, 1175-1185		18
149	Coarsening, densification, and grain growth during sintering of nano-sized powders—A perspective. <b>2017</b> , 62, 110-117		50
148	Development of multilayer imprint process for solid oxide fuel cells. <b>2017</b> , 56, 06GL04		13
147	Determination of Particle Size Distribution of Zirconium Dioxide Powders by Static Laser Scattering and Optical Microscopy. <b>2017</b> , 53, 1478-1483		2
146	Fabrication of High Solid Loading Silicon Carbide Slurry Using UV Curable Resin. <b>2017</b> , 54, 576-581		
145	Synthesis and Sintering of ZnO Nanopowders. <b>2017</b> , 5, 28		7
144	Effect of particles size on the characteristics of wet deposits during electrophoretic deposition. <b>2018</b> , 40, 211-218		4
143	The effect of particle size of body components on the processing parameters of semi transparent porcelain. <i>Ceramics International</i> , <b>2018</b> , 44, 10611-10620	5.1	14
142	Activated reaction synthesis of silicon oxynitride from silica and silicon nitride. <i>Ceramics International</i> , <b>2018</b> , 44, 8467-8475	5.1	1
141	Hydrothermal synthesis of ammonioalunite with hexagonal rose-like morphology. <b>2018</b> , 216, 269-272		1
140	Recycling mine tailings in chemically bonded ceramics –A review. <b>2018</b> , 174, 634-649		87
139	Dispersion of SiC powder suspension in mullite sol and influence on properties of sintered ceramics. <b>2018</b> , 15, 426-437		1
138	Centrifuge-aided micromolding of micron- and submicron-sized patterns. <b>2018</b> , 38, 637-645		6
137	Sintering behaviors of micron-sized ceramic rod features. <b>2018</b> , 144, 534-542		4
136	Biobased Composites Prepared Using an Environmentally Friendly Water-Slurry Methodology. <b>2018</b> , 57, 7881-7888		11
135	Effect of sintering profile on densification, microstructure and mechanical properties of Al <sub>2</sub> O <sub>3</sub> -3YSZ-Ni composite. <i>Ceramics International</i> , <b>2018</b> , 44, 17434-17439	5.1	3
134	Non-isothermal oxide bond phase formation kinetics of SiC powder coated with yttrium aluminum garnet (YAG) sol. <b>2018</b> , 767, 302-314		1

133	Fabrication of Ceramics with Highly Controlled Microstructures by Advanced Fine Powder Processing. <b>2019</b> , 36, 114-128		4
132	Transparent alumina ceramics: Effect of standard and plasma generated stabilizing approaches in colloidal processing. <i>Journal of the American Ceramic Society</i> , <b>2019</b> , 102, 7137-7144	3.8	7
131	Coating Y2O3 nano-particles with ZrO2-additive via precipitation method for colloidal processing of highly transparent Y2O3 ceramics. <b>2019</b> , 39, 4996-5004		2
130	Solid state sintering behavior of zirconia-nickel composites. <i>Ceramics International</i> , <b>2019</b> , 45, 22120-22130		0
129	An industrially feasible pathway for preparation of Mo nanopowder and its sintering behavior. <b>2019</b> , 84, 105039		11
128	Crystallization via shaking in a granular gas with van der Waals interactions. <b>2019</b> , 100, 042910		1
127	Yttria-stabilized zirconia (YSZ) film produced from an aqueous nano-YSZ slurry: preparation and characterization. <b>2019</b> , 8, 4425-4434		5
126	3D multiscale-imaging of processing-induced defects formed during sintering of hierarchical powder packings. <b>2019</b> , 9, 11595		14
125	Industrial mass production of nanocrystalline Ce0.9Gd0.1O1.95 via a solid-liquid method using gluconic acid. <i>Ceramics International</i> , <b>2019</b> , 45, 20379-20385	5.1	1
124	Preparation of silicon carbide slurry for UV curing stereolithography. <b>2019</b> , 16, 72-77		1
123	Ultrafast synthesis of nanocrystalline molybdenum powder by thermal plasma and its sintering behavior. <b>2019</b> , 83, 104969		3
122	Study on the sintering behavior and characterization of the IGZO ceramics by slip casting. <b>2019</b> , 16, 585-594		9
121	Use of microwave oven in the calcination of MgO and effect on the properties of magnesium phosphate cement. <b>2019</b> , 198, 619-628		9
120	Microstructure and mechanical properties study of slip-cast copper-alumina composites. <b>2019</b> , 1, 1		6
119	Preparation and co-dispersion of TiO2-Y2O3 suspensions through the study of their rheological and electrokinetic properties. <i>Ceramics International</i> , <b>2019</b> , 45, 3023-3032	5.1	6
118	Characterisation and processing of aqueous LaNi0.6Fe0.4O3 Suspensions into Porous Electrode Layers for Alkaline Water Electrolysis. <b>2019</b> , 39, 1271-1278		0
117	Better ceramics through colloid chemistry. <b>2020</b> , 40, 559-587		27
116	Effect of roughness on the rheology of concentrated non-Brownian suspensions: A numerical study. <b>2020</b> , 64, 67-80		13

115	Beta-phosphate tricalcium colloidal processing. <i>Ceramics International</i> , <b>2020</b> , 46, 2648-2653	5.1	2
114	Tuning the Microstructure and Thickness of Ceramic Layers with Advanced Coating Technologies Using Zirconia as an Example. <i>Advanced Engineering Materials</i> , <b>2020</b> , 22, 2000529	3.5	3
113	. <b>2020</b> ,		3
112	Effect of In Situ Grown SiC Nanowires on the Pressureless Sintering of Heterophase Ceramics TaSi-TaC-SiC. <b>2020</b> , 13,		0
111	Local relative density fluctuation in the early stage of a sintered glass sphere compact determined by X-ray computed tomography. <b>2020</b> , 546, 120316		3
110	References. <b>2020</b> , 329-356		
109	Boron nitride-reinforced polysilazane-derived ceramic composites via direct-ink writing. <i>Journal of the American Ceramic Society</i> , <b>2020</b> , 103, 4043-4050	3.8	13
108	Mechanical and electrical properties of lithium stabilized sodium beta alumina solid electrolyte shaping by non-aqueous gelcasting. <b>2020</b> , 40, 3072-3079		4
107	Structural and electric properties of strontium barium titanate prepared by tartrate precursor method. <b>2020</b> , 135, 1		4
106	Powder Properties and Processing Conditions Affecting Cold Spray Deposition. <b>2020</b> , 10, 91		10
105	Preparation of superior IGZO ceramics by two-step sintering for application in IGZO thin film fabrication. <b>2020</b> , 9, 5331-5342		3
104	Study on rheological behavior of Micro/Nano-silicon Carbide Particles in Ethanol by Selecting Efficient Dispersants. <b>2020</b> , 13,		1
103	Organic Additives in Ceramic Processing. <b>2021</b> , 103-111		1
102	Transparent ceramics green-microstructure optimization by pressure slip-casting: Cases of YAG and MgAl <sub>2</sub> O <sub>4</sub> . <b>2021</b> , 41, 2085-2095		4
101	Colloid Casting Processes: Slip Casting, Centrifugal Casting, and Gel Casting. <b>2021</b> , 146-153		3
100	Formulating low cost modified bentonite with natural binders to remove pesticides in a pilot water filter system. <b>2021</b> , 9, 104623		7
99	Multi-material additive manufacturing of functionally graded carbide ceramics via active, in-line mixing. <b>2021</b> , 37, 101647		5
98	Optimization and sensitivity analysis of rheological properties of high concentration Alumina/water suspension. <b>2021</b> , 18, 369-383		2

97	Hydrophobic coagulation of alumina slurries. <i>Journal of the American Ceramic Society</i> , <b>2021</b> , 104, 284-293.	3.8	1
96	Particle curvature effects on microstructural evolution during solid-state sintering: phenomenological insights from phase-field simulations. <b>2021</b> , 56, 7474-7493		0
95	Achieving fabrication of highly transparent Y2O3 ceramics via air pre-sintering by deionization treatment of suspension. <i>Journal of the American Ceramic Society</i> , <b>2021</b> , 104, 2689-2701	3.8	2
94	Principles of Dispersing Powders for 3D Printing. <b>2021</b> , 5, 25		2
93	Filling space with polydisperse spheres in a non-Apollonian way. <b>2021</b> , 54, 195201		0
92	Progress and challenges of 3D-printing technologies in the manufacturing of piezoceramics. <i>Ceramics International</i> , <b>2021</b> , 47, 10478-10511	5.1	7
91	Facile synthesis of Gd2O2SO4:Tb and Gd2O2S:Tb green phosphor nanopowders of unimodal size distribution and photoluminescence. <b>2021</b> , 32, 1911-1919		3
90	Silicon carbide whiskers reinforced SiOC ceramics through digital light processing 3D printing technology. <i>Ceramics International</i> , <b>2021</b> , 47, 18314-18322	5.1	5
89	Preparation and properties of porous Al5BO9 for high-temperature wave-transparent and thermal insulating applications.		0
88	Rheophysical study of dispersed alumina suspensions. <b>2021</b> , 393, 630-638		1
87	Ceramics, Ceramic Processing.		1
86	Dispersion and Fluidity of Aqueous Aluminium Titanate Slurry by Addition of Titanate Aqueous Solution. <i>Ceramic Transactions</i> , 227-234	0.1	1
85	Micro-Tubular Solid Oxide Fuel Cells with Embedded Current Collector. <i>Ceramic Engineering and Science Proceedings</i> , 15-21	0.1	1
84	Analysis of Consolidation Behavior of 68 nm Yttria-Stabilized Zirconia Particles during Pressure Filtration. <i>Ceramic Transactions</i> , 71-84	0.1	1
83	Glass and Ceramic Based Systems and General Processing Methods. 57-74		1
82	Ceramic Processing Fundamentals. <b>1999</b> , 91-114		3
81	Colloidal Stability in Complex Fluids. <b>1998</b> , 495-501		2
80	Application of the Brazilian Disc Test for Strength Measurements on Ceramic Green Bodies. <b>2002</b> , 159-167		2

79	High Temperature Deformation of Dual Phase Alumina-Zirconia Composites. <b>1995</b> , 507-518		1
78	Development of CuAlNi Shape Memory Alloy Structures Using Cold Spray Deposition Technique with Laser Remelting. <b>2020</b> , 197-218		2
77	Fracture Characteristics of Layered and Nano-Particle Reinforced Si <sub>3</sub> N <sub>4</sub> . <b>1998</b> , 187-205		5
76	Creep Mechanisms in Silicon Nitride Ceramics. <b>1994</b> , 327-338		8
75	Generation, Development, Inheritance, and Control of the Defects in the Transformation from Suspension to Solid. <b>2020</b> , 139-224		1
74	Review of Relationship Between Particle Deformation, Coating Microstructure, and Properties in High-Pressure Cold Spray. <b>2017</b> , 26, 1308-1355		133
73	Review of Relationship Between Particle Deformation, Coating Microstructure, and Properties in High-Pressure Cold Spray. <b>2017</b> , 26, 1308		1
72	Exploring The Rheology of Fine Metal Oxide Suspension Systems. <b>1992</b> , 619-621		2
71	Effects of mixing state of composite powders on sintering behavior of cathode for solid oxide fuel cells. <i>Ceramics International</i> , <b>2017</b> , 43, 11642-11647	5.1	2
70	Sintering of Nanoceramics. <b>2006</b> ,		3
69	Densification strain rate in sintering of ThO <sub>2</sub> and ThO <sub>2</sub> -0.25% Nb <sub>2</sub> O <sub>5</sub> pellets. <b>2009</b> , 41, 103-115		6
68	Preparation of the Nano Cobalt Powder by Wet Chemical Reduction Method. <i>Journal of Korean Powder Metallurgy Institute</i> , <b>2011</b> , 18, 244-249	0.1	5
67	Solid-state sintering mechanism of blended elemental Ti-6Al-4V powders. <i>Journal of Korean Powder Metallurgy Institute</i> , <b>2018</b> , 25, 109-119	0.1	2
66	Powder Packing Behavior and Constrained Sintering in Powder Processing of Solid Oxide Fuel Cells (SOFCs). <i>Journal of the Korean Ceramic Society</i> , <b>2019</b> , 56, 130-145	2.2	9
65	Thermally induced gelation of alumina shaping-neutron scattering and rheological measurements. <b>2013</b> , 03, 48-54		3
64	Overview of the rheological behaviour of ceramic slurries. <b>2019</b> , 47, 42-47		3
63	Powder Processing of Discontinuously Reinforced Ceramic Matrix Composites. <b>2000</b> , 669-688		
62	Effect of Starting Material for MgG on the Mechanical Properties of Alumina Ceramics. <i>Journal of the Korean Ceramic Society</i> , <b>2002</b> , 39, 51-56	2.2	



61	Effect of Organic Processing Parameters in Non-aqueous Tape-casting on Dispersion Stability of Barium Titanate-Borosilicate Glass Based Suspensions. <i>Korean Journal of Materials Research</i> , <b>2003</b> , 13, 725-731	0.2	
60	Surface Chemistry as a Tool for the Development of Advanced Refractory Castables. <b>2004</b> , 335-367		
59	Fired Microstructures and their Characterization.		
58	Slip-Casting and Filter-Pressing.		1
57	Freeze Casting of Aqueous Alumina/Silicon Carbide Slurries and Fabrication of Layered Composites: (II) Microstructure and Mechanical Properties of Layered Composites. <i>Journal of the Korean Ceramic Society</i> , <b>2008</b> , 45, 105-111	2.2	
56	Evaluation and Optimization of Dispersion in Slurry Preparation of Commercial LTCC Material. <b>2008</b> , 21, 341-347		
55	Mutual Linkage of Particles in Ceramic Green Bodies through Reactive Organic Binders. 35-46		
54	Consolidation of Nano-Ceramics by SPS; Kinetic Considerations. <i>Ceramic Transactions</i> , 225-234	0.1	
53	Direct Coagulation Casting of Aqueous Silicon Carbide Slurry by Addition of Boron Nitride. <i>Ceramic Transactions</i> , 17-28	0.1	
52	Modeling the Dynamic Rheological Behavior of Agar Based Aqueous Binders. <i>Ceramic Transactions</i> , 53-65.	0.1	
51	Dispersibility of Nanometer-Sized Ceria Particles. <i>Ceramic Transactions</i> , 1-10	0.1	
50	Definitive Replacement of Organic Solvents by Water in the Colloidal Processing of Aluminium Nitride. <i>Ceramic Transactions</i> , 69-84	0.1	
49	Strategies to Optimize the Strength and Fracture Resistance of Ceramic Laminates. <i>Ceramic Engineering and Science Proceedings</i> , 163-174	0.1	0
48	Residual Stress on Concentric Laminated Fibrous Al <sub>2</sub> O <sub>3</sub> -ZrO <sub>2</sub> Composites on Prolonged High Temperature Exposure. <i>Korean Journal of Materials Research</i> , <b>2013</b> , 23, 531-536	0.2	
47	Ceramics: Effect of Powder and Slurry Properties on Quality. <i>Particle Technology Series</i> , <b>2014</b> , 187-207		0
46	Packing of Alumina Particles in 3D Preform of Mullite Fiber by Slurry Pressure-Infiltration. <i>Journal of the Korean Ceramic Society</i> , <b>2013</b> , 50, 528-532	2.2	
45	Whisker-Reinforced Composites. <b>1991</b> , 132-156		
44	Al <sub>2</sub> O <sub>3</sub> -SiC Composites from Natural Mineral Precursors. <b>1994</b> , 851-863		

- 43 Emulsion Conditioning: A Route to Stronger and More Reliable Hydroxyapatite Ceramics. **1994**, 29-34
- 42 Silicate Particles in Nonaqueous Media. **1994**, 771-775
- 41 Ceramic Processing Fundamentals. **1995**, 91-114
- 40 Crystallography and Engineering Properties of Ceramics. **1995**, 922-975
- 39 Novel X-Ray Imaging Method for Evaluating Defect Evolution in Ceramic Tapes. **1996**, 2331-2338
- 38 Developing Short-Range Repulsive Potentials for Aqueous Processing of Reliable Ceramics. **1997**, 3-11
- 37 Homogeneous ZrO<sub>2</sub>-Al<sub>2</sub>O<sub>3</sub> Composite Prepared by Nano-ZrO<sub>2</sub> Particle Multilayer-Coated Al<sub>2</sub>O<sub>3</sub> Particles. 463-466
- 36 Preparation of Stable ZrB<sub>2</sub>-SiC-B<sub>4</sub>C Aqueous Suspension for Composite Based Coating: Effect of Solid Content and Dispersant on Stability. *Journal of Ceramics*, **2014**, 2014, 1-6 1
- 35 Pulsed laser ablation of hydroxyapatite in ethanol. *Journal of the Korean Crystal Growth and Crystal Technology*, **2014**, 24, 219-223
- 34 Solid-state sintering mechanism of blended elemental Ti-6Al-4V powders. *Journal of Korean Powder Metallurgy Institute*, **2018**, 25, 109-119 0.1
- 33 Microstructure Design for Oxide/Non-oxide Ceramics for Structural Applications. **2019**, 135-144
- 32 Applications of New Colloidal-Forming Processes. **2020**, 311-358
- 31 Gelation Forming Process for Toxicity-Free or Low-Toxicity System. **2020**, 79-137
- 30 Wet size measurements for the evaluation of the deagglomeration behaviour of spray-dried alumina powders in suspension. *Ceramics International*, **2021**, 48, 7926-7926 5.1 0
- 29 Direct observation of the deformation behavior of agglomerates in a highly concentrated slurry under startup shear flow. *Open Ceramics*, **2022**, 9, 100209 3.3 0
- 28 Effect of Pressure Load on the Physical Properties of ZTA-TiO<sub>2</sub>-Cr<sub>2</sub>O<sub>3</sub>. *Key Engineering Materials*, **2022**, 908, 190-195 0.4
- 27 Deformation and bending strength of high-performance lead-free piezoceramics. *Journal of the American Ceramic Society*, **2022**, 105, 105-115 3.8 0
- 26 Spark plasma sintering and electric conductivity of anatase TiO<sub>2</sub> nanoceramics. *Journal of Materials Science: Materials in Electronics*, **2022**, 33, 4375 2.1

25	Shape Forming and Sintering of Ceramics. <i>Indian Institute of Metals Series</i> , <b>2022</b> , 1-54	0.3	
24	Contact damage tolerance of alumina-based layered ceramics with tailored microstructures. <i>Journal of the American Ceramic Society</i> ,	3.8	1
23	Discrete Element Simulation of Ceramic Powder Processing. <i>International Journal of Materials Research</i> , <b>2022</b> , 92, 682-689	0.5	
22	Determination of Particle Size Distribution and Electrokinetic Potential of Phyllosilicate Powders by Photon Correlation Spectroscopy. <i>Measurement Techniques</i> , <b>2022</b> , 64, 936	0.4	
21	Role of heat treatment of hydroxyapatite powder prior to suspension preparation on the suspension flow behavior. <i>Open Ceramics</i> , <b>2022</b> , 9, 100239	3.3	
20	ReviewâA Conceptual Analysis on Ceramic Materials Used for Dental Practices: Manufacturing Techniques and Microstructure. <i>ECS Journal of Solid State Science and Technology</i> ,	2	
19	Effect of TiO 2 on the sinter crystallization of nepheline glasses for dental application. <i>International Journal of Applied Glass Science</i> ,	1.8	0
18	Effects of di-ammonium citrate: polyvinylpyrrolidone as a complexion dispersants on 3Y-TZP slurries and sintered body properties. <i>Journal of the Korean Ceramic Society</i> , 1	2.2	
17	Brittle Solids: From Physics and Chemistry to Materials Applications. <i>Annual Review of Materials Research</i> , <b>2022</b> , 52,	12.8	0
16	Mechanistic insights into the interaction between binders and Y-type zeolites in fluid catalytic cracking. <i>Fuel</i> , <b>2022</b> , 324, 124640	7.1	0
15	Stereolithographic 3D printing of ceramics: challenges and opportunities for structural integrity. <i>Advanced Engineering Materials</i> ,	3.5	1
14	Analysis of sintering behavior of alumina green bodies molded under a strong magnetic field based on master sintering curve theory. <i>Ceramics International</i> , <b>2022</b> ,	5.1	0
13	Peptization mechanism of aluminum phosphate sol. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , <b>2022</b> , 651, 129637	5.1	
12	Fabrication of Highly Transparent Y2O3 Ceramics via Colloidal Processing Using ZrO2-Coated Y2O3 Nanoparticles. <b>2022</b> , 12, 1077		0
11	Defect-free drying of large fine-particle zirconia compacts prepared by gelcasting method. <b>2022</b> ,		
10	Advanced ceramics and coatings for erosion-related applications in mineral and oil and gas production: A technical review.		0
9	Heterogeneities and defects in powder compacts and sintered alumina bodies visualized by using the synchrotron X-ray CT. <b>2022</b> ,		1
8	Particle Migration in Large Cross-Section Ceramic On-Demand Extrusion Components. <b>2022</b> ,		0

- 7 A Review of Glass and Crystallizations of Glass-Ceramics. **2022**, 12, 261-288 ○
- 6 Gelation-based feed-stock technologies for HVOF thermal spray development: Micro-composite powder preparation and HVOF coating microstructure. **2023**, 452, 129089 ○
- 5 Sintering mechanics of binder jet 3D printed ceramics treated with a reactive binder. **2022**, ○
- 4 Influences of solid content of slurry on the microstructure of CaO crucible prepared by slip casting. ○
- 3 Current status on manufacturing routes to produce metal matrix composites: State-of-the-art. **2023**, 9, e13558 ○
- 2 Fabrication and Property of Textured Nanocomposites of Alumina/Mullite/Silicon Carbide by Partial Oxidation and Reaction Sintering. **2023**, 70, 106-111 ○
- 1 Colloidal Processing and Sintering of Alumina and Zirconia Fine Particles Using New Microbial Dispersant. **2023**, 70, 112-115 ○