

CITATION REPORT

List of articles citing

A novel genetic system to detect protein-protein interactions

DOI: 10.1038/340245a0
Nature, 1989, 340, 245-6.

Source: <https://exaly.com/paper-pdf/20716426/citation-report.pdf>

Version: 2024-04-25

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2227	.		
2226	Yeast two-hybrid system screening. 2006 , 313, 345-71		13
2225	Independent folding of individual components in hybrid proteins. Evidence that the carboxy-terminal 135 residues of the LexA repressor constitute a single autonomous domain. 1990 , 194, 103-8		7
2224	Presence of a potent transcription activating sequence in the p53 protein. 1990 , 249, 1046-9		765
2223	Regulation of sugar and ethanol metabolism in <i>Saccharomyces cerevisiae</i> . 1990 , 25, 245-80		64
2222	Enzyme-enzyme interactions and their metabolic role. 1990 , 268, 360-4		91
2221	The two-hybrid system: a method to identify and clone genes for proteins that interact with a protein of interest. 1991 , 88, 9578-82		1314
2220	Grafting of a calcium-binding loop of thermolysin to <i>Bacillus subtilis</i> neutral protease. 1991 , 30, 97-106		78
2219	Extragenic suppressors of yeast glucose derepression mutants leading to constitutive synthesis of several glucose-repressible enzymes. 1991 , 173, 2045-52		72
2218	A contingent replication assay for the detection of protein-protein interactions in animal cells. 1991 , 88, 10686-90		50
2217	Intracellular leucine zipper interactions suggest c-Myc hetero-oligomerization. 1991 , 11, 954-62		156
2216	Characterization of Hex2 protein, a negative regulatory element necessary for glucose repression in yeast. 1991 , 200, 311-9		54
2215	Pheromone-dependent phosphorylation of the yeast STE12 protein correlates with transcriptional activation. 1991 , 5, 741-50		132
2214	Max: functional domains and interaction with c-Myc. 1992 , 6, 81-92		233
2213	The centromere and promoter factor 1 of yeast contains a dimerisation domain located carboxy-terminal to the bHLH domain. 1992 , 20, 4229-36		26
2212	Protein-Protein Interactions. 1992 , 35-74		10
2211	The C terminus of the NF-kappa B p50 precursor and an I kappa B isoform contain transcription activation domains. 1992 , 20, 2453-8		47

2210	A RAP1-interacting protein involved in transcriptional silencing and telomere length regulation. 1992 , 6, 801-14	394
2209	A protein kinase substrate identified by the two-hybrid system. 1992 , 257, 680-2	209
2208	Functional analysis of the transcriptional activator encoded by the maize B gene: evidence for a direct functional interaction between two classes of regulatory proteins. 1992 , 6, 864-75	315
2207	Role of GCR2 in transcriptional activation of yeast glycolytic genes. 1992 , 12, 3834-42	69
2206	Protein interaction cloning in yeast: identification of mammalian proteins that react with the leucine zipper of Jun. 1992 , 89, 5789-93	514
2205	Fused protein domains inhibit DNA binding by LexA. 1992 , 12, 3006-14	173
2204	Karyoplasmic interaction selection strategy: a general strategy to detect protein-protein interactions in mammalian cells. 1992 , 89, 7958-62	81
2203	The <i>Saccharomyces cerevisiae</i> CDC25 gene product binds specifically to catalytically inactive ras proteins in vivo. 1992 , 12, 2091-9	69
2202	GAL4 fusion vectors for expression in yeast or mammalian cells. 1992 , 118, 137-41	213
2201	Retinoic acid receptors: transcription factors modulating gene regulation, development, and differentiation. 1992 , 27, 309-50	88
2200	Characterization of SAP-1, a protein recruited by serum response factor to the c-fos serum response element. 1992 , 68, 597-612	646
2199	Dual Cell Cycle Checkpoints Sensitive to Chromosome Replication and DNA Damage in the Budding Yeast <i>Saccharomyces cerevisiae</i> . 1992 , 132, 141	48
2198	Genetic analysis of serine biosynthesis and glucose repression in yeast. 1992 , 21, 295-300	43
2197	Identification of UAS elements and binding proteins necessary for derepression of <i>Saccharomyces cerevisiae</i> fructose-1,6-bisphosphatase. 1992 , 22, 363-70	34
2196	Transcriptional activation by the human c-Myc oncoprotein in yeast requires interaction with Max. <i>Nature</i> , 1992 , 359, 423-6	50.4 427
2195	Fishing for partners. 1992 , 2, 403-5	9
2194	Carbon catabolite repression in yeast. 1992 , 206, 297-313	280
2193	Whole cell assays in screening for biologically active substances. 1993 , 4, 80-4	13

2192	Development of improved cell-based assays and screens in <i>Saccharomyces</i> through the combination of molecular and classical genetics. 1993 , 4, 543-52		17
2191	Potentially rapid walking in cellular regulatory networks using the gene-gene interference method in yeast. 1993 , 240, 245-57		15
2190	Techniques for cloning cDNAs encoding interactive transcriptional regulatory proteins. 1993 , 17, 155-65		3
2189	Oncoprotein MDM2 conceals the activation domain of tumour suppressor p53. <i>Nature</i> , 1993 , 362, 857-60	50.4	1286
2188	Molecular cloning of the olfactory neuronal transcription factor Olf-1 by genetic selection in yeast. <i>Nature</i> , 1993 , 364, 121-6	50.4	390
2187	Dimerization and the control of transcription by Kr \ddot{u} pel. <i>Nature</i> , 1993 , 364, 454-7	50.4	98
2186	A new regulatory motif in cell-cycle control causing specific inhibition of cyclin D/CDK4. <i>Nature</i> , 1993 , 366, 704-7	50.4	3077
2185	Screening patients for heterozygous p53 mutations using a functional assay in yeast. 1993 , 5, 124-9		224
2184	Cloning and expression of human TAFII250: a TBP-associated factor implicated in cell-cycle regulation. <i>Nature</i> , 1993 , 362, 175-9	50.4	231
2183	Yeast DNA recombination and repair proteins Rad1 and Rad10 constitute a complex in vivo mediated by localized hydrophobic domains. 1993 , 8, 1177-88		59
2182	Molecular characterization of the retinoblastoma susceptibility gene. 1993 , 1155, 43-61		45
2181	Inhibition of transcriptional regulator Yin-Yang-1 by association with c-Myc. 1993 , 262, 1889-92		263
2180	The structure and function of the HSV DNA replication proteins: defining novel antiviral targets. 1993 , 20, 89-114		32
2179	The pheromone response pathway in <i>Saccharomyces cerevisiae</i> . 1993 , 27, 147-79		158
2178	Inactivation of a yeast transactivator by the fused HIV-1 proteinase: a simple assay for inhibitors of the viral enzyme activity. 1993 , 134, 123-8		15
2177	Mammalian Ras interacts directly with the serine/threonine kinase Raf. 1993 , 74, 205-14		1887
2176	Specific interactions between proteins implicated in splice site selection and regulated alternative splicing. 1993 , 75, 1061-70		655
2175	Multiple ubiquitin-conjugating enzymes participate in the in vivo degradation of the yeast MAT alpha 2 repressor. 1993 , 74, 357-69		383

2174	Cdi1, a human G1 and S phase protein phosphatase that associates with Cdk2. 1993 , 75, 791-803	1444
2173	The p21 Cdk-interacting protein Cip1 is a potent inhibitor of G1 cyclin-dependent kinases. 1993 , 75, 805-16	5067
2172	RNA-dependent replication, transcription, and persistence of brome mosaic virus RNA replicons in <i>S. cerevisiae</i> . 1993 , 72, 961-70	186
2171	Dual roles of a multiprotein complex from <i>S. cerevisiae</i> in transcription and DNA repair. 1993 , 75, 1379-87	302
2170	Human immunodeficiency virus type 1 Gag protein binds to cyclophilins A and B. 1993 , 73, 1067-78	708
2169	Mxi1, a protein that specifically interacts with Max to bind Myc-Max recognition sites. 1993 , 72, 223-32	732
2168	Molecular cloning and functional analysis of <i>Drosophila</i> TAF110 reveal properties expected of coactivators. 1993 , 72, 247-60	574
2167	Isolation and characterization of SRF accessory proteins. 1993 , 340, 325-32	21
2166	Strategies for the identification of interacting proteins. 1993 , 90, 1639-41	51
2165	Interactions between PRP9 and SPP91 splicing factors identify a protein complex required in prespliceosome assembly. 1993 , 7, 1390-9	47
2164	Coordinate regulation of olfactory neuronal gene expression. 1993 , 18, 199-202	4
2163	FUS3 phosphorylates multiple components of the mating signal transduction cascade: evidence for STE12 and FAR1. 1993 , 4, 495-510	232
2162	GAL4-I kappa B alpha and GAL4-I kappa B gamma activate transcription by different mechanisms. 1993 , 21, 2157-63	14
2161	Two jobs for the origin replication complex. 1993 , 262, 1830-1	13
2160	Nucleosome disruption by transcription factor binding in yeast. 1993 , 262, 1563-6	76
2159	Interaction between PRP11 and SPP91 yeast splicing factors and characterization of a PRP9-PRP11-SPP91 complex. 1993 , 262, 108-10	73
2158	Human Sos1: a guanine nucleotide exchange factor for Ras that binds to GRB2. 1993 , 260, 1338-43	731
2157	TBP, a universal eukaryotic transcription factor?. 1993 , 7, 1291-308	567

2156	Isolation of ORC6, a component of the yeast origin recognition complex by a one-hybrid system. 1993 , 262, 1870-4	381
2155	Regulation of muscle transcription by the MyoD family. The heart of the matter. 1993 , 72, 1-6	156
2154	Functional homology of protein kinases required for sexual differentiation in <i>Schizosaccharomyces pombe</i> and <i>Saccharomyces cerevisiae</i> suggests a conserved signal transduction module in eukaryotic organisms. 1993 , 4, 107-20	151
2153	Evaluation of the contingent replication assay (CRA) and its application to the study of the general transcription initiation factor, TFIIF. 1993 , 21, 3867-73	
2152	Isolation of the Rb-related p130 through its interaction with CDK2 and cyclins. 1993 , 7, 2378-91	389
2151	The retinoblastoma protein associates with the protein phosphatase type 1 catalytic subunit. 1993 , 7, 555-69	1243
2150	Screening for in vivo protein-protein interactions. 1993 , 90, 933-7	21
2149	Interactions among the subunits of the G protein involved in <i>Saccharomyces cerevisiae</i> mating. 1993 , 13, 1-8	73
2148	The essential mitotic target of calmodulin is the 110-kilodalton component of the spindle pole body in <i>Saccharomyces cerevisiae</i> . 1993 , 13, 7913-24	134
2147	Mapping of interacting domains between the nucleocapsid protein and the phosphoprotein of vesicular stomatitis virus by using a two-hybrid system. 1993 , 90, 10375-9	83
2146	Complex formation between RAS and RAF and other protein kinases. 1993 , 90, 6213-7	565
2145	Raf-1 protein kinase activates the NF-kappa B transcription factor by dissociating the cytoplasmic NF-kappa B-I kappa B complex. 1993 , 90, 9247-51	206
2144	Antibody-promoted dimerization bypasses the regulation of DNA binding by the heme domain of the yeast transcriptional activator HAP1. 1993 , 90, 2851-5	41
2143	The type 1 human immunodeficiency virus Tat binding protein is a transcriptional activator belonging to an additional family of evolutionarily conserved genes. 1993 , 90, 138-42	130
2142	A genetic method for defining DNA-binding domains: application to the nuclear receptor NGFI-B. 1993 , 90, 9186-90	25
2141	Interactions between three common subunits of yeast RNA polymerases I and III. 1993 , 90, 5524-8	105
2140	Influence of guanine nucleotides on complex formation between Ras and CDC25 proteins. 1993 , 13, 1345-52	148
2139	Cell cycle regulation of the yeast Cdc7 protein kinase by association with the Dbf4 protein. 1993 , 13, 2899-908	226

2138	Genetic analysis of homomeric interactions of human immunodeficiency virus type 1 integrase using the yeast two-hybrid system. 1993 , 90, 10593-7	60
2137	Raf-1 forms a stable complex with Mek1 and activates Mek1 by serine phosphorylation. 1993 , 90, 10947-51	119
2136	Two homologous zinc finger genes identified by multicopy suppression in a SNF1 protein kinase mutant of <i>Saccharomyces cerevisiae</i> . 1993 , 13, 3872-81	199
2135	Differential transcriptional activation by v-myb and c-myb in animal cells and <i>Saccharomyces cerevisiae</i> . 1993 , 13, 4423-31	31
2134	A new pair of B-type cyclins from <i>Saccharomyces cerevisiae</i> that function early in the cell cycle.. 1993 , 12, 3437-3447	71
2133	Identification of the C-terminal activator domain in yeast heat shock factor: independent control of transient and sustained transcriptional activity.. 1993 , 12, 5007-5018	54
2132	<i>Drosophila</i> tissue-specific transcription factor NTF-1 contains a novel isoleucine-rich activation motif. 1993 , 7, 1341-53	90
2131	Stepwise assembly of hyperaggregated forms of <i>Drosophila</i> zeste mutant protein suppresses white gene expression in vivo.. 1993 , 12, 2061-2073	20
2130	Functional synergy between DP-1 and E2F-1 in the cell cycle-regulating transcription factor DRTF1/E2F.. 1993 , 12, 4317-4324	180
2129	RAS Genes in the Budding Yeast <i>Saccharomyces cerevisiae</i> . 1993 , 147-188	23
2128	A family of proteins containing a conserved domain that mediates interaction with the yeast SNF1 protein kinase complex.. 1994 , 13, 5878-5886	99
2127	Immunophilins interact with calcineurin in the absence of exogenous immunosuppressive ligands.. 1994 , 13, 5944-5957	113
2126	Specific in vivo association between the bHLH and LIM proteins implicated in human T cell leukemia.. 1994 , 13, 4831-4839	170
2125	The activation domain of a basic helix-loop-helix protein is masked by repressor interaction with domains distinct from that required for transcription regulation.. 1994 , 13, 2192-2199	29
2124	Dominant negative mutants of mammalian translation initiation factor eIF-4A define a critical role for eIF-4F in cap-dependent and cap-independent initiation of translation.. 1994 , 13, 1205-1215	281
2123	Cdc16p, Cdc23p and Cdc27p form a complex essential for mitosis.. 1994 , 13, 4321-4328	182
2122	Interaction with calmodulin is required for the function of Spc110p, an essential component of the yeast spindle pole body.. 1994 , 13, 4329-4342	54
2121	Abl protein-tyrosine kinase selects the Crk adapter as a substrate using SH3-binding sites. 1994 , 8, 783-95	271

2120	Formation of in vivo complexes between the TAL1 and E2A polypeptides of leukemic T cells. 1994 , 91, 3181-5	116
2119	Interactions between highly conserved U2 small nuclear RNA structures and Prp5p, Prp9p, Prp11p, and Prp21p proteins are required to ensure integrity of the U2 small nuclear ribonucleoprotein in <i>Saccharomyces cerevisiae</i> . 1994 , 14, 6337-49	55
2118	Nuf2, a spindle pole body-associated protein required for nuclear division in yeast. 1994 , 125, 853-66	64
2117	Structure-function analysis of the TBP-binding protein Dr1 reveals a mechanism for repression of class II gene transcription. 1994 , 8, 2097-109	85
2116	Construction of an improved host strain for two hybrid screening. 1994 , 22, 1502-3	237
2115	Stimulatory effects of yeast and mammalian 14-3-3 proteins on the Raf protein kinase. 1994 , 265, 1716-9	291
2114	Binding and stimulation of HIV-1 integrase by a human homolog of yeast transcription factor SNF5. 1994 , 266, 2002-6	454
2113	Identification of residues of the H-ras protein critical for functional interaction with guanine nucleotide exchange factors. 1994 , 14, 1104-12	85
2112	Inhibition of the DNA-binding activity of <i>Drosophila</i> suppressor of hairless and of its human homolog, KBF2/RBP-J kappa, by direct protein-protein interaction with <i>Drosophila</i> hairless. 1994 , 8, 2491-503	140
2111	Expression of the Candidate A-T Gene ATDC Is Not Detectable in a Human Cell Line with a Normal Response to Ionizing Radiation. 1994 , 66, S77-S84	3
2110	Regulation of influenza virus RNA polymerase activity by cellular and viral factors. 1994 , 22, 5047-53	65
2109	The translation initiation factor eIF-4B contains an RNA-binding region that is distinct and independent from its ribonucleoprotein consensus sequence. 1994 , 14, 2307-16	108
2108	The retinoblastoma protein: more than a tumor suppressor. 1994 , 10, 1-29	179
2107	The MAP kinase Fus3 associates with and phosphorylates the upstream signaling component Ste5. 1994 , 8, 313-27	107
2106	NHP6A and NHP6B, which encode HMG1-like proteins, are candidates for downstream components of the yeast SLT2 mitogen-activated protein kinase pathway. 1994 , 14, 2391-403	116
2105	Evidence that a complex of SIR proteins interacts with the silencer and telomere-binding protein RAP1. 1994 , 8, 2257-69	431
2104	Direct interaction of v-Src with the focal adhesion kinase mediated by the Src SH2 domain. 1994 , 5, 413-21	292
2103	Specific interaction of type I receptors of the TGF-beta family with the immunophilin FKBP-12. 1994 , 265, 674-6	301

2102	Expression screening for interacting proteins using immunochemical detection. 1994 , 22, 3255-6	2
2101	Analysis of the SIP3 protein identified in a two-hybrid screen for interaction with the SNF1 protein kinase. 1994 , 22, 597-603	33
2100	Detection of protein-protein interactions using different vectors in the two-hybrid system. 1994 , 22, 3241-2	72
2099	Genetic and physical interactions between Srp1p and nuclear pore complex proteins Nup1p and Nup2p. 1994 , 126, 619-30	124
2098	KAP: a dual specificity phosphatase that interacts with cyclin-dependent kinases. 1994 , 91, 1731-5	109
2097	NOT1(CDC39), NOT2(CDC36), NOT3, and NOT4 encode a global-negative regulator of transcription that differentially affects TATA-element utilization. 1994 , 8, 525-37	168
2096	Interaction of the yeast RAD7 and SIR3 proteins: implications for DNA repair and chromatin structure. 1994 , 8, 2035-45	47
2095	Localization of the Kar3 kinesin heavy chain-related protein requires the Cik1 interacting protein. 1994 , 124, 507-19	102
2094	Novel mechanism of C/EBP beta (NF-M) transcriptional control: activation through derepression. 1994 , 8, 2781-91	185
2093	The yeast MUD2 protein: an interaction with PRP11 defines a bridge between commitment complexes and U2 snRNP addition. 1994 , 8, 843-54	172
2092	A yeast mating-selection scheme for detection of protein-protein interactions. 1994 , 22, 1778-9	117
2091	Dosage-dependent modulation of glucose repression by MSN3 (STD1) in <i>Saccharomyces cerevisiae</i> . 1994 , 14, 1972-8	45
2090	Distinct residues of human p53 implicated in binding to DNA, simian virus 40 large T antigen, 53BP1, and 53BP2. 1994 , 14, 8315-21	59
2089	The PCL2 (ORFD)-PHO85 cyclin-dependent kinase complex: a cell cycle regulator in yeast. 1994 , 266, 1391-5	161
2088	Binding of 14-3-3 proteins to the protein kinase Raf and effects on its activation. 1994 , 265, 1713-6	385
2087	Expression and characterisation of the influenza A virus non-structural protein NS1 in yeast. 1994 , 138, 299-314	15
2086	The immunophilins. 1994 , 2, 57-84	34
2085	The search for the right partner: homologous pairing and DNA strand exchange proteins in eukaryotes. 1994 , 50, 223-33	59

2084	Centromere promoter factors (CPF1) of the yeasts <i>Saccharomyces cerevisiae</i> and <i>Kluyveromyces lactis</i> are functionally exchangeable, despite low overall homology. 1994 , 26, 198-207		29
2083	Nucleotide excision repair in yeast. 1994 , 27, 1-16		17
2082	IME1 gene encodes a transcription factor which is required to induce meiosis in <i>Saccharomyces cerevisiae</i> . 1994 , 15, 139-47		40
2081	Intermediate filament and related proteins: potential activators of nucleosomes during transcription initiation and elongation?. 1994 , 16, 349-55		31
2080	Ber Peptidyl-Prolyl-cis/trans-Isomerasen und ihre Effektoren. 1994 , 106, 1479-1501		41
2079	Applications of interaction traps/two-hybrid systems to biotechnology research. 1994 , 5, 482-6		56
2078	The two-hybrid system: an assay for protein-protein interactions. 1994 , 10, 286-92		560
2077	Raf: the holy grail of Ras biology?. 1994 , 4, 347-50		25
2076	Functional dissection of the yeast Cyc8-Tup1 transcriptional co-repressor complex. <i>Nature</i> , 1994 , 369, 758-61	50.4	315
2075	A cyclin associated with the CDK-activating kinase MO15. <i>Nature</i> , 1994 , 371, 254-7	50.4	256
2074	Calcium signalling in T cells stimulated by a cyclophilin B-binding protein. <i>Nature</i> , 1994 , 371, 355-8	50.4	145
2073	Activation of Raf-1 by 14-3-3 proteins. <i>Nature</i> , 1994 , 371, 612-4	50.4	339
2072	Activation of the kinase Pelle by Tube in the dorsoventral signal transduction pathway of <i>Drosophila</i> embryo. <i>Nature</i> , 1994 , 372, 563-6	50.4	107
2071	Cdc7 protein kinase for DNA metabolism comes of age. 1994 , 11, 805-10		50
2070	Groucho is required for <i>Drosophila</i> neurogenesis, segmentation, and sex determination and interacts directly with hairy-related bHLH proteins. 1994 , 79, 805-15		508
2069	The retinoblastoma protein and BRG1 form a complex and cooperate to induce cell cycle arrest. 1994 , 79, 119-30		577
2068	Cooperative interaction of <i>S. pombe</i> proteins required for mating and morphogenesis. 1994 , 79, 131-41		269
2067	Ste5 tethers multiple protein kinases in the MAP kinase cascade required for mating in <i>S. cerevisiae</i> . 1994 , 78, 499-512		423

2066	The role of specific protein-RNA and protein-protein interactions in positive and negative control of pre-mRNA splicing by Transformer 2. 1994 , 76, 735-46	172
2065	A novel family of putative signal transducers associated with the cytoplasmic domain of the 75 kDa tumor necrosis factor receptor. 1994 , 78, 681-92	927
2064	Regulation of mitochondrial gene expression in <i>Saccharomyces cerevisiae</i> . 1994 , 152, 145-81	71
2063	MLH1, PMS1, and MSH2 interactions during the initiation of DNA mismatch repair in yeast. 1994 , 265, 1091-3	267
2062	Harnessing the power of <i>Drosophila</i> genetics. 1994 , 44, 33-80	2
2061	Troponin T is capable of binding dystrophin via a leucine zipper. 1994 , 354, 183-6	13
2060	Cloning of the complete coding region for human protein phosphatase inhibitor 2 using the two hybrid system and expression of inhibitor 2 in <i>E. coli</i> . 1994 , 340, 93-8	32
2059	The role of activators in assembly of RNA polymerase II transcription complexes. 1994 , 4, 236-44	85
2058	Cloning vectors for the synthesis of epitope-tagged, truncated and chimeric proteins in <i>Saccharomyces cerevisiae</i> . 1994 , 144, 63-8	56
2057	Activators and effectors of ras p21 proteins. 1994 , 4, 71-6	205
2056	Eukaryotic DNA replication. 1994 , 6, 368-72	21
2055	The peroxisome proliferator-activated receptor interacts with the retinoid X receptor in vivo. 1994 , 148, 327-30	66
2054	Genetic and biochemical studies of protein N-myristoylation. 1994 , 63, 869-914	364
2053	Interaction of Dbf4, the Cdc7 protein kinase regulatory subunit, with yeast replication origins in vivo. 1994 , 265, 1243-6	188
2052	Regulatable promoters of <i>Saccharomyces cerevisiae</i> : comparison of transcriptional activity and their use for heterologous expression. 1994 , 22, 5767-8	808
2051	Nonsense-mediated mRNA decay in yeast. 1994 , 47, 271-98	85
2050	The Ras-related protein R-ras interacts directly with Raf-1 in a GTP-dependent manner. 1994 , 300 (Pt 2), 303-7	61
2049	Rch1, a protein that specifically interacts with the RAG-1 recombination-activating protein. 1994 , 91, 6156-60	154

2048	Split ubiquitin as a sensor of protein interactions in vivo. 1994 , 91, 10340-4	635
2047	ralGDS family members interact with the effector loop of ras p21. 1994 , 14, 7483-91	251
2046	The rad16 gene of <i>Schizosaccharomyces pombe</i> : a homolog of the RAD1 gene of <i>Saccharomyces cerevisiae</i> . 1994 , 14, 2029-40	76
2045	Specific association between the human DNA repair proteins XPA and ERCC1. 1994 , 91, 5012-6	256
2044	Two cellular proteins that bind to wild-type but not mutant p53. 1994 , 91, 6098-102	347
2043	Complexes between STE5 and components of the pheromone-responsive mitogen-activated protein kinase module. 1994 , 91, 7762-6	221
2042	Binding of Bruton's tyrosine kinase to Fyn, Lyn, or Hck through a Src homology 3 domain-mediated interaction. 1994 , 91, 8152-5	155
2041	Binding of Vav to Grb2 through dimerization of Src homology 3 domains. 1994 , 91, 12629-33	96
2040	The LIM/double zinc-finger motif functions as a protein dimerization domain. 1994 , 91, 10655-9	175
2039	Interaction mating reveals binary and ternary connections between <i>Drosophila</i> cell cycle regulators. 1994 , 91, 12980-4	269
2038	The GLC7 type 1 protein phosphatase is required for glucose repression in <i>Saccharomyces cerevisiae</i> . 1994 , 14, 6789-96	93
2037	Constitutive activation of Mek1 by mutation of serine phosphorylation sites. 1994 , 91, 8960-3	131
2036	Targeting of a distinctive protein-serine phosphatase to the protein kinase-like domain of the atrial natriuretic peptide receptor. 1994 , 91, 11075-9	130
2035	Activated Ras interacts with the Ral guanine nucleotide dissociation stimulator. 1994 , 91, 11089-93	236
2034	Interactions among three proteins that specifically activate translation of the mitochondrial COX3 mRNA in <i>Saccharomyces cerevisiae</i> . 1994 , 14, 1045-53	66
2033	Two types of RAS mutants that dominantly interfere with activators of RAS. 1994 , 14, 3707-18	50
2032	Genetic identification of residues involved in association of alpha and beta G-protein subunits. 1994 , 14, 3223-9	49
2031	Phosphatidylinositol 3-kinase activation is mediated by high-affinity interactions between distinct domains within the p110 and p85 subunits. 1994 , 14, 42-9	86

2030	Characterization of an interaction between insulin receptor substrate 1 and the insulin receptor by using the two-hybrid system. 1994 , 14, 6433-42	165
2029	Identification of a putative RNA helicase (HRH1), a human homolog of yeast Prp22. 1994 , 14, 7611-20	69
2028	Analysis of RIM11, a yeast protein kinase that phosphorylates the meiotic activator IME1. 1994 , 14, 7909-19	65
2027	The yeast type I topoisomerase Top3 interacts with Sgs1, a DNA helicase homolog: a potential eukaryotic reverse gyrase. 1994 , 14, 8391-8	629
2026	The Drosophila tissue-specific factor Grainyhead contains novel DNA-binding and dimerization domains which are conserved in the human protein CP2. 1994 , 14, 4020-31	71
2025	Yeast RAD3 protein binds directly to both SSL2 and SSL1 proteins: implications for the structure and function of transcription/repair factor b. 1994 , 91, 3926-30	34
2024	Identification of the guanine nucleotide dissociation stimulator for Ral as a putative effector molecule of R-ras, H-ras, K-ras, and Rap. 1994 , 91, 12609-13	229
2023	The mutant type 1 protein phosphatase encoded by <i>glc7-1</i> from <i>Saccharomyces cerevisiae</i> fails to interact productively with the GAC1-encoded regulatory subunit. 1994 , 14, 896-905	100
2022	Met30p, a yeast transcriptional inhibitor that responds to S-adenosylmethionine, is an essential protein with WD40 repeats. 1995 , 15, 6526-34	117
2021	HPR1 encodes a global positive regulator of transcription in <i>Saccharomyces cerevisiae</i> . 1995 , 15, 1698-708	40
2020	Cooperative transcriptional activity of Jun and Stat3 beta, a short form of Stat3. 1995 , 92, 9097-101	318
2019	An interaction between the DNA repair factor XPA and replication protein A appears essential for nucleotide excision repair. 1995 , 15, 5396-402	227
2018	The <i>Saccharomyces cerevisiae</i> gene SDS22 encodes a potential regulator of the mitotic function of yeast type 1 protein phosphatase. 1995 , 15, 3777-85	87
2017	Mutational analysis of the conserved region 2 site of adenovirus E1A and its effect on binding to the retinoblastoma gene product: use of the "double-tagging" assay. 1995 , 92, 4631-5	
2016	The product of the ataxia-telangiectasia group D complementing gene, ATDC, interacts with a protein kinase C substrate and inhibitor. 1995 , 92, 7824-8	40
2015	Multiple Bcl-2 family members demonstrate selective dimerizations with Bax. 1995 , 92, 7834-8	729
2014	Interactions between the retinoid X receptor and a conserved region of the TATA-binding protein mediate hormone-dependent transactivation. 1995 , 92, 8288-92	95
2013	A nuclear hormone receptor-associated protein that inhibits transactivation by the thyroid hormone and retinoic acid receptors. 1995 , 92, 9525-9	90

2012	Grb-IR: a SH2-domain-containing protein that binds to the insulin receptor and inhibits its function. 1995 , 92, 10287-91	143
2011	Ligand-dependent, transcriptionally productive association of the amino- and carboxyl-terminal regions of a steroid hormone nuclear receptor. 1995 , 92, 12314-8	170
2010	Structure-function relationships of the yeast cyclin-dependent kinase Pho85. 1995 , 15, 5482-91	30
2009	Binding of NCK to SOS and activation of ras-dependent gene expression. 1995 , 15, 1169-74	101
2008	Genetic and biochemical dissection of protein linkages in the cadherin-catenin complex. 1995 , 92, 5067-71	310
2007	Identification of NAB1, a repressor of NGFI-A- and Krox20-mediated transcription. 1995 , 92, 6873-7	229
2006	A family of Ran binding proteins that includes nucleoporins. 1995 , 92, 7525-9	85
2005	Molecular cloning and characterization of a cellular phosphoprotein that interacts with a conserved C-terminal domain of adenovirus E1A involved in negative modulation of oncogenic transformation. 1995 , 92, 10467-71	313
2004	Mxi2, a mitogen-activated protein kinase that recognizes and phosphorylates Max protein. 1995 , 92, 10531-4	143
2003	Pheromone signalling in <i>Saccharomyces cerevisiae</i> requires the small GTP-binding protein Cdc42p and its activator CDC24. 1995 , 15, 5246-57	174
2002	Yeast RLM1 encodes a serum response factor-like protein that may function downstream of the Mpk1 (Slt2) mitogen-activated protein kinase pathway. 1995 , 15, 5740-9	174
2001	Correlation of two-hybrid affinity data with in vitro measurements. 1995 , 15, 5820-9	485
2000	AFR1 promotes polarized apical morphogenesis in <i>Saccharomyces cerevisiae</i> . 1995 , 15, 723-30	43
1999	Functional domains of Pho81p, an inhibitor of Pho85p protein kinase, in the transduction pathway of Pi signals in <i>Saccharomyces cerevisiae</i> . 1995 , 15, 997-1004	77
1998	A heat shock-responsive domain of human HSF1 that regulates transcription activation domain function. 1995 , 15, 3354-62	155
1997	Identification of a new family of tissue-specific basic helix-loop-helix proteins with a two-hybrid system. 1995 , 15, 3813-22	601
1996	The maf proto-oncogene stimulates transcription from multiple sites in a promoter that directs Purkinje neuron-specific gene expression. 1995 , 15, 246-54	73
1995	Use of the yeast two-hybrid system for identifying the cascade of protein interactions resulting in apoptotic cell death. 1995 , 46, 139-51	4

1994	Analysis of interaction between Ras and CDC25 guanine nucleotide exchange factor using yeast GAL4 two-hybrid system. 1995 , 255, 135-48	6
1993	Self-association of the "death domains" of the p55 tumor necrosis factor (TNF) receptor and Fas/APO1 prompts signaling for TNF and Fas/APO1 effects. 1995 , 270, 387-91	321
1992	Yeast two-hybrid system to detect protein-protein interactions with Rho GTPases. 1995 , 256, 228-41	32
1991	Identifying DNA replication complex components using protein affinity chromatography. 1995 , 262, 415-30	5
1990	Detection of SH3-binding proteins in total cell lysates with glutathione S-transferase-SH3 fusion proteins: SH3 blot assay. 1995 , 255, 369-78	14
1989	Use of yeast two-hybrid system to evaluate Ras interactions with neurofibromin-GTPase-activating protein. 1995 , 255, 488-97	8
1988	Use of two-hybrid system to identify Rab binding proteins. 1995 , 257, 200-8	2
1987	[12] Genetic dissection of complex heteromultimeric enzymes: The case of yeast DNA-dependent RNA polymerases. 1995 , 6, 227-246	2
1986	Identification of a Protein with Homology to hsp90 That Binds the Type 1 Tumor Necrosis Factor Receptor. 1995 , 270, 3574-3581	199
1985	Mapping by multifragment cloning in vivo. 1995 , 92, 11701-5	23
1984	Mutations in the SHR5 gene of <i>Saccharomyces cerevisiae</i> suppress Ras function and block membrane attachment and palmitoylation of Ras proteins. 1995 , 15, 1333-42	25
1983	Analysis of protein-DNA and protein-protein interactions of centromere protein B (CENP-B) and properties of the DNA-CENP-B complex in the cell cycle. 1995 , 15, 1602-12	61
1982	E2F-5, a new E2F family member that interacts with p130 in vivo. 1995 , 15, 3082-9	210
1981	A nuclear factor (NF2d9) that binds to the male-specific P450 (Cyp 2d-9) gene in mouse liver. 1995 , 15, 4158-66	48
1980	The transcriptional repressor even-skipped interacts directly with TATA-binding protein. 1995 , 15, 5007-16	89
1979	Chapter 28 The Interaction Trap: In Vivo Analysis of Protein-Protein Associations. 1995 , 49, 401-416	1
1978	A class of single-stranded telomeric DNA-binding proteins required for Rap1p localization in yeast nuclei. 1995 , 92, 5558-62	35
1977	Double-stranded-RNA-dependent protein kinase and TAR RNA-binding protein form homo- and heterodimers in vivo. 1995 , 92, 9445-9	160

1976	Extradenticle protein is a selective cofactor for the Drosophila homeotics: role of the homeodomain and YPWM amino acid motif in the interaction. 1995 , 92, 739-43	120
1975	Association of the vav proto-oncogene product with poly(rC)-specific RNA-binding proteins. 1995 , 15, 1324-32	84
1974	SNF11, a new component of the yeast SNF-SWI complex that interacts with a conserved region of SNF2. 1995 , 15, 4240-8	104
1973	Internal ribosome entry sites and dicistronic RNAs in mammalian transgenesis. 1995 , 11, 179-84	151
1972	A small peptide inhibitor of DNA replication defines the site of interaction between the cyclin-dependent kinase inhibitor p21WAF1 and proliferating cell nuclear antigen. 1995 , 5, 275-82	258
1971	Finding prospective partners in the library: the two-hybrid system and phage display find a match. 1995 , 20, 511-6	96
1970	Repressor fusions as a tool to study protein-protein interactions. 1995 , 3, 431-3	38
1969	The gag homologue of retrotransposon Ty1 assembles into spherical particles in Escherichia coli. 1995 , 228, 739-44	14
1968	Protein-protein interactions among components of the Drosophila primary sex determination signal. 1995 , 248, 182-9	13
1967	Analysis of gene function in Dictyostelium. 1995 , 51, 1116-23	27
1966	Expression and analysis of the NS2 protein of influenza A virus. 1995 , 140, 2067-73	40
1965	Biologically displayed random peptides as reagents in mapping protein-protein interactions. 1995 , 2, 251-268	18
1964	The two-hybrid: an in vivo protein-protein interaction assay. 1995 , 21, 119-27	26
1963	Genetic engineering of Indica rice in support of sustained production of affordable and high quality food in developing countries. 1995 , 85, 441-449	20
1962	RanBP1, a Ras-like nuclear G protein binding to Ran/TC4, inhibits RCC1 via Ran/TC4. 1995 , 247, 661-9	26
1961	Characterization of domains in the yeast MAP kinase Slt2 (Mpk1) required for functional activity and in vivo interaction with protein kinases Mkk1 and Mkk2. 1995 , 17, 833-42	36
1960	Deletion analysis of gene minE which encodes the topological specificity factor of cell division in Escherichia coli. 1995 , 18, 321-9	85
1959	Surface expression and ligand-based selection of cDNAs fused to filamentous phage gene VI. 1995 , 13, 378-82	111

1958	Interaction with RAP74 subunit of TFIIF is required for transcriptional activation by serum response factor. <i>Nature</i> , 1995 , 373, 632-5	50.4	83
1957	Interaction of thyroid-hormone receptor with a conserved transcriptional mediator. <i>Nature</i> , 1995 , 374, 91-4	50.4	405
1956	A kinase-cyclin pair in the RNA polymerase II holoenzyme. <i>Nature</i> , 1995 , 374, 193-6	50.4	378
1955	A role for retinoblastoma protein in potentiating transcriptional activation by the glucocorticoid receptor. <i>Nature</i> , 1995 , 374, 562-5	50.4	179
1954	Cloning of a bcl-2 homologue by interaction with adenovirus E1B 19K. <i>Nature</i> , 1995 , 374, 731-3	50.4	469
1953	A human nucleoporin-like protein that specifically interacts with HIV Rev. <i>Nature</i> , 1995 , 376, 530-3	50.4	250
1952	Ligand-independent repression by the thyroid hormone receptor mediated by a nuclear receptor co-repressor. <i>Nature</i> , 1995 , 377, 397-404	50.4	1768
1951	The yeast two-hybrid system for studying protein-protein interactions. 1995 , 6, 59-64		67
1950	A potyvirus polymerase interacts with the viral coat protein and VPg in yeast cells. 1995 , 214, 159-66		80
1949	Conversion of <i>Xenopus</i> ectoderm into neurons by NeuroD, a basic helix-loop-helix protein. 1995 , 268, 836-44		924
1948	Association of p62, a multifunctional SH2- and SH3-domain-binding protein, with src family tyrosine kinases, Grb2, and phospholipase C gamma-1. 1995 , 15, 186-97		193
1947	A downstream target of RHO1 small GTP-binding protein is PKC1, a homolog of protein kinase C, which leads to activation of the MAP kinase cascade in <i>Saccharomyces cerevisiae</i> .. 1995 , 14, 5931-5938		261
1946	Identification and analysis of a retinoblastoma binding motif in the replication protein of a plant DNA virus: requirement for efficient viral DNA replication.. 1995 , 14, 4073-4082		124
1945	REG1 binds to protein phosphatase type 1 and regulates glucose repression in <i>Saccharomyces cerevisiae</i> .. 1995 , 14, 5939-5946		176
1944	CAT5, a new gene necessary for derepression of gluconeogenic enzymes in <i>Saccharomyces cerevisiae</i> .. 1995 , 14, 6116-6126		46
1943	A mutation in the C31 subunit of <i>Saccharomyces cerevisiae</i> RNA polymerase III affects transcription initiation.. 1995 , 14, 351-359		72
1942	Targets of immunophilin-immunosuppressant complexes are distinct highly conserved regions of calcineurin A.. 1995 , 14, 2772-2783		86
1941	Nin1p, a regulatory subunit of the 26S proteasome, is necessary for activation of Cdc28p kinase of <i>Saccharomyces cerevisiae</i> .. 1995 , 14, 3105-3115		75

1940	The fragile X mental retardation syndrome protein interacts with novel homologs FXR1 and FXR2.. 1995 , 14, 5358-5366	216
1939	Identification of a new family of protein phosphatase 2A regulatory subunits. 1995 , 270, 26123-8	191
1938	Interaction of calreticulin with protein disulfide isomerase. 1995 , 270, 31338-44	93
1937	GCN20, a novel ATP binding cassette protein, and GCN1 reside in a complex that mediates activation of the eIF-2 alpha kinase GCN2 in amino acid-starved cells.. 1995 , 14, 3184-3199	130
1936	Identification of a cdk-activating kinase in fission yeast.. 1995 , 14, 6173-6183	57
1935	Peroxisomal and mitochondrial carnitine acetyltransferases of <i>Saccharomyces cerevisiae</i> are encoded by a single gene.. 1995 , 14, 3472-3479	141
1934	Journey to the surface of the cell: Fos regulation and the SRE.. 1995 , 14, 4905-4913	299
1933	Fission yeast Rep2 is a putative transcriptional activator subunit for the cell cycle <i>Start</i> function of Res2-Cdc10.. 1995 , 14, 4794-4802	47
1932	Complex formation in yeast double-strand break repair: participation of Rad51, Rad52, Rad55, and Rad57 proteins. 1995 , 92, 6925-9	268
1931	Evidence for an anti-parallel orientation of the ligand-activated human androgen receptor dimer. 1995 , 270, 29983-90	200
1930	Bcr and Raf form a complex in vivo via 14-3-3 proteins.. 1995 , 14, 4839-4848	146
1929	Interaction of the Flt-1 tyrosine kinase receptor with the p85 subunit of phosphatidylinositol 3-kinase. Mapping of a novel site involved in binding. 1995 , 270, 20254-7	103
1928	Yeast SEC16 gene encodes a multidomain vesicle coat protein that interacts with Sec23p. 1995 , 131, 311-24	154
1927	Interaction of the ribosomal protein, L5, with protein phosphatase type 1. 1995 , 270, 19786-90	47
1926	Biochemical and biological analysis of Mek1 phosphorylation site mutants. 1995 , 6, 237-45	106
1925	Relief of YY1 transcriptional repression by adenovirus E1A is mediated by E1A-associated protein p300. 1995 , 9, 1188-98	262
1924	Tissue-specific regulation of the insulin gene by a novel basic helix-loop-helix transcription factor. 1995 , 9, 1009-19	466
1923	Cyclin-dependent protein kinase and cyclin homologs SSN3 and SSN8 contribute to transcriptional control in yeast. 1995 , 92, 4006-10	161

1922	Stathmin interaction with a putative kinase and coiled-coil-forming protein domains. 1995 , 92, 3100-4	92
1921	Abi-2, a novel SH3-containing protein interacts with the c-Abl tyrosine kinase and modulates c-Abl transforming activity. 1995 , 9, 2569-82	224
1920	A novel ubiquitous form of Munc-18 interacts with multiple syntaxins. Use of the yeast two-hybrid system to study interactions between proteins involved in membrane traffic. 1995 , 270, 13022-8	149
1919	Interactions between the subunits of casein kinase II. 1995 , 270, 13017-21	114
1918	Evidence for a differential interaction of SHC and the insulin receptor substrate-1 (IRS-1) with the insulin-like growth factor-I (IGF-I) receptor in the yeast two-hybrid system. 1995 , 270, 23456-60	81
1917	Cloning of yeast HAP5: a novel subunit of a heterotrimeric complex required for CCAAT binding. 1995 , 9, 47-58	213
1916	A novel pathway for vitamin A signaling mediated by RXR heterodimerization with NGFI-B and NURR1. 1995 , 9, 769-82	429
1915	LXR, a nuclear receptor that defines a distinct retinoid response pathway. 1995 , 9, 1033-45	839
1914	Yeast transcriptional activator INO2 interacts as an Ino2p/Ino4p basic helix-loop-helix heteromeric complex with the inositol/choline-responsive element necessary for expression of phospholipid biosynthetic genes in <i>Saccharomyces cerevisiae</i> . 1995 , 23, 230-7	114
1913	A new version of the two-hybrid assay for detection of protein-protein interactions. 1995 , 23, 876-8	81
1912	Beta 3-endonexin, a novel polypeptide that interacts specifically with the cytoplasmic tail of the integrin beta 3 subunit. 1995 , 131, 807-16	175
1911	Mapping the domains of interaction of p40phox with both p47phox and p67phox of the neutrophil oxidase complex using the two-hybrid system. 1995 , 270, 5695-7	77
1910	Lagging strand DNA synthesis at the eukaryotic replication fork involves binding and stimulation of FEN-1 by proliferating cell nuclear antigen. 1995 , 270, 22109-12	221
1909	Assembly of voltage-gated potassium channels. Conserved hydrophilic motifs determine subfamily-specific interactions between the alpha-subunits. 1995 , 270, 24761-8	153
1908	Functional interactions between YY1 and adenovirus E1A. 1995 , 23, 925-31	78
1907	Human RNA polymerase II subunit hSRPB7 functions in yeast and influences stress survival and cell morphology. 1995 , 6, 759-75	66
1906	Stress-Induced Phenylpropanoid Metabolism. 1995 , 7, 1085	915
1905	A VAMP-binding protein from <i>Aplysia</i> required for neurotransmitter release. 1995 , 269, 1580-3	147

1904	Interaction of papillomavirus E6 oncoproteins with a putative calcium-binding protein. 1995 , 269, 529-31	248
1903	AH/PH domain-mediated interaction between Akt molecules and its potential role in Akt regulation. 1995 , 15, 2304-10	148
1902	RAS signalling is abnormal in a c-raf1 MEK1 double mutant. 1995 , 15, 5113-22	29
1901	CAT8, a new zinc cluster-encoding gene necessary for derepression of gluconeogenic enzymes in the yeast <i>Saccharomyces cerevisiae</i> . 1995 , 15, 1915-22	168
1900	Lignin Biosynthesis. 1995 , 7, 1001	176
1899	Stress-Induced Phenylpropanoid Metabolism. 1995 , 7, 1085-1097	2431
1898	STD1 (MSN3) interacts directly with the TATA-binding protein and modulates transcription of the SUC2 gene of <i>Saccharomyces cerevisiae</i> . 1995 , 23, 3174-80	23
1897	Identification of a cDNA for SSRP1, an HMG-box protein, by interaction with the c-Myc oncoprotein in a novel bacterial expression screen. 1995 , 23, 269-76	33
1896	Protein-peptide interactions analyzed with the yeast two-hybrid system. 1995 , 23, 1152-6	146
1895	PICK1: a perinuclear binding protein and substrate for protein kinase C isolated by the yeast two-hybrid system. 1995 , 128, 263-71	263
1894	Homodimerization of the human U1 snRNP-specific protein C. 1995 , 23, 4864-71	20
1893	Ras-Raf interaction: two-hybrid analysis. 1995 , 255, 331-42	225
1892	Yeast two-hybrid system demonstrates that estrogen receptor dimerization is ligand-dependent in vivo. 1995 , 270, 23322-9	80
1891	Abl-interactor-1, a novel SH3 protein binding to the carboxy-terminal portion of the Abl protein, suppresses v-abl transforming activity. 1995 , 9, 2583-97	203
1890	A novel protein that interacts with the death domain of Fas/APO1 contains a sequence motif related to the death domain. 1995 , 270, 7795-8	789
1889	SED4 encodes a yeast endoplasmic reticulum protein that binds Sec16p and participates in vesicle formation. 1995 , 131, 325-38	74
1888	Identification and characterization of the putative human peroxisomal C-terminal targeting signal import receptor. 1995 , 270, 7731-6	154
1887	The regions of the Fe65 protein homologous to the phosphotyrosine interaction/phosphotyrosine binding domain of Shc bind the intracellular domain of the Alzheimer's amyloid precursor protein. 1995 , 270, 30853-6	243

1886	Measles virus phosphoprotein (P) requires the NH ₂ - and COOH-terminal domains for interactions with the nucleoprotein (N) but only the COOH terminus for interactions with itself. 1995 , 76 (Pt 11), 2863-7	77
1885	Transactivation by Rtg1 p, a basic helix-loop-helix protein that functions in communication between mitochondria and the nucleus in yeast. 1995 , 270, 29476-82	43
1884	Analyzing protein-protein interactions using two-hybrid system. 1995 , 254, 241-63	294
1883	The GLFG repetitive region of the nucleoporin Nup116p interacts with Kap95p, an essential yeast nuclear import factor. 1995 , 131, 1699-713	182
1882	Complex interactions between yeast TFIIIB and TFIIIC. 1995 , 270, 15353-8	73
1881	Repression by SSN6-TUP1 is directed by MIG1, a repressor/activator protein. 1995 , 92, 3132-6	349
1880	Interaction between the nucleocapsid protein and the phosphoprotein of human parainfluenza virus 3. Mapping of the interacting domains using a two-hybrid system. 1995 , 270, 12485-90	16
1879	Phosphorylation-dependent interaction of the cytoplasmic domains of the type I and type II transforming growth factor-beta receptors. 1995 , 270, 12235-41	70
1878	Two-hybrid system screen with the small GTP-binding protein Rab6. Identification of a novel mouse GDP dissociation inhibitor isoform and two other potential partners of Rab6. 1995 , 270, 14801-8	91
1877	Identification and characterization of genes that are required for the accelerated degradation of mRNAs containing a premature translational termination codon. 1995 , 9, 423-36	222
1876	Identification of a novel component of the nonsense-mediated mRNA decay pathway by use of an interacting protein screen. 1995 , 9, 437-54	215
1875	Mutation of RGA1, which encodes a putative GTPase-activating protein for the polarity-establishment protein Cdc42p, activates the pheromone-response pathway in the yeast <i>Saccharomyces cerevisiae</i> . 1995 , 9, 2949-63	108
1874	Interaction of tyrosine-based sorting signals with clathrin-associated proteins. 1995 , 269, 1872-5	829
1873	Identification of sequences mediating guanylyl cyclase dimerization. 1995 , 34, 4696-701	164
1872	Domain interaction between NMDA receptor subunits and the postsynaptic density protein PSD-95. 1995 , 269, 1737-40	1646
1871	Use of a novel mutagenesis strategy, optimized residue substitution, to decrease the off-rate of an anti-gp120 antibody. 1995 , 32, 1065-72	6
1870	Isolation and expression of an Arabidopsis 14-3-3-like protein gene. 1995 , 1266, 113-6	9
1869	The cellular prion protein (PrP) selectively binds to Bcl-2 in the yeast two-hybrid system. 1995 , 30, 165-8	128

1868	Synthetic inducible biological response amplifiers (SIBRAs): rational peptides at the crossroads between molecular evolution and structure-based drug design. 1995 , 44, 32-8	3
1867	Yeast vectors for the controlled expression of heterologous proteins in different genetic backgrounds. 1995 , 156, 119-22	1587
1866	pWITCH: a versatile two-hybrid assay vector for the production of epitope/activation domain-tagged proteins both in vitro and in yeast. 1995 , 165, 93-6	8
1865	Isolation and characterization of a cDNA encoding a new type of human transcription elongation factor S-II. 1995 , 167, 297-302	20
1864	Proteins functioning in synaptic transmission at the sensory to motor synapse of Aplysia. 1995 , 34, 1379-85	19
1863	The TNF receptor 1-associated protein TRADD signals cell death and NF-kappa B activation. 1995 , 81, 495-504	1719
1862	Aplysia CREB2 represses long-term facilitation: relief of repression converts transient facilitation into long-term functional and structural change. 1995 , 83, 979-92	482
1861	Sgs1: a eukaryotic homolog of E. coli RecQ that interacts with topoisomerase II in vivo and is required for faithful chromosome segregation. 1995 , 81, 253-60	379
1860	An amino-terminal domain of Mxi1 mediates anti-Myc oncogenic activity and interacts with a homolog of the yeast transcriptional repressor SIN3. 1995 , 80, 777-86	359
1859	Mutations in the proteolytic enzyme calpain 3 cause limb-girdle muscular dystrophy type 2A. 1995 , 81, 27-40	835
1858	Multiallelic recognition: nonself-dependent dimerization of the bE and bW homeodomain proteins in Ustilago maydis. 1995 , 81, 73-83	225
1857	The FIP1 gene encodes a component of a yeast pre-mRNA polyadenylation factor that directly interacts with poly(A) polymerase. 1995 , 81, 379-89	123
1856	Identification of a novel cellular cofactor for the Rev/Rex class of retroviral regulatory proteins. 1995 , 82, 485-94	292
1855	Identification of a novel nuclear pore-associated protein as a functional target of the HIV-1 Rev protein in yeast. 1995 , 82, 495-506	217
1854	OBF-1, a novel B cell-specific coactivator that stimulates immunoglobulin promoter activity through association with octamer-binding proteins. 1995 , 80, 497-506	346
1853	Multiple Ras functions can contribute to mammalian cell transformation. 1995 , 80, 533-41	642
1852	Formation of stable and functional HIV-1 nucleoprotein complexes in vitro. 1995 , 252, 563-71	110
1851	Genetic dissection of intersubunit contacts within human protein kinase CK2. 1995 , 253, 703-11	45

1850	Identification of p53 Proteins and Targets. 1995 , 8, 182-197	
1849	Functional analysis of aryl hydrocarbon receptor nuclear translocator interactions with aryl hydrocarbon receptor in the yeast two-hybrid system. 1995 , 50, 1295-302	16
1848	The interaction between the catalytic A subunit of calcineurin and its autoinhibitory domain, in the yeast two-hybrid system, is disrupted by cyclosporin A and FK506. 1995 , 357, 221-6	11
1847	A protein related to a proteasomal subunit binds to the intracellular domain of the p55 TNF receptor upstream to its 'death domain'. 1995 , 367, 39-44	44
1846	Interaction of p85 subunit of PI 3-kinase with insulin and IGF-1 receptors analysed by using the two-hybrid system. 1995 , 373, 51-5	27
1845	Interaction of the protein nucleobindin with G alpha i2, as revealed by the yeast two-hybrid system. 1995 , 373, 155-8	41
1844	Regulatory networks of the retinoblastoma protein. 1995 , 752, 432-45	11
1843	A combined genetic and biochemical approach to mammalian signal transduction. 1995 , 25, 845-51	1
1842	Pheromone response in yeast: association of Bem1p with proteins of the MAP kinase cascade and actin. 1995 , 270, 1210-3	188
1841	Yeast transformation and the preparation of frozen spheroplasts for electroporation. 1995 , 47, 261-7	9
1840	Molecular neurobiology and genetics of circadian rhythms in mammals. 1995 , 18, 531-53	159
1839	Isolation of timeless by PER protein interaction: defective interaction between timeless protein and long-period mutant PERL. 1995 , 270, 811-5	311
1838	Current Issues in Plant Molecular and Cellular Biology. 1995 ,	4
1837	Cloning of a novel type II serine/threonine kinase receptor through interaction with the type I transforming growth factor-beta receptor. 1995 , 270, 5625-30	149
1836	Control of signal transduction and morphogenesis by Ras. 1995 , 6, 89-94	38
1835	Gene regulation by NF-M and Myb during differentiation and leukemic transformation. 1995 , 193, 356-62	3
1834	Lignin Biosynthesis. 1995 , 7, 1001-1013	446
1833	A component of the 26S proteasome binds on orphan member of the nuclear hormone receptor superfamily. 1996 , 56, 23-30	21

1832	Identification of export proteins from <i>Mycobacterium tuberculosis</i> that interact with SecA. 1996 , 797, 240-1	3
1831	A new subclass of helix-loop-helix transcription factors expressed in paraxial mesoderm and chondrogenic cell lineages. 1996 , 785, 108-18	9
1830	Protein-Protein Interactions between the <i>Escherichia coli</i> Single-Stranded DNA-Binding Protein and Exonuclease I. 1996 , 145, 619	30
1829	Isolation of two novel cDNAs whose products associate with the amino terminus of the E2F1 transcription factor. 1996 , 35, 12320-8	9
1828	Interaction of transforming growth factor beta receptors with apolipoprotein J/clusterin. 1996 , 35, 309-14	56
1827	Biosynthesis of 3,6-dideoxyhexoses: in vivo and in vitro evidence for protein-protein interaction between CDP-6-deoxy-L-threo-D-glycero-4-hexulose 3-dehydrase (E1) and its reductase (E3). 1996 , 35, 16412-20	219
1826	Two versatile eukaryotic vectors permitting epitope tagging, radiolabelling and nuclear localisation of expressed proteins. 1996 , 168, 165-7	43
1825	Isolation and characterization of a cDNA encoding a novel human transcription factor TFIID subunit containing similarities with histones H2B and H3. 1996 , 169, 263-7	4
1824	Cloning of the cDNA encoding a novel subtype of histone H1. 1996 , 173, 281-5	30
1823	Vectors for a 'double-tagging' assay for protein-protein interactions: localization of the CDK2-binding domain of human p21. 1996 , 173, 147-54	2
1822	Topological organization of the cytosolic activating complex of the superoxide-generating NADPH-oxidase. Pinpointing the sites of interaction between p47phox, p67phox and p40phox using the two-hybrid system. 1996 , 1312, 39-47	41
1821	Use of a two-hybrid system to investigate molecular interactions of GAP-43. 1996 , 40, 195-202	20
1820	Structure of protein kinase CK2: dimerization of the human beta-subunit. 1996 , 379, 153-6	47
1819	Role of mitochondria and C-terminal membrane anchor of Bcl-2 in Bax induced growth arrest and mortality in <i>Saccharomyces cerevisiae</i> . 1996 , 380, 169-75	152
1818	Characterization of the dystrophin-syntrophin interaction using the two-hybrid system in yeast. 1996 , 383, 124-8	13
1817	A20, an inhibitor of cell death, self-associates by its zinc finger domain. 1996 , 384, 61-4	44
1816	Association of yeast SAP1, a novel member of the 'AAA' ATPase family of proteins, with the chromatin protein SIN1. 1996 , 388, 5-10	12
1815	Mammalian DNA cytosine-5 methyltransferase interacts with p23 protein. 1996 , 392, 179-83	14

1814	Interacting components of the flagellar motor of Escherichia coli revealed by the two-hybrid system in yeast. 1996 , 256, 564-76	78
1813	hnRNP A1 selectively interacts through its Gly-rich domain with different RNA-binding proteins. 1996 , 259, 337-48	160
1812	The role of the unique motifs in the amino-terminal region of PKN on its enzymatic activity. 1996 , 220, 963-8	45
1811	Molecular interaction between TLE1 and the carboxyl-terminal domain of HES-1 containing the WRPW motif. 1996 , 223, 701-5	138
1810	Interaction of the beta subunit of casein kinase II with the ribosomal protein L5. 1996 , 226, 180-6	36
1809	The metastasis suppressor candidate nucleotide diphosphate kinase NM23 specifically interacts with members of the ROR/RZR nuclear orphan receptor subfamily. 1996 , 227, 82-7	37
1808	IIFP 35 forms complexes with B-ATF, a member of the AP1 family of transcription factors. 1996 , 229, 316-22	24
1807	Interaction of human leukotriene C4 synthase and microsomal glutathione transferase in vivo. 1996 , 229, 388-95	8
1806	Interactions of the F1-ATPase subunits from Escherichia coli detected by the yeast two-hybrid system. 1996 , 1274, 67-72	5
1805	Interrelationships of the pathways of mRNA decay and translation in eukaryotic cells. 1996 , 65, 693-739	601
1804	The response regulator-like protein Pos9/Skn7 of Saccharomyces cerevisiae is involved in oxidative stress resistance. 1996 , 29, 327-34	131
1803	Expression of functional HIV-1 integrase in the yeast Saccharomyces cerevisiae leads to the emergence of a lethal phenotype: potential use for inhibitor screening. 1996 , 29, 503-10	32
1802	The regulatory protein NIT4 that mediates nitrate induction in Neurospora crassa contains a complex tripartite activation domain with a novel leucine-rich, acidic motif. 1996 , 29, 537-48	22
1801	Nef-CD4 physical interaction sensed with the yeast two-hybrid system. 1996 , 217, 397-403	70
1800	Identification of amino acid residues required for a specific interaction between Src-tyrosine kinase and proline-rich region of phosphatidylinositol-3' kinase. 1996 , 397, 183-5	14
1799	A novel receptor-mediated nuclear protein import pathway. 1996 , 86, 985-94	588
1798	TRADD-TRAF2 and TRADD-FADD interactions define two distinct TNF receptor 1 signal transduction pathways. 1996 , 84, 299-308	1729
1797	Interaction of nitric oxide synthase with the postsynaptic density protein PSD-95 and alpha1-syntrophin mediated by PDZ domains. 1996 , 84, 757-67	1456

1796	LET-23 receptor localization by the cell junction protein LIN-7 during <i>C. elegans</i> vulval induction. 1996 , 85, 195-204	242
1795	Involvement of MACH, a novel MORT1/FADD-interacting protease, in Fas/APO-1- and TNF receptor-induced cell death. 1996 , 85, 803-15	2059
1794	Requirement for PCNA in DNA mismatch repair at a step preceding DNA resynthesis. 1996 , 87, 65-73	479
1793	Metabolic engineering: prospects for crop improvement through the genetic manipulation of phenylpropanoid biosynthesis and defense responses--a review. 1996 , 179, 61-71	179
1792	Identification and cDNA cloning of a novel human mosaic protein, LGN, based on interaction with G alpha i2. 1996 , 181, 39-43	98
1791	Reexamining interaction of the SH2 domains of SYP and GAP with insulin and IGF-1 receptors in the two-hybrid system. 1996 , 182, 77-80	4
1790	Detection of protein-protein interactions in the nervous system using the two-hybrid system. 1996 , 19, 261-6	10
1789	Exploiting the complete yeast genome sequence. 1996 , 6, 763-6	21
1788	TNF-dependent recruitment of the protein kinase RIP to the TNF receptor-1 signaling complex. 1996 , 4, 387-96	988
1787	NAB domain is essential for the subunit assembly of both alpha-alpha and alpha-beta complexes of shaker-like potassium channels. 1996 , 16, 441-53	137
1786	ACTIN: general principles from studies in yeast. 1996 , 12, 129-60	52
1785	The galvanization of biology: a growing appreciation for the roles of zinc. 1996 , 271, 1081-5	1612
1784	An orphan nuclear hormone receptor that lacks a DNA binding domain and heterodimerizes with other receptors. 1996 , 272, 1336-9	456
1783	Thymine-thymine dimer bypass by yeast DNA polymerase zeta. 1996 , 272, 1646-9	566
1782	Binding of zinc finger protein ZPR1 to the epidermal growth factor receptor. 1996 , 272, 1797-802	96
1781	Evidence for physical and functional association between EMB-5 and LIN-12 in <i>Caenorhabditis elegans</i> . 1996 , 273, 112-5	57
1780	Exclusion of Int-6 from PML nuclear bodies by binding to the HTLV-I Tax oncoprotein. 1996 , 273, 951-3	133
1779	Molecular Basis of Gene-for-Gene Specificity in Bacterial Speck Disease of Tomato. 1996 , 274, 2063-5	486

1778	Morphogenesis and Maturation of Retroviruses. 1996,	9
1777	Qualitative Assay for β -Galactosidase in Yeast Colonies. 1996, 125-129	
1776	Regulation of myosin phosphatase by Rho and Rho-associated kinase (Rho-kinase). 1996, 273, 245-8	2463
1775	Signal transduction and TGF-beta superfamily receptors. 1996, 74, 299-314	27
1774	Carboxyl-region of tuftelin mediates self-assembly. 1996, 35, 157-61	14
1773	Interactions involving the human RNA polymerase II transcription/nucleotide excision repair complex TFIIH, the nucleotide excision repair protein XPG, and Cockayne syndrome group B (CSB) protein. 1996, 35, 2157-67	173
1772	Roles of the FabA and FabZ beta-hydroxyacyl-acyl carrier protein dehydratases in Escherichia coli fatty acid biosynthesis. 1996, 271, 27795-801	213
1771	Looking beneath the Surface: The Cell Death Pathway of Fas/APO-1 (CD95). 1996, 2, 7-20	17
1770	Cloning and characterization of postsynaptic density 93, a nitric oxide synthase interacting protein. 1996, 16, 7407-15	292
1769	Dominant-negative p53 mutations selected in yeast hit cancer hot spots. 1996, 93, 4091-5	135
1768	Transposon tools for recombinant DNA manipulation: characterization of transcriptional regulators from yeast, Xenopus, and mouse. 1996, 93, 2801-6	40
1767	Mammalian ubiquitin-conjugating enzyme Ubc9 interacts with Rad51 recombination protein and localizes in synaptonemal complexes. 1996, 93, 2958-63	152
1766	The C-terminal domain of the largest subunit of RNA polymerase II interacts with a novel set of serine/arginine-rich proteins. 1996, 93, 6975-80	302
1765	Cloning and expression of apoptosis inhibitory protein homologs that function to inhibit apoptosis and/or bind tumor necrosis factor receptor-associated factors. 1996, 93, 4974-8	451
1764	The Clk/Sty protein kinase phosphorylates SR splicing factors and regulates their intranuclear distribution.. 1996, 15, 265-275	411
1763	Identification and characterization of mutations in the UPF1 gene that affect nonsense suppression and the formation of the Upf protein complex but not mRNA turnover. 1996, 16, 5491-506	135
1762	Plant cells contain a novel member of the retinoblastoma family of growth regulatory proteins.. 1996, 15, 4900-4908	151
1761	The Mas20p and Mas70p subunits of the protein import receptor of yeast mitochondria interact via the tetratricopeptide repeat motif in Mas20p: evidence for a single hetero-oligomeric receptor.. 1996, 15, 1231-1237	56

1760	Rom1p and Rom2p are GDP/GTP exchange proteins (GEPs) for the Rho1p small GTP binding protein in <i>Saccharomyces cerevisiae</i> .. 1996 , 15, 2196-2207	154
1759	Zinc finger-mediated protein interactions modulate Ikaros activity, a molecular control of lymphocyte development.. 1996 , 15, 5358-5369	265
1758	Interaction of cyclooxygenases with an apoptosis- and autoimmunity-associated protein. 1996 , 93, 5544-9	78
1757	Intermediate filament protein domain interactions as revealed by two-hybrid screens. 1996 , 271, 1599-604	31
1756	A nuclear role for the Fragile X mental retardation protein.. 1996 , 15, 5408-5414	86
1755	p21Cip1/Waf1 disrupts the recruitment of human Fen1 by proliferating-cell nuclear antigen into the DNA replication complex. 1996 , 93, 11597-602	115
1754	Specific in vivo protein-protein interactions between <i>Escherichia coli</i> SOS mutagenesis proteins. 1996 , 178, 2580-5	33
1753	A heteromeric complex containing the centromere binding factor 1 and two basic leucine zipper factors, Met4 and Met28, mediates the transcription activation of yeast sulfur metabolism.. 1996 , 15, 2519-2529	88
1752	A suppressor of mutations in the class III transcription system encodes a component of yeast TFIIIB.. 1996 , 15, 1941-1949	69
1751	The human papillomavirus type 16 E7 gene product interacts with and trans-activates the AP1 family of transcription factors.. 1996 , 15, 1950-1960	154
1750	The spindle pole body component Spc98p interacts with the gamma-tubulin-like Tub4p of <i>Saccharomyces cerevisiae</i> at the sites of microtubule attachment.. 1996 , 15, 3899-3911	128
1749	Disruption of RB/E2F-1 interaction by single point mutations in E2F-1 enhances S-phase entry and apoptosis. 1996 , 93, 679-84	112
1748	Dimerization of Ste5, a mitogen-activated protein kinase cascade scaffold protein, is required for signal transduction. 1996 , 93, 13864-9	70
1747	Screening for recombinant plasmids in yeast colonies of the two-hybrid system using PCR. 1996 , 20, 812-4, 816	3
1746	Detection of a physical and functional interaction between Csk and Lck which involves the SH2 domain of Csk and is mediated by autophosphorylation of Lck on tyrosine 394. 1996 , 271, 7465-72	29
1745	Roles of the RAM and ANK domains in signaling by the <i>C. elegans</i> GLP-1 receptor.. 1996 , 15, 7002-7012	68
1744	The yeast two-hybrid system: forward and reverse. 1996 , 93, 10001-3	33
1743	In vivo stability of the Umu mutagenesis proteins: a major role for RecA. 1996 , 178, 3550-6	46

1742	Mammalian Sug1 and c-Fos in the nuclear 26S proteasome. 1996 , 93, 8236-40	53
1741	A mutational analysis of the interaction between FliG and FliM, two components of the flagellar motor of Escherichia coli. 1996 , 178, 1289-94	48
1740	Use of the two-hybrid system and random sonicated DNA to identify the interaction domain of a protein. 1996 , 21, 430-2	17
1739	The import receptor for the peroxisomal targeting signal 2 (PTS2) in Saccharomyces cerevisiae is encoded by the PAS7 gene.. 1996 , 15, 2901-2913	138
1738	Nuclear export of late HIV-1 mRNAs occurs via a cellular protein export pathway. 1996 , 93, 4421-4	62
1737	Three classes of mutations in the A subunit of the CCAAT-binding factor CBF delineate functional domains involved in the three-step assembly of the CBF-DNA complex. 1996 , 16, 328-37	148
1736	The mating-specific G(alpha) protein of Saccharomyces cerevisiae downregulates the mating signal by a mechanism that is dependent on pheromone and independent of G(beta)(gamma) sequestration. 1996 , 16, 6325-37	32
1735	Drosophila homologs of the proto-oncogene product PEBP2/CBF beta regulate the DNA-binding properties of Runt. 1996 , 16, 932-42	88
1734	Characterization of an essential Orc2p-associated factor that plays a role in DNA replication. 1996 , 16, 1832-41	64
1733	Bul1, a new protein that binds to the Rsp5 ubiquitin ligase in Saccharomyces cerevisiae. 1996 , 16, 3255-63	94
1732	Interaction of the interferon-induced PKR protein kinase with inhibitory proteins P58IPK and vaccinia virus K3L is mediated by unique domains: implications for kinase regulation. 1996 , 16, 4172-81	95
1731	SIN3-dependent transcriptional repression by interaction with the Mad1 DNA-binding protein. 1996 , 16, 4215-21	55
1730	cDNA cloning and tissue-specific expression of a novel basic helix-loop-helix/PAS factor (Arnt2) with close sequence similarity to the aryl hydrocarbon receptor nuclear translocator (Arnt). 1996 , 16, 1706-13	221
1729	Identification of neurofibromin mutants that exhibit allele specificity or increased Ras affinity resulting in suppression of activated ras alleles. 1996 , 16, 2496-503	31
1728	Sex-specific and non-sex-specific oligomerization domains in both of the doublesex transcription factors from Drosophila melanogaster. 1996 , 16, 3106-11	64
1727	ROM7/BEM4 encodes a novel protein that interacts with the Rho1p small GTP-binding protein in Saccharomyces cerevisiae. 1996 , 16, 4396-403	36
1726	Protein-RNA and protein-protein interactions of the Drosophila sex-lethal mediated by its RNA-binding domains. 1996 , 120, 1028-33	28
1725	Prospects for rational approaches to anthelmintic discovery. 1996 , 113 Suppl, S217-38	41

1724	Yeast SNF1 protein kinase interacts with SIP4, a C6 zinc cluster transcriptional activator: a new role for SNF1 in the glucose response. 1996 , 16, 1921-8	118
1723	p95vav associates with the nuclear protein Ku-70. 1996 , 16, 37-44	78
1722	Identification of Ste4 as a potential regulator of Byr2 in the sexual response pathway of <i>Schizosaccharomyces pombe</i> . 1996 , 16, 5597-603	64
1721	TC21 causes transformation by Raf-independent signaling pathways. 1996 , 16, 6132-40	60
1720	A novel role for Cdc5p in DNA replication. 1996 , 16, 6775-82	79
1719	c-ABL tyrosine kinase activity is regulated by association with a novel SH3-domain-binding protein. 1996 , 16, 7054-62	39
1718	The REG2 gene of <i>Saccharomyces cerevisiae</i> encodes a type 1 protein phosphatase-binding protein that functions with Reg1p and the Snf1 protein kinase to regulate growth. 1996 , 16, 2922-31	64
1717	<i>Schizosaccharomyces pombe</i> map1+ encodes a MADS-box-family protein required for cell-type-specific gene expression. 1996 , 16, 3420-8	31
1716	Genetic and biochemical characterization of mutations in the ATPase and helicase regions of the Upf1 protein. 1996 , 16, 5477-90	178
1715	Identification of human proteins functionally conserved with the yeast putative adaptors ADA2 and GCN5. 1996 , 16, 593-602	161
1714	The p53-binding protein 53BP2 also interacts with Bc12 and impedes cell cycle progression at G2/M. 1996 , 16, 3884-92	138
1713	Protein sequence requirements for function of the human T-cell leukemia virus type 1 Rex nuclear export signal delineated by a novel in vivo randomization-selection assay. 1996 , 16, 4207-14	322
1712	A consensus motif in the RFX DNA binding domain and binding domain mutants with altered specificity. 1996 , 16, 4486-94	64
1711	Two zinc-finger-containing repressors are responsible for glucose repression of SUC2 expression. 1996 , 16, 4790-7	137
1710	Protein-protein and protein-DNA interaction regions within the DNA end-binding protein Ku70-Ku86. 1996 , 16, 5186-93	101
1709	A region rich in aspartic acid, arginine, tyrosine, and glycine (DRYG) mediates eukaryotic initiation factor 4B (eIF4B) self-association and interaction with eIF3. 1996 , 16, 5328-34	165
1708	A novel repressor, par-4, modulates transcription and growth suppression functions of the Wilms' tumor suppressor WT1. 1996 , 16, 6945-56	232
1707	Finely tuned regulation of cytoplasmic retention of <i>Xenopus</i> nuclear factor 7 by phosphorylation of individual threonine residues. 1996 , 16, 990-7	23

1706	Protein phosphatase type 1 interacts with proteins required for meiosis and other cellular processes in <i>Saccharomyces cerevisiae</i> . 1996 , 16, 4199-206	95
1705	Physical interactions among Mcm proteins and effects of Mcm dosage on DNA replication in <i>Saccharomyces cerevisiae</i> . 1996 , 16, 5081-90	170
1704	Identification of a novel syntaxin- and synaptobrevin/VAMP-binding protein, SNAP-23, expressed in non-neuronal tissues. 1996 , 271, 13300-3	274
1703	The tumor necrosis factor-inducible zinc finger protein A20 interacts with TRAF1/TRAF2 and inhibits NF-kappaB activation. 1996 , 93, 6721-5	369
1702	I-TRAF is a novel TRAF-interacting protein that regulates TRAF-mediated signal transduction. 1996 , 93, 8241-6	184
1701	Reverse two-hybrid and one-hybrid systems to detect dissociation of protein-protein and DNA-protein interactions. 1996 , 93, 10315-20	372
1700	Genetic characterization of a mammalian protein-protein interaction domain by using a yeast reverse two-hybrid system. 1996 , 93, 10321-6	153
1699	In vivo and in vitro characterization of the B1 and B2 zinc-binding domains from the acute promyelocytic leukemia protooncprotein PML. 1996 , 93, 1601-6	95
1698	Interaction between FtsZ and inhibitors of cell division. 1996 , 178, 5080-5	149
1697	Interaction between human tRNA synthetases involves repeated sequence elements. 1996 , 93, 10128-33	76
1696	Controlling protein association and subcellular localization with a synthetic ligand that induces heterodimerization of proteins. 1996 , 93, 4604-7	214
1695	A three-hybrid system for detecting small ligand-protein receptor interactions. 1996 , 93, 12817-21	258
1694	GRIP1, a novel mouse protein that serves as a transcriptional coactivator in yeast for the hormone binding domains of steroid receptors. 1996 , 93, 4948-52	583
1693	A three-hybrid system to detect RNA-protein interactions in vivo. 1996 , 93, 8496-501	448
1692	Insulin-responsive tissues contain the core complex protein SNAP-25 (synaptosomal-associated protein 25) A and B isoforms in addition to syntaxin 4 and synaptobrevins 1 and 2. 1996 , 317 (Pt 3), 945-54	45
1691	Identification of a nuclear-specific cyclophilin which interacts with the proteinase inhibitor eglin c. 1996 , 314 (Pt 1), 313-9	39
1690	Association of yeast SIN1 with the tetratricopeptide repeats of CDC23. 1996 , 93, 8274-7	13
1689	The whn transcription factor encoded by the nude locus contains an evolutionarily conserved and functionally indispensable activation domain. 1996 , 93, 9661-4	76

1688	A positive genetic selection for disrupting protein-protein interactions: identification of CREB mutations that prevent association with the coactivator CBP. 1996 , 93, 13896-901	84
1687	Regulation of mitochondrial pyruvate dehydrogenase activity by tau protein kinase I/glycogen synthase kinase 3beta in brain. 1996 , 93, 2719-23	222
1686	Evidence for a transcriptional activation function of BRCA1 C-terminal region. 1996 , 93, 13595-9	391
1685	The Rev Axis of HIV-1 and Its Associated Host Cofactors: A Viral Window onto the Workings of Eukaryotic Posttranscriptional RNA Processing. 1996 , 3, 69-77	14
1684	Creating conditional mutations in mammals. 1996 , 12, 181-7	51
1683	The yeast two-hybrid system: prospects for protein linkage maps. 1996 , 6, 196-9	52
1682	Yeast cloning book cloning. 1996 , 6, 80	
1681	The two nonstructural proteins from wheat dwarf virus involved in viral gene expression and replication are retinoblastoma-binding proteins. 1996 , 219, 324-9	65
1680	Interaction between the cytoplasmic domains of HIV-1 Vpu and CD4: role of Vpu residues involved in CD4 interaction and in vitro CD4 degradation. 1996 , 223, 381-6	64
1679	Human desmin gene: cDNA sequence, regional localization and exclusion of the locus in a familial desmin-related myopathy. 1996 , 98, 422-9	50
1678	Two-hybrid interaction of a human UBC9 homolog with centromere proteins of <i>Saccharomyces cerevisiae</i> . 1996 , 251, 153-60	17
1677	Stimulation of mitotic recombination upon transcription from the yeast GAL1 promoter but not from other RNA polymerase I, II and III promoters. 1996 , 30, 381-8	17
1676	Regions in the Z5 mating gene of <i>Schizophyllum commune</i> involved in Y-Z binding and recognition. 1996 , 252, 739-45	8
1675	Protein-protein interactions in the yeast PKC1 pathway: Pkc1p interacts with a component of the MAP kinase cascade. 1996 , 251, 682-91	11
1674	A two-hybrid system analysis shows interactions between 6-phosphofructo-1-kinase and 6-phosphofructo-2-kinase but not between other glycolytic enzymes of the yeast <i>Saccharomyces cerevisiae</i> . 1996 , 236, 626-31	7
1673	C23 interacts with B23, a putative nucleolar-localization-signal-binding protein. 1996 , 237, 153-8	133
1672	Structure and function of the WW domain. 1996 , 65, 113-32	229
1671	Ras and its effectors. 1996 , 66, 1-41	49

- 1670 Glucose repression/derepression in budding yeast: SNF1 protein kinase is activated by phosphorylation under derepressing conditions, and this correlates with a high AMP:ATP ratio. **1996**, 6, 1426-34 315
- 1669 The helix-loop-helix protein Id-1 and a retinoblastoma protein binding mutant of SV40 T antigen synergize to reactivate DNA synthesis in senescent human fibroblasts. **1996**, 18, 161-72 64
- 1668 Refinement of vectors for use in the yeast two-hybrid system. **1996**, 241, 260-2 23
- 1667 A one-step lysis procedure for 18S ribosomal RNA-based diagnosis of infection by Plasmodium species. **1996**, 241, 262-4
- 1666 Genetic and biochemical probes for protein-protein interactions. **1996**, 7, 554-9 12
- 1665 Identification of a novel protein, DMAP, which interacts with the myotonic dystrophy protein kinase and shows strong homology to D1 snRNP. **1996**, 97, 117-25 8
- 1664 Ste50p sustains mating pheromone-induced signal transduction in the yeast *Saccharomyces cerevisiae*. **1996**, 20, 773-83 49
- 1663 A functional screen in yeast for regulators and antagonizers of heterologous protein tyrosine kinases. **1996**, 14, 600-5 25
- 1662 A protein linkage map of *Escherichia coli* bacteriophage T7. **1996**, 12, 72-7 314
- 1661 Identification of a RING protein that can interact in vivo with the BRCA1 gene product. **1996**, 14, 430-40 595
- 1660 A humanized system for pharmacologic control of gene expression. **1996**, 2, 1028-32 483
- 1659 Regulation of cell adhesion and anchorage-dependent growth by a new beta 1-integrin-linked protein kinase. *Nature*, **1996**, 379, 91-6 50.4 959
- 1658 Interaction of Cdc2 and Cdc18 with a fission yeast ORC2-like protein. *Nature*, **1996**, 379, 360-3 50.4 130
- 1657 Effects on NF-kappa B1/p105 processing of the interaction between the HTLV-1 transactivator Tax and the proteasome. *Nature*, **1996**, 381, 328-31 50.4 129
- 1656 A non-enzymatic p21 protein inhibitor of stress-activated protein kinases. *Nature*, **1996**, 381, 804-6 50.4 237
- 1655 Functional interaction of beta-catenin with the transcription factor LEF-1. *Nature*, **1996**, 382, 638-42 50.4 2493
- 1654 Dimeric ligands define a role for transcriptional activation domains in reinitiation. *Nature*, **1996**, 382, 822-6 50.4 234
- 1653 Activation of specific RXR heterodimers by an antagonist of RXR homodimers. *Nature*, **1996**, 383, 450-3 50.4 148

1652	A new group of conserved coactivators that increase the specificity of AP-1 transcription factors. <i>Nature</i> , 1996 , 383, 453-7	50.4	401
1651	A death-domain-containing receptor that mediates apoptosis. <i>Nature</i> , 1996 , 384, 372-5	50.4	302
1650	Opposing pairs of serine protein kinases and phosphatases transmit signals of environmental stress to activate a bacterial transcription factor. 1996 , 10, 2265-75		225
1649	An Arabidopsis gene isolated by a novel method for detecting genetic interaction in yeast encodes the GDP dissociation inhibitor of Ara4 GTPase. 1996 , 8, 2079-91		50
1648	The mouse poly(C)-binding protein exists in multiple isoforms and interacts with several RNA-binding proteins. 1996 , 24, 3821-8		37
1647	Amino- and carboxy-terminal domains of the yeast Rab escort protein are both required for binding of Ypt small G proteins. 1996 , 7, 1521-33		19
1646	Sos, Vav, and C3G participate in B cell receptor-induced signaling pathways and differentially associate with Shc-Grb2, Crk, and Crk-L adaptors. 1996 , 271, 8564-9		91
1645	RBF, a novel RB-related gene that regulates E2F activity and interacts with cyclin E in Drosophila. 1996 , 10, 1206-18		203
1644	Pex13p is an SH3 protein of the peroxisome membrane and a docking factor for the predominantly cytoplasmic PTs1 receptor. 1996 , 135, 85-95		227
1643	The Rac target NADPH oxidase p67phox interacts preferentially with Rac2 rather than Rac1. 1996 , 271, 83-8		91
1642	Identification of Pex13p a peroxisomal membrane receptor for the PTS1 recognition factor. 1996 , 135, 111-21		198
1641	Induction of phosphoglycerate kinase 1 gene expression by hypoxia. Roles of Arnt and HIF1alpha. 1996 , 271, 21262-7		125
1640	Specific interaction between human kinetochore protein CENP-C and a nucleolar transcriptional regulator. 1996 , 271, 18767-74		29
1639	Biosynthesis of lantibiotic nisin. Posttranslational modification of its prepeptide occurs at a multimeric membrane-associated lanthionine synthetase complex. 1996 , 271, 12294-301		107
1638	Saccharomyces cerevisiae IRE2/HAC1 is involved in IRE1-mediated KAR2 expression. 1996 , 24, 4222-6		83
1637	COPII coat subunit interactions: Sec24p and Sec23p bind to adjacent regions of Sec16p. 1996 , 7, 1815-23		101
1636	Physical interaction between the mitogen-responsive serum response factor and myogenic basic-helix-loop-helix proteins. 1996 , 271, 5258-64		90
1635	Transcriptional repression by RING finger protein TIF1 beta that interacts with the KRAB repressor domain of KOX1. 1996 , 24, 4859-67		248

1634	Characterization of the AMP-activated protein kinase kinase from rat liver and identification of threonine 172 as the major site at which it phosphorylates AMP-activated protein kinase. 1996 , 271, 27879-87	940
1633	Spinocerebellar ataxia type-1 and spinobulbar muscular atrophy gene products interact with glyceraldehyde-3-phosphate dehydrogenase. 1996 , 5, 1311-8	114
1632	Structural determinants of interaction of tyrosine-based sorting signals with the adaptor medium chains. 1996 , 271, 29009-15	235
1631	The inducible G protein-coupled receptor edg-1 signals via the G(i)/mitogen-activated protein kinase pathway. 1996 , 271, 11272-9	134
1630	p202, an interferon-inducible modulator of transcription, inhibits transcriptional activation by the p53 tumor suppressor protein, and a segment from the p53-binding protein 1 that binds to p202 overcomes this inhibition. 1996 , 271, 27544-55	86
1629	A tri-hybrid system for the analysis and detection of RNA-protein interactions. 1996 , 24, 4838-40	68
1628	The EVES motif mediates both intermolecular and intramolecular regulation of c-Myb. 1996 , 10, 1858-69	137
1627	Identification of mitogen-activated protein (MAP) kinase-activated protein kinase-3, a novel substrate of CSBP p38 MAP kinase. 1996 , 271, 8488-92	285
1626	The predominant protein-arginine methyltransferase from <i>Saccharomyces cerevisiae</i> . 1996 , 271, 12585-94	160
1625	The kinase insert domain of interferon-induced protein kinase PKR is required for activity but not for interaction with the pseudosubstrate K3L. 1996 , 271, 24526-33	41
1624	Functional characterization of the prodomain of interleukin-1beta-converting enzyme. 1996 , 271, 27245-8	30
1623	Identification of a novel RalGDS-related protein as a candidate effector for Ras and Rap1. 1996 , 271, 29903-8	57
1622	Pat1: a topoisomerase II-associated protein required for faithful chromosome transmission in <i>Saccharomyces cerevisiae</i> . 1996 , 24, 4791-7	50
1621	The transcription factors Sp1 and Oct-1 interact physically to regulate human U2 snRNA gene expression. 1996 , 24, 1981-6	70
1620	Self-interaction of the major 27-kilodalton outer dense fiber protein is in part mediated by a leucine zipper domain in the rat. 1996 , 55, 1343-50	25
1619	Mapping the domains on the phosphoprotein of bovine respiratory syncytial virus required for N-P interaction using a two-hybrid system. 1996 , 77 (Pt 5), 1019-23	22
1618	Glucose regulates protein interactions within the yeast SNF1 protein kinase complex. 1996 , 10, 3105-15	228
1617	The small subunit of the splicing factor U2AF is conserved in fission yeast. 1996 , 24, 1849-54	38

1616	Transcriptional activation by yeast PDR1p is inhibited by its association with NGG1p/ADA3p. 1996 , 271, 15884-90	52
1615	Characterization of Interactions between the Neurofilament Triplet Proteins by the Yeast Two-hybrid System. 1996 , 271, 14041-14044	26
1614	Two novel targets of the MAP kinase Kss1 are negative regulators of invasive growth in the yeast <i>Saccharomyces cerevisiae</i> . 1996 , 10, 2831-48	177
1613	Non-catalytic beta- and gamma-subunit isoforms of the 5'-AMP-activated protein kinase. 1996 , 271, 8675-81	113
1612	Function of nuclear co-repressor protein on thyroid hormone response elements is regulated by the receptor A/B domain. 1996 , 271, 28516-20	77
1611	CBP as a transcriptional coactivator of c-Myb. 1996 , 10, 528-40	295
1610	Identification and characterization of two novel tetratricopeptide repeat-containing genes. 1996 , 15, 727-35	30
1609	Genetic assay for multimerization of wild-type and mutant transthyretin. 1996 , 3, 245-251	
1608	CD40-CD40 ligand: a multifunctional receptor-ligand pair. 1996 , 61, 1-77	237
1607	Huntingtin is ubiquitinated and interacts with a specific ubiquitin-conjugating enzyme. 1996 , 271, 19385-94	263
1606	Examination of mammalian basic helix-loop-helix transcription factors using a yeast one-hybrid system. 1996 , 15, 1-8	11
1605	Gene identification using the yeast two-hybrid system. 1996 , 273, 331-47	112
1604	Protein kinase A-dependent phosphorylation of GLUT2 in pancreatic beta cells. 1996 , 271, 8075-81	52
1603	Regulation of 5'-AMP-activated protein kinase activity by the noncatalytic beta and gamma subunits. 1996 , 271, 17798-803	161
1602	Distinct Ca(2+)-dependent properties of the first and second C2-domains of synaptotagmin I. 1996 , 271, 1262-5	123
1601	The inositol 5'-phosphatase SHIP binds to immunoreceptor signaling motifs and responds to high affinity IgE receptor aggregation. 1996 , 271, 29271-8	143
1600	<i>Caenorhabditis elegans</i> sex-determining protein FEM-2 is a protein phosphatase that promotes male development and interacts directly with FEM-3. 1996 , 10, 2314-25	71
1599	XAP2, a novel hepatitis B virus X-associated protein that inhibits X transactivation. 1996 , 24, 4741-50	90

1598	FAP48, a new protein that forms specific complexes with both immunophilins FKBP59 and FKBP12. Prevention by the immunosuppressant drugs FK506 and rapamycin. 1996 , 271, 32923-9	60
1597	The role of TBP in rDNA transcription by RNA polymerase I in <i>Saccharomyces cerevisiae</i> : TBP is required for upstream activation factor-dependent recruitment of core factor. 1996 , 10, 2551-63	79
1596	Direct association between the yeast Rad51 and Rad54 recombination proteins. 1996 , 271, 33181-6	129
1595	Characterization of AMP-activated protein kinase beta and gamma subunits. Assembly of the heterotrimeric complex in vitro. 1996 , 271, 10282-90	187
1594	The differential effects of the Gly-60 to Ala mutation on the interaction of H-Ras p21 with different downstream targets. 1996 , 271, 8196-202	29
1593	The orphan nuclear hormone receptor LXR alpha interacts with the peroxisome proliferator-activated receptor and inhibits peroxisome proliferator signaling. 1996 , 271, 9189-92	80
1592	Zik1, a transcriptional repressor that interacts with the heterogeneous nuclear ribonucleoprotein particle K protein. 1996 , 271, 27701-6	68
1591	Differential Interactions of the CREB/ATF Family of Transcription Factors with p300 and Adenovirus E1A. 1996 , 271, 17666-17674	39
1590	Resolution of subunit interactions and cytoplasmic subcomplexes of the yeast vacuolar proton-translocating ATPase. 1996 , 271, 10397-404	57
1589	Induction properties of a transiently transfected glucocorticoid-responsive gene vary with glucocorticoid receptor concentration. 1996 , 271, 30576-82	68
1588	Identification of the site in the Syk protein tyrosine kinase that binds the SH2 domain of Lck. 1996 , 271, 24294-9	33
1587	The unfolded protein response pathway in <i>Saccharomyces cerevisiae</i> . Oligomerization and trans-phosphorylation of Ire1p (Ern1p) are required for kinase activation. 1996 , 271, 18181-7	144
1586	The SH3 domain of the <i>Saccharomyces cerevisiae</i> peroxisomal membrane protein Pex13p functions as a docking site for Pex5p, a mobile receptor for the import PTS1-containing proteins. 1996 , 135, 97-109	192
1585	Endoplasmic reticulum form of calreticulin modulates glucocorticoid-sensitive gene expression. 1996 , 271, 29436-45	86
1584	Insulin receptor substrate-2 binds to the insulin receptor through its phosphotyrosine-binding domain and through a newly identified domain comprising amino acids 591-786. 1996 , 271, 5980-3	143
1583	Protein-protein interaction between the transcriptional repressor E4BP4 and the TBP-binding protein Dr1. 1996 , 24, 3607-13	34
1582	GLE2, a <i>Saccharomyces cerevisiae</i> homologue of the <i>Schizosaccharomyces pombe</i> export factor RAE1, is required for nuclear pore complex structure and function. 1996 , 7, 1921-37	154
1581	Peb1p (Pas7p) is an intraperoxisomal receptor for the NH2-terminal, type 2, peroxisomal targeting sequence of thiolase: Peb1p itself is targeted to peroxisomes by an NH2-terminal peptide. 1996 , 132, 325-34	95

1580	The reverse two-hybrid system: a genetic scheme for selection against specific protein/protein interactions. 1996 , 24, 3341-7	52
1579	Cell Cycle [Materials and Methods. 1996 ,	2
1578	Architecture of coatomer: molecular characterization of delta-COP and protein interactions within the complex. 1996 , 135, 53-61	85
1577	PAN3 encodes a subunit of the Pab1p-dependent poly(A) nuclease in <i>Saccharomyces cerevisiae</i> . 1996 , 16, 5744-53	140
1576	Plant Disease Resistance Genes: Function Meets Structure. 1996 , 8, 1757-1771	360
1575	The mammalian immediate-early TIS21 protein and the leukemia-associated BTG1 protein interact with a protein-arginine N-methyltransferase. 1996 , 271, 15034-44	353
1574	Plant Disease Resistance Genes: Function Meets Structure. 1996 , 8, 1757	58
1573	An Arabidopsis Gene Isolated by a Novel Method for Detecting Genetic Interaction in Yeast Encodes the GDP Dissociation Inhibitor of Ara4 GTPase. 1996 , 8, 2079	3
1572	Bach proteins belong to a novel family of BTB-basic leucine zipper transcription factors that interact with MafK and regulate transcription through the NF-E2 site. 1996 , 16, 6083-95	507
1571	Expression and function of a proapoptotic Bcl-2 family member Bcl-XL/Bcl-2-associated death promoter (BAD) in rat ovary. 1997 , 138, 5497-504	41
1570	Steroidogenic factor 1 (SF-1) and SP1 are required for regulation of bovine CYP11A gene expression in bovine luteal cells and adrenal Y1 cells. 1997 , 11, 127-37	130
1569	Interference of BAD (Bcl-xL/Bcl-2-associated death promoter)-induced apoptosis in mammalian cells by 14-3-3 isoforms and P11. 1997 , 11, 1858-67	143
1568	Yeast GAL4 two-hybrid system. A genetic system to identify proteins that interact with a target protein. 1997 , 63, 173-96	19
1567	Bacterial expression, purification, and potential use of His-tagged GAL4 fusion proteins. 1997 , 63, 129-37	1
1566	Activation of transcription by progesterone receptor involves derepression of activation functions by a cofactor. 1997 , 11, 768-78	11
1565	RIP 140 enhances nuclear receptor-dependent transcription in vivo in yeast. 1997 , 11, 193-202	38
1564	Regulatory role for a novel human thioredoxin peroxidase in NF-kappaB activation. 1997 , 272, 30952-61	345
1563	COPII subunit interactions in the assembly of the vesicle coat. 1997 , 272, 25413-6	127

1562	Improved efficiency sos recruitment system: expression of the mammalian GAP reduces isolation of Ras GTPase false positives. 1997 , 25, 3373-4	62
1561	Novel regulation of the helix-loop-helix protein Id1 by S5a, a subunit of the 26 S proteasome. 1997 , 272, 19140-51	29
1560	Recombinant Microorganisms as Tools for High Throughput Screening for Nonantibiotic Compounds. 1997 , 2, 41-49	22
1559	Actin-binding verprolin is a polarity development protein required for the morphogenesis and function of the yeast actin cytoskeleton. 1997 , 139, 1821-33	109
1558	Damage and replication checkpoint control in fission yeast is ensured by interactions of Crb2, a protein with BRCT motif, with Cut5 and Chk1. 1997 , 11, 3387-400	209
1557	The UNC-14 protein required for axonal elongation and guidance in <i>Caenorhabditis elegans</i> interacts with the serine/threonine kinase UNC-51. 1997 , 11, 1801-11	77
1556	Aip3p/Bud6p, a yeast actin-interacting protein that is involved in morphogenesis and the selection of bipolar budding sites. 1997 , 8, 729-53	160
1555	A nuclear export signal in Kap95p is required for both recycling the import factor and interaction with the nucleoporin GLFG repeat regions of Nup116p and Nup100p. 1997 , 137, 797-811	82
1554	Subunit interactions of endothelial nitric-oxide synthase. Comparisons to the neuronal and inducible nitric-oxide synthase isoforms. 1997 , 272, 1276-82	107
1553	The Tim54p-Tim22p complex mediates insertion of proteins into the mitochondrial inner membrane. 1997 , 139, 1663-75	191
1552	Identification of the region in actin-binding protein that binds to the cytoplasmic domain of glycoprotein IB α . 1997 , 272, 2914-9	73
1551	Evidence for a direct interaction between insulin receptor substrate-1 and Shc. 1997 , 272, 17166-70	21
1550	The human testis determining factor SRY binds a nuclear factor containing PDZ protein interaction domains. 1997 , 272, 7167-72	118
1549	Functional and physical interaction between the yeast splicing factors Slu7 and Prp18. 1997 , 25, 2146-52	57
1548	HTLV-I Tax self-association in optimal trans-activation function. 1997 , 25, 379-87	66
1547	A novel Rab9 effector required for endosome-to-TGN transport. 1997 , 138, 283-90	123
1546	Use of the two-hybrid system to identify protein-protein interaction temperature-sensitive mutants: application to the CDK2/p21Cip1 interaction. 1997 , 25, 3743-4	4
1545	The cyclin-dependent kinase-activating kinase (CAK) assembly factor, MAT1, targets and enhances CAK activity on the POU domains of octamer transcription factors. 1997 , 272, 29852-8	65

1544	Subunit interactions in the Na,K-ATPase explored with the yeast two-hybrid system. 1997 , 272, 12366-72	81
1543	Domain-specific interactions of human HP1-type chromodomain proteins and inner nuclear membrane protein LBR. 1997 , 272, 14983-9	259
1542	Identification of a self-association region within the SCA1 gene product, ataxin-1. 1997 , 6, 513-8	48
1541	Nuclear localization signal binding protein from Arabidopsis mediates nuclear import of Agrobacterium VirD2 protein. 1997 , 94, 10723-8	166
1540	Mcm2 is a target of regulation by Cdc7-Dbf4 during the initiation of DNA synthesis. 1997 , 11, 3365-74	234
1539	Sperm-zona interaction and recombinant DNA technology. 1997 , 3, 646-50	4
1538	Differential interactions of Id proteins with basic-helix-loop-helix transcription factors. 1997 , 272, 19785-93	177
1537	Molecular actions of prolactin in the immune system. 1997 , 215, 35-52	114
1536	Recombinant Protein Protocols. 1997 ,	
1535	Viral mimicry: common mode of association with HCF by VP16 and the cellular protein LZIP. 1997 , 11, 3122-7	113
1534	sel-10, a negative regulator of lin-12 activity in <i>Caenorhabditis elegans</i> , encodes a member of the CDC4 family of proteins. 1997 , 11, 3182-93	188
1533	A novel genetic system to isolate a dominant negative effector on DNA-binding activity of Oct-2. 1997 , 25, 1984-90	4
1532	Getting more from the two-hybrid system: N-terminal fusions to LexA are efficient and sensitive baits for two-hybrid studies. 1997 , 25, 2035-6	39
1531	The XPB subunit of repair/transcription factor TFIIH directly interacts with SUG1, a subunit of the 26S proteasome and putative transcription factor. 1997 , 25, 2274-83	77
1530	Pch1(+), a second essential C-type cyclin gene in <i>Schizosaccharomyces pombe</i> . 1997 , 272, 12100-6	13
1529	Raf-1 kinase and exoenzyme S interact with 14-3-3zeta through a common site involving lysine 49. 1997 , 272, 13717-24	125
1528	A novel interaction between adrenergic receptors and the alpha-subunit of eukaryotic initiation factor 2B. 1997 , 272, 19099-102	61
1527	Evidence that intramolecular interactions are involved in masking the activation domain of transcriptional activator Leu3p. 1997 , 272, 19383-92	28

1526	Dimerization of the N-terminal amphipathic alpha-helix domain of the fungal immunomodulatory protein from <i>Ganoderma tsugae</i> (Fip-gts) defined by a yeast two-hybrid system and site-directed mutagenesis. 1997 , 272, 20044-8	92
1525	A conditionally expressed third partner stabilizes or prevents the formation of a transcriptional activator in a three-hybrid system. 1997 , 272, 22995-9	90
1524	Interaction of WW domains with hematopoietic transcription factor p45/NF-E2 and RNA polymerase II. 1997 , 272, 24105-8	58
1523	Functional domain mapping of the clathrin-associated adaptor medium chains mu1 and mu2. 1997 , 272, 27160-6	80
1522	HRX leukemic fusion proteins form a heterocomplex with the leukemia-associated protein SET and protein phosphatase 2A. 1997 , 272, 28407-14	82
1521	Interactions of the subunits of smooth muscle myosin phosphatase. 1997 , 272, 3683-8	87
1520	Phosphorylation-dependent regulation of N-methyl-D-aspartate receptors by calmodulin. 1997 , 272, 20805-10	97
1519	Corepressor SMRT binds the BTB/POZ repressing domain of the LAZ3/BCL6 oncoprotein. 1997 , 94, 10762-7	305
1518	Actinin-associated LIM protein: identification of a domain interaction between PDZ and spectrin-like repeat motifs. 1997 , 139, 507-15	187
1517	Identification of a novel calcium-binding protein that interacts with the integrin alphaIIb cytoplasmic domain. 1997 , 272, 4651-4	213
1516	Binding of HIV-1 Nef to a novel thioesterase enzyme correlates with Nef-mediated CD4 down-regulation. 1997 , 272, 13779-85	77
1515	Kvbeta2 inhibits the Kvbeta1-mediated inactivation of K ⁺ channels in transfected mammalian cells. 1997 , 272, 11728-35	35
1514	Functional analysis of the interaction between Afr1p and the Cdc12p septin, two proteins involved in pheromone-induced morphogenesis. 1997 , 8, 987-98	40
1513	Relationship between yeast polyribosomes and Upf proteins required for nonsense mRNA decay. 1997 , 272, 22163-72	88
1512	The involvement of the histone fold motifs in the mutual interaction between human TAF(II)80 and TAF(II)22. 1997 , 121, 591-7	13
1511	The Snf1 protein kinase and its activating subunit, Snf4, interact with distinct domains of the Sip1/Sip2/Gal83 component in the kinase complex. 1997 , 17, 2099-106	215
1510	The partial agonist activity of antagonist-occupied steroid receptors is controlled by a novel hinge domain-binding coactivator L7/SPA and the corepressors N-CoR or SMRT. 1997 , 11, 693-705	378
1509	Isolation of an AP-1 repressor by a novel method for detecting protein-protein interactions. 1997 , 17, 3094-102	413

1508	Identification of pirin, a novel highly conserved nuclear protein. 1997 , 272, 8482-9	88
1507	Functional dissection of the pro-apoptotic protein Bik. Heterodimerization with anti-apoptosis proteins is insufficient for induction of cell death. 1997 , 272, 24494-8	55
1506	ALY, a context-dependent coactivator of LEF-1 and AML-1, is required for TCRalpha enhancer function. 1997 , 11, 640-53	246
1505	A human suppressor of c-Jun N-terminal kinase 1 activation by tumor necrosis factor alpha. 1997 , 272, 25816-23	89
1504	Interaction of the delta and b subunits contributes to F1 and F0 interaction in the Escherichia coli F1F0-ATPase. 1997 , 272, 30047-53	24
1503	Protein-protein interactions in the synaptonemal complex. 1997 , 8, 1405-14	52
1502	Saccharomyces cerevisiae genes required in the absence of the CIN8-encoded spindle motor act in functionally diverse mitotic pathways. 1997 , 8, 1035-50	174
1501	Characterization of a subset of the basic-helix-loop-helix-PAS superfamily that interacts with components of the dioxin signaling pathway. 1997 , 272, 8581-93	377
1500	HIV-1 Tat induces the expression of the interleukin-6 (IL6) gene by binding to the IL6 leader RNA and by interacting with CAAT enhancer-binding protein beta (NF-IL6) transcription factors. 1997 , 272, 14883-92	95
1499	Interactional cloning of the 84-kDa major outer dense fiber protein Odf84. Leucine zippers mediate associations of Odf84 and Odf27. 1997 , 272, 6105-13	74
1498	Serine 331 and tyrosine 333 are both involved in the interaction between the cytosolic domain of TGN38 and the mu2 subunit of the AP2 clathrin adaptor complex. 1997 , 272, 14104-9	36
1497	CASH, a novel caspase homologue with death effector domains. 1997 , 272, 19641-4	255
1496	Novel Cdc42-binding proteins Gic1 and Gic2 control cell polarity in yeast. 1997 , 11, 2972-82	141
1495	Genes for Tfb2, Tfb3, and Tfb4 subunits of yeast transcription/repair factor IIH. Homology to human cyclin-dependent kinase activating kinase and IIH subunits. 1997 , 272, 19319-27	66
1494	The Juxtamembrane, Cytosolic Region of the Epidermal Growth Factor Receptor Is Involved in Association with β Subunit of Gs. 1997 , 272, 5413-5420	43
1493	Phosphorylation by p34cdc2 protein kinase regulates binding of the kinesin-related motor HsEg5 to the dynactin subunit p150. 1997 , 272, 19418-24	124
1492	Use of a two-hybrid system to identify mutations in Max that confer increased affinity for Myc. 1997 , 16, 1277-88	1
1491	Dimerization is essential for DNA binding and repression by the ArsR metalloregulatory protein of Escherichia coli. 1997 , 272, 15734-8	39

1490	Mammalian homologs of seven in absentia regulate DCC via the ubiquitin-proteasome pathway. 1997 , 11, 2701-14	161
1489	Understanding gene and allele function with two-hybrid methods. 1997 , 31, 663-704	134
1488	Biochemical characterization of a molecular switch involving the heat shock protein ClpC, which controls the activity of ComK, the competence transcription factor of <i>Bacillus subtilis</i> . 1997 , 11, 119-28	168
1487	Complementation of the DNA repair-deficient <i>swi10</i> mutant of fission yeast by the human ERCC1 gene. 1997 , 25, 2823-7	15
1486	The Ets transcription factors interact with each other and with the c-Fos/c-Jun complex via distinct protein domains in a DNA-dependent and -independent manner. 1997 , 272, 26188-95	91
1485	Specific complex formation between the type II bare lymphocyte syndrome-associated transactivators CIITA and RFX5. 1997 , 94, 6330-4	122
1484	Mso1p: a yeast protein that functions in secretion and interacts physically and genetically with Sec1p. 1997 , 94, 7331-6	28
1483	Whole genome analysis: experimental access to all genome sequenced segments through larger-scale efficient oligonucleotide synthesis and PCR. 1997 , 94, 8945-7	26
1482	Spinophilin, a novel protein phosphatase 1 binding protein localized to dendritic spines. 1997 , 94, 9956-61	375
1481	RhoGDIgamma: a GDP-dissociation inhibitor for Rho proteins with preferential expression in brain and pancreas. 1997 , 94, 4279-84	93
1480	Syntenin, a PDZ protein that binds syndecan cytoplasmic domains. 1997 , 94, 13683-8	337
1479	A lesion in the DNA replication initiation factor Mcm10 induces pausing of elongation forks through chromosomal replication origins in <i>Saccharomyces cerevisiae</i> . 1997 , 17, 3261-71	129
1478	Identification of AUF1 (heterogeneous nuclear ribonucleoprotein D) as a component of the alpha-globin mRNA stability complex. 1997 , 17, 4870-6	147
1477	Upf1p, Nmd2p, and Upf3p are interacting components of the yeast nonsense-mediated mRNA decay pathway. 1997 , 17, 1580-94	176
1476	Interaction of activated Ras with Raf-1 alone may be sufficient for transformation of rat2 cells. 1997 , 17, 3047-55	24
1475	RING1 is associated with the polycomb group protein complex and acts as a transcriptional repressor. 1997 , 17, 4105-13	160
1474	EH domain proteins Pan1p and End3p are components of a complex that plays a dual role in organization of the cortical actin cytoskeleton and endocytosis in <i>Saccharomyces cerevisiae</i> . 1997 , 17, 4294-304	118
1473	Identification of a member of a DNA-dependent ATPase family that causes interference with silencing. 1997 , 17, 5461-72	46

1472	Interaction of a Swi3 homolog with Sth1 provides evidence for a Swi/Snf-related complex with an essential function in <i>Saccharomyces cerevisiae</i> . 1997 , 17, 1768-75	48
1471	Doom, a product of the <i>Drosophila</i> mod(mdg4) gene, induces apoptosis and binds to baculovirus inhibitor-of-apoptosis proteins. 1997 , 17, 2835-43	85
1470	Regulation of the protein kinase PKR by the vaccinia virus pseudosubstrate inhibitor K3L is dependent on residues conserved between the K3L protein and the PKR substrate eIF2alpha. 1997 , 17, 4146-58	106
1469	Multiple regulatory domains on the Byr2 protein kinase. 1997 , 17, 5876-87	77
1468	FKBP12 physically and functionally interacts with aspartokinase in <i>Saccharomyces cerevisiae</i> . 1997 , 17, 5968-75	35
1467	Novel receptor interaction and repression domains in the orphan receptor SHP. 1997 , 17, 7126-31	120
1466	The <i>Saccharomyces cerevisiae</i> MADS-box transcription factor Rlm1 is a target for the Mpk1 mitogen-activated protein kinase pathway. 1997 , 17, 1848-59	166
1465	Identification and characterization of interactions between the vertebrate polycomb-group protein BMI1 and human homologs of polyhomeotic. 1997 , 17, 2326-35	149
1464	Met31p and Met32p, two related zinc finger proteins, are involved in transcriptional regulation of yeast sulfur amino acid metabolism. 1997 , 17, 3640-8	103
1463	A family of cyclin-like proteins that interact with the Pho85 cyclin-dependent kinase. 1997 , 17, 1212-23	166
1462	Characterization of a serum response factor-like protein in <i>Saccharomyces cerevisiae</i> , Rlm1, which has transcriptional activity regulated by the Mpk1 (Slt2) mitogen-activated protein kinase pathway. 1997 , 17, 2615-23	160
1461	Glucose derepression of gluconeogenic enzymes in <i>Saccharomyces cerevisiae</i> correlates with phosphorylation of the gene activator Cat8p. 1997 , 17, 2502-10	121
1460	Interaction between the human nuclear cap-binding protein complex and hnRNP F. 1997 , 17, 2587-97	44
1459	Transcriptional synergy between LIM-homeodomain proteins and basic helix-loop-helix proteins: the LIM2 domain determines specificity. 1997 , 17, 3488-96	88
1458	The product of the murine homolog of the <i>Drosophila</i> extra sex combs gene displays transcriptional repressor activity. 1997 , 17, 4707-17	84
1457	SQT1, which encodes an essential WD domain protein of <i>Saccharomyces cerevisiae</i> , suppresses dominant-negative mutations of the ribosomal protein gene QSR1. 1997 , 17, 5146-55	52
1456	Groucho-dependent and -independent repression activities of Runt domain proteins. 1997 , 17, 5581-7	230
1455	Self-association of the single-KH-domain family members Sam68, GRP33, GLD-1, and Qk1: role of the KH domain. 1997 , 17, 5707-18	165

1454	Interaction of Sp1 and NF-Y in the diet-induced regulation of the rat fatty acid synthase (FAS) gene. 1997 , 25, 72S	10
1453	Use of the two-hybrid system to find novel proteins that interact with alpha-amino-3-hydroxy-5-methyl-4-isoxazole propionate (AMPA) receptor subunits. 1997 , 25, 838-42	44
1452	Interaction of AMP-activated protein kinase subunits in the heterotrimeric complex and with their yeast homologues. 1997 , 25, S668	2
1451	Interaction trap/two-hybrid system to identify interacting proteins. 2001 , Chapter 4, Unit 4.4	20
1450	The carbamate kinase-like carbamoyl phosphate synthetase of the hyperthermophilic archaeon <i>Pyrococcus furiosus</i> , a missing link in the evolution of carbamoyl phosphate biosynthesis. 1997 , 94, 12803-8	38
1449	The two-hybrid system in yeast: applications in biotechnology and basic research. 1997 , 3, 31-58	2
1448	A yeast genetic system for selecting small molecule inhibitors of protein-protein interactions in nanodroplets. 1997 , 94, 13396-401	112
1447	Evidence for a multimeric subtilin synthetase complex. 1997 , 179, 1475-81	76
1446	Monitoring protein-protein interactions in intact eukaryotic cells by beta-galactosidase complementation. 1997 , 94, 8405-10	282
1445	Direct interaction of the rat unc-13 homologue Munc13-1 with the N terminus of syntaxin. 1997 , 272, 2520-6	228
1444	Protein-protein interactions among the Aux/IAA proteins. 1997 , 94, 11786-91	448
1443	Oncogenic forms of NOTCH1 lacking either the primary binding site for RBP-Jkappa or nuclear localization sequences retain the ability to associate with RBP-Jkappa and activate transcription. 1997 , 272, 11336-43	153
1442	Three genes of a motility operon and their role in flagellar rotary speed variation in <i>Rhizobium meliloti</i> . 1997 , 179, 6391-9	64
1441	Cells that register logical relationships among proteins. 1997 , 94, 12473-8	52
1440	Recruitment of IRAK to the interleukin 1 receptor complex requires interleukin 1 receptor accessory protein. 1997 , 94, 12829-32	201
1439	Investigation of growth hormone releasing hormone receptor structure and activity using yeast expression technologies. 1997 , 17, 293-303	38
1438	Automated segmentation and classification of high throughput yeast assay spots. 2007 , 26, 1401-11	190
1437	Interaction of the cytoplasmic tail of CTLA-4 (CD152) with a clathrin-associated protein is negatively regulated by tyrosine phosphorylation. 1997 , 36, 15975-82	108

1436	Functional in vivo interaction between the amino-terminal, transactivation domain and the ligand binding domain of the androgen receptor. 1997 , 36, 1052-64	189
1435	Alternative yeast two-hybrid systems. The interaction trap and interaction mating. 1997 , 63, 197-218	39
1434	Interaction and regulation of subcellular localization of CED-4 by CED-9. 1997 , 275, 1126-9	322
1433	Binding of neuroligins to PSD-95. 1997 , 277, 1511-5	596
1432	NF-AT activation induced by a CAML-interacting member of the tumor necrosis factor receptor superfamily. 1997 , 278, 138-41	315
1431	Functional genomics: it's all how you read it. 1997 , 278, 601-2	269
1430	Gene identification using the yeast two-hybrid system. 1997 , 283, 141-56	73
1429	Catalytic and structural importance of Gly-454, Tyr-455, and Leu-456 in the carboxy-terminal region of Escherichia coli F1-ATPase alpha subunit. 1997 , 338, 104-10	1
1428	Subunit interactions of Escherichia coli F1-ATPase: mutants of the gamma subunits defective in interaction with the epsilon subunit isolated by the yeast two-hybrid system. 1997 , 348, 183-9	5
1427	PCNA and DNA polymerase delta catalytic subunit from Schizosaccharomyces pombe do not interact directly. 1997 , 231, 321-8	18
1426	Direct interaction of the mitochondrial membrane protein carnitine palmitoyltransferase I with Bcl-2. 1997 , 231, 523-5	75
1425	Cloning of a cDNA encoding a novel importin-alpha homologue, Qip1: discrimination of Qip1 and Rch1 from hSrp1 by their ability to interact with DNA helicase Q1/RecQL. 1997 , 234, 48-53	82
1424	Two N-terminal self-association domains are required for the dominant negative transcriptional activity of WT1 Denys-Drash mutant proteins. 1997 , 233, 723-8	33
1423	Inhibition of the binding of SNAP-23 to syntaxin 4 by Munc18c. 1997 , 234, 257-62	84
1422	The amino terminal deletion mutants of hepatitis C virus nonstructural protein NS5A function as transcriptional activators in yeast. 1997 , 236, 360-4	67
1421	The highly basic ribosomal protein L41 interacts with the beta subunit of protein kinase CKII and stimulates phosphorylation of DNA topoisomerase IIalpha by CKII. 1997 , 238, 462-7	22
1420	A c-Cbl yeast two hybrid screen reveals interactions with 14-3-3 isoforms and cytoskeletal components. 1997 , 240, 46-50	24
1419	G-protein coupled receptor from yeast Saccharomyces cerevisiae. 1997 , 240, 287-92	86

1418	Functional association between CBP and HNF4 in trans-activation. 1997 , 241, 664-9	99
1417	Cloning, chromosomal localization, and interspecies interaction of mouse DNA polymerase delta small subunit (PolD2). 1997 , 44, 45-51	4
1416	A RNA polymerase III-based two-hybrid system to study RNA polymerase II transcriptional regulators. 1997 , 268, 243-9	30
1415	Tissue-specific expression and alpha-actinin binding properties of the Z-disc titin: implications for the nature of vertebrate Z-discs. 1997 , 270, 688-95	174
1414	In search of virulence factors of human bacterial disease. 1997 , 5, 20-6	13
1413	Functional analysis of the yeast genome. 1997 , 7, 771-6	52
1412	SELEX and the evolution of genomes. 1997 , 7, 848-51	24
1411	3D structural information as a guide to protein engineering using genetic selection. 1997 , 7, 470-9	31
1410	DOC2 proteins in rat brain: complementary distribution and proposed function as vesicular adapter proteins in early stages of secretion. 1997 , 18, 453-61	144
1409	MAP kinases and plant defence. 1997 , 2, 406-408	21
1408	The yeast tRNA splicing endonuclease: a tetrameric enzyme with two active site subunits homologous to the archaeal tRNA endonucleases. 1997 , 89, 849-58	180
1407	Coassembly of TRP and TRPL produces a distinct store-operated conductance. 1997 , 89, 1155-64	280
1406	Identification and characterization of an IkappaB kinase. 1997 , 90, 373-83	1130
1405	Dachshund and eyes absent proteins form a complex and function synergistically to induce ectopic eye development in Drosophila. 1997 , 91, 893-903	350
1404	Inhibition of epithelial Na ⁺ currents by intracellular domains of the cystic fibrosis transmembrane conductance regulator. 1997 , 400, 341-4	108
1403	Isolation and characterization of a cDNA encoding a Translin-like protein, TRAX. 1997 , 401, 109-12	79
1402	Association of plant K ⁺ (in) channels is mediated by conserved C-termini and does not affect subunit assembly. 1997 , 409, 166-70	62
1401	Ubch9 conjugates SUMO but not ubiquitin. 1997 , 417, 297-300	284

1400	The IL1 receptor accessory protein is responsible for the recruitment of the interleukin-1 receptor associated kinase to the IL1/IL1 receptor I complex. 1997 , 419, 41-4	47
1399	Miz1, a novel zinc finger transcription factor that interacts with Msx2 and enhances its affinity for DNA. 1997 , 65, 3-17	90
1398	A basic-helix-loop-helix protein expressed in precursors of <i>Drosophila</i> longitudinal visceral muscles. 1997 , 69, 115-24	55
1397	Human blue-light photoreceptor hCRY2 specifically interacts with protein serine/threonine phosphatase 5 and modulates its activity. 1997 , 66, 727-31	74
1396	A novel bacterial vector system for monitoring protein-protein interactions in the cAMP-dependent protein kinase complex. 1997 , 185, 5-9	9
1395	Identification and characterization of the gene for <i>Drosophila</i> S20 ribosomal protein. 1997 , 200, 85-9	9
1394	Interactive cloning with the SH3 domain of N-src identifies a new brain specific ion channel protein, with homology to eag and cyclic nucleotide-gated channels. 1997 , 94, 14815-20	234
1393	Bok is a pro-apoptotic Bcl-2 protein with restricted expression in reproductive tissues and heterodimerizes with selective anti-apoptotic Bcl-2 family members. 1997 , 94, 12401-6	280
1392	MRIT, a novel death-effector domain-containing protein, interacts with caspases and BclXL and initiates cell death. 1997 , 94, 11333-8	216
1391	<i>Drosophila</i> Myc is oncogenic in mammalian cells and plays a role in the diminutive phenotype. 1997 , 94, 1235-40	91
1390	Useful vectors for the two-hybrid system in mammalian cells. 1997 , 23, 396-8, 400, 402	19
1389	Application of a chimeric green fluorescent protein to study protein-protein interactions. 1997 , 23, 864-6, 868-70, 872	9
1388	Stable DNA-binding yeast vector allowing high-bait expression for use in the two-hybrid system. 1997 , 23, 816-8, 820	43
1387	Molecular cloning of htra2-beta-1 and htra2-beta-2, two human homologs of tra-2 generated by alternative splicing. 1997 , 16, 679-90	71
1386	A network of interacting transcriptional regulators involved in <i>Drosophila</i> neural fate specification revealed by the yeast two-hybrid system. 1997 , 94, 13099-104	70
1385	Delineation of the interaction domains of <i>Agrobacterium tumefaciens</i> VirB7 and VirB9 by use of the yeast two-hybrid assay. 1997 , 179, 3404-9	50
1384	Identification of an intramolecular interaction between small regions in type V adenylyl cyclase that influences stimulation of enzyme activity by G α . 1997 , 94, 9602-7	29
1383	Chromatin remodeling by transcriptional activation domains in a yeast episome. 1997 , 272, 11526-34	32

1382	TOUSLED is a nuclear serine/threonine protein kinase that requires a coiled-coil region for oligomerization and catalytic activity. 1997 , 272, 5838-45	49
1381	Stat5 is a physiological substrate of the insulin receptor. 1997 , 94, 2295-300	106
1380	Yeast hormone response element assays detect and characterize GRIP1 coactivator-dependent activation of transcription by thyroid and retinoid nuclear receptors. 1997 , 94, 3697-702	54
1379	Effect of mutations in vesicle-associated membrane protein (VAMP) on the assembly of multimeric protein complexes. 1997 , 17, 1596-603	50
1378	Cloning and functional characterization of Roaz, a zinc finger protein that interacts with O/E-1 to regulate gene expression: implications for olfactory neuronal development. 1997 , 17, 4159-69	121
1377	Functional cleavage of the common cytokine receptor gamma chain (gammac) by calpain. 1997 , 94, 11534-9	64
1376	Analysis of a peptide hormone-receptor interaction in the yeast two-hybrid system. 1997 , 94, 13063-8	19
1375	Stn1, a new <i>Saccharomyces cerevisiae</i> protein, is implicated in telomere size regulation in association with Cdc13. 1997 , 11, 512-27	219
1374	Dystrobrevin and dystrophin: an interaction through coiled-coil motifs. 1997 , 94, 12413-8	163
1373	Analysis of vitamin D analog-induced heterodimerization of vitamin D receptor with retinoid X receptor using the yeast two-hybrid system. 1997 , 11, 366-78	40
1372	Analysis of the interaction of FtsZ with itself, GTP, and FtsA. 1997 , 179, 5551-9	192
1371	Novel Interaction of Apolipoprotein(a) With β Glycoprotein I Mediated by the Kringle IV Domain. 1997 , 90, 1482-1489	54
1370	Characterization of functional domains of the eukaryotic co-chaperone Hip. 1997 , 272, 2230-5	70
1369	Essential role for dlg in synaptic clustering of Shaker K ⁺ channels in vivo. 1997 , 17, 152-9	233
1368	Assembly and interactions of cotJ-encoded proteins, constituents of the inner layers of the <i>Bacillus subtilis</i> spore coat. 1997 , 25, 955-66	51
1367	Subunit interactions in the sodium pump. 1997 , 834, 498-513	9
1366	Tag games in yeast: the two-hybrid system and beyond. 1997 , 8, 561-8	43
1365	The RAR alpha-PLZF chimera associated with Acute Promyelocytic Leukemia has retained a sequence-specific DNA-binding domain. 1997 , 14, 1067-74	58

1364	T-cell oncogene rhombotin-2 interacts with retinoblastoma-binding protein 2. 1997 , 14, 1531-9	33
1363	Interaction between Cdc37 and Cdk4 in human cells. 1997 , 14, 1999-2004	80
1362	A giant protein that stimulates guanine nucleotide exchange on ARF1 and Rab proteins forms a cytosolic ternary complex with clathrin and Hsp70. 1997 , 15, 1-6	54
1361	PDZ domain of neuronal nitric oxide synthase recognizes novel C-terminal peptide sequences. 1997 , 15, 336-42	225
1360	The future is function. 1997 , 15, 325-7	64
1359	HIP1, a human homologue of <i>S. cerevisiae</i> Sla2p, interacts with membrane-associated huntingtin in the brain. 1997 , 16, 44-53	327
1358	PKD1 interacts with PKD2 through a probable coiled-coil domain. 1997 , 16, 179-83	559
1357	Identification of PAHX, a Refsum disease gene. 1997 , 17, 185-9	223
1356	Human telomeres contain two distinct Myb-related proteins, TRF1 and TRF2. 1997 , 17, 231-5	732
1355	Miranda directs Prospero to a daughter cell during <i>Drosophila</i> asymmetric divisions. <i>Nature</i> , 1997 , 390, 625-9	50.4 271
1354	Smad4 and FAST-1 in the assembly of activin-responsive factor. <i>Nature</i> , 1997 , 389, 85-9	50.4 509
1353	HOX11 interacts with protein phosphatases PP2A and PP1 and disrupts a G2/M cell-cycle checkpoint. <i>Nature</i> , 1997 , 385, 454-8	50.4 187
1352	Hrs-2 is an ATPase implicated in calcium-regulated secretion. <i>Nature</i> , 1997 , 385, 826-9	50.4 113
1351	GRIP: a synaptic PDZ domain-containing protein that interacts with AMPA receptors. <i>Nature</i> , 1997 , 386, 279-84	50.4 765
1350	A plant cyclin-dependent kinase inhibitor gene. <i>Nature</i> , 1997 , 386, 451-2	50.4 160
1349	Activation of prokaryotic transcription through arbitrary protein-protein contacts. <i>Nature</i> , 1997 , 386, 627-30	50.4 253
1348	An intracellular protein that binds amyloid-beta peptide and mediates neurotoxicity in Alzheimer's disease. <i>Nature</i> , 1997 , 389, 689-95	50.4 351
1347	The cerebellar leucine-rich acidic nuclear protein interacts with ataxin-1. <i>Nature</i> , 1997 , 389, 974-8	50.4 227

1346	CED-4 induces chromatin condensation in <i>Schizosaccharomyces pombe</i> and is inhibited by direct physical association with CED-9. 1997 , 7, 246-52	119
1345	Cell biology and the genome projects a concerted strategy for characterizing multiprotein complexes by using mass spectrometry. 1997 , 7, 139-42	60
1344	Techniques update The Sos-recruitment assay - a new type of two-hybrid system. 1997 , 7, 211	1
1343	Two's company, three's a crowd: the yeast two hybrid system for mapping molecular interactions. 1997 , 5, 13-7	21
1342	Homologous regions of the alpha subunit of eukaryotic translational initiation factor 2 (eIF2alpha) and the vaccinia virus K3L gene product interact with the same domain within the dsRNA-activated protein kinase (PKR). 1997 , 250, 85-91	45
1341	The AMP-activated protein kinase--fuel gauge of the mammalian cell?. 1997 , 246, 259-73	1024
1340	Dimerization of Cdc25p, the guanine-nucleotide exchange factor for Ras from <i>Saccharomyces cerevisiae</i> , and its interaction with Sdc25p. 1997 , 247, 703-8	9
1339	Derepression of gene expression mediated by the 5' upstream region of the isocitrate lyase gene of <i>Candida tropicalis</i> is controlled by two distinct regulatory pathways in <i>Saccharomyces cerevisiae</i> . 1997 , 243, 748-52	10
1338	A DNA-topoisomerase-II-binding protein with eight repeating regions similar to DNA-repair enzymes and to a cell-cycle regulator. 1997 , 250, 794-9	93
1337	Isolation of the gene encoding <i>Pyrococcus furiosus</i> ornithine carbamoyltransferase and study of its expression profile in vivo and in vitro. 1997 , 247, 1038-45	13
1336	Molecular cloning of a cDNA encoding the nucleosome core histone H3 from <i>Dictyostelium discoideum</i> by genetic screening in yeast. 1997 , 1352, 85-90	3
1335	An <i>Arabidopsis</i> gene encoding a putative 14-3-3-interacting protein, caffeic acid/5-hydroxyferulic acid O-methyltransferase. 1997 , 1353, 199-202	37
1334	Mammalian protein RAP46: an interaction partner and modulator of 70 kDa heat shock proteins. 1997 , 16, 5483-90	127
1333	Grr1 of <i>Saccharomyces cerevisiae</i> is connected to the ubiquitin proteolysis machinery through Skp1: coupling glucose sensing to gene expression and the cell cycle. 1997 , 16, 5629-38	178
1332	An alternative pathway for gene regulation by Myc. 1997 , 16, 5672-86	277
1331	Sequential activation of phosphatidylinositol 3-kinase and phospholipase C-gamma2 by the M-CSF receptor is necessary for differentiation signaling. 1997 , 16, 5880-93	94
1330	The Cdc4/34/53 pathway targets Cdc6p for proteolysis in budding yeast. 1997 , 16, 5966-76	251
1329	Identification of partners of TIF34, a component of the yeast eIF3 complex, required for cell proliferation and translation initiation. 1997 , 16, 6812-22	47

1328	Efficient signal transduction by a chimeric yeast-mammalian G protein alpha subunit Gpa1-Gsalpha covalently fused to the yeast receptor Ste2. 1997 , 16, 7241-9	41
1327	The gene for histone RNA hairpin binding protein is located on human chromosome 4 and encodes a novel type of RNA binding protein. 1997 , 16, 769-78	130
1326	The spindle pole body component Spc97p interacts with the gamma-tubulin of <i>Saccharomyces cerevisiae</i> and functions in microtubule organization and spindle pole body duplication. 1997 , 16, 1550-64	152
1325	Aiolos, a lymphoid restricted transcription factor that interacts with Ikaros to regulate lymphocyte differentiation. 1997 , 16, 2004-13	272
1324	Recombinational repair in yeast: functional interactions between Rad51 and Rad54 proteins. 1997 , 16, 2535-44	147
1323	Reporter systems. 1997 , 63, 11-30	8
1322	Two-hybrid analysis reveals fundamental differences in direct interactions between desmoplakin and cell type-specific intermediate filaments. 1997 , 272, 21495-503	126
1321	Evidence that hepatitis C virus resistance to interferon is mediated through repression of the PKR protein kinase by the nonstructural 5A protein. 1997 , 230, 217-27	690
1320	HsN3 proteasomal subunit as a target for human immunodeficiency virus type 1 Nef protein. 1997 , 237, 33-45	19
1319	Interaction of the human protein kinase PKR with the mouse PKR homolog occurs via the N-terminal region of PKR and does not inactivate autophosphorylation activity of mouse PKR. 1997 , 238, 410-23	12
1318	A comparative analysis of the interactions of the E6 proteins from cutaneous and genital papillomaviruses with p53 and E6AP in correlation to their transforming potential. 1997 , 239, 132-49	68
1317	Protein interactions during assembly of the enamel organic extracellular matrix. 1997 , 12, 221-7	131
1316	Neural roles of immunophilins and their ligands. 1997 , 15, 223-39	75
1315	Strategies for the identification and purification of ligands for orphan biomolecules. 1997 , 4, 107-120	7
1314	Human proliferation-related protein p120 interacts with HSRP1. 1997 , 105, 553-9	
1313	Integration of the multiple controls regulating the expression of the arginase gene CAR1 of <i>Saccharomyces cerevisiae</i> in response to different nitrogen signals: role of Gln3p, ArgRp-Mcm1p, and Ume6p. 1997 , 253, 568-80	30
1312	The Cdk-like protein PCTAIRE-1 from mouse brain associates with p11 and 14-3-3 proteins. 1997 , 254, 571-7	24
1311	A soluble 12-kDa protein of the mitochondrial intermembrane space, Mrs11p, is essential for mitochondrial biogenesis and viability of yeast cells. 1997 , 255, 157-65	38

1310	Constitutive and carbon source-responsive promoter elements are involved in the regulated expression of the <i>Saccharomyces cerevisiae</i> malate synthase gene MLS1. 1997 , 255, 619-27	37
1309	Role of PSO genes in the repair of photoinduced interstrand cross-links and photooxidative damage in the DNA of the yeast <i>Saccharomyces cerevisiae</i> . 1997 , 39, 185-96	35
1308	Mg-chelatase of tobacco: identification of a Chl D cDNA sequence encoding a third subunit, analysis of the interaction of the three subunits with the yeast two-hybrid system, and reconstitution of the enzyme activity by co-expression of recombinant CHL D, CHL H and CHL I. 1997 , 12, 981-90	87
1307	Modulation of the <i>Escherichia coli</i> sigmaE (RpoE) heat-shock transcription-factor activity by the RseA, RseB and RseC proteins. 1997 , 24, 355-71	296
1306	Modulator protein RsbR regulates environmental signalling in the general stress pathway of <i>Bacillus subtilis</i> . 1997 , 24, 567-78	89
1305	The <i>Escherichia coli</i> genome sequence: the end of an era or the start of the FUN?. 1997 , 26, 417-22	62
1304	Site-directed oxidative protein crosslinking. 1997 , 53, 11953-11960	20
1303	Combinatorial Libraries: Studies in Molecular Recognition and the Quest for New Catalysts. 1997 , 1997, 637-647	59
1302	Review: an overview of the <i>Saccharomyces cerevisiae</i> microtubule and microfilament cytoskeleton. 1997 , 13, 399-434	57
1301	Reconstitution of the NF-kappa B system in <i>Saccharomyces cerevisiae</i> for isolation of effectors by phenotype modulation. 1997 , 13, 599-612	13
1300	Expression of the vitamin D and the retinoid X receptors in <i>Saccharomyces cerevisiae</i> : alternative in vivo models for ligand-induced transactivation. 1997 , 66, 184-96	8
1299	The minimum size that a protein-free ADP-ribose chain requires to precipitate in 20% (w/v) trichloroacetic acid is 14 units. 1997 , 247, 452-5	
1298	Vectors for expressing proteins at the amino-terminus of an activation domain for use in the yeast two-hybrid system. 1997 , 247, 451-2	9
1297	A simplified procedure for a rapid and reliable assay of both glycogen and trehalose in whole yeast cells. 1997 , 248, 186-8	263
1296	Dampening of bait proteins in the two-hybrid system. 1997 , 248, 184-6	9
1295	Engineered cell lines as a tool for monitoring biological activity of hormone analogs. 1997 , 249, 119-30	55
1294	A rapid method for the preparation of yeast lysates that facilitates the immunodetection of proteins generated by the yeast two-hybrid system. 1997 , 249, 250-2	16
1293	An inverse mammalian two-hybrid system for beta secretase and other proteases. 1997 , 249, 239-41	10

1292	Method to screen for relevant yeast two-hybrid-derived clones by coimmunoprecipitation and colocalization of epitope-tagged fragments--application to Bcl-xL. 1997 , 252, 33-9	15
1291	A novel reporter gene MEL1 for the yeast two-hybrid system. 1997 , 253, 270-2	41
1290	The p75 neurotrophin receptor: effects on neuron survival in vitro and interaction with death domain-containing adaptor proteins. 1998 , 3, 289-94	14
1289	Overview of DNA chip technology. 1998 , 4, 277-289	95
1288	Myosin light chain phosphatase: subunit composition, interactions and regulation. 1998 , 19, 325-41	312
1287	Cloning and functional characterization of PTRF, a novel protein which induces dissociation of paused ternary transcription complexes. 1998 , 17, 2855-64	115
1286	Aut2p and Aut7p, two novel microtubule-associated proteins are essential for delivery of autophagic vesicles to the vacuole. 1998 , 17, 3597-607	210
1285	Receptors determine the cellular localization of a gamma-tubulin complex and thereby the site of microtubule formation. 1998 , 17, 3952-67	146
1284	Saccharomyces cerevisiae LIF1: a function involved in DNA double-strand break repair related to mammalian XRCC4. 1998 , 17, 4188-98	135
1283	Specific binding to a novel and essential Golgi membrane protein (Yip1p) functionally links the transport GTPases Ypt1p and Ypt31p. 1998 , 17, 4954-63	102
1282	Multiple transcriptional activation complexes tether the yeast activator Met4 to DNA. 1998 , 17, 6327-36	86
1281	The yeast U2A'/U2B complex is required for pre-spliceosome formation. 1998 , 17, 6348-58	42
1280	A novel protein complex promoting formation of functional alpha- and gamma-tubulin. 1998 , 17, 952-66	220
1279	GPR1 encodes a putative G protein-coupled receptor that associates with the Gpa2p Galpha subunit and functions in a Ras-independent pathway. 1998 , 17, 1996-2007	252
1278	Chimeras containing influenza NS1 and HIV-1 Rev protein sequences: mechanism of their inhibition of nuclear export of Rev protein-RNA complexes. 1998 , 241, 234-50	8
1277	The intracellular expression pattern of the human papillomavirus type 11 E1--E4 protein correlates with its ability to self associate. 1998 , 241, 49-60	13
1276	HHR23A, the human homologue of the yeast repair protein RAD23, interacts specifically with Vpr protein and prevents cell cycle arrest but not the transcriptional effects of Vpr. 1998 , 245, 323-30	51
1275	Characterization of the interactions among vaccinia virus transcription factors G2R, A18R, and H5R. 1998 , 245, 313-22	44

1274	The vaccinia virus E3L gene product interacts with both the regulatory and the substrate binding regions of PKR: implications for PKR autoregulation. 1998 , 250, 302-15	103
1273	Erratum: The cerebellar leucine-rich acidic nuclear protein interacts with ataxin-1. <i>Nature</i> , 1998 , 391, 818-818	50.4
1272	Erratum: Fear conditioning induces associative long-term potentiation in the amygdala. <i>Nature</i> , 1998 , 391, 818-818	50.4 3
1271	Isolation of a novel human voltage-dependent anion channel gene. 1998 , 6, 337-40	46
1270	Oncogenic EWS-Fli1 interacts with hsRPB7, a subunit of human RNA polymerase II. 1998 , 17, 603-10	130
1269	The Tek/Tie2 receptor signals through a novel Dok-related docking protein, Dok-R. 1998 , 17, 1097-108	128
1268	Point mutations causing Bloom's syndrome abolish ATPase and DNA helicase activities of the BLM protein. 1998 , 17, 2565-71	59
1267	Identification of the LMO4 gene encoding an interaction partner of the LIM-binding protein LDB1/NLI1: a candidate for displacement by LMO proteins in T cell acute leukaemia. 1998 , 17, 2799-803	66
1266	Identification of a calcium channel modulator using a high throughput yeast two-hybrid screen. 1998 , 16, 946-50	104
1265	Everything you need to know about the yeast two-hybrid system. 1998 , 5, 535-536	2
1264	Macromolecular matchmaking: advances in two-hybrid and related technologies. 1998 , 9, 90-6	39
1263	Changing styles in <i>C. elegans</i> genetics. 1998 , 14, 352-7	16
1262	Isolation and cloning of Ser4, a gene encoding a trypsin-like serine protease in <i>Drosophila melanogaster</i> . 1998 , 1395, 141-4	5
1261	Oligomeric structure of hepatic lipase: evidence from a novel epitope tag technique. 1998 , 1382, 217-29	8
1260	Structure/function analysis of the domains required for the multimerisation of phenylalanine hydroxylase. 1998 , 1382, 295-304	17
1259	Hybrid enzymes: manipulating enzyme design. 1998 , 16, 258-64	82
1258	The impact of two-hybrid and related methods on biotechnology. 1998 , 16, 355-63	42
1257	Obtaining value from the human genome: a challenge for the pharmaceutical industry. 1998 , 3, 179-188	5

1256	The Sos recruitment system for identification of protein partners: a basic screening protocol. 1998 , 3, 9-12	
1255	Transformation of <i>Saccharomyces cerevisiae</i> by the lithium acetate/single-stranded carrier DNA/polyethylene glycol protocol. 1998 , 3, 133-137	91
1254	Characterization of brain PCTAIRE-1 kinase immunoreactivity and its interactions with p11 and 14-3-3 proteins. 1998 , 257, 112-20	20
1253	Regulation of the MAP kinase pathway by mammalian Ksr through direct interaction with MEK and ERK. 1998 , 8, 56-64	179
1252	The lissencephaly gene product Lis1, a protein involved in neuronal migration, interacts with a nuclear movement protein, NudC. 1998 , 8, 603-6	114
1251	The ras recruitment system, a novel approach to the study of protein-protein interactions. 1998 , 8, 1121-4	201
1250	Analysis of protein-protein interaction by two-dimensional affinity electrophoresis. 1998 , 262, 90-2	9
1249	Isolation of plasmid DNA using magnetite as a solid-phase adsorbent. 1998 , 262, 92-4	41
1248	A rare case of false positive in a yeast two-hybrid screening: the selection of rearranged bait constructs that produce a functional gal4 activity. 1998 , 262, 94-6	18
1247	Use of the yeast three-hybrid system as a tool to study caspases. 1998 , 263, 62-6	13
1246	The TNF receptor family member CD27 signals to Jun N-terminal kinase via Traf-2. 1998 , 28, 2208-16	74
1245	Two-hybrid systematic screening of the yeast proteome. 1998 , 20, 1-5	18
1244	Oligoglucoside elicitor-mediated activation of plant defense. 1998 , 20, 569-76	70
1243	L7 protein is a coregulator of vitamin D receptor-retinoid X receptor-mediated transactivation. 1998 , 69, 1-12	28
1242	Two separate conserved domains of eukaryotic DNA topoisomerase I bind to each other and reconstitute enzymatic activity. 1998 , 107, 211-5	21
1241	A new LexA-based genetic system for monitoring and analyzing protein heterodimerization in <i>Escherichia coli</i> . 1998 , 257, 205-12	107
1240	Mms4, a putative transcriptional (co)activator, protects <i>Saccharomyces cerevisiae</i> cells from endogenous and environmental DNA damage. 1998 , 257, 614-23	25
1239	Switch-domain mutations in the <i>Saccharomyces cerevisiae</i> G protein alpha-subunit Gpa1p identify a receptor subtype-biased mating defect. 1998 , 257, 662-71	3

1238	Phosphorylation of the pheromone-responsive Gbeta protein of <i>Saccharomyces cerevisiae</i> does not affect its mating-specific signaling function. 1998 , 258, 608-18	22
1237	Mapping of Rpb3 and Rpb5 contact sites on two large subunits, Rpb1 and Rpb2, of the RNA polymerase II from fission yeast. 1998 , 259, 123-9	12
1236	Oligomers of the Cdc7/Dbf4 protein kinase exist in the yeast cell. 1998 , 259, 429-36	15
1235	Four hydrophobic amino acid residues in the C-terminal effector domain of the yeast Mig1p repressor are important for its in vivo activity. 1998 , 260, 269-79	14
1234	The succinate/fumarate transporter Acr1p of <i>Saccharomyces cerevisiae</i> is part of the gluconeogenic pathway and its expression is regulated by Cat8p. 1998 , 260, 453-61	30
1233	In vivo interactions among rotavirus nonstructural proteins. 1998 , 143, 981-96	33
1232	NifL, an antagonistic regulator of NifA interacting with NifA. 1998 , 41, 303-8	3
1231	Prp21, a U2-snRNP-associated protein, and Prp24, a U6-snRNP-associated protein, functionally interact during spliceosome assembly in yeast. 1998 , 77, 85-94	
1230	Small-molecule-based strategies for controlling gene expression. 1998 , 5, R129-45	80
1229	The yeast two-hybrid screening technique and its use in the study of protein-protein interactions in apoptosis. 1998 , 10, 131-6	25
1228	Isolation of putative plant transcriptional coactivators using a modified two-hybrid system incorporating a GFP reporter gene. 1998 , 14, 685-92	43
1227	Two dehydration-inducible transcripts from the resurrection plant <i>Craterostigma plantagineum</i> encode interacting homeodomain-leucine zipper proteins. 1998 , 15, 413-21	79
1226	ICK1, a cyclin-dependent protein kinase inhibitor from <i>Arabidopsis thaliana</i> interacts with both Cdc2a and CycD3, and its expression is induced by abscisic acid. 1998 , 15, 501-10	354
1225	Plant-adapted green fluorescent protein is a versatile vital reporter for gene expression, protein localization and mitosis in the filamentous fungus, <i>Aspergillus nidulans</i> . 1998 , 27, 121-30	170
1224	Using the yeast two-hybrid system to identify human epithelial cell proteins that bind gonococcal Opa proteins: intracellular gonococci bind pyruvate kinase via their Opa proteins and require host pyruvate for growth. 1998 , 27, 171-86	86
1223	Dominant C-terminal deletions of FtsZ that affect its ability to localize in <i>Caulobacter</i> and its interaction with FtsA. 1998 , 27, 1051-63	108
1222	A nonameric core sequence is required upstream of the LYS genes of <i>Saccharomyces cerevisiae</i> for Lys14p-mediated activation and apparent repression by lysine. 1998 , 29, 151-63	26
1221	Serine kinase activity of a <i>Bacillus subtilis</i> switch protein is required to transduce environmental stress signals but not to activate its target PP2C phosphatase. 1998 , 30, 189-96	54

1220	Gene activation by the AraC protein can be inhibited by DNA looping between AraC and a LexA repressor that interacts with AraC: possible applications as a two-hybrid system. 1998 , 30, 615-24	21
1219	The E protein of satellite phage P4 acts as an anti-repressor by binding to the C protein of helper phage P2. 1998 , 30, 1041-50	26
1218	Tapping the potential of molecular libraries in functional genomics. 1998 , 19, 524-7	19
1217	Identification of N-terminal minimal transactivation domain of CBP, p300 and caenorhabditis elegans homologues. 1998 , 208, 307-14	11
1216	YlpDCE1 - an integrating plasmid for dual constitutive expression in yeast. 1998 , 212, 197-202	17
1215	Construction of a modular yeast two-hybrid cDNA library from human EST clones for the human genome protein linkage map. 1998 , 215, 143-52	17
1214	La levure: une cellule tube à essai. 1998 , 1998, 84-85	
1213	Topography of the yeast ATP synthase F0 sector. 1998 , 80, 793-801	20
1212	Studies of dehydroepiandrosterone (DHEA) with the human estrogen receptor in yeast. 1998 , 143, 133-42	43
1211	Protein-protein interactions between keratin polypeptides expressed in the yeast two-hybrid system. 1998 , 1403, 158-68	7
1210	SCL binds the human homologue of DRG in vivo. 1998 , 1448, 109-14	19
1209	4 Transformation of Yeast by the Lithium Acetate/Single-Stranded Carrier DNA/PEG Method. 1998 , 26, 53-66	62
1208	15 Two-Hybrid Analysis of Protein-Protein Interactions in Yeast. 1998 , 255-268	1
1207	22 Applications of Yeast in the Discovery of Human Gene Function. 1998 , 417-430	
1206	Two-hybrid analysis reveals multiple direct interactions for thrombospondin 1. 1998 , 17, 401-12	31
1205	Molecular mechanisms of glutamate receptor clustering at excitatory synapses. 1998 , 8, 364-9	238
1204	Cabin 1, a negative regulator for calcineurin signaling in T lymphocytes. 1998 , 8, 703-11	201
1203	The CRY1 blue light photoreceptor of Arabidopsis interacts with phytochrome A in vitro. 1998 , 1, 939-48	281

1202	NSF binding to GluR2 regulates synaptic transmission. 1998 , 21, 87-97	498
1201	Novel anchorage of GluR2/3 to the postsynaptic density by the AMPA receptor-binding protein ABP. 1998 , 21, 581-91	329
1200	Slob, a novel protein that interacts with the Slowpoke calcium-dependent potassium channel. 1998 , 20, 565-73	103
1199	SynGAP: a synaptic RasGAP that associates with the PSD-95/SAP90 protein family. 1998 , 20, 683-91	506
1198	A role for the amino terminus of human topoisomerase I. 1998 , 38, 253-62	12
1197	The small GTP-binding protein RhoA regulates a delayed rectifier potassium channel. 1998 , 93, 1077-85	96
1196	ARF promotes MDM2 degradation and stabilizes p53: ARF-INK4a locus deletion impairs both the Rb and p53 tumor suppression pathways. 1998 , 92, 725-34	1394
1195	A novel adaptor protein orchestrates receptor patterning and cytoskeletal polarity in T-cell contacts. 1998 , 94, 667-77	593
1194	C-terminal end of v-src protein interacts with peptide coded by gadd7/adapt15-like RNA in two-hybrid system. 1998 , 422, 79-84	5
1193	Transactivation potential of the C-terminus of human Nm23-H1. 1998 , 423, 235-8	11
1192	Interaction of Oct-1 and automodification domain of poly(ADP-ribose) synthetase. 1998 , 424, 27-32	74
1191	Cloning and characterization of MUPP1, a novel PDZ domain protein. 1998 , 424, 63-8	148
1190	Polypyrimidine tract-binding protein interacts with HnRNP L. 1998 , 425, 401-6	61
1189	Differential actin organization by vinculin isoforms: implications for cell type-specific microfilament anchorage. 1998 , 431, 49-54	25
1188	p53 and the ribosomal protein L5 participate in high molecular mass complex formation with protein kinase CK2 in murine teratocarcinoma cell line F9 after serum stimulation and cisplatin treatment. 1998 , 434, 115-20	17
1187	Identification of a possible MAP kinase cascade in Arabidopsis thaliana based on pairwise yeast two-hybrid analysis and functional complementation tests of yeast mutants. 1998 , 437, 56-60	96
1186	A phage-based system to select multiple protein-protein interactions simultaneously from combinatorial libraries. 1998 , 440, 135-40	9
1185	The product of the mammalian orthologue of the Saccharomyces cerevisiae HBS1 gene is phylogenetically related to eukaryotic release factor 3 (eRF3) but does not carry eRF3-like activity. 1998 , 440, 387-92	36

1184	A model of elegance. 1998 , 63, 955-61	17
1183	Yeast two-hybrid: so many interactions, (in) so little time. 1998 , 58, 302-11	108
1182	Structure and function of the peripheral-type benzodiazepine receptor in steroidogenic cells. 1998 , 217, 130-42	68
1181	Identification of novel mRNA transcripts of the nm23-M1 gene that are modulated during mouse embryo development and are differently expressed in adult murine tissues. 1998 , 17, 1047-55	7
1180	Identification of tuftelin- and amelogenin-interacting proteins using the yeast two-hybrid system. 1998 , 38, 257-67;discussion 295-303	24
1179	Apolipoprotein(a) binds to low-density lipoprotein at two distant sites in lipoprotein(a). 1998 , 37, 9284-94	20
1178	Essential binding and functional domains of human bleomycin hydrolase. 1998 , 37, 2282-90	30
1177	Interaction between a Ca ²⁺ -binding protein calreticulin and perforin, a component of the cytotoxic T-cell granules. 1998 , 37, 10386-94	77
1176	Nopp140 functions as a molecular link between the nucleolus and the coiled bodies. 1998 , 142, 319-29	138
1175	The AMP-activated/SNF1 protein kinase subfamily: metabolic sensors of the eukaryotic cell?. 1998 , 67, 821-55	1282
1174	Inhibition of HIV replication by capsid mutant C6b. 1998 , 242, 313-6	14
1173	Genetic analysis on the NifW by utilizing the yeast two-hybrid system revealed that the NifW of <i>Azotobacter vinelandii</i> interacts with the NifZ to form higher-order complexes. 1998 , 244, 498-504	15
1172	Direct interaction between the intracellular domains of bullous pemphigoid antigen 2 (BP180) and beta 4 integrin, hemidesmosomal components of basal keratinocytes. 1998 , 243, 694-9	56
1171	Mapping of ezrin dimerization using yeast two-hybrid screening. 1998 , 243, 874-7	8
1170	Cloning and developmental expression of a nuclear ubiquitin-conjugating enzyme (DmUbc9) that interacts with small heat shock proteins in <i>Drosophila melanogaster</i> . 1998 , 244, 102-9	48
1169	Interaction of the second coding exon of Tat with human EF-1 delta delineates a mechanism for HIV-1-mediated shut-off of host mRNA translation. 1998 , 244, 384-9	43
1168	Alpha 4 associates with protein phosphatases 2A, 4, and 6. 1998 , 247, 827-32	160
1167	Evidence that acetyl-CoA carboxylase isoforms play different biological roles in H9c2 cardiomyocyte. 1998 , 248, 490-6	8

1166	Human dynamin-like protein interacts with the glycogen synthase kinase 3beta. 1998 , 249, 697-703	23
1165	The use of the yeast two hybrid system to evaluate ErbB-3 interactions with SH2 domain containing proteins. 1998 , 251, 903-6	7
1164	Phosphoinositide-specific phospholipase C interacts with phosphatidylinositol kinase homolog TOR2. 1998 , 252, 285-9	7
1163	Isolation of ATMEKK1 (a MAP kinase kinase kinase)-interacting proteins and analysis of a MAP kinase cascade in Arabidopsis. 1998 , 253, 532-43	162
1162	Human T cell cyclophilin18 binds to thiol-specific antioxidant protein Aop1 and stimulates its activity. 1998 , 277, 763-9	65
1161	pyrH-encoded UMP-kinase directly participates in pyrimidine-specific modulation of promoter activity in Escherichia coli. 1998 , 280, 571-82	47
1160	Molecular interactions between the coactivator CBP and the human T-cell leukemia virus Tax protein. 1998 , 281, 395-400	51
1159	Functional and structural characterization of the prp3 binding domain of the yeast prp4 splicing factor. 1998 , 284, 673-87	31
1158	CIPP, a novel multivalent PDZ domain protein, selectively interacts with Kir4.0 family members, NMDA receptor subunits, neurexins, and neuroligins. 1998 , 11, 161-72	108
1157	Using genetic means to dissect homologous and heterologous protein-protein interactions of PKR, the interferon-induced protein kinase. 1998 , 15, 207-23	7
1156	Hermansky-Pudlak syndrome: models for intracellular vesicle formation. 1998 , 65, 85-96	73
1155	Interaction trap/two-hybrid system to identify interacting proteins. 2001 , Chapter 19, Unit19.2	8
1154	Rotavirus RNA-binding protein NSP3 interacts with eIF4GI and evicts the poly(A) binding protein from eIF4F. 1998 , 17, 5811-21	283
1153	New COP1-binding motifs involved in ER retrieval. 1998 , 17, 6863-70	74
1152	Recruitment of a protein complex containing Tat and cyclin T1 to TAR governs the species specificity of HIV-1 Tat. 1998 , 17, 7056-65	232
1151	Molecular Genetics of Host-Specific Toxins in Plant Disease. 1998 ,	3
1150	Fission yeast Slp1: an effector of the Mad2-dependent spindle checkpoint. 1998 , 279, 1045-7	336
1149	A viral mechanism for inhibition of the cellular phosphatase calcineurin. 1998 , 281, 562-5	101

1148	Flavonoids in the Living System. 1998 ,	11
1147	Three novel proteins of the syntaxin/SNAP-25 family. 1998 , 273, 34171-9	164
1146	High Throughput, Mechanism-Based Screening Techniques for Discovering Novel Agrochemicals. 1998 , 3, 175-181	8
1145	A role for tissue factor in cell adhesion and migration mediated by interaction with actin-binding protein 280. 1998 , 140, 1241-53	265
1144	BOD (Bcl-2-related ovarian death gene) is an ovarian BH3 domain-containing proapoptotic Bcl-2 protein capable of dimerization with diverse antiapoptotic Bcl-2 members. 1998 , 12, 1432-40	110
1143	Protein-to-protein interactions: criteria defining the assembly of the enamel organic matrix. 1998 , 77, 496-502	45
1142	Determination of the functional domain organization of the importin alpha nuclear import factor. 1998 , 143, 309-18	106
1141	Pan1p, yeast eps15, functions as a multivalent adaptor that coordinates protein-protein interactions essential for endocytosis. 1998 , 141, 71-84	208
1140	A recombination based method to rapidly assess specificity of two-hybrid clones in yeast. 1998 , 26, 2252-3	17
1139	Mutation detection by a two-hybrid assay. 1998 , 7, 1029-32	19
1138	Multiple domains of fission yeast Cdc19p (MCM2) are required for its association with the core MCM complex. 1998 , 9, 1833-45	47
1137	A mobile PTS2 receptor for peroxisomal protein import in <i>Pichia pastoris</i> . 1998 , 140, 807-20	80
1136	Mutations in the hydrophobic surface of an amphipathic groove of 14-3-3zeta disrupt its interaction with Raf-1 kinase. 1998 , 273, 16297-304	84
1135	Synergistic activation of the N-methyl-D-aspartate receptor subunit 1 promoter by myocyte enhancer factor 2C and Sp1. 1998 , 273, 26218-24	77
1134	ZW10 helps recruit dynactin and dynein to the kinetochore. 1998 , 142, 763-74	229
1133	Mapping the domains of the interaction of the vitamin D receptor and steroid receptor coactivator-1. 1998 , 12, 57-65	39
1132	Differential membrane localization and intermolecular associations of alpha-dystrobrevin isoforms in skeletal muscle. 1998 , 142, 1269-78	104
1131	Ciao 1 is a novel WD40 protein that interacts with the tumor suppressor protein WT1. 1998 , 273, 10880-7	54

1130	Pex17p of <i>Saccharomyces cerevisiae</i> is a novel peroxin and component of the peroxisomal protein translocation machinery. 1998 , 140, 49-60	140
1129	Miranda mediates asymmetric protein and RNA localization in the developing nervous system. 1998 , 12, 1847-57	202
1128	RNase L dimerization in a mammalian two-hybrid system in response to 2',5'-oligoadenylates. 1998 , 26, 1522-7	21
1127	Identification of a candidate human spectrin Src homology 3 domain-binding protein suggests a general mechanism of association of tyrosine kinases with the spectrin-based membrane skeleton. 1998 , 273, 13681-92	74
1126	Molecular cloning of a novel member of the eukaryotic polypeptide chain-releasing factors (eRF). Its identification as eRF3 interacting with eRF1. 1998 , 273, 22254-9	82
1125	Identification of a novel MCM3-associated protein that facilitates MCM3 nuclear localization. 1998 , 273, 22177-80	27
1124	Role of the putative zinc finger domain of <i>Saccharomyces cerevisiae</i> DNA polymerase epsilon in DNA replication and the S/M checkpoint pathway. 1998 , 273, 30046-55	68
1123	Maize endosperm ADP-glucose pyrophosphorylase SHRUNKEN2 and BRITTLE2 subunit interactions. 1998 , 10, 1295-306	42
1122	6.11 A systematic approach to the study of protein secretion in gram-negative bacteria. 1998 , 27, 301-318	1
1121	Distinct cytoplasmic regions of the prolactin receptor are required for prolactin-induced calcium entry. 1998 , 273, 28461-9	20
1120	C-Nap1, a novel centrosomal coiled-coil protein and candidate substrate of the cell cycle-regulated protein kinase Nek2. 1998 , 141, 1563-74	362
1119	FCP1, the RAP74-interacting subunit of a human protein phosphatase that dephosphorylates the carboxyl-terminal domain of RNA polymerase II. 1998 , 273, 27593-601	123
1118	A role for the MAP kinase gene MKC1 in cell wall construction and morphological transitions in <i>Candida albicans</i> . 1998 , 144 (Pt 2), 411-424	122
1117	A regulatory role for RIP140 in nuclear receptor activation. 1998 , 12, 864-81	193
1116	Point mutations in the WD40 domain of Eed block its interaction with Ezh2. 1998 , 18, 5634-42	87
1115	Inhibition of estrogen receptor action by the orphan receptor SHP (short heterodimer partner). 1998 , 12, 1551-7	128
1114	Agonist and antagonists induce homodimerization and mixed ligand heterodimerization of human progesterone receptors in vivo by a mammalian two-hybrid assay. 1998 , 12, 1914-30	48
1113	Analysis of protein interactions between protein phosphatase 1 and noncatalytic subunits using the yeast two-hybrid assay. 1998 , 93, 251-61	3

1112	Biochemical and genetic evidence for complex formation between the influenza A virus NS1 protein and the interferon-induced PKR protein kinase. 1998 , 18, 757-66	115
1111	The microbial postgenomic era: promises, problems and prospects. 1998 , 7, 145-8	3
1110	Regulation of protein phosphatase 2A activity by caspase-3 during apoptosis. 1998 , 273, 13119-28	122
1109	Interaction between hamartin and tuberlin, the TSC1 and TSC2 gene products. 1998 , 7, 1053-7	416
1108	Molecular cloning of xSRC-3, a novel transcription coactivator from <i>Xenopus</i> , that is related to AIB1, p/CIP, and TIF2. 1998 , 12, 1038-47	37
1107	Using <i>Caenorhabditis elegans</i> to study vesicular transport. 1998 , 296, 529-47	5
1106	Positive regulation of the human macrophage stimulating protein gene transcription. Identification of a new hepatocyte nuclear factor-4 (HNF-4) binding element and evidence that indicates direct association between NF-Y and HNF-4. 1998 , 273, 19339-47	25
1105	Identification of an interaction between the m-band protein skelemin and beta-integrin subunits. Colocalization of a skelemin-like protein with beta1- and beta3-integrins in non-muscle cells. 1998 , 273, 35039-47	32
1104	Neurofilament (NF) assembly; divergent characteristics of human and rodent NF-L subunits. 1998 , 273, 5101-8	53
1103	Identification and characterization of an unusual double serine/threonine protein phosphatase 2C in the malaria parasite <i>Plasmodium falciparum</i> . 1998 , 273, 11241-7	40
1102	Oligomerization domain-directed reassembly of active dihydrofolate reductase from rationally designed fragments. 1998 , 95, 12141-6	300
1101	Characterization of the two small subunits of <i>Saccharomyces cerevisiae</i> DNA polymerase delta. 1998 , 273, 19747-55	174
1100	Grb2 and its apoptotic isoform Grb3-3 associate with heterogeneous nuclear ribonucleoprotein C, and these interactions are modulated by poly(U) RNA. 1998 , 273, 7776-81	27
1099	DNA end-independent activation of DNA-PK mediated via association with the DNA-binding protein C1D. 1998 , 12, 2188-99	62
1098	Identification and analysis of the plant peroxisomal targeting signal 1 receptor NtPEX5. 1998 , 95, 13336-41	81
1097	A novel membrane-bound glutathione S-transferase functions in the stationary phase of the yeast <i>Saccharomyces cerevisiae</i> . 1998 , 273, 29915-22	101
1096	Interaction of Kar2p and Sls1p is required for efficient co-translational translocation of secreted proteins in the yeast <i>Yarrowia lipolytica</i> . 1998 , 273, 30903-8	50
1095	14-3-3 proteins interact with specific MEK kinases. 1998 , 273, 3476-83	125

1094	Identification of a CAP (adenylyl-cyclase-associated protein) homologous gene in <i>Lentinus edodes</i> and its functional complementation of yeast CAP mutants. 1998 , 144 (Pt 4), 1085-1093	18
1093	Radicol leads to selective depletion of Raf kinase and disrupts K-Ras-activated aberrant signaling pathway. 1998 , 273, 822-8	77
1092	Isolation and characterization of PNUTS, a putative protein phosphatase 1 nuclear targeting subunit. 1998 , 273, 4089-95	118
1091	Iqg1p, a yeast homologue of the mammalian IQGAPs, mediates <i>cdc42p</i> effects on the actin cytoskeleton. 1998 , 142, 443-55	89
1090	Identification of domains essential for the assembly of calcium/calmodulin-dependent protein kinase II holoenzymes. 1998 , 273, 31555-64	56
1089	The Fe65 adaptor protein interacts through its PID1 domain with the transcription factor CP2/LSF/LBP1. 1998 , 273, 20128-33	120
1088	Nuclear events in ethylene signaling: a transcriptional cascade mediated by ETHYLENE-INSENSITIVE3 and ETHYLENE-RESPONSE-FACTOR1. 1998 , 12, 3703-14	925
1087	Ligand- and nuclear factor-dependent change in hydrophobicity of thyroid hormone beta1 receptor. 1998 , 8, 343-52	3
1086	<i>Saccharomyces cerevisiae</i> Duo1p and Dam1p, novel proteins involved in mitotic spindle function. 1998 , 143, 1029-40	81
1085	The difference in recognition of terminal tripeptides as peroxisomal targeting signal 1 between yeast and human is due to different affinities of their receptor Pex5p to the cognate signal and to residues adjacent to it. 1998 , 273, 33635-43	160
1084	Protein Phosphatase Protocols. 1998 ,	2
1083	A novel splice variant of the cell death-promoting protein BAX. 1998 , 273, 11930-6	42
1082	GTPase activating specificity of RGS12 and binding specificity of an alternatively spliced PDZ (PSD-95/Dlg/ZO-1) domain. 1998 , 273, 17749-55	181
1081	Purification and characterization of the Sgs1 DNA helicase activity of <i>Saccharomyces cerevisiae</i> . 1998 , 273, 9644-50	150
1080	Interaction of eye protein kinase C and INAD in <i>Drosophila</i> . Localization of binding domains and electrophysiological characterization of a loss of association in transgenic flies. 1998 , 273, 17713-9	55
1079	Interaction of BTG1 and p53-regulated BTG2 gene products with mCaf1, the murine homolog of a component of the yeast CCR4 transcriptional regulatory complex. 1998 , 273, 22563-9	111
1078	Identification of limiting steps for efficient trans-activation of HIV-1 promoter by Tat in <i>Saccharomyces cerevisiae</i> . 1998 , 273, 28219-28	6
1077	A splicing variant of the Bcl-2 member Bok with a truncated BH3 domain induces apoptosis but does not dimerize with antiapoptotic Bcl-2 proteins in vitro. 1998 , 273, 30139-46	41

1076	Inhibition of Hsp70 ATPase activity and protein renaturation by a novel Hsp70-binding protein. 1998 , 273, 32883-8	85
1075	Mutational studies with Atp12p, a protein required for assembly of the mitochondrial F1-ATPase in yeast. Identification of domains important for Atp12p function and oligomerization. 1998 , 273, 2993-3002	13
1074	Mechanisms governing the activation and trafficking of yeast G protein-coupled receptors. 1998 , 9, 885-99	53
1073	Huntingtin interacts with cystathionine beta-synthase. 1998 , 7, 371-8	64
1072	Huntingtin interacts with a family of WW domain proteins. 1998 , 7, 1463-74	288
1071	Green fluorescent protein as a scaffold for intracellular presentation of peptides. 1998 , 26, 623-30	137
1070	In vitro assembly of an archaeal D-L-N RNA polymerase subunit complex reveals a eukaryote-like structural arrangement. 1998 , 26, 5562-7	23
1069	A serine/arginine-rich domain in the human U1 70k protein is necessary and sufficient for ASF/SF2 binding. 1998 , 273, 20629-35	38
1068	Interaction between the N-terminus of human topoisomerase I and SV40 large T antigen. 1998 , 26, 1841-7	36
1067	The yeast centrin, cdc31p, and the interacting protein kinase, Kic1p, are required for cell integrity. 1998 , 143, 751-65	69
1066	Maturation of wild-type and mutated frataxin by the mitochondrial processing peptidase. 1998 , 7, 1485-9	88
1065	Characterization of interactions between the mammalian polycomb-group proteins Enx1/EZH2 and EED suggests the existence of different mammalian polycomb-group protein complexes. 1998 , 18, 3586-95	212
1064	Snf1 protein kinase regulates phosphorylation of the Mig1 repressor in <i>Saccharomyces cerevisiae</i> . 1998 , 18, 6273-80	264
1063	Methods used to study subunit assembly of potassium channels. 1998 , 293, 3-17	4
1062	Assembly of ion channels. 1998 , 293, 17-32	5
1061	Identification of ion channel-associated proteins using the yeast two-hybrid system. 1998 , 293, 104-22	25
1060	Association of the Arabidopsis CTR1 Raf-like kinase with the ETR1 and ERS ethylene receptors. 1998 , 95, 5401-6	414
1059	Identification of a novel cortactin SH3 domain-binding protein and its localization to growth cones of cultured neurons. 1998 , 18, 5838-51	213

1058	Repression of GCN5 histone acetyltransferase activity via bromodomain-mediated binding and phosphorylation by the Ku-DNA-dependent protein kinase complex. 1998 , 18, 1349-58	108
1057	Identification and functional characterization of a novel nuclear localization signal present in the yeast Nab2 poly(A)+ RNA binding protein. 1998 , 18, 1449-58	61
1056	RACK1, a receptor for activated C kinase and a homolog of the beta subunit of G proteins, inhibits activity of src tyrosine kinases and growth of NIH 3T3 cells. 1998 , 18, 3245-56	238
1055	Spa2p interacts with cell polarity proteins and signaling components involved in yeast cell morphogenesis. 1998 , 18, 4053-69	210
1054	Identification of a translation initiation factor 3 (eIF3) core complex, conserved in yeast and mammals, that interacts with eIF5. 1998 , 18, 4935-46	163
1053	Maize Endosperm ADP-Glucose Pyrophosphorylase SHRUNKEN2 and BRITTLE2 Subunit Interactions. 1998 , 10, 1295	20
1052	Transdominant genetic analysis of a growth control pathway. 1998 , 95, 7508-13	72
1051	Interaction of the HIV-1 rev cofactor eukaryotic initiation factor 5A with ribosomal protein L5. 1998 , 95, 1607-12	70
1050	Distinct functional stoichiometry of potassium channel beta subunits. 1998 , 95, 1846-51	32
1049	Bridging of beta-catenin and glycogen synthase kinase-3beta by axin and inhibition of beta-catenin-mediated transcription. 1998 , 95, 3020-3	272
1048	Agrobacterium VirD2 protein interacts with plant host cyclophilins. 1998 , 95, 7040-5	97
1047	HIV-1 Vpr interacts with a human 34-kDa mov34 homologue, a cellular factor linked to the G2/M phase transition of the mammalian cell cycle. 1998 , 95, 3419-24	92
1046	Residues in the Swi5 zinc finger protein that mediate cooperative DNA binding with the Pho2 homeodomain protein. 1998 , 18, 6436-46	23
1045	A potential role for U2AF-SAP 155 interactions in recruiting U2 snRNP to the branch site. 1998 , 18, 4752-60	225
1044	Identification of a novel RING finger protein as a coregulator in steroid receptor-mediated gene transcription. 1998 , 18, 5128-39	185
1043	Increase in p202 expression during skeletal muscle differentiation: inhibition of MyoD protein expression and activity by p202. 1998 , 18, 1074-83	79
1042	Regulation of interferon-induced protein kinase PKR: modulation of P58IPK inhibitory function by a novel protein, P52rIPK. 1998 , 18, 859-71	78
1041	Studies of the interaction between Rad52 protein and the yeast single-stranded DNA binding protein RPA. 1998 , 18, 4400-6	121

1040	Pex19p, a farnesylated protein essential for peroxisome biogenesis. 1998 , 18, 616-28	166
1039	Double-stranded RNA-independent dimerization of interferon-induced protein kinase PKR and inhibition of dimerization by the cellular P58IPK inhibitor. 1998 , 18, 2431-43	103
1038	Disruption of PML subnuclear domains by the acidic IE1 protein of human cytomegalovirus is mediated through interaction with PML and may modulate a RING finger-dependent cryptic transactivator function of PML. 1998 , 18, 4899-913	158
1037	Glucose-regulated interaction of a regulatory subunit of protein phosphatase 1 with the Snf1 protein kinase in <i>Saccharomyces cerevisiae</i> . 1998 , 95, 6245-50	164
1036	Interaction of SP100 with HP1 proteins: a link between the promyelocytic leukemia-associated nuclear bodies and the chromatin compartment. 1998 , 95, 7316-21	228
1035	A bacterial two-hybrid system based on a reconstituted signal transduction pathway. 1998 , 95, 5752-6	1160
1034	A cytoplasmic protein, bystin, interacts with trophinin, tastin, and cytokeratin and may be involved in trophinin-mediated cell adhesion between trophoblast and endometrial epithelial cells. 1998 , 95, 5027-32	83
1033	RNA and protein interactions modulated by protein arginine methylation. 1998 , 61, 65-131	404
1032	Determination of functional domains in polypyrimidine-tract-binding protein. 1998 , 331 (Pt 1), 169-75	79
1031	ErbB3 (HER3) interaction with the p85 regulatory subunit of phosphoinositide 3-kinase. 1998 , 333 (Pt 3), 757-63	109
1030	Specificity of interaction between adaptor-complex medium chains and the tyrosine-based sorting motifs of TGN38 and Igp120. 1998 , 335 (Pt 3), 567-72	46
1029	Human carbon catabolite repressor protein (CCR4)-associative factor 1: cloning, expression and characterization of its interaction with the B-cell translocation protein BTG1. 1998 , 336 (Pt 2), 471-81	75
1028	Interactions of the human, plant and yeast ornithine decarboxylase subunits and human antizyme. 1998 , 26, 601-6	4
1027	AvrXa10 contains an acidic transcriptional activation domain in the functionally conserved C terminus. 1998 , 11, 824-32	145
1026	Interaction of huntingtin-associated protein with dynactin P150Glued. 1998 , 18, 1261-9	234
1025	Hemidesmosome formation is initiated by the beta4 integrin subunit, requires complex formation of beta4 and HD1/plectin, and involves a direct interaction between beta4 and the bullous pemphigoid antigen 180. 1998 , 142, 271-84	154
1024	Current Problems and Technical Solutions in Protein Biochemistry. 1998 , 3-120	6
1023	Efficient large-scale transformation of yeast. 1998 , 24, 596-8, 600	15

1022	Localization of postsynaptic density-93 to dendritic microtubules and interaction with microtubule-associated protein 1A. 1998 , 18, 8805-13	176
1021	G-protein beta-subunit specificity in the fast membrane-delimited inhibition of Ca ²⁺ channels. 1998 , 18, 9163-70	113
1020	The stretch of C-terminal acidic amino acids of translational release factor eRF1 is a primary binding site for eRF3 of fission yeast. 1998 , 4, 958-72	92
1019	Molecular Chaperone GRP94 Binds to the Fanconi Anemia Group C Protein and Regulates Its Intracellular Expression. 1998 , 91, 4379-4386	53
1018	A Novel Human Actin-Binding Protein Homologue That Binds to Platelet Glycoprotein Ib?. 1998 , 92, 1268-1276	49
1017	Abnormal Microsomal Detoxification Implicated in Fanconi Anemia Group C by Interaction of the FAC Protein With NADPH Cytochrome P450 Reductase. 1998 , 92, 3050-3056	130
1016	Identification and mutagenesis of a highly conserved domain in troponin T responsible for troponin I binding: potential role for coiled coil interaction. 1998 , 95, 957-62	63
1015	Cryopreserved yeast cells suitable for routine, small-scale transformations. 1998 , 25, 792-4, 796	7
1014	Site-Directed Mutagenesis and Protein Engineering. 1998 , 259-I	
1013	Human CUL1 forms an evolutionarily conserved ubiquitin ligase complex (SCF) with SKP1 and an F-box protein. 1998 , 95, 7451-6	119
1012	Quantitation of beta-galactosidase from yeast cells using a chemiluminescent substrate. 1999 , 26, 57-8	6
1011	Application of the green fluorescent protein as a reporter for Ace1-based, two-hybrid studies. 1999 , 27, 86-8, 92-4	4
1010	Why FRET over genomics?. 1999 , 1, 93-9	26
1009	Cloning and characterization of neuropilin-1-interacting protein: a PSD-95/Dlg/ZO-1 domain-containing protein that interacts with the cytoplasmic domain of neuropilin-1. 1999 , 19, 6519-27	242
1008	The titin cDNA sequence and partial genomic sequences: insights into the molecular genetics, cell biology and physiology of the titin filament system. 1999 , 138, 19-55	7
1007	The yeast <i>Saccharomyces cerevisiae</i> : insights from the first complete eukaryotic genome sequence. 1999 , 78-134	
1006	Overexpression of truncated Nmd3p inhibits protein synthesis in yeast. 1999 , 5, 1055-70	25
1005	2. Roles of the AMP-activated/SNFI protein kinase family in the response to cellular stress. 1999 , 13-28	4

1004	Abstracts of the Belgian Association of Biochemistry and Molecular Biology, 172nd Reunion, Namur (FUNDP), 8th May 1999. 1999 , 107, 403-427	
1003	Functional analysis of the interaction between VPg-proteinase (NIa) and RNA polymerase (NIb) of tobacco etch potyvirus, using conditional and suppressor mutants. 1999 , 73, 8732-40	49
1002	Postsynaptic density-93 interacts with the delta2 glutamate receptor subunit at parallel fiber synapses. 1999 , 19, 3926-34	88
1001	Polo-like kinase 1 as a target for human cytomegalovirus pp65 lower matrix protein. 1999 , 73, 1468-78	37
1000	C-terminal interaction of translational release factors eRF1 and eRF3 of fission yeast: G-domain uncoupled binding and the role of conserved amino acids. 1999 , 5, 739-50	61
999	A general strategy to enhance the potency of chimeric transcriptional activators. 1999 , 96, 13898-903	20
998	Nuclear import of hepatic glucokinase depends upon glucokinase regulatory protein, whereas export is due to a nuclear export signal sequence in glucokinase. 1999 , 274, 37125-30	105
997	The CREB constitutive activation domain interacts with TATA-binding protein-associated factor 110 (TAF110) through specific hydrophobic residues in one of the three subdomains required for both activation and TAF110 binding. 1999 , 274, 11672-8	42
996	Vinexin: a novel vinculin-binding protein with multiple SH3 domains enhances actin cytoskeletal organization. 1999 , 144, 59-69	160
995	The cloning of plant E2F, a retinoblastoma-binding protein, reveals unique and conserved features with animal G(1)/S regulators. 1999 , 27, 3527-33	109
994	An additional region of coactivator GRIP1 required for interaction with the hormone-binding domains of a subset of nuclear receptors. 1999 , 274, 3496-502	70
993	A direct interaction between EXT proteins and glycosyltransferases is defective in hereditary multiple exostoses. 1999 , 8, 2155-64	68
992	Immunophilins, Refsum disease, and lupus nephritis: the peroxisomal enzyme phytanoyl-CoA alpha-hydroxylase is a new FKBP-associated protein. 1999 , 96, 2104-9	38
991	A nuclear factor, ASC-2, as a cancer-amplified transcriptional coactivator essential for ligand-dependent transactivation by nuclear receptors in vivo. 1999 , 274, 34283-93	169
990	Hormone-independent transcriptional activation and coactivator binding by novel orphan nuclear receptor ERR3. 1999 , 274, 22618-26	218
989	Isolation of cDNAs that cover the entire coding region of a novel human protein D40. 1999 , 69-70	
988	Caspase inhibition by baculovirus P35 requires interaction between the reactive site loop and the beta-sheet core. 1999 , 274, 25995-6002	27
987	Regulation of apoptotic protease activating factor-1 oligomerization and apoptosis by the WD-40 repeat region. 1999 , 274, 20855-60	84

986	Hunting with traps: genome-wide strategies for gene discovery and functional analysis. 1999 , 9, 1019-25	27
985	Translational repression by human 4E-BP1 in yeast specifically requires human eIF4E as target. 1999 , 274, 3261-4	18
984	Analysis of the MRP8-MRP14 protein-protein interaction by the two-hybrid system suggests a prominent role of the C-terminal domain of S100 proteins in dimer formation. 1999 , 274, 183-8	67
983	Kalirin inhibition of inducible nitric-oxide synthase. 1999 , 274, 993-9	96
982	Pituitary tumor-transforming gene protein associates with ribosomal protein S10 and a novel human homologue of DnaJ in testicular cells. 1999 , 274, 3151-8	34
981	Involvement of Pex13p in Pex14p localization and peroxisomal targeting signal 2-dependent protein import into peroxisomes. 1999 , 144, 1151-62	155
980	Activation of Fc epsilon RI inhibits the pyruvate kinase through direct interaction with the gamma-chain. 1999 , 119, 95-100	16
979	Transposon mutagenesis for the analysis of protein production, function, and localization. 1999 , 303, 512-32	23
978	ZRP-1, a zyxin-related protein, interacts with the second PDZ domain of the cytosolic protein tyrosine phosphatase hPTP1E. 1999 , 274, 20679-87	44
977	Yeast forward and reverse 'n'-hybrid systems. 1999 , 27, 919-29	183
976	Specific interaction between DNA polymerase II (PolD) and RadB, a Rad51/Dmc1 homolog, in <i>Pyrococcus furiosus</i> . 1999 , 27, 4695-702	28
975	Identification of NSF as a beta-arrestin1-binding protein. Implications for beta2-adrenergic receptor regulation. 1999 , 274, 10677-80	115
974	NS5A, a nonstructural protein of hepatitis C virus, binds growth factor receptor-bound protein 2 adaptor protein in a Src homology 3 domain/ligand-dependent manner and perturbs mitogenic signaling. 1999 , 96, 5533-8	200
973	Gene activation by triplex-forming oligonucleotide coupled to the activating domain of protein VP16. 1999 , 27, 3995-4000	39
972	Yeast homologues of tomosyn and lethal giant larvae function in exocytosis and are associated with the plasma membrane SNARE, Sec9. 1999 , 146, 125-40	185
971	An invasion-associated <i>Salmonella</i> protein modulates the actin-bundling activity of plastin. 1999 , 96, 10176-81	173
970	HEED, the product of the human homolog of the murine eed gene, binds to the matrix protein of HIV-1. 1999 , 274, 1635-45	40
969	Identification of a cDNA encoding a retinoid X receptor homologue from <i>Schistosoma mansoni</i> . Evidence for a role in female-specific gene expression. 1999 , 274, 4577-85	62

968	Aberrant interactions of transcriptional repressor proteins with the Huntington's disease gene product, huntingtin. 1999 , 8, 1647-55	242
967	Identification of a domain of Axin that binds to the serine/threonine protein phosphatase 2A and a self-binding domain. 1999 , 274, 3439-45	200
966	Interaction between human topoisomerase I and a novel RING finger/arginine-serine protein. 1999 , 27, 2538-44	67
965	The <i>Saccharomyces cerevisiae</i> homologue of human Wiskott-Aldrich syndrome protein Las17p interacts with the Arp2/3 complex. 1999 , 10, 3521-38	141
964	Sec34p, a protein required for vesicle tethering to the yeast Golgi apparatus, is in a complex with Sec35p. 1999 , 147, 729-42	118
963	The interaction and colocalization of Sam68 with the splicing-associated factor YT521-B in nuclear dots is regulated by the Src family kinase p59(fyn). 1999 , 10, 3909-26	152
962	An estrogen receptor-selective coregulator that potentiates the effectiveness of antiestrogens and represses the activity of estrogens. 1999 , 96, 6947-52	231
961	Specific interaction of the yeast cis-Golgi syntaxin Sed5p and the coat protein complex II component Sec24p of endoplasmic reticulum-derived transport vesicles. 1999 , 96, 3751-6	53
960	Stress-activated protein kinase-3 interacts with the PDZ domain of alpha1-syntrophin. A mechanism for specific substrate recognition. 1999 , 274, 12626-31	131
959	The eukaryotic polypeptide chain releasing factor (eRF3/GSPT) carrying the translation termination signal to the 3'-Poly(A) tail of mRNA. Direct association of erf3/GSPT with polyadenylate-binding protein. 1999 , 274, 16677-80	206
958	Detection of transient in vivo interactions between substrate and transporter during protein translocation into the endoplasmic reticulum. 1999 , 10, 329-44	74
957	A novel in vivo assay for the analysis of protein-protein interaction. 1999 , 27, i-v	1
956	A genetic strategy to eliminate self-activator baits prior to high-throughput yeast two-hybrid screens. 1999 , 9, 1128-34	48
955	A single amino acid substitution in the yeast mevalonate diphosphate decarboxylase leads to a defect in the homodimerization of the protein. 1999 , 146, 117-120	1
954	A yeast two-hybrid, systems based approach for the identification of novel pharmaceutical entities. 1999 , 9, 897-915	1
953	Homotypic interaction and multimerization of nucleocapsid protein of tomato spotted wilt tospovirus: identification and characterization of two interacting domains. 1999 , 96, 55-60	60
952	Alternative splicing determines the intracellular localization of the novel nuclear protein Nop30 and its interaction with the splicing factor SRp30c. 1999 , 274, 10951-62	29
951	Activation of the cAMP-specific phosphodiesterase PDE4D3 by phosphorylation. Identification and function of an inhibitory domain. 1999 , 274, 19677-85	70

950	The signaling adapter FRS-2 competes with Shc for binding to the nerve growth factor receptor TrkA. A model for discriminating proliferation and differentiation. 1999 , 274, 9861-70	175
949	C-terminal Src kinase associates with ligand-stimulated insulin-like growth factor-I receptor. 1999 , 274, 5422-8	48
948	MRG1 binds to the LIM domain of Lhx2 and may function as a coactivator to stimulate glycoprotein hormone alpha-subunit gene expression. 1999 , 274, 36159-67	88
947	Loss-of-function and dominant-negative mechanisms associated with hepatocyte nuclear factor-1beta mutations in familial type 2 diabetes mellitus. 1999 , 274, 12975-8	33
946	Tyrosine phosphorylation of the Bcl-2-associated protein BNIP-2 by fibroblast growth factor receptor-1 prevents its binding to Cdc42GAP and Cdc42. 1999 , 274, 33123-30	40
945	Selection of antibodies for intracellular function using a two-hybrid in vivo system. 1999 , 96, 11723-8	160
944	Precursor of pro-apoptotic cytokine modulates aminoacylation activity of tRNA synthetase. 1999 , 274, 16673-6	74
943	Activity of the human centrosomal kinase, Nek2, depends on an unusual leucine zipper dimerization motif. 1999 , 274, 16304-10	68
942	Cloning and characterization of PRAX-1. A new protein that specifically interacts with the peripheral benzodiazepine receptor. 1999 , 274, 2938-52	62
941	S100A12 is expressed exclusively by granulocytes and acts independently from MRP8 and MRP14. 1999 , 274, 25291-6	144
940	An inducible nitric-oxide synthase (NOS)-associated protein inhibits NOS dimerization and activity. 1999 , 274, 30250-7	67
939	Identification of a novel region critical for calcineurin function in vivo and in vitro. 1999 , 274, 18543-51	21
938	An SC35-like protein and a novel serine/arginine-rich protein interact with Arabidopsis U1-70K protein. 1999 , 274, 36428-38	91
937	A cytoskeletal localizing domain in the cyclase-associated protein, CAP/Srv2p, regulates access to a distant SH3-binding site. 1999 , 274, 19985-91	35
936	Negative cross-talk between hematopoietic regulators: GATA proteins repress PU.1. 1999 , 96, 8705-10	377
935	Transfection technologies. 2000 , 130, 91-102	6
934	Transcription Factor Protocols. 1999 ,	
933	Phospholipase C binds to the receptor-like GPR1 protein and controls pseudohyphal differentiation in <i>Saccharomyces cerevisiae</i> . 1999 , 274, 30052-8	69

932	Genetic analysis and enzyme activity suggest the existence of more than one minimal functional unit capable of synthesizing phosphoribosyl pyrophosphate in <i>Saccharomyces cerevisiae</i> . 1999 , 274, 12480-7	21
931	Identification of Tek/Tie2 binding partners. Binding to a multifunctional docking site mediates cell survival and migration. 1999 , 274, 30896-905	159
930	Interaction of the alpha(1B)-adrenergic receptor with gC1q-R, a multifunctional protein. 1999 , 274, 21149-54	55
929	Hepatitis C virus core protein binds to a DEAD box RNA helicase. 1999 , 274, 15751-6	132
928	The common tetratricopeptide repeat acceptor site for steroid receptor-associated immunophilins and hop is located in the dimerization domain of Hsp90. 1999 , 274, 2682-9	95
927	Regulation of protein phosphatase 2A activity by heat shock transcription factor 2. 1999 , 274, 12967-70	33
926	Tip60 is a nuclear hormone receptor coactivator. 1999 , 274, 17599-604	202
925	Interactions between neurogranin and calmodulin in vivo. 1999 , 274, 7689-94	77
924	The 193-kD vault protein, VPARP, is a novel poly(ADP-ribose) polymerase. 1999 , 146, 917-28	327
923	RAX, a cellular activator for double-stranded RNA-dependent protein kinase during stress signaling. 1999 , 274, 15427-32	188
922	A two-hybrid dual bait system to discriminate specificity of protein interactions. 1999 , 274, 17080-7	74
921	Clonal selection and in vivo quantitation of protein interactions with protein-fragment complementation assays. 1999 , 96, 5394-9	202
920	Progress and variations in two-hybrid and three-hybrid technologies. 1999 , 3, 64-70	81
919	Totally in vitro protein selection using mRNA-protein fusions and ribosome display. 1999 , 3, 268-73	100
918	Ionotropic glutamate receptors. 1999 , 3, 441-7	48
917	Chemistry or biology: which comes first after the genome is sequenced?. 1999 , 6, R327-33	19
916	Hybrid enzymes. 1999 , 10, 336-40	29
915	Differential interaction of the tSXV motifs of the NR1 and NR2A NMDA receptor subunits with PSD-95 and SAP97. 1999 , 11, 2031-43	69

914	Target genes and regulatory domains of the GAMYB transcriptional activator in cereal aleurone. 1999 , 17, 1-9	211
913	Potato StubSNF1 interacts with StubGAL83: a plant protein kinase complex with yeast and mammalian counterparts. 1999 , 17, 569-74	41
912	Arabidopsis thaliana proteins related to the yeast SIP and SNF4 interact with AKINalpha1, an SNF1-like protein kinase. 1999 , 18, 541-50	73
911	The UNUSUAL FLORAL ORGANS gene of Arabidopsis thaliana is an F-box protein required for normal patterning and growth in the floral meristem. 1999 , 20, 433-45	227
910	FtsZ dimerization in vivo. 1999 , 32, 265-74	10
909	The C-terminus of eRF1 defines a functionally important domain for translation termination in Saccharomyces cerevisiae. 1999 , 32, 485-96	75
908	Selection of the midcell division site in Bacillus subtilis through MinD-dependent polar localization and activation of MinC. 1999 , 33, 84-96	157
907	Finding Cinderella's slipper--proteins that fit. 1999 , 17, 639-40	107
906	An in vivo library-versus-library selection of optimized protein-protein interactions. 1999 , 17, 683-90	172
905	Rapid identification of DNA-binding proteins by mass spectrometry. 1999 , 17, 884-8	67
904	The protein MAP-1B links GABA(C) receptors to the cytoskeleton at retinal synapses. <i>Nature</i> , 1999 , 397, 66-9	50.4 121
903	ABP: a novel AMPA receptor binding protein. 1999 , 868, 561-4	15
902	Snapin: a SNARE-associated protein implicated in synaptic transmission. 1999 , 2, 119-24	189
901	Human homologue of the Drosophila melanogaster lats tumour suppressor modulates CDC2 activity. 1999 , 21, 177-81	228
900	A yeast two-hybrid system for discerning differential interactions using multiple baits. 1999 , 17, 1232-3	15
899	Termination of phototransduction requires binding of the NINAC myosin III and the PDZ protein INAD. 1999 , 2, 447-53	112
898	c-MYC interacts with INI1/hSNF5 and requires the SWI/SNF complex for transactivation function. 1999 , 22, 102-5	315
897	Functional association of TGF-beta receptor II with cyclin B. 1999 , 18, 269-75	40

896	Physical interaction of the bHLH LYL1 protein and NF-kappaB1 p105. 1999 , 18, 995-1005	33
895	The Bcl-3 oncoprotein acts as a bridging factor between NF-kappaB/Rel and nuclear co-regulators. 1999 , 18, 3316-23	263
894	Inhibition of mammalian cell proliferation by genetically selected peptide aptamers that functionally antagonize E2F activity. 1999 , 18, 4357-63	80
893	NF-kappaB subunit p65 binds to 53BP2 and inhibits cell death induced by 53BP2. 1999 , 18, 5177-86	103
892	MBP1: a novel mutant p53-specific protein partner with oncogenic properties. 1999 , 18, 3608-16	51
891	FMIP, a novel Fms-interacting protein, affects granulocyte/macrophage differentiation. 1999 , 18, 6488-95	40
890	Nmi protein interacts with regions that differ between MycN and Myc and is localized in the cytoplasm of neuroblastoma cells in contrast to nuclear MycN. 1999 , 18, 6810-7	31
889	Interaction partners of Dlk/ZIP kinase: co-expression of Dlk/ZIP kinase and Par-4 results in cytoplasmic retention and apoptosis. 1999 , 18, 7265-73	95
888	The promyelocytic leukemia protein PML interacts with the proline-rich homeodomain protein PRH: a RING may link hematopoiesis and growth control. 1999 , 18, 7091-100	56
887	Hepatitis C virus core protein interacts with a human DEAD box protein DDX3. 1999 , 257, 330-40	163
886	Self-interaction of the herpes simplex virus type 1 regulatory protein ICP27. 1999 , 257, 341-51	39
885	Potyvirus helper component-proteinase self-interaction in the yeast two-hybrid system and delineation of the interaction domain involved. 1999 , 258, 95-9	47
884	Isolation and characterization of an oligomerization-negative mutant of HIV-1 integrase. 1999 , 259, 274-85	27
883	Oligomerization of the influenza virus nucleoprotein: identification of positive and negative sequence elements. 1999 , 260, 190-200	67
882	Second site mutations in the N-terminus of the major capsid protein (VP5) overcome a block at the maturation cleavage site of the capsid scaffold proteins of herpes simplex virus type 1. 1999 , 261, 357-66	29
881	The tomato golden mosaic virus transactivator (TrAP) is a single-stranded DNA and zinc-binding phosphoprotein with an acidic activation domain. 1999 , 263, 1-14	78
880	Mechanism of action of the Rep protein from the Dictyostelium Ddp2 plasmid family. 1999 , 41, 248-59	1
879	A versatile bait vector allowing rapid isolation of prey vectors in Gal4-dependent yeast two-hybrid screens. 1999 , 42, 139-43	3

878	The nucleocapsid protein of coronavirus mouse hepatitis virus interacts with the cellular heterogeneous nuclear ribonucleoprotein A1 in vitro and in vivo. 1999 , 265, 96-109	62
877	GRAB proteins, novel members of the NAC domain family, isolated by their interaction with a geminivirus protein. 1999 , 39, 647-56	186
876	BTF3 is a potential new substrate of protein kinase CK2. 1999 , 191, 121-128	14
875	Protein kinase CK2a may induce gene expression but unlikely acts directly as a DNA-binding transcription-activating factor. 1999 , 191, 129-134	4
874	Yeast Two-Hybrid: State of the Art. 1999 , 2, 1-38	75
873	Aiolos transcription factor controls cell death in T cells by regulating Bcl-2 expression and its cellular localization. 1999 , 18, 3419-30	69
872	Post-replicative base excision repair in replication foci. 1999 , 18, 3834-44	265
871	Repressor binding to a dorsal regulatory site traps human eIF4E in a high cap-affinity state. 1999 , 18, 4068-75	111
870	Nuclear import of RPA in <i>Xenopus</i> egg extracts requires a novel protein XRIPalpha but not importin alpha. 1999 , 18, 4348-58	55
869	The polo-like protein kinases Fnk and Snk associate with a Ca(2+)- and integrin-binding protein and are regulated dynamically with synaptic plasticity. 1999 , 18, 5528-39	168
868	The E2-E3 interaction in the N-end rule pathway: the RING-H2 finger of E3 is required for the synthesis of multiubiquitin chain. 1999 , 18, 6832-44	133
867	Physical interactions among circadian clock proteins KaiA, KaiB and KaiC in cyanobacteria. 1999 , 18, 1137-45	139
866	Activity-dependent interaction of the intracellular domain of rat trkA with intermediate filament proteins, the beta-6 proteasomal subunit, Ras-GRF1, and the p162 subunit of eIF3. 1999 , 13, 141-58	36
865	Reporter gene vectors and assays. 1999 , 13, 29-44	60
864	Detecting protein function and protein-protein interactions from genome sequences. 1999 , 285, 751-3	1397
863	Yeast cells as tools for target-oriented screening. 1999 , 52, 311-20	33
862	GRC5 and NMD3 function in translational control of gene expression and interact genetically. 1999 , 34, 419-29	43
861	The titin cDNA sequence and partial genomic sequences: Insights into the molecular genetics, cell biology and physiology of the titin filament system. 1999 , 138, 19-55	5

860	Lic4, a nuclear phosphoprotein that cooperates with calcineurin to regulate cation homeostasis in <i>Saccharomyces cerevisiae</i> . 1999 , 261, 388-401	14
859	Isolation, molecular characterization, and tissue-specific expression of ECP-51 and ECP-54 (TIP49), two homologous, interacting erythroid cytosolic proteins. 1999 , 1446, 365-70	24
858	Functional assessment of surface loops: deletion of eukaryote-specific peptide inserts in thymidylate synthase of <i>Saccharomyces cerevisiae</i> . 1999 , 1430, 1-13	2
857	The selection of intracellular antibodies. 1999 , 17, 115-21	132
856	Prospects for drug screening using the reverse two-hybrid system. 1999 , 17, 374-81	78
855	Monogenic traits are not simple: lessons from phenylketonuria. 1999 , 15, 267-72	359
854	Direct interaction between the ARF-specific guanine nucleotide exchange factor msec7-1 and presynaptic Munc13-1. 1999 , 78, 533-8	31
853	The role of lats in cell cycle regulation and tumorigenesis. 1999 , 1424, M9-M16	9
852	Proteomics in drug discovery. 1999 , 4, 129-133	42
851	Yeast two-hybrid system: part A: screen preparation. 1999 , 4, 6-15	3
850	Yeast two-hybrid system: part B: screening procedure. 1999 , 4, 30-34	
849	Yeast two-hybrid system: part C: characterizing positives. 1999 , 4, 35-44	3
848	Protein interactions of Gts1p of <i>Saccharomyces cerevisiae</i> throughout a region similar to a cytoplasmic portion of some ATP-binding cassette transporters. 1999 , 259, 112-9	9
847	Protein analysis by mass spectrometry and sequence database searching: tools for cancer research in the post-genomic era. 1999 , 20, 310-9	90
846	Protein kinase CK2 and its role in cellular proliferation, development and pathology. 1999 , 20, 391-408	356
845	MEKK1 interacts with alpha-actinin and localizes to stress fibers and focal adhesions. 1999 , 43, 186-98	82
844	Identification and characterization of the genes for two topoisomerase I-interacting proteins from <i>Saccharomyces cerevisiae</i> . 1999 , 15, 35-41	60
843	In vivo construction of cDNA libraries for use in the yeast two-hybrid system. 1999 , 15, 715-20	18

842	Hansenula polymorpha Pex1p and Pex6p are peroxisome-associated AAA proteins that functionally and physically interact. 1999 , 15, 1059-78	65
841	New tools for protein linkage mapping and general two-hybrid screening. 1999 , 15, 1761-8	17
840	Interaktion einer PDZ-Proteindomäne mit einer synthetischen Bibliothek aller C-Termini humaner Proteine. 1999 , 111, 2180-2184	7
839	Kinetic evidence for the PsaE-dependent transient ternary complex photosystem I/Ferredoxin/Ferredoxin:NADP(+) reductase in a cyanobacterium. 1999 , 38, 12735-46	48
838	Advances in the Characterization of the Pyrenophora tritici-repentis-Wheat Interaction. 1999 , 89, 444-9	64
837	Plant Cell and Tissue Culture for the Production of Food Ingredients. 1999 ,	10
836	Protein interaction methods--toward an endgame. 1999 , 284, 1948-50	115
835	Genetic selection of peptide inhibitors of biological pathways. 1999 , 285, 591-5	168
834	Differential stimulation of PKC phosphorylation of potassium channels by ZIP1 and ZIP2. 1999 , 285, 1565-9	111
833	DNA-induced conformational change of Gaf1, a novel GATA factor in Schizosaccharomyces pombe. 1999 , 77, 127-32	3
832	Inherited skeletal muscle disorders. 1999 , 26, 507-25	2
831	Control of the cell cycle and apoptosis. 1999 , 35, 531-539	90
830	Control of the cell cycle and apoptosis. 1999 , 35, 1886-94	195
829	Ubiquitin-related proteins regulate interaction of vimentin intermediate filaments with the plasma membrane. 1999 , 4, 619-25	102
828	SMRTER, a Drosophila nuclear receptor coregulator, reveals that EcR-mediated repression is critical for development. 1999 , 4, 175-86	176
827	Clustering of AMPA receptors by the synaptic PDZ domain-containing protein PICK1. 1999 , 22, 179-87	493
826	A dynamically regulated 14-3-3, Slob, and Slowpoke potassium channel complex in Drosophila presynaptic nerve terminals. 1999 , 22, 809-18	112
825	Mannosylphosphate transfer to yeast mannan. 1999 , 1426, 335-45	131

824	Protein-protein interaction of the Ro-ribonucleoprotein particle using multiple antigenic peptides. 1999 , 36, 1093-106	31
823	Signal perception and transduction: the role of protein kinases. 1999 , 1449, 1-24	147
822	Identification of a novel gene encoding a p53-associated protein. 1999 , 235, 93-101	44
821	Identification and characterization of Drosophila homolog of Rho-kinase. 1999 , 238, 437-44	45
820	Identification and characterization of mRNAs differentially expressed in thyroid cells stimulated by a mitogenic treatment. 1999 , 81, 309-14	1
819	Use of two-hybrid methodology for identifying proteins of interest in endocrinology. 1999 , 151, 137-41	3
818	Presence of activating transcription factor 4 (ATF4) in the porcine anterior pituitary. 1999 , 154, 151-9	29
817	Estrogen receptor variants ERdelta5 and ERdelta7 down-regulate wild-type estrogen receptor activity. 1999 , 156, 159-68	9
816	Two distinct regions of the BPV1 E1 replication protein interact with the activation domain of E2. 1999 , 65, 141-54	10
815	Protein tyrosine phosphatase zeta/RPTPbeta interacts with PSD-95/SAP90 family. 1999 , 72, 47-54	48
814	Identification of simian cyclophilin A as a calreticulin-binding protein in yeast two-hybrid screen and demonstration of cyclophilin A interaction with calreticulin. 1999 , 25, 345-51	12
813	A bioluminescence resonance energy transfer (BRET) system: application to interacting circadian clock proteins. 1999 , 96, 151-6	508
812	Xenopus axin interacts with glycogen synthase kinase-3 beta and is expressed in the anterior midbrain. 1999 , 80, 147-51	34
811	A double interaction screen identifies positive and negative ftz gene regulators and ftz-interacting proteins. 1999 , 83, 95-105	27
810	Interaction of the p23/p198 protein with ErbB-3. 1999 , 229, 215-21	8
809	C-terminal domains of human translation termination factors eRF1 and eRF3 mediate their in vivo interaction. 1999 , 443, 41-7	100
808	An Arabidopsis 14-3-3 protein can act as a transcriptional activator in yeast. 1999 , 443, 282-4	12
807	The Drosophila gene 2A5 complements the defect in mitochondrial F1-ATPase assembly in yeast lacking the molecular chaperone Atp11p. 1999 , 452, 305-8	11

806	STABLE: protein-DNA fusion system for screening of combinatorial protein libraries in vitro. 1999 , 457, 227-30	87
805	AATF, a novel transcription factor that interacts with Dlk/ZIP kinase and interferes with apoptosis. 1999 , 462, 187-91	68
804	An in vivo assay for the identification of target proteases which cleave membrane-associated substrates. 1999 , 463, 245-9	15
803	Now what do we do with all these genes? Yeast-based two-hybrid analysis: an emerging technology for molecular urology in the post-genome era. 1999 , 53, 835-42	1
802	Isoflavonoids: Biochemistry, Molecular Biology, and Biological Functions. 1999 , 773-823	64
801	Ternary complex formation between the MADS-box proteins SQUAMOSA, DEFICIENS and GLOBOSA is involved in the control of floral architecture in <i>Antirrhinum majus</i> . 1999 , 18, 5370-9	395
800	A novel regulator of G protein signalling in yeast, Rgs2, downregulates glucose-activation of the cAMP pathway through direct inhibition of Gpa2. 1999 , 18, 5577-91	115
799	Socs1 binds to multiple signalling proteins and suppresses steel factor-dependent proliferation. 1999 , 18, 904-15	176
798	Mapping protein-protein interactions with a library of tethered cutting reagents: the binding site of sigma 70 on <i>Escherichia coli</i> RNA polymerase. 1999 , 38, 4259-65	19
797	Adsorption of Biopolymer at Solid-Liquid Interfaces. 2. Interaction of BSA and DNA with Casein. 1999 , 15, 7139-7144	13
796	Interaction among the subunits of Golgi membrane mannosyltransferase complexes of the yeast <i>Saccharomyces cerevisiae</i> . 1999 , 63, 1970-6	27
795	Biosynthesis of Mycarose: Isolation and Characterization of Enzymes Involved in the C-2 Deoxygenation. 1999 , 121, 8124-8125	50
794	Characterization of NF-L and betaIIISigma1-spectrin interaction in live cells. 1999 , 250, 142-54	26
793	Transient overexpression of murine dishevelled genes results in apoptotic cell death. 1999 , 253, 637-48	16
792	Localization of the human nuclear receptor corepressor (hN-CoR) gene between the CMT1A and the SMS critical regions of chromosome 17p11.2. 1999 , 59, 339-41	1
791	The structural biology of the developing dental enamel matrix. 1999 , 126, 270-99	481
790	Synoretin--A new protein belonging to the synuclein family. 1999 , 13, 95-103	84
789	Applications of the yeast two-hybrid system. 1999 , 19, 330-7	18

788	Alzheimer's disease associated presenilin 1 interacts with HC5 and ZETA, subunits of the catalytic 20S proteasome. 1999 , 6, 376-91	23
787	Recruitment of TBP or TFIIB to a promoter proximal position leads to stimulation of RNA polymerase II transcription without activator proteins both in vivo and in vitro. 1999 , 256, 45-51	12
786	Epithelin/granulin growth factors: extracellular cofactors for HIV-1 and HIV-2 Tat proteins. 1999 , 256, 299-306	25
785	Molecular cloning, expression analysis, and chromosomal localization of human syntaxin 8 (STX8). 1999 , 257, 577-83	19
784	Lipocortin V may function as a signaling protein for vascular endothelial growth factor receptor-2/Flk-1. 1999 , 258, 713-21	19
783	Interaction between F plasmid partition proteins SopA and SopB. 1999 , 263, 113-7	16
782	Phosphorylation of ribosomal protein L5 by protein kinase CKII decreases its 5S rRNA binding activity. 1999 , 263, 475-81	15
781	Protein kinase CKII interacts with and phosphorylates the SAG protein containing ring-H2 finger motif. 1999 , 263, 743-8	19
780	Interaction between GPIIb/IIIa and FcγRIIIa receptor in human platelets. 1999 , 266, 24-7	26
779	A novel human gene encoding HECT domain and RCC1-like repeats interacts with cyclins and is potentially regulated by the tumor suppressor proteins. 1999 , 266, 115-22	44
778	A genetic screen to identify sequences that mediate protein oligomerization in Escherichia coli. 1999 , 266, 243-7	7
777	Negative regulation of male development in Caenorhabditis elegans by a protein-protein interaction between TRA-2A and FEM-3. 1999 , 13, 1453-63	79
776	Neuronal interleukin-16 (NIL-16): a dual function PDZ domain protein. 1999 , 19, 7770-80	78
775	Interaction trap/two-hybrid system to identify interacting proteins. 2001 , Chapter 20, Unit 20.1	11
774	Screening for protein-protein interactions. 1999 , 303, 422-50	2
773	Regulation of gene expression with synthetic dimerizers. 1999 , 306, 263-81	12
772	Nrg1 is a transcriptional repressor for glucose repression of STA1 gene expression in Saccharomyces cerevisiae. 1999 , 19, 2044-50	92
771	Chromatin opening and transactivator potentiation by RAP1 in Saccharomyces cerevisiae. 1999 , 19, 5279-88	89

770	Chemistry of Hypusine Formation on Eukaryotic Initiation Factor 5A in Biological Systems. 1999 , 46, 727-734	8
769	Regulation of glycogen synthase kinase 3beta and downstream Wnt signaling by axin. 1999 , 19, 7147-57	102
768	The yeast trimeric guanine nucleotide-binding protein alpha subunit, Gpa2p, controls the meiosis-specific kinase Ime2p activity in response to nutrients. 1999 , 19, 6110-9	46
767	Identification and analysis of the Arabidopsis thaliana BSH gene, a member of the SNF5 gene family. 1999 , 27, 2393-9	53
766	Detection of transcription factor partners with a yeast one hybrid screen. 2000 , 130, 59-77	12
765	Imp3p and Imp4p, two specific components of the U3 small nucleolar ribonucleoprotein that are essential for pre-18S rRNA processing. 1999 , 19, 5441-52	123
764	Genetic evidence for Pak1 autoinhibition and its release by Cdc42. 1999 , 19, 602-11	80
763	Context-dependent modulation of replication activity of Saccharomyces cerevisiae autonomously replicating sequences by transcription factors. 1999 , 19, 7428-35	15
762	The trithorax group gene moira encodes a brahma-associated putative chromatin-remodeling factor in Drosophila melanogaster. 1999 , 19, 1159-70	110
761	Identification and characterization of the human orthologue of yeast Pex14p. 1999 , 19, 2265-77	108
760	Functions of cyclin A1 in the cell cycle and its interactions with transcription factor E2F-1 and the Rb family of proteins. 1999 , 19, 2400-7	122
759	An mRNA stability complex functions with poly(A)-binding protein to stabilize mRNA in vitro. 1999 , 19, 4552-60	206
758	Ras-specific exchange factor GRF: oligomerization through its Dbl homology domain and calcium-dependent activation of Raf. 1999 , 19, 4611-22	81
757	Functional requirement of p23 and Hsp90 in telomerase complexes. 1999 , 13, 817-26	418
756	RNA polymerase III-based two-hybrid system. 1999 , 303, 411-22	8
755	Cloning and characterization of retinal transcription factors, using target site-based methodology. 2000 , 316, 590-610	5
754	Isolation of retinal proteins that interact with retinitis pigmentosa GTPase regulator by interaction trap screen in yeast. 2000 , 316, 688-704	23
753	Detecting interactions between membrane proteins in vivo using chimeras. 2000 , 327, 190-8	8

752	Analysis and identification of protein-protein interactions using protein recruitment systems. 2000 , 328, 47-59	5
751	The yeast tribid system: cDNA expression cloning of protein interactions dependent on posttranslational modifications. 2000 , 328, 111-27	1
750	The yeast split-hybrid system. 2000 , 328, 128-37	2
749	Selectively infective phage technology. 2000 , 328, 364-88	2
748	DNA-Binding Proteins. 2000 , 61, 587-617	
747	A green fluorescent protein-based reverse two-hybrid system: application to the characterization of large numbers of potential protein-protein interactions. 2000 , 328, 74-88	16
746	Interaction mating methods in two-hybrid systems. 2000 , 328, 26-46	52
745	Conserved sequences in the β subunit of archaeal and eukaryal translation initiation factor 2 (eIF2), absent from eIF5, mediate interaction with eIF2 γ . 2000 , 347, 703	13
744	A new method for the selection of protein interactions in mammalian cells. 2000 , 348, 585	7
743	Size of the ligand complex between the N-terminal domain of the gene III coat protein and the non-infectious phage strongly influences the usefulness of in vitro selective infective phage technology. 2000 , 352, 841	1
742	Conserved sequences in the β subunit of archaeal and eukaryal translation initiation factor 2 (eIF2), absent from eIF5, mediate interaction with eIF2 γ . 2000 , 347, 703-709	34
741	A new method for the selection of protein interactions in mammalian cells. 2000 , 348, 585-590	20
740	The all purpose gene fusion. 2000 , 326, 3-7	13
739	Yeast Two-Hybrid Library Screening. 2000 , 757-771	
738	Identification of receptor tyrosine kinase associating proteins using the yeast two-hybrid system. 2001 , 124, 251-70	2
737	Identification and characterization of an ataxin-1-interacting protein: A1Up, a ubiquitin-like nuclear protein. 2000 , 9, 2305-12	79
736	Affinity selection of DNA-binding proteins displayed on bacteriophage lambda. 2000 , 127, 1057-63	8
735	An immunosuppressive and anti-inflammatory HLA class I-derived peptide binds vascular cell adhesion molecule-1. 2000 , 70, 662-7	7

734	Ectopic expression of the ErbB-3 binding protein ebp1 inhibits growth and induces differentiation of human breast cancer cell lines. 2000 , 183, 321-9	79
733	The analysis of microbial proteomes: strategies and data exploitation. 2000 , 21, 1178-86	24
732	Yeast two-hybrid systems and protein interaction mapping projects for yeast and worm. 2000 , 17, 88-94	101
731	Uses of lacZ to study gene function: evaluation of beta-galactosidase assays employed in the yeast two-hybrid system. 2000 , 285, 1-15	98
730	A comprehensive characterization of the T-cell antigen receptor complex composition by microcapillary liquid chromatography-tandem mass spectrometry. 2000 , 21, 2180-95	19
729	Separation of intact pyruvate dehydrogenase complex using blue native agarose gel electrophoresis. 2000 , 21, 2925-31	34
728	LaXp180, a mammalian ActA-binding protein, identified with the yeast two-hybrid system, co-localizes with intracellular <i>Listeria monocytogenes</i> . 2000 , 2, 101-14	29
727	Versatile screening for binary protein-protein interactions by yeast two-hybrid mating. 2008 , 484, 145-59	18
726	Identification of protein interaction partners by the yeast two-hybrid system. 2009 , 538, 347-67	7
725	Analysis of membrane protein complexes using the split-ubiquitin membrane yeast two-hybrid (MYTH) system. 2009 , 548, 247-71	40
724	A bacterial/yeast merged two-hybrid system: protocol for bacterial screening. 2007 , 408, 291-315	1
723	Identification of SUMO-interacting proteins by yeast two-hybrid analysis. 2009 , 497, 107-20	26
722	Protein-Protein Interactions. 2008 , 463-494	3
721	Protein Engineering. 2008 , 587-629	2
720	Clone-based functional genomics. 2009 , 553, 141-77	2
719	General M13 phage display: M13 phage display in identification and characterization of protein-protein interactions. 2009 , 502, 321-39	25
718	Bioinformatical approaches to detect and analyze protein interactions. 2009 , 564, 401-31	1
717	Identification of DNA-binding proteins and protein-protein interactions by yeast one-hybrid and yeast two-hybrid screen. 2010 , 639, 171-92	6

716	Computational modeling in systems biology. 2010 , 662, 97-120	10
715	High-throughput mammalian two-hybrid screening for protein-protein interactions using transfected cell arrays (CAPPIA). 2011 , 723, 165-83	2
714	Construction of improved Yeast Two-Hybrid libraries. 2011 , 729, 71-84	5
713	Enabling technologies for yeast proteome analysis. 2011 , 759, 149-78	3
712	High-throughput analyses and curation of protein interactions in yeast. 2011 , 759, 381-406	5
711	Contributions of <i>Saccharomyces cerevisiae</i> to understanding mammalian gene function and therapy. 2011 , 759, 501-23	12
710	Quality control methodology for high-throughput protein-protein interaction screening. 2011 , 781, 279-94	5
709	A high-throughput gateway-compatible yeast one-hybrid screen to detect protein-DNA interactions. 2012 , 786, 335-55	7
708	Yeast two-hybrid screens: improvement of array-based screening results by N- and C-terminally tagged fusion proteins. 2012 , 815, 277-88	1
707	Matrix-based yeast two-hybrid screen strategies and comparison of systems. 2012 , 812, 1-20	4
706	The integration and annotation of the human interactome in the UniHI Database. 2012 , 812, 175-88	2
705	Investigation of membrane protein interactions using the split-ubiquitin membrane yeast two-hybrid system. 2012 , 812, 225-44	17
704	High-throughput yeast two-hybrid screening. 2012 , 812, 39-61	8
703	A stringent yeast two-hybrid matrix screening approach for protein-protein interaction discovery. 2012 , 812, 63-87	16
702	Interactome mapping in malaria parasites: challenges and opportunities. 2012 , 812, 121-45	3
701	Identifying gene interaction networks. 2012 , 850, 483-94	8
700	Approaches to cloning of pain-related ion channel genes. 2013 , 998, 3-19	2
699	Navigating the global protein-protein interaction landscape using iRefWeb. 2014 , 1091, 315-31	18

698	Use of the yeast two-hybrid technology to isolate molecular interactions of Ras GTPases. 2014 , 1120, 97-120	5
697	Data Journeys Beyond Databases in Systems Biology: Cytoscape and NDEx. 2020 , 121-143	3
696	Approaches to Identify and Characterise MYO6-Cargo Interactions. 2020 , 1239, 355-380	1
695	Protein-protein interactions: analysis and prediction. 2008 , 353-410	1
694	Functional Genomic Approaches for Mycorrhizal Research. 2007 , 17-33	2
693	Interactomics. 2010 , 4407-4428	2
692	High-Resolution Modeling of Cellular Signaling Networks. 2008 , 257-271	2
691	Integration of Full-Coverage Probabilistic Functional Networks with Relevance to Specific Biological Processes. 2009 , 31-46	4
690	Optimally Orienting Physical Networks. 2011 , 424-436	7
689	Genetic resistance to Marek's disease. 2001 , 255, 121-41	68
688	Application of Cell-free Expression Systems to Proteomic Studies. 2003 , 101-107	1
687	Activation of NF- κ B By Inflammatory Cytokines. 1999 , 31-42	1
686	cDNA Catalog of Fission Yeast (<i>Schizosaccharomyces pombe</i>) and Its Application for Cloning of Mammalian DNA Repair Gene. 1998 , 115-123	3
685	Transcriptional Regulation of the Maize Anthocyanin Pathway. 1994 , 381-390	1
684	Morphogenesis at the retrotransposon-retrovirus interface: gypsy and copia families in yeast and <i>Drosophila</i> . 1996 , 214, 261-96	23
683	Identification of the cis-acting sequences and trans-acting factors involved in nonsense-mediated mRNA decay. 1993 , 1-10	20
682	Regulation of C/EBP β /NF- κ B Activity by Kinase Oncogenes. 1996 , 129-136	5
681	Construction and prediction of protein-protein interaction maps. 2002 , 191-220	2

680	Signal Transduction Pathways Mediated by Heterotrimeric G Proteins. 2004 , 175-207	12
679	Plasma-Membrane and Related ATPases. 1996 , 29-56	7
678	Yeast Splicing Factors and Genetic Strategies for Their Analysis. 1995 , 79-95	9
677	3'-End Cleavage and polyadenylation of nuclear Messenger RNA Precursors. 1995 , 113-134	6
676	S-Locus Receptor Kinase Genes and Self-incompatibility in Brassica napus. 1996 , 217-230	4
675	Proteomics Defines Protein Interaction Network of Signaling Pathways. 2013 , 17-38	1
674	Yeast as Versatile Tool in Transcription Factor Research. 2000 , 29-57	3
673	Identification and characterization of protein interactions using the yeast 2-hybrid system. 1998 , 95-124	6
672	Molecular chaperones and intracellular protein translocation. 1995 , 126, 199-264	19
671	Expression of functional HIV-1 integrase in the yeast <i>Saccharomyces cerevisiae</i> leads to the emergence of a lethal phenotype: potential use for inhibitor screening. 1996 , 29, 503	1
670	The regulatory protein NIT4 that mediates nitrate induction in <i>Neurospora crassa</i> contains a complex tripartite activation domain with a novel leucine-rich, acidic motif. 1996 , 29, 537	2
669	Molecular Genetics of Retinal Disease. 2006 , 373-394	2
668	Role of Multiple Sensor Kinases in Cell Cycle Progression and Differentiation in <i>Caulobacter crescentus</i> . 2003 , 377-396	6
667	LIM domain recognition of a tyrosine-containing tight turn.. 1994 , 269, 25085-25090	90
666	Aggregation of the intracellular domain of the type 1 tumor necrosis factor receptor defined by the two-hybrid system.. 1994 , 269, 22492-22495	47
665	Characterization of three different elements in the 5'-flanking region of the fibronectin gene which mediate a transcriptional response to cAMP.. 1991 , 266, 1122-1127	51
664	Relief of YY1-induced transcriptional repression by protein-protein interaction with the nucleolar phosphoprotein B23.. 1994 , 269, 6506-6510	80
663	Identification of discrete structural domains in the retinoblastoma protein. Amino-terminal domain is required for its oligomerization.. 1994 , 269, 1380-1387	46

662	Intact and functional fibroblast growth factor (FGF) receptor-1 trafficks near the nucleus in response to FGF-1.. 1994 , 269, 31720-31724	60
661	SH2 domains of the protein-tyrosine kinases Blk, Lyn, and Fyn(T) bind distinct sets of phosphoproteins from B lymphocytes.. 1993 , 268, 22557-22565	27
660	A novel RING finger protein interacts with the cytoplasmic domain of CD40.. 1994 , 269, 30069-30072	269
659	Physical interaction of the HIV-1 Nef protein with beta-COP, a component of non-clathrin-coated vesicles essential for membrane traffic.. 1994 , 269, 30073-30076	131
658	The 90-kDa heat shock protein is essential for Ah receptor signaling in a yeast expression system.. 1994 , 269, 30109-30112	118
657	Activation of the Eck receptor protein tyrosine kinase stimulates phosphatidylinositol 3-kinase activity.. 1994 , 269, 30154-30157	107
656	Molecular analysis of the interaction of calcineurin with drug-immunophilin complexes. 1994 , 269, 26431-26438	88
655	Detection and modulation in vivo of helix-loop-helix protein-protein interactions.. 1993 , 268, 5-8	48
654	Interaction between a complex of RNA polymerase III subunits and the 70-kDa component of transcription factor IIIB.. 1993 , 268, 20721-20724	92
653	Analysis of the oligomerization of myogenin and E2A products in vivo using a two-hybrid assay system.. 1992 , 267, 17498-17501	13
652	Inhibition of DnaK autophosphorylation by heat shock proteins and polypeptide substrates. 1994 , 269, 16643-16647	13
651	Modulation of ion channels by protein phosphorylation. How the brain works. 1999 , 33, 3-22	107
650	Evaluation of a Yeast Two-Hybrid Library by High-Throughput Sequencing. 2020 , 19, 3567-3572	2
649	A Rab escort protein regulates the MAPK pathway that controls filamentous growth in yeast. 2020 , 10, 22184	3
648	Engineering of soybean mosaic virus as a versatile tool for studying protein-protein interactions in soybean. 2016 , 6, 22436	15
647	The familial mediterranean fever protein interacts and colocalizes with a putative Golgi transporter. 2000 , 224, 32-40	18
646	Sequence-based protein-protein interaction prediction using greedy layer-wise training of deep neural networks. 2020 ,	3
645	A FYVE-finger-containing protein, Rabip4, is a Rab4 effector involved in early endosomal traffic. 2001 , 98, 1637-42	54

644	N-terminal mutations modulate yeast SNF1 protein kinase function. 1992 , 132, 639-50	99
643	Genetic evidence for transcriptional activation by the yeast IME1 gene product. 1993 , 133, 775-84	56
642	The <i>Saccharomyces cerevisiae</i> SPT8 gene encodes a very acidic protein that is functionally related to SPT3 and TATA-binding protein. 1994 , 137, 647-57	75
641	Mutations in GCR1, a transcriptional activator of <i>Saccharomyces cerevisiae</i> glycolytic genes, function as suppressors of <i>gcr2</i> mutations. 1995 , 139, 511-21	24
640	Interaction of Mre11 and Rad50: two proteins required for DNA repair and meiosis-specific double-strand break formation in <i>Saccharomyces cerevisiae</i> . 1995 , 139, 1521-32	209
639	Molecular and genetic analysis of the toxic effect of RAP1 overexpression in yeast. 1995 , 141, 1253-62	37
638	Functional domains of fused, a serine-threonine kinase required for signaling in <i>Drosophila</i> . 1996 , 142, 1181-98	45
637	Los1p, involved in yeast pre-tRNA splicing, positively regulates members of the SOL gene family. 1996 , 143, 699-712	15
636	RNA polymerase III defects suppress a conditional-lethal poly(A) polymerase mutation in <i>Saccharomyces cerevisiae</i> . 1996 , 143, 1149-61	11
635	Subunit interactions in the mariner transposase. 1996 , 144, 1087-95	45
634	Yeast mutants that produce a novel type of ascus containing asci instead of spores. 1996 , 144, 979-89	11
633	Genomic libraries and a host strain designed for highly efficient two-hybrid selection in yeast. 1996 , 144, 1425-36	2101
632	Functional and genetic characterization of the oligomerization and DNA binding properties of the <i>Drosophila</i> doublesex proteins. 1996 , 144, 1639-52	84
631	Mutational analysis of STE5 in the yeast <i>Saccharomyces cerevisiae</i> : application of a differential interaction trap assay for examining protein-protein interactions. 1997 , 147, 479-92	78
630	Topical reversion at the HIS1 locus of <i>Saccharomyces cerevisiae</i> . A tale of three mutants. 1998 , 148, 1647-54	13
629	Regulation of yeast glycogen metabolism and sporulation by Glc7p protein phosphatase. 1998 , 149, 57-72	54
628	The PBN1 gene of <i>Saccharomyces cerevisiae</i> : an essential gene that is required for the post-translational processing of the protease B precursor. 1998 , 149, 1277-92	20
627	Novel mutations in the RAD3 and SSL1 genes perturb genome stability by stimulating recombination between short repeats in <i>Saccharomyces cerevisiae</i> . 1998 , 150, 963-76	27

626	Hmo1p, a high mobility group 1/2 homolog, genetically and physically interacts with the yeast FKBP12 prolyl isomerase. 1999 , 151, 935-44	28
625	Evidence for the involvement of the Glc7-Reg1 phosphatase and the Snf1-Snf4 kinase in the regulation of INO1 transcription in <i>Saccharomyces cerevisiae</i> . 1999 , 152, 73-87	39
624	<i>Saccharomyces cerevisiae</i> putative G protein, Gtr1p, which forms complexes with itself and a novel protein designated as Gtr2p, negatively regulates the Ran/Gsp1p G protein cycle through Gtr2p. 1999 , 152, 853-67	89
623	Sip5 interacts with both the Reg1/Glc7 protein phosphatase and the Snf1 protein kinase of <i>Saccharomyces cerevisiae</i> . 2000 , 154, 99-107	21
622	GL3 encodes a bHLH protein that regulates trichome development in arabidopsis through interaction with GL1 and TTG1. 2000 , 156, 1349-62	548
621	Fine structure analysis of the yeast centrin, Cdc31p, identifies residues specific for cell morphology and spindle pole body duplication. 2001 , 157, 503-18	57
620	The git5 Gbeta and git11 Ggamma form an atypical Gbetagamma dimer acting in the fission yeast glucose/cAMP pathway. 2001 , 157, 1159-68	51
619	Interaction of the repressors Nrg1 and Nrg2 with the Snf1 protein kinase in <i>Saccharomyces cerevisiae</i> . 2001 , 158, 563-72	50
618	The divergent <i>Caenorhabditis elegans</i> beta-catenin proteins BAR-1, WRM-1 and HMP-2 make distinct protein interactions but retain functional redundancy in vivo. 2001 , 159, 159-72	60
617	Std1p (Msn3p) positively regulates the Snf1 kinase in <i>Saccharomyces cerevisiae</i> . 2003 , 163, 507-14	28
616	A molecular approach to understanding human sterol metabolism using yeast genetics. 1998 , 9, 85-91	12
615	Two-hybrid analysis of the interaction between the UL52 and UL8 subunits of the herpes simplex virus type 1 helicase-primase. 1999 , 80 (Pt 9), 2411-2415	7
614	Interactions in vivo between the proteins of infectious bursal disease virus: capsid protein VP3 interacts with the RNA-dependent RNA polymerase, VP1. 2000 , 81, 209-18	47
613	Functional analysis of proteins encoded by banana bunchy top virus DNA-4 to -6. 2000 , 81, 299-306	61
612	Identification of an N-terminal domain of the plum pox potyvirus CI RNA helicase involved in self-interaction in a yeast two-hybrid system. 2001 , 82, 677-686	28
611	Interaction between molecules of hantavirus nucleocapsid protein. 2001 , 82, 1845-1853	43
610	A two-hybrid system based on chimeric operator recognition for studying protein homo/heterodimerization in <i>Escherichia coli</i> . 2001 , 147, 1651-1656	33
609	Functional analysis of the <i>Saccharomyces cerevisiae</i> DUP240 multigene family reveals membrane-associated proteins that are not essential for cell viability. 2002 , 148, 2111-2123	13

608	Recruitment of cyclin-dependent kinase 9 to nuclear compartments during cytomegalovirus late replication: importance of an interaction between viral pUL69 and cyclin T1. 2011 , 92, 1519-1531	28
607	A role for the F-box protein HAWAIIAN SKIRT in plant miRNA function.	2
606	A CRISPR-based yeast two-hybrid system for investigating RNA-protein interactions.	1
605	Quantitative yeast-yeast two hybrid for discovery and binding affinity estimation of protein-protein interactions.	1
604	Transfer Learning for Predicting Virus-Host Protein Interactions for Novel Virus Sequences.	3
603	Wheat avenin-like protein and its significant Fusarium Head Blight resistant functions.	6
602	High resolution protein-protein interaction mapping using all-versus-all sequencing (AVA-seq).	0
601	Towards an Essayome for binary interactome mapping.	2
600	Cell cycle regulation of mitochondrial protein import revealed by genome-scale pooled bimolecular fluorescence complementation screening.	1
599	Analysis of diverse eukaryotes suggests the existence of an ancestral mitochondrial apparatus derived from the bacterial type II secretion system.	4
598	A putative protein complex consisting of Ctf19, Mcm21, and Okp1 represents a missing link in the budding yeast kinetochore. 1999 , 13, 1140-55	173
597	The <i>Saccharomyces</i> telomere-binding protein Cdc13p interacts with both the catalytic subunit of DNA polymerase δ and the telomerase-associated Est1 protein. 2000 , 14, 1777-1788	173
596	The Genome Knowledgebase: a resource for biologists and bioinformaticists. 2003 , 68, 237-43	39
595	Harvesting the genome's bounty: integrative genomics. 2003 , 68, 431-43	8
594	Evidence for a methyl-accepting chemotaxis protein gene (mcp1) that encodes a putative sensory transducer in virulent <i>Treponema pallidum</i> . 1997 , 65, 1701-9	15
593	Novel <i>Escherichia coli</i> umuD' mutants: structure-function insights into SOS mutagenesis. 1998 , 180, 4658-66	14
592	Regulation of motility behavior in <i>Myxococcus xanthus</i> may require an extracytoplasmic-function sigma factor. 1998 , 180, 5668-75	28
591	An ABC transporter plays a developmental aggregation role in <i>Myxococcus xanthus</i> . 1998 , 180, 5697-703	19

590	The highly conserved, coregulated SNO and SNZ gene families in <i>Saccharomyces cerevisiae</i> respond to nutrient limitation. 1998 , 180, 5718-26	90
589	Study of the interaction between bacteriophage T4 <i>asiA</i> and <i>Escherichia coli</i> sigma(70), using the yeast two-hybrid system: neutralization of <i>asiA</i> toxicity to <i>E. coli</i> cells by coexpression of a truncated sigma(70) fragment. 1999 , 181, 5855-9	27
588	P1 ParB domain structure includes two independent multimerization domains. 1999 , 181, 5898-908	52
587	Genetic assay for multimerization of retroviral gag polyproteins. 1992 , 66, 5157-60	57
586	Dominant negative mutants of human T-cell leukemia virus type I Rex and human immunodeficiency virus type 1 Rev fail to multimerize in vivo. 1993 , 67, 2496-502	71
585	Genetic evidence that the Tat proteins of human immunodeficiency virus types 1 and 2 can multimerize in the eukaryotic cell nucleus. 1993 , 67, 5030-4	52
584	Herpes simplex virus VP16 forms a complex with the virion host shutoff protein vhs. 1994 , 68, 2339-46	124
583	The Bel1 protein of human foamy virus contains one positive and two negative control regions which regulate a distinct activation domain of 30 amino acids. 1994 , 68, 2708-19	21
582	Cellular protein modulates effects of human immunodeficiency virus type 1 Rev. 1994 , 68, 3850-6	124
581	The Cys-His motif of Ty3 NC can be contributed by Gag3 or Gag3-Pol3 polyproteins. 1994 , 68, 4152-66	24
580	Interacting domains of E2F1, DP1, and the adenovirus E4 protein. 1994 , 68, 4213-9	27
579	Epstein-Barr virus nuclear protein 2A forms oligomers in vitro and in vivo through a region required for B-cell transformation. 1994 , 68, 4287-94	16
578	Inhibition of p53-mediated transactivation by E6 of type 1, but not type 5, 8, or 47, human papillomavirus of cutaneous origin. 1994 , 68, 4656-61	50
577	Phenotypic mixing between different hepadnavirus nucleocapsid proteins reveals C protein dimerization to be cis preferential. 1994 , 68, 5225-31	25
576	Specificity and sequence requirements for interactions between various retroviral Gag proteins. 1994 , 68, 5300-5	93
575	Chimeric proteins composed of Jun and CREB define domains required for interaction with the human T-cell leukemia virus type 1 Tax protein. 1995 , 69, 6209-18	41
574	A 48-amino-acid region of influenza A virus PB1 protein is sufficient for complex formation with PA. 1995 , 69, 6932-9	59
573	Hepatitis B virus X protein interacts with a probable cellular DNA repair protein. 1995 , 69, 1107-14	202

572	Structural interactions between retroviral Gag proteins examined by cysteine cross-linking. 1995 , 69, 1150-9	31
571	Human foamy virus Bel1 transactivator contains a bipartite nuclear localization determinant which is sensitive to protein context and triple multimerization domains. 1995 , 69, 801-8	25
570	Effects of translation initiation factor eIF-5A on the functioning of human T-cell leukemia virus type I Rex and human immunodeficiency virus Rev inhibited trans dominantly by a Rex mutant deficient in RNA binding. 1995 , 69, 3125-33	61
569	Protein domains involved in both in vivo and in vitro interactions between human T-cell leukemia virus type I tax and CREB. 1995 , 69, 3420-32	85
568	Domains upstream of the protease (PR) in human immunodeficiency virus type 1 Gag-Pol influence PR autoprocessing. 1995 , 69, 3878-84	82
567	Amino-terminal domains of the bovine papillomavirus type 1 E1 and E2 proteins participate in complex formation. 1995 , 69, 4364-72	56
566	Cytomegalovirus "missing" capsid protein identified as heat-aggregable product of human cytomegalovirus UL46. 1996 , 70, 7454-61	29
565	The oncoprotein Tax of the human T-cell leukemia virus type 1 activates transcription via interaction with cellular ATF-1/CREB factors in <i>Saccharomyces cerevisiae</i> . 1996 , 70, 7478-84	13
564	Homomeric interactions between transmembrane proteins of Moloney murine leukemia virus. 1996 , 70, 1266-70	17
563	Human immunodeficiency virus type 1 Vpr protein binds to the uracil DNA glycosylase DNA repair enzyme. 1996 , 70, 697-704	151
562	Identification and characterization of a small modular domain in the herpes simplex virus host shutoff protein sufficient for interaction with VP16. 1996 , 70, 2124-31	31
561	PEST-dependent cytoplasmic retention of v-Rel by I(kappa)B-alpha: evidence that I(kappa)B-alpha regulates cellular localization of c-Rel and v-Rel by distinct mechanisms. 1996 , 70, 3176-88	14
560	Mutations in the Ty3 major homology region affect multiple steps in Ty3 retrotransposition. 1996 , 70, 3440-8	44
559	A conserved domain of the Epstein-Barr virus nuclear antigens 3A and 3C binds to a discrete domain of Jkappa. 1996 , 70, 4228-36	94
558	Binding of the human immunodeficiency virus type 1 Gag polyprotein to cyclophilin A is mediated by the central region of capsid and requires Gag dimerization. 1996 , 70, 4299-310	75
557	Prion protein PrPc interacts with molecular chaperones of the Hsp60 family. 1996 , 70, 4724-8	116
556	Proteasome complex as a potential cellular target of hepatitis B virus X protein. 1996 , 70, 5582-91	138
555	Human cytomegalovirus capsid assembly protein precursor (pUL80.5) interacts with itself and with the major capsid protein (pUL86) through two different domains. 1997 , 71, 179-90	60

554	In vivo and in vitro phosphorylation of rotavirus NSP5 correlates with its localization in viroplasm. 1997, 71, 34-41	72
553	Mapping the multimerization domains of the Gag protein of yeast retrotransposon Ty1. 1997, 71, 812-7	8
552	Genetic dissection of interaction between poliovirus 3D polymerase and viral protein 3AB. 1997, 71, 9490-8	100
551	Human immunodeficiency virus type 1 Vpr interacts with HHR23A, a cellular protein implicated in nucleotide excision DNA repair. 1997, 71, 9732-42	81
550	Interaction of an adenovirus 14.7-kilodalton protein inhibitor of tumor necrosis factor alpha cytolysis with a new member of the GTPase superfamily of signal transducers. 1997, 71, 1576-82	48
549	Functions of the tobacco etch virus RNA polymerase (N1b): subcellular transport and protein-protein interaction with VPg/proteinase (N1a). 1997, 71, 1598-607	91
548	Mapping and characterization of the interaction domains of human papillomavirus type 16 E1 and E2 proteins. 1997, 71, 891-9	67
547	The murine AIDS virus Gag precursor protein binds to the SH3 domain of c-Abl. 1997, 71, 2615-20	13
546	Characterization of the interaction between the baculovirus replication factors LEF-1 and LEF-2. 1997, 71, 3114-9	46
545	Self-association of herpes simplex virus type 1 ICP35 is via coiled-coil interactions and promotes stable interaction with the major capsid protein. 1997, 71, 5197-208	40
544	Genetic analysis of interactions between Gag proteins of Rous sarcoma virus. 1997, 71, 5624-30	13
543	Interaction of the UV-damaged DNA-binding protein with hepatitis B virus X protein is conserved among mammalian hepadnaviruses and restricted to transactivation-proficient X-insertion mutants. 1997, 71, 6194-9	87
542	A map of interactions between the proteins of a retrotransposon. 1998, 72, 9318-22	7
541	A protein linkage map of the P2 nonstructural proteins of poliovirus. 1998, 72, 1297-307	59
540	Insect virus proteins (FALPE and p10) self-associate to form filaments in infected cells. 1998, 72, 2213-23	17
539	Identification of a novel cellular TPR-containing protein, SGT, that interacts with the nonstructural protein NS1 of parvovirus H-1. 1998, 72, 4149-56	77
538	Complete protein linkage map of poliovirus P3 proteins: interaction of polymerase 3Dpol with VPg and with genetic variants of 3AB. 1998, 72, 6732-41	109
537	Genetic selection of poliovirus 2Apro-binding peptides. 1999, 73, 814-8	12

536	The carboxy-terminal acidic domain of Rift Valley Fever virus NSs protein is essential for the formation of filamentous structures but not for the nuclear localization of the protein. 1999 , 73, 5018-25	60
535	Identification of the RNA-binding, dimerization, and eIF4GI-binding domains of rotavirus nonstructural protein NSP3. 1999 , 73, 5411-21	68
534	Analysis of the effect of natural sequence variation in Tat and in cyclin T on the formation and RNA binding properties of Tat-cyclin T complexes. 1999 , 73, 5777-86	30
533	Nuclear export factor CRM1 interacts with nonstructural proteins NS2 from parvovirus minute virus of mice. 1999 , 73, 7769-79	58
532	Intracellular leucine zipper interactions suggest c-Myc hetero-oligomerization. 1991 , 11, 954-962	62
531	The <i>Saccharomyces cerevisiae</i> CDC25 gene product binds specifically to catalytically inactive ras proteins in vivo. 1992 , 12, 2091-2099	26
530	Fused protein domains inhibit DNA binding by LexA. 1992 , 12, 3006-3014	100
529	Interactions among the subunits of the G protein involved in <i>Saccharomyces cerevisiae</i> mating. 1993 , 13, 1-8	27
528	Influence of guanine nucleotides on complex formation between Ras and CDC25 proteins. 1993 , 13, 1345-1352	51
527	Cell cycle regulation of the yeast Cdc7 protein kinase by association with the Dbf4 protein. 1993 , 13, 2899-2908	114
526	Two homologous zinc finger genes identified by multicopy suppression in a SNF1 protein kinase mutant of <i>Saccharomyces cerevisiae</i> . 1993 , 13, 3872-3881	108
525	Phosphatidylinositol 3-kinase activation is mediated by high-affinity interactions between distinct domains within the p110 and p85 subunits. 1994 , 14, 42-49	40
524	Characterization of an interaction between insulin receptor substrate 1 and the insulin receptor by using the two-hybrid system. 1994 , 14, 6433-6442	50
523	The GLC7 type 1 protein phosphatase is required for glucose repression in <i>Saccharomyces cerevisiae</i> . 1994 , 14, 6789-6796	51
522	ralGDS family members interact with the effector loop of ras p21. 1994 , 14, 7483-7491	80
521	Identification of a putative RNA helicase (HRH1), a human homolog of yeast Prp22. 1994 , 14, 7611-7620	43
520	Analysis of RIM11, a yeast protein kinase that phosphorylates the meiotic activator IME1. 1994 , 14, 7909-7919	43
519	Distinct residues of human p53 implicated in binding to DNA, simian virus 40 large T antigen, 53BP1, and 53BP2. 1994 , 14, 8315-8321	31

518	The yeast type I topoisomerase Top3 interacts with Sgs1, a DNA helicase homolog: a potential eukaryotic reverse gyrase. 1994 , 14, 8391-8398	324
517	Interactions among three proteins that specifically activate translation of the mitochondrial COX3 mRNA in <i>Saccharomyces cerevisiae</i> . 1994 , 14, 1045-1053	34
516	Identification of residues of the H-ras protein critical for functional interaction with guanine nucleotide exchange factors. 1994 , 14, 1104-1112	30
515	The mutant type 1 protein phosphatase encoded by <i>glc7-1</i> from <i>Saccharomyces cerevisiae</i> fails to interact productively with the GAC1-encoded regulatory subunit. 1994 , 14, 896-905	55
514	Dosage-dependent modulation of glucose repression by MSN3 (STD1) in <i>Saccharomyces cerevisiae</i> . 1994 , 14, 1972-1978	24
513	The <i>rad16</i> gene of <i>Schizosaccharomyces pombe</i> : a homolog of the RAD1 gene of <i>Saccharomyces cerevisiae</i> . 1994 , 14, 2029-2040	36
512	The translation initiation factor eIF-4B contains an RNA-binding region that is distinct and independent from its ribonucleoprotein consensus sequence. 1994 , 14, 2307-2316	52
511	NHP6A and NHP6B, which encode HMG1-like proteins, are candidates for downstream components of the yeast SLT2 mitogen-activated protein kinase pathway. 1994 , 14, 2391-2403	56
510	Genetic identification of residues involved in association of alpha and beta G-protein subunits. 1994 , 14, 3223-3229	16
509	Two types of RAS mutants that dominantly interfere with activators of RAS. 1994 , 14, 3707-3718	22
508	The <i>Drosophila</i> tissue-specific factor Grainyhead contains novel DNA-binding and dimerization domains which are conserved in the human protein CP2. 1994 , 14, 4020-4031	26
507	Interactions between highly conserved U2 small nuclear RNA structures and Prp5p, Prp9p, Prp11p, and Prp21p proteins are required to ensure integrity of the U2 small nuclear ribonucleoprotein in <i>Saccharomyces cerevisiae</i> . 1994 , 14, 6337-6349	36
506	The yeast Mcm1 protein is regulated posttranscriptionally by the flux of glycolysis. 1995 , 15, 4631-9	22
505	Nucleocytoplasmic transport of macromolecules. 1997 , 61, 193-211	95
504	Protein-protein interactions: methods for detection and analysis. 1995 , 59, 94-123	628
503	Mechanisms and control of mRNA turnover in <i>Saccharomyces cerevisiae</i> . 1996 , 60, 233-49	221
502	Computational Prediction of Protein Complexes from Protein Interaction Networks. 2017 ,	11
501	Constructing Reliable Protein-Protein Interaction (PPI) Networks. 2017 , 15	1

500	Thyrostimulin, a heterodimer of two new human glycoprotein hormone subunits, activates the thyroid-stimulating hormone receptor. 2002 , 109, 1445-1452	128
499	The adapter protein Grb10 associates preferentially with the insulin receptor as compared with the IGF-I receptor in mouse fibroblasts. 1997 , 99, 830-7	71
498	Thyrostimulin, a heterodimer of two new human glycoprotein hormone subunits, activates the thyroid-stimulating hormone receptor. 2002 , 109, 1445-52	45
497	Mechanism and prevention of acute kidney injury from cast nephropathy in a rodent model. 2012 , 122, 1777-85	55
496	Molecular Chaperone GRP94 Binds to the Fanconi Anemia Group C Protein and Regulates Its Intracellular Expression. 1998 , 91, 4379-4386	5
495	A Novel Human Actin-Binding Protein Homologue That Binds to Platelet Glycoprotein Ib?. 1998 , 92, 1268-1276	4
494	Abnormal Microsomal Detoxification Implicated in Fanconi Anemia Group C by Interaction of the FAC Protein With NADPH Cytochrome P450 Reductase. 1998 , 92, 3050-3056	8
493	Protein Biochips and Array-Based Proteomics. 2003 , 1-80	3
492	Protein Interaction Networks. 2009 , 135-145	3
491	The transcriptional corepressor SMRTER influences both Notch and ecdysone signaling during Drosophila development. 2012 , 1, 182-96	12
490	Scleraxis: a basic helix-loop-helix protein that prefigures skeletal formation during mouse embryogenesis. 1995 , 121, 1099-1110	284
489	Interaction of the pelle kinase with the membrane-associated protein tube is required for transduction of the dorsoventral signal in Drosophila embryos. 1995 , 121, 2209-2218	56
488	Xenopus VegT RNA is localized to the vegetal cortex during oogenesis and encodes a novel T-box transcription factor involved in mesodermal patterning. 1996 , 122, 4119-4129	240
487	The Drosophila morphogenetic protein Bicoid binds DNA cooperatively. 1996 , 122, 1195-1206	91
486	An activity-dependent network of interactions links the Rel protein Dorsal with its cytoplasmic regulators. 1997 , 124, 3855-3864	73
485	A Ras GAP is essential for cytokinesis and spatial patterning in Dictyostelium. 1997 , 124, 983-996	48
484	The Dorsal-related immunity factor (Dif) can define the dorsal-ventral axis of polarity in the Drosophila embryo. 1998 , 125, 2159-2169	26
483	Caenorhabditis elegans lin-25: cellular focus, protein expression and requirement for sur-2 during induction of vulval fates. 1998 , 125, 4809-4819	14

482	Dual function of Ras in Raf activation. 1998 , 125, 4999-5008	17
481	Huckebein repressor activity in <i>Drosophila</i> terminal patterning is mediated by Groucho. 1999 , 126, 3747-3755	43
480	The spineless-aristapedia and tango bHLH-PAS proteins interact to control antennal and tarsal development in <i>Drosophila</i> . 1999 , 126, 3937-3945	88
479	Developmental regulation of the heat shock response by nuclear transport factor karyopherin- β . 2001 , 128, 3349-3358	33
478	Kermit, a frizzled interacting protein, regulates frizzled 3 signaling in neural crest development. 2001 , 128, 3665-3674	48
477	The <i>Drosophila</i> Trithorax protein is a coactivator required to prevent re-establishment of Polycomb silencing. 2002 , 129, 2483-2493	75
476	Functional dissection of the <i>Drosophila</i> modifier of variegation Su(var)3-7. 2002 , 129, 3975-3982	15
475	Neurofilament triplet protein interactions: evidence for the preferred formation of NF-L-containing dimers and a putative function for the end domains. 1996 , 109, 2493-2498	38
474	Nuclear import of hnRNP A1 is mediated by a novel cellular cofactor related to karyopherin-beta. 1997 , 110, 1325-1331	108
473	When helicase and topoisomerase meet!. 1997 , 110, 1345-1350	58
472	Sequence and expression of <i>Drosophila</i> myristoyl-CoA: protein N-myristoyl transferase: evidence for proteolytic processing and membrane localisation. 1997 , 110, 149-156	27
471	Centrosome-microtubule nucleation. 1997 , 110, 295-300	76
470	The Spa2-related protein, Sph1p, is important for polarized growth in yeast. 1998 , 111, 479-494	47
469	Identification of the putative mammalian orthologue of Sec31P, a component of the COPII coat. 1999 , 112, 4547-4556	65
468	HZwint-1, a novel human kinetochore component that interacts with HZW10. 2000 , 113, 1939-1950	72
467	The genomic silencing of position-effect variegation in <i>Drosophila melanogaster</i> : interaction between the heterochromatin-associated proteins Su(var)3-7 and HP1. 2000 , 113, 4253-4261	58
466	Conserved Wat1/Pop3 WD-repeat protein of fission yeast secures genome stability through microtubule integrity and may be involved in mRNA maturation. 2001 , 114, 2911-2920	20
465	Properties of lamin A mutants found in Emery-Dreifuss muscular dystrophy, cardiomyopathy and Dunnigan-type partial lipodystrophy. 2001 , 114, 4435-4445	144

464	Interaction of the endoplasmic reticulum α 2-mannosidase Mns1p with Rer1p using the split-ubiquitin system. 2001 , 114, 4629-4635	23
463	Roles of the N- and C-termini of GLUT4 in endocytosis. 2002 , 115, 131-140	50
462	DNA damage-dependent interaction of the nuclear matrix protein C1D with translin-associated factor X (TRAX). 2002 , 115, 207-216	46
461	New technologies to analyse protein function: an intrinsic disorder perspective. 2020 , 9,	9
460	Construction and analysis of high-complexity ribosome display random peptide libraries. 2008 , 3, e2092	16
459	High-sensitivity real-time imaging of dual protein-protein interactions in living subjects using multicolor luciferases. 2009 , 4, e5868	66
458	Speeding cis-trans regulation discovery by phylogenomic analyses coupled with screenings of an arrayed library of Arabidopsis transcription factors. 2011 , 6, e21524	61
457	Identification of novel NPRAP/ β -catenin-interacting proteins and the direct association of NPRAP with dynamin 2. 2011 , 6, e25379	5
456	Network compression as a quality measure for protein interaction networks. 2012 , 7, e35729	13
455	Combinatorial library of improved peptide aptamers, CLIPs to inhibit RAGE signal transduction in mammalian cells. 2013 , 8, e65180	22
454	Protein interaction analysis of senataxin and the ALS4 L389S mutant yields insights into senataxin post-translational modification and uncovers mutant-specific binding with a brain cytoplasmic RNA-encoded peptide. 2013 , 8, e78837	12
453	Interaction of CSFV E2 protein with swine host factors as detected by yeast two-hybrid system. 2014 , 9, e85324	22
452	Comparison of Gene Coexpression Profiles and Construction of Conserved Gene Networks to Find Functional Modules. 2015 , 10, e0132039	6
451	Characterization of the Cardiac Overexpression of HSPB2 Reveals Mitochondrial and Myogenic Roles Supported by a Cardiac HspB2 Interactome. 2015 , 10, e0133994	8
450	Use of the Nanofitin Alternative Scaffold as a GFP-Ready Fusion Tag. 2015 , 10, e0142304	9
449	Detecting Protein Complexes in Protein Interaction Networks Modeled as Gene Expression Biclusters. 2015 , 10, e0144163	15
448	Analysis of the Bile Salt Export Pump (ABCB11) Interactome Employing Complementary Approaches. 2016 , 11, e0159778	11
447	A three-way approach for protein function classification. 2017 , 12, e0171702	8

446	On applications of bipartite graph associated with algebraic structures. 2020 , 18, 57-66	2
445	Proteome and metabolome analyses for food authentication. 2003 , 71-100	2
444	From the baker to the bedside: yeast models of Parkinson's disease. 2015 , 2, 262-279	44
443	Molecular genetics of nephronophthisis and medullary cystic kidney disease. 2000 , 11, 1753-1761	72
442	Quantitative beta-galactosidase assay suitable for high-throughput applications in the yeast two-hybrid system. 2004 , 36, 872-6	77
441	Peptide aptamers: development and applications. 2015 , 15, 1082-101	87
440	Display of E. coli Alkaline Phosphatase pIII or pVIII Fusions on Phagemid Surfaces Reveals Monovalent Decoration with Active Molecules. 2008 , 2, 38-43	1
439	Advances in New Targets for Differentiation Therapy of Acute Myeloid Leukemia. 9, 88-95	1
438	The yeast three-hybrid system as an experimental platform to identify proteins interacting with small signaling molecules in plant cells: potential and limitations. 2011 , 2, 101	24
437	Nanobodies Right in the Middle: Intrabodies as Toolbox to Visualize and Modulate Antigens in the Living Cell. 2020 , 10,	7
436	Interaction between Two Self-incompatible Signal Elements, EXO70A1 and ARC1. 2012 , 37, 2136-2144	1
435	Screen and Identification of The Protein-protein Interactors of NOR1, a Novel Gene Down-regulated in Nasopharyngeal Carcinoma*. 2009 , 2009, 709-714	1
434	Cytochrome C oxidase III interacts with hepatitis B virus X protein in vivo by yeast two-hybrid system. 2004 , 10, 2805-8	10
433	Molecular epidemiological study on pre-X region of hepatitis B virus and identification of hepatocyte proteins interacting with whole-X protein by yeast two-hybrid. 2005 , 11, 3473-8	5
432	Screening of hepatocyte proteins binding to complete S protein of hepatitis B virus by yeast-two hybrid system. 2005 , 11, 3899-904	5
431	Screening and identification of proteins interacting with nucleostemin. 2005 , 11, 4812-4	10
430	Screening of hepatocyte proteins binding to F protein of hepatitis C virus by yeast two-hybrid system. 2005 , 11, 5659-65	15
429	Screening and identification of interacting proteins with hepatitis B virus core protein in leukocytes and cloning of new gene C1. 2006 , 12, 1043-8	5

428	Transcriptomics to Metabolomics. 2018 , 188-206	5
427	Transcriptomics to Metabolomics. 2019 , 361-379	1
426	Interaction of Heliothis armigera nuclear polyhedrosis viral capsid protein with its host actin. 2002 , 35, 562-7	5
425	Identification of mutations in protein kinase CKIIbeta subunit that affect its binding to ribosomal protein L41 and homodimerization. 2003 , 36, 344-8	7
424	Protein-protein interaction networks: from interactions to networks. 2004 , 37, 45-52	35
423	Homeodomain-leucine zipper proteins interact with a plant homologue of the transcriptional co-activator multiprotein bridging factor 1. 2004 , 37, 320-4	6
422	The C-terminal domain of PLD2 participates in degradation of protein kinase CKII β subunit in human colorectal carcinoma cells. 2011 , 44, 572-7	2
421	in silico identification of protein-protein interactions in Silkworm, Bombyx mori. 2014 , 10, 56-62	3
420	Time-gated detection of protein-protein interactions with transcriptional readout. 2017 , 6,	28
419	GIPC proteins negatively modulate Plexind1 signaling during vascular development. 2019 , 8,	6
418	Finding novel relationships with integrated gene-gene association network analysis of PCC 6803 using species-independent text-mining. 2018 , 6, e4806	3
417	Hsp90 interaction networks in fungi-tools and techniques. 2021 , 21,	0
416	Quantitative Yeast-Yeast Two Hybrid for the Discovery and Binding Affinity Estimation of Protein-Protein Interactions. 2021 , 10, 505-514	2
415	Dcp2 C-terminal Cis-Binding Elements Control Selective Targeting of the Decapping Enzyme by Forming Distinct Decapping Complexes.	1
414	Distinctive Network Topology of Phase-Separated Proteins in Human Interactome. 2021 , 434, 167292	0
413	D-SCRIPT translates genome to phenome with sequence-based, structure-aware, genome-scale predictions of protein-protein interactions. 2021 , 12, 969-982.e6	4
412	Unraveling Protein Interactions between the Temperate Virus Bam35 and Its Host Using an Integrative Yeast Two Hybrid-High Throughput Sequencing Approach. 2021 , 22,	
411	Structural Basis for PPARs Activation by The Dual PPAR α/γ Agonist Sanguinarine: A Unique Mode of Ligand Recognition. 2021 , 26,	

410 Current millennium biotechniques for biomedical research on parasites and host-parasite interactions. **2000**, 95 Suppl 1, 123-31

409 Analysis of Co-Localization of Glycolytic Enzymes in Flight Muscle and its Relation to Muscle Function in *Drosophila*. **2000**, 223-231

408 Molecular Genetic Screen Design for Agricultural and Pharmaceutical Product Discovery. **2001**,

407 Genome System Architecture and Natural Genetic Engineering. **2002**, 1-14

406 Two Hybrid Systems.

405 Functional Cloning.

404 Large-scale plant proteomics. **2002**, 133-141

1

403 Seek protein which can interact with hepatitis B virus X protein from human liver cDNA library by yeast two-hybrid system. **2002**, 8, 95-8

6

402 Yeast One and Two Hybrid cDNA Cloning. **2002**, 167-185

401 Two Hybrid cDNA Cloning. **2002**, 145-165

400 Two-Hybrid Systems.

399 Antifungal Target Discovery and Evaluation. **2002**, 155-166

398 Complementary DNA (cDNA).

397 Estimation of Bias in Proteome Research. **2003**, 473-476

396 Two-hybrid Assay in *Escherichia coli* K12. **2003**, 194-203

395 THE CONTRIBUTION OF MOLECULAR BIOLOGY TO DRUG DISCOVERY. **2003**, 121-130

394 Pathophysiology of myeloma kidney. **2003**, 53-60

393 Interaction between hepatitis C virus core protein and translin protein--a possible molecular mechanism for hepatocellular carcinoma and lymphoma caused by hepatitis C virus. **2003**, 9, 300-3

5

- 392 Functional Genomics and Proteomics: Basics, Opportunities and Challenges. **2003**, 39-66 1
- 391 Computational Genomics: Prediction of Protein Functional Linkages and Networks. **2003**, 15-19
- 390 Protein Interaction Mapping by Coprecipitation and Mass Spectrometric Identification. **2003**, 295-300
- 389 Noninvasive Imaging of Protein-Protein Interactions in Living Animals. **2003**, 283-298
- 388 Genomics of Bacterial Pathogens. **2003**, 9-25
- 387 Bioinformatics, Genomics, and Antimicrobial Drug Discovery. **2003**, 27-42
- 386 Forward and Reverse Proteomics. **2003**, 255-276
- 385 Proteomics, now evolving. **2004**, 50, 355-363
- 384 Two-Hybrid Protein-Protein Interactions. **2004**, 290-293
- 383 Yeast Two-Hybrid Technology. **2004**, 1302-1304
- 382 Two-Hybrid Method.
- 381 Translating Nanotechnology to Vascular Disease. **2004**,
- 380 Proteomics. **2005**, 413-440
- 379 Transfecting and Transducing Neurons with Synthetic Nucleic Acids and Biologically Active Macromolecules. **2006**, 205-239
- 378 Genomic and Post- Genomic Tools for Studying Synapse Biology. **2006**, 279-306
- 377 Two-hybrid Systems. **2006**, 2006, 4
- 376 Protein Characterization in Proteomics.
- 375 Protein-Protein Interaction Maps.

- 374 Yeast Two-Hybrid Studies. **2007**, 409-421
- 373 Comparison of Protein-Protein Interaction Confidence Assignment Schemes. **2007**, 39-50
- 372 A bacterial/yeast merged two-hybrid system: protocol for yeast screening with single or parallel baits. **2007**, 408, 257-90
- 371 Yeast and mammalian two-hybrid systems for studying protein-protein interactions. **2007**, 383, 215-25 2
- 370 Identification of Novel Transcriptional Regulators in the Nervous System. **2007**, 81-103
- 369 Protein-protein Interactions: Identification. 1
- 368 Tandem Affinity Purification (TAP) Tags.
- 367 Molecular Mechanisms of Olfactory Neuronal Gene Regulation. 68-75
- 366 Interaction Networks of Proteins. 1
- 365 Paradigmatic Role of Galactose Switch. **2008**, 175-214
- 364 Surface Infrared Spectroscopic Study on Label-Free Detection of Antigen-Antibody Interactions: Discrimination between Specific and Nonspecific Signals using Protein Secondary Structure Analysis. **2008**, 29, 558-563
- 363 Pathogenesis of Paraproteinemic Renal Disease. **2008**, 435-440
- 362 From Protein Interaction Networks to Protein Function. **2008**, 139-162
- 361 Chemical Complementation Assays. 183
- 360 Engineering Proteins for Stability and Efficient Folding. 1281 0
- 359 Protein Folding in the Endoplasmic Reticulum. 563
- 358 Two- and Three-Hybrid Systems. 1
- 357 Transcription Factors. 1

- 356 The Familial Mediterranean Fever Protein Interacts and Colocalizes with a Putative Golgi Transporter. **2000**, 224, 32-40
- 355 Protein Interactions and Diseases. **2009**, 694-713
- 354 Encyclopedia of Complexity and Systems Science. **2009**, 5655-5667
- 353 A search for protein-protein interactions of peroxiredoxin 6 with the yeast two-hybrid system. **2010**, 44, 137
- 352 Protein-protein interaction map is a key gateway into liver regeneration. **2010**, 16, 3491-8 1
- 351 Cellular Response Networks. **2010**, 233-252
- 350 Mixture Model on Graphs: A Probabilistic Model for Network-Based Analysis of Proteomic Data. **2010**, 371-397 0
- 349 Using FRET Technique to Investigate The Apoptotic Mechanism Induced by Cisplatin in Living Cells*. **2010**, 36, 1172-1179
- 348 Protein-Protein Interactions.
- 347 Strategies and Methods in Monitoring and Targeting Protein-Protein Interactions. 1
- 346 Molecular Biology Primer for Neurosurgeons. **2011**, 63-77
- 345 Detection and characterization of receptor interactions with PDZ domains. **2011**, 756, 345-56
- 344 Filtering and interpreting large-scale experimental protein-protein interaction data. **2011**, 781, 295-309
- 343 Systems Biology An Overview. **2011**, 11-25
- 342 [Screening of the candidate proteins interacting with TaFRA]. **2011**, 33, 88-94 1
- 341 N-Terminal Combined Fractional Diagonal Chromatographic (COFRADIC) Analysis of the Human Platelet Proteome. 185-206
- 340 Design and Discovery of Peptide-Based HIV-1 Integrase Inhibitors. 363-377
- 339 Application of the split-protein sensor Trp1 to protein interaction discovery in the yeast *Saccharomyces cerevisiae*. **2012**, 812, 245-58 0

- 338 Intracellular Dissipative Structures (IDSs). **2012**, 255-268
- 337 Genome Mapping and Genomics in Drosophila. **2012**, 31-86 1
- 336 Improved methods for cloning and detection in the yeast two hybrid assay. **2012**, 03, 928-935 0
- 335 References. 157-176
- 334 Using Molecular Imaging Techniques to Study Protein-Protein Interactions. **2013**, 633-659
- 333 Creation of Novel Functional Peptides by Mimicking Darwinian Evolution. **2013**, 70, 317-325
- 332 Two-Hybrid Protein-Protein Interactions. **2013**, 460-462
- 331 On Different Aspects of Network Analysis in Systems Biology. **2013**, 181-207 3
- 330 Screening of TMEM48 binding proteins in testis by yeast two-hybrid method. **2013**, 41, 77-86
- 329 Wie man DNA aufspit. **2013**, 163-182
- 328 Organisation. **2014**, 221-267
- 327 Target Identification of Biologically Active Small Molecules. 233-246
- 326 Identification of the Interaction between Insulin-like Growth Factor Binding Protein-4 (IGFBP-4) and Heterogeneous Nuclear Ribonucleoprotein L (hnRNP L). **2013**, 23, 1311-1316
- 325 Genomics of Food Animals. **2014**, 433-453
- 324 Learning Sequence Determinants of Protein:protein Interaction Specificity with Sparse Graphical Models. **2014**, 8394, 129-143 3
- 323 Molecular Networks [Representation and Analysis. **2014**, 399-418
- 322 Contribution of Bioinformatics to Gene Discovery in Salt Stress Responses in Plants. **2014**, 109-127
- 321 A Postgenomic Overview of the Myxobacteria. 299-311

- 320 Role of GCR2 in transcriptional activation of yeast glycolytic genes. **1992**, 12, 3834-3842 28
- 319 Carbon catabolite repression in yeast. **1993**, 105-121
- 318 Differential transcriptional activation by v-myb and c-myb in animal cells and *Saccharomyces cerevisiae*. **1993**, 13, 4423-4431 18
- 317 The essential mitotic target of calmodulin is the 110-kilodalton component of the spindle pole body in *Saccharomyces cerevisiae*. **1993**, 13, 7913-7924 64
- 316 GENE Technology for Developing Countries: Genetic Engineering of Indica Rice. **1995**, 253-262
- 315 Genetic engineering of Indica rice in support of sustained production of affordable and high quality food in developing countries. **1995**, 441-449
- 314 Association with c-Myc: an alternated mechanism for c-Myc function. **1995**, 194, 273-82 5
- 313 Tracking the Target Protein. **1996**, 24-62
- 312 Interaction-Based Cloning of Novel Proteins. **1996**, 211-230 1
- 311 Use of a yeast genetic screen to isolate B cell-specific proteins interacting specifically with octamer-binding proteins. **1996**, 333-349
- 310 Identification of Novel Cell Cycle Targets Using Small Molecule Ligands. **1996**, 145-156
- 309 Enzym- und Proteinanalytik. **1997**, 109-144
- 308 A biochemical and biological analysis of Myc superfamily interactions. **1997**, 224, 159-68 2
- 307 Identification of proteins that interact with a protein of interest: Applications of the yeast two-hybrid system. **1997**, 67-79 3
- 306 in vivo Analysis of C-Raf1 \square 4-3-3 Interaction. **1997**, 143-146
- 305 The Eph family: a multitude of receptors that mediate cell recognition signals. **1997**, 217-226
- 304 Novel Interaction of Apolipoprotein(a) With \square Glycoprotein I Mediated by the Kringle IV Domain. **1997**, 90, 1482-1489 3
- 303 Function of Genetic Material Responsible for Disease Resistance in Plants. **1998**, 80-107 5

- 302 Cloning and Expression of the Toxa Gene in Pyrenophora Tritici-repentis. **1998**, 167-175 2
- 301 Getting Copper into Mitochondria. **1999**, 237-254
- 300 Protein kinase CK2 may induce gene expression but unlikely acts directly as a DNA-binding transcription-activating factor. **1999**, 129-134
- 299 BTF3 is a potential new substrate of protein kinase CK2. **1999**, 121-128
- 298 The Synaptic Protein Network Associated with Ionotropic Glutamate Receptors. **1999**, 121-142
- 297 The two hybrid toolbox. **1999**, 243, 37-54 1
- 296 Cool Tools 1: Development and Application of a Candida albicans Two-Hybrid System. 481-487
- 295 Genome-Wide Strategies for Studying Gene Function by Using Model Systems. 347-365
- 294 Campylobacter Pathogenomics: Genomes and Beyond. 160-195
- 293 Plasmid Vectors for Gene Cloning and Expression. 543-566
- 292 Cool Tools 5: The Candida albicans ORFeome Project. 505-510
- 291 References. 275-359
- 290 Research Tools: Biochemical and Biophysical Techniques for Studying Ethylene Signaling. **2015**, 223-244
- 289 Studying coronavirus-host protein interactions. **2015**, 1282, 197-212 0
- 288 Reverse two-hybrid techniques in the yeast Saccharomyces cerevisiae. **2015**, 1278, 433-46
- 287 Organisation. **2016**, 247-293
- 286 Neurospora: A Gateway to Biology. **2016**, 207-226
- 285 Harnessing Molecular Motors for Nanoscale Pulldown in Live Cells. 1

- 284 Yeast as a model organism for the pharmaceutical and nutraceutical industries. **2017**, 38, 55 1
- 283 Bioinformatics Databases: Implications in Human Health. **2017**, 109-132
- 282 Real-World Cases of Network Structure Analytics. **2017**, 229-280
- 281 Dynamic blue light-inducible T7 RNA polymerases (Opto-T7RNAPs) for precise spatiotemporal gene expression control.
- 280 Two-Hybrid and Related Systems. 1-9
- 279 Evaluating Protein Complex Prediction Methods. **2017**, 91
- 278 Identifying Evolutionarily Conserved Protein Complexes. **2017**, 165
- 277 Identifying Dynamic Protein Complexes. **2017**, 145
- 276 Introduction to Protein Complex Prediction. **2017**, 1
- 275 Open Challenges in Protein Complex Prediction. **2017**, 107
- 274 Preface. **2017**, xi
- 273 References. **2017**, 233
- 272 Computational Methods for Protein Complex Prediction from PPI Networks. **2017**, 59
- 271 Protein Complex Prediction in the Era of Systems Biology. **2017**, 185
- 270 Conclusion. **2017**, 225
- 269 Time-gated detection of protein-protein interactions with transcriptional readout.
- 268 Yeast transformation efficiency is enhanced by TORC1- and eisosome-dependent signalling.
- 267 Two-Hybrid Systems to Measure Protein-Protein Interactions. 1-6

- 266 High glucose-induced ubiquitylation of G6PD leads to the injury of podocyte.
- 265 High-throughput yeast two-hybrid library screening using next generation sequencing. 1
- 264 A screen for targets of the *Drosophila* pseudokinase Tribbles identifies Neuralized and Mindbomb, ubiquitin ligases that mediate Notch signaling.
- 263 An Empirical Investigation of Discretization Techniques on the Classification of Protein-Protein Interaction. **2019**, 509-521
- 262 Physical and functional interaction between SET1/COMPASS complex component CFP-1 and a Sin3 HDAC complex. 0
- 261 Measuring rank robustness in scored protein interaction networks. 1
- 260 Hefen. **2019**, 63-91
- 259 Proteomics of Lactic Acid Bacteria. **2019**, 131-165
- 258 A Simple Cross-Linking/Mass Spectrometry Workflow to Study System-Wide Protein Interactions. 0
- 257 A quantitative tri-fluorescent yeast two-hybrid system: from flow cytometry to in-cellula affinities.
- 256 Detecting nanoscale distribution of protein pairs by proximity dependent super-resolution microscopy. 0
- 255 Characterization of Putative Virulence Factor 11 (PVF11) via Yeast Two-Hybrid Interaction and Phenotypic Analysis. **2019**, 35, 280-286 1
- 254 Protein structure from experimental evolution. 0
- 253 2HybridTools, a handy software to facilitate clone identification and mutation mapping from yeast two-hybrid screening. **2019**, 7, e7245
- 252 Labeling proteins within *Drosophila* embryos by combining FRET reporters, position-specific genomic integration, and GAL4-responsive expression.
- 251 PeSA: A Software Tool for Peptide Specificity Analysis.
- 250 Molecular modelling and docking analysis of pleurocidin (an antimicrobial peptide) like peptides with enterotoxin H from *Klebsilla pneumonia*. **2019**, 15, 838-844
- 249 Discovery of new mitochondrial DNA segregation machinery components in *Trypanosoma brucei*: a comparison of three approaches. 0

- 248 Research Method of Transcription Factors in Plant. **2020**, 09, 25-30
- 247 Identification of HeLa cell proteins that interact with Chlamydia Trachomatis glycogen synthase using yeast two-hybrid assays. **2020**, 21, 1572-1580 0
- 246 Exportin Crm1 is important for Swi6 nucleocytoplasmic shuttling and MBF transcription activation in *Saccharomyces cerevisiae*.
- 245 Organization and control of the ascorbate biosynthesis pathway in plants. 1
- 244 A Rab Escort Protein Regulates the MAPK Pathway That Controls Filamentous Growth in Yeast.
- 243 Detecting Protein-Protein Interaction Based on Protein Fragment Complementation Assay. **2020**, 21, 598-610 6
- 242 Internetwork connectivity of molecular networks across species of life.
- 241 The human PDZome 2.0: characterization of a new resource to test for PDZ interactions by Yeast Two-Hybrid.
- 240 BEHIND THE SCENES OF HOST-MICROBE INTERACTIONS. **2020**, 89, 160-176 1
- 239 Yeast Two-Hybrid System for Mapping Novel Dengue Protein Interactions. **2022**, 2409, 119-132
- 238 Yeast: A Model Organism for Antimicrobial Drug Discovery. **2020**, 545-557
- 237 Study of Molecular Interactions of CCM Proteins by Using a GAL4-Based Yeast Two-Hybrid Screening. **2020**, 2152, 345-369
- 236 Identification of the KRIT1 Protein by LexA-Based Yeast Two-Hybrid System. **2020**, 2152, 269-289
- 235 Microbe-Mediated Genetic Engineering for Enhancement of Nutritional Value in Food Crops. **2020**, 19-53
- 234 Molecular and Biochemical Techniques for Deciphering p53-MDM2 Regulatory Mechanisms. **2020**, 11, 4
- 233 An Integrative Computational Approach for the Prediction of Human- Protein-Protein Interactions. **2020**, 2020, 2082540 1
- 232 Transcriptional readout of neuronal activity via an engineered Ca-activated protease. **2020**, 5
- 231 Probing Biomolecular Interactions by a Pattern-Forming Peptide-Conjugate Sensor. **2021**, 32, 172-181

- 230 Methods for binding analysis of small GTP-binding proteins with their effectors. **2021**, 166, 235-250 2
- 229 On the Planarity of Validated Complexes of Model Organisms in Protein-Protein Interaction Networks. **2020**, 652-666 0
- 228 CHAPTER 2:ProteinProtein Interaction Networks in Human Disease. **2020**, 25-48
- 227 Protein-Protein Interactions Modeling: From Dry to Wet Lab. **2020**, 119-143
- 226 In Vivo Crosslinking of Histone and RNA-Binding Proteins. **2020**, 2161, 75-88 0
- 225 Single-color Fluorescence Lifetime Cross-Correlation Spectroscopy in vivo.
- 224 Probing Vasculature by In Vivo Phage Display for Target Organ-Specific Delivery in Regenerative Medicine. **2020**, 1-26
- 223 CHAPTER 3:High Throughput Screening Methods for PPI Inhibitor Discovery. **2020**, 49-86
- 222 Visualizing protein-protein interactions in plants by rapamycin-dependent delocalization. 0
- 221 Titration of in-cellula affinities of protein-protein interactions.
- 220 Synthetic Protein Circuits and Devices Based on Reversible Protein-Protein Interactions: An Overview. **2021**, 11, 0
- 219 Functional Genomics of Seed Development in Cereals. **2004**, 447-481
- 218 The Dawn of Functional Genomics in Nitrogen Fixation Research. **2005**, 143-167
- 217 The functional interaction of accessory proteins and voltage-gated sodium channels. **2005**, 71-83
- 216 Protein Networks. **2006**, 247-263
- 215 Cell Signalling - The Proteomics of It All. **2001**, 2001, pe33-pe33
- 214 Analysis of Phosphorylation-Dependent Protein-Protein Interactions Using a Bacterial Two-Hybrid System. **2002**, 2002, pl11-pl11
- 213 The use of functional genomics to understand components of plant metabolism and the regulation occurring at molecular, cellular and whole plant levels. **2007**, 1-26

212	Methods for Protein-Protein Interaction Analysis. 2007 , 160-182	
211	Understanding Protein-Protein Interactions: From Domain Level to Motif Level. 2007 , 229-247	1
210	Klinische Proteomik. 2008 , 297-313	
209	Molecular Matchmaking: Techniques for Biomolecular Interactions. 2007 , 145-153	
208	Predicting Functional Protein-Protein Interactions Based on Computational Methods. 2007 , 354-363	
207	Use of Yeast Plasmids: Transformation and Inheritance Assays. 2021 , 2196, 1-13	0
206	PCMD-1 bridges the centrioles and the PCM scaffold in <i>C. elegans</i> .	
205	Module Identification of Biological Networks via Graph Partition. 2021 , 125-150	
204	The <i>Saccharomyces</i> telomere-binding protein Cdc13p interacts with both the catalytic subunit of DNA polymerase alpha and the telomerase-associated est1 protein. 2000 , 14, 1777-88	246
203	Direct protein-protein interaction between the intracellular domain of TRA-2 and the transcription factor TRA-1A modulates feminizing activity in <i>C. elegans</i> . 2000 , 14, 3153-65	45
202	Nin1p, a regulatory subunit of the 26S proteasome, is necessary for activation of Cdc28p kinase of <i>Saccharomyces cerevisiae</i> . 1995 , 14, 3105-15	28
201	GCN20, a novel ATP binding cassette protein, and GCN1 reside in a complex that mediates activation of the eIF-2 alpha kinase GCN2 in amino acid-starved cells. 1995 , 14, 3184-99	52
200	Peroxisomal and mitochondrial carnitine acetyltransferases of <i>Saccharomyces cerevisiae</i> are encoded by a single gene. 1995 , 14, 3472-9	52
199	Identification and analysis of a retinoblastoma binding motif in the replication protein of a plant DNA virus: requirement for efficient viral DNA replication. 1995 , 14, 4073-82	59
198	The products of the SUP45 (eRF1) and SUP35 genes interact to mediate translation termination in <i>Saccharomyces cerevisiae</i> . 1995 , 14, 4365-73	238
197	Fission yeast Rep2 is a putative transcriptional activator subunit for the cell cycle 'start' function of Res2-Cdc10. 1995 , 14, 4794-802	36
196	Bcr and Raf form a complex in vivo via 14-3-3 proteins. 1995 , 14, 4839-48	54
195	Journey to the surface of the cell: Fos regulation and the SRE. 1995 , 14, 4905-13	109

194	The fragile X mental retardation syndrome protein interacts with novel homologs FXR1 and FXR2. 1995 , 14, 5358-66	125
193	A downstream target of RHO1 small GTP-binding protein is PKC1, a homolog of protein kinase C, which leads to activation of the MAP kinase cascade in <i>Saccharomyces cerevisiae</i> . 1995 , 14, 5931-8	141
192	REG1 binds to protein phosphatase type 1 and regulates glucose repression in <i>Saccharomyces cerevisiae</i> . 1995 , 14, 5939-46	107
191	CAT5, a new gene necessary for derepression of gluconeogenic enzymes in <i>Saccharomyces cerevisiae</i> . 1995 , 14, 6116-26	18
190	Identification of a cdk-activating kinase in fission yeast. 1995 , 14, 6173-83	34
189	Dominant negative mutants of mammalian translation initiation factor eIF-4A define a critical role for eIF-4F in cap-dependent and cap-independent initiation of translation. 1994 , 13, 1205-15	177
188	The activation domain of a basic helix-loop-helix protein is masked by repressor interaction with domains distinct from that required for transcription regulation. 1994 , 13, 2192-9	27
187	Cdc16p, Cdc23p and Cdc27p form a complex essential for mitosis. 1994 , 13, 4321-8	94
186	Interaction with calmodulin is required for the function of Spc110p, an essential component of the yeast spindle pole body. 1994 , 13, 4329-42	34
185	Functional similarity and physical association between GCN5 and ADA2: putative transcriptional adaptors. 1994 , 13, 4807-15	108
184	Specific in vivo association between the bHLH and LIM proteins implicated in human T cell leukemia. 1994 , 13, 4831-9	75
183	A family of proteins containing a conserved domain that mediates interaction with the yeast SNF1 protein kinase complex. 1994 , 13, 5878-86	52
182	Immunophilins interact with calcineurin in the absence of exogenous immunosuppressive ligands. 1994 , 13, 5944-57	72
181	A mutation in the C31 subunit of <i>Saccharomyces cerevisiae</i> RNA polymerase III affects transcription initiation. 1995 , 14, 351-9	43
180	Targets of immunophilin-immunosuppressant complexes are distinct highly conserved regions of calcineurin A. 1995 , 14, 2772-83	45
179	Stepwise assembly of hyperaggregated forms of <i>Drosophila</i> zeste mutant protein suppresses white gene expression in vivo. 1993 , 12, 2061-73	14
178	A new pair of B-type cyclins from <i>Saccharomyces cerevisiae</i> that function early in the cell cycle. 1993 , 12, 3437-47	47
177	Functional synergy between DP-1 and E2F-1 in the cell cycle-regulating transcription factor DRTF1/E2F. 1993 , 12, 4317-24	104

176	Identification of the C-terminal activator domain in yeast heat shock factor: independent control of transient and sustained transcriptional activity. 1993 , 12, 5007-18	28
175	The Clk/Sty protein kinase phosphorylates SR splicing factors and regulates their intranuclear distribution. 1996 , 15, 265-75	232
174	The Mas20p and Mas70p subunits of the protein import receptor of yeast mitochondria interact via the tetratricopeptide repeat motif in Mas20p: evidence for a single hetero-oligomeric receptor. 1996 , 15, 1231-7	20
173	A suppressor of mutations in the class III transcription system encodes a component of yeast TFIIB. 1996 , 15, 1941-9	38
172	The human papillomavirus type 16 E7 gene product interacts with and trans-activates the AP1 family of transcription factors. 1996 , 15, 1950-60	61
171	Rom1p and Rom2p are GDP/GTP exchange proteins (GEPs) for the Rho1p small GTP binding protein in <i>Saccharomyces cerevisiae</i> . 1996 , 15, 2196-207	86
170	A heteromeric complex containing the centromere binding factor 1 and two basic leucine zipper factors, Met4 and Met28, mediates the transcription activation of yeast sulfur metabolism. 1996 , 15, 2519-29	65
169	The import receptor for the peroxisomal targeting signal 2 (PTS2) in <i>Saccharomyces cerevisiae</i> is encoded by the PAS7 gene. 1996 , 15, 2901-13	50
168	The spindle pole body component Spc98p interacts with the gamma-tubulin-like Tub4p of <i>Saccharomyces cerevisiae</i> at the sites of microtubule attachment. 1996 , 15, 3899-911	78
167	The fission yeast Cdc1 protein, a homologue of the small subunit of DNA polymerase delta, binds to Pol3 and Cdc27. 1996 , 15, 4613-28	42
166	Distinct activated and non-activated RNA polymerase II complexes in yeast. 1996 , 15, 4654-64	34
165	Cdc48p interacts with Ufd3p, a WD repeat protein required for ubiquitin-mediated proteolysis in <i>Saccharomyces cerevisiae</i> . 1996 , 15, 4884-99	104
164	Plant cells contain a novel member of the retinoblastoma family of growth regulatory proteins. 1996 , 15, 4900-8	83
163	Association of inhibitory tyrosine protein kinase p50csk with protein tyrosine phosphatase PEP in T cells and other hemopoietic cells. 1996 , 15, 4909-18	85
162	Zinc finger-mediated protein interactions modulate Ikaros activity, a molecular control of lymphocyte development. 1996 , 15, 5358-69	122
161	A nuclear role for the Fragile X mental retardation protein. 1996 , 15, 5408-14	47
160	Roles of the RAM and ANK domains in signaling by the <i>C. elegans</i> GLP-1 receptor. 1996 , 15, 7002-12	22
159	Conserved sequences in the beta subunit of archaeal and eukaryal translation initiation factor 2 (eIF2), absent from eIF5, mediate interaction with eIF2gamma. 2000 , 347 Pt 3, 703-9	12

158	A new method for the selection of protein interactions in mammalian cells. 2000 , 348 Pt 3, 585-90	6
157	Size of the ligand complex between the N-terminal domain of the gene III coat protein and the non-infectious phage strongly influences the usefulness of in vitro selective infective phage technology. 2000 , 352 Pt 3, 841-9	
156	Interaction between Nmd2p and Upf1p is required for activity but not for dominant-negative inhibition of the nonsense-mediated mRNA decay pathway in yeast. 1996 , 2, 153-70	52
155	The final stages of spliceosome maturation require Spp2p that can interact with the DEAH box protein Prp2p and promote step 1 of splicing. 1995 , 1, 375-90	75
154	Looking beneath the surface: the cell death pathway of Fas/APO-1 (CD95). 1996 , 2, 7-20	2
153	High-throughput sample preparation for protein or peptide structural characterization. 1999 , 10, 21-40	
152	PTEN-Associated Complexes: An Overview. 2010 , 12, 37-42	2
151	Imbalanced expression of Tif1 inhibits pancreatic ductal epithelial cell growth. 2014 , 4, 196-210	8
150	Identification of the putative mammalian orthologue of Sec31P, a component of the COPII coat. 1999 , 112 (Pt 24), 4547-56	35
149	Detecting interactions between eukaryotic proteins in bacteria. 1992 , 2, 139-46	2
148	Estimating classification accuracy in positive-unlabeled learning: characterization and correction strategies. 2019 , 24, 124-135	4
147	Avian proteomics. 2022 , 29-47	
146	Homodimeric and Heterodimeric Interactions among Vertebrate Basic Helix-Loop-Helix Transcription Factors. 2021 , 22,	0
145	Knowledge-guided artificial intelligence technologies for decoding complex multiomics interactions in cells. 2021 ,	0
144	Genetically encoded intrabodies as high-precision tools to visualize and manipulate neuronal function. 2021 ,	0
143	Scaling-up a fragment-based protein-protein interaction method using a human reference interaction set. 2021 ,	0
142	A simple and precise method (Y2H-in-frame-seq) improves yeast two-hybrid screening with cDNA libraries. 2021 ,	0
141	Sequence representations and their utility for predicting protein-protein interactions.. 2021 , PP,	1

140	Surface plasmon resonance coupled to mass spectrometry in bioanalysis. 2021 , 95, 89-106	
139	A novel yeast model detects Nrf2 and Keap1 interactions with Hsp90.. 2022 ,	1
138	The Virulence Factor p25 of Beet Necrotic Yellow Vein Virus Interacts With Multiple Aux/IAA Proteins From : Implications for Rhizomania Development.. 2021 , 12, 809690	
137	Barcode fusion genetics-protein-fragment complementation assay (BFG-PCA): tools and resources that expand the potential for binary protein interaction discovery.. 2022 ,	
136	Proximity labeling for investigating protein-protein interactions. 2022 ,	1
135	Predicting Essential Proteins Based on Integration of Local Fuzzy Fractal Dimension and Subcellular Location Information.. 2022 , 13,	0
134	Deciphering the evolution of composite-type GSKIP in mitochondria and Wnt signaling pathways.. 2022 , 17, e0262138	0
133	Yeast 2-hybrid assay for investigating the interaction between the centrosome proteins PLK4 and STIL. 2022 ,	
132	Titration of apparent in-cellula affinities of protein-protein interactions.. 2021 , e202100640	0
131	Deconvolution of the MBP-Bri2 Interaction by a Yeast Two Hybrid System and Synergy of the AlphaFold2 and High Ambiguity Driven Protein-Protein Docking. 2022 , 12, 197	1
130	From Petri Plates to Petri Nets, a revolution in yeast biology.. 2022 ,	
129	Dimerization of PtrMYB074 and PtrWRKY19 mediates transcriptional activation of PtrbHLH186 for secondary xylem development in Populus trichocarpa.. 2022 ,	2
128	Combinatorial Approaches for Efficient Design of Photoswitchable Protein-Protein Interactions as Actuators.. 2022 , 10, 844405	
127	De novo design of a transcription factor for a progesterone biosensor.. 2021 , 203, 113897	1
126	Identification of proteins that interact with a protein of interest: applications of the yeast two-hybrid system. 1997 , 172, 67-79	43
125	BTF3 is a potential new substrate of protein kinase CK2. 1999 , 191, 121-8	6
124	Protein kinase CK2alpha may induce gene expression but unlikely acts directly as a DNA-binding transcription-activating factor. 1999 , 191, 129-34	1
123	Large-scale plant proteomics. 2002 , 48, 133-41	12

122	Interactomes: Experimental and In Silico Approaches.. 2021 , 1346, 107-117	0
121	Protein-protein interaction prediction from primary sequences using supervised machine learning algorithm. 2022 ,	0
120	Exploiting the Gal4/UAS System as Plant Orthogonal Molecular Toolbox to Control Reporter Expression in Arabidopsis Protoplasts.. 2022 , 2379, 99-111	
119	Exportin Crm1 is important for Swi6 nuclear shuttling and MBF transcription activation in <i>Saccharomyces cerevisiae</i> .. 2022 , 23, 10	
118	Using the yeast three-hybrid system for the identification of small molecule-protein interactions with the example of ethinylestradiol.. 2022 ,	0
117	An efficient screening system to identify protein-protein or protein-DNA interaction partners of rice transcription factors.. 2022 ,	0
116	Intrinsically disordered proteins play diverse roles in cell signaling.. 2022 , 20, 20	8
115	A bacterial three-hybrid assay for forward and reverse genetic analysis of RNA-protein interactions.. 2022 ,	1
114	A Class of Koszul Algebra and Some Homological Invariants through Circulant Matrices and Cycles. 2022 , 2022, 1-8	
113	A <i>Trichinella spiralis</i> new born larvae-specific protein, Ts-NBL1, interacts with host's cell vimentin.. 2022 , 121, 1369	0
112	Uncovering Novel Viral Innate Immune Evasion Strategies: What Has SARS-CoV-2 Taught Us?. 2022 , 13, 844447	0
111	Analyzing the Androgen Receptor Interactome in Prostate Cancer: Implications for Therapeutic Intervention.. 2022 , 11,	1
110	Antigen identification and high-throughput interaction mapping by reprogramming viral entry.. 2022 ,	0
109	Exploring protein-protein interactions at the proteome level.. 2022 ,	1
108	Visualisation of in vivo protein-protein interactions.. 2022 ,	2
107	Engineering of Synthetic Transcriptional Switches in Yeast.. 2022 , 12,	0
106	Prediction of effector proteins and their implications in pathogenicity of phytopathogenic filamentous fungi: A review.. 2022 ,	3
105	Protein-Protein-Wechselwirkungen. 2022 , 433-471	

- 104 Tag-Based Pull-Down Assay.. **2022**, 2400, 105-114 0
- 103 Toxoplasma ERK7 defends the apical complex from premature degradation. 1
- 102 NanoLuc luciferase as a quantitative yeast two-hybrid reporter.. **2021**,
- 101 Regulatory Connections Between the Cyanobacterial Factor PipX and the Ribosome Assembly GTPase EngA.. **2021**, 12, 781760 0
- 100 The awesome power of yeast 2022, NULL 0
- 99 Image_1.tif. **2018**,
- 98 Table_1.xlsx. **2018**,
- 97 Table_2.xlsx. **2018**,
- 96 Table_3.xlsx. **2018**,
- 95 Data_Sheet_1.PDF. **2018**,
- 94 Image1.TIF. **2018**,
- 93 Image2.TIF. **2018**,
- 92 Image3.TIF. **2018**,
- 91 Table1.XLSX. **2018**,
- 90 Table2.XLSX. **2018**,
- 89 Table3.XLSX. **2018**,
- 88 Human proliferation-related protein p120 interacts with HSRP1. **1997**, 105, 553-559
- 87 Aptamers as Diagnostic Markers for Viral Infections of Veterinary Importance. **2022**, 159-169

86	Graphene oxide as a dual template for induced helicity of peptides.. 2022 ,	2
85	ProteinProtein Interaction (PPI) Network of Zebrafish Oestrogen Receptors: A Bioinformatics Workflow. 2022 , 12, 650	
84	Phenotyping Bacteria through a Black-Box Approach: Amplifying Surface-Enhanced Raman Spectroscopy Spectral Differences among Bacteria by Inputting Appropriate Environmental Stress.. 2022 ,	0
83	Highly Specific Protein Identification by Immunoprecipitation-Mass Spectrometry Using Antifouling Microbeads.. 2022 ,	
82	Discovery and identification of genes involved in DNA damage repair in yeast.. 2022 , 146549	0
81	Network for network concept offers new insights into host- SARS-CoV-2 protein interactions and potential novel targets for developing antiviral drugs.. 2022 , 146, 105575	2
80	Protein-protein interaction networks as miners of biological discovery.. 2022 , e2100190	2
79	A Simple Quantitative Assay for Measuring β Galactosidase Activity Using X-Gal in Yeast-Based Interaction Analyses.. 2022 , 2, e421	
78	Systems Biology of Virus-Host Protein Interactions: From Hypothesis Generation to Mechanisms of Replication and Pathogenesis.. 2022 ,	1
77	The expanding role of split protein complementation in opsin-free optogenetics. 2022 , 65, 102236	1
76	Dcp2 C-terminal cis-binding elements control selective targeting of the decapping enzyme by forming distinct decapping complexes. 11,	0
75	Connections for Matters of the Heart: Network Medicine in Cardiovascular Diseases. 2022 , 9,	1
74	Strigolactone signaling complex formation in yeast: A paradigm for studying hormone-induced receptor interaction with multiple downstream proteins. 2022 ,	
73	Profiling Protein Interactions by Purification with Capillary Monolithic Affinity Column in Combination with Label-Free Quantitative Proteomics. 2022 , 463273	0
72	Multi-view heterogeneous molecular network representation learning for proteinProtein interaction prediction. 2022 , 23,	1
71	Schistosoma japonicum proteins that interact with the gynecophoral canal protein identified using a yeast two-hybrid system. 2022 , 239, 108305	
70	MultiNet: A Diffusion-Based Approach to Assign Directionality in Protein Interactions Using a Consensus of Eight Protein Interaction Datasets. 2023 , 13-20	
69	The L. pneumophila effector PieF modulates mRNA stability through association with eukaryotic CCR4-NOT.	

68	Advances and Trends in Omics Technology Development. 9,	4
67	Research Advances and Prospects of Orphan Genes in Plants. 13,	1
66	Protocol for establishing a protein-protein interaction network using tandem affinity purification followed by mass spectrometry in mammalian cells. 2022 , 3, 101569	0
65	Heteromeric interactions of ripening-related ethylene receptors in tomato fruit.	1
64	GigaAssay \square An adaptable high-throughput saturation mutagenesis assay platform. 2022 , 110439	2
63	A Modified Yeast Two-Hybrid Platform Enables Dynamic Control of Expression Intensities to Unmask Properties of Protein-Protein Interactions. 2022 , 11, 2589-2598	
62	Transcriptomic Analysis of Fusarium oxysporum Stress-Induced Pathosystem and Screening of Fom-2 Interaction Factors in Contrasted Melon Plants. 13,	0
61	Integrating graph structure information and node attributes to predict protein-protein interactions. 2022 , 101837	
60	A method for Boolean analysis of protein interactions at a molecular level. 2022 , 13,	0
59	Screening of genes encoding proteins that interact with ISG15: Probing a cDNA library from a snakehead fish cell line using a yeast two-hybrid system. 2022 , 128, 300-306	
58	PeSA 2.0: A software tool for peptide specificity analysis implementing positive and negative motifs and motif-based peptide scoring. 2022 , 101, 107753	1
57	The KT Jeang Retrovirology prize 2022: Florence Margottin-Goguet. 2022 , 19,	0
56	Nuclear basket protein ZC3HC1 and its yeast homolog Pml39p feature an evolutionary conserved bimodular construction essential for initial binding to NPC-anchored homologs of scaffold protein TPR.	0
55	How many authors does it take to publish a high profile or classic paper?. 2022 , 33,	0
54	Global landscape of protein complexes in postprandial-state livers from diet-induced obese and lean mice. 2022 , 629, 40-46	0
53	Use of GAL4 factor-based yeast assay to quantify the effects of xenobiotics on RXR homodimer and RXR/PPAR heterodimer in scallop <i>Chlamys farreri</i> . 2022 , 852, 158526	0
52	A Bacterial Two-Hybrid System for In Vivo Assays of Protein-Protein Interactions and Drug Discovery. 2022 , 145-167	0
51	BioAlign: An Accurate Global PPI Network Alignment Algorithm. 2022 , 18, 117693432211106	0

- 50 AmPIF4 negatively regulates the blue light-induced synthesis of volatile terpenoids in snapdragon. ○
- 49 GA signaling expands: The plant UBX domain-containing protein 1 is a binding partner for the GA receptor. ○
- 48 Scalable Functional Assays for the Interpretation of Human Genetic Variation. **2022**, 56, ○
- 47 Near-Infrared Luciferase Complementation Assay with Enhanced Bioluminescence for Studying Protein-Protein Interactions and Drug Evaluation Under Physiological Conditions. ○
- 46 The Use of Yeast in Biosensing. **2022**, 10, 1772 ○
- 45 Subcellular Interactomes Revealed by Merging APEX with Cross-Linking Mass Spectrometry. **2022**, 94, 14878-14888 ○
- 44 Molecular characterization, targeting and expression analysis of chloroplast and mitochondrion protein import components in *Nicotiana benthamiana*. 13, ○
- 43 A Modular Scaffold for Controlling Transcriptional Activation via Homomeric Protein-Protein Interactions. **2022**, 11, 3198-3206 ○
- 42 SIGNOR 3.0, the SIGNaling network open resource 3.0: 2022 update. ○
- 41 Split-Ubiquitin Two-Hybrid Screen for Proteins Interacting with sToc159-1 and sToc159-2, Two Chloroplast Preprotein Import Receptors in Tomato (*Solanum lycopersicum*). **2022**, 11, 2923 ○
- 40 Screening technology of cyclic peptide library based on gene encoding. **2022**, 16, 100145 ○
- 39 Interaction estimation of pathogenicity determinant protein $\Omega 1$ encoded by Cotton leaf curl Multan Betasatellite with *Nicotiana benthamiana* Nuclear Transport Factor 2. 10, e14281 ○
- 38 AMP-activated protein kinase β journey from 1 to 100 downstream targets. **2022**, 479, 2327-2343 ○
- 37 Expanding the molecular versatility of an optogenetic switch in yeast. 10, ○
- 36 Identification of Putative Protein Complexes in Protein-Protein Interaction Networks. **2022**, 77-99 ○
- 35 Cross-Linking Mass Spectrometry Data Analysis. **2022**, 339-370 ○
- 34 Construction of yeast cDNA library and screening of TTM3 interaction protein in jujube fruit. **2022**, 179-186 ○
- 33 The velvet family proteins mediate low resistance to isoprothiolane in *Magnaporthe oryzae*. ○

- 32 Identification of Kv4.2 protein complex and modifications by tandem affinity purification-mass spectrometry in primary neurons. 16, ○
- 31 Transcription factor clusters enable target search but do not contribute to target gene activation. ○
- 30 WWOX Binds MERIT40 and Modulates Its Function in Homologous Recombination, Implications in Breast Cancer. ○
- 29 Proteomic discovery of chemical probes that perturb protein complexes in human cells. 1
- 28 Distinct Molecular Features of NleG Type 3 Secreted Effectors Allow for Different Roles during *Citrobacter rodentium* Infection in Mice. ○
- 27 On Bipartite Circulant Graph Decompositions Based on Cartesian and Tensor Products with Novel Topologies and Deadlock-Free Routing. 2023, 16, 10 ○
- 26 Interactomes-Scaffolds of Cellular Systems. 2016, 430-443 ○
- 25 Genetic and Molecular Interactions between H $\bar{1}$ T, a Novel Allele of the Notch Antagonist Hairless, and the Histone Chaperone Asf1 in *Drosophila melanogaster*. 2023, 14, 205 ○
- 24 Systematic characterization of *Brassica napus* UBC13 genes involved in DNA-damage response and K63-linked polyubiquitination. 2023, 23, ○
- 23 Recent Advances in Quinone Methide Chemistry for Protein-Proximity Capturing. ○
- 22 A binary interaction map between turnip mosaic virus and *Arabidopsis thaliana* proteomes. 2023, 6, ○
- 21 HPC-Atlas: Computationally Constructing A Comprehensive Atlas of Human Protein Complexes. ○
- 20 Functional Characterization of Potato UBC13-UEV1s Genes Required for Ubiquitin Lys63 Chain to Polyubiquitination. 2023, 24, 2412 ○
- 19 AFTGAN: prediction of multi-type PPI based on attention free transformer and graph attention network. 2023, 39, ○
- 18 The Biotechnology and Molecular Biology of Yeast. 2021, 191-225 ○
- 17 Beyond genomics and proteomics. 2023, 191-243 ○
- 16 Evolutionary Analysis of the Melon (*Cucumis melo* L.) GH3 Gene Family and Identification of GH3 Genes Related to Fruit Growth and Development. 2023, 12, 1382 ○
- 15 Thanksgiving to Yeast, the HMGB Proteins History from Yeast to Cancer. 2023, 11, 993 ○

- 14 Toxoplasma ERK7 protects the apical complex from premature degradation. **2023**, 222,
- 13 An evolutionarily conserved bimodular domain anchors ZC3HC1 and its yeast homologue Pml39p to the nuclear basket. **2023**, 34,
- 12 Comparison and quantification of estrogen receptor-mediated responsiveness to endocrine disruptors in bivalves by using complementary model and a novel yeast assay approach. **2023**, 323, 121208
- 11 Massively parallel protein-protein interaction measurement by sequencing (MP3-seq) enables rapid screening of protein heterodimers.
- 10 Exploring the Knowledge of An Outstanding Protein to Protein Interaction Transformer.
- 9 The history and conceptual framework of assays and screens. **2023**, 45,
- 8 SARS-CoV-2 SUD2 and Nsp5 Conspire to Boost Apoptosis of Respiratory Epithelial Cells via an Augmented Interaction with the G-Quadruplex of BclII.
- 7 Genetic Dissection of Budding Yeast PCNA Mutations Responsible for the Regulated Recruitment of Srs2 Helicase.
- 6 Prediction of chaperonin GroE substrates using small structural patterns of proteins. **2023**, 13, 779-794
- 5 Interactomics in plant defence: progress and opportunities.
- 4 Protein-Protein Interactions in Abiotic Stress Signaling: An Overview of Biochemical and Biophysical Methods of Characterization. **2023**, 319-330
- 3 Molecules interact. But how strong and how much?.
- 2 The molecular techniques to identify plant host-virus interactions and their implications on transmission. **2023**, 285-296
- 1 Proteomic discovery of chemical probes that perturb protein complexes in human cells. **2023**,