CITATION REPORT List of articles citing

INTERACTIONS BETWEEN EPIPHYTES, MACROPHYTES AND FRESHWATER SNAILS: A REVIEW

DOI: 10.1093/mollus/55.2.299 Journal of Molluscan Studies, 1989, 55, 299-311.

Source: https://exaly.com/paper-pdf/20748056/citation-report.pdf

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
148	Mutualistic Interactions in Freshwater Modular Systems with Molluscan Components. 1990 , 125-178		33
147	Littorina mariae 🖟 factor structuring low shore communities?. <i>Hydrobiologia</i> , 1990 , 193, 139-146	2.4	15
146	Comparative Grazing Efficiency of Pulmonate and Prosobranch Snails. 1990 , 9, 35-44		40
145	Herbivory and Detritivory on Freshwater Macrophytes by Invertebrates: A Review. 1991 , 10, 89-114		242
144	Interactions among phytoplankton, periphyton, and macrophytes in temperate freshwaters and estuaries. <i>Aquatic Botany</i> , 1991 , 41, 137-175	1.8	522
143	Herbivory on freshwater macrophytes. <i>Aquatic Botany</i> , 1991 , 41, 195-224	1.8	363
142	Effects of snail density on snail growth and periphyton. 1991 , 24, 2936-2939		
141	Interactions between freshwater snails and tadpoles: competition and facilitation. 1991, 87, 8-18		80
140	Indirect effects of fish on macrophytes in Bays Mountain Lake: evidence for a littoral trophic cascade. 1992 , 89, 476-481		67
139	Lessons from the size efficiency hypothesis II. The mire of complexity. <i>Hydrobiologia</i> , 1992 , 235-236, 435-455	2.4	4
138	An experimental investigation of interactions in snail-macrophyte-epiphyte systems. 1992 , 91, 587-595		62
137	Periphyton density and shading in relation to tidal depth and fiddler crab activity in intertidal seagrass beds of the Banc d'Arguin (Mauritania). <i>Hydrobiologia</i> , 1993 , 258, 73-80	2.4	13
136	The changing ecosystem of a shallow, brackish lake, Hickling Broad, Norfolk, U.K. II. Long-term trends in water chemistry and ecology and their implications for restoration of the lake. <i>Freshwater Biology</i> , 1993 , 29, 141-165	3.1	51
135	The impact of small chironomid grazers on epiphytic algal abundance and dispersion. <i>Freshwater Biology</i> , 1993 , 30, 25-33	3.1	17
134	Competition and allelopathy in aquatic plant communities. 1993 , 59, 155-210		183
133	Radiotracer Determination of Ingestion and Assimilation of Periphytic Algae, Bacteria, and Adsorbed Amino Acids by Snails. 1994 , 13, 80-88		19
132	Distribution of aquatic pulmonate snail species in contrasting habitats within the Ross River Reservoir (stage 2a), tropical Northern Australia. <i>Marine and Freshwater Research</i> , 1995 , 46, 1033	2.2	1

(2001-1995)

131	Effect of periphyton grazing by Hydrobia ulvae on the growth of Zostera noltii on a tidal flat in the Dutch Wadden Sea. 1995 , 122, 431-437		47	
130	The effects of shoot age on colonization of an emergent macrophyte (Typha latifolia) by macroinvertebrates. <i>Freshwater Biology</i> , 1995 , 34, 421-431	3.1	14	
129	Are Autecologically Similar Species Also Functionally Similar? A Test in Pond Communities. 1995 , 76, 544-552		22	
128	Decoupling of cascading trophic interactions in a freshwater, benthic food chain. 1996 , 108, 534-541		48	
127	Benthic Algae and Nutrient Cycling in Lentic Freshwater Ecosystems. 1996 , 641-667		33	
126	The Role of Periphyton in Benthic Food Webs. 1996 , 533-572		66	
125	Link Strength in Lake Littoral Food Webs: Net Effects of Small Sunfish and Larval Dragonflies. 1996 , 15, 271-288		16	
124	Invertebrate communities associated with macrophytes in Lake Ladoga: effects of environmental factors. <i>Hydrobiologia</i> , 1996 , 322, 49-55	2.4	22	
123	Utilization of Dissolved Organic Matter (DOM), from Living Macrophytes, by Pulmonate Snails: Implications to the B ood Webland M odulel C oncepts. 1997 , 117, 105-119		11	
122	DIATOM EPIPHYTES ON ODONTHALIA FLOCCOSA: THE IMPORTANCE OF EXTENT AND TIMING. 1998 , 34, 29-38		26	
121	Short- and long-term effects of the pyrethroid insecticide fenvalerate on an invertebrate pond community. 1998 , 41, 137-56		33	
120	Toxic effects of cadmium on reproduction, development, and hatching in the freshwater snail Lymnaea stagnalis for water quality monitoring. 1998 , 41, 288-97		80	
119	COMPLEX INTERACTIONS OF FISH, SNAILS, AND LITTORAL ZONE PERIPHYTON. 1998 , 79, 1980-1994		64	
118	Effects of CaCl2 and CaBr2 on the fecundity of Planorbarius corneus L 1999 , 38, 2345-2355		8	
117	Freshwater Snails (Mollusca: Gastropoda) of Maine. 1999 , 6, 39		4	
116	Influence of an Exotic and a Native Crayfish Species on a Littoral Benthic Community. <i>Oikos</i> , 1999 , 85, 545	4	95	
115	Do submerged aquatic plants influence periphyton community composition for the benefit of invertebrate mutualists?. <i>Freshwater Biology</i> , 2000 , 43, 591-604	3.1	71	
114	MOLLUSCA: GASTROPODA. 2001 , 297-329		22	

113 References Cited. **2001**, 843-980

112	THE INFLUENCE OF MULTIPLE INTRODUCED PREDATORS ON A LITTORAL POND COMMUNITY. 2001 , 82, 1023-1039		121
111	SPECIES-AREA RELATIONSHIPS, WATER CHEMISTRY AND SPECIES TURNOVER OF FRESHWATER SNAILS ON THE ALAND ISLANDS, SOUTHWESTERN FINLAND. <i>Journal of Molluscan Studies</i> , 2001 , 67, 17-26	1.1	10
110	The Influence of Multiple Introduced Predators on a Littoral Pond Community. 2001 , 82, 1023		27
109	Herbivory on submerged macrophytes Iwho's to blame?. 2002 , 28, 967-970		2
108	Experimental evidence for alternative stable equilibria in a benthic pond food web. 2003 , 6, 733-741		86
107	Feeding Preference of the Red Swamp Crayfish Procambarus clarkii (Girard) on Living Macrophytes in a Spanish Wetland. 2004 , 19, 219-226		15
106	Radiating in a river: systematics, molecular genetics and morphological differentiation of viviparous freshwater gastropods endemic to the Kaek River, central Thailand (Cerithioidea, Pachychilidae). 2004 , 82, 275-311		56
105	The distribution of three uncommon freshwater gastropods in the drainage ditches of British grazing marshes. 2004 , 118, 455-466		37
104	Determinants of macrophyte palatability to the pond snail Lymnaea stagnalis. <i>Freshwater Biology</i> , 2005 , 50, 86-95	3.1	51
103	Marine, Freshwater, and Wetlands Biodiversity Conservation. 2006,		2
102	Rare, threatened and alien species in the gastropod communities in the clay pit ponds in relation to the environmental factors (The Ciechanowska Upland, Central Poland). 2006 , 249-267		1
101	Effects of eutrophication and snails on Eurasian watermilfoil (Myriophyllum spicatum) invasion. 2006 , 8, 1643-1649		30
100	Rare, threatened and alien species in the gastropod communities in the clay pit ponds in relation to the environmental factors (The Ciechanowska Upland, Central Poland). 2006 , 15, 3617-3635		6
99	Gastropods on Submersed Macrophytes in Yangtze Lakes: Community Characteristics and Empirical Modelling. 2006 , 91, 521-538		21
98	THE GASTROPOD COMMUNITIES IN THE LOWLAND RIVERS OF AGRICULTURAL AREAS - THEIR BIODIVERSITY AND BIOINDICATIVE VALUE IN THE CIECHANOWSKA UPLAND, CENTRAL POLAND. 2006 , 49, 7-23		7
97	Density and distribution of epiphytic invertebrates on emergent macrophytes in a floodplain billabong. 2007 , 23, 843-857		8
96	Epifauna and Epiflora. 2008 , 1389-1393		

(2012-2008)

95	Density effects of native and exotic snails on growth in juvenile apple snails Pomacea paludosa (Gastropoda: Ampullariidae): a laboratory experiment. <i>Journal of Molluscan Studies</i> , 2008 , 74, 355-362	1.1	30	
94	Quantification of environment-driven changes in epiphytic macroinvertebrate communities associated to Phragmites australis. 2009 , 68, 229		17	
93	Diversity of aquatic malacofauna within a floodplain of a large lowland river (lower Bug River, Eastern Poland). <i>Journal of Molluscan Studies</i> , 2009 , 75, 223-234	1.1	10	
92	Sources of organic matter and methylmercury in littoral macroinvertebrates: a stable isotope approach. 2009 , 94, 81-94		30	
91	Invertebrate grazing during the regenerative phase affects the ultimate structure of macrophyte communities. <i>Freshwater Biology</i> , 2009 , 54, 1246-1255	3.1	14	
90	Epiphytic macroinvertebrate communities on Eurasian watermilfoil (Myriophyllum spicatum) and native milfoils Myriophyllum sibericum and Myriophyllum alterniflorum in eastern North America. 2009 , 66, 18-30		19	
89	Periphyton grazing and phosphorus excretion by mollusks. 2010 , 41, 327-332		7	
88	Winning the biodiversity arms race among freshwater gastropods: competition and coexistence through shell variability and predator avoidance. <i>Hydrobiologia</i> , 2010 , 653, 191-215	2.4	62	
87	Epiphyton or Macrophyte: Which Primary Producer Attracts the SnailHebetancylus moricandi?. 2010 , 28, 127-133		20	
86	Fifty years after the Homage to Santa RosaliallOld and new paradigms on biodiversity in aquatic ecosystems. 2010 ,		1	
85	Biotic interactions in freshwater benthic habitats. 2010 , 29, 220-244		95	
84	Literature Citations. 2010 , 1022-1194			
83	The effect of metals accumulated in reed (Phragmites australis) on the structure of periphyton. 2011 , 74, 558-68		15	
82	Composition and density of plant-associated invertebrates in relation to environmental gradients and hydrological connectivity of wetlands. 2011 , 40, 52-63		12	
81	Comparison of snail density, standing stock, and body size between Caribbean karst wetlands and other freshwater ecosystems. <i>Hydrobiologia</i> , 2011 , 665, 1-13	2.4	10	
80	Hydrilla verticillata (Hydrocharitaceae), a recent invader threatening Brazill freshwater environments: a review of the extent of the problem. <i>Hydrobiologia</i> , 2011 , 669, 1-20	2.4	68	
79	Consumption, survival and growth in the invasive freshwater snail Pomacea canaliculata: does food freshness matter?. <i>Journal of Molluscan Studies</i> , 2011 , 77, 189-195	1.1	25	
78	Macroinvertebrates associated with two submerged macrophytes, Lagarosiphon ilicifolius and Vallisneria aethiopica, in the Sanyati Basin, Lake Kariba, Zimbabwe: effect of plant morphological complexity. 2012 , 37, 277-288		5	

77	Benthic macroinvertebrate community structure in Lake Taihu, China: Effects of trophic status, wind-induced disturbance and habitat complexity. 2012 , 38, 39-48	70
76	Costs of inducible defence along a resource gradient. 2012 , 7, e30467	23
75	The role of plant secondary metabolites in freshwater macrophyteBerbivore interactions. 154-169	20
74	MACROINVERTEBRATES IN ABANDONED CHANNELS: ASSEMBLAGE CHARACTERISTICS AND THEIR INDICATIONS FOR CHANNEL MANAGEMENT. 2012 , 28, 1149-1160	17
73	Acute combined exposure to heavy metals (Zn, Cd) blocks memory formation in a freshwater snail. <i>Ecotoxicology</i> , 2012 , 21, 860-8	14
72	Macrozoobenthic assemblages in relation to environments of the Yangtze-isolated lakes. 2012 , 6, 246-254	6
71	Effects of bisphenol A on different trophic levels in a lotic experimental ecosystem. 2013 , 144-145, 186-98	23
70	Can the freshwater snail Bellamya aeruginosa (Mollusca) affect phytoplankton community and water quality?. <i>Hydrobiologia</i> , 2013 , 707, 147-157	16
69	A laboratory and in situ postexposure feeding assay with a freshwater snail. 2013, 32, 2144-52	7
68	An exploratory analysis of benthic macroinvertebrates as indicators of the ecological status of the Upper Yellow and Yangtze Rivers. 2013 , 23, 871-882	23
67	The response of epiphytic microbes to habitat and growth status of Potamogeton malaianus Miq. in Lake Taihu. 2013 , 53, 828-37	15
66	Installation of an artificial vegetating island in oligomesotrophic Lake Paro, Korea. 2013 , 2013, 857670	10
65	An ultrasonic method for separation of epiphytic microbes from freshwater submerged macrophytes. 2014 , 54, 758-61	6
64	The impact of environmental factors on the diversity of gastropod communities in sinkhole ponds in a coal mining region (Silesian Upland, Southern Poland). 2014 , 69, 780-789	11
63	An overview of freshwater snails in Asia with main focus on Vietnam. 2014 , 140, 105-17	26
62	Facilitation of clear-water conditions in shallow lakes by macrophytes: differences between charophyte and angiosperm dominance. <i>Hydrobiologia</i> , 2014 , 737, 99-110	. 80
61	The response of two submerged macrophytes and periphyton to elevated temperatures in the presence and absence of snails: a microcosm approach. <i>Hydrobiologia</i> , 2014 , 738, 49-59	41
60	Effects of water temperature on summer periphyton biomass in shallow lakes: a pan-European mesocosm experiment. 2015 , 77, 499-510	21

59	Introduction to Mollusca and the Class Gastropoda. 2015 , 383-421		5
58	Consumer patchiness explained by volatile infochemicals in a freshwater ecosystem. 2015 , 6, art35		13
57	Macroinvertebrate responses to regime shifts caused by eutrophication in subtropical shallow lakes. 2015 , 34, 942-952		21
56	Reprint of "An overview of freshwater snails in Asia with main focus on Vietnam". 2015 , 141, 372-84		2
55	Control of Cyanobacterial Blooms via Synergistic Effects of Pulmonates and Submerged Plants. 2015 , 43, 330-335		5
54	Spatial and temporal variability in algal epiphytes on Patagonian Dictyota dichotoma (Dictyotales, Phaeophyceae). <i>Aquatic Botany</i> , 2015 , 120, 338-345	1.8	6
53	Patchiness in food resources drives fish abundances in emergent macrophytes under field and experimental conditions. <i>Hydrobiologia</i> , 2016 , 781, 127-142	2.4	2
52	Cross-habitat effects shape the ecosystem consequences of co-invasion by a pelagic and a benthic consumer. 2016 , 182, 519-28		4
51	The influence of the landscape structure within buffer zones, catchment land use and instream environmental variables on mollusc communities in a medium-sized lowland river. 2016 , 31, 853-867		8
50	Predation of freshwater gastropods (Viviparus viviparus) by brown rats (Rattus norvegicus). <i>Journal of Molluscan Studies</i> , 2016 , 82, 457-463	1.1	Ο
49	Dietary preferences of Hawaiian tree snails to inform culture for conservation. 2016 , 198, 177-182		10
48	Development of submerged macrophyte and epiphyton in a flow-through system: Assessment and modelling predictions in interconnected reservoirs. <i>Ecological Indicators</i> , 2017 , 75, 145-154	5.8	27
47	Genetic Characterization of Periphyton Communities Associated with Selenium Bioconcentration and Trophic Transfer in a Simple Food Chain. <i>Environmental Science & Environmental Science & Environment</i>	5 ¹ 49·3	6
46	Behaviour of freshwater snails (Radix balthica) exposed to the pharmaceutical sertraline under simulated predation risk. <i>Ecotoxicology</i> , 2018 , 27, 144-153	2.9	7
45	Limited effect of gizzard sand on consumption of the macrophyte Myriophyllum spicatum by the great pond snail Lymnaea stagnalis. <i>Hydrobiologia</i> , 2018 , 812, 131-145	2.4	5
44	The effect of temperature on herbivory by the omnivorous ectotherm snail Lymnaea stagnalis. <i>Hydrobiologia</i> , 2018 , 812, 147-155	2.4	24
43	Impact of trematode infections on periphyton grazing rates of freshwater snails. <i>Parasitology Research</i> , 2018 , 117, 3547-3555	2.4	4
42	Effects of Estuarine Acidification on an Oyster-Associated Community in New South Wales, Australia. <i>Journal of Shellfish Research</i> , 2018 , 37, 63-72	1	4

41	The influence of elevated CO2 on Vallisneria spiralis, Radix auricularia, and their plantBerbivore interaction. <i>Aquatic Ecology</i> , 2019 , 53, 137-150	1.9	2
40	Epiflora and Epifauna. 2019 , 375-380		1
39	Evaluating Nutrient Reduction, Grazing and Barley Straw as Measures Against Algal Growth. <i>Wetlands</i> , 2020 , 40, 193-202	1.7	3
38	Mesocosm experiment reveals a strong positive effect of snail presence on macrophyte growth, resulting from control of epiphyton and nuisance filamentous algae: Implications for shallow lake management. <i>Science of the Total Environment</i> , 2020 , 705, 135958	10.2	15
37	Responses of four submerged macrophytes to freshwater snail density () under clear-water conditions: A mesocosm study. <i>Ecology and Evolution</i> , 2020 , 10, 7644-7653	2.8	5
36	Ectothermic omnivores increase herbivory in response to rising temperature. <i>Oikos</i> , 2020 , 129, 1028-10)3 _. p	10
35	Direct and indirect effects of native plants and herbivores on biotic resistance to alien aquatic plant invasions. <i>Journal of Ecology</i> , 2020 , 108, 1487-1496	6	5
34	Positive biotic interactions in freshwaters: A review and research directive. <i>Freshwater Biology</i> , 2020 , 65, 811-832	3.1	20
33	Comparison of DNA extraction methods for non-marine molluscs: is modified CTAB DNA extraction method more efficient than DNA extraction kits?. <i>3 Biotech</i> , 2020 , 10, 69	2.8	8
32	Food choice in Megalobulimus paranaguensis (Gastropoda, Eupulmonata). <i>Studies on Neotropical Fauna and Environment</i> , 2020 , 1-4	0.6	1
31	The interplay of flow processes shapes aquatic invertebrate successions in floodplain channels - A modelling applied to restoration scenarios. <i>Science of the Total Environment</i> , 2021 , 750, 142081	10.2	2
30	Reducing disease and producing food: Effects of 13 agrochemicals on snail biomass and human schistosomes.		1
29	Herbivory increases on freshwater plants exposed to artificial light at night. <i>Aquatic Botany</i> , 2021 , 175, 103447	1.8	0
28	Concordance of Phosphorus Limitation in Lakes: Bacterioplankton, Phytoplankton, Epiphyte-Snail Consumers, and Rooted Macrophytes. <i>Ecological Studies</i> , 1998 , 318-325	1.1	3
27	Complex Fish-Snail-Epiphyton Interactions and Their Effects on Submerged Freshwater Macrophytes. <i>Ecological Studies</i> , 1998 , 47-68	1.1	23
26	Complex trophic interactions in freshwater benthic food chains. 1997 , 55-88		11
25	Spatial relationships and temporal variability in a littoral macrophyte fish assemblage. <i>Marine and Freshwater Research</i> , 2004 , 55, 609	2.2	10
24	Mollusc communities of lowland rivers and oxbow lakes in agricultural areas with anthropogenically elevated nutrient concentration. <i>Folia Malacologica</i> , 2014 , 22, 87-159	0.5	11

23	Characteristic of nitrogen stable isotope in Bellamya aeruginosa in different bays of Lake Taihu, China. <i>Hupo Kexue/Journal of Lake Sciences</i> , 2012 , 24, 282-286	0.5	2
22	Global impacts of invasive species on the tipping points of shallow lakes. <i>Global Change Biology</i> , 2021 , 27, 6129-6138	11.4	3
21	An Assessment of the Batillaria Snails, Batillaria cumingii, as an Indicator of Heavy Metals Contamination in Banzu and Nakatsu Tidalflats, Japan. <i>Japanese Journal of Water Treatment</i> <i>Biology</i> , 2007 , 43, 1-8	0.2	
20	Winning the biodiversity arms race among freshwater gastropods: competition and coexistence through shell variability and predator avoidance. 2010 , 191-215		
19	Advances in ecological research on epiphytic community of submerged macrophytes. <i>Hupo Kexue/Journal of Lake Sciences</i> , 2013 , 25, 163-170	0.5	2
18	Littorina mariae 🖟 factor structuring low shore communities?. 1990 , 139-146		
17	Lessons from the size efficiency hypothesis II. The mire of complexity. 1992 , 435-455		
16	Periphyton density and shading in relation to tidal depth and fiddler crab activity in intertidal seagrass beds of the Banc durguin (Mauritania). 1993 , 73-80		
15	The characteristics of epiphytic microbes of three submerged macrophytes in Lake Huashen. <i>Hupo Kexue/Journal of Lake Sciences</i> , 2015 , 27, 103-112	0.5	
14	Agrochemical pollution increases risk of human exposure to schistosome parasites.		1
13	Comparison of DNA extraction methods for non-marine molluscs: Is modified CTAB DNA extraction method more efficient than DNA extraction kits?.		
12	Epiphytic biofilms in freshwater and interactions with macrophytes: Current understanding and future directions. <i>Aquatic Botany</i> , 2022 , 176, 103467	1.8	6
11	SeeRosystemeIV: SynRologie (TeilII). 1-54		
10	Snail communities increase submerged macrophyte growth by grazing epiphytic algae and phytoplankton in a mesocosm experiment <i>Ecology and Evolution</i> , 2022 , 12, e8615	2.8	Ο
9	Freshwater gastropods as an important group for studying the impact of inter- and intra-specific chemical communication on aquatic community dynamics. <i>Aquatic Ecology</i> , 1	1.9	О
8	Reducing disease and producing food: Effects of 13 agrochemicals on snail biomass and human schistosomes. <i>Journal of Applied Ecology</i> , 2022 , 59, 729-741	5.8	1
7	Habitat Complexity Alters Predator-Prey Interactions in a Shallow Water Ecosystem. <i>Diversity</i> , 2022 , 14, 431	2.5	0
6	Structural and Functional Characterization of Bacterial Biofilms Formed on Phragmites australis (Cav.) in the Rybinsk Reservoir. <i>Microbiology</i> , 2022 , 91, 324-335	1.4	

5	Interactive effects of light and snail herbivory rather than nutrient loading determine early establishment of submerged macrophytes. <i>Ecology and Evolution</i> , 2022 , 12,	2.8	О	
4	Gastropod Assemblages Associated with Habitat Heterogeneity and Hydrological Shifts in Two Shallow Waterbodies. 2022 , 14, 2290			
3	Principle and application of co-occurrence networks for freshwater ecosystem assessment. 2022 , 34, 1765-1787		O	
2	Direct evidence of the important role of proteins in bioconcentration and biomagnification of PFASs in benthic organisms based on comparison with OPEs. 2023 , 863, 161012		1	
1	Long-term macrophyte and snail community responses to population declines of invasive rusty crayfish (Faxonius rusticus). 2023 , 33,		О	