

# Preeclampsia: An endothelial cell disorder

American Journal of Obstetrics and Gynecology

161, 1200-1204

DOI: [10.1016/0002-9378\(89\)90665-0](https://doi.org/10.1016/0002-9378(89)90665-0)

Citation Report

#	ARTICLE	IF	CITATIONS
1	General discussion II. , 0, , 169-172.		0
2	Lipid peroxidation in pregnancy: New perspectives on preeclampsia. American Journal of Obstetrics and Gynecology, 1989, 161, 1025-1034.	0.7	461
3	New developments in pre-eclampsia. Fetal and Maternal Medicine Review, 1990, 2, 125-141.	0.3	20
4	Pregnancy in the patient with rheumatic disease: the obstetrician's perspective. Bailliere's Clinical Rheumatology, 1990, 4, 141-156.	1.0	8
5	Women with Preeclampsia have Higher Plasma Endothelin Levels than Women with Normal Pregnancies. Journal of Clinical Endocrinology and Metabolism, 1990, 71, 1675-1677.	1.8	347
6	Platelets and the Beginnings of Preeclampsia. New England Journal of Medicine, 1990, 323, 478-480.	13.9	139
7	Partial Characterization of a Novel Growth Factor from the Blood of Women with Preeclampsia*. Journal of Clinical Endocrinology and Metabolism, 1990, 70, 1285-1291.	1.8	24
8	National High Blood Pressure Education Program Working Group Report on High Blood Pressure in Pregnancy. American Journal of Obstetrics and Gynecology, 1990, 163, 1691-1712.	0.7	381
9	Growth factor activity in the blood of women in whom preeclampsia develops is elevated from early pregnancy. American Journal of Obstetrics and Gynecology, 1990, 163, 1839-1844.	0.7	48
10	Hypothesis: inhibition of endothelium-derived relaxing factor by haemoglobin in the pathogenesis of pre-eclampsia. Lancet, The, 1990, 336, 1030-1032.	6.3	59
11	Human trophoblast-endometrial interactions in an in vitro suspension culture system. Placenta, 1990, 11, 349-367.	0.7	70
12	Controlled Trials of Antihypertensive Drugs in Pregnancy. American Journal of Kidney Diseases, 1991, 17, 149-153.	2.1	42
13	Selective effects of preeclamptic sera on human endothelial cell procoagulant protein expression. American Journal of Obstetrics and Gynecology, 1991, 165, 1705-1710.	0.7	49
14	Prevention of fetal growth retardation with low-dose aspirin: findings of the EPREDA trial. Lancet, The, 1991, 337, 1427-1431.	6.3	206
15	Maternal plasma level of endothelin is increased in preeclampsia. American Journal of Obstetrics and Gynecology, 1991, 165, 724-727.	0.7	196
16	Antioxidant systems in normal pregnancy and in pregnancy-induced hypertension. American Journal of Obstetrics and Gynecology, 1991, 165, 1701-1704.	0.7	210
17	Male-to-female transsexual with XYY karyotype. Lancet, The, 1991, 337, 557-558.	6.3	15
18	Endothelin, elastase, and endothelial dysfunction in pre-eclampsia. Lancet, The, 1991, 337, 558.	6.3	67

#	ARTICLE	IF	CITATIONS
19	High plasma cellular fibronectin levels correlate with biochemical and clinical features of preeclampsia but cannot be attributed to hypertension alone. American Journal of Obstetrics and Gynecology, 1991, 165, 895-901.	0.7	187
20	Decreased levels of polyunsaturated fatty acids in preeclampsia. American Journal of Obstetrics and Gynecology, 1991, 164, 812-818.	0.7	66
21	Sera from preeclamptic women increase the content of triglycerides and reduce the release of prostacyclin in cultured endothelial cells. Thrombosis Research, 1991, 63, 363-372.	0.8	89
22	Acetazolamide for psoriasis. Lancet, The, 1991, 337, 558-559.	6.3	9
23	Pre-eclampsia and the placenta. Placenta, 1991, 12, 301-308.	0.7	576
24	Potential role of endothelin-1 in normal and hypertensive pregnancies. American Journal of Obstetrics and Gynecology, 1991, 165, 1711-1716.	0.7	86
25	Enhanced endothelium-derived relaxing factor activity in pregnant, spontaneously hypertensive rats. American Journal of Obstetrics and Gynecology, 1991, 165, 801-807.	0.7	69
26	Increased plasma levels of the novel vasoconstrictor peptide endothelin in severe pre-eclampsia. European Journal of Obstetrics, Gynecology and Reproductive Biology, 1991, 40, 215-220.	0.5	60
27	Isolation and purification of microvascular endothelium from human decidual tissue in the late phase of pregnancy. American Journal of Obstetrics and Gynecology, 1991, 165, 191-196.	0.7	39
28	Pathophysiology of Preeclampsia. Clinics in Perinatology, 1991, 18, 661-682.	0.8	188
29	New Concepts in the Understanding of Hypertensive Diseases During Pregnancy. Clinics in Perinatology, 1991, 18, 653-659.	0.8	42
30	Pregnancy-induced hypertension: pathogenesis and management. Australian and New Zealand Journal of Medicine, 1991, 21, 257-273.	0.5	29
31	Preeclamptic Sera Stimulate Increased Platelet-Derived Growth Factor mRNA and Protein Expression by Cultured Human Endothelial Cells. American Journal of Reproductive Immunology, 1991, 25, 105-108.	1.2	43
32	Clinical and Biochemical Evidence of Endothelial Cell Dysfunction in the Pregnancy Syndrome Preeclampsia. American Journal of Hypertension, 1991, 4, 700-708.	1.0	369
33	Coagulation studies in the syndrome of haemolysis, elevated liver enzymes and low platelets. BJOG: an International Journal of Obstetrics and Gynaecology, 1991, 98, 42-47.	1.1	50
34	The regulation of endothelin production in human umbilical vein endothelial cells: unique inhibitory action of calcium ionophores.. Journal of Clinical Endocrinology and Metabolism, 1992, 75, 665-668.	1.8	17
35	Increases in plasma atrial natriuretic peptide concentration antedate clinical evidence of preeclampsia.. Journal of Clinical Endocrinology and Metabolism, 1992, 74, 1095-1100.	1.8	30
36	Vaso-active factors in pregnancy. Fetal and Maternal Medicine Review, 1992, 4, 15-36.	0.3	9

#	ARTICLE	IF	CITATIONS
37	Endothelins in reproduction. <i>Reproductive Medicine Review</i> , 1992, 1, 99-113.	0.3	15
38	Sera From Preeclamptic Women Specifically Activate Human Umbilical Vein Endothelial Cells In Vitro: Morphological and Biochemical Evidence. <i>American Journal of Reproductive Immunology</i> , 1992, 27, 101-108.	1.2	102
39	Microvascular Perturbations in Human Allografts: Analogies in Preeclamptic Placentae. <i>American Journal of Reproductive Immunology</i> , 1992, 27, 109-116.	1.2	19
40	Comparative Risk-Benefit Assessment of Drugs Used in the Management of Hypertension in Pregnancy. <i>Drug Safety</i> , 1992, 7, 223-234.	1.4	29
41	The effect of magnesium sulfate on maternal retinal blood flow in preeclampsia: A randomized placebo-controlled study. <i>American Journal of Obstetrics and Gynecology</i> , 1992, 167, 1548-1553.	0.7	88
42	Effect of magnesium sulfate on plasma endothelin-1 levels in normal and preeclamptic pregnancies. <i>American Journal of Obstetrics and Gynecology</i> , 1992, 167, 1554-1559.	0.7	27
43	10 Immunological aspects of pre-eclampsia. <i>Bailliere's Clinical Obstetrics and Gynaecology</i> , 1992, 6, 601-615.	0.6	62
44	Endothelial function in normal and pre-eclamptic pregnancy: a hypothesis. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 1992, 43, 113-122.	0.5	60
45	Prostacyclin rather than nitric oxide lowers human umbilical artery tone in vitro. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 1992, 47, 109-115.	0.5	22
46	An immunohistologic study of endothelialization of uteroplacental vessels in human pregnancy-Evidence that endothelium is focally disrupted by trophoblast in preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 1992, 167, 751-756.	0.7	71
47	Endothelium-derived relaxing factor and indomethacin-sensitive contracting factor alter arterial contractile responses to thromboxane during pregnancy. <i>American Journal of Obstetrics and Gynecology</i> , 1992, 166, 1171-1181.	0.7	70
48	7 The role of prostaglandins in obstetrical disorders. <i>Bailliere's Clinical Obstetrics and Gynaecology</i> , 1992, 6, 809-827.	0.6	35
49	The case for magnesium sulfate in preeclampsia-eclampsia. <i>International Journal of Obstetric Anesthesia</i> , 1992, 1, 167-175.	0.2	40
50	Platelet activation and vascular damage in gestational hypertension. <i>American Journal of Obstetrics and Gynecology</i> , 1992, 166, 629-633.	0.7	81
51	Magnesium sulfate therapy in preeclampsia is associated with increased urinary cyclic guanosine monophosphate excretion. <i>American Journal of Obstetrics and Gynecology</i> , 1992, 167, 931-934.	0.7	35
52	Increased lipolytic activity and high ratio of free fatty acids to albumin in sera from women with preeclampsia leads to triglyceride accumulation in cultured endothelial cells. <i>American Journal of Obstetrics and Gynecology</i> , 1992, 167, 440-447.	0.7	99
53	Selective effects of preeclamptic sera on human endothelial cell procoagulant protein expression. <i>International Journal of Gynecology and Obstetrics</i> , 1992, 39, 66-66.	1.0	1
54	Diagnosis of the placental antecedents of pre-eclampsia. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1992, 99, 619-621.	1.1	5

#	ARTICLE	IF	CITATIONS
55	Plasma endothelin, atrial natriuretic peptide (ANP) and uterine and umbilical artery flow velocity waveforms in hypertensive pregnancies. BJOG: an International Journal of Obstetrics and Gynaecology, 1992, 99, 761-764.	1.1	11
56	Markers for endothelial injury, clotting and platelet activation in preeclampsia. Archives of Gynecology and Obstetrics, 1992, 251, 105-110.	0.8	37
57	The effect of placental syncytiotrophoblast microvillous membranes from normal and pre-eclamptic women on the growth of endothelial cells in vitro. BJOG: an International Journal of Obstetrics and Gynaecology, 1993, 100, 943-949.	1.1	195
58	Noninvasive test of microvascular endothelial function in normal and hypertensive pregnancies. BJOG: an International Journal of Obstetrics and Gynaecology, 1993, 100, 469-471.	1.1	26
59	Lipid hydroperoxides potentiate mesenteric artery vasoconstrictor responses. Free Radical Biology and Medicine, 1993, 14, 397-407.	1.3	35
60	Management of the fetus with a cystic adenomatoid malformation. World Journal of Surgery, 1993, 17, 342-349.	0.8	41
61	The role of reproductive hormones in vascular disease and hypertension. Steroids, 1993, 58, 605-610.	0.8	22
62	Fetal surgery for cystic adenomatoid malformation of the lung. Journal of Pediatric Surgery, 1993, 28, 806-812.	0.8	165
63	Evaluation of plasma insulin-like growth factor-binding protein-3 as a potential predictor of preeclampsia. American Journal of Obstetrics and Gynecology, 1993, 169, 995-999.	0.7	21
64	Endothelial vasoactive mediators in preeclampsia. American Journal of Obstetrics and Gynecology, 1993, 169, 160-165.	0.7	103
65	Abnormal endothelial cell function of resistance arteries from women with preeclampsia. American Journal of Obstetrics and Gynecology, 1993, 168, 1323-1330.	0.7	263
66	Prevention of Preeclampsia with Low-Dose Aspirin in Healthy, Nulliparous Pregnant Women. New England Journal of Medicine, 1993, 329, 1213-1218.	13.9	538
67	Elevated circulating thrombomodulin in severe preeclampsia. American Journal of Obstetrics and Gynecology, 1993, 169, 148-149.	0.7	75
68	Elevated second-trimester human chorionic gonadotropin and subsequent pregnancy-induced hypertension. American Journal of Obstetrics and Gynecology, 1993, 169, 834-838.	0.7	102
69	Secretion of prostanoids by platelets and monocytes in normal and hypertensive pregnancies. American Journal of Obstetrics and Gynecology, 1993, 168, 661-667.	0.7	10
70	Effect of the vascular endothelium on norepinephrine-induced contractions in uterine radial arteries from the nonpregnant and pregnant human uterus. American Journal of Obstetrics and Gynecology, 1993, 168, 1623-1628.	0.7	32
71	Responses of placental arteries from normotensive and preeclamptic women to endogenous vasoactive agents. American Journal of Obstetrics and Gynecology, 1993, 168, 869-874.	0.7	27
72	Urinary excretion of 6-keto-PGF1 $\alpha$ TXB2 and PGE2 in a rat animal model for preeclampsia-like syndrome. Prostaglandins, 1993, 46, 167-175.	1.2	9

#	ARTICLE	IF	CITATIONS
73	Effect of magnesium sulfate on plasma endothelin-1 levels in normal and preeclamptic pregnancies. International Journal of Gynecology and Obstetrics, 1993, 42, 218-218.	1.0	0
74	Systemic and uterine vascular response to serotonin in third trimester pregnant ewes. European Journal of Obstetrics, Gynecology and Reproductive Biology, 1993, 51, 131-138.	0.5	19
75	Immunohistologic demonstration of endothelial disruption in acute atherosclerosis in pre-eclampsia. European Journal of Obstetrics, Gynecology and Reproductive Biology, 1993, 51, 193-197.	0.5	38
76	Pre-eclampsia: more than pregnancy-induced hypertension. Lancet, The, 1993, 341, 1447-1451.	6.3	1,214
77	Plasma endothelin-1 and big endothelin-1 levels in women with pre-eclampsia. European Journal of Endocrinology, 1993, 129, 114-120.	1.9	36
78	Genetics of Pre-Eclampsia. Hypertension in Pregnancy, 1993, 12, 1-23.	0.5	96
79	Preventing Preeclampsia. New England Journal of Medicine, 1993, 329, 1265-1266.	13.9	25
80	New Insights into the Etiology of Pre-eclampsia. Annals of Medicine, 1993, 25, 243-249.	1.5	58
81	Relationship Between Nitric Oxide Synthesis and Increase in Systolic Blood Pressure in Women with Hypertension in Pregnancy. Hypertension in Pregnancy, 1993, 12, 85-92.	0.5	68
82	Genetic Conflicts in Human Pregnancy. Quarterly Review of Biology, 1993, 68, 495-532.	0.0	1,059
83	Increased Levels of Plasma Thrombomodulin in Preeclampsia. Gynecologic and Obstetric Investigation, 1993, 36, 208-210.	0.7	55
84	Renal Vascular Changes and Uterine Artery Resistance in Pregnant Women with Renal Disease. Nephron, 1994, 68, 405-405.	0.9	0
85	Endothelin-1 Production in Umbilical Arteries from Hypertensive Pregnant Women. Contributions To Nephrology, 1994, 106, 162-165.	1.1	1
86	Does nitric oxide play a role in normal pregnancy and pregnancy-induced hypertension?. Nephrology Dialysis Transplantation, 0, , .	0.4	6
87	Trophoblast infiltration. Reproductive Medicine Review, 1994, 3, 137-157.	0.3	8
88	On the Brain in Eclampsia. Hypertension in Pregnancy, 1994, 13, 111-113.	0.5	3
89	Invited Review: The Brain in Eclampsia. Hypertension in Pregnancy, 1994, 13, 115-133.	0.5	37
90	Effects of free fatty acids found increased in women who develop pre-eclampsia on the ability of endothelial cells to produce prostacyclin, cGMP and inhibit platelet aggregation. Scandinavian Journal of Clinical and Laboratory Investigation, 1994, 54, 549-557.	0.6	62

#	ARTICLE	IF	CITATIONS
91	Antioxidants and Immunological Markers in Pregnancy-Induced Hypertension and Essential Hypertension in Pregnancy. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 1994, 3, 132-138.	0.7	0
92	Cerebral Vasospasm in Eclampsia: Transcranial Doppler Ultrasound Findings. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 1994, 3, 9-13.	0.7	14
93	Plasma and Urinary Endothelin 1, Prostacyclin Metabolites and Platelet Consumption in Pre-Eclampsia and Essential Hypertensive Pregnancy. <i>Blood Pressure</i> , 1994, 3, 38-46.	0.7	48
94	Critical care management of severe pre-eclampsia. <i>Fetal and Maternal Medicine Review</i> , 1994, 6, 219-229.	0.3	12
95	Consequences of magnesium deficiency on the enhancement of stress reactions; preventive and therapeutic implications (a review).. <i>Journal of the American College of Nutrition</i> , 1994, 13, 429-446.	1.1	137
96	Fasting Serum Free Fatty Acids and Triglycerides are Increased Before 20 Weeks of Gestation in Women who Later Develop Preeclampsia. <i>Hypertension in Pregnancy</i> , 1994, 13, 103-109.	0.5	122
97	Pregnancy induced hypertension: a role for peroxidation in microvillus plasma membranes. <i>Molecular and Cellular Biochemistry</i> , 1994, 131, 151-155.	1.4	58
98	Glomerular thrombosis in pregnancy: Role of the L-arginine-nitric oxide pathway. <i>Kidney International</i> , 1994, 45, 775-781.	2.6	35
99	Gamma-glutamyl transferase activity in gestational hypertension. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1994, 101, 251-253.	1.1	7
100	Postpartum eclampsia associated with ergometrine maleate administration. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1994, 101, 926-926.	1.1	1
102	Bioactive tumour necrosis factor alpha in pre-eclamptic patients with and without the HELLP syndrome. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1994, 101, 1081-1082.	1.1	55
103	AUTACOIDS AND CONTROL OF HUMAN PLACENTAL BLOOD FLOW. <i>Clinical and Experimental Pharmacology and Physiology</i> , 1994, 21, 737-748.	0.9	92
104	The role of nitric oxide in the pathogenesis of preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 1994, 171, 944-948.	0.7	376
105	Excretion of prostacyclin and thromboxane metabolites before, during, and after pregnancy-induced hypertension. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 1994, 57, 47-50.	0.5	14
106	Maintenance of High Risk Pregnancies: Role of Prostaglandins and Other Mediators. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 1994, 34, 351-356.	0.4	5
107	Tumor necrosis factor- $\alpha$ is elevated in plasma and amniotic fluid of patients with severe preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 1994, 170, 1752-1759.	0.7	184
108	Implantation and the placenta: key pieces of the development puzzle. <i>Science</i> , 1994, 266, 1508-1518.	6.0	1,259
109	Fetotoxicity of angiotensin-converting enzyme inhibition in primate pregnancy: A prospective, placebo-controlled study in baboons ( <i>Papio hamadryas</i> ). <i>American Journal of Obstetrics and Gynecology</i> , 1994, 171, 633-642.	0.7	43

#	ARTICLE	IF	CITATIONS
110	The unborn surgical patient. <i>Current Problems in Surgery</i> , 1994, 31, 9-68.	0.6	33
111	Endothelial nitric oxide synthase in the human placenta: Regional distribution and proposed regulatory role at the feto-maternal interface. <i>Placenta</i> , 1994, 15, 257-265.	0.7	120
112	Prolonged blockade of nitric oxide synthesis in gravid rats produces sustained hypertension, proteinuria, thrombocytopenia, and intrauterine growth retardation. <i>American Journal of Obstetrics and Gynecology</i> , 1994, 170, 1458-1466.	0.7	217
113	Preeclampsia and antioxidant nutrients: Decreased plasma levels of reduced ascorbic acid, Î±-tocopherol, and beta-carotene in women with preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 1994, 171, 150-157.	0.7	217
114	Antigenic identification of cells in spiral artery trophoblastic invasion: Validation of histologic studies by triple-antibody immunocytochemistry. <i>American Journal of Obstetrics and Gynecology</i> , 1994, 171, 165-171.	0.7	26
115	Atrial natriuretic peptide metabolism during pregnancy in the rat. <i>American Journal of Obstetrics and Gynecology</i> , 1994, 170, 1184-1188.	0.7	12
116	Plasma cellular fibronectin as a measure of endothelial involvement in preeclampsia and intrauterine growth retardation. <i>American Journal of Obstetrics and Gynecology</i> , 1994, 170, 838-841.	0.7	88
117	The intrapartum platelet count in patients with HELLP (hemolysis, elevated liver enzymes, and low) <i>Tj ETQq1 1 0.784314 rgBT /Overlook</i> <i>Obstetrics and Gynecology</i> , 1994, 171, 799-804.	0.7	60
118	Plasma levels of atrial natriuretic peptide in normal and hypertensive pregnancies: A meta-analysis. <i>American Journal of Obstetrics and Gynecology</i> , 1994, 171, 1642-1651.	0.7	85
119	Lipid peroxidation increases arterial cyclooxygenase activity during pregnancy. <i>American Journal of Obstetrics and Gynecology</i> , 1994, 170, 215-222.	0.7	11
120	Eicosanoids in Preeclampsia-Eclampsia: The Effects of Magnesium. <i>Hypertension in Pregnancy</i> , 1994, 13, 217-226.	0.5	11
121	Prevention of Pregnancy-Induced Hypertension in Twins by Early Administration of Low-Dose Aspirin: A Preliminary Report. <i>American Journal of Reproductive Immunology</i> , 1994, 31, 19-24.	1.2	31
122	Urinary trypsin inhibitor may have a protective effect on endothelial cells in preeclampsia. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 1994, 73, 755-757.	1.3	10
123	Bleeding time in preeclampsia. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 1994, 73, 685-687.	1.3	2
124	Prolonged blockade of nitric oxide synthesis in gravid rats produces sustained hypertension, proteinuria, thrombocytopenia, and intrauterine growth retardation. <i>American Journal of Obstetrics and Gynecology</i> , 1994, 170, 1458-1466.	0.7	254
125	Tumor necrosis factor-Î± is elevated in plasma and amniotic fluid of patients with severe preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 1994, 170, 1752-1759.	0.7	213
126	Lipid peroxidation increases arterial cyclooxygenase activity during pregnancy. <i>American Journal of Obstetrics and Gynecology</i> , 1994, 170, 215-222.	0.7	10
127	OMEGA-3 FATTY ACIDS IN MATERNAL ERYTHROCYTES AND RISK OF PREECLAMPSIA. <i>Epidemiology</i> , 1995, 6, 232-237.	1.2	112



#	ARTICLE	IF	CITATIONS
128	Perturbed (procoagulant) endothelium and deviations within the fibrinolytic system during the third trimester of normal pregnancy: A possible link to placental function. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 1995, 74, 257-261.	1.3	26
129	Pregnancy-Induced Hypertension is Associated with an Activation of Endothelial Cells. <i>Hypertension in Pregnancy</i> , 1995, 14, 227-234.	0.5	2
130	Maternal Cerebral Changes With Pre-eclampsia Assessed by Transcranial Doppler: A Review. <i>Journal of Obstetrics and Gynaecology Canada</i> , 1995, 17, 759-765.	0.1	0
131	Before the horse is out of the barn: Fetal surgery for hydrops. <i>Seminars in Perinatology</i> , 1995, 19, 462-473.	1.1	58
132	High altitude and hypertension during pregnancy. <i>American Journal of Human Biology</i> , 1995, 7, 183-193.	0.8	21
133	The role of the vascular endothelium in the contractile responses of human chorionic plate artery in pre-eclampsia to prostaglandin F2alpha, 5-hydroxytryptamine, and potassium chloride. <i>Research in Experimental Medicine</i> , 1995, 195, 171-182.	0.7	5
134	Glomerular actions of nitric oxide. <i>Kidney International</i> , 1995, 48, 20-32.	2.6	242
135	Interleukin-6, tumour necrosis factor and soluble tumour necrosis factor receptors in women with pre-eclampsia. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1995, 102, 20-25.	1.1	351
136	Fatty acid pattern of esterified and free fatty acids in sera of women with normal and pre-eclamptic pregnancy. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1995, 102, 530-537.	1.1	118
137	Control of vascular resistance in the maternal and feto-placental arterial beds. , 1995, 65, 215-239.		138
138	Reduced contractile effect of endothelin-1 and noradrenalin in human umbilical artery from pregnancies with abnormal umbilical artery flow velocity waveforms. <i>Early Human Development</i> , 1995, 42, 15-28.	0.8	19
139	Liver involvement in HELLP syndrome: CT and MRI findings in two patients. <i>European Radiology</i> , 1995, 5, 331-334.	2.3	4
140	Preeclampsia and Related Disorders: Clinical Aspects and Relevance of Endothelin and Nitric Oxide. <i>Clinics in Perinatology</i> , 1995, 22, 343-355.	0.8	32
141	Nitric Oxide Metabolites in Normal Human Pregnancy and Preeclampsia. <i>Hypertension in Pregnancy</i> , 1995, 14, 339-349.	0.5	46
142	Nitric Oxide in the Regulation of Blood Flow and Arterial Pressure. <i>Annual Review of Physiology</i> , 1995, 57, 771-790.	5.6	260
143	Is Angiotensinogen a Good Candidate Gene for Preeclampsia?. <i>Hypertension in Pregnancy</i> , 1995, 14, 251-260.	0.5	22
144	Maternal Thrombocytopenia During Pregnancy: Diagnosis and Etiology. <i>Seminars in Thrombosis and Hemostasis</i> , 1995, 21, 85-94.	1.5	14
145	Severely impaired fetal growth is preceded by maternal hemodynamic maladaptation in very early pregnancy. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 1995, 74, 693-697.	1.3	118

#	ARTICLE	IF	CITATIONS
146	Trophoblast and placental villous core production of lipid peroxides, thromboxane, and prostacyclin in preeclampsia.. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1995, 80, 1888-1893.	1.8	106
147	Differentiation and growth on a fibrin matrix modulate the cyclooxygenase expression and thromboxane production by cultured human placental trophoblasts. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 1995, 52, 21-27.	1.0	13
148	Nitric oxide synthase activity in placentae from women with pre-eclampsia. <i>Placenta</i> , 1995, 16, 691-699.	0.7	52
149	Acute HELLP postpartum with renal failure. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 1995, 62, 127-130.	0.5	8
150	Pre-eclampsia: Excessive activation of a G protein-associated receptor?. <i>Medical Hypotheses</i> , 1995, 44, 406-408.	0.8	3
151	Serum lipoproteins, insulin, and urinary prostanoid metabolites in normal and hypertensive pregnant women. <i>Obstetrics and Gynecology</i> , 1995, 85, 353-356.	1.2	211
152	Elevated serum levels of vascular endothelial growth factor in patients with preeclampsia. <i>Obstetrics and Gynecology</i> , 1995, 86, 815-821.	1.2	184
153	Pre-eclampsia is associated with an excess of proliferative immature intermediate trophoblast. <i>Human Pathology</i> , 1995, 26, 594-600.	1.1	202
154	The essential fatty acid status of mother and child in pregnancy-induced hypertension: A prospective longitudinal study. <i>American Journal of Obstetrics and Gynecology</i> , 1995, 172, 1605-1614.	0.7	55
155	Angiogenesis in pre-eclampsia. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 1995, 59, 83-89.	0.5	7
156	Maternal plasma level of thrombomodulin is increased in mild preeclampsia. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 1995, 60, 139-141.	0.5	29
157	Labetalol vs. methyldopa in the treatment of pregnancy-induced hypertension. <i>International Journal of Gynecology and Obstetrics</i> , 1995, 49, 125-130.	1.0	49
158	Plasma from preeclamptic women increases human endothelial cell prostacyclin production without changes in cellular enzyme activity or mass. <i>American Journal of Obstetrics and Gynecology</i> , 1995, 172, 976-985.	0.7	39
159	Plasma type II phospholipase A2 levels are elevated in severe preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 1995, 172, 998-1002.	0.7	43
160	Effect of serum on secreteion of prostacyclin and endothelin-1 by decidual endothelial cells from normal and preeclamptic pregnancies. <i>American Journal of Obstetrics and Gynecology</i> , 1995, 173, 918-923.	0.7	30
162	Secretion of prostaglandins and endothelin-1 by decidual endothelial cells from normal and preeclamptic pregnancies: Comparison with human umbilical vein endothelial cells. <i>American Journal of Obstetrics and Gynecology</i> , 1995, 173, 1557-1562.	0.7	10
163	Amplifying effect of endothelin-1 on serotonin-induced vasoconstriction of human umbilical artery. <i>American Journal of Obstetrics and Gynecology</i> , 1995, 172, 1240-1245.	0.7	26
164	Prevention of Pregnancyâ€Induced Hypertension by Calcium Dietary Supplement: A Preliminary Report. <i>Journal of Obstetrics and Gynaecology (Tokyo, Japan)</i> , 1995, 21, 281-288.	0.1	5

#	ARTICLE	IF	CITATIONS
165	Effects of nitroglycerin on the uterine and umbilical circulation in severe preeclampsia. <i>Obstetrics and Gynecology</i> , 1995, 86, 600-604.	1.2	55
166	Thrombomodulin levels in preeclampsia, gestational hypertension, and chronic hypertension. <i>Obstetrics and Gynecology</i> , 1995, 86, 897-899.	1.2	34
167	7b The pharmacological prevention of pre-eclampsia. <i>Bailliere's Clinical Obstetrics and Gynaecology</i> , 1995, 9, 509-528.	0.6	10
168	Reproductive Function and Outcome of Pregnancy After Liver Transplantation in Women. <i>Mayo Clinic Proceedings</i> , 1995, 70, 388-394.	1.4	77
169	DIABETIC NEPHROPATHY AND PREGNANCY. <i>Obstetrics and Gynecology Clinics of North America</i> , 1996, 23, 173-203.	0.7	29
170	Lipid peroxidation in preeclampsic and eclampsic pregnancies. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 1996, 64, 51-54.	0.5	30
171	Comparative study of lactoferrin and other blood markers of inflammatory stress between preeclampsic and normal pregnancies. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 1996, 64, 167-173.	0.5	34
172	Preeclampsia: An update. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 1996, 69, 59-60.	0.5	8
173	Thrombomodulin, plasminogen activator inhibitor type 1 (PAI-1) and fibronectin as biomarkers of endothelial damage in preeclampsia and eclampsia. <i>International Journal of Gynecology and Obstetrics</i> , 1996, 55, 135-139.	1.0	53
174	Lysosomal enzymuria in preeclampsia. <i>American Journal of Kidney Diseases</i> , 1996, 27, 826-833.	2.1	10
175	Fibronectin and antithrombin as markers of pre-eclampsia in pregnancy. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 1996, 70, 33-39.	0.5	22
176	Magnesium taurate for the prevention and treatment of pre-eclampsia/eclampsia. <i>Medical Hypotheses</i> , 1996, 47, 269-272.	0.8	3
177	Endothelin-1 and big endothelin-1 levels in normal term pregnancy and in preeclampsia. <i>Regulatory Peptides</i> , 1996, 67, 211-216.	1.9	37
178	Pathophysiology of the vascular wall: the role of nitric oxide in renal disease. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 1996, 54, 53-58.	1.0	6
179	Lipoprotein levels in patients with pregnancy induced hypertension. <i>Archives of Gynecology and Obstetrics</i> , 1996, 258, 21-24.	0.8	5
180	Role of Magnesium Sulfate in Seizure Prevention in Patients with Eclampsia and Pre-Eclampsia. <i>Drug Safety</i> , 1996, 15, 188-199.	1.4	17
181	Role of the Placenta in Perinatal Pathology (Revisited). <i>Pediatric Pathology &amp; Laboratory Medicine: Journal of the Society for Pediatric Pathology, Affiliated With the International Paediatric Pathology Association</i> , 1996, 16, 207-234.	0.3	33
182	Serum From Patients With Severe Preeclampsia Is Not Cytotoxic to Endothelial Cells. <i>Journal of the Society for Gynecologic Investigation</i> , 1996, 3, 89-92.	1.9	4

#	ARTICLE	IF	CITATIONS
183	Acute Myocardial Infarction Associated with Pregnancy. <i>Annals of Internal Medicine</i> , 1996, 125, 751.	2.0	300
184	Pregnancy-Associated Hemolysis, Elevated Liver Functions, Low Platelets (HELLP) Syndrome: An Obstetric Disease in the Intensive Care Unit. <i>Journal of Intensive Care Medicine</i> , 1996, 11, 173-178.	1.3	0
185	The Vasoactive Effects of Serotonin in Normal and Single Umbilical Artery Cords in Normotensive and Hypertensive Pregnancies. <i>Hypertension in Pregnancy</i> , 1996, 15, 39-50.	0.5	9
186	Lipid metabolism and endothelial cell dysfunction in women with preeclampsia. <i>Nippon Naibunpi Gakkai Zasshi</i> , 1996, 72, 85-94.	0.0	4
187	Alterations of intrauterine eicosanoid production in pregnancy-induced hypertension: Decreased production of 12-hydroxyeicosatetraenoic acid in the placenta. <i>Prostaglandins</i> , 1996, 51, 125-137.	1.2	8
188	Urinary excretion of 2,3-dinor-6-keto-PGF <sub>1</sub> ± and 11-dehydro-TXB <sub>2</sub> by the gravid spontaneously hypertensive rat. <i>Prostaglandins</i> , 1996, 52, 1-11.	1.2	5
189	Comparison of selenium levels in pre-eclamptic and normal pregnancies. <i>Biological Trace Element Research</i> , 1996, 55, 9-20.	1.9	39
190	Urinary Levels of Nitric Oxide Metabolites in Normal Pregnancy and Preeclampsia. <i>Journal of Obstetrics and Gynaecology Research</i> , 1996, 22, 551-559.	0.6	33
191	Relaxant effect of nitric oxide and prostacyclin on serotonin-induced vasocontraction of human umbilical artery. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 1996, 75, 108-112.	1.3	19
192	Effects of endothelin-1 and the ETAreceptor antagonist BQ-123 on resistance arteries from normal pregnant and preeclamptic women. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 1996, 75, 432-438.	1.3	10
193	Potentiating effect of hydrogen peroxide on the serotonin-induced vasocontraction in human umbilical artery. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 1996, 75, 783-789.	1.3	18
194	Evidence of endothelial activation and endothelial activators in cord blood of infants of preeclamptic women. <i>American Journal of Obstetrics and Gynecology</i> , 1996, 175, 1301-1306.	0.7	55
195	Heterogeneous causes constituting the single syndrome of preeclampsia: A hypothesis and its implications. <i>American Journal of Obstetrics and Gynecology</i> , 1996, 175, 1365-1370.	0.7	523
196	Fasting serum triglycerides, free fatty acids, and malondialdehyde are increased in preeclampsia, are positively correlated, and decrease within 48 hours post partum. <i>American Journal of Obstetrics and Gynecology</i> , 1996, 174, 975-982.	0.7	291
197	Urine but not plasma nitric oxide metabolites are decreased in women with preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 1996, 174, 1008-1013.	0.7	153
198	Diurnal variation in angiotensin sensitivity in pregnancy. <i>American Journal of Obstetrics and Gynecology</i> , 1996, 174, 259-261.	0.7	11
199	Plasma P selectin (GMP-140) and glyocalicin are elevated in preeclampsia and eclampsia: Their significances. <i>American Journal of Obstetrics and Gynecology</i> , 1996, 174, 272-277.	0.7	66
200	Mechanical stress eliminates the effects of plasma from patients with preeclampsia on endothelial cells. <i>American Journal of Obstetrics and Gynecology</i> , 1996, 174, 730-736.	0.7	13

#	ARTICLE	IF	CITATIONS
201	Endothelial cell proliferation is suppressed by plasma but not serum from women with preeclampsia. American Journal of Obstetrics and Gynecology, 1996, 174, 787-793.	0.7	42
202	The factor V Leiden mutation may predispose women to severe preeclampsia. American Journal of Obstetrics and Gynecology, 1996, 175, 902-905.	0.7	286
203	Dietary consumption and plasma concentrations of vitamin E in pregnancies complicated by preeclampsia. American Journal of Obstetrics and Gynecology, 1996, 175, 1024-1028.	0.7	63
204	Expression of prostacyclin and thromboxane synthases in placenta and placental bed after pre-eclamptic pregnancies. Placenta, 1996, 17, 573-581.	0.7	16
205	Lipid peroxidation and antioxidants in normal and pre-eclamptic pregnancies. Placenta, 1996, 17, 401-405.	0.7	164
206	The control of fetal vascular resistance in the human placenta. Placenta, 1996, 17, A4.	0.7	2
207	Amniotic Fluid Endothelin Levels Are Increased in Pregnancy-Induced Hypertension and Intrauterine Growth Retardation. American Journal of Reproductive Immunology, 1996, 36, 260-263.	1.2	16
208	Cyclic guanosine 3'3' monophosphate concentrations in pre-eclampsia: effects of hydralazine. BJOG: an International Journal of Obstetrics and Gynaecology, 1996, 103, 33-38.	1.1	67
209	A comparison of the inactive urinary kallikrein:creatinine ratio and the angiotensin sensitivity test for the prediction of pre-eclampsia. BJOG: an International Journal of Obstetrics and Gynaecology, 1996, 103, 981-987.	1.1	32
210	Trophoblast function in normal and preeclamptic pregnancy. Fetal and Maternal Medicine Review, 1996, 8, 57-66.	0.3	30
211	Postpartum recovery after severe pre-eclampsia and HELLP-syndrome. Journal of Perinatal Medicine, 1996, 24, 641-650.	0.6	27
212	Review articles. Journal of Perinatal Medicine, 1996, 24, 99-117.	0.6	18
213	Serum Platelet-Activating Factor Acetylhydrolase Activity in Normal Pregnancy and Preeclampsia. Hypertension in Pregnancy, 1996, 15, 51-59.	0.5	3
214	Î±-Atrial natriuretic peptide-induced attenuation of vasoconstriction in the fetal circulation of the human isolated perfused placenta. Journal of Perinatal Medicine, 1996, 24, 253-260.	0.6	15
215	Placental Malondialdehyde and Glutathione Levels in a Controlled Trial of Antioxidant Treatment in Severe Preeclampsia. Hypertension in Pregnancy, 1996, 15, 287-295.	0.5	26
216	Plasma Factors that Determine Endothelial Cell Lipid Toxicity in Vitro Correctly Identify Women with Preeclampsia in Early and Late Pregnancy. Hypertension in Pregnancy, 1996, 15, 263-279.	0.5	19
217	Placental Production of Lipid Peroxides, Thromboxane, And Prostacyclin in Preeclampsia. Hypertension in Pregnancy, 1996, 15, 101-111.	0.5	39
218	Second-Trimester Serum Fluorescence Polarization in Patients WHO Subsequently Develop Pregnancy-Induced Hypertension. American Journal of Perinatology, 1996, 13, 323-327.	0.6	1

#	ARTICLE	IF	CITATIONS
219	The Role of Serum Iron Levels in Diagnosing Hypertensive Disorders in Pregnancy. Hypertension in Pregnancy, 1997, 16, 425-433.	0.5	1
220	Levels of Hepatocyte Growth Factor and Its Messenger Ribonucleic Acid in Uncomplicated Pregnancies and Those Complicated by Preeclampsia <sup>1</sup> . Journal of Clinical Endocrinology and Metabolism, 1997, 82, 2726-2730.	1.8	38
221	Circulating Thrombomodulin Levels and Clinical Correlates in Pregnant Diabetics. American Journal of Perinatology, 1997, 14, 605-608.	0.6	2
222	Elevated Nonesterified Fatty Acid Concentrations in Severe Preeclampsia Shift the Isoelectric Characteristics of Plasma Albumin <sup>1</sup> . Journal of Clinical Endocrinology and Metabolism, 1997, 82, 3786-3792.	1.8	24
223	Endothelial Adhesion Molecules and Leukocyte Integrins in Preeclamptic Patients. Hypertension, 1997, 29, 291-296.	1.3	78
224	Neutrophil Degranulation Activity in Preeclampsia. Hypertension in Pregnancy, 1997, 16, 203-212.	0.5	6
225	Low-Dose Aspirin in High-Risk Pregnancy?. Hypertension in Pregnancy, 1997, 16, 229-238.	0.5	26
226	Epidemiology of Pregnancy-induced Hypertension. Epidemiologic Reviews, 1997, 19, 218-232.	1.3	175
227	Increased Von Willebrand Factor Expression in an Experimental Model of Preeclampsia Produced by Reduction of Uteroplacental Perfusion Pressure in Conscious Rhesus Monkeys. Hypertension in Pregnancy, 1997, 16, 177-185.	0.5	7
228	Why pre-eclampsia?. Human Reproduction, 1997, 12, 2087-2091.	0.4	38
229	Hepatic necrosis and haemorrhage in pregnant patients with antiphospholipid antibodies. Lupus, 1997, 6, 552-555.	0.8	25
230	Phospholipase A <sup>2</sup> in Normal and Pathological Pregnancies. , 1997, 24, 232-243.		0
231	Hypothesis on Functional Inadequacy of Thioredoxin and Related Systems in Preeclampsia. Hypertension in Pregnancy, 1997, 16, 35-46.	0.5	10
232	Effects of Serum from Preeclamptic Women on Prostacyclin Production by Human Endothelial Cells. Journal of Maternal-Fetal and Neonatal Medicine, 1997, 6, 249-253.	0.7	0
233	Plasma from Preeclamptic Women Causes a Rapid, Calcium-Sensitive Release of Nitric Oxide from Vascular Smooth Muscle Cells. Hypertension in Pregnancy, 1997, 16, 47-63.	0.5	4
234	Vitamin E Attenuates Peroxide-induced Vasoconstriction in the Human Placenta. Hypertension in Pregnancy, 1997, 16, 389-401.	0.5	2
235	Cold-induced stress stimulates the sympathetic nervous system, causing hypertension and proteinuria in rats. Journal of Hypertension, 1997, 15, 383-389.	0.3	65
236	Nitric Oxide and Vascular Reactivity in Pregnant Rats with Adriamycin Nephropathy. Clinical Science, 1997, 93, 227-234.	1.8	7

#	ARTICLE	IF	CITATIONS
237	Use of Transcranial and Orbital Doppler Sonography in Normal Pregnancy and Pre-eclampsia: a Review. <i>Journal of Obstetrics and Gynaecology Canada</i> , 1997, 19, 1249-1263.	0.1	0
238	Differences in mRIMA Expression of Endothelin-1,c-fosandc-junin Placentas from Normal Pregnancies and Pregnancies Complicated with Preeclampsia and/or Intrauterine Growth Retardation. <i>Gynecologic and Obstetric Investigation</i> , 1997, 44, 93-96.	0.7	27
239	Marker for liver damage in neonates born to mothers with HELLP syndrome. <i>Lancet, The</i> , 1997, 349, 1519-1520.	6.3	6
240	Maternal and fetal modulators of lipid metabolism correlate with the development of preeclampsia. <i>Metabolism: Clinical and Experimental</i> , 1997, 46, 963-967.	1.5	71
241	Fetal Plasma Levels of Cellular Fibronectin as a Measure of Fetal Endothelial Involvement in Preeclampsia. <i>Obstetrics and Gynecology</i> , 1997, 89, 46-48.	1.2	12
242	Risk factors for recurrence of hemorrhagic endovasculitis of the placenta. <i>Obstetrics and Gynecology</i> , 1997, 89, 569-576.	1.2	21
243	Cerebral blood flow and cranial magnetic resonance imaging in eclampsia and severe preeclampsia. <i>Obstetrics and Gynecology</i> , 1997, 89, 561-568.	1.2	77
244	Randomised controlled trial of ketanserin and aspirin in prevention of pre-eclampsia. <i>Lancet, The</i> , 1997, 350, 1267-1271.	6.3	68
245	Elevated second trimester human chorionic gonadotropin level associated with adverse pregnancy outcome. <i>International Journal of Gynecology and Obstetrics</i> , 1997, 56, 245-249.	1.0	41
246	Immunohistochemical study of endothelin-1 in preeclamptic nephropathy. <i>American Journal of Kidney Diseases</i> , 1997, 29, 345-354.	2.1	4
247	Increased maternal plasma levels of soluble adhesion molecules (ICAM-1, VCAM-1, E-selectin) in preeclampsia. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 1997, 71, 53-58.	0.5	141
248	Glycosaminoglycan-biosynthesis in the wall of the umbilical cord artery and its alteration in EPH-gestosis. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 1997, 72, 19-25.	0.5	13
249	Abruptio placentae. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 1997, 75, 63-70.	0.5	25
250	Preeclampsia is associated with failure of human cytotrophoblasts to mimic a vascular adhesion phenotype. One cause of defective endovascular invasion in this syndrome?. <i>Journal of Clinical Investigation</i> , 1997, 99, 2152-2164.	3.9	783
251	Angiotensinogen T235 expression is elevated in decidual spiral arteries.. <i>Journal of Clinical Investigation</i> , 1997, 100, 1406-1415.	3.9	102
252	Effect of Indomethacin and N <sup>o</sup> -Nitro-L-Arginine Methyl Ester on the Pressure/Flow Relation in Isolated Perfused Hindlimbs From Pregnant and Nonpregnant Rats. <i>Journal of the Society for Gynecologic Investigation</i> , 1997, 4, 229-235.	1.9	0
253	Antepartum and Postpartum Thrombomodulin Levels in Preeclamptic and Normotensive Pregnancies. <i>Journal of the Society for Gynecologic Investigation</i> , 1997, 4, 135-137.	1.9	3
254	Amniotic fluid nitric oxide and uteroplacental blood flow in pregnancy complicated by intrauterine growth retardation. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1997, 104, 1134-1139.	1.1	36

#	ARTICLE	IF	CITATIONS
255	Increased levels of intercellular adhesion molecules and vascular cell adhesion molecules in pre-eclampsia. BJOG: an International Journal of Obstetrics and Gynaecology, 1997, 104, 466-470.	1.1	40
256	Elevated levels of serum nitrate, a stable end product of nitric oxide, in women with pre-eclampsia. BJOG: an International Journal of Obstetrics and Gynaecology, 1997, 104, 538-543.	1.1	124
257	Antioxidants in the treatment of severe pre-eclampsia an explanatory randomised controlled trial. BJOG: an International Journal of Obstetrics and Gynaecology, 1997, 104, 689-696.	1.1	105
258	Melatonin inhibits vasospastic action of hydrogen peroxide in human umbilical artery. Journal of Pineal Research, 1997, 22, 163-168.	3.4	32
259	Melatonin suppresses vasospastic effect of hydrogen peroxide in human umbilical artery: Relation to calcium influx. Journal of Pineal Research, 1997, 22, 232-237.	3.4	13
260	Review: Immunobiology of Preeclampsia. American Journal of Reproductive Immunology, 1997, 37, 79-86.	1.2	101
261	Placental Cytokines and the Pathogenesis of Preeclampsia. American Journal of Reproductive Immunology, 1997, 37, 240-249.	1.2	416
262	Vascular Endothelial Growth Factor Is Increased in Patients With Preeclampsia. American Journal of Reproductive Immunology, 1997, 38, 302-306.	1.2	116
263	Effects of anti-endothelial cell antibody in pre-eclampsia on endothelin-1 release from cultured endothelial cells. Immunology and Cell Biology, 1997, 75, 340-344.	1.0	13
264	Regulation of vascular tone and endothelial function and its alterations in cardiovascular disease. Bailliere's Clinical Anaesthesiology, 1997, 11, 531-560.	0.2	3
265	The procoagulant activity of red blood cells from patients with severe preeclampsia. American Journal of Obstetrics and Gynecology, 1997, 177, 1513-1516.	0.7	21
266	The value of elevated second-trimester $\beta$ -human chorionic gonadotropin in predicting development of preeclampsia. American Journal of Obstetrics and Gynecology, 1997, 176, 438-442.	0.7	66
267	Phospholipase A2 in human placental serum. Prostaglandins, 1997, 53, 139-152.	1.2	2
268	Heparin-binding angiogenic growth factors in pregnancy. Placenta, 1997, 18, 215-258.	0.7	13
269	Vasospastic action of hydrogen peroxide in human umbilical artery: Relation to protein kinase C and calcium influx. Acta Obstetrica Et Gynecologica Scandinavica, 1997, 76, 897-902.	1.3	7
270	The Pathogenetic Role of Heme in Pregnancy-Induced Hypertension-like Disease in Ewes. Biochemical and Molecular Medicine, 1997, 62, 58-64.	1.5	12
271	Critical care management of severe pre-eclampsia. Intensive Care Medicine, 1997, 23, 248-255.	3.9	16
272	Effects of serum from preeclamptic women on prostacyclin production by human endothelial cells. , 1997, 6, 249-253.		6



#	ARTICLE	IF	CITATIONS
273	Placental angiogenesis: the role of the VEGF family of proteins. , 1998, 2, 309-318.		11
274	The responsiveness of isolated human hand vein endothelial cells in normal pregnancy and in pre-eclampsia. <i>Journal of Physiology</i> , 1998, 508, 609-617.	1.3	30
275	Magnesium sulphate: a review of clinical pharmacology applied to obstetrics. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1998, 105, 260-268.	1.1	56
276	Shedding of syncytiotrophoblast microvilli into the maternal circulation in pre-eclamptic pregnancies. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1998, 105, 632-640.	1.1	422
277	A role for noradrenaline in pre-eclampsia: towards a unifying hypothesis for the pathophysiology. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1998, 105, 641-648.	1.1	61
278	Magnesium sulphate: a review of clinical pharmacology applied to obstetrics. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1998, 105, 1040-1040.	1.1	27
279	Preeclampsia: Haemostatic Status and the Short-term Effects of Methyldopa and Isradipine Therapy. <i>Journal of Obstetrics and Gynaecology Research</i> , 1998, 24, 231-238.	0.6	25
280	Preeclampsia is associated with reduced serum levels of placenta growth factor. <i>American Journal of Obstetrics and Gynecology</i> , 1998, 179, 1539-1544.	0.7	262
281	Vasoactive mediators in pregnancy-induced hypertensive disorders: A longitudinal study. <i>American Journal of Obstetrics and Gynecology</i> , 1998, 179, 1559-1564.	0.7	37
282	Plasma homocysteine concentration is increased in preeclampsia and is associated with evidence of endothelial activation. <i>American Journal of Obstetrics and Gynecology</i> , 1998, 179, 1605-1611.	0.7	197
283	The role of AT1 angiotensin receptor activation in the pathogenesis of preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 1998, 178, 1307-1312.	0.7	26
284	The control of fetal vascular resistance in the human placenta. <i>Placenta</i> , 1998, 19, 299-313.	0.7	2
285	Interaction of interstitial trophoblast with placental bed capillaries and venules of normotensive and pre-eclamptic pregnancies. <i>Placenta</i> , 1998, 19, 569-575.	0.7	70
286	Immunolocalization of tumour necrosis factor- $\alpha$ (TNF- $\alpha$ ) in the placental bed of normotensive and hypertensive human pregnancies. <i>Placenta</i> , 1998, 19, 231-239.	0.7	104
287	Oxygen regulates human cytotrophoblast differentiation and invasion: implications for endovascular invasion in normal pregnancy and in pre-eclampsia. <i>Journal of Reproductive Immunology</i> , 1998, 39, 197-213.	0.8	101
288	HELLP SYNDROME. <i>Anesthesiology Clinics</i> , 1998, 16, 331-348.	1.4	5
289	Endothelins - vasoactive peptides and growth factors. <i>Cell and Tissue Research</i> , 1998, 292, 1-9.	1.5	35
290	The effect of vitamin C and E on placental lipid peroxidation and antioxidative enzymes in perfused placenta. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 1998, 77, 372-376.	1.3	6

#	ARTICLE	IF	CITATIONS
291	Effects of superoxide and peroxyntirite on vascular tension in the human umbilical artery. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 1998, 77, 883-888.	1.3	2
292	Effect of endothelin-1 on spontaneous contractions and effects of nimodipine and isradipine on endothelin-1-induced contractions in myometrial strips isolated from normal pregnant and preeclamptic women. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 1998, 77, 961-966.	1.3	0
293	Expression of tenascin is related to angiogenesis in pre-eclampsia. <i>European Journal of Clinical Investigation</i> , 1998, 28, 373-378.	1.7	9
294	Gestational hypertension plasma and human umbilical vein endothelial cells: an in vitro study. <i>European Journal of Clinical Investigation</i> , 1998, 28, 989-993.	1.7	2
295	Nitric oxide in preeclampsia: lack of evidence for decreased production. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 1998, 76, 65-70.	0.5	34
296	The origin and future of placental bed research. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 1998, 81, 185-190.	0.5	23
297	Eicosanoid secretion by human endothelial cells exposed to normal pregnancy and preeclampsia plasma in vitro. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 1998, 58, 91-97.	1.0	20
298	Trophoblast pseudo-vasculogenesis: faking it with endothelial adhesion receptors. <i>Current Opinion in Cell Biology</i> , 1998, 10, 660-666.	2.6	235
299	Plasma and platelet concentration and platelet uptake of serotonin in normal and pre-eclamptic pregnancies. <i>Life Sciences</i> , 1998, 62, 1323-1332.	2.0	34
300	Total plasma fibronectin as a marker of pregnancy-induced hypertensive disorders: A longitudinal study*1. <i>Obstetrics and Gynecology</i> , 1998, 91, 383-388.	1.2	34
301	Endothelial tie receptor antigen in maternal and cord blood of healthy and preeclamptic subjects. <i>Obstetrics and Gynecology</i> , 1998, 92, 179-183.	1.2	14
302	Low whole blood glutathione levels in pregnancies complicated by preeclampsia or the hemolysis, elevated liver enzymes, low platelets syndrome. <i>Obstetrics and Gynecology</i> , 1998, 92, 1012-1015.	1.2	39
303	Placental 11 $\beta$ -hydroxysteroid dehydrogenase activity in normotensive and pre-eclamptic pregnancies. <i>Steroids</i> , 1998, 63, 511-515.	0.8	95
304	Radical-scavenging antioxidants in pre-eclampsia and eclampsia. <i>International Journal of Gynecology and Obstetrics</i> , 1998, 60, 123-128.	1.0	30
305	D-D dimers: a poor correlate of PPIH and subsequent outcomes. <i>International Journal of Gynecology and Obstetrics</i> , 1998, 62, 37-42.	1.0	5
306	Vascular cell adhesion molecule-1 (VCAM-1) and leukocyte activation in pre-eclampsia and eclampsia. <i>International Journal of Gynecology and Obstetrics</i> , 1998, 63, 115-121.	1.0	20
307	Thrombomodulin release from umbilical endothelial cells initiated by preeclampsia plasma-induced neutrophil activation. <i>Obstetrics and Gynecology</i> , 1998, 92, 425-430.	1.2	12
308	Increased Circulating Levels of Vascular Endothelial Growth Factor in Preeclampsia. <i>Hypertension in Pregnancy</i> , 1998, 17, 283-290.	0.5	19

#	ARTICLE	IF	CITATIONS
309	Preeclampsia and Expression of Inducible Nitric Oxide Synthase Messenger RNA in Umbilical Vein Endothelial Cells. <i>Hypertension in Pregnancy</i> , 1998, 17, 307-314.	0.5	3
310	Hyperemic Response of the Brachial Artery During the Second Half of Pregnancy. <i>Journal of the Society for Gynecologic Investigation</i> , 1998, 5, 38-43.	1.9	6
311	Adrenomedullin, a New Vasoactive Peptide, Is Increased in Preeclampsia. <i>Hypertension</i> , 1998, 32, 758-763.	1.3	82
312	Endothelial Dysfunction in Preeclampsia. <i>Seminars in Reproductive Medicine</i> , 1998, 16, 5-15.	0.5	501
313	Decreased Renal and Hepatic Blood Flow with Preeclampsia-Like Histologic Changes was Obtained by Stimulation of the Celiac Ganglion with LPS. <i>American Journal of Perinatology</i> , 1998, 15, 109-114.	0.6	9
314	Circulating Factors as Markers and Mediators of Endothelial Cell Dysfunction in Preeclampsia. <i>Seminars in Reproductive Medicine</i> , 1998, 16, 17-31.	0.5	127
315	The Association of Plasma Endothelin with Clinical Parameters in Preeclampsia. <i>Hypertension in Pregnancy</i> , 1998, 17, 135-145.	0.5	4
316	Vascular Function in the Vitamin E-Deprived Rat. <i>Hypertension</i> , 1998, 31, 830-835.	1.3	36
317	Endothelin in Primate Pregnancy and an Experimental Preeclampsia-Like Syndrome. <i>Hypertension in Pregnancy</i> , 1998, 17, 227-240.	0.5	2
318	Activation of Endothelial Cells in Preeclampsia: Increased Neutrophil-Endothelial Adhesion Correlates With Up-regulation of Adhesion Molecule P-selectin in Human Umbilical Vein Endothelial Cells Isolated From Preeclampsia. <i>Journal of the Society for Gynecologic Investigation</i> , 1998, 5, 237-243.	1.9	4
319	Maternal-Placental Interactions of Oxidative Stress and Antioxidants in Preeclampsia. <i>Seminars in Reproductive Medicine</i> , 1998, 16, 93-104.	0.5	222
320	Endothelium-derived prostanoids reduce 5-hydroxytryptamine-induced contraction in the human uterine artery. <i>Human Reproduction</i> , 1998, 13, 1947-1951.	0.4	8
321	Glucose intolerance in women with preeclampsia. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 1998, 77, 22-27.	1.3	79
322	Effect of endothelin-1 on spontaneous contractions and effects of nimodipine and isradipine on endothelin-1-induced contractions in myometrial strips isolated from normal pregnant and preeclamptic women. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 1998, 77, 961-966.	1.3	3
323	Effects of superoxide and peroxynitrite on vascular tension in the human umbilical artery. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 1998, 77, 883-888.	1.3	6
324	Thrombomodulin Release From Umbilical Endothelial Cells Initiated by Preeclampsia Plasma-Induced Neutrophil Activation. <i>Obstetrics and Gynecology</i> , 1998, 92, 425-430.	1.2	7
325	Endothelial Tie Receptor Antigen in Maternal and Cord Blood of Healthy and Preeclamptic Subjects. <i>Obstetrics and Gynecology</i> , 1998, 92, 179-183.	1.2	7
326	Stretch-activated cation channel in human umbilical vein endothelium in normal pregnancy and in preeclampsia. <i>Journal of Hypertension</i> , 1998, 16, 1149-1156.	0.3	24

#	ARTICLE	IF	CITATIONS
327	Low Whole Blood Glutathione Levels in Pregnancies Complicated by Preeclampsia or the Hemolysis, Elevated Liver Enzymes, Low Platelets Syndrome. <i>Obstetrics and Gynecology</i> , 1998, 92, 1012-1015.	1.2	17
328	Predicting high blood pressure in pregnancy. <i>Journal of Hypertension</i> , 1998, 16, 221-229.	0.3	20
329	Heart disease during pregnancy. <i>Postgraduate Medicine</i> , 1998, 104, 183-192.	0.9	8
330	The Role of Ethnicity in the Development of Pre-eclampsia. <i>Journal of Obstetrics and Gynaecology Canada</i> , 1998, 20, 53-56.	0.1	0
331	Urinary Gonadotropin Peptide Levels in Preeclamptic and Normotensive Pregnant Women. <i>Gynecologic and Obstetric Investigation</i> , 1998, 45, 24-28.	0.7	3
332	The effect of vitamin C and E on placental lipid peroxidation and antioxidative enzymes in perfused placenta. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 1998, 77, 372-376.	1.3	15
333	Titration of Antiplatelet Treatment in Pregnant Women at Risk of Preeclampsia. <i>Thrombosis and Haemostasis</i> , 1998, 79, 743-746.	1.8	92
334	Activation of Endothelial Cells by Plasma From Women With Preeclampsia: Differential Effects on Four Endothelial Cell Types. <i>Journal of the Society for Gynecologic Investigation</i> , 1998, 5, 31-37.	1.9	5
335	Is Carbohydrate Metabolism Altered among Women Who Have Undergone a Preeclamptic Pregnancy?. <i>Gynecologic and Obstetric Investigation</i> , 1999, 48, 241-246.	0.7	40
336	Increased Neutrophil-Endothelial Adhesion Induced by Placental Factors Is Medicated by Platelet-Activating Factor in Preeclampsia. <i>Journal of the Society for Gynecologic Investigation</i> , 1999, 6, 136-141.	1.9	1
337	Endothelial Monocyte-Activating Polypeptide-2 Is Increased in Pregnancy but Is Not Further Increased in Preeclampsia. <i>Journal of the Society for Gynecologic Investigation</i> , 1999, 6, 142-146.	1.9	3
338	Nitric Oxide in the Uteroplacental, Fetoplacental, and Peripheral Circulations in Preeclampsia. <i>Obstetrics and Gynecology</i> , 1999, 93, 958-963.	1.2	4
339	Invasive cytotrophoblast apoptosis in pre-eclampsia. <i>Human Reproduction</i> , 1999, 14, 59-66.	0.4	91
340	Tumor Necrosis Factor- $\alpha$ is Decreased in the Umbilical Cord Plasma of Patients with Severe Preeclampsia. <i>American Journal of Perinatology</i> , 1999, 16, 203-208.	0.6	16
341	Supernatants from co-cultured endothelial cells and syncytiotrophoblast microvillous membranes activate peripheral blood leukocytes in vitro. <i>Human Reproduction</i> , 1999, 14, 919-924.	0.4	48
342	Altered Lipid Metabolism in Preeclampsia and HELLP Syndrome: Links to Enhanced Platelet Reactivity and Fetal Growth. <i>Seminars in Thrombosis and Hemostasis</i> , 1999, 25, 455-462.	1.5	26
343	Methylenetetrahydrofolate Reductase Polymorphism, Folate, and Susceptibility to Preeclampsia. <i>Journal of the Society for Gynecologic Investigation</i> , 1999, 6, 74-79.	1.9	24
344	Hypothesis on the role of sub-clinical bacteria of the endometrium (bacteria endometrialis) in gynaecological and obstetric enigmas. <i>Human Reproduction Update</i> , 1999, 5, 373-385.	5.2	44

#	ARTICLE	IF	CITATIONS
345	Calcium Dobesilate Lowers the Blood Pressure in Mild to Moderate Midtrimester Hypertension. <i>Gynecologic and Obstetric Investigation</i> , 1999, 47, 210-213.	0.7	13
346	Evidence for Peroxynitrite Formation in the Vasculature of Women With Preeclampsia. <i>Hypertension</i> , 1999, 33, 83-89.	1.3	221
347	Preeclampsia: The Endothelium, Circulating Factor(s) and Vascular Endothelial Growth Factor. <i>Journal of the Society for Gynecologic Investigation</i> , 1999, 6, 3-10.	1.9	51
348	Magnesium in Disease: a Review with Special Emphasis on the Serum Ionized Magnesium. <i>Clinical Chemistry and Laboratory Medicine</i> , 1999, 37, 1011-33.	1.4	72
349	Concentrations of Serum Granulocyte-Colony-Stimulating Factor in Normal Pregnancy and Preeclampsia. <i>Hypertension in Pregnancy</i> , 1999, 18, 95-106.	0.5	27
350	Factor V Leiden and Thermolabile Methylenetetrahydrofolate Reductase Gene Variants in an East Anglian Preeclampsia Cohort. <i>Hypertension</i> , 1999, 33, 1338-1341.	1.3	113
351	Maternal peripheral blood leukocytes in normal and pre-eclamptic pregnancies. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1999, 106, 576-581.	1.1	55
352	Caesarean section: an evolving procedure?. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1999, 106, 750-750.	1.1	0
353	Placenta Growth Factor: Potential Role in Pregnancy. <i>American Journal of Reproductive Immunology</i> , 1999, 41, 79-85.	1.2	53
354	Plasma endothelin and big endothelin levels in women with severe preeclampsia or HELLP-syndrome. <i>Archives of Gynecology and Obstetrics</i> , 1999, 262, 113-119.	0.8	39
355	Glutathione and Glutathione-related Enzymes in Decidua and Placenta of Controls and Women with Pre-eclampsia. <i>Placenta</i> , 1999, 20, 541-546.	0.7	70
356	Trophoblast Deportation in Human Pregnancy—its Relevance for Pre-eclampsia. <i>Placenta</i> , 1999, 20, 531-539.	0.7	208
357	Urinary cotinine concentration confirms the reduced risk of preeclampsia with tobacco exposure. <i>American Journal of Obstetrics and Gynecology</i> , 1999, 181, 1192-1196.	0.7	44
358	The role of soluble adhesion molecules in evaluating endothelial cell activation in preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 1999, 180, 68-72.	0.7	46
359	Angiotensinogen Thr235 variant is associated with abnormal physiologic change of the uterine spiral arteries in first-trimester decidua. <i>American Journal of Obstetrics and Gynecology</i> , 1999, 180, 95-102.	0.7	91
360	Preeclampsia: An excessive maternal inflammatory response to pregnancy. <i>American Journal of Obstetrics and Gynecology</i> , 1999, 180, 499-506.	0.7	1,704
361	Expression of the placental cytokines tumor necrosis factor $\alpha$ , interleukin $1\beta$ , and interleukin 10 is increased in preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 1999, 181, 915-920.	0.7	210
362	Preeclampsia and genetic risk factors for thrombosis: A case-control study. <i>American Journal of Obstetrics and Gynecology</i> , 1999, 181, 975-980.	0.7	139

#	ARTICLE	IF	CITATIONS
363	The effect of chronic nitric oxide synthase inhibition on blood pressure and heart rate in unrestrained pregnant rats as recorded by radiotelemetry. <i>American Journal of Obstetrics and Gynecology</i> , 1999, 181, 159-164.	0.7	14
364	Maternal neutrophil apoptosis in normal pregnancy, preeclampsia, and normotensive intrauterine growth restriction. <i>American Journal of Obstetrics and Gynecology</i> , 1999, 181, 408-414.	0.7	103
365	Regulation of maternal placental blood flow. <i>Placenta</i> , 1999, 20, 271-291.	0.7	4
366	New insights into the genetics of preeclampsia. <i>Seminars in Perinatology</i> , 1999, 23, 14-23.	1.1	55
367	Vascular reactivity in preeclampsia. <i>Seminars in Perinatology</i> , 1999, 23, 34-44.	1.1	38
368	HYPERTENSIVE DISORDERS OF PREGNANCY. <i>Anesthesiology Clinics</i> , 1999, 17, 679-691.	1.4	5
369	Prediction and prevention of pregnancy-induced hypertensive disorders. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 1999, 13, 131-156.	1.4	16
370	Increased Frequency of Genetic Thrombophilia in Women with Complications of Pregnancy. <i>New England Journal of Medicine</i> , 1999, 340, 9-13.	13.9	1,012
371	Serum Levels of Alpha-Tocopherol in Hypertensive Pregnancies. <i>Hypertension in Pregnancy</i> , 1999, 18, 189-195.	0.5	10
372	Anesthetic management of preeclampsia/eclampsia. <i>International Journal of Obstetric Anesthesia</i> , 1999, 8, 110-124.	0.2	18
373	Objective evidence of endothelial dysfunction in preeclampsia. <i>American Journal of Kidney Diseases</i> , 1999, 33, 992-994.	2.1	42
374	Author's reply:. <i>American Journal of Kidney Diseases</i> , 1999, 33, 994-997.	2.1	0
375	Lipid peroxidation and antioxidants in preeclampsia. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 1999, 85, 205-208.	0.5	67
376	Elevated soluble adhesion molecules in women with pre-eclampsia. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 1999, 86, 35-41.	0.5	57
377	Association of a decrease in antithrombin III activity with a perinatal elevation in aspartate aminotransferase in women with twin pregnancies: relevance to the HELLP syndrome. <i>Journal of Hepatology</i> , 1999, 30, 603-611.	1.8	40
378	What causes pre-eclampsia?. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 1999, 13, 41-57.	1.4	29
379	Nitric oxide in the uteroplacental, fetoplacental, and peripheral circulations in preeclampsia. <i>Obstetrics and Gynecology</i> , 1999, 93, 958-963.	1.2	79
380	Correlation between maternal thyroid function tests and endothelin in preeclampsia-eclampsia. <i>Obstetrics and Gynecology</i> , 1999, 94, 551-555.	1.2	19

#	ARTICLE	IF	CITATIONS
381	Pre-eclampsia and eclampsia associated with increased lipid peroxidation and decreased serum vitamin E levels. <i>International Journal of Gynecology and Obstetrics</i> , 1999, 64, 27-33.	1.0	44
382	Impaired antioxidant activity in women with pre-eclampsia. <i>International Journal of Gynecology and Obstetrics</i> , 1999, 64, 121-127.	1.0	70
383	Serial plasma fibronectin levels in pre-eclamptic and normotensive women. <i>International Journal of Gynecology and Obstetrics</i> , 1999, 66, 123-128.	1.0	15
384	IMAGING OF SURGICAL DISEASES OF THE NEWBORN CHEST. <i>Radiologic Clinics of North America</i> , 1999, 37, 1067-1078.	0.9	21
385	Preeclampsia Is Associated with Widespread Apoptosis of Placental Cytotrophoblasts within the Uterine Wall. <i>American Journal of Pathology</i> , 1999, 155, 293-301.	1.9	322
386	Prevention of Pre-eclampsia: Low-dose Aspirin, Calcium and Antioxidants. <i>Journal of Obstetrics and Gynaecology Canada</i> , 1999, 21, 549-554.	0.1	0
387	Correlation Between Maternal Thyroid Function Tests and Endothelin in Preeclampsia-Eclampsia. <i>Obstetrics and Gynecology</i> , 1999, 94, 551-555.	1.2	6
388	Activated protein C resistance shows an association with pregnancy-induced hypertension. <i>Human Reproduction</i> , 1999, 14, 3112-3115.	0.4	11
389	In vitro human decidual endothelial cell thromboxane secretion in preeclampsia Is not abnormal. <i>Hypertension in Pregnancy</i> , 1999, 18, 219-227.	0.5	4
390	Transport and Metabolism of Serotonin in the Human Placenta from Normal and Severely Pre-Eclamptic Pregnancies. <i>Gynecologic and Obstetric Investigation</i> , 2000, 49, 150-155.	0.7	14
391	Resting peripheral blood flow in normal pregnancy and in pre-eclampsia. <i>Clinical Science</i> , 2000, 99, 505-510.	1.8	21
392	Amniotic Fluid Soluble Vascular Endothelial Growth Factor Receptor-1 in Preeclampsia. <i>Obstetrics and Gynecology</i> , 2000, 95, 353-357.	1.2	9
393	Report of the National High Blood Pressure Education Program Working Group on High Blood Pressure in Pregnancy*1. <i>American Journal of Obstetrics and Gynecology</i> , 2000, 183, .	0.7	62
394	Physiological and pathophysiological role of magnesium in the cardiovascular system. <i>Journal of Hypertension</i> , 2000, 18, 1177-1191.	0.3	140
395	Pregnancy, Vascular Tone, and Maternal Hemodynamics: A Crucial Adaptation. <i>Obstetrical and Gynecological Survey</i> , 2000, 55, 574-581.	0.2	140
396	The effects of placental extracts from normotensive and preeclamptic women on vasoconstriction and oxidative metabolism*1. <i>American Journal of Obstetrics and Gynecology</i> , 2000, 183, 206-210.	0.7	0
397	Severe Preeclampsia and High Frequency of Genetic Thrombophilic Mutations. <i>Obstetrics and Gynecology</i> , 2000, 96, 45-49.	1.2	2
398	Increased HLA-DR homozygosity associated with pre-eclampsia. <i>Human Reproduction</i> , 2000, 15, 1807-1812.	0.4	33

#	ARTICLE	IF	CITATIONS
399	High prevalence of the prothrombin gene mutation in women with intrauterine growth retardation, abruptio placentae and second trimester loss. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2000, 79, 963-967.	1.3	44
400	Melatonin suppresses lysophosphatidylcholine enhancement of serotonin-induced vasoconstriction in the human umbilical artery. <i>Journal of Pineal Research</i> , 2000, 29, 241-247.	3.4	3
401	Hypertension in pregnancy. <i>Journal of Human Hypertension</i> , 2000, 14, 705-724.	1.0	54
402	Mechanisms underlying the reduced endothelium-dependent relaxation in human omental resistance artery in pre-eclampsia. <i>Journal of Physiology</i> , 2000, 527, 163-174.	1.3	40
403	Plasma from women with pre-eclampsia induces an in vitro alteration in the endothelium-dependent behaviour of myometrial resistance arteries. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2000, 107, 108-115.	1.1	61
404	Evidence of endothelium involvement in the pathophysiology of hydrops fetalis?. <i>Early Human Development</i> , 2000, 57, 205-209.	0.8	19
405	Adhesion Molecules of Syncytiotrophoblast Microvillous Membranes Inhibit Proliferation of Human Umbilical Vein Endothelial Cells. <i>Placenta</i> , 2000, 21, 150-159.	0.7	18
406	Decreased Expression of Thioredoxin and Glutaredoxin in Placentae from Pregnancies with Pre-eclampsia and Intrauterine Growth Restriction. <i>Placenta</i> , 2000, 21, 603-609.	0.7	32
407	Placental Debris, Oxidative Stress and Pre-eclampsia. <i>Placenta</i> , 2000, 21, 597-602.	0.7	448
408	The effects of placental extracts from normotensive and preeclamptic women on vasoconstriction and oxidative metabolism. <i>American Journal of Obstetrics and Gynecology</i> , 2000, 183, 206-210.	0.7	9
409	A study of the relationship between placenta growth factor and gestational age, parturition, rupture of membranes, and intrauterine infection. <i>American Journal of Obstetrics and Gynecology</i> , 2000, 182, 1633-1637.	0.7	12
410	Report of the National High Blood Pressure Education Program Working Group on High Blood Pressure in Pregnancy. <i>American Journal of Obstetrics and Gynecology</i> , 2000, 183, s1-s22.	0.7	2,252
411	Plasma, urinary, and salivary 8-epi-prostaglandin F <sub>2</sub> ± levels in normotensive and preeclamptic pregnancies. <i>American Journal of Obstetrics and Gynecology</i> , 2000, 183, 874-877.	0.7	79
412	The effects of vascular endothelial growth factor on endothelial cells: A potential role in preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 2000, 182, 176-183.	0.7	39
413	Title is missing!. <i>Sepsis</i> , 2000, 4, 43-47.	0.5	31
414	Altered gene expression of endothelin-A and endothelin-B receptors, but not endothelin-1, in myometrium and placenta from pregnancies complicated by preeclampsia. <i>Archives of Gynecology and Obstetrics</i> , 2000, 264, 143-149.	0.8	25
415	Maternal levels of vitamin E in normal and preeclamptic pregnancy. <i>Archives of Gynecology and Obstetrics</i> , 2000, 263, 151-155.	0.8	28
416	Prostacyclin Deficiency and Reduced Fetoplacental Blood Flow in Pregnancy-Induced Hypertension and Preeclampsia. <i>Gynecologic and Obstetric Investigation</i> , 2000, 50, 103-107.	0.7	26



#	ARTICLE	IF	CITATIONS
417	Serum Levels of Vascular Endothelial Growth Factor in Preeclamptic and Normotensive Pregnancy. <i>Hypertension</i> , 2000, 36, 965-969.	1.3	101
418	Can Murine Uterine Natural Killer Cells Give Insights Into the Pathogenesis of Preeclampsia?. <i>Journal of the Society for Gynecologic Investigation</i> , 2000, 7, 12-20.	1.9	40
419	The pathogenesis of pre-eclampsia: new aspects. <i>Journal of Perinatal Medicine</i> , 2000, 28, 464-71.	0.6	41
420	Expression and Relationship between Endothelin-1 Messenger Ribonucleic Acid (mRNA) and Inducible/Endothelial Nitric Oxide Synthase mRNA Isoforms from Normal and Preeclamptic Placentas. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2000, 85, 2318-2323.	1.8	66
421	Association of the Missense Glu298Asp Variant of the Endothelial Nitric Oxide Synthase Gene With Severe Preeclampsia. <i>Journal of the Society for Gynecologic Investigation</i> , 2000, 7, 238-241.	1.9	25
422	The Placenta Dilemma. <i>Seminars in Reproductive Medicine</i> , 2000, 18, 321-326.	0.5	25
423	Flow-Mediated Vasodilation and Plasma Fibronectin Levels in Preeclampsia. <i>Hypertension</i> , 2000, 36, 400-404.	1.3	66
424	Altered subcellular distribution of cadherin-5 in endothelial cells caused by the serum of pre-eclamptic patients. <i>Molecular Human Reproduction</i> , 2000, 6, 1027-1032.	1.3	15
425	Cytotoxic effects of tumour necrosis factor (TNF)-alpha and interferon-gamma on cultured human trophoblast are modulated by fibronectin. <i>Molecular Human Reproduction</i> , 2000, 6, 635-641.	1.3	29
426	Inositol Phosphoglycans and Signal Transduction Systems in Pregnancy in Preeclampsia and Diabetes: Evidence for a Significant Regulatory Role in Preeclampsia at Placental and Systemic Levels. <i>Molecular Genetics and Metabolism</i> , 2000, 69, 144-158.	0.5	54
427	Molecular and Genetic Aspects of Preeclampsia: State of the Art. <i>Molecular Genetics and Metabolism</i> , 2000, 71, 565-572.	0.5	18
428	Leon C. Chesley and hypertension in pregnant women. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2000, 90, 181-186.	0.5	1
429	Hyperhomocysteinemia and pregnancy – review of our present understanding and therapeutic implications. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2000, 93, 157-165.	0.5	87
430	Postpartum curettage in patients with HELLP-syndrome does not result in accelerated recovery. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2000, 91, 25-28.	0.5	9
431	Deficient detoxifying capacity in the pathophysiology of preeclampsia. <i>Medical Hypotheses</i> , 2000, 55, 415-418.	0.8	15
432	Human chorionic gonadotrophin is an endothelium-independent inhibitor of rat aortic smooth muscle contractility. <i>American Journal of Hypertension</i> , 2000, 13, 66-73.	1.0	10
433	Severe preeclampsia and high frequency of genetic thrombophilic mutations. <i>Obstetrics and Gynecology</i> , 2000, 96, 45-49.	1.2	140
434	Amniotic fluid – soluble vascular endothelial growth factor receptor-1 in preeclampsia. <i>Obstetrics and Gynecology</i> , 2000, 95, 353-357.	1.2	106

#	ARTICLE	IF	CITATIONS
435	Low whole blood glutathione levels in pregnancies complicated by preeclampsia and diabetes. <i>Clinica Chimica Acta</i> , 2000, 294, 179-183.	0.5	25
436	The relationship between serum nitrate and endothelin-1 concentrations in preeclampsia. <i>Life Sciences</i> , 2000, 67, 1447-1454.	2.0	42
437	Maternal and fetal serum nitric oxide (NO) concentrations in normal pregnancy, pre-eclampsia and eclampsia. <i>International Journal of Gynecology and Obstetrics</i> , 2000, 68, 207-214.	1.0	87
438	Effect of nitric oxide synthase inhibition on cardiovascular and hormonal regulation during pregnancy in the rat. <i>Canadian Journal of Physiology and Pharmacology</i> , 2000, 78, 423-427.	0.7	15
439	Pre-eclampsia: A parent-offspring conflict. <i>Journal of Psychosomatic Obstetrics and Gynaecology</i> , 2000, 21, 179-182.	1.1	5
440	Is 'pre-eclampsia' simply a response to the side effects of a placental tachykinin?. <i>Journal of Endocrinology</i> , 2000, 167, 355-361.	1.2	22
441	Preeclampsia Prevention and Management. <i>Journal of the Society for Gynecologic Investigation</i> , 2000, 7, 21-36.	1.9	10
442	HYPERTENSIVE DISORDERS, DIABETES MELLITUS, AND ANEMIA. Primary Care - Clinics in Office Practice, 2000, 27, 185-201.	0.7	3
443	Placental pathophysiology in preeclampsia. <i>Pathophysiology</i> , 2000, 6, 261-270.	1.0	22
444	Maternal endothelial soluble cell adhesion molecules with isolated small for gestational age fetuses: comparison with pre-eclampsia. <i>British Journal of Obstetrics and Gynaecology</i> , 2001, 108, 1277-1282.	0.9	41
445	Pathophysiology of Hypertension During Preeclampsia Linking Placental Ischemia With Endothelial Dysfunction. <i>Hypertension</i> , 2001, 38, 718-722.	1.3	341
447	Pharmacological treatment of severe hypertension in pregnancy and the role of serotonin <sub>2</sub> -receptor blockers. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2001, 95, 22-36.	0.5	37
448	Inadequate reducing systems in pre-eclampsia: a complementary role for vitamins C and E with thioredoxin-related activities. <i>British Journal of Obstetrics and Gynaecology</i> , 2001, 108, 339-343.	0.9	6
449	Plasma P-selectin is elevated in the first trimester in women who subsequently develop pre-eclampsia. <i>British Journal of Obstetrics and Gynaecology</i> , 2001, 108, 709-715.	0.9	35
450	Clotting disorders and placental abruption: homocysteine is a new risk factor. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2001, 95, 206-212.	0.5	46
451	Pre-eclampsia and the inflammatory response. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2001, 95, 213-217.	0.5	28
452	Neutrophil oxygen radical production in pre-eclampsia with HELLP syndrome. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2001, 99, 213-218.	0.5	14
453	The upregulation of angiotensin II receptor AT1 in human preeclamptic placenta. <i>Molecular and Cellular Endocrinology</i> , 2001, 184, 95-102.	1.6	68

#	ARTICLE	IF	CITATIONS
454	Preeclamptic serum enhances endothelin-converting enzyme expression in cultured endothelial cells. American Journal of Hypertension, 2001, 14, 77-83.	1.0	9
455	Pathophysiology of pregnancy-induced hypertension. American Journal of Hypertension, 2001, 14, S178-S185.	1.0	177
456	Hemodynamic responses to obstructive respiratory events during sleep are augmented in women with preeclampsia. American Journal of Hypertension, 2001, 14, 1090-1095.	1.0	52
457	The pathogenesis of pre-eclampsia. Gynecologie, Obstetrique & Fertilité, 2001, 29, 518-522.	0.7	141
458	Elevated C-reactive protein and pro-inflammatory cytokines in Andean women with pre-eclampsia. International Journal of Gynecology and Obstetrics, 2001, 75, 243-249.	1.0	150
459	Increased systemic activation of neutrophils but not complement in preeclampsia. Obstetrics and Gynecology, 2001, 97, 371-374.	1.2	29
460	Decreased maternal serum placenta growth factor in early second trimester and preeclampsia. Obstetrics and Gynecology, 2001, 97, 898-904.	1.2	55
461	Placental and serum levels of carotenoids in preeclampsia. Obstetrics and Gynecology, 2001, 98, 459-462.	1.2	38
462	Polymorphisms in the tumor necrosis factor and lymphotoxin- $\alpha$ gene region and preeclampsia. Obstetrics and Gynecology, 2001, 98, 612-619.	1.2	28
463	Salivary cortisol levels and anxiety are not increased in women destined to develop preeclampsia. Journal of Psychosomatic Research, 2001, 50, 45-49.	1.2	33
464	Unexplored territories in the nonsurgical patient: A look at pregnancy. Seminars in Hematology, 2001, 38, 39-48.	1.8	4
465	Plasma Concentrations of Carotenoids, Retinol, and Tocopherols in Preeclamptic and Normotensive Pregnant Women. American Journal of Epidemiology, 2001, 153, 572-580.	1.6	74
466	Endothelial factors. , 2001, , 50-77.		0
467	Immunological factors and placentation: implications for pre-eclampsia. , 2001, , 103-120.		0
468	Prediction of pre-eclampsia. , 2001, , 215-231.		2
469	Central nervous system findings in pre-eclampsia and eclampsia. , 2001, , 424-436.		0
470	Anesthesia for the pre-eclamptic patient. , 2001, , 451-475.		0
471	Increased Concentrations of Soluble CD40 Ligand, RANTES and GRO- $\alpha$ in Preeclampsia – Possible Role of Platelet Activation. Thrombosis and Haemostasis, 2001, 86, 1272-1276.	1.8	37

#	ARTICLE	IF	CITATIONS
472	Preeclampsia: Linking Placental Ischemia with Cardiovascular-Renal Dysfunction. <i>Physiology</i> , 2001, 16, 282-286.	1.6	16
473	Increased Systemic Activation of Neutrophils but Not Complement in Preeclampsia. <i>Obstetrics and Gynecology</i> , 2001, 97, 371-374.	1.2	19
474	Placental and Serum Levels of Carotenoids in Preeclampsia. <i>Obstetrics and Gynecology</i> , 2001, 98, 459-462.	1.2	23
475	Polymorphisms in the Tumor Necrosis Factor and Lymphotoxin- $\alpha$ Gene Region and Preeclampsia. <i>Obstetrics and Gynecology</i> , 2001, 98, 612-619.	1.2	20
476	Placental Expression of Cytokeratin 18 and Serum Levels of Tissue Polypeptide Antigen in Women with Pregnancy-Induced Hypertension. <i>Hypertension in Pregnancy</i> , 2001, 20, 89-98.	0.5	2
477	Prospects for Research in Reproductive Health and Birth Outcomes. <i>JAMA - Journal of the American Medical Association</i> , 2001, 285, 633.	3.8	71
478	Effects of nitric oxide synthase inhibition on angiotensin receptors and metabolism in the pregnant hypertensive rat. <i>Clinical Science</i> , 2001, 100, 319-326.	1.8	8
479	Effects of nitric oxide synthase inhibition on angiotensin receptors and metabolism in the pregnant hypertensive rat. <i>Clinical Science</i> , 2001, 100, 319.	1.8	1
480	Diabetes and the maternal resistance vasculature. <i>Clinical Science</i> , 2001, 101, 719.	1.8	6
481	Diabetes and the maternal resistance vasculature. <i>Clinical Science</i> , 2001, 101, 719-729.	1.8	9
482	Lack of an Association of a Single Nucleotide Polymorphism in the Promoter of the Matrix Metalloproteinase-1 Gene in Czech Women with Pregnancy-Induced Hypertension. <i>Gynecologic and Obstetric Investigation</i> , 2001, 52, 124-127.	0.7	14
483	Pathophysiology of Pre-eclampsia/eclampsia Syndrome. <i>Journal of Neurology</i> , 2001, 248, 437-438.	1.8	6
484	Oxidative stress in pre-eclampsia. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2001, 80, 719-725.	1.3	98
485	Changes of serum melatonin level and its relationship to feto-placental unit during pregnancy. <i>Journal of Pineal Research</i> , 2001, 30, 29-33.	3.4	186
486	Second-trimester maternal serum alpha-fetoprotein (MSAFP) is elevated in women with adverse pregnancy outcome associated with inherited thrombophilias. <i>Prenatal Diagnosis</i> , 2001, 21, 658-661.	1.1	10
487	Angiographically guided utero-placental gene transfer in rabbits with adenoviruses, plasmid/liposomes and plasmid/polyethyleneimine complexes. <i>Gene Therapy</i> , 2001, 8, 784-788.	2.3	26
488	Inadequate reducing systems in pre-eclampsia: a complementary role for vitamins C and E with thioredoxin-related activities. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2001, 108, 339-343.	1.1	4
489	Plasma P-selectin is elevated in the first trimester in women who subsequently develop pre-eclampsia. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2001, 108, 709-715.	1.1	28

#	ARTICLE	IF	CITATIONS
490	Maternal endothelial soluble cell adhesion molecules with isolated small for gestational age fetuses: comparison with pre-eclampsia. BJOG: an International Journal of Obstetrics and Gynaecology, 2001, 108, 1277-1282.	1.1	32
491	The Relationship between the Level of Expression of Intercellular Adhesion Molecule-1 in Placenta and Onset of Preeclampsia. Journal of Obstetrics and Gynaecology Research, 2001, 27, 147-154.	0.6	7
492	575 Amniotic levels of nitric oxide (NO) and vascular endothelial growth factor (VEGF) in pregnancy with subsequent intrauterine fetal death. American Journal of Obstetrics and Gynecology, 2001, 185, S237.	0.7	0
493	Severely Reduced Presence of Tissue Macrophages in the Basal Plate of Pre-eclamptic Placentae. Placenta, 2001, 22, 309-316.	0.7	58
494	Placental Superoxide is Increased in Pre-eclampsia. Placenta, 2001, 22, 304-308.	0.7	123
495	Effect of Hypoxia, Oxidative Stress and Lipopolysaccharides on the Release of Prostaglandins and Cytokines from Human Term Placental Explants. Placenta, 2001, 22, S45-S50.	0.7	54
496	Uterine Artery Doppler Flow and Uteroplacental Vascular Pathology in Normal Pregnancies and Pregnancies Complicated by Pre-eclampsia and Small for Gestational Age Fetuses. Placenta, 2001, 22, 405-411.	0.7	213
497	Enhanced Protein Levels of Protein Thiol/Disulphide Oxidoreductases in Placentae from Pre-eclamptic subjects. Placenta, 2001, 22, 566-572.	0.7	60
498	Inducible change in the behavior of resistance arteries from circulating factor in preeclampsia: An effect specific to myometrial vessels from pregnant women. American Journal of Obstetrics and Gynecology, 2001, 184, 420-426.	0.7	15
499	Conditioned medium from hypoxic cytotrophoblasts alters arterial function. American Journal of Obstetrics and Gynecology, 2001, 184, 984-990.	0.7	8
500	Lack of association of severe preeclampsia with maternal and fetal mutant alleles for tumor necrosis factor $\text{I}\alpha$ and lymphotoxin $\text{I}\alpha$ genes and plasma tumor necrosis factor $\text{I}\alpha$ levels. American Journal of Obstetrics and Gynecology, 2001, 184, 1273-1277.	0.7	37
501	The preliminary characterization of a vasoactive circulating factor(s) in preeclampsia. American Journal of Obstetrics and Gynecology, 2001, 184, 1196-1203.	0.7	19
502	Phenotypic and metabolic characteristics of monocytes and granulocytes in preeclampsia. American Journal of Obstetrics and Gynecology, 2001, 185, 792-797.	0.7	165
503	Blood glutathione redox status in gestational hypertension. Free Radical Biology and Medicine, 2001, 30, 715-721.	1.3	41
504	Homocysteine and Cellular Fibronectin are Increased in Preeclampsia, not Transient Hypertension of Pregnancy. Hypertension in Pregnancy, 2001, 20, 69-77.	0.5	33
505	Immunocytochemical Localization of Endothelin-1 in Human Placenta from Normal and Preeclamptic Pregnancies. Hypertension in Pregnancy, 2001, 20, 125-137.	0.5	9
506	Low-Molecular-Weight Heparin for the Prevention of Obstetric Complications in Women with Thrombophilias. Hypertension in Pregnancy, 2001, 20, 35-44.	0.5	126
507	Decreased Maternal Serum Placenta Growth Factor in Early Second Trimester and Preeclampsia. Obstetrics and Gynecology, 2001, 97, 898-904.	1.2	39

#	ARTICLE	IF	CITATIONS
508	MATRIX METALLOPROTEINASE-2 IS ELEVATED IN THE PLASMA OF WOMEN WITH PREECLAMPSIA. Hypertension in Pregnancy, 2001, 20, 185-194.	0.5	86
509	Systemic inflammatory indices in pre-eclampsia and eclampsia. Journal of Obstetrics and Gynaecology, 2001, 21, 563-569.	0.4	18
510	Chemokines and Leukocyte Activation in the Fetal Circulation During Preeclampsia. Hypertension, 2001, 38, 394-398.	1.3	59
511	Pre-eclampsia a two-stage disorder: what is the linkage? Are there directed fetal/placental signals?. , 2001, , 183-194.		5
512	Plasma Folate, Vitamin B12, and Homocyst(e)ine Concentrations in Preeclamptic and Normotensive Peruvian Women. American Journal of Epidemiology, 2001, 153, 474-480.	1.6	71
513	CHANGES IN VASCULAR REACTIVITY FOLLOWING SUBRENAL AORTIC CONSTRICTION IN PREGNANT AND NONPREGNANT RATS. Hypertension in Pregnancy, 2001, 20, 143-156.	0.5	4
514	Maternal Basic Fibroblast Growth Factor Serum Levels Are Associated With Pregnancy-Induced Hypertension. Journal of the Society for Gynecologic Investigation, 2001, 8, 24-26.	1.9	6
515	Vascular mechanisms of increased arterial pressure in preeclampsia: lessons from animal models. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2002, 283, R29-R45.	0.9	193
516	Hyperhomocysteinemia Is Related to a Decreased Blood Level of Vitamin B12 in the Second and Third Trimester of Normal Pregnancy. Clinical Chemistry and Laboratory Medicine, 2002, 40, 1105-8.	1.4	23
517	Up-regulation of endothelial stretch-activated cation channels by fluid shear stress. Cardiovascular Research, 2002, 53, 209-218.	1.8	50
518	Management of Kell alloimmunized pregnancies. Fetal and Maternal Medicine Review, 2002, 13, .	0.3	8
519	Activated protein C in normal human pregnancy and pregnancies complicated by severe preeclampsia: A therapeutic opportunity?*. Critical Care Medicine, 2002, 30, 1883-1892.	0.4	59
520	Update on Pre-eclampsia. International Anesthesiology Clinics, 2002, 40, 115-135.	0.3	9
521	The Methylenetetrahydrofolate Reductase 677 C&T Polymorphism and Preeclampsia in Two Populations. Obstetrics and Gynecology, 2002, 99, 1085-1092.	1.2	1
522	Plasma and Placental Levels of Interleukin-10, Transforming Growth Factor- $\beta$ 1, and Epithelial-Cadherin in Preeclampsia. Obstetrics and Gynecology, 2002, 100, 327-331.	1.2	3
523	Transforming Growth Factor- $\beta$ 1 in Fetal Serum Correlates With Insulin-like Growth Factor-I and Fetal Growth. Obstetrics and Gynecology, 2002, 100, 567-573.	1.2	4
525	Serum from healthy pregnant women reduces oxidative stress in human umbilical vein endothelial cells. Clinical Science, 2002, 103, 53-57.	1.8	12
526	Serum from healthy pregnant women reduces oxidative stress in human umbilical vein endothelial cells. Clinical Science, 2002, 103, 53.	1.8	3

#	ARTICLE	IF	CITATIONS
527	Soluble tumor necrosis factor receptor II and soluble cell adhesion molecule 1 as markers of tumor necrosis factor- $\alpha$ release in preeclampsia. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2002, 81, 713-719.	1.3	24
528	Frequency of Factor V, Prothrombin and Methylenetetrahydrofolate Reductase Gene Variants in Preeclampsia. <i>Gynecologic and Obstetric Investigation</i> , 2002, 53, 84-87.	0.7	59
529	Vascular Endothelial Growth Factor Ligands and Receptors That Regulate Human Cytotrophoblast Survival Are Dysregulated in Severe Preeclampsia and Hemolysis, Elevated Liver Enzymes, and Low Platelets Syndrome. <i>American Journal of Pathology</i> , 2002, 160, 1405-1423.	1.9	575
530	Soluble adhesion molecule profile in normal pregnancy and pre-eclampsia. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2002, 12, 19-27.	0.7	112
531	Soluble adhesion molecules: marker of pre-eclampsia and intrauterine growth restriction. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2002, 12, 28-34.	0.7	37
532	Ultrastructure of human umbilical vessels in pre-eclampsia. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2002, 12, 178-184.	0.7	6
533	LINKAGE AND ASSOCIATION STUDIES OF IL1B AND IL1RNG GENE POLYMORPHISMS IN PREECLAMPSIA. Hypertension in Pregnancy, 2002, 21, 23-38.	0.5	34
534	Nitric oxide/endothelin-1 in preeclampsia. <i>Clinica Chimica Acta</i> , 2002, 317, 65-70.	0.5	36
535	The methylenetetrahydrofolate reductase 677 C>T polymorphism and preeclampsia in two populations. <i>Obstetrics and Gynecology</i> , 2002, 99, 1085-1092.	1.2	32
536	Plasma and placental levels of interleukin-10, transforming growth factor- $\beta$ 1, and epithelial-cadherin in preeclampsia. <i>Obstetrics and Gynecology</i> , 2002, 100, 327-331.	1.2	66
537	Transforming growth factor- $\beta$ 1 in fetal serum correlates with insulin-like growth factor-I and fetal growth. <i>Obstetrics and Gynecology</i> , 2002, 100, 567-573.	1.2	17
538	Federation of Clinical Immunology Societies (FOCIS) 2nd Annual Meeting. <i>Clinical Immunology</i> , 2002, 103, S1-S147.	1.4	4
539	Enhanced thromboxane synthesis during chronic reductions in uterine perfusion pressure in pregnant rats. <i>American Journal of Hypertension</i> , 2002, 15, 793-797.	1.0	32
541	XANTHINE OXIDASE ACTIVATION IN MILD GESTATIONAL HYPERTENSION. <i>Hypertension in Pregnancy</i> , 2002, 21, 1-12.	0.5	32
542	Could an infectious trigger explain the differential maternal response to the shared placental pathology of preeclampsia and normotensive intrauterine growth restriction?. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2002, 81, 642-648.	1.3	102
543	The Regional Expression of Insulin-like Growth Factor II (IGF-II) and Insulin-like Growth Factor Binding Protein-1 (IGFBP-1) in the Placentae of Women with Pre-eclampsia. <i>Placenta</i> , 2002, 23, 303-310.	0.7	49
544	Cytokines of the Placenta and Extra-placental Membranes: Roles and Regulation During Human Pregnancy and Parturition. <i>Placenta</i> , 2002, 23, 257-273.	0.7	297
545	Evidence for Fatty Acid Oxidation in Human Placenta, and the Relationship of Fatty Acid Oxidation Enzyme Activities with Gestational Age. <i>Placenta</i> , 2002, 23, 447-450.	0.7	78

#	ARTICLE	IF	CITATIONS
546	Mechanisms of Oxygen Sensing in Human Trophoblast Cells. <i>Placenta</i> , 2002, 23, S58-S68.	0.7	50
547	Adriana and Luisa Castellucci Award Lecture 2001 Hypoxia Inducible Factor-1: Oxygen Regulation of Trophoblast Differentiation in Normal and Pre-eclamptic Pregnanciesâ€”A Review. <i>Placenta</i> , 2002, 23, S47-S57.	0.7	183
548	Recent Insights into the Pathogenesis of Pre-eclampsia. <i>Placenta</i> , 2002, 23, 359-372.	0.7	529
549	Increased apoptosis in the syncytiotrophoblast in human term placentas complicated by either preeclampsia or intrauterine growth retardation. <i>American Journal of Obstetrics and Gynecology</i> , 2002, 186, 158-166.	0.7	459
550	Endothelial junctional protein redistribution and increased monolayer permeability in human umbilical vein endothelial cells isolated during preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 2002, 186, 214-220.	0.7	67
551	Stress in pregnancy: A new Wistar rat model for human preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 2002, 186, 544-550.	0.7	38
552	Effects of nicotine on intercellular adhesion molecule expression in endothelial cells and integrin expression in neutrophils in vitro. <i>American Journal of Obstetrics and Gynecology</i> , 2002, 186, 551-556.	0.7	30
553	Abnormal iron parameters in the pregnancy syndrome preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 2002, 187, 412-418.	0.7	96
554	Transcranial doppler measurement of cerebral velocity indices as a predictor of preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 2002, 187, 1667-1672.	0.7	51
555	Interest in preeclampsia for researchers in reproduction. <i>Journal of Reproductive Immunology</i> , 2002, 53, 279-287.	0.8	24
556	Angiotensinogen gene M235T variant and pre-eclampsia in Romanian pregnant women. <i>Journal of Cellular and Molecular Medicine</i> , 2002, 6, 383-388.	1.6	16
557	Prenatal diagnosis of sacrococcygeal teratomas by two- and three-dimensional ultrasound. <i>Ultrasound in Obstetrics and Gynecology</i> , 2002, 19, 200-205.	0.9	21
558	Abnormal maternal cardiac function and morphology in pregnancies complicated by intrauterine fetal growth restriction. <i>Ultrasound in Obstetrics and Gynecology</i> , 2002, 20, 452-457.	0.9	70
559	Adrenomedullin in mammalian embryogenesis. <i>Microscopy Research and Technique</i> , 2002, 57, 40-54.	1.2	25
560	Fetal operations in the head and neck area: current state. <i>Head and Neck</i> , 2002, 24, 482-490.	0.9	39
561	Preeclampsia-like glomerular lesions induced by a single injection of lipopolysaccharide (LPS) in pregnant rats. <i>Clinical and Experimental Nephrology</i> , 2002, 6, 207-215.	0.7	1
562	Could an infectious trigger explain the differential maternal response to the shared placental pathology of preeclampsia and normotensive intrauterine growth restriction?. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2002, 81, 642-648.	1.3	120
563	Soluble tumor necrosis factor receptor II and soluble cell adhesion molecule 1 as markers of tumor necrosis factor-1 $\alpha$ release in preeclampsia. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2002, 81, 713-719.	1.3	14



#	ARTICLE	IF	CITATIONS
564	Melatonin protects against the free radical-induced impairment of nitric oxide production in the human umbilical artery. <i>Journal of Pineal Research</i> , 2000, 28, 172-178.	3.4	25
565	High Serum Interleukin-8 Levels in Afro-Caribbean Women with Pre-eclampsia. Relations with Tumor Necrosis Factor- $\alpha$ , Duffy Negative Phenotype and Von Willebrand Factor. <i>American Journal of Reproductive Immunology</i> , 2002, 48, 319-322.	1.2	36
566	Evolutionary Adaptations to Pre-eclampsia/Eclampsia in Humans: Low Fecundability Rate, Loss of Oestrus, Prohibitions of Incest and Systematic Polyandry. <i>American Journal of Reproductive Immunology</i> , 2002, 47, 104-111.	1.2	46
567	Increased endothelin in infants of pre-eclamptic mothers. <i>Pediatrics International</i> , 2002, 44, 131-133.	0.2	5
568	The endocrinology of pre-eclampsia. <i>Clinical Endocrinology</i> , 2002, 57, 413-423.	1.2	46
569	Effect of endothelin-1 on intracellular glutathione and lipid peroxide availability and on the secretion of vasoactive substances by human umbilical vein endothelial cells. <i>European Journal of Clinical Investigation</i> , 2002, 32, 556-562.	1.7	15
570	Pathophysiology of Preeclampsia: Linking Placental Ischemia/Hypoxia with Microvascular Dysfunction. <i>Microcirculation</i> , 2002, 9, 147-160.	1.0	279
571	Adhesion molecules expression in the placental bed of pregnancies with pre-eclampsia. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2002, 109, 197-201.	1.1	20
572	Congenital thrombophilia associated to obstetric complications. <i>Journal of Thrombosis and Thrombolysis</i> , 2002, 14, 163-169.	1.0	11
573	Maternal and Fetal Cadmium and Selenium Status in Normotensive and Hypertensive Pregnancy. <i>Biological Trace Element Research</i> , 2002, 89, 97-104.	1.9	44
574	Pathophysiology and Maternal Biologic Markers of Preeclampsia. <i>Endocrine</i> , 2002, 19, 113-126.	2.2	19
575	Maternal transcranial Doppler in pre-eclampsia and eclampsia. <i>Ultrasound in Obstetrics and Gynecology</i> , 2003, 21, 507-513.	0.9	32
576	Preeclampsia: Theories and speculations. <i>Wiener Klinische Wochenschrift</i> , 2003, 115, 145-148.	1.0	7
577	Levels of antibodies against cytomegalovirus and are increased in early onset pre-eclampsia. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2003, 110, 725-730.	1.1	0
578	Pre-eclampsia, the Placenta and the Maternal Systemic Inflammatory Response—A Review. <i>Placenta</i> , 2003, 24, S21-S27.	0.7	546
579	Vasoactive effects of neurokinin B on human blood vessels. <i>American Journal of Obstetrics and Gynecology</i> , 2003, 188, 196-202.	0.7	17
580	Decreased tryptophan catabolism by placental indoleamine 2,3-dioxygenase in preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 2003, 188, 719-726.	0.7	94
581	Cell-free fetal DNA in the plasma of pregnant women with severe fetal growth restriction. <i>American Journal of Obstetrics and Gynecology</i> , 2003, 188, 480-484.	0.7	116

#	ARTICLE	IF	CITATIONS
582	The effect of isosorbide dinitrate, a donor of nitric oxide, on maternal cerebral blood flow in gestational hypertension and preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 2003, 188, 1360-1365.	0.7	12
583	Elevated plasma endothelial microparticles in preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 2003, 189, 589-593.	0.7	86
584	Homocysteine plasma concentration levels for the prediction of preeclampsia in women with chronic hypertension. <i>American Journal of Obstetrics and Gynecology</i> , 2003, 189, 574-576.	0.7	18
585	Low selenium status is associated with the occurrence of the pregnancy disease preeclampsia in women from the United Kingdom. <i>American Journal of Obstetrics and Gynecology</i> , 2003, 189, 1343-1349.	0.7	136
586	Trophoblast deportation and the maternal inflammatory response in pre-eclampsia. <i>Journal of Reproductive Immunology</i> , 2003, 59, 153-160.	0.8	196
587	Th1/Th2 balance in preeclampsia. <i>Journal of Reproductive Immunology</i> , 2003, 59, 161-173.	0.8	269
588	HLA-DR in couples associated with preeclampsia: background and updating by DNA sequencing. <i>Journal of Reproductive Immunology</i> , 2003, 59, 235-243.	0.8	13
589	Placental GPI-PLD is of maternal origin and its GPI substrate is absent from placentae of pregnancies associated with pre-eclampsia. <i>Journal of Reproductive Immunology</i> , 2003, 59, 277-294.	0.8	19
590	Inherited Thrombophilia: Impact on Human Reproduction. <i>American Journal of Reproductive Immunology</i> , 2003, 50, 20-32.	1.2	58
591	Placental endothelial nitric oxide synthase localization and expression in normal human pregnancy and pre-eclampsia. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2003, 30, 376-381.	0.9	44
592	Study of serum levels of superoxide dismutase in preeclampsia and eclampsia: role of the test as a predictive tool. <i>Journal of Obstetrics and Gynaecology Research</i> , 2003, 29, 262-267.	0.6	13
593	Inhibins and activins: clinical advances in reproductive medicine. <i>Clinical Endocrinology</i> , 2003, 58, 115-127.	1.2	34
594	Intracellular glutathione and lipid peroxide availability and the secretion of vasoactive substances by human umbilical vein endothelial cells after incubation with TNF- $\alpha$ . <i>European Journal of Clinical Investigation</i> , 2003, 33, 176-182.	1.7	20
595	Levels of antibodies against cytomegalovirus and <i>Chlamydia pneumoniae</i> are increased in early onset pre-eclampsia. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2003, 110, 725-730.	1.1	38
596	Changes in serum concentrations of tumor necrosis factor alpha and adhesion molecules in normal pregnant women and those with pregnancy-induced hypertension. <i>Journal of Obstetrics and Gynaecology Research</i> , 2003, 29, 422-426.	0.6	18
597	The Human Placenta Remodels the Uterus by Using a Combination of Molecules That Govern Vasculogenesis or Leukocyte Extravasation. <i>Annals of the New York Academy of Sciences</i> , 2003, 995, 73-83.	1.8	80
598	Summary of the NHLBI Working Group on Research on Hypertension During Pregnancy. <i>Hypertension</i> , 2003, 41, 437-445.	1.3	565
599	Overexpression of the Soluble Vascular Endothelial Growth Factor Receptor in Preeclamptic Patients: Pathophysiological Consequences. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2003, 88, 5555-5563.	1.8	426

#	ARTICLE	IF	CITATIONS
600	Thrombophilia and pregnancy. <i>Reproductive Biology and Endocrinology</i> , 2003, 1, 111.	1.4	128
601	Neutralization of Circulating Vascular Endothelial Growth Factor (VEGF) by Anti-VEGF Antibodies and Soluble VEGF Receptor 1 (sFlt-1) Induces Proteinuria. <i>Journal of Biological Chemistry</i> , 2003, 278, 12605-12608.	1.6	472
602	Expression of endothelial angiotensin II receptor mRNA in pregnancy-induced hypertension. <i>American Journal of Hypertension</i> , 2003, 16, 993-999.	1.0	17
603	Increased high molecular weight fibrinogen in pre-eclampsia. <i>Thrombosis Research</i> , 2003, 111, 143-147.	0.8	20
604	Expression of insulin-like growth factor-II and insulin-like growth factor binding protein-1 in the placental basal plate from pre-eclamptic pregnancies. <i>International Journal of Gynecology and Obstetrics</i> , 2003, 81, 273-280.	1.0	16
605	Effect of lycopene on pre-eclampsia and intra-uterine growth retardation in primigravidas. <i>International Journal of Gynecology and Obstetrics</i> , 2003, 81, 257-262.	1.0	65
606	Role of magnesium in the pathogenesis of hypertension. <i>Molecular Aspects of Medicine</i> , 2003, 24, 107-136.	2.7	174
607	Human cytotrophoblasts promote endothelial survival and vascular remodeling through secretion of Ang2, PlGF, and VEGF-C. <i>Developmental Biology</i> , 2003, 263, 114-125.	0.9	124
608	Doppler flow velocity to measure the redistribution of fetal cardiac output in fetal stress. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2003, 110, S119-S126.	0.5	9
609	Stress-related preeclampsia: an evolutionary maladaptation in exaggerated stress during pregnancy?. <i>Medical Hypotheses</i> , 2003, 60, 328-331.	0.8	13
610	Cellular bases for the lipid-related aspects of preeclampsia. <i>Medical Hypotheses</i> , 2003, 60, 716-719.	0.8	8
611	Adrenomedullin in perinatal medicine. <i>Regulatory Peptides</i> , 2003, 112, 103-113.	1.9	29
612	Susceptibility Loci for Preeclampsia on Chromosomes 2p25 and 9p13 in Finnish Families. <i>American Journal of Human Genetics</i> , 2003, 72, 168-177.	2.6	151
613	9 $\beta$ ,11 $\beta$ -prostaglandin F2 in pregnancies at high risk for hypertensive disorders of pregnancy, and the effect of acetylsalicylic acid. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2003, 69, 79-83.	1.0	6
614	Hypoxia alters expression and function of syncytin and its receptor during trophoblast cell fusion of human placental BeWo cells: implications for impaired trophoblast syncytialisation in pre-eclampsia. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2003, 1638, 63-71.	1.8	122
615	Preeclamptic women are deficient of interleukin-10 as assessed by cytokine release of trophoblast cells in vitro. <i>Cytokine</i> , 2003, 23, 119-125.	1.4	67
616	Preeclampsia/Eclampsia and the Evolution of the Human Brain. <i>Current Anthropology</i> , 2003, 44, 130-135.	0.8	15
617	Subclassification of Preeclampsia. <i>Hypertension in Pregnancy</i> , 2003, 22, 143-148.	0.5	657

#	ARTICLE	IF	CITATIONS
618	Women with Preeclampsia Have Increased Serum Levels of Pregnancy-Associated Plasma Protein A (PAPP-A), Inhibin A, Activin A and Soluble E-selectin. <i>Hypertension in Pregnancy</i> , 2003, 22, 45-55.	0.5	115
619	Preeclampsia is Associated with a Reduced Interleukin-10 Production from Peripheral Blood Mononuclear Cells. <i>Hypertension in Pregnancy</i> , 2003, 22, 1-8.	0.5	40
620	Expression of Vascular Endothelial Growth Factor in Peripheral Blood Cells of Preeclamptic Women. <i>Hypertension in Pregnancy</i> , 2003, 22, 193-201.	0.5	6
621	NADPH Oxidase Activity in Preeclampsia With Immortalized Lymphoblasts Used as Models. <i>Hypertension</i> , 2003, 41, 925-931.	1.3	44
622	MATERNAL CARDIOVASCULAR HAEMODYNAMICS IN NORMAL AND COMPLICATED PREGNANCIES. <i>Fetal and Maternal Medicine Review</i> , 2003, 14, 355-385.	0.3	7
623	Administration of N <sup>o</sup> -L-Arginine Methyl Ester (L-NAME) Impairs Endothelium-Dependent Relaxation in Gravid But Not Nongravid Rats. <i>Journal of the Society for Gynecologic Investigation</i> , 2003, 10, 74-81.	1.9	0
624	Maternal erythrocyte malondialdehyde level in preeclampsia prediction: a longitudinal study. <i>Journal of Perinatal Medicine</i> , 2003, 31, 469-74.	0.6	11
625	Summary of the NHLBI Working Group on Research on Hypertension During Pregnancy. <i>Hypertension in Pregnancy</i> , 2003, 22, 109-127.	0.5	219
626	Surface Expression of Neutrophil Adhesion Molecules in Pregnant Women at Risk for Hypertensive Complications. <i>Hypertension in Pregnancy</i> , 2003, 22, 165-172.	0.5	4
627	Vascular endothelial growth factor in females of reproductive age. <i>Gynecological Endocrinology</i> , 2003, 17, 477-492.	0.7	12
628	Endothelin Converting Enzyme (ECE) Activity in Normal Pregnancy and Preeclampsia. <i>Hypertension in Pregnancy</i> , 2003, 22, 215-224.	0.5	29
629	Increased Endothelial Monolayer Permeability is Induced by Serum from Women with Preeclampsia but not by Serum from Women with Normal Pregnancy or that are not Pregnant. <i>Hypertension in Pregnancy</i> , 2003, 22, 99-108.	0.5	38
630	Inherited Thrombophilia and Gestational Vascular Complications. <i>Seminars in Thrombosis and Hemostasis</i> , 2003, 29, 185-194.	1.5	21
631	Elevated Levels of Adhesion Molecules Derived from Leukocytes and Endothelial Cells in Patients with Pregnancy-Induced Hypertension. <i>Hypertension in Pregnancy</i> , 2003, 22, 31-43.	0.5	19
632	Amniotic levels of nitric oxide in women with fetal intrauterine growth restriction. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2003, 13, 115-118.	0.7	13
633	Pre-eclampsia and maternal "fetal endothelial dysfunction: an expanding web. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2003, 14, 289-290.	0.7	0
634	Endothelial Cells and Peripheral Blood Mononuclear Cells Are a Potential Source of Extraplacental Activin A in Preeclampsia. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2003, 88, 5995-6001.	1.8	28
635	Shared Norms and the Evolution of Ethnic Markers. <i>Current Anthropology</i> , 2003, 44, 122-130.	0.8	541

#	ARTICLE	IF	CITATIONS
636	Evaluation of a Rat Model of Preeclampsia for HELLP Syndrome Characteristics. Journal of the Society for Gynecologic Investigation, 2003, 10, 151-153.	1.9	3
637	Current Concepts in the Use of Antioxidants for the Treatment of Preeclampsia. Journal of Obstetrics and Gynaecology Canada, 2003, 25, 742-750.	0.3	55
638	Neutrophil activation and production of reactive oxygen species in pre-eclampsia. Journal of Hypertension, 2003, 21, 395-402.	0.3	75
639	Neuroimaging of Delayed Eclampsia. Journal of Computer Assisted Tomography, 2003, 27, 699-713.	0.5	26
640	Association between Plasminogen Activator Inhibitor 1 Gene Polymorphisms and Preeclampsia. Gynecologic and Obstetric Investigation, 2003, 56, 17-22.	0.7	45
641	Evidence of impaired microvascular function in pre-eclampsia: a non-invasive study. Clinical Science, 2003, 104, 405-412.	1.8	12
642	Expression profile of trophoblast invasion-associated genes in the pre-eclamptic placenta. British Journal of Biomedical Science, 2003, 60, 97-101.	1.2	56
643	Iron and Oxidative Stress in Pregnancy. Journal of Nutrition, 2003, 133, 1700S-1708S.	1.3	287
644	Nutrient Involvement in Preeclampsia. Journal of Nutrition, 2003, 133, 1684S-1692S.	1.3	132
645	Markers of endothelial activation and atherothrombosis in women with history of preeclampsia or gestational hypertension. Thrombosis and Haemostasis, 2003, 90, 1192-1197.	1.8	21
646	Critical Care Anesthesia for High-Risk Parturients. , 2004, , 505-514.		0
647	Magnesium in clinical medicine. Frontiers in Bioscience - Landmark, 2004, 9, 1278.	3.0	159
648	High Levels of Urinary Vascular Endothelial Growth Factor in Women with Severe Preeclampsia. International Journal of Biological Markers, 2004, 19, 72-75.	0.7	8
649	Abnormal placentation and the syndrome of preeclampsia. Seminars in Nephrology, 2004, 24, 540-547.	0.6	110
650	Hypoxia and sFlt-1 in Preeclampsia: The "Chicken-and-Egg" Question. Endocrinology, 2004, 145, 4835-4837.	1.4	175
651	Thioredoxin System in Premature and Newborn Biology. Antioxidants and Redox Signaling, 2004, 6, 177-184.	2.5	33
652	S-nitrosothiol and S-nitrosoalbumin levels in pre-eclampsia plasma. Journal of Obstetrics and Gynaecology, 2004, 24, 756-759.	0.4	2
653	Isoprostanes, Prostaglandins and Tocopherols in Pre-eclampsia, Normal Pregnancy and Non-pregnancy. Free Radical Research, 2004, 38, 913-918.	1.5	59

#	ARTICLE	IF	CITATIONS
654	Association between HLA-G genotype and risk of pre-eclampsia: a case-control study using family triads. <i>Molecular Human Reproduction</i> , 2004, 10, 237-246.	1.3	138
655	Preeclampsia with Abnormal Liver Function Tests Is Associated with Cholestasis in a Subgroup of Cases. <i>Hypertension in Pregnancy</i> , 2004, 23, 19-27.	0.5	32
656	Neutrophils Infiltrate Resistance-Sized Vessels of Subcutaneous Fat in Women With Preeclampsia. <i>Hypertension</i> , 2004, 44, 72-77.	1.3	94
657	Tumor Necrosis Factor $\alpha$ in Whole Blood Cultures of Preeclamptic Patients and Healthy Pregnant and Nonpregnant Women. <i>Hypertension in Pregnancy</i> , 2004, 23, 319-329.	0.5	54
658	Interaction of Cocultured Decidual Endothelial Cells and Cytotrophoblasts in Preeclampsia1. <i>Biology of Reproduction</i> , 2004, 71, 244-252.	1.2	30
659	Noninvasive Ultrasound Assessment of Maternal Vascular Reactivity During Pregnancy: A Longitudinal Study. <i>Obstetrics and Gynecology</i> , 2004, 104, 362-366.	1.2	12
660	l-Arginine Attenuates Hypertension in Pregnant Rats With Reduced Uterine Perfusion Pressure. <i>Hypertension</i> , 2004, 43, 832-836.	1.3	106
662	Placental Trophoblast-Derived Factors Diminish Endothelial Barrier Function. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004, 89, 2421-2428.	1.8	42
663	Angiogenic imbalance in the pathophysiology of preeclampsia: Newer insights. <i>Seminars in Nephrology</i> , 2004, 24, 548-556.	0.6	94
664	Role of reactive oxygen species in gynecologic diseases. <i>Reproductive Medicine and Biology</i> , 2004, 3, 177-199.	1.0	70
665	Neutrophil apoptosis in preeclampsia, do steroids confound the relationship?. <i>Journal of Obstetrics and Gynaecology Research</i> , 2004, 30, 342-348.	0.6	7
666	Serum granulysin is a marker for Th1 type immunity in pre-eclampsia. <i>Clinical and Experimental Immunology</i> , 2004, 136, 114-119.	1.1	38
667	Periodontal disease as a risk factor for pre-eclampsia: A case control study. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2004, 44, 568-573.	0.4	81
668	Upregulation of Neutrophil Surface Adhesion Molecules in Infants of Pre-eclamptic Women. <i>Journal of Perinatology</i> , 2004, 24, 208-212.	0.9	10
669	End Tidal Carbon Monoxide Levels are Lower in Women with Gestational Hypertension and Pre-eclampsia. <i>Journal of Perinatology</i> , 2004, 24, 213-217.	0.9	54
670	Norepinephrine Transporter (NET), Serotonin Transporter (SERT), Vesicular Monoamine Transporter (VMAT2) and Organic Cation Transporters (OCT1, 2 and EMT) in Human Placenta from Pre-eclamptic and Normotensive Pregnancies. <i>Placenta</i> , 2004, 25, 518-529.	0.7	97
671	A comprehensive study of oxidative stress and antioxidant status in preeclampsia and normal pregnancy. <i>Free Radical Biology and Medicine</i> , 2004, 37, 557-570.	1.3	181
672	Neutrophils are stimulated by syncytiotrophoblast microvillous membranes to generate superoxide radicals in women with preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 2004, 190, 252-258.	0.7	85

#	ARTICLE	IF	CITATIONS
673	Evidence of endothelial dysfunction in preeclampsia: decreased endothelial nitric oxide synthase expression is associated with increased cell permeability in endothelial cells from preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 2004, 190, 817-824.	0.7	115
674	Different levels of platelet activation in preeclamptic, normotensive pregnant, and nonpregnant women. <i>American Journal of Obstetrics and Gynecology</i> , 2004, 190, 1128-1134.	0.7	87
675	Effects of a phosphodiesterase-5 (PDE5) inhibitor on endothelium-dependent relaxation of myometrial small arteries. <i>American Journal of Obstetrics and Gynecology</i> , 2004, 190, 1283-1290.	0.7	55
676	Altered monocyte function in experimental preeclampsia in the rat. <i>American Journal of Obstetrics and Gynecology</i> , 2004, 191, 1192-1198.	0.7	45
677	Molekulare Mechanismen der Präeclampsie. <i>Der Gynakologe</i> , 2004, 37, 132-139.	1.0	0
678	Î²-globin DNA in maternal plasma as a molecular marker of pre-eclampsia. <i>Prenatal Diagnosis</i> , 2004, 24, 697-700.	1.1	36
679	Total cell-free DNA(Î²-globin gene) distribution in maternal plasma at the second trimester: a new prospective for preeclampsia screening. <i>Prenatal Diagnosis</i> , 2004, 24, 722-726.	1.1	57
680	Insulin resistance and pre-eclampsia: a role for tumor necrosis factor-Î±. <i>Gynecological Endocrinology</i> , 2004, 18, 117-123.	0.7	13
681	Therapeutic patents for the treatment of pre-eclampsia. <i>Expert Opinion on Therapeutic Patents</i> , 2004, 14, 1579-1591.	2.4	0
682	Umbilical cord serum vascular endothelial growth factor (VEGF) levels in normal pregnancies and in pregnancies complicated by preterm delivery or pre-eclampsia. <i>International Journal of Gynecology and Obstetrics</i> , 2004, , .	1.0	0
683	Preeclampsia and the systemic inflammatory response. <i>Seminars in Nephrology</i> , 2004, 24, 565-570.	0.6	128
684	Antioxidant therapy to prevent preeclampsia. <i>Seminars in Nephrology</i> , 2004, 24, 557-564.	0.6	41
685	The Baboon as a Nonhuman Primate Model for the Study of Human Reproduction. <i>Gynecologic and Obstetric Investigation</i> , 2004, 57, 1-60.	0.7	19
686	The placental problem: linking abnormal cytotrophoblast differentiation to the maternal symptoms of preeclampsia. <i>Reproductive Biology and Endocrinology</i> , 2004, 2, 53.	1.4	176
689	Fetal inherited thrombophilias influence the severity of preeclampsia, IUGR and placental abruption. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2004, 113, 31-35.	0.5	19
690	Amniotic levels of nitric oxide and vascular endothelial growth factor in pregnancy with subsequent intrauterine fetal death. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2004, 114, 162-165.	0.5	13
691	Plasma levels of thrombin activatable fibrinolysis inhibitor in normal and preeclamptic pregnant women. <i>Thrombosis Research</i> , 2004, 114, 155-159.	0.8	16
692	Eicosanoids in preeclampsia. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2004, 70, 223-232.	1.0	116

#	ARTICLE	IF	CITATIONS
693	Early biochemical detection of pre-eclampsia: the role of placental proteins. <i>Immuno-Analyse Et Biologie Specialisee</i> , 2004, 19, 47-53.	0.0	2
694	Umbilical cord serum vascular endothelial growth factor (VEGF) levels in normal pregnancies and in pregnancies complicated by preterm delivery or pre-eclampsia. <i>International Journal of Gynecology and Obstetrics</i> , 2004, 85, 6-11.	1.0	25
695	Hyperuricaemia and preeclampsia: is there a pathogenic link?. <i>Medical Hypotheses</i> , 2004, 63, 239-244.	0.8	26
696	Serum levels of insulin, IGF-1, and IGFBP-1 in pre-eclampsia and eclampsia. <i>International Journal of Gynecology and Obstetrics</i> , 2004, 84, 214-219.	1.0	29
697	Pre-eclampsia and cardiovascular disease: metabolic syndrome of pregnancy?. <i>Atherosclerosis</i> , 2004, 175, 189-202.	0.4	250
698	Ethnic differences in the association of factor V Leiden mutation and the C677T methylenetetrahydrofolate reductase gene polymorphism with preeclampsia. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2004, 112, 162-169.	0.5	29
699	Plasma malondialdehyde, superoxide dismutase, sE-selectin, fibronectin, endothelin-1 and nitric oxide levels in women with preeclampsia. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2004, 113, 21-25.	0.5	99
700	Leukocyte Adhesion Molecules and Reactive Oxygen Species in Preeclampsia. <i>Obstetrics and Gynecology</i> , 2004, 103, 913-922.	1.2	50
701	Increased Plasma Carnitine Concentrations in Preeclampsia. <i>Obstetrics and Gynecology</i> , 2004, 103, 876-880.	1.2	38
702	Vascular Reactivity in Preeclampsia Assessed Noninvasively Using Maternal Brachial Artery Hyperemic Response. <i>Obstetrics and Gynecology</i> , 2004, 104, 1025-1029.	1.2	6
703	Prediction of Preeclampsia: Can It Be Achieved?. <i>Obstetrical and Gynecological Survey</i> , 2004, 59, 464-482.	0.2	33
704	Uric acid, endothelial dysfunction and pre-eclampsia. <i>Journal of Hypertension</i> , 2004, 22, 237-239.	0.3	6
705	Second trimester Doppler ultrasound screening of the uterine arteries differentiates between subsequent normal and poor outcomes of hypertensive pregnancy: two different pathophysiological entities?. <i>Clinical Science</i> , 2004, 106, 377-382.	1.8	72
706	Plasma from women with severe pre-eclampsia increases microvascular permeability in an animal model in vivo. <i>Clinical Science</i> , 2004, 107, 399-405.	1.8	14
707	Precursors to pre-eclampsia: are there markers in the fetal circulation?. <i>Clinical Science</i> , 2004, 106, 449-450.	1.8	1
709	Circulating Angiogenic Factors in Preeclampsia. <i>Clinical Obstetrics and Gynecology</i> , 2005, 48, 372-386.	0.6	131
710	Corticosteroids, Pregnancy, and HELLP Syndrome: A Review. <i>Obstetrical and Gynecological Survey</i> , 2005, 60, 57-70.	0.2	66
711	Acute renal failure in pregnancy. <i>Critical Care Medicine</i> , 2005, 33, S372-S384.	0.4	241



#	ARTICLE	IF	CITATIONS
712	Mapping the Theories of Preeclampsia: The Role of Homocysteine. <i>Obstetrics and Gynecology</i> , 2005, 105, 411-425.	1.2	88
713	Plasma Adiponectin Concentration in Early Pregnancy and Subsequent Risk of Hypertensive Disorders. <i>Obstetrics and Gynecology</i> , 2005, 106, 340-344.	1.2	67
714	Increased uterine arterial pressure and contractility of perfused swine uterus after treatment with serum from pre-eclamptic women and endothelin-1. <i>Clinical Science</i> , 2005, 109, 209-215.	1.8	17
715	Altered endothelial function in isolated human myometrial vessels induced by plasma from women with pre-eclampsia is not reproducible in isolated mouse vessels. <i>Clinical Science</i> , 2005, 108, 457-462.	1.8	5
716	Persistency of high proinflammatory cytokine levels from colostrum to mature milk in preeclampsia. <i>Clinical Biochemistry</i> , 2005, 38, 712-716.	0.8	34
717	Contribution of endogenous endothelin-1 to basal vascular tone during normal pregnancy and preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 2005, 193, 234-240.	0.7	25
718	Protein Z in patients with pregnancy complications. <i>American Journal of Obstetrics and Gynecology</i> , 2005, 193, 1698-1702.	0.7	30
719	A sister's risk: Family history as a predictor of preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 2005, 193, 965-972.	0.7	63
720	Toll-like receptor 4: A potential link between "danger signals," the innate immune system, and preeclampsia?. <i>American Journal of Obstetrics and Gynecology</i> , 2005, 193, 921.e1-921.e8.	0.7	152
721	The G20210A prothrombin-gene mutation and the plasminogen activator inhibitor (PAI-1) 5G/5G genotype are associated with early onset of severe preeclampsia. <i>Journal of Thrombosis and Haemostasis</i> , 2005, 3, 686-691.	1.9	43
722	Comparison of cerebral magnetic resonance and electroencephalogram findings in pre-eclamptic and eclamptic women. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2005, 45, 384-390.	0.4	18
723	Preeclampsia: A renal perspective. <i>Kidney International</i> , 2005, 67, 2101-2113.	2.6	250
724	Excessive stimulation of poly(ADP-ribosyl)ation contributes to endothelial dysfunction in pre-eclampsia. <i>British Journal of Pharmacology</i> , 2005, 144, 772-780.	2.7	22
725	Immunological Similarities between Implantation and Pre-eclampsia. <i>American Journal of Reproductive Immunology</i> , 2005, 53, 222-229.	1.2	18
726	Maternal Cytokine Production Patterns in Women with Pre-eclampsia. <i>American Journal of Reproductive Immunology</i> , 2005, 54, 30-37.	1.2	85
727	Calprotectin plasma level is elevated in preeclampsia. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2005, 84, 151-154.	1.3	19
728	Placental expression of nitric oxide synthase during HELLP syndrome: the correlation with maternal-fetal Doppler velocimetry. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2005, 84, 849-853.	1.3	11
729	Lack of proinflammatory effects of free fatty acids on human umbilical cord vein endothelial cells and leukocytes. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2005, 84, 672-678.	1.3	9

#	ARTICLE	IF	CITATIONS
730	Effect of glutamine on cell adhesion molecule expression and leukocyte transmigration in endothelial cells stimulated by preeclamptic plasma. <i>Nutrition</i> , 2005, 21, 1134-1140.	1.1	12
731	A comparative study of the effect of three different syncytiotrophoblast micro-particles preparations on endothelial cells. <i>Placenta</i> , 2005, 26, 59-66.	0.7	105
732	Serum and placental interleukin-18 are elevated in preeclampsia. <i>Journal of Reproductive Immunology</i> , 2005, 65, 77-87.	0.8	37
733	Indications of an altered immune balance in preeclampsia: A decrease in in vitro secretion of IL-5 and IL-10 from blood mononuclear cells and in blood basophil counts compared with normal pregnancy. <i>Journal of Reproductive Immunology</i> , 2005, 66, 69-84.	0.8	40
734	Determination of Interleukin-6 and Tumor Necrosis Factor-alpha concentrations in Iranian-Khorasanian patients with preeclampsia. <i>BMC Pregnancy and Childbirth</i> , 2005, 5, 14.	0.9	47
735	Molecular mechanisms of trophoblast survival: From implantation to birth. <i>Birth Defects Research Part C: Embryo Today Reviews</i> , 2005, 75, 262-280.	3.6	26
736	Coagulation inhibitors in preeclamptic pregnant women. <i>Archives of Gynecology and Obstetrics</i> , 2005, 271, 227-230.	0.8	21
737	Novel biomarkers for pre-eclampsia detected using metabolomics and machine learning. <i>Metabolomics</i> , 2005, 1, 227-234.	1.4	110
738	Neurologic symptoms are common during gestation and puerperium in CADASIL. <i>Neurology</i> , 2005, 64, 1441-1443.	1.5	31
739	Severe Preeclampsia is Associated with a Positive Family History of Hypertension and Hypercholesterolemia. <i>Hypertension in Pregnancy</i> , 2005, 24, 259-271.	0.5	27
740	The Role and Modulation of the Oxidative Balance in Pregnancy. <i>Current Pharmaceutical Design</i> , 2005, 11, 2075-2089.	0.9	40
741	Optociliary shunt vessels. <i>Neurology</i> , 2005, 64, 1443-1443.	1.5	1
742	Role of Endothelin in Mediating Tumor Necrosis Factor-Induced Hypertension in Pregnant Rats. <i>Hypertension</i> , 2005, 46, 82-86.	1.3	181
743	Thrombophilia Is Significantly Associated With Severe Preeclampsia. <i>Hypertension</i> , 2005, 46, 1270-1274.	1.3	140
744	Generation of Reactive Oxygen Species by Neutrophils and Endothelial Cell Injury in Normal and Preeclamptic Pregnancies. <i>Hypertension</i> , 2005, 46, 696-700.	1.3	74
745	Reduced Uteroplacental Perfusion Alters Uterine Arcuate Artery Function in the Pregnant Sprague-Dawley Rat1. <i>Biology of Reproduction</i> , 2005, 72, 762-766.	1.2	44
746	In Preeclampsia, the Circulating Factors Capable of Altering In Vitro Endothelial Function Precede Clinical Disease. <i>Hypertension</i> , 2005, 45, 258-263.	1.3	85
747	In Vivo Rat Model of Preeclampsia. , 2006, 122, 393-400.		38

#	ARTICLE	IF	CITATIONS
748	Are we increasing serious maternal morbidity by postponing termination of pregnancy in severe pre-eclampsia/eclampsia?. <i>Journal of Obstetrics and Gynaecology</i> , 2005, 25, 347-351.	0.4	7
749	Reduced Uterine Perfusion Pressure (RUPP) Model for Studying Cardiovascular-Renal Dysfunction in Response to Placental Ischemia. , 2006, 122, 381-392.		141
750	Evaluation of the role of day assessment unit in the management of pregnancy induced hypertension. <i>Journal of Obstetrics and Gynaecology</i> , 2005, 25, 651-655.	0.4	3
751	Circulating Activators of Peroxisome Proliferator-Activated Receptors Are Reduced in Preeclamptic Pregnancy. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005, 90, 620-626.	1.8	71
752	Preeclampsia Is Associated with Impaired Regulation of the Placental Nitric Oxide-Cyclic Guanosine Monophosphate Pathway by Corticotropin-Releasing Hormone (CRH) and CRH-Related Peptides. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005, 90, 3680-3687.	1.8	58
753	Concentrations of homocysteine, related metabolites and asymmetric dimethylarginine in preeclamptic women with poor nutritional status. <i>Clinical Chemistry and Laboratory Medicine</i> , 2005, 43, 1139-46.	1.4	26
754	Immunology of Preeclampsia. , 2005, 89, 49-61.		152
755	Human Placental Peroxisome Proliferator-Activated Receptor $\hat{1}$ and $\hat{3}$ Expression in Healthy Pregnancy and in Preeclampsia and Intrauterine Growth Restriction. <i>Journal of the Society for Gynecologic Investigation</i> , 2005, 12, 320-329.	1.9	52
756	Tyrosine Phosphorylation of Caveolin 1 by Oxidative Stress Is Reversible and Dependent on the c-src Tyrosine Kinase but Not Mitogen-Activated Protein Kinase Pathways in Placental Artery Endothelial Cells. <i>Biology of Reproduction</i> , 2005, 73, 761-772.	1.2	42
757	Adiponectin Concentrations in Maternal Serum: Elevated in Preeclampsia But Unrelated to Insulin Sensitivity. <i>Journal of the Society for Gynecologic Investigation</i> , 2005, 12, 433-439.	1.9	66
758	Leukocyte-platelet interaction in pregnancies complicated with preeclampsia. <i>Platelets</i> , 2005, 16, 91-97.	1.1	28
759	A Rat Model of Preeclampsia. <i>Clinical and Experimental Hypertension</i> , 2005, 27, 605-617.	0.5	52
760	Oxidant-Antioxidant System Changes Relative to Placental-Umbilical Pathology in Patients with Preeclampsia. <i>Hypertension in Pregnancy</i> , 2005, 24, 147-157.	0.5	30
761	Evidence supporting that the excess of the sVEGFR-1 concentration in maternal plasma in preeclampsia has a uterine origin. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2005, 18, 9-16.	0.7	99
762	Sildenafil Citrate (Viagra) Enhances Vasodilatation in Fetal Growth Restriction. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005, 90, 2550-2555.	1.8	147
763	Circulating Angiogenic Factors in the Pathogenesis and Prediction of Preeclampsia. <i>Hypertension</i> , 2005, 46, 1077-1085.	1.3	342
764	The polymorphism of platelet membrane integrin $\hat{1}\pm 2\hat{1}^2\hat{1}$ ( $\hat{1}\pm 2807\text{TT}$ ) is associated with premature onset of fetal loss. <i>Thrombosis and Haemostasis</i> , 2005, 93, 124-129.	1.8	18
765	Pre-eclampsia: increased, unchanged, and decreased serum markers in a comparison to a healthy third trimester pregnancy. A synopsis. <i>Immuno-Analyse Et Biologie Specialisee</i> , 2005, 20, 353-359.	0.0	2

#	ARTICLE	IF	CITATIONS
766	Molecular biology related to pre-eclampsia. International Congress Series, 2005, 1279, 282-289.	0.2	5
767	The role of lipoprotein (a) in pregnancies complicated by pre-eclampsia. Medical Hypotheses, 2005, 64, 162-169.	0.8	26
768	Placental barrier breakage in preeclampsia: ultrastructural evidence. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2005, 118, 182-189.	0.5	31
769	Growth factor receptor-protein bound 2 (GRB2) upregulation in the placenta in preeclampsia implies a possible role for ras signalling. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2005, 118, 174-181.	0.5	11
770	Effect of quercetine and glutathione on the level of superoxide dismutase, catalase, malonyldialdehyde, blood pressure and neonatal outcome in a rat model of pre-eclampsia induced by NG-nitro-l-arginine-methyl ester. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2005, 118, 190-195.	0.5	29
771	Lipoprotein (a) in pregnancy: A critical review of the literature. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2005, 122, 13-21.	0.5	9
772	Increased levels of macrophage migration inhibitory factor (MIF) in preeclampsia. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2005, 123, 162-166.	0.5	53
773	Evaluation of natural coagulation inhibitor levels in various hypertensive states of pregnancy. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2005, 123, 183-187.	0.5	9
774	Increase of Serum Angiopoietin-2 During Pregnancy Is Suppressed in Women With Preeclampsia. American Journal of Hypertension, 2005, 18, 1181-1188.	1.0	44
775	Soluble Fms-like Tyrosine Kinase 1 and Endothelial Dysfunction in the Pathogenesis of Preeclampsia. Pediatric Research, 2005, 57, 1R-7R.	1.1	217
777	Angiogenic Factors in the Pathogenesis of Preeclampsia. Current Topics in Developmental Biology, 2005, 71, 297-312.	1.0	65
778	Prospects for the Future of Child Health Through Research. JAMA - Journal of the American Medical Association, 2005, 294, 1373.	3.8	14
779	Hypertension in Pregnancy. Endocrinology and Metabolism Clinics of North America, 2006, 35, 157-171.	1.2	37
781	What Causes Endothelial Cell Activation in Preeclamptic Women?. American Journal of Pathology, 2006, 169, 1104-1106.	1.9	14
782	Hypoxia and Reoxygenation: a Possible Mechanism for Placental Oxidative Stress in Preeclampsia. Taiwanese Journal of Obstetrics and Gynecology, 2006, 45, 189-200.	0.5	243
784	Defective implantation and placentation: laying the blueprint for pregnancy complications. Reproductive BioMedicine Online, 2006, 13, 591-599.	1.1	247
785	Inflammation and pre-eclampsia. Seminars in Fetal and Neonatal Medicine, 2006, 11, 309-316.	1.1	387
786	Preeclampsia: current understanding of the molecular basis of vascular dysfunction. Expert Reviews in Molecular Medicine, 2006, 8, 1-20.	1.6	120

#	ARTICLE	IF	CITATIONS
787	Monocytes of preeclamptic women spontaneously synthesize pro-inflammatory cytokines. <i>Clinical Immunology</i> , 2006, 118, 268-275.	1.4	117
788	Phosphodiesterase-5 inhibitors and omental and placental small artery function in normal pregnancy and pre-eclampsia. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2006, 127, 41-49.	0.5	32
789	The effect of maternal characteristics on endothelial-dependent relaxation of myometrial arteries. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2006, 124, 158-163.	0.5	8
790	Soluble Endoglin and Other Circulating Antiangiogenic Factors in Preeclampsia. <i>New England Journal of Medicine</i> , 2006, 355, 992-1005.	13.9	1,666
791	Altered Bcl-2 and Bax expression is associated with cultured first trimester human cytotrophoblasts apoptosis induced by hypoxia. <i>Life Sciences</i> , 2006, 79, 351-355.	2.0	18
792	The role of excessive volume expansion in the pathogenesis of preeclampsia. <i>Medical Hypotheses</i> , 2006, 67, 1125-1132.	0.8	19
793	NK cells and human pregnancy – an inflammatory view. <i>Trends in Immunology</i> , 2006, 27, 399-404.	2.9	280
794	Prospective evaluation of platelet B2 bradykinin and thrombopoietin receptor levels from preeclamptic compared to non-preeclamptic pregnancy patients. <i>Thrombosis Research</i> , 2006, 117, 551-556.	0.8	0
795	The endogenous anti-angiogenic family of splice variants of VEGF, VEGF <sub>xxx</sub> b, are down-regulated in pre-eclamptic placentae at term. <i>Clinical Science</i> , 2006, 110, 575-585.	1.8	61
796	Mesenteric Vascular Responsiveness in a Rat Model of Pregnancy-Induced Hypertension. <i>Experimental Biology and Medicine</i> , 2006, 231, 1398-1402.	1.1	26
798	Pre-eclampsia is associated with <i>Helicobacter pylori</i> seropositivity in Italy. <i>Journal of Hypertension</i> , 2006, 24, 2445-2449.	0.3	61
799	Trophoblast and pre-eclampsia. , 0, , 194-222.		0
800	Effect of sera on the adhesion of natural killer cells to the endothelium in severe pre-eclampsia. <i>Journal of Obstetrics and Gynaecology Research</i> , 2006, 32, 443-448.	0.6	6
801	Quantitative Analysis of Fetal DNA in Maternal Plasma in Pathological Conditions Associated with Placental Abnormalities. <i>Annals of the New York Academy of Sciences</i> , 2001, 945, 132-137.	1.8	58
802	Serum advanced oxidation protein products, myeloperoxidase and ascorbic acid in pre-eclampsia and eclampsia. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2006, 46, 486-491.	0.4	31
803	11beta-Hydroxysteroid Dehydrogenase Activity in Pregnancies Complicated by Hydatidiform Mole. <i>American Journal of Reproductive Immunology</i> , 2006, 55, 415-419.	1.2	3
804	Preeclampsia Activates Circulating Immune Cells with Engagement of the NF-kappaB Pathway. <i>American Journal of Reproductive Immunology</i> , 2006, 56, 135-144.	1.2	77
805	Low incidence of hypertensive disorders of pregnancy in women treated with spiramycin for toxoplasma infection. <i>British Journal of Clinical Pharmacology</i> , 2006, 61, 336-340.	1.1	32

#	ARTICLE	IF	CITATIONS
806	Soluble endoglin contributes to the pathogenesis of preeclampsia. <i>Nature Medicine</i> , 2006, 12, 642-649.	15.2	1,653
807	Preeclampsia: the Death of Goliath. <i>American Journal of Reproductive Immunology</i> , 2006, 55, 84-98.	1.2	39
808	Plasma granulysin concentrations and preeclampsia risk. <i>Clinical Biochemistry</i> , 2006, 39, 1016-1021.	0.8	8
809	Understanding and managing HELLP syndrome: The integral role of aggressive glucocorticoids for mother and child. <i>American Journal of Obstetrics and Gynecology</i> , 2006, 195, 914-934.	0.7	210
810	Serum sFlt1 concentration during preeclampsia and mid trimester blood pressure in healthy nulliparous women. <i>American Journal of Obstetrics and Gynecology</i> , 2006, 194, 1034-1041.	0.7	101
811	Maternal vasculopathy and histologic diagnosis of preeclampsia: Poor correlation of histologic changes and clinical manifestation. <i>American Journal of Obstetrics and Gynecology</i> , 2006, 194, 1050-1056.	0.7	49
812	Evaluation of placenta growth factor and soluble Fms-like tyrosine kinase 1 receptor levels in mild and severe preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 2006, 195, 255-259.	0.7	116
813	Change in pulse wave velocity throughout normal pregnancy and its value in predicting pregnancy-induced hypertension: A longitudinal study. <i>American Journal of Obstetrics and Gynecology</i> , 2006, 195, 464-469.	0.7	48
814	Circulating calcitonin gene-related peptide and its placental origins in normotensive and preeclamptic pregnancies. <i>American Journal of Obstetrics and Gynecology</i> , 2006, 195, 1657-1667.	0.7	19
815	Water immersion in preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 2006, 195, 1590-1595.	0.7	8
816	Systematic reviews of research to assess causation: a guide to methods and application. <i>European Clinics in Obstetrics and Gynaecology</i> , 2006, 1, 251-256.	0.4	3
817	The incidence of pre-eclampsia among couples consisting of Japanese women and Caucasian men. <i>Journal of Reproductive Immunology</i> , 2006, 70, 93-98.	0.8	48
818	Excess syncytiotrophoblast microparticle shedding is a feature of early-onset pre-eclampsia, but not normotensive intrauterine growth restriction. <i>Placenta</i> , 2006, 27, 56-61.	0.7	355
819	The effects of smoking and hypertensive disorders on fetal growth. <i>BMC Pregnancy and Childbirth</i> , 2006, 6, 16.	0.9	55
820	Antioxidants and the Prevention of Preeclampsia – Unresolved Issues. <i>New England Journal of Medicine</i> , 2006, 354, 1841-1843.	13.9	34
821	Hypertension and Maternal – Fetal Conflict during Placental Malaria. <i>PLoS Medicine</i> , 2006, 3, e446.	3.9	98
822	Increased plasma levels of adipokines in preeclampsia: relationship to placenta and adipose tissue gene expression. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2006, 290, E326-E333.	1.8	154
823	Biomarkers and Mechanisms of Drug-Induced Vascular Injury in Non-Rodents. <i>Toxicologic Pathology</i> , 2006, 34, 19-26.	0.9	48

#	ARTICLE	IF	CITATIONS
824	Phagocytosis of Necrotic but Not Apoptotic Trophoblasts Induces Endothelial Cell Activation. <i>Hypertension</i> , 2006, 47, 116-121.	1.3	90
825	Genomewide Oligonucleotide Microarray Analysis on Placentae of Pre-Eclamptic Pregnancies. <i>Gynecologic and Obstetric Investigation</i> , 2006, 62, 108-114.	0.7	44
826	Role of Renin-Angiotensin System in Vascular Endothelial Dysfunction of Pregnancy-Induced Hypertension. <i>Current Hypertension Reviews</i> , 2006, 2, 311-316.	0.5	2
827	Endothelial Activation and Cell Adhesion Molecule Concentrations in Pregnant Women Living at High Altitude. <i>Journal of the Society for Gynecologic Investigation</i> , 2006, 13, 399-403.	1.9	10
828	Pre-eclampsia is associated with sleep-disordered breathing and endothelial dysfunction. <i>European Respiratory Journal</i> , 2006, 27, 328-333.	3.1	138
829	Placental apoptosis and adhesion molecules expression in the placenta and the maternal placental bed of pregnancies complicated by fetal growth restriction with and without pre-eclampsia. <i>Journal of Obstetrics and Gynaecology</i> , 2006, 26, 5-10.	0.4	20
830	Consequences of preeclampsia for the newborn: role of oxidative stress. <i>Expert Review of Obstetrics and Gynecology</i> , 2007, 2, 651-662.	0.4	1
831	Systemic Inflammatory Priming in Normal Pregnancy and Preeclampsia: The Role of Circulating Syncytiotrophoblast Microparticles. <i>Journal of Immunology</i> , 2007, 178, 5949-5956.	0.4	389
832	Calcitonin Gene-Related Peptide (CALCA) Is a Proangiogenic Growth Factor in the Human Placental Development1. <i>Biology of Reproduction</i> , 2007, 76, 892-899.	1.2	37
833	Increased Concentration of Soluble CD40 Ligand in Preeclampsia. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2007, 13, 201-205.	0.7	7
834	Plasma Hemopexin Activity in Pregnancy and Preeclampsia. <i>Hypertension in Pregnancy</i> , 2007, 26, 227-239.	0.5	44
835	Risk Factors for Cardiovascular Disease in Women with a History of Pregnancy Complicated by Preeclampsia or Intrauterine Growth Restriction. <i>Hypertension in Pregnancy</i> , 2007, 26, 39-50.	0.5	133
836	Serum Amyloid A Levels Are Increased in Pre-Eclampsia. <i>Gynecologic and Obstetric Investigation</i> , 2007, 64, 117-120.	0.7	18
837	Polymorphisms in the Endothelial Nitric Oxide Synthase Gene May Be Protective Against Preeclampsia in a Chinese Population. <i>Reproductive Sciences</i> , 2007, 14, 175-181.	1.1	29
838	Hypertension Produced by Reduced Uterine Perfusion in Pregnant Rats Is Associated With Increased Soluble Fms-Like Tyrosine Kinase-1 Expression. <i>Hypertension</i> , 2007, 50, 1142-1147.	1.3	287
840	Inflammatory Changes in Preeclampsia: Current Understanding of the Maternal Innate and Adaptive Immune Response. <i>Obstetrical and Gynecological Survey</i> , 2007, 62, 191-201.	0.2	73
841	Role of magnesium in hypertension. <i>Archives of Biochemistry and Biophysics</i> , 2007, 458, 33-39.	1.4	151
842	Raised C-Reactive Protein and Impaired Flow-Mediated Vasodilation Precede the Development of Preeclampsia. <i>American Journal of Hypertension</i> , 2007, 20, 98-103.	1.0	77

#	ARTICLE	IF	CITATIONS
843	Effects of Reduced Uterine Perfusion Pressure on Blood Pressure and Metabolic Factors in Pregnant Rats. <i>American Journal of Hypertension</i> , 2007, 20, 686-691.	1.0	48
844	Second trimester amniotic fluid endothelin-1 concentrations and subsequent development of intrauterine growth restriction. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2007, 134, 192-195.	0.5	4
845	The association of exposure to cadmium through cigarette smoke with pregnancy-induced hypertension in a selenium deficient population. <i>Environmental Toxicology and Pharmacology</i> , 2007, 24, 72-78.	2.0	8
846	Molecular aspects of preeclampsia. <i>Molecular Aspects of Medicine</i> , 2007, 28, 169-191.	2.7	39
847	The role of the immune system in preeclampsia. <i>Molecular Aspects of Medicine</i> , 2007, 28, 192-209.	2.7	274
848	Inflammatory response in preeclampsia. <i>Molecular Aspects of Medicine</i> , 2007, 28, 210-219.	2.7	76
849	Genetic origin and proportion of basal plate surface-lining cells in normal and abnormal pregnancies. <i>Human Pathology</i> , 2007, 38, 269-275.	1.1	7
850	Acute ST elevation myocardial infarction in pregnancy due to coronary vasospasm: A case report and review of literature. <i>International Journal of Cardiology</i> , 2007, 115, 81-85.	0.8	29
853	Thrombin Regulates Soluble fms-Like Tyrosine Kinase-1 (sFlt-1) Expression in First Trimester Decidua. <i>American Journal of Pathology</i> , 2007, 170, 1398-1405.	1.9	53
854	Pre-eclampsia and risk of cardiovascular disease and cancer in later life: systematic review and meta-analysis. <i>BMJ: British Medical Journal</i> , 2007, 335, 974.	2.4	2,046
855	Anti-Hypertensive Drugs Alter Cytokine Production from Preeclamptic Placentas and Peripheral Blood Mononuclear Cells. <i>Hypertension in Pregnancy</i> , 2007, 26, 343-356.	0.5	16
856	Insulin resistance in early- and late-onset preeclampsia. A proposal to revise the current classification of the preeclampsia syndrome. <i>Expert Review of Obstetrics and Gynecology</i> , 2007, 2, 117-119.	0.4	0
857	Maternal serum soluble CD30 is increased in normal pregnancy, but decreased in preeclampsia and small for gestational age pregnancies. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2007, 20, 867-878.	0.7	34
858	CXCL10/IP-10: A missing link between inflammation and anti-angiogenesis in preeclampsia?. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2007, 20, 777-792.	0.7	112
859	A Longitudinal Study Using Ultrasound to Assess Flow-Mediated Dilatation in Normal Human Pregnancy. <i>Hypertension in Pregnancy</i> , 2007, 26, 273-281.	0.5	39
860	De laÂtoxicité gravidique ÂÂ!ÂÂclampsie: physiopathologie. <i>Reanimation: Journal De La Societe De Reanimation De Langue Francaise</i> , 2007, 16, 380-385.	0.1	2
861	The serine protease corin in cardiovascular biology and disease. <i>Frontiers in Bioscience - Landmark</i> , 2007, 12, 4179.	3.0	56
862	High-altitude hypoxia and preeclampsia. <i>Frontiers in Bioscience - Landmark</i> , 2007, 12, 2967.	3.0	70



#	ARTICLE	IF	CITATIONS
863	TESTOSTERONA SÉRICA EN TRASTORNOS HIPERTENSIVOS DEL EMBARAZO. Revista Chilena De Obstetricia Y Ginecología, 2007, 72, .	0.1	0
864	Placental Vasculature in Health and Disease. , 2007, , 1488-1500.		0
865	Cell-free mRNA concentrations of CRH,PLAC1, and selectin-P are increased in the plasma of pregnant women with preeclampsia. Prenatal Diagnosis, 2007, 27, 772-777.	1.1	66
866	Performance of a panel of maternal serum markers in predicting preeclampsia at 11-15 weeks' gestation. Prenatal Diagnosis, 2007, 27, 1005-1010.	1.1	43
867	Differences in the proteome profile in placenta from normal term and preeclamptic preterm pregnancies. Proteomics - Clinical Applications, 2007, 1, 446-456.	0.8	14
868	Acute actions and novel targets of matrix metalloproteinases in the heart and vasculature. British Journal of Pharmacology, 2007, 152, 189-205.	2.7	174
869	Increased fetal blood pressure response to maternal norepinephrine after pharmacological inhibition of norepinephrine uptake in pregnant sheep. Acta Paediatrica, International Journal of Paediatrics, 2007, 96, 650-654.	0.7	3
870	Prenatal Vitamin C Status is Associated with Placental Apoptosis in Normal-term Human Pregnancies. Placenta, 2007, 28, 31-38.	0.7	19
871	PPARs and the Placenta. Placenta, 2007, 28, 65-76.	0.7	116
872	Vasoreactivity of Chorionic Plate Arteries in Response to Vasoconstrictors Produced by Preeclamptic Placentas. Placenta, 2007, 28, 498-504.	0.7	30
873	Murine Pre-Eclampsia Induced by Unspecific Activation of the Immune System Correlates with Alterations in the eNOS and AT1 Receptor Expression in the Kidneys and Placenta. Placenta, 2007, 28, 688-700.	0.7	12
874	Acute Atherosclerosis in Decidual Tissue: Not Associated with Systemic Oxidative Stress in Preeclampsia. Placenta, 2007, 28, 958-964.	0.7	44
875	Selective increase in high molecular weight adiponectin concentration in serum of women with preeclampsia. Journal of Reproductive Immunology, 2007, 73, 60-65.	0.8	42
876	Etiology of preeclampsia: maternal vascular predisposition and couple disease—mutual exclusion or complementarity?. Journal of Reproductive Immunology, 2007, 76, 1-7.	0.8	33
877	Activation of NF- $\kappa$ B and expression of COX-2 in association with neutrophil infiltration in systemic vascular tissue of women with preeclampsia. American Journal of Obstetrics and Gynecology, 2007, 196, 48.e1-48.e8.	0.7	76
878	Evidence for multiple circulating factors in preeclampsia. American Journal of Obstetrics and Gynecology, 2007, 196, 266.e1-266.e6.	0.7	11
879	Increased leukocyte adhesion to vascular endothelium in preeclampsia is inhibited by antioxidants. American Journal of Obstetrics and Gynecology, 2007, 196, 400.e1-400.e8.	0.7	13
880	Pre-symptomatic increase in urine osmolyte excretion in pre-eclamptic women. Acta Obstetrica Et Gynecologica Scandinavica, 2007, 86, 930-937.	1.3	13

#	ARTICLE	IF	CITATIONS
881	The genetic predisposition to produce high levels of TGF $\alpha$ 1 impacts on the severity of eclampsia/pre-eclampsia. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2007, 86, 903-908.	1.3	21
882	Pre-eclampsia but not pregnancy-induced hypertension is a risk factor for diabetic nephropathy in type 1 diabetic women. <i>Diabetologia</i> , 2007, 50, 516-522.	2.9	55
883	Role of placentally produced inflammatory and regulatory cytokines in pregnancy and the etiology of preeclampsia. <i>Seminars in Immunopathology</i> , 2007, 29, 151-162.	2.8	167
884	Elevated Plasma Levels of Interleukin 1 $\beta$ , Tumour Necrosis Factor $\alpha$ and Monocyte Chemotactic Protein 1 Are Associated with Pregnancy Toxaemia in Ewes. <i>Veterinary Research Communications</i> , 2007, 31, 565-573.	0.6	12
885	Comparative analysis of maternal-fetal interface in preeclampsia and preterm labor. <i>Cell and Tissue Research</i> , 2007, 329, 559-569.	1.5	31
886	Distribution of Notch protein members in normal and preeclampsia-complicated placentas. <i>Cell and Tissue Research</i> , 2007, 330, 527-534.	1.5	60
887	Association Between Maternal Infections and Preeclampsia: A Systematic Review of Epidemiologic Studies. <i>Maternal and Child Health Journal</i> , 2008, 12, 223-242.	0.7	101
888	Endoglin in angiogenesis and vascular diseases. <i>Angiogenesis</i> , 2008, 11, 79-89.	3.7	291
889	The Genetic Aspects of Pre-eclampsia: Achievements and Limitations. <i>Biochemical Genetics</i> , 2008, 46, 451-479.	0.8	33
890	Placental protein 13 (galectin-13) has decreased placental expression but increased shedding and maternal serum concentrations in patients presenting with preterm pre-eclampsia and HELLP syndrome. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2008, 453, 387-400.	1.4	113
891	Dinucleotide repeat polymorphism in Fms-like tyrosine kinase-1 (Flt-1) gene is not associated with preeclampsia. <i>BMC Medical Genetics</i> , 2008, 9, 68.	2.1	14
892	Maternal endothelial function and serum concentrations of placental growth factor and soluble endoglin in women with abnormal placentation. <i>Ultrasound in Obstetrics and Gynecology</i> , 2008, 32, 871-876.	0.9	48
893	Circulating angiogenic factors in singleton vs multiple-gestation pregnancies. <i>American Journal of Obstetrics and Gynecology</i> , 2008, 198, 200.e1-200.e7.	0.7	40
894	Microarray Technology Applied to the Complex Disorder of Preeclampsia. <i>JOGNN - Journal of Obstetric, Gynecologic, and Neonatal Nursing</i> , 2008, 37, 146-157.	0.2	24
895	ORIGINAL ARTICLE: The Role of Invariant NKT Cells in Pre-eclampsia. <i>American Journal of Reproductive Immunology</i> , 2008, 60, 118-126.	1.2	22
896	Preeclampsia and cerebral palsy: are they related?. <i>Developmental Medicine and Child Neurology</i> , 1998, 40, 207-211.	1.1	31
897	Substandard care in maternal mortality due to hypertensive disease in pregnancy in the Netherlands. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2008, 115, 732-736.	1.1	99
898	Is there any link between severe pre-eclampsia and defined polymorphisms in leptin and adiponectin genes?. <i>Journal of Obstetrics and Gynaecology Research</i> , 2008, 34, 858-864.	0.6	12

#	ARTICLE	IF	CITATIONS
899	Plasma concentrations of Lp(a) lipoprotein and TGF $\beta$ <sup>2</sup> are altered in preeclampsia. <i>Clinical Genetics</i> , 1997, 52, 371-376.	1.0	71
900	The effect of sildenafil on the altered thoracic aorta smooth muscle responses in rat pre-eclampsia model. <i>European Journal of Pharmacology</i> , 2008, 589, 180-187.	1.7	33
901	Uric Acid as a Pathogenic Factor in Preeclampsia. <i>Placenta</i> , 2008, 29, 67-72.	0.7	201
902	Circulating Microparticles in Normal Pregnancy and Pre-Eclampsia. <i>Placenta</i> , 2008, 29, 73-77.	0.7	202
903	PKC $\zeta$ in Preeclamptic Placentas Promotes Bax Dissociation from 14-3-3 $\zeta$ through 14-3-3 $\zeta$ Phosphorylation. <i>Placenta</i> , 2008, 29, 584-592.	0.7	12
904	Vitamins C and E Inhibit Apoptosis of Cultured Human Term Placenta Trophoblast. <i>Placenta</i> , 2008, 29, 680-690.	0.7	35
905	The Functional Role of the Renin-Angiotensin System in Pregnancy and Preeclampsia. <i>Placenta</i> , 2008, 29, 763-771.	0.7	248
906	The Endoplasmic Reticulum Stress of Placental Impoverishment. <i>American Journal of Pathology</i> , 2008, 173, 311-314.	1.9	25
907	Acute Myocardial Infarction Associated With Pregnancy. <i>Journal of the American College of Cardiology</i> , 2008, 52, 171-180.	1.2	502
908	Placental stem cell markers in pre-eclampsia. <i>International Journal of Gynecology and Obstetrics</i> , 2008, 100, 228-233.	1.0	14
909	Molecular mechanisms of preeclampsia. <i>Microvascular Research</i> , 2008, 75, 1-8.	1.1	252
910	Pre-eclampsia "a disease of oxidative stress resulting from the catabolism of DNA (primarily fetal) to uric acid by xanthine oxidase in the maternal liver: A hypothesis. <i>Bioscience Hypotheses</i> , 2008, 1, 35-43.	0.2	17
911	Preeclampsia: A danger growing in disguise. <i>International Journal of Biochemistry and Cell Biology</i> , 2008, 40, 1979-1983.	1.2	36
912	Susceptibility of red blood cell lipids to in vitro oxidation and antioxidant status in preeclampsia. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2008, 140, 158-164.	0.5	8
913	Differential regulation of the interferon induced gene ISG12A by serum from healthy and preeclamptic pregnancies. <i>Cytokine</i> , 2008, 42, 105-112.	1.4	3
914	The Notch Signalling Pathway in the Development of the Mouse Placenta. <i>Placenta</i> , 2008, 29, 651-659.	0.7	65
915	Relación de la expresión del factor inducido por hipoxia-2 $\beta$ (HIF-2 $\beta$ ) y sVEGF-R1/sFlt-1: implicación en la fisiopatología de preeclampsia. <i>Clinica E Investigacion En Ginecologia Y Obstetricia</i> , 2008, 35, 11-23.	0.1	4
916	Preeclampsia and Angiogenic Imbalance. <i>Annual Review of Medicine</i> , 2008, 59, 61-78.	5.0	283

#	ARTICLE	IF	CITATIONS
917	Pathophysiology of hypertension in response to placental ischemia during pregnancy: A central role for endothelin?. <i>Gender Medicine</i> , 2008, 5, S133-S138.	1.4	50
918	Severe preeclampsia is characterized by increased placental expression of galectin-1. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2008, 21, 429-442.	0.7	65
919	Detection and Identification of Novel Metabolomic Biomarkers in Preeclampsia. <i>Reproductive Sciences</i> , 2008, 15, 591-597.	1.1	84
920	Pathophysiology of hypertension during preeclampsia: linking placental ischemia with endothelial dysfunction. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2008, 294, H541-H550.	1.5	432
921	A longitudinal study of angiogenic (placental growth factor) and anti-angiogenic (soluble endoglin) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 destined to develop preeclampsia and deliver a small for gestational age neonate. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2008, 21, 9-23.	0.7	592
922	No Midpregnancy Fall in Diastolic Blood Pressure in Women With a Low Educational Level. <i>Hypertension</i> , 2008, 52, 645-651.	1.3	32
923	Maternal Serum<i>Chlamydia Pneumoniae</i>Antibodies and CRP Levels in Women with Preeclampsia and Gestational Hypertension. <i>Hypertension in Pregnancy</i> , 2008, 27, 143-158.	0.5	21
924	Elevated Maternal IL-16 Levels, Enhanced IL-16 Expressions in Endothelium and Leukocytes, and Increased IL-16 Production by Placental Trophoblasts in Women with Preeclampsia. <i>Journal of Immunology</i> , 2008, 181, 4418-4422.	0.4	33
925	Evidence of Endothelial Dysfunction in Preeclampsia and Risk of Adverse Pregnancy Outcome. <i>Reproductive Sciences</i> , 2008, 15, 374-381.	1.1	39
926	Vascular endothelial growth factor genotypes and haplotypes are associated with pre-eclampsia but not with gestational hypertension. <i>Molecular Human Reproduction</i> , 2008, 15, 115-120.	1.3	54
927	Cytokine Regulation of Intercellular Adhesion Molecule-1 Expression on Trophoblasts in Preeclampsia. <i>Gynecologic and Obstetric Investigation</i> , 2008, 66, 27-33.	0.7	17
928	Placental Implications of Peroxisome Proliferator-Activated Receptors in Gestation and Parturition. <i>PPAR Research</i> , 2008, 2008, 1-9.	1.1	26
929	Fetal growth restriction and maternal cardiac function. <i>Expert Review of Obstetrics and Gynecology</i> , 2008, 3, 119-127.	0.4	4
930	Stroke in pregnancy and the puerperium. <i>Postgraduate Medical Journal</i> , 2008, 84, 238-245.	0.9	281
931	Uterine Vascular Function in a Transgenic Preeclampsia Rat Model. <i>Hypertension</i> , 2008, 51, 547-553.	1.3	74
932	Nitric Oxide Formation Is Inversely Related to Serum Levels of Antiangiogenic Factors Soluble Fms-Like Tyrosine Kinase-1 and Soluble Endogline in Preeclampsia. <i>Hypertension</i> , 2008, 52, 402-407.	1.3	161
933	Recent Progress Toward the Understanding of the Pathophysiology of Hypertension During Preeclampsia. <i>Hypertension</i> , 2008, 51, 982-988.	1.3	134
936	Low catechol-O-methyltransferase and 2-methoxyestradiol in preeclampsia: more than a unifying hypothesis. <i>Nephrology Dialysis Transplantation</i> , 2008, 24, 31-33.	0.4	9

#	ARTICLE	IF	CITATIONS
937	Stroke in Women. Recent Patents on Cardiovascular Drug Discovery, 2008, 3, 209-221.	1.5	11
938	Thrombophilia and Vascular Complications in Pregnancy. , 2008, , 326-343.		1
939	Maternal Oral Health in Pregnancy. Obstetrics and Gynecology, 2008, 111, 976-986.	1.2	70
940	The angiotensinogen gene M235T polymorphism and development of preeclampsia/eclampsia: a meta-analysis and meta-regression of observational studies. Journal of Hypertension, 2008, 26, 1726-1734.	0.3	17
941	Doppler e marcadores s�ricos maternos na predi�o de complica�es da gesta�o. Radiologia Brasileira, 2008, 41, 7-12.	0.3	0
942	Serum homocysteine in pre-eclampsia and eclampsia. Bangladesh Medical Research Council Bulletin, 2008, 34, 16-20.	0.1	12
943	Emerging Role of Endothelial and Inflammatory Markers in Preeclampsia. Disease Markers, 2009, 26, 127-133.	0.6	13
944	Obesity and the Hypertensive Disorders of Pregnancy. Hypertension in Pregnancy, 2009, 28, 473-493.	0.5	24
945	Maternal serum adiponectin multimers in preeclampsia. Journal of Perinatal Medicine, 2009, 37, 349-363.	0.6	60
946	Inhibition of Nitric Oxide Synthases Abrogates Pregnancy-Induced Uterine Vascular Expansive Remodeling. Journal of Vascular Research, 2009, 46, 478-486.	0.6	43
947	Vascular Leak in a Rat Model of Preeclampsia. American Journal of Nephrology, 2009, 30, 26-33.	1.4	29
948	Role of Thrombophilia in Adverse Obstetric Outcomes and Their Prevention Using Antithrombotic Therapy. Seminars in Thrombosis and Hemostasis, 2009, 35, 630-643.	1.5	15
949	Severe Preeclampsia-Related Changes in Gene Expression at the Maternal-Fetal Interface Include Sialic Acid-Binding Immunoglobulin-Like Lectin-6 and Pappalysin-2. Endocrinology, 2009, 150, 452-462.	1.4	163
950	Marinobufagenin causes endothelial cell monolayer hyperpermeability by altering apoptotic signaling. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2009, 296, R1726-R1734.	0.9	26
951	Immunosuppression Improves Blood Pressure and Endothelial Function in a Rat Model of Pregnancy-Induced Hypertension. American Journal of Hypertension, 2009, 22, 1107-1114.	1.0	35
952	Digibind attenuates cytokine TNF�-induced endothelial inflammatory response: potential benefit role of Digibind in preeclampsia. Journal of Perinatology, 2009, 29, 195-200.	0.9	9
953	Chymotrypsin-Like Protease (Chymase) Mediates Endothelial Activation by Factors Derived From Preeclamptic Placentas. Reproductive Sciences, 2009, 16, 905-913.	1.1	9
954	Hypertension Produced by Placental Ischemia in Pregnant Rats Is Associated With Increased Soluble Endoglin Expression. Hypertension, 2009, 53, 399-403.	1.3	124

#	ARTICLE	IF	CITATIONS
955	Pregnancy and the Kidney. , 2009, , 483-513.		1
956	Pre-Eclampsia Is Associated With Increased Risk of Stroke in the Adult Offspring. <i>Stroke</i> , 2009, 40, 1176-1180.	1.0	384
957	Compartmentalizing VEGF-Induced ERK2/1 Signaling in Placental Artery Endothelial Cell Caveolae: A Paradoxical Role of Caveolin-1 in Placental Angiogenesis in Vitro. <i>Molecular Endocrinology</i> , 2009, 23, 1428-1444.	3.7	60
958	Inhibition of VEGF or TGF- $\beta$ 2 Signaling Activates Endothelium and Increases Leukocyte Rolling. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2009, 29, 1185-1192.	1.1	63
959	Oxidative Stress Contributes to Soluble Fms-Like Tyrosine Kinase-1 Induced Vascular Dysfunction in Pregnant Rats. <i>American Journal of Hypertension</i> , 2009, 22, 564-568.	1.0	116
960	Expression Patterns of Two Serine Protease HtrA1 Forms in Human Placentas Complicated by Preeclampsia with and without Intrauterine Growth Restriction. <i>Placenta</i> , 2009, 30, 35-40.	0.7	45
961	Placental Stress and Pre-eclampsia: A Revised View. <i>Placenta</i> , 2009, 30, 38-42.	0.7	454
962	Novel Splice Variants of sFlt1 are Upregulated in Preeclampsia. <i>Placenta</i> , 2009, 30, 250-255.	0.7	79
963	Utero-Placental Haemodynamics in the Pathogenesis of Pre-Eclampsia. <i>Placenta</i> , 2009, 30, 634-641.	0.7	54
964	Anti-phospholipid Antibodies Increase Non-apoptotic Trophoblast Shedding: A Contribution to the Pathogenesis of Pre-eclampsia in Affected Women?. <i>Placenta</i> , 2009, 30, 767-773.	0.7	46
965	Serum levels of YKL-40 and interleukin-18 and their relationship to disease severity in patients with preeclampsia. <i>Journal of Reproductive Immunology</i> , 2009, 79, 183-187.	0.8	21
966	Plasma level of soluble c-Met is tightly associated with the clinical risk of preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 2009, 201, 618.e1-618.e7.	0.7	16
967	Iodine and Magnesium Levels in Maternal and Umbilical Cord Blood of Preeclamptic and Normal Pregnant Women. <i>Biological Trace Element Research</i> , 2009, 129, 1-8.	1.9	22
968	A role for interleukin-6 in spreading endothelial cell activation after phagocytosis of necrotic trophoblastic material: implications for the pathogenesis of preeclampsia. <i>Journal of Pathology</i> , 2009, 217, 122-130.	2.1	53
969	Vascular biology of preeclampsia. <i>Journal of Thrombosis and Haemostasis</i> , 2009, 7, 375-384.	1.9	241
970	First trimester urinary placental growth factor and development of preeclampsia. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2009, 116, 643-647.	1.1	27
971	The effects of sildenafil citrate (Viagra) on uterine blood flow and well being in the intrauterine growth-restricted fetus. <i>American Journal of Obstetrics and Gynecology</i> , 2009, 200, 102.e1-102.e7.	0.7	60
972	Toll-Like Receptor 3 Activation During Pregnancy Elicits Preeclampsia-Like Symptoms in Rats. <i>American Journal of Hypertension</i> , 2009, 22, 1314-1319.	1.0	70

#	ARTICLE	IF	CITATIONS
973	Effect of hypoxia and exogenous IL-10 on the pro-inflammatory cytokine TNF- $\alpha$ and the anti-angiogenic molecule soluble Flt-1 in placental villous explants. <i>Cytokine</i> , 2009, 47, 56-60.	1.4	32
974	Aldosterone synthase gene polymorphism is not associated with gestational hypertension or preeclampsia. <i>Clinica Chimica Acta</i> , 2009, 400, 139-141.	0.5	11
975	Blood group AB and factor V Leiden as risk factors for pre-eclampsia: A population-based nested case-control study. <i>Thrombosis Research</i> , 2009, 124, 167-173.	0.8	55
976	Serum markers for pre-eclampsia: An update on the analytes to be determined in the first, second, and third trimester. <i>Immuno-Analyse Et Biologie Specialisee</i> , 2009, 24, 58-68.	0.0	1
977	Hypertension in Pregnancy and Women of Childbearing Age. <i>American Journal of Medicine</i> , 2009, 122, 890-895.	0.6	115
978	Potential markers of preeclampsia – a review. <i>Reproductive Biology and Endocrinology</i> , 2009, 7, 70.	1.4	226
979	Vascular endothelial growth factor gene polymorphisms and pregnancy. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2009, 22, 371-378.	0.7	58
980	Angiogenesis and Preeclampsia. , 2009, , 87-103.		3
981	Endothelial Cell Dysfunction and Oxidative Stress. , 2009, , 143-167.		5
982	The Placenta in Normal Pregnancy and Preeclampsia. , 2009, , 73-85.		8
983	Immunology of Normal Pregnancy and Preeclampsia. , 2009, , 129-142.		10
984	Cardiovascular Alterations in Normal and Preeclamptic Pregnancy. , 2009, , 249-267.		1
985	The Kidney in Normal Pregnancy and Preeclampsia. , 2009, , 297-334.		6
986	A Randomised, Double-Blinded, Placebo-Controlled Study of the Phosphodiesterase Type 5 Inhibitor Sildenafil for the Treatment of Preeclampsia. <i>Hypertension in Pregnancy</i> , 2009, 28, 369-382.	0.5	137
988	Preeclampsia: The Role of Angiogenic Factors in Its Pathogenesis. <i>Physiology</i> , 2009, 24, 147-158.	1.6	384
989	Magnesium Sulfate for the Treatment of Eclampsia. <i>Stroke</i> , 2009, 40, 1169-1175.	1.0	242
990	CADASIL management or what to do when there is little one can do. <i>Expert Review of Neurotherapeutics</i> , 2009, 9, 197-210.	1.4	20
991	A prospective cohort study of the value of maternal plasma concentrations of angiogenic and anti-angiogenic factors in early pregnancy and midtrimester in the identification of patients destined to develop preeclampsia. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2009, 22, 1021-1038.	0.7	254

#	ARTICLE	IF	CITATIONS
992	Preeclamptic toxemia: a disease ripe for proteomic discovery. <i>Expert Review of Proteomics</i> , 2009, 6, 107-110.	1.3	6
993	Evidence for Immune Cell Involvement in Decidual Spiral Arteriole Remodeling in Early Human Pregnancy. <i>American Journal of Pathology</i> , 2009, 174, 1959-1971.	1.9	388
994	Plasma From Preeclamptic Women Stimulates Transendothelial Migration of Neutrophils. <i>Reproductive Sciences</i> , 2009, 16, 320-325.	1.1	38
995	How Disturbed Sleep May Be a Risk Factor for Adverse Pregnancy Outcomes. <i>Obstetrical and Gynecological Survey</i> , 2009, 64, 273-280.	0.2	158
996	Adaptations of maternal cardiovascular and renal physiology to pregnancy. , 2010, , 1-18.		1
999	Role of oxidative stress in the pathogenesis of preeclampsia. <i>Archives of Gynecology and Obstetrics</i> , 2010, 282, 469-474.	0.8	94
1000	Emerging Role of the Bufadienolides in Cardiovascular and Kidney Diseases. <i>American Journal of Kidney Diseases</i> , 2010, 56, 359-370.	2.1	43
1001	Plasma from preeclamptic women activates endothelial cells via monocyte activation in vitro. <i>Journal of Reproductive Immunology</i> , 2010, 87, 28-38.	0.8	18
1002	IL-6, TNF $\alpha$ and TGF $\beta$ 2 Promote Nonapoptotic Trophoblast Deportation and Subsequently Causes Endothelial Cell Activation. <i>Placenta</i> , 2010, 31, 75-80.	0.7	96
1003	Variation in composition of the intervillous space lining in term placentas of mothers with pre-eclampsia. <i>Placenta</i> , 2010, 31, 409-417.	0.7	9
1004	Inhibition of the PI3K-Akt Pathway Suppresses sFlt1 Expression in Human Placental Hypoxia Models In Vitro. <i>Placenta</i> , 2010, 31, 621-629.	0.7	39
1005	Spreading endothelial cell dysfunction in response to necrotic trophoblasts. Soluble factors released from endothelial cells that have phagocytosed necrotic shed trophoblasts reduce the proliferation of additional endothelial cells. <i>Placenta</i> , 2010, 31, 976-981.	0.7	19
1007	Angiogenesis and chronic kidney disease. <i>Fibrogenesis and Tissue Repair</i> , 2010, 3, 13.	3.4	54
1008	The role of autocrine TGF $\beta$ 1 in endothelial cell activation induced by phagocytosis of necrotic trophoblasts: a possible role in the pathogenesis of pre-eclampsia. <i>Journal of Pathology</i> , 2010, 221, 87-95.	2.1	47
1009	First-trimester assessment of placenta function and the prediction of preeclampsia and intrauterine growth restriction. <i>Prenatal Diagnosis</i> , 2010, 30, 293-308.	1.1	114
1010	ORIGINAL ARTICLE: Transforming Growth Factor $\beta$ 1 Gene Polymorphisms in Korean Patients with Pre-eclampsia. <i>American Journal of Reproductive Immunology</i> , 2010, 63, 291-298.	1.2	17
1011	A Historical Overview of Preeclampsia-Eclampsia. <i>JOGNN - Journal of Obstetric, Gynecologic, and Neonatal Nursing</i> , 2010, 39, 510-518.	0.2	168
1012	Th17 cells and regulatory T cells: new light on pathophysiology of preeclampsia. <i>Immunology and Cell Biology</i> , 2010, 88, 615-617.	1.0	99



#	ARTICLE	IF	CITATIONS
1013	Maternal Levels of Prostacyclin, Thromboxane, ICAM, and VCAM in Normal and Preeclamptic Pregnancies. American Journal of Reproductive Immunology, 2010, 64, 376-383.	1.2	35
1014	Role of nitric oxide and reactive oxygen species in the pathogenesis of preeclampsia. Journal of Obstetrics and Gynaecology Research, 2010, 36, 239-247.	0.6	115
1015	Mineral and vitamin supplementation before, during, and after conception. , 2010, , 155-166.		1
1017	A Gel-Free Quantitative Proteomics Analysis of Factors Released From Hypoxic-Conditioned Placentae. Reproductive Sciences, 2010, 17, 247-257.	1.1	17
1018	Pregnancy-induced antithrombin deficiency. Journal of Perinatal Medicine, 2010, 38, 379-85.	0.6	23
1019	Microbial invasion of the amniotic cavity in preeclampsia as assessed by cultivation and sequence-based methods. Journal of Perinatal Medicine, 2010, 38, 503-13.	0.6	74
1020	Sildenafil Increases Uterine Blood Flow in Nonpregnant Nulliparous Women. Reproductive Sciences, 2010, 17, 358-365.	1.1	32
1021	Pentraxin 3 in amniotic fluid: a novel association with intra-amniotic infection and inflammation. Journal of Perinatal Medicine, 2010, 38, 161-71.	0.6	46
1022	A Stress Repair Mechanism That Maintains Vertebrate Structure During Stress. Cardiovascular & Hematological Disorders Drug Targets, 2010, 10, 111-137.	0.2	8
1023	Elevated Plasma Chymotrypsin-like Protease (Chymase) Activity in Women with Preeclampsia. Hypertension in Pregnancy, 2010, 29, 253-261.	0.5	27
1024	Retinol binding protein 4 " a novel association with early-onset preeclampsia. Journal of Perinatal Medicine, 2010, 38, 129-39.	0.6	52
1025	Evidence of the escape of antithrombin from the blood into the interstitial space in pregnant women. Journal of Perinatal Medicine, 2010, 38, 613-615.	0.6	11
1026	Role of Endothelin in Mediating Soluble fms-Like Tyrosine Kinase "Induced Hypertension in Pregnant Rats. Hypertension, 2010, 55, 394-398.	1.3	156
1027	Levels of antiangiogenic factors in preeclamptic pregnancies. Growth Factors, 2010, 28, 293-298.	0.5	7
1028	Circulating angiogenic factors determined by electrochemiluminescence immunoassay in relation to the clinical features and laboratory parameters in women with pre-eclampsia. Hypertension Research, 2010, 33, 892-898.	1.5	80
1029	Cord blood and maternal serum neopterin concentrations in patients with pre-eclampsia. Clinical Chemistry and Laboratory Medicine, 2010, 48, 1127-31.	1.4	10
1030	Endothelial Nitric Oxide Synthase Immunoreactivity and the Ultrastructure of Endothelial Cells of Umbilical Artery in Normal and Preeclamptic Pregnancies. Clinical and Experimental Hypertension, 2010, 32, 458-463.	0.5	3
1031	Regulation of sFlt-1 and VEGF secretion by adenosine under hypoxic conditions in rat placental villous explants. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2010, 299, R1629-R1633.	0.9	34

#	ARTICLE	IF	CITATIONS
1032	Erythrocyte antioxidant enzymes and plasma antioxidant vitamins in Sudanese women with pre-eclampsia. <i>Journal of Obstetrics and Gynaecology</i> , 2010, 30, 147-150.	0.4	10
1033	Leukocytes of pregnant women with small-for-gestational age neonates have a different phenotypic and metabolic activity from those of women with preeclampsia. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010, 23, 476-487.	0.7	40
1034	Does C-Reactive Protein Predict Recurrent Preeclampsia?. <i>Hypertension in Pregnancy</i> , 2010, 29, 399-409.	0.5	14
1035	Association of Monocyte Chemotactic Protein-1 and CC Chemokine Receptor 2 Gene Variants with Preeclampsia. <i>Journal of Interferon and Cytokine Research</i> , 2010, 30, 673-676.	0.5	6
1036	Abnormal Placentation, Angiogenic Factors, and the Pathogenesis of Preeclampsia. <i>Obstetrics and Gynecology Clinics of North America</i> , 2010, 37, 239-253.	0.7	152
1037	First- and Second-Trimester Screening for Preeclampsia and Intrauterine Growth Restriction. <i>Clinics in Laboratory Medicine</i> , 2010, 30, 727-746.	0.7	15
1038	Pathogenesis of Preeclampsia. <i>Annual Review of Pathology: Mechanisms of Disease</i> , 2010, 5, 173-192.	9.6	555
1039	Prediction of Pregnancy-Induced Hypertension by Isometric Exercise. <i>Asia-Oceania Journal of Obstetrics and Gynaecology</i> , 1994, 20, 249-255.	0.0	12
1040	Recombinant Vascular Endothelial Growth Factor 121 Infusion Lowers Blood Pressure and Improves Renal Function in Rats With Placental Ischemia-Induced Hypertension. <i>Hypertension</i> , 2010, 55, 380-385.	1.3	150
1041	Prospective Study of Placental Angiogenic Factors and Maternal Vascular Function Before and After Preeclampsia and Gestational Hypertension. <i>Circulation</i> , 2010, 122, 478-487.	1.6	299
1042	The preeclampsia biomarkers soluble fms-like tyrosine kinase-1 and placental growth factor: current knowledge, clinical implications and future application. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2010, 151, 122-129.	0.5	58
1043	Marinobufagenin, resibufogenin and preeclampsia. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2010, 1802, 1246-1253.	1.8	24
1044	The Role of Nitric Oxide Synthase Inhibition by Asymmetric Dimethylarginine in the Pathophysiology of Preeclampsia. <i>Gynecologic and Obstetric Investigation</i> , 2010, 69, 1-13.	0.7	51
1045	Selenium Supplementation and the Incidence of Preeclampsia in Pregnant Iranian Women: A Randomized, Double-Blind, Placebo-Controlled Pilot Trial. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2010, 49, 181-187.	0.5	67
1046	Acute pyelonephritis during pregnancy changes the balance of angiogenic and anti-angiogenic factors in maternal plasma. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010, 23, 167-178.	0.7	27
1047	Preeclampsia and pregnancies with small-for-gestational age neonates have different profiles of complement split products. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010, 23, 646-657.	0.7	48
1048	Ischemia-modified albumin as an oxidative stress marker in preeclampsia. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2011, 24, 418-421.	0.7	48
1049	Preeclampsia, a Disease of the Maternal Endothelium. <i>Circulation</i> , 2011, 123, 2856-2869.	1.6	838

#	ARTICLE	IF	CITATIONS
1050	Renin Angiotensin Signaling in Normal Pregnancy and Preeclampsia. <i>Seminars in Nephrology</i> , 2011, 31, 47-58.	0.6	98
1051	The Role of Serum Markers and Uterine Artery Doppler in Identifying At-Risk Pregnancies. <i>Clinics in Perinatology</i> , 2011, 38, 1-19.	0.8	26
1052	Angiogenic Factors and Preeclampsia. <i>Seminars in Nephrology</i> , 2011, 31, 33-46.	0.6	374
1053	Inflammation and preeclampsia. <i>Pregnancy Hypertension</i> , 2011, 1, 43-47.	0.6	19
1054	The impact of preeclampsia on gene expression at the maternal-fetal interface. <i>Pregnancy Hypertension</i> , 2011, 1, 100-108.	0.6	31
1055	Homocysteine and folate plasma concentrations in mother and baby at delivery after pre-eclamptic or normotensive pregnancy: Influence of parity. <i>Pregnancy Hypertension</i> , 2011, 1, 150-155.	0.6	3
1056	Plasma calprotectin as inflammation marker in pregnancies complicated by diabetes mellitus and superimposed preeclampsia. <i>Pregnancy Hypertension</i> , 2011, 1, 137-142.	0.6	7
1058	Hypertension in Pregnancy. <i>Endocrinology and Metabolism Clinics of North America</i> , 2011, 40, 847-863.	1.2	14
1059	Sildenafil citrate decreases sFlt-1 and sEng in pregnant l-NAME treated Sprague-Dawley rats. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2011, 157, 136-140.	0.5	54
1060	Marinobufagenin is an upstream modulator of Gadd45a stress signaling in preeclampsia. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2011, 1812, 49-58.	1.8	17
1061	Reduced placental docosahexaenoic acid levels associated with increased levels of sFlt-1 in preeclampsia. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2011, 84, 51-55.	1.0	70
1062	Preeclampsia: A multi-stress disorder. <i>Revue De Medecine Interne</i> , 2011, 32, S41-S44.	0.6	67
1063	HSP70 Overexpression in Response to <i>Ureaplasma urealyticum</i> -Mediated Oxidative Stress In Preeclamptic Placenta. <i>Hypertension in Pregnancy</i> , 2011, 30, 133-143.	0.5	6
1064	Pre-eclampsia: Relationship between coagulation, fibrinolysis and inflammation. <i>Clinica Chimica Acta</i> , 2011, 412, 17-21.	0.5	75
1065	Endothelial Nitric Oxide Synthase Haplotypes Are Associated with Preeclampsia in Maya Mestizo Women. <i>Disease Markers</i> , 2011, 31, 83-89.	0.6	17
1066	Biochemistry of Hellp Syndrome. <i>Advances in Clinical Chemistry</i> , 2011, 53, 85-104.	1.8	27
1067	Epistasis between COMT and MTHFR in Maternal-Fetal Dyads Increases Risk for Preeclampsia. <i>PLoS ONE</i> , 2011, 6, e16681.	1.1	49
1068	Mean platelet volumes in babies of preeclamptic mothers. <i>Blood Coagulation and Fibrinolysis</i> , 2011, 22, 285-287.	0.5	9

#	ARTICLE	IF	CITATIONS
1069	Association of MTHFR A1298C polymorphism (but not of MTHFR C677T) with elevated homocysteine levels and placental vasculopathies. <i>Blood Coagulation and Fibrinolysis</i> , 2011, 22, 374-378.	0.5	50
1070	An unexpected tail of VEGF and PlGF in pre-eclampsia. <i>Biochemical Society Transactions</i> , 2011, 39, 1576-1582.	1.6	35
1071	Is inflammation the cause of pre-eclampsia?. <i>Biochemical Society Transactions</i> , 2011, 39, 1619-1627.	1.6	97
1072	The Evaluation of Hypoxia-Inducible Factor 1 in N-Nitro-L-Arginine Methyl Ester Preeclampsia Model of Pregnant Rats. <i>Journal of Investigative Medicine</i> , 2011, 59, 1268-1272.	0.7	8
1073	Preeclamptic nephropathy. <i>Nephrology</i> , 2011, 16, 134-143.	0.7	24
1074	Over expression of HSP70 and HSF1 in endothelial cells during pre-eclamptic placental stress. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2011, 51, 47-52.	0.4	8
1075	Longitudinal measurement of cytokines in pre-eclamptic and normotensive pregnancies. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2011, 90, 791-796.	1.3	59
1076	Uric Acid Induces Trophoblast IL-1 $\beta$ Production Via the Inflammasome: Implications for the Pathogenesis of Preeclampsia. <i>American Journal of Reproductive Immunology</i> , 2011, 65, 542-548.	1.2	114
1077	Relevance of Syndecan-1 in the Trophoblastic BeWo Cell Syncytialization. <i>American Journal of Reproductive Immunology</i> , 2011, 66, 385-393.	1.2	13
1078	Mid-ventricular Obstructive Hypertrophic Cardiomyopathy during Pregnancy Complicated by Preeclampsia and Acute Myocardial Infarction: A Case Report. <i>Congenital Heart Disease</i> , 2011, 6, 257-261.	0.0	2
1079	Proteomic analysis of human serum for Finding pathogenic factors and potential biomarkers in preeclampsia. <i>Placenta</i> , 2011, 32, 168-174.	0.7	59
1080	Nicotine and cotinine affect the release of vasoactive factors by trophoblast cells and human umbilical vein endothelial cells. <i>Placenta</i> , 2011, 32, 153-160.	0.7	37
1081	Placental oxidative DNA damage and its repair in preeclamptic women with fetal growth restriction. <i>Placenta</i> , 2011, 32, 367-372.	0.7	64
1082	Does oxygen concentration affect shedding of trophoblastic debris or production of inflammatory mediators from first trimester human placenta?. <i>Placenta</i> , 2011, 32, 362-366.	0.7	10
1083	Trophoblast deportation part II: A review of the maternal consequences of trophoblast deportation. <i>Placenta</i> , 2011, 32, 724-731.	0.7	36
1084	Endothelin type A receptor antagonist attenuates placental ischemia-induced hypertension and uterine vascular resistance. <i>American Journal of Obstetrics and Gynecology</i> , 2011, 204, 330.e1-330.e4.	0.7	55
1085	A guide towards pre-pregnancy management of defective implantation and placentation. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2011, 25, 367-387.	1.4	20
1086	Iron status parameters in preeclamptic women. <i>Archives of Gynecology and Obstetrics</i> , 2011, 284, 587-591.	0.8	40

#	ARTICLE	IF	CITATIONS
1087	Evaluation of oxidative stress markers in first trimester for assessment of preeclampsia risk. Archives of Gynecology and Obstetrics, 2011, 284, 1367-1373.	0.8	58
1088	Fetal ERAP2 variation is associated with preeclampsia in African Americans in a case-control study. BMC Medical Genetics, 2011, 12, 64.	2.1	57
1089	No association between polymorphisms/haplotypes of the vascular endothelial growth factor gene and preeclampsia. BMC Pregnancy and Childbirth, 2011, 11, 35.	0.9	32
1090	Platelet Function in Pre-Eclampsia. Seminars in Thrombosis and Hemostasis, 2011, 37, 131-136.	1.5	35
1091	Placental Microparticles, DNA, and RNA in Preeclampsia. Hypertension in Pregnancy, 2011, 30, 364-375.	0.5	25
1092	Elevated Maternal Soluble Gp130 and IL-6 Levels and Reduced Gp130 and SOCS-3 Expressions in Women Complicated With Preeclampsia. Hypertension, 2011, 57, 336-342.	1.3	30
1093	Hypertension in Response to Placental Ischemia During Pregnancy. Hypertension, 2011, 57, 865-871.	1.3	107
1094	Cerebral vascular adaptation to pregnancy and its role in the neurological complications of eclampsia. Journal of Applied Physiology, 2011, 110, 329-339.	1.2	97
1095	Bridging global gene expression candidates in first trimester placentas with susceptibility loci from linkage studies of preeclampsia. Journal of Perinatal Medicine, 2011, 39, 361-8.	0.6	12
1096	Placental lesions associated with maternal underperfusion are more frequent in early-onset than in late-onset preeclampsia. Journal of Perinatal Medicine, 2011, 39, 641-52.	0.6	228
1097	Hypertension Induced by Episodic Reductions in Uteroplacental Blood Flow in Gravid Rat. Hypertension in Pregnancy, 2011, 30, 208-220.	0.5	10
1098	Pilot Study of Extracorporeal Removal of Soluble Fms-Like Tyrosine Kinase 1 in Preeclampsia. Circulation, 2011, 124, 940-950.	1.6	311
1099	Role of Reactive Oxygen Species During Hypertension in Response to Chronic Antiangiogenic Factor (sFlt-1) Excess in Pregnant Rats. American Journal of Hypertension, 2011, 24, 110-113.	1.0	34
1100	Histidine-Rich Glycoprotein as an Early Biomarker of Preeclampsia. American Journal of Hypertension, 2011, 24, 496-501.	1.0	27
1101	ST2 and IL-33 in Pregnancy and Pre-Eclampsia. PLoS ONE, 2011, 6, e24463.	1.1	78
1102	Biomarkers in Preeclampsia. , 2011, , 385-426.		3
1103	Reproductive outcome after early-onset pre-eclampsia. Human Reproduction, 2011, 26, 391-397.	0.4	10
1104	Interleukin 10 Deficiency Exacerbates Toll-Like Receptor 3-Induced Preeclampsia-Like Symptoms in Mice. Hypertension, 2011, 58, 489-496.	1.3	87

#	ARTICLE	IF	CITATIONS
1105	Acute coronary syndrome in pregnant women. <i>Expert Review of Cardiovascular Therapy</i> , 2011, 9, 505-515.	0.6	16
1106	Amino-Terminal Pro-Brain Natriuretic Peptide Levels in Hypertensive Disorders Complicating Pregnancy. <i>Hypertension in Pregnancy</i> , 2011, 30, 287-294.	0.5	16
1107	Angiogenic growth factors in the diagnosis and prediction of pre-eclampsia. <i>Clinical Science</i> , 2012, 122, 43-52.	1.8	121
1108	Risk Factors of Eclampsia Other Than Hypertension: Pregnancy-Induced Antithrombin Deficiency and Extraordinary Weight Gain. <i>Hypertension in Pregnancy</i> , 2012, 31, 268-277.	0.5	14
1109	Heme Oxygenase-1 Attenuates Hypoxia-Induced sFlt-1 and Oxidative Stress in Placental Villi through Its Metabolic Products CO and Bilirubin. <i>International Journal of Hypertension</i> , 2012, 2012, 1-6.	0.5	46
1110	Marinobufagenin Predicts and Resibufogenin Prevents Preeclampsia: A Review of the Evidence. <i>American Journal of Perinatology</i> , 2012, 29, 777-786.	0.6	8
1111	Cardiovascular mortality after pre-eclampsia in one child mothers: prospective, population based cohort study. <i>BMJ, The</i> , 2012, 345, e7677-e7677.	3.0	159
1112	Is Cholesterol Sulfate Deficiency a Common Factor in Preeclampsia, Autism, and Pernicious Anemia?. <i>Entropy</i> , 2012, 14, 2265-2290.	1.1	8
1113	Increasing Evidence for and Regulation of a Human Placental Endogenous Digitalis-Like Factor. <i>Reproductive Sciences</i> , 2012, 19, 437-448.	1.1	9
1114	Effects of Sildenafil in Nitro-L-Arginine Methyl Ester-Induced Intrauterine Growth Restriction in a Rat Model. <i>American Journal of Perinatology</i> , 2012, 29, 429-434.	0.6	29
1115	Angiogenic Factors in Superimposed Preeclampsia. <i>Hypertension</i> , 2012, 59, 740-746.	1.3	138
1116	A Comparative Study of the Fatty Acid Composition of Dairy Products and Margarines with Reduced or Substituted Fat Content. <i>Food and Nutrition Sciences (Print)</i> , 2012, 03, 1189-1196.	0.2	8
1117	Heightened Pro-Inflammatory Effect of Preeclamptic Placental Microvesicles on Peripheral Blood Immune Cells in Humans <sup>1</sup> . <i>Biology of Reproduction</i> , 2012, 86, 103.	1.2	81
1118	Prevalence and clinical usefulness of antiphospholipid and anticofactor antibodies in different Spanish preeclampsia subsets. <i>Lupus</i> , 2012, 21, 257-263.	0.8	18
1119	Vitamins E, A and B2 as Possible Risk Factors for Preeclampsia – under Consideration of the PROPER Study (–Prevention of Preeclampsia by High-Dose Riboflavin Supplementation–). <i>Geburtshilfe Und Frauenheilkunde</i> , 2012, 72, 846-852.	0.8	10
1120	Preeclampsia – Aetiology, Current Diagnostics and Clinical Management, New Therapy Options and Future Perspectives. <i>Geburtshilfe Und Frauenheilkunde</i> , 2012, 72, 1107-1116.	0.8	8
1121	Dimethyl acetals, an indirect marker of the endogenous antioxidant plasmalogen level, are reduced in blood lipids of Sudanese pre-eclamptic subjects whose background diet is high in carbohydrate. <i>Journal of Obstetrics and Gynaecology</i> , 2012, 32, 241-246.	0.4	19
1122	The Promise of Angiogenic Markers for the Early Diagnosis and Prediction of Preeclampsia. <i>Clinical Chemistry</i> , 2012, 58, 837-845.	1.5	108

#	ARTICLE	IF	CITATIONS
1123	Variations in Discoveryâ€Based Preeclampsia Candidate Genes. <i>Clinical and Translational Science</i> , 2012, 5, 333-339.	1.5	9
1124	Effects of Preeclamptic Plasma on Potassium Currents of Human Umbilical Vein Endothelial Cells. <i>Reproductive Sciences</i> , 2012, 19, 391-399.	1.1	6
1125	The Role of Angiogenic Factors in the Prediction and Diagnosis of Preeclampsia Superimposed on Chronic Hypertension. <i>Hypertension</i> , 2012, 59, 555-557.	1.3	16
1126	Increased oxidant generation in the metabolism of hypoxanthine to uric acid and endothelial dysfunction in early-onset and late-onset preeclamptic women. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2012, 25, 2662-2666.	0.7	12
1127	Magnesium in disease. <i>CKJ: Clinical Kidney Journal</i> , 2012, 5, i25-i38.	1.4	97
1128	Physicians' Knowledge of Future Vascular Disease in Women with Preeclampsia. <i>Hypertension in Pregnancy</i> , 2012, 31, 50-58.	0.5	93
1129	A Comprehensive Review of Hypertension in Pregnancy. <i>Journal of Pregnancy</i> , 2012, 2012, 1-19.	1.1	173
1130	Renal Evaluation in Women with Preeclampsia. <i>Nephron Extra</i> , 2012, 2, 125-132.	1.1	19
1132	The expression of pentraxin 3 and tumor necrosis factor-alpha is increased in preeclamptic placental tissue and maternal serum. <i>Inflammation Research</i> , 2012, 61, 1005-1012.	1.6	30
1133	Endothelin-1: a key pathological factor in pre-eclampsia?. <i>Reproductive BioMedicine Online</i> , 2012, 25, 443-449.	1.1	36
1134	Pathogenesis of pre-eclampsia: marinobufagenin and angiogenic imbalance as biomarkers of the syndrome. <i>Translational Research</i> , 2012, 160, 99-113.	2.2	27
1136	Maternal iNOS genetic polymorphisms and hypertensive disorders of pregnancy. <i>Journal of Human Hypertension</i> , 2012, 26, 547-552.	1.0	17
1137	Late-onset preeclampsia is associated with an imbalance of angiogenic and anti-angiogenic factors in patients with and without placental lesions consistent with maternal underperfusion. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2012, 25, 498-507.	0.7	136
1138	Angiogenic Factors in Preeclampsia and Related Disorders. <i>Cold Spring Harbor Perspectives in Medicine</i> , 2012, 2, a006585-a006585.	2.9	95
1140	Severely decreased activity of placental dimethylarginine dimethylaminohydrolase in pre-eclampsia. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2012, 161, 152-156.	0.5	21
1141	Impact of Exercise Training on Preeclampsia. <i>Hypertension</i> , 2012, 60, 1104-1109.	1.3	86
1142	Corticotropin-releasing hormone stimulates expression of leptin, 11beta-HSD2 and syncytin-1 in primary human trophoblasts. <i>Reproductive Biology and Endocrinology</i> , 2012, 10, 80.	1.4	27
1143	Epistasis among eNOS, MMP-9 and VEGF maternal genotypes in hypertensive disorders of pregnancy. <i>Hypertension Research</i> , 2012, 35, 917-921.	1.5	31

#	ARTICLE	IF	CITATIONS
1144	Antiphospholipid antibodies prolong the activation of endothelial cells induced by necrotic trophoblastic debris: Implications for the pathogenesis of preeclampsia. <i>Placenta</i> , 2012, 33, 810-815.	0.7	20
1145	Increased myogenic reactivity of uterine arteries from pregnant rats with reduced uterine perfusion pressure. <i>Pregnancy Hypertension</i> , 2012, 2, 106-114.	0.6	16
1146	Pathological Conditions Involving Extracellular Hemoglobin: Molecular Mechanisms, Clinical Significance, and Novel Therapeutic Opportunities for $\alpha_1$ -Microglobulin. <i>Antioxidants and Redox Signaling</i> , 2012, 17, 813-846.	2.5	87
1147	The elevation in circulating anti-angiogenic factors is independent of markers of neutrophil activation in preeclampsia. <i>Angiogenesis</i> , 2012, 15, 333-340.	3.7	42
1148	Stress repair mechanism activity explains inflammation and apoptosis. <i>Advances in Bioscience and Biotechnology (Print)</i> , 2012, 03, 459-503.	0.3	1
1149	Chest Pain Syndromes in Pregnancy. <i>Cardiology Clinics</i> , 2012, 30, 343-367.	0.9	18
1150	Differential Expression of Vegfr-2 and Its Soluble Form in Preeclampsia. <i>PLoS ONE</i> , 2012, 7, e33475.	1.1	25
1151	Genome-Wide Association Scan Identifies a Risk Locus for Preeclampsia on 2q14, Near the Inhibin, Beta B Gene. <i>PLoS ONE</i> , 2012, 7, e33666.	1.1	110
1152	Monocyte Subpopulations from Pre-Eclamptic Patients Are Abnormally Skewed and Exhibit Exaggerated Responses to Toll-Like Receptor Ligands. <i>PLoS ONE</i> , 2012, 7, e42217.	1.1	38
1153	Pré-eclâmpsia (indicador de doença renal crônica): da gênese aos riscos futuros. <i>Jornal Brasileiro De Nefrologia: Orgao Oficial De Sociedades Brasileira E Latino-Americana De Nefrologia</i> , 2012, 34, 87-93.	0.4	11
1154	The Emerging Concepts on the Impact of Periodontitis on Systemic Health. , 0, , .		1
1155	30 Years Lost in Anesthesia Theory. <i>Cardiovascular and Hematological Agents in Medicinal Chemistry</i> , 2012, 10, 31-49.	0.4	3
1156	Pregnant serum induces neuroinflammation and seizure activity via TNF $\alpha$ . <i>Experimental Neurology</i> , 2012, 234, 398-404.	2.0	42
1157	The new American Journal of Obstetrics and Gynecology, 5 years later: looking back and moving forward. <i>American Journal of Obstetrics and Gynecology</i> , 2012, 206, 364-373.	0.7	28
1158	Dendritic cells in the circulation of women with preeclampsia demonstrate a pro-inflammatory bias secondary to dysregulation of TLR receptors. <i>Journal of Reproductive Immunology</i> , 2012, 94, 210-215.	0.8	38
1160	Transcriptomic analysis of placenta affected by antiphospholipid antibodies: following the TRAIL of trophoblast death. <i>Journal of Reproductive Immunology</i> , 2012, 94, 151-154.	0.8	17
1161	If we know so much about preeclampsia, why haven't we cured the disease?. <i>Journal of Reproductive Immunology</i> , 2013, 99, 1-9.	0.8	161
1162	Pregnancy Complications and Later Development of Hypertension. <i>Current Cardiovascular Risk Reports</i> , 2013, 7, 183-189.	0.8	14



#	ARTICLE	IF	CITATIONS
1163	Preeclampsia. , 2013, , 1-14.		0
1164	Maternal plasma 25-hydroxyvitamin D levels, angiogenic factors, and preeclampsia. American Journal of Obstetrics and Gynecology, 2013, 208, 390.e1-390.e6.	0.7	32
1165	Hypertension in Pregnancy Is a Risk Factor for Microalbuminuria Later in Life. Journal of Clinical Hypertension, 2013, 15, 617-623.	1.0	37
1166	Elucidating Immune Mechanisms Causing Hypertension During Pregnancy. Physiology, 2013, 28, 225-233.	1.6	78
1167	Maternal plasma concentrations of sST2 and angiogenic/anti-angiogenic factors in preeclampsia. Journal of Maternal-Fetal and Neonatal Medicine, 2013, 26, 1359-1370.	0.7	43
1168	The severity of hypoxic changes and oxidative DNA damage in the placenta of early-onset preeclamptic women and fetal growth restriction. Journal of Maternal-Fetal and Neonatal Medicine, 2013, 26, 491-496.	0.7	65
1169	Association of low maternal levels of salusins with gestational diabetes mellitus and with small-for-gestational-age fetuses. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2013, 167, 29-33.	0.5	5
1170	The current status of lipoprotein (a) in pregnancy: A literature review. Journal of Cardiology, 2013, 61, 99-106.	0.8	28
1171	Effect of morphine on the reduced uteroplacental perfusion model of pre-eclampsia in rats. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2013, 168, 161-166.	0.5	11
1172	External funding of obstetrical publications: citation significance and trends over 2 decades. American Journal of Obstetrics and Gynecology, 2013, 209, 150.e1-150.e6.	0.7	0
1173	DNA damage and oxidative stress in patients with mild preeclampsia and offspring. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2013, 170, 377-380.	0.5	26
1174	Role of corin and atrial natriuretic peptide in preeclampsia. Placenta, 2013, 34, 89-94.	0.7	40
1175	Randomized, placebo controlled, double blind trial evaluating early pregnancy phytonutrient supplementation in the prevention of preeclampsia. Journal of Perinatology, 2013, 33, 593-599.	0.9	15
1176	Preeclampsia: A "Nephrocentric" View. Advances in Chronic Kidney Disease, 2013, 20, 280-286.	0.6	15
1177	Evidence for extraplacental sources of circulating angiogenic growth effectors in human pregnancy. Placenta, 2013, 34, 1170-1176.	0.7	20
1178	Myocardial infarction and pregnancy. The Obstetrician and Gynaecologist, 2013, 15, 247-255.	0.2	15
1179	High blood pressure during pregnancy is associated with future cardiovascular disease: an observational cohort study. BMJ Open, 2013, 3, e002964.	0.8	26
1180	New Insights into the Pathogenesis of Preeclampsia " The Role of Nrf2 Activators and their Potential Therapeutic Impact. Geburtshilfe Und Frauenheilkunde, 2013, 73, 1236-1240.	0.8	18

#	ARTICLE	IF	CITATIONS
1181	A follow-up linkage study of Finnish pre-eclampsia families identifies a new fetal susceptibility locus on chromosome 18. <i>European Journal of Human Genetics</i> , 2013, 21, 1024-1026.	1.4	26
1182	Microvascular Remodelling in Preeclampsia: Quantifying Capillary Rarefaction Accurately and Independently Predicts Preeclampsia. <i>American Journal of Hypertension</i> , 2013, 26, 1162-1169.	1.0	15
1183	Endothelial function progressively deteriorates during normal pregnancy. <i>Hypertension in Pregnancy</i> , 2013, 32, 129-138.	0.5	11
1184	Uric acid: A hypothetical cause of preeclampsia-eclampsia. <i>Nigerian Medical Journal</i> , 2013, 54, 362.	0.6	2
1185	Insulin growth factor-1 in pre-eclampsia. <i>Evidence Based Women S Health Journal</i> , 2013, 3, 102-106.	0.0	0
1186	The expression and concentration of CD40 ligand in normal pregnancy, preeclampsia, and hemolytic anemia, elevated liver enzymes and low platelet count (HELLP) syndrome. <i>Blood Coagulation and Fibrinolysis</i> , 2013, 24, 71-75.	0.5	6
1187	Fetal hemoglobin in preeclampsia. <i>Current Opinion in Obstetrics and Gynecology</i> , 2013, 25, 448-455.	0.9	27
1188	Bleeding and the Management of Hemorrhagic Disorders in Pregnancy. , 2013, , 616-626.		0
1189	Pregnancy Enhances the Effects of Hypercholesterolemia on Posterior Cerebral Arteries. <i>Reproductive Sciences</i> , 2013, 20, 391-399.	1.1	13
1190	A Label-free Selected Reaction Monitoring Workflow Identifies a Subset of Pregnancy Specific Glycoproteins as Potential Predictive Markers of Early-onset Pre-eclampsia. <i>Molecular and Cellular Proteomics</i> , 2013, 12, 3148-3159.	2.5	41
1191	Genetic dissection of the pre-eclampsia susceptibility locus on chromosome 2q22 reveals shared novel risk factors for cardiovascular disease. <i>Molecular Human Reproduction</i> , 2013, 19, 423-437.	1.3	54
1192	Redefining Preeclampsia Using Placenta-Derived Biomarkers. <i>Hypertension</i> , 2013, 61, 932-942.	1.3	308
1193	Endothelial nitric oxide synthase (eNOS) (Glu298Asp) and urotensin II (UTS2S89N) gene polymorphisms in preeclampsia: prediction and correlation with severity in Egyptian females. <i>Hypertension in Pregnancy</i> , 2013, 32, 292-303.	0.5	12
1194	Investigation of the role of the NOâ€“cGMP pathway on YC-1 and DEA/NO effects on thoracic aorta smooth muscle responses in a rat preeclampsia model. <i>Canadian Journal of Physiology and Pharmacology</i> , 2013, 91, 797-803.	0.7	7
1195	Human Placental MicroRNAs and Preeclampsia1. <i>Biology of Reproduction</i> , 2013, 88, 130.	1.2	143
1196	Increased oxygen free radical production during pregnancy may impair vascular reactivity in preeclamptic women. <i>Hypertension Research</i> , 2013, 36, 356-360.	1.5	31
1197	Association between Pre-Eclampsia and Inherited Thrombophilias. <i>Fetal and Pediatric Pathology</i> , 2013, 32, 213-217.	0.4	8
1198	Interleukin-4 deficiency induces mild preeclampsia in mice. <i>Journal of Hypertension</i> , 2013, 31, 1414-1423.	0.3	41

#	ARTICLE	IF	CITATIONS
1199	Preeclampsia: la evoluci3n diagn3stica desde la gen3mica y la prote3mica. Revista Chilena De Obstetricia Y Ginecologia, 2013, 78, 148-153.	0.1	1
1200	Altered expression of norepinephrine transporter and norepinephrine in human placenta cause pre-eclampsia through regulated trophoblast invasion. Clinical and Experimental Reproductive Medicine, 2013, 40, 12.	0.5	10
1201	A comparative study of vascular cell adhesion molecule-1 and high-sensitive C-reactive protein in normal and preeclamptic pregnancies. Interventional Medicine & Applied Science, 2013, 5, 26-30.	0.2	5
1202	The role of placental indoleamine 2,3-dioxygenase in human pregnancy. Obstetrics and Gynecology Science, 2013, 56, 209.	0.6	25
1203	Carbon Monoxide Prevents Hypertension and Proteinuria in an Adenovirus sFlt-1 Preeclampsia-Like Mouse Model. PLoS ONE, 2014, 9, e106502.	1.1	45
1204	Maternal plasma soluble TRAIL is decreased in preeclampsia. Journal of Maternal-Fetal and Neonatal Medicine, 2014, 27, 217-227.	0.7	13
1205	Potential Role of Adenosine Receptors on Proliferation/Migration of Fetal Endothelium Derived from Preeclamptic Pregnancies. BioMed Research International, 2014, 2014, 1-11.	0.9	20
1206	Effect of selenium on markers of risk of pre-eclampsia in UK pregnant women: a randomised, controlled pilot trial. British Journal of Nutrition, 2014, 112, 99-111.	1.2	92
1207	Discordant clinical presentations of preeclampsia and intrauterine fetal growth restriction with similar pro- and anti-angiogenic profiles. Journal of Maternal-Fetal and Neonatal Medicine, 2014, 27, 1854-1859.	0.7	40
1208	Hemodynamic responses to angiotensin-(1-7) in women in their third trimester of pregnancy. Hypertension in Pregnancy, 2014, 33, 375-388.	0.5	9
1209	Impaired adenosine-mediated angiogenesis in preeclampsia: potential implications for fetal programming. Frontiers in Pharmacology, 2014, 5, 134.	1.6	35
1210	The anti-aging factor klotho during human pregnancy and its expression in pregnancies complicated by small-for-gestational-age neonates and/or preeclampsia. Journal of Maternal-Fetal and Neonatal Medicine, 2014, 27, 449-457.	0.7	18
1211	Vascular Dysfunction in Preeclampsia. Microcirculation, 2014, 21, 4-14.	1.0	126
1212	Evolutionary origins of the placental expression of chromosome 19 cluster galectins and their complex dysregulation in preeclampsia. Placenta, 2014, 35, 855-865.	0.7	92
1213	Is thrombophilia associated with placenta-mediated pregnancy complications? A prospective cohort study: comment. Journal of Thrombosis and Haemostasis, 2014, 12, 1377-1378.	1.9	0
1214	Is thrombophilia associated with placenta-mediated pregnancy complications? A prospective cohort study: reply. Journal of Thrombosis and Haemostasis, 2014, 12, 1378-1379.	1.9	4
1215	Clinical trial of expectant management of severe preeclampsia that develops at <math>\leq 32</math> weeks gestation at a Japanese perinatal center. Journal of Maternal-Fetal and Neonatal Medicine, 2014, 27, 1568-1571.	0.7	3
1216	Maternal and Fetoplacental Hypoxia Do Not Alter Circulating Angiogenic Growth Effectors During Human Pregnancy <sup>1</sup> . Biology of Reproduction, 2014, 90, 42.	1.2	13

#	ARTICLE	IF	CITATIONS
1217	Postpartum Coronary Vasospasm with Literature Review. Case Reports in Cardiology, 2014, 2014, 1-7.	0.1	8
1218	Therapeutic potential of statins and the induction of heme oxygenase-1 in preeclampsia. Journal of Reproductive Immunology, 2014, 101-102, 153-160.	0.8	75
1219	Maternal tissue blood flow and oxygen saturation in pre-eclampsia and intrauterine growth restriction. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2014, 178, 148-152.	0.5	4
1220	Role of cytokines in development of pre-eclampsia associated with periodontal disease – Cohort Study. Journal of Clinical Periodontology, 2014, 41, 357-365.	2.3	11
1221	Effects of sFlt-1 and alpha 2-macroglobulin on vascular endothelial growth factor-induced endothelin-1 upregulation in human microvascular endothelial cells. Placenta, 2014, 35, 64-69.	0.7	18
1222	Strategy for Standardization of Preeclampsia Research Study Design. Hypertension, 2014, 63, 1293-1301.	1.3	155
1223	Future therapies for pre-eclampsia: beyond treading water. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2014, 54, 3-8.	0.4	22
1224	A role for sleep disorders in pregnancy complications: challenges and opportunities. American Journal of Obstetrics and Gynecology, 2014, 210, 3-11.	0.7	40
1225	Angiotensin Converting Enzyme 90kDa isoform: Biomarker for diagnosis of preeclampsia?. Medical Hypotheses, 2014, 83, 526-529.	0.8	2
1226	Pre-eclampsia part 1: current understanding of its pathophysiology. Nature Reviews Nephrology, 2014, 10, 466-480.	4.1	786
1227	Trophoblast debris extruded from preeclamptic placentae activates endothelial cells: A mechanism by which the placenta communicates with the maternal endothelium. Placenta, 2014, 35, 839-847.	0.7	57
1228	Maternal Hyperlipidemia and the Risk of Preeclampsia: a Meta-Analysis. American Journal of Epidemiology, 2014, 180, 346-358.	1.6	190
1229	A SAGE based approach to human glomerular endothelium: defining the transcriptome, finding a novel molecule and highlighting endothelial diversity. BMC Genomics, 2014, 15, 725.	1.2	11
1230	–Platelet-associated regulatory system (PARS)–with particular reference to female reproduction. Journal of Ovarian Research, 2014, 7, 55.	1.3	13
1231	Complement Activation and Kidney Injury Molecule-1–Associated Proximal Tubule Injury in Severe Preeclampsia. Hypertension, 2014, 64, 833-838.	1.3	28
1232	Maternal/newborn VEGF-C936T interaction and its influence on the risk, severity and prognosis of preeclampsia, as well as on the maternal angiogenic profile. Journal of Maternal-Fetal and Neonatal Medicine, 2014, 27, 1754-1760.	0.7	22
1233	Neurology of pregnancy. Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn, 2014, 121, 1595-1622.	1.0	17
1234	The optimization of a chronic nitric oxide synthase (NOS) inhibition model of pre-eclampsia by evaluating physiological changes. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2014, 182, 71-75.	0.5	32

#	ARTICLE	IF	CITATIONS
1235	Melatonin and stable circadian rhythms optimize maternal, placental and fetal physiology. <i>Human Reproduction Update</i> , 2014, 20, 293-307.	5.2	235
1236	The expression of cell cycle related proteins PCNA, Ki67, p27 and p57 in normal and preeclamptic human placentas. <i>Tissue and Cell</i> , 2014, 46, 198-205.	1.0	30
1237	The effects of superoxide dismutase mimetic MnTMPyP on the altered blood-brain barrier integrity in experimental preeclampsia with or without seizures in rats. <i>Brain Research</i> , 2014, 1563, 91-102.	1.1	7
1238	A comparison of Doppler waveform parameters versus flow-mediated vascular dilation of the brachial artery in pregnant women. <i>Pregnancy Hypertension</i> , 2014, 4, 220-223.	0.6	1
1239	A possible protective role of Nrf2 in preeclampsia. <i>Annals of Anatomy</i> , 2014, 196, 268-277.	1.0	48
1241	Regulation of soluble fms-like tyrosine kinase-1 production in response to placental ischemia/hypoxia: role of angiotensin II. <i>Physiological Reports</i> , 2015, 3, e12310.	0.7	26
1243	Antiphospholipid antibodies bind syncytiotrophoblast mitochondria and alter the proteome of extruded syncytial nuclear aggregates. <i>Placenta</i> , 2015, 36, 1463-1473.	0.7	26
1244	Antiphospholipid Antibodies Alter Cell Death-Regulating Lipid Metabolites in First and Third Trimester Human Placentae. <i>American Journal of Reproductive Immunology</i> , 2015, 74, 181-199.	1.2	6
1245	The Fascinating and Complex Role of the Placenta in Pregnancy and Fetal Well-being. <i>Journal of Midwifery and Women's Health</i> , 2015, 60, 360-370.	0.7	12
1246	Pregnancy-induced hypertension is associated with an increase in the prevalence of cardiovascular disease risk factors in Japanese women. <i>Menopause</i> , 2015, 22, 656-659.	0.8	21
1247	Goal-directed Fluid Therapy May Improve Hemodynamic Stability of Parturient with Hypertensive Disorders of Pregnancy Under Combined Spinal Epidural Anesthesia for Cesarean Delivery and the Well-being of Newborns. <i>Chinese Medical Journal</i> , 2015, 128, 1922-1931.	0.9	9
1248	Full-Length Human Placental sFlt-1-e15a Isoform Induces Distinct Maternal Phenotypes of Preeclampsia in Mice. <i>PLoS ONE</i> , 2015, 10, e0119547.	1.1	50
1249	AIM Ameliorates Preeclampsia-Like Symptoms in Placenta and Kidney Induced by Cell-Free Fetal Hemoglobin in Rabbit. <i>PLoS ONE</i> , 2015, 10, e0125499.	1.1	38
1250	Intrauterine hypoxia: clinical consequences and therapeutic perspectives. <i>Research and Reports in Neonatology</i> , 0, , 79.	0.2	13
1251	Association between ophthalmoscopic changes and obstetric outcomes in pre-eclampsia and eclampsia. <i>International Journal of Reproduction, Contraception, Obstetrics and Gynecology</i> , 2015, , 1944-1949.	0.0	0
1252	Endocrine aspects of pre-eclampsia. <i>Cardiovascular Endocrinology</i> , 2015, 4, 1-10.	0.8	2
1253	Whole blood thromboelastometry profiles in women with preeclampsia. <i>Clinical Chemistry and Laboratory Medicine</i> , 2015, 53, 1793-8.	1.4	16
1254	Is the level of maternal serum prohepcidin associated with preeclampsia?. <i>Hypertension in Pregnancy</i> , 2015, 34, 145-152.	0.5	9

#	ARTICLE	IF	CITATIONS
1255	Proteomic profiling reveals $\alpha$ 1-antitrypsin, $\alpha$ 1-microglobulin, and clusterin as preeclampsia-related serum proteins in pregnant women. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2015, 54, 499-504.	0.5	22
1256	The Frequency of Peripheral Blood CD4+FoxP3+Regulatory T Cells in Women With Pre-eclampsia and Those With High-risk Factors for Pre-eclampsia. <i>Hypertension in Pregnancy</i> , 2015, 34, 443-455.	0.5	6
1257	Serum endocan concentration in women with pre-eclampsia. <i>Archives of Gynecology and Obstetrics</i> , 2015, 292, 69-73.	0.8	18
1258	Exposure to Experimental Preeclampsia in Mice Enhances the Vascular Response to Future Injury. <i>Hypertension</i> , 2015, 65, 863-870.	1.3	73
1259	The association between maternal antioxidant levels in midpregnancy and preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 2015, 213, 695.e1-695.e13.	0.7	41
1260	New Insight into the Role of Reactive Oxygen Species (ROS) in Cellular Signal-Transduction Processes. <i>International Review of Cell and Molecular Biology</i> , 2015, 319, 221-254.	1.6	66
1261	Linking the old and new – do angiotensin II type 1 receptor antibodies provide the missing link in the pathophysiology of preeclampsia?. <i>Hypertension in Pregnancy</i> , 2015, 34, 369-382.	0.5	6
1262	Circulating microparticles in umbilical cord blood in normal pregnancy and pregnancy with preeclampsia. <i>Thrombosis Research</i> , 2015, 136, 427-431.	0.8	32
1263	Association between maternal serum 25-hydroxyvitamin D level and pre-eclampsia. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2016, 29, 1-4.	0.7	4
1264	Follistatin-Like 3 Across Gestation in Preeclampsia and Uncomplicated Pregnancies Among Lean and Obese Women. <i>Reproductive Sciences</i> , 2015, 22, 402-409.	1.1	22
1265	Nitric Oxide and Reactive Oxygen Species in the Pathogenesis of Preeclampsia. <i>International Journal of Molecular Sciences</i> , 2015, 16, 4600-4614.	1.8	161
1266	Oxidative stress in preeclampsia and the role of free fetal hemoglobin. <i>Frontiers in Physiology</i> , 2014, 5, 516.	1.3	125
1267	Severe pre-eclampsia complicated by HELLP syndrome alterations in the structure of the umbilical cord (morphometric and immunohistochemical study). <i>Biotechnology and Biotechnological Equipment</i> , 2015, 29, 345-350.	0.5	2
1268	Role of IL-6 $\alpha$ 174(G/C) promoter polymorphism in the etiology of early-onset preeclampsia. <i>Inflammation Research</i> , 2015, 64, 433-439.	1.6	13
1269	Endothelial dysfunction and metabolic syndrome in preeclampsia: an alternative viewpoint. <i>Journal of Reproductive Immunology</i> , 2015, 108, 42-47.	0.8	47
1270	Four Pathways Involving Innate Immunity in the Pathogenesis of Preeclampsia. <i>Frontiers in Cardiovascular Medicine</i> , 2015, 2, 20.	1.1	21
1271	Pathogenesis of preeclampsia. <i>Current Opinion in Nephrology and Hypertension</i> , 2015, 24, 131-138.	1.0	197
1272	Preeclampsia: Syndrome or Disease?. <i>Current Hypertension Reports</i> , 2015, 17, 83.	1.5	157

#	ARTICLE	IF	CITATIONS
1273	Correlation between cell-free mRNA expressions and PLGF protein level in severe preeclampsia. BMC Research Notes, 2015, 8, 208.	0.6	3
1274	Maternal plasma fetuin-A concentration is lower in patients who subsequently developed preterm preeclampsia than in uncomplicated pregnancy: a longitudinal study. Journal of Maternal-Fetal and Neonatal Medicine, 2015, 28, 1260-1269.	0.7	5
1275	Brachial Artery Flow Mediated Dilatation in the First Trimester to Predict the Occurrence of Hypertensive Disorders during Pregnancy. Fetal Diagnosis and Therapy, 2015, 37, 316-320.	0.6	9
1276	<i>NLRP1</i>L155H Polymorphism is a Risk Factor for Preeclampsia Development. American Journal of Reproductive Immunology, 2015, 73, 577-581.	1.2	30
1277	Molecular Mechanisms of Preeclampsia. Cold Spring Harbor Perspectives in Medicine, 2015, 5, a023473.	2.9	127
1278	Altered Retinal Flicker Response Indicates Microvascular Dysfunction in Women With Preeclampsia. Hypertension, 2015, 66, 900-905.	1.3	19
1279	The Placenta in Normal Pregnancy and Preeclampsia. , 2015, , 81-112.		5
1280	Placenta-derived angiogenic proteins and their contribution to the pathogenesis of preeclampsia. Angiogenesis, 2015, 18, 115-123.	3.7	43
1281	Immunology of Normal Pregnancy and Preeclampsia. , 2015, , 161-179.		7
1282	Endothelial Cell Dysfunction. , 2015, , 181-207.		6
1283	Animal Models for Investigating Pathophysiological Mechanisms of Preeclampsia. , 2015, , 209-220.		0
1284	Cardiovascular Alterations in Normal and Preeclamptic Pregnancy. , 2015, , 291-313.		6
1285	The Kidney in Normal Pregnancy and Preeclampsia. , 2015, , 335-377.		4
1286	Unravelling the theories of pre-eclampsia: are the protective pathways the new paradigm?. British Journal of Pharmacology, 2015, 172, 1574-1586.	2.7	65
1287	Pre-eclampsia has an adverse impact on maternal and fetal health. Translational Research, 2015, 165, 449-463.	2.2	45
1288	Increased expression of prostaticin contributes to early-onset severe preeclampsia through inhibiting trophoblast invasion. Journal of Perinatology, 2015, 35, 16-22.	0.9	22
1289	Cerebrovascular Pathophysiology in Preeclampsia and Eclampsia. , 2015, , 269-290.		0
1290	Angiogenesis and Preeclampsia. , 2015, , 113-132.		5

#	ARTICLE	IF	CITATIONS
1291	Endocan, a putative endothelial cell marker, is elevated in preeclampsia, decreased in acute pyelonephritis, and unchanged in other obstetrical syndromes. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2015, 28, 1621-1632.	0.7	36
1292	Correlation of serum soluble endoglin to the severity of pre-eclampsia and its effect on the pregnancy outcome. <i>International Journal of Reproduction, Contraception, Obstetrics and Gynecology</i> , 2016, , 1593-1600.	0.0	2
1293	Data Mining and Pattern Recognition Models for Identifying Inherited Diseases: Challenges and Implications. <i>Frontiers in Genetics</i> , 2016, 7, 136.	1.1	6
1294	Role of Extracellular Vesicles and microRNAs on Dysfunctional Angiogenesis during Preeclamptic Pregnancies. <i>Frontiers in Physiology</i> , 2016, 7, 98.	1.3	85
1295	The combination of histidine-rich glycoprotein and uterine artery Doppler velocimetry in the prediction of pre-eclampsia. <i>Evidence Based Women S Health Journal</i> , 2016, 6, 9-13.	0.0	0
1296	Urinary congophilia in women with hypertensive disorders of pregnancy and preexisting proteinuria or hypertension. <i>American Journal of Obstetrics and Gynecology</i> , 2016, 215, 464.e1-464.e7.	0.7	34
1297	Renalase gene polymorphism is associated with increased blood pressure in preeclampsia. <i>Pregnancy Hypertension</i> , 2016, 6, 115-120.	0.6	18
1298	Preeclampsia: Updates in Pathogenesis, Definitions, and Guidelines. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2016, 11, 1102-1113.	2.2	407
1299	Inflammatory processes are specifically enhanced in endothelial cells by placental-derived TNF- $\alpha$ : Implications in preeclampsia (PE). <i>Placenta</i> , 2016, 43, 1-8.	0.7	40
1300	Inflammation in Complicated Pregnancy and Its Outcome. <i>American Journal of Perinatology</i> , 2016, 33, 1337-1356.	0.6	151
1301	Serum levels of GDF15 are reduced in preeclampsia and the reduction is more profound in late-onset than early-onset cases. <i>Cytokine</i> , 2016, 83, 226-230.	1.4	32
1302	Serum C3 and uterine artery Doppler indices at 14-20 weeks gestation for preeclampsia screening in low-risk primigravidas: A prospective observational study. <i>Journal of Reproductive Immunology</i> , 2016, 117, 4-9.	0.8	0
1303	Evaluation of the level of thiol-disulphide homeostasis in patients with mild and severe preeclampsia. <i>Pregnancy Hypertension</i> , 2016, 6, 394-399.	0.6	17
1304	High levels of HtrA4 observed in preeclamptic circulation drastically alter endothelial gene expression and induce inflammation in human umbilical vein endothelial cells. <i>Placenta</i> , 2016, 47, 46-55.	0.7	19
1305	Fetal sex-specific differences in gestational age at delivery in pre-eclampsia: a meta-analysis. <i>International Journal of Epidemiology</i> , 2017, 46, dyw178.	0.9	46
1306	In vivo uteroplacental release of placental growth factor and soluble Fms-like tyrosine kinase-1 in normal and preeclamptic pregnancies. <i>American Journal of Obstetrics and Gynecology</i> , 2016, 215, 782.e1-782.e9.	0.7	31
1307	An RGS2 3'UTR polymorphism is associated with preeclampsia in overweight women. <i>BMC Genetics</i> , 2016, 17, 121.	2.7	13
1308	Is Adequate Selenium Important for Healthy Human Pregnancy?. , 2016, , 353-364.		3



#	ARTICLE	IF	CITATIONS
1309	The usefulness of CYFRA 211 to diagnose and predict preeclampsia: a nested case-control study. <i>BMC Pregnancy and Childbirth</i> , 2016, 16, 339.	0.9	7
1310	Premature cardiovascular disease following a history of hypertensive disorder of pregnancy. <i>International Journal of Cardiology</i> , 2016, 219, 9-13.	0.8	20
1311	Tenascin C levels in patients with mild and severe preeclampsia. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2016, 29, 270-273.	0.7	5
1312	Serum uric acid may not be involved in the development of preeclampsia. <i>Journal of Human Hypertension</i> , 2016, 30, 136-140.	1.0	27
1313	Development of Late-Onset Preeclampsia in Association with Road Densities as a Proxy for Traffic-Related Air Pollution. <i>Fetal Diagnosis and Therapy</i> , 2016, 39, 21-27.	0.6	9
1314	Matrix Metalloproteinase 1 Causes Vasoconstriction and Enhances Vessel Reactivity to Angiotensin II via Protease-Activated Receptor 1. <i>Reproductive Sciences</i> , 2016, 23, 542-548.	1.1	36
1315	Increased levels of serum clusterin is associated with intrauterine growth restriction and adverse pregnancy outcomes in preeclampsia. <i>Journal of Perinatal Medicine</i> , 2016, 44, 269-75.	0.6	8
1316	First-, Second-, and Third-Trimester Screening for Preeclampsia and Intrauterine Growth Restriction. <i>Clinics in Laboratory Medicine</i> , 2016, 36, 331-351.	0.7	31
1317	Predisposing Factors to Abnormal First Trimester Placentation and the Impact on Fetal Outcomes. <i>Seminars in Reproductive Medicine</i> , 2016, 34, 027-035.	0.5	51
1318	Reduction in the severity of early onset severe preeclampsia during gestation may be associated with changes in endothelial cell activation: A pathological case report. <i>Hypertension in Pregnancy</i> , 2016, 35, 32-41.	0.5	11
1319	High-throughput deep screening and identification of four peripheral leucocyte microRNAs as novel potential combination biomarkers for preeclampsia. <i>Journal of Perinatology</i> , 2016, 36, 263-267.	0.9	10
1320	Detection and confirmation of serum lipid biomarkers for preeclampsia using direct infusion mass spectrometry. <i>Journal of Lipid Research</i> , 2016, 57, 687-696.	2.0	48
1321	Theobroma cacao increases cells viability and reduces IL-6 and sVCAM-1 level in endothelial cells induced by plasma from preeclamptic patients. <i>Pregnancy Hypertension</i> , 2016, 6, 42-46.	0.6	9
1322	Immune activation during the implantation phase causes preeclampsia-like symptoms via the CD40-CD40 ligand pathway in pregnant mice. <i>Hypertension Research</i> , 2016, 39, 407-414.	1.5	10
1323	Metformin as a prevention and treatment for preeclampsia: effects on soluble fms-like tyrosine kinase 1 and soluble endoglin secretion and endothelial dysfunction. <i>American Journal of Obstetrics and Gynecology</i> , 2016, 214, 356.e1-356.e15.	0.7	156
1324	Placenta-derived extracellular vesicles: their cargo and possible functions. <i>Reproduction, Fertility and Development</i> , 2017, 29, 433.	0.1	41
1325	The Role of MGAT5 in Human Umbilical Vein Endothelial Cells: Possible Relevance to the Pathological Mechanism of Preeclampsia. <i>Reproductive Sciences</i> , 2017, 24, 313-323.	1.1	11
1326	Gene-gene interactions in the NAMPT pathway, plasma visfatin/NAMPT levels, and antihypertensive therapy responsiveness in hypertensive disorders of pregnancy. <i>Pharmacogenomics Journal</i> , 2017, 17, 427-434.	0.9	26

#	ARTICLE	IF	CITATIONS
1327	Endothelial maintenance in health and disease: Importance of sex differences. <i>Pharmacological Research</i> , 2017, 119, 48-60.	3.1	31
1328	ARID3A is required for mammalian placenta development. <i>Developmental Biology</i> , 2017, 422, 83-91.	0.9	31
1329	The NOX2-derived reactive oxygen species damaged endothelial nitric oxide system via suppressed BKCa/SKCa in preeclampsia. <i>Hypertension Research</i> , 2017, 40, 457-464.	1.5	21
1330	Persistent brain injury after preeclampsia. <i>Neurology</i> , 2017, 88, 1216-1217.	1.5	0
1331	Sodium tanshinone IIA sulfonate prevents hypoxic trophoblast-induced endothelial cell dysfunction via targeting HMGB1 release. <i>Journal of Biochemical and Molecular Toxicology</i> , 2017, 31, N/A.	1.4	9
1332	Oxidative stress, placental ageing-related pathologies and adverse pregnancy outcomes. <i>American Journal of Reproductive Immunology</i> , 2017, 77, e12653.	1.2	174
1333	Anti-angiogenesis and Preeclampsia in 2016. <i>Current Hypertension Reports</i> , 2017, 19, 6.	1.5	25
1334	Potential for miRNAs as Biomarkers and Therapeutic Targets in Preeclampsia. <i>Hypertension</i> , 2017, 69, 580-581.	1.3	6
1335	A best practice position statement on the role of the nephrologist in the prevention and follow-up of preeclampsia: the Italian study group on kidney and pregnancy. <i>Journal of Nephrology</i> , 2017, 30, 307-317.	0.9	57
1336	Impaired placentation in women with chronic hypertension who develop preeclampsia. <i>Ultrasound in Obstetrics and Gynecology</i> , 2017, 50, 496-500.	0.9	21
1337	Longitudinal characterization of renal proximal tubular markers in normotensive and preeclamptic pregnancies. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2017, 312, R773-R778.	0.9	12
1338	Metformin, the aspirin of the 21st century: its role in gestational diabetes mellitus, prevention of preeclampsia and cancer, and the promotion of longevity. <i>American Journal of Obstetrics and Gynecology</i> , 2017, 217, 282-302.	0.7	183
1339	Sensorineural hearing loss and acute vestibulopathy in HELLP syndrome: A case report. <i>Otolaryngology Case Reports</i> , 2017, 2, 7-9.	0.0	2
1340	Recombinant alpha-1-microglobulin: a potential treatment for preeclampsia. <i>Drug Discovery Today</i> , 2017, 22, 736-743.	3.2	29
1341	Failure of physiologic transformation of spiral arteries, endothelial and trophoblast cell activation, and acute atherosclerosis in the basal plate of the placenta. <i>American Journal of Obstetrics and Gynecology</i> , 2017, 216, 287.e1-287.e16.	0.7	111
1342	Biomarkers in Preeclampsia. , 2017, , 555-594.		4
1343	Maternal endothelial damage as a disorder shared by early preeclampsia, late preeclampsia and intrauterine growth restriction. <i>Journal of Perinatal Medicine</i> , 2017, 45, 793-802.	0.6	19
1344	Preeclampsia: A Mirror into Future Cardiovascular and Renal Health. , 2017, , 385-393.		0

#	ARTICLE	IF	CITATIONS
1345	Vascular Dysfunction in Mother and Offspring During Preeclampsia: Contributions from Latin-American Countries. <i>Current Hypertension Reports</i> , 2017, 19, 83.	1.5	33
1346	Longitudinal assessment of HLA and MIC-A antibodies in uneventful pregnancies and pregnancies complicated by preeclampsia or gestational diabetes. <i>Scientific Reports</i> , 2017, 7, 13524.	1.6	8
1347	Levels of serum-circulating angiogenic factors within 1 week prior to delivery are closely related to conditions of pregnant women with pre-eclampsia, gestational hypertension, and/or fetal growth restriction. <i>Journal of Obstetrics and Gynaecology Research</i> , 2017, 43, 1805-1814.	0.6	16
1348	Historical evolution of ideas on eclampsia/preeclampsia: A proposed optimistic view of preeclampsia. <i>Journal of Reproductive Immunology</i> , 2017, 123, 72-77.	0.8	30
1349	Microcirculatory blood flow derangements during severe preeclampsia and HELLP syndrome. <i>Pregnancy Hypertension</i> , 2017, 10, 124-130.	0.6	15
1350	Apical Periodontitis, a Predictor Variable for Preeclampsia: A Case-control Study. <i>Journal of Endodontics</i> , 2017, 43, 1611-1614.	1.4	26
1351	Pathophysiology of extracellular haemoglobin: use of animal models to translate molecular mechanisms into clinical significance. <i>ISBT Science Series</i> , 2017, 12, 134-141.	1.1	2
1352	Aspirin for Evidence-Based Preeclampsia Prevention trial: effect of aspirin in prevention of preterm preeclampsia in subgroups of women according to their characteristics and medical and obstetrical history. <i>American Journal of Obstetrics and Gynecology</i> , 2017, 217, 585.e1-585.e5.	0.7	136
1353	Capillaroscopy in pregnancy. <i>Expert Review of Medical Devices</i> , 2017, 14, 961-967.	1.4	7
1354	Antiphospholipid antibodies increase the levels of mitochondrial DNA in placental extracellular vesicles: Alarmin-g for preeclampsia. <i>Scientific Reports</i> , 2017, 7, 16556.	1.6	37
1355	Resveratrol mitigates trophoblast and endothelial dysfunction partly via activation of nuclear factor erythroid 2-related factor-2. <i>Placenta</i> , 2017, 60, 74-85.	0.7	30
1356	Emerging role for dysregulated decidualization in the genesis of preeclampsia. <i>Placenta</i> , 2017, 60, 119-129.	0.7	114
1357	Short-term costs of preeclampsia to the United States health care system. <i>American Journal of Obstetrics and Gynecology</i> , 2017, 217, 237-248.e16.	0.7	195
1358	Preterm Preeclampsia and Timing of Delivery: A Systematic Literature Review. <i>Revista Brasileira De Ginecologia E Obstetricia</i> , 2017, 39, 622-631.	0.3	23
1359	Serum podocalyxin is significantly increased in early-onset preeclampsia and may represent a novel marker of maternal endothelial cell dysfunction. <i>Journal of Hypertension</i> , 2017, 35, 2287-2294.	0.3	21
1360	Pathophysiology of preeclampsia: an angiogenic imbalance and long-lasting systemic vascular dysfunction. <i>Hypertension Research</i> , 2017, 40, 305-310.	1.5	92
1361	Cell-Free Fetal DNA for the Prediction of Pre-Eclampsia at the First and Second Trimesters: A Systematic Review and Meta-Analysis. <i>Molecular Diagnosis and Therapy</i> , 2017, 21, 125-135.	1.6	38
1362	A longitudinal analysis of angiotensin II type 1 receptor antibody and angiogenic markers in pregnancy. <i>American Journal of Obstetrics and Gynecology</i> , 2017, 216, 170.e1-170.e8.	0.7	12

#	ARTICLE	IF	CITATIONS
1363	Investigation of the relation of maternal serum endocan levels to preeclampsia presence and severity. <i>Laboratoriums Medizin</i> , 2017, 41, .	0.1	0
1364	Micro- and Nano-vesicles from First Trimester Human Placentae Carry Flt-1 and Levels Are Increased in Severe Preeclampsia. <i>Frontiers in Endocrinology</i> , 2017, 8, 174.	1.5	44
1365	Preeclampsia and cardiovascular disease: interconnected paths that enable detection of the subclinical stages of obstetric and cardiovascular diseases. <i>Integrated Blood Pressure Control</i> , 2017, Volume 10, 17-23.	0.4	24
1366	Wnt/ $\beta$ -catenin signaling pathway in trophoblasts and abnormal activation in preeclampsia. <i>Molecular Medicine Reports</i> , 2017, 16, 1007-1013.	1.1	68
1367	Maspin impairs the function of endothelial cells: an implying pathway of preeclampsia. <i>BMC Pregnancy and Childbirth</i> , 2017, 17, 328.	0.9	2
1368	Maternal Complications of Pregnancy that Affect Fetal Development. , 2018, , 281-364.		0
1369	Hypertension in pregnancy: Taking cues from pathophysiology for clinical practice. <i>Clinical Cardiology</i> , 2018, 41, 220-227.	0.7	47
1370	Villous explants from preeclamptic placentas induce sFlt1 in PBMCs: An ex vivo co-culture study. <i>Pregnancy Hypertension</i> , 2018, 12, 40-46.	0.6	8
1371	Placental growth factor: A review of literature and future applications. <i>Pregnancy Hypertension</i> , 2018, 14, 260-264.	0.6	12
1372	Thrombotic microangiopathies of pregnancy: Differential diagnosis. <i>Pregnancy Hypertension</i> , 2018, 12, 29-34.	0.6	78
1373	Associating Symptom Phenotype and Genotype in Preeclampsia. <i>Biological Research for Nursing</i> , 2018, 20, 126-136.	1.0	7
1374	Is there a role for placental senescence in the genesis of obstetric complications and fetal growth restriction?. <i>American Journal of Obstetrics and Gynecology</i> , 2018, 218, S762-S773.	0.7	97
1375	Detyrosinated tubulin is decreased in fetal vessels of preeclampsia placentas. <i>Placenta</i> , 2018, 62, 58-65.	0.7	7
1376	Dynamics of serum C-type natriuretic peptide as predictor for preeclampsia. <i>Pregnancy Hypertension</i> , 2018, 14, 286-292.	0.6	3
1377	sFlt-1/PLGF. <i>Comprehensive Gynecology and Obstetrics</i> , 2018, , 175-198.	0.0	0
1378	Arachidonic acid metabolites of CYP4A and CYP4F are altered in women with preeclampsia. <i>Prostaglandins and Other Lipid Mediators</i> , 2018, 136, 15-22.	1.0	22
1379	Preeclampsia. <i>Comprehensive Gynecology and Obstetrics</i> , 2018, , .	0.0	6
1380	The Differences Between Early- and Late-Onset Pre-eclampsia. <i>Comprehensive Gynecology and Obstetrics</i> , 2018, , 157-172.	0.0	23

#	ARTICLE	IF	CITATIONS
1381	Placental oxidative stress and maternal endothelial function in pregnant women with normotensive fetal growth restriction. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2018, 31, 1051-1057.	0.7	11
1382	Use of the sFlt-1/PlGF ratio to rule out preeclampsia requiring delivery in women with suspected disease. Is the evidence reproducible?. <i>Clinical Chemistry and Laboratory Medicine</i> , 2018, 56, 303-311.	1.4	9
1383	SRC-3 Plays a Critical Role in Human Umbilical Vein Endothelial Cells by Regulating the PI3K/Akt/mTOR Pathway in Preeclampsia. <i>Reproductive Sciences</i> , 2018, 25, 748-758.	1.1	22
1384	Pre-eclampsia, a major vascular disease: pathophysiology and recent advances. <i>Sang Thrombose Vaisseaux</i> , 2018, 30, 161-169.	0.1	0
1385	Drug Transport at the Brain and Endothelial Dysfunction in Preeclampsia: Implications and Perspectives. <i>Frontiers in Physiology</i> , 2018, 9, 1502.	1.3	9
1386	Terminal Complement Activation in Preeclampsia. <i>Obstetrics and Gynecology</i> , 2018, 132, 1477-1485.	1.2	35
1387	The Effects of Lipopolysaccharide on the Disrupted Blood-Brain Barrier in a Rat Model of Preeclampsia. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2018, 27, 3411-3418.	0.7	3
1388	Association between insurance type and pregnancy outcomes in women diagnosed with hypertensive disorders of pregnancy. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2020, 33, 1-7.	0.7	15
1389	Clinical significance of platelet-to-lymphocyte ratio in women with preeclampsia. <i>American Journal of Reproductive Immunology</i> , 2018, 80, e12973.	1.2	28
1390	ELABELA/APELA Levels Are Not Decreased in the Maternal Circulation or Placenta among Women with Preeclampsia. <i>American Journal of Pathology</i> , 2018, 188, 1749-1753.	1.9	36
1391	Preeclampsia and the 20th century: <i>Le siècle des Lumières</i> . <i>Pregnancy Hypertension</i> , 2018, 13, 107-109.	0.6	6
1392	Preeclampsia and the cardiovascular system: An update. <i>Trends in Cardiovascular Medicine</i> , 2018, 28, 505-513.	2.3	43
1393	Application of metabolomics to preeclampsia diagnosis. <i>Systems Biology in Reproductive Medicine</i> , 2018, 64, 324-339.	1.0	39
1394	Evaluation of Hemolysis as a Severe Feature of Preeclampsia. <i>Hypertension</i> , 2018, 72, 460-465.	1.3	23
1395	Zeta potential as a novel diagnostic tool for preeclampsia. <i>Pregnancy Hypertension</i> , 2018, 13, 187-197.	0.6	11
1396	Role of endogenous digitalis-like factors in the clinical manifestations of severe preeclampsia: a systematic review. <i>Clinical Science</i> , 2018, 132, 1215-1242.	1.8	15
1397	Both maternal and placental toll-like receptor activation are necessary for the full development of proteinuric hypertension in mice. <i>Pregnancy Hypertension</i> , 2018, 13, 154-160.	0.6	4
1398	Delayed Lactogenesis II and potential utility of antenatal milk expression in women developing late-onset preeclampsia: a case series. <i>BMC Pregnancy and Childbirth</i> , 2018, 18, 68.	0.9	25

#	ARTICLE	IF	CITATIONS
1399	Preeclampsia: Novel Mechanisms and Potential Therapeutic Approaches. <i>Frontiers in Physiology</i> , 2018, 9, 973.	1.3	131
1400	The perplexing pregnancy disorder preeclampsia: what next?. <i>Physiological Genomics</i> , 2018, 50, 459-467.	1.0	14
1401	Integrated Systems Biology Approach Identifies Novel Maternal and Placental Pathways of Preeclampsia. <i>Frontiers in Immunology</i> , 2018, 9, 1661.	2.2	146
1402	Fetal Growth Restriction and Hypertensive Diseases of Pregnancy. , 2018, , 31-43.		0
1403	Prevention and Treatment of Fetal Growth Restriction by Influencing Maternal Hemodynamics and Blood Volume. , 2018, , 134-140.		0
1404	A novel and compact review on the role of oxidative stress in female reproduction. <i>Reproductive Biology and Endocrinology</i> , 2018, 16, 80.	1.4	269
1405	Increased serum iron levels in pregnant women with preeclampsia: a meta-analysis of observational studies. <i>Journal of Obstetrics and Gynaecology</i> , 2019, 39, 11-16.	0.4	24
1406	Placental bed research: II. Functional and immunological investigations of the placental bed. <i>American Journal of Obstetrics and Gynecology</i> , 2019, 221, 457-469.	0.7	79
1407	Maternal Serum Angiogenic Factor sFlt-1 to PlGF Ratio in Preeclampsia: A Useful Marker for Differential Diagnosis and Prognosis Evaluation in Chinese Women. <i>Disease Markers</i> , 2019, 2019, 1-7.	0.6	19
1408	The two-stage placental model of preeclampsia: An update. <i>Journal of Reproductive Immunology</i> , 2019, 134-135, 1-10.	0.8	283
1409	Differential microRNA expression profile in the plasma of preeclampsia and normal pregnancies. <i>Experimental and Therapeutic Medicine</i> , 2019, 18, 826-832.	0.8	19
1410	Hypertension and Pregnancy: Management and Future Risks. <i>Advances in Chronic Kidney Disease</i> , 2019, 26, 137-145.	0.6	23
1411	Alteration in Zeta Potential of Erythrocytes in Preeclampsia Patients. , 2019, , .		1
1412	Maternal serum $\beta$ hCG level and uterine artery doppler studies as predictors of pregnancy induced hypertension and intra uterine growth restriction: a prospective study. <i>International Journal of Reproduction, Contraception, Obstetrics and Gynecology</i> , 2019, 8, 3357.	0.0	0
1413	Negative association between serum adropin and hypertensive disorders complicating pregnancy. <i>Hypertension in Pregnancy</i> , 2019, 38, 237-244.	0.5	8
1414	Status of VEGF in preeclampsia and its effect on endoplasmic reticulum stress in placental trophoblast cells. <i>European Journal of Obstetrics and Gynecology and Reproductive Biology: X</i> , 2019, 4, 100070.	0.6	12
1415	The role of angiogenic factors in the management of preeclampsia. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2019, 98, 700-707.	1.3	28
1416	Hypertensive Disorders of Pregnancy. <i>Emergency Medicine Clinics of North America</i> , 2019, 37, 301-316.	0.5	88

#	ARTICLE	IF	CITATIONS
1417	Giants in Obstetrics and Gynecology Series: A profile of James M. Roberts, MD. American Journal of Obstetrics and Gynecology, 2019, 220, 527-536.e1.	0.7	1
1418	The Role of Nitric Oxide, ADMA, and Homocysteine in The Etiopathogenesis of Preeclampsiaâ€”Review. International Journal of Molecular Sciences, 2019, 20, 2757.	1.8	37
1419	Giants in Obstetrics and Gynecology Series: a profile of Christopher Redman, MB, BChir, MRCP, FRCP. American Journal of Obstetrics and Gynecology, 2019, 220, 420-427.e1.	0.7	2
1420	The kynurenine pathway; A new target for treating maternal features of preeclampsia?. Placenta, 2019, 84, 44-49.	0.7	14
1421	The performance of pre-delivery serum concentrations of angiogenic factors in predicting postpartum antihypertensive drug therapy following abdominal delivery in severe preeclampsia and normotensive pregnancy. PLoS ONE, 2019, 14, e0215807.	1.1	12
1422	Preeclampsia-Spectrum Hypertensive Disorders of Pregnancy: Gestational Hypertension, Preeclampsia, Eclampsia, Chronic Hypertension, and HELLP Syndrome. , 2019, , 121-136.		2
1423	Preeclampsia: the role of persistent endothelial cells in uteroplacental arteries. American Journal of Obstetrics and Gynecology, 2019, 221, 219-226.	0.7	35
1424	Preeclampsia. Circulation Research, 2019, 124, 1094-1112.	2.0	1,019
1425	The immunophenotype of decidual macrophages in acute atherosclerosis. American Journal of Reproductive Immunology, 2019, 81, e13098.	1.2	16
1426	Pre-eclampsia: pathogenesis, novel diagnostics and therapies. Nature Reviews Nephrology, 2019, 15, 275-289.	4.1	609
1427	Acute Kidney Injury in Pregnancy. , 2019, , 222-234.e3.		1
1428	The retina in hypertensive disorders of pregnancy: a study of the prevalence and association with severity of disease in a tertiary referral centre in India. International Journal of Reproduction, Contraception, Obstetrics and Gynecology, 2019, 9, 375.	0.0	1
1430	Dynamics of soluble syndecan-1 in maternal serum during and after pregnancies complicated by preeclampsia: a nested case control study. Clinical Chemistry and Laboratory Medicine, 2019, 58, 50-58.	1.4	15
1431	Longitudinal changes in plasma hemopexin and alpha-1-microglobulin concentrations in women with and without clinical risk factors for pre-eclampsia. PLoS ONE, 2019, 14, e0226520.	1.1	4
1432	Dysfunction of B-cell lymphoma 2/adenovirus E1B 19KD interacting protein 3 in decidua is involved in the pathogenesis of preeclampsia. Journal of Hypertension, 2019, 37, 2048-2060.	0.3	7
1433	150 Years of the American Journal of Obstetrics & Gynecology. American Journal of Obstetrics and Gynecology, 2019, 220, 1-2.	0.7	28
1434	High levels of HtrA4 detected in preeclamptic circulation may disrupt endothelial cell function by cleaving the main VEGFA receptor KDR. FASEB Journal, 2019, 33, 5058-5066.	0.2	10
1435	A perspective on pre-eclampsia and neurodevelopmental outcomes in the offspring: Does maternal inflammation play a role?. International Journal of Developmental Neuroscience, 2019, 77, 69-76.	0.7	19

#	ARTICLE	IF	CITATIONS
1436	Top-cited articles in the Journal: a bibliometric analysis. American Journal of Obstetrics and Gynecology, 2019, 220, 12-25.	0.7	30
1437	The role of $\alpha$ 2-adrenergic receptors in hypertensive preeclampsia: A hypothesis. Microcirculation, 2019, 26, e12511.	1.0	5
1438	Bleeding and the Management of Hemorrhagic Disorders in Pregnancy. , 2019, , 651-664.		1
1439	The profiles of soluble adhesion molecules in the "great obstetrical syndromes". Journal of Maternal-Fetal and Neonatal Medicine, 2019, 32, 2113-2136.	0.7	32
1440	Oxidative stress: Normal pregnancy versus preeclampsia. Biochimica Et Biophysica Acta - Molecular Basis of Disease, 2020, 1866, 165354.	1.8	173
1441	ELABELA plasma concentrations are increased in women with late-onset preeclampsia. Journal of Maternal-Fetal and Neonatal Medicine, 2020, 33, 5-15.	0.7	37
1442	Mechanotransduction and Uterine Blood Flow in Preeclampsia: The Role of Mechanosensing Piezo 1 Ion Channels. American Journal of Hypertension, 2020, 33, 1-9.	1.0	25
1443	Blood pressure and the brain: the neurology of hypertension. Practical Neurology, 2020, 20, 100-108.	0.5	36
1444	Inflammation – The role of ATP in preeclampsia. Microcirculation, 2020, 27, e12585.	1.0	18
1445	Correlation of elevated levels of lipoprotein(a), high-density lipoprotein and low-density lipoprotein with severity of preeclampsia: a prospective longitudinal study. Journal of Obstetrics and Gynaecology, 2020, 40, 53-58.	0.4	12
1446	First trimester serum angiogenic and anti-angiogenic factors in women with chronic hypertension for the prediction of preeclampsia. American Journal of Obstetrics and Gynecology, 2020, 222, 374.e1-374.e9.	0.7	14
1447	Early-onset preeclampsia, plasma microRNAs, and endothelial cell function. American Journal of Obstetrics and Gynecology, 2020, 222, 497.e1-497.e12.	0.7	29
1448	Pregnancy Complications as a Window to Future Cardiovascular Disease. Cardiology in Review, 2020, 28, 14-19.	0.6	14
1449	Sulforaphane improves vascular reactivity in mouse and human arteries after "preeclamptic-like" injury. Placenta, 2020, 101, 242-250.	0.7	13
1450	Complement activation and regulation in preeclampsia and hemolysis, elevated liver enzymes, and low platelet count syndrome. American Journal of Obstetrics and Gynecology, 2022, 226, S1059-S1070.	0.7	29
1451	Quercetin attenuates reduced uterine perfusion pressure -induced hypertension in pregnant rats through regulation of endothelin-1 and endothelin-1 type A receptor. Lipids in Health and Disease, 2020, 19, 180.	1.2	17
1452	Preeclampsia: Linking Placental Ischemia with Maternal Endothelial and Vascular Dysfunction. , 2020, 11, 1315-1349.		26
1453	Maternal endothelial function, circulating endothelial cells, and endothelial progenitor cells in pregnancies conceived with or without in vitro fertilization. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2020, 318, R1091-R1102.	0.9	6



#	ARTICLE	IF	CITATIONS
1454	Paternal deficiency of complement component C1q leads to a preeclampsia-like pregnancy in wild-type female mice and vascular adaptations postpartum. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2020, 318, R1047-R1057.	0.9	14
1455	Maternal cardiovascular adaptation to twin pregnancy: a population-based prospective cohort study. <i>BMC Pregnancy and Childbirth</i> , 2020, 20, 327.	0.9	13
1456	The risk of pregnancy-associated hypertension in women with nonalcoholic fatty liver disease. <i>Liver International</i> , 2020, 40, 2417-2426.	1.9	15
1457	Duration of labor among women with hypertensive disorders of pregnancy; A Swedish register cohort study. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2020, 251, 114-118.	0.5	1
1458	Regulation of Uterine Spiral Artery Remodeling: a Review. <i>Reproductive Sciences</i> , 2020, 27, 1932-1942.	1.1	47
1459	Role of the NLRP3 Inflammasome in Preeclampsia. <i>Frontiers in Endocrinology</i> , 2020, 11, 80.	1.5	68
1460	A maternal GOT1 novel variant associated with early-onset severe preeclampsia identified by whole-exome sequencing. <i>BMC Medical Genetics</i> , 2020, 21, 49.	2.1	7
1461	Estrogen Receptors and Estrogen-Induced Uterine Vasodilation in Pregnancy. <i>International Journal of Molecular Sciences</i> , 2020, 21, 4349.	1.8	42
1462	Phenotypic Switch of Endovascular Trophoblasts in Decidual Vasculopathy with Implication for Preeclampsia and Other Pregnancy Complications. <i>Fetal and Pediatric Pathology</i> , 2021, 40, 543-562.	0.4	12
1463	HMOX1 is partly responsible for phenotypic and functional abnormalities in mesenchymal stem cells/stromal cells from placenta of preeclampsia (PE) patients. <i>Stem Cell Research and Therapy</i> , 2020, 11, 30.	2.4	10
1464	Hydroxychloroquine Mitigates the Production of 8-Isoprostane and Improves Vascular Dysfunction: Implications for Treating Preeclampsia. <i>International Journal of Molecular Sciences</i> , 2020, 21, 2504.	1.8	15
1465	Role of placenta in development of preeclampsia: revisited. <i>Ultrasound in Obstetrics and Gynecology</i> , 2020, 56, 803-808.	0.9	6
1466	Concordance-analysis and evaluation of different diagnostic algorithms used in first trimester screening for late-onset preeclampsia. <i>Hypertension in Pregnancy</i> , 2020, 39, 172-185.	0.5	1
1467	Differences in expression of Peroxisome Proliferator-activated Receptor- $\beta$ 3 in early-onset preeclampsia and late-onset preeclampsia. <i>BMC Research Notes</i> , 2020, 13, 181.	0.6	6
1468	Risk of preeclampsia in patients with a maternal genetic predisposition to common medical conditions: a case-control study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2021, 128, 55-65.	1.1	19
1469	A bibliometric analysis of obstetrics and gynecology articles with highest relative citation ratios, 1980 to 2019. <i>American Journal of Obstetrics &amp; Gynecology MFM</i> , 2021, 3, 100293.	1.3	18
1470	Vasohibin 1, a clinically relevant biomarker, contributes to preeclampsia. <i>International Journal of Clinical Practice</i> , 2021, 75, e14017.	0.8	2
1471	Role of Vascular Endothelial Growth Factor (VEGF) in Human Embryo Implantation: Clinical Implications. <i>Biomolecules</i> , 2021, 11, 253.	1.8	57

#	ARTICLE	IF	CITATIONS
1472	Shedding light on the pathophysiology of preeclampsia-syndrome in the era of Cardio-Obstetrics: Role of inflammation and endothelial dysfunction. <i>Current Hypertension Reviews</i> , 2021, 17, .	0.5	1
1473	Syncytiotrophoblast stress in preeclampsia: the convergence point for multiple pathways. <i>American Journal of Obstetrics and Gynecology</i> , 2022, 226, S907-S927.	0.7	130
1474	Understanding the uterine artery Doppler waveform and its relationship to spiral artery remodelling. <i>Placenta</i> , 2021, 105, 78-84.	0.7	13
1475	Comprehensive analysis of gene expression and DNA methylation for preeclampsia progression. <i>Journal of the Chinese Medical Association</i> , 2021, 84, 410-417.	0.6	6
1476	Low-dose acetylsalicylic acid does not modify maternal vascular reactivity in nulliparas. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2021, , 1-7.	0.7	0
1477	MALAT1 sponges miR-26a and miR-26b to regulate endothelial cell angiogenesis via PFKFB3-driven glycolysis in early-onset preeclampsia. <i>Molecular Therapy - Nucleic Acids</i> , 2021, 23, 897-907.	2.3	15
1478	Pathophysiology of Preeclampsia: The Role of Exosomes. <i>International Journal of Molecular Sciences</i> , 2021, 22, 2572.	1.8	42
1479	Serum from patients with hypertension promotes endothelial dysfunction to induce trophoblast invasion through the miR-27b-3p/ATPase plasma membrane Ca <sup>2+</sup> transporting 1 axis. <i>Molecular Medicine Reports</i> , 2021, 23, .	1.1	7
1480	Melatonin for the Management of Preeclampsia: A Review. <i>Antioxidants</i> , 2021, 10, 376.	2.2	20
1481	Prediction of preeclampsia throughout gestation with maternal characteristics and biophysical and biochemical markers: a longitudinal study. <i>American Journal of Obstetrics and Gynecology</i> , 2022, 226, 126.e1-126.e22.	0.7	18
1482	Neurology of Preeclampsia and Related Disorders: an Update in Neuro-obstetrics. <i>Current Pain and Headache Reports</i> , 2021, 25, 40.	1.3	16
1483	Pregnancy and Dentistry: A Literature Review on Risk Management during Dental Surgical Procedures. <i>Dentistry Journal</i> , 2021, 9, 46.	0.9	14
1484	Unraveling the role of oxidative stress and lipid status parameters in the onset of preeclampsia. <i>Hypertension in Pregnancy</i> , 2021, 40, 162-170.	0.5	7
1485	Maternal systemic vascular dysfunction in a primate model of defective uterine spiral artery remodeling. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2021, 320, H1712-H1723.	1.5	8
1486	Role of oxidative stress in the dysfunction of the placental endothelial nitric oxide synthase in preeclampsia. <i>Redox Biology</i> , 2021, 40, 101861.	3.9	103
1487	A randomized pilot clinical trial of pravastatin versus placebo in pregnant patients at high risk of preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 2021, 225, 666.e1-666.e15.	0.7	47
1488	Chronic hypertension and superimposed preeclampsia: screening and diagnosis. <i>American Journal of Obstetrics and Gynecology</i> , 2022, 226, S1182-S1195.	0.7	21
1489	Excessive gestational weight gain during the week prior to delivery as a predictor of maternal life-threatening complications in preeclamptic women. <i>Journal of Obstetrics and Gynaecology Research</i> , 2021, 47, 3498-3508.	0.6	0

#	ARTICLE	IF	CITATIONS
1490	Association of combined second trimester maternal serum Homocysteine and Uterine Artery Doppler to predict adverse pregnancy outcome. <i>Journal of Obstetrics and Gynecology of India</i> , 0, , 1.	0.3	0
1491	Placental mitochondrial function as a driver of angiogenesis and placental dysfunction. <i>Biological Chemistry</i> , 2021, 402, 887-909.	1.2	8
1492	Histopathological features of kidney and renal prognosis in patients with preeclampsia. <i>Pregnancy Hypertension</i> , 2021, 25, 75-80.	0.6	6
1493	Preeclampsia and cancer risk in women in later life: a systematic review and meta-analysis of cohort studies. <i>Menopause</i> , 2021, 28, 1070-1078.	0.8	8
1494	Bâ€flow/spatiotemporal image correlation Mâ€mode: a novel ultrasound method that detects a decrease in spiral artery luminal diameter in the first trimester in a primate model of impaired spiral artery remodeling. <i>Ultrasound in Obstetrics and Gynecology</i> , 2021, , .	0.9	3
1495	Functional Analysis of p21Cip1/CDKN1A and Its Family Members in Trophoblastic Cells of the Placenta and Its Roles in Preeclampsia. <i>Cells</i> , 2021, 10, 2214.	1.8	6
1496	Collagen I Induces Preeclampsia-Like Symptoms by Suppressing Proliferation and Invasion of Trophoblasts. <i>Frontiers in Endocrinology</i> , 2021, 12, 664766.	1.5	10
1497	Coronary Events in the Pregnant Patient: Who is at Risk and How Best to Manage?. <i>Canadian Journal of Cardiology</i> , 2021, , .	0.8	2
1498	Atrial natriuretic peptide promotes uterine decidualization and a TRAIL-dependent mechanism in spiral artery remodeling. <i>Journal of Clinical Investigation</i> , 2021, 131, .	3.9	28
1499	Serum neprilysin levels are elevated in preeclampsia. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2021, 60, 869-873.	0.5	1
1501	Immunomodulatory Analogies Between Trophoblastic and Cancer Cells and Their Hosts. , 2001, , 190-208.		1
1502	Vascularization of the Placenta. , 2002, , 239-273.		6
1503	Oxygen Regulates Human Cytotrophoblast Proliferation, Differentiation, and Invasion: Implications for Endovascular Invasion in Normal Pregnancy and Preeclampsia. , 1999, , 39-53.		2
1504	Selenium and Adverse Health Conditions of Human Pregnancy. , 2011, , 531-544.		2
1505	Lipid Peroxidation in Normal Pregnancy and Preeclampsia. <i>Advances in Experimental Medicine and Biology</i> , 1994, 366, 420-421.	0.8	9
1506	Endothelial Cell Response to Normal and Abnormal Stimuli. , 1992, , 3-9.		9
1507	Biochemical Assessment of Placental Function. , 2019, , 83-116.		6
1508	Differentiation of the Trophoblast. , 1992, , 3-25.		4

#	ARTICLE	IF	CITATIONS
1509	Immunomodulation in Normal Pregnancy and Pre-Eclampsia. , 1999, , 198-204.		1
1510	Serum from patients with severe preeclampsia is not cytotoxic to endothelial cells. Journal of the Society for Gynecologic Investigation, 1996, 3, 89-92.	1.9	5
1511	Maternal Cardiovascular Disease and Fetal Growth and Development. , 2004, , 142-160.		1
1512	Pregnancy-Related Hypertension. , 2009, , 651-688.		19
1513	Critical Care of the Obstetric Patient. , 2011, , 1347-1360.e2.		1
1514	Abnormal placentation and the syndrome of preeclampsia. Seminars in Nephrology, 2004, 24, 540-547.	0.6	61
1515	Angiogenic imbalance in the pathophysiology of preeclampsia: Newer insights. Seminars in Nephrology, 2004, 24, 548-556.	0.6	45
1516	Preeclampsia and the systemic inflammatory response. Seminars in Nephrology, 2004, 24, 565-570.	0.6	68
1517	THE SYNDROME OF PREECLAMPSIA. Gastroenterology Clinics of North America, 1992, 21, 851-872.	1.0	45
1518	Administration of N <sup>o</sup> -Arginine Methyl Ester (L-NAME) impairs endothelium-dependent relaxation in gravid but not nongravid rats. Journal of the Society for Gynecologic Investigation, 2003, 10, 74-81.	1.9	12
1519	Evaluation of a rat model of preeclampsia for HELLP syndrome characteristics. Journal of the Society for Gynecologic Investigation, 2003, 10, 151-153.	1.9	16
1520	Antepartum and postpartum thrombomodulin levels in preeclamptic and normotensive pregnancies. Journal of the Society for Gynecologic Investigation, 1997, 4, 135-137.	1.9	2
1521	Activation of Endothelial Cells by Plasma From Women With Preeclampsia: Differential Effects on Four Endothelial Cell Types. Journal of the Society for Gynecologic Investigation, 1998, 5, 31-37.	1.9	10
1522	Activation of endothelial cells in preeclampsia: increased neutrophil-endothelial adhesion correlates with up-regulation of adhesion molecule P-selectin in human umbilical vein endothelial cells isolated from preeclampsia†. Journal of the Society for Gynecologic Investigation, 1998, 5, 237-243.	1.9	56
1523	Methylenetetrahydrofolate reductase polymorphism, folate, and susceptibility to preeclampsia. Journal of the Society for Gynecologic Investigation, 1999, 6, 74-79.	1.9	78
1524	Increased neutrophil-endothelial adhesion induced by placental factors is mediated by platelet-activating factor in preeclampsia. Journal of the Society for Gynecologic Investigation, 1999, 6, 136-141.	1.9	28
1525	Endothelial monocyte-activating polypeptide-2 is increased in pregnancy but is not further increased in preeclampsia. Journal of the Society for Gynecologic Investigation, 1999, 6, 142-146.	1.9	4
1526	Can murine uterine natural killer cells give insights into the pathogenesis of preeclampsia?. Journal of the Society for Gynecologic Investigation, 2000, 7, 12-20.	1.9	93

#	ARTICLE	IF	CITATIONS
1527	Preeclampsia prevention and management. Journal of the Society for Gynecologic Investigation, 2000, 7, 21-36.	1.9	22
1528	Preeclampsia: Pathophysiology and practice considerations for the consulting nephrologist. Seminars in Nephrology, 2002, 22, 54-64.	0.6	8
1529	Maternal circulating concentrations of soluble Fas and Elabela in early- and late-onset preeclampsia. Journal of Maternal-Fetal and Neonatal Medicine, 2020, , 1-14.	0.7	14
1530	Low-molecular-weight heparin for the prevention of obstetric complications in women with thrombophilias. Hypertension in Pregnancy, 2001, 20, 35-44.	0.5	44
1531	Homocysteine and cellular fibronectin are increased in preeclampsia, not transient hypertension of pregnancy. Hypertension in Pregnancy, 2001, 20, 69-77.	0.5	14
1532	Placental expression of cytokeratin 18 and serum levels of tissue polypeptide antigen in women with pregnancy-induced hypertension. Hypertension in Pregnancy, 2001, 20, 89-98.	0.5	2
1533	Immunocytochemical localization of endothelin-1 in human placenta from normal and preeclamptic pregnancies. Hypertension in Pregnancy, 2001, 20, 125-37.	0.5	5
1534	Southwestern Internal Medicine Conference: The Endotheliumâ€™A Key Regulator of Vascular Tone. American Journal of the Medical Sciences, 1991, 302, 319-328.	0.4	25
1535	Pathogenesis of Preeclampsia. Obstetrical and Gynecological Survey, 1998, 53, 233-239.	0.2	97
1536	NLRP3 inflammasome: a new therapeutic target for high-risk reproductive disorders?. Chinese Medical Journal, 2021, 134, 20-27.	0.9	27
1537	Fortnightly Review: The hypertensive disorders of pregnancy. BMJ: British Medical Journal, 1995, 311, 609-613.	2.4	49
1538	Plasma From Women With Preeclampsia Increases Endothelial Cell Nitric Oxide Production. Hypertension, 1995, 26, 244-248.	1.3	104
1539	Plasma of Preeclamptic Women Stimulates and Then Inhibits Endothelial Prostacyclin. Hypertension, 1996, 27, 56-61.	1.3	66
1540	Distinct Factors in Plasma of Preeclamptic Women Increase Endothelial Nitric Oxide or Prostacyclin. Hypertension, 1996, 28, 758-764.	1.3	48
1541	Flow-Mediated Vasodilatation Is Enhanced in Normal Pregnancy but Reduced in Preeclampsia. Hypertension, 1997, 30, 247-251.	1.3	200
1542	Effects of Continuous Infusion of Endothelin-1 in Pregnant Sheep. Hypertension, 1997, 30, 1585-1590.	1.3	24
1543	Nitric Oxide Produced by Endothelial Cells Increases Production of Eicosanoids Through Activation of Prostaglandin H Synthase. Circulation Research, 1995, 77, 274-283.	2.0	202
1544	Impact of Preeclampsia on Clinical and Functional Outcomes in Women With Peripartum Cardiomyopathy. Circulation: Heart Failure, 2017, 10, .	1.6	44

#	ARTICLE	IF	CITATIONS
1546	HELLP Syndrome. , 2002, , 141-188.		2
1547	Interrelationship Between Markers of Oxidative Stress, Inflammation and Hematological Parameters Among Preeclamptic Nigerian Women. <i>Medical Science Monitor Basic Research</i> , 2018, 24, 225-231.	2.6	8
1549	Relationship between Periodontitis and Pre-Eclampsia: A Meta-Analysis. <i>PLoS ONE</i> , 2013, 8, e71387.	1.1	46
1550	The Ubiquitin Ligase ASB4 Promotes Trophoblast Differentiation through the Degradation of ID2. <i>PLoS ONE</i> , 2014, 9, e89451.	1.1	33
1551	In Vivo Experiments Reveal the Good, the Bad and the Ugly Faces of sFlt-1 in Pregnancy. <i>PLoS ONE</i> , 2014, 9, e110867.	1.1	40
1552	The Salivary Scavenger and Agglutinin (SALSA) in Healthy and Complicated Pregnancy. <i>PLoS ONE</i> , 2016, 11, e0147867.	1.1	14
1553	The prediction of late-onset preeclampsia: Results from a longitudinal proteomics study. <i>PLoS ONE</i> , 2017, 12, e0181468.	1.1	84
1554	Modulation of apelin and APJ receptor in normal and preeclampsia-complicated placentas. <i>Histology and Histopathology</i> , 2007, 22, 1-8.	0.5	69
1555	DOES PALM OIL VITAMIN E REDUCE THE RISK OF PREGNANCY INDUCED HYPERTENSION?. <i>Acta Medica (Hradec Kralove)</i> , 2013, 56, 104-109.	0.2	9
1556	Altered Intrahepatic Hematopoiesis in Neonates from Women with Pregnancy Induced Hypertension/Pre-Eclampsia. <i>Acta Medica (Hradec Kralove)</i> , 2004, 47, 119-123.	0.2	5
1557	Assessment of endothelial function by flow-mediated dilation of the brachial artery in adolescents with a history of preeclampsia or a normotensive pregnancy. <i>Revista Brasileira De Saude Materno Infantil</i> , 2014, 14, 81-90.	0.2	2
1558	Revisão sobre alterações hemostáticas na doença hipertensiva específica da gravidez (DHEG). <i>Jornal Brasileiro De Patologia E Medicina Laboratorial</i> , 2001, 37, .	0.3	1
1559	Differential Effects of Sera from Normotensive and Hypertensive Pregnant Women on Ca <sup>2+</sup> Metabolism in Normal Vasular Smooth Muscle Cells. <i>Journal of the American Society of Nephrology: JASN</i> , 2000, 11, 1188-1198.	3.0	9
1560	Glomerular hemodynamic effects of late pregnancy in rats with experimental membranous glomerulonephropathy.. <i>Journal of the American Society of Nephrology: JASN</i> , 1995, 6, 1197-1201.	3.0	14
1561	Thrombophilia and Pregnancy. <i>Current Pharmaceutical Design</i> , 2005, 11, 735-748.	0.9	27
1562	Role of 2-methoxyestradiol, an Endogenous Estrogen Metabolite, in Health and Disease. <i>Mini-Reviews in Medicinal Chemistry</i> , 2015, 15, 427-438.	1.1	30
1563	Potential Benefits of Peroxynitrite. <i>The Open Pharmacology Journal</i> , 2008, 2, 31-53.	0.4	14
1564	24-Hour Sleep Duration in Early Gestation is Associated with Increased Markers of Inflammation Among Women with a History of Preeclampsia. <i>The Open Sleep Journal</i> , 2013, 6, 14-22.	0.4	2

#	ARTICLE	IF	CITATIONS
1565	Anti-Endothelial Cell Antibody in Preeclampsia: Clinical Findings and Serum Cytotoxicity to Endothelial Cell.. Japanese Journal of Clinical Immunology, 1998, 21, 191-197.	0.0	7
1566	Emerging concepts in preeclampsia investigation. Frontiers in Bioscience - Landmark, 2007, 12, 2403.	3.0	25
1567	Endothelial barrier function in preeclampsia. Frontiers in Bioscience - Landmark, 2007, 12, 2412.	3.0	25
1568	Cytokine imbalance in pregnancy complications and its modulation. Frontiers in Bioscience - Landmark, 2008, 13, 985.	3.0	104
1569	Preeclampsia and intrauterine growth restriction. Reproductive Medicine and Assisted Reproductive Techniques Series, 2008, , 745-760.	0.1	2
1570	Endothelial nitric oxide synthase haplotypes are associated with preeclampsia in Maya mestizo women. Disease Markers, 2011, 31, 83-9.	0.6	8
1571	Iron Status in Pre-Eclampsia: A Case-Comparison Study. Bangladesh Journal of Medical Biochemistry, 2013, 5, 53-55.	0.2	2
1572	Lipid Profile and Lipid Peroxidation among Ghanaian Pregnancy-Induced Hypertensives. Journal of Medical Sciences (Faisalabad, Pakistan), 2008, 8, 691-698.	0.0	4
1573	A Brief Overview of Preeclampsia. Journal of Clinical Medicine Research, 2013, 6, 1-7.	0.6	125
1574	Galectins: Double-edged Swords in the Cross-roads of Pregnancy Complications and Female Reproductive Tract Inflammation and Neoplasia. Journal of Pathology and Translational Medicine, 2015, 49, 181-208.	0.4	54
1575	Early pregnancy maternal cardiovascular profiling in the prediction of hypertensive disease in pregnancy. Open Journal of Obstetrics and Gynecology, 2014, 04, 61-65.	0.1	2
1576	Correlation of Nitric Oxide (NO) and Corticotrophin Releasing Hormone (CRH) between Normal Pregnancy and Preeclampsia. Open Journal of Obstetrics and Gynecology, 2016, 06, 807-817.	0.1	1
1577	A Review: Molecular Concepts and Common Pathways Involving Vitamin D in the Pathophysiology of Preeclampsia. Open Journal of Obstetrics and Gynecology, 2018, 08, 198-229.	0.1	4
1578	High levels of urinary vascular endothelial growth factor in women with severe preeclampsia. International Journal of Biological Markers, 2004, 19, 72-75.	0.7	4
1579	Title is missing!. Norsk Epidemiologi, 2009, 19, .	0.2	1
1581	Role of Nuclear Receptors Peroxisome Proliferator-Activated Receptors (PPARs) and Liver X Receptors (LXRs) in the Human Placental Pathophysiology. , 0, , .		1
1582	Ultrastructure of Hyrtl's Anastomosis of Pregnancy Induced Hypertensive Umbilical Arteries. Journal of Evolution of Medical and Dental Sciences, 2021, 10, 3466-3469.	0.1	0
1584	Maternal Morbidity. , 2000, , 171-181.		1

#	ARTICLE	IF	CITATIONS
1585	Early Placental Vascular Morphogenesis. , 2001, , 315-326.		0
1586	Abnormalities of Iron Homeostasis in the Pregnancy Syndrome Pre-Eclampsia. , 2002, , 611-615.		0
1587	Preeclampsia in Pregnant Women with Chronic Hypertension and Renal Disease. , 2002, , 117-140.		1
1589	Hypertensive Disorders in Pregnancy. , 2004, , 43-67.		0
1590	Alterações ultra-estruturais do glomérulo na pré-eclâmpsia. Revista Brasileira De Ginecologia E Obstetricia, 2004, 26, 185-192.	0.3	0
1591	Pre-eclampsia and the systemic inflammatory response. , 2006, , 135-148.		0
1592	THE PLACENTA IN MATERNAL DISORDERS. , 2007, , 203-234.		4
1594	Serum B-hCG Levels in Diagnosis and Management of Preeclampsia. Journal of Medical Sciences (Faisalabad, Pakistan), 2008, 8, 722-727.	0.0	1
1595	Low-Density Lipoprotein Apheresis. , 2009, , 363-375.		1
1597	Acute Renal Failure in Pregnancy. , 2009, , 324-337.		0
1598	The Utility of Vascular Dysfunction Studies in the Prediction and Prevention of Preeclampsia: A Historical Review!. Vascular Disease Prevention, 2009, 6, 163-169.	0.2	2
1599	Thrombocytopenia and Bleeding Disorders. , 2011, , 717-738.e5.		2
1600	Maternal Cardiovascular Disease and Fetal Growth and Development. , 2011, , 172-192.		0
1602	Genetics of Pre-eclampsia. Journal of Genetic Medicine, 2011, 8, 17-27.	0.1	2
1604	The Use of Antioxidants in Pre-eclampsia. , 2013, , 115-129.		0
1605	Vascular Biology of Magnesium: Implications in Cardiovascular Disease. , 2013, , 205-220.		0
1606	Nucleated red blood cells are involved in endothelial progenitor cell proliferation in umbilical venous blood of preeclamptic patients. Hypertension Research in Pregnancy, 2013, 1, 46-51.	0.1	2
1607	Intracellular calcium ion concentrations in endothelial cells in preeclampsia. Hypertension Research in Pregnancy, 2013, 1, 93-97.	0.1	0



#	ARTICLE	IF	CITATIONS
1608	Oxidative stress in the fetus of preeclamptic women with fetal growth restriction. Hypertension Research in Pregnancy, 2013, 1, 98-102.	0.1	0
1609	Continuous Positive Airway Pressure as a Potential Treatment for Preeclampsia. The Open Sleep Journal, 2013, 6, 37-43.	0.4	0
1610	Comparison of maternal serum and umbilical cord concentrations of nitric oxide and asymmetric-dimethyl-arginine in pre-eclamptic and uncomplicated pregnancies. Journal of Experimental and Clinical Medicine (Turkey), 2013, 30, 125-128.	0.1	0
1611	Hypertonie in der Schwangerschaft: Einteilung und Bedeutung für den Schwangerschaftsausgang. , 1991, , 3-7.		0
1612	Any Physiological Role for Prostacyclin in Regulation of Fetal Vessel Tone?. , 1992, 37, 361-368.		4
1613	PREGNANCIES COMPLICATED BY LIVER DISEASE AND LIVER DYSFUNCTION. Obstetrics and Gynecology Clinics of North America, 1992, 19, 745-763.	0.7	19
1614	Anesthesia for Severe Preeclampsia. Developments in Critical Care Medicine and Anesthesiology, 1995, , 51-63.	0.1	0
1615	NEW-ONSET HYPERTENSION IN THE PREGNANT PATIENT. Obstetrics and Gynecology Clinics of North America, 1995, 22, 157-171.	0.7	5
1616	Pre-eclampsia. , 1996, , 132-146.		0
1617	Intrauterine Eicosanoid Production in Uncomplicated and Hypertensive Pregnancies: Alterations of Placental 12-Hydroxyeicosatetraenoic Acid. Advances in Experimental Medicine and Biology, 1997, 433, 407-410.	0.8	0
1618	Nitric Oxide Deficiency in Preeclampsia. , 1997, , 247-282.		0
1620	Ultraestructura de la vascularización placentaria en pacientes eclámpticas. Revista Colombiana De Obstetricia Y Ginecología, 1997, 48, 193-198.	0.2	0
1621	Comparative Study on the Effect of Factor V Leiden and Prothrombin Gene Polymorphism in Preeclamptic Cases. The Egyptian Journal of Hospital Medicine, 2014, 56, 345-354.	0.0	1
1622	Role of Angiogenic Factors in Preeclampsia. Nepal Journal of Obstetrics and Gynaecology, 2014, 9, 71-73.	0.0	0
1623	Hypertension and Vascular Endothelial Growth Factors. , 2015, , 695-707.		1
1624	Structural and Functional Developmental Perspectives of the Placental Barrier and Its Role in the Fetal Development During the First and Second Trimesters. , 2016, , 441-455.		0
1625	TO ASSESS THE MAGNITUDE OF OXIDATIVE STRESS AND ANTIOXIDANT DEFENSE IN PREECLAMPSIA. Journal of Evolution of Medical and Dental Sciences, 2016, 5, 3898-3902.	0.1	1
1626	Correlation of Plasma Neutrophil Elastase Activity and Endogenous Protease Inhibitor Levels with the Severity of Pre-eclampsia. Journal of Clinical and Diagnostic Research JCDR, 2017, 11, BC09-BC12.	0.8	1

#	ARTICLE	IF	CITATIONS
1627	Angiogenic growth factors and the pathogenesis of preeclampsia. Russian Bulletin of Obstetrician-Gynecologist, 2017, 17, 7.	0.0	0
1628	Prevalence of Hyperhomocysteinemia among Pre-Eclampsia Patients of A Tertiary Referral Hospital in South India. Journal of Medical Science and Clinical Research, 2017, 05, 21063-21069.	0.0	0
1629	Comparison of the T2-star Values of Placentas Obtained from Pre-eclamptic Patients with Those of a Control Group: an Ex-vivo Magnetic Resonance Imaging Study. Balkan Medical Journal, 2017, 34, 412-416.	0.3	1
1630	COMPARATIVE EVALUATION OF LIVER FUNCTIONS IN PRE-ECLAMPTIC AND NORMAL PREGNANT FEMALES. Journal of Evidence Based Medicine and Healthcare, 2017, 4, 5192-5195.	0.0	0
1632	HFE Gene Polymorphism and Iron Status in Preeclampsia. Journal of Evidence Based Medicine and Healthcare, 2019, 6, 3285-3290.	0.0	1
1633	Effect of aldosterone synthase gene polymorphism 344C>T and risk of hypertensive disorders among Uzbek women. Nauchno-prakticheskii Zhurnal "Medicinskaia Genetika", 2020, , 39-44.	0.1	0
1634	Preeclampsia. , 2022, , 217-234.		0
1635	Lupus Nephritis Presenting with Preeclampsia. Turkish Journal of Nephrology, 2020, 29, 84-88.	0.1	0
1637	Uncaria tomentosa extract (AC-11) improves pregnancy hypertension together with suppression of sFlt-1 and sEng. Pregnancy Hypertension, 2021, 26, 127-132.	0.6	4
1638	What a paediatric nephrologist should know about preeclampsia and why it matters. Pediatric Nephrology, 2021, , 1.	0.9	1
1639	Pathophysiological roles of ADMA-mediated endothelial injury in hypertensive disorders of pregnancy. Hypertension Research in Pregnancy, 2020, 8, 40-46.	0.1	1
1641	Study of plasma adrenomedullin level in normal pregnancy and preclampsia. Medscape Journal of Medicine, 2008, 10, 29.	0.6	22
1642	Biochemical markers for prediction of preclampsia: review of the literature. Journal of Prenatal Medicine, 2011, 5, 69-77.	0.2	17
1644	A Comparative Study of Serum Level of Vascular Cell Adhesion Molecule-1 (sVCAM-1), Intercellular Adhesion Molecule-1(ICAM-1) and High Sensitive C - reactive protein (hs-CRP) in Normal and Pre-eclamptic Pregnancies. Iranian Journal of Basic Medical Sciences, 2013, 16, 689-93.	1.0	19
1645	Endothelial dysfunction. An important mediator in the pathophysiology of hypertension during pre-eclampsia. Minerva Ginecologica, 2012, 64, 309-20.	0.8	70
1646	Association between Angiotensinogen M235T Polymorphism and Preeclampsia in Iranian Pregnant Women. Journal of Family & Reproductive Health, 2014, 8, 169-73.	0.4	9
1647	Endocan of the maternal placenta tissue is increased in pre-eclampsia. International Journal of Clinical and Experimental Pathology, 2015, 8, 14733-40.	0.5	15
1649	Effect of Low-Dose Aspirin in Preventing Early-Onset Preeclampsia in the Taiwanese Populationâ€”A Retrospective Cohort Study. International Journal of Women's Health, 2021, Volume 13, 1095-1101.	1.1	1

#	ARTICLE	IF	CITATIONS
1650	The Glomerular Endothelium Restricts Albumin Filtration. <i>Frontiers in Medicine</i> , 2021, 8, 766689.	1.2	16
1651	ceRNA Network and Functional Enrichment Analysis of Preeclampsia by Weighted Gene Coexpression Network Analysis. <i>Computational and Mathematical Methods in Medicine</i> , 2022, 2022, 1-14.	0.7	2
1652	Cerebrovascular Pathophysiology in Preeclampsia and Eclampsia. , 2022, , 265-288.		0
1653	Trophoblast Extracellular Vesicles in Preeclampsia. , 2022, , 155-163.		0
1654	Angiogenesis and Preeclampsia. , 2022, , 165-185.		0
1655	Cardiovascular Alterations in Normal and Preeclamptic Pregnancy. , 2022, , 219-244.		2
1656	Harmonization of Data and Biobanks for Preeclampsia Research. , 2022, , 449-458.		0
1657	Vascular Endothelial Cell Dysfunction in Preeclampsia. , 2022, , 187-218.		0
1658	Impaired Sphingosine-1-Phosphate Synthesis Induces Preeclampsia by Deactivating Trophoblastic YAP (Yes-Associated Protein) Through S1PR2 (Sphingosine-1-Phosphate Receptor-2)-Induced Actin Polymerizations. <i>Hypertension</i> , 2022, 79, 399-412.	1.3	13
1659	How Soluble Fms-Like Tyrosine Kinase 1 Could Contribute to Blood-Brain Barrier Dysfunction in Preeclampsia?. <i>Frontiers in Physiology</i> , 2021, 12, 805082.	1.3	5
1660	Placental sFlt-1 Gene Delivery in Early Primate Pregnancy Suppresses Uterine Spiral Artery Remodeling. <i>Endocrinology</i> , 2022, 163, .	1.4	5
1661	Gestational Thrombophilia. <i>International Journal for Innovation Education and Research</i> , 2022, 10, 200-208.	0.0	0
1662	Correlation between N-terminal proatrial natriuretic peptide, corin, and target organ damage in hypertensive disorders of pregnancy. <i>Journal of Clinical Hypertension</i> , 2022, 24, 644-651.	1.0	5
1663	Serum Vasostatin-1 Level is Increased in Women with Preeclampsia. <i>Zeitschrift Fur Geburtshilfe Und Neonatologie</i> , 2022, , .	0.2	0
1664	Obstructive Sleep Apnea: Another Condition to Screen for in Women with Infertility. <i>Women</i> , 2022, 2, 56-63.	0.5	0
1665	Dysregulation of Oxygen Sensing/Response Pathways in Pregnancies Complicated by Idiopathic Intrauterine Growth Restriction and Early-Onset Preeclampsia. <i>International Journal of Molecular Sciences</i> , 2022, 23, 2772.	1.8	6
1666	Triggering receptor expressed on myeloid cells (TREM) like transcript-1 (TLT-1) reveals platelet activation in preeclampsia. <i>Platelets</i> , 2022, 33, 1132-1138.	1.1	1
1667	Early pathways, biomarkers, and four distinct molecular subclasses of preeclampsia: The intersection of clinical, pathological, and high-dimensional biology studies. <i>Placenta</i> , 2022, 125, 10-19.	0.7	19

#	ARTICLE	IF	CITATIONS
1668	Placental Exosomes Trigger Maternal Inflammation and Vascular Dysfunction in Preeclampsia. <i>Journal of Biomedical Research &amp; Environmental Sciences</i> , 2021, 2, 1211-1215.	0.1	0
1669	Assessment of the value of measuring soluble fms-like tyrosine kinase-1 and placental growth factor levels following administration of tadalafil to treat fetal growth restriction. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2022, 35, 9131-9135.	0.7	1
1670	A Cross-Sectional Study on Current Practice of the Management of Pregnancy Induced Hypertension and Its Maternal and Foetal Complications and Outcome in the Western Part of the State of Libya. <i>Open Journal of Obstetrics and Gynecology</i> , 2022, 12, 222-241.	0.1	0
1691	Distinct Roles of Classical and Lectin Pathways of Complement in Preeclamptic Placentae. <i>Frontiers in Immunology</i> , 2022, 13, .	2.2	6
1692	Acute Coronary Syndrome in Pregnancy and the Post-Partum Period. <i>Journal of Cardiovascular Development and Disease</i> , 2022, 9, 198.	0.8	4
1694	Serum amyloid A, a host-derived DAMP in pregnancy?. <i>Frontiers in Immunology</i> , 0, 13, .	2.2	3
1695	Sickle cell disease and the incidence and etiology of preterm birth. <i>American Journal of Obstetrics &amp; Gynecology MFM</i> , 2022, 4, 100723.	1.3	4
1696	Potential Use of Anti-Cancer Drugs for Treatment of Preeclampsia by Targeting the miRNA-IGF1R-PI3K-AKT Axis. <i>Evidence-based Complementary and Alternative Medicine</i> , 2022, 2022, 1-8.	0.5	1
1697	Increased Risk of Preeclampsia in Women With a Genetic Predisposition to Elevated Blood Pressure. <i>Hypertension</i> , 2022, 79, 2008-2015.	1.3	15
1698	Brain Vascular Dysfunction in Mothers and Their Children Exposed to Preeclampsia. <i>Hypertension</i> , 2023, 80, 242-256.	1.3	5
1699	Molecular subclasses of preeclampsia characterized by a longitudinal maternal proteomics study: distinct biomarkers, disease pathways and options for prevention. <i>Journal of Perinatal Medicine</i> , 2023, 51, 51-68.	0.6	7
1700	Role of Routine Mid-Trimester Uterine Artery Doppler for Surveillance of Placental Mediated Disorders in a Low-Risk Population. <i>Cureus</i> , 2022, , .	0.2	0
1702	Preeclampsia at term can be classified into 2 clusters with different clinical characteristics and outcomes based on angiogenic biomarkers in maternal blood. <i>American Journal of Obstetrics and Gynecology</i> , 2023, 228, 569.e1-569.e24.	0.7	12
1703	Predictive value of the complement factors B and H for women with gestational diabetes mellitus who are at risk of preeclampsia. <i>Pregnancy Hypertension</i> , 2022, 30, 210-214.	0.6	2
1704	The Role of Hormones in Hypertensive Disorders of Pregnancy. , 2022, , 151-163.		0
1705	Pre-eclampsia and platelet indices: a cross sectional study. <i>International Journal of Research in Medical Sciences</i> , 2022, 10, 2904.	0.0	0
1706	Pre-Existing Diabetes Mellitus, Hypertension and Kidney Disease as Risk Factors of Pre-Eclampsia: A Disease of Theories and Its Association with Genetic Polymorphism. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 16690.	1.2	2
1707	Roles of human trophoblasts' pattern recognition receptors in host defense and pregnancy complications. <i>Journal of Reproductive Immunology</i> , 2023, 156, 103811.	0.8	6

#	ARTICLE	IF	CITATIONS
1708	Utility of sFtl-1 and Placental Growth Factor Ratio for Adequate Preeclampsia Management. Healthcare (Switzerland), 2023, 11, 381.	1.0	1
1709	Role of Cytotrophoblast Cells and Placenta-Derived Exosomes in Regulatory B Cell Differentiation and Function during Pregnancy. , 0, , .		0
1710	The Role of Nitric Oxide in the Etiopathogenesis of Preeclampsia. , 2023, , 391-409.		0
1711	Growth restriction in preeclampsia: lessons from animal models. Current Opinion in Physiology, 2023, 32, 100647.	0.9	1
1712	Limosilactobacillus reuteri ameliorates preeclampsia in mice via improving gut dysbiosis and endothelial dysfunction. Biomedicine and Pharmacotherapy, 2023, 161, 114429.	2.5	2
1713	A bibliometric review of 35 years of studies about preeclampsia. Frontiers in Physiology, 0, 14, .	1.3	2
1714	Preeclampsia: Platelet procoagulant membrane dynamics and critical biomarkers. Research and Practice in Thrombosis and Haemostasis, 2023, 7, 100075.	1.0	0
1715	Highly Atherogenic Lipid Particles are Associated with Preeclampsia After Successful Fertility Treatment for Obese Women who have Unexplained Infertility. Reproductive Sciences, 0, , .	1.1	0
1716	Multi-omics and machine learning for the prevention and management of female reproductive health. Frontiers in Endocrinology, 0, 14, .	1.5	6
1718	Dietary supplements and vascular function in hypertensive disorders of pregnancy. Pflugers Archiv European Journal of Physiology, 0, , .	1.3	1
1725	Role of phospholipase A2 in the pathophysiology of preeclampsia. , 2023, , 301-319.		0
1726	Pathophysiology of Preeclampsia and L-Arginine/L-Citrulline Supplementation as a Potential Strategy to Improve Birth Outcomes. Advances in Experimental Medicine and Biology, 2023, , 127-148.	0.8	0