

# CITATION REPORT

List of articles citing

**Traumatic brain injury in the rat: characterization of a lateral fluid-percussion model**

**DOI: 10.1016/0306-4522(89)90247-9**  
**Neuroscience, 1989, 28, 233-44.**

**Source:** <https://exaly.com/paper-pdf/20791467/citation-report.pdf>

**Version:** 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1002	Effects of the N-methyl-D-aspartate receptor blocker MK-801 on neurologic function after experimental brain injury. <b>1989</b> , 6, 247-59		172
1001	TRH analog YM-14673 improves outcome following traumatic brain and spinal cord injury in rats: dose-response studies. <b>1989</b> , 486, 228-35		64
1000	Magnesium protects against neurological deficit after brain injury. <b>1989</b> , 482, 252-60		208
999	Experimental fluid percussion brain injury: vascular disruption and neuronal and glial alterations. <b>1989</b> , 482, 271-82		404
998	Effect of noncompetitive blockade of N-methyl-D-aspartate receptors on the neurochemical sequelae of experimental brain injury. <b>1990</b> , 55, 1170-9		157
997	Abstracts from the First Japanese Experimental Neurotrauma Symposium Tokyo, Japan June 23, 1989. <b>1990</b> , 7, 99-112		
996	Development of regional cerebral oedema after lateral fluid-percussion brain injury in the rat. <b>1990</b> , 51, 263-4		6
995	Characterization of axonal injury produced by controlled cortical impact. <b>1990</b> , 7, 65-76		122
994	Mitochondrial metabolism following traumatic brain injury in rats. <b>1990</b> , 7, 21-7		66
993	Dynamic changes in local cerebral glucose utilization following cerebral conclusion in rats: evidence of a hyper- and subsequent hypometabolic state. <b>1991</b> , 561, 106-19		485
992	Diffuse prolonged depression of cerebral oxidative metabolism following concussive brain injury in the rat: a cytochrome oxidase histochemistry study. <b>1991</b> , 567, 1-10		217
991	Fetal cortical transplants in adult rats subjected to experimental brain injury. <b>1991</b> , 2, 207-20		31
990	Evaluation of memory dysfunction following experimental brain injury using the Morris water maze. <b>1991</b> , 8, 259-69		313
989	Alterations in regional cerebral blood flow following brain injury in the rat. <b>1991</b> , 11, 655-60		156
988	Suppression by traumatic brain injury of spontaneous hemodynamic recovery from hemorrhagic shock in rats. <b>1991</b> , 75, 408-14		34
987	Immediate hypertensive response to fluid percussion brain injury may be related to intracerebral hemorrhage and hypothalamic damage. <b>1991</b> , 8, 219-28		13
986	Evaluation of a novel calcium channel blocker, (S)-emopamil, on regional cerebral edema and neurobehavioral function after experimental brain injury. <b>1992</b> , 77, 607-15		71

985	The novel 21-aminosteroid U74006F attenuates cerebral edema and improves survival after brain injury in the rat. <b>1992</b> , 9, 33-46	87
984	Biomechanical aspects of a fluid percussion model of brain injury. <b>1992</b> , 9, 311-22	63
983	Decreased alpha 1-adrenergic receptors after experimental brain injury. <b>1992</b> , 9, 269-79	42
982	Selective vulnerability of dentate hilar neurons following traumatic brain injury: a potential mechanistic link between head trauma and disorders of the hippocampus. <b>1992</b> , 12, 4846-53	556
981	Continuous monitoring of posttraumatic cerebral blood flow using laser-Doppler flowmetry. <b>1992</b> , 9, 355-62	84
980	Pretreatment with NMDA antagonists limits release of excitatory amino acids following traumatic brain injury. <b>1992</b> , 136, 165-8	108
979	Moderate hypothermia reduces blood-brain barrier disruption following traumatic brain injury in the rat. <b>1992</b> , 84, 495-500	204
978	Development of prolonged focal cerebral edema and regional cation changes following experimental brain injury in the rat. <b>1992</b> , 58, 1845-52	115
977	Hippocampal CA3 lesion prevents postconcussive metabolic dysfunction in CA1. <b>1992</b> , 12, 996-1006	62
976	Administration of excitatory amino acid antagonists via microdialysis attenuates the increase in glucose utilization seen following concussive brain injury. <b>1992</b> , 12, 12-24	216
975	Changes in neuropeptide Y after experimental traumatic brain injury in the rat. <b>1992</b> , 12, 697-702	16
974	Traumatic brain injury-induced excitotoxicity assessed in a controlled cortical impact model. <b>1993</b> , 61, 2015-24	336
973	Mild experimental brain injury in the rat induces cognitive deficits associated with regional neuronal loss in the hippocampus. <b>1993</b> , 10, 405-14	299
972	Nuclear magnetic resonance characterization of secondary mechanisms following traumatic brain injury. <b>1993</b> , 18, 279-97	25
971	Concussive brain injury is associated with a prolonged accumulation of calcium: a <sup>45</sup> Ca autoradiographic study. <b>1993</b> , 624, 94-102	286
970	The nootropic compound BMY-21502 improves spatial learning ability in brain injured rats. <b>1993</b> , 624, 199-208	33
969	Biochemical and histological alterations induced by fluid percussion brain injury in the rat. <b>1993</b> , 620, 24-31	62
968	Prevention by eliprodil (SL 82.0715) of traumatic brain damage in the rat. Existence of a large (18 h) therapeutic window. <b>1993</b> , 620, 32-41	80

967	Estrogen improves biochemical and neurologic outcome following traumatic brain injury in male rats, but not in females. <b>1993</b> , 608, 95-100	181
966	Traumatic brain injury produces impairments in long-term and recent memory. <b>1993</b> , 614, 29-36	39
965	Imidazole-substituted analogues of TRH limit behavioral deficits after experimental brain trauma. <b>1993</b> , 10, 101-8	23
964	Magnesium and ketamine attenuate cognitive dysfunction following experimental brain injury. <b>1993</b> , 157, 211-4	118
963	Selective loss of neurons from the thalamic reticular nucleus following severe human head injury. <b>1993</b> , 10, 151-65	85
962	Lactated Ringer's solution alleviates brain trauma-precipitated lactic acidosis in hemorrhagic shock. <b>1993</b> , 10, 307-13	6
961	Comparison of single and combination drug treatment strategies in experimental brain trauma. <b>1993</b> , 10, 91-100	53
960	Beneficial effect of the nonselective opiate antagonist naloxone hydrochloride and the thyrotropin-releasing hormone (TRH) analog YM-14673 on long-term neurobehavioral outcome following experimental brain injury in the rat. <b>1993</b> , 10, 373-84	30
959	Regional patterns of blood-brain barrier breakdown following central and lateral fluid percussion injury in rodents. <b>1993</b> , 10, 415-30	109
958	Effects of the excitatory amino acid receptor antagonists kynurenate and indole-2-carboxylic acid on behavioral and neurochemical outcome following experimental brain injury. <b>1993</b> , 13, 5383-92	121
957	Fluid percussion injury causes loss of forebrain choline acetyltransferase and nerve growth factor receptor immunoreactive cells in the rat. <b>1994</b> , 11, 379-92	83
956	Hippocampal pathology in fatal human head injury without high intracranial pressure. <b>1994</b> , 11, 317-24	62
955	Early microvascular and neuronal consequences of traumatic brain injury: a light and electron microscopic study in rats. <b>1994</b> , 11, 289-301	305
954	Bioenergetic analysis of oxidative metabolism following traumatic brain injury in rats. <b>1994</b> , 11, 265-74	54
953	(S)-emopamil attenuates acute reduction in regional cerebral blood flow following experimental brain injury. <b>1994</b> , 11, 83-95	27
952	Animate models of human head injury. <b>1994</b> , 11, 357-68	241
951	Lateral cortical impact injury in rats: cerebrovascular effects of varying depth of cortical deformation and impact velocity. <b>1994</b> , 11, 573-85	95
950	A new model of diffuse brain injury in rats. Part I: Pathophysiology and biomechanics. <b>1994</b> , 80, 291-300	835

949	Different cerebral hemodynamic responses following fluid percussion brain injury in the newborn and juvenile pig. <b>1994</b> , 11, 487-97	138
948	Lateral cortical impact injury in rats: pathologic effects of varying cortical compression and impact velocity. <b>1994</b> , 11, 587-97	107
947	Post-traumatic brain hypothermia reduces histopathological damage following concussive brain injury in the rat. <b>1994</b> , 87, 250-8	261
946	Inhibition of phospholipase C with neomycin improves metabolic and neurologic outcome following traumatic brain injury. <b>1994</b> , 668, 46-53	12
945	The role of opioids in newborn pig fluid percussion brain injury. <b>1994</b> , 660, 19-26	36
944	N-methyl-D-aspartate receptors mediate post-traumatic increases of protein kinase C in rat brain. <b>1994</b> , 661, 63-9	20
943	Dissociation of adenosine levels from bioenergetic state in experimental brain trauma: potential role in secondary injury. <b>1994</b> , 14, 853-61	63
942	A new model of diffuse brain injury in rats. Part II: Morphological characterization. <b>1994</b> , 80, 301-13	409
941	Kynurenate is neuroprotective following experimental brain injury in the rat. <b>1994</b> , 655, 91-6	74
940	Increased expression of mRNA encoding calbindin-D28K, the glucose-regulated proteins, or the 72 kDa heat-shock protein in three models of acute CNS injury. <b>1994</b> , 22, 299-308	103
939	Persistent memory dysfunction is associated with bilateral hippocampal damage following experimental brain injury. <b>1994</b> , 168, 151-4	111
938	Histopathologic consequences of moderate concussion in an animal model: correlations with duration of unconsciousness. <b>1994</b> , 11, 657-67	50
937	Workshop on animal models of traumatic brain injury. <b>1994</b> , 11, 723-32	109
936	Diffusion-weighted imaging differentiates ischemic tissue from traumatized tissue. <b>1994</b> , 25, 843-8	95
935	Regional Cerebral Blood Flow After Controlled Cortical Impact Injury in Rats. <b>1995</b> , 80, 687-695	1
934	Measurement of vascular permeability in spinal cord using Evans Blue spectrophotometry and correction for turbidity. <b>1995</b> , 58, 167-71	23
933	Efficacy of competitive vs noncompetitive blockade of the NMDA channel following traumatic brain injury. <b>1995</b> , 24, 137-50	17
932	Regional induction of c-fos and heat shock protein-72 mRNA following fluid-percussion brain injury in the rat. <b>1995</b> , 15, 467-73	62

931	Effects of mu opioid agonist and antagonist on neurological outcome following traumatic brain injury in the rat. <b>1995</b> , 29, 11-9	13
930	Interleukin-1 receptor antagonist inhibits neuronal damage caused by fluid percussion injury in the rat. <b>1995</b> , 671, 261-6	227
929	Neuroprotective effects of 619C89, a use-dependent sodium channel blocker, in rat traumatic brain injury. <b>1995</b> , 673, 133-40	69
928	Lactate accumulation following concussive brain injury: the role of ionic fluxes induced by excitatory amino acids. <b>1995</b> , 674, 196-204	165
927	Temporal response and effects of excitatory amino acid antagonism on microtubule-associated protein 2 immunoreactivity following experimental brain injury in rats. <b>1995</b> , 678, 151-60	94
926	The AMPA antagonist NBQX protects thalamic reticular neurons from degeneration following cardiac arrest in rats. <b>1995</b> , 683, 117-28	12
925	Relationship between opioids and activation of phospholipase C and protein kinase C in brain injury induced pial artery vasoconstriction. <b>1995</b> , 689, 183-8	11
924	Pretreatment with antisense oligodeoxynucleotides directed against the NMDA-R1 receptor enhances survival and behavioral recovery following traumatic brain injury in rats. <b>1995</b> , 693, 163-8	47
923	Activation of phosphatidylinositol bisphosphate signal transduction pathway after experimental brain injury: a lipid study. <b>1995</b> , 698, 100-6	46
922	Metabotropic glutamate antagonist, MCPG, treatment of traumatic brain injury in rats. <b>1995</b> , 700, 299-302	56
921	Inflammatory leukocytic recruitment and diffuse neuronal degeneration are separate pathological processes resulting from traumatic brain injury. <b>1995</b> , 15, 8223-33	312
920	Biomechanical analysis of experimental diffuse axonal injury. <b>1995</b> , 12, 689-94	197
919	Impact acceleration-induced severe diffuse axonal injury in rats: characterization of phosphate metabolism and neurologic outcome. <b>1995</b> , 12, 1027-34	59
918	Posttraumatic brain hypothermia provides protection from sensorimotor and cognitive behavioral deficits. <b>1995</b> , 12, 289-98	138
917	New magnetic resonance imaging techniques for the evaluation of traumatic brain injury. <b>1995</b> , 12, 573-7	57
916	Regional concentrations of cyclic nucleotides after experimental brain injury. <b>1995</b> , 12, 1035-43	13
915	Fetal hippocampal transplants attenuate CA3 pyramidal cell death resulting from fluid percussion brain injury in the rat. <b>1995</b> , 12, 1059-67	51
914	Effect of hypoxia or hyperbaric oxygen on cerebral edema following moderate fluid percussion or cortical impact injury in rats. <b>1995</b> , 12, 77-85	21

913	Superoxide dismutase improves posttraumatic cortical blood flow in rats. <b>1995</b> , 12, 179-88	31
912	Changes in gene expression following traumatic brain injury in the rat. <b>1995</b> , 12, 779-90	70
911	The effect of acute cocaine or lidocaine on behavioral function following fluid percussion brain injury in rats. <b>1995</b> , 12, 87-97	15
910	Regional cerebral blood flow after controlled cortical impact injury in rats. <b>1995</b> , 80, 687-95	101
909	Effects of acute ethanol intoxication on experimental brain injury in the rat: neurobehavioral and phosphorus-31 nuclear magnetic resonance spectroscopy studies. <b>1995</b> , 82, 813-21	31
908	Experimental brain injury induces expression of interleukin-1 beta mRNA in the rat brain. <b>1995</b> , 30, 125-30	189
907	Differential consequences of lateral and central fluid percussion brain injury on receptor coupling in rat hippocampus. <b>1995</b> , 12, 1045-57	32
906	Rational design of an animal model for Alzheimer's disease: introduction of multiple human genomic transgenes to reproduce AD pathology in a rodent. <b>1996</b> , 17, 173-82	25
905	Traumatic brain injury of the forelimb and hindlimb sensorimotor areas in the rat: physiological, histological and behavioral correlates. <b>1996</b> , 79, 79-92	64
904	Experimental brain injury induces differential expression of tumor necrosis factor-alpha mRNA in the CNS. <b>1996</b> , 36, 287-91	209
903	Regionally and temporally distinct patterns of induction of c-fos, c-jun and junB mRNAs following experimental brain injury in the rat. <b>1996</b> , 37, 134-44	66
902	Indeloxazine hydrochloride improves impairment of passive avoidance performance after fluid percussion brain injury in rats. <b>1996</b> , 35, 329-36	15
901	The effect of postinjury administration of polyethylene glycol-conjugated superoxide dismutase (pegorgotein, Dismutec) or lidocaine on behavioral function following fluid-percussion brain injury in rats. <b>1996</b> , 13, 325-32	42
900	Effect of difluoromethylornithine treatment on regional ornithine decarboxylase activity and edema formation after experimental brain injury. <b>1996</b> , 13, 85-92	27
899	Calpain inhibitor AK295 attenuates motor and cognitive deficits following experimental brain injury in the rat. <b>1996</b> , 93, 3428-33	192
898	Activation of metabotropic glutamate receptor subtype mGluR1 contributes to post-traumatic neuronal injury. <b>1996</b> , 16, 6012-20	107
897	Fluid percussion brain injury in the developing and adult rat: a comparative study of mortality, morphology, intracranial pressure and mean arterial blood pressure. <b>1996</b> , 95, 272-82	145
896	Alterations in brain protein kinase C after experimental brain injury. <b>1996</b> , 714, 19-26	24

895	Temporal and spatial characterization of neuronal injury following lateral fluid-percussion brain injury in the rat. <b>1996</b> , 91, 236-46	244
894	Delayed, selective neuronal death following experimental cortical impact injury in rats: possible role in memory deficits. <b>1996</b> , 739, 111-9	172
893	Apoptotic morphology of dentate gyrus granule cells following experimental cortical impact injury in rats: possible role in spatial memory deficits. <b>1996</b> , 739, 120-31	189
892	Chronic, post-injury administration of D-cycloserine, an NMDA partial agonist, enhances cognitive performance following experimental brain injury. <b>1996</b> , 741, 246-51	55
891	A critical assessment of noise-induced errors in 31P MRS: application to the measurement of free intracellular magnesium in vivo. <b>1996</b> , 35, 174-85	17
890	Immunohistochemistry of tyrosine and dopamine- $\beta$ -hydroxylases after experimental brain injury in the rat. <b>1996</b> , 18, 79-85	2
889	Brain injury-induced enhanced limbic epileptogenesis: anatomical and physiological parallels to an animal model of temporal lobe epilepsy. <b>1996</b> , 26, 81-91	82
888	Mild posttraumatic hypothermia reduces mortality after severe controlled cortical impact in rats. <b>1996</b> , 16, 253-61	128
887	A new approach for the electrophoretic detection of apoptosis. <b>1996</b> , 24, 4092-3	30
886	Diminished microtubule-associated protein 2 (MAP2) immunoreactivity following cortical impact brain injury. <b>1996</b> , 13, 125-37	73
885	Laser-Doppler flowmetry measurements of subcortical blood flow changes after fluid percussion brain injury in rats. <b>1996</b> , 13, 149-62	19
884	MK-801 reduces retinal ganglion cell survival but improves visual performance after controlled optic nerve crush. <b>1996</b> , 13, 791-800	31
883	Riluzole, a novel neuroprotective agent, attenuates both neurologic motor and cognitive dysfunction following experimental brain injury in the rat. <b>1996</b> , 13, 767-80	71
882	Detection of acute pathologic changes following experimental traumatic brain injury using diffusion-weighted magnetic resonance imaging. <b>1996</b> , 13, 515-21	64
881	Magnetic resonance imaging-monitored acute blood-brain barrier changes in experimental traumatic brain injury. <b>1996</b> , 85, 1113-21	158
880	Continuous multiparametric monitoring of brain activities following fluid-percussion injury in rats: preliminary results. <b>1996</b> , 7, 23-43	26
879	Posttreatment with intravenous basic fibroblast growth factor reduces histopathological damage following fluid-percussion brain injury in rats. <b>1996</b> , 13, 309-16	78
878	Combined fetal neural transplantation and nerve growth factor infusion: effects on neurological outcome following fluid-percussion brain injury in the rat. <b>1996</b> , 84, 655-62	69



877	A new experimental model of contusion in the rat. Histopathological analysis and temporal patterns of cerebral blood flow disturbances. <b>1996</b> , 85, 860-70	14
876	A model of diffuse traumatic brain injury in the immature rat. <b>1996</b> , 85, 877-84	85
875	Effect of hemodilution with diaspirin cross-linked hemoglobin on intracranial pressure, cerebral perfusion pressure, and fluid requirements after head injury and shock. <b>1997</b> , 86, 131-8	12
874	Lack of delayed effects of amphetamine, methoxamine, and prazosin (adrenergic drugs) on behavioral outcome after lateral fluid percussion brain injury in the rat. <b>1997</b> , 14, 327-37	9
873	Delayed administration of basic fibroblast growth factor (bFGF) attenuates cognitive dysfunction following parasagittal fluid percussion brain injury in the rat. <b>1997</b> , 14, 191-200	63
872	An in vitro model of traumatic neuronal injury: loading rate-dependent changes in acute cytosolic calcium and lactate dehydrogenase release. <b>1997</b> , 14, 355-68	117
871	Time course of cerebral edema after traumatic brain injury in rats: effects of riluzole and mannitol. <b>1997</b> , 14, 839-49	89
870	Clinical neuro-protection trials in severe traumatic brain injury: lessons from previous studies. <b>1997</b> , 14, 71-80	96
869	Progressive atrophy and neuron death for one year following brain trauma in the rat. <b>1997</b> , 14, 715-27	365
868	High-resolution <sup>1</sup> H NMR spectroscopy following experimental brain trauma. <b>1997</b> , 14, 441-9	32
867	Effects of six weeks of chronic ethanol administration on lactic acid accumulation and high energy phosphate levels after experimental brain injury in rats. <b>1997</b> , 14, 919-30	7
866	Extracellular release of serotonin following fluid-percussion brain injury in rats. <b>1997</b> , 14, 35-42	45
865	Effects of the novel NMDA antagonists CP-98,113, CP-101,581 and CP-101,606 on cognitive function and regional cerebral edema following experimental brain injury in the rat. <b>1997</b> , 14, 211-22	56
864	Morris water maze deficits in rats following traumatic brain injury: lateral controlled cortical impact. <b>1997</b> , 14, 615-27	198
863	Metabolic quantification of lesion volume following experimental traumatic brain injury in the rat. <b>1997</b> , 14, 15-22	44
862	Activation of CPP32-like caspases contributes to neuronal apoptosis and neurological dysfunction after traumatic brain injury. <b>1997</b> , 17, 7415-24	515
861	Motor and cognitive functional deficits following diffuse traumatic brain injury in the immature rat. <b>1997</b> , 14, 99-108	103
860	Whole body metabolic responses to brain trauma in the rat. <b>1997</b> , 14, 399-408	15

859	Improvement of cognitive deficits and decreased cholinergic neuronal cell loss and apoptotic cell death following neurotrophin infusion after experimental traumatic brain injury. <b>1997</b> , 86, 511-8		124
858	Fluid percussion injury causes disruption of the septohippocampal pathway in the rat. <b>1997</b> , 143, 177-87		16
857	Insulin-like growth factor-1 (IGF-1) improves both neurological motor and cognitive outcome following experimental brain injury. <b>1997</b> , 147, 418-27		148
856	Alterations in BDNF and NT-3 mRNAs in rat hippocampus after experimental brain trauma. <b>1997</b> , 48, 401-6		121
855	Altered glutamatergic transmission in neurological disorders: from high extracellular glutamate to excessive synaptic efficacy. <b>1997</b> , 51, 39-87		262
854	Remacemide hydrochloride reduces cortical lesion volume following brain trauma in the rat. <b>1997</b> , 231, 135-8		23
853	A calpain inhibitor attenuates cortical cytoskeletal protein loss after experimental traumatic brain injury in the rat. <i>Neuroscience</i> , <b>1997</b> , 77, 875-88	3.9	150
852	Instantaneous perturbation of dentate interneuronal networks by a pressure wave-transient delivered to the neocortex. <b>1997</b> , 17, 8106-17		191
851	Temporal and regional profiles of cytoskeletal protein accumulation in the rat brain following traumatic brain injury. <b>1997</b> , 51, 157-65		5
850	Clinical trials in traumatic brain injury. What can we learn from previous studies?. <b>1997</b> , 825, 305-22		50
849	Blood glucose concentration does not affect outcome in brain trauma: A 31P MRS study. <b>1997</b> , 17, 50-3		31
848	Early white blood cell dynamics after traumatic brain injury: effects on the cerebral microcirculation. <b>1997</b> , 17, 1210-20		64
847	Decrease in cerebral free magnesium concentration following closed head injury and effects of VA-045 in rats. <b>1997</b> , 28, 119-21		20
846	Riluzole reduces brain lesions and improves neurological function in rats after a traumatic brain injury. <b>1997</b> , 756, 247-55		66
845	Hippocampally dependent and independent chronic spatial navigational deficits following parasagittal fluid percussion brain injury in the rat. <b>1997</b> , 762, 195-202		69
844	d-Amphetamine attenuates decreased cerebral glucose utilization after unilateral sensorimotor cortex contusion in rats. <b>1997</b> , 777, 42-50		40
843	Serum extravasation and cytoskeletal alterations following traumatic brain injury in rats. Comparison of lateral fluid percussion and cortical impact models. <b>1997</b> , 32, 1-16		60
842	Chronic histopathological consequences of fluid-percussion brain injury in rats: effects of post-traumatic hypothermia. <b>1997</b> , 93, 190-9		161

841	The time course and regional variations of lipid peroxidation after diffuse brain injury in rats. <b>1997</b> , 139, 464-8		27
840	BCL-2 overexpression attenuates cortical cell loss after traumatic brain injury in transgenic mice. <b>1998</b> , 18, 1259-69		114
839	Effects of the NMDA antagonist CP-98,113 on regional cerebral edema and cardiovascular, cognitive, and neurobehavioral function following experimental brain injury in the rat. <b>1998</b> , 792, 291-8		48
838	Indomethacin attenuates early increases in inducible heat shock protein 70 after cerebral ischemia/reperfusion in piglets. <b>1998</b> , 105, 125-135		7
837	Riluzole attenuates cortical lesion size, but not hippocampal neuronal loss, following traumatic brain injury in the rat. <b>1998</b> , 52, 342-9		69
836	Traumatic brain injury causes delayed motor and cognitive impairment in a mutant mouse strain known to exhibit delayed Wallerian degeneration. <b>1998</b> , 53, 718-27		44
835	Experimental traumatic cerebral contusion: morphological study of brain microvessels and characterization of the oedema. <b>1998</b> , 140, 76-81		17
834	Modelling recovery of cognitive function after traumatic brain injury: spatial navigation in the Morris water maze after complete or partial transections of the perforant path in rats. <b>1998</b> , 96, 13-35		23
833	Expression of trkB mRNA is altered in rat hippocampus after experimental brain trauma. <b>1998</b> , 59, 264-8		34
832	Enduring cognitive, neurobehavioral and histopathological changes persist for up to one year following severe experimental brain injury in rats. <i>Neuroscience</i> , <b>1998</b> , 87, 359-69	3-9	311
831	Interleukin-10 improves outcome and alters proinflammatory cytokine expression after experimental traumatic brain injury. <b>1998</b> , 153, 143-51		211
830	Sustained sensory/motor and cognitive deficits with neuronal apoptosis following controlled cortical impact brain injury in the mouse. <b>1998</b> , 15, 599-614		266
829	Adaptation of the fluid percussion injury model to the mouse. <b>1998</b> , 15, 217-29		130
828	Effect of traumatic brain injury on mouse spatial and nonspatial learning in the Barnes circular maze. <b>1998</b> , 15, 1037-46		102
827	In vitro central nervous system models of mechanically induced trauma: a review. <b>1998</b> , 15, 911-28		166
826	Reduced reactivity of the middle cerebral artery and its large branches after cold lesion. <b>1998</b> , 15, 1067-75		6
825	Brain injury impairs prostaglandin cerebrovasodilation. <b>1998</b> , 15, 721-9		34
824	Traumatic brain injury in the developing rat: effects of maturation on Morris water maze acquisition. <b>1998</b> , 15, 799-811		84

823	The neuronal cytoskeleton is at risk after mild and moderate brain injury. <b>1998</b> , 15, 1047-58	119
822	Experimental brain injury induces regionally distinct apoptosis during the acute and delayed post-traumatic period. <b>1998</b> , 18, 5663-72	461
821	Role of endothelin-1 in age-dependent cerebrovascular hypotensive responses after brain injury. <b>1999</b> , 277, H1884-94	19
820	Novel TRH analog improves motor and cognitive recovery after traumatic brain injury in rodents. <b>1999</b> , 277, R1196-204	25
819	Enhancement of AMPA-mediated current after traumatic injury in cortical neurons. <b>1999</b> , 19, 7367-74	92
818	Diffusion and perfusion magnetic resonance imaging following closed head injury in rats. <b>1999</b> , 16, 1165-76	61
817	Survival and integration of transplanted postmitotic human neurons following experimental brain injury in immunocompetent rats. <b>1999</b> , 90, 116-24	63
816	Terminally differentiated human neurons survive and integrate following transplantation into the traumatically injured rat brain. <b>1999</b> , 16, 403-14	47
815	Site-specific cleavage of 28S rRNA as a marker of traumatic brain injury. <b>1999</b> , 16, 357-64	6
814	Sequential changes in glial fibrillary acidic protein and gene expression following parasagittal fluid-percussion brain injury in rats. <b>1999</b> , 16, 567-81	46
813	Effects of an N-type calcium channel antagonist (SNX 111; Ziconotide) on calcium-45 accumulation following fluid-percussion injury. <b>1999</b> , 16, 879-92	36
812	Prolonged activation of NF-kappaB following traumatic brain injury in rats. <b>1999</b> , 16, 1023-34	142
811	Alterations in BDNF and trkB mRNA levels in the cerebral cortex following experimental brain trauma in rats. <b>1999</b> , 16, 501-10	51
810	Metabotropic glutamate receptor protein alterations after traumatic brain injury in rats. <b>1999</b> , 16, 893-902	24
809	One-year study of spatial memory performance, brain morphology, and cholinergic markers after moderate controlled cortical impact in rats. <b>1999</b> , 16, 109-22	234
808	Expression of brain-derived neurotrophic factor, nerve growth factor, and heat shock protein HSP70 following fluid percussion brain injury in rats. <b>1999</b> , 16, 471-86	68
807	P-selectin blockade following fluid-percussion injury: behavioral and immunochemical sequelae. <b>1999</b> , 16, 13-25	27
806	Differential acute and chronic responses of tumor necrosis factor-deficient mice to experimental brain injury. <b>1999</b> , 96, 8721-6	337

805	Increased vulnerability of NFH-LacZ transgenic mouse to traumatic brain injury-induced behavioral deficits and cortical damage. <b>1999</b> , 19, 762-70	44
804	Interleukin-1 receptor antagonist attenuates regional neuronal cell death and cognitive dysfunction after experimental brain injury. <b>1999</b> , 19, 1118-25	85
803	Regional and temporal characterization of neuronal, glial, and axonal response after traumatic brain injury in the mouse. <b>1999</b> , 98, 396-406	88
802	Early neuronal expression of tumor necrosis factor-alpha after experimental brain injury contributes to neurological impairment. <b>1999</b> , 95, 115-25	214
801	Apoptosis and expression of p53 response proteins and cyclin D1 after cortical impact in rat brain. <b>1999</b> , 818, 23-33	115
800	Cerebral hemodynamics after traumatic brain injury of immature brain. <b>1999</b> , 51, 137-42	16
799	Concurrent loss and proliferation of astrocytes following lateral fluid percussion brain injury in the adult rat. <b>1999</b> , 57, 271-9	37
798	Changes of cerebral energy metabolism and lipid peroxidation in rats leading to mitochondrial dysfunction after diffuse brain injury. <b>1999</b> , 16, 903-13	101
797	Sequential pharmacotherapy with magnesium chloride and basic fibroblast growth factor after fluid percussion brain injury results in less neuromotor efficacy than that achieved with magnesium alone. <b>1999</b> , 16, 311-21	29
796	The consequences of traumatic brain injury on cerebral blood flow and autoregulation: a review. <b>1999</b> , 21, 299-332	113
795	Cellular reactivity to mechanical axonal injury in an organotypic in vitro model of neurotrauma. <b>1999</b> , 16, 1197-213	18
794	Immediate in vivo response of the cortex and the blood-brain barrier following dynamic cortical deformation in the rat. <b>1999</b> , 259, 5-8	31
793	The tumor-suppressor gene, p53, is induced in injured brain regions following experimental traumatic brain injury. <b>1999</b> , 71, 78-86	82
792	Severity of experimental brain injury on lactate and free fatty acid accumulation and Evans blue extravasation in the rat cortex and hippocampus. <b>1999</b> , 16, 455-69	36
791	Genetic approaches to neurotrauma research: opportunities and potential pitfalls of murine models. <b>1999</b> , 157, 19-42	130
790	Postinjury magnesium treatment attenuates traumatic brain injury-induced cortical induction of p53 mRNA in rats. <b>1999</b> , 159, 584-93	30
789	Mild experimental brain injury differentially alters the expression of neurotrophin and neurotrophin receptor mRNAs in the hippocampus. <b>1999</b> , 160, 469-78	90
788	Combined fetal neural transplantation and nerve growth factor infusion: effects on neurological outcome following fluid-percussion brain injury in the rat. <b>1999</b> , 7, E5	2

787	Glucocorticoids modulate BDNF mRNA expression in the rat hippocampus after traumatic brain injury. <b>2000</b> , 11, 3381-4	36
786	Bilateral growth-related protein expression suggests a transient increase in regenerative potential following brain trauma. <b>2000</b> , 424, 521-531	49
785	Animal models of stroke: Compromise between consistency and clinical relevance?. <b>2000</b> , 26, 161-172	8
784	The rotating pole test: evaluation of its effectiveness in assessing functional motor deficits following experimental head injury in the rat. <b>2000</b> , 95, 75-82	41
783	Behavioral efficacy of posttraumatic calpain inhibition is not accompanied by reduced spectrin proteolysis, cortical lesion, or apoptosis. <b>2000</b> , 20, 66-73	46
782	Importance of posttraumatic hypothermia and hyperthermia on the inflammatory response after fluid percussion brain injury: biochemical and immunocytochemical studies. <b>2000</b> , 20, 531-42	180
781	Expression of Fas and Fas ligand after experimental traumatic brain injury in the rat. <b>2000</b> , 20, 669-77	104
780	Quantitative assessment of longitudinal metabolic changes in vivo after traumatic brain injury in the adult rat using FDG-microPET. <b>2000</b> , 20, 1492-501	124
779	Granule cell hyperexcitability in the early post-traumatic rat dentate gyrus: the 'irritable mossy cell' hypothesis. <b>2000</b> , 524 Pt 1, 117-34	152
778	Age-Dependent Cerebral Hemodynamic Effects of Traumatic Brain Injury in Newborn and Juvenile Pigs. <b>2000</b> , 7, 225-235	40
777	Local neutrophil influx following lateral fluid-percussion brain injury in rats is associated with accumulation of complement activation fragments of the third component (C3) of the complement system. <b>2000</b> , 105, 20-30	61
776	Chronic failure in the maintenance of long-term potentiation following fluid percussion injury in the rat. <b>2000</b> , 861, 69-76	102
775	Brain lactate uptake increases at the site of impact after traumatic brain injury. <b>2000</b> , 861, 281-7	53
774	Vasopressin impairs K(ATP) and K(ca) channel function after brain injury. <b>2000</b> , 887, 406-12	10
773	Models of Traumatic Brain Injury. <b>2000</b> , 26, 95-110	51
772	A novel brain trauma model in the mouse: effects of dexamethasone treatment. <b>2000</b> , 441, 409-15	15
771	Selective depolarization of interneurons in the early posttraumatic dentate gyrus: involvement of the Na(+)/K(+)-ATPase. <b>2000</b> , 83, 2916-30	114
770	NOC/oFQ contributes to age-dependent impairment of NMDA-induced cerebrovasodilation after brain injury. <b>2000</b> , 279, H2188-95	14

769	Traumatic brain injury alters the molecular fingerprint of TUNEL-positive cortical neurons In vivo: A single-cell analysis. <b>2000</b> , 20, 4821-8		71
768	Prolonged cyclooxygenase-2 induction in neurons and glia following traumatic brain injury in the rat. <b>2000</b> , 17, 695-711		105
767	Long-term dysfunction following diffuse traumatic brain injury in the immature rat. <b>2000</b> , 17, 273-82		68
766	Postinjury treatment with magnesium chloride attenuates cortical damage after traumatic brain injury in rats. <b>2000</b> , 17, 1029-39		74
765	The novel compound LOE 908 attenuates acute neuromotor dysfunction but not cognitive impairment or cortical tissue loss following traumatic brain injury in rats. <b>2000</b> , 17, 83-91		20
764	Microdialysis-based long-term measurements of energy-related metabolites in the rat brain following a fluid percussion trauma. <b>2000</b> , 17, 441-7		27
763	Cerebral metabolic response to traumatic brain injury sustained early in development: a 2-deoxy-D-glucose autoradiographic study. <b>2000</b> , 17, 649-65		88
762	Diffusion and high resolution MRI of traumatic brain injury in rats: time course and correlation with histology. <b>2000</b> , 162, 61-72		91
761	NPS 1506 attenuates cognitive dysfunction and hippocampal neuron death following brain trauma in the rat. <b>2000</b> , 166, 442-9		18
760	Role of NOC/oFQ in impaired opioid-induced pial artery dilation following brain injury. <b>2000</b> , 869, 231-5		10
759	Brain-derived neurotrophic factor administration after traumatic brain injury in the rat does not protect against behavioral or histological deficits. <i>Neuroscience</i> , <b>2000</b> , 99, 483-93	3.9	66
758	Dose-response curve and optimal dosing regimen of cyclosporin A after traumatic brain injury in rats. <i>Neuroscience</i> , <b>2000</b> , 101, 289-95	3.9	126
757	Role of altered cyclooxygenase metabolism in impaired cerebrovasodilation to nociceptin/orphanin FQ following brain injury. <b>2000</b> , 53, 807-12		9
756	Effects of chronic ethanol administration on expression of BDNF and trkB mRNAs in rat hippocampus after experimental brain injury. <b>2000</b> , 79, 174-9		17
755	Role of nociceptin/orphanin FQ in age-dependent cerebral hemodynamic effects of brain injury. <b>2000</b> , 17, 751-64		18
754	Assessment of Agents for the Treatment of Head Injury. <b>2000</b> , 13, 139-154		10
753	Real-time monitoring of glutamate following fluid percussion brain injury with hypoxia in the rat. <b>2000</b> , 17, 143-53		55
752	Current concepts: diffuse axonal injury-associated traumatic brain injury. <b>2001</b> , 82, 1461-71		411

751	Overview of the Current Animal Models for Human Seizure and Epileptic Disorders. <b>2001</b> , 2, 201-216		136
750	Effect of serine protease inhibitors on posttraumatic brain injury and neuronal apoptosis. <b>2001</b> , 167, 366-75		23
749	Selective blockade of the mGluR1 receptor reduces traumatic neuronal injury in vitro and improves Outcome after brain trauma. <b>2001</b> , 167, 435-44		81
748	Group I metabotropic glutamate antagonist reduces acute neuronal degeneration and behavioral deficits after traumatic brain injury in rats. <b>2001</b> , 169, 191-9		54
747	Assessment of sensorimotor and cognitive deficits induced by a moderate traumatic injury in the right parietal cortex of the rat. <b>2001</b> , 8, 1082-93		51
746	Age dependent endothelin contribution to NOC/oFQ induced impairment of NMDA cerebrovasodilation after brain injury. <b>2001</b> , 22, 39-46		26
745	Differential immunoreactivity for alpha-actinin-2, an N-methyl-D-aspartate-receptor/actin binding protein, in hippocampal interneurons. <i>Neuroscience</i> , <b>2001</b> , 103, 337-49	3.9	20
744	Age-dependency of <sup>45</sup> calcium accumulation following lateral fluid percussion: acute and delayed patterns. <b>2001</b> , 18, 141-62		135
743	Pharmacologic inhibition of poly(ADP-ribose) polymerase is neuroprotective following traumatic brain injury in rats. <b>2001</b> , 18, 369-76		119
742	Neuroprotective and behavioral efficacy of nerve growth factor-transfected hippocampal progenitor cell transplants after experimental traumatic brain injury. <b>2001</b> , 94, 765-74		89
741	Traumatic Brain Injury in the Rat Using the Fluid-Percussion Model. <b>2001</b> , 6, 9.2.1		
740	Posttraumatic hypothermia is neuroprotective in a model of traumatic brain injury complicated by a secondary hypoxic insult. <b>2001</b> , 29, 2060-6		80
739	Vasopressin-induced protein kinase C-dependent superoxide generation contributes to atp-sensitive potassium channel but not calcium-sensitive potassium channel function impairment after brain injury. <b>2001</b> , 32, 1408-14		37
738	[Possible mechanisms in latent learning formation investigated by using mutant mice]. <b>2001</b> , 117, 169-76		2
737	A new model of localized ischemia in rat somatosensory cortex produced by cortical compression. <b>2001</b> , 32, 2615-23		25
736	Immunomorphological sequelae of severe brain injury induced by fluid-percussion in juvenile pigs--effects of mild hypothermia. <b>2001</b> , 101, 424-34		33
735	Changes in mACh, NMDA and GABA(A) receptor binding after lateral fluid-percussion injury: in vitro autoradiography of rat brain frozen sections. <b>2001</b> , 78, 417-23		41
734	The effects of early relational trauma on right brain development, affect regulation, and infant mental health. <b>2001</b> , 22, 201-269		610



733	Upregulation of ICAM-1 and MCP-1 but not of MIP-2 and sensorimotor deficit in response to traumatic axonal injury in rats. <b>2001</b> , 63, 438-46	79
732	Long-term hyperexcitability in the hippocampus after experimental head trauma. <b>2001</b> , 50, 708-17	195
731	Neurobehavioral assessment of outcome following traumatic brain injury in rats: an evaluation of selected measures. <b>2001</b> , 18, 1207-16	139
730	The maxi-K channel opener BMS-204352 attenuates regional cerebral edema and neurologic motor impairment after experimental brain injury. <b>2001</b> , 21, 396-403	66
729	Glucocorticoids modulate the NGF mRNA response in the rat hippocampus after traumatic brain injury. <b>2001</b> , 892, 386-90	28
728	Vasopressin induced cyclooxygenase dependent superoxide generation contributes to K(+) channel function impairment after brain injury. <b>2001</b> , 910, 19-28	30
727	DNase I disinhibition is predominantly associated with actin hyperpolymerization after traumatic brain injury. <b>2001</b> , 77, 173-81	13
726	Acute cytoskeletal alterations and cell death induced by experimental brain injury are attenuated by magnesium treatment and exacerbated by magnesium deficiency. <b>2001</b> , 60, 183-94	53
725	Age-Dependent vasopressinergic modulation of Noc/oFQ-induced impairment of NMDA cerebrovasodilation after brain injury. <b>2001</b> , 18, 615-23	12
724	Injury severity and sensitivity to treatment after controlled cortical impact in rats. <b>2001</b> , 18, 175-86	24
723	Mild head injury increasing the brain's vulnerability to a second concussive impact. <b>2001</b> , 95, 859-70	233
722	Subtle alterations in NMDA-stimulated cyclic GMP levels following lateral fluid percussion brain injury. <b>2001</b> , 18, 47-55	4
721	Free radical scavenger posttreatment improves functional and morphological outcome after fluid percussion injury in the rat. <b>2001</b> , 18, 821-32	72
720	Small shifts in craniotomy position in the lateral fluid percussion injury model are associated with differential lesion development. <b>2001</b> , 18, 839-47	71
719	Endothelin-Induced cyclooxygenase-dependent superoxide generation contributes to K+ channel functional impairment after brain injury. <b>2001</b> , 18, 1039-48	22
718	Mapping cerebral glucose metabolism during spatial learning: interactions of development and traumatic brain injury. <b>2001</b> , 18, 31-46	44
717	Infusion of prostacyclin following experimental brain injury in the rat reduces cortical lesion volume. <b>2001</b> , 18, 275-85	45
716	The hypothalamo-pituitary-adrenal axis response to experimental traumatic brain injury. <b>2001</b> , 18, 1373-81	46

715	Craniectomy position affects morris water maze performance and hippocampal cell loss after parasagittal fluid percussion. <b>2002</b> , 19, 303-16	96
714	Genes preferentially induced by depolarization after concussive brain injury: effects of age and injury severity. <b>2002</b> , 19, 387-402	52
713	Multiple caspases are activated after traumatic brain injury: evidence for involvement in functional outcome. <b>2002</b> , 19, 1155-70	96
712	Cyclosporin A improves brain tissue oxygen consumption and learning/memory performance after lateral fluid percussion injury in rats. <b>2002</b> , 19, 829-41	104
711	Relationship between NOC/oFQ, dynorphin, and COX-2 activation in impaired NMDA cerebrovasodilation after brain injury. <b>2002</b> , 19, 965-73	26
710	Vaccinia virus complement control protein enhances functional recovery after traumatic brain injury. <b>2002</b> , 19, 705-14	43
709	Attenuation of the electrophysiological function of the corpus callosum after fluid percussion injury in the rat. <b>2002</b> , 19, 587-99	53
708	Cyclooxygenase-2, prostaglandin synthases, and prostaglandin H2 metabolism in traumatic brain injury in the rat. <b>2002</b> , 19, 1051-64	66
707	Age-dependent NOC/oFQ contribution to impaired hypotensive cerebral hemodynamics after brain injury. <b>2002</b> , 19, 1193-202	10
706	Effect of traumatic brain injury and nitron radical scavengers on relative changes in regional cerebral blood flow and glucose uptake in rats. <b>2002</b> , 19, 1139-53	32
705	Intravascular coagulation: a major secondary insult in nonfatal traumatic brain injury. <b>2002</b> , 97, 1373-7	127
704	The effect of brain temperature on hemoglobin extravasation after traumatic brain injury. <b>2002</b> , 97, 945-53	50
703	Multiple head injuries in rats: effects on behavior. <b>2002</b> , 52, 708-14	39
702	Effects of fluoxetine on the 5-HT1A receptor and recovery of cognitive function after traumatic brain injury in rats. <b>2002</b> , 81, 364-72	26
701	Long-term accumulation of amyloid-beta in axons following brain trauma without persistent upregulation of amyloid precursor protein genes. <b>2002</b> , 61, 1056-68	84
700	Traumatic brain injury induced cell proliferation in the adult mammalian central nervous system. <b>2002</b> , 19, 693-703	247
699	Traumatic brain injury. <b>2002</b> , 39, 679-89	89
698	Cardiovascular activity1. <b>2002</b> , 26-276	

697	Brain-Injury Biomechanics. <b>2002</b> , 277-302		9
696	Effects of enriched environment and fluid percussion injury on dendritic arborization within the cerebral cortex of the developing rat. <b>2002</b> , 19, 573-85		79
695	Administration of either anti-intercellular adhesion molecule-1 or a nonspecific control antibody improves recovery after traumatic brain injury in the rat. <b>2002</b> , 19, 1039-50		47
694	Prostaglandins contribute to impaired angiotensin II-induced cerebral vasodilation after brain injury. <b>2002</b> , 19, 1457-66		7
693	Restricted clinical efficacy of cyclosporin A on rat transient middle cerebral artery occlusion. <b>2002</b> , 72, 591-600		19
692	Mild traumatic brain injury induces apoptotic cell death in the cortex that is preceded by decreases in cellular Bcl-2 immunoreactivity. <i>Neuroscience</i> , <b>2002</b> , 110, 605-16	3.9	81
691	Environmental enrichment attenuates cognitive deficits, but does not alter neurotrophin gene expression in the hippocampus following lateral fluid percussion brain injury. <i>Neuroscience</i> , <b>2002</b> , 112, 631-7	3.9	78
690	Hyperexcitability of hippocampal CA1 neurons after fluid percussion injury of the rat cerebral cortex. <b>2002</b> , 329, 305-8		30
689	Role of Nociceptin/Orphanin FQ in the physiologic and pathologic control of the cerebral circulation. <b>2002</b> , 227, 957-68		9
688	Repetitive mild brain trauma accelerates Abeta deposition, lipid peroxidation, and cognitive impairment in a transgenic mouse model of Alzheimer amyloidosis. <b>2002</b> , 22, 446-54		283
687	Traumatically induced axotomy adjacent to the soma does not result in acute neuronal death. <b>2002</b> , 22, 791-802		105
686	Age dependent NMDA contribution to impaired hypotensive cerebral hemodynamics following brain injury. <b>2002</b> , 139, 19-28		34
685	Lactate administration attenuates cognitive deficits following traumatic brain injury. <b>2002</b> , 928, 156-9		102
684	Protein tyrosine kinase and mitogen-activated protein kinase activation contribute to K(ATP) and K(ca) channel impairment after brain injury. <b>2002</b> , 943, 276-82		14
683	Pathophysiological changes after traumatic brain injury: comparison of two experimental animal models by means of MRI. <b>2002</b> , 14, 233-41		41
682	Local and systemic increase in lipid peroxidation after moderate experimental traumatic brain injury. <b>2002</b> , 80, 894-8		55
681	Pathophysiological changes after traumatic brain injury: comparison of two experimental animal models by means of MRI. <b>2002</b> , 14, 233-241		7
680	Enhanced phosphodiesteric breakdown of phosphatidylinositol bisphosphate after experimental brain injury. <b>1994</b> , 63, 773-6		51

679	Regional levels of lactate and norepinephrine after experimental brain injury. <b>1994</b> , 63, 1086-94	65
678	Alterations in regional brain catecholamine concentrations after experimental brain injury in the rat. <b>1994</b> , 63, 1426-33	100
677	Nerve growth factor administration attenuates cognitive but not neurobehavioral motor dysfunction or hippocampal cell loss following fluid-percussion brain injury in rats. <b>1995</b> , 65, 2209-16	70
676	Acute and prolonged alterations in brain free magnesium following fluid percussion-induced brain trauma in rats. <b>1996</b> , 66, 2477-83	53
675	Temporal patterns of poly(ADP-ribose) polymerase activation in the cortex following experimental brain injury in the rat. <b>1999</b> , 73, 205-13	80
674	Alterations in ionized and total blood magnesium after experimental traumatic brain injury: relationship to neurobehavioral outcome and neuroprotective efficacy of magnesium chloride. <b>1999</b> , 73, 271-80	53
673	Increased expression of apolipoprotein D following experimental traumatic brain injury. <b>1999</b> , 73, 1615-25	55
672	Regional and temporal alterations in DNA fragmentation factor (DFF)-like proteins following experimental brain trauma in the rat. <b>1999</b> , 73, 1650-9	32
671	Effects of underwater sound exposure on neurological function and brain histology. <b>2002</b> , 28, 965-73	2
670	Modulation of network behaviour by changes in variance in interneuronal properties. <b>2002</b> , 538, 227-51	60
669	Delayed changes in regional brain energy metabolism following cerebral concussion in rats. <b>2002</b> , 17, 153-67	20
668	Neuropathological and biochemical features of traumatic injury in the developing brain. <b>2003</b> , 5, 475-90	28
667	Real-time PCR quantitation of FE65 a beta-amyloid precursor protein-binding protein after traumatic brain injury in rats. <b>2003</b> , 117, 153-9	31
666	PTK, ERK and p38 MAPK contribute to impaired NMDA-induced vasodilation after brain injury. <b>2003</b> , 474, 249-54	11
665	Early loss of astrocytes after experimental traumatic brain injury. <b>2003</b> , 44, 140-52	116
664	Continuous measurement of intracranial pressure in awake rats after experimental closed head injury. <b>2003</b> , 131, 75-81	25
663	Induction of prolonged electrographic seizures in vitro has a defined threshold and is all or none: implications for diagnosis of status epilepticus. <b>2003</b> , 44, 1034-41	4
662	Structural and functional damage sustained by mitochondria after traumatic brain injury in the rat: evidence for differentially sensitive populations in the cortex and hippocampus. <b>2003</b> , 23, 219-31	141

661	Novel diketopiperazine enhances motor and cognitive recovery after traumatic brain injury in rats and shows neuroprotection in vitro and in vivo. <b>2003</b> , 23, 342-54	64
660	Metabolic, neurochemical, and histologic responses to vibrissa motor cortex stimulation after traumatic brain injury. <b>2003</b> , 23, 900-10	46
659	Basic science of closed head injuries and spinal cord injuries. <b>2003</b> , 22, 467-81	13
658	Relationship between intracranial pressure and cortical spreading depression following fluid percussion brain injury in rats. <b>2003</b> , 20, 1315-25	53
657	Increased hippocampal CA3 vulnerability to low-level kainic acid following lateral fluid percussion injury. <b>2003</b> , 20, 409-20	54
656	Acute activation of mitogen-activated protein kinases following traumatic brain injury in the rat: implications for posttraumatic cell death. <b>2003</b> , 183, 438-48	49
655	Proliferation and neuronal differentiation of mitotically active cells following traumatic brain injury. <b>2003</b> , 183, 406-17	154
654	Neuroprotection by aminoguanidine after lateral fluid-percussive brain injury in rats: a combined magnetic resonance imaging, histopathologic and functional study. <b>2003</b> , 44, 253-63	49
653	Nitric oxide induces macrophage apoptosis following traumatic brain injury in rats. <b>2003</b> , 339, 147-50	23
652	Benzoylalanine-derived ketoamides carrying vinylbenzyl amino residues: discovery of potent water-soluble calpain inhibitors with oral bioavailability. <b>2003</b> , 46, 2404-12	61
651	ET-1 contributes to age-dependent G protein impairment after brain injury. <b>2003</b> , 20, 105-10	5
650	Neuronal and glial cell number in the hippocampus after experimental traumatic brain injury: analysis by stereological estimation. <b>2003</b> , 20, 929-41	168
649	Neurogenesis and glial proliferation persist for at least one year in the subventricular zone following brain trauma in rats. <b>2003</b> , 20, 623-31	95
648	Protective effect of nerve growth factor on neurons after traumatic brain injury. <b>2003</b> , 14, 217-24	27
647	The glutamate AMPA receptor antagonist, YM872, attenuates cortical tissue loss, regional cerebral edema, and neurological motor deficits after experimental brain injury in rats. <b>2003</b> , 20, 269-78	30
646	Cytidinediphosphocholine treatment to decrease traumatic brain injury-induced hippocampal neuronal death, cortical contusion volume, and neurological dysfunction in rats. <b>2003</b> , 98, 867-73	34
645	Age-associated mitochondrial DNA deletions are not evident chronically after experimental brain injury in the rat. <b>2003</b> , 20, 139-49	9
644	Effects of daily versus weekly testing and pre-training on the assessment of neurologic impairment following diffuse traumatic brain injury in rats. <b>2003</b> , 20, 985-93	34

643	Low-dose prostacyclin improves cortical perfusion following experimental brain injury in the rat. <b>2003</b> , 20, 447-61	29
642	Developing experimental models to address traumatic brain injury in children. <b>2003</b> , 20, 123-37	110
641	Gene expression profile changes are commonly modulated across models and species after traumatic brain injury. <b>2003</b> , 20, 907-27	98
640	Temporal alterations in cellular Bax:Bcl-2 ratio following traumatic brain injury in the rat. <b>2003</b> , 20, 421-35	58
639	A novel dehydroepiandrosterone analog improves functional recovery in a rat traumatic brain injury model. <b>2003</b> , 20, 463-76	43
638	Selective blockade of AT1 receptor attenuates impairment of hypotensive autoregulation and improves cerebral blood flow after brain injury in the newborn pig. <b>2003</b> , 99, 1118-24	14
637	Cyclooxygenase-2-dependent superoxide generation contributes to age-dependent impairment of G protein-mediated cerebrovasodilation. <b>2003</b> , 98, 1378-83	14
636	Haloperidol, but not olanzapine, impairs cognitive performance after traumatic brain injury in rats. <b>2003</b> , 82, 871-9	61
635	Application of combined magnetic resonance imaging and histopathologic and functional studies for evaluation of aminoguanidine following traumatic brain injury in rats. <b>2004</b> , 386, 200-11	2
634	Molecular mechanisms, emerging etiological insights and models to test potential therapeutic interventions in Alzheimer's disease. <b>2004</b> , 1, 295-306	5
633	A molecular basis for the efficacy of magnesium treatment following traumatic brain injury in rats. <b>2004</b> , 21, 549-61	27
632	Traumatic brain injury elevates glycogen and induces tolerance to ischemia in rat brain. <b>2004</b> , 21, 707-18	29
631	A review and rationale for the use of cellular transplantation as a therapeutic strategy for traumatic brain injury. <b>2004</b> , 21, 1501-38	60
630	Post-traumatic epilepsy following fluid percussion injury in the rat. <b>2004</b> , 127, 304-14	195
629	Progression from frontal-parietal to mesial-temporal epilepsy after fluid percussion injury in the rat. <b>2005</b> , 128, 174-88	143
628	Mechanical injury modulates AMPA receptor kinetics via an NMDA receptor-dependent pathway. <b>2004</b> , 21, 719-32	37
627	Comparison of behavioral deficits and acute neuronal degeneration in rat lateral fluid percussion and weight-drop brain injury models. <b>2004</b> , 21, 521-39	139
626	Experimental Device for Simulating Traumatic Brain Injury Resulting from Linear Accelerations. <b>2004</b> , 40, 180-192	21

625	The role of glial membrane ion channels in seizures and epileptogenesis. <b>2004</b> , 103, 95-108	57
624	Traumatic injury in the developing brain--effects of hypothermia. <b>2004</b> , 56, 91-102	8
623	NMDA and age dependent cerebral hemodynamics after traumatic brain injury. <b>2004</b> , 56, 75-81	9
622	Apoptotic neurodegeneration in the context of traumatic injury to the developing brain. <b>2004</b> , 56, 83-9	38
621	Creatine-enhanced diet alters levels of lactate and free fatty acids after experimental brain injury. <b>2004</b> , 29, 469-79	41
620	Altered NO function contributes to impairment of uPA and tPA cerebrovasodilation after brain injury. <b>2004</b> , 21, 1204-11	15
619	Common patterns of bcl-2 family gene expression in two traumatic brain injury models. <b>2004</b> , 6, 333-42	26
618	Acute treatment with MgSO <sub>4</sub> attenuates long-term hippocampal tissue loss after brain trauma in the rat. <b>2004</b> , 77, 878-83	25
617	Motor and cognitive function evaluation following experimental traumatic brain injury. <b>2004</b> , 28, 365-78	234
616	Consistent and reproducible slice selection in rodent brain using a novel stereotaxic device for MRI. <b>2004</b> , 136, 99-102	25
615	Differential effects of the anticonvulsant topiramate on neurobehavioral and histological outcomes following traumatic brain injury in rats. <b>2004</b> , 21, 501-12	49
614	Nociceptin/orphanin FQ alters prostaglandin cerebrovascular action following brain injury. <b>2004</b> , 21, 187-93	7
613	Effects of hyperbaric oxygen therapy on cerebral oxygenation and mitochondrial function following moderate lateral fluid-percussion injury in rats. <b>2004</b> , 101, 499-504	71
612	Continuous measurements of cerebral tissue oxygen pressure during hyperbaric oxygenation--HBO effects on brain edema and necrosis after severe brain trauma in rabbits. <b>2004</b> , 219, 77-82	50
611	Neuroprotection in the rat lateral fluid percussion model of traumatic brain injury by SNX-185, an N-type voltage-gated calcium channel blocker. <b>2004</b> , 190, 70-8	46
610	Injury-induced alterations in N-methyl-D-aspartate receptor subunit composition contribute to prolonged 45calcium accumulation following lateral fluid percussion. <i>Neuroscience</i> , <b>2004</b> , 128, 305-22	3-9 76
609	Adrenalectomy further suppresses the NT-3 mRNA response to traumatic brain injury but this effect is not reversed with corticosterone. <b>2004</b> , 120, 188-92	7
608	Laser capture microdissection and analysis of amplified antisense RNA from distinct cell populations of the young and aged rat brain: effect of traumatic brain injury on hippocampal gene expression. <b>2004</b> , 122, 47-61	39

607	Proteins released from degenerating neurons are surrogate markers for acute brain damage. <b>2004</b> , 16, 311-20	150
606	Traumatic brain injury in the rat using the fluid-percussion model. <b>2004</b> , Chapter 9, Unit 9.2	13
605	Perfluorocarbon emulsion improves cerebral oxygenation and mitochondrial function after fluid percussion brain injury in rats. <b>2004</b> , 54, 1223-30; discussion 1230	37
604	Announcement. <b>2004</b> , 1154	
603	Mercaptoethylguanidine inhibition of inducible nitric oxide synthase and cyclooxygenase-2 expressions induced in rats after fluid-percussion brain injury. <b>2005</b> , 59, 450-7	13
602	Cyclooxygenase-2-specific inhibitor improves functional outcomes, provides neuroprotection, and reduces inflammation in a rat model of traumatic brain injury. <b>2005</b> , 56, 590-604	93
601	Administration of vaccinia virus complement control protein shows significant cognitive improvement in a mild injury model. <b>2005</b> , 1056, 450-61	14
600	Multimodal early onset stimulation combined with enriched environment is associated with reduced CNS lesion volume and enhanced reversal of neuromotor dysfunction after traumatic brain injury in rats. <b>2005</b> , 21, 2406-18	56
599	Traumatic brain injury results in mast cell increase and changes in regulation of central histamine receptors. <b>2005</b> , 31, 150-62	35
598	Development of posttraumatic hyperthermia after traumatic brain injury in rats is associated with increased periventricular inflammation. <b>2005</b> , 25, 163-76	37
597	Plasminogen activators contribute to age-dependent impairment of NMDA cerebrovasodilation after brain injury. <b>2005</b> , 156, 139-46	28
596	N-acetylcysteine attenuates early induction of heme oxygenase-1 following traumatic brain injury. <b>2005</b> , 1033, 13-9	37
595	Effect of hyperbaric oxygenation on intracranial pressure elevation rate in rats during the early phase of severe traumatic brain injury. <b>2005</b> , 1047, 131-6	31
594	NOC/oFQ activates ERK and JNK but not p38 MAPK to impair prostaglandin cerebrovasodilation after brain injury. <b>2005</b> , 1054, 95-102	16
593	Caspase-mediated cell death predominates following engraftment of neural progenitor cells into traumatically injured rat brain. <b>2005</b> , 1065, 8-19	73
592	CNS injury research; reviewing the last decade: methodological errors and a proposal for a new strategy. <b>2005</b> , 50, 377-86	18
591	An NMR metabolomic investigation of early metabolic disturbances following traumatic brain injury in a mammalian model. <b>2005</b> , 18, 507-16	82
590	Early loss of the glutamate transporter splice-variant GLT-1v in rat cerebral cortex following lateral fluid-percussion injury. <b>2005</b> , 49, 121-33	45



589	Traumatic brain injury induces biphasic upregulation of ApoE and ApoJ protein in rats. <b>2005</b> , 82, 103-14	40
588	Intracranial pressure changes during fluid percussion, controlled cortical impact and weight drop injury in rats. <b>2005</b> , 147, 775-80; discussion 780	27
587	Neuroprotection: Where Are We Going?. <b>2005</b> , 237-265	
586	Changes in bone metabolism in a rat model of traumatic brain injury. <b>2005</b> , 19, 1207-11	11
585	Role of the cell cycle in the pathobiology of central nervous system trauma. <b>2005</b> , 4, 1286-93	102
584	NAAG peptidase inhibitor reduces acute neuronal degeneration and astrocyte damage following lateral fluid percussion TBI in rats. <b>2005</b> , 22, 266-76	69
583	Restoration of cerebral vasoreactivity by an L-type calcium channel blocker following fluid percussion brain injury. <b>2005</b> , 22, 763-71	23
582	Delayed transplantation of human neurons following brain injury in rats: a long-term graft survival and behavior study. <b>2005</b> , 22, 1456-74	40
581	Diffusion-weighted imaging of edema following traumatic brain injury in rats: effects of secondary hypoxia. <b>2005</b> , 22, 857-72	78
580	Cell proliferation and neuronal differentiation in the dentate gyrus in juvenile and adult rats following traumatic brain injury. <b>2005</b> , 22, 95-105	106
579	Reversal of neuromotor and cognitive dysfunction in an enriched environment combined with multimodal early onset stimulation after traumatic brain injury in rats. <b>2005</b> , 22, 772-82	51
578	Enhanced neurofibrillary tangle formation, cerebral atrophy, and cognitive deficits induced by repetitive mild brain injury in a transgenic tauopathy mouse model. <b>2005</b> , 22, 1134-41	103
577	Progesterone differentially regulates pro- and anti-apoptotic gene expression in cerebral cortex following traumatic brain injury in rats. <b>2005</b> , 22, 656-68	91
576	Pre-Injury magnesium treatment prevents traumatic brain injury-induced hippocampal ERK activation, neuronal loss, and cognitive dysfunction in the radial-arm maze test. <b>2005</b> , 22, 783-92	36
575	Spatial and temporal characteristics of neurodegeneration after controlled cortical impact in mice: more than a focal brain injury. <b>2005</b> , 22, 252-65	242
574	A pig model with secondary increase of intracranial pressure after severe traumatic brain injury and temporary blood loss. <b>2005</b> , 22, 807-21	36
573	Characterization of a new rat model of experimental combined neurotrauma. <b>2005</b> , 23, 476-81	43
572	Comminuted diaphyseal fractures of the radius and ulna: does bone grafting affect nonunion rate?. <b>2005</b> , 59, 438-41; discussion 442	14

571	Electrical stimulation of the vagus nerve enhances cognitive and motor recovery following moderate fluid percussion injury in the rat. <b>2005</b> , 22, 1485-502		100
570	Environmental enrichment increases progenitor cell survival in the dentate gyrus following lateral fluid percussion injury. <b>2005</b> , 141, 138-50		49
569	In vivo 1H MR spectroscopic findings in traumatic contusion of ICR mouse brain induced by fluid percussion injury. <b>2005</b> , 55, 96-101		5
568	Analysis of long-term gene expression in neurons of the hippocampal subfields following traumatic brain injury in rats. <i>Neuroscience</i> , <b>2005</b> , 131, 87-97	3.9	30
567	Regional hippocampal alteration associated with cognitive deficit following experimental brain injury: a systems, network and cellular evaluation. <i>Neuroscience</i> , <b>2005</b> , 133, 1-15	3.9	162
566	Delayed inhibition of Nogo-A does not alter injury-induced axonal sprouting but enhances recovery of cognitive function following experimental traumatic brain injury in rats. <i>Neuroscience</i> , <b>2005</b> , 134, 1047-56	3.9	50
565	Experimental models of traumatic brain injury: do we really need to build a better mousetrap?. <i>Neuroscience</i> , <b>2005</b> , 136, 971-89	3.9	256
564	Lateral fluid percussion brain injury: a 15-year review and evaluation. <b>2005</b> , 22, 42-75		419
563	Animal models of head trauma. <b>2005</b> , 2, 410-22		330
562	Age and cerebral circulation. <b>2005</b> , 12, 5-15		33
561	Newly born granule cells in the dentate gyrus rapidly extend axons into the hippocampal CA3 region following experimental brain injury. <b>2005</b> , 22, 978-88		71
560	A critical analysis of the role of the neurotrophic protein S100B in acute brain injury. <b>2006</b> , 23, 1185-200		123
559	Early, transient increase in complexin I and complexin II in the cerebral cortex following traumatic brain injury is attenuated by N-acetylcysteine. <b>2006</b> , 23, 86-96		34
558	Selective temporal and regional alterations of Nogo-A and small proline-rich repeat protein 1A (SPRR1A) but not Nogo-66 receptor (NgR) occur following traumatic brain injury in the rat. <b>2006</b> , 197, 70-83		40
557	Photon correlation spectroscopy of brain mitochondrial populations: application to traumatic brain injury. <b>2006</b> , 197, 318-29		5
556	Activation of Rho after traumatic brain injury and seizure in rats. <b>2006</b> , 198, 361-9		63
555	Chronic ibuprofen administration worsens cognitive outcome following traumatic brain injury in rats. <b>2006</b> , 201, 301-7		69
554	Transplantation of primed human fetal neural stem cells improves cognitive function in rats after traumatic brain injury. <b>2006</b> , 201, 281-92		120

553	Adult bone marrow cells differentiate into neural phenotypes and improve functional recovery in rats following traumatic brain injury. <b>2006</b> , 398, 12-7	85
552	Facilitation of glutamatergic synaptic transmission in hippocampal CA1 area of rats with traumatic brain injury. <b>2006</b> , 401, 136-41	20
551	A model of posttraumatic epilepsy induced by lateral fluid-percussion brain injury in rats. <i>Neuroscience</i> , <b>2006</b> , 140, 685-97	3.9 277
550	Influence of mannitol and furosemide, alone and in combination, on brain water content after fluid percussion injury. <b>2006</b> , 105, 1176-81	33
549	Modified experimental mild traumatic brain injury model. <b>2006</b> , 60, 558-65	42
548	Acute, transient hemorrhagic hypotension does not aggravate structural damage or neurologic motor deficits but delays the long-term cognitive recovery following mild to moderate traumatic brain injury. <b>2006</b> , 34, 492-501	35
547	Hippocampal vulnerability following traumatic brain injury: a potential role for neurotrophin-4/5 in pyramidal cell neuroprotection. <b>2006</b> , 23, 1089-102	57
546	Neural progenitor cells engineered to secrete GDNF show enhanced survival, neuronal differentiation and improve cognitive function following traumatic brain injury. <b>2006</b> , 23, 2119-34	98
545	Tissue sparing and functional recovery following experimental traumatic brain injury is provided by treatment with an anti-myelin-associated glycoprotein antibody. <b>2006</b> , 24, 3063-72	37
544	NAAG peptidase inhibitor increases dialysate NAAG and reduces glutamate, aspartate and GABA levels in the dorsal hippocampus following fluid percussion injury in the rat. <b>2006</b> , 97, 1015-25	79
543	Posttraumatic epilepsy: a major problem in desperate need of major advances. <b>2006</b> , 6, 1-5	74
542	Adenosine A1 receptor knockout mice develop lethal status epilepticus after experimental traumatic brain injury. <b>2006</b> , 26, 565-75	138
541	Animal models of post-traumatic epilepsy. <b>2006</b> , 23, 241-61	137
540	The fate of Nissl-stained dark neurons following traumatic brain injury in rats: difference between neocortex and hippocampus regarding survival rate. <b>2006</b> , 112, 471-81	73
539	Differential activation of ERK, p38, and JNK MAPK by nociceptin/orphanin FQ in the potentiation of prostaglandin cerebrovasoconstriction after brain injury. <b>2006</b> , 529, 129-35	22
538	Lateral fluid percussion injury in the developing rat causes an acute, mild behavioral dysfunction in the absence of significant cell death. <b>2006</b> , 1077, 24-36	96
537	Changes in localization of synaptophysin following fluid percussion injury in the rat brain. <b>2006</b> , 1078, 198-211	33
536	Transient versus prolonged hyperlocomotion following lateral fluid percussion injury in mongolian gerbils. <b>2006</b> , 83, 292-300	17

535	Purkinje cell vulnerability to mild and severe forebrain head trauma. <b>2006</b> , 65, 226-34	41
534	Posttraumatic Epilepsy Induced by Lateral Fluid-Percussion Brain Injury in Rats. <b>2006</b> , 465-476	7
533	Inhibition of caspase-mediated apoptosis by peroxynitrite in traumatic brain injury. <b>2006</b> , 26, 11540-53	59
532	Nicotinamide treatment reduces behavioral impairments and provides cortical protection after fluid percussion injury in the rat. <b>2006</b> , 23, 1535-48	56
531	Computational studies of strain exposures in neonate and mature rat brains during closed head impact. <b>2006</b> , 23, 1570-80	42
530	Effects of estradiol on cognition and hippocampal pathology after lateral fluid percussion brain injury in female rats. <b>2006</b> , 23, 1814-27	30
529	Injury-induced alterations in CNS electrophysiology. <b>2007</b> , 161, 143-69	79
528	Quantitative diffusion MRI of hippocampus as a surrogate marker for post-traumatic epileptogenesis. <b>2007</b> , 130, 3155-68	115
527	Hyperbaric oxygen in traumatic brain injury. <b>2007</b> , 29, 162-72	63
526	Alterations in cerebral cortex microvessels and the microcirculation in a rat model of traumatic brain injury: a correlative EM and laser Doppler flowmetry study. <b>2007</b> , 29, 339-47	28
525	Einfluss eines frühen sensomotorischen Trainings auf die Erholung neuromotorischer Funktion nach experimentellem Schädel-Hirn-Trauma. <b>2007</b> , 17, 127-132	1
524	Trauma-associated inflammatory response impairs embryonic stem cell survival and integration after implantation into injured rat brain. <b>2007</b> , 24, 625-37	71
523	Linking impact to cellular and molecular sequelae of CNS injury: modeling in vivo complexity with in vitro simplicity. <b>2007</b> , 161, 27-39	21
522	Phosphorylation of calcium calmodulin-dependent protein kinase II following lateral fluid percussion brain injury in rats. <b>2007</b> , 24, 638-50	28
521	Protection of mitochondrial function and improvement in cognitive recovery in rats treated with hyperbaric oxygen following lateral fluid-percussion injury. <b>2007</b> , 106, 687-94	71
520	Neurotrophin-mediated neuroprotection of hippocampal neurons following traumatic brain injury is not associated with acute recovery of hippocampal function. <i>Neuroscience</i> , <b>2007</b> , 148, 359-70	3,9 26
519	Acute cognitive impairment after lateral fluid percussion brain injury recovers by 1 month: evaluation by conditioned fear response. <b>2007</b> , 177, 347-57	47
518	Late effects of enriched environment (EE) plus multimodal early onset stimulation (MEOS) after traumatic brain injury in rats: Ongoing improvement of neuromotor function despite sustained volume of the CNS lesion. <b>2007</b> , 203, 82-94	21

517	Injury severity determines Purkinje cell loss and microglial activation in the cerebellum after cortical contusion injury. <b>2007</b> , 203, 258-68	53
516	Heavy neurofilament accumulation and alpha-spectrin degradation accompany cerebellar white matter functional deficits following forebrain fluid percussion injury. <b>2007</b> , 204, 49-57	35
515	Cardiovascular Activity. <b>2007</b> , 47-391	
514	Adipokine gene expression in brain and pituitary gland. <b>2007</b> , 86, 191-209	93
513	Astroglia: important mediators of traumatic brain injury. <b>2007</b> , 161, 61-79	56
512	Embryonic stem cell transplantation after experimental traumatic brain injury dramatically improves neurological outcome, but may cause tumors. <b>2007</b> , 24, 216-25	92
511	CNS injury biomechanics and experimental models. <b>2007</b> , 161, 13-26	145
510	Cognitive outcome following brain injury and treatment with an inhibitor of Nogo-A in association with an attenuated downregulation of hippocampal growth-associated protein-43 expression. <b>2007</b> , 107, 844-53	38
509	Embryonic stem cells produce neurotrophins in response to cerebral tissue extract: Cell line-dependent differences. <b>2007</b> , 85, 1057-64	19
508	Resuscitation from experimental traumatic brain injury by agmatine therapy. <b>2007</b> , 75, 506-14	25
507	Adrenomedullin reduces gender-dependent loss of hypotensive cerebrovasodilation after newborn brain injury through activation of ATP-dependent K channels. <b>2007</b> , 27, 1702-9	25
506	Exercise normalizes levels of MAG and Nogo-A growth inhibitors after brain trauma. <b>2008</b> , 27, 1-11	50
505	Vagus nerve stimulation may protect GABAergic neurons following traumatic brain injury in rats: An immunocytochemical study. <b>2007</b> , 1128, 157-63	47
504	Injured Fluoro-Jade-positive hippocampal neurons contain high levels of zinc after traumatic brain injury. <b>2007</b> , 1127, 119-26	42
503	Vaccinia virus complement control protein significantly improves sensorimotor function recovery after severe head trauma. <b>2007</b> , 1153, 158-65	16
502	Differential immunoresponses following experimental traumatic brain injury, bone fracture and "two-hit"-combined neurotrauma. <b>2007</b> , 56, 318-23	39
501	Effect of lactate therapy upon cognitive deficits after traumatic brain injury in the rat. <b>2007</b> , 149, 919-27; discussion 927	78
500	Focus on cyclo(His-Pro): history and perspectives as antioxidant peptide. <b>2008</b> , 35, 283-9	43

499	DNase I disinhibition is predominantly associated with actin hyperpolymerization after traumatic brain injury. <b>2008</b> , 77, 173-181	
498	A simple, efficient tool for assessment of mice after unilateral cortex injury. <b>2008</b> , 168, 431-42	35
497	Neuroprotective effects of tempol, a catalytic scavenger of peroxynitrite-derived free radicals, in a mouse traumatic brain injury model. <b>2008</b> , 28, 1114-26	108
496	HDAC inhibitor increases histone H3 acetylation and reduces microglia inflammatory response following traumatic brain injury in rats. <b>2008</b> , 1226, 181-91	108
495	Experimental traumatic brain injury induces a pervasive hyperanxious phenotype in rats. <b>2008</b> , 25, 1367-74	102
494	Traumatic brain injury induces adipokine gene expression in rat brain. <b>2008</b> , 432, 73-8	36
493	Delayed glucose treatment improves cognitive function following fluid-percussion injury. <b>2008</b> , 436, 27-30	11
492	Diazepam attenuates the post-traumatic hyperactivity of excitatory synapses in rat hippocampal CA1 neurons. <b>2008</b> , 62, 195-205	10
491	The nitron free radical scavenger NXY-059 is neuroprotective when administered after traumatic brain injury in the rat. <b>2008</b> , 25, 1449-57	28
490	Differential hippocampal protection when blocking intracellular sodium and calcium entry during traumatic brain injury in rats. <b>2008</b> , 25, 1195-205	28
489	Blood brain barrier in hypoxic-ischemic conditions. <b>2008</b> , 5, 71-81	171
488	Real-time multi-site multi-parametric monitoring of rat brain subjected to traumatic brain injury. <b>2008</b> , 30, 1075-83	17
487	Invited review: deterioration of the immune system after trauma: signals and cellular mechanisms. <b>2008</b> , 14, 333-44	60
486	Nicotinamide treatment provides acute neuroprotection and GFAP regulation following fluid percussion injury. <b>2008</b> , 25, 140-52	46
485	Characterization of the pharmacokinetics of human recombinant erythropoietin in blood and brain when administered immediately after lateral fluid percussion brain injury and its pharmacodynamic effects on IL-1beta and MIP-2 in rats. <b>2008</b> , 25, 1179-85	32
484	Dicyclomine, an M1 muscarinic antagonist, reduces biomarker levels, but not neuronal degeneration, in fluid percussion brain injury. <b>2008</b> , 25, 1355-65	13
483	Perfluorocarbon emulsions improve cognitive recovery after lateral fluid percussion brain injury in rats. <b>2008</b> , 63, 799-806; discussion 806-7	28
482	Effects of resuscitation fluid on neurologic physiology after cerebral trauma and hemorrhage. <b>2008</b> , 64, 348-57	18

481	Modification of acute cardiovascular homeostatic responses to hemorrhage following mild to moderate traumatic brain injury. <b>2008</b> , 36, 216-24	94
480	Estudo de traumatismo craniocéfálico experimental em ratos com aparelho de impacto cortical controlado. <b>2008</b> , 27, 42-46	2
479	Erythrocyte-bound tissue plasminogen activator is neuroprotective in experimental traumatic brain injury. <b>2009</b> , 26, 1585-92	35
478	Acta Neurochirurgica Supplements. <b>2009</b> ,	3
477	Increased cerebral uptake of [18F]fluoro-deoxyglucose but not [1-14C]glucose early following traumatic brain injury in rats. <b>2009</b> , 26, 1281-93	15
476	Pharyngeal selective brain cooling improves neurofunctional and neurocognitive outcome after fluid percussion brain injury in rats. <b>2009</b> , 26, 235-42	17
475	The temporal expression, cellular localization, and inhibition of the chemokines MIP-2 and MCP-1 after traumatic brain injury in the rat. <b>2009</b> , 26, 507-25	55
474	The long-term microvascular and behavioral consequences of experimental traumatic brain injury after hypothermic intervention. <b>2009</b> , 26, 527-37	59
473	Progressive brain changes on serial manganese-enhanced MRI following traumatic brain injury in the rat. <b>2009</b> , 26, 1999-2013	25
472	Strain differences in response to traumatic brain injury in Long-Evans compared to Sprague-Dawley rats. <b>2009</b> , 26, 539-48	32
471	Blast overpressure in rats: recreating a battlefield injury in the laboratory. <b>2009</b> , 26, 827-40	270
470	Role of pyruvate dehydrogenase complex in traumatic brain injury and Measurement of pyruvate dehydrogenase enzyme by dipstick test. <b>2009</b> , 2, 67-72	41
469	Microarray based analysis of microRNA expression in rat cerebral cortex after traumatic brain injury. <b>2009</b> , 1284, 191-201	149
468	The effects of hypertonic saline and nicotinamide on sensorimotor and cognitive function following cortical contusion injury in the rat. <b>2009</b> , 1304, 138-48	20
467	An analysis of regional microvascular loss and recovery following two grades of fluid percussion trauma: a role for hypoxia-inducible factors in traumatic brain injury. <b>2009</b> , 29, 575-84	88
466	Comparative neuroprotective effects of cyclosporin A and NIM811, a nonimmunosuppressive cyclosporin A analog, following traumatic brain injury. <b>2009</b> , 29, 87-97	84
465	Graded model of diffuse axonal injury for studying head injury-induced cognitive dysfunction in rats. <b>2009</b> , 29, 132-9	27
464	NeuroScale, the battery of behavioral tests with novel scoring system for phenotyping of transgenic rat model of tauopathy. <b>2009</b> , 177, 108-14	31

463	A novel apparatus for lateral fluid percussion injury in the rat. <b>2009</b> , 177, 267-72	27
462	Distinct MRI pattern in lesional and perilesional area after traumatic brain injury in rat--11 months follow-up. <b>2009</b> , 215, 29-40	59
461	Quantitative T2 mapping as a potential marker for the initial assessment of the severity of damage after traumatic brain injury in rat. <b>2009</b> , 217, 154-64	38
460	Modelos experimentales de traumatismo craneoencefálico. <b>2009</b> , 20, 225-244	5
459	Quantitative MRI predicts long-term structural and functional outcome after experimental traumatic brain injury. <b>2009</b> , 45, 1-9	79
458	Inhibition of VEGF receptor 2 increased cell death of dentate hilar neurons after traumatic brain injury. <b>2009</b> , 220, 400-3	32
457	Intravenous polyethylene glycol successfully treats severe acceleration-induced brain injury in rats as assessed by magnetic resonance imaging. <b>2009</b> , 64, 984-90; discussion 990	7
456	Neurological effects of blast injury. <b>2010</b> , 68, 1257-63	107
455	The up-regulation of voltage-gated sodium channel Nav1.6 expression following fluid percussion traumatic brain injury in rats. <b>2010</b> , 66, 1134-9; discussion 1139	19
454	The effect of acute traumatic brain injury on the performance of shock index. <b>2010</b> , 69, 1169-75	19
453	Deletion of the p53 tumor suppressor gene improves neuromotor function but does not attenuate regional neuronal cell loss following experimental brain trauma in mice. <b>2010</b> , 88, 3414-23	10
452	Association of the severity of cortical damage with the occurrence of spontaneous seizures and hyperexcitability in an animal model of posttraumatic epilepsy. <b>2010</b> , 90, 47-59	63
451	Does ketogenic diet alter seizure sensitivity and cell loss following fluid percussion injury?. <b>2010</b> , 92, 74-84	29
450	Experimental traumatic brain injury. <b>2010</b> , 2, 16	78
449	Cerebral blood volume alterations in the perilesional areas in the rat brain after traumatic brain injury--comparison with behavioral outcome. <b>2010</b> , 30, 1318-28	27
448	Fluid-percussion-induced traumatic brain injury model in rats. <b>2010</b> , 5, 1552-63	107
447	Progressive metabolic and structural cerebral perturbations after traumatic brain injury: an in vivo imaging study in the rat. <b>2010</b> , 51, 1788-95	59
446	Is epilepsy a preventable disorder? New evidence from animal models. <b>2010</b> , 16, 253-75	37



445	Mild fluid percussion injury in mice produces evolving selective axonal pathology and cognitive deficits relevant to human brain injury. <b>2010</b> , 27, 1429-38	99
444	Pharyngeal selective brain cooling is associated with reduced CNS cortical lesion after experimental traumatic brain injury in rats. <b>2010</b> , 27, 2245-54	4
443	Physiological and pathological responses to head rotations in toddler piglets. <b>2010</b> , 27, 1021-35	47
442	Association of chronic vascular changes with functional outcome after traumatic brain injury in rats. <b>2010</b> , 27, 2203-19	62
441	Temporal and spatial profile of phosphorylated connexin43 after traumatic brain injury in rats. <b>2010</b> , 27, 1255-63	38
440	Hippocampal dysfunction after lateral fluid percussion injury. <b>2010</b> , 27, 1605-15	47
439	Glial cell-mediated deterioration and repair of the nervous system after traumatic brain injury in a rat model as assessed by positron emission tomography. <b>2010</b> , 27, 1463-75	69
438	Neuroimaging findings and brain-behavioral correlates in a former boxer with chronic traumatic brain injury. <b>2010</b> , 16, 125-34	17
437	The whisker nuisance task identifies a late-onset, persistent sensory sensitivity in diffuse brain-injured rats. <b>2010</b> , 27, 695-706	70
436	Safety Evaluation of New Hemostatic Agents, Smectite Granules, and Kaolin-Coated Gauze in a Vascular Injury Wound Model in Swine: Erratum. <b>2010</b> , 68, 1263	
435	Delayed detection of carotid-cavernous fistulas associated with wartime blast-induced craniofacial trauma. <b>2010</b> , 28, E6	4
434	Biochemical and neurochemical sequelae following mild traumatic brain injury: summary of experimental data and clinical implications. <b>2010</b> , 29, E1	74
433	Dexamethasone exacerbates spatial acquisition deficits after traumatic brain injury in rats. <b>2010</b> , 32, 1097-102	17
432	Extract derived from rat brains in the acute phase following traumatic brain injury impairs survival of undifferentiated stem cells and induces rapid differentiation of surviving cells. <b>2010</b> , 26, 821-30	16
431	Vascular endothelial growth factor is involved in mediating increased de novo hippocampal neurogenesis in response to traumatic brain injury. <b>2010</b> , 27, 541-53	71
430	Angiotensin-converting enzyme (ACE) inhibitors exacerbate histological damage and motor deficits after experimental traumatic brain injury. <b>2010</b> , 481, 26-9	34
429	Experimental models of traumatic axonal injury. <b>2010</b> , 17, 157-62	35
428	COG1410, an apolipoprotein E-based peptide, improves cognitive performance and reduces cortical loss following moderate fluid percussion injury in the rat. <b>2010</b> , 214, 395-401	27

427	Genetic and histologic evidence implicates role of inflammation in traumatic brain injury-induced apoptosis in the rat cerebral cortex following moderate fluid percussion injury. <i>Neuroscience</i> , <b>2010</b> , 171, 1273-82	3.9	71
426	Quantitative relationship between axonal injury and mechanical response in a rodent head impact acceleration model. <b>2011</b> , 28, 1767-82		37
425	Animal Models of Traumatically-Induced Dementia. <b>2011</b> , 643-662		1
424	Traumatic Brain Injury in Animal Models and Humans. <b>2011</b> , 237-265		1
423	Progenitor Cell Therapy for Neurological Injury. <b>2011</b> ,		
422	Animal Models of Dementia. <b>2011</b> ,		7
421	Effects of enoxaparin in the rat hippocampus following traumatic brain injury. <b>2011</b> , 35, 1846-56		17
420	Topiramate promotes neurological recovery in a new model of traumatic brain injury in rats. <i>Neuroscience</i> , <b>2011</b> , 183, 171-7	3.9	9
419	Progressive loss of phasic, but not tonic, GABAA receptor-mediated inhibition in dentate granule cells in a model of post-traumatic epilepsy in rats. <i>Neuroscience</i> , <b>2011</b> , 194, 208-19	3.9	80
418	Edaravone attenuates impairment of synaptic plasticity in granule cell layer of the dentate gyrus following traumatic brain injury. <b>2011</b> , 58, 47-58		7
417	Agmatine-promoted angiogenesis, neurogenesis, and inhibition of gliosis-reduced traumatic brain injury in rats. <b>2011</b> , 71, E87-93		30
416	Lateral fluid percussion: model of traumatic brain injury in mice. <b>2011</b> ,		60
415	Magnetic resonance imaging of regional hemodynamic and cerebrovascular recovery after lateral fluid-percussion brain injury in rats. <b>2011</b> , 31, 166-77		49
414	Increased gut absorptive capacity in rats with severe head injury after feeding with probiotics. <b>2011</b> , 27, 100-107		12
413	Animal models of traumatic brain injury: a critical evaluation. <b>2011</b> , 130, 106-13		122
412	Post-injury administration of NAAG peptidase inhibitor prodrug, PGI-02776, in experimental TBI. <b>2011</b> , 1395, 62-73		23
411	Oxidative stress parameters in different brain structures following lateral fluid percussion injury in the rat. <b>2011</b> , 36, 913-21		7
410	Traumatic brain injury elicits similar alterations in $\alpha$ 7 nicotinic receptor density in two different experimental models. <b>2011</b> , 13, 44-53		23

409	Lateral fluid percussion injury of the brain induces CCL20 inflammatory chemokine expression in rats. <b>2011</b> , 8, 148	51
408	Confounding neurodegenerative effects of manganese for in vivo MR imaging in rat models of brain insults. <b>2011</b> , 34, 774-84	15
407	Intracranial pressure changes following traumatic brain injury in rats: lack of significant change in the absence of mass lesions or hypoxia. <b>2011</b> , 28, 2103-11	25
406	Early microstructural and metabolic changes following controlled cortical impact injury in rat: a magnetic resonance imaging and spectroscopy study. <b>2011</b> , 28, 2091-102	91
405	Diffuse traumatic axonal injury in the mouse induces atrophy, c-Jun activation, and axonal outgrowth in the axotomized neuronal population. <b>2011</b> , 31, 5089-105	116
404	Effect of decompressive craniectomy on aquaporin-4 expression after lateral fluid percussion injury in rats. <b>2011</b> , 28, 237-43	37
403	Traumatic brain injury in adult rats causes progressive nigrostriatal dopaminergic cell loss and enhanced vulnerability to the pesticide paraquat. <b>2011</b> , 28, 1783-801	94
402	Traumatic white matter injury and toxic leukoencephalopathies. <b>2011</b> , 11, 1315-24	4
401	Contribution of lh to neuronal damage in the hippocampus after traumatic brain injury in rats. <b>2011</b> , 28, 1173-83	14
400	Mitochondrial targeted neuron focused genes in hippocampus of rats with traumatic brain injury. <b>2012</b> , 2, 172-9	9
399	Delayed neuromotor recovery and increased memory acquisition dysfunction following experimental brain trauma in mice lacking the DNA repair gene XPA. <b>2012</b> , 116, 1368-78	17
398	Treatment of traumatic brain injury using zinc-finger protein gene therapy targeting VEGF-A. <b>2012</b> , 29, 2647-59	31
397	Progesterone increases circulating endothelial progenitor cells and induces neural regeneration after traumatic brain injury in aged rats. <b>2012</b> , 29, 343-53	70
396	Acute neuroimmune modulation attenuates the development of anxiety-like freezing behavior in an animal model of traumatic brain injury. <b>2012</b> , 29, 1886-97	21
395	Combination of temperature-sensitive stem cells and mild hypothermia: a new potential therapy for severe traumatic brain injury. <b>2012</b> , 29, 2393-403	33
394	Investigations on alterations of hippocampal circuit function following mild traumatic brain injury. <b>2012</b> , e4411	8
393	Attenuating inflammation but stimulating both angiogenesis and neurogenesis using hyperbaric oxygen in rats with traumatic brain injury. <b>2012</b> , 72, 650-9	77
392	Effects of secretome obtained from normoxia-preconditioned human mesenchymal stem cells in traumatic brain injury rats. <b>2012</b> , 73, 1161-7	44

391	Astrocyte activation and wound healing in intact-skull mouse after focal brain injury. <b>2012</b> , 36, 3653-64	22
390	Post-traumatic hypoxia exacerbates neuronal cell death in the hippocampus. <b>2012</b> , 29, 1167-79	37
389	NAAG peptidase inhibitor reduces cellular damage in a model of TBI with secondary hypoxia. <b>2012</b> , 1469, 144-52	22
388	Creatine reduces oxidative stress markers but does not protect against seizure susceptibility after severe traumatic brain injury. <b>2012</b> , 87, 180-6	30
387	Delivery of large molecules via poly(butyl cyanoacrylate) nanoparticles into the injured rat brain. <b>2012</b> , 23, 165101	40
386	Experimental models of seizures and epilepsies. <b>2012</b> , 105, 57-82	36
385	Blood-brain barrier permeability is positively correlated with cerebral microvascular perfusion in the early fluid percussion-injured brain of the rat. <b>2012</b> , 92, 1623-34	34
384	Animal models. <b>2012</b> , 107, 63-98	29
383	MRI Characterization of Progressive Brain Alterations After Experimental Traumatic Brain Injury: Region Specific Tissue Damage, Hemodynamic Changes and Axonal Injury. <b>2012</b> ,	
382	Current evaluation of TBI epidemiology in an ageing society with improved preventive measures. 1-16	1
381	Animal models of mild and severe TBI: what have we learned in the past 30 years?. 114-125	2
380	Caffeine prevents acute mortality after TBI in rats without increased morbidity. <b>2012</b> , 234, 161-8	31
379	Alcohol intoxication may exacerbate the effects of blunt cranial trauma through changes in brain free magnesium levels. <b>2012</b> , 57, 979-82	5
378	Further investigations into the speed of cerebral swelling following blunt cranial trauma. <b>2012</b> , 57, 973-5	17
377	Animal model for sport-related concussion; ICP and cognitive function. <b>2012</b> , 125, 241-7	15
376	Exercise pre-conditioning reduces brain inflammation and protects against toxicity induced by traumatic brain injury: behavioral and neurochemical approach. <b>2012</b> , 21, 175-84	46
375	Ceftriaxone treatment after traumatic brain injury restores expression of the glutamate transporter, GLT-1, reduces regional gliosis, and reduces post-traumatic seizures in the rat. <b>2013</b> , 30, 1434-41	121
374	Pitfalls and fallacies interfering with correct identification of embryonic stem cells implanted into the brain after experimental traumatic injury. <b>2013</b> , 215, 60-70	14

373	Resuscitation from experimental traumatic brain injury by magnolol therapy. <b>2013</b> , 184, 1045-52	7
372	High-dose glucocorticoid aggravates TBI-associated corticosteroid insufficiency by inducing hypothalamic neuronal apoptosis. <b>2013</b> , 1541, 69-80	13
371	Superimposed traumatic brain injury modulates vasomotor responses in third-order vessels after hemorrhagic shock. <b>2013</b> , 21, 77	16
370	Microglial activation induced by traumatic brain injury is suppressed by postinjury treatment with hyperbaric oxygen therapy. <b>2013</b> , 184, 1076-84	45
369	The neuronal protective effects of local brain cooling at the craniectomy site after lateral fluid percussion injury in a rat model. <b>2013</b> , 185, 753-62	6
368	Animal models of traumatic brain injury. <b>2013</b> , 14, 128-42	862
367	Morris water maze function and histologic characterization of two age-at-injury experimental models of controlled cortical impact in the immature rat. <b>2013</b> , 29, 43-53	31
366	NAAG peptidase inhibitor improves motor function and reduces cognitive dysfunction in a model of TBI with secondary hypoxia. <b>2013</b> , 1515, 98-107	20
365	Hypoxic preconditioning enhances the therapeutic potential of the secretome from cultured human mesenchymal stem cells in experimental traumatic brain injury. <b>2013</b> , 124, 165-76	185
364	Administration of MS-275 improves cognitive performance and reduces cell death following traumatic brain injury in rats. <b>2013</b> , 19, 337-45	9
363	Myelin loss and oligodendrocyte pathology in white matter tracts following traumatic brain injury in the rat. <b>2013</b> , 38, 2153-65	87
362	Therapy development for diffuse axonal injury. <b>2013</b> , 30, 307-23	137
361	Can structural or functional changes following traumatic brain injury in the rat predict epileptic outcome?. <b>2013</b> , 54, 1240-50	97
360	Cerebral blood flow and apoptosis-associated factor with electroacupuncture in a traumatic brain injury rat model. <b>2013</b> , 31, 395-403	12
359	Imipramine treatment increases cell proliferation following fluid percussion brain injury in rats. <b>2013</b> , 35, 247-54	5
358	Towards clinical management of traumatic brain injury: a review of models and mechanisms from a biomechanical perspective. <b>2013</b> , 6, 1325-38	70
357	Functional assessment of long-term deficits in rodent models of traumatic brain injury. <b>2013</b> , 8, 483-516	60
356	Effect of fish oil supplementation in a rat model of multiple mild traumatic brain injuries. <b>2013</b> , 31, 647-59	27

355	Cerebrospinal fluid pressures resulting from experimental traumatic spinal cord injuries in a pig model. <b>2013</b> , 135, 101005	11
354	Dietary therapy mitigates persistent wake deficits caused by mild traumatic brain injury. <b>2013</b> , 5, 215ra173	63
353	Cerebral Blood Flow, Metabolism, and Head Trauma. <b>2013</b> ,	2
352	Diffuse traumatic brain injury and the sensory brain. <b>2013</b> , 40, 473-83	16
351	Assessing neuro-systemic & behavioral components in the pathophysiology of blast-related brain injury. <b>2013</b> , 4, 186	47
350	Monitoring functional impairment and recovery after traumatic brain injury in rats by FMRI. <b>2013</b> , 30, 546-56	29
349	Medial septal nucleus theta frequency deep brain stimulation improves spatial working memory after traumatic brain injury. <b>2013</b> , 30, 131-9	61
348	Expression of voltage-gated sodium channel Nav1.3 is associated with severity of traumatic brain injury in adult rats. <b>2013</b> , 30, 39-46	14
347	The evolution of traumatic brain injury in a rat focal contusion model. <b>2013</b> , 26, 468-79	24
346	Evaluation of metric, topological, and temporal ordering memory tasks after lateral fluid percussion injury. <b>2013</b> , 30, 292-300	16
345	17 $\beta$ -Estradiol confers protection after traumatic brain injury in the rat and involves activation of G protein-coupled estrogen receptor 1. <b>2013</b> , 30, 1531-41	69
344	Using anesthetics and analgesics in experimental traumatic brain injury. <b>2013</b> , 42, 286-91	37
343	Extent of Cerebrovascular Disruption Following Blast Exposure is Influenced by the Duration of the Positive Phase in Addition to Peak Overpressure. <b>2014</b> , 05,	1
342	Decreased resting functional connectivity after traumatic brain injury in the rat. <b>2014</b> , 9, e95280	46
341	Brain injury in the context of tauopathies. <b>2014</b> , 40, 495-518	25
340	Relevance of gap junctions and large pore channels in traumatic brain injury. <b>2014</b> , 5, 31	9
339	. <b>2014</b> ,	1
338	EphrinB3 blocks EphB3 dependence receptor functions to prevent cell death following traumatic brain injury. <b>2014</b> , 5, e1207	22

337	A pre-injury high ethanol intake in rats promotes brain edema following traumatic brain injury. <b>2014</b> , 28, 739-45	9
336	Acute lower urinary tract dysfunction (LUTD) following traumatic brain injury (TBI) in rats. <b>2014</b> , 33, 1159-64	10
335	Acute alcohol intoxication prolongs neuroinflammation without exacerbating neurobehavioral dysfunction following mild traumatic brain injury. <b>2014</b> , 31, 378-86	34
334	Blockage of the upregulation of voltage-gated sodium channel nav1.3 improves outcomes after experimental traumatic brain injury. <b>2014</b> , 31, 346-57	12
333	The problem of axonal injury in the brains of veterans with histories of blast exposure. <b>2014</b> , 2, 153	55
332	A rapid lateral fluid percussion injury rodent model of traumatic brain injury and post-traumatic epilepsy. <b>2014</b> , 25, 532-6	14
331	A novel trauma model: naturally occurring canine trauma. <b>2014</b> , 41, 25-32	12
330	Anti-epileptogenic clinical trial designs in epilepsy: issues and options. <b>2014</b> , 11, 401-11	30
329	Reactive gliosis and the multicellular response to CNS damage and disease. <b>2014</b> , 81, 229-48	799
328	Posttraumatic epilepsy - disease or comorbidity?. <b>2014</b> , 38, 19-24	36
327	Effect of lacosamide on structural damage and functional recovery after traumatic brain injury in rats. <b>2014</b> , 108, 653-65	15
326	Inhibition of SRC family kinases protects hippocampal neurons and improves cognitive function after traumatic brain injury. <b>2014</b> , 31, 1268-76	20
325	Vascular Mechanisms in CNS Trauma. <b>2014</b> ,	3
324	Alteration in synaptic junction proteins following traumatic brain injury. <b>2014</b> , 31, 1375-85	23
323	Nociceptive sensitization and BDNF up-regulation in a rat model of traumatic brain injury. <b>2014</b> , 583, 55-9	38
322	Stroke and Traumatic Brain Injury. <b>2014</b> , 367-386	1
321	MLC901, a Traditional Chinese Medicine induces neuroprotective and neuroregenerative benefits after traumatic brain injury in rats. <i>Neuroscience</i> , <b>2014</b> , 277, 72-86	3.9 45
320	Commentary on Kamper et. al., juvenile traumatic brain injury evolves into a chronic brain disorder: The challenges in longitudinal studies of juvenile traumatic brain injury. <b>2014</b> , 261, 434-9	2

319	Deferoxamine attenuates acute hydrocephalus after traumatic brain injury in rats. <b>2014</b> , 5, 586-94	63
318	Extracellular signal-regulated kinase 1/2 is involved in a tamoxifen neuroprotective effect in a lateral fluid percussion injury rat model. <b>2014</b> , 189, 106-16	22
317	Remote effects on the striatal dopamine system after fluid percussion injury. <b>2014</b> , 267, 156-72	20
316	Three decades of citation classics: the most cited articles in the field of physical medicine and rehabilitation. <b>2014</b> , 6, 828-40	2
315	Amantadine improves cognitive outcome and increases neuronal survival after fluid percussion traumatic brain injury in rats. <b>2014</b> , 31, 370-7	37
314	Neuro-proteomics and Neuro-systems Biology in the Quest of TBI Biomarker Discovery. <b>2014</b> , 3-41	1
313	Pre-Clinical Traumatic Brain Injury Common Data Elements: Toward a Common Language Across Laboratories. <b>2015</b> , 32, 1725-35	70
312	Endogenous IFN- $\beta$ signaling exerts anti-inflammatory actions in experimentally induced focal cerebral ischemia. <b>2015</b> , 12, 211	26
311	Chapter 3 animal models of traumatic brain injury: is there an optimal model that parallels human brain injury?. <b>2015</b> , 33, 31-73	10
310	Imatinib treatment reduces brain injury in a murine model of traumatic brain injury. <b>2015</b> , 9, 385	27
309	Efficacy, dosage, and duration of action of branched chain amino Acid therapy for traumatic brain injury. <b>2015</b> , 6, 73	17
308	Brain Injury Impairs Working Memory and Prefrontal Circuit Function. <b>2015</b> , 6, 240	39
307	Diffusion tensor imaging detects chronic microstructural changes in white and gray matter after traumatic brain injury in rat. <b>2015</b> , 9, 128	51
306	Effects of Repetitive Transcranial Magnetic Stimulation on Behavioral Recovery during Early Stage of Traumatic Brain Injury in Rats. <b>2015</b> , 30, 1496-502	8
305	Use of Anisotropy, 3D Segmented Atlas, and Computational Analysis to Identify Gray Matter Subcortical Lesions Common to Concussive Injury from Different Sites on the Cortex. <b>2015</b> , 10, e0125748	16
304	Acute Temporal Profiles of Serum Levels of UCH-L1 and GFAP and Relationships to Neuronal and Astroglial Pathology following Traumatic Brain Injury in Rats. <b>2015</b> , 32, 1179-89	44
303	Hyperbaric oxygen effects on neuronal apoptosis associations in a traumatic brain injury rat model. <b>2015</b> , 197, 382-9	27
302	Multimodal MR imaging of acute and subacute experimental traumatic brain injury: Time course and correlation with cerebral energy metabolites. <b>2015</b> , 4, 2047981614555142	13



301	Temporal pattern of neurodegeneration, programmed cell death, and neuroplastic responses in the thalamus after lateral fluid percussion brain injury in the rat. <b>2015</b> , 74, 512-26	8
300	Chronic Histopathological and Behavioral Outcomes of Experimental Traumatic Brain Injury in Adult Male Animals. <b>2015</b> , 32, 1861-82	60
299	A single dose of PPAR $\alpha$ agonist pioglitazone reduces cortical oxidative damage and microglial reaction following lateral fluid percussion brain injury in rats. <b>2015</b> , 59, 8-20	21
298	Animal models of traumatic brain injury. <b>2015</b> , 127, 115-28	102
297	Attenuation of Cell Death in Injured Cortex After Post-Traumatic Brain Injury Moderate Hypothermia: Possible Involvement of Autophagy Pathway. <b>2015</b> , 84, 420-30	20
296	The effects of perturbed cerebral blood flow and cerebrovascular reactivity on structural MRI and behavioral readouts in mild traumatic brain injury. <b>2015</b> , 35, 1852-61	19
295	Septohippocampal Neuromodulation Improves Cognition after Traumatic Brain Injury. <b>2015</b> , 32, 1822-32	37
294	Chaperone-Mediated Autophagy after Traumatic Brain Injury. <b>2015</b> , 32, 1449-57	30
293	Fluid percussion injury device for the precise control of injury parameters. <b>2015</b> , 248, 16-26	13
292	Recombinant human erythropoietin improves the neurofunctional recovery of rats following traumatic brain injury via an increase in circulating endothelial progenitor cells. <b>2015</b> , 6, 50-9	38
291	Found in translation: Understanding the biology and behavior of experimental traumatic brain injury. <b>2015</b> , 58, 123-46	55
290	Moderate Hypothermia Significantly Decreases Hippocampal Cell Death Involving Autophagy Pathway after Moderate Traumatic Brain Injury. <b>2015</b> , 32, 1090-100	28
289	A behavioral and histological comparison of fluid percussion injury and controlled cortical impact injury to the rat sensorimotor cortex. <b>2015</b> , 294, 254-63	22
288	Lipoic acid and bone marrow derived cells therapy induce angiogenesis and cell proliferation after focal brain injury. <b>2015</b> , 29, 380-95	4
287	Cellular Therapy for Stroke and CNS Injuries. <b>2015</b> ,	
286	Diffusion tensor imaging of hippocampal network plasticity. <b>2015</b> , 220, 781-801	34
285	Endocannabinoid degradation inhibition improves neurobehavioral function, blood-brain barrier integrity, and neuroinflammation following mild traumatic brain injury. <b>2015</b> , 32, 297-306	54
284	Loss of hippocampal interneurons and epileptogenesis: a comparison of two animal models of acquired epilepsy. <b>2015</b> , 220, 153-91	84

283	Effects of Different Doses of Levetiracetam on Aquaporin 4 Expression in Rats with Brain Edema Following Fluid Percussion Injury. <b>2016</b> , 22, 678-86	10
282	Historical Review of the Fluid-Percussion TBI Model. <b>2016</b> , 7, 217	23
281	Facilitating Mitochondrial Calcium Uptake Improves Activation-Induced Cerebral Blood Flow and Behavior after mTBI. <b>2016</b> , 10, 19	15
280	Making Waves in the Brain: What Are Oscillations, and Why Modulating Them Makes Sense for Brain Injury. <b>2016</b> , 10, 30	21
279	Analysis of Post-Traumatic Brain Injury Gene Expression Signature Reveals Tubulins, Nfe2l2, Nfkb, Cd44, and S100a4 as Treatment Targets. <b>2016</b> , 6, 31570	41
278	Animal models of post-traumatic epilepsy. <b>2016</b> , 272, 50-55	22
277	Clinical Traumatic Brain Injury in the Preclinical Setting. <b>2016</b> , 1462, 11-28	6
276	Neurogenic inflammation after traumatic brain injury and its potentiation of classical inflammation. <b>2016</b> , 13, 264	171
275	Changes in the Cerebral Cortex after Dosed Craniocerebral Trauma in Rats of Different Ages. <b>2016</b> , 46, 826-832	
274	Traumatic Brain Injury Results in Cellular, Structural and Functional Changes Resembling Motor Neuron Disease. <b>2017</b> , 27, 4503-4515	40
273	Primary blast causes mild, moderate, severe and lethal TBI with increasing blast overpressures: Experimental rat injury model. <b>2016</b> , 6, 26992	62
272	Etiology matters - Genomic DNA Methylation Patterns in Three Rat Models of Acquired Epilepsy. <b>2016</b> , 6, 25668	61
271	Midline (Central) Fluid Percussion Model of Traumatic Brain Injury. <b>2016</b> , 1462, 211-30	15
270	Lateral (Parasagittal) Fluid Percussion Model of Traumatic Brain Injury. <b>2016</b> , 1462, 231-51	13
269	Pediatric Rodent Models of Traumatic Brain Injury. <b>2016</b> , 1462, 325-43	16
268	Clinical relevance of midline fluid percussion brain injury: Acute deficits, chronic morbidities and the utility of biomarkers. <b>2016</b> , 30, 1293-1301	35
267	Rodent Models of Traumatic Brain Injury: Methods and Challenges. <b>2016</b> , 1462, 29-46	30
266	Early electroacupuncture treatment ameliorates neuroinflammation in rats with traumatic brain injury. <b>2016</b> , 16, 470	15

265	Oxidation of KCNB1 Potassium Channels Causes Neurotoxicity and Cognitive Impairment in a Mouse Model of Traumatic Brain Injury. <b>2016</b> , 36, 11084-11096	21
264	Animal Models of Traumatic Brain Injury. <b>2016</b> , 1-12	0
263	Tau Oligomers Derived from Traumatic Brain Injury Cause Cognitive Impairment and Accelerate Onset of Pathology in Htau Mice. <b>2016</b> , 33, 2034-2043	57
262	Autophagy Inhibitor 3-MA Weakens Neuroprotective Effects of Posttraumatic Brain Injury Moderate Hypothermia. <b>2016</b> , 88, 433-446	18
261	Isolated Primary Blast Inhibits Long-Term Potentiation in Organotypic Hippocampal Slice Cultures. <b>2016</b> , 33, 652-61	24
260	Neuronal loss as evidenced by automated quantification of neuronal density following moderate and severe traumatic brain injury in rats. <b>2016</b> , 94, 39-49	8
259	Effects of anodal transcranial direct current stimulation (tDCS) on behavioral and spatial memory during the early stage of traumatic brain injury in the rats. <b>2016</b> , 362, 314-20	22
258	Real-Time Detection and Monitoring of Acute Brain Injury Utilizing Evoked Electroencephalographic Potentials. <b>2016</b> , 24, 1003-1012	21
257	The Impact of Previous Physical Training on Redox Signaling after Traumatic Brain Injury in Rats: A Behavioral and Neurochemical Approach. <b>2016</b> , 33, 1317-30	25
256	Epileptogenesis following experimentally induced traumatic brain injury - a systematic review. <b>2016</b> , 27, 329-46	6
255	Delayed Methylene Blue Improves Lesion Volume, Multi-Parametric Quantitative Magnetic Resonance Imaging Measurements, and Behavioral Outcome after Traumatic Brain Injury. <b>2016</b> , 33, 194-202	15
254	Neuroprotective Effects of the Glutamate Transporter Activator (R)-(-)-5-methyl-1-nicotinoyl-2-pyrazoline (MS-153) following Traumatic Brain Injury in the Adult Rat. <b>2016</b> , 33, 1073-83	25
253	Triggering Receptor Expressed on Myeloid Cells 2 Deficiency Alters Acute Macrophage Distribution and Improves Recovery after Traumatic Brain Injury. <b>2017</b> , 34, 423-435	49
252	Traumatic Brain Injury Induces Alterations in Cortical Glutamate Uptake without a Reduction in Glutamate Transporter-1 Protein Expression. <b>2017</b> , 34, 220-234	29
251	Unfolded Maps for Quantitative Analysis of Cortical Lesion Location and Extent after Traumatic Brain Injury. <b>2017</b> , 34, 459-474	22
250	Comprehensive Profiling of Modulation of Nitric Oxide Levels and Mitochondrial Activity in the Injured Brain: An Experimental Study Based on the Fluid Percussion Injury Model in Rats. <b>2017</b> , 34, 475-486	17
249	Altered hypermetabolic response to cortical spreading depolarizations after traumatic brain injury in rats. <b>2017</b> , 37, 1670-1686	20
248	Glutamate Neurotransmission in Rodent Models of Traumatic Brain Injury. <b>2017</b> , 34, 263-272	75

247	EEG slow waves in traumatic brain injury: Convergent findings in mouse and man. <b>2017</b> , 2, 59-70	26
246	TBI-induced nociceptive sensitization is regulated by histone acetylation. <b>2017</b> , 2, 14-23	6
245	Chronic Traumatic Encephalopathy. <b>2017</b> , 599-620	0
244	From blast to bench: A translational mini-review of posttraumatic headache. <b>2017</b> , 95, 1347-1354	16
243	Hyperbaric Oxygen Effects on Depression-Like Behavior and Neuroinflammation in Traumatic Brain Injury Rats. <b>2017</b> , 100, 128-137	22
242	Acute brain trauma, lung injury, and pneumonia: more than just altered mental status and decreased airway protection. <b>2017</b> , 313, L1-L15	30
241	Pathophysiology and Treatment of Memory Dysfunction After Traumatic Brain Injury. <b>2017</b> , 17, 52	42
240	Investigation of left and right lateral fluid percussion injury in C57BL6/J mice: In vivo functional consequences. <b>2017</b> , 653, 31-38	12
239	Phosphodiesterase-4 inhibition restored hippocampal long term potentiation after primary blast. <b>2017</b> , 293, 91-100	9
238	Traumatic brain injury impairs sensorimotor function in mice. <b>2017</b> , 213, 100-109	10
237	Sleep-Wake Disturbances After Traumatic Brain Injury: Synthesis of Human and Animal Studies. <b>2017</b> , 40,	64
236	Central Nervous System Changes Induced by Underbody Blast-Induced Hyperacceleration: An in Vivo Diffusion Tensor Imaging and Magnetic Resonance Spectroscopy Study. <b>2017</b> , 34, 1972-1980	8
235	Effect of docosahexaenoic acid on traumatic brain injury in rats. <b>2017</b> , 14, 4411-4416	11
234	The Chemokine Receptor CXCR2 Supports Nociceptive Sensitization after Traumatic Brain Injury. <b>2017</b> , 13, 1744806917730212	13
233	Genetic and Histological Alterations Reveal Key Role of Prostaglandin Synthase and Cyclooxygenase 1 and 2 in Traumatic Brain Injury-Induced Neuroinflammation in the Cerebral Cortex of Rats Exposed to Moderate Fluid Percussion Injury. <b>2017</b> , 26, 1301-1313	9
232	Disease-modifying effect of atipamezole in a model of post-traumatic epilepsy. <b>2017</b> , 136, 18-34	31
231	Repeated Mild Traumatic Brain Injury: Potential Mechanisms of Damage. <b>2017</b> , 26, 1131-1155	108
230	Multiple mild traumatic brain injury in the rat produces persistent pathological alterations in the brain. <b>2017</b> , 297, 62-72	10

229	Segmentation of quasiperiodic patterns in EEG recordings for analysis of post-traumatic paroxysmal activity in rat brains. <b>2017</b> , 27, 789-803	2
228	Nasal application of HSV encoding human preproenkephalin blocks craniofacial pain in a rat model of traumatic brain injury. <b>2017</b> , 24, 482-486	10
227	Animal models of chronic traumatic encephalopathy. <b>2017</b> , 2, CNC32	12
226	Isolated Brain Trauma in Cats Triggers Rapid Onset of Hypovolemia. <b>2017</b> , 26, 450-456	6
225	Estimation on the effect of local brain cooling after head injury by wireless near infrared spectroscopy. <b>2017</b> , 97, 45-50	4
224	Primary Blast Injury Depressed Hippocampal Long-Term Potentiation through Disruption of Synaptic Proteins. <b>2017</b> , 34, 1063-1073	17
223	Persistent Behavioral Deficits in Rats after Parasagittal Fluid Percussion Injury. <b>2017</b> , 34, 1086-1096	24
222	Simvastatin Therapy in the Acute Stage of Traumatic Brain Injury Attenuates Brain Trauma-Induced Depression-Like Behavior in Rats by Reducing Neuroinflammation in the Hippocampus. <b>2017</b> , 26, 122-132	40
221	Resuscitation with Pooled and Pathogen-Reduced Plasma Attenuates the Increase in Brain Water Content following Traumatic Brain Injury and Hemorrhagic Shock in Rats. <b>2017</b> , 34, 1054-1062	20
220	Epilepsy After Traumatic Brain Injury. <b>2017</b> , 661-681	7
219	Overview of Traumatic Brain Injury: An Immunological Context. <b>2017</b> , 7,	52
218	Lateral Fluid Percussion Injury Impairs Hippocampal Synaptic Soluble N-Ethylmaleimide Sensitive Factor Attachment Protein Receptor Complex Formation. <b>2017</b> , 8, 532	11
217	Chronically dysregulated NOTCH1 interactome in the dentate gyrus after traumatic brain injury. <b>2017</b> , 12, e0172521	13
216	Improving on Laboratory Traumatic Brain Injury Models to Achieve Better Results. <b>2017</b> , 14, 494-505	9
215	Effects of concussion on the blood-brain barrier in humans and rodents. <b>2017</b> , 1,	17
214	Neuroprotection of hyperbaric oxygen treatment for traumatic brain injury involving autophagy pathway in rats. <b>2017</b> , Volume 5, 85-91	
213	A Lateral Fluid Percussion Injury Model for Studying Traumatic Brain Injury in Rats. <b>2018</b> , 1717, 27-36	4
212	Midline (central) fluid percussion model of traumatic brain injury in pediatric and adolescent rats. <b>2018</b> , 22, 22-30	13

211	Estrogen Receptor- $\alpha$ s Involved in Tamoxifen Neuroprotective Effects in a Traumatic Brain Injury Male Rat Model. <b>2018</b> , 112, e278-e287	9
210	The Effects of Memantine on Glutamic Receptor-Associated Nitrosative Stress in a Traumatic Brain Injury Rat Model. <b>2018</b> , 112, e719-e731	13
209	Traumatic brain injury: classification, models, and markers. <b>2018</b> , 96, 391-406	41
208	Traumatic Brain Injury Disrupts Pain Signaling in the Brainstem and Spinal Cord. <b>2018</b> , 35, 1495-1509	10
207	Diminished Dentate Gyrus Filtering of Cortical Input Leads to Enhanced Area Ca3 Excitability after Mild Traumatic Brain Injury. <b>2018</b> , 35, 1304-1317	17
206	Intranasal Oxytocin Attenuates Reactive and Ongoing, Chronic Pain in a Model of Mild Traumatic Brain Injury. <b>2018</b> , 58, 545-558	12
205	Transcription factors Tp73, Cebpd, Pax6, and Spi1 rather than DNA methylation regulate chronic transcriptomics changes after experimental traumatic brain injury. <b>2018</b> , 6, 17	18
204	Animal models of status epilepticus and temporal lobe epilepsy: a narrative review. <b>2018</b> , 29, 757-770	32
203	Large animal models of traumatic brain injury. <b>2018</b> , 96, 527-535	66
202	Elucidating opportunities and pitfalls in the treatment of experimental traumatic brain injury to optimize and facilitate clinical translation. <b>2018</b> , 85, 160-175	18
201	Phosphorylation of connexin 43 induced by traumatic brain injury promotes exosome release. <b>2018</b> , 119, 305-311	18
200	Effects of propranolol and clonidine on brain edema, blood-brain barrier permeability, and endothelial glycocalyx disruption after fluid percussion brain injury in the rat. <b>2018</b> , 84, 89-96	8
199	Effects of Mild Blast Traumatic Brain Injury on Cerebral Vascular, Histopathological, and Behavioral Outcomes in Rats. <b>2018</b> , 35, 375-392	34
198	Cerebral Concussion Primes the Lungs for Subsequent Neutrophil-Mediated Injury. <b>2018</b> , 46, e937-e944	6
197	The Acute Post-Traumatic Period in Rats Is Accompanied by an Anxiety State and a Decrease in the Proportion of REM Sleep. <b>2018</b> , 48, 785-795	1
196	Proton Magnetic Resonance Spectroscopy ( $^1\text{H}$ -MRS) Study of the Ketogenic Diet on Repetitive Mild Traumatic Brain Injury in Adolescent Rats and Its Effect on Neurodegeneration. <b>2018</b> , 120, e1193-e1202	11
195	The Number of IgG-Positive Neurons in the Rat Hippocampus Increases after Dosed Traumatic Brain Injury. <b>2018</b> , 12, 256-261	4
194	Changes in Posttraumatic Brain Edema in Craniectomy-Selective Brain Hypothermia Model Are Associated With Modulation of Aquaporin-4 Level. <b>2018</b> , 9, 799	8

193	Novel-graded traumatic brain injury model in rats induced by closed head impacts. <b>2018</b> , 38, 484-492	6
192	miR-124-3p is a chronic regulator of gene expression after brain injury. <b>2018</b> , 75, 4557-4581	26
191	Thiamine preserves mitochondrial function in a rat model of traumatic brain injury, preventing inactivation of the 2-oxoglutarate dehydrogenase complex. <b>2018</b> , 1859, 925-931	18
190	Dietary Zinc Modulates Matrix Metalloproteinases in Traumatic Brain Injury. <b>2018</b> , 35, 2495-2506	10
189	Pre-Clinical Testing of Therapies for Traumatic Brain Injury. <b>2018</b> , 35, 2737-2754	45
188	Implication of surgical procedure in the induction of headache and generalized painful sensation in a fluid percussion injury model in rats. <b>2018</b> , 307, 23-30	6
187	Implantation of Neuronal Stem Cells Enhances Object Recognition without Increasing Neurogenesis after Lateral Fluid Percussion Injury in Mice. <b>2018</b> , 2018, 4209821	7
186	Establishment of a precise novel brain trauma model in a large animal based on injury of the cerebral motor cortex. <b>2018</b> , 307, 95-105	7
185	Algorithm for automatic detection of spontaneous seizures in rats with post-traumatic epilepsy. <b>2018</b> , 307, 37-45	13
184	Preclinical Models of Traumatic Brain Injury: Emerging Role of Glutamate in the Pathophysiology of Depression. <b>2018</b> , 9, 579	14
183	Fluid Percussion Model of Traumatic Brain Injury. <b>2018</b> , 97-110	
182	Strides Toward Better Understanding of Post-Traumatic Headache Pathophysiology Using Animal Models. <b>2018</b> , 22, 67	9
181	Detection of Hyperexcitability by Functional Magnetic Resonance Imaging after Experimental Traumatic Brain Injury. <b>2018</b> , 35, 2708-2717	18
180	Quantification of Biological Responses as Predictors of Cognitive Outcome after Developmental TBI. <b>2018</b> , 2018, 381-384	1
179	T-cell infiltration into the perilesional cortex is long-lasting and associates with poor somatomotor recovery after experimental traumatic brain injury. <b>2018</b> , 36, 485-501	12
178	MRS Reveals Chronic Inflammation in T2w MRI-Negative Perilesional Cortex - A 6-Months Multimodal Imaging Follow-Up Study. <b>2019</b> , 13, 863	8
177	Lateral fluid-percussion injury leads to pituitary atrophy in rats. <b>2019</b> , 9, 11819	2
176	Use of a Wireless Video-EEG System to Monitor Epileptiform Discharges Following Lateral Fluid-Percussion Induced Traumatic Brain Injury. <b>2019</b> ,	1

175	Animal Models of Acute Neurological Injury. <b>2019</b> ,	2
174	Effects of Detection Wavelengths on Soot Volume Fraction Measurements Using the Auto-Compensating LII Technique. <b>2019</b> , 1-15	1
173	In Vitro and In Vivo Pipeline for Validation of Disease-Modifying Effects of Systems Biology-Derived Network Treatments for Traumatic Brain Injury-Lessons Learned. <b>2019</b> , 20,	4
172	Tauopathies in Traumatic Brain Injury. <b>2019</b> , 113-129	
171	Wogonin attenuates the deleterious effects of traumatic brain injury in anesthetized Wistar rats. <b>2019</b> , 848, 121-130	2
170	Visualization of thalamic calcium influx with quantitative susceptibility mapping as a potential imaging biomarker for repeated mild traumatic brain injury. <b>2019</b> , 200, 250-258	8
169	Enhanced descending pain facilitation in acute traumatic brain injury. <b>2019</b> , 320, 112976	5
168	Toward development of clinically translatable diagnostic and prognostic metrics of traumatic brain injury using animal models: A review and a look forward. <b>2019</b> , 318, 101-123	15
167	What Happens to Concussed Animals?. <b>2019</b> , 153-204	
166	Therapeutic hypercapnia reduces blood-brain barrier damage possibly via protein kinase C in rats with lateral fluid percussion injury. <b>2019</b> , 16, 36	10
165	Harmonization of lateral fluid-percussion injury model production and post-injury monitoring in a preclinical multicenter biomarker discovery study on post-traumatic epileptogenesis. <b>2019</b> , 151, 7-16	12
164	Defining and Managing Pain in Stroke and Traumatic Brain Injury Research. <b>2019</b> , 69, 510-519	2
163	Dynamics of clusterin protein expression in the brain and plasma following experimental traumatic brain injury. <b>2019</b> , 9, 20208	5
162	Acute Non-Convulsive Status Epilepticus after Experimental Traumatic Brain Injury in Rats. <b>2019</b> , 36, 1890-1907	17
161	Animal Models of Traumatic Brain Injury and Assessment of Injury Severity. <b>2019</b> , 56, 5332-5345	80
160	Intracranial Pressure Monitoring in Experimental Traumatic Brain Injury: Implications for Clinical Management. <b>2020</b> , 37, 2401-2413	2
159	Improving Understanding and Outcomes of Traumatic Brain Injury Using Bidirectional Translational Research. <b>2020</b> , 37, 2372-2380	4
158	Rat Models of Central Nervous System Injury. <b>2020</b> , 1023-1075	



157	Injury-preconditioning secretome of umbilical cord mesenchymal stem cells amplified the neurogenesis and cognitive recovery after severe traumatic brain injury in rats. <b>2020</b> , 153, 230-251	14
156	Seawater Immersion Aggravates Early Mitochondrial Dysfunction and Increases Neuronal Apoptosis After Traumatic Brain Injury. <b>2020</b> , 40, 447-457	3
155	Acute Downregulation of Novel Hypothalamic Protein Sushi Repeat-Containing Protein X-Linked 2 after Experimental Traumatic Brain Injury. <b>2020</b> , 37, 924-938	1
154	Structural and functional analysis of the Hsp70/Hsp40 chaperone system. <b>2020</b> , 29, 378-390	37
153	Animal Models of Post-Traumatic Epilepsy. <b>2019</b> , 10,	7
152	Pattern of Neuronal and Axonal Damage, Glial Response, and Synaptic Changes in Rat Cerebellum within the First Week following Traumatic Brain Injury. <b>2020</b> , 79, 1163-1182	2
151	Classification of Electroencephalogram in a Mouse Model of Traumatic Brain Injury Using Machine Learning Approaches. <b>2020</b> , 2020, 3335-3338	1
150	Persistent post-traumatic headache: a migrainous loop or not? The preclinical evidence. <b>2020</b> , 21, 90	4
149	Outcome measures from experimental traumatic brain injury in male rats vary with the complete temporal biomechanical profile of the injury event. <b>2020</b> , 98, 2027-2044	1
148	Postinjury weight rather than cognitive or behavioral impairment predicts development of posttraumatic epilepsy after lateral fluid-percussion injury in rats. <b>2020</b> , 61, 2035-2052	15
147	The Acute Period in Modeling of Traumatic Brain Injury in Rats: Immediate Convulsions, Damage to Neocortical Functional Zones, and Behavioral Impairments. <b>2020</b> , 50, 841-844	
146	Long-lasting blood-brain barrier dysfunction and neuroinflammation after traumatic brain injury. <b>2020</b> , 145, 105080	25
145	Propylparaben Reduces the Long-Term Consequences in Hippocampus Induced by Traumatic Brain Injury in Rats: Its Implications as Therapeutic Strategy to Prevent Neurodegenerative Diseases. <b>2021</b> , 82, S215-S226	1
144	Sodium Cromoglycate Decreases Sensorimotor Impairment and Hippocampal Alterations Induced by Severe Traumatic Brain Injury in Rats. <b>2020</b> , 37, 2595-2603	2
143	Increased expression of miR142 and miR155 in glial and immune cells after traumatic brain injury may contribute to neuroinflammation via astrocyte activation. <b>2020</b> , 30, 897-912	8
142	Human adipose-derived mesenchymal stem cells for acute and sub-acute TBI. <b>2020</b> , 15, e0233263	10
141	Elevated Acute Plasma miR-124-3p Level Relates to Evolution of Larger Cortical Lesion Area after Traumatic Brain Injury. <i>Neuroscience</i> , <b>2020</b> , 433, 21-35	3.9 8
140	Zebrafish model of posttraumatic epilepsy. <b>2020</b> , 61, 1774-1785	14

139	The Short-Term Effects of Isolated Traumatic Brain Injury on the Heart in Experimental Healthy Rats. <b>2020</b> , 33, 438-448	1
138	A New Model of Repetitive Traumatic Brain Injury in Mice. <b>2019</b> , 13, 1417	9
137	Chronic Regulation of miR-124-3p in the Perilesional Cortex after Experimental and Human TBI. <b>2020</b> , 21,	8
136	Triglyceride is a Good Biomarker of Increased Injury Severity on a High Fat Diet Rat After Traumatic Brain Injury. <b>2020</b> , 45, 1536-1550	1
135	Biomarkers for posttraumatic epilepsy. <b>2021</b> , 121, 107080	4
134	Biological links between traumatic brain injury and Parkinson's disease. <b>2020</b> , 8, 45	26
133	Investigation of Machine Learning Approaches for Traumatic Brain Injury Classification via EEG Assessment in Mice. <b>2020</b> , 20,	7
132	Position Paper on Post-Traumatic Headache: The Relationship Between Head Trauma, Stress Disorder, and Migraine. <b>2021</b> , 10, 1-13	9
131	Mechanosensation in traumatic brain injury. <b>2021</b> , 148, 105210	13
130	Orally Administered Cinnamon Extract Attenuates Cognitive and Neuronal Deficits Following Traumatic Brain Injury. <b>2021</b> , 71, 178-186	3
129	Traumatic Brain Injury and Alcohol Drinking Alter Basolateral Amygdala Endocannabinoids in Female Rats. <b>2021</b> , 38, 422-434	3
128	Spatial Distribution of Neuropathology and Neuroinflammation Elucidate the Biomechanics of Fluid Percussion Injury. <b>2021</b> , 2, 59-75	2
127	Effects of Pyruvate Administration on Mitochondrial Enzymes, Neurological Behaviors, and Neurodegeneration after Traumatic Brain Injury. <b>2021</b> , 12, 983-999	2
126	Long-Term Sequelae of Traumatic Brain Injury in Rats: A Morphological, Behavioral, and Electrophysiological Study. <b>2021</b> , 51, 209-219	0
125	Identification of MicroRNA-Potassium Channel Messenger RNA Interactions in the Brain of Rats With Post-traumatic Epilepsy. <b>2020</b> , 13, 610090	1
124	Repetitive Mild Head Trauma Induces Activity-Mediated Lifelong Brain Deficits in a Novel Drosophila Model.	
123	Plasma miR-9-3p and miR-136-3p as Potential Novel Diagnostic Biomarkers for Experimental and Human Mild Traumatic Brain Injury. <b>2021</b> , 22,	8
122	GJA1-20K Enhances Mitochondria Transfer from Astrocytes to Neurons via Cx43-TnTs After Traumatic Brain Injury. <b>2021</b> , 1	6

121	Translational neuroimaging in mild traumatic brain injury. <b>2021</b> ,		1
120	Hydrogen Sulfide Subchronic Treatment Improves Hypertension Induced by Traumatic Brain Injury in Rats through Vasopressor Sympathetic Outflow Inhibition. <b>2021</b> ,		2
119	Neural Markers of Vulnerability to Anxiety Outcomes after Traumatic Brain Injury. <b>2021</b> , 38, 1006-1022		1
118	Differential early effects of traumatic brain injury on spike-wave discharges in Sprague-Dawley rats. <b>2021</b> , 166, 42-54		4
117	Repetitive mild head trauma induces activity mediated lifelong brain deficits in a novel Drosophila model. <b>2021</b> , 11, 9738		3
116	Neuroinflammation and Neuronal Loss in the Hippocampus Are Associated with Immediate Posttraumatic Seizures and Corticosterone Elevation in Rats. <b>2021</b> , 22,		5
115	Sirtuins, a potential target in Traumatic Brain Injury and relevant experimental models. <b>2021</b> , 171, 135-141		0
114	Reorganization of Thalamic Inputs to Lesioned Cortex Following Experimental Traumatic Brain Injury. <b>2021</b> , 22,		1
113	A novel wireless optical technique for quantitative evaluation of cerebral perfusion pressure in a fluid percussion animal model of traumatic brain injury. <b>2021</b> , 11, 2388-2396		0
112	The neuroprotective effects of AMN082 on neuronal apoptosis in rats after traumatic brain injury. <b>2021</b> , 22, 44		0
111	Neurobiological Aspects of Post-traumatic Epilepsy: Lessons from Animal Models. <b>2021</b> , 1-28		
110	Roadmap for Advancing Pre-Clinical Science in Traumatic Brain Injury. <b>2021</b> , 38, 3204-3221		4
109	Animal models of post-traumatic epilepsy and their neurobehavioral comorbidities. <b>2021</b> , 90, 9-16		0
108	Targeting Oxidative Stress with Antioxidant Duo-therapy after Experimental Traumatic Brain Injury. <b>2021</b> , 22,		1
107	No Significant Effects of Cellphone Electromagnetic Radiation on Mice Memory or Anxiety: Some Mixed Effects on Traumatic Brain Injured Mice. <b>2021</b> , 2, 381-390		1
106	Doxycycline alleviates acute traumatic brain injury by suppressing neuroinflammation and apoptosis in a mouse model. <b>2021</b> , 359, 577672		3
105	Regulation of Parvalbumin Interactome in the Perilesional Cortex after Experimental Traumatic Brain Injury. <i>Neuroscience</i> , <b>2021</b> , 475, 52-72	3.9	1
104	Rodent models used in preclinical studies of deep brain stimulation to rescue memory deficits. <b>2021</b> , 130, 410-432		

103	Unilateral spatial neglect and memory deficit associated with abnormal beta-amyloid precursor protein accumulation after lateral fluid percussion injury in Mongolian gerbils. <b>2006</b> , 96, 144-7	1
102	Age and Sex Differences in Hemodynamics in a Large Animal Model of Brain Trauma. <b>2014</b> , 269-284	3
101	Pre-Or Postsynaptic Blocking of Glutamatergic Functioning Prevents the Increase in Glucose Utilization Following Concussive Brain Injury. <b>1992</b> , 327-332	2
100	Brain Injury Biomechanics. <b>1993</b> , 268-291	9
99	Fluid Percussion Injury Model. <b>2009</b> , 369-384	11
98	Models of Rodent Cortical Traumatic Brain Injury. <b>2011</b> , 193-209	4
97	DNA vaccination against neurite growth inhibitors to enhance functional recovery following traumatic brain injury. <b>2008</b> , 102, 347-51	2
96	Mg <sup>2+</sup> in Neurotrauma: Its Role and Therapeutic Implications. <b>1991</b> , 125-145	7
95	Concussive Brain Injury Produces a State of Vulnerability for Intracranial Pressure Perturbation in the Absence of Morphological Damage. <b>1993</b> , 469-472	3
94	Cerebral hemorrhage, brain edema, and heme oxygenase-1 expression after experimental traumatic brain injury. <b>2013</b> , 118, 83-7	18
93	Modeling Brain Injury/Trauma. <b>2002</b> , 93-102	3
92	Animal Models of Traumatic Brain Injury. <b>2011</b> , 3300-3304	2
91	Post-injury administration of a combination of memantine and 17 $\beta$ -estradiol is protective in a rat model of traumatic brain injury. <b>2017</b> , 111, 57-68	9
90	Altered release of prostaglandins by opioids contributes to impaired cerebral hemodynamics following brain injury. <b>1998</b> , 26, 917-25	15
89	Extracellular lactate and glucose alterations in the brain after head injury measured by microdialysis. <b>1999</b> , 27, 1965-73	221
88	Structural and Functional Damage Sustained by Mitochondria After Traumatic Brain Injury in the Rat: Evidence for Differentially Sensitive Populations in the Cortex and Hippocampus. <b>2003</b> , 219-231	53
87	Novel Diketopiperazine Enhances Motor and Cognitive Recovery After Traumatic Brain Injury in Rats and Shows Neuroprotection In Vitro and In Vivo. <b>2003</b> , 342-354	30
86	Diaspirin cross-linked hemoglobin resuscitation improves cerebral perfusion after head injury and shock. <b>1996</b> , 41, 781-8	19

85	Effect of small-volume resuscitation on intracranial pressure and related cerebral variables. <b>1997</b> , 42, S48-53	52
84	Experimental models of brain trauma. <b>1999</b> , 12, 715-21	87
83	Mechanisms of neurodegeneration after paediatric brain injury. <b>2000</b> , 13, 141-5	13
82	Enhanced astrocytic d-serine underlies synaptic damage after traumatic brain injury. <b>2017</b> , 127, 3114-3125	57
81	Traumatic brain injury-induced dysregulation of the circadian clock. <b>2012</b> , 7, e46204	61
80	Inhibition of phosphatase and tensin homolog deleted on chromosome 10 decreases rat cortical neuron injury and blood-brain barrier permeability, and improves neurological functional recovery in traumatic brain injury model. <b>2013</b> , 8, e80429	23
79	Real-time optical diagnosis of the rat brain exposed to a laser-induced shock wave: observation of spreading depolarization, vasoconstriction and hypoxemia-oligemia. <b>2014</b> , 9, e82891	27
78	Differential effects of 670 and 830 nm red near infrared irradiation therapy: a comparative study of optic nerve injury, retinal degeneration, traumatic brain and spinal cord injury. <b>2014</b> , 9, e104565	29
77	Neuroprotective effects of gallic acid in a rat model of traumatic brain injury: behavioral, electrophysiological, and molecular studies. <b>2018</b> , 21, 1056-1063	13
76	Mild hypothermia prevents post-traumatic hyperactivity of excitatory synapses in rat hippocampal CA1 pyramidal neurons. <b>2009</b> , 56, 49-59	4
75	Rehabilitation intervention in animal model can improve neuromotor and cognitive functions after traumatic brain injury: pilot study. <b>2011</b> , 60, 367-75	5
74	Long-term effects of enriched environment on neurofunctional outcome and CNS lesion volume after traumatic brain injury in rats. <b>2015</b> , 64, 129-45	6
73	The Role of Estradiol in Traumatic Brain Injury: Mechanism and Treatment Potential. <b>2020</b> , 22,	5
72	Effect of AQP4-RNAi in treating traumatic brain edema: Multi-modal MRI and histopathological changes of early stage edema in a rat model. <b>2020</b> , 19, 2029-2036	4
71	Stability of rat models of fluid percussion-induced traumatic brain injury: comparison of three different impact forces. <b>2015</b> , 10, 1088-94	8
70	Neurological functional evaluation based on accurate motions in big animals with traumatic brain injury. <b>2019</b> , 14, 991-996	2
69	Immediate Effects of a Single Exercise on Behavior and Memory in the Early Period of Traumatic Brain Injury in Rats. <b>2018</b> , 42, 643-651	7
68	Damaged brain accelerates bone healing by releasing small extracellular vesicles that target osteoprogenitors. <b>2021</b> , 12, 6043	5

- 67 Acute head injury. **2002**, 221-289
- 66 Transplantation von hNT-Neuronen in immunsupprimierten Ratten nach lateraler Fluid-Perkussion[Gehirnverletzung. **2002**, 427-429
- 65 Cognitive Impairment following Traumatic Brain Injury. **2006**, 301-314
- 64 Traumatic Brain Injury Pathophysiology/Models. **2011**, 97-122
- 63 Historical Perspectives in Understanding Traumatic Brain Injury and in Situating Disruption in CBF in the Pathotrajectory of Head Trauma. **2013**, 1-27
- 62 Age and Sex Differences in Cerebral Blood Flow and Autoregulation after Pediatric Traumatic Brain Injury. **2013**, 135-153 1
- 61 Effects on Blood Supply and on Arterial and Venous Tonus. **2014**, 1-91
- 60 The novel 21-aminosteroid U-74006F attenuates cerebral oedema and improves survival after brain injury in the rat. **1990**, 51, 329-30 2
- 59 Moderate Hypothermia Reduces Blood-Brain Barrier Disruption Following Traumatic Brain Injury. **1992**, 285-291 1
- 58 Head Trauma Model Systems. **1992**, 76-89
- 57 The role of apoptosis in neurodegenerative diseases. **1997**, 48, 55-98 13
- 56 Traumatic Brain Injury. **1997**, 91-116
- 55 Fluid Resuscitation of Brain Injury and Shock: Preventing Secondary Injury. **1997**, 20-54
- 54 A681 TRAUMATIC BRAIN INJURY IN INJURY IN RATS. **1997**, 87, 681A
- 53 Trauma to the Nervous System. **1999**, 379-399
- 52 Biomechanics of Brain Injury: A Historical Perspective. **2015**, 221-245 1
- 51 Transplantation of Embryonic Stem Cells in Traumatic Brain Injury. **2015**, 261-276 1
- 50 Monitoring of NADH Together with Other Tissue Physiological Parameters. **2015**, 69-88

49	Memory Disruption Following Traumatic Brain Injury. <b>2016</b> , 283-320	
48	Effects on Blood Supply and on Arterial and Venous Tonus. <b>2016</b> , 349-428	
47	Rapid Detection and Monitoring of Brain Injury Using Sensory-Evoked Responses. <b>2018</b> , 243-256	
46	The Fluid Percussion Injury Rodent Model in Preclinical Research on Traumatic Brain Injury. <b>2019</b> , 3-18	1
45	Fluid Percussion Injury Model. <b>2019</b> , 333-347	
44	[Acute period in a rat model of brain trauma: immediate seizures, damage to functional neocortical zones and behavioral disturbances]. <b>2019</b> , 119, 88-91	
43	Neural markers of vulnerability to anxiety outcomes following traumatic brain injury.	
42	Differential patterns of change in brain connectivity resulting from traumatic brain injury.	
41	Experimental Epileptogenesis in a Cell Culture Model of Primary Neurons from Rat Brain: A Temporal Multi-Scale Study. <b>2021</b> , 10,	1
40	Spatial distribution of neuropathology and neuroinflammation elucidate the biomechanics of fluid percussion injury.	
39	Does hemofiltration protect the brain after head trauma? An experimental study in rabbits. <b>2020</b> , 8, 66	0
38	Evidence of apoptotic cell death after experimental traumatic brain injury in the rat. <b>1995</b> , 147, 1575-83	381
37	Cognitive evaluation of traumatically brain-injured rats using serial testing in the Morris water maze. <b>2006</b> , 24, 109-14	28
36	The novel antiepileptic agent RWJ-333369-A, but not its analog RWJ-333369, reduces regional cerebral edema without affecting neurobehavioral outcome or cell death following experimental traumatic brain injury. <b>2007</b> , 25, 77-90	8
35	EEG slow waves in traumatic brain injury: Convergent findings in mouse and man. <b>2016</b> , 1,	8
34	Proton MR spectroscopy and MRI-volumetry in mild traumatic brain injury. <b>2007</b> , 28, 907-13	92
33	Low-intensity Blast Wave Model for Preclinical Assessment of Closed-head Mild Traumatic Brain Injury in Rodents. <b>2020</b> ,	2
32	Differential Expression Patterns of TDP-43 in Single Moderate versus Repetitive Mild Traumatic Brain Injury in Mice. <b>2021</b> , 22,	

31	The benefits of exercise for outcome improvement following traumatic brain injury: Evidence, pitfalls and future perspectives.. <b>2021</b> , 349, 113958	0
30	Low-intensity Blast Wave Model for Preclinical Assessment of Closed-head Mild Traumatic Brain Injury in Rodents. <b>2020</b> ,	2
29	Molecular hydrogen alleviates lung injury after traumatic brain injury: Pyroptosis and apoptosis. <b>2021</b> , 914, 174664	1
28	A role for insulin-like growth factor-1 in hippocampal plasticity following traumatic brain injury.. <b>2022</b> , 118, 423-455	0
27	Post-Traumatic Epilepsy and Comorbidities: Advanced Models, Molecular Mechanisms, Biomarkers, and Novel Therapeutic Interventions.. <b>2022</b> , 74, 387-438	2
26	Differential patterns of change in brain connectivity resulting from severe traumatic brain injury.. <b>2022</b> ,	
25	Peripheral Infection after Traumatic Brain Injury Augments Excitability in the Perilesional Cortex and Dentate Gyrus.. <b>2021</b> , 9,	2
24	The Nanotheranostic Researcher's Guide for Use of Animal Models of Traumatic Brain Injury. <b>2021</b> , 2, 224-268	0
23	Data_Sheet_1.PDF. <b>2019</b> ,	
22	Data_Sheet_1.docx. <b>2018</b> ,	
21	Chronic hypometabolism in striatum and hippocampal network after traumatic brain injury and their relation with memory impairment - [18F]-FDG-PET and MRI 4 months after fluid percussion injury in rat.. <b>2022</b> , 147934	1
20	Seizure Susceptibility and Sleep Disturbance as Biomarkers of Epileptogenesis after Experimental TBI. <b>2022</b> , 10, 1138	0
19	Characterizing Brain Perfusion in a Swine Model of Raised Intracranial Pressure. <b>2022</b> , 278, 64-69	0
18	The cause of acute lethality of mice exposed to a laser-induced shock wave to the brainstem. <b>2022</b> , 12,	
17	Exogenous hydrogen sulfide restores CSE and CBS but no 3-MST protein expression in the hypothalamus and brainstem after severe traumatic brain injury. <b>2022</b> , 37, 1863-1874	0
16	Animal welfare assessment after severe traumatic brain injury in rats. 002367722211072	
15	Cannabidiol Reduces Short- and Long-Term High Glutamate Release after Severe Traumatic Brain Injury and Improves Functional Recovery. <b>2022</b> , 14, 1609	0
14	Longterm Increased S100B Enhances Hippocampal Progenitor Cell Proliferation in a Transgenic Mouse Model. <b>2022</b> , 23, 9600	0



- 13 The effect of Riluzole on neurological outcomes, blood-brain barrier, brain water and neuroinflammation in traumatic brain injury. **2022**, 8, 100052 ○
- 12 MRI-Guided Electrode Implantation for Chronic Intracerebral Recordings in a Rat Model of Posttraumatic Epilepsy Challenges and Gains. **2022**, 10, 2295 ○
- 11 Spontaneous Development of CSD Related to Brain Pathophysiological Conditions. **2022**, 119-191 ○
- 10 Animal models of traumatic brain injury. **2023**, 91-103 ○
- 9 Struggling with Imperfect Instruments: A Brief History of Experimental Traumatic Brain Injury. ○
- 8 Modeling the link between traumatic brain injury and epileptiform activity in rats. **2023**, 253-263 ○
- 7 Hydrogen sulfide prevents the vascular dysfunction induced by severe traumatic brain injury in rats by reducing reactive oxygen species and modulating eNOS and H2S-synthesizing enzyme expression. **2023**, 312, 121218 ○
- 6 Polydatin ameliorates TBI induced secondary brain injury by inhibiting NLRP3-induced neuroinflammation associated with SOD2 acetylation. Publish Ahead of Print, ○
- 5 Nanoparticle-based drug delivery for the treatment of traumatic brain injury. 1-19 ○
- 4 Plasma Neurofilament Light Chain (NF-L) Is a Prognostic Biomarker for Cortical Damage Evolution but Not for Cognitive Impairment or Epileptogenesis Following Experimental TBI. **2022**, 23, 15208 2
- 3 Preclinical Studies of Posttraumatic Headache and the Potential Therapeutics. **2023**, 12, 155 ○
- 2 Novel image analysis tool for rapid screening of cell morphology in preclinical animal models of disease. **2023**, 9, e13449 ○
- 1 TAU phosphorylation patterns in the rat cerebral cortex after traumatic brain injury and sodium selenate effects: An EpiBioS4Rx Project 2 study. ○