

CITATION REPORT

List of articles citing

The human papilloma virus-16 E7 oncoprotein is able to bind to the retinoblastoma gene product

DOI: 10.1126/science.2537532
Science, 1989, 243, 934-7.

Source: <https://exaly.com/paper-pdf/20870597/citation-report.pdf>

Version: 2024-04-10

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2196	HPV16 E6 and E7 proteins cooperate to immortalize human foreskin keratinocytes.. 1989 , 8, 3905-3910		643
2195	Complex formation of human papillomavirus E7 proteins with the retinoblastoma tumor suppressor gene product.. 1989 , 8, 4099-4105		855
2194	Tumor suppressor genes: the puzzle and the promise. <i>Science</i> , 1989 , 246, 1406-12	33.3	430
2193	Mutations induced by aminofluorene-DNA adducts during replication in human cells. 1989 , 10, 2321-8		44
2192	Is Human Papillomavirus a Primary Factor in the Causation of Cervical Neoplasia? Does Herpes Simplex Virus Play a Subordinate Role?. 1989 , 5, 225-227		
2191	Point mutational inactivation of the retinoblastoma antioncogene. <i>Science</i> , 1989 , 243, 937-40	33.3	397
2190	Cell cycle-dependent regulation of phosphorylation of the human retinoblastoma gene product. <i>Science</i> , 1989 , 246, 1300-3	33.3	503
2189	Growth inhibitors: molecular diversity and roles in cell proliferation. 1989 , 25, 866-72		15
2188	HPV-18 immortalization of human keratinocytes. 1989 , 173, 302-10		80
2187	Oncogenes, growth, and the cell cycle: an overview. 1989 , 22, 405-24		11
2186	An N-terminal transformation-governing sequence of SV40 large T antigen contributes to the binding of both p110Rb and a second cellular protein, p120. 1989 , 58, 257-67		237
2185	Episomal HPV 16 DNA isolated from a cervical carcinoma presents a partial duplication of the early region. 1989 , 14, 49-55		10
2184	The cellular 107K protein that binds to adenovirus E1A also associates with the large T antigens of SV40 and JC virus. 1989 , 58, 249-55		296
2183	The bovine papillomavirus E5 transforming protein can stimulate the transforming activity of EGF and CSF-1 receptors. 1989 , 59, 21-32		170
2182	Positive and negative controls on cell growth. 1989 , 28, 8263-9		41
2181	In vitro phosphorylation of the tumor suppressor gene RB protein by mitosis-specific histone H1 kinase. 1989 , 164, 580-6		92
2180	G1 events and regulation of cell proliferation. <i>Science</i> , 1989 , 246, 603-8	33.3	2045

2179	The retinoblastoma protein is phosphorylated during specific phases of the cell cycle. 1989 , 58, 1097-105	941
2178	The product of the retinoblastoma susceptibility gene has properties of a cell cycle regulatory element. 1989 , 58, 1085-95	853
2177	Specific chromosomal abnormalities characterize fibrosarcomas of bovine papillomavirus type 1 transgenic mice. 1989 , 86, 5025-9	29
2176	Structure and expression of the murine retinoblastoma gene and characterization of its encoded protein. 1989 , 86, 6474-8	226
2175	Human papilloma virus DNAs immortalize normal human mammary epithelial cells and reduce their growth factor requirements. 1990 , 87, 463-7	270
2174	Expression and state of phosphorylation of the retinoblastoma susceptibility gene product in cycling and noncycling human hematopoietic cells. 1990 , 87, 2770-4	130
2173	Definition of the minimal simian virus 40 large T antigen- and adenovirus E1A-binding domain in the retinoblastoma gene product. 1990 , 10, 3761-9	193
2172	Hyperphosphorylation of the retinoblastoma gene product is determined by domains outside the simian virus 40 large-T-antigen-binding regions. 1990 , 10, 6586-95	47
2171	C-terminal truncation of the retinoblastoma gene product leads to functional inactivation. 1990 , 87, 6-10	166
2170	A 36-kilodalton cellular transcription factor mediates an indirect interaction of human T-cell leukemia/lymphoma virus type I TAX1 with a responsive element in the viral long terminal repeat. 1990 , 10, 4192-201	85
2169	Maintenance of cellular proliferation by adenovirus early region 1A in fibroblasts conditionally immortalized by using simian virus 40 large T antigen requires conserved region 1. 1990 , 10, 6664-73	15
2168	A single amino acid substitution results in a retinoblastoma protein defective in phosphorylation and oncoprotein binding. 1990 , 87, 6922-6	161
2167	Frequent inactivation of the retinoblastoma anti-oncogene is restricted to a subset of human tumor cells. 1990 , 87, 2775-9	463
2166	Biochemie und Molekularbiologie 1989. 1990 , 38, 216-233	
2165	Molecular genetics in the pathology and diagnosis of retinoblastoma. 1990 , 1, 25-32	13
2164	Immunology of anogenital human papillomavirus (HPV) infection. 1990 , 30, 370-5	7
2163	Retinoblastoma in transgenic mice. 1990 , 343, 665-9	218
2162	Negative regulation of human c-fos expression by the retinoblastoma gene product. 1990 , 346, 668-71	290

2161	Control of papillomavirus gene expression. 1990 , 1032, 19-37	17
2160	Tumor suppressor genes: the p53 and retinoblastoma sensitivity genes and gene products. 1990 , 1032, 119-36	56
2159	The divergence between two oncogenic Herpesvirus saimiri strains in a genomic region related to the transforming phenotype. 1990 , 176, 505-14	115
2158	Mutations in polyomavirus large T affecting immortalization of primary rat embryo fibroblasts. 1990 , 176, 98-105	16
2157	A viable mouse polyomavirus mutant without immortalizing or transforming activities. 1990 , 179, 78-86	9
2156	The E7 protein of human papillomavirus 8 is a nonphosphorylated protein of 17 kDa and can be generated by two different mechanisms. 1990 , 179, 428-36	21
2155	The p53 protein and its interactions with the oncogene products of the small DNA tumor viruses. 1990 , 177, 419-26	189
2154	Parental age and seasonal variation in the births of children with sporadic retinoblastoma: a mutation-epidemiologic study. 1990 , 84, 155-8	24
2153	Tumor suppressor genes. 1990 , 12, 60-6	103
2152	Cytologic diagnosis of human papillomavirus infection: spindled nuclei. 1990 , 6, 178-83	10
2151	Vaccination against polyoma virus (PyV) tumors using vaccinia-PyV recombinants: a major tumor-specific transplantation antigen (TSTA) epitope resides within the C-terminal segment of middle-T protein. 1990 , 45, 185-9	5
2150	Mapping of linear epitopes of human papillomavirus type 16: the E1, E2, E4, E5, E6 and E7 open reading frames. 1990 , 46, 703-11	82
2149	History, precedent, and progress in the development of mammalian cell culture systems for preparing vaccines: safety considerations revisited. 1990 , 31, 5-12	19
2148	Tumor suppressor genes: possible functions in the negative regulation of cell proliferation. 1990 , 3, 325-9	36
2147	The regions of the retinoblastoma protein needed for binding to adenovirus E1A or SV40 large T antigen are common sites for mutations.. 1990 , 9, 1147-1155	227
2146	Two distinct and frequently mutated regions of retinoblastoma protein are required for binding to SV40 T antigen.. 1990 , 9, 1815-1822	141
2145	The region of the HPV E7 oncoprotein homologous to adenovirus E1a and Sv40 large T antigen contains separate domains for Rb binding and casein kinase II phosphorylation.. 1990 , 9, 153-160	239
2144	Progression through the cell cycle: an overview. 1990 , 142, S3-6	4

2143	Mutations of the human papillomavirus type 16 E7 gene that affect transformation, transactivation and phosphorylation by the E7 protein. 1990 , 71 (Pt 4), 965-70	48
2142	Genetic strategies of tumor suppression. 1990 , 142, S40-3	3
2141	Viral T-antigen interactions with cellular proto-oncogene and anti-oncogene products. 1990 , 82, 354-60	14
2140	Cooperation between bovine papillomavirus type 4 and ras in the morphological transformation of primary bovine fibroblasts. 1990 , 71 (Pt 12), 3041-6	27
2139	Some highlights of virus research in 1989. 1990 , 71 (Pt 7), 1413-26	1
2138	Transcription of the transforming genes of the oncogenic human papillomavirus-16 is stimulated by tumor promoters through AP1 binding sites. 1990 , 18, 763-9	105
2137	A transgenic mouse model for trilateral retinoblastoma. 1990 , 108, 1145-51	35
2136	Failure to phosphorylate the retinoblastoma gene product in senescent human fibroblasts. <i>Science</i> , 1990 , 249, 666-9	333 342
2135	Analysis of human papillomavirus type 16 open reading frame E7 immortalizing function in rat embryo fibroblast cells. 1990 , 71 (Pt 2), 449-53	44
2134	Expression of the human papillomavirus type 16 genome in SK-v cells, a line derived from a vulvar intraepithelial neoplasia. 1990 , 71 (Pt 4), 809-17	24
2133	Transcriptional repression of the neu protooncogene by the adenovirus 5 E1A gene products. 1990 , 87, 4499-503	131
2132	p53: oncogene or anti-oncogene?. 1990 , 4, 1-8	614
2131	Human tumor suppressor genes. 1990 , 24, 615-57	229
2130	Cancer genes: current status, future prospects, and applications in radiotherapy/oncology. 1990 , 19, 197-218	18
2129	The retinoblastoma gene and cell growth control. 1990 , 15, 199-202	82
2128	Through the looking glass: the discovery of supercoiled DNA. 1990 , 15, 202-7	14
2127	Human papillomaviruses and upper airway oncogenesis. 1990 , 11, 370-4	21
2126	Potential role of anti-oncogenes in aging. 1990 , 53, 267-75	7

2125	Vaccinia recombinants expressing early bovine papilloma virus (BPV1) proteins: retardation of BPV1 tumour development. 1990 , 8, 199-204	18
2124	Role of human papillomavirus in the pathogenesis of genital tract warts and cancer. 1990 , 37, 151-64	92
2123	A novel function of the transforming domain of E1a: repression of AP-1 activity. 1990 , 62, 527-38	150
2122	Adenovirus E1A proteins can dissociate heteromeric complexes involving the E2F transcription factor: a novel mechanism for E1A trans-activation. 1990 , 62, 659-69	340
2121	TGF-beta 1 inhibition of c-myc transcription and growth in keratinocytes is abrogated by viral transforming proteins with pRB binding domains. 1990 , 61, 777-85	550
2120	The E6 oncoprotein encoded by human papillomavirus types 16 and 18 promotes the degradation of p53. 1990 , 63, 1129-36	3419
2119	The retinoblastoma susceptibility gene product undergoes cell cycle-dependent dephosphorylation and binding to and release from SV40 large T. 1990 , 60, 387-96	367
2118	Synthesis, phosphorylation, and nuclear localization of human papillomavirus E7 protein in <i>Schizosaccharomyces pombe</i> . 1990 , 93, 265-70	25
2117	Association of human papillomavirus types 16 and 18 E6 proteins with p53. <i>Science</i> , 1990 , 248, 76-9	33.3 2167
2116	Oncogenic proteins new targets for chemotherapeutic agents against cancer. 1990 , 4, 401-22	1
2115	Immortalization of primary cells by DNA tumor viruses. 1990 , 191, 1-7	44
2114	Casein kinase II activities related to hyperphosphorylation of human papillomavirus type 16-E7 oncoprotein in epidermal keratinocytes. 1990 , 172, 958-64	5
2113	Growth inhibition by TGF-beta linked to suppression of retinoblastoma protein phosphorylation. 1990 , 62, 175-85	731
2112	The role of 'tumor suppressor' genes in neural tumors. 1990 , 13, 3-6	17
2111	Transcriptional activation by viral regulatory proteins. 1991 , 16, 435-9	43
2110	Increased age and mortality associated with cervical carcinomas negative for human papillomavirus RNA. 1991 , 338, 910-3	125
2109	Viruses in the aetiology of oral carcinoma? Examination of the evidence. 1991 , 29, 381-7	20
2108	A spectrum of bilateral squamous conjunctival tumors associated with human papillomavirus type 16. 1991 , 98, 628-35	77

2107	Tumor suppressor genes and cancer of the human nervous system. 1991 , 9, 429-37	14
2106	Isolation, characterization, and expression of the murine Wilms' tumor gene (WT1) during kidney development. 1991 , 11, 1707-12	227
2105	Regulated expression of the RB "tumor suppressor gene" in normal lymphocyte mitogenesis: elevated expression in transformed leukocytes and role as a "status quo" gene. 1991 , 192, 289-97	13
2104	Nonmitotic mechanism for recessive expression of retinoblastoma in constitutional 13q14 deletions. 1991 , 54, 263-4	
2103	HPV-16 viral transcripts in vulvar neoplasia: preliminary studies. 1991 , 42, 250-5	11
2102	Molecular cloning, chromosomal mapping, and expression of the cDNA for p107, a retinoblastoma gene product-related protein. 1991 , 66, 1155-64	427
2101	The retinoblastoma gene product regulates progression through the G1 phase of the cell cycle. 1991 , 67, 293-302	667
2100	Identification of cellular proteins that can interact specifically with the T/E1A-binding region of the retinoblastoma gene product. 1991 , 64, 521-32	527
2099	G1/S phosphorylation of the retinoblastoma protein is associated with an altered affinity for the nuclear compartment. 1991 , 65, 381-93	298
2098	Degradation of p53 can be targeted by HPV E6 sequences distinct from those required for p53 binding and trans-activation. 1991 , 67, 547-56	432
2097	The E2F transcription factor is a cellular target for the RB protein. 1991 , 65, 1053-61	1287
2096	The retinoblastoma protein copurifies with E2F-I, an E1A-regulated inhibitor of the transcription factor E2F. 1991 , 65, 1063-72	431
2095	Loss of constitutional heterozygosity in human cancer. 1991 , 25, 281-314	271
2094	Viruses in human cancers. <i>Science</i> , 1991 , 254, 1167-73	333 592
2093	Deletions and Rearrangements of the Retinoblastoma Gene in Hepatocellular Carcinoma, Insulinoma and Some Neurogenic Tumors as Found in a Study of 121 Tumors. 1991 ,	
2092	The rate of nuclear cytoplasmic protein transport is determined by the casein kinase II site flanking the nuclear localization sequence of the SV40 T-antigen.. 1991 , 10, 633-639	253
2091	Relation of Papillomaviruses to Anogenital Cancer. 1991 , 9, 267-276	12
2090	Pathobiology of papillomavirus-related cervical diseases: prospects for immunodiagnosis. 1991 , 4, 270-85	12

2089	The retinoblastoma protein is phosphorylated on multiple sites by human cdc2.. 1991 , 10, 4279-4290	229
2088	Extinction of the HPV18 upstream regulatory region in cervical carcinoma cells after fusion with non-tumorigenic human keratinocytes under non-selective conditions.. 1991 , 10, 1337-1345	34
2087	Oncogenes and tumor-suppressor genes. 1991 , 93, 133-44	14
2086	Senescence as a mode of tumor suppression. 1991 , 93, 59-62	144
2085	The genetics of retinoblastoma. 1991 , 63, 333-6	20
2084	Transforming activity of bovine and human papillomaviruses in cultured cells. 1991 , 56, 133-59	38
2083	Viruses and oral cancer. 1991 , 2, 153-75	28
2082	Simian virus 40 large-T antigen expresses a biological activity complementary to the p300-associated transforming function of the adenovirus E1A gene products. 1991 , 11, 2116-24	108
2081	Transformed mammalian cells are deficient in kinase-mediated control of progression through the G1 phase of the cell cycle. 1991 , 88, 7580-4	99
2080	Recessive oncogenes, antioncogenes and tumour suppression. 1991 , 47, 136-56	3
2079	Early gene responses to transforming growth factor-beta in cells lacking growth-suppressive RB function. 1991 , 11, 4952-8	102
2078	Human papillomavirus type 16 nucleoprotein E7 is a tumor rejection antigen. 1991 , 88, 110-4	219
2077	E1A induces phosphorylation of the retinoblastoma protein independently of direct physical association between the E1A and retinoblastoma products. 1991 , 11, 4253-65	91
2076	Progression of human papillomavirus type 18-immortalized human keratinocytes to a malignant phenotype. 1991 , 88, 570-4	158
2075	Antibodies specific for the human retinoblastoma protein identify a family of related polypeptides. 1991 , 11, 5792-9	139
2074	The tumor suppressor p53 is bound to RNA by a stable covalent linkage. 1991 , 11, 1598-606	61
2073	Expression and interactions of human adenovirus oncoproteins. 1991 , 275 (Pt 2), 281-99	76
2072	The genetics of retinoblastoma. Relevance to the patient. 1991 , 38, 299-315	40

2071	Transcriptional and transforming activities of the adenovirus E1A proteins. 1991 , 57, 47-85	159
2070	Oncogenes: a review of their clinical application. 1991 , 11, 209-39	4
2069	Viral transcription in human keratinocyte cell lines immortalized by human papillomavirus type-16. 1991 , 183, 331-42	88
2068	Differences in transformation activity between HPV-18 and HPV-16 map to the viral LCR-E6-E7 region. 1991 , 181, 374-7	56
2067	Human papillomavirus type 16 E6 proteins with glycine substitution for cysteine in the metal-binding motif. 1991 , 185, 536-43	50
2066	Human epithelial cells immortalized by SV40 retain differentiation capabilities in an in vitro raft system and maintain viral DNA extrachromosomally. 1991 , 185, 563-71	13
2065	Two immunodominant regions of the human papillomavirus type 16 E7 protein are masked in the nuclei of monkey COS-1 cells. 1991 , 182, 723-31	30
2064	Isolation of cellular revertants from a rat cell line transformed by the E6 and E7 genes of human papillomavirus type 16. 1991 , 182, 357-60	2
2063	Human papillomaviruses in the pathogenesis of anogenital cancer. 1991 , 184, 9-13	785
2062	Molecular mechanisms in lung pathogenesis. 1991 , 1072, 159-76	5
2061	Localization of p53, retinoblastoma and host replication proteins at sites of viral replication in herpes-infected cells. 1991 , 349, 429-31	236
2060	A cellular protein that competes with SV40 T antigen for binding to the retinoblastoma gene product. 1991 , 350, 160-2	148
2059	The p53 tumour suppressor gene. 1991 , 351, 453-6	3392
2058	Retinoblastoma. A transcriptional tryst. 1991 , 352, 189-90	60
2057	Cloning of cDNAs for cellular proteins that bind to the retinoblastoma gene product. 1991 , 352, 251-4	302
2056	Amino-terminal domains of c-myc and N-myc proteins mediate binding to the retinoblastoma gene product. 1991 , 352, 541-4	304
2055	Presence of human papilloma virus type 16 DNA sequences in human nonmelanoma skin cancers. 1991 , 97, 880-4	41
2054	Inactivation of the retinoblastoma susceptibility gene in a human high grade non-Hodgkin's lymphoma cell line. 1991 , 78, 500-5	11

2053	From growth arrest to growth suppression. 1991 , 46, 95-101	12
2052	Cloning and characterization of human papillomavirus type 52 from cervical carcinoma in Indonesia. 1991 , 48, 516-22	8
2051	Human papillomavirus infection and other risk factors for cervical neoplasia: a case-control study. 1991 , 49, 6-13	146
2050	The interaction between HPV infection and estrogen metabolism in cervical carcinogenesis. 1991 , 49, 867-9	73
2049	Expression of RB and p53 proteins in HPV-positive and HPV-negative cervical carcinoma cell lines. 1991 , 4, 171-5	67
2048	Tumor suppressor genes: a new era for molecular genetic studies of cancer. 1991 , 19, 3-13	10
2047	Antibody responses to human papillomavirus type-16 infections. 1991 , 1, 201-209	7
2046	Genes associated with tumor suppression and growth control in the human nervous system. 1991 , 10, 281-7	2
2045	Molecular basis for Epstein-Barr virus induced pathogenesis and disease. 1991 , 13, 133-46	10
2044	Viral etiology of cervical cancer: a critique of the evidence. 1991 , 13, 1195-206	41
2043	Induction of chromosome abnormalities in mouse and human epidermal keratinocytes by the human papillomavirus type 16 E7 oncogene. 1991 , 72 (Pt 7), 1569-77	89
2042	Anti-sense phosphorothioate oligonucleotides have both specific and non-specific effects on cells containing human papillomavirus type 16. 1991 , 19, 4109-14	70
2041	Induction of transforming growth factor beta 1 resistance by the E1A oncogene requires binding to a specific set of cellular proteins. 1991 , 88, 3489-93	58
2040	Nonfunctional mutants of the retinoblastoma protein are characterized by defects in phosphorylation, viral oncoprotein association, and nuclear tethering. 1991 , 88, 3033-7	180
2039	Delineation of human papillomavirus type 18 enhancer binding proteins: the intracellular distribution of a novel octamer binding protein p92 is cell cycle regulated. 1991 , 19, 2363-71	34
2038	Cyclic AMP response in SV40 immortalized human bladder cells. 1991 , 12, 1459-63	2
2037	Negative charge at the casein kinase II phosphorylation site is important for transformation but not for Rb protein binding by the E7 protein of human papillomavirus type 16. 1991 , 88, 5187-91	92
2036	The state of the p53 and retinoblastoma genes in human cervical carcinoma cell lines. 1991 , 88, 5523-7	693

2035	Interaction of p107 with cyclin A independent of complex formation with viral oncoproteins. <i>Science</i> , 1992 , 255, 85-7	33.3	220
2034	How the laboratory can help the clinician improve cure rates in invasive cervical-cancer. 1992 , 1, 313-7		
2033	How do retinoblastoma tumours form?. 1992 , 6 (Pt 2), 226-31		16
2032	Mutations of the retinoblastoma gene in human lymphoid neoplasms. 1992 , 7, 359-62		7
2031	The pathogenesis of AIDS lymphomas: a foundation for addressing the challenges of therapy and prevention. 1992 , 8, 167-88		11
2030	Retinoblastoma-repression of E2F-dependent transcription depends on the ability of the retinoblastoma protein to interact with E2F and is abrogated by the adenovirus E1A oncoprotein. 1992 , 20, 5947-54		50
2029	Molecular cloning of cellular genes encoding retinoblastoma-associated proteins: identification of a gene with properties of the transcription factor E2F. 1992 , 12, 5620-31		325
2028	Sequential combined tumorigenic effect of HPV-16 and chemical carcinogens. 1992 , 13, 1981-7		39
2027	Inducers of leukemic cell differentiation cause down-regulation of RB gene expression. 1992 , 199, 291-7		12
2026	The interaction of RB with E2F coincides with an inhibition of the transcriptional activity of E2F. 1992 , 6, 177-85		478
2025	Adenovirus E1A, simian virus 40 tumor antigen, and human papillomavirus E7 protein share the capacity to disrupt the interaction between transcription factor E2F and the retinoblastoma gene product. 1992 , 89, 4549-53		526
2024	Altered regulation of arachidonic acid metabolism by SV40 immortalized human urothelial cells. 1992 , 13, 447-51		2
2023	Efficiency of binding the retinoblastoma protein correlates with the transforming capacity of the E7 oncoproteins of the human papillomaviruses. 1992 , 89, 4442-6		282
2022	Oncogenes in gynecological tumors. 1992 , 85, 357-72		7
2021	E2F: a link between the Rb tumor suppressor protein and viral oncoproteins. <i>Science</i> , 1992 , 258, 424-9	33.3	1459
2020	Phylogenetic classification of human papillomaviruses: correlation with clinical manifestations. 1992 , 73 (Pt 10), 2653-60		192
2019	Alternative splicing determines the carboxy terminus of the Epstein-Barr virus nuclear antigen 5 species expressed in the Burkitt's lymphoma cell line Daudi. 1992 , 73 (Pt 10), 2715-9		3
2018	Abnormalities of epidermal differentiation associated with expression of the human papillomavirus type 1 early region in transgenic mice. 1992 , 73 (Pt 5), 1251-60		29

2017	Expression of human papillomavirus type 16 E6 protein by recombinant baculovirus and use for detection of anti-E6 antibodies in human sera. 1992 , 73 (Pt 9), 2337-45	23
2016	Functional analysis of human papillomavirus type 16 E7 by complementation with adenovirus E1A mutants. 1992 , 73 (Pt 8), 2135-9	19
2015	Interaction of HTLV-1 Tax1 with p67SRF causes the aberrant induction of cellular immediate early genes through CA γ boxes. 1992 , 6, 2066-76	211
2014	Sense and antisense transcripts of human papillomavirus type 16 in cervical cancers. 1992 , 73 (Pt 7), 1833-8	21
2013	Possibilities for active immunotherapy of human cancer. 1992 , 10, 285-93	6
2012	The retinoblastoma protein region required for interaction with the E2F transcription factor includes the T/E1A binding and carboxy-terminal sequences. 1992 , 11, 539-48	37
2011	Polyomavirus-mediated transformation: a model of multistep carcinogenesis. 1992 , 10, 85-92	2
2010	Activation of human papillomavirus type 18 E6-E7 oncogene expression by transcription factor Sp1. 1992 , 20, 6701-6	47
2009	Nuclear protein phosphorylation and growth control. 1992 , 287 (Pt 1), 1-15	139
2008	Interleukin-2-dependent phosphorylation of the retinoblastoma-susceptibility-gene product p110-115RB in human T-cells. 1992 , 282 (Pt 3), 759-64	10
2007	Retinoblastoma protein phosphorylation does not require activation of p34CDC2 protein kinase. 1992 , 287 (Pt 3), 965-9	2
2006	Applications of antisense oligodeoxynucleotides in virology. 1992 , 20, 762-4	4
2005	Antisense oligonucleotides as antiviral agents. 1992 , 20, 213S	
2004	Differential cooperation of a carcinogen with human papillomavirus type 6 and 16 DNAs in in vitro oncogenic transformation. 1992 , 33, 76-85	10
2003	Identification of a 60-kilodalton Rb-binding protein, RBP60, that allows the Rb-E2F complex to bind DNA. 1992 , 12, 4327-33	33
2002	In situ hybridization for human papillomavirus DNA in uterine adenosquamous carcinoma with glassy cell features ("glassy cell carcinoma"). 1992 , 98, 180-7	15
2001	Immortalization of primary human smooth muscle cells. 1992 , 89, 1224-8	101
2000	Single amino acid substitutions in "low-risk" human papillomavirus (HPV) type 6 E7 protein enhance features characteristic of the "high-risk" HPV E7 oncoproteins. 1992 , 89, 8063-7	80

1999	Transcriptional repression of the E2-containing promoters EllaE, c-myc, and RB1 by the product of the RB1 gene. 1992 , 12, 3431-8	251
1998	Tumour suppressor genes. 1992 , 3, 693-8	10
1997	Nuclear binding of purified retinoblastoma gene product is determined by cell cycle-regulated phosphorylation. 1992 , 12, 435-43	70
1996	Phosphorylation of the retinoblastoma protein by cdk2. 1992 , 89, 7900-4	192
1995	Human papillomavirus type 16 E7 protein inhibits DNA binding by the retinoblastoma gene product. 1992 , 12, 1905-14	33
1994	The retinoblastoma protein physically associates with the human cdc2 kinase. 1992 , 12, 971-80	104
1993	Oncogenic point mutations in exon 20 of the RB1 gene in families showing incomplete penetrance and mild expression of the retinoblastoma phenotype. 1992 , 89, 6177-81	104
1992	Definition of immunogenic determinants of the human papillomavirus type 16 nucleoprotein E7. 1992 , 28, 326-33	58
1991	HPV16 E7 phosphorylation in fission yeast: characterization and biological effects. 1992 , 111, 93-8	12
1990	Multistage carcinogenesis in paediatric and adult cancers. 1992 , 28, 296-8	2
1989	Cell transformation by animal papillomaviruses. 1992 , 73 (Pt 2), 217-22	23
1988	The retinoblastoma protein and the regulation of cell cycling. 1992 , 17, 312-5	159
1987	From The Lancet. 1992 , 339, 1073	
1986	Are tumours immortal?. 1992 , 28A, 1495-500	36
1985	Differentiation and cancer. 1992 , 28, 255-8	8
1984	What are cancer genes, and how do they upset cell behaviour?. 1992 , 28, 251-5	1
1983	The 'ins' and 'outs' of mitochondrial membrane channels. 1992 , 17, 315-20	86
1982	Clonal p53 mutation in primary cervical cancer: association with human-papillomavirus-negative tumours. 1992 , 339, 1070-3	271

1981	Human papillomaviruses and oral neoplasia. 1992 , 28B, 61-6	45
1980	Human papillomavirus type 16 and 18 gene expression in cervical neoplasias. 1992 , 23, 117-28	360
1979	Antisense oligonucleotides as antiviral agents. 1992 , 660, 339-41	2
1978	Human papillomavirus types and cervical squamous intraepithelial lesions that recur after cold-knife conization. 1992 , 46, 304-8	30
1977	A cDNA encoding a pRB-binding protein with properties of the transcription factor E2F. 1992 , 70, 337-50	632
1976	Regulation of retinoblastoma protein functions by ectopic expression of human cyclins. 1992 , 70, 993-1006	928
1975	The growth arrest-specific gene, gas1, is involved in growth suppression. 1992 , 70, 595-607	238
1974	Chromosome alterations contribute to neoplastic progression of transformed rat embryonal fibroblasts. 1992 , 58, 39-47	7
1973	Genetics and cytogenetics of retinoblastoma. 1992 , 64, 1-11	38
1972	Oncogenes and tumour-suppressor genes in squamous cell carcinoma of the head and neck. 1992 , 28B, 67-76	125
1971	Characterization of HPV-16 E6/E7 transcription in CaSki cells by quantitative PCR. 1992 , 6, 459-66	15
1970	Efficient purification of a full length and biochemically active p110Rb, the retinoblastoma gene product. 1992 , 187, 697-702	10
1969	Structure and expression of the Xenopus retinoblastoma gene. 1992 , 153, 141-9	43
1968	SV40 large T inhibits myogenic differentiation partially through inducing c-jun. 1992 , 112, 321-9	26
1967	Targeted degradation of the retinoblastoma protein by human papillomavirus E7-E6 fusion proteins.. 1992 , 11, 2425-2431	77
1966	Adenovirus E1a prevents the retinoblastoma gene product from repressing the activity of a cellular transcription factor.. 1992 , 11, 2603-2610	89
1965	Identification of a negative regulatory domain in the human papillomavirus type 18 promoter: interaction with the transcriptional repressor YY1.. 1992 , 11, 4607-4617	108
1964	Retinoblastoma gene product Rb accumulates during myogenic differentiation and is deinduced by the expression of SV40 large T antigen. 1992 , 112, 427-30	43

1963	The BPV-1 E5 protein, the 16 kDa membrane pore-forming protein and the PDGF receptor exist in a complex that is dependent on hydrophobic transmembrane interactions.. 1992 , 11, 4851-4859	109
1962	The transcriptional transactivation function of wild-type p53 is inhibited by SV40 large T-antigen and by HPV-16 E6 oncoprotein.. 1992 , 11, 5013-5020	269
1961	Phenotypic conversion of SV40-immortalized human diploid fibroblasts to senescing cells by introduction of an antisense gene for SV40-T antigen. 1992 , 17, 351-62	5
1960	Tumor suppressor genes: new pathways in gynecological cancer. 1992 , 2, 1-8	8
1959	Retinoblastoma. For our eyes only. 1992 , 359, 270-1	37
1958	Mice deficient for Rb are nonviable and show defects in neurogenesis and haematopoiesis. 1992 , 359, 288-94	1159
1957	Effects of an Rb mutation in the mouse. 1992 , 359, 295-300	1599
1956	Human papillomaviruses in normal oral mucosa: a comparison of methods for sample collection. 1992 , 21, 265-9	103
1955	The phylogenetic relationship and complete nucleotide sequence of human papillomavirus type 35. 1992 , 186, 770-6	18
1954	Effects of Ad5 E1A mutant viruses on the cell cycle in relation to the binding of cellular proteins including the retinoblastoma protein and cyclin A. 1992 , 186, 15-24	87
1953	The first 124 nucleotides of the E7 coding sequences of HPV16 can render the HPV11 genome transformation competent. 1992 , 186, 348-51	11
1952	Adenovirus transformation revertant resistant to retransformation by E1 but not by SV40-T and HPV16-E7 oncogenes. 1992 , 191, 187-92	1
1951	The E3-11.6K protein of adenovirus is an Asn-glycosylated integral membrane protein that localizes to the nuclear membrane. 1992 , 191, 743-53	39
1950	The E7 functions of human papillomaviruses in rat 3Y1 cells. 1992 , 187, 107-14	21
1949	Antibodies to HPV-16 E6 and E7 proteins as markers for HPV-16-associated invasive cervical cancer. 1992 , 187, 508-14	140
1948	Increased E6/E7 transcription in HPV 18-immortalized human keratinocytes results from inactivation of E2 and additional cellular events. 1992 , 189, 448-55	25
1947	Human papillomavirus type 16 (HPV 16) gene expression and DNA replication in cervical neoplasia: analysis by in situ hybridization. 1992 , 189, 132-40	193
1946	Unregulated and basal transcriptional activities of the regulatory sequence of the type 18 human papillomavirus genome in transgenic mice. 1992 , 188, 378-83	7

1945	Human papillomavirus type 13 and pygmy chimpanzee papillomavirus type 1: comparison of the genome organizations. 1992 , 190, 587-96	54
1944	Expression, purification, and functional characterization of adenovirus 5 and 12 E1A proteins produced in insect cells. 1992 , 190, 733-45	10
1943	In situ hybridization for human papillomavirus as a method of predicting the evolution of cervical intraepithelial neoplasia. 1992 , 252, 11-9	3
1942	Abundance and state of phosphorylation of the retinoblastoma susceptibility gene product in human colon cancer. 1992 , 110, 123-33	31
1941	In vitro expressed HPV 8 E6 protein does not bind p53. 1992 , 125, 355-60	63
1940	Seroreactivity to HPV-16 proteins in women with early cervical neoplasia. 1992 , 35, 33-8	6
1939	Specific phosphorylation of the acidic central region of the N-myc protein by casein kinase II. 1992 , 209, 945-50	9
1938	Detection of human papillomavirus DNA in invasive cervical cancers by the polymerase chain reaction and its clinical significance. 1992 , 42, 876-83	3
1937	Tumor suppressor genes. 1992 , 14, 407-14	4
1936	Prevalence of human papillomavirus (HPV) infection in Basque Country women using slot-blot hybridization: a survey of women at low risk of developing cervical cancer. 1992 , 51, 581-6	11
1935	Inhibition of tumorigenicity of cervical cancer cells in nude mice by HPV E6-E7 anti-sense RNA. 1992 , 51, 831-4	196
1934	Isolation of two keratinocyte cell lines derived from HPV-positive dysplastic vaginal lesions. 1992 , 52, 391-8	15
1933	Differential effect of tumor necrosis factor on proliferation of primary human keratinocytes and cell lines containing human papillomavirus types 16 and 18. 1992 , 6, 5-9	38
1932	Regulation of growth and gene expression in human papillomavirus-transformed keratinocytes by transforming growth factor-beta: implications for the control of papillomavirus infection. 1992 , 6, 100-11	33
1931	High rate of multiple genital HPV infections detected by DNA hybridization. 1992 , 36, 265-70	3
1930	Comparison of cervical cytology and the polymerase chain reaction for HPV 16 to identify women with cervical disease in a general practice population. 1992 , 37, 8-12	16
1929	Conservation of HPV-16 E6/E7 ORF sequences in a cervical carcinoma. 1992 , 37, 99-107	17
1928	Prediction of homologous binding sites on RB and p107 common for viral oncoproteins and cellular ligands. 1992 , 5, 125-32	2

1927	The integration of molecular genetics into cancer management. 1992 , 70, 1653-8	29
1926	Anti-oncogenes and the development of tumors in the human nervous system. 1992 , 70, 1782-7	8
1925	Mutations of p53 and human papillomavirus infection in cervical carcinoma. 1993 , 72, 1272-80	80
1924	Screening for human papillomavirus infections in esophageal squamous cell carcinomas by in situ hybridization. 1993 , 72, 2525-30	46
1923	Immortalization of human cervical keratinocytes by human papillomavirus type 33. 1993 , 53, 872-9	27
1922	Association of the antibodies against human papillomavirus 16 E4 and E7 proteins with cervical cancer positive for human papillomavirus DNA. 1993 , 54, 624-8	16
1921	Quantification of HPV-16 E6-E7 transcription in cervical intraepithelial neoplasia by reverse transcriptase polymerase chain reaction. 1993 , 55, 397-401	43
1920	PCR detection and typing of genital papillomavirus in a New Brunswick population. 1993 , 55, 604-8	3
1919	Serologic response in human papillomavirus-associated invasive cervical cancer. 1993 , 55, 780-4	64
1918	Detection and typing of human papillomavirus DNA in the uterine cervix of Japanese women by nonradioactive dot blot and Southern blot hybridization. 1993 , 9, 20-4	1
1917	Regulation of transcription by the retinoblastoma protein. 1993 , 6, 124-31	34
1916	Oral cancer and human papillomaviruses: is there a link?. 1993 , 52, 193-6	11
1915	Sequence microheterogeneity in the long control region of clinical isolates of human papillomavirus type 16. 1993 , 39, 267-72	9
1914	Absence of human papillomavirus type 16 E6 transcripts in HPV 16-infected, cytologically normal cervical scrapings. 1993 , 40, 261-5	15
1913	Human papillomavirus type 16 variants isolated from vulvar Bowenoid papulosis. 1993 , 41, 49-54	13
1912	Genetics of cancer predisposition and progression. 1993 , 71, 488-502	9
1911	A partially testable, predictive model of psychosocial factors in the etiology of cervical cancer i. Biological, psychological and social aspects. 1993 , 2, 79-98	21
1910	The binding domain structure of retinoblastoma-binding proteins. 1993 , 2, 155-64	14

1909	Adenovirus-E1A proteins transform cells by sequestering regulatory proteins. 1993 , 17, 197-207	29
1908	Use of semi-quantitative PCR for human papillomavirus DNA type 16 to identify women with high grade cervical disease in a population presenting with a mildly dyskaryotic smear report. 1993 , 67, 602-5	65
1907	Tumourigenesis associated with the p53 tumour suppressor gene. 1993 , 68, 653-61	106
1906	Oncogenes, tumor suppressors and viruses in oral squamous carcinoma. 1993 , 22, 337-47	58
1905	The pathogenesis of pituitary adenomas. 1993 , 38, 559-70	29
1904	The multistep nature of cancer. 1993 , 9, 138-41	1432
1903	Signals and genes in the control of cell-cycle progression. 1993 , 1155, 151-79	23
1902	The tumor suppressor p53. 1993 , 1155, 181-205	104
1901	Cellular transformation by papillomavirus oncoproteins. 1993 , 1155, 323-45	24
1900	Molecular characterization of the retinoblastoma susceptibility gene. 1993 , 1155, 43-61	45
1899	Cyclins and oncogenesis. 1993 , 1155, 63-78	53
1898	The human papillomavirus E7 protein as a transforming and transactivating factor. 1993 , 1155, 111-23	24
1897	The retinoblastoma protein as a transcriptional repressor. 1993 , 3, 43-6	157
1896	Prognostic significance of oncogenes and tumor suppressor genes in human malignancy. 1993 , 11, 194-8	4
1895	Cell immortalization: the role of viral genes and carcinogens. 1993 , 30, 113-28	9
1894	Polymerase chain reaction (PCR) identification of human papillomavirus (HPV) DNA in verrucous carcinoma of the larynx. 1993 , 103, 416-20	54
1893	Transacting activities of the E7 genes of several types of human papillomavirus. 1993 , 7, 187-96	9
1892	Transcriptional regulation in the human retrovirus HTLV-1. 1993 , 4, 53-60	16

1891	The role of hepatitis B virus in development of primary hepatocellular carcinoma: Part II. 1993 , 8, 95-106	15
1890	Identification of germline mutations in the RB1 gene by denaturant gradient gel electrophoresis and polymerase chain reaction direct sequencing. 1993 , 2, 975-9	24
1889	Pathogenesis of genital HPV infection. 1993 , 69, 165-73	9
1888	The tumor suppressor genes. 1993 , 62, 623-51	429
1887	HTLV-1 Tax: regulation of gene expression and disease. 1993 , 1, 131-5	70
1886	Towards vaccines against human papillomavirus type-16 genital infections. 1993 , 11, 603-11	18
1885	Comparison between colposcopic, cytologic, and histologic findings in women positive and negative for human papillomavirus DNA. 1993 , 14, 74-9	9
1884	Interaction of myogenic factors and the retinoblastoma protein mediates muscle cell commitment and differentiation. 1993 , 72, 309-24	693
1883	Functional interactions of the retinoblastoma protein with mammalian D-type cyclins. 1993 , 73, 487-97	974
1882	Physical interaction of the retinoblastoma protein with human D cyclins. 1993 , 73, 499-511	720
1881	The HPV-16 E6 and E6-AP complex functions as a ubiquitin-protein ligase in the ubiquitination of p53. 1993 , 75, 495-505	1939
1880	A C-terminal protein-binding domain in the retinoblastoma protein regulates nuclear c-Abl tyrosine kinase in the cell cycle. 1993 , 75, 779-90	378
1879	Human papilloma virus types in routine cytological screening and at colposcopic examinations. 1993 , 52, 49-55	11
1878	Transcriptional inhibition by the retinoblastoma protein. 1993 , 340, 333-6	8
1877	Alterations in cytokine/antioncogene expression in skin lesions caused by "low-risk" types of human papillomaviruses. 1993 , 6, 255-65	20
1876	The retinoblastoma protein binds E2F residues required for activation in vivo and TBP binding in vitro. 1993 , 21, 4998-5004	130
1875	Genetics of tumors of the head and neck. 1993 , 119, 735-7	14
1874	Regulation of the Ets-related transcription factor Elf-1 by binding to the retinoblastoma protein. <i>Science</i> , 1993 , 260, 1330-5	333 209

1873	RETINOIC ACID INDUCES LOSS OF VIRAL-DNA, PHENOTYPIC REVERSION AND TRANSFORMATION-RESISTANCE OF BOVINE PAPILLOMAVIRUS TYPE-1 DNA-TRANSFORMED CELLS. 1993 , 3, 319	
1872	Localization of the E6-AP regions that direct human papillomavirus E6 binding, association with p53, and ubiquitination of associated proteins. 1993 , 13, 4918-27	336
1871	Protein domains governing interactions between E2F, the retinoblastoma gene product, and human papillomavirus type 16 E7 protein. 1993 , 13, 953-60	127
1870	Detection and typing of human papillomavirus in verrucous carcinoma of the oral cavity using the polymerase chain reaction. 1993 , 119, 1299-304	28
1869	Diagnostic and Therapeutic Technology Assessment (DATTA). 1993 , 270, 2975	7
1868	Trans-activation of the adenovirus E2 promoter by human papillomavirus type 16 E7 is mediated by retinoblastoma-dependent and -independent pathways. 1993 , 74 (Pt 11), 2479-86	10
1867	Regions of the retinoblastoma gene product required for its interaction with the E2F transcription factor are necessary for E2 promoter repression and pRb-mediated growth suppression. 1993 , 13, 3384-91	135
1866	Applications of monoclonal antibodies in the investigation, diagnosis, and treatment of retinoblastoma. 1993 , 77, 805-12	3
1865	The retinoblastoma protein associates with the protein phosphatase type 1 catalytic subunit. 1993 , 7, 555-69	1243
1864	A bipartite nuclear localization signal in the retinoblastoma gene product and its importance for biological activity. 1993 , 13, 4588-99	95
1863	Comparison of the binding of the human papillomavirus type 16 and cottontail rabbit papillomavirus E7 proteins to the retinoblastoma gene product. 1993 , 74 (Pt 1), 115-9	15
1862	The adenovirus E1A-associated 130-kD protein is encoded by a member of the retinoblastoma gene family and physically interacts with cyclins A and E. 1993 , 7, 2366-77	279
1861	Unraveling the function of the retinoblastoma gene. 1993 , 61, 115-41	42
1860	Human papillomaviruses, tumour suppressor genes and cervical cancer. 1993 , 4, 128-34	6
1859	Detection of human papillomavirus 16 transcription in human prostate tissue. 1993 , 149, 400-2	32
1858	Disruption of cell-cycle control by viral oncoproteins. 1993 , 21, 935-8	16
1857	Association of the human papillomavirus type 16 E7 protein with the S-phase-specific E2F-cyclin A complex. 1993 , 13, 6537-46	109
1856	Independent regions of adenovirus E1A are required for binding to and dissociation of E2F-protein complexes. 1993 , 13, 7267-77	126

1855	Epidermal cancer associated with expression of human papillomavirus type 16 E6 and E7 oncogenes in the skin of transgenic mice. 1993 , 90, 5583-7	113
1854	TATA-binding protein and the retinoblastoma gene product bind to overlapping epitopes on c-Myc and adenovirus E1A protein. 1993 , 90, 8489-93	148
1853	Cloning and characterization of E2F-2, a novel protein with the biochemical properties of transcription factor E2F. 1993 , 13, 7802-12	194
1852	EBNA-5, an Epstein-Barr virus-encoded nuclear antigen, binds to the retinoblastoma and p53 proteins. 1993 , 90, 5455-9	242
1851	HPV DNA and the risk of squamous intraepithelial lesions of the uterine cervix in young women. 1993 , 100, 6-11	11
1850	Inhibition of E2F-1 transactivation by direct binding of the retinoblastoma protein. 1993 , 13, 6501-8	434
1849	Overproduction of Rb protein after the G1/S boundary causes G2 arrest. 1993 , 13, 6640-52	42
1848	Interactions of the p107 and Rb proteins with E2F during the cell proliferation response.. 1993 , 12, 1013-1020	169
1847	Extensive contribution of Rb-deficient cells to adult chimeric mice with limited histopathological consequences.. 1994 , 13, 4251-4259	213
1846	Developmental rescue of an embryonic-lethal mutation in the retinoblastoma gene in chimeric mice.. 1994 , 13, 4260-4268	188
1845	Overexpression of E2F-1 in rat embryo fibroblasts leads to neoplastic transformation.. 1994 , 13, 3329-3338	153
1844	Role of HIV as cofactor in HPV oncogenesis: in vitro evidences of virus interactions. 1994 , 46, 102-9	14
1843	HPV16 E7 oncoprotein deregulates B-myb expression: correlation with targeting of p107/E2F complexes.. 1994 , 13, 871-878	93
1842	Functional interaction between the HCMV IE2 transactivator and the retinoblastoma protein.. 1994 , 13, 2897-2903	139
1841	Kinetic and equilibrium binding studies of the human papillomavirus type-16 transcription regulatory protein E2 interacting with core enhancer elements. 1994 , 22, 4890-7	34
1840	Functional oligomerization of purified human papillomavirus types 16 and 6b E7 proteins expressed in Escherichia coli. 1994 , 75 (Pt 2), 277-81	7
1839	Stomach cancer in transgenic mice expressing human papillomavirus type 16 early region genes from a keratin promoter. 1994 , 75 (Pt 5), 1125-37	15
1838	Differential disruption of genomic integrity and cell cycle regulation in normal human fibroblasts by the HPV oncoproteins. 1994 , 8, 666-77	286

1837	Mechanism of translation of the bicistronic mRNA encoding human papillomavirus type 16 E6-E7 genes. 1994 , 75 (Pt 10), 2663-70	19
1836	Analysis of p53 status in tonsillar carcinomas associated with human papillomavirus. 1994 , 75 (Pt 10), 2769-75	39
1835	Detection of E5 oncoprotein in human papillomavirus type 16-positive cervical scrapes using antibodies raised to synthetic peptides. 1994 , 75 (Pt 9), 2451-6	48
1834	Changes in human papillomavirus typing of recurrent respiratory papillomatosis progressing to malignant neoplasm. 1994 , 120, 1273-6	43
1833	Molecular biology of human papillomavirus infection and oncogenesis. 1994 , 103, 248-56	25
1832	Complex regulation of the adenovirus e2 promoter by the viral oncoproteins e1a and e7 and tumor-suppressor rb. 1994 , 4, 109-15	1
1831	Deregulation of the G1/S phase transition in cancer and squamous intraepithelial lesions of the uterine cervix: A case control study. 1994 , 20, 751	2
1830	EXPRESSION OF A RETINOIC ACID-INDUCIBLE MITOCHONDRIAL ND5 GENE IS REGULATED BY CELL-DENSITY IN BOVINE PAPILLOMAVIRUS DNA-TRANSFORMED MOUSE C127 CELLS BUT NOT IN REVERTANT CELLS. 1994 , 5, 301	1
1829	Adenovirus e1a proteins and transformation (review). 1994 , 5, 425-44	32
1828	Regulation of the urokinase gene by the retinoblastoma protein. 1994 , 13, 1063-9	0
1827	The retinoblastoma gene and its significance. 1994 , 26, 177-84	18
1826	The retinoblastoma protein: more than a tumor suppressor. 1994 , 10, 1-29	179
1825	The protein bcl-2 alpha does not require membrane attachment, but two conserved domains to suppress apoptosis. 1994 , 126, 1059-68	178
1824	E5a gene of human papillomavirus type 11 is required for initiation but not for maintenance of transformation in NIH 3T3 cells. 1994 , 75 (Pt 8), 1953-60	16
1823	Laryngeal carcinoma in a 12-year-old child. Association with human papillomavirus 18 and 33. 1994 , 120, 277-82	30
1822	The amino-terminal region of the retinoblastoma gene product binds a novel nuclear matrix protein that co-localizes to centers for RNA processing. 1994 , 127, 609-22	143
1821	Human papillomavirus in laryngeal and hypopharyngeal carcinomas. Relationship to survival. 1994 , 120, 743-8	82
1820	Cyclin D1 expression is regulated by the retinoblastoma protein. 1994 , 91, 2945-9	208

1819	Collaboration of G1 cyclins in the functional inactivation of the retinoblastoma protein. 1994 , 8, 1759-71	204
1818	pRB, p107 and the regulation of the E2F transcription factor. 1994 , 18, 81-7	47
1817	HPV and p53 in cervical cancer. 1994 , 70, 167-70	3
1816	Molecular pathogenesis of cancer of the cervix and its causation by specific human papillomavirus types. 1994 , 186, 131-56	244
1815	Apoptosis or retinoblastoma: alternative fates of photoreceptors expressing the HPV-16 E7 gene in the presence or absence of p53. 1994 , 8, 1300-10	235
1814	DNA tumor virus oncoproteins and retinoblastoma gene mutations share the ability to relieve the cell's requirement for cyclin D1 function in G1. 1994 , 125, 625-38	259
1813	Establishment of a Human Umbilical Vein Endothelial Cell Line with Normal Functional Capabilities. 1994 , 2, 113-123	1
1812	Altered cell cycle regulation in the lens of HPV-16 E6 or E7 transgenic mice: implications for tumor suppressor gene function in development. 1994 , 8, 1285-99	342
1811	Deregulated expression of E2F-1 induces S-phase entry and leads to apoptosis. 1994 , 14, 8166-73	465
1810	Natural history of cervical infection with human papillomaviruses. 1994 , 18, 172-80	39
1809	Long-term genome stability and minimal genotypic and phenotypic alterations in HPV16 E7-, but not E6-, immortalized human uroepithelial cells. 1994 , 8, 2227-40	98
1808	Antibodies against linear and conformational epitopes of the human papillomavirus (HPV) type 16 E6 and E7 oncoproteins in sera of cervical cancer patients. 1994 , 137, 341-53	28
1807	Cellular proteins involved in papillomavirus-induced transformation. 1994 , 138, 105-15	15
1806	Effects of E5a and E7 genes of human papillomavirus type 11 on immortalized human epidermal keratinocytes and NIH 3T3 cells. 1994 , 138, 177-85	11
1805	Sequence variation of human papillomavirus type 16 E7 in preinvasive and invasive cervical neoplasias. 1994 , 9, 85-92	33
1804	Tumor suppressor genes and their roles in breast cancer. 1994 , 32, 19-38	38
1803	The cell cycle and the retinoblastoma protein family. 1994 , 13, 45-66	165
1802	Degradation of p53 only is not sufficient for the growth stimulatory effect of human papillomavirus 16 E6 oncoprotein in human embryonic fibroblasts. 1994 , 44, 243-9	17

1801	Possible role for human papillomavirus 16 in squamous cell carcinoma of the finger. 1994 , 44, 369-78	21
1800	Combined effects of human papillomavirus-18 and N-methyl-N'-nitro-N-nitrosoguanidine on the transformation of normal human oral keratinocytes. 1994 , 9, 76-86	48
1799	Cellular control of human papillomavirus oncogene transcription. 1994 , 10, 134-41	46
1798	State of mutational alterations of p53 and retinoblastoma susceptibility genes in papillomavirus-negative small cell cervical carcinomas. 1994 , 57, 87-93	12
1797	Prognostic significance of serum antibodies to human papillomavirus-16 E4 and E7 peptides in cervical cancer. 1994 , 74, 2307-13	16
1796	Transcriptional regulation of gene expression: mechanisms and pathophysiology. 1994 , 3, 180-99	47
1795	Loss of heterozygosity at the RB locus correlates with loss of RB protein in primary malignant neuro-endocrine lung carcinomas. 1994 , 58, 818-24	61
1794	Differentiation ability and oncogenic potential of HPV-33- and HPV-33 + ras-transfected keratinocytes. 1994 , 58, 847-54	14
1793	The transforming activity of simian virus 40 large tumor antigen. 1994 , 1198, 65-83	48
1792	The ins and outs of RB: coupling gene expression to the cell cycle clock. 1994 , 4, 15-8	124
1791	Malignant transformation of keratinocytes by human papillomaviruses. 1994 , 21, 193-9	7
1790	HLA DR-DQ associations with cervical carcinoma show papillomavirus-type specificity. 1994 , 6, 157-62	280
1789	The 1993 Walter Hubert Lecture: the role of the p53 tumour-suppressor gene in tumorigenesis. 1994 , 69, 409-16	358
1788	High frequency of p53 abnormality in laryngeal cancers of heavy smokers and its relation to human papillomavirus infection. 1994 , 85, 1087-93	17
1787	Nuclear transcription factors: potential targets for new modes of intervention in skin disease. 1994 , 131, 591-7	9
1786	Human papillomavirus and Epstein-Barr virus in the etiology of testicular germ cell tumours. 1994 , 102, 38-42	18
1785	Into and out of G1: the control of cell proliferation. 1994 , 76, 887-94	5
1784	Rare incidence of human papillomavirus types 16 and 18 in primary and metastatic human prostate cancer. 1994 , 44, 726-31	30

1783	Functions of human papillomavirus E6 and E7 oncoproteins. 1994 , 2, 170-4	37
1782	Oncogenes and cell death. 1994 , 4, 120-9	229
1781	Inactivation of oncoprotein binding by a single Cys706-to-Tyr substitution in the retinoblastoma protein. 1994 , 340, 181-4	3
1780	HPV replication in experimental models: effects of interferon. 1994 , 24, 175-90	18
1779	Persistence of the SV40 early region without expression in permissive simian cells. 1994 , 34, 237-63	2
1778	An anti-oncogenic action of the polyomavirus large-T (LT) antigen in HeLa and SiHa tumor cells. 1994 , 78, 183-7	
1777	Gene therapy--its potential in the management of oral cancer. 1994 , 30B, 143-54	13
1776	Human papillomavirus DNA sequences in esophagus squamous cell carcinoma. 1994 , 107, 128-36	75
1775	Interaction of HPV E6 with p53 and associated proteins. 1994 , 22, 52-5	15
1774	The structure, function, and regulation of papillomaviral genes in infection and cervical cancer. 1994 , 44, 305-56	48
1773	The origins of the small DNA tumor viruses. 1994 , 65, 141-68	13
1772	Dissecting molecular carcinogenesis: development of transgenic mouse models by epidermal gene targeting. 1994 , 64, 247-96	13
1771	Chapter 27. Transgenic and Gene Targeting Technology in Drug Discovery. 1994 , 29, 265-274	1
1770	Restoration of telomeres in human papillomavirus-immortalized human anogenital epithelial cells. 1994 , 14, 961-9	161
1769	Functional properties of a Drosophila homolog of the E2F1 gene. 1994 , 14, 1603-12	129
1768	The retinoblastoma gene product is a cell cycle-dependent, nuclear matrix-associated protein. 1994 , 91, 418-22	266
1767	Genital human papillomavirus infection. 1994 , 91, 2436-40	149
1766	Viruses and human cancer. 1994 , 50, 560-81	22

1765	Transforming proteins of the papillomaviruses. 1994 , 37, 168-79	22
1764	Growth arrest by induction of p53 in DNA damaged keratinocytes is bypassed by human papillomavirus 16 E7. 1994 , 91, 4382-6	202
1763	The retinoblastoma protein-binding region of simian virus 40 large T antigen alters cell cycle regulation in lenses of transgenic mice. 1994 , 14, 6743-54	100
1762	Suppression of cyclin-dependent kinase 4 during induced differentiation of erythroleukemia cells. 1994 , 14, 7195-203	95
1761	Inducing differentiation of transformed cells with hybrid polar compounds: a cell cycle-dependent process. 1994 , 91, 10251-4	74
1760	Hepatitis B virus X protein inhibits p53 sequence-specific DNA binding, transcriptional activity, and association with transcription factor ERCC3. 1994 , 91, 2230-4	578
1759	Differential specificity for binding of retinoblastoma binding protein 2 to RB, p107, and TATA-binding protein. 1994 , 14, 7256-64	38
1758	Targeted expression of the E6 and E7 oncogenes of human papillomavirus type 16 in the epidermis of transgenic mice elicits generalized epidermal hyperplasia involving autocrine factors. 1994 , 14, 8250-8	50
1757	p53-dependent G1 arrest involves pRB-related proteins and is disrupted by the human papillomavirus 16 E7 oncoprotein. 1994 , 91, 5320-4	289
1756	Positive and negative regulation of cell proliferation by E2F-1: influence of protein level and human papillomavirus oncoproteins. 1994 , 14, 8241-9	37
1755	Association of the viral oncoprotein STP-C488 with cellular ras. 1995 , 15, 6506-12	95
1754	General primer-mediated polymerase chain reaction for simultaneous detection and typing of human papillomavirus DNA in laryngeal squamous cell carcinomas. 1995 , 20, 84-8	11
1753	The retinoblastoma protein binds to RIZ, a zinc-finger protein that shares an epitope with the adenovirus E1A protein. 1995 , 92, 4467-71	168
1752	The p53-mediated G1 checkpoint is retained in tumorigenic rat embryo fibroblast clones transformed by the human papillomavirus type 16 E7 gene and EJ-ras. 1995 , 15, 1446-54	26
1751	Suppression of mutations in two <i>Saccharomyces cerevisiae</i> genes by the adenovirus E1A protein. 1995 , 15, 3227-37	37
1750	Mutation and cancer: a personal odyssey. 1995 , 67, 1-23	22
1749	Transgenic models for papillomavirus-associated multistep carcinogenesis. 1995 , 38, 181-6	5
1748	Apoptosis in viral infections. 1995 , 45, 1-60	153

1747	Demonstration of smoking-related DNA damage in cervical epithelium and correlation with human papillomavirus type 16, using exfoliated cervical cells. 1995 , 71, 246-9	43
1746	Transcription and cancer. 1995 , 3, 233-278	
1745	The p53 tumor suppressor gene. 1995 , 3, 55-141	0
1744	Human papillomaviruses, cervical cancer and the developing world. 1995 , 89, 453-63	17
1743	Modulation of retinoblastoma gene in normal adult hematopoiesis: peak expression and functional role in advanced erythroid differentiation. 1995 , 92, 4808-12	45
1742	Assessment of Ki-67 antigen immunostaining in squamous intraepithelial lesions of the uterine cervix. Correlation with the histologic grade and human papillomavirus type. 1995 , 104, 154-60	72
1741	Direct transcriptional repression by pRB and its reversal by specific cyclins. 1995 , 15, 3256-65	170
1740	Viruses, virulence and pathogenicity. 1995 , 8, 1-23	3
1739	The epidemiology of cervical carcinogenesis. 1995 , 76, 1888-901	244
1738	The possible role of bcl-2 expression in the progression of tumors of the uterine cervix. 1995 , 76, 2297-303	67
1737	Human papillomavirus-16 and -18 replication in esophagus squamous cancer cell lines does not require heterologous E1 and E2 proteins. 1995 , 45, 435-8	7
1736	Effects of 12-O-tetradecanoylphorbol-13-acetate on human papillomavirus type 16-positive keratinocytes at different stages of transformation. 1995 , 13, 146-56	2
1735	Transcriptional repression of smooth-muscle alpha-actin gene associated with human papillomavirus type 16 E7 expression. 1995 , 13, 157-65	9
1734	The effect of the JE (MCP-1) gene, which encodes monocyte chemoattractant protein-1, on the growth of HeLa cells and derived somatic-cell hybrids in nude mice. 1995 , 14, 179-89	26
1733	Human papillomavirus E6 and E7: proteins which deregulate the cell cycle. 1995 , 17, 509-18	113
1732	Bcl-2 protooncogene expression in cervical carcinoma cell lines containing inactive p53. 1995 , 57, 509-21	58
1731	The RB2/p130 gene product is a nuclear protein whose phosphorylation is cell cycle regulated. 1995 , 59, 402-8	64
1730	Biologic activity of human papillomavirus type 16 E6/E7 cDNA clones isolated from SiHa cervical carcinoma cell line. 1995 , 10, 15-25	8

1729	Serum antibody responses against human papillomavirus in relation to tumor characteristics, response to treatment, and survival in carcinoma of the uterine cervix. 1995 , 40, 201-5	21
1728	Genetic instability as a consequence of inappropriate entry into and progression through S-phase. 1995 , 14, 59-73	73
1727	Molecular mechanisms of virus-induced carcinogenesis: the interaction of viral factors with cellular tumor suppressor proteins. 1995 , 73, 529-38	32
1726	Immunohistochemical detection of p53 in cervical epithelial lesions with or without infection of human papillomavirus types 16 and 18. 1995 , 425, 593-602	24
1725	Interaction of viral and cellular proteins with the retinoblastoma tumour suppressor gene product. 1995 , 5, 97-103	3
1724	Regulation of cyclins by adhesion: Elements in the anchorage-signalling pathway. 1995 , 3, 307-314	1
1723	Modulation of epithelial differentiation by the E6 and E7 oncoproteins of human papillomaviruses. 1995 , 3, 377-382	
1722	Human papillomaviruses (HPV) in gynaecological cytology: from molecular biology to clinical testing. 1995 , 6, 176-89	15
1721	Serum antibody against unfused recombinant E7 protein of human papillomavirus type 16 in cervical cancer patients. 1995 , 86, 28-34	13
1720	Tumor suppressor genes: prospects for cancer therapies. 1995 , 13, 127-31	3
1719	Activity of RNA polymerase I transcription factor UBF blocked by Rb gene product. 1995 , 374, 177-80	307
1718	Coexpression of cdk2/cdc2 and retinoblastoma gene products in colorectal cancer. 1995 , 71, 1231-6	43
1717	The role of p53 inactivation in human cervical cell carcinoma development. 1995 , 71, 219-26	28
1716	Association between proliferative verrucous leukoplakia and infection with human papillomavirus type 16. 1995 , 24, 193-7	98
1715	Transcriptional control by the retinoblastoma protein. 1995 , 6, 91-8	56
1714	Preneoplastic transformation of human mammary epithelial cells. 1995 , 6, 185-92	21
1713	Inhibition of apoptosis by the retinoblastoma gene product.. 1995 , 14, 461-472	196
1712	Deletion in human chromosome region 12q13-15 by integration of human papillomavirus DNA in a cervical carcinoma cell line. 1995 , 270, 24321-6	63

1711	Pathobiology of Human Papillomavirus. 1995 , 15, 685-704	4
1710	Functional interactions between the retinoblastoma (Rb) protein and Sp-family members: superactivation by Rb requires amino acids necessary for growth suppression. 1995 , 92, 3953-7	197
1709	Reconstitution of p53-ubiquitinylation reactions from purified components: the role of human ubiquitin-conjugating enzyme UBC4 and E6-associated protein (E6AP). 1995 , 92, 3264-8	103
1708	Relief of YY1 transcriptional repression by adenovirus E1A is mediated by E1A-associated protein p300. 1995 , 9, 1188-98	262
1707	Human papillomavirus and disease-free survival in FIGO stage Ib cervical cancer. 1995 , 172, 1184-90	39
1706	Binding of an interferon-inducible protein (p202) to the retinoblastoma protein. 1995 , 270, 6134-40	88
1705	Association of human Pur alpha with the retinoblastoma protein, Rb, regulates binding to the single-stranded DNA Pur alpha recognition element. 1995 , 270, 24352-60	94
1704	Multiple members of the E2F transcription factor family are the products of oncogenes. 1995 , 92, 1357-61	177
1703	Cell cycle-dependent disruption of E2F-p107 complexes by human papillomavirus type 16 E7. 1995 , 76 (Pt 7), 1815-20	27
1702	Epidermal growth factor induction of human papillomavirus type 16 E6/E7 mRNA in tumor cells involves two AP-1 binding sites in the viral enhancer. 1995 , 76 (Pt 8), 1945-58	19
1701	Human papillomaviruses and cervical neoplasia. II. Interaction of HPV with other factors. 1995 , 48, 1-6	50
1700	Polymorphism of the hpv-16 e6 gene of cervical-carcinoma. 1995 , 7, 261-6	11
1699	In-vivo analysis of hpv e7 protein association with prb, p107 and p130. 1995 , 6, 167-74	10
1698	CHARACTERIZATION OF A NEW P53-MUTATED AND HPV-NEGATIVE HUMAN SQUAMOUS-CELL CERVICAL CARCINOMA-DERIVED CELL-LINE. 1995 , 6, 681	
1697	Squamous cell carcinoma of the tongue in a child with Fanconi anemia: a case report and review of the literature. 1995 , 15, 597-607	18
1696	The role of decreased retinoblastoma protein expression in acute myelomonocytic and monoblastic leukemias. 1995 , 17, 135-7	3
1695	Differential response of normal and HPV immortalized ectocervical epithelial cells to B[a]P. 1995 , 16, 2413-8	15
1694	Protein-peptide interactions analyzed with the yeast two-hybrid system. 1995 , 23, 1152-6	146

1693	Abnormalities of retinoblastoma gene expression in hematological malignancies. 1995 , 18, 61-7	8
1692	Spectrum of germline mutations in the RB1 gene: a study of 232 patients with hereditary and non hereditary retinoblastoma. 1995 , 4, 383-8	109
1691	p53-mediated cellular response to DNA damage in cells with replicative hepatitis B virus. 1995 , 92, 1342-6	45
1690	Detection of a novel cell cycle-regulated kinase activity that associates with the amino terminus of the retinoblastoma protein in G2/M phases. 1995 , 270, 9281-8	38
1689	Disruption of retinoblastoma protein function by coexpression of its C pocket fragment. 1995 , 9, 31-46	79
1688	The retinoblastoma susceptibility gene product represses transcription when directly bound to the promoter. 1995 , 270, 8837-43	88
1687	Apoptosis and the cell cycle. 1995 , 7, 825-34	272
1686	European School of Oncology Advisory report to the European Commission for the Europe Against Cancer Programme: oral carcinogenesis in Europe. 1995 , 31B, 75-85	34
1685	The 'LXCXE' hydrophathic superfamily of ligands for retinoblastoma protein: a proposal. 1995 , 44, 28-31	6
1684	Association of human papillomavirus with malignant and premalignant lesions of the uterine endometrium. 1995 , 26, 650-8	34
1683	The retinoblastoma protein and cell cycle control. 1995 , 81, 323-30	4192
1682	The interferon-activatable gene 200 cluster: from structure toward function. 1995 , 6, 203-213	56
1681	Multimodal treatment for the locally advanced stage IB, IIA, IIB patients of cervical cancer. 1995 , 49 Suppl, S49-57	5
1680	Clinical application of HPV typing in cervical cancer. 1995 , 49 Suppl, S59-67	5
1679	Dysplasia and HPV infection initially detected by DNA analysis in cytomorphologically normal cervical smears. 1995 , 51, 43-8	8
1678	Cardiac myocyte terminal differentiation. Potential for cardiac regeneration. 1995 , 752, 72-9	68
1677	Regulatory networks of the retinoblastoma protein. 1995 , 752, 432-45	11
1676	The molecular basis of oncogenes and tumor suppressor genes. 1995 , 758, 331-8	106

1675	Viral oncoprotein binding to pRB, p107, p130, and p300. 1995 , 35, 113-21	60
1674	A helper T-cell epitope of the E7 protein of human papillomavirus type 16 in BALB/c mice. 1995 , 37, 13-22	3
1673	A novel human papillomavirus sequence based on L1 general primers. 1995 , 36, 293-7	11
1672	Molecular biology of human oral cancer. 1996 , 7, 319-28	62
1671	Anal neoplasia. Pathogenesis, diagnosis, and management. 1996 , 10, 1177-87	33
1670	Immortalization of differentiated human keratinocytes by human papillomavirus (HPV) 16 DNA. 1996 , 13, 140-52	6
1669	Establishment and characterization of a human-papillomavirus negative, p53-mutation negative human cervical cancer cell line. 1996 , 102, 173-81	12
1668	Induction of rat CD4+ proliferative and mouse CD8+ cytotoxic T-cell lines specific for human papillomavirus type 16 antigens. 1996 , 147, 301-11	1
1667	Papillomavirus: Agents infectieux et oncogènes. 1996 , 11, 104-114	
1666	Detection of human papillomavirus DNA in laryngeal squamous cell carcinoma by polymerase chain reaction. 1996 , 32A, 783-8	36
1665	Transforming activities of human papillomavirus type 59 E5, E6 and E7 open reading frames in mouse C127 cells. 1996 , 44, 57-65	6
1664	Immortalization of human adult prostatic adenocarcinoma cells by human papilloma virus HPV16 and -18 DNA. 1996 , 100, 47-54	14
1663	HPV immortalization of human oral epithelial cells: a model for carcinogenesis. 1996 , 226, 164-9	95
1662	Role of E6 and E7 oncoproteins in HPV-induced anogenital malignancies. 1996 , 7, 295-304	33
1661	Genomic aberrations of human papillomavirus recovered from cervical cancers. 1996 , 222, 116-20	6
1660	Differential effects of progestins and estrogens on long control regions of human papillomavirus types 16 and 18. 1996 , 224, 651-9	42
1659	Activity of the retinoblastoma family proteins, pRB, p107, and p130, during cellular proliferation and differentiation. 1996 , 31, 237-71	101
1658	Construction and characterisation of a recombinant vaccinia virus expressing human papillomavirus proteins for immunotherapy of cervical cancer. 1996 , 14, 1485-94	83

1657	Cancer of the uterine cervix. 1996 , 334, 1030-8	247
1656	Targeting signal transduction for disease therapy. 1996 , 8, 239-44	101
1655	Human papillomavirus expression in oral mucosa, premalignant conditions, and squamous cell carcinoma: a retrospective review of the literature. 1996 , 82, 57-68	165
1654	Do human papillomaviruses cause cancer?. 1996 , 3, 123-125	2
1653	Exclusion of Int-6 from PML nuclear bodies by binding to the HTLV-I Tax oncoprotein. <i>Science</i> , 1996 , 273, 951-3	333 133
1652	The human papillomavirus type 16 E7 gene product interacts with and trans-activates the AP1 family of transcription factors.. 1996 , 15, 1950-1960	154
1651	HTLV-1 Tax protein interacts with cyclin-dependent kinase inhibitor p16INK4A and counteracts its inhibitory activity towards CDK4.. 1996 , 15, 1607-1614	208
1650	Functional interactions between the hBRM/hBRG1 transcriptional activators and the pRB family of proteins. 1996 , 16, 1576-83	234
1649	The E2F transcription factor activates a replication-dependent human H2A gene in early S phase of the cell cycle. 1996 , 16, 1889-95	51
1648	Transcriptional repression and growth suppression by the p107 pocket protein. 1996 , 16, 3606-14	55
1647	Myc oncogenes: the enigmatic family. 1996 , 314 (Pt 3), 713-21	145
1646	Recurrent laryngeal papillomatosis developing into laryngeal carcinoma with human papilloma virus (HPV) type 18: a case report. 1996 , 110, 75-7	16
1645	Carcinogenesis of cutaneous malignancies. 1996 , 22, 209-15	11
1644	The Rb family contains a conserved cyclin-dependent-kinase-regulated transcriptional repressor motif. 1996 , 16, 7173-81	60
1643	Gain of chromosome 3q defines the transition from severe dysplasia to invasive carcinoma of the uterine cervix. 1996 , 93, 479-84	389
1642	Inhibition of cyclin D-CDK4/CDK6 activity is associated with an E2F-mediated induction of cyclin kinase inhibitor activity. 1996 , 93, 4350-4	288
1641	Viruses In Human TumorsReminiscences And Perspectives. 1996 , 68, 1-22	20
1640	Immunity to Human PapillomavirusAssociated Cervical Neoplasia. 1996 , 69, 175-211	33

1639	The E5 gene product of rhesus papillomavirus is an activator of endogenous Ras and phosphatidylinositol-3'-kinase in NIH 3T3 cells. 1996 , 93, 12879-84	15
1638	Rapid, efficient, large-scale purification of unfused, non-denatured E7 protein of cottontail rabbit papillomavirus. 1996 , 57, 61-70	8
1637	Nucleic acid binding by zinc finger-like motif of human papillomavirus type 16 E7 oncoprotein. 1996 , 59, 173-6	6
1636	Cell cycle regulation by the retinoblastoma family of growth inhibitory proteins. 1996 , 1287, 103-20	70
1635	Papillomavirus infections--a major cause of human cancers. 1996 , 1288, F55-78	547
1634	Roots and perspectives of contemporary papillomavirus research. 1996 , 122, 3-13	62
1633	Interactions of the human papillomavirus E7 protein with cell cycle regulators. 1996 , 7, 327-37	75
1632	Apoptosis: molecular regulation of cell death. 1996 , 236, 1-26	467
1631	Role of insulin-like growth factors in autocrine growth of human retinoblastoma Y79 cells. 1996 , 236, 523-32	10
1630	The role of HPV DNA testing in cervical neoplasia. 1996 , 22, 611-20	4
1629	Detection and typing of human papillomavirus in biopsy and cytological specimens by polymerase chain reaction and restriction enzyme analysis: a method suitable for semiautomation. 1996 , 48, 161-70	18
1628	Control of HPV replication: implications for squamous neoplasia. 1996 , 178, 237-8	4
1627	Retinoblastoma protein in human breast carcinoma: immunohistochemical study using a new monoclonal antibody effective on routinely processed tissues. 1996 , 180, 65-70	21
1626	A research shortcut from a common cold virus to human cancer. 1996 , 78, 558-65	3
1625	Transforming Proteins of Human Papillomaviruses. 1996 , 6, 39-55	7
1624	Retinoblastoma gene in mouse neural development. 1996 , 18, 81-91	24
1623	Type of human papillomavirus is related to clinical features of cervical carcinoma. 1996 , 78, 1935-1941	61
1622	Promoter usage in the E7 ORF of HPV16 correlates with epithelial differentiation and is largely confined to low-grade genital neoplasia. 1996 , 65, 6-12	9

1621	Detection of genomic alterations in human cervical cancer by two-dimensional gel electrophoresis. 1996 , 63, 41-48	2
1620	Retinoblastoma protein family in cell cycle and cancer: A review. 1996 , 62, 418-430	145
1619	Prot�ne P53 et virus : une cohabitation parfois mouvement�e 1996 , 1996, 21-27	
1618	A possible role for human papillomaviruses in head and neck cancer. 1996 , 15, 91-112	71
1617	Simultaneously detected aberrant p53 tumor suppressor protein and HPV-DNA localize mostly in separate keratinocytes in anogenital and common warts. 1996 , 5, 72-8	7
1616	Anomalous retinoblastoma protein expression in Sternberg-Reed cells in Hodgkin's disease: a comparative study with p53 and Ki67 expression. 1996 , 74, 1056-62	13
1615	High levels of MDM2 are not correlated with the presence of wild-type p53 in human malignant mesothelioma cell lines. 1996 , 74, 1534-40	22
1614	Shared role of the pRB-related p130 and p107 proteins in limb development. 1996 , 10, 1633-44	356
1613	SV40 Large T Antigen Transactivates the Human Promoter by Inducing a CCAAT Box Binding Factor. 1996 , 271, 13959-13967	24
1612	Correlation of apoptosis with tumour cell differentiation, progression, and HPV infection in cervical carcinoma. 1996 , 49, 134-8	45
1611	Chromosomal abnormalities in HPV-16-immortalized oral epithelial cells. 1996 , 17, 2003-8	31
1610	A novel CCAAT-binding protein necessary for adhesion-dependent cyclin A transcription at the G1/S boundary is sequestered by a retinoblastoma-like protein in G0. 1996 , 271, 6579-82	31
1609	Detection of integrated high risk human papillomavirus in adenoid cystic carcinoma of the uterine cervix. 1996 , 49, 805-9	36
1608	Role of HPV in tumorigenesis of oral keratinocytes. 1996 , 8, 21	
1607	The human papillomavirus E6/E7 genes induce discordant changes in the expression of cell growth regulatory proteins. 1996 , 17, 1395-401	23
1606	Investigation of the RB-1 tumour suppressor gene in a United Kingdom series of non-Hodgkin's lymphomas. 1996 , 23, 353-63	9
1605	Relation between retinoblastoma and p53 proteins in human papilloma viruses 16/18 positive and negative cancers of the uterine cervix. 1997 , 50, 413-6	14
1604	Pathways of p53-dependent apoptosis. 1997 , 53, 139-73	6

1603	A 221-bp fragment of the mouse opsin promoter directs expression specifically to the rod photoreceptors of transgenic mice. 1997 , 14, 617-25	18
1602	Retinoblastoma in a dog. 1997 , 115, 758-63	25
1601	Human papillomavirus, integration and cervical carcinogenesis: a clinicopathological perspective. 1997 , 50, 1-3	9
1600	Inactivation of pRB-related proteins p130 and p107 mediated by the J domain of simian virus 40 large T antigen. 1997 , 17, 4979-90	172
1599	The human papillomavirus E7 oncoprotein functionally interacts with the S4 subunit of the 26 S proteasome. 1997 , 272, 30135-40	114
1598	The human papillomavirus type 16 E6 and E7 oncoproteins dissociate cellular telomerase activity from the maintenance of telomere length. 1997 , 272, 13332-7	86
1597	Can p53 status resolve paradoxes between human and non-human retinoblastoma models?. 1997 , 89, 1476-7	6
1596	Prognostic value of bcl-2 expression in patients with operable carcinoma of the uterine cervix. 1997 , 50, 33-6	31
1595	Cutaneous Squamous Cell Carcinoma in Human Immunodeficiency Virus-Infected Patients. 1997 , 133, 577	30
1594	Subunit composition determines E2F DNA-binding site specificity. 1997 , 17, 6994-7007	116
1593	T cells deficient in inositol 1,4,5-trisphosphate receptor are resistant to apoptosis. 1997 , 17, 3005-12	233
1592	Inverted papillomas of the paranasal sinuses and the nasal cavity: DNA indices and HPV infection. 1997 , 11, 155-60	21
1591	Role of p53 in apoptosis. 1997 , 41, 429-60	49
1590	The retinoblastoma susceptibility gene RB-1 in multiple myeloma. 1997 , 24, 229-37	25
1589	Tumour cells of extramammary Paget's disease do not show either p53 mutation or allelic loss at several selected loci implicated in other cancers. 1997 , 76, 904-8	26
1588	Binding of high-risk human papillomavirus E6 oncoproteins to the human homologue of the Drosophila discs large tumor suppressor protein. 1997 , 94, 11612-6	417
1587	Tumor suppressor genes and human cancer. 1997 , 36, 45-135	24
1586	Absence of human papillomavirus genomic sequences detected by the polymerase chain reaction in oesophageal and gastric carcinomas in Japan. 1997 , 50, 101-4	33

1585	Juvenile Laryngeal Papillomatosis in a Pediatric Population: A Clinicopathologic Study. 1997 , 17, 53-64	17
1584	G1 cyclins and control of the cell division cycle in normal and transformed cells. 1997 , 15, 143-52	33
1583	Recent insights into the functions of the retinoblastoma susceptibility gene product. 1997 , 15, 243-54	39
1582	Biology of esophageal cancer and the role of combined modality therapy. 1997 , 77, 1139-67	10
1581	Genetic predisposition to cancer and familial cancer syndromes. 1997 , 44, 791-808	18
1580	Physical status and expression of HPV genes in cervical cancers. 1997 , 65, 121-9	114
1579	A general purification protocol for E7 proteins from "high- and low-risk" human papillomavirus types expressed in the yeast <i>Schizosaccharomyces pombe</i> . 1997 , 10, 192-201	12
1578	Human papillomavirus and human disease. 1997 , 102, 9-15	86
1577	Oncogenes and antioncogenes in the development of HPV associated tumors. 1997 , 15, 207-15	5
1576	Human papillomavirus and oesophageal squamous cell carcinoma in the UK. 1997 , 23, 513-7	21
1575	The role of human papilloma virus in skin cancer [current status]. 1997 , 9, 103-110	3
1574	Viral transactivating proteins. 1997 , 31, 177-212	190
1573	Deletion of RB exons 24 and 25 causes low-penetrance retinoblastoma. 1997 , 61, 556-70	80
1572	Early phosphorylation of the retinoblastoma gene product regulates protein binding to the c-fos retinoblastoma control element during T cell activation. 1997 , 34, 507-17	3
1571	Polyomavirus large T-antigen binds the "pRb related" protein p130 through sequences in conserved region 2. 1997 , 47, 85-90	8
1570	Analysis of the conformational change of recombinant human papilloma virus type 18 E7 protein induced by metal binding. 1997 , 49, 147-54	3
1569	Role of the retinoblastoma protein in the pathogenesis of human cancer. 1997 , 15, 3301-12	205
1568	Apoptosis in tumorigenesis and cancer therapy. 1997 , 2, d353-79	41

1567	Low-risk human papillomavirus types 6 and 11 associated with carcinomas of the genital and upper aero-digestive tract. 1997 , 76, 271-276	1
1566	PACT: cloning and characterization of a cellular p53 binding protein that interacts with Rb. 1997 , 14, 145-55	58
1565	20q gain associates with immortalization: 20q13.2 amplification correlates with genome instability in human papillomavirus 16 E7 transformed human uroepithelial cells. 1997 , 14, 551-60	111
1564	The human papillomavirus type 16 E7 protein is associated with the nucleolus in mammalian and yeast cells. 1997 , 14, 1137-45	30
1563	Polyomavirus large T antigen overcomes p53 dependent growth arrest. 1997 , 14, 1923-31	26
1562	Altered expression of Erg and Ets-2 transcription factors is associated with genetic changes at 21q22.2-22.3 in immortal and cervical carcinoma cell lines. 1997 , 14, 2149-57	25
1561	Identification of a p130 domain mediating interactions with cyclin A/cdk 2 and cyclin E/cdk 2 complexes. 1997 , 14, 2395-406	56
1560	A human papillomavirus type 18 E6/E7 transgene sensitizes mouse lens cells to human wild-type p53-mediated apoptosis. 1997 , 14, 2991-8	10
1559	Activation of the focal adhesion kinase signal transduction pathway in cervical carcinoma cell lines and human genital epithelial cells immortalized with human papillomavirus type 18. 1997 , 15, 265-74	82
1558	Alternatively spliced HPV-18 E6* protein inhibits E6 mediated degradation of p53 and suppresses transformed cell growth. 1997 , 15, 257-64	101
1557	Characterization of an E2F-p130 complex formed during growth arrest. 1997 , 15, 657-68	23
1556	Transcriptional squelching by ectopic expression of E2F-1 and p53 is alleviated by proteasome inhibitors MG-132 and lactacystin. 1997 , 15, 759-69	27
1555	Different HPV16 E6/E7 oncogene expression patterns in epithelia reconstructed from HPV16-immortalized human endocervical cells and genital keratinocytes. 1997 , 15, 2399-408	10
1554	Engineered mutants of pRB with improved growth suppression potential. 1997 , 15, 2855-66	11
1553	Coinfection of HPV-11 and HPV-16 in a case of laryngeal squamous papillomas with severe dysplasia. 1997 , 107, 942-7	22
1552	Structural similarity between the pocket region of retinoblastoma tumour suppressor and the cyclin-box. 1997 , 4, 390-5	31
1551	Virocrine transformation. 1997 , 1332, M1-17	7
1550	The retinoblastoma protein: More than meets the eyes. 1997 , 16, 591-626	2

1549	Genetics of retinoblastoma: a study. 1997 , 95, 40-50	19
1548	HPV 16 DNA and mRNA in cervical brush samples quantified by PCR and microwell hybridization. 1997 , 69, 209-22	17
1547	A unique cathepsin-like protease isolated from CV-1 cells is involved in rapid degradation of retinoblastoma susceptibility gene product, RB, and transcription factor SP1. 1997 , 1351, 274-86	29
1546	Expression of the papillomavirus E2 protein in HeLa cells leads to apoptosis. 1997 , 16, 504-14	167
1545	HPV16 E6 oncoprotein stimulates the transforming growth factor-beta 1 promoter in fibroblasts through a specific GC-rich sequence. 1997 , 228, 190-9	31
1544	Transactivation of prothymosin alpha and c-myc promoters by human papillomavirus type 16 E6 protein. 1997 , 232, 53-61	46
1543	The 5' region of the human papillomavirus type 31 upstream regulatory region acts as an enhancer which augments viral early expression through the action of YY1. 1997 , 237, 159-69	36
1542	Inhibition of serum- and calcium-induced differentiation of human keratinocytes by HPV16 E6 oncoprotein: role of p53 inactivation. 1997 , 237, 296-306	60
1541	A comparative analysis of the interactions of the E6 proteins from cutaneous and genital papillomaviruses with p53 and E6AP in correlation to their transforming potential. 1997 , 239, 132-49	68
1540	Regulators of Cardiac Cell Growth, Differentiation, and Apoptosis. 1997 , 2, 117-124	1
1539	Targeting signal transduction for disease therapy. 1997 , 14, 83-9	14
1538	Prognostic implication and intratumoral heterogeneity of p53, Ki-67, CEA and CA19-9 expressions in cholangiocellular carcinoma. 1997 , 8, 81-94	4
1537	Human papillomavirus E6 and E7 oncoproteins alter cell cycle progression but not radiosensitivity of carcinoma cells treated with low-dose-rate radiation. 1997 , 37, 145-54	61
1536	Ha-ras oncogene-induced transcription of human papillomavirus type 18 E6 and E7 oncogenes. 1997 , 19, 83-90	13
1535	In situ detection of PCR-amplified metalloproteinase cDNAs, their inhibitors and human papillomavirus transcripts in cervical carcinoma cell lines. 1997 , 71, 1056-60	24
1534	The maize retinoblastoma protein homologue ZmRb-1 is regulated during leaf development and displays conserved interactions with G1/S regulators and plant cyclin D (CycD) proteins. 1998 , 37, 155-69	125
1533	Induction of DNA synthesis and apoptosis by regulated inactivation of a temperature-sensitive retinoblastoma protein. 1998 , 17, 1040-52	24
1532	HPV-16-related proteins as the serologic markers in cervical neoplasia. 1998 , 69, 47-55	29

1531	The status of human papillomavirus and tumor suppressor genes p53 and p16 in carcinomas of uterine cervix from India. 1998 , 69, 205-9	23
1530	Detection of human papillomavirus type 16 E6/E7 oncogene transcripts in dysplastic and nondysplastic cervical scrapes by nested RT-PCR. 1998 , 69, 114-21	58
1529	The early HPV16 proteins can regulate mRNA levels of cell cycle genes in human cervical carcinoma cells by p53-independent mechanisms. 1998 , 244, 97-107	11
1528	The E5 oncoprotein of human papillomavirus type 16 enhances endothelin-1-induced keratinocyte growth. 1998 , 248, 1-5	34
1527	Papillomavirus and p53. 1998 , 393, 217	16
1526	Silent flight. 1998 , 393, 217-217	
1525	Role of a p53 polymorphism in the development of human papillomavirus-associated cancer. 1998 , 393, 229-34	815
1524	Structure of the retinoblastoma tumour-suppressor pocket domain bound to a peptide from HPV E7. 1998 , 391, 859-65	375
1523	The CXXC Zn binding motifs of the human papillomavirus type 16 E7 oncoprotein are not required for its in vitro transforming activity in rodent cells. 1998 , 16, 1085-9	14
1522	Release of cell cycle constraints in mouse melanocytes by overexpressed mutant E2F1E132, but not by deletion of p16INK4A or p21WAF1/CIP1. 1998 , 16, 2489-501	36
1521	Expression of dominant negative Jun inhibits elevated AP-1 and NF-kappaB transactivation and suppresses anchorage independent growth of HPV immortalized human keratinocytes. 1998 , 16, 2711-21	101
1520	The amino-terminal region of SV40 large T antigen is sufficient to induce hepatic tumours in mice. 1998 , 17, 1253-9	16
1519	The E7 protein of human papillomavirus type 16 sensitizes primary human keratinocytes to apoptosis. 1998 , 17, 1207-14	96
1518	Transactivation of the human cdc2 promoter by adenovirus E1A in cycling cells is mediated by induction of a 110-kDa CCAAT-box-binding factor. 1998 , 17, 3103-14	8
1517	The retinoblastoma protein-associated cell cycle arrest in S-phase under moderate hypoxia is disrupted in cells expressing HPV18 E7 oncoprotein. 1998 , 77, 862-72	29
1516	p53 mutations and human papillomavirus DNA in oral squamous cell carcinoma: correlation with apoptosis. 1998 , 78, 354-9	27
1515	Risk factors for cervical neoplasia in Denmark. 1998 , 106, 5-41	5
1514	Introduction of a normal retinoblastoma (Rb) gene into Rb-deficient lymphoblastoid cells delays tumorigenicity in immunodeficient mice. 1998 , 22, 905-12	3

1513	The making and the breaking of senescence: changes of gene expression during cellular aging and immortalization. 1998 , 33, 291-301	17
1512	The role of human papillomavirus DNAs in cervical carcinoma and risk of lymph node metastasis: association with 72-kilodalton metalloproteinase immunostaining. 1998 , 82, 886-92	16
1511	A c-rasHa mutation in the metastasis of a human papillomavirus (HPV)-18 positive penile squamous cell carcinoma suggests a cooperative effect between HPV-18 and c-rasHa activation in malignant progression. 1998 , 83, 122-129	26
1510	Radiation-enhanced expression of E6/E7 transforming oncogenes of human papillomavirus-16 in human cervical carcinoma. 1998 , 83, 2346-52	54
1509	Induction of apoptosis in human keratinocytes containing mutated p53 alleles and its inhibition by both the E6 and E7 oncoproteins. 1998 , 75, 96-104	40
1508	HPV-associated cervical cancers show frequent allelic loss at 3p14 but no apparent aberration of FHIT mRNA. 1998 , 75, 199-204	18
1507	Genetic integrity of transforming growth factor beta (TGF-beta) receptors in cervical carcinoma cell lines: loss of growth sensitivity but conserved transcriptional response to TGF-beta. 1998 , 77, 620-5	37
1506	Human papillomavirus DNA sequences and p53 over-expression in laryngeal squamous cell carcinomas in Northeast China. 1998 , 54, 186-91	25
1505	expression patterns of cyclins D1 and E in condyloma acuminatum in comparison with psoriatic proliferative lesions. 1998 , 184, 83-8	9
1504	Correlation of T-helper secretory differentiation and types of antigen-presenting cells in squamous intraepithelial lesions of the uterine cervix. 1998 , 184, 283-90	73
1503	Dispensability of p53 degradation for tumorigenicity and decreased serum requirement of human papillomavirus type 16 E6. 1998 , 21, 215-222	14
1502	Significance of retinoblastoma and mdm2 gene expression as prognostic markers for soft-tissue sarcoma. 1998 , 383, 99-103	17
1501	Genetic aspects of prostate cancer. 1998 , 432, 389-406	34
1500	Establishment of an epidermal growth factor-dependent, multipotent neural precursor cell line. 1998 , 34, 585-92	18
1499	Transcription by RNA polymerases I and III: a potential link between cell growth, protein synthesis and the retinoblastoma protein. 1998 , 76, 94-103	31
1498	Comparison of in vitro translated HPV-16 E7 protein with GST-fusion HPV-16 E7 protein as serologic markers in patients with cervical cancer. 1998 , 8, 380-386	
1497	Synthetic peptides of human papillomavirus type 18 E6 harboring HLA-A2.1 motif can induce peptide-specific cytotoxic T-cells from peripheral blood mononuclear cells of healthy donors. 1998 , 54, 23-9	22
1496	CDKN2 (MTS1/p16INK4A) gene alterations in adult T-cell leukemia/lymphoma. 1998 , 29, 27-35	15

1495	Telomerase activity and human papillomavirus (HPV) infection in human uterine cervical cancers and cervical smears. 1998 , 34, 2082-6	19
1494	The effect of all-trans and 9-cis retinoic acid on the steady state level of HPV16 E6/E7 mRNA and cell cycle in cervical carcinoma cells. 1998 , 63, 565-73	21
1493	Trophoblasts are the preferential target for human papilloma virus infection in spontaneously aborted products of conception. 1998 , 29, 170-4	54
1492	Update on cutaneous manifestations of HIV infection. 1998 , 82, 1033-80, v	24
1491	Immortalization by gene transfection. 1998 , 57, 69-91	27
1490	The accumulation of cyclin-dependent kinase inhibitor p27kip1 is a primary response to staurosporine and independent of G1 cell cycle arrest. 1998 , 243, 222-31	19
1489	Transcriptional regulation of the EGF receptor promoter by HPV16 and retinoic acid in human ectocervical epithelial cells. 1998 , 244, 349-56	37
1488	Expression status of p16 protein is associated with human papillomavirus oncogenic potential in cervical and genital lesions. 1998 , 153, 1741-8	465
1487	A study of growth pattern in giant condyloma acuminatum. 1998 , 61, 188-91	5
1486	Activation of E2F-mediated transcription by human T-cell leukemia virus type I Tax protein in a p16(INK4A)-negative T-cell line. 1998 , 273, 23598-604	53
1485	p107 is a suppressor of retinoblastoma development in pRb-deficient mice. 1998 , 12, 1599-609	253
1484	HPV-16 E7 protein bypasses keratinocyte growth inhibition by serum and calcium. 1998 , 19, 1481-6	25
1483	Mechanism of retinoblastoma gene inactivation in the spectrum of neuroendocrine lung tumors. 1998 , 18, 188-96	65
1482	Biologic activity of oligonucleotides with polarity and anomeric center reversal. 1998 , 8, 95-101	9
1481	Interaction of the single-stranded DNA-binding protein Puralpha with the human polyomavirus JC virus early protein T-antigen. 1998 , 273, 32662-9	50
1480	The retinoblastoma-like protein family: still in the shadow of the RB gene?. 1998 , 90, 1418-9	2
1479	Protein Phosphatase Type 1, The Product of the Retinoblastoma Susceptibility Gene, And Cell Cycle Control. 1998 , 18, 395-415	
1478	Molecular events in uterine cervical cancer. 1998 , 74, 101-9	32

1477	E1A signaling to p53 involves the p19(ARF) tumor suppressor. 1998 , 12, 2434-42	490
1476	PROTEIN PHOSPHATASE TYPE 1, THE PRODUCT OF THE RETINOBLASTOMA SUSCEPTIBILITY GENE, AND CELL CYCLE CONTROL. 1998 , 18, 395-415	
1475	Triple ribozyme-mediated down-regulation of the retinoblastoma gene. 1998 , 19, 1223-30	21
1474	Melanomas, from the cell cycle point of view (Review). 1998 , 1, 419-25	24
1473	Polycyclic aromatic hydrocarbons enhance terminal cell death of human ectocervical cells. 1998 , 13, 557-63	6
1472	Activity of human papillomavirus type 16 P97 promoter in immortal and tumorigenic human oral keratinocytes. 1998 , 13, 765-71	1
1471	The role of retinoblastoma and p53 tumor suppressor pathways in human mammary epithelial cell immortalization. 1998 , 12, 499-507	7
1470	The J domain of simian virus 40 large T antigen is required to functionally inactivate RB family proteins. 1998 , 18, 1408-15	142
1469	Uterine cervical dysplasia and cancer: identification of c-myc status by quantitative polymerase chain reaction. 1998 , 7, 324-30	27
1468	Inactivation of p16 in human mammary epithelial cells by CpG island methylation. 1998 , 18, 1793-801	198
1467	The role of the human papilloma virus in esophageal cancer. 1998 , 30, 348-54	41
1466	Low incidence of microsatellite instability in patients with cervical carcinomas. 1998 , 7, 276-82	13
1465	Human T-cell leukemia virus type 1 Tax and cell cycle progression: role of cyclin D-cdk and p110Rb. 1998 , 18, 3620-32	172
1464	Molecular targets for human papillomaviruses: prospects for antiviral therapy. 1998 , 9, 359-77	42
1463	Negative regulation of DNA replication by the retinoblastoma protein is mediated by its association with MCM7. 1998 , 18, 2748-57	165
1462	Inhibition of HPV-16 E6/E7 immortalization of normal keratinocytes by hairpin ribozymes. 1998 , 95, 1189-94	84
1461	Disruption of the G1/S transition in human papillomavirus type 16 E7-expressing human cells is associated with altered regulation of cyclin E. 1998 , 72, 975-85	91
1460	Protein phosphatase type 1, the product of the retinoblastoma susceptibility gene, and cell cycle control. 1998 , 3, D1209-19	32

1459	Human papillomavirus type 16 E6 and E7 oncogenes abrogate radiation-induced DNA damage responses in vivo through p53-dependent and p53-independent pathways. 1998 , 95, 2290-5	102
1458	Establishment of an immortalized fetal intrapulmonary artery endothelial cell line. 1999 , 277, L106-12	10
1457	Human cytomegalovirus and human herpesvirus 6 genes that transform and transactivate. 1999 , 12, 367-82	72
1456	T cell-mediated and non-specific inflammatory mechanisms contribute to the skin pathology of HPV 16 E6E7 transgenic mice. 1999 , 42, 43-50	6
1455	Prognostic significance of transcription factor E2F-1 in bladder cancer: genotypic and phenotypic characterization. 1999 , 91, 874-81	46
1454	Genetic susceptibility to HPV infection and cervical cancer. 1999 , 32, 915-22	13
1453	Cervical cancer, Pap smear and HPV testing, An update of the role of organized Pap smear screening and HPV testing. 1999 , 78, 467-477	11
1452	Papillomaviruses. 607-618	1
1451	Functional interactions between herpesvirus oncoprotein MEQ and cell cycle regulator CDK2. 1999 , 73, 4208-19	38
1450	Human papillomavirus (HPV) E6 interactions with Bak are conserved amongst E6 proteins from high and low risk HPV types. 1999 , 80 (Pt 6), 1513-1517	157
1449	Cell transformation by the E7 oncoprotein of human papillomavirus type 16: interactions with nuclear and cytoplasmic target proteins. 2000 , 78, 1-29	78
1448	HPV positive bronchopulmonary carcinomas in women with previous high-grade cervical intraepithelial neoplasia (CIN III). 1999 , 38, 639-47	35
1447	Expression of cell-cycle proteins p53, p21 (WAF-1), PCNA and Ki-67 in benign, premalignant and malignant skin lesions with implicated HPV involvement. 1999 , 79, 268-73	32
1446	New concepts on the role of human papillomavirus in cell cycle regulation. 1999 , 31, 175-87	87
1445	Intranuclear localization of human papillomavirus 16 E7 during transformation and preferential binding of E7 to the Rb family member p130. 1999 , 96, 6999-7004	49
1444	Molecular genetics and epidemiology of prostate carcinoma. 1999 , 20, 22-45	130
1443	Transactivation of the human cdc2 promoter by adenovirus E1A. E1A induces the expression and assembly of a heteromeric complex consisting of the CCAAT box binding factor, CBF/NF-Y, and a 110-kDa DNA-binding protein. 1999 , 274, 23043-51	18
1442	T-helper epitopes identified within the E6 transforming protein of cervical cancer-associated human papillomavirus type 16. 1999 , 12, 297-312	7

1441	Growth inhibition of cervical tumor cells by antisense oligodeoxynucleotides directed to the human papillomavirus type 16 E6 gene. 1999 , 9, 441-50	30
1440	Role of human Cds1 (Chk2) kinase in DNA damage checkpoint and its regulation by p53. 1999 , 274, 31463-7	72
1439	Recruitment of the retinoblastoma protein to c-Jun enhances transcription activity mediated through the AP-1 binding site. 1999 , 274, 5454-61	37
1438	Environmental factors as regulators and effectors of multistep carcinogenesis. 1999 , 20, 519-27	79
1437	Functional interaction between human topoisomerase IIalpha and retinoblastoma protein. 1999 , 96, 7859-64	36
1436	Three unrelated viral transforming proteins (vIRF, EBNA2, and E1A) induce the MYC oncogene through the interferon-responsive PRF element by using different transcription coadaptors. 1999 , 96, 11566-71	83
1435	Separation of C/EBPalpha-mediated proliferation arrest and differentiation pathways. 1999 , 96, 7276-81	49
1434	Cervical cancer, Pap smear and HPV testing, An update of the role of organized Pap smear screening and HPV testing. 1999 , 78, 467-477	1
1433	Expression, purification and immunological characterization of the transforming protein E7, from cervical cancer-associated human papillomavirus type 16. 1999 , 115, 397-403	40
1432	The antibody response to HPV proteins and the genomic state of HPVs in patients with cervical cancer. 1999 , 9, 1-11	8
1431	Evaluation of cellular immune responses in rhesus monkeys subjected to adenovirus-mediated gene transfer into the cervix. 1999 , 6, 220-7	4
1430	Interleukin-12 cDNA skin transfection potentiates human papillomavirus E6 DNA vaccine-induced antitumor immune response. 1999 , 6, 331-9	30
1429	Yohei Ito Memorial Lecture: Papillomaviruses in human cancers. 1999 , 13, 1-5	15
1428	Yohei Ito Memorial Lecture: Papillomaviruses in human cancers. 1999 , 13, S3-S7	2
1427	The SV40 large T oncoprotein disrupts DNA-binding of the cell cycle-regulated transcriptional repressor CDF. 1999 , 18, 2023-5	6
1426	Overriding of cyclin-dependent kinase inhibitors by high and low risk human papillomavirus types: evidence for an in vivo role in cervical lesions. 1999 , 18, 2201-11	40
1425	Prohibitin, a potential tumor suppressor, interacts with RB and regulates E2F function. 1999 , 18, 3501-10	202
1424	Inhibition of E6 induced degradation of p53 is not sufficient for stabilization of p53 protein in cervical tumour derived cell lines. 1999 , 18, 3309-15	46

1423	Conversion of HPV 18 positive non-tumorigenic HeLa-fibroblast hybrids to invasive growth involves loss of TNF-alpha mediated repression of viral transcription and modification of the AP-1 transcription complex. 1999 , 18, 3187-98	83
1422	Expression of human papillomavirus 16 E2 protein in Schizosaccharomyces pombe delays the initiation of mitosis. 1999 , 18, 4015-21	26
1421	Papillomavirus E2 induces p53-independent apoptosis in HeLa cells. 1999 , 18, 4538-45	72
1420	Oncogenic human papillomavirus E6 proteins target the discs large tumour suppressor for proteasome-mediated degradation. 1999 , 18, 5487-96	261
1419	mdm2: a bridge over the two tumour suppressors, p53 and Rb. 1999 , 18, 7681-9	78
1418	The adenovirus E1A domains required for induction of DNA rereplication in G2/M arrested cells coincide with those required for apoptosis. 1999 , 18, 4767-76	11
1417	HPV-18 E6*I protein modulates the E6-directed degradation of p53 by binding to full-length HPV-18 E6. 1999 , 18, 7403-8	74
1416	DCC expression is related to mucinous differentiation but not changes in expression of p21(WAF1/Cip1) and p27Kip1, apoptosis, cell proliferation and human papillomavirus infection in uterine cervical adenocarcinomas. 1999 , 80, 51-8	8
1415	Adenovirus E4 open reading frame 4-induced dephosphorylation inhibits E1A activation of the E2 promoter and E2F-1-mediated transactivation independently of the retinoblastoma tumor suppressor protein. 1999 , 256, 313-21	27
1414	HPV 16 E6 blocks TNF-mediated apoptosis in mouse fibroblast LM cells. 1999 , 264, 55-65	33
1413	Molecular abnormalities associated with endocrine tumors of the uterine cervix. 1999 , 72, 3-9	64
1412	Aberrant expression of the cell cycle associated proteins TP53, MDM2, p21, p27, cdk4, cyclin D1, RB, and EGFR in cervical carcinomas. 1999 , 73, 223-8	104
1411	Mutational and functional analysis of HPV-16 URR derived from Korean cervical neoplasia. 1999 , 74, 23-9	23
1410	Human papillomavirus life cycle: active and latent phases. 1999 , 9, 379-86	180
1409	Recognition of an epitope of a breast cancer antigen by human antibody. 1999 , 53, 279-90	12
1408	[The role of oncogenic human papillomaviruses in tonsillar squamous cell carcinomas with functional inactivation of the retinoblastoma protein]. 1999 , 47, 796-803	11
1407	Association between HPV 16/18 infection and expression of P53 protein in laryngeal papillomas. 1999 , 19, 275-6	
1406	Humoral immune response against proteins E6 and E7 in cervical carcinoma patients positive for human papilloma virus type 16 during treatment and follow-up. 1999 , 18, 126-32	19

1405	Induction of apoptotic cell death by IFN β on HPV-16 transformed human keratinocytes. 1999 , 42, 109-20	6
1404	Papillomaviruses: prophylactic vaccine prospects. 1999 , 1423, M1-8	7
1403	Frequent aberration of the transforming growth factor-beta receptor II gene in cell lines but no apparent mutation in pre-invasive and invasive carcinomas of the uterine cervix. 1999 , 80, 506-10	27
1402	Human papillomavirus may be common within nasopharyngeal carcinoma of Caucasian Americans: investigation of Epstein-Barr virus and human papillomavirus in eastern and western nasopharyngeal carcinoma using ligation-dependent polymerase chain reaction. 1999 , 21, 21-9	39
1401	Immortalization of human prostate epithelial cells by HPV 16 E6/E7 open reading frames. 1999 , 40, 150-8	40
1400	Targetting of the N-terminal domain of the human papillomavirus type 16 E6 oncoprotein with monomeric ScFvs blocks the E6-mediated degradation of cellular p53. 1999 , 12, 141-52	36
1399	Altered Growth and Viral Gene Expression in Human Papillomavirus Type 16-Containing Cancer Cell Lines Treated with Progesterone. 1999 , 17, 19-29	35
1398	Viruses in human cancers. 1999 , 35, 1174-81	40
1397	Viruses in human cancers. 1999 , 35, 1878-85	58
1396	Clinical relevance of pRb and p53 co-overexpression in soft tissue sarcomas. 1999 , 139, 159-65	13
1395	Retinoblastoma in transgenic mice: models of hereditary retinoblastoma. 1999 , 43, 508-18	31
1394	HPV in the male patient. 1999 , 26, 797-807, ix	6
1393	Update on the cutaneous manifestations of HIV infection. Clinical and pathologic features. 1999 , 17, 445-71, vii	33
1392	Human papillomavirus infection in adolescents. 1999 , 46, 783-807	23
1391	Sensitizing Human Cervical Cancer Cells In Vitro to Ionizing Radiation with Interferon γ 1999 , 152, 493	9
1390	In situ detection of the hypermethylation-induced inactivation of the p16 gene as an early event in oncogenesis. 1999 , 96, 12754-9	282
1389	Disruption of retinoblastoma protein family function by human papillomavirus type 16 E7 oncoprotein inhibits lens development in part through E2F-1. 1999 , 19, 6458-68	50
1388	The retinoblastoma protein is linked to the activation of Ras. 1999 , 19, 7724-32	68

1387	RNA polymerase III transcription factor IIIB is a target for repression by pocket proteins p107 and p130. 1999 , 19, 4255-61	52
1386	Activation of RNA polymerase III transcription in cells transformed by simian virus 40. 1999 , 19, 4927-34	39
1385	The E6 oncoproteins of high-risk papillomaviruses bind to a novel putative GAP protein, E6TP1, and target it for degradation. 1999 , 19, 733-44	173
1384	Molecular mechanism of carcinogenesis by human papillomavirus-16. 2000 , 27, 73-86	39
1383	Human papillomaviruses and cervical neoplasia: a model for carcinogenesis. 2000 , 19, 16-28	167
1382	Identification and typing of human papillomavirus (HPV) in squamous cell carcinoma of the oral cavity and oropharynx. 2000 , 114, 41-6	23
1381	Physical state and expression of human papillomavirus in laryngeal carcinoma and surrounding normal mucosa. 2000 , 60, 396-402	54
1380	Ubiquitous presence of E6 and E7 transcripts in human papillomavirus-positive cervical carcinomas regardless of its type. 2000 , 62, 251-8	61
1379	Decreased synthesis and expression of TGF-beta1, beta2, and beta3 in epithelium of HPV 16-positive cervical precancer: a study by microdissection, quantitative RT-PCR, and immunocytochemistry. 2000 , 192, 494-501	33
1378	p53 polymorphism in codon 72 and risk of human papillomavirus-induced cervical cancer: effect of inter-laboratory variation. 2000 , 87, 528-533	76
1377	Interstitial deletion of 11q13 sequences in HeLa cells. 2000 , 29, 157-65	8
1376	Regulation of cell growth and HPV genes by exogenous estrogen in cervical cancer cells. 2000 , 10, 157-164	42
1375	Loss of heterozygosity among tumor suppressor genes in invasive and in situ carcinoma of the uterine cervix. 2000 , 10, 452-458	4
1374	Immortalisation of human bone marrow endothelial cells: characterisation of new cell lines. 2000 , 30, 618-29	55
1373	Incidence of childhood cancer in Ho Chi Minh City, Vietnam, 1995-97. 2000 , 14, 240-7	8
1372	Inactivation of the human papillomavirus-16 E6 oncoprotein by organic disulfides. 2000 , 8, 2549-60	40
1371	Absence of nuclear p16 from Epstein-Barr virus-associated undifferentiated nasopharyngeal carcinomas. 2000 , 110, 93-7	14
1370	The latent nuclear antigen of Kaposi sarcoma-associated herpesvirus targets the retinoblastoma-E2F pathway and with the oncogene Hras transforms primary rat cells. 2000 , 6, 1121-7	414

1369	Preclinical study on gene therapy of cervical carcinoma using adeno-associated virus vectors. 2000 , 7, 766-77	27
1368	E6 proteins from diverse cutaneous HPV types inhibit apoptosis in response to UV damage. 2000 , 19, 592-8	176
1367	HPV E6 targeted degradation of the discs large protein: evidence for the involvement of a novel ubiquitin ligase. 2000 , 19, 719-25	84
1366	Human papillomavirus E7 proteins stimulate proliferation independently of their ability to associate with retinoblastoma protein. 2000 , 19, 821-6	37
1365	Induction of S phase and apoptosis by the human papillomavirus type 16 E7 protein are separable events in immortalized rodent fibroblasts. 2000 , 19, 2277-85	28
1364	The N-terminal common domain of simian virus 40 large T and small t antigens acts as a transformation suppressor of the HER-2/neu oncogene. 2000 , 19, 2704-13	13
1363	Oncogenes and tumor angiogenesis: the HPV-16 E6 oncoprotein activates the vascular endothelial growth factor (VEGF) gene promoter in a p53 independent manner. 2000 , 19, 4611-20	170
1362	Transcriptional regulation of the major histocompatibility complex (MHC) class I heavy chain, TAP1 and LMP2 genes by the human papillomavirus (HPV) type 6b, 16 and 18 E7 oncoproteins. 2000 , 19, 4930-5	111
1361	Phosphorylation of the retinoblastoma-related protein p130 in growth-arrested cells. 2000 , 19, 5116-22	45
1360	Interaction of the retinoblastoma protein (pRb) with the catalytic subunit of DNA polymerase delta (p125). 2000 , 19, 5464-70	9
1359	Rb function in cell-cycle regulation and apoptosis. 2000 , 2, E65-7	407
1358	Enhancer-promoter activity of human papillomavirus type 16 long control regions isolated from cell lines SiHa and CaSki and cervical cancer biopsies. 2000 , 91, 271-9	23
1357	Marek's Disease Herpesvirus Transforming Protein MEQ: a c-Jun Analogue with an Alternative Life Style. 2000 , 21, 51-64	48
1356	Herpes simplex virus infection blocks events in the G1 phase of the cell cycle. 2000 , 267, 326-34	63
1355	Viral recombinant vaccines to the E6 and E7 antigens of HPV-16. 2000 , 270, 146-61	97
1354	A mutagenic analysis of the E5 protein of human papillomavirus type 16 reveals that E5 binding to the vacuolar H ⁺ -ATPase is not sufficient for biological activity, using mammalian and yeast expression systems. 2000 , 272, 315-25	36
1353	Differential phosphorylation of the HPV-16 E7 oncoprotein during the cell cycle. 2000 , 276, 388-94	39
1352	Human papillomavirus types 16 E6 and E7 contribute differently to carcinogenesis. 2000 , 267, 141-50	156

1351	Inhibition of radiation-induced apoptosis by dexamethasone in cervical carcinoma cell lines depends upon increased HPV E6/E7. 2000 , 82, 1709-16	20
1350	An enhanceosome containing the Jun B/Fra-2 heterodimer and the HMG-I(Y) architectural protein controls HPV 18 transcription. 2000 , 1, 422-7	45
1349	Papillomavirus E2 induces senescence in HPV-positive cells via pRB- and p21(CIP)-dependent pathways. 2000 , 19, 5762-71	161
1348	Immortalization of rat kidney glomerular mesangial cell and its coculture with glomerular epithelial cell. 2000 , 5, 92-98	2
1347	Construction of a recombinant adenovirus vector of human papillomavirus type 16 L1_E7C. 2000 , 12, 21-24	
1346	Differences in HPV 16- and HPV 18 E6/E7 oncogene expression between in situ and invasive adenocarcinomas of the cervix uteri. 2000 , 437, 491-500	40
1345	The retinoblastoma gene family: its role in cancer onset and progression. 2000 , 4, 765-783	7
1344	Role of pRB dephosphorylation in cell cycle regulation. 2000 , 5, D121-37	73
1343	Papillomaviruses. 2000 , 303-326	
1342	Human Papillomavirus: Epidemiology, Transmission, and Pathogenesis. 2000 , 20, 235-255	38
1341	Treatment of Human Papillomavirus Gynecologic Infections. 2000 , 20, 407-422	9
1340	Human Papillomavirus Oncogenesis. 2000 , 20, 383-406	30
1339	The role of human papillomavirus in gynecological diseases. 2000 , 37, 183-215	6
1338	Human papillomavirus type 16 E6 induces self-ubiquitination of the E6AP ubiquitin-protein ligase. 2000 , 74, 6408-17	101
1337	Human scribble (Vartul) is targeted for ubiquitin-mediated degradation by the high-risk papillomavirus E6 proteins and the E6AP ubiquitin-protein ligase. 2000 , 20, 8244-53	396
1336	Na ⁺ /H ⁺ exchanger-dependent intracellular alkalinization is an early event in malignant transformation and plays an essential role in the development of subsequent transformation-associated phenotypes. 2000 , 14, 2185-97	290
1335	Mullerian inhibiting substance inhibits ovarian cell growth through an Rb-independent mechanism. 2000 , 275, 37101-9	73
1334	Ablation of the retinoblastoma gene family deregulates G(1) control causing immortalization and increased cell turnover under growth-restricting conditions. 2000 , 14, 3051-64	345

1333	Allosteric activation of acid alpha-glucosidase by the human papillomavirus E7 protein. 2000 , 275, 9534-41	40
1332	The carboxyl-terminal region of the retinoblastoma protein binds non-competitively to protein phosphatase type 1alpha and inhibits catalytic activity. 2000 , 275, 27784-9	21
1331	P53 codon 72 polymorphism as a risk factor in the development of HPV-associated non-melanoma skin cancers in immunocompetent hosts. 2000 , 5, 405-9	31
1330	Human papillomavirus type 16 E7 impairs the activation of the interferon regulatory factor-1. 2000 , 5, 661-6	52
1329	Transgenic animal models of human papillomavirus-dependent disease (Review).. 2000 , 16, 853	2
1328	Polymorphism at codon 72 of p53 is not associated with cervical cancer risk. 2000 , 13, 373-8	27
1327	E2F-Rb complexes assemble and inhibit cdc25A transcription in cervical carcinoma cells following repression of human papillomavirus oncogene expression. 2000 , 20, 7059-67	44
1326	Human papillomavirus type 16 E7 oncoprotein binds and inactivates growth-inhibitory insulin-like growth factor binding protein 3. 2000 , 20, 6483-95	86
1325	Suprabasal expression of the human papillomavirus type 16 oncoproteins in mouse epidermis alters expression of cell cycle regulatory proteins. 2000 , 21, 1031-7	23
1324	The human papillomavirus (HPV) 16 E2 protein induces apoptosis in the absence of other HPV proteins and via a p53-dependent pathway. 2000 , 275, 87-94	105
1323	E2F proteins are posttranslationally modified concomitantly with a reduction in nuclear binding activity in cells infected with herpes simplex virus 1. 2000 , 74, 7842-50	26
1322	Repression of human papillomavirus oncogenes in HeLa cervical carcinoma cells causes the orderly reactivation of dormant tumor suppressor pathways. 2000 , 97, 12513-8	346
1321	PKN binds and phosphorylates human papillomavirus E6 oncoprotein. 2000 , 275, 14824-30	48
1320	The paramyxovirus simian virus 5 V protein slows progression of the cell cycle. 2000 , 74, 9152-66	95
1319	Mechanisms of human papillomavirus E2-mediated repression of viral oncogene expression and cervical cancer cell growth inhibition. 2000 , 74, 3752-60	78
1318	Repression of the integrated papillomavirus E6/E7 promoter is required for growth suppression of cervical cancer cells. 2000 , 74, 2679-86	131
1317	Microarray analysis identifies interferon-inducible genes and Stat-1 as major transcriptional targets of human papillomavirus type 31. 2000 , 74, 4174-82	232
1316	Establishment of irreversible growth arrest in myogenic differentiation requires the RB LXCXE-binding function. 2000 , 20, 5571-80	64

1315	Role of the LXCXE binding site in Rb function. 2000 , 20, 6799-805	142
1314	Rb-independent induction of apoptosis by bovine papillomavirus type 1 E7 in response to tumor necrosis factor alpha. 2000 , 275, 30894-900	13
1313	Cell-specific modulation of papovavirus replication by tumor suppressor protein p53. 2000 , 74, 4688-97	10
1312	The Rb/E2F pathway: expanding roles and emerging paradigms. 2000 , 14, 2393-409	857
1311	Dissociation of bone morphogenetic protein-mediated growth arrest and apoptosis of mouse B cells by HPV-16 E6/E7. 2000 , 257, 198-205	23
1310	Epidermal growth factor receptor efficiently activates mitogen-activated protein kinase in HeLa cells and Hep2 cells conditionally defective in clathrin-dependent endocytosis. 2000 , 260, 136-45	36
1309	Prevalence of human papillomavirus DNA in different histological subtypes of cervical adenocarcinoma. 2000 , 157, 1055-62	301
1308	Nuclear expression of the p16CDKN2 gene product during senescence of human pharyngeal epithelial cells. 2000 , 27, 147-51	2
1307	A new PCR-based assay amplifies the E6-E7 genes of most mucosal human papillomaviruses (HPV). 2000 , 67, 127-39	41
1306	Expression of cyclin E and p27(KIP1) in cervical carcinoma. 2000 , 153, 41-50	37
1305	p53 polymorphism, human papillomavirus infection in the oral cavity, and oral cancer. 2000 , 90, 334-9	53
1304	Genital human papillomavirus infections in children and adolescents. 2000 , 12, 134-140	3
1303	Harnessing the ubiquitination machinery to target the degradation of specific cellular proteins. 2000 , 6, 751-6	127
1302	Viral-encoded cyclins. 2000 , 10, 70-4	24
1301	The hallmarks of cancer. 2000 , 100, 57-70	20934
1300	P53 codon 72 polymorphism as a risk factor in the development of HPV-associated cervical cancer. 2000 , 3, 111-4	32
1299	Differential requirement for the stress-activated protein kinase/c-Jun NH(2)-terminal kinase in RNAdamage-induced apoptosis in primary and in immortalized fibroblasts. 2000 , 4, 122-8	30
1298	IMMORTALIZATION OF A HUMAN PROSTATE STROMAL CELL LINE USING A RECOMBINANT RETROVIRAL APPROACH. 2000 , 164, 2145-2150	12

1297	The human papillomavirus type 16 E6 and E7 oncoproteins cooperate to induce mitotic defects and genomic instability by uncoupling centrosome duplication from the cell division cycle. 2000 , 97, 10002-7	384
1296	Papillomaviruses causing cancer: evasion from host-cell control in early events in carcinogenesis. 2000 , 92, 690-8	904
1295	Oligomerization properties of the viral oncoproteins adenovirus E1A and human papillomavirus E7 and their complexes with the retinoblastoma protein. 2000 , 39, 16033-45	40
1294	The developmental biology of brain tumors. 2001 , 24, 385-428	402
1293	Generation and characterization of monoclonal antibodies against the E6 and E7 oncoproteins of HPV. 2001 , 20, 257-63	4
1292	p107 and p130: versatile proteins with interesting pockets. 2001 , 264, 135-47	208
1291	Characterization of human myocardial fibroblasts immortalized by HPV16 E6--E7 genes. 2001 , 268, 252-61	17
1290	KAI1 metastasis suppressor gene is frequently down-regulated in cervical carcinoma. 2001 , 159, 1629-34	42
1289	Verrucous carcinoma of the foot associated with human papillomavirus type 16. 2001 , 45, 49-55	77
1288	Control of interferon signaling in human papillomavirus infection. 2001 , 12, 157-70	73
1287	Transcriptional activity of human papillomavirus type 16 variants having deletions in the long control region. 2001 , 37, 1946-52	20
1286	pRb-expressing adenovirus Ad5-Rb attenuates the p53-induced apoptosis in cervical cancer cell lines. 2001 , 37, 2475-83	20
1285	The retinoblastoma protein acts as a transcriptional coactivator required for osteogenic differentiation. 2001 , 8, 303-16	314
1284	Centrosome abnormalities and genomic instability by episomal expression of human papillomavirus type 16 in raft cultures of human keratinocytes. 2001 , 75, 7712-6	97
1283	Human papillomavirus infection, centrosome aberration, and genetic stability in cervical lesions. 2001 , 14, 279-84	54
1282	Oncogenes and the retinoblastoma pathway. 2001 ,	
1281	Transforming Genes of Human Cytomegalovirus and Human Herpesvirus 6. 2001 , 23, 88-106	
1280	Low frequency of p53 mutations in cervical carcinomas among Brazilian women. 2001 , 34, 727-33	9

1279	Interferon-inducible genes are major targets of human papillomavirus type 31: insights from microarray analysis. 2001 , 17, 139-42	14
1278	Human Papillomavirus in the Oral Cavity. 2001 , 6, 1-12	10
1277	Surrogate biomarkers of HPV infection in cervical neoplasia screening and diagnosis. 2001 , 8, 83-92	84
1276	Carcinosarcoma of the uterine cervix: a report of eight cases with immunohistochemical analysis and evaluation of human papillomavirus status. 2001 , 25, 338-47	86
1275	Penile cancer and human papilloma virus (HPV) in a human immunodeficiency virus (HIV)-infected patient. 2001 , 19, 266-72	22
1274	Human Cancer Genetics. 2001 , 1-28	0
1273	Effects of the human papilloma virus HPV-16 E7 oncoprotein on glycolysis and glutaminolysis: role of pyruvate kinase type M2 and the glycolytic-enzyme complex. 2001 , 356, 247-256	107
1272	Human herpesvirus-8 and Kaposi's sarcoma: relationship with the multistep concept of tumorigenesis. 2001 , 81, 125-59	59
1271	Adenovirus early region I proteins: Action through interaction. 2001 , 43-83	2
1270	Human t-cell leukemia virus type i oncoprotein, tax: Cell cycle dysregulation and cellular transformation. 2001 , 309-319	
1269	The induction and suppression of apoptosis by viruses. 2001 , 5, 351-411	
1268	The Rb pathway in neurogenesis. 2001 , 12, A55-62	47
1267	Human papillomaviruses and their role in cervical cancer. 2001 , 58, 1923-42	73
1266	Revisiting retinoblastoma protein phosphorylation during the mammalian cell cycle. 2001 , 58, 580-95	31
1265	Epidemiologic and mucosal immunologic aspects of HPV infection and HPV-related cervical neoplasia in the lower female genital tract: a review. 2001 , 11, 9-17	43
1264	Biology of human papillomaviruses. 2001 , 82, 15-33	123
1263	Both of the N-terminal and C-terminal regions of human papillomavirus type 16 E7 are essential for immortalization of primary rat cells. 2001 , 6, 69-75	2
1262	Cervical cancer vaccines: emerging concepts and developments. 2001 , 186, 169-82	69

1261	Effect of BPV1 E2-mediated inhibition of E6/E7 expression in HPV16-positive cervical carcinoma cells. 2001 , 80, 168-75	27
1260	Detection of human papillomaviruses in cervical neoplasias using multiple sets of generic polymerase chain reaction primers. 2001 , 81, 47-52	30
1259	Aberrant expression of cyclin D1 is associated with poor prognosis in early stage cervical cancer of the uterus. 2001 , 81, 341-7	73
1258	FHIT (fragile histidine triad) gene analysis in cervical intraepithelial neoplasia. 2001 , 82, 283-90	8
1257	E2F-1 induced apoptosis. 2001 , 6, 173-82	102
1256	Staurosporine-induced apoptosis of HPV positive and negative human cervical cancer cells from different points in the cell cycle. 2001 , 8, 234-44	32
1255	Hepatitis B virus X mutants derived from human hepatocellular carcinoma retain the ability to abrogate p53-induced apoptosis. 2001 , 20, 3620-8	78
1254	Protection against chemotherapy-induced cytotoxicity by cyclin-dependent kinase inhibitors (CKI) in CKI-responsive cells compared with CKI-unresponsive cells. 2001 , 20, 6164-71	32
1253	Association of UNP, a ubiquitin-specific protease, with the pocket proteins pRb, p107 and p130. 2001 , 20, 5533-7	25
1252	Loss of p16 pathways stabilizes EWS/FLI1 expression and complements EWS/FLI1 mediated transformation. 2001 , 20, 6731-41	112
1251	Adenovirus E1A: remodelling the host cell, a life or death experience. 2001 , 20, 7824-35	119
1250	Oncogenic transformation by the human polyomaviruses. 2001 , 20, 7917-23	32
1249	The human papillomavirus (HPV) 16 E6 oncoprotein leads to an increase in gene expression of the angiogenic switch molecule FGF-BP in non-immortalized human keratinocytes. 2001 , 20, 7430-6	16
1248	The HPV-16 E7 oncoprotein binds Skip and suppresses its transcriptional activity. 2001 , 20, 7677-85	34
1247	Thymic hyperplasia and lung carcinomas in a line of mice transgenic for keratin 5-driven HPV16 E6/E7 oncogenes. 2001 , 20, 8148-53	23
1246	Human papillomavirus and cervical carcinogenesis. 2001 , 15, 663-76	45
1245	Centrosome abnormalities, genomic instability and carcinogenic progression. 2001 , 1471, M81-8	49
1244	Overexpression of Hp95 induces G1 phase arrest in confluent HeLa cells. 2001 , 67, 139-53	39

1243	Transcriptional activation of the telomerase hTERT gene by human papillomavirus type 16 E6 oncoprotein. 2001 , 75, 4467-72	228
1242	Induction of apoptosis in cervical carcinoma cells by peptide aptamers that bind to the HPV-16 E7 oncoprotein. 2001 , 15, 592-4	43
1241	Defined flanking spacers and enhanced proteolysis is essential for eradication of established tumors by an epitope string DNA vaccine. 2001 , 166, 5366-73	143
1240	Telomerase activation by human papillomavirus type 16 E6 protein: induction of human telomerase reverse transcriptase expression through Myc and GC-rich Sp1 binding sites. 2001 , 75, 5559-66	188
1239	Cell-mediated immune response to human papillomavirus infection. 2001 , 8, 209-20	159
1238	Multiple genetic changes are required for efficient immortalization of different subtypes of normal human mammary epithelial cells. 2001 , 155, 143-150	37
1237	The function of the human papillomavirus oncogenes. 2001 , 145-192	6
1236	Exogenous peptide and protein expression levels using retroviral vectors in human cells. 2001 , 4, 398-406	6
1235	HPV16 E6 gene variations in invasive cervical squamous cell carcinoma and cancer in situ from Russian patients. 2001 , 84, 791-5	21
1234	The cytokines tumor necrosis factor-alpha (TNF-alpha) and TNF-related apoptosis-inducing ligand differentially modulate proliferation and apoptotic pathways in human keratinocytes expressing the human papillomavirus-16 E7 oncoprotein. 2001 , 276, 22522-8	75
1233	Accelerated G(1) phase progression induced by the human T cell leukemia virus type I (HTLV-I) Tax oncoprotein. 2001 , 276, 31851-7	47
1232	Degradation of the retinoblastoma tumor suppressor by the human papillomavirus type 16 E7 oncoprotein is important for functional inactivation and is separable from proteasomal degradation of E7. 2001 , 75, 7583-91	238
1231	E box-dependent activation of telomerase by human papillomavirus type 16 E6 does not require induction of c-myc. 2001 , 75, 7198-201	152
1230	Induction of pRb degradation by the human papillomavirus type 16 E7 protein is essential to efficiently overcome p16INK4a-imposed G1 cell cycle Arrest. 2001 , 75, 4705-12	113
1229	Feedback regulation between orphan nuclear receptor TR2 and human papilloma virus type 16. 2001 , 276, 27316-21	7
1228	Both E6 and E7 oncoproteins of human papillomavirus 16 inhibit IL-18-induced IFN-gamma production in human peripheral blood mononuclear and NK cells. 2001 , 167, 497-504	93
1227	p130/E2F4 binds to and represses the cdc2 promoter in response to p53. 2001 , 276, 1998-2006	83
1226	Antigen processing defects in cervical carcinomas limit the presentation of a CTL epitope from human papillomavirus 16 E6. 2001 , 167, 5420-8	88

1225	Human papillomavirus E6E7-mediated adenovirus cell killing: selectivity of mutant adenovirus replication in organotypic cultures of human keratinocytes. 2001 , 75, 7602-11	54
1224	Effect of p53 polymorphism on the susceptibility of cervical cancer. 2001 , 51, 197-201	21
1223	The Action of E6 and E7 of Human Papillomaviruses in Cellular Immortalization and Transformation. 2001 , 23, 44-63	
1222	E7 abolishes raf-induced arrest via mislocalization of p21(Cip1). 2002 , 22, 7041-52	49
1221	The cell-mediated immune response to human papillomavirus-induced cervical cancer: implications for immunotherapy. 2002 , 86, 113-48	27
1220	Down regulation of the interleukin-8 promoter by human papillomavirus type 16 E6 and E7 through effects on CREB binding protein/p300 and P/CAF. 2002 , 76, 8710-21	135
1219	Human papillomavirus type 16 E7 binds to E2F1 and activates E2F1-driven transcription in a retinoblastoma protein-independent manner. 2002 , 277, 2923-30	89
1218	Nucleocytoplasmic shuttling of p130/RBL2: novel regulatory mechanism. 2002 , 22, 453-68	58
1217	Human papilloma virus 16 E6 oncoprotein inhibits retinoic X receptor-mediated transactivation by targeting human ADA3 coactivator. 2002 , 277, 45611-8	51
1216	Structure-Function Relationships of Human Pathogenic Viruses. 2002 ,	1
1215	The B-domain lysine patch of pRB is required for binding to large T antigen and release of E2F by phosphorylation. 2002 , 22, 1390-401	19
1214	Three regions of the pRB pocket domain affect its inactivation by human papillomavirus E7 proteins. 2002 , 76, 6224-34	54
1213	Single copy heterozygote integration of HPV 33 in chromosomal band 5p14 is found in an epithelial cell clone with selective growth advantage. 2002 , 23, 1057-64	23
1212	Long-term effect of interferon on keratinocytes that maintain human papillomavirus type 31. 2002 , 76, 8864-74	41
1211	Human papillomavirus type 16 E7 maintains elevated levels of the cdc25A tyrosine phosphatase during deregulation of cell cycle arrest. 2002 , 76, 619-32	70
1210	Genetic analysis of high-risk e6 in episomal maintenance of human papillomavirus genomes in primary human keratinocytes. 2002 , 76, 11359-64	66
1209	HPV 16-E6-mediated degradation of intrinsic p53 is compensated by upregulation of p53 gene expression in normal cervical keratinocytes. 2002 , 21, 561	2
1208	Expression of the potential novel gene E6DG1 downregulated by the E6 protein of human papillomavirus type 16 is correlated with anchorage-independent growth. 2002 , 21, 273	

1207	The viral oncogene human papillomavirus E7 deregulates transcriptional silencing by Brm-related gene 1 via molecular interactions. 2002 , 277, 48842-8	22
1206	Squamous cell carcinoma of the upper aerodigestive tract: precursors and problematic variants. 2002 , 15, 229-54	89
1205	Role of tumor suppressor genes in the development of adult T cell leukemia/lymphoma (ATLL). 2002 , 16, 1069-85	64
1204	Cdk4 disruption renders primary mouse cells resistant to oncogenic transformation, leading to Arf/p53-independent senescence. 2002 , 16, 2923-34	110
1203	Modulation of the cell division cycle by human papillomavirus type 18 E4. 2002 , 76, 10914-20	60
1202	Specific down-modulation of Notch1 signaling in cervical cancer cells is required for sustained HPV-E6/E7 expression and late steps of malignant transformation. 2002 , 16, 2252-63	194
1201	Rapid and sensitive detection of physical status of human papillomavirus type 16 DNA by quantitative real-time PCR. 2002 , 40, 863-7	67
1200	Cervical Cancer Vaccines: Progress and Prospects. 2002 , 9, 254-264	3
1199	Increased risk of high-grade anal neoplasia associated with a human papillomavirus type 16 E6 sequence variant. 2002 , 185, 1229-37	52
1198	Human papillomavirus oncoprotein E6 inactivates the transcriptional coactivator human ADA3. 2002 , 22, 5801-12	124
1197	Integrated human papillomavirus type 16 is frequently found in cervical cancer precursors as demonstrated by a novel quantitative real-time PCR technique. 2002 , 40, 886-91	274
1196	16 Role of immunohistochemical expression of p53, Rb, and p16 proteins in anal squamous cell carcinoma. 2002 , 2, 267-275	
1195	Interaction of Papillomaviral Oncoproteins with Cellular Factors. 2002 , 431-461	4
1194	A geminivirus replication protein interacts with a protein kinase and a motor protein that display different expression patterns during plant development and infection. 2002 , 14, 1817-32	121
1193	The biology of E7. 2002 , 101-118	1
1192	Nucleolin as activator of human papillomavirus type 18 oncogene transcription in cervical cancer. 2002 , 196, 1067-78	61
1191	Cervical epithelial cells transduced with the papillomavirus E6/E7 oncogenes maintain stable levels of oncoprotein expression but exhibit progressive, major increases in hTERT gene expression and telomerase activity. 2002 , 160, 1251-7	41
1190	The papillomavirus E2 proteins: structure, function, and biology. 2002 , 31, 343-60	111

1189	High-risk (HPV16) human papillomavirus E7 oncoprotein is highly stable and extended, with conformational transitions that could explain its multiple cellular binding partners. 2002 , 41, 10510-8	53
1188	Mapping common deleted regions on 5p15 in cervical carcinoma and their occurrence in precancerous lesions. 2002 , 1, 3	15
1187	Management of precursor lesions of cervical carcinoma: history, host defense, and a survey of modalities. 2002 , 29, 751-85	7
1186	The human papillomavirus oncoprotein E7 attenuates NF-kappa B activation by targeting the I kappa B kinase complex. 2002 , 277, 25576-82	95
1185	Disruption of oncogene/tumor suppressor networks during human carcinogenesis. 2002 , 20, 71-81	31
1184	Restoration of p53 tumor suppressor pathway in human cervical carcinoma cells by sodium arsenite. 2002 , 293, 298-306	22
1183	Interaction of oncogenic papillomavirus E6 proteins with fibulin-1. 2002 , 296, 962-9	47
1182	Human papillomaviruses, expression of p16, and early endocervical glandular neoplasia. 2002 , 33, 899-904	117
1181	Human papillomavirus immortalization and transformation functions. 2002 , 89, 213-28	583
1180	Human papillomavirus 16 and 18 expression in conjunctival intraepithelial neoplasia. 2002 , 109, 542-7	135
1179	The role of human papillomaviruses in human cancers. 2002 , 7, d641-9	57
1178	Cell cycle dysregulation by HTLV-I role of the TAX oncoprotein. 2002 , 7, d157-163	11
1177	p53-independent expression of p21(CIP1/WAF1) in plasmacytic cells during G(2) cell cycle arrest induced by Actinobacillus actinomycescomitans cytolethal distending toxin. 2002 , 70, 528-34	56
1176	The Epstein Barr Nuclear Antigen EBNA3C regulates transcription cell transformation and cell migration. 2002 , 7, d704-716	1
1175	Ins and outs of clinical trials with peptide-based vaccines. 2002 , 7, e204-213	3
1174	Clinical implications of human papillomavirus infection. 2002 , 7, e77-84	18
1173	The role of human papillomaviruses in human cancers. 2002 , 7, d641	44
1172	Cell cycle dysregulation by HTLV-I: role of the tax oncoprotein. 2002 , 7, d157-63	32

1171	Ins and outs of clinical trials with peptide-based vaccines. 2002 , 7, e204-13	28
1170	Human papillomavirus update with a particular focus on cervical disease. 2002 , 34, 213-24	47
1169	Immortalization of bovine umbilical vein endothelial cells: a model for the study of vascular endothelium. 2002 , 81, 1-8	36
1168	Hepatitis C virus NS5A protein binds TBP and p53, inhibiting their DNA binding and p53 interactions with TBP and ERCC3. 2002 , 1592, 193-204	58
1167	Overexpression of p16 and p14ARF is associated with human papillomavirus infection in cervical squamous cell carcinoma and dysplasia. 2002 , 52, 375-83	87
1166	A working model for the time sequence of genetic changes in breast tumorigenesis. 2002 , 194, 202-16	16
1165	The genetics of the E2F family of transcription factors: shared functions and unique roles. 2002 , 1602, 131-50	145
1164	Aberrations in the MTS1 tumor suppressor locus in oral squamous cell carcinoma lines preferentially affect the INK4A gene and result in increased cdk6 activity. 2002 , 38, 179-86	20
1163	Human papillomavirus type 38 infection in oral squamous cell carcinomas. 2002 , 38, 591-6	34
1162	Human papillomavirus and p53 mutational status as prognostic factors in head and neck carcinoma. 2002 , 24, 841-9	85
1161	Genetic alterations in cervical carcinomas: frequent low-level amplifications of oncogenes are associated with human papillomavirus infection. 2002 , 101, 427-33	77
1160	Quantitation of human papillomavirus 16 E6 and E7 DNA and RNA in residual material from ThinPrep Papanicolaou tests using real-time polymerase chain reaction analysis. 2002 , 94, 2199-210	96
1159	Evidence of diversifying selection in human papillomavirus type 16 E6 but not E7 oncogenes. 2002 , 55, 491-9	22
1158	Telomere length and telomerase activity in the process of human fibroblast immortalization. 2002 , 90, 13-21	10
1157	Inzidenz und Risikofaktoren des Analkarzinoms. 2002 , 8, 562-568	3
1156	The pathology and molecular biology of anal intraepithelial neoplasia: comparisons with cervical and vulvar intraepithelial carcinoma. 2002 , 17, 203-15	80
1155	Prevalence of human papillomavirus in cervical swabs in the Okinawa Islands, Japan. 2002 , 267, 64-6	3
1154	Risk of oral cancer associated with human papillomavirus infection, betel quid chewing, and cigarette smoking in Taiwan--an integrated molecular and epidemiological study of 58 cases. 2002 , 31, 317-22	59

1153	The unexplained survival of cells in oral cancer: what is the role of p53?. 2002 , 31, 125-33	23
1152	Sequence variations of the late upstream region of HPV16 in cervical intraepithelial neoplasm and invasive carcinoma. 2002 , 12, 99-104	2
1151	P53 codon 72 polymorphism and human papillomavirus type in relation to cervical cancer in South African women. 2002 , 12, 383-8	33
1150	Interferon-gamma enhances cytotoxic T lymphocyte recognition of endogenous peptide in keratinocytes without lowering the requirement for surface peptide. 2002 , 80, 415-24	24
1149	Involvement of intact HPV16 E6/E7 gene expression in head and neck cancers with unaltered p53 status and perturbed pRb cell cycle control. 2002 , 21, 1510-7	293
1148	HCV NS5A interacts with p53 and inhibits p53-mediated apoptosis. 2002 , 21, 4801-11	184
1147	Identification of a novel activity of human papillomavirus type 16 E6 protein in deregulating the G1/S transition. 2002 , 21, 5665-72	30
1146	Human papillomaviruses and centrosome duplication errors: modeling the origins of genomic instability. 2002 , 21, 6241-8	97
1145	The human papillomavirus type 16 E6 oncogene induces premature mitotic chromosome segregation. 2002 , 21, 7507-13	17
1144	AIDS-related malignancies. 2002 , 2, 373-82	318
1143	Papillomaviruses and cancer: from basic studies to clinical application. 2002 , 2, 342-50	2865
1142	Telomerase activation in cervical keratinocytes containing stably replicating human papillomavirus type 16 episomes. 2002 , 301, 247-54	37
1141	Differential effects of human papillomavirus DNA types on p53 tumor-suppressor gene apoptosis in sperm. 2002 , 85, 511-6	41
1140	HPV16/18 prevalence in cervical lesions/cancers and p53 genotypes in cervical cancer patients from India. 2002 , 86, 157-62	49
1139	p130 mediates TGF-beta-induced cell-cycle arrest in Rb mutant HT-3 cells. 2002 , 86, 184-9	10
1138	Detection of human papillomavirus DNA in malignant lesions from Chinese women with carcinomas of the upper genital tract. 2002 , 87, 104-11	33
1137	E2F1 activates the human p53 promoter and overcomes the repressive effect of hepatitis B viral X protein (Hbx) on the p53 promoter. 2002 , 53, 309-17	23
1136	Polymorphism of the p53 codon 72 Arg/Pro and the risk of HPV type 16/18-associated cervical and oral cancer in India. 2003 , 252, 117-24	57

1135	Molecular biology of laryngeal squamous cell carcinoma. 2003 , 442, 1-7	50
1134	Molecular interactions of 'high risk' human papillomaviruses E6 and E7 oncoproteins: implications for tumour progression. 2003 , 28, 337-48	32
1133	Human papillomavirus-induced carcinogenesis and the ubiquitin-proteasome system. 2003 , 13, 59-67	116
1132	The E7 oncoprotein of high-risk human papillomavirus type 16 enters the nucleus via a nonclassical Ran-dependent pathway. 2003 , 317, 13-23	32
1131	Relationship between HPV typing and abnormality of G1 cell cycle regulators in cervical neoplasm. 2003 , 91, 476-85	42
1130	Microarray analysis identifies differentiation-associated genes regulated by human papillomavirus type 16 E6. 2003 , 314, 196-205	69
1129	Expression of p27, p21, and p16 protein in early squamous cervical cancer and its relation to prognosis. 2003 , 89, 140-7	57
1128	Changes in the topological expression of markers of differentiation and apoptosis in defined stages of human cervical dysplasia and carcinoma. 2003 , 89, 376-84	20
1127	Expression of p16 INK4A in Papanicolaou smears containing atypical squamous cells of undetermined significance from the uterine cervix. 2003 , 91, 201-8	51
1126	The two-hit model for Wilms' tumor: where are we 30 years later?. 2003 , 38, 294-9	4
1125	The prognostic impact of cyclin dependent kinase inhibitors p21WAF1, p27Kip1, and p16INK4/MTS1 in adenocarcinomas of the uterine cervix: an immunohistochemical evaluation of expression patterns in population-based material from 142 patients with international federation of gynecology and obstetrics stage I and II adenocarcinoma. 2003 , 98, 1880-9	26
1124	Hypermethylation of the tumor suppressor gene RASSF1A and frequent concomitant loss of heterozygosity at 3p21 in cervical cancers. 2003 , 105, 204-9	58
1123	HPV16 E6 and E7 oncoproteins regulate Notch-1 expression and cooperate to induce transformation. 2003 , 194, 356-62	83
1122	Role of cell-cycle regulatory proteins in gynecological cancer. 2003 , 196, 224-44	44
1121	Decreased expression of human papillomavirus E2 protein and transforming growth factor-beta1 in human cervical neoplasia as an early marker in carcinogenesis. 2003 , 84, 17-23	11
1120	Synthesis and application of functional peptides as cell nucleus-directed molecules in the treatment of malignant diseases. 2003 , 16, 240-7	10
1119	Detection of human papillomavirus type 16 in bowenoid papulosis and nonbowenoid tissues. 2003 , 42, 474-6	8
1118	Artificial reproduction of atypical hydRoa vacciniiforme caused by latent EpStein-Barr virus infection. 2003 , 42, 476-9	13

1117	Changes in retinoblastoma gene expression during cervical cancer progression. 2002 , 83, 275-86	10
1116	Papillomavirus and disease in humans and animals. 2003 , 1, 3-14	35
1115	Immunohistochemical analysis of p53 in vulval intraepithelial neoplasia and vulval squamous cell carcinoma. 2003 , 88, 251-6	24
1114	Interferon regulatory factor-1 (IRF-1) is a mediator for interferon-gamma induced attenuation of telomerase activity and human telomerase reverse transcriptase (hTERT) expression. 2003 , 22, 381-91	46
1113	Common fragile sites are preferential targets for HPV16 integrations in cervical tumors. 2003 , 22, 1225-37	201
1112	Human papillomaviruses: targeting differentiating epithelial cells for malignant transformation. 2003 , 22, 5201-7	176
1111	Interaction of the HPV E7 proteins with the pCAF acetyltransferase. 2003 , 22, 3833-41	99
1110	Pathologic aspects of AIDS malignancies. 2003 , 22, 6639-45	38
1109	Interaction between the HPV E7 oncoprotein and the transcriptional coactivator p300. 2003 , 22, 7871-81	116
1108	Expression of p16, Rb, and p53 proteins in squamous cell carcinomas of the anorectal region harboring human papillomavirus DNA. 2003 , 16, 692-9	86
1107	The role of Notch in tumorigenesis: oncogene or tumour suppressor?. 2003 , 3, 756-67	681
1106	The regulatory E2 proteins of human genital papillomaviruses are pro-apoptotic. 2003 , 85, 813-9	26
1105	Human papillomavirus type 16 E2 protein has no effect on transcription from episomal viral DNA. 2003 , 77, 2021-8	94
1104	Current Treatment Options for Conjunctival and Corneal Intraepithelial Neoplasia. 2003 , 1, 66-73	37
1103	Long-term follow-up of patients treated with recombinant human interferon gamma for cervical intraepithelial neoplasia. 2003 , 82, 179-85	5
1102	P16 overexpression and human papillomavirus infection in small cell carcinoma of the uterine cervix. 2003 , 34, 778-83	85
1101	Regulation of nuclear receptor activities by two human papillomavirus type 18 oncoproteins, E6 and E7. 2003 , 303, 932-9	23
1100	Tumor-associated antigens: from discovery to immunity. 2003 , 22, 81-112	33

1099	Sensitive and efficient detection of RB1 gene mutations enhances care for families with retinoblastoma. 2003 , 72, 253-69	238
1098	Relationship between HPV typing and abnormality of G1 cell cycle regulators in cervical neoplasm. 2003 ,	
1097	In vitro and in vivo growth suppression of human papillomavirus 16-positive cervical cancer cells by E6 siRNA. 2003 , 8, 762-8	158
1096	Cervical cancer vaccines: recent advances in HPV research. 2003 , 16, 111-21	55
1095	A promoter within the E6 ORF of human papillomavirus type 16 contributes to the expression of the E7 oncoprotein from a monocistronic mRNA. 2003 , 84, 3429-3441	23
1094	High-Risk Human Papillomaviruses May Have an Important Role in NonOral HabitsAssociated Oral Squamous Cell Carcinomas in Taiwan. 2003 , 120, 909-916	34
1093	Signals that dictate nuclear localization of human papillomavirus type 16 oncoprotein E6 in living cells. 2003 , 77, 13232-47	50
1092	Human papillomavirus type 31 E5 protein supports cell cycle progression and activates late viral functions upon epithelial differentiation. 2003 , 77, 2819-31	153
1091	Mechanisms by which DNA tumor virus oncoproteins target the Rb family of pocket proteins. 2003 , 24, 159-69	183
1090	Direct activation of cyclin-dependent kinase 2 by human papillomavirus E7. 2003 , 77, 10566-74	56
1089	Clefts, grooves, and (small) pockets: the structure of the retinoblastoma tumor suppressor in complex with its cellular target E2F unveiled. 2003 , 100, 2165-7	7
1088	A therapy modality using recombinant IL-12 adenovirus plus E7 protein in a human papillomavirus 16 E6/E7-associated cervical cancer animal model. 2003 , 14, 1389-99	42
1087	Study of viral integration of HPV-16 in young patients with LSIL. 2003 , 56, 532-6	44
1086	Recapitulation of the effects of the human papillomavirus type 16 E7 oncogene on mouse epithelium by somatic Rb deletion and detection of pRb-independent effects of E7 in vivo. 2003 , 23, 9094-103	95
1085	Tumor Suppressor Genes. 2003 ,	1
1084	Human papillomavirus type 16 E7 oncoprotein can induce abnormal centrosome duplication through a mechanism independent of inactivation of retinoblastoma protein family members. 2003 , 77, 12331-5	96
1083	Inhibition of human papilloma virus E2 DNA binding protein by covalently linked polyamides. 2003 , 31, 1282-91	31
1082	Direct Regulation of RNA Polymerase III Transcription by RB, p53 and c-Myc. 2003 , 2, 180-183	55

1081	Role of the Retinoblastoma Family in Gynecological Cancer. 2003 , 2, 634-639	14
1080	Differential gene expression in cervical cancer cell lines before and after ionizing radiation. 2003 , 22, 1091	1
1079	The HBZ factor of human T-cell leukemia virus type I dimerizes with transcription factors JunB and c-Jun and modulates their transcriptional activity. 2003 , 278, 43620-7	151
1078	Co-immunoprecipitation of tumor suppressor protein-interacting proteins. 2003 , 223, 135-40	5
1077	Growth control by the retinoblastoma gene family. 2003 , 222, 3-19	4
1076	Prevalence of human papillomavirus type 16 DNA in squamous cell carcinoma of the palatine tonsil, and not the oral cavity, in young patients: a distinct clinicopathologic and molecular disease entity. 2003 , 27, 1463-70	167
1075	The virology of cervical neoplasia: an HPV-associated malignancy. 2003 , 9, 360-7	17
1074	Chromosome instability in cancer:how, when, and why?. 2003 , 87, 1-29	83
1073	Aberrant ubiquitin-mediated proteolysis of cell cycle regulatory proteins and oncogenesis. 2003 , 88, 101-44	46
1072	Comparison of human papillomavirus DNA levels in gynecological cancers: implication for cancer development. 2003 , 24, 310-6	24
1071	HPV protein/peptide vaccines: from animal models to clinical trials. 2003 , 8, s81-91	25
1070	. 2003 ,	5
1069	Detection of p53, Bax, Rb, p16 and Human Papillomavirus DNA in Betel Quid Associated Oral Squamous Cell Carcinoma in Myanmar.. 2003 , 8, 7-11	1
1068	Effect of overexpressing the transcription factor E2F2 on cell cycle progression in rabbit corneal endothelial cells. 2004 , 45, 1340-8	12
1067	Bibliography. 2004 , 313-386	
1066	Role of Matrix and Cell Adhesion Molecules in Lens Differentiation. 2004 , 245-260	3
1065	Lens Crystallins. 2004 , 119-150	10
1064	Preface. 2004 , xiii-xiv	

1063	The Lens: Historical and Comparative Perspectives. 2004 , 3-26	3
1062	Lens Induction and Determination. 2004 , 27-47	3
1061	Lens Cell Membranes. 2004 , 151-172	1
1060	Lens Cell Proliferation: The Cell Cycle. 2004 , 191-213	4
1059	Lens Fiber Differentiation. 2004 , 214-244	4
1058	Growth Factors in Lens Development. 2004 , 261-289	4
1057	Lens Regeneration. 2004 , 290-312	1
1056	The Structure of the Vertebrate Lens. 2004 , 71-118	10
1055	Lens Cell Cytoskeleton. 2004 , 173-188	3
1054	Papillomaviruses. 661-674	1
1053	Transcription Factors in Early Lens Development. 2004 , 48-68	1
1052	Molecular characterization of human papillomaviruses by PCR and in situ hybridization. 2004 , 97, 159-80	
1051	Degradation of p53, not telomerase activation, by E6 is required for bypass of crisis and immortalization by human papillomavirus type 16 E6/E7. 2004 , 78, 5698-706	29
1050	Deregulation of the cell cycle by the Epstein-Barr virus. 2004 , 92, 119-86	22
1049	IGFBP-3, a marker of cellular senescence, is overexpressed in human papillomavirus-immortalized cervical cells and enhances IGF-1-induced mitogenesis. 2004 , 78, 5720-7	21
1048	Role of the retinoblastoma pathway in senescence triggered by repression of the human papillomavirus E7 protein in cervical carcinoma cells. 2004 , 64, 3079-86	77
1047	The binding of histone deacetylases and the integrity of zinc finger-like motifs of the E7 protein are essential for the life cycle of human papillomavirus type 31. 2004 , 78, 3533-41	127
1046	Small-molecule-based identification of dynamic assembly of E2F-pocket protein-histone deacetylase complex for telomerase regulation in human cells. 2004 , 101, 11328-33	43

1045	High level HPV-16 E7 oncoprotein expression correlates with reduced pRb-levels in cervical biopsies. 2004 , 18, 1120-2	52
1044	Transcriptional profiling of dysplastic lesions in K14-HPV16 transgenic mice using laser microdissection. 2004 , 18, 1243-5	10
1043	Role of the PDZ domain-binding motif of the oncoprotein E6 in the pathogenesis of human papillomavirus type 31. 2004 , 78, 12366-77	114
1042	Condylomata acuminata of the neovagina in a HIV-seropositive male-to-female transsexual. 2004 , 73, 87-8	20
1041	Epstein-Barr virus nuclear antigen 3C regulates cyclin A/p27 complexes and enhances cyclin A-dependent kinase activity. 2004 , 78, 1981-91	65
1040	Roles of the E6 and E7 proteins in the life cycle of low-risk human papillomavirus type 11. 2004 , 78, 2620-6	82
1039	An inducible surface presentation system improves cellular immunity against human papillomavirus type 16 E7 antigen in mice after nasal administration with recombinant lactococci. 2004 , 53, 427-433	112
1038	E1 empty set E4 protein of human papillomavirus type 16 associates with mitochondria. 2004 , 78, 7199-207	64
1037	Handbook of Cancer Vaccines. 2004 ,	5
1036	Association of HPV infection with prognosis after neoadjuvant chemotherapy in advanced uterine cervical cancer. 2004 , 14, 101	
1035	The role of human papillomavirus in oral carcinogenesis. 2004 , 15, 188-96	94
1034	Molecular Diagnosis of Cancer. 2004 ,	1
1033	Disease-stage variance in functional CD4(+) T-cell responses against novel pan-human leukocyte antigen-D region presented human papillomavirus-16 E7 epitopes. 2004 , 10, 3301-8	26
1032	Pathogenesis of human papillomaviruses in differentiating epithelia. 2004 , 68, 362-72	415
1031	How does human papillomavirus contribute to head and neck cancer development?. 2004 , 96, 978-80	14
1030	Human papillomavirus and overexpression of P16INK4a in nonmelanoma skin cancer. 2004 , 30, 409-14	28
1029	Secretory heat-shock protein as a dendritic cell-targeting molecule: a new strategy to enhance the potency of genetic vaccines. 2004 , 11, 924-32	76
1028	The destruction box of human Geminin is critical for proliferation and tumor growth in human colon cancer cells. 2004 , 23, 58-70	30

1027	E6/E7 proteins of HPV type 16 and ErbB-2 cooperate to induce neoplastic transformation of primary normal oral epithelial cells. 2004 , 23, 350-8	92
1026	Telomere erosion and chromosomal instability in cells expressing the HPV oncogene 16E6. 2004 , 23, 3561-71	48
1025	HDAC inhibitors trigger apoptosis in HPV-positive cells by inducing the E2F-p73 pathway. 2004 , 23, 4807-17	35
1024	Cyclin-dependent kinase inhibitor indirubin-3'-oxime selectively inhibits human papillomavirus type 16 E7-induced numerical centrosome anomalies. 2004 , 23, 8206-15	65
1023	Overexpression of c-kit protein is an infrequent event in small cell carcinomas of the uterine cervix. 2004 , 17, 732-8	21
1022	Different risk factors in basaloid and common squamous head and neck cancer. 2004 , 114, 1063-8	43
1021	Notch signaling in the integrated control of keratinocyte growth/differentiation and tumor suppression. 2004 , 14, 374-86	105
1020	Comprehensive sequence analysis of the E1A proteins of human and simian adenoviruses. 2004 , 329, 477-92	55
1019	Cyclins and proliferation markers in early squamous cervical carcinoma. 2004 , 92, 40-6	29
1018	Transcriptional activation of H- and N-ras oncogenes in human cervical cancer. 2004 , 92, 941-8	28
1017	A phase II trial of interleukin-12 in patients with advanced cervical cancer: clinical and immunologic correlates. Eastern Cooperative Oncology Group study E1E96. 2004 , 92, 957-64	42
1016	E2 sequence variations of HPV 16 among patients with cervical neoplasia seen in the Indian subcontinent. 2004 , 95, 363-9	13
1015	Protein p16 as a marker of dysplastic and neoplastic alterations in cervical epithelial cells. 2004 , 4, 58	63
1014	Immunohistochemical expression of 14-3-3 sigma protein in various histological subtypes of uterine cervical cancers. 2004 , 54, 743-50	22
1013	Interaction between Viral and Cell Genes in Cervical Tumors. 2004 , 38, 183-190	2
1012	Effect of human papillomavirus type 16 E6 and E7 oncogenes on the activity of the transforming growth factor-beta2 (TGF-beta2) promoter. 2004 , 149, 2379-92	11
1011	Elementos víricos y celulares que intervienen en el proceso de replicaci3n del virus del papiloma humano. 2004 , 6, 263-271	
1010	Protein profiling and identification of modulators regulated by the E7 oncogene in the C33A cell line by proteomics and genomics. 2004 , 4, 839-48	50

1009	High frequency of HPV16-associated head and neck squamous cell carcinoma in the Puerto Rican population. 2004 , 26, 778-84	30
1008	Latent Human Papillomavirus infection is comparable in the larynx and trachea. 2004 , 72, 473-7	66
1007	Human papillomavirus type specific DNA and RNA persistence--implications for cervical disease progression and monitoring. 2004 , 73, 65-70	124
1006	Detection of high-risk human papillomavirus E6 and E7 oncogene transcripts in cervical scrapes by nested RT-polymerase chain reaction. 2004 , 74, 107-16	97
1005	Molecular biology of squamous cell carcinoma of the anus: a comparison of HIV-positive and HIV-negative patients. 2004 , 8, 1024-30; discussion 1031	27
1004	Advances in the development of therapeutic nucleic acids against cervical cancer. 2004 , 4, 1251-64	30
1003	Mechanisms of human papillomavirus-induced oncogenesis. 2004 , 78, 11451-60	693
1002	The HPV16 E7 viral oncoprotein self-assembles into defined spherical oligomers. 2004 , 43, 3310-7	54
1001	p73 expression is associated with the cellular radiosensitivity in cervical cancer after radiotherapy. 2004 , 10, 3309-16	65
1000	Human papillomavirus 16 E6/E7 transcript and E2 gene status in patients with cervical neoplasia. 2004 , 8, 57-64	25
999	Role of the RB tumor suppressor in cancer. 2003 , 115, 209-39	65
998	HPV18 E6 and E7 genes affect cell cycle, pRB and p53 of cervical tumor cells and represent prominent candidates for intervention by use peptide nucleic acids (PNAs). 2004 , 209, 37-49	17
997	Association of PTEN mutation with HPV-negative adenocarcinoma of the uterine cervix. 2004 , 210, 57-62	13
996	Human papillomavirus infection and loss of heterozygosity in esophageal squamous cell carcinoma. 2004 , 213, 231-9	4
995	RNA polymerase III transcription--a battleground for tumour suppressors and oncogenes. 2004 , 40, 21-7	28
994	From cells to ageing: a review of models and mechanisms of cellular senescence and their impact on human ageing. 2004 , 300, 1-10	82
993	HPV DNA in plasma of patients with cervical carcinoma. 2004 , 31, 204-9	42
992	Evaluation of p16INK4a and pRb expression in cervical squamous and glandular neoplasia. 2004 , 35, 689-96	145

991	Polymorphism p53 codon-72 and invasive cervical cancer: a meta-analysis. 2004 , 85, 301-8	48
990	Human keratin 14 driven HPV 16 E6/E7 transgenic mice exhibit hyperkeratinosis. 2004 , 75, 3035-42	5
989	Splicing of a cap-proximal human Papillomavirus 16 E6E7 intron promotes E7 expression, but can be restrained by distance of the intron from its RNA 5' cap. 2004 , 337, 1091-108	52
988	In Situ Hybridization Methods to Study Microbial Populations and Their Interactions with Human Host Cells. 2004 , 1-25	2
987	Immunohistochemical staining for p16 and p53 in premalignant and malignant epithelial lesions of the vulva. 2004 , 23, 206-14	121
986	Eosinophilic dysplasia of the cervix: a newly recognized variant of cervical squamous intraepithelial neoplasia. 2004 , 28, 1474-84	31
985	Detection of human papillomavirus DNA and expression of p16, Rb, and p53 proteins in small cell carcinomas of the uterine cervix. 2004 , 28, 901-8	84
984	Distinction of endocervical and endometrial adenocarcinomas: immunohistochemical p16 expression correlated with human papillomavirus (HPV) DNA detection. 2004 , 28, 160-7	143
983	Human Papillomavirus and Overexpression of P16INK4a in Nonmelanoma Skin Cancer. 2004 , 30, 409-414	11
982	Therapeutic vaccines for cervical cancer: dendritic cell-based immunotherapy. 2005 , 11, 3485-500	39
981	High-resolution analysis of genomic alterations and human papillomavirus integration in anal intraepithelial neoplasia. 2005 , 40, 182-9	32
980	The Impact of Human Papillomavirus Biology on the Clinical Practice of Cervical Pathology. 2005 , 10, 119-127	3
979	Anal Intraepithelial Neoplasia (AIN). 2005 , 389-408	
978	Ultra-deformable liposomes containing bleomycin: in vitro stability and toxicity on human cutaneous keratinocyte cell lines. 2005 , 300, 4-12	34
977	Genetic alterations in esophageal cancer. 2005 , 35, 7-18	99
976	Human papillomavirus infection: biology, epidemiology, and prevention. 2005 , 15, 727-46	165
975	Both antigen optimization and lysosomal targeting are required for enhanced anti-tumour protective immunity in a human papillomavirus E7-expressing animal tumour model. 2005 , 116, 255-66	41
974	Akt and 14-3-3eta regulate Miz1 to control cell-cycle arrest after DNA damage. 2005 , 7, 30-41	69

973	RNA polymerases I and III, growth control and cancer. 2005 , 6, 69-78	259
972	HPV31 E7 facilitates replication by activating E2F2 transcription through its interaction with HDACs. 2005 , 24, 1821-30	92
971	Deregulation of RNA polymerase III transcription in cervical epithelium in response to high-risk human papillomavirus. 2005 , 24, 880-8	34
970	Activation of the protein kinase B pathway by the HPV-16 E7 oncoprotein occurs through a mechanism involving interaction with PP2A. 2005 , 24, 7830-8	126
969	Human papillomavirus and disease mechanisms: relevance to oral and cervical cancers. 2005 , 11, 350-9	83
968	E6* oncoprotein expression of human papillomavirus type-16 determines different ultraviolet sensitivity related to glutathione and glutathione peroxidase antioxidant defence. 2005 , 14, 401-10	12
967	Chemoprevention and vaccines: a review of the nonsurgical options for the treatment of cervical dysplasia. 2005 , 15, 4-12	13
966	Increased risk of cervical cancer associated with cyclin D1 gene A870G polymorphism. 2005 , 160, 49-54	39
965	The retinoblastoma protein--from bench to bedside. 2005 , 84, 97-107	34
964	Human papillomavirus type 18 variant lineages in United States populations characterized by sequence analysis of LCR-E6, E2, and L1 regions. 2005 , 338, 22-34	47
963	Amplification of the chromosome 20q region is associated with expression of HPV-16 E7 in human airway and anogenital epithelial cells. 2005 , 340, 237-44	17
962	Is p16(INK4A) expression more useful than human papillomavirus test to determine the outcome of atypical squamous cells of undetermined significance-categorized Pap smear? A comparative analysis using abnormal cervical smears with follow-up biopsies. 2005 , 97, 35-40	67
961	Which test is a better strategy to determine the outcome of atypical glandular cell-categorized Pap smears? Immunocytochemical p16INK4A expression or human papillomavirus test--a retrospective cohort study. 2005 , 99, 578-84	18
960	Association of cottontail rabbit papillomavirus E6 oncoproteins with the hDlg/SAP97 tumor suppressor. 2005 , 94, 1038-45	10
959	Identification of human papillomaviruses in tumors of the oral cavity in an Indian community. 2005 , 113, 946-50	70
958	Chemical approaches to controlling intracellular protein degradation. 2005 , 6, 40-6	25
957	Down-regulation of p21 contributes to apoptosis induced by HPV E6 in human mammary epithelial cells. 2005 , 10, 63-73	23
956	E7-expressing HaCaT keratinocyte cells are resistant to oxidative stress-induced cell death via the induction of catalase. 2005 , 5, 2112-22	24

955	Human papillomavirus type 16 in head and neck carcinogenesis. 2005 , 15, 351-63	27
954	Combined p53 and Retinoblastoma Protein Detection Identifies Persistent and Regressive Cervical High-Grade Squamous Intraepithelial Lesions. 2005 , 29, 1062-1066	23
953	Gene Program Signatures for Papillomavirus E2-Mediated Senescence in Cervical Cancer Cells. 2005 , 69-88	
952	The E6AP ubiquitin ligase is required for transactivation of the hTERT promoter by the human papillomavirus E6 oncoprotein. 2005 , 280, 10807-16	86
951	Inhibition of human papillomavirus type 16 E7 phosphorylation by the S100 MRP-8/14 protein complex. 2005 , 79, 1099-112	49
950	Differences in Smad4 expression in human papillomavirus type 16-positive and human papillomavirus type 16-negative head and neck squamous cell carcinoma. 2005 , 11, 3191-7	13
949	Involvement of nuclear export in human papillomavirus type 18 E6-mediated ubiquitination and degradation of p53. 2005 , 79, 8773-83	31
948	Association of tumor necrosis factor a-2 and a-8 microsatellite alleles with human papillomavirus and squamous intraepithelial lesions among women in Brazil. 2005 , 43, 3932-7	7
947	30 Jahre dermatoonkologische Virologie. 2005 , 26, 222-227	
946	30 Jahre dermatoonkologische Virologie - Papillomviren als Krebserreger. 2005 , 31, 257-262	
945	Culture of Cervical Carcinoma Tumor Cell Lines. 2005 , 179-204	
944	Sensitive detection of human papillomavirus in cervical, head/neck, and schistosomiasis-associated bladder malignancies. 2005 , 102, 7683-8	59
943	The ubiquitin-proteasome pathway and its role in cancer. 2005 , 23, 4776-89	424
942	Presence and influence of human papillomaviruses (HPV) in Tonsillar cancer. 2005 , 93, 59-89	44
941	Oncolytic adenovirus expressing a p53 variant resistant to degradation by HPV E6 protein exhibits potent and selective replication in cervical cancer. 2005 , 12, 1083-90	21
940	Role of the E1-E4 protein in the differentiation-dependent life cycle of human papillomavirus type 31. 2005 , 79, 6732-40	96
939	Tumor Immunology and Cancer Vaccines. 2005 ,	2
938	Human papillomavirus oncoprotein E7 targets the promyelocytic leukemia protein and circumvents cellular senescence via the Rb and p53 tumor suppressor pathways. 2005 , 25, 1013-24	71

937	Epstein-Barr virus latent antigen 3C can mediate the degradation of the retinoblastoma protein through an SCF cellular ubiquitin ligase. 2005 , 102, 18562-6	128
936	Down-regulation of the retinoblastoma tumor suppressor by the hepatitis C virus NS5B RNA-dependent RNA polymerase. 2005 , 102, 18159-64	113
935	Expression of the high-risk human papillomavirus type 18 and 45 E7 oncoproteins in cervical carcinoma biopsies. 2005 , 86, 3235-3241	11
934	Retinoblastoma: animal models. 2005 , 18, 25-39, vii	14
933	Photodynamic therapy for cervical intraepithelial neoplasia. 2005 , 69, 110-6	53
932	Identification of human papillomavirus 16-E6 protein-derived peptides with the potential to generate cytotoxic T-lymphocytes toward human leukocyte antigen-A24+ cervical cancer. 2005 , 27, 1371	
931	Human papillomaviruses and cell signaling. 2005 , 2005, pe29	14
930	Constitutively active Notch1 induces growth arrest of HPV-positive cervical cancer cells via separate signaling pathways. 2005 , 305, 343-54	65
929	Human papilloma virus, papanicolaou smears, and the college female. 2005 , 52, 163-77, ix	13
928	High-Throughput Cervical Cancer Screening Using Intracellular Human PapillomavirusE6andE7mRNA Quantification by Flow Cytometry. 2005 , 123, 716-723	48
927	Physical status of HPV-16 in esophageal squamous cell carcinoma. 2005 , 32, 19-23	36
926	HPV-mediated transformation of the anogenital tract. 2005 , 32 Suppl 1, S25-33	109
925	Guilt by association? p53 and the development of aneuploidy in cancer. 2005 , 331, 694-700	63
924	Intracellular signalling and cancer: complex pathways lead to multiple targets. 2005 , 41, 206-15	17
923	HPV 16 E6 sequence variations in Indian patients with cervical neoplasia. 2005 , 229, 93-9	25
922	IL-18 E42A mutant is resistant to the inhibitory effects of HPV-16 E6 and E7 oncogenes on the IL-18-mediated immune response. 2005 , 229, 261-70	5
921	Papillomaviruses: different genes have different histories. 2005 , 13, 514-21	114
920	Models for human cervical cancer. 2005 , 2, 15-20	1

919	Infection of human papillomavirus type 18 and p53 codon 72 polymorphism in lung cancer patients from India. 2005 , 128, 3999-4007	49
918	Vaccination Against Cervical Cancer: Hopes and Realities. 2005 , 4, 207-219	1
917	Human papilloma virus (HPV) is rarely detected in malignant melanomas of sun sheltered mucosal membranes. 2005 , 44, 694-9	29
916	Advanced Techniques in Diagnostic Microbiology. 2006 ,	15
915	The retinoblastoma gene family in cell cycle regulation and suppression of tumorigenesis. 2006 , 42, 183-225	26
914	Modeling cell cycle control and cancer with pRB tumor suppressor. 2006 , 42, 227-56	5
913	Biology of HPV in HIV infection. 2006 , 19, 99-105	107
912	Viral hijacking of cellular ubiquitination pathways as an anti-innate immunity strategy. 2006 , 19, 349-62	29
911	Development of a topical protein therapeutic for human papillomavirus and associated cancers. 2006 , 20, 209-18	6
910	Cellular senescence and DNA repair. 2006 , 312, 2641-6	55
909	Balance of Yin and Yang: ubiquitylation-mediated regulation of p53 and c-Myc. 2006 , 8, 630-44	63
908	Protein intrinsic disorder and human papillomaviruses: increased amount of disorder in E6 and E7 oncoproteins from high risk HPVs. 2006 , 5, 1829-42	117
907	Chaperone holdase activity of human papillomavirus E7 oncoprotein. 2006 , 45, 657-67	19
906	Identification of NADH dehydrogenase 1 alpha subcomplex 5 capable to transform murine fibroblasts and overexpressed in human cervical carcinoma cell lines. 2006 , 339, 852-7	3
905	DNA damage signaling and p53-dependent senescence after prolonged beta-interferon stimulation. 2006 , 17, 1583-92	193
904	p16 expression in relation to human papillomavirus in anogenital lesions. 2006 , 37, 513-9	25
903	Alteration of cell-cycle regulatory proteins in human oral epithelial cells immortalized by HPV16 E6 and E7. 2006 , 35, 653-7	32
902	Penile cancer. 2006 , 54, 369-91; quiz 391-4	95

901	Cell cycle regulation in the developing lens. 2006 , 17, 686-97	43
900	Expression and purification of His-tagged HPV16 E7 protein active in pRb binding. 2006 , 48, 281-91	12
899	An improved rearranged Human Papillomavirus Type 16 E7 DNA vaccine candidate (HPV-16 E7SH) induces an E7 wildtype-specific T cell response. 2006 , 24, 2880-93	44
898	Eye cancer: unique insights into oncogenesis: the Cogan Lecture. 2006 , 47, 1736-45	28
897	Biomarkers in Cervical Cancer. 2006 , 1, 117727190600100	5
896	Molecular Mechanisms of Inflammation-Induced Carcinogenesis. 2006 , 39, 103-113	8
895	Insights from animal models on the origins and progression of retinoblastoma. 2006 , 6, 759-81	18
894	. 2006 ,	59
893	RB and Cancer. 551-567	
892	Papillomavirus Infections: A Major Cause of Human Cancers. 2006 , 145-243	5
891	Insights from Animal Models on the Origins and Progression of Retinoblastoma. 2006 , 6, 759-781	28
890	p16 overexpression identifies HPV-positive vulvar squamous cell carcinomas. 2006 , 30, 1347-56	129
889	Editorial [Hot Topic: The RB-Pathway in Cancer (Executive Editor: Erik Knudsen)]. 2006 , 6, 703-704	
888	Cervical Cancer and Human Papillomaviruses: Inactivation of Retinoblastoma and Other Tumor Suppressor Pathways. 2006 , 6, 795-808	13
887	Retinoblastoma tumor suppressor: where cancer meets the cell cycle. 2006 , 231, 1271-81	71
886	Retinoblastoma, Molecular Genetics of. 2006 ,	
885	HPV-mediated cervical carcinogenesis: concepts and clinical implications. 2006 , 208, 152-64	301
884	The role of human papilloma virus in skin cancer [urrent status. 2006 , 9, 103-110	1

883	Extended effects of human papillomavirus 16 E6-specific short hairpin RNA on cervical carcinoma cells. 2006 , 16, 718-29	13
882	Phenotypic features with p53 alterations related to human papillomavirus and prognostic evaluation in cervical cancer. 2006 , 16, 708-17	9
881	Expression of p16 and hTERT protein is associated with the presence of high-risk human papillomavirus in Bowenoid papulosis. 2006 , 33, 551-8	16
880	Loss of p16 INK4 expression in invasive squamous cell carcinoma of the uterine cervix is an adverse prognostic marker. 2006 , 49, 542-5	14
879	Induction of cell death in human papillomavirus 18-positive cervical cancer cells by E6 siRNA. 2006 , 13, 234-41	48
878	Induction of tetraploidy through loss of p53 and upregulation of Plk1 by human papillomavirus type-16 E6. 2006 , 25, 2444-51	71
877	Molecular mechanisms of hyperplasia induction by human papillomavirus E7. 2006 , 25, 4155-64	19
876	Retinoblastoma family proteins as key targets of the small DNA virus oncoproteins. 2006 , 25, 5277-85	126
875	P16(INK4a) expression as a potential prognostic marker in cervical pre-neoplastic and neoplastic lesions. 2006 , 202, 77-83	34
874	Comparative study of the expression of cellular cycle proteins in cervical intraepithelial lesions. 2006 , 202, 731-7	16
873	Requirement of E7 oncoprotein for viability of HeLa cells. 2006 , 8, 984-93	24
872	Histological features of human papilloma virus 16 and its association with the development and progression of anal squamous cell carcinoma. 2006 , 36, 885-91	7
871	JC virus T'135, T'136 and T'165 proteins interact with cellular p107 and p130 in vivo and influence viral transformation potential. 2006 , 12, 428-42	35
870	The carcinogenic role of oncogenic HPV and p53 gene mutation in cervical adenocarcinomas. 2006 , 23, 113-9	14
869	Human papilloma virus DNA exposure and embryo survival is stage-specific. 2006 , 23, 255-9	53
868	E7 proteins from high- and low-risk human papillomaviruses bind to TGF-beta-regulated Smad proteins and inhibit their transcriptional activity. 2006 , 151, 1961-72	17
867	Modulation of apoptosis by human papillomavirus (HPV) oncoproteins. 2006 , 151, 2321-35	63
866	Human papillomavirus 16 E5 up-regulates the expression of vascular endothelial growth factor through the activation of epidermal growth factor receptor, MEK/ ERK1,2 and PI3K/Akt. 2006 , 63, 930-8	98

865	Conserved cell cycle regulatory properties within the amino terminal domain of the Epstein-Barr virus nuclear antigen 3C. 2006 , 346, 379-84	1
864	Methylation of the human papillomavirus-18 L1 gene: a biomarker of neoplastic progression?. 2006 , 349, 175-83	74
863	A peptide-based inhibitor for prevention of B cell hyperproliferation induced by Epstein-Barr virus. 2006 , 354, 207-14	9
862	Integrated human papillomavirus types 52 and 58 are infrequently found in cervical cancer, and high viral loads predict risk of cervical cancer. 2006 , 102, 54-60	68
861	Adenovirus-mediated transfer of human papillomavirus 16 E6/E7 antisense RNA and induction of apoptosis in cervical cancer. 2006 , 103, 820-30	20
860	HPV testing in cervical screening. 2006 , 20, 253-66	23
859	Id-1 modulates senescence and TGF-beta1 sensitivity in prostate epithelial cells. 2006 , 98, 523-33	24
858	Purification and characterisation of the E7 oncoproteins of the high-risk human papillomavirus types 16 and 18. 2006 , 134, 30-5	8
857	Coexistence of K-ras mutations and HPV infection in colon cancer. 2006 , 6, 115	36
856	Molecular biology of squamous cell carcinoma of the anus. 2006 , 93, 531-8	47
855	Absence of an immediate G1/S checkpoint in primary MEFs following gamma-irradiation identifies a novel checkpoint switch. 2006 , 5, 1823-30	10
854	The effects of HIV-1 Tat protein on cell cycle during cervical carcinogenesis. 2006 , 5, 684-90	42
853	Utilization of Ribozymes as Antiviral Agents. 2006 , 3, 390-404	7
852	Progress in chemoprevention drug development: the promise of molecular biomarkers for prevention of intraepithelial neoplasia and cancer--a plan to move forward. 2006 , 12, 3661-97	235
851	Regulation of human papillomavirus type 16 E7 activity through direct protein interaction with the E2 transcriptional activator. 2006 , 80, 1787-97	44
850	Structure of the human Papillomavirus E7 oncoprotein and its mechanism for inactivation of the retinoblastoma tumor suppressor. 2006 , 281, 578-86	154
849	The role of cell cycle regulatory proteins in the pathogenesis of melanoma. 2006 , 38, 287-301	100
848	Human papillomaviruses target the double-stranded RNA protein kinase pathway. 2006 , 87, 3183-3193	49

847	Kaposi's sarcoma-associated herpesvirus-encoded latency-associated nuclear antigen induces chromosomal instability through inhibition of p53 function. 2006 , 80, 697-709	105
846	Identification of susceptibility loci for cervical carcinoma by genome scan of affected sib-pairs. 2006 , 15, 3351-60	15
845	Human papillomaviruses and cervical cancer. 2006 , 66, 125-59	45
844	Cyclin D1 is transcriptionally regulated by and required for transformation by activated signal transducer and activator of transcription 3. 2006 , 66, 2544-52	196
843	The products of the herpes simplex virus type 1 immediate-early US1/US1.5 genes downregulate levels of S-phase-specific cyclins and facilitate virus replication in S-phase Vero cells. 2006 , 80, 4005-16	32
842	Viral carcinogenesis and genomic instability. 2006 , 179-99	8
841	The retinoblastoma protein is required for Ras-induced oncogenic transformation. 2006 , 26, 1170-82	47
840	The E7 proteins of low- and high-risk human papillomaviruses share the ability to target the pRB family member p130 for degradation. 2006 , 103, 437-42	135
839	Redox cell signaling genomics and proteomics target place modulators in cancerogenesis: New diagnostic and therapeutic possibilities. 2006 , 25, 309-316	
838	Antitumor therapeutic effects of e7 subunit and DNA vaccines in an animal cervical cancer model: antitumor efficacy of e7 therapeutic vaccines is dependent on tumor sizes, vaccine doses, and vaccine delivery routes. 2006 , 25, 277-86	19
837	Increased Ki-67 proliferative index and absence of P16INK4 in CIN-HPV related pathogenic pathways different from cervical squamous intraepithelial lesion. 2006 , 90, 894-9	20
836	Human papillomavirus vaccines for the treatment of cervical cancer. 2006 , 5, 783-92	11
835	Immortalized keratinocyte lines derived from human embryonic stem cells. 2006 , 103, 1792-7	57
834	Targeted therapy of DNA tumor virus-associated cancers using virus-activated transcription factors. 2006 , 13, 899-909	24
833	Identification of biomarkers that distinguish human papillomavirus (HPV)-positive versus HPV-negative head and neck cancers in a mouse model. 2006 , 103, 14152-7	115
832	Cell cycle-controlled interaction of nucleolin with the retinoblastoma protein and cancerous cell transformation. 2006 , 281, 22223-22235	37
831	High-risk human papillomavirus E7 oncoprotein detection in cervical squamous cell carcinoma. 2007 , 13, 7067-72	29
830	The LxCxE pRb interaction domain of cyclin D1 is dispensable for murine development. 2007 , 67, 7613-20	10

829	Increased phosphorylation of p70 S6 kinase is associated with HPV16 infection in cervical cancer and esophageal cancer. 2007 , 97, 218-22	31
828	Human papillomavirus type 16 E7 oncoprotein associates with the cullin 2 ubiquitin ligase complex, which contributes to degradation of the retinoblastoma tumor suppressor. 2007 , 81, 9737-47	197
827	Human papillomaviruses activate caspases upon epithelial differentiation to induce viral genome amplification. 2007 , 104, 19541-6	89
826	Viral origins of human cancer. 2007 , 14, 2526-39	35
825	Opportunities to improve the prevention and treatment of cervical cancer. 2007 , 7, 490-503	27
824	Amino acid substitution polymorphisms of the DNA repair gene MGMT and the susceptibility to cervical carcinoma. 2007 , 28, 1314-22	20
823	HPV-Infektion und Zervixkarzinom - eine Übersicht. 2007 , 67, 438-442	
822	Increased sensitivity of radiated murine cervical cancer tumors to E7 subunit vaccine-driven CTL-mediated killing induces synergistic anti-tumor activity. 2007 , 15, 1564-70	41
821	Control of virus infection by tumour suppressors. 2007 , 28, 1140-4	9
820	Novel interaction between HPV E6 and BARD1 (BRCA1-associated ring domain 1) and its biologic roles. 2007 , 26, 753-61	15
819	Cyclooxygenase-2 transcription is regulated by human papillomavirus 16 E6 and E7 oncoproteins: evidence of a corepressor/coactivator exchange. 2007 , 67, 3976-85	97
818	Role of Rb-dependent and Rb-independent functions of papillomavirus E7 oncogene in head and neck cancer. 2007 , 67, 11585-93	69
817	Differential regulation of elafin in normal and tumor-derived mammary epithelial cells is mediated by CCAAT/enhancer binding protein beta. 2007 , 67, 11272-83	14
816	p53 and hTERT determine sensitivity to viral apoptosis. 2007 , 81, 12985-95	20
815	Human papillomavirus E7 requires the protease calpain to degrade the retinoblastoma protein. 2007 , 282, 37492-500	22
814	Myc and human papillomavirus type 16 E7 genes cooperate to immortalize human keratinocytes. 2007 , 81, 12689-95	32
813	Epigenetic inactivation of the CHFR gene in cervical cancer contributes to sensitivity to taxanes. 2007 , 31, 713	6
812	Future of RNAi-based therapies for human papillomavirus-associated cervical cancer. 2007 , 2, 587-595	1

811	Assessment of cell proliferation in benign, premalignant and malignant skin lesions. 2007 , 15, 229-35	10
810	p16INK4a expression in invasive vulvar squamous cell carcinoma. 2007 , 15, 279-83	26
809	Telomerase and markers of cellular proliferation are associated with the progression of cervical intraepithelial neoplasia lesions. 2007 , 26, 214-22	11
808	DNA tumor viruses and human cancer. 2007 , 15, 38-44	53
807	Conserved functions of retinoblastoma proteins: From purple retina to green plant cells. 2007 , 172, 671-683	14
806	Molecular genetics of RB1--the retinoblastoma gene. 2007 , 22, 247-54	38
805	Activation of Cdc2 contributes to apoptosis in HPV E6 expressing human keratinocytes in response to therapeutic agents. 2007 , 374, 334-45	10
804	Detection of HPV-2 and identification of novel mutations by whole genome sequencing from biopsies of two patients with multiple cutaneous horns. 2007 , 39, 34-42	10
803	Human papillomavirus E6 proteins mediate resistance to interferon-induced growth arrest through inhibition of p53 acetylation. 2007 , 81, 12740-7	35
802	Secondary Squamous Cell Carcinoma of the Oral Cavity in Young Adults after Hematopoietic Stem Cell Transplantation for Leukemia: Report of Two Cases with Human Papillomavirus Infection. 2007 , 4, 110-116	2
801	The E5 protein of the human papillomavirus type 16 down-regulates HLA-I surface expression in calnexin-expressing but not in calnexin-deficient cells. 2007 , 4, 116	41
800	Antisense RNA directed to the human papillomavirus type 16 E7 mRNA from herpes simplex virus type 1 derived vectors is expressed in CaSki cells and downregulates E7 mRNA. 2007 , 4, 47	1
799	The Papillomaviruses. 2007 ,	3
798	Brd4-independent transcriptional repression function of the papillomavirus e2 proteins. 2007 , 81, 9612-22	56
797	A new E6/P63 pathway, together with a strong E7/E2F mitotic pathway, modulates the transcriptome in cervical cancer cells. 2007 , 81, 9368-76	28
796	Molecular Genetics of Cervical Cancer. 2007 , 113-123	
795	A cancer cell-specific inducer of apoptosis. 2007 , 18, 547-61	10
794	Specific apoptosis induction in human papillomavirus-positive cervical carcinoma cells by photodynamic antisense regulation. 2007 , 17, 66-79	13

793	Anal intraepithelial neoplasia and other neoplastic precursor lesions of the anal canal and perianal region. 2007 , 36, 969-87, ix	20
792	Detection of oncogenic viruses SV40, BKV, JCV, HCMV, HPV and p53 codon 72 polymorphism in lung carcinoma. 2007 , 57, 273-81	59
791	Loss of robustness and addiction to IGF1 during early keratinocyte transformation by human Papilloma virus 16. 2007 , 2, e605	6
790	HPV detection methods. 2007 , 23, 273-81	58
789	Notch signaling and its role in breast cancer. 2007 , 12, 4370-83	40
788	The E8 repression domain can replace the E2 transactivation domain for growth inhibition of HeLa cells by papillomavirus E2 proteins. 2007 , 121, 2284-92	21
787	Human papillomavirus-related cellular changes measured by cytometric analysis of DNA ploidy and chromatin texture. 2007 , 72, 324-31	14
786	Human papillomavirus testing and molecular markers of cervical dysplasia and carcinoma. 2007 , 111, 1-14	76
785	Viral load and genomic integration of HPV 16 in cervical samples from HIV-1-infected and uninfected women in Burkina Faso. 2007 , 79, 766-70	11
784	Identification of differentially expressed genes using annealing control primer-based GeneFishing in human squamous cell cervical carcinoma. 2007 , 19, 308-18	17
783	Role of the ubiquitin system and tumor viruses in AIDS-related cancer. 2007 , 8 Suppl 1, S8	12
782	PNRC is a unique nuclear receptor coactivator that stimulates RNA polymerase III-dependent transcription. 2007 , 2, 5	10
781	The S phase of the cell cycle and its perturbation by human cytomegalovirus. 2007 , 17, 423-34	29
780	HPV16 E6 confers p53-dependent and p53-independent phenotypes in the epidermis of mice deficient for E6AP. 2007 , 26, 3321-8	21
779	Distinct GCN5/PCAF-containing complexes function as co-activators and are involved in transcription factor and global histone acetylation. 2007 , 26, 5341-57	299
778	Immortalization of human urothelial cells by human papillomavirus type 16 E6 and E7 genes in a defined serum-free system. 2007 , 40, 166-84	5
777	Blocking Notch1 signaling by RNA interference can induce growth inhibition in HeLa cells. 2007 , 17, 511-6	15
776	Notch1 induces cell cycle arrest and apoptosis in human cervical cancer cells: involvement of nuclear factor kappa B inhibition. 2007 , 17, 502-10	33

775	Immunohistochemical analysis of cell cycle-associated proteins p16, pRb, p53, p27 and Ki-67 in oral cancer and precancer with special reference to verrucous carcinomas. 1999 , 28, 226-32	71
774	Characteristics of vulvar squamous cell carcinoma in Japanese women. 2007 , 57, 322-7	4
773	Effect of combined antisense oligodeoxynucleotides directed against the human papillomavirus type 16 on cervical carcinoma cells. 2007 , 38, 730-8	12
772	Analysis of the roles of E6 binding to E6TP1 and nuclear localization in the human papillomavirus type 31 life cycle. 2007 , 358, 201-10	16
771	High-throughput detection of human papillomavirus-18 L1 gene methylation, a candidate biomarker for the progression of cervical neoplasia. 2007 , 361, 185-93	37
770	Expression of p53 and its homolog, p73, in HPV DNA positive oesophageal squamous cell carcinomas. 2007 , 369, 182-90	22
769	The expressions of the Rb pathway in cervical intraepithelial neoplasia; predictive and prognostic significance. 2007 , 104, 207-11	33
768	Modified HPV16 E7/HSP70 DNA vaccine with high safety and enhanced cellular immunity represses murine lung metastatic tumors with downregulated expression of MHC class I molecules. 2007 , 104, 564-71	9
767	The relationship between c-FLIP expression and human papillomavirus E2 gene disruption in cervical carcinogenesis. 2007 , 105, 571-7	44
766	Role for Retinoblastoma Protein Family Members in UV-enhanced Expression from the Human Cytomegalovirus Immediate Early Promoter α . 2007 , 77, 621-627	
765	Vaccination with an adenoviral vector expressing calreticulin-human papillomavirus 16 E7 fusion protein eradicates E7 expressing established tumors in mice. 2007 , 56, 997-1007	65
764	Human papillomavirus genital infection in modern gynecology: genetic and genomic aspects. 2007 , 3, 1-6	3
763	Expression of human papilloma virus type 16 antigens, specific targeting as well as formation of virus-like particles by HSV-1 amplicon vectors. 2008 , 37, 131-43	3
762	Human papillomavirus type 16 mutant E7 protein induces oncogenic transformation via up-regulation of cyclin A and cdc25A. 2008 , 23, 352-362	2
761	Human papilloma virus (HPV) and host cellular interactions. 2008 , 14, 345-54	31
760	Enhancement of immunotherapeutic effects of HPV16E7 on cervical cancer by fusion with CTLA4 extracellular region. 2008 , 46, 728-36	12
759	Second hit in cervical carcinogenesis process: involvement of wnt/beta catenin pathway. 2008 , 1, 10	56
758	Characterization of global transcription profile of normal and HPV-immortalized keratinocytes and their response to TNF treatment. 2008 , 1, 29	23

757	Evaluation of p16INK4a as a diagnostic tool in the triage of Pap smears demonstrating atypical squamous cells of undetermined significance. 2008 , 114, 34-48	16
756	Contribution of DNA ploidy image cytometry to the management of ASC cervical lesions. 2008 , 114, 263-9	18
755	Human papillomavirus and molecular considerations for cancer risk. 2008 , 113, 2981-94	45
754	Gene expression changes during HPV-mediated carcinogenesis: a comparison between an in vitro cell model and cervical cancer. 2008 , 123, 32-40	72
753	Deletion of the PDZ motif of HPV16 E6 preventing immortalization and anchorage-independent growth in human tonsil epithelial cells. 2008 , 30, 139-47	36
752	The high risk human papillomaviruses and oral cancer: evidence for and against a causal relationship. 1997 , 3, 130-47	71
751	The biomarkers of human papillomavirus infection in tonsillar squamous cell carcinoma-molecular basis and predicting favorable outcome. 2008 , 21, 376-86	71
750	Genes involved in cell adhesion, cell motility and mitogenic signaling are altered due to HPV 16 E5 protein expression. 2008 , 27, 2532-41	50
749	Papillomaviruses--to vaccination and beyond. 2008 , 73, 498-503	42
748	Human tumor-associated viruses and new insights into the molecular mechanisms of cancer. 2008 , 27 Suppl 2, S31-42	131
747	Gene expression reveals two distinct groups of anal carcinomas with clinical implications. 2008 , 98, 1264-73	24
746	High-risk human papillomavirus infections in breast cancer in Syrian women and their association with Id-1 expression: a tissue microarray study. 2008 , 99, 404-7	74
745	Tailoring to RB: tumour suppressor status and therapeutic response. 2008 , 8, 714-24	263
744	Human papillomavirus type 73 in primary and recurrent periungual squamous cell carcinoma. 2008 , 34, 407-13	12
743	Pitfalls in the epidemiologic classification of human papillomavirus types associated with cervical cancer using polymerase chain reaction: driver and passenger. 2008 , 18, 1042-50	23
742	Alteration of cell-cycle regulation in epithelial ovarian cancer. 2008 , 18, 1169-82	53
741	Head and neck cancer in the betel quid chewing area: recent advances in molecular carcinogenesis. 2008 , 99, 1507-14	231
740	Understanding and exploiting hTERT promoter regulation for diagnosis and treatment of human cancers. 2008 , 99, 1528-38	271

739	E3 ubiquitin ligase E6AP-mediated TSC2 turnover in the presence and absence of HPV16 E6. 2008 , 13, 285-94	50
738	Multiple facial seborrheic keratosis-like lesions in a young woman with epidermodysplasia verruciformis. 2008 , 47, 476-8	4
737	HPV E7 contributes to the telomerase activity of immortalized and tumorigenic cells and augments E6-induced hTERT promoter function. 2008 , 375, 611-23	66
736	Characterization of sequence variations within HPV16 isolates among Indian women: prediction of causal role of rare non-synonymous variations within intact isolates in cervical cancer pathogenesis. 2008 , 377, 143-50	19
735	Human papillomavirus type 45 E7 is a transforming protein inducing retinoblastoma protein degradation and anchorage-independent cell cycle progression. 2008 , 379, 20-9	6
734	Beyond HPV: oncomirs as new players in cervical cancer. 2008 , 582, 4113-6	42
733	Guidelines of the Italian Society for Virology on HPV testing and vaccination for cervical cancer prevention. 2008 , 3, 14	20
732	E6 and E7 oncogene expression by human papilloma virus (HPV) and the aggressive behavior of recurrent laryngeal papillomatosis (RLP). 2008 , 11, 118-21	13
731	P53 represses human papillomavirus type 16 DNA replication via the viral E2 protein. 2008 , 5, 5	22
730	Low p53 and retinoblastoma protein expression in cervical intraepithelial neoplasia grade 3 lesions is associated with coexistent adenocarcinoma in situ. 2008 , 39, 573-8	5
729	Is p16(INK4a) protein expression in oral ST lesions a reliable precancerous marker?. 2008 , 37, 840-6	9
728	Enhanced immunogenicity of HPV16E7 accompanied by Gp96 as an adjuvant in two vaccination strategies. 2008 , 26, 3362-70	61
727	Corneal epithelial cell cultures as a tool for research, drug screening and testing. 2008 , 86, 459-69	28
726	Viruses associated with human cancer. 2008 , 1782, 127-50	235
725	Molecular epidemiology of human papillomavirus. 2008 , 107, 198-217	56
724	Human papilloma virus-dependent HMGA1 expression is a relevant step in cervical carcinogenesis. 2008 , 10, 773-81	13
723	Human papillomavirus in HNSCC: recognition of a distinct disease type. 2008 , 22, 1125-42, vii	128
722	Beyond Apoptosis. 2008 ,	3

721	Will vaccination against human papillomavirus prevent eye disease? A review of the evidence. 2008 , 92, 460-5	12
720	Genetic and environmental factors in head and neck cancer genesis. 2008 , 26, 174-200	35
719	BK virus as a cofactor in the etiology of prostate cancer in its early stages. 2008 , 82, 2705-14	66
718	Development of an adenoviral vaccine against E6 and E7 oncoproteins to prevent growth of human papillomavirus-positive cancer. 2008 , 134, 1316-23	27
717	Role of activating transcription factor 3 on TAp73 stability and apoptosis in paclitaxel-treated cervical cancer cells. 2008 , 6, 1232-49	20
716	Bap31 is a novel target of the human papillomavirus E5 protein. 2008 , 82, 10042-51	63
715	Distribution of six oncogenic types of human papillomavirus and type 16 integration analysis in Chinese women with cervical precancerous lesions and carcinomas. 2008 , 29, 105-13	13
714	Human papillomavirus type 16 variant analysis of E6, E7, and L1 genes and long control region in biopsy samples from cervical cancer patients in north India. 2008 , 46, 1060-6	90
713	Human papillomavirus in cervical and head-and-neck cancer. 2008 , 5, 24-31	187
712	Ras modifies proliferation and invasiveness of cells expressing human papillomavirus oncoproteins. 2008 , 82, 8820-7	17
711	Infectious Agents and Cancer. 2008 , 67-89	
710	Human papillomavirus type 16 E7 oncoprotein associates with E2F6. 2008 , 82, 8695-705	92
709	The extreme COOH terminus of the retinoblastoma tumor suppressor protein pRb is required for phosphorylation on Thr-373 and activation of E2F. 2008 , 295, C1151-60	11
708	Cell-restricted immortalization by human papillomavirus correlates with telomerase activation and engagement of the hTERT promoter by Myc. 2008 , 82, 11568-76	48
707	Eps8 decreases chemosensitivity and affects survival of cervical cancer patients. 2008 , 7, 1376-85	37
706	Casein kinase II motif-dependent phosphorylation of human papillomavirus E7 protein promotes p130 degradation and S-phase induction in differentiated human keratinocytes. 2008 , 82, 4862-73	52
705	p53 Loss synergizes with estrogen and papillomaviral oncogenes to induce cervical and breast cancers. 2008 , 68, 2622-31	43
704	Human Papillomavirus Type 73 in Primary and Recurrent Periungual Squamous Cell Carcinoma. 2008 , 34, 407-413	7

703	Retinoblastoma in Humans and Animals. 2008 , 305-336	1
702	Profiling of transcripts and proteins modulated by the E7 oncogene in the lung tissue of E7-Tg mice by the omics approach. 2009 , 2, 129-37	4
701	Molecular Pathogenesis of the Human Papillomavirus: Cervical Cancer as a Model. 2008 , 20-36	1
700	Chemotherapy for laryngeal cancer--an apoptotic approach. 2008 , 9, 878-86	10
699	BD ProEx C: a sensitive and specific marker of HPV-associated squamous lesions of the cervix. 2008 , 32, 899-906	81
698	Expression of the p16 and Ki-67 in relation to the grade of cervical intraepithelial neoplasia and high-risk human papillomavirus infection. 2008 , 19, 162-8	46
697	[Life cycle of HPV governed by the differentiation program of epithelial cell]. 2008 , 58, 165-72	1
696	The precision prevention and therapy of HPV-related cervical cancer: new concepts and clinical implications. 2018 , 7, 5217-5236	83
695	Human papillomavirus and genome instability: from productive infection to cancer. 2018 , 73, e539s	15
694	Multiple Routes to Oncogenesis Are Promoted by the Human Papillomavirus-Host Protein Network. 2018 , 8, 1474-1489	43
693	Polyoma virus-associated carcinomas of the urologic tract: a clinicopathologic and molecular study. 2018 , 31, 1429-1441	19
692	Regulator of chromatin condensation 1 abrogates the G1 cell cycle checkpoint via Cdk1 in human papillomavirus E7-expressing epithelium and cervical cancer cells. 2018 , 9, 583	13
691	Human papillomavirus 16 E6 modulates the expression of miR-496 in oropharyngeal cancer. 2018 , 521, 149-157	10
690	Effect of Productive Human Papillomavirus 16 Infection on Global Gene Expression in Cervical Epithelium. 2018 , 92,	18
689	The lysine acetyltransferase GCN5 contributes to human papillomavirus oncoprotein E7-induced cell proliferation via up-regulating E2F1. 2018 , 22, 5333-5345	9
688	RNA-Sequencing of Primary Retinoblastoma Tumors Provides New Insights and Challenges Into Tumor Development. 2018 , 9, 170	3
687	Detection of HPV16 in Esophageal Cancer in a High-Incidence Region of Malawi. 2018 , 19,	9
686	Human U3 protein14a is a novel type ubiquitin ligase that binds RB and promotes RB degradation depending on a leucine-rich region. 2018 , 1865, 1611-1620	9

685	[Recent data in cervical cancer: Radiation oncologist's perspective]. 2018 , 22, 502-508	1
684	Epidemiology and biology of cutaneous human papillomavirus. 2018 , 73, e489s	12
683	The Human Papillomavirus E6 PDZ Binding Motif Links DNA Damage Response Signaling to E6 Inhibition of p53 Transcriptional Activity. 2018 , 92,	18
682	Oncoviruses. 2018 , 90-106	
681	The combinational effect of E6/E7 siRNA and anti-miR-182 on apoptosis induction in HPV16-positive cervical cells. 2018 , 46, 727-736	6
680	CIP2A facilitates the G1/S cell cycle transition via B-Myb in human papillomavirus 16 oncoprotein E6-expressing cells. 2018 , 22, 4150-4160	10
679	STAT3 activation by E6 is essential for the differentiation-dependent HPV18 life cycle. 2018 , 14, e1006975	33
678	Anal Cancer. 2019 ,	
677	HPV infection associated DNA damage correlated with cervical precancerous lesions and cancer in the highest area of cervical cancer mortality, Longnan, China. 2019 , 11, 7197-7210	3
676	Association of TLR4 and TLR9 polymorphisms and haplotypes with cervical cancer susceptibility. 2019 , 9, 9729	12
675	Association of human papillomavirus infection and inflammation in cervical cancer. 2019 , 77,	28
674	Target DNA detection of human papilloma virus-16 E7 gene by capture-target-reporter sandwich on interdigitated electrode sensor. 2019 , 141, 564-569	19
673	The role of low density lipoprotein receptor-related protein 11 as a tumor promoter in cervical cancer. 2019 , 11, 8081-8093	3
672	Beta Human Papillomavirus and Associated Diseases. 2019 , 63, 100-108	5
671	Three Prime Repair Exonuclease 1 (TREX1) expression correlates with cervical cancer cells growth in vitro and disease progression in vivo. 2019 , 9, 351	8
670	An Introduction to Biosensors and Biomolecules. 2019 , 1-21	13
669	Tissue-Specific Gene Expression during Productive Human Papillomavirus 16 Infection of Cervical, Foreskin, and Tonsil Epithelium. 2019 , 93,	7
668	Non-coding and Coding Transcriptional Profiles Are Significantly Altered in Pediatric Retinoblastoma Tumors. 2019 , 9, 221	15

667	Manipulation of Epithelial Differentiation by HPV Oncoproteins. 2019 , 11,	14
666	Human papillomavirus type 16 E6 and E7 gene variations associated with cervical cancer in a Han Chinese population. 2019 , 73, 13-20	10
665	Cell Cycle. 2019 ,	1
664	PTPN14 degradation by high-risk human papillomavirus E7 limits keratinocyte differentiation and contributes to HPV-mediated oncogenesis. 2019 , 116, 7033-7042	36
663	A Human Papillomavirus-Independent Cervical Cancer Animal Model Reveals Unconventional Mechanisms of Cervical Carcinogenesis. 2019 , 26, 2636-2650.e5	28
662	Distribution of high-risk E-genus human papillomavirus genotypes impacts cutaneous neoplasms. 2019 , 33, 1304-1311	5
661	Organoids Increase the Predictive Value of Cancer Chemoprevention Studies for Outcome. 2019 , 9, 77	3
660	The free energy landscape of the oncogene protein E7 of human papillomavirus type 16 reveals a complex interplay between ordered and disordered regions. 2019 , 9, 5822	6
659	Origin and evolution of papillomavirus (onco)genes and genomes. 2019 , 374, 20180303	17
658	Small size, big impact: how studies of small DNA tumour viruses revolutionized biology. 2019 , 374, 20180300	6
657	The scope of viral causation of human cancers: interpreting virus density from an evolutionary perspective. 2019 , 374, 20180304	4
656	Whole genome sequencing reveals complexity in both HPV sequences present and HPV integrations in HPV-positive oropharyngeal squamous cell carcinomas. 2019 , 19, 352	16
655	PYHIN genes as potential biomarkers for prognosis of human papillomavirus-positive or -negative head and neck squamous cell carcinomas. 2019 , 46, 3333-3347	7
654	Comparative RNA sequencing reveals that HPV16 E6 abrogates the effect of E6*1 on ROS metabolism. 2019 , 9, 5938	9
653	The Microbiome and Its Contribution to Skin Cancer. 2019 , 87-106	1
652	5p and 3p Strands of miR-34 Family Members Have Differential Effects in Cell Proliferation, Migration, and Invasion in Cervical Cancer Cells. 2019 , 20,	22
651	Ubiquitination of the HPV Oncoprotein E6 Is Critical for E6/E6AP-Mediated p53 Degradation. 2019 , 10, 2483	22
650	Human papilloma virus identification in ocular surface squamous neoplasia by p16 immunohistochemistry and DNA chip test: A strobe-compliant article. 2019 , 98, e13944	5

649 HPV-associated cancers. **2019**, 12, 352-356

648 Stromal p16 Expression Helps Distinguish Atypical Polypoid Adenomyoma From Myoinvasive Endometrioid Carcinoma of the Uterus. **2019**, 43, 1526-1535 9

647 Virus-associated carcinomas of the head & neck: Update from the 2017 WHO classification. **2019**, 38, 29-42 8

646 Evolving role of human papillomavirus as a clinically significant biomarker in head and neck squamous cell carcinoma. **2019**, 19, 63-70 7

645 Immunometabolic Alterations by HPV Infection: New Dimensions to Head and Neck Cancer Disparity. **2019**, 111, 233-244 13

644 A prospect of cell immortalization combined with matrix microenvironmental optimization strategy for tissue engineering and regeneration. **2019**, 9, 7 19

643 Inhibition of Epstein-Barr Virus Replication in Human Papillomavirus-Immortalized Keratinocytes. **2019**, 93, 11

642 Cervical cancer cell lines are sensitive to sub-erythral UV exposure. **2019**, 688, 44-53 4

641 Viruses and Human Cancer. **2020**, 165-179.e7

640 Pathology, Biomarkers, and Molecular Diagnostics. **2020**, 225-253.e8 3

639 Synergistic antitumor effect on cervical cancer by rational combination of PD1 blockade and CRISPR-Cas9-mediated HPV knockout. **2020**, 27, 168-178 20

638 The papillomavirus E5 gene does not affect EGFR transcription and overall survival in cervical cancer. **2020**, 92, 1283-1289 1

637 Human papillomavirus oncoproteins and post-translational modifications: generating multifunctional hubs for overriding cellular homeostasis. **2020**, 401, 585-599 7

636 Linking Human Papillomavirus to Human Cancer and Understanding Its Carcinogenic Mechanisms. **2020**, 17-39 0

635 Proving the Causal Role of Human Papillomavirus in Cervical Cancer: A Tale of Multidisciplinary Science. **2020**, 131-147 0

634 Impact of HPV E5 on viral life cycle via EGFR signaling. **2020**, 139, 103923 12

633 PI3K/AKT/mTOR signaling as a molecular target in head and neck cancer. **2020**, 172, 113729 85

632 Genome-Wide Transcriptome Analysis of Human Papillomavirus 16-Infected Primary Keratinocytes Reveals Subtle Perturbations Mostly due to E7 Protein Expression. **2020**, 94, 3

631	Prevalence of HPV 16/18 Subtypes Among Invasive Cervical Cancer Patients from a Tertiary Care Hospital in South India: A Cross-Sectional Study. 2020 , 18, 1	
630	DNA repair gene expression is increased in HPV positive head and neck squamous cell carcinomas. 2020 , 548, 174-181	3
629	Comprehensive Molecular Characterization of Squamous Cell Carcinomas. 2020 ,	1
628	Genomic and phylogenetic characterization of ChPV2, a novel goat PV closely related to the Xi-PV1 species infecting bovines. 2020 , 17, 167	2
627	Head and neck squamous cell carcinoma. 2020 , 6, 92	397
626	Restriction point regulation at the crossroads between quiescence and cell proliferation. 2020 , 594, 2046	24
625	Adenoviral Vectors Armed with PAPILLOMAVIRUS Oncogene Specific CRISPR/Cas9 Kill Human-Papillomavirus-Induced Cervical Cancer Cells. 2020 , 12,	10
624	High-Risk Human Papillomavirus and Tobacco Smoke Interactions in Epithelial Carcinogenesis. 2020 , 12,	8
623	Epstein-Barr Virus Facilitates Expression of KLF14 by Regulating the Cooperative Binding of the E2F-Rb-HDAC Complex in Latent Infection. 2020 , 94,	2
622	Endogenous YAP1 activation drives immediate onset of cervical carcinoma in situ in mice. 2020 , 111, 3576-3587	9
621	E6 hijacks KDM5C/lnc_000231/miR-497-5p/CCNE1 axis to promote cervical cancer progression. 2020 , 24, 11422-11433	7
620	HPV-16 E2/E6 and POU5F1B as Biomarkers to Determine Cervical High-Grade Squamous Lesions and More. 2020 , 13, 813-821	3
619	Is viral E6 oncoprotein a viable target? A critical analysis in the context of cervical cancer. 2020 , 40, 2019-2048	6
618	The roles of programmed death ligand 1 in virus-associated cancers. 2020 , 84, 104368	9
617	Structural dynamic studies on identification of EGCG analogues for the inhibition of Human Papillomavirus E7. 2020 , 10, 8661	6
616	Epigenetic Regulation of the Human Papillomavirus Life Cycle. 2020 , 9,	15
615	The Expression, Functions and Mechanisms of Circular RNAs in Gynecological Cancers. 2020 , 12,	22
614	HPV-mediated nuclear export of HP1 drives cervical tumorigenesis by downregulation of p53. 2020 , 27, 2537-2551	7

613	The Double-Edged Sword Role of Viruses in Gastric Cancer. 2020 , 12,	3
612	Cooperation of genes in HPV16 E6/E7-dependent cervicovaginal carcinogenesis trackable by endoscopy and independent of exogenous estrogens or carcinogens. 2020 , 41, 1605-1615	5
611	PDCD4 controls the G1/S-phase transition in a telomerase-immortalized epithelial cell line and affects the expression level and translation of multiple mRNAs. 2020 , 10, 2758	7
610	Application of an electrochemical LAMP-based assay for screening of HPV16/HPV18 infection in cervical samples. 2020 , 12, 822-829	3
609	Intrinsically disordered proteins of viruses: Involvement in the mechanism of cell regulation and pathogenesis. 2020 , 174, 1-78	22
608	Pan-cancer molecular analysis of the RB tumor suppressor pathway. 2020 , 3, 158	20
607	TSPAN31 suppresses cell proliferation in human cervical cancer through down-regulation of its antisense pairing with CDK4. 2020 , 38, 660-668	3
606	Association of Human Papillomavirus Type 16 Long Control Region Variations with Cervical Cancer in a Han Chinese Population. 2020 , 17, 931-938	1
605	The efficacy of a third-generation oncolytic herpes simplex viral therapy for an HPV-related uterine cervical cancer model. 2021 , 26, 591-597	2
604	APOBEC: A molecular driver in cervical cancer pathogenesis. 2021 , 496, 104-116	13
603	The oncogenic pathways of papillomaviruses. 2021 , 19, 7-16	1
602	Prognostic impact of additional HPV diagnostics in 102 patients with p16-stratified advanced oropharyngeal squamous cell carcinoma. 2021 , 278, 1983-2000	2
601	Cancer Vaccines: Antigen Selection Strategy. 2021 , 9,	7
600	Rab12 Promotes Radioresistance of HPV-Positive Cervical Cancer Cells by Increasing G2/M Arrest. 2021 , 11, 586771	1
599	HIV-1 Protease Inhibitors Slow HPV16-Driven Cell Proliferation through Targeted Depletion of Viral E6 and E7 Oncoproteins. 2021 , 13,	3
598	The human papillomavirus oncoproteins: a review of the host pathways targeted on the road to transformation. 2021 , 102,	28
597	Focus on HPV Infection and the Molecular Mechanisms of Oral Carcinogenesis. 2021 , 13,	14
596	Nuclear receptor corepressor (NCoR) is a positive prognosticator for cervical cancer. 2021 , 304, 1307-1314	1

595	Organoids of the Female Reproductive Tract: Innovative Tools to Study Desired to Unwelcome Processes. 2021 , 9, 661472	4
594	Analysis of Codon Usage Patterns in the Human Papillomavirus Oncogenes. 2021 , 16, 13-23	0
593	DNA Viruses. 2021 , 1-32	
592	Virus-Driven Carcinogenesis. 2021 , 13,	7
591	Viruses and Skin Cancer. 2021 , 22,	2
590	High-risk human papillomaviruses and Epstein-Barr virus in breast cancer in Lebanese women and their association with tumor grade: a molecular and tissue microarray study. 2021 , 21, 308	3
589	Ki-67 gene expression. 2021 , 28, 3357-3370	9
588	Human papillomavirus E6 and E7: What remains?. 2021 , 11, 200213	12
587	Human Papillomavirus and Cervical Cancer.	
586	Human Papillomavirus Type 16 E6 induces cell competition.	
585	Human Papillomaviruses Target the DNA Damage Repair and Innate Immune Response Pathways to Allow for Persistent Infection. 2021 , 13,	1
584	LxCxD motif of the APC/C coactivator subunit FZR1 is critical for interaction with the retinoblastoma protein. 2021 , 404, 112632	0
583	Phosphorylation of RCC1 on Serine 11 Facilitates G1/S Transition in HPV E7-Expressing Cells. 2021 , 11,	0
582	HPV infections in retinoblastoma: a systematic review. 2021 , 35, e23981	1
581	Integrated multi-omics analysis of RB-loss identifies widespread cellular programming and synthetic weaknesses. 2021 , 4, 977	0
580	Viruses in colorectal cancer. 2021 ,	3
579	The Not-So-Good, the Bad and the Ugly: HPV E5, E6 and E7 Oncoproteins in the Orchestration of Carcinogenesis. 2021 , 13,	4
578	Introduction: HPV Related Malignancies. 2021 , 31, 263-264	

577	CRISPR/Cas9-based inactivation of human papillomavirus oncogenes E6 or E7 induces senescence in cervical cancer cells. 2021 , 562, 92-102	8
576	Paper-based DNA sensor enabling colorimetric assay integrated with smartphone for human papillomavirus detection. 2021 , 45, 6960-6967	7
575	Inhibition of kinase IKK β suppresses cellular abnormalities induced by the human papillomavirus oncoprotein HPV 18E6. 2021 , 11, 1111	1
574	MHC Phosphopeptides: Promising Targets for Immunotherapy of Cancer and Other Chronic Diseases. 2021 , 20, 100112	2
573	Mammary Gland Cancer.	2
572	Regulation of epithelial proliferation by TGF-beta. 1991 , 157, 66-74; discussion 75-80	6
571	Peptide vaccines against cancer. 2005 , 123, 115-36	13
570	DNA vaccination in immunotherapy of cancer. 2005 , 123, 137-56	11
569	The p53 Network. 2005 , 1-23	2
568	The Molecular Pathogenesis of Human Papillomavirus-Associated Cancer. 2004 , 101-118	1
567	History of Papillomavirus Research. 2007 , 13-28	4
566	The Differentiation-Dependent Life Cycle of Human Papillomaviruses in Keratinocytes. 2007 , 45-67	9
565	Immortalization of Hepatocytes through Targeted Deregulation of the Cell Cycle. 1999 , 255-287	1
564	HPV and EBV in Head and Neck Cancer. 2011 , 121-134	2
563	Genetic and Clinical Associations of Neonatal Tumours. 1996 , 11-22	5
562	Transforming Genes of Bovine and Human Papillomaviruses. 1989 , 87-95	3
561	Non-AIDS-defining malignancies. 2001 , 104, 303-28	6
560	The role of RB in cell cycle control. 1995 , 1, 9-19	107

559	Oncogene expression in cervical cancer. 1994 , 70, 43-51	1
558	Normal and malignant growth control by p53. 1992 , 63, 327-44	9
557	Oncogenes in human lung cancer. 1992 , 63, 61-85	13
556	Role of the retinoblastoma gene in the oncogenesis of human breast carcinoma. 1991 , 53, 23-44	3
555	HTLV-I Tax and cell cycle progression. 2000 , 4, 157-62	27
554	Anal carcinoma. 1998 , 98, 201-25	4
553	Viruses and the cell cycle. 1997 , 3, 1-19	51
552	Apoptosis and the cell cycle. 1996 , 2, 147-63	26
551	p53 in Human Cancer. 1995 , 77-110	1
550	Precancerous Lesions of the Cervix. 1994 , 229-277	38
549	E7 Protein. 1997 , 103-136	2
548	Human Papillomaviruses. 1997 , 983-1023	10
547	Retinoic acid suppresses human papillomavirus type 16 (HPV16)-mediated transformation of human keratinocytes and inhibits the expression of the HPV16 oncogenes. 1994 , 354, 19-35	13
546	Transformation and Tumorigenesis Mediated by the Adenovirus E1A and E1B Oncogenes. 1995 , 195-225	11
545	Transformation by Polyomaviruses. 1995 , 27-50	5
544	Papillomaviruses as Promoting Agents in Human Epithelial Tumors. 1995 , 123-155	1
543	Human Papillomaviruses: Cervical Cancer and Warts. 2014 , 1063-1104	1
542	The Possible Role of Chemokines in HPV-Linked Carcinogenesis. 1999 , 207-225	6

541	Prevention and Treatment of Cervical Cancer by Vaccination. 2007 , 125-154	1
540	Epidemiology of Human Papilloma Virus (HPV) in Cervical Mucosa. 2009 , 471, 439-56	18
539	Disruption of Centrosome Duplication Control and Induction of Mitotic Instability by the High-Risk Human Papillomavirus Oncoproteins E6 and E7. 2012 , 201-221	2
538	Biological Pathways of HPV-Induced Carcinogenesis. 2020 , 347-362	1
537	Ubiquitin-Regulated Cell Proliferation and Cancer. 2020 , 1233, 3-28	5
536	E2Fs and the Retinoblastoma Protein Family. 1997 , 1-62	13
535	Genetic instability and tumor cell variation. 1998 , 179-234	1
534	HPV and EBV in Head and Neck Cancer. 2016 , 163-179	4
533	Apoptosis: molecular regulation of cell death. 1996 , 19-44	3
532	Molecular Biology of Genital HPV Infections. 1990 , 37-49	4
531	Impact of human papillomavirus research on the histopathologic concepts of genital neoplasms. 1992 , 85, 273-307	7
530	Functions of human papillomavirus proteins. 1994 , 186, 83-99	76
529	HTLV-1 oncoprotein tax and cellular transcription factors. 1995 , 193, 79-89	41
528	Use of the E2F transcription factor by DNA tumor virus regulatory proteins. 1996 , 208, 63-78	46
527	The molecular biology of esophageal carcinoma. 1996 , 142, 1-8	26
526	Transgenic Mouse Strategies in Virus Research. 1998 , 477-504	1
525	Transforming growth factor regulation of keratinocyte growth. 1993 , 128, 15-29	8
524	Oncogene transfer into the brain. 1994 , 135, 55-66	6

523	Corepressors and retinoblastoma protein function. 2001 , 254, 137-44	21
522	Wild-Type versus Mutant p53. 1995 , 19-54	1
521	Adenovirus-Based Vectors for the Development of Prophylactic and Therapeutic Vaccines. 2014 , 203-271	2
520	The Molecular Biology of HPV-Related Head and Neck Cancer. 2015 , 51-63	1
519	CELLULAR AND MOLECULAR BIOLOGY OF TRANSFORMING GROWTH FACTOR β 1993 , 97-129	3
518	Tumor-Suppressor Genes and Human Neoplasia. 1991 , 1-23	1
517	Retinoblastoma. 2006 , 557-607	2
516	Biology of Head and Neck Cancer. 2010 , 1015-1029	2
515	Introduction to Viruses and Viral Diseases. 2010 , 1905-1921	2
514	NON-NEOPLASTIC LESIONS. 2008 , 171-253	2
513	NEOPLASMS OF THE LARYNX, HYPOPHARYNX, AND TRACHEA. 2008 , 439-532	4
512	Mechanisms of liver tumor promotion. 1995 , 199-226	6
511	Viruses and Human Cancer. 2014 , 154-168.e7	1
510	Biology of Viruses and Viral Diseases. 2015 , 1681-1693.e4	3
509	The Genomics, Epigenomics, and Transcriptomics of HPV-Associated Oropharyngeal Cancer--Understanding the Basis of a Rapidly Evolving Disease. 2016 , 93, 1-56	24
508	Activation of the c-fos gene by the HPV16 oncoproteins depends upon the cAMP-response element at -60. 1994 , 269, 18434-18440	38
507	Methylation sensitivity of the enhancer from the human papillomavirus type 16.. 1994 , 269, 11902-11911	22
506	Identification of a novel retinoblastoma gene product binding site on human papillomavirus type 16 E7 protein.. 1994 , 269, 6842-6850	74

505	Identification of discrete structural domains in the retinoblastoma protein. Amino-terminal domain is required for its oligomerization.. 1994 , 269, 1380-1387	46
504	Functional analysis at the Cys706 residue of the retinoblastoma protein.. 1992 , 267, 25998-26003	20
503	Retinoblastoma protein dephosphorylation induced by D-erythro-sphingosine.. 1992 , 267, 23459-23462	62
502	Metal thiolate coordination in the E7 proteins of human papilloma virus 16 and cottontail rabbit papilloma virus as expressed in Escherichia coli.. 1992 , 267, 16390-16395	16
501	Purification and characterization of a functionally homogeneous 60-kDa species of the retinoblastoma gene product.. 1992 , 267, 7971-7974	17
500	Specific N-methylations of HPV-16 E7 peptides alter binding to the retinoblastoma suppressor protein.. 1992 , 267, 908-912	17
499	Identification of HPV-16 E7 peptides that are potent antagonists of E7 binding to the retinoblastoma suppressor protein.. 1990 , 265, 12782-12785	69
498	Characterization of functional HPV-16 E7 protein produced in Escherichia coli.. 1992 , 267, 6910-6915	21
497	Structural and functional characterization of the HPV16 E7 protein expressed in bacteria.. 1993 , 268, 26018-26025	31
496	HUMAN PAPILLOMAVIRUSES. 1994 , 8, 751-764	8
495	Development of the Ocular Lens. 2004 ,	22
494	Effects of the human papilloma virus HPV-16 E7 oncoprotein on glycolysis and glutaminolysis: role of pyruvate kinase type M2 and the glycolytic-enzyme complex. 2001 , 356, 247-56	69
493	Correlation of lesion grade in cervical neoplasia with cell proliferation and apoptosis. 1998 , 8, 279-286	3
492	IgG antibodies against human papillomavirus type 16 E7 proteins in cervicovaginal washing fluid from patients with cervical neoplasia. 2000 , 10, 296-304	9
491	Expression of lymphomagenic oncogenes in T-cell lymphomas of HPV 16 transgenic mice. 1998 , 22, 405-15	4
490	Cancer of the Larynx. 2006 , 627-637	11
489	Anal Cancer. 2006 , 830-840	4
488	A review of tumor suppressor genes in cutaneous neoplasms with emphasis on cell cycle regulators. 1998 , 20, 302-13	11

487	Human papillomavirus-associated penile squamous cell carcinoma in HIV-positive patients. 1999 , 23, 1119-23	31
486	Oncogenes in gynecologic oncology. 1996 , 51, 710-7	2
485	Genital infections with human papillomavirus (HPV). 1998 , 17, 651-2	7
484	Biomarker P16 predicts progression risk of anal low-grade squamous intraepithelial lesions. 2018 , 32, 2309-2316	5
483	Cellular transcription factors regulate human papillomavirus type 16 gene expression by binding to a subset of the DNA sequences recognized by the viral E2 protein. 1999 , 80 (Pt 8), 2087-2096	11
482	Identification and functional analysis of sequence rearrangements in the long control region of human papillomavirus type 16 Af-1 variants isolated from Ugandan penile carcinomas. 2000 , 81, 2969-2982	28
481	Human papillomavirus type 16 E7-regulated genes: regulation of S100P and ADP/ATP carrier protein genes identified by differential-display technology. 2000 , 81, 1009-15	10
480	Sequence analysis of the long control region of human papillomavirus type 16 variants and functional consequences for P97 promoter activity. 2000 , 81, 1975-1981	72
479	Oestrogen and progesterone increase the levels of apoptosis induced by the human papillomavirus type 16 E2 and E7 proteins. 2001 , 82, 201-213	30
478	Diverse papillomaviruses identified in Weddell seals. 2018 , 99, 549-557	8
477	Oncogenicity Comparison of Human Papillomavirus Type 52 E6 Variants. 2019 , 100, 484-496	5
476	CRISPR/Cas9-based inactivation of human papillomavirus oncogenes E6 and E7 induces senescence in cervical cancer cells.	1
475	The Effect of Productive HPV16 Infection on Global Gene Expression of Cervical Epithelium.	1
474	Cellular senescence is a central response to cytotoxic chemotherapy in high-grade serous ovarian cancer.	2
473	Origin and evolution of papillomavirus (onco)genes and genomes.	1
472	The Mad protein family links transcriptional repression to cell differentiation. 1998 , 63, 423-33	41
471	Human Papillomaviruses. 1783-1802	1
470	Introduction to DNA Tumor Viruses: Adenovirus, Simian Virus 40, and Polyomavirus. 51-86	9

469	Regulation of Transcription and Replication by Human Papillomaviruses. 201-223	8
468	Self-assembly of in vitro-translated human papillomavirus type 16 L1 capsid protein into virus-like particles and antigenic reactivity of the protein. 1996 , 3, 733-9	9
467	Delivery and expression of a heterologous antigen on the surface of streptococci. 1992 , 60, 1902-7	98
466	Characterization of human papillomavirus type 66 from an invasive carcinoma of the uterine cervix. 1991 , 29, 2656-60	26
465	Comparison of peptide enzyme-linked immunosorbent assay and radioimmunoprecipitation assay with in vitro-translated proteins for detection of serum antibodies to human papillomavirus type 16 E6 and E7 proteins. 1994 , 32, 2216-20	10
464	Antibodies against early proteins of human papillomaviruses as diagnostic markers for invasive cervical cancer. 1998 , 36, 475-80	93
463	The E6 and E7 genes of the human papillomavirus type 16 together are necessary and sufficient for transformation of primary human keratinocytes. 1989 , 63, 4417-21	1019
462	Mutational analysis of human papillomavirus type 16 E7 functions. 1990 , 64, 207-14	78
461	Suppression in vivo of human papillomavirus type 18 E6-E7 gene expression in nontumorigenic HeLa X fibroblast hybrid cells. 1990 , 64, 4743-54	61
460	The E6/E7 promoter of human papillomavirus type 16 is activated in the absence of E2 proteins by a sequence-aberrant Sp1 distal element. 1990 , 64, 5577-84	90
459	Chemical synthesis of human papillomavirus type 16 E7 oncoprotein: autonomous protein domains for induction of cellular DNA synthesis and for trans activation. 1990 , 64, 6121-9	45
458	Production of human papillomavirus type 16 virions in a keratinocyte cell line. 1990 , 64, 6305-7	61
457	Immortalization and altered differentiation of human keratinocytes in vitro by the E6 and E7 open reading frames of human papillomavirus type 18. 1990 , 64, 519-26	252
456	The E7 proteins of the nononcogenic human papillomavirus type 6b (HPV-6b) and of the oncogenic HPV-16 differ in retinoblastoma protein binding and other properties. 1990 , 64, 723-30	166
455	Large T antigens of many polyomaviruses are able to form complexes with the retinoblastoma protein. 1990 , 64, 1353-6	228
454	Mutational analysis of cis elements involved in E2 modulation of human papillomavirus type 16 P97 and type 18 P105 promoters. 1990 , 64, 2849-59	221
453	Transforming activity of E5a protein of human papillomavirus type 6 in NIH 3T3 and C127 cells. 1990 , 64, 3226-33	65
452	Analysis of E1A-mediated growth regulation functions: binding of the 300-kilodalton cellular product correlates with E1A enhancer repression function and DNA synthesis-inducing activity. 1990 , 64, 4421-7	219

451	The E7 gene of human papillomavirus type 16 is sufficient for immortalization of human epithelial cells. 1991 , 65, 473-8	433
450	Rat primary embryo fibroblast cells suppress transformation by the E6 and E7 genes of human papillomavirus type 16 in somatic hybrid cells. 1991 , 65, 479-82	11
449	Modulation of immortalizing properties of human papillomavirus type 16 E7 by p53 expression. 1991 , 65, 505-10	26
448	Characterization of a novel human papillomavirus DNA in the cervical carcinoma cell line ME180. 1991 , 65, 5564-8	41
447	Repression of the human papillomavirus type 18 enhancer by the cellular transcription factor Oct-1. 1991 , 65, 5613-8	63
446	Adenovirus E1A is associated with a serine/threonine protein kinase. 1991 , 65, 5848-59	39
445	The enhancer of human papillomavirus type 16: binding sites for the ubiquitous transcription factors oct-1, NFA, TEF-2, NF1, and AP-1 participate in epithelial cell-specific transcription. 1991 , 65, 5933-43	119
444	The adenovirus E1A transforming protein activates the proliferating cell nuclear antigen promoter via an activating transcription factor site. 1991 , 65, 6397-406	67
443	The ability of simian virus 40 large T antigen to immortalize primary mouse embryo fibroblasts cosegregates with its ability to bind to p53. 1991 , 65, 6872-80	104
442	Analysis of trans activation by human papillomavirus type 16 E7 and adenovirus 12S E1A suggests a common mechanism. 1991 , 65, 6922-30	94
441	Inverse relationship between human papillomavirus (HPV) type 16 early gene expression and cell differentiation in nude mouse epithelial cysts and tumors induced by HPV-positive human cell lines. 1991 , 65, 796-804	86
440	Characterization of human antibody-reactive epitopes encoded by human papillomavirus types 16 and 18. 1991 , 65, 1208-18	36
439	Polyomavirus large T mutants affected in retinoblastoma protein binding are defective in immortalization. 1991 , 65, 2308-13	62
438	Epstein-Barr virus nuclear protein 2 mutations define essential domains for transformation and transactivation. 1991 , 65, 2545-54	152
437	Retinoblastoma protein and simian virus 40-dependent immortalization of human fibroblasts. 1991 , 65, 2845-52	36
436	Rhesus papillomavirus type 1 cooperates with activated ras in transforming primary epithelial rat cells independent of dexamethasone. 1991 , 65, 3354-8	7
435	Bovine papillomavirus type 1 alters the processing of host glucose- and calcium-modulated endoplasmic reticulum proteins. 1991 , 65, 3481-8	4
434	Biochemical and biological differences between E7 oncoproteins of the high- and low-risk human papillomavirus types are determined by amino-terminal sequences. 1991 , 65, 3943-8	88

433	Biologic properties and nucleotide sequence analysis of human papillomavirus type 51. 1991 , 65, 4216-25	18
432	Identification of T- and B-cell epitopes of the E7 protein of human papillomavirus type 16. 1991 , 65, 4681-90	48
431	Purification and characterization of human papillomavirus type 16 E7 protein with preferential binding capacity to the underphosphorylated form of retinoblastoma gene product. 1991 , 65, 4966-72	68
430	Human papillomavirus type 18 E6*, E6, and E7 protein synthesis in cell-free translation systems and comparison of E6 and E7 in vitro translation products to proteins immunoprecipitated from human epithelial cells. 1991 , 65, 5068-72	25
429	A glutamine residue in the membrane-associating domain of the bovine papillomavirus type 1 E5 oncoprotein mediates its binding to a transmembrane component of the vacuolar H(+)-ATPase. 1992 , 66, 405-13	57
428	Differentiation-induced and constitutive transcription of human papillomavirus type 31b in cell lines containing viral episomes. 1992 , 66, 6070-80	217
427	Homologous sequences in adenovirus E1A and human papillomavirus E7 proteins mediate interaction with the same set of cellular proteins. 1992 , 66, 6893-902	295
426	Complex formation of human T-cell leukemia virus type I p40tax transactivator with cellular polypeptides. 1992 , 66, 1040-9	5
425	p53 mutations are not selected for in simian virus 40 T-antigen-induced tumors from transgenic mice. 1992 , 66, 641-9	14
424	Regions of human papillomavirus type 16 E7 oncoprotein required for immortalization of human keratinocytes. 1992 , 66, 1329-35	140
423	Immortalization of primary epithelial cells requires first- and second-exon functions of adenovirus type 5 12S. 1992 , 66, 2020-30	35
422	The E6 and E7 genes of human papillomavirus type 6 have weak immortalizing activity in human epithelial cells. 1992 , 66, 2125-34	222
421	Structure-function analysis of the human papillomavirus type 16 E7 oncoprotein. 1992 , 66, 2418-27	182
420	Transformation of a continuous rat embryo fibroblast cell line requires three separate domains of simian virus 40 large T antigen. 1992 , 66, 2780-91	84
419	Human papillomavirus type 33 in a tonsillar carcinoma generates its putative E7 mRNA via two E6* transcript species which are terminated at different early region poly(A) sites. 1992 , 66, 3172-8	38
418	Two AP1 sites binding JunB are essential for human papillomavirus type 18 transcription in keratinocytes. 1992 , 66, 3740-8	119
417	Mechanisms of interference with simian virus 40 (SV40) DNA replication by trans-dominant mutants of SV40 large T antigen. 1992 , 66, 4209-19	4
416	Adenovirus E1A makes two distinct contacts with the retinoblastoma protein. 1992 , 66, 4606-11	93

4 ¹⁵	Transcription of the E6 and E7 genes of human papillomavirus type 6 in anogenital condylomata is restricted to undifferentiated cell layers of the epithelium. 1992 , 66, 4639-46	40
4 ¹⁴	Interaction of the human papillomavirus type 16 E6 oncoprotein with wild-type and mutant human p53 proteins. 1992 , 66, 5100-5	113
4 ¹³	Identification of specific adenovirus E1A N-terminal residues critical to the binding of cellular proteins and to the control of cell growth. 1993 , 67, 476-88	232
4 ¹²	Transcriptional control of human papillomavirus (HPV) oncogene expression: composition of the HPV type 18 upstream regulatory region. 1993 , 67, 6476-86	94
4 ¹¹	Simian virus 40 large T antigen associates with cyclin A and p33cdk2. 1993 , 67, 6551-7	39
4 ¹⁰	Efficient transcriptional activation of many simple modular promoters by simian virus 40 large T antigen. 1993 , 67, 6689-97	40
4 ⁰⁹	Analysis of p107-associated proteins: p107 associates with a form of E2F that differs from pRB-associated E2F-1. 1993 , 67, 7641-7	93
4 ⁰⁸	NF-IL6 represses early gene expression of human papillomavirus type 16 through binding to the noncoding region. 1993 , 67, 1058-66	47
4 ⁰⁷	Papillomavirus E7 protein binding to the retinoblastoma protein is not required for viral induction of warts. 1993 , 67, 716-25	56
4 ⁰⁶	Tumorigenicity by human papillomavirus type 16 E6 and E7 in transgenic mice correlates with alterations in epithelial cell growth and differentiation. 1993 , 67, 1373-84	98
4 ⁰⁵	Mutation of a cysteine residue in polyomavirus middle T antigen abolishes interactions with protein phosphatase 2A, pp60c-src, and phosphatidylinositol-3 kinase, activation of c-fos expression, and cellular transformation. 1993 , 67, 1945-52	30
4 ⁰⁴	Characterization of mutants within the gene for the adenovirus E3 14.7-kilodalton protein which prevents cytolysis by tumor necrosis factor. 1993 , 67, 2159-67	51
4 ⁰³	The adenovirus E1A-associated kinase consists of cyclin E-p33cdk2 and cyclin A-p33cdk2. 1993 , 67, 2456-65	60
4 ⁰²	Human papillomavirus type 16 E7 associates with a histone H1 kinase and with p107 through sequences necessary for transformation. 1993 , 67, 2521-8	169
4 ⁰¹	Repression of endogenous p53 transactivation function in HeLa cervical carcinoma cells by human papillomavirus type 16 E6, human mdm-2, and mutant p53. 1993 , 67, 3111-7	102
4 ⁰⁰	Human papillomavirus type 18 E7 protein requires intact Cys-X-X-Cys motifs for zinc binding, dimerization, and transformation but not for Rb binding. 1993 , 67, 3142-50	108
399	Inhibition of growth, transformation, and expression of human papillomavirus type 16 E7 in human keratinocytes by alpha interferons. 1993 , 67, 3396-403	23
398	Inhibition of cervical carcinoma cell line proliferation by the introduction of a bovine papillomavirus regulatory gene. 1993 , 67, 3720-9	130

397	Identification and characterization of novel promoters in the genome of human papillomavirus type 18. 1993 , 67, 4296-306	23
396	Transrepression of RNA polymerase II promoters by the simian virus 40 small t antigen. 1994 , 68, 6180-7	27
395	Functional importance of complex formation between the retinoblastoma tumor suppressor family and adenovirus E1A proteins as determined by mutational analysis of E1A conserved region 2. 1994 , 68, 6697-709	22
394	Comparison of the properties of the E6 and E7 genes of low- and high-risk cutaneous papillomaviruses reveals strongly transforming and high Rb-binding activity for the E7 protein of the low-risk human papillomavirus type 1. 1994 , 68, 7051-9	116
393	trans-dominant interference of type 5 adenovirus E1a mutants in cell transformation. 1994 , 68, 2127-34	3
392	Reversible repression of papillomavirus oncogene expression in cervical carcinoma cells: consequences for the phenotype and E6-p53 and E7-pRB interactions. 1994 , 68, 2811-21	111
391	Inhibition of p53 DNA binding by human papillomavirus E6 proteins. 1994 , 68, 4262-73	169
390	Progressive squamous epithelial neoplasia in K14-human papillomavirus type 16 transgenic mice. 1994 , 68, 4358-68	224
389	Papilloma formation by cottontail rabbit papillomavirus requires E1 and E2 regulatory genes in addition to E6 and E7 transforming genes. 1994 , 68, 6097-102	43
388	A switch region determines the cell type-specific positive or negative action of YY1 on the activity of the human papillomavirus type 18 promoter. 1995 , 69, 1-12	57
387	An activity specified by the osteosarcoma line U2OS can substitute functionally for ICP0, a major regulatory protein of herpes simplex virus type 1. 1995 , 69, 6249-58	154
386	Suppression of cellular proliferation by the papillomavirus E2 protein. 1995 , 69, 7791-9	157
385	Effect of human papillomavirus type 16 oncogenes on MAP kinase activity. 1995 , 69, 8051-6	58
384	Adeno-associated virus vectors transduce primary cells much less efficiently than immortalized cells. 1995 , 69, 1473-9	113
383	Human papillomavirus type 16 E5 protein affects cell-cell communication in an epithelial cell line. 1995 , 69, 4489-94	105
382	Relationship between TATA-binding protein and herpes simplex virus type 1 ICP4 DNA-binding sites in complex formation and repression of transcription. 1995 , 69, 5568-75	33
381	The human papillomavirus type 16 E7 protein complements adenovirus type 5 E1A amino-terminus-dependent transactivation of adenovirus type 5 early genes and increases ATF and Oct-1 DNA binding activity. 1996 , 70, 332-40	12
380	Abrogation of growth arrest signals by human papillomavirus type 16 E7 is mediated by sequences required for transformation. 1996 , 70, 6862-9	97

379	A novel C/EBP beta-YY1 complex controls the cell-type-specific activity of the human papillomavirus type 18 upstream regulatory region. 1996 , 70, 7695-705	64
378	Human cytomegalovirus mtrII oncoprotein binds to p53 and down-regulates p53-activated transcription. 1996 , 70, 8691-700	36
377	Alteration of cell cycle kinase complexes in human papillomavirus E6- and E7-expressing fibroblasts precedes neoplastic transformation. 1996 , 70, 999-1008	62
376	Squamous epithelial hyperplasia and carcinoma in mice transgenic for the human papillomavirus type 16 E7 oncogene. 1996 , 70, 1873-81	207
375	Activation of the Epstein-Barr virus DNA polymerase promoter by the BRLF1 immediate-early protein is mediated through USF and E2F. 1996 , 70, 2545-55	56
374	Simian virus 40 large T antigen alters the phosphorylation state of the RB-related proteins p130 and p107. 1996 , 70, 2781-8	80
373	Serum- and calcium-induced differentiation of human keratinocytes is inhibited by the E6 oncoprotein of human papillomavirus type 16. 1996 , 70, 3269-79	88
372	Functional implications of mutations within polyomavirus large T antigen Rb-binding domain: effects on pRb and p107 binding in vitro and immortalization activity in vivo. 1996 , 70, 4457-65	15
371	p300 family members associate with the carboxyl terminus of simian virus 40 large tumor antigen. 1997 , 71, 129-37	72
370	Antioxidant-induced changes of the AP-1 transcription complex are paralleled by a selective suppression of human papillomavirus transcription. 1997 , 71, 362-70	79
369	Differential effects of the splice acceptor at nucleotide 3295 of human papillomavirus type 31 on stable and transient viral replication. 1997 , 71, 8186-94	24
368	Different mechanisms contribute to the E2-mediated transcriptional repression of human papillomavirus type 18 viral oncogenes. 1997 , 71, 9343-9	93
367	Physical and functional interactions between herpes simplex virus immediate-early proteins ICP4 and ICP27. 1997 , 71, 1547-57	63
366	Accumulation of human papillomavirus type 16 E7 protein bypasses G1 arrest induced by serum deprivation and by the cell cycle inhibitor p21. 1997 , 71, 3451-7	45
365	Accumulation of p53 induced by the adenovirus E1A protein requires regions involved in the stimulation of DNA synthesis. 1997 , 71, 3526-33	78
364	Restoration of interferon responses of adenovirus E1A-expressing HT1080 cell lines by overexpression of p48 protein. 1997 , 71, 5095-101	71
363	Initiation of DNA synthesis by human papillomavirus E7 oncoproteins is resistant to p21-mediated inhibition of cyclin E-cdk2 activity. 1997 , 71, 5570-8	53
362	Both conserved region 1 (CR1) and CR2 of the human papillomavirus type 16 E7 oncogene are required for induction of epidermal hyperplasia and tumor formation in transgenic mice. 1997 , 71, 5905-14	44

361	In vitro analysis of the E1A-homologous sequences of RIZ. 1997 , 71, 6200-3	11
360	The autonomous growth of human papillomavirus type 16-immortalized keratinocytes is related to the endothelin-1 autocrine loop. 1997 , 71, 6898-904	10
359	The Epstein-Barr virus immediate-early gene product, BRLF1, interacts with the retinoblastoma protein during the viral lytic cycle. 1998 , 72, 8043-51	40
358	A novel YY1-independent silencer represses the activity of the human papillomavirus type 16 enhancer. 1998 , 72, 10083-92	21
357	Human papillomavirus oncoproteins E6 and E7 independently abrogate the mitotic spindle checkpoint. 1998 , 72, 1131-7	115
356	Regulation of the human proliferating cell nuclear antigen promoter by the adenovirus E1A-associated protein p107. 1998 , 72, 1138-45	19
355	Overexpression of C/EBPbeta represses human papillomavirus type 18 upstream regulatory region activity in HeLa cells by interfering with the binding of TATA-binding protein. 1998 , 72, 2113-24	25
354	Evidence of a role for phosphatidylinositol 3-kinase activation in the blocking of apoptosis by polyomavirus middle T antigen. 1998 , 72, 3221-6	51
353	Substitution of ras for the herpesvirus saimiri STP oncogene in lymphocyte transformation. 1998 , 72, 3698-704	24
352	p53 protein is a suppressor of papillomavirus DNA amplificational replication. 1998 , 72, 6822-31	32
351	The human papillomavirus type 16 E6 gene alone is sufficient to induce carcinomas in transgenic animals. 1999 , 73, 5887-93	185
350	The human papillomavirus type 16 E6 oncoprotein can down-regulate p53 activity by targeting the transcriptional coactivator CBP/p300. 1999 , 73, 6209-19	236
349	The Epstein-Barr virus protein BRLF1 activates S phase entry through E2F1 induction. 1999 , 73, 6540-50	48
348	Human papillomavirus type 16 E7 DNA vaccine: mutation in the open reading frame of E7 enhances specific cytotoxic T-lymphocyte induction and antitumor activity. 1999 , 73, 7877-81	51
347	Hyperphosphorylation of the retinoblastoma gene product is determined by domains outside the simian virus 40 large-T-antigen-binding regions. 1990 , 10, 6586-6595	29
346	Definition of the minimal simian virus 40 large T antigen- and adenovirus E1A-binding domain in the retinoblastoma gene product. 1990 , 10, 3761-3769	86
345	A 36-kilodalton cellular transcription factor mediates an indirect interaction of human T-cell leukemia/lymphoma virus type I TAX1 with a responsive element in the viral long terminal repeat. 1990 , 10, 4192-4201	43
344	Early gene responses to transforming growth factor-beta in cells lacking growth-suppressive RB function. 1991 , 11, 4952-4958	25

343	Antibodies specific for the human retinoblastoma protein identify a family of related polypeptides. 1991 , 11, 5792-5799	67
342	The tumor suppressor p53 is bound to RNA by a stable covalent linkage. 1991 , 11, 1598-1606	34
341	Isolation, characterization, and expression of the murine Wilms' tumor gene (WT1) during kidney development. 1991 , 11, 1707-1712	70
340	Simian virus 40 large-T antigen expresses a biological activity complementary to the p300-associated transforming function of the adenovirus E1A gene products. 1991 , 11, 2116-2124	68
339	E1A induces phosphorylation of the retinoblastoma protein independently of direct physical association between the E1A and retinoblastoma products. 1991 , 11, 4253-4265	48
338	Molecular cloning of cellular genes encoding retinoblastoma-associated proteins: identification of a gene with properties of the transcription factor E2F. 1992 , 12, 5620-5631	150
337	Nuclear binding of purified retinoblastoma gene product is determined by cell cycle-regulated phosphorylation. 1992 , 12, 435-443	23
336	The retinoblastoma protein physically associates with the human cdc2 kinase. 1992 , 12, 971-980	39
335	Human papillomavirus type 16 E7 protein inhibits DNA binding by the retinoblastoma gene product. 1992 , 12, 1905-1914	13
334	Transcriptional repression of the E2-containing promoters E1aE, c-myc, and RB1 by the product of the RB1 gene. 1992 , 12, 3431-3438	133
333	Inhibition of E2F-1 transactivation by direct binding of the retinoblastoma protein. 1993 , 13, 6501-6508	201
332	Association of the human papillomavirus type 16 E7 protein with the S-phase-specific E2F-cyclin A complex. 1993 , 13, 6537-6546	47
331	Overproduction of Rb protein after the G1/S boundary causes G2 arrest. 1993 , 13, 6640-6652	19
330	Independent regions of adenovirus E1A are required for binding to and dissociation of E2F-protein complexes. 1993 , 13, 7267-7277	61
329	Cloning and characterization of E2F-2, a novel protein with the biochemical properties of transcription factor E2F. 1993 , 13, 7802-7812	87
328	Cloning and expression of the cDNA for E6-AP, a protein that mediates the interaction of the human papillomavirus E6 oncoprotein with p53. 1993 , 13, 775-784	209
327	Protein domains governing interactions between E2F, the retinoblastoma gene product, and human papillomavirus type 16 E7 protein. 1993 , 13, 953-960	66
326	Regions of the retinoblastoma gene product required for its interaction with the E2F transcription factor are necessary for E2 promoter repression and pRb-mediated growth suppression. 1993 , 13, 3384-3391	59

325	A bipartite nuclear localization signal in the retinoblastoma gene product and its importance for biological activity. 1993 , 13, 4588-4599	38
324	Localization of the E6-AP regions that direct human papillomavirus E6 binding, association with p53, and ubiquitination of associated proteins. 1993 , 13, 4918-4927	161
323	The retinoblastoma protein-binding region of simian virus 40 large T antigen alters cell cycle regulation in lenses of transgenic mice. 1994 , 14, 6743-6754	31
322	Suppression of cyclin-dependent kinase 4 during induced differentiation of erythroleukemia cells. 1994 , 14, 7195-7203	28
321	Differential specificity for binding of retinoblastoma binding protein 2 to RB, p107, and TATA-binding protein. 1994 , 14, 7256-7264	17
320	Deregulated expression of E2F-1 induces S-phase entry and leads to apoptosis. 1994 , 14, 8166-8173	194
319	Positive and negative regulation of cell proliferation by E2F-1: influence of protein level and human papillomavirus oncoproteins. 1994 , 14, 8241-8249	17
318	Targeted expression of the E6 and E7 oncogenes of human papillomavirus type 16 in the epidermis of transgenic mice elicits generalized epidermal hyperplasia involving autocrine factors. 1994 , 14, 8250-8258	23
317	Restoration of telomeres in human papillomavirus-immortalized human anogenital epithelial cells. 1994 , 14, 961-969	51
316	Functional properties of a Drosophila homolog of the E2F1 gene. 1994 , 14, 1603-1612	58
315	Indirect binding of human T-cell leukemia virus type I tax1 to a responsive element in the viral long terminal repeat. 1989 , 9, 4152-4160	53
314	The causal relation between human papillomavirus and cervical cancer. 2002 , 55, 244-65	2249
313	A high degree of chromosomal instability at 13q14 in cutaneous squamous cell carcinomas: indication for a role of a tumour suppressor gene other than Rb. 2001 , 54, 165-9	15
312	CD200 is induced by ERK and is a potential therapeutic target in melanoma. 2007 , 117, 3922-9	76
311	TALEN-mediated targeting of HPV oncogenes ameliorates HPV-related cervical malignancy. 2015 , 125, 425-36	76
310	Papillomavirus infection and telomerase activation. 2003 , 14, 155-162	1
309	pRb is necessary for inhibition of N-myc expression by TGF-beta 1 in embryonic lung organ cultures. 1995 , 121, 3057-3066	34
308	Analysis of HPV16 E6 and mutant p53-transfected keratinocytes in reconstituted epidermis suggests that wild-type p53 inhibits cytokeratin 19 expression. 1994 , 107, 435-441	10

307	In vitro p53 and/or Rb antisense oligonucleotide treatment in association with growth factors induces the proliferation of peripheral hematopoietic progenitors. 1995 , 108, 1287-1293	7
306	Disrupting the Rb-Raf-1 interaction: a potential therapeutic target for cancer. 2008 , 21, 331-5	20
305	Aberrant expression of oncogenic and tumor-suppressive microRNAs in cervical cancer is required for cancer cell growth. 2008 , 3, e2557	536
304	Localisation of human papillomavirus 16 E7 oncoprotein changes with cell confluence. 2011 , 6, e21501	9
303	Sequence variation analysis of HPV-18 isolates in southwest China. 2013 , 8, e56614	9
302	Interferon-Induced microRNA-129-5p down-regulates HPV-18 E6 and E7 viral gene expression by targeting SP1 in cervical cancer cells. 2013 , 8, e81366	50
301	Mitotic Checkpoint Kinase Mps1 Has a Role in Normal Physiology which Impacts Clinical Utility. 2015 , 10, e0138616	20
300	Analysis of Sequence Variation and Risk Association of Human Papillomavirus 52 Variants Circulating in Korea. 2016 , 11, e0168178	6
299	Human papillomavirus type 16 E6 and NF1-123 mislocalize immune signaling proteins and downregulate immune gene expression in keratinocytes. 2017 , 12, e0187514	4
298	Association of an intact E2 gene with higher HPV viral load, higher viral oncogene expression, and improved clinical outcome in HPV16 positive head and neck squamous cell carcinoma. 2018 , 13, e0191581	11
297	KDM6A addiction of cervical carcinoma cell lines is triggered by E7 and mediated by p21CIP1 suppression of replication stress. 2017 , 13, e1006661	21
296	Roles of plant retinoblastoma protein: cell cycle and beyond. 2020 , 39, e105802	21
295	Human Papillomavirus Genotyping and p16(INK4a) Expression in Cervical Lesions: A Combined Test to Avoid Cervical Cancer Progression. 2016 , 21, 121-5	9
294	Role for retinoblastoma protein family members in UV-enhanced expression from the human cytomegalovirus immediate early promoters. 2003 , 77, 621-7	8
293	Immune response in cervical dysplasia induced by human papillomavirus: the influence of human immunodeficiency virus-1 co-infection -- review. 2005 , 100, 1-12	22
292	MAPRE1 Amplification Correlates with Immortalization in Human Papilloma Virus 16 E6/E7-Transfected Oral Keratinocytes. 2018 , 42, 23-32	1
291	Suppressive effect of microRNA-143 in retinoblastoma. 2016 , 9, 1584-1590	6
290	The mRNA decay factor tristetraprolin (TTP) induces senescence in human papillomavirus-transformed cervical cancer cells by targeting E6-AP ubiquitin ligase. 2009 , 1, 803-17	57

289	DEK associates with tumor stage and outcome in HPV16 positive oropharyngeal squamous cell carcinoma. 2017 , 8, 23414-23426	9
288	The head and neck cancer cell oncogenome: a platform for the development of precision molecular therapies. 2014 , 5, 8906-23	131
287	Cancerous inhibitor of protein phosphatase 2A contributes to human papillomavirus oncoprotein E7-induced cell proliferation via E2F1. 2015 , 6, 5253-62	13
286	NF-Y loss triggers p53 stabilization and apoptosis in HPV18-positive cells by affecting E6 transcription. 2016 , 7, 45901-45915	6
285	Human Papillomavirus 16 E6/E7 Transcript and E2 Gene Status in Patients with Cervical Neoplasia. 2004 , 8, 57	4
284	The p53-estrogen receptor loop in cancer. 2013 , 13, 1229-40	50
283	NFI is an essential positive transcription factor for human papillomavirus type 16 early gene expression. 2007 , 1, 33-8	5
282	Gankyrin Oncoprotein: Structure, Function, and Involvement in Cancer. 2010 , 4, 13-19	4
281	[Human papillomavirus and cervical cancer]. 2006 , 56, 219-30	3
280	Advances in genomic research on hepatitis C virus with a useful tool, replicon system. 2008 , 57, 75-83	5
279	In situ hybridization at light and electron microscopic levels: identification of human papillomavirus nucleic acids. 1992 , 24, 91-8	11
278	HPV DNA in oropharyngeal squamous cell cancers: comparison of results from four DNA detection methods. 1993 , 25, 138-43	12
277	Human Papillomavirus and Cellular Pathways: Hits and Targets. 2021 , 10,	2
276	RNA polymerase III transcription: its control by tumor suppressors and its deregulation by transforming agents. 2000 , 9, 15-28	32
275	Lack of correlation between p53 codon 72 polymorphism and anal cancer risk. 2009 , 15, 4566-70	3
274	Cancer stem cells in esophageal squamous cell cancer. 2019 , 18, 5022-5032	8
273	Immuno-chromatographic Analysis for HPV-16 and 18 E7 Proteins as a Biomarker of Cervical Cancer Caused by Human Papillomavirus. 2009 , 30, 2999-3005	3
272	Prevalence of the integration status for human papillomavirus 16 in esophageal carcinoma samples. 2018 , 29, 157-163	4

- 271 Efficacy of human papillomavirus vaccines including cross protection : A review of recent evidence. **2010**, 53, 103 11
- 270 Cervical cancer--what role for human papillomavirus?. **1992**, 156, 204-12 19
- 269 Immunohistochemical localization of cdc6 in squamous and glandular neoplasia of the uterine cervix. **2002**, 126, 1164-8 31
- 268 Molecular screening of compounds to the predicted Protein-Protein Interaction site of Rb1-E7 with p53- E6 in HPV. **2012**, 8, 607-12 14
- 267 Genomic Instability Induced By Human Papillomavirus Oncogenes. **2010**, 3, 43-47 23
- 266 Identification of HPV Integration and Genomic Patterns Delineating the Clinical Landscape of Cervical Cancer. **2015**, 16, 8041-5 1
- 265 The DREAM complex through its subunit Lin37 cooperates with Rb to initiate quiescence. **2017**, 6, 24
- 264 Immunohistochemical Detection of Human Papillomavirus 16 E7 Oncoprotein in Cervical Lesions. **2021**, 12, 7130-7137 1
- 263 National trends and survival outcomes of penile squamous cell carcinoma based on human papillomavirus status. **2021**, 10, 7466-7474 2
- 262 HPV16 E6 Promotes the Progression of HPV Infection-Associated Cervical Cancer by Upregulating Glucose-6-Phosphate Dehydrogenase Expression. **2021**, 11, 718781 0
- 261 Restoring the Cell Cycle and Proliferation Competence in Terminally Differentiated Skeletal Muscle Myotubes. **2021**, 10, 2
- 260 Marek's Disease Herpesvirus Transforming Protein MEQ: a c-Jun Analogue with an Alternative Life Style. **2000**, 51-64
- 259 HPV-Related Neoplasia in HIV Infection. **2000**, 209-222
- 258 Papillomaviruses in Human Cancers. **2000**, 245-261 0
- 257 Inhibition Of Vascular Endothelial Growth Factor (Vegf) And Stem- Cell Factor (Scf) Receptor Kinases As Therapeutic Targets For The Treatment Of Human Diseases. **2000**,
- 256 IMMORTALIZATION OF A HUMAN PROSTATE STROMAL CELL LINE USING A RECOMBINANT RETROVIRAL APPROACH. **2000**, 2145-2150
- 255 AIDS-Associated Malignancies. **2001**, 237-255
- 254 Regulation of the human papillomavirus oncoproteins by differential phosphorylation. **2001**, 137-144

253 Microarray Analysis of Human Papillomavirus Pathogenesis. **2002**, 25-38

252 Prospects for Tumor Suppressor Gene Therapy. **2002**, 97-122

251 Retinoblastoma Protein (Rb).

250 The Etiology of Cancer as an Infectious Disease. **2002**, 107-131

249 References. **2003**, 170-236

248 Papillomaviruses in Head and Neck Squamous Cell Carcinoma. **2003**, 151-I

247 Aerodigestive Tract Chemoprevention Trials and Prevention of Second Primary Tumors. **2003**, 271-285

246 DNA Vaccines. **2003**, 681-706

245 Human papillomavirus: the disease and prevention strategies. **2004**, 24, 2-5

1

244 Targeting Viral Antigens for the Treatment of Malignancies. **2004**, 49-64

243 Molecular Origins of Cancer. **2004**, 185-209

242 Zervixkarzinom. **2004**, 1113-1151

241 Human papillomaviruses and cervical lesions in the Italian population. **2004**, 4, 77-82

240 In Situ Gene Amplification and Hybridization Assays: Disease Monitoring Applications Using Flow Cytometry. **2006**, 222-230

239 In Vivo Models for the Study of Animal and Human Papillomaviruses. **2007**, 253-275

238 Human Papillomaviruses Infection. **2007**, 3, 170-178

237 Aspects virologiques et carcinologiques des papillomavirus humains HPV. **2007**, 191, 611-623

3

236 Cellular proteins that are targets for transformation by DNA tumour viruses. **1990**, 150, 262-71; discussion 271-8

5

235 Viruses and Human Cancer. **2008**, 153-169

234 Senescence Induced by Repression of Human Papillomavirus Oncogenes in Cervical Cancer Cells. **2008**, 209-222

233 A Comparison Between Cytological Method and PCR in the Diagnosis of HPV Infection Among Patients with Cervical Cancer. **2008**, 7, 798-802

3

232 Papillomavirus Transformation. **2009**, 105-126

231 The Life Cycle of Human Papillomaviruses. **2009**, 75-104

230 Infectious Diseases of the Head and Neck. **2008**, 1609-1715

1

229 Cervix: epidemiology of squamous neoplasia. **2009**, 173-188

228 Screening for molecular markers of cervical papillomavirus infection: overview of methods and their clinical implications. **2009**, 511, 297-310

2

227 Retinoblastoma. **2009**, 575-600

226 The Future of Vaccine Discovery and Development. **2010**, 375-385

225 Carcinogenesis and Carcinogens that are also Genotoxic.

224 Comparison of cell growth suppression in SiHa cervical carcinoma cell line by human papillomavirus type 16 E6/E7 siRNAs. **2010**, 53, 35

223 Adult Immunization in Women and Men. **2010**, 563-582

222 Pediatric Malignancies: Retinoblastoma and WilmsTumor. **2010**, 163-180

0

221 References. **2010**, 73-86

220 Viral Immunity and Persistence. **2011**, 383-404

219 Premalignant Lesions of the Penis. **2011**, 103-124

218 Human Papillomaviruses. **2011**, 1612-1623

- 217 Developmental History of HPV Prophylactic Vaccines. **2011**, 265-284
- 216 Human Papillomaviruses and Cancer. **2012**, 463-487
- 215 Human and Animal Retroviruses: HIV-1 Infection Is a Risk Factor for Malignancy. **2012**, 585-611
- 214 Viral Malignancies in HIV-Associated Immune Deficiency. **2012**, 819-851
- 213 Viral-Encoded Genes and Cancer. **2012**, 81-99 O
- 212 Anal Carcinoma. **2012**, 1017-1031
- 211 Proteins Encoded by the Human Papillomavirus Genome and Their Functions. **2012**, 17-47
- 210 HPV in Head and Neck Cancer: Epidemiology. **2012**, 23, 3-12
- 209 HPV in Head and Neck Cancer: Diagnosis. **2012**, 23, 17-26
- 208 Cancers of the Rectum and Anal Canal. **2013**, 141-171
- 207 An in vitro multistep carcinogenesis model for both HPV-positive and -negative human oral squamous cell carcinomas. **2013**, 59, 159-171 1
- 206 Pathology, Biomarkers, and Molecular Diagnostics. **2014**, 226-252.e6
- 205 MicroRNAs and Oncogenic Human Viruses. **2014**, 155-182
- 204 Human Papillomavirus: Pathogenesis and Host Immune Response. **2014**, 167-197
- 203 Mouse Antibodies to Carcinomas. **1990**, 95-108 1
- 202 Maintenance of cellular proliferation by adenovirus early region 1A in fibroblasts conditionally immortalized by using simian virus 40 large T antigen requires conserved region 1. **1990**, 10, 6664-6673 6
- 201 The Antibody Response to Human Papillomavirus. **1991**, 339-352
- 200 Papillomaviruses and Human Cancer. **1991**, 165-187

199 Growth Regulation of HPV-Positive Keratinocytes by TGF- β **1991**, 179-189

198 Carcinogen Metabolism in Immortalised Human Cells Grown as Hybrid Cells in Culture. **1991**, 355-365

197 Using the Papillomavirus E6/E7 Genes to Generate Well-Differentiated Epithelial Cell Lines. **1991**, 163-167

196 Retinoblastoma Gene: Mutations, Expression, and Putative Function. **1991**, 199-214

195 Papillomaviruses and Cervical Neoplasia. **1991**, 39-54

194 Transforming Growth Factor- β Regulation of Epithelial Proliferation. **1991**, 173-182

193 Retinoblastoma protein binding properties are dependent on 4 cysteine residues in the protein binding pocket.. **1992**, 267, 14846-14851 15

192 Identification of a 60-kilodalton Rb-binding protein, RBP60, that allows the Rb-E2F complex to bind DNA. **1992**, 12, 4327-4333 15

191 Human Papillomavirus and Malignant Transformation. **1993**, 207-243

190 ??????????(III). **1993**, 55, 1086-1091

189 Molecular Biology. **1994**, 1173-1198

188 Cell Cycle Targets of Viral Oncoproteins. **1994**, 91-97 1

187 Development of Serological Assays for Detection of ANTI-HPV-16 E6 and E7 Antibodies. **1994**, 125-132

186 Molecular Genetics of Retinoblastoma. **1994**, 197-215

185 Oncogenes and Tumor-Suppressor Genes in Gynecological Malignancies. **1995**, 111-138 1

184 DRTF1/E2F: A Molecular Switch in Cell Cycle Control. **1995**, 73-98

183 Molecular Biology of Virally-Induced Cell Transformation and Tumorigenesis. **1995**, 541-609

182 Respuesta humoral anti proteína E7 del virus del papiloma tipo 16 definida mediante el uso de péptidos sintéticos y proteína recombinante. **1995**, 46, 33-40

181 p16 Family Inhibitors of Cyclin-Dependent Kinases. **1996**, 57-82

180 Retinoblastoma gene in malignancy. **1996**, 84, 261-77

1

179 Neoplastic Transformation: Oncogenes, Tumor Suppressors, Cyclins, and Cyclin-Dependent Kinases. **1996**, 3-41

178 Adeno-associated virus based vectors as antivirals. **1996**, 218, 145-70

2

177 E6 Protein. **1997**, 71-102

1

176 References. **1997**, 215-326

175 Human Papillomaviruses and Cancer: A Retrospective. **1997**, 1-24

174 Krebsprävention durch Vakzination. **1998**, 201-217

173 Immune response to p53 and HPV-16 E6 proteins in patients with cervical cancer. **1998**, 8, 328-335

172 Gynecologic Cancers. **1999**, 199-210

171 Messenger RNA Metal Sensing: Iron-Responsive Element (IRE)-mRNA is a Metal-Sensitive Riboregulator. **2014**, 375-400

170 Beyond the Provirus: from Howard Temin's Insights on Rous Sarcoma Virus to the Study of Epstein-Barr Virus, the Prototypic Human Tumor Virus. 161-184

1

169 Targeting the PI3 K-mTOR Signaling Circuitry in HPV-Associated Oral Malignancies: Novel Precision Molecular Therapies. **2015**, 153-169

168 Biomarkers for Early Detection of Cervical Cancer. **2015**, 213-256

167 Human Papillomavirus Prevalence and Genotype Distribution in Normal and ASCUS Specimens: Comparison of a Reverse Blot Hybridization Assay with a DNA Chip Test. **2015**, 21, 32-39

3

166 Encyclopedia of Signaling Molecules. **2016**, 1-4

165 Premalignant Lesions of the Penis. **2016**, 115-131

164 Molecular Targeted Therapies in Head and Neck Cancer. **2016**, 349-372

- 163 Biomarkers in Head and Neck Cancer. **2016**, 149-162
- 162 Human Papillomavirus Type 16 Infection and Local Lymph Node Metastasis in Patients with Squamous Cell Carcinoma. **2016**, 25, 115-120
- 161 A Small Molecule Inhibitor Selectively Induces Apoptosis in Cells Transformed by High Risk Human Papilloma Viruses. **2016**, 11, e0155909 1
- 160 Distribution of Oncogenic Human Papillomavirus Genotypes at High Grade Cervical Lesions above CIN 2 Grade with Histological Diagnosis. **2016**, 22, 37-45 1
- 159 Retinoblastoma: Clinical and Molecular Perspectives. **2017**, 355-361
- 158 Viral Mechanisms in Human Carcinogenesis. **2017**, 297-306
- 157 Sexually Transmitted Infections in Males. **2017**, 459-475
- 156 Encyclopedia of Signaling Molecules. **2017**, 1-4
- 155 Molecular Pathology of Cervical Dysplasia and Carcinoma. **2017**, 253-278
- 154 The cell cycle gene regulatory DREAM complex is disrupted by high expression of oncogenic B-Myb.
- 153 Encyclopedia of Signaling Molecules. **2018**, 4642-4645
- 152 Computational Analysis of Dynamical Fluctuations of Oncoprotein E7 (HPV) for the Hot Spot Residue Identification Using Elastic Network Model.
- 151 PTPN14 Degradation by High-Risk Human Papillomavirus E7 Limits Keratinocyte Differentiation and Contributes to HPV-Mediated Oncogenesis.
- 150 Epidemiology and Pathogenesis of Anal Cancer. **2019**, 11-32 1
- 149 Squamous Cell Carcinoma of the Head and Neck. **2019**, 697-720 1
- 148 E5, the third oncogene of Papillomavirus. 100067
- 147 PAPILOMAVIRAL CARCINOGENESIS. MAJOR ACHIEVEMENTS AND CERTAIN CHALLENGES PART I. GENERAL NOTIONS OF PAPILOMAVIRUSES. HUMAN PAPILOMAVIRUSES-ASSOCIATED CANCERS. **2020**, 19, 6-12 3
- 146 Cancer biology and other disorders: beneficial role of camptothecin and novel derivatives. **2020**, 1-46

145	Viral Modulation of the DNA Damage Response and Innate Immunity: Two Sides of the Same Coin. 2021 , 167327	0
144	Overview of and Human Papillomavirus (HPV) Infection Agents and their Biomolecular Mechanisms in Promoting Oral Cancer in Pediatric Patients. 2021 , 2021, 7312611	7
143	Immunohistochemical Detection of early and late Human Papillomaviruses (HPV) proteins in Retinoblastoma tumors.	
142	E7 oncoprotein from human papillomavirus 16 alters claudins expression and the sealing of epithelial tight junctions. 2020 , 57, 905-924	0
141	Cervical Cancer. 1999 , 55-70	
140	Review of Molecular Techniques for Sexually Transmitted Diseases Diagnosis. 2006 , 353-386	1
139	RB as a Positive Transcriptional Regulator during Epithelial Differentiation. 2006 , 1-10	
138	Emerging Roles for the Retinoblastoma Gene Family. 2006 , 81-105	
137	Apoptosis in Carcinogenesis and Chemoherapy of the Uterine Cervix. 2009 , 51-73	1
136	Biologie, l'essentiel pour le clinicien. 2007 , 3-9	
135	PAPILLOMAVIRAL CARCINOGENESIS. SIGNIFICANT ACHIEVEMENTS AND SPECIFIC CHALLENGES. PART 3. THREE LEVELS OF CERVICAL CANCER PREVENTION AND TREATMENT. 2020 , 19, 6-11	1
134	Computational Analysis of Dynamical Fluctuations of Oncoprotein E7 (HPV 16) for the Hot Spot Residue Identification Using Elastic Network Model. 2020 , 17, 1393-1400	
133	HPV16 E7 oncoprotein deregulates B-myb expression: correlation with targeting of p107/E2F complexes. 1994 , 13, 871-8	34
132	Functional interaction between the HCMV IE2 transactivator and the retinoblastoma protein. 1994 , 13, 2897-903	91
131	Overexpression of E2F-1 in rat embryo fibroblasts leads to neoplastic transformation. 1994 , 13, 3329-38	49
130	Extensive contribution of Rb-deficient cells to adult chimeric mice with limited histopathological consequences. 1994 , 13, 4251-9	92
129	Developmental rescue of an embryonic-lethal mutation in the retinoblastoma gene in chimeric mice. 1994 , 13, 4260-8	85
128	Inhibition of apoptosis by the retinoblastoma gene product. 1995 , 14, 461-72	54

127	Complex formation of human papillomavirus E7 proteins with the retinoblastoma tumor suppressor gene product. 1989 , 8, 4099-105	433
126	HPV16 E6 and E7 proteins cooperate to immortalize human foreskin keratinocytes. 1989 , 8, 3905-10	315
125	Interactions of the p107 and Rb proteins with E2F during the cell proliferation response. 1993 , 12, 1013-20	96
124	HTLV-1 Tax protein interacts with cyclin-dependent kinase inhibitor p16INK4A and counteracts its inhibitory activity towards CDK4. 1996 , 15, 1607-14	79
123	The human papillomavirus type 16 E7 gene product interacts with and trans-activates the AP1 family of transcription factors. 1996 , 15, 1950-60	61
122	The Epstein-Barr virus bZIP transcription factor Zta causes G0/G1 cell cycle arrest through induction of cyclin-dependent kinase inhibitors. 1996 , 15, 2748-59	100
121	Dual mechanisms of repression of E2F1 activity by the retinoblastoma gene product. 1996 , 15, 5917-27	9
120	The rate of nuclear cytoplasmic protein transport is determined by the casein kinase II site flanking the nuclear localization sequence of the SV40 T-antigen. 1991 , 10, 633-9	126
119	Extinction of the HPV18 upstream regulatory region in cervical carcinoma cells after fusion with non-tumorigenic human keratinocytes under non-selective conditions. 1991 , 10, 1337-45	11
118	A cellular protein mediates association of p53 with the E6 oncoprotein of human papillomavirus types 16 or 18. 1991 , 10, 4129-35	314
117	The retinoblastoma protein is phosphorylated on multiple sites by human cdc2. 1991 , 10, 4279-90	130
116	The region of the HPV E7 oncoprotein homologous to adenovirus E1a and Sv40 large T antigen contains separate domains for Rb binding and casein kinase II phosphorylation. 1990 , 9, 153-60	121
115	The regions of the retinoblastoma protein needed for binding to adenovirus E1A or SV40 large T antigen are common sites for mutations. 1990 , 9, 1147-55	106
114	Two distinct and frequently mutated regions of retinoblastoma protein are required for binding to SV40 T antigen. 1990 , 9, 1815-22	74
113	Transcriptional activation by the papillomavirus E6 zinc finger oncoprotein. 1990 , 9, 1907-13	14
112	Targeted degradation of the retinoblastoma protein by human papillomavirus E7-E6 fusion proteins. 1992 , 11, 2425-31	31
111	Adenovirus E1a prevents the retinoblastoma gene product from repressing the activity of a cellular transcription factor. 1992 , 11, 2603-10	67
110	The BPV-1 E5 protein, the 16 kDa membrane pore-forming protein and the PDGF receptor exist in a complex that is dependent on hydrophobic transmembrane interactions. 1992 , 11, 4851-9	55

109	The transcriptional transactivation function of wild-type p53 is inhibited by SV40 large T-antigen and by HPV-16 E6 oncoprotein. 1992 , 11, 5013-20	129
108	Identification of a negative regulatory domain in the human papillomavirus type 18 promoter: interaction with the transcriptional repressor YY1. 1992 , 11, 4607-17	66
107	Transgenic models of retinoblastoma: what they tell us about its cause and treatment. 1994 , 92, 385-400; discussion 400-1	13
106	Trilateral retinoblastoma in transgenic mice. 1989 , 87, 301-22; discussion 322-6	12
105	An immunopathologic study of retinoblastoma protein. 1990 , 88, 51-61; discussion 61-2	2
104	Warts, cancer and ubiquitylation: lessons from the papillomaviruses. 2006 , 117, 113-26; discussion 126-7	17
103	Telomerase activation in cervical cancer. 1997 , 151, 25-31	41
102	Cytoplasmic sequestration of p53 in cytomegalovirus-infected human endothelial cells. 1996 , 149, 1531-9	57
101	Mutations of cell cycle regulators. Biological and clinical implications for human neoplasia. 1995 , 147, 545-60	317
100	Neuronal and glial properties of a murine transgenic retinoblastoma model. 1991 , 138, 1135-48	20
99	Evolution of in vitro transformation and tumorigenesis of HPV16 and HPV18 immortalized primary cervical epithelial cells. 1991 , 138, 1-8	72
98	Altered expression of proliferation and differentiation markers in human papillomavirus 16 and 18 immortalized epithelial cells grown in organotypic culture. 1992 , 140, 167-77	52
97	Epithelial cells immortalized by human papillomaviruses have premalignant characteristics in organotypic culture. 1991 , 138, 673-85	57
96	Nonradioactive RNA in situ hybridization detection of human papillomavirus 16-E7 transcripts in squamous cell carcinomas of the uterine cervix using confocal laser scan microscopy. 1991 , 139, 1037-45	31
95	Human papillomavirus infection and anal carcinoma. Retrospective analysis by in situ hybridization and the polymerase chain reaction. 1992 , 140, 1345-55	80
94	Expression of the L2 and E7 genes of the human papillomavirus type 16 in female genital dysplasias. 1992 , 141, 1217-24	10
93	Neuroepithelial carcinomas in mice transgenic with human papillomavirus type 16 E6/E7 ORFs. 1993 , 142, 1187-97	50
92	Expression of the retinoblastoma protein is regulated in normal human tissues. 1994 , 144, 500-10	58

91	Biomarkers in cervical cancer. 2007 , 1, 215-25	13
90	Targeting Rb inactivation in cancers by synthetic lethality. 2011 , 1, 773-86	12
89	An in vitro multistep carcinogenesis model for both HPV-positive and -negative human oral squamous cell carcinomas. 2011 , 1, 869-81	4
88	Establishment of a human conjunctival epithelial cell line lacking the functional TACSTD2 gene (an American Ophthalmological Society thesis). 2012 , 110, 166-77	5
87	Gordon Wilson Lecture: Infectious Disease Causes of Cancer: Opportunities for Prevention and Treatment. 2015 , 126, 117-32	8
86	The association of mammalian DREAM complex and HPV16 E7 proteins. 2015 , 5, 3525-33	7
85	Comparison Between Two Detection Methods for HPV16, HPV18 and P16Ink4a Biomarkers in Diagnosis of Abnormal Cervical Cytology. 2016 , 17, 5223-5227	2
84	Interactome analysis of gene expression profiles of cervical cancer reveals dysregulated mitotic gene clusters. 2017 , 9, 3048-3059	13
83	Human papillomavirus infection and its biomarkers' expressions in laryngeal basaloid squamous cell carcinoma. 2018 , 11, 5379-5386	
82	Molecular pathways in the development of HPV-induced cervical cancer. 2021 , 20, 320-337	5
81	The Association of Molecular Biomarkers in the Diagnosis of Cervical Pre-Cancer and Cancer and Risk Factors in Senegalese. 2020 , 21, 3221-3227	3
80	Rab31 promotes the invasion and metastasis of cervical cancer cells by inhibiting MAPK6 degradation.. 2022 , 18, 112-123	0
79	Salivary HPV Persistence Following Treatment of Oropharyngeal Squamous Cell Carcinoma. 2021 , 34894211055606	
78	Phthalocyanine and Its Formulations: A Promising Photosensitizer for Cervical Cancer Phototherapy.. 2021 , 13,	4
77	Cell cycle and cancer. 2000 , 2, 12-22	1
76	Papillomavirus vaccination for prevention and treatment of cervical carcinoma. 2001 , 3, 231-240	
75	Inmunotinci3 dual p16INK4a/ki-67 en citolog3 vaginal en medio l3quido. Prueba piloto de complemento diagn3stico.. 2020 , 61,	
74	The Association of Molecular Biomarkers in the Diagnosis of Cervical Pre-Cancer and Cancer and Risk Factors in Senegalese. 2020 , 21, 3221-3227	5

73	Subtyping of Human Papillomavirus-Positive Cervical Cancers Based on the Expression Profiles of 50 Genes.. 2022 , 13, 801639	0
72	HPV-associated oropharyngeal cancer: epidemiology, molecular biology and clinical management.. 2022 ,	22
71	Activating transcription factor 3 mediates apoptotic functions through a p53-independent pathway in human papillomavirus 18 infected HeLa cells.. 2022 , 58, 88	0
70	A small-molecule inhibitor of MDMX suppresses cervical cancer cells via the inhibition of E6-E6AP-p53 axis.. 2022 , 106128	1
69	Marek's disease herpesvirus transforming protein MEQ: a c-Jun analogue with an alternative life style. 2000 , 21, 51-64	21
68	Regulation of the human papillomavirus oncoproteins by differential phosphorylation. 2001 , 227, 137-44	6
67	Oncogenic Virus-Induced Oxidative Stress and Epigenetic Regulation: An Insight into Host DNA Methylation. 2022 , 1-26	
66	Understanding Retinoblastoma Post-Translational Regulation for the Design of Targeted Cancer Therapies.. 2022 , 14,	1
65	Human papillomavirus type 16 E6 induces cell competition.. 2022 , 18, e1010431	0
64	Interrelated Oncogenic Viruses and Breast Cancer.. 2022 , 9, 781111	1
63	HIV-1-Mediated Acceleration of Oncovirus-Related Non-AIDS-Defining Cancers.. 2022 , 10,	0
62	Significant growth inhibition by a bispecific affibody targeting oncoprotein E7 in both HPV16 and 18 positive cervical cancer in vitro and in vivo.. 2022 , 172, 106156	
61	Gastrointestinal tumors and infectious agents: A wide field to explore. 2021 , 9, 505-521	
60	Fused toes homolog, a potential molecular regulator of human papillomavirus type 16 E6 and E7 oncoproteins in cervical cancer.. 2022 , 17, e0266532	0
59	Presentation_1.pdf. 2019 ,	
58	Adoptive tumor infiltrating lymphocytes cell therapy for cervical cancer.. 2022 , 1-11	1
57	RNA-binding protein MEX3D promotes cervical carcinoma tumorigenesis by destabilizing TSC22D1 mRNA.. 2022 , 8, 250	1
56	Penile cancer: Updates in systemic therapy. 2022 ,	0

55	Advances in the Development of Ribozymes and Antisense Oligodeoxynucleotides as Antiviral Agents for Human Papillomaviruses. 2003 , 8, 265-278	17
54	Cervical and Vaginal Cytology. 2014 , 1-57	1
53	The Involvement of Human Papilloma Virus in Gastrointestinal Cancers. 2022 , 14, 2607	0
52	Post-translational modifications on the retinoblastoma protein. 2022 , 29,	1
51	ATM Pathway Is Essential for HPVPositive Human Cervical Cancer-Derived Cell Lines Viability and Proliferation. 2022 , 11, 637	0
50	Human papillomavirus targets the YAP1-LATS2 feedback loop to drive cervical cancer development.	0
49	Breast cancer association with oncogenic papillomaviruses: papillomaviral DNA detection in breast cancer cells. 2022 , 9, 10-22	1
48	Prophylactic and Therapeutic HPV Vaccines: Current Scenario and Perspectives. 12,	1
47	Immune-based therapies in penile cancer.	1
46	Novel Systemic Treatment Modalities including Immunotherapy and Molecular Targeted Therapy for Recurrent and Metastatic head and Neck Squamous Cell Carcinoma. 2022 , 23, 7889	2
45	Coordinating gene expression during the cell cycle. 2022 ,	5
44	SV40T/E6E7-Induced Proliferation Is Involved in the Activity of E2F3 in Bovine Mammary Epithelial Cells. 2022 , 12, 1790	0
43	ZER1 contributes to the carcinogenic activity of high-risk HPV E7 proteins.	
42	High prevalence of p16 staining in malignant tumors. 2022 , 17, e0262877	3
41	Human papillomaviruses sensitize cells to DNA damage induced apoptosis by targeting the innate immune sensor cGAS. 2022 , 18, e1010725	0
40	Harnessing Human PapillomavirusNatural Tropism to Target Tumors. 2022 , 14, 1656	0
39	Systematic analysis of IL-1 cytokine signaling suppression by high-risk HPV oncoproteins.	
38	Novel insights into RB1 mutation. 2022 , 547, 215870	0

- 37 HPV and head and neck cancers: Towards early diagnosis and prevention. **2022**, 14, 200245 0
- 36 An overview of HPV: Causes, symptoms, and clinical manifestations. **2022**, 1-19 0
- 35 Oncogenic Virus-Induced Oxidative Stress and Epigenetic Regulation: An Insight into Host DNA Methylation. **2022**, 1639-1664 0
- 34 Quantum MicroRNA Surveillance Against Cancer: Parallel Dimensional Analysis of Integrated Networks by Quantum MicroRNA Language in Female Genital Neoplasms. **2022**, 3
- 33 Overcoming the Impact of Hypoxia in Driving Radiotherapy Resistance in Head and Neck Squamous Cell Carcinoma. **2022**, 14, 4130 0
- 32 Molecular Mechanisms of MmuPV1 E6 and E7 and Implications for Human Disease. **2022**, 14, 2138 0
- 31 Direct Comparison of HPV16 Viral Genomic Integration, Copy Loss, and Structural Variants in Oropharyngeal and Uterine Cervical Cancers Reveal Distinct Relationships to E2 Disruption and Somatic Alteration. **2022**, 14, 4488 0
- 30 Aurora Kinases as Therapeutic Targets in Head and Neck Cancer. **2022**, 28, 387-400 1
- 29 Exploitation of ATP-sensitive potassium ion (KATP) channels by HPV promotes cervical cancer cell proliferation by contributing to MAPK/AP-1 signalling. 0
- 28 Human Papillomavirus Oncoproteins Confer Sensitivity to Cisplatin by Interfering with Epidermal Growth Factor Receptor Nuclear Trafficking Related to More Favorable Clinical Survival Outcomes in Non-Small Cell Lung Cancer. **2022**, 14, 5333 0
- 27 Human Papillomavirus Infection and Oropharyngeal and Gastrointestinal Cancers: A Causal Relationship?. **2022**, 10, 94 0
- 26 Human papillomavirus 42 drives digital papillary adenocarcinoma and elicits a germ-cell like program conserved in HPV-positive cancers. 1
- 25 HPV-16 E7 Interacts with the Endocytic Machinery via the AP2 Adaptor β Subunit. 0
- 24 HPV 16 E7 alters translesion synthesis signaling. **2022**, 19, 0
- 23 Systematic Analysis of IL-1 Cytokine Signaling Suppression by HPV16 Oncoproteins. 0
- 22 ZER1 Contributes to the Carcinogenic Activity of High-Risk HPV E7 Proteins. 0
- 21 DNA virus oncoprotein HPV18 E7 selectively antagonizes cGAS-STING-triggered innate immune activation. 0
- 20 Evolution of SLiM-mediated hijack functions in intrinsically disordered viral proteins. **2022**, 66, 945-958 1

- 19 Global research trends in penile cancer: Bibliometric and visualized analysis. 12, ○
- 18 Diagnosis and screening for anal intraepithelial neoplasia in Belgium: position statement. **2022**, 85, 625-631 ○
- 17 Retinoblastoma Protein Is Required for Epstein-Barr Virus Replication in Differentiated Epithelia. ○
- 16 Human papillomaviruses and their carcinogens effect. **2023**, 281-296 ○
- 15 Mechanism of cell cycle regulation and cell proliferation during human viral infection. **2023**, ○
- 14 MmuPV1 E7 β interaction with PTPN14 delays Epithelial differentiation and contributes to virus-induced skin disease. **2023**, 19, e1011215 ○
- 13 Bacterial Species from Vaginal Microbiota Differently Affect the Production of the E6 and E7 Oncoproteins and of p53 and p-Rb Oncosuppressors in HPV16-Infected Cells. **2023**, 24, 7173 ○
- 12 Mechanical profile of human keratinocytes expressing HPV-18 oncogenes. **2023**, 657, 86-91 ○
- 11 Genomic coevolution of papillomavirus and immune system in placental mammals indicates the role of IFN- γ in the emergence of new variants. ○
- 10 MAML1-induced HPV E6 oncoprotein stability is required for cellular proliferation and migration of cervical tumor-derived cells. **2023**, 95, ○
- 9 Molecular Screening for High-Risk Human Papillomaviruses in Patients with Periodontitis. **2023**, 15, 809 ○
- 8 High-risk HPV prevalence and genotype distribution among women in Liaocheng, Shandong Province, China from 2016 to 2022. 11, ○
- 7 Breast cancer association with oncogenic papillomaviruses: arguments pro and con. **2023**, 10, 18-24 ○
- 6 Unexpected heterogeneity in oropharyngeal squamous cell tumors. **2023**, 55, 534-535 ○
- 5 Retrovirus-Mediated Oncogene Transfer into Neural Transplants. **1991**, 2, 47-59 2
- 4 Homogenous TP53^{mut}-associated tumor biology across mutation and cancer types revealed by transcriptome analysis. **2023**, 9, ○
- 3 Therapeutic efficacy of a VSV-GP-based human papilloma virus vaccine in a murine cancer model. **2023**, 168096 ○
- 2 Drug targeting PIWI like protein-piRNA complex, a novel paradigm in the therapeutic framework of retinoblastoma. **2023**, 329-386 ○

- 1 HPV E6 promotes cell proliferation of cervical cancer cell by accelerating accumulation of RBM15 dependently of autophagy inhibition.

o