

FACTORS GOVERNING PATTERNS OF FORAGING ACTIVITY OF MOLLUSCS

Journal of Molluscan Studies

55, 273-284

DOI: [10.1093/mollus/55.2.273](https://doi.org/10.1093/mollus/55.2.273)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Scraping a living: a review of littorinid grazing. <i>Hydrobiologia</i> , 1990, 193, 117-138.	1.0	100
2	Preliminary observations on factors affecting foraging activity in the limpet <i>Patella vulgata</i> . <i>Journal of the Marine Biological Association of the United Kingdom</i> , 1990, 70, 181-195.	0.4	24
3	Scraping a living: a review of littorinid grazing. , 1990, , 117-138.		6
4	MUCUS PRODUCTION AND PHYSIOLOGICAL ENERGETICS IN PATELLA VULGATA L.. <i>Journal of Molluscan Studies</i> , 1990, 56, 499-503.	0.4	65
5	The role of herbivory and desiccation on early successional patterns of intertidal macroalgae in southern Chile. <i>Journal of Experimental Marine Biology and Ecology</i> , 1990, 139, 221-230.	0.7	24
6	Temporal organization of foraging in two Mediterranean limpets, <i>Patella rustica</i> L. and <i>P. coerulea</i> L.. <i>Journal of Experimental Marine Biology and Ecology</i> , 1991, 153, 75-85.	0.7	34
7	A Motographic Analysis of Foraging Behaviour in Intertidal Chitons (<i>Acanthopleura</i> Spp.). <i>Journal of the Marine Biological Association of the United Kingdom</i> , 1991, 71, 759-769.	0.4	6
8	Time Partitioning of Foraging in the Limpet <i>Patella vulgata</i> . <i>Journal of Animal Ecology</i> , 1991, 60, 563.	1.3	39
9	Heavy metals in seawater: Effects on limpet pedal mucus production. <i>Water Research</i> , 1992, 26, 1691-1693.	5.3	14
10	Pedal mucus and its influence on the microbial food supply of two intertidal gastropods, <i>Patella vulgata</i> L. and <i>Littorina littorea</i> (L.). <i>Journal of Experimental Marine Biology and Ecology</i> , 1992, 161, 57-77.	0.7	45
11	Evaluation of Methods for Chlorophyll Estimation of Littoral Epilithic Microalgae. <i>Benthos Research</i> , 1993, 1993, 45-55.	0.2	1
12	Homing pattern, activity area and trail following of the high shore Mediterranean limpet <i>Patella rustica</i> L. (Mollusca Gastropoda). <i>Ethology Ecology and Evolution</i> , 1994, 6, 65-73.	0.6	10
13	Long term field actography to assess the timing of foraging excursions in the limpet <i>Patella vulgata</i> L. <i>Journal of Experimental Marine Biology and Ecology</i> , 1994, 178, 193-203.	0.7	27
14	COUPLING MOTOGRAPHIC AND SONOGRAPHIC RECORDING TO ASSESS FORAGING BEHAVIOUR OF PATELLA VULGATA. <i>Journal of Molluscan Studies</i> , 1994, 60, 123-128.	0.4	25
15	FORAGING AND SPAWNING RHYTHMS OF THE PULMONATE LIMPET SIPHONARIA SIRIUS (PILSBRY): SWITCHING OF ACTIVITY PERIOD BY A DIURNAL FORAGER. <i>Journal of Molluscan Studies</i> , 1995, 61, 275-288.	0.4	12
16	Body-size variation exhibited by an intertidal limpet: Influence of wave exposure, tidal height and migratory behavior. <i>Journal of Experimental Marine Biology and Ecology</i> , 1995, 189, 29-45.	0.7	31
17	Size-Related Functional and Energetic Constraints in the Foraging of the Limpet <i>Patella vulgata</i> (Mollusca, Gastropoda). <i>Functional Ecology</i> , 1995, 9, 551.	1.7	13
18	Energy Maximization Vs. Time Minimization in the Foraging of the Limpet <i>Patella vulgata</i> . <i>Journal of Animal Ecology</i> , 1996, 65, 599.	1.3	13

#	ARTICLE	IF	CITATIONS
19	Biotic interactions in the colonization of crustose coralline algae by epiphytes. <i>Journal of Experimental Marine Biology and Ecology</i> , 1996, 199, 303-318.	0.7	38
20	TEMPORAL VARIATION IN FORAGING BEHAVIOUR OF PATELLA GRANULARIS (PATELLOGASTROPODA) AND SIPHONARIA CONCINNA (BASOMMATOPHORA) ON A SOUTH AFRICAN SHORE. <i>Journal of Molluscan Studies</i> , 1997, 63, 121-130.	0.4	24
21	Variation in foraging activity of <i>Acanthochitona garnoti</i> (Mollusca: Polyplacophora) from different habitats. <i>South African Journal of Zoology</i> , 1997, 32, 59-63.	0.5	3
22	Foraging and homing behaviour in the high-shore, crevice-dwelling limpet <i>Helcion pectunculus</i> (Prosobranchia: Patellidae). <i>Marine Biology</i> , 1998, 132, 283-294.	0.7	18
23	A satiation model for the temporal organization of grazing in limpets. <i>Functional Ecology</i> , 1998, 12, 203-210.	1.7	14
24	Mucus from Marine Molluscs. <i>Advances in Marine Biology</i> , 1998, 34, 1-71.	0.7	154
25	Endogenous rhythms of locomotor activity in the high-shore limpet, <i>Helcion pectunculus</i> (Patellogastropoda). <i>Animal Behaviour</i> , 1999, 57, 387-391.	0.8	27
26	A field technique for estimating the influence of surface complexity on movement tortuosity in the tropical limpet <i>Cellana grata</i> Gould. <i>Ophelia</i> , 1999, 50, 215-224.	0.3	33
27	Activity Patterns and Habitat Preferences of Two Herbivorous Gastropods (<i>Gibbula umbilicaris</i> and <i>Tectarius</i>) in the Eastern Pacific. <i>Journal of Experimental Marine Biology and Ecology</i> , 1999, 54, 71-80.	0.2	4
28	Preliminary observations on the timing and geometry of foraging activity in the intertidal pulmonate limpet <i>Siphonaria pectinata</i> . <i>Journal of the Marine Biological Association of the United Kingdom</i> , 1999, 79, 459-465.	0.4	3
29	Foraging in the limpet <i>Patella vulgata</i> : the influence of rock slope on the timing of activity. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 1999, 79, 881-890.	0.4	34
30	A state-dependent model of activity patterns in homing limpets: balancing energy returns and mortality risks under constraints on digestion. <i>Journal of Animal Ecology</i> , 2000, 69, 290-300.	1.3	22
31	A Bibliography for Bioeconomics. <i>Journal of Bioeconomics</i> , 2000, 2, 233-270.	1.5	8
32	Temporal and spatial activity of the key-hole limpet <i>Fissurella crassa</i> (Mollusca: Gastropoda) in the eastern Pacific. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2001, 81, 485-490.	0.4	13
33	Automatic telemetry to monitor the activity of limpets and sea level oscillations. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2001, 81, 699-700.	0.4	4
34	FORAGING ACTIVITY OF HELCION PRUINOSUS (PATELLOGASTROPODA) ON A SOUTH AFRICAN BOULDER SHORE. <i>Journal of Molluscan Studies</i> , 2001, 67, 59-68.	0.4	5
35	LOCOMOTOR ACTIVITY PATTERNS OF THE MANGROVE LITTORINIDS, <i>LITTORARIA ARDOUINIANA</i> AND <i>L. MELANOSTOMA</i> , IN HONG KONG. <i>Journal of Molluscan Studies</i> , 2002, 68, 235-241.	0.4	10
36	ESCAPE RESPONSES OF INTERTIDAL GASTROPODS ON A SUBTROPICAL ROCKY SHORE IN HONG KONG. <i>Journal of Molluscan Studies</i> , 2002, 68, 297-306.	0.4	13

#	ARTICLE	IF	CITATIONS
37	Feeding rates of continually submerged <i>Hydrobia ulvae</i> vary during the daylight hours. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2003, 83, 1273-1275.	0.4	13
38	THE IMPORTANCE OF A CREVICE ENVIRONMENT TO THE LIMPET <i>HELCION PECTUNCULUS</i> (PATELLIDAE). <i>Journal of Molluscan Studies</i> , 2004, 70, 67-72.	0.4	18
39	Activity and shelter use of an intertidal snail: effects of sex, reproductive condition and tidal cycle. <i>Journal of Experimental Marine Biology and Ecology</i> , 2004, 301, 175-191.	0.7	32
40	Chemistry and biology of maculalactone A from the marine cyanobacterium <i>Kyrtuthrix maculans</i> . <i>Phytochemistry Reviews</i> , 2004, 3, 381-400.	3.1	25
41	Intra-specific variability in the temporal organisation of foraging activity in the limpet <i>Patella vulgata</i> . <i>Marine Biology</i> , 2004, 144, 1165-1172.	0.7	28
42	Intertidal assemblages on artificial and natural habitats in marinas on the north-west coast of Italy. <i>Marine Biology</i> , 2004, 145, 381.	0.7	132
43	Mechanisms and consequences of competition between an alien mussel, <i>Mytilus galloprovincialis</i> , and an indigenous limpet, <i>Scutellastra argenvillei</i> . <i>Journal of Experimental Marine Biology and Ecology</i> , 2005, 317, 127-142.	0.7	46
44	Spatial patchiness of epilithic biofilm caused by refuge-inhabiting high shore gastropods. <i>Hydrobiologia</i> , 2005, 545, 279-287.	1.0	25
45	Variation In Abundance And Size-Structure Of Populations Of The Small Chiton, <i>Acanthochitona Retrojecta</i> . <i>Journal of Molluscan Studies</i> , 2005, 71, 145-151.	0.4	6
46	Intra-specific variability in the temporal organisation of foraging of the limpet <i>Patella caerulea</i> on mesotidal shores. <i>Ethology Ecology and Evolution</i> , 2005, 17, 64-75.	0.6	10
47	Variation in feeding rate of the intertidal mudsnail <i>Hydrobia ulvae</i> in relation to the tidal cycle. <i>Marine Ecology</i> , 2006, 27, 154-159.	0.4	11
48	Movement patterns of the limpet <i>Cellana grata</i> (Gould) observed over a continuous period through a changing tidal regime. <i>Marine Biology</i> , 2006, 149, 775-787.	0.7	30
49	Using magneto-resistive sensors to monitor animal behaviour: a case study using limpets. , 2007, , .		1
50	Diet of <i>Littoraria scabra</i> , while vertically migrating on mangrove trees: Gut content, fatty acid, and stable isotope analyses. <i>Estuarine, Coastal and Shelf Science</i> , 2008, 79, 718-726.	0.9	40
51	Seasonal activity and foraging behaviour of the endangered limpet <i>Patella ferruginea</i> . <i>Ethology Ecology and Evolution</i> , 2008, 20, 173-181.	0.6	10
52	Variability in the diurnal stress protein (Hsp70) cycle in tropical chitons (<i>Acanthopleura</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 10 T 5 <i>Marine and Freshwater Behaviour and Physiology</i> , 2008, 41, 229-239.	0.4	2
53	Grazing dynamics in intertidal rockpools: Connectivity of microhabitats. <i>Journal of Experimental Marine Biology and Ecology</i> , 2009, 370, 9-17.	0.7	36
54	Knowing when to stop: Rhythms of locomotor activity in the high-shore limpet, <i>Cellana grata</i> Gould. <i>Journal of Experimental Marine Biology and Ecology</i> , 2010, 391, 125-130.	0.7	10

#	ARTICLE	IF	CITATIONS
55	Distribution and activity patterns in an intertidal grazer assemblage: influence of temporal and spatial organization on interspecific associations. <i>Marine Ecology - Progress Series</i> , 2011, 431, 119-136.	0.9	40
56	Behavior and microhabitat selection of the tortoiseshell limpet <i>Testudinalia testudinalis</i> in the northwest Atlantic intertidal zone. <i>Journal of Experimental Marine Biology and Ecology</i> , 2011, 407, 234-240.	0.7	3
57	Distribution, habitat preferences and behaviour of the critically endangered Maltese top-shell <i>Gibbula nivosa</i> (Gastropoda: Trochidae). <i>Marine Biology</i> , 2011, 158, 603-611.	0.7	10
58	Plasticity in the temporal organization of behaviour in the limpet <i>Cellana grata</i> . <i>Marine Biology</i> , 2011, 158, 1377-1386.	0.7	14
59	Combining gut fluorescence technique and spatial analysis to determine <i>Littorina littorea</i> grazing dynamics in nutrient-enriched and nutrient-unenriched littoral mesocosms. <i>Marine Biology</i> , 2012, 159, 837-852.	0.7	23
60	Misinterpreting the potential benefits of aggregation for reducing desiccation in the intertidal: a simple analogy. <i>Marine Ecology</i> , 2012, 33, 512-515.	0.4	6
61	Aerial and underwater metabolism of <i>Patella vulgata</i> L.: comparison of three intertidal levels. <i>Hydrobiologia</i> , 2013, 702, 241-253.	1.0	8
62	Temporal shifts in motion behaviour and habitat use in an intertidal gastropod. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2013, 93, 1025-1034.	0.4	9
63	Predicting ecological regime shift under climate change: New modelling techniques and potential of molecular-based approaches. <i>Environmental Epigenetics</i> , 2013, 59, 403-417.	0.9	5
64	Temporal determinants of grazing activity in the Mediterranean limpet <i>Patella caerulea</i> . <i>Ethology Ecology and Evolution</i> , 2013, 25, 388-399.	0.6	5
65	Influence of Natural Thermal Gradients on Whole Animal Rates of Protein Synthesis in Marine Gammarid Amphipods. <i>PLoS ONE</i> , 2013, 8, e60050.	1.1	15
66	What drives foraging behaviour of the intertidal limpet <i>Cellana grata</i> ? A quantitative test of a dynamic optimization model. <i>Functional Ecology</i> , 2014, 28, 963-972.	1.7	9
67	A geographic comparison of the resting site fidelity behaviour in an intertidal limpet: Correlation with biological and physical factors. <i>Journal of Sea Research</i> , 2014, 89, 23-29.	0.6	8
68	Circadian behaviour of <i>Tectus (Trochus) niloticus</i> in the southwest Pacific inferred from accelerometry. <i>Movement Ecology</i> , 2015, 3, 26.	1.3	6
69	The smell of sex: water-borne and air-borne sex pheromones in the intertidal gastropod <i>Littorina littorea</i> . <i>Journal of Molluscan Studies</i> , 2015, 81, 96-103.	0.4	6
70	Differences in feeding adaptations in intertidal and subtidal suspension-feeding gastropods: studies on <i>Crepidula fornicata</i> and <i>Crepidipatella peruviana</i> . <i>Marine Biology</i> , 2015, 162, 1047-1059.	0.7	10
71	Lessons from a limpet: modelling decisions of central place foragers. <i>Ethology Ecology and Evolution</i> , 2015, 27, 29-41.	0.6	1
72	What and when to eat? Investigating the feeding habits of an intertidal herbivorous starfish. <i>Marine Biology</i> , 2016, 163, 1.	0.7	11

#	ARTICLE	IF	CITATIONS
73	Feeding dynamics of <i>Terebralia palustris</i> (Gastropoda: Potamididae) from a subtropical mangrove ecosystem. <i>Molluscan Research</i> , 2017, 37, 258-267.	0.2	7
74	Radio tracking detects behavioral thermoregulation at a snail's pace. <i>Journal of Experimental Marine Biology and Ecology</i> , 2018, 499, 17-25.	0.7	11
75	Genetic and morpho-physiological differentiation in a limpet population across an intertidal gradient. <i>Helgoland Marine Research</i> , 2018, 72, .	1.3	4
76	Influence of respiratory mode on the thermal tolerance of intertidal limpets. <i>PLoS ONE</i> , 2018, 13, e0203555.	1.1	3
77	Barnacle cover modifies foraging behaviour of the intertidal limpet <i>Patella vulgata</i> . <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2019, 99, 1779-1786.	0.4	5
78	Communities and Attachment Networks Associated with Primary, Secondary and Alternative Foundation Species; A Case Study of Stressed and Disturbed Stands of Southern Bull Kelp. <i>Diversity</i> , 2019, 11, 56.	0.7	28
79	Feeding behaviour of <i>Patella caerulea</i> L. and <i>P. rustica</i> L. under spring and neap simulated tides. An innovative approach for quick quantification of grazing activity. <i>Ethology Ecology and Evolution</i> , 2019, 31, 283-292.	0.6	2
80	Snail leaps and bounds: drivers of the diel movement pattern of a large invertebrate, the Caribbean queen conch (<i>Lobatus gigas</i>), in a marginal inshore habitat. <i>Canadian Journal of Zoology</i> , 2019, 97, 436-445.	0.4	12
81	On the timing and duration of foraging in <i>Onchidella celtica</i> . <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2019, 99, 411-419.	0.4	1
82	Preferred temperature of intertidal ectotherms: Broad patterns and methodological approaches. <i>Journal of Thermal Biology</i> , 2020, 87, 102468.	1.1	18
83	Timing Metabolic Depression: Predicting Thermal Stress in Extreme Intertidal Environments. <i>American Naturalist</i> , 2020, 196, 501-511.	1.0	32
84	Handling the heat: Responses of two congeneric limpet species to environmental temperature differences. <i>Journal of Experimental Marine Biology and Ecology</i> , 2021, 536, 151500.	0.7	2
85	Behavioural plasticity in the monsoonal tropics: implications for thermoregulatory traits in sandy shore crabs. <i>Behavioral Ecology and Sociobiology</i> , 2021, 75, 1.	0.6	2
86	Migratory speed and pattern of <i>Littorina scabra</i> on mangrove trees <i>Sonneratia alba</i> during incoming and outgoing tides in Tanjung Tiram, Ambon Bay. <i>IOP Conference Series: Earth and Environmental Science</i> , 2021, 777, 012014.	0.2	0
87	Considerations When Applying the Consumer Functional Response Measured Under Artificial Conditions. <i>Frontiers in Ecology and Evolution</i> , 2021, 9, .	1.1	19
88	Tidal cues reduce thermal risk of climate change in a foraging marine snail. <i>Climate Change Ecology</i> , 2021, 1, 100003.	0.9	5
89	Small-scale temporal and spatial variability in foraging behaviour of the mid-shore gastropod <i>Nerita yoldii</i> on seasonal, tropical, rocky shores. <i>Aquatic Biology</i> , 2012, 16, 177-188.	0.5	6
90	Bioeconomics of foraging route selection by limpets. <i>Marine Ecology - Progress Series</i> , 2004, 280, 189-198.	0.9	4

#	ARTICLE	IF	CITATIONS
91	Patterns of movement of the limpet <i>Cellana tramoserica</i> on rocky shores and retaining seawalls. <i>Marine Ecology - Progress Series</i> , 2004, 281, 121-129.	0.9	26
92	Explaining variation in life-history traits: growth rate, size, and fecundity in a marine snail across an environmental gradient lacking predators. <i>Marine Ecology - Progress Series</i> , 2005, 296, 229-239.	0.9	32
93	Influence of water motion and reproductive attributes on movement and shelter use in the marine snail <i>Littorina saxatilis</i> . <i>Marine Ecology - Progress Series</i> , 2006, 315, 177-186.	0.9	16
94	The first observations of <i>Ischnochiton</i> (Mollusca, Polyplacophora) movement behaviour, with comparison between habitats differing in complexity. <i>PeerJ</i> , 2017, 5, e4180.	0.9	2
96	Why are "suboptimal" temperatures preferred in a tropical intertidal ectotherm?. <i>Journal of Animal Ecology</i> , 2022, 91, 1400-1415.	1.3	3
97	Factors affecting variability of foraging excursions in a population of the limpet <i>Patella vulgata</i> (Mollusca, Gastropoda). <i>Marine Biology</i> , 1995, 122, 265-270.	0.7	21
99	Foraging in heterogeneous landscapes: variation in movement patterns of a tropical sand-bubbler crab. <i>Behavioral Ecology</i> , 0, , .	1.0	1