

# Characterizing Macropores in Soil by Computed Tomog

Soil Science Society of America Journal

53, 653-660

DOI: [10.2136/sssaj1989.03615995005300030001x](https://doi.org/10.2136/sssaj1989.03615995005300030001x)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Measurement of soil water content. International Journal of Remote Sensing, 1990, 5, 263-279.	1.0	21
2	Methods for assessing the effects of biota on soil structure. Agriculture, Ecosystems and Environment, 1991, 34, 279-303.	5.3	118
3	Soil pipe contribution to steady subsurface stormflow. Hydrological Processes, 1991, 5, 329-344.	2.6	39
4	A non-destructive method for the morphological assessment of earthworm burrow systems in three dimensions by X-ray computed tomography. Biology and Fertility of Soils, 1991, 11, 88-92.	4.3	79
5	Influence of Soil Macroporosity on Environmental Quality. Advances in Agronomy, 1991, , 1-37.	5.2	189
6	Applying X-ray CT to measure macropore diameters in undisturbed soil cores. Geoderma, 1992, 53, 329-340.	5.1	93
7	Influence of aggregate size on solute transport as measured using computed tomography. Geoderma, 1992, 53, 387-398.	5.1	33
8	Microscopic observation of a NAPL in a three-fluid-phase soil system. Journal of Contaminant Hydrology, 1993, 12, 217-226.	3.3	31
9	Earthworm burrow system development assessed by means of X-ray computed tomography. Geoderma, 1993, 56, 209-221.	5.1	64
10	Gas, water and solute transport in soils containing macropores: a review of methodology. Geoderma, 1993, 57, 31-49.	5.1	29
11	Nondestructive measurements of fracture aperture in crystalline rock cores using X ray computed tomography. Journal of Geophysical Research, 1993, 98, 1889-1900.	3.3	198
12	Accuracy of gamma ray computerized tomography in porous media. Water Resources Research, 1993, 29, 479-486.	4.2	22
13	Use of Computer-Assisted Tomography in Studying Water Movement Around Plant Roots. Advances in Agronomy, 1993, 49, 1-54.	5.2	62
14	Description of microcrack orientation in a clayey soil using image analysis. Developments in Soil Science, 1993, , 549-557.	0.5	5
15	Earthworm burrow system development assessed by means of X-ray computed tomography. , 1993, , 209-221.		2
16	Fractal dimension to describe soil macropore structure using X ray computed tomography. Water Resources Research, 1994, 30, 691-700.	4.2	88
17	Hydric properties of some Spanish soils in relation to their rock fragment content: implications for runoff and vegetation. Catena, 1994, 23, 73-85.	5.0	36
18	The relation between the moisture-release curve and the structure of soil. European Journal of Soil Science, 1995, 46, 369-375.	3.9	89

#	ARTICLE	IF	CITATIONS
19	Characterization of Preferential Flow Paths in Compacted Sand-Clay Mixtures. <i>Journal of Geotechnical Engineering</i> , 1995, 121, 652-659.	0.4	4
20	Principles of computerised X-ray tomography and applications to building materials. <i>Science of the Total Environment</i> , 1995, 167, 161-170.	8.0	26
21	Computed tomography as a tool for non-destructive analysis of flow patterns in macroporous clay soils. <i>Geoderma</i> , 1995, 64, 183-196.	5.1	80
22	Photoluminescent volumetric imaging: A technique for the exploration of multiphase flow and transport in porous media. <i>Geophysical Research Letters</i> , 1995, 22, 425-428.	4.0	71
23	Macroscopic representation of structural geometry for simulating water and solute movement in dual-porosity media. <i>Advances in Water Resources</i> , 1996, 19, 343-357.	3.8	200
24	Spatial heterogeneity of soil water around single roots: use of CT-scanning to predict fungal growth in the rhizosphere. <i>New Phytologist</i> , 1996, 133, 261-272.	7.3	28
25	Röntgencomputertomographischer vergleich von lagerungsdichte und makroporosität zwischen lysimetern und herkunftsfäche. <i>Archives of Agronomy and Soil Science</i> , 1996, 40, 473-484.	2.6	0
26	Physical Nonequilibrium Modeling Approaches to Solute Transport in Soils. <i>Advances in Agronomy</i> , 1996, , 95-150.	5.2	27
27	New piecewise-continuous hydraulic functions for modeling preferential flow in an intermittent-flood-irrigated field. <i>Water Resources Research</i> , 1997, 33, 2049-2063.	4.2	126
28	Computer-assisted tomography of macroporosity and its application to study the activity of the earthworm <i>Aporrectodea nocturna</i> . <i>European Journal of Soil Science</i> , 1997, 48, 727-737.	3.9	13
29	Assessment of the burrow system of <i>Lumbricus terrestris</i> , <i>Aporrectodea giardi</i> , and <i>Aporrectodea caliginosa</i> using X-ray computed tomography. <i>Biology and Fertility of Soils</i> , 1997, 26, 116-121.	4.3	21
30	3D skeleton reconstructions of natural earthworm burrow systems using CAT scan images of soil cores. <i>Biology and Fertility of Soils</i> , 1998, 27, 51-59.	4.3	94
31	Soil structure evaluated by gamma-ray attenuation. All the authors except M.M. Coimbra are CNPq fellows. <i>Soil and Tillage Research</i> , 1998, 48, 127-133.	5.6	25
32	CHARACTERIZATION OF MACROPORE MORPHOLOGY IN A SANDY LOAM SOIL USING X-RAY COMPUTER ASSISTED TOMOGRAPHY AND GEOSTATISTICAL ANALYSIS. <i>Canadian Water Resources Journal</i> , 1998, 23, 143-165.	1.2	12
33	Toward an improved understanding of multiphase flow in porous media. <i>Reviews of Geophysics</i> , 1998, 36, 401-422.	23.0	36
34	Infiltration into soils, with particular reference to its visualization and measurement by magnetic resonance imaging (MRI). <i>Progress in Physical Geography</i> , 1998, 22, 135-165.	3.2	18
35	An X-ray scanning technique to determine soil macroporosity by chemical mapping. <i>Soil and Tillage Research</i> , 1999, 50, 95-98.	5.6	5
36	Quantitative analysis of earthworm burrow systems with respect to biological soil-structure regeneration after soil compaction. <i>Biology and Fertility of Soils</i> , 1999, 28, 219-229.	4.3	92

#	ARTICLE	IF	CITATIONS
37	Discrimination of Soil Phases by Dual Energy X-ray Tomography. Soil Science Society of America Journal, 1999, 63, 741-751.	2.2	74
38	Three-Dimensional Quantification of Macropore Networks in Undisturbed Soil Cores. Soil Science Society of America Journal, 1999, 63, 1530-1543.	2.2	209
39	APPLICATION OF COMPUTER-AIDED TOMOGRAPHY (CT) TO THE STUDY OF ESTUARINE BENTHIC COMMUNITIES. , 1999, 9, 1050-1058.		32
40	X-ray computed tomography to quantify tree rooting spatial distributions. Geoderma, 1999, 90, 307-326.	5.1	71
41	Comparison of 2D and 3D images of fractures in a Vertisol. Geoderma, 1999, 92, 55-72.	5.1	32
42	Evaluation of laboratory dolomite core sample size using representative elementary volume concepts. Water Resources Research, 2000, 36, 1199-1207.	4.2	60
43	SW-Soil and Water. Biosystems Engineering, 2001, 78, 437-447.	0.4	8
44	Measurement of aperture distribution, capillary pressure, relative permeability, and in situ saturation in a rock fracture using computed tomography scanning. Water Resources Research, 2001, 37, 649-662.	4.2	147
45	The burrowing characteristics of three common earthworm species. Soil Research, 2001, 39, 1453.	1.1	29
46	3D reconstruction and quantification of macropores using X-ray computed tomography and image analysis. Geoderma, 2002, 106, 247-271.	5.1	230
47	Video-logging for examining biogenic structures in deep heterogeneous subsurface sediments. Comptes Rendus - Biologies, 2003, 326, 589-597.	0.2	12
48	Assessment of soil structure using X-ray computed tomography. Geological Society Special Publication, 2003, 215, 151-165.	1.3	23
49	Estimation of porosity and hydraulic conductivity from X-ray CT-measured solute breakthrough. Geological Society Special Publication, 2003, 215, 135-149.	1.3	23
50	DIRECT OBSERVATION OF SOIL WATER MOVEMENT THROUGH SOIL MACROPORES USING SOFT X-RAYS AND STEREOGRAPHING. Soil Science, 2003, 168, 119-127.	0.9	9
52	X-ray micro-CT used for the localization of water repellents and consolidants inside natural building stones. Materials Characterization, 2004, 53, 259-271.	4.4	76
53	Quantitative analysis of micro-porosity of eco-material by using SEM technique. Journal Wuhan University of Technology, Materials Science Edition, 2004, 19, 35-37.	1.0	8
54	Advances in high-resolution seafloor characterization in support of high-frequency underwater acoustics studies: techniques and examples. Measurement Science and Technology, 2004, 15, R59-R72.	2.6	7
55	Computed-Tomographic Measurement of Soil Macroporosity Parameters as Affected by Stiff-Stemmed Grass Hedges. Soil Science Society of America Journal, 2005, 69, 1609-1616.	2.2	100

#	ARTICLE	IF	CITATIONS
56	Extraction of physically realistic pore network properties from three-dimensional synchrotron X-ray microtomography images of unconsolidated porous media systems. <i>Journal of Hydrology</i> , 2005, 300, 44-64.	5.4	236
57	Recent progress in X-ray CT as a geosciences tool. <i>Applied Geochemistry</i> , 2006, 21, 826-832.	3.0	163
58	Agroforestry and Grass Buffer Influence on Macropore Characteristics. <i>Soil Science Society of America Journal</i> , 2006, 70, 1763-1773.	2.2	82
59	Non-reactive solute movement through saturated laboratory samples of undisturbed stratified sandstone. <i>Geological Society Special Publication</i> , 2006, 263, 233-251.	1.3	7
60	New Method of Assessing Absolute Permeability of Natural Methane Hydrate Sediments by Microfocus X-ray Computed Tomography. <i>Japanese Journal of Applied Physics</i> , 2007, 46, 3159-3162.	1.5	32
61	Characterization of pore-space heterogeneity in sandstone by X-ray computed tomography. <i>Geological Society Special Publication</i> , 2007, 284, 127-146.	1.3	20
62	A comparison of optical and X-ray CT technique for void analysis in soil thin section. <i>Geoderma</i> , 2007, 141, 60-70.	5.1	53
63	Characteristics and Genesis of Preferential Flow Paths in a Piedmont Ultisol. <i>Soil Science Society of America Journal</i> , 2007, 71, 752-758.	2.2	18
64	3D-visualization and analysis of macro- and meso-porosity of the upper horizons of a sodic, texture-contrast soil. <i>European Journal of Soil Science</i> , 2007, 58, 589-598.	3.9	60
65	Fabric of gas hydrate in sediments from Hydrate Ridge—results from ODP Leg 204 samples. <i>Geo-Marine Letters</i> , 2007, 27, 269-277.	1.1	47
66	Quantifying Soil Structure and Preferential Flow in Intact Soil Using X-ray Computed Tomography. <i>Soil Science Society of America Journal</i> , 2008, 72, 1058-1069.	2.2	147
67	Influence of the mode of macrofauna-mediated bioturbation on the vertical distribution of living benthic foraminifera: First insight from axial tomodensitometry. <i>Journal of Experimental Marine Biology and Ecology</i> , 2009, 371, 20-33.	1.5	58
68	The use of X-ray tomography in the study of water repellents and consolidants. <i>Engineering Geology</i> , 2009, 103, 84-92.	6.3	23
69	Pore network complexity and thresholding of 3D soil images. <i>Ecological Complexity</i> , 2009, 6, 230-239.	2.9	51
70	Characterizing soil macroporosity by X-ray microfocus computed tomography and quantification of the coring damages.. <i>EPJ Web of Conferences</i> , 2010, 6, 22023.	0.3	0
71	Simultaneous Monitoring of Water Saturation and Fluid Conductivity in Unconsolidated Sand Columns. <i>Soil Science Society of America Journal</i> , 2010, 74, 1457-1468.	2.2	13
72	New method for the characterization of three-dimensional preferential flow paths in the field. <i>Water Resources Research</i> , 2010, 46, .	4.2	65
73	Quantifying a soil pore distribution from 3D images: Multifractal spectrum through wavelet approach. <i>Geoderma</i> , 2010, 155, 203-210.	5.1	19

#	ARTICLE	IF	CITATIONS
74	Microporosity Structure of Coarse Granular Soils. <i>Journal of Geotechnical and Geoenvironmental Engineering - ASCE</i> , 2010, 136, 1425-1436.	3.0	107
75	Subsurface Flow Networks at the Hillslope Scale. , 2012, , 559-593.		11
76	Carbon mineralisation and pore size classes in undisturbed soil cores. <i>Soil Research</i> , 2013, 51, 14.	1.1	34
77	Fractal estimation of soil water retention curves using CT images. <i>Acta Agriculturae Scandinavica - Section B Soil and Plant Science</i> , 2013, 63, 442-452.	0.6	1
78	Tomography-measured Macropore Parameters to Estimate Hydraulic Properties of Porous Media. <i>Procedia Computer Science</i> , 2014, 36, 649-654.	2.0	11
79	Soil Macropore Structures and their Effect on Preferential Flow. <i>Applied Mechanics and Materials</i> , 0, 522-524, 990-994.	0.2	1
80	A new method to characterize the spatial structure of soil macropore networks in effects of cultivation using computed tomography. <i>Hydrological Processes</i> , 2014, 28, 3419-3431.	2.6	8
81	Nondestructive Analysis of Three-dimensional Objects using a Fluid Displacement Method. <i>Soil Science Society of America Journal</i> , 2015, 79, 1289-1292.	2.2	3
82	Application of Computer Assisted Tomography to Soil-Plant-Water Studies: An Overview. <i>SSSA Special Publication Series</i> , 0, , 7-15.	0.2	4
83	X-Ray Tomography of Soil Properties. <i>SSSA Special Publication Series</i> , 2015, , 17-28.	0.2	4
84	Industrial X-Ray Computed Tomography Applied to Soil Research. <i>SSSA Special Publication Series</i> , 2015, , 29-41.	0.2	4
85	Gamma Ray Tomography Measurements of Soil Density Variations in Soil Cores. <i>SSSA Special Publication Series</i> , 0, , 87-97.	0.2	2
86	Using computed tomography (CT) images and multi-fractal theory to quantify the pore distribution of reconstructed soils during ecological restoration in opencast coal-mine. <i>Ecological Engineering</i> , 2016, 92, 148-157.	3.6	52
87	Preferential flow characteristics of reclaimed mine soils in a surface coal mine dump. <i>Environmental Monitoring and Assessment</i> , 2017, 189, 266.	2.7	4
88	Variations in pore distribution of reconstructed soils induced by opencast mining and land rehabilitation based on computed tomography images. <i>Archives of Agronomy and Soil Science</i> , 2017, 63, 1685-1696.	2.6	7
89	Scaling Characteristics of Soil Structure. <i>Progress in Soil Science</i> , 2018, , 155-193.	0.8	6
90	Assessment of the responses of soil pore properties to combined soil structure amendments using X-ray computed tomography. <i>Scientific Reports</i> , 2018, 8, 695.	3.3	46
91	Variation in soil saturated hydraulic conductivity along the hillslope of collapsing granite gullies. <i>Hydrological Sciences Journal</i> , 2018, 63, 803-817.	2.6	14

#	ARTICLE	IF	CITATIONS
92	Characterizing the effects of opencast coal-mining and land reclamation on soil macropore distribution characteristics using 3D CT scanning. <i>Catena</i> , 2018, 171, 212-221.	5.0	34
93	Emergent Properties of Microbial Activity in Heterogeneous Soil Microenvironments: Different Research Approaches Are Slowly Converging, Yet Major Challenges Remain. <i>Frontiers in Microbiology</i> , 2018, 9, 1929.	3.5	168
94	Characterising macropores and preferential flow of mountainous forest soils with contrasting human disturbances. <i>Soil Research</i> , 2019, 57, 601.	1.1	16
95	Using computed tomography images to characterize the effects of soil compaction resulting from large machinery on three-dimensional pore characteristics in an opencast coal mine dump. <i>Journal of Soils and Sediments</i> , 2019, 19, 1467-1478.	3.0	21
96	Development and evolution of Loess vertical joints on the Chinese Loess Plateau at different spatiotemporal scales. <i>Engineering Geology</i> , 2020, 265, 105372.	6.3	44
97	X-ray computed tomography measured soil pore parameters as influenced by crop rotations and cover crops. <i>Soil Science Society of America Journal</i> , 2020, 84, 1267-1279.	2.2	31
98	Characterization investigation on pore-resistance relationship of oil contaminants in soil porous structure. <i>Journal of Petroleum Science and Engineering</i> , 2020, 191, 107208.	4.2	5
99	Effects of pore structure characterized by synchrotron-based micro-computed tomography on aggregate stability of black soil under freeze-thaw cycles. <i>Soil and Tillage Research</i> , 2021, 207, 104855.	5.6	44
100	Review of non-equilibrium flow and transport models in saturated porous media. <i>WEENTECH Proceedings in Energy</i> , 0, , 228-245.	0.0	2
101	Quantifying Root-Soil Interactions in Cover Crop Systems: A Review. <i>Agriculture (Switzerland)</i> , 2021, 11, 218.	3.1	27
102	Micro-structural Evolution of Granite Residual Soil under External Loading Based on X-ray Micro-computed Tomography. <i>KSCE Journal of Civil Engineering</i> , 2021, 25, 2836-2846.	1.9	7
103	Impact of long-term subsoiling tillage on soil porosity and soil physical properties in the soil profile. <i>Land Degradation and Development</i> , 2021, 32, 2892-2905.	3.9	23
104	Statistical analysis of defects within concrete under elevated temperatures based on SEM image. <i>Construction and Building Materials</i> , 2021, 293, 123503.	7.2	15
105	Using X-ray computed tomography to quantify variability in soil macropore characteristics in pastures. <i>Soil and Tillage Research</i> , 2022, 215, 105194.	5.6	12
106	Computer-Assisted Tomography and Magnetic Resonance Imaging. , 2000, , 343-363.		38
107	CHARACTERIZING THE CHANGES IN SOIL POROSITY BY COMPUTED TOMOGRAPHY AND FRACTAL DIMENSION. <i>Soil Science</i> , 1998, 163, 203-211.	0.9	27
108	Infiltration into soils, with particular reference to its visualization and measurement by magnetic resonance imaging (MRI). <i>Progress in Physical Geography</i> , 1998, 22, 136-166.	3.2	2
109	Soil Structure. , 2001, , 249-295.		7

#	ARTICLE	IF	CITATIONS
110	Image Processing Technique for Determining the Concentration of a Chemical in a Fluid-Saturated Porous Medium. <i>Geotechnical Testing Journal</i> , 2006, 29, 385-391.	1.0	5
111	Surface measurements of hydraulic properties in an irrigated soil using a disc permeameter. <i>WIT Transactions on Ecology and the Environment</i> , 2006, , .	0.0	7
112	Computed Tomography (CT) Scan Image Analysis of Site 808 Cores: Structural and Physical Property Implications. , 0, , .		6
113	Influence of thresholding in mass and entropy dimension of 3-D soil images. <i>Nonlinear Processes in Geophysics</i> , 2008, 15, 881-891.	1.3	26
114	Unraveling Microscale Flow and Pore Geometry. , 2004, , 253-288.		0
115	Estudio de las Prácticas Culturales, Porosidad del Suelo y Gestión Hídrica en el Combate contra la Desertificación. <i>Informacion Tecnologica (discontinued)</i> , 2009, 20, .	0.3	1
116	A Review of Approaches for Measuring Soil Hydraulic Properties and Assessing the Impacts of Spatial Dependence on the Results. , 0, , .		2
119	Gas, water and solute transport in soils containing macropores: a review of methodology. , 1993, , 31-49.		0
120	Geotechnical Properties and Consolidation Characteristics of North Pacific Sediments, Sites 881, 883, and 885/886. , 0, , .		5
121	Macroporosity. , 2017, , 1388-1391.		0
123	åÿäºŽTæ%«æçš,,èŠ±â²—â²©æ®çš-âœÿ3Dâšâ”és™â®sétè;â¾âšæµâš”æ;æÿ. <i>Zhongguo Kexue Jishu Kexue/Scientia Sinica Technica</i>		0
124	An experimental study on microscopic characteristics of gas-bearing sediments under different gas reservoir pressures. <i>Acta Oceanologica Sinica</i> , 2021, 40, 144-151.	1.0	1
125	Experimental investigations of hydraulic and mechanical properties of granite residual soil improved with cement addition. <i>Construction and Building Materials</i> , 2022, 318, 126016.	7.2	14
126	Lessons from a landmark 1991 article on soil structure: distinct precedence of non-destructive assessment and benefits of fresh perspectives in soil research. <i>Soil Research</i> , 2022, 60, 321-336.	1.1	9
127	Experimental investigation on the relationship between influence factors of liquefaction and microstructural characteristics of muddy sand. <i>Construction and Building Materials</i> , 2022, 324, 126619.	7.2	2
129	Effect on Soil Properties and Crop Yields to Long-Term Application of Superabsorbent Polymer and Manure. <i>Frontiers in Environmental Science</i> , 2022, 10, .	3.3	6
132	A quantitative study of the influence of soil organic carbon and pore characteristics on the stability of aggregates of the karst peak-cluster depression area in Southwest China. <i>Journal of Soils and Sediments</i> , 2023, 23, 312-330.	3.0	7
133	Soil matrix study using a hybrid a-Se/CMOS pixel detector for CT scanning. , 2022, , .		0



#	ARTICLE	IF	CITATIONS
134	X-ray Computed Tomography Imaging & Soil Biology. , 2022, , 159-182.		0