

# HIV-1, HIV-2, and HTLV-I Infection in High-Risk Group

New England Journal of Medicine

320, 953-958

DOI: [10.1056/nejm198904133201501](https://doi.org/10.1056/nejm198904133201501)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Human T-Cell Lymphotropic Virus Type I (HTLV-I)-Associated Adult T-Cell Leukemia-Lymphoma in a Patient Infected with Human Immunodeficiency Virus Type 1 (HIV-1). <i>Annals of Internal Medicine</i> , 1989, 111, 871.	3.9	48
2	AIDS in the Americas. <i>New England Journal of Medicine</i> , 1989, 320, 1005-1007.	27.0	34
3	HIV Infection in Brazil. <i>New England Journal of Medicine</i> , 1989, 321, 830-832.	27.0	9
4	Prevalence of human T-cell leukemia virus antibody among heterosexuals living in Amsterdam, the Netherlands. <i>Journal of Medical Virology</i> , 1990, 32, 183-188.	5.0	12
5	HTLV-1 antibodies in serum and cerebrospinal fluid in tropical spastic paraparesis in Brazil. <i>Arquivos De Neuro-Psiquiatria</i> , 1990, 48, 441-447.	0.8	26
6	Human T-Cell Lymphotropic Virus-Type I. <i>Infection Control and Hospital Epidemiology</i> , 1990, 11, 314-318.	1.8	2
7	Differential regulation of human immunodeficiency viruses (HIVs): a specific regulatory element in HIV-2 responds to stimulation of the T-cell antigen receptor.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1990, 87, 9098-9102.	7.1	81
8	TheenvProtein of an Infectious Noncytopathic HIV-2 Is Deficient in Syncytium Formation. <i>AIDS Research and Human Retroviruses</i> , 1990, 6, 707-720.	1.1	32
9	Human T-Cell Lymphotropic Virus-Type I. <i>Infection Control and Hospital Epidemiology</i> , 1990, 11, 314-318.	1.8	1
10	HIV Infections and Aids in the 1990s. <i>Annual Review of Public Health</i> , 1990, 11, 127-142.	17.4	13
11	Adult T-cell leukaemia/lymphoma in Brazil and its relation to HTLV-1. <i>Lancet, The</i> , 1990, 336, 987-990.	13.7	82
12	AIDS and the gastroenterologist. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 1990, 5, 45-62.	2.8	8
13	Overt and latent HIV 1 and HTLV-I infection in cohorts of at high risk individuals in Argentina. <i>Molecular and Cellular Probes</i> , 1991, 5, 409-417.	2.1	6
14	Syndrome of severe skin disease, eosinophilia, and dermatopathic lymphadenopathy in patients with HTLV-II complicating human immunodeficiency virus infection. <i>American Journal of Medicine</i> , 1991, 91, 300-309.	1.5	71
15	A comparison of four enzyme immunoassays for the simultaneous detection of HIV-1- and HIV-2-specific antibody. <i>Journal of Virological Methods</i> , 1991, 34, 91-100.	2.1	11
16	A registry-based case-control study of mycosis fungoides. <i>Annals of Epidemiology</i> , 1991, 1, 533-539.	1.9	17
17	Epidemiology of Human T-cell Leukemia Virus Type I (HTLV-I). , 1991, , 175-192.		5
18	Human T-Lymphotropic Virus Type I (HTLV-I) Seroprevalence in Jamaica. <i>American Journal of Epidemiology</i> , 1991, 133, 1114-1124.	3.4	175

#	ARTICLE	IF	CITATIONS
19	HTLV-1 envelope sequences from Brazil, the Caribbean, and Romania: Clustering of sequences according to geographic origin and variability in an antibody epitope. <i>Virology</i> , 1991, 184, 483-491.	2.4	99
20	AIDS and heterosexual anal intercourse. <i>Archives of Sexual Behavior</i> , 1991, 20, 233-276.	1.9	100
21	Absence of HTLV-I and HTLV-II infection in prostitutes in the area of seville, Spain. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 1991, 10, 773-775.	2.9	7
22	Human T-Cell Leukemia Virus Infection in Non-Intravenous Drug Using HIV Seropositive Men in Los Angeles. <i>AIDS Research and Human Retroviruses</i> , 1991, 7, 333-336.	1.1	4
23	Prostitution viewed cross-culturally: Toward Recontextualizing sex work in AIDS intervention research. <i>Journal of Sex Research</i> , 1991, 28, 223-248.	2.5	88
24	Cutaneous T-Cell Lymphoma in Patients With Human Immunodeficiency Virus Infection. <i>Archives of Dermatology</i> , 1991, 127, 989.	1.4	31
25	HTLV-I infection and neurological disease in Rio de Janeiro.. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1992, 55, 153-155.	1.9	35
26	The Impact of Human T-Lymphotropic Virus Type I/II Infection on the Prognosis of Sexually Acquired Cases of Acquired Immunodeficiency Syndrome. <i>Archives of Internal Medicine</i> , 1992, 152, 1429.	3.8	44
27	A Seroepidemiological Survey of Antibodies to HTLV-I/ HTLV-II in Selected Population Groups in Paraguay. <i>Scandinavian Journal of Infectious Diseases</i> , 1992, 24, 397-398.	1.5	7
28	Human T-Cell Leukemia Virus Type-I/II (HTLV-I/II) Serologie Testing: The Importance of Assaying for the Full Complement of Viral Antigens. <i>Viral Immunology</i> , 1992, 5, 105-111.	1.3	2
29	Absence of HIV-2 in Spanish Groups at Risk for HIV-1 Infection. <i>AIDS Research and Human Retroviruses</i> , 1992, 8, 423-424.	1.1	4
30	Sexual Behavior and Status for Human Immunodeficiency Virus Type 1 among Homosexual and Bisexual Males in Mexico City. <i>American Journal of Epidemiology</i> , 1992, 135, 883-894.	3.4	25
31	Sexually transmitted diseases and travelers. <i>Medical Clinics of North America</i> , 1992, 76, 1449-1461.	2.5	6
32	Organizing a project with community-based health agents recruited from prostitutes in Rio de Janeiro. <i>Public Health</i> , 1992, 106, 217-223.	2.9	7
33	Aids: Part II. <i>Disease-a-Month</i> , 1992, 38, 695-764.	1.1	8
34	HTLV-I associated myelopathy in salvador (northeastern Brazil). <i>Arquivos De Neuro-Psiquiatria</i> , 1992, 50, 189-190.	0.8	14
35	Imaging of human T-lymphotropic virus type I-associated chronic progressive myeloneuropathies. <i>Neuroradiology</i> , 1992, 35, 69-74.	2.2	29
36	Human retroviruses. <i>Best Practice and Research: Clinical Haematology</i> , 1992, 5, 273-314.	1.1	10

#	ARTICLE	IF	CITATIONS
37	Pathology of the central nervous system in patients infected with the human immunodeficiency virus (HIV): a Report of 252 autopsy cases from Brazil. <i>Neuropathology and Applied Neurobiology</i> , 1992, 18, 478-488.	3.2	54
38	Sexual transmission of human T-lymphotropic virus type I in Peruvian prostitutes. <i>Journal of Medical Virology</i> , 1992, 38, 44-48.	5.0	43
39	Human T Cell Leukemia Virus (HTLV-I/II) Serodiagnostic Testing: Disparate Results among a Cohort of Intravenous Drug Users. <i>AIDS Research and Human Retroviruses</i> , 1993, 9, 1043-1050.	1.1	6
40	Evaluation of the automated "Enzymer-Test Anti HIV-1 + 2"™ and "Enzymer-Test anti selective"™ for the combined detection and differentiation of anti-HIV-1 and anti-HIV-2 antibodies. <i>Journal of Virological Methods</i> , 1993, 44, 251-260.	2.1	11
41	Idiopathic CD4+ T-Lymphocytopenia – Immunodeficiency without Evidence of HIV Infection. <i>New England Journal of Medicine</i> , 1993, 328, 380-385.	27.0	157
42	Infection with the Human Immunodeficiency Virus Type 2. <i>Annals of Internal Medicine</i> , 1993, 118, 211.	3.9	89
43	Human T Lymphotropic Virus Type II (HTLV-II) Infection Among Female Prostitutes in Yucatan, Mexico. <i>American Journal of the Medical Sciences</i> , 1993, 306, 207-211.	1.1	12
44	Risk factors associated with HIV infection among male prostitutes.. <i>American Journal of Public Health</i> , 1993, 83, 79-83.	2.7	55
45	Health care in Brazil.. <i>BMJ: British Medical Journal</i> , 1993, 306, 503-506.	2.3	17
47	HTLV-1 and myelopathy in Salvador (Northeastern Brazil): a case control study. <i>Arquivos De Neuro-Psiquiatria</i> , 1993, 51, 447-451.	0.8	10
48	An AIDS-like condition induced in baboons by HIV-2. <i>Science</i> , 1994, 266, 642-646.	12.6	96
49	Genetic Analysis of HIV-1 Isolates from Brazil Reveals Presence of Two Distinct Genetic Subtypes. <i>AIDS Research and Human Retroviruses</i> , 1994, 10, 561-567.	1.1	121
50	Sexual identity and HIV: The male prostitute. <i>Journal of Sex Research</i> , 1994, 31, 39-46.	2.5	40
51	HIV Type 2 Proviral Load Measured by Quantitative Polymerase Chain Reaction Correlates with CD4+Lymphopenia in HIV Type 2-Infected Individuals. <i>AIDS Research and Human Retroviruses</i> , 1994, 10, 1031-1037.	1.1	78
52	Human T Cell Lymphotropic Virus Type I Infection among Female Sex Workers in Peru. <i>Journal of Infectious Diseases</i> , 1994, 169, 754-759.	4.0	63
53	Familial Transmission and Minimal Sequence Variability of Human T-Lymphotropic Virus Type I (HTLV-I) in Zaire. <i>AIDS Research and Human Retroviruses</i> , 1994, 10, 1135-1142.	1.1	49
54	HTLV-I and HTLV-II infections among HIV-1 seropositive patients in Sao Paulo, Brazil. <i>European Journal of Epidemiology</i> , 1994, 10, 165-171.	5.7	53
55	Human T Cell Leukemia Virus Type 1 (HTLV-1) Antibodies in Healthy Populations and Renal Transplanted Patients in the North-East of Brazil. <i>Microbiology and Immunology</i> , 1994, 38, 475-478.	1.4	8

#	ARTICLE	IF	CITATIONS
56	Changing Patterns of HIV-1 Transmission in Southern Brazil 1985-1991. <i>International Journal of STD and AIDS</i> , 1994, 5, 202-206.	1.1	1
57	Population migration and the spread of types 1 and 2 human immunodeficiency viruses.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1994, 91, 2407-2414.	7.1	193
58	No Relationship between HTLV-I Infection and Filariasis-Serological Study on Patients with Filariasis in Recife, Brazil. <i>Microbiology and Immunology</i> , 1995, 39, 917-919.	1.4	0
59	Human T-lymphotropic virus type I and type II infections and correlation with risk factors in blood donors from São Paulo, Brazil. <i>Transfusion</i> , 1995, 35, 258-263.	1.6	35
60	Lymphomatous meningoencephalitis in a patient with HAMVTSP. <i>Arquivos De Neuro-Psiquiatria</i> , 1995, 53, 123-125.	0.8	3
61	Seroprevalence of HIV, HTLV-I/II and other perinatally-transmitted pathogens in Salvador, Bahia. <i>Revista Do Instituto De Medicina Tropical De Sao Paulo</i> , 1995, 37, 343-348.	1.1	41
63	HTLV-Negative and HTLV Type I-Positive Tropical Spastic Paraparesis in Northeastern Brazil. <i>AIDS Research and Human Retroviruses</i> , 1995, 11, 315-318.	1.1	18
64	Human T Lymphotropic Virus Type I-Associated Myelopathy/Tropical Spastic Paraparesis in Sao Paulo, Brazil. <i>Clinical Infectious Diseases</i> , 1995, 20, 1540-1542.	5.8	6
65	Immunological features of HTLV-I myelopathy in Rio de Janeiro, Brazil, and in vitro effects of Cyclosporin A. <i>Journal of the Neurological Sciences</i> , 1996, 139, 7-14.	0.6	4
66	Studies on prevalence of Strongyloides infection in Holambra and Maceió, Brazil, by the agar plate faecal culture method. <i>Revista Do Instituto De Medicina Tropical De Sao Paulo</i> , 1996, 38, 279-284.	1.1	25
67	HTLV-I infection and adult T-cell leukemia in Brazil: an overview. <i>Sao Paulo Medical Journal</i> , 1996, 114, 1177-1185.	0.9	13
68	Gender differences in sexual practices and sexually transmitted infections among adults in Lima, Peru.. <i>American Journal of Public Health</i> , 1996, 86, 1098-1107.	2.7	55
69	Prevalence of HIV-1, HIV-2 and HTLV antibody, in Fortaleza, Ceara, Brazil, 1993-1994. <i>International Journal of STD and AIDS</i> , 1996, 7, 365-369.	1.1	31
70	HIV Infection among Brazilian Transvestites in a Prison Population. <i>AIDS Patient Care and STDs</i> , 1996, 10, 299-302.	2.5	14
71	Infection control: human T-cell leukaemia virus infection. <i>British Journal of Nursing</i> , 1996, 5, 529-534.	0.7	0
72	Kinetics Study of Human Retrovirus Antigens Expression in T Lymphocytic Cell Lines by Indirect Immunofluorescence Assay. <i>Viral Immunology</i> , 1997, 10, 149-157.	1.3	13
73	Prevalence of HTLV-I and HTLV-II infections among HIV-1-infected asymptomatic individuals in São Paulo, Brazil. <i>Revista Do Instituto De Medicina Tropical De Sao Paulo</i> , 1997, 39, 213-216.	1.1	16
74	Isolation of Sooty Mangabey Simian T-Cell Leukemia Virus Type I [STLV-I(sm)] and Characterization of a Mangabey T-Cell Line Coinfected with STLV-I(sm) and Simian Immunodeficiency Virus SIVsmmPBj14. <i>Virology</i> , 1997, 235, 271-285.	2.4	18

#	ARTICLE	IF	CITATIONS
75	Differences in sexual behaviour and condom use among cocaine and opioid injectors in Santos, Toronto and London. <i>International Journal of Drug Policy</i> , 1998, 9, 449-460.	3.3	3
76	Sensitivity of Two Enzyme-linked Immunosorbent Assay Tests in Relation to Western Blot in Detecting Human T-Cell Lymphotropic Virus Types I and II Infection among HIV-1 Infected Patients from São Paulo, Brazil. <i>Diagnostic Microbiology and Infectious Disease</i> , 1998, 30, 173-182.	1.8	35
77	Molecular detection and isolation of human T-cell lymphotropic virus type I (HTLV-I) from patients with HAM/TSP in São Paulo, Brazil. <i>Clinical and Diagnostic Virology</i> , 1998, 9, 17-23.	1.7	2
78	HTLV-I Infection Among Relatives of Patients with Adult T-Cell Leukemia/Lymphoma in Brazil: Analysis of Infection Transmission. <i>Leukemia and Lymphoma</i> , 1998, 31, 411-416.	1.3	5
79	Infection with the human immunodeficiency virus type 2: epidemiology and transmission (Review).. <i>International Journal of Molecular Medicine</i> , 1998, 2, 573-6.	4.0	1
80	Influence of HIV positive status on sexual behavior among males. <i>Revista De Saude Publica</i> , 1998, 32, 503-513.	1.7	3
81	Efficiency of indirect immunofluorescence assay as a confirmatory test for the diagnosis of human retrovirus infection (HIV-1 and HTLV-I/II) in different at risk populations. <i>Revista Do Instituto De Medicina Tropical De Sao Paulo</i> , 1999, 41, 159-164.	1.1	8
82	Human T-Cell Lymphotropic Virus Type 1 Infection and Ocular Manifestations in São Paulo, Brazil. <i>JAMA Ophthalmology</i> , 1999, 117, 513.	2.4	26
83	Cutaneous T-cell Lymphoma and Human Immunodeficiency Virus Infection: 2 Cases and a Review of the Literature. <i>Acta Dermato-Venereologica</i> , 1999, 79, 153-155.	1.3	13
84	Coinfection of Macaques with Simian Immunodeficiency Virus and Simian T Cell Leukemia Virus Type I: Effects on Virus Burdens and Disease Progression. <i>Journal of Infectious Diseases</i> , 1999, 179, 600-611.	4.0	19
85	Heterosexual Anal Intercourse: Prevalence, Cultural Factors, and HIV Infection and Other Health Risks, Part I. <i>AIDS Patient Care and STDs</i> , 1999, 13, 717-730.	2.5	209
86	HIV Infection, Syphilis, and Behavioral Risks in Brazilian Male Sex Workers. <i>AIDS and Behavior</i> , 2000, 4, 129-135.	2.7	13
87	Risk of transfusion-transmitted human T-cell lymphotropic virus-type I in Latin America. <i>International Journal of Infectious Diseases</i> , 2000, 4, 59-61.	3.3	9
88	HUMAN T-CELL LYMPHOTROPIC VIRUS-I IN LATIN AMERICA. <i>Infectious Disease Clinics of North America</i> , 2000, 14, 211-239.	5.1	73
89	Modelo teórico de exposição a risco para transmissão do vírus HIV em usuários de drogas. <i>Revista Brasileira De Psiquiatria</i> , 2001, 23, 41-47.	1.7	15
90	Os vírus linfotrópicos de células T humanos (HTLV) na América Latina (1990-2000): aspectos epidemiológicos. <i>Revista Brasileira De Epidemiologia</i> , 2001, 4, 81-95.	0.8	33
91	Inflammatory myopathy on HTLV-I infection: case report. <i>Arquivos De Neuro-Psiquiatria</i> , 2001, 59, 119-122.	0.8	4
93	Identification of Human T-lymphotropic Virus Type I (HTLV-I) Subtypes Using Restrictd Fragment Length Polymorphism in a Cohort of Asymptomatic Carriers and Patients with HTLV-I-associated Myelopathy/tropical Spastic Paraparesis from São Paulo, Brazil. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2002, 97, 329-333.	1.6	19

#	ARTICLE	IF	CITATIONS
94	Adaptation and validation of a questionnaire about risk behaviors for AIDS among drug users. <i>Revista Brasileira De Psiquiatria</i> , 2002, 24, 130-136.	1.7	14
95	Human T cell lymphotropic viruses (HTLV-I/II) in South America: Should it be a public health concern?. <i>Journal of Biomedical Science</i> , 2002, 9, 587-595.	7.0	28
97	The Global Impact of HIV and AIDS. , 2004, , 1013-1027.		0
98	Heterogeneous geographic distribution of human T-cell lymphotropic viruses I and II (HTLV-I/II): serological screening prevalence rates in blood donors from large urban areas in Brazil. <i>Cadernos De Saude Publica</i> , 2005, 21, 926-931.	1.0	139
99	Epidemiologia, fisiopatogenia e diagn�stico laboratorial da infec�o pelo HTLV-I. <i>Jornal Brasileiro De Patologia E Medicina Laboratorial</i> , 2005, 41, 105-116.	0.3	20
100	HIV-2 Infection and Chemokine Receptors Usage - Clues to Reduced Virulence of HIV-2. <i>Current HIV Research</i> , 2005, 3, 3-16.	0.5	15
101	Self-Reported Use of Health Services, Contact with Police and Views About Sex Work Organizations Among Male Sex Workers in Cordoba, Argentina. <i>International Journal of Sexual Health</i> , 2005, 17, 181-195.	0.5	2
102	Viral Correlates of HIV-1 Disease. <i>Current HIV Research</i> , 2005, 3, 113-132.	0.5	5
103	Molecular characterization of human T-cell lymphotropic virus type 2 (HTLV-II) from people living in urban areas of Sao Paulo city: Evidence of multiple subtypes circulation. <i>Journal of Medical Virology</i> , 2007, 79, 182-187.	5.0	25
104	Patterns of In vitro Lymphoproliferative Responses Among HTLV-1-infected Subjects: Upregulation by HTLV-1 During HIV-1 Co-infection. <i>Scandinavian Journal of Immunology</i> , 2007, 65, 577-580.	2.7	11
105	Molecular evidence of human T-cell lymphotropic virus types 1 and 2 (HTLV-1 and HTLV-2) infections in HTLV seroindeterminate individuals from S�o Paulo, Brazil. <i>Journal of Clinical Virology</i> , 2009, 44, 185-189.	3.1	20
106	An underestimated lentivirus model: what can HIV-2 research contribute to the development of an effective HIV-1 vaccine?. <i>Expert Review of Anti-Infective Therapy</i> , 2011, 9, 195-206.	4.4	11
107	Antiretroviral Therapy for HIV-2 Infection: Recommendations for Management in Low-Resource Settings. <i>AIDS Research and Treatment</i> , 2011, 2011, 1-11.	0.7	39
108	Lymphoma in Other Diseases. , 2013, , 1073-1137.		0
109	Endemic transmission of HTLV-2 in blood donors from S�o Lu�s do Maranh�o, northeastern Brazil: report of two asymptomatic individuals. <i>Revista Brasileira De Hematologia E Hemoterapia</i> , 2015, 37, 130-131.	0.7	2
110	HIV type 2 epidemic in Spain. <i>Aids</i> , 2017, 31, 1353-1364.	2.2	18
111	Antiretroviral treatment of HIV-2 infection. <i>Future Virology</i> , 2017, 12, 461-472.	1.8	4
112	HTLV-1, ATLL, severe hypercalcaemia and HIV-1 co-infection: an overview. <i>Pan African Medical Journal</i> , 2018, 30, 61.	0.8	5

#	ARTICLE	IF	CITATIONS
113	Lymphotropic Viruses EBV, KSHV and HTLV in Latin America: Epidemiology and Associated Malignancies. A Literature-Based Study by the RIAL-CYTED. <i>Cancers</i> , 2020, 12, 2166.	3.7	16
114	Diagnostic Imaging of CNS Infection and Inflammation. <i>Clinical Topics in Infectious Disease</i> , 1990, , 315-380.	0.2	4
115	Breast Milk Transmission of Viral Disease. , 2002, 10, 105-122.		21
116	Human Immunodeficiency Virus and Syphilis Infection in Women of Childbearing Age in Addis Ababa, Ethiopia. , 1991, , 85-92.		1
117	Retroviruses—Human T-Cell Lymphotropic Virus. , 1997, , 785-813.		10
118	Women and AIDS in Developing Countries. <i>AIDS Prevention and Mental Health</i> , 1995, , 219-236.	0.8	5
119	Epidemiology and Prevention of Acquired Immunodeficiency Syndrome and Human Immunodeficiency Virus Infection. , 2010, , 1635-1661.		1
120	HIV INFECTION AND AIDS IN LATIN AMERICA. <i>Infectious Disease Clinics of North America</i> , 1994, 8, 1-11.	5.1	21
121	Tropical Spastic Paraparesis/HTLV-I-Associated Myelopathy in Brazil. <i>Journal of Acquired Immune Deficiency Syndromes</i> , 1996, 13, S33-S37.	0.3	23
122	HTLV-I and HTLV-II Infections in Hematologic Disorder Patients, Cancer Patients, and Healthy Individuals From Rio de Janeiro, Brazil. <i>Journal of Acquired Immune Deficiency Syndromes</i> , 1997, 15, 238-242.	0.3	24
123	CD4-independent infection by human immunodeficiency virus type 1 after phenotypic mixing with human T-cell leukemia viruses. <i>Journal of Virology</i> , 1990, 64, 6341-6344.	3.4	58
124	Molecular characterization of an attenuated human immunodeficiency virus type 2 isolate. <i>Journal of Virology</i> , 1990, 64, 890-901.	3.4	109
125	A novel Ets-related transcription factor, Elf-1, binds to human immunodeficiency virus type 2 regulatory elements that are required for inducible trans activation in T cells. <i>Journal of Virology</i> , 1992, 66, 5890-5897.	3.4	119
126	Activation of the human immunodeficiency virus type 2 enhancer is dependent on purine box and kappa B regulatory elements. <i>Journal of Virology</i> , 1992, 66, 5479-5484.	3.4	70
127	Differential regulation of the human immunodeficiency virus type 2 enhancer in monocytes at various stages of differentiation. <i>Journal of Virology</i> , 1993, 67, 4448-4453.	3.4	42
128	The peri-kappa B site mediates human immunodeficiency virus type 2 enhancer activation in monocytes but not in T cells. <i>Journal of Virology</i> , 1995, 69, 4854-4862.	3.4	25
129	HTLV-II and a new endemic area for HTLV-I in Brazil. <i>Revista Da Sociedade Brasileira De Medicina Tropical</i> , 1992, 25, 141-143.	0.9	3
131	Prevalência e fatores correlatos de infecção pelo hiv e sífilis em prostitutas atendidas em centro de referência DST/AIDS. <i>Revista Brasileira De Ginecologia E Obstetrícia</i> , 1998, 20, 151-154.	0.8	7



#	ARTICLE	IF	CITATIONS
132	Systematic review of HIV prevalence studies among key populations in Latin America and the Caribbean. <i>Salud Publica De Mexico</i> , 2013, 55, 65.	0.4	31
133	HIV, HTLV and Cancer. , 2000, , 63-83.		0
134	Knowledge, behavior and seroprevalence towards HIV infection among female sex workers in Yucatan, Mexico. <i>Revista Biomedica</i> , 2002, 13, 257-263.	0.1	4
135	Importância da infecção pelo vírus Linfotrófico humano tipo 1 (hTLV-1), síndromes clínicas associadas e transmissão vertical. <i>Journal of Tropical Pathology</i> , 2007, 36, .	0.2	0
136	Development of Brazil's First AIDS Treatment Institutions in a New Democracy. , 2009, , 45-74.		0
137	HUMAN RETROVIRUSES. , 2009, , 2587-2642.		0
138	Immune Mechanisms of Viral Control in HIV-2 Infection. , 2012, , 293-315.		1
139	Immunoprecipitation of human immunodeficiency virus type 2 glycoproteins by sera positive for human immunodeficiency virus type 1. <i>Journal of Clinical Microbiology</i> , 1990, 28, 2107-2110.	3.9	2
140	The International Epidemiology of HIV-1 Infections. , 1991, , 117-140.		0
141	Assessing Targeted AIDS Prevention in Male and Female Prostitutes and their Clients. , 1992, , 215-231.		1
142	Diagnosis of human immunodeficiency virus (HIV) infection: multicenter evaluation of a newly developed anti-HIV 1 and 2 enzyme immunoassay. <i>Journal of Clinical Microbiology</i> , 1994, 32, 403-406.	3.9	0
143	Epidemiology and Prevention of Acquired Immunodeficiency Syndrome and Human Immunodeficiency Virus Infection. , 2015, , 1483-1502.e8.		5
144	The frequency and risk factors of human T-cell lymphotropic virus type I among blood donors in Khorasan-e Razavi, Iran, from 2002 to 2013. <i>Nigerian Medical Journal</i> , 2020, 61, 151.	0.6	2
153	What does seropositivity for HTLV-I mean?. <i>Western Journal of Medicine</i> , 1989, 151, 657-8.	0.3	0
154	British Association for Cancer Research/ Association of Cancer Physicians/ Leukaemia Research Fund Joint Winter Meeting on Leukaemia and Lymphomas. 11-12 December 1989. Abstracts. <i>British Journal of Cancer</i> , 1990, 61, 943-51.	6.4	0
155	Human T Cell Lymphotropic Viruses (HTLV-I/II) in South America: Should It Be a Public Health Concern?. <i>Journal of Biomedical Science</i> , 2002, 9, 587-595.	7.0	14
156	HTLV-1 Transmission and HIV Pre-exposure Prophylaxis: A Scoping Review. <i>Frontiers in Medicine</i> , 2022, 9, 881547.	2.6	7
157	Etiopatologia da leucemia/linfoma T do adulto (HTLV-I+) e incidência no Brasil. <i>Revista Brasileira De Cancerologia</i> , 2023, 38, 131-136.	0.3	0