Three groups of<i>Babesia canis</i>distinguished and a

Veterinary Quarterly 11, 33-40 DOI: 10.1080/01652176.1989.9694194

Citation Report

#	Article	IF	CITATIONS
1	Clinical and pathological findings of <i>Babesia</i> infection in dogs. Australian Veterinary Journal, 1991, 68, 204-209.	1.1	84
2	Epidemiology of canine babesiosis in relation to the activity ofDermacentor reticulatus in southern Jura (France). Experimental and Applied Acarology, 1991, 11, 215-222.	1.6	28
3	Babesiosis of Companion Animals and Man. Veterinary Clinics of North America - Small Animal Practice, 1991, 21, 103-123.	1.5	79
4	Vaccination of dogs against <i>Babesia canis</i> infection using parasite antigens from in vitro culture. Parasite Immunology, 1992, 14, 295-305.	1.5	44
5	Vaccination of dogs against Babesia canis infection using antigens from culture supernatants with emphasis on clinical babesiosis. Veterinary Parasitology, 1994, 52, 219-233.	1.8	29
6	International collaborative research: significance of tick-borne hemoparasitic diseases to world animal health. Veterinary Parasitology, 1995, 57, 19-41.	1.8	246
7	Characterization and comparison of merozoite antigens of differentBabesia canis isolates by serological and immunological investigations. Zeitschrift Für Parasitenkunde (Berlin, Germany), 1995, 81, 638-642.	0.8	30
8	Vaccines against babesiosis using soluble parasite antigens. Parasitology Today, 1995, 11, 456-462.	3.0	40
9	Strain variation limits protective activity of vaccines based on soluble Babesia canis antigens. Parasite Immunology, 1995, 17, 215-218.	1.5	28
10	Rhabdomyolysis as a complication of canine babesiosis. Journal of Small Animal Practice, 1996, 37, 286-291.	1.2	31
11	Isolation of a South African vector-specific strain of Babesia canis. Veterinary Parasitology, 1996, 63, 9-16.	1.8	33
12	Different Babesia canis isolates, different diseases. Parasitology, 1997, 115, 485-493.	1.5	89
13	Duration of protective immunity in experimental canine babesiosis after homologous and heterologous challenge. Veterinary Parasitology, 1997, 68, 51-55.	1.8	18
14	Characteristic genotypes discriminate between Babesia canis isolates of differing vector specificity and pathogenicity to dogs. Parasitology Research, 1998, 84, 544-548.	1.6	152
15	Canine babesiosis in South Africa: more than one disease. Does this serve as a model for falciparum malaria. Annals of Tropical Medicine and Parasitology, 1998, 92, 503-511.	1.6	73
16	Canine babesiosis in South Africa: more than one disease. Does this serve as a model for falciparum malaria?. Annals of Tropical Medicine and Parasitology, 1998, 92, 503-511.	1.6	54
17	Babesia Canis Canis, Babesia Canis Vogeli, Babesia Canis Rossi: Differentiation of the Three Subspecies By A Restriction Fragment Length Polymorphism Analysis On Amplified Small Subunit Ribosomal Rna Genes. Journal of Eukaryotic Microbiology, 1999, 46, 298-301.	1.7	147
18	Survey of canine babesiosis in South Africa. Journal of the South African Veterinary Association, 2000, 71, 180-186.	0.6	63

#	Article	IF	CITATIONS
19	A preliminary study on the serum protein response in canine babesiosis : research communication. Journal of the South African Veterinary Association, 2000, 71, 38-42.	0.6	37
20	Acute pancreatitis : a newly recognised potential complication of canine babesiosis. Journal of the South African Veterinary Association, 2000, 71, 232-9.	0.6	47
21	Ectoparasites of dogs belonging to people in resource-poor communities in North West Province, South Africa. Journal of the South African Veterinary Association, 2000, 71, 175-179.	0.6	24
22	Vaccination of dogs against heterologous Babesia canis infection using antigens from culture supernatants. Veterinary Parasitology, 2001, 100, 75-86.	1.8	27
23	Chromosome number, genome size and polymorphism of European and South African isolates of large Babesia parasites that infect dogs. Parasitology, 2002, 125, 313-21.	1.5	19
24	Nitric oxide metabolites in naturally occurring canine babesiosis. Veterinary Parasitology, 2002, 104, 27-41.	1.8	25
25	Molecular characterisation of Babesia canis canis and Babesia canis vogeli from naturally infected European dogs. Veterinary Parasitology, 2002, 106, 285-292.	1.8	143
26	Molecular characterization of a gene encoding a 29-kDa cytoplasmic protein of Babesia gibsoni and evaluation of its diagnostic potentiality. Molecular and Biochemical Parasitology, 2003, 131, 129-136.	1.1	12
27	Molecular characterization of a Babesia gibsoni isolate from a Spanish dog. Veterinary Parasitology, 2003, 117, 123-129.	1.8	53
28	Humoral immunity and reinfection resistance in dogs experimentally inoculated with Babesia canis and either treated or untreated with imidocarb dipropionate. Veterinary Parasitology, 2003, 114, 253-265.	1.8	40
29	Two Species of Canine Babesia in Australia: Detection and Characterization by PCR. Journal of Parasitology, 2003, 89, 409-412.	0.7	85
30	Molecular Cloning of a Novel Multidomain Kunitz-Type Proteinase Inhibitor From the Hookworm Ancylostoma caninum. Journal of Parasitology, 2003, 89, 402-407.	0.7	42
31	Antibodies Raised against Bcvir15, an Extrachromosomal Double-Stranded RNA-Encoded Protein from <i>Babesia canis</i> , Inhibit the In Vitro Growth of the Parasite. Infection and Immunity, 2003, 71, 1056-1067.	2.2	7
32	First Report of a Natural Hybrid Between Schistosoma mansoni and S. rodhaini. Journal of Parasitology, 2003, 89, 416-418.	0.7	59
33	Sarcocysts of an Unidentified Species of Sarcocystis in the Sea Otter (Enhydra lutris). Journal of Parasitology, 2003, 89, 397-399.	0.7	12
34	Development and Evaluation of a Seminested PCR for Detection and Differentiation of Babesia gibsoni (Asian Genotype) and B. canis DNA in Canine Blood Samples. Journal of Clinical Microbiology, 2003, 41, 4172-4177.	3.9	406
35	A Human Case of Gnathostomiasis Nipponica Confirmed Indirectly by Finding Infective Larvae in Leftover Largemouth Bass Meat. Journal of Parasitology, 2003, 89, 407-409.	0.7	25
36	Cutaneous Trematode Collyriclum faba in Wild Birds in the Central European Carpathians. Journal of Parasitology, 2003, 89, 412-416.	0.7	22

#	Article	IF	CITATIONS
37	Morphology Is Not a Reliable Tool for Delineating Species Within Cryptosporidium. Journal of Parasitology, 2003, 89, 399-402.	0.7	99
38	Are urea and creatinine values reliable indicators of azotaemia in canine babesiosis?. Journal of the South African Veterinary Association, 2004, 75, 121-4.	0.6	25
39	Infection with a Proposed New Subspecies of Babesia canis , Babesia canis subsp. presentii , in Domestic Cats. Journal of Clinical Microbiology, 2004, 42, 99-105.	3.9	52
40	First detection of small babesiae in two dogs in Hungary. Veterinary Record, 2004, 154, 176-178.	0.3	16
41	The "expanding universe―of piroplasms. Veterinary Parasitology, 2004, 119, 337-345.	1.8	92
42	Confirmation of occurrence of Babesia canis vogeli in domestic dogs in South Africa. Veterinary Parasitology, 2004, 122, 119-125.	1.8	121
43	Detection and molecular characterization of a novel large Babesia species in a dog. Veterinary Parasitology, 2004, 124, 151-160.	1.8	103
44	First molecular detection of Babesia vogeli in dogs from Brazil. Veterinary Parasitology, 2005, 127, 81-85.	1.8	82
45	Babesia canis canis in dogs from Hungary: detection by PCR and sequencing. Veterinary Parasitology, 2005, 127, 221-226.	1.8	70
46	Spatial distribution of Dermacentor reticulatus and Ixodes ricinus in Hungary: evidence for change?. Veterinary Parasitology, 2005, 128, 347-351.	1.8	80
47	Autochthonous canine babesiosis in The Netherlands. Veterinary Parasitology, 2005, 131, 23-29.	1.8	66
48	Vaccination against canine babesiosis. Trends in Parasitology, 2005, 21, 179-184.	3.3	71
49	Cardiac involvement in canine babesiosis : review article. Journal of the South African Veterinary Association, 2005, 76, 4-8.	0.6	25
50	Tickborne Pathogen Detection, Western Siberia, Russia. Emerging Infectious Diseases, 2005, 11, 1708-1715.	4.3	133
51	Detection of Babesia canis rossi , B. canis vogeli , and Hepatozoon canis in Dogs in a Village of Eastern Sudan by Using a Screening PCR and Sequencing Methodologies. Vaccine Journal, 2005, 12, 1343-1346.	3.1	85
52	Glucose, lactate, and pyruvate concentrations in dogs with babesiosis. American Journal of Veterinary Research, 2005, 66, 244-250.	0.6	50
53	BabesiaDNA Detection in Canine Blood andDermacentor reticulatusTicks in Southwestern Siberia, Russia. Vector-Borne and Zoonotic Diseases, 2005, 5, 285-287.	1.5	34
54	Babesia—A historical overview. Veterinary Parasitology, 2006, 138, 3-10.	1.8	441

#	Article	IF	CITATIONS
55	Genetic basis for GPI-anchor merozoite surface antigen polymorphism of Babesia and resulting antigenic diversity. Veterinary Parasitology, 2006, 138, 33-49.	1.8	43
56	The South African form of severe and complicated canine babesiosis: Clinical advances 1994–2004. Veterinary Parasitology, 2006, 138, 126-139.	1.8	125
57	Chemotherapy against babesiosis. Veterinary Parasitology, 2006, 138, 147-160.	1.8	201
58	Onset and duration of immunity against Babesia canis infection in dogs vaccinated with antigens from culture supernatants. Veterinary Parasitology, 2006, 138, 140-146.	1.8	13
59	First molecular diagnosis of Babesia vogeli in domestic dogs from Turkey. Veterinary Parasitology, 2006, 139, 224-230.	1.8	32
60	Capillary and venous Babesia canis rossi parasitaemias and their association with outcome of infection and circulatory compromise. Veterinary Parasitology, 2006, 141, 18-29.	1.8	52
61	Phylogenetic and Biologic Evidence ThatBabesia divergensIs Not Endemic in the United States. Annals of the New York Academy of Sciences, 2006, 1081, 518-525.	3.8	15
62	Seroprevalence of canine babesiosis in Hungary suggesting breed predisposition. Parasitology Research, 2006, 99, 638-642.	1.6	39
63	Babesia canis vogeli: A novel PCR for its detection in dogs in Australia. Experimental Parasitology, 2006, 112, 63-65.	1.2	21
64	Potent Antihematozoan Activity of Novel Bisthiazolium Drug T16: Evidence for Inhibition of Phosphatidylcholine Metabolism in Erythrocytes Infected with Babesia and Plasmodium spp. Antimicrobial Agents and Chemotherapy, 2006, 50, 3381-3388.	3.2	27
65	Molecular Survey of Babesia canis in Dogs in Nigeria. Journal of Veterinary Medical Science, 2007, 69, 1191-1193.	0.9	38
66	Ticks and Associated Pathogens Collected from Domestic Animals in the Netherlands. Vector-Borne and Zoonotic Diseases, 2007, 7, 585-596.	1.5	195
67	Molecular characterisation of Babesia gibsoni infection from a Pit-bull terrier pup recently imported into South Africa. Journal of the South African Veterinary Association, 2007, 78, 2-5.	0.6	15
68	PCR–RFLP for the detection and differentiation of the canine piroplasm species and its use with filter paper-based technologies. Veterinary Parasitology, 2007, 144, 20-27.	1.8	136
69	Immunity against Babesia rossi infection in dogs vaccinated with antigens from culture supernatants. Veterinary Parasitology, 2007, 144, 10-19.	1.8	14
70	Evidence of an acute phase response in dogs naturally infected with Babesia canis. Veterinary Parasitology, 2007, 144, 242-250.	1.8	78
71	Comparison and phylogenetic analysis of the heat shock protein 70 gene of Babesia parasites from dogs. Veterinary Parasitology, 2007, 145, 217-227.	1.8	32
72	Experimental transmission of Anaplasma marginale by male Dermacentor reticulatus. BMC Veterinary Research, 2007, 3, 32.	1.9	32

#	Article	IF	CITATIONS
73	Assessment of primers designed for the subspecies-specific discrimination among Babesia canis canis, Babesia canis vogeli and Babesia canis rossi by PCR assay. Veterinary Parasitology, 2008, 152, 16-20.	1.8	44
74	Detection and molecular characterization of Babesia canis vogeli from naturally infected dogs and Rhipicephalus sanguineus ticks in Tunisia. Veterinary Parasitology, 2008, 152, 1-7.	1.8	40
75	Molecular characterization of Babesia canis canis isolates from naturally infected dogs in Poland. Veterinary Parasitology, 2008, 152, 235-241.	1.8	73
76	Molecular detection of tick-borne protozoal and ehrlichial infections in domestic dogs in South Africa. Veterinary Parasitology, 2008, 155, 152-157.	1.8	95
77	Babesia canis canis and Babesia canis vogeli infections in dogs from northern Portugal. Veterinary Parasitology, 2008, 156, 199-204.	1.8	47
78	Detection of a Theileria species in dogs in South Africa. Veterinary Parasitology, 2008, 157, 34-40.	1.8	79
79	Molecular detection of Babesia rossi and Hepatozoon sp. in African wild dogs (Lycaon pictus) in South Africa. Veterinary Parasitology, 2008, 157, 123-127.	1.8	40
80	First molecular characterization of Babesia vogeli in two naturally infected dogs of Buenos Aires, Argentina. Veterinary Parasitology, 2008, 157, 294-298.	1.8	16
81	Distribution and molecular detection of <i>Theileria </i> and <i>Babesia </i> in questing ticks from northern Spain. Medical and Veterinary Entomology, 2008, 22, 318-325.	1.5	47
82	The scintigraphic evaluation of the pulmonary perfusion pattern of dogs hospitalised with babesiosis. Journal of the South African Veterinary Association, 2008, 79, 76-83.	0.6	2
83	Canine babesiosis : tick-borne diseases. Onderstepoort Journal of Veterinary Research, 2009, 76, .	1.2	71
84	C-reactive protein in canine babesiosis caused by Babesia rossi and its association with outcome : article. Journal of the South African Veterinary Association, 2009, 80, 87-91.	0.6	35
85	Comparison of Babesia rossi and Babesia canis isolates with emphasis on effects of vaccination with soluble parasite antigens : a review : review article. Journal of the South African Veterinary Association, 2009, 80, 75-8.	0.6	25
86	Preliminary Evaluation of the Br <i>EMA1</i> Gene as a Tool for Associating <i>Babesia rossi</i> Genotypes and Clinical Manifestation of Canine Babesiosis. Journal of Clinical Microbiology, 2009, 47, 3586-3592.	3.9	22
87	Babesia spp. infection in dogs from rural areas of São Paulo State, Brazil. Brazilian Journal of Veterinary Parasitology, 2009, 18, 23-26.	0.7	25
88	Diversity of Babesia and Theileria species in symptomatic and asymptomatic dogs in Croatia. International Journal for Parasitology, 2009, 39, 843-848.	3.1	187
89	Canine piroplasmosis in Italy: epidemiological aspects in vertebrate and invertebrate hosts. Veterinary Parasitology, 2009, 165, 30-35.	1.8	55
90	Alterations in some blood coagulation parameters in naturally occurring cases of canine babesiosis. Acta Veterinaria Hungarica, 2009, 57, 295-304.	0.5	24

#	Article	IF	CITATIONS
91	Canine Hepatozoonosis and Babesiosis, and Feline Cytauxzoonosis. Veterinary Clinics of North America - Small Animal Practice, 2009, 39, 1035-1053.	1.5	20
92	Molecular survey and genetic characterization of tick-borne pathogens in dogs in metropolitan Recife (north-eastern Brazil). Parasitology Research, 2010, 107, 1115-1120.	1.6	77
93	Evidence of new pathogenic Theileria species in dogs. Journal of Parasitic Diseases, 2010, 34, 29-32.	1.0	20
94	Development of a Loop-mediated Isothermal Amplification (LAMP) Assay for Rapid Diagnosis of Babesia canis infections. Transboundary and Emerging Diseases, 2010, 57, 63-65.	3.0	19
95	Frequency and therapy monitoring of canine Babesia spp. infection by high-resolution melting curve quantitative FRET-PCR. Veterinary Parasitology, 2010, 168, 11-18.	1.8	29
96	First case of babesiosis caused by Babesia canis canis in a dog from Norway. Veterinary Parasitology, 2010, 171, 350-353.	1.8	41
97	Detection of Babesia vogeli in stray cats of metropolitan Bangkok, Thailand. Veterinary Parasitology, 2010, 173, 70-75.	1.8	34
98	Babesia canis and Babesia rossi co-infection in an untraveled Nigerian dog. Veterinary Parasitology, 2010, 173, 334-335.	1.8	11
99	Clinical management of canine babesiosis. Journal of Veterinary Emergency and Critical Care, 2010, 20, 77-89.	1.1	62
100	Dual infection of rabies virus and Babesia canis in a dog: a case report. Veterinarni Medicina, 2010, 55, 294-296.	0.6	0
101	Malondialdehyde levels in serum of dogs infected with Babesia canis. Veterinarni Medicina, 2010, 55, 163-171.	0.6	33
102	Canine babesiosis in northern Portugal and molecular characterization of vector-borne co-infections. Parasites and Vectors, 2010, 3, 27.	2.5	42
103	Canine vector-borne diseases in India: a review of the literature and identification of existing knowledge gaps. Parasites and Vectors, 2010, 3, 28.	2.5	41
104	Polymerase chain reaction Confirmation of <i>Babesia canis canis</i> and <i>Anaplasma phagocytophilum</i> in Dogs Suspected of Babesiosis in Slovakia. Vector-Borne and Zoonotic Diseases, 2011, 11, 1447-1451.	1.5	26
105	<i>Babesia canis rossi</i> infection in a Texas dog. Veterinary Clinical Pathology, 2011, 40, 345-350.	0.7	13
106	Serial haematology results in transfused and non-transfused dogs naturally infected with Babesia rossi. Journal of the South African Veterinary Association, 2011, 82, 136-143.	0.6	16
107	Phylogenetic characterization of Babesia canis vogeli in dogs in the state of Goiás, Brazil. Brazilian Journal of Veterinary Parasitology, 2011, 20, 274-280.	0.7	17
108	Postmortem small babesia-like morphology of Babesia canis — Short communication. Acta Veterinaria Hungarica, 2011, 59, 427-432.	0.5	12

C			DEDO	
C	IIAI	ION	KEPO	ואי

#	ARTICLE	IF	CITATIONS
109	Babesiosis in dogs and cats—Expanding parasitological and clinical spectra. Veterinary Parasitology, 2011, 181, 48-60.	1.8	244
110	Babesiosis due to the canine Babesia microti-like small piroplasm in dogs - first report from Portugal and possible vertical transmission. Parasites and Vectors, 2011, 4, 50.	2.5	46
111	Why is Southern African canine babesiosis so virulent? An evolutionary perspective. Parasites and Vectors, 2011, 4, 51.	2.5	54
112	West-to-east differences of Babesia canis canis prevalence in Dermacentor reticulatus ticks in Slovakia. Veterinary Parasitology, 2011, 180, 191-196.	1.8	40
113	The prevention of transmission of Babesia canis canis by Dermacentor reticulatus ticks to dogs using a novel combination of fipronil, amitraz and (S)-methoprene. Veterinary Parasitology, 2011, 179, 343-350.	1.8	42
114	Babesia: A world emerging. Infection, Genetics and Evolution, 2012, 12, 1788-1809.	2.3	436
115	Assessment of renal dysfunction using urinary markers in canine babesiosis caused by Babesia rossi. Veterinary Parasitology, 2012, 190, 326-332.	1.8	36
116	Canine babesiosis in Romania due to Babesia canis and Babesia vogeli: a molecular approach. Parasitology Research, 2012, 110, 1659-1664.	1.6	38
117	First evidence and molecular characterization of Babesia vogeli in naturally infected dogs and Rhipicephalus sanguineus ticks in southern France. Veterinary Parasitology, 2012, 187, 399-407.	1.8	24
118	Use of a Real Time PCR for detecting subspecies of Babesia canis. Veterinary Parasitology, 2012, 188, 160-163.	1.8	25
119	Prevalence of Babesia microti-like infection in red foxes (Vulpes vulpes) from Portugal. Veterinary Parasitology, 2013, 196, 90-95.	1.8	56
120	Prevention of transmission of Babesia canis by Dermacentor reticulatus ticks to dogs treated with an imidacloprid/flumethrin collar. Veterinary Parasitology, 2013, 192, 273-278.	1.8	35
121	Türkiye'de Köpeklerde Babesia canis canis'in Klinik ve Parazitolojik Olarak İlk Tespiti. Kafkas Universi Veteriner Fakultesi Dergisi, 2013, , .	tesi 0.1	3
122	Ehrlichiosis, Babesiosis, Anaplasmosis and Hepatozoonosis in Dogs from St. Kitts, West Indies. PLoS ONE, 2013, 8, e53450.	2.5	52
123	Canine Babesiosis in Northwestern India: Molecular Detection and Assessment of Risk Factors. BioMed Research International, 2014, 2014, 1-5.	1.9	34
124	Clinical, Hematologic, and Molecular Findings in Naturally Occurring <i>Babesia canis vogeli</i> in Egyptian Dogs. Veterinary Medicine International, 2014, 2014, 1-6.	1.5	24
125	Babesia infection in naturally exposed pet dogs from a north-eastern state (Assam) of India: detection by microscopy and polymerase chain reaction. Journal of Parasitic Diseases, 2014, 38, 389-393.	1.0	10
126	Clinico-pathological findings in B. canis infected dogs in Egypt. Comparative Clinical Pathology, 2014, 23, 1305-1307.	0.7	1

ARTICLE IF CITATIONS Babesiosis., 2014, , 727-738. 127 8 The ability of an oral formulation of afoxolaner to block the transmission of Babesia canis by 2.5 Dermacentor reticulatus ticks to dogs. Parasites and Vectors, 2014, 7, 283. Genetic characterization and phylogenetic relationships based on 18S rRNA and ITS1 region of small 129 2.3 25 form of canine Babesia spp. from India. Infection, Genetics and Evolution, 2014, 27, 325-331. Clinical babesiosis and molecular identification of Babesia canis and Babesia gibsoni infections in 0.5 dogs from Serbia. Acta Veterinaria Hungarica, 2015, 63, 199-208. A serological and molecular survey of Babesia vogeli, Ehrlichia canis and Rickettsia spp. among dogs in the state of MaranhÃŁo, northeastern Brazil. Brazilian Journal of Veterinary Parasitology, 2015, 24, 131 0.7 22 28-35. Detection of <i>Babesia canis vogeli</i> and <i>Hepatozoon canis</i> in canine blood by a single-tube real-time fluorescence resonance energy transfer polymerase chain reaction assay and melting curve analysis. Journal of Veterinary Diagnostic Investigation, 2015, 27, 191-195. 1.1 Classification of Babesia canis strains in Europe based on polymorphism of the Bc28.1-gene from the 133 1.8 20 Babesia canis Bc28 multigene family. Veterinary Parasitology, 2015, 211, 111-123. Did disease constrain the spread of domestic dogs (<i>Canis familiaris</i>) into Sub-Saharan Africa?. 134 37 Azania, 2015, 50, 92-135. Tick-borne Diseases (Borreliosis, Anaplasmosis, Babesiosis) in German and Austrian Dogs; Status quo 135 and Review of Distribution, Transmission, Clinical Findings, Diagnostics and Prophylaxis. Parasitology 59 1.6 Research, 2015, 114, 19-54. Confirmation of occurrence of <i>Babesia vogeli</i> in a dog in Windhoek, central Namibia. Journal of the South African Veterinary Association, 2016, 87, e1-e3. Molecular prevalence and genetic characterization of piroplasms in dogs from Tunisia. Parasitology, 137 7 1.5 2016, 143, 1622-1628. 138 Prevalence of vector-borne pathogens in dogs from Haiti. Veterinary Parasitology, 2016, 224, 7-12. 1.8 139 A review of canine babesiosis: the European perspective. Parasites and Vectors, 2016, 9, 336. 2.5 248 Prognostic Markers in Acute <i>Babesia canis</i> Infections. Journal of Veterinary Internal Medicine, 141 1.6 39 2016, 30, 174-182. Association of Ehrlichia canis, Hemotropic Mycoplasma spp. and Anaplasma platys and severe anemia in 142 1.9 33 dogs in Thailand. Veterinary Microbiology, 2017, 201, 195-200. An ELISA for the early diagnosis of acute canine babesiosis detecting circulating antigen of large 143 1.8 Babesia spp.. Veterinary Parasitology, 2017, 243, 162-168. Molecular identification of Babesia spp. in naturally infected dogs of Kerala, South India. Journal of 144 1.0 18 Parasitic Diseases, 2017, 41, 459-462. Relation of antioxidant status at admission and disease severity and outcome in dogs naturally 145 infected with Babesia canis canis. BMC Veterinary Research, 2017, 13, 114.

		CITATION RE	PORT	
#	Article		IF	Citations
146	First report on Babesia vogeli infection in dogs in the Philippines. Parasitology Internatio 813-815.	nal, 2017, 66,	1.3	10
147	Microscopic and molecular analysis of Babesia canis in archived and diagnostic specimer impact of anti-parasitic treatment and postmortem changes on pathogen detection. Par Vectors, 2017, 10, 495.	ns reveal the rasites and	2.5	6
148	First molecular detection of Babesia canis in dogs from Bosnia and Herzegovina. Ticks a Diseases, 2018, 9, 363-368.	nd Tick-borne	2.7	14
149	Molecular evidence for the transovarial passage of Babesia gibsoni in Haemaphysalis hys	stricis (Acari:) Tj ETQq1 1	0.784314 2.5	rggT /Over
150	Antiprotozoal treatment of canine babesiosis. Veterinary Parasitology, 2018, 254, 58-63	۶.	1.8	74
151	Discovery of a recombinant Babesia canis supernatant antigen that protects dogs again challenge infection. Veterinary Parasitology, 2018, 249, 21-29.	st virulent	1.8	17
152	Detection of Babesia canis vogeli, Babesia gibsoni and Ehrlichia canis by multiplex PCR ir infected dogs in South India. Veterinarski Arhiv, 2018, 88, 215-224.	ו naturally	0.3	20
153	Molecular and Serological Prevalence of Anaplasma phagocytophilum, A. platys, Ehrlichia chaffeenses, E. ewingii, Borrelia burgdorferi, Babesia canis, B. gibsoni and B. vogeli amor Healthy Outdoor Dogs in Serbia. Veterinary Parasitology: Regional Studies and Reports, 117-122	a canis, E. Ig Clinically 2018, 14,	0.5	17
154	In search of the vector(s) of Babesia rossi in Nigeria: molecular detection of B. rossi DNA Rhipicephalus sanguineus sensu lato (Acari: Ixodidae) ticks collected from dogs, circums evidence worth exploring. Experimental and Applied Acarology, 2018, 76, 243-248.	.in tantial	1.6	6
155	Prevalence of canine Babesia and Ehrlichia co-infection and the predictive value of haem Onderstepoort Journal of Veterinary Research, 2018, 85, e1-e5.	atology.	1.2	14
156	Canine Babesiosis: Where Do We Stand?. Acta Veterinaria, 2018, 68, 127-160.		0.5	43
157	Multi-scale patterns of tick occupancy and abundance across an agricultural landscape i Africa. PLoS ONE, 2019, 14, e0222879.	n southern	2.5	7
158	An annotated checklist of tick-borne pathogens of dogs in Nigeria. Veterinary Parasitolo Studies and Reports, 2019, 15, 100255.	gy: Regional	0.5	4
159	Canine babesiosis among working dogs of organised kennels in India: A comprehensive biochemical, clinicopathological and molecular epidemiological multiregional study. Preventerinary Medicine, 2019, 169, 104696.	naematological, ventive	1.9	10
160	Ticks (Acari: Ixodidae) infesting dogs in Nigeria: epidemiological and public health implic Experimental and Applied Acarology, 2019, 78, 231-246.	ations.	1.6	6
161	Molecular detection and genetic diversity of Babesia canis canis in pet dogs in Henan Pr Parasitology International, 2019, 71, 37-40.	ovince, China.	1.3	17
162	Evaluation of acute kidney injury in dogs with complicated or uncomplicated Babesia ros Ticks and Tick-borne Diseases, 2020, 11, 101406.	ssi infection.	2.7	5
163	Don't let sleeping dogs lie: unravelling the identity and taxonomy of Babesia canis, E Babesia vogeli. Parasites and Vectors, 2020, 13, 184.	Babesia rossi and	2.5	21

#	Article	IF	CITATIONS
164	Prognostic markers and their discriminant score in predicting the outcome of Babesia gibsoni infection. Veterinary Record, 2021, 188, e29.	0.3	1
165	Prevalence, genetic, and biochemical evaluation of immune response of police dogs infected with Babesia vogeli. Veterinary World, 2021, 14, 903-912.	1.7	10
166	Molecular evidence indicts Haemaphysalis leachi (Acari: Ixodidae) as the vector of Babesia rossi in dogs in Nigeria, West Africa. Ticks and Tick-borne Diseases, 2021, 12, 101717.	2.7	7
167	Molecular survey of Babesia spp. in red foxes (Vulpes Vulpes), Asian badgers (Meles leucurus) and their ticks in China. Ticks and Tick-borne Diseases, 2021, 12, 101710.	2.7	7
168	Challenges in Tick-Borne Pathogen Detection: The Case for Babesia spp. Identification in the Tick Vector. Pathogens, 2021, 10, 92.	2.8	21
169	Veterinary Significance of Ticks and Tick-Borne Diseases. , 1992, , 23-33.		13
170	The current status of major tick borne diseases in Zambia. Veterinary Research, 2003, 34, 27-45.	3.0	57
171	Canine babesiosis in Slovenia: Molecular evidence ofBabesia caniscanisandBabesia canis vogeli. Veterinary Research, 2004, 35, 363-368.	3.0	60
172	Clinicopathological and molecular profiles of Babesia vogeli infection and Ehrlichia canis coinfection. Veterinary World, 2020, 13, 1294-1302.	1.7	14
173	Variability of species of Babesia Starcovici, 1893 in three sympatric ticks (Ixodes ricinus, Dermacentor) Tj ETQq1 Folia Parasitologica, 2017, 64, .	1 0.78431 1.3	16 A rgBT /Over
173 174	Variability of species of Babesia Starcovici, 1893 in three sympatric ticks (Ixodes ricinus, Dermacentor) Tj ETQq1 Folia Parasitologica, 2017, 64, . Infecção experimental de cães com amostras de Babesia canis isoladas em Minas Gerais. Arquivo Brasileiro De Medicina Veterinaria E Zootecnia, 2002, 54, 546-548.	1 0.78431 1.3 0.4	4 rgBT /Over 16 5
173 174 175	Variability of species of Babesia Starcovici, 1893 in three sympatric ticks (Ixodes ricinus, Dermacentor) Tj ETQq1 Folia Parasitologica, 2017, 64, . Infecção experimental de cães com amostras de Babesia canis isoladas em Minas Gerais. Arquivo Brasileiro De Medicina Veterinaria E Zootecnia, 2002, 54, 546-548. Acid-base status in canine babesiosis caused by Babesia canis. Veterinarski Arhiv, 2020, 90, 603-610.	1 0.78431 1.3 0.4 0.3	4 rgBT /Over 16 5 3
173 174 175 176	Variability of species of Babesia Starcovici, 1893 in three sympatric ticks (Ixodes ricinus, Dermacentor) Tj ETQq1 Folia Parasitologica, 2017, 64, . Infecção experimental de cães com amostras de Babesia canis isoladas em Minas Gerais. Arquivo Brasileiro De Medicina Veterinaria E Zootecnia, 2002, 54, 546-548. Acid-base status in canine babesiosis caused by Babesia canis. Veterinarski Arhiv, 2020, 90, 603-610. Frequency of Babesia vogeli in domestic dogs in the metropolitan area of Piura, Peru. Acta Veterinaria Brno, 2018, 87, 255-260.	1 0.78431 1.3 0.4 0.3 0.5	4 rgBT /Over 5 3 4
173 174 175 176	 Variability of species of Babesia Starcovici, 1893 in three sympatric ticks (Ixodes ricinus, Dermacentor) Tj ETQq1 Folia Parasitologica, 2017, 64, . Infecção experimental de cães com amostras de Babesia canis isoladas em Minas Gerais. Arquivo Brasileiro De Medicina Veterinaria E Zootecnia, 2002, 54, 546-548. Acid-base status in canine babesiosis caused by Babesia canis. Veterinarski Arhiv, 2020, 90, 603-610. Frequency of Babesia vogeli in domestic dogs in the metropolitan area of Piura, Peru. Acta Veterinaria Brno, 2018, 87, 255-260. Prevalence of Rhipicephalus sanguineus infestation and Babesia canis infection in dogs with respect to breed type and degree of freedom in Makurdi, Benue State-Nigeria. The Internet Journal of Parasitic Diseases, 2010, 4, . 	1 0.78431 1.3 0.4 0.3 0.5 0.0	4 rgBT /Over 16 3 4 8
173 174 175 176 178	 Variability of species of Babesia Starcovici, 1893 in three sympatric ticks (Ixodes ricinus, Dermacentor) Tj ETQq1 Folia Parasitologica, 2017, 64, . Infecħģo experimental de cģes com amostras de Babesia canis isoladas em Minas Gerais. Arquivo Brasileiro De Medicina Veterinaria E Zootecnia, 2002, 54, 546-548. Acid-base status in canine babesiosis caused by Babesia canis. Veterinarski Arhiv, 2020, 90, 603-610. Frequency of Babesia vogeli in domestic dogs in the metropolitan area of Piura, Peru. Acta Veterinaria Brno, 2018, 87, 255-260. Prevalence of Rhipicephalus sanguineus infestation and Babesia canis infection in dogs with respect to breed type and degree of freedom in Makurdi, Benue State-Nigeria. The Internet Journal of Parasitic Diseases, 2010, 4, . Babesiosis in a Local Dog in Yogyakarta, Indonesia, a Case Report. Journal of Parasitology (Faisalabad), 2018, 13, 14-18. 	1 0.78431 1.3 0.4 0.3 0.5 0.0 0.2	4 rgBT /Over 5 3 4 8 1
173 174 175 176 178 179	 Variability of species of Babesia Starcovici, 1893 in three sympatric ticks (Ixodes ricinus, Dermacentor) Tj ETQq1 Folia Parasitologica, 2017, 64, . InfecĂŞĂ£o experimental de cĂ£es com amostras de Babesia canis isoladas em Minas Gerais. Arquivo Brasileiro De Medicina Veterinaria E Zootecnia, 2002, 54, 546-548. Acid-base status in canine babesiosis caused by Babesia canis. Veterinarski Arhiv, 2020, 90, 603-610. Frequency of Babesia vogeli in domestic dogs in the metropolitan area of Piura, Peru. Acta Veterinaria Brno, 2018, 87, 255-260. Prevalence of Rhipicephalus sanguineus infestation and Babesia canis infection in dogs with respect to breed type and degree of freedom in Makurdi, Benue State-Nigeria. The Internet Journal of Parasitic Diseases, 2010, 4, . Babesiosis in a Local Dog in Yogyakarta, Indonesia, a Case Report. Journal of Parasitology (Faisalabad), 2018, 13, 14-18. Prevalence of Canine Babesiosis in Jos South Local Government Area of Plateau State. Open Access Library Journal (oalib), 2020, 07, 1-8. 	1 0.78431 1.3 0.4 0.3 0.5 0.0 0.2 0.2	4 rgBT /Over 5 3 4 8 1 1
173 174 175 176 178 179 180	 Variability of species of Babesia Starcovici, 1893 in three sympatric ticks (Ixodes ricinus, Dermacentor) Tj ETQq1 Folia Parasitologica, 2017, 64, . InfecĂ§Ă£o experimental de cĂ£es com amostras de Babesia canis isoladas em Minas Gerais. Arquivo Brasileiro De Medicina Veterinaria E Zootecnia, 2002, 54, 546-548. Acid-base status in canine babesiosis caused by Babesia canis. Veterinarski Arhiv, 2020, 90, 603-610. Frequency of Babesia vogeli in domestic dogs in the metropolitan area of Piura, Peru. Acta Veterinaria Brno, 2018, 87, 255-260. Prevalence of Rhipicephalus sanguineus infestation and Babesia canis infection in dogs with respect to breed type and degree of freedom in Makurdi, Benue State-Nigeria. The Internet Journal of Parasitic Diseases, 2010, 4, . Babesiosis in a Local Dog in Yogyakarta, Indonesia, a Case Report. Journal of Parasitology (Faisalabad), 2018, 13, 14-18. Prevalence of Canine Babesiosis in Jos South Local Covernment Area of Plateau State. Open Access Library Journal (oalib), 2020, 07, 1-8. Clinical, Morphological and Molecular Characterization of Canine Babesiosis and its Compatible Tick Vector in Naturally Infected Dogs, in Egypt. Zagazig Veterinary Journal, 2020, 48, 242-253. 	1 0.78431 1.3 0.4 0.3 0.5 0.0 0.2 0.2 0.2	4 rgBT /Over 5 3 4 8 1 1 2

#	Article	IF	CITATIONS
184	Detection and Molecular Characterization of Babesia canis vogeli and Theileria annulata in Free-Ranging Dogs and Ticks from Shahriar County, Tehran Province, Iran. Iranian Journal of Parasitology, 2020, 15, 321-331.	0.6	1
185	The Piroplasmida Babesia, Cytauxzoon, and Theileria in farm and companion animals: species compilation, molecular phylogeny, and evolutionary insights. Parasitology Research, 2022, 121, 1207-1245.	1.6	44
186	Identification and phylogenetic analysis of <i>Babesia</i> parasites in domestic dogs in Nigeria. Journal of Veterinary Medical Science, 2022, 84, 338-341.	0.9	5
187	Clinical, Hematologic, and Molecular Findings of Babesia canis vogeli in a Naturally Infected Dog at Colima, México: First Case Reported. Southwestern Entomologist, 2021, 46, .	0.2	0
188	Genetic Diversity of Babesia canis Strains in Dogs in Lithuania. Microorganisms, 2022, 10, 1446.	3.6	3
190	A novel promising diagnostic candidate selected by screening the transcriptome of Babesia gibsoni (Wuhan isolate) asexual stages in infected beagles. Parasites and Vectors, 2022, 15, .	2.5	0
191	Tick-borne diseases in Egypt: A one health perspective. One Health, 2022, 15, 100443.	3.4	6
192	Babesia in North America. Veterinary Clinics of North America - Small Animal Practice, 2022, 52, 1193-1209.	1.5	6
193	Molecular detection of Babesia and Theileria species/genotypes in sheep and ixodid ticks in Erzurum, Northeastern Turkey: First report of Babesia canis in sheep. Research in Veterinary Science, 2023, 157, 40-49.	1.9	2
195	Babesiosis. , 2021, , 1203-1217.		1
196	Detection and Molecular Characterization of Canine Babesiosis Causative Agent Babesia canis in Naturally Infected Dogs in the Dobrogea Area (Southeastern Romania). Life, 2023, 13, 1354.	2.4	0
197	Babesiosis: Current status and future perspectives in Pakistan and chemotherapy used in livestock and pet animals. Heliyon, 2023, 9, e17172.	3.2	2
198	Canine Babesiosis Caused by Large Babesia Species: Global Prevalence and Risk Factors—A Review. Animals, 2023, 13, 2612.	2.3	2
199	First Molecular Evidence of Babesia vogeli,ÂBabesia vulpes, and Theileria ovis in Dogs from Kyrgyzstan. Pathogens, 2023, 12, 1046.	2.8	3
200	Epidemiological and phylogenetic investigation of Babesia spp. in dogs of Hainan Province/Island, China. Parasitology Research, 2023, 122, 2379-2383.	1.6	1
201	Identification of Rhipicephalus sanguineus sensu lato infected with tick-borne pathogens from pet and stray dogs in Guangzhou, Southern China. Ticks and Tick-borne Diseases, 2024, 15, 102267.	2.7	0
202	The Diverse Pathogenicity of Various Babesia Parasite Species That Infect Dogs. Pathogens, 2023, 12, 1437.	2.8	1