CITATION REPORT List of articles citing

Nylon 6Clay Hybrid

DOI: 10.1557/proc-171-45 Materials Research Society Symposia Proceedings, 1989, 171, 45.

Source: https://exaly.com/paper-pdf/20965842/citation-report.pdf

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
300	Intercalation of water-soluble polymers in V2O5 xerogel. 1993 , 5, 369-372		43
299	Structure Analysis of Nylon6-Clay Hybrid by Spectral Reflectance of Laser-Plasma Soft X-Rays. 1993 , 32, 5558-5563		1
298	Nanoscale Composites Formed by Encapsulation of Polymers in MoS2. From Conjugated Polymers to Plastics. Detection of Metal to Insulator Transition. 1994 , 245, 249-254		42
297	Clay-Polymer Nanocomposites: Polyether and Polyimide Systems. <i>Materials Research Society Symposia Proceedings</i> , 1994 , 346, 81		18
296	Polyvinyl Alcohol-Clay Complexes Formed by Direct Synthesis. 1996 , 44, 506-514		67
295	Synthesis and crystallization behaviour of an intercalated compound of poly(ethylene terephthalate) and mica. 1996 , 15, 1178-1179		8
294	Intercalation Characteristics of Rhodamine 6G in Fluor-Taeniolite: Orientation in the Gallery. 1997 , 45, 77-84		31
293	Nanocomposites based on montmorillonite and unsaturated polyester. <i>Polymer Engineering and Science</i> , 1998 , 38, 1351-1358	2.3	259
292	Glasses, Organic Inorganic Hybrids. 2000 ,		
291	Nanostructure and properties of polysiloxane-layered silicate nanocomposites. 2000 , 38, 1595-1604		126
290	Stiffness Improvements and Molecular Mobility in Epoxy-Clay Nanocomposites. <i>Materials Research Society Symposia Proceedings</i> , 2000 , 628, 1		17
289	Scaling theory for end-functionalized polymers confined between two surfaces: Predictions for fabricating polymer/clay nanocomposites. 2000 , 112, 4365-4375		47
288	Phase behavior of end-functionalized polymers confined between two surfaces. 2000 , 113, 2479-2483		25
287	Mechanical, thermal and morphological properties of glass fiber and carbon fiber reinforced polyamide-6 and polyamide-6/clay nanocomposites. 2001 , 49, 327-333		143
286	Mechanical Properties of Unsaturated Polyester / Montmorillonite Composites. <i>Materials Research Society Symposia Proceedings</i> , 2001 , 703, 1		2
285	Synthesis of epoxydlay nanocomposites: influence of the nature of the clay on structure. <i>Polymer</i> , 2001 , 42, 1303-1310	3.9	506
284	Structure development and crystallization behaviour of PP/nanoparticulate composite. <i>Polymer</i> , 2001 , 42, 6723-6731	3.9	180

(2003-2001)

283	Time-resolved shear behavior of end-tethered Nylon 6 dlay nanocomposites followed by non-isothermal crystallization. <i>Polymer</i> , 2001 , 42, 9015-9023	3.9	97
282	Nylon 6 nanocomposites: the effect of matrix molecular weight. <i>Polymer</i> , 2001 , 42, 09929-09940	3.9	936
281	Specific interaction governing the melt intercalation of clay with poly(styrene-co-acrylonitrile) copolymers. 2001 , 39, 2430-2435		30
280	Recent Progress in Synthesis and Evaluation of Polymer-Montmorillonite Nanocomposites. 2001 , 167-2	21	348
279	Surface modifications of montmorillonite for tailored interfaces in nanocomposites. 2002 , 78, 645-662		76
278	Predicting the binding energy for nylon 6,6/clay nanocomposites by molecular modeling. <i>Polymer</i> , 2002 , 43, 541-553	3.9	123
277	Morphology development in layered silicate thermoset nanocomposites. 2002 , 62, 1033-1041		87
276	High performance epoxy-layered silicate nanocomposites. <i>Polymer Engineering and Science</i> , 2002 , 42, 1815-1826	2.3	120
275	Comparison of solution intercalation and melt intercalation of polymerlay nanocomposites. <i>Polymer</i> , 2002 , 43, 4251-4260	3.9	239
274	Thermal expansion behavior of nylon 6 nanocomposites. <i>Polymer</i> , 2002 , 43, 6727-6741	3.9	246
273	EVA/clay nanocomposite by solution blending: Effect of aluminosilicate layers on mechanical and thermal properties. 2003 , 11, 260-266		44
272	Study of the exfoliation process of epoxydlay nanocomposites by different curing agents. <i>Journal of Applied Polymer Science</i> , 2003 , 90, 511-517	2.9	19
271	High performance nanocomposites of polyurethane elastomer and organically modified layered silicate. <i>Journal of Applied Polymer Science</i> , 2003 , 90, 3239-3243	2.9	79
270	Synthesis and characterization of poly(urethane-benzoxazine)/clay hybrid nanocomposites. <i>Journal of Applied Polymer Science</i> , 2003 , 90, 4075-4083	2.9	88
269	Polyimide nanocomposites prepared from high-temperature, reduced charge organoclays. <i>Polymer</i> , 2003 , 44, 2231-2241	3.9	73
268	Computer simulation of nylon-6/organoclay nanocomposites: prediction of the binding energy. 2003 , 212, 315-329		84
267	Hydrogen bonding in polyamide 66/clay nanocomposite. 2003 , 41, 2313-2321		43
266	Synthesis and mechanical properties of unsaturated polyester based nanocomposites. <i>Polymer Engineering and Science</i> , 2003 , 43, 661-669	2.3	60

265	Claypolymer nanocomposite coatings for imaging application. <i>Applied Clay Science</i> , 2003 , 23, 265-273 5.2	30
264	Nanocomposite Structure Based on Silylated MCM-48 and Poly(vinyl acetate). 2003 , 15, 3894-3902	44
263	Intercalation of tetraazamacrocycles into molybdenum disulfide. 2003, 13, 44-49	22
262	Features of the Flammability and Thermal Degradation of a Nanocomposite of Flexible Polyurethane Foam Based on Organically Modified Laminar Aluminosilicate. <i>International Polymer Science and Technology</i> , 2004 , 31, 42-53	
261	Analysis of the intermolecular interaction of nanocomposites by THz spectroscopy. 2004 , 85, 4010-4012	46
260	Cell Development in Microcellular Injection Molded Polyamide-6 Nanocomposite and Neat Resin. 2004 , 40, 371-382	15
259	Study on Structure and Orientation Action of Polyurethane Nanocomposites. 2004 , 37, 5615-5623	106
258	Hydrogen Bonding, Mechanical and Physical Property, and Surface Morphology of Waterborne Polyurethane / Clay Nanocomposite. 2004 , 731-735	1
257	Enhanced thermal properties of PS nanocomposites formed from inorganic POSS-treated montmorillonite. <i>Polymer</i> , 2004 , 45, 2633-2640	118
256	Solid freeform fabrication of soybean oil-based composites reinforced with clay and fibers. 2004 , 81, 605-610	26
255	Clay/polymer composites: the story. 2004 , 7, 50-55	247
254	Melt compounding of different grades of polystyrene with organoclay. Part 1: Compounding and characterization. <i>Polymer Engineering and Science</i> , 2004 , 44, 1046-1060	84
253	Melt compounding of different grades of polystyrene with organoclay. Part 2: Rheological properties. <i>Polymer Engineering and Science</i> , 2004 , 44, 1061-1076	47
252	Morphology and performance of epoxy nanocomposites modified with organoclay and rubber. Polymer Engineering and Science, 2004 , 44, 1178-1186	84
251	Deformation mechanisms of nanoclay-reinforced maleic anhydride-modified polypropylene. 2004 , 42, 2759-2768	22
250	Surface modification of clay and its effect on the intercalation behavior of the polymer/clay nanocomposites. 2004 , 42, 2367-2372	26
249	Nonisothermal crystallization of PP/nano-SiO2 composites. <i>Journal of Applied Polymer Science</i> , 2004 , 91, 1013-1019	72
248	Synthesis of resollayered silicate nanocomposites by reaction exfoliation with acid-modified montmorillonite. <i>Journal of Applied Polymer Science</i> , 2004 , 92, 791-797	25

(2005-2004)

247	Preparation and properties of unsaturated polyesterfhontmorillonite intercalated hybrid. <i>Journal of Applied Polymer Science</i> , 2004 , 92, 2038-2044	2.9	17
246	Epoxy-montmorillonite clay nanocomposites: Synthesis and characterization. <i>Journal of Applied Polymer Science</i> , 2004 , 93, 2201-2210	2.9	70
245	Thermal stability and water uptake of high performance epoxy layered silicate nanocomposites. European Polymer Journal, 2004 , 40, 187-195	5.2	223
244	Rheological behavior of new melt compounded copolyamide nanocomposites. <i>Polymer</i> , 2004 , 45, 3487-	3496	86
243	Nanoindentation and morphological studies on nylon 66 nanocomposites. I. Effect of clay loading. <i>Polymer</i> , 2004 , 45, 3341-3349	3.9	154
242	Influence of constituent properties and microstructural parameters on the tensile modulus of a polymer/clay nanocomposite. 2004 , 64, 2577-2588		58
241	Enhancement of Damping in Polymer Composites using Nano Composites. 2004, 1		
240	Morphology and fracture behavior of intercalated epoxy/clay nanocomposites. <i>Journal of Applied Polymer Science</i> , 2004 , 94, 1236-1244	2.9	139
239	Cellulose-Based Nanocomposites. 2005 ,		13
238	Functionalization of single layers and nanofibers: a new strategy to produce polymer nanocomposites with optimized properties. 2005 , 285, 532-43		99
237	Compatibilization-like effect of reactive organoclay on the poly(l-lactide)/poly(butylene succinate) blends. <i>Polymer</i> , 2005 , 46, 11829-11836	3.9	186
236	Epoxy/montmorillonite nanocomposites: influence of organophilic treatment on reactivity, morphology and fracture properties. <i>Polymer</i> , 2005 , 46, 12267-12278	3.9	101
235	Polarized confocal Raman microspectroscopy studies of chain orientation on injected poly(propylene)/montmorillonite nanocomposites. <i>Journal of Applied Polymer Science</i> , 2005 , 96, 2377-2	382	4
234	Poly(butylene succinate)/twice functionalized organoclay nanocomposites: Preparation, characterization, and properties. <i>Journal of Applied Polymer Science</i> , 2005 , 98, 1727-1732	2.9	47
233	The Role of Functional Group on the Exfoliation of Clay in Poly(L-lactide). 2005, 26, 183-187		63
232	Thermal transitions of the drawn film of a nylon 6/layered silicate nanocomposite. 2005 , 13, 156-161		11
231	Epoxy-layered silicate nanocomposites as matrix in glass fibre-reinforced composites. 2005 , 65, 2259-22	268	159
230	Enhanced thermal properties of PS nanocomposites formed from montmorillonite treated with a surfactant/cyclodextrin inclusion complex. <i>Polymer</i> , 2005 , 46, 741-750	3.9	48

229	The effect of clay on the thermal degradation of polyamide 6 in polyamide 6/clay nanocomposites. <i>Polymer</i> , 2005 , 46, 3264-3274	3.9	131
228	Nanoindentation and morphological studies on injection-molded nylon-6 nanocomposites. <i>Polymer</i> , 2005 , 46, 11969-11977	3.9	58
227	Degradation and rheological properties of biodegradable nanocomposites prepared by melt intercalation method. <i>Fibers and Polymers</i> , 2005 , 6, 289-296	2	25
226	Application of Cellulose Microfibrils in Polymer Nanocomposites. 2005 , 13, 301-306		222
225	Morphology study of rubber based nanocomposites by transmission electron microscopy and atomic force microscopy. <i>Journal of Materials Science</i> , 2005 , 40, 1633-1642	4.3	47
224	Hydrogen bonding, mechanical properties, and surface morphology of clay/waterborne polyurethane nanocomposites. 2005 , 43, 1-12		41
223	Nanoclay-induced morphology development in chaotic mixing of immiscible polymers. 2005 , 43, 3638-	3651	49
222	Microstructure and crystallography in microcellular injection-molded polyamide-6 nanocomposite and neat resin. <i>Polymer Engineering and Science</i> , 2005 , 45, 52-61	2.3	74
221	Epoxy-organoclay nanocomposites: morphology, moisture absorption behavior and thermo-mechanical properties. 2005 , 12, 271-289		11
220	Reactivity of kaolinite in ionic liquids: preparation and characterization of a 1-ethyl pyridinium chloride aolinite intercalate. 2005 , 15, 4734		62
219	Epoxy Layered Silicate Nanocomposites. 2005 , 29-82		85
218	Material Functionalization of Cellulose and Related Polysaccharides via Diverse Microcompositions. 2006 , 97-151		113
217	Biodegradable nanocomposites from cellulose acetate: Mechanical, morphological, and thermal properties. 2006 , 37, 1428-1433		59
216	Preparation, morphology and thermal/mechanical properties of epoxy/nanoclay composite. 2006 , 37, 1890-1896		175
215	Synthesis of polymer/Laponite nanocomposite latex particles via emulsion polymerization using silylated and cation-exchanged Laponite clay platelets. 2006 , 34, 121-137		91
214	Ethylene/vinyl acetate copolymer/clay nanocomposites. 2006 , 44, 471-480		49
213	Morphology, flexural, and thermal properties of sepiolite modified epoxy resins with different curing agents. <i>European Polymer Journal</i> , 2006 , 42, 3093-3101	5.2	47
212	Thermal and viscoelastic properties of polyurethane-imide/clay hybrid coatings. 2006 , 91, 1837-1849		88

(2007-2006)

211	Molecular interactions in intercalated organically modified clay and claypolycaprolactam nanocomposites: Experiments and modeling. <i>Polymer</i> , 2006 , 47, 403-414	3.9	131	
210	Insight into molecular interactions between constituents in polymer clay nanocomposites. <i>Polymer</i> , 2006 , 47, 5196-5205	3.9	61	
209	Mechanical Properties of Individual Nanotubes and Composites. 2006 , 439-493		5	
208	Effect of Sequential Mixing and Compounding Conditions on Cellulose Acetate/Layered Silicate Nanocomposites. 2006 , 14, 27-35		47	
207	UV-curable hyperbranched nanocomposite coatings. 2006 , 55, 284-290		42	
206	Preparation and properties of poly(silicone-co-acrylate)/montmorillonite nanocomposite emulsion. <i>Journal of Applied Polymer Science</i> , 2006 , 101, 3963-3970	2.9	12	
205	Effect of interfacial attraction on intercalation in polymer/clay nanocomposites. <i>Journal of Applied Polymer Science</i> , 2006 , 101, 2749-2753	2.9	14	
204	Preparation and properties of a poly(2-cyano-1,4-phenylene terephthalamide)/layered silicate nanocomposite. <i>Journal of Applied Polymer Science</i> , 2006 , 102, 640-645	2.9	7	
203	Nanoindentation and Morphological Studies of Epoxy Nanocomposites. 2006 , 291, 1358-1366		64	
202	Preparation of polymerdlay nanocomposites and their properties. 2006, 25, 270-285		230	
201	Polymer nanocomposites: current understanding and issues. 2006 , 22, 742-755		50	
200	Intercalation of Glucosamine and Chitosan into Layered Zirconium Phosphates. 2006, 79, 262-269		5	
199	Materials Processes of Graphite Nanostructured Composites Using Ball Milling. 2006 , 21, 159-166		18	
198	Mode I interlaminar fracture behavior and mechanical properties of CFRPs with nanoclay-filled epoxy matrix. 2007 , 38, 449-460		244	
197	Matrix cracking behaviors in carbon fiber/epoxy laminates filled with cup-stacked carbon nanotubes (CSCNTs). 2007 , 38, 917-924		134	
196	Natural biopolymer-based nanocomposite films for packaging applications. 2007 , 47, 411-33		546	
195	Thermomechanical Properties and Microcracking Behaviors of CFRP Laminates Using CSCNT-Dispersed Epoxy. 2007 ,			
194	A high strength nanocomposite based on microcrystalline cellulose and polyurethane. 2007 , 8, 3687-92	2	231	

193	Mechanical and Thermal Properties of Nano-Composites of Poly(Vinyl Chloride) and Co-Poly(Vinyl Chloride-Vinyl Alcohol-Vinyl Acetate) with Montmorillonite. 2007 , 15, 313-319		25
192	Effect of organic modifiers on dynamic and static nanomechanical properties and crystallinity of intercalated claypolycaprolactam nanocomposites. <i>Journal of Applied Polymer Science</i> , 2007 , 105, 790-8	30 2 9	31
191	Synthesis of lamellar isobutyl silicates and dispersion in polypropylene melts. <i>Journal of Applied Polymer Science</i> , 2007 , 105, 1456-1465	2.9	3
190	Epoxy-Based Fibre Reinforced Nanocomposites. 2007 , 9, 835-847		143
189	Layered nanocomposites based on molybdenum disulfide and hydroxy-Al, Cr and CrAl oligocations: Characterization and catalytic activity in benzene hydrogenation to cyclohexane. 2007 , 331, 105-111		8
188	Water uptake of epoxydlay nanocomposites: Model development. 2007 , 67, 3308-3315		37
187	An investigation on the dispersion of montmorillonite (MMT) primary particles in PP matrix. <i>European Polymer Journal</i> , 2007 , 43, 3250-3257	5.2	19
186	Nanostructured coatings of glass fibers: Improvement of alkali resistance and mechanical properties. 2007 , 55, 1043-1052		84
185	An improved technique for exfoliating and dispersing nanoclay particles into polymer matrices using supercritical carbon dioxide. <i>Polymer</i> , 2007 , 48, 6923-6933	3.9	127
184	Effect of matrix molecular weight on the dispersion of nanoclay in unmodified high density polyethylene. <i>Polymer Composites</i> , 2007 , 28, 499-511	3	34
183	Reinforcement of polybenzoxazine matrix with organically modified mica. <i>Polymer Composites</i> , 2007 , 28, 680-687	3	26
182	The effect of nanoclays on the nucleation, crystallization, and melting mechanisms of isotactic polypropylene. <i>Polymer Engineering and Science</i> , 2007 , 47, 1889-1897	2.3	37
181	Effect of fill factor and validation of characterizing the degree of mixing in polymer nanocomposites. <i>Polymer Engineering and Science</i> , 2007 , 47, 2049-2056	2.3	33
180	Organically modified montmorillonite hyperbranched polyurethanellrea hybrid composites. 2007 , 60, 54-62		38
179	Thermal and mechanical properties of SEBS-g-MA based inorganic composite materials. <i>Journal of Materials Science</i> , 2007 , 42, 93-100	4.3	40
178	Layered nanocomposites based on molybdenum disulfide and hydroxy-NiAl oligocations: characterization and catalytic activities in oxidation of sulfide. 2007 , 14, 465-470		4
177	Mechanical and fire retardant properties of EVA/clay/ATH nanocomposites Æffect of particle size and surface treatment of ATH filler. 2008 , 93, 2032-2037		72
176	Nanocomposite-based lignocellulosic fibers 1. Thermal stability of modified fibers with clay-polyelectrolyte multilayers. <i>Cellulose</i> , 2008 , 15, 333-346	5.5	48

175	Inclusion of aramid chains into the layered silicates through solution intercalation route. 2008, 62, 353-	361	16
174	Dependence of Coefficient of volumetric thermal expansion (CVTE) of glass fiber reinforced (GFR) polymers on the glass fiber content. <i>Polymer Bulletin</i> , 2008 , 59, 813-824	2.4	6
173	Preparation and cure behavior of organoclay-modified allyl-functional benzoxazine resin and the properties of their nanocomposites. <i>Polymer Composites</i> , 2008 , 29, 750-757	3	40
172	New aramid-based nanocomposites: Synthesis and characterization. <i>Polymer Engineering and Science</i> , 2008 , 48, 1624-1633	2.3	19
171	Mass Transport Through PDMS/Clay Nanocomposite Membranes. 2008 , 85, 36-44		8
170	Processing and properties of mineral-interfaced cellulose fibre composites. <i>Journal of Applied Polymer Science</i> , 2008 , 107, 918-929	2.9	20
169	The role of interfacial interactions on the crystallinity and nanomechanical properties of clayBolymer nanocomposites: A molecular dynamics study. <i>Journal of Applied Polymer Science</i> , 2008 , 107, 3137-3148	2.9	37
168	Evaluation and prediction of the effects of melt-processing conditions on the degree of mixing in alumina/poly(ethylene terephthalate) nanocomposites. <i>Journal of Applied Polymer Science</i> , 2008 , 109, 2924-2934	2.9	15
167	Models of moisture diffusion through vinyl ester/clay nanocomposites. 2008 , 54, 364-371		9
166	Quantification of organoclay dispersion and lamellar morphology in poly(propylene) lay nanocomposites with small angle X-ray scattering. <i>Polymer</i> , 2008 , 49, 4285-4297	3.9	24
165	Characterization of swollen [Al3P4O16]3ß[NH3CH2CH3]+ in preparation for polymer-aluminophosphate nanocomposite fabrication. 2008 , 112, 77-87		2
164	Fabrication and mechanical properties of exfoliated clayIINTs/epoxy nanocomposites. 2008, 490, 481-4	187	29
163	Polymer/layered silicate nanocomposite anticorrosive coatings. <i>Journal of Industrial and Engineering Chemistry</i> , 2008 , 14, 275-291	6.3	87
162	Water uptake of epoxyflay nanocomposites: Model development. 2008 , 68, 156-163		31
161	Influence of oligomerically modified reactive montmorillonite on thermal and mechanical properties of aromatic polyamidellay nanocomposites. 2008 , 56, 4905-4912		27
160	A novel method for preparation of exfoliated UV-curable polymer/clay nanocomposites. <i>European Polymer Journal</i> , 2008 , 44, 1613-1619	5.2	38
159	Layered clay minerals. Basic research and innovative composite applications. 2008, 107, 141-148		98
158	Effects of clay type, clay/compatibiliser content and matrix viscosity on the mechanical properties of polypropylene/organoclay nanocomposites. 2008 , 39, 1177-1191		106

157	Altered phase model for polymer clay nanocomposites. <i>Langmuir</i> , 2008 , 24, 5599-607	4	55
156	Structure and dynamics of surfactant interfaces in organically modified clays. <i>Journal of Physical Chemistry B</i> , 2008 , 112, 10544-51	3.4	22
155	Use of Polymer/Organoclay Nanocomposite Surface Treatment as Water/Ion Barrier for Concrete. 2008 , 20, 484-492		33
154	Morphology, mechanical, and thermal properties of aramid/layered silicate nanocomposite materials. 2008 , 23, 2296-2304		8
153	Effect of thermally stable oligomerically modified clay on the properties of aramid-based nanocomposite materials. 2008 , 23, 3330-3338		5
152	Mechanical, Optical and Barrier Properties of Pa6/Nanoclay-Based Single- and Multilayer Blown Films. 2008 , 16, 349-358		13
151	Effect of irradiation temperatures on nitrile rubber nanocomposites. <i>Plastics, Rubber and Composites</i> , 2009 , 38, 39-45	1.5	1
150	Probing the Properties of Nanocomposites Synthesized from Aramid and Surface-Modified Clay. 2009 , 62, 441		6
149	Preparation and characterization of polythiophene/molybdenum disulfide intercalation material. 2009 , 44, 719-723		48
148	Synthesis and characterization of some polyacrylate/montmorillonite nanocomposites by in situ emulsion polymerization using redox initiation system. <i>Journal of Applied Polymer Science</i> , 2009 , 112, 1572-1578	2.9	21
147	Preparation and properties of a carboxyl-terminated butadiene acrylonitrile toughened epoxy/montmorillonite nanocomposite. <i>Journal of Applied Polymer Science</i> , 2009 , 113, 685-692	2.9	25
146	Electrospinning fabrication and characterization of poly(vinyl alcohol)/montmorillonite nanofiber mats. <i>Journal of Applied Polymer Science</i> , 2009 , 113, 1860-1867	2.9	65
145	Structural changes evidenced by rheology in PPgMA nanocomposites during oxidative ageing. Journal of Applied Polymer Science, 2009 , 114, 4011-4019	2.9	9
144	Interphase modification of alkali-resistant glass fibres and carbon fibres for textile reinforced concrete I: Fibre properties and durability. 2009 , 69, 531-538		54
143	Synthesis and characterization of aromatic-aliphatic polyamide nanocomposite films incorporating a thermally stable organoclay. 2009 , 4, 391-9		14
142	Epoxy resin/exfoliated clay hybrid materials with high thermal properties. <i>Polymer Composites</i> , 2009 , 30, 948-954	3	6
141	Nanoclay-reinforced syntactic foams: Flexure and thermal behavior. <i>Polymer Composites</i> , 2009 , 31, NA-	N A	8
140	Nanocomposite polymer films containing carvacrol for antimicrobial active packaging. <i>Polymer Engineering and Science</i> , 2009 , 49, 1447-1455	2.3	126

(2010-2009)

139	Decomposition kinetics of nylon-6/graphite and nylon-6/graphite oxide composites. <i>Thermochimica Acta</i> , 2009 , 490, 32-36	2.9	24
138	Interphase modification of alkali-resistant glass fibres and carbon fibres for textile reinforced concrete II: Water adsorption and composite interphases. 2009 , 69, 905-912		44
137	Preparation and characterization of electrospun pullulan/montmorillonite nanofiber mats in aqueous solution. <i>Carbohydrate Polymers</i> , 2009 , 78, 336-342	10.3	73
136	Remarkable reinforcement of natural rubber by deformation-induced crystallization in the presence of organophilic montmorillonite. 2009 , 57, 5053-5060		39
135	Preparation and characterization of poly(Etaprolactone)/Na+-MMT nanocomposites. <i>Applied Clay Science</i> , 2009 , 45, 105-110	5.2	47
134	Polyethylene and Poly(propylene)/Clay Nanocomposites. 2009 , 286, 210-217		5
133	Cellulose and Chitin as Nanoscopic Biomaterials. 2009 , 207-229		
132	Some Monte Carlo Simulations on Nanoparticle Reinforcement of Elastomers. 2009 , 517-544		
131	Lamellar Silicate-Modified Epoxies. 2010 , 159-183		
130	Effect of inner and outer chain length in multi-cationic site organoclays on the properties of PU/organoclay nanocomposites. 2010 , 18, 380-386		
129	PMMA/organomodified montmorillonite nanocomposites prepared by in situ bulk polymerization. 2010 , 102, 451-460		36
128	Inclusion of a cobalt tetraazamacrocycle into layered molybdenum disulfide. <i>Materials Chemistry and Physics</i> , 2010 , 122, 563-566	4.4	1
127	Recent advances in graphene based polymer composites. 2010 , 35, 1350-1375		2609
126	Organoclay particles as reinforcing agents in polysaccharide films. 2010 , 347, 74-8		14
125	Durability study of neat/nanophased GFRP composites subjected to different environmental conditioning. 2010 , 527, 3091-3099		25
124	Engineered nanoparticles in wastewater and wastewater sludgeevidence and impacts. 2010 , 30, 504-20	0	515
123	Investigation on the effect of cellulosic nanoparticles Imorphology on the properties of natural rubber based nanocomposites. <i>European Polymer Journal</i> , 2010 , 46, 609-620	5.2	201
122	Synthesis of bio-based polymeric nanocomposites from acrylated epoxidized soybean oil and montmorillonite clay in the presence of a bio-based intercalant. <i>Polymer International</i> , 2010 , 59, n/a-n/a	3.3	6

121	Effect of both silane-grafted and ion-exchanged organophilic clay in structural, thermal, and mechanical properties of unsaturated polyester nanocomposites. <i>Polymer Composites</i> , 2010 , 31, 482-490 mechanical properties of unsaturated polyester nanocomposites.	19
120	Design, Development and Testing of Rubber Nanocomposites. 2010 , 425, 61-93	3
119	Hard and flexible nanocomposite coatings using nanoclay-filled hyperbranched polymers. 2010 , 2, 1679-84	54
118	Synthesis and characterization of polyurethane/organo-montmorillonite nanocomposites. <i>Applied Clay Science</i> , 2010 , 47, 242-248	51
117	Rheological investigation of interactions between sorbitol and polyhedral oligomeric silsesquioxane in development of nanocomposites of isotactic polypropylene. 2010 , 54, 761-779	12
116	Nanocomposite-based lignocellulosic fibers 2: Layer-by-layer modification of wood fibers for reinforcement in thermoplastic composites. 2011 , 42, 84-91	20
115	Poly(ethylene-oxide)/clay/silica nanocomposites: Morphology and thermomechanical properties. <i>Polymer</i> , 2011 , 52, 5118-5126	36
114	RETRACTED: Synthesis and characterization of new polysiloxane bearing vinylic function and its application for the preparation of poly (silicone-co-acrylate)/montmorillonite nanocomposite emulsion. 2011 , 70, 32-38	17
113	Preparation and characterization of electrically conducting polypyrrole Sn(IV) phosphate cation-exchanger and its application as Mn(II) ion selective membrane electrode. 2011 , 2, 341-349	20
112	Nanocomposite-based lignocellulosic fibers 3: polyelectrolyte adsorption onto heterogeneous fiber surfaces. <i>Cellulose</i> , 2011 , 18, 563-574	6
111	Radar transparent glass fabric reinforced polyetherimide/Cloisite 30B nanocomposites. 2011 , 22, 2166-2172	3
110	Aliphatic polyurethanefhontmorillonite nanocomposite coatings: Preparation, characterization, and anticorrosive properties. <i>Journal of Applied Polymer Science</i> , 2011 , 119, 523-529	17
109	Synthesis, characterization and reinforcing properties of novel, reactive clay/poly(glycidyl methacrylate) nanocomposites. 2011 , 25, 424-431	33
108	The effect of nanoparticles on structural morphology, thermal and flammability properties of two epoxy resins with different functionalities. 2011 , 96, 529-540	46
107	Nanocomposites Based on Starch and Fibers of Natural Origin. 2011 , 471-509	1
106	Synthesis and Thermal and Photo Behaviors of New Polyamide/Organocaly Nanocomposites Containing Para Phenylenediacrylic Moiety. 2011 , 30,	
105	Epoxy-Layered Silicate and Epoxy MWCNTs Nanocomposites. 2011 , 146, 160-169	7
104	Effects of ultraviolet radiation and condensation on static and dynamic compression behavior of neat and nanoclay infused epoxy/glass composites. 2011 , 45, 1901-1918	15

103	Effect of montmorillonite content in nanocomposites of segmented polyurethanes with poly(2-alkyl-2-oxazoline) sequences. 2011 , 23, 74-84		3
102	Influence of Compatibilizer-Type and Processing Approach on the Dispersion of OMMT in High-Density Polyethylene Matrix. 2012 , 51, 481-495		11
101	Poly(vinyl alcohol) nanocomposites filled with poly(vinyl alcohol)-grafted graphene oxide. 2012 , 4, 2387	'-94	213
100	In Situ Modification of Unmodified Montmorillonite in Polypropylene by Electron-Induced Reactive Processing. <i>Macromolecular Chemistry and Physics</i> , 2012 , 213, 729-737	2.6	8
99	Comparison of melt extrusion and thermokinetic mixing methods in poly(ethylene terephthalate)/montmorillonite nanocomposites. <i>Polymer Engineering and Science</i> , 2012 , 52, 1537-1547	. 2.3	14
98	Effects of incorporation of organically modified montmorillonite on the reaction mechanism of epoxy/amine cure. <i>Journal of Physical Chemistry B</i> , 2012 , 116, 5786-94	3.4	45
97	Preparation and characterization of aluminum oxidepoly(ethylene-co-butyl acrylate) nanocomposites. <i>Journal of Applied Polymer Science</i> , 2012 , 125, 975-983	2.9	7
96	Cellulosic nanoparticles from alfa fibers (Stipa tenacissima): extraction procedures and reinforcement potential in polymer nanocomposites. <i>Cellulose</i> , 2012 , 19, 843-853	5.5	49
95	Synthesis and characterization of a novel silicone containing vinylic macromonomer and its uses in the preparation of poly (silicone-co-styrene-co-butylacrylate) with montmorillonite nanocomposite emulsion. <i>Journal of Applied Polymer Science</i> , 2012 , 123, 1227-1237	2.9	3
94	Impact of clay nanoparticles on glutaraldehyde crosslinked fiber composites. <i>Journal of Materials Science</i> , 2013 , 48, 5983-5989	4.3	4
93	Effect of clay dispersion methods on the mechano-dynamical and electrical properties of epoxyBrganoclay nanocomposites. <i>Polymer Bulletin</i> , 2013 , 70, 489-506	2.4	4
92	Strength-strain, barrier, thermal, and fire-resistance properties of nanocomposites based on linear polyethylene with montmorillonite. <i>Russian Journal of Applied Chemistry</i> , 2013 , 86, 1885-1896	0.8	1
91	Bionanocomposites. 2013 , 361-430		6
90	Improving the durability of advanced fiber-reinforced polymer (FRP) composites using nanoclay. 2013 , 780-813		
89	Poly(ester-amine) hyperbranched polymer as toughening and co-curing agent for epoxy/clay nanocomposites. <i>Polymer Engineering and Science</i> , 2013 , 53, 1011-1020	2.3	15
88	Waterproof characteristics of nanoclay/epoxy nanocomposite in adhesively bonded joints. <i>Composites Part B: Engineering</i> , 2013 , 55, 86-95	10	24
87	Nanoincorporation of layered double hydroxides into a miscible blend system of cellulose acetate with poly(acryloyl morpholine). <i>Carbohydrate Polymers</i> , 2013 , 93, 331-8	10.3	14
86	New clay-reinforced polyamide nanocomposite based on 4-phenylenediacrylic acid: Synthesis and properties. <i>Journal of Saudi Chemical Society</i> , 2013 , 17, 191-197	4.3	1

85	Polymer Nanocomposites as a New Trend for Packaging Applications. <i>Polymer-Plastics Technology and Engineering</i> , 2013 , 52, 635-660		157
84	The sol-gel route to advanced silica-based materials and recent applications. <i>Chemical Reviews</i> , 2013 , 113, 6592-620	68.1	413
83	Mechanical Performance of Thermoset Clay Nanocomposites. 2013, 109-128		1
82	Hygrothermal Effect on the Impact Response of Carbon Composites with Epoxy Resin Enhanced by Nanoclays. <i>Mechanics of Composite Materials</i> , 2013 , 49, 429-436	1.1	8
81	WITHDRAWN: The structural and thermal characterization of the prepared poly (ethylenoxide)/clayBilica nanocomposites by solBel process. <i>Applied Surface Science</i> , 2014 ,	6.7	
80	Morphological factors affecting the permeation resistance of nanocomposite blend films. <i>Polymer Engineering and Science</i> , 2014 , 54, 1341-1349	2.3	2
79	Polymer Nanocomposites: A nearly Universal FR Synergist. 2014 , 243-292		1
78	Nanostructure and mechanical properties of aromatic polyamide and reactive organoclay nanocomposites. <i>Materials Chemistry and Physics</i> , 2014 , 147, 636-643	4.4	7
77	Assessment of the mechanical properties of nanoclays enhanced low Tg epoxy resins. <i>Fibers and Polymers</i> , 2014 , 15, 1677-1684	2	9
76	Recent Trends and Future Outlooks in the Field of Clay-Containing Polymer Nanocomposites. <i>Macromolecular Chemistry and Physics</i> , 2014 , 215, 1162-1179	2.6	46
75	In situ polymerised polyamide 6/sepiolite nanocomposites: Effect of different interphases. <i>European Polymer Journal</i> , 2014 , 56, 131-139	5.2	18
74	Prediction of thermal stability, crystallinity and thermomechanical properties of poly(ethylene oxide)/clay nanocomposites with artificial neural networks. <i>Thermochimica Acta</i> , 2014 , 575, 159-166	2.9	18
73	Characterization of Polymer Layered Silicate Nanocomposites by Rheology and Permeability Methods: Impact of the Interface Quality. <i>Oil and Gas Science and Technology</i> , 2015 , 70, 267-277	1.9	4
72	Green Nanomaterials. 2015 , 593-612		1
71	Montmorillonite disperses in amorphous phase of RIM PA6 matrix via anionic ring opening polymerisation. <i>Plastics, Rubber and Composites</i> , 2015 , 44, 376-382	1.5	2
70	Structural, rheological, and mechanical properties of PA6/SAN/SEBS ternary blend/organoclay nanocomposites. <i>Journal of Applied Polymer Science</i> , 2015 , 132, n/a-n/a	2.9	26
69	Preparation and Properties of Ethylene-vinyl Acetate/linear Low-density Polyethylene/Graphene Oxide Nanocomposite Films. <i>Polymer-Plastics Technology and Engineering</i> , 2015 , 54, 1152-1158		6
68	Thermal Degradation of Synthetic Rubber Nanocomposites. <i>Engineering Materials</i> , 2015 , 157-191	0.4	1

67	Amino-terminated hyperbranched polymer for toughness improvement of epoxy/clay nanocomposites. <i>Polymer Bulletin</i> , 2015 , 72, 3147-3168	2.4	9
66	Eco-Friendly Polymer-Layered Silicate Nanocomposite P reparation, Chemistry, Properties, and Applications. <i>Advanced Structured Materials</i> , 2015 , 1-42	0.6	3
65	Biomineralized hydroxyapatite nanoclay composite scaffolds with polycaprolactone for stem cell-based bone tissue engineering. <i>Journal of Biomedical Materials Research - Part A</i> , 2015 , 103, 2077-1	o∮· ⁴	58
64	Effects of graphene oxide on the formation, structure and properties of bionanocomposite films made from wheat gluten with chitosan. <i>Polymer International</i> , 2016 , 65, 1039-1045	3.3	8
63	Interfacial Effects in Polymer Nanocomposites Studied by Thermal and Dielectric Techniques. 2016 , 19 ⁻⁷	1-251	3
62	A terahertz spectroscopic study of chitosan-based bionanocomposites containing clay nanoparticles. <i>Colloid Journal</i> , 2016 , 78, 189-195	1.1	4
61	Cheap Synthesis, Characterization and Antibacterial Efficacy of New Copoly(o-Nitroaniline-co-o-Phenylenediamine) Emeraldine Base/Bentonite Composites. <i>Journal of Inorganic and Organometallic Polymers and Materials</i> , 2016 , 26, 691-701	3.2	19
60	Advanced silica/polymer composites: Materials and applications. <i>Journal of Industrial and Engineering Chemistry</i> , 2016 , 38, 1-12	6.3	119
59	Thermomechanical Analysis of Polymer Nanocomposites. 2016 , 191-242		
58	Nanoclay Reinforced on Biodegradable Polymer Composites: Potential as a Soil Stabilizer. <i>Engineering Materials</i> , 2016 , 329-356	0.4	1
57	Modification of Nanoclay Systems: An Approach to Explore Various Applications. <i>Engineering Materials</i> , 2016 , 57-83	0.4	
56	Durability and mechanical properties of CBH/nitrobenzoic acid composite systems. <i>Materials and Structures/Materiaux Et Constructions</i> , 2016 , 49, 5315-5325	3.4	5
55	Effect of organic modifiers on dispersion of organoclay in polymer nanocomposites to improve mechanical properties. <i>Polymer</i> , 2016 , 97, 525-532	3.9	47
54	Materials, preparation, and characterization of PVA/MMT nanocomposite hydrogels: A review. <i>Polymer Composites</i> , 2017 , 38, 1086-1102	3	39
53	Influence of the degree of exfoliation of an organoclay on the flame-retardant properties of cross-linked ethylene-co-Propylene-co-diene monomer-g-Maleic anhydride-based composites. <i>Polymer Composites</i> , 2017 , 38, 966-973	3	13
52	In situ oxidative copolymerization and characterization of new poly(benzidine-co-o-phenylenediamine)/kaolinite microcomposites. <i>Polymer Science - Series B</i> , 2017 , 59, 372-378	0.8	14
51	Applications of Nanoclay-Containing Polymer Nanocomposites. <i>Nanostructure Science and Technology</i> , 2017 , 501-521	0.9	2
50	Nanocomposite Films of Laponite/PEG-Grafted Polymers and Polymer Brushes with Nonfouling Properties. <i>Langmuir</i> , 2017 , 33, 6739-6750	4	16

49	Novel Benzidine and o-Phenylenediamine Copolymer Matrix Microcomposites. <i>Journal of Inorganic and Organometallic Polymers and Materials</i> , 2018 , 28, 871-879	3.2	16
48	Structural characterization of sepiolite/polyamide6,6 nanocomposites by means of static and dynamic thermal methods. <i>Applied Clay Science</i> , 2018 , 153, 154-160	5.2	9
47	Bionanocomposites materials for food packaging applications: Concepts and future outlook. <i>Carbohydrate Polymers</i> , 2018 , 193, 19-27	10.3	354
46	Polymer Based Hybrid Nanocomposites; A Progress Toward Enhancing Interfacial Interaction and Tailoring Advanced Applications. <i>Chemical Record</i> , 2018 , 18, 759-775	6.6	13
45	Highly aligned graphene oxide/waterborne polyurethane fabricated by in-situ polymerization at low temperature. <i>E-Polymers</i> , 2018 , 18, 75-84	2.7	7
44	Dielectric Polymers. <i>Polymers and Polymeric Composites</i> , 2018 , 1-49	0.6	2
43	Processing Nanocomposites Based on Engineering Polymers: Polyamides and Polyimides. <i>Springer Series in Materials Science</i> , 2018 , 27-73	0.9	
42	Quantum-Dot-Filled Epoxy Nanocomposites With Enhanced Thermal, Mechanical, and Optical Properties. 2018 , 237-267		2
41	Harnessing Filler Materials for Enhancing Biogas Separation Membranes. <i>Chemical Reviews</i> , 2018 , 118, 8655-8769	68.1	154
40	Unsaturated Polyester Resins: Blends, Interpenetrating Polymer Networks, Composites, and Nanocomposites. 2019 , 181-198		1
39	Dielectric Polymers. <i>Polymers and Polymeric Composites</i> , 2019 , 241-288	0.6	3
38	Electrical conductivity and ion-exchange kinetic studies of polythiophene Sn(VI)phosphate nano composite cation-exchanger. <i>Arabian Journal of Chemistry</i> , 2019 , 12, 1652-1659	5.9	10
37	Preparation and characterization of poly(ethylene-vinyl acetate) based nanocomposites using radiation-modified montmorillonite. <i>Radiation Physics and Chemistry</i> , 2020 , 169, 107844	2.5	3
36	Assessment of various nano-clays in bromobutyl rubber hydrogenated acrylonitrile butadiene rubber blend for improved gas barrier applications. <i>Journal of Applied Polymer Science</i> , 2021 , 138, 5008	5 ^{2.9}	3
35	Modification of Mineral Surfaces and Microstructures. <i>Engineering Materials</i> , 2021 , 93-143	0.4	
34	Spectral characterization of morphological structure of organomodified montmorillonite clay-based epoxy nanocomposite. <i>International Journal of Polymer Analysis and Characterization</i> , 2021 , 26, 471-485	1.7	1
33	Nanocomposites of Grafted Polymers onto Layered Silicate. 1995 , 625-644		6
32	Cooperative Interaction, Crystallization, and Properties of Polymer©arbon Nanotube Nanocomposites. 2017 , 103-156		2

31	Polymer Nanocomposites. 2009 , 261-299		2
30	Qualitative Evaluation of the Possible Application of Collagen Fibres: Composite Materials with Mineral Fillers as Insoles for Healthy Footwear. <i>Fibres and Textiles in Eastern Europe</i> , 2018 , 26, 81-85	0.9	12
29	??????????. The Review of Laser Engineering, 2005, 33, P4-P12	0	
28	Nanocomposite Polymeric Materials Based on Clays Modified with an Organic Substance. <i>International Polymer Science and Technology</i> , 2005 , 32, 55-62		
27	Resid Conversion. 2005 , 2655-2662		
26	Nonlinear Stress and Temperature Creep Relations in Polymer Nanocomposites. 2006,		
25	Textile Nanotechnologies. <i>The Electrical Engineering Handbook</i> , 2007 , 21-1-21-66		1
24	TEM/SEM characterisation of hybrid titanoniobiates used as fillers for thermoplastic nanocomposites. 2008 , 785-786		
23	Processing of Polymer Nanocomposites: New Developments and Challenges. 2010 , 25-54		
22	Characterization of Rheological Properties of Polymer Nanocomposites. 251-281		1
21	Preface. 2013 , xi-xiii		
20	Cooperative Interaction, Crystallization, and Properties of Polymer©arbon Nanotube Nanocomposites. 2013 , 151-202		
19	Structure-Property Correlations of Poly(ethylene oxide) Nanohybrids with Layered Silicates and Silica Nanoparticles. 2014 , 87-107		
18	Polymeric Nanocomposites. 2014 , 1-31		
17	Recent Advances in Polymeric Nanocomposites. 2014 , 37-69		
16	Volume Stability of C-S-H/Polyaniline Nanocomposites in Aqueous Salt Solutions. <i>ACI Materials Journal</i> , 2014 , 111,	0.9	2
15	Surface Modification of Smectite Clays Via Ion-Dipole Bonding. 13-26		
14	Water Dynamics in Composite Aqueous Suspensions of Cellulose Nanocrystals and a Clay Mineral Studied through Magnetic Resonance Relaxometry. <i>Journal of Physical Chemistry B</i> , 2021 , 125, 12787-	12 39 6	O

13	Introduction: Background and Literature Review. Advanced Ceramics and Composites, 2022, 1-42	0.7	
12	A Coarse-Grained Model for the Mechanical Behavior of Na-Montmorillonite Clay <i>Langmuir</i> , 2022 ,	4	1
11	Apropos and future prospects of bionanocomposites in food packaging applications. 2022, 499-511		
10	Bionanocomposites in food packaging applications and their risk assessment for public health. 2022 , 453-477		
9	Spectroscopic Analysis of the Dielectric Properties in Reduced Graphene Oxide Loaded Epoxy Polymer Composites. 2022 , 221-230		O
8	Percolation Network Formation in Nylon 6/Montmorillonite Nanocomposites: A Critical Structural Insight and the Impact on Solidification Process and Mechanical Behavior. 2022 , 14, 3672		O
7	Polymer Nanocomposite Dielectrics: Understanding the Matrix/Particle Interface. 2022 , 16, 13612-13656	5	2
6	Graphene-Based Electrospun Fibrous Materials with Enhanced EMI Shielding: Recent Developments and Future Perspectives. 2022 , 7, 33699-33718		2
5	Composition and processing influence on the performance of graphene-containing SBR/BR rubber compounds.		O
4	Nanocomposites. 2022 , 545-786		O
3	Multiscale modeling of moisture diffusion in polymer/clay nanocomposites. 073168442211462		O
2	Effect of functionalized graphene addition on mechanical and thermal properties of high density polyethylene. 2023 , 43, 343-353		O
1	Influence of the Preparation Method on the Physico-Chemical and Sorption Properties of Montmorillonite. 2023 , 6, 922-934		O