

CITATION REPORT

List of articles citing

Left ventricular mass and incidence of coronary heart disease in an elderly cohort. The Framingham Heart Study

DOI: 10.7326/0003-4819-110-2-101

Annals of Internal Medicine, 1989, 110, 101-7.

Source: <https://exaly.com/paper-pdf/21025235/citation-report.pdf>

Version: 2024-04-04

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
559	Cardiovascular risk factors in the elderly. 1989 , 63, 12H-19H		251
558	Impact of age on echocardiographic left ventricular mass in a healthy population (the Framingham Study). 1989 , 64, 1066-8		161
557	Limited value of chest radiography in uncomplicated hypertension. 1989 , 2, 104		2
556	Left ventricular hypertrophy, cardiac diseases and hypertension: recent experiences. 1989 , 14, 1587-94		33
555	Left ventricular hypertrophy. Significance in cardiac morbidity and mortality. 1990 , 87, 147-50, 155-8		3
554	Usefulness of echocardiographic left ventricular hypertrophy and silent ischemia in predicting new cardiac events in elderly patients with systemic hypertension or coronary artery disease. 1990 , 41, 189-93		19
553	Left ventricular hypertrophy. A crucial target for antihypertensive therapy. 1990 , 88, 127-8, 131, 134		2
552	Association of echocardiographic left ventricular mass with body size, blood pressure and physical activity (the Framingham Study). 1990 , 65, 371-6		174
551	Risk stratification of left ventricular hypertrophy in systemic hypertension using noninvasive ambulatory blood pressure monitoring. 1990 , 66, 583-90		56
550	Does psychological stress contribute to the development of hypertension and coronary heart disease?. <i>European Journal of Clinical Pharmacology</i> , 1990 , 39, S1-S7	2.8	9
549	Influence of left ventricular mass regression on cardiac function in hypertensive elderly individuals. <i>European Journal of Clinical Pharmacology</i> , 1990 , 39, S25-S28	2.8	3
548	Does psychological stress contribute to the development of hypertension and coronary heart disease?. <i>European Journal of Clinical Pharmacology</i> , 1990 , 39, S1-S7	2.8	10
547	Influence of left ventricular mass regression on cardiac function in hypertensive elderly individuals. <i>European Journal of Clinical Pharmacology</i> , 1990 , 39, S25-S28	2.8	2
546	Reversing cardiac hypertrophy in hypertension. 1990 , 322, 1388-90		25
545	The effects of antihypertensive therapy on left ventricular mass in elderly patients. 1990 , 322, 1350-6		232
544	Is the electrocardiogram still useful for detection of left ventricular hypertrophy?. <i>Circulation</i> , 1990 , 81, 1144-6	16.7	45
543	Relation of left ventricular hemodynamic load and contractile performance to left ventricular mass in hypertension. <i>Circulation</i> , 1990 , 81, 25-36	16.7	208

542	Antihypertensive therapy--going to the heart of the matter. <i>Circulation</i> , 1990 , 81, 1128-35	16.7	38
541	ACC/AHA guidelines for the clinical application of echocardiography. A report of the American College of Cardiology/American Heart Association Task Force on Assessment of Diagnostic and Therapeutic Cardiovascular Procedures (Subcommittee to Develop Guidelines for the Clinical Application of Echocardiography). <i>Circulation</i> , 1990 , 82, 2323-45	16.7	34
540	Left ventricular mass. Development versus disease. <i>Circulation</i> , 1990 , 82, 1525-7	16.7	1
539	Risk reduction following regression of cardiac hypertrophy. 1990 , 12, 903-16		4
538	Determinants of sensitivity and specificity of electrocardiographic criteria for left ventricular hypertrophy. <i>Circulation</i> , 1990 , 81, 815-20	16.7	403
537	Left ventricular mass index and prevalence of heart disease in the population aged 80 years and over. 1990 , 29, 327-33		3
536	Prognostic implications of echocardiographically determined left ventricular mass in the Framingham Heart Study. 1990 , 322, 1561-6		4576
535	Stratifying the patient at risk from coronary disease: new insights from the Framingham Heart Study. 1990 , 119, 712-7; discussion 717		118
534	Hypertensive heart disease: relationship of silent ischemia to coronary artery disease and left ventricular hypertrophy. 1990 , 120, 928-33		39
533	ACC/AHA guidelines for the clinical application of echocardiography. 1990 , 16, 1505-1528		21
532	Day-to-day variability of voltage measurements used in electrocardiographic criteria for left ventricular hypertrophy. 1990 , 15, 618-23		53
531	Significance of increased left ventricular mass in isolated systolic hypertension of the elderly. 1991 , 17, 431-2		2
530	Impact of left ventricular hypertrophy on ventricular arrhythmias in the absence of coronary artery disease. 1991 , 17, 1277-82		139
529	Relation of alcohol intake to left ventricular mass: The Framingham Study. 1991 , 17, 717-21		111
528	Regression of increased left ventricular mass by antihypertensives. 1991 , 42, 945-61		36
527	Coronary angiographic patterns in hypertensive compared with normotensive patients. 1991 , 121, 1101-6		4
526	Resolved and unresolved issues in the prevention and treatment of coronary artery disease: a workshop consensus statement. 1991 , 121, 1244-63		207
525	Left ventricular hypertrophy in hypertension. 1991 , 122, 312-5		10

524	Clinical benefits of structural and functional changes with calcium antagonists. 1991 , 122, 370-4		1
523	Left ventricular hypertrophy: diagnosis, prognosis, and management. 1991 , 121, 148-57		23
522	Management of hypertension and cardiovascular risk. 1991 , 90, 2S-6S		3
521	Influence of contemporary versus 30-year blood pressure levels on left ventricular mass and geometry: the Framingham Heart Study. 1991 , 18, 1287-94		114
520	Normalization of left ventricular mass and associated changes in neurohormones and atrial natriuretic peptide after 1 year of sustained nifedipine therapy for severe hypertension. 1991 , 17, 1595-602		59
519	Coronary artery disease in African-Americans. <i>Circulation</i> , 1991 , 83, 1474-5	16.7	7
518	Hypertension in Hispanics, Asians and Pacific-Islanders, and Native Americans. <i>Circulation</i> , 1991 , 83, 1467-8	16.7	10
517	Strokes in African-Americans. <i>Circulation</i> , 1991 , 83, 1469-71	16.7	23
516	Strokes in Asians and Pacific-Islanders, Hispanics, and Native Americans. <i>Circulation</i> , 1991 , 83, 1471-2	16.7	9
515	Heart disease in Asians and Pacific-Islanders, Hispanics, and Native Americans. <i>Circulation</i> , 1991 , 83, 1475-6	16.7	10
514	Renal vascular disease in African-Americans and other racial minorities. <i>Circulation</i> , 1991 , 83, 1477-9	16.7	11
513	Hypertensive heart disease in African-Americans. <i>Circulation</i> , 1991 , 83, 1472-4	16.7	4
512	Prevalence of coronary risk factors in elderly blacks and whites. 1991 , 39, 567-70		19
511	The limited echocardiogram: a modification of standard echocardiography for use in the routine evaluation of patients with systemic hypertension. 1991 , 67, 1027-30		48
510	Bivariate genetic analysis of left ventricular mass and weight in pubertal twins (the Medical College of Virginia twin study). 1991 , 68, 661-8		128
509	Congestive heart failure, coronary events and atherothrombotic brain infarction in elderly blacks and whites with systemic hypertension and with and without echocardiographic and electrocardiographic evidence of left ventricular hypertrophy. 1991 , 67, 295-9		123
508	Abnormal left ventricular diastolic filling in eccentric left ventricular hypertrophy of obesity. 1991 , 68, 95-8		91
507	Left ventricular hypertrophy: Its prevalence, etiology, and significance. 1991 , 14, 13-17		5

506	Management of coronary heart disease in the elderly. 1991 , 14, 635-42			3
505	Changes in left atrial size in patients with lone atrial fibrillation. 1991 , 14, 652-6			48
504	Determinants of disease and disability in the elderly: the Rotterdam Elderly Study. 1991 , 7, 403-22			759
503	Sodium-induced cardiac hypertrophy. Cardiac sympathetic activity versus volume load. 1991 , 68, 745-55			55
502	Left ventricular hypertrophy associated with chronic cocaine abuse. <i>Circulation</i> , 1991 , 84, 1130-5	16.7		128
501	Elevated pulmonary artery pressure. An independent predictor of mortality. 1991 , 99, 112-20			53
500	The heart in hypertension. 1992 , 327, 998-1008			549
499	Hypertension and ST segment depression during ambulatory electrocardiographic recording. Results from the prospective population study 'men born in 1914' from MalmöSweden. 1992 , 20, 32-7			23
498	Variability between current definitions of 'normal' ambulatory blood pressure. Implications in the assessment of white coat hypertension. 1992 , 20, 555-62			163
497	Exaggerated pressor response to treadmill exercise in chronic cocaine abusers with left ventricular hypertrophy. <i>Circulation</i> , 1992 , 86, 226-31	16.7		20
496	Parallel cardiac and vascular adaptation in hypertension. <i>Circulation</i> , 1992 , 86, 1909-18	16.7		304
495	Left ventricular hypertrophy. 1992 , 40, 71-80			11
494	How to reduce the risk of coronary artery disease. Teaching patients a healthy life-style. 1992 , 91, 147-50, 153-4, 157-60			6
493	Echocardiographic left ventricular hypertrophy: clinical characteristics. The Framingham Heart Study. 1992 , 14, 85-97			15
492	Left ventricular hypertrophy. Its relationship to obesity and hypertension. 1992 , 91, 131-2, 135-8, 141-3			46
491	Echocardiographic design of a multicenter investigation of free-living elderly subjects: the Cardiovascular Health Study. 1992 , 5, 63-72			195
490	Epidemiology of hypertension in the elderly. 1992 , 2, 222-42			6
489	Does a reduction in left ventricular hypertrophy reduce cardiovascular morbidity and mortality?. 1992 , 44 Suppl 1, 141-6			6

488	Separate and joint influences of obesity and mild hypertension on left ventricular mass and geometry: the Framingham Heart Study. 1992 , 19, 130-4	142
487	Electrocardiographic detection of left ventricular hypertrophy by the simple QRS voltage-duration product. 1992 , 20, 1180-6	295
486	Left ventricular mass and body size in normotensive children and adults: assessment of allometric relations and impact of overweight. 1992 , 20, 1251-60	1421
485	What is the role of silent coronary artery disease and left ventricular hypertrophy in the genesis of ventricular arrhythmias in men with essential hypertension?. 1992 , 19, 803-8	28
484	Patterns of left ventricular hypertrophy and geometric remodeling in essential hypertension. 1992 , 19, 1550-8	1218
483	The Natural History of Myocardial Disease in Dialysis Patients. 1992 , 39-51	
482	Determinants of ventricular ectopy in hypertensive cardiac hypertrophy. 1992 , 123, 89-95	22
481	Is the decrease in arterial pressure the sole factor for reduction of left ventricular hypertrophy?. 1992 , 92, 28S-34S	10
480	High-frequency analysis of the signal-averaged ECG. Correlation with left ventricular mass in rabbits. 1992 , 25, 111-8	13
479	Regression of left ventricular hypertrophy in "previously untreated" hypertensive blacks after 6 months of blood pressure reduction with alpha- and beta-adrenergic blockade and thiazide therapy. 1992 , 6, 147-51	2
478	Echocardiographic determinants of clinical outcome in subjects with coronary artery disease (the Framingham Heart Study). 1992 , 70, 971-6	47
477	Usefulness of left ventricular size and function in predicting survival in chronic dialysis patients with diabetes mellitus. 1992 , 70, 300-3	16
476	Long-term prognosis after acute myocardial infarction in patients with left ventricular hypertrophy on the electrocardiogram. SPRINT Study Group. 1992 , 69, 985-90	26
475	Racial differences in left ventricular structure in healthy young adults. 1992 , 69, 1196-9	58
474	Left ventricular mass quantitation using single-phase cardiac magnetic resonance imaging. 1992 , 70, 259-62	20
473	Regression of left ventricular mass in systemic hypertension. 1992 , 15, 5-16	18
472	Regression of left ventricular hypertrophy during long-term antihypertensive treatment--a comparison between felodipine and the combination of felodipine and metoprolol. 1992 , 231, 303-8	16
471	Changes in left ventricular dimensions and systolic function in 100 mildly hypertensive men during one year's treatment with atenolol vs. hydrochlorothiazide and amiloride (Moduretic): a double-blind, randomized study. 1992 , 231, 493-501	8

- 470 Hypertension in the elderly: age- and disease-related complications and therapeutic implications. **1993**, 7, 643-53 14
- 469 Menopause-induced changes in left ventricular wall thickness. **1993**, 72, 240-1 43
- 468 Effects of sustained-release isradipine on left ventricular anatomy and function in systemic hypertension. **1993**, 72, 1301-4 8
- 467 Accuracy and reproducibility of left ventricular mass measurement by subcostal M-mode echocardiography in hypertensive patients and professional bicyclists. **1993**, 72, 620-4 11
- 466 Sex differences in cardiac adaptation to isolated systolic hypertension. **1993**, 72, 310-3 221
- 465 Echocardiographic assessment of left ventricular structure and diastolic filling in elderly subjects with borderline isolated systolic hypertension (the Framingham Heart Study). **1993**, 72, 662-5 41
- 464 Usefulness of simultaneous ambulatory electrocardiographic and blood pressure monitoring in detecting myocardial ischemia in patients > 70 years of age with systemic hypertension. **1993**, 72, 927-31 19
- 463 Left ventricular hypertrophy: should it be reduced?. **1993**, 16, 1115-20
- 462 Reduction of left ventricular hypertrophy: how beneficial?. **1993**, 125, 1520-4 5
- 461 Asymptomatic ventricular arrhythmias and mortality risk in subjects with left ventricular hypertrophy. **1993**, 22, 1111-6 132
- 460 Scintigraphic and electrocardiographic evidence of silent coronary artery disease in asymptomatic hypertension: a case-control study. **1993**, 22, 1598-606 30
- 459 Microalbuminuria is a marker of left ventricular hypertrophy but not hyperinsulinemia in nondiabetic atherosclerotic patients. **1993**, 13, 900-6 36
- 458 Left ventricular hypertrophy and hypertension. **1993**, 15, 1025-32 25
- 457 Effects of age and aerobic capacity on arterial stiffness in healthy adults. *Circulation*, **1993**, 88, 1456-62 16.7 826
- 456 Blunted nocturnal fall in blood pressure in hypertensive women with future cardiovascular morbid events. *Circulation*, **1993**, 88, 986-92 16.7 227
- 455 Serum lipids and coronary heart disease in British elderly. **1993**, 69, 609-14 3
- 454 Role of preclinical cardiovascular disease in the evolution from risk factor exposure to development of morbid events. *Circulation*, **1993**, 88, 1444-55 16.7 230
- 453 Hypertension and left ventricular hypertrophy: is drug therapy beneficial?. **1994**, 14, 60-88 5

452	Effects on left ventricular hypertrophy of long-term nonpharmacological treatment with sodium restriction in mild-to-moderate essential hypertension. <i>Circulation</i> , 1994 , 89, 1023-31	16.7	113
451	Relation of obesity and gender to left ventricular hypertrophy in normotensive and hypertensive adults. 1994 , 23, 600-6		320
450	Sex-specific determinants of increased left ventricular mass in the Tecumseh Blood Pressure Study. <i>Circulation</i> , 1994 , 90, 928-36	16.7	149
449	Corcoran Lecture. Angiotensin-converting enzyme inhibition and the heart. 1994 , 23, 813-8		48
448	Role of ACE inhibitors in hypertension with left ventricular hypertrophy. 1994 , 72, S24-32		6
447	Cardiac and arterial hypertrophy and atherosclerosis in hypertension. 1994 , 23, 802-9		36
446	Racial differences in the age-related increase in left ventricular mass in youths. 1994 , 24, 747-51		24
445	Correlates of left ventricular mass in a population sample aged 36 to 37 years. Focus on lifestyle and salt intake. <i>Circulation</i> , 1994 , 89, 1041-50	16.7	93
444	Echocardiography in multicenter clinical trials: experience from the Treatment of Mild Hypertension Study. 1994 , 15, 395-410		19
443	Asymmetric left ventricular remodeling due to isolated septal thickening in patients with systemic hypertension and normal left ventricular masses. 1994 , 73, 247-52		48
442	Echocardiographic evidence of left ventricular hypertrophy in a general aged population. 1994 , 74, 385-90		39
441	Prognostic value of left ventricular mass in uncomplicated acute myocardial infarction and one-vessel coronary artery disease. 1994 , 73, 1-5		82
440	Comparison of diastolic left ventricular filling and cardiac dysrhythmias in hypertensive patients with and without isolated septal hypertrophy. 1994 , 74, 585-9		22
439	A new method for indexing left ventricular mass for differences in body size. 1994 , 74, 487-91		121
438	Electrocardiographic diagnosis of left ventricular hypertrophy by the time-voltage integral of the QRS complex. 1994 , 23, 133-40		39
437	Total biventricular volume and total left ventricular volume by ultrafast computed tomography: prediction of left ventricular mass. 1994 , 127, 667-73		6
436	Prognosis in elderly hypertensive patients. 1994 , 4, 87-92		2
435	Insulin resistance and hypertension in the elderly. Optimal drug therapy. 1994 , 4, 403-9		4

434	Race and hypertension. What is clinically relevant?. 1994 , 47, 914-32	9
433	Ambulatory blood pressure. An independent predictor of prognosis in essential hypertension. 1994 , 24, 793-801	1369
432	Left ventricular mass and subsequent blood pressure changes among middle-aged men in rural and urban Japanese populations. <i>Circulation</i> , 1994 , 89, 1717-24	16.7 35
431	Importance of aortic wave reflections in age-associated central blood pressure changes in nonhypertensive humans. 1995 , 43, 1069-70	3
430	Noninvasive assessment of left ventricular mass, chamber volume, and contractile function. 1995 , 20, 364-440	27
429	Effect of total adipose weight and systemic hypertension on left ventricular mass in children. 1995 , 76, 785-7	27
428	Racial differences in the prevalence of left ventricular hypertrophy among chronic cocaine abusers. 1995 , 76, 937-40	11
427	Relation between electrocardiography and echocardiography for left ventricular mass in mild systemic hypertension (results from treatment of mild hypertension study). 1995 , 75, 1233-1238	89
426	Association between left ventricular hypertrophy and erythrocyte sodium-lithium exchange in normotensive subjects with and without NIDDM. 1995 , 38, 454-60	12
425	Ventricular tachyarrhythmias, myocardial ischemia, and sudden cardiac death in patients with hypertensive heart disease. 1995 , 18, 377-83	16
424	Hypertension and Left-Ventricular Hypertrophy. 1995 , 13, 549-557	16
423	Birth weight, weight at one year, and left ventricular mass in adult life. 1995 , 73, 363-7	73
422	Angiotensin II receptor antagonism: losartan - sites and mechanisms of action. 1995 , 17, 1005-30	15
421	Echocardiographic left ventricular systolic function and volumes in young adults: distribution and factors influencing variability. 1995 , 129, 571-7	26
420	Left ventricular mass estimation by echocardiography: is it clinically useful?. 1995 , 12, 185-93	3
419	Left ventricular hypertrophy. Prevalence in older patients and management. 1995 , 6, 301-11	3
418	Isradipine. An update of its pharmacodynamic and pharmacokinetic properties and therapeutic efficacy in the treatment of mild to moderate hypertension. 1995 , 49, 618-49	27
417	Electrocardiographic identification of left ventricular hypertrophy: test performance in relation to definition of hypertrophy and presence of obesity. 1996 , 27, 124-31	77

416	27th Bethesda Conference: matching the intensity of risk factor management with the hazard for coronary disease events. Task Force 3. Spectrum of risk factors for coronary heart disease. 1996 , 27, 978-90		80
415	Blood pressure control. 1996 , 101, 50S-55S		9
414	Clinical Manifestations and Diagnosis of Coronary Artery Disease. <i>Clinics in Geriatric Medicine</i> , 1996 , 12, 89-100	3.8	13
413	Prevention and Reduction of Left Ventricular Hypertrophy in the Elderly. <i>Clinics in Geriatric Medicine</i> , 1996 , 12, 57-68	3.8	5
412	Kardiovaskuläre Erkrankungen und Hormonsubstitution in der Menopause. 1996 , 28, 266-270		
411	123I-MIBG myocardial imaging in hypertensive patients: abnormality progresses with left ventricular hypertrophy. 1996 , 10, 315-21		5
410	Carotid artery measures are strongly associated with left ventricular mass in older adults (a report from the Cardiovascular Health Study). 1996 , 77, 628-33		43
409	Effect of hydrochlorothiazide therapy on cardiac arrhythmias in African-American men with systemic hypertension and moderate to severe left ventricular hypertrophy. 1996 , 78, 886-9		7
408	Is the echocardiogram an appropriate ECG validity standard for the detection and change in left ventricular size?. 1996 , 29 Suppl, 248-55		13
407	ECG identification of left ventricular hypertrophy. Relationship of test performance to body habitus. 1996 , 29 Suppl, 256-61		31
406	Influence of obesity on cardiac mass and blood pressure in the elderly. 1996 , 22 Suppl 1, 149-55		
405	Arterial hypertension in the elderly: a review. 1996 , 23, 257-64		1
404	Multivariate Analysis of Left Ventricular Mass Determinants in Adults: Different Patterns in Men and Women. 1996 , 13, 35-44		
403	The renin-angiotensin system and the heart: a historical review. 1996 , 76, 7-12		10
402	Hypertensive left ventricular hypertrophy: pathophysiology, assessment and treatment. 1996 , 5, 5-15		16
401	Felodipine or hydrochlorothiazide/triamterene for treatment of hypertension in the elderly: effects on blood pressure, hypertensive heart disease, metabolic and hormonal parameters. 1996 , 5, 154-63		3
400	Determination of left ventricular mass and circumferential wall thickness by three-dimensional reconstruction: in vitro validation of a new method that uses a multiplane transesophageal transducer. 1997 , 10, 107-19		27
399	Optimizing the assessment of the elderly patient with borderline hypertension: the Hypertension and Ambulatory Recording in the OLD (HAROLD) study. 1997 , 9, 365-71		1

398	Pathophysiology and treatment implications of hypertension in the African-American population. 1997 , 26, 125-44	48
397	Increased left ventricular cavity size, not wall thickness, potentiates myocardial ischemia. 1997 , 133, 691-7	6
396	Diabetes mellitus and echocardiographic left ventricular function in free-living elderly men and women: The Cardiovascular Health Study. 1997 , 133, 36-43	126
395	Freehand three-dimensional echocardiography for measurement of left ventricular mass: in vivo anatomic validation using explanted human hearts. 1997 , 30, 802-10	72
394	Validity of electrocardiographic estimates of left ventricular hypertrophy and mass in African Americans (The Charleston Heart Study). 1997 , 79, 1289-92	13
393	Association of plasma renin activity and echocardiographic left ventricular hypertrophy with frequency of new coronary events and new atherothrombotic brain infarction in older persons with systemic hypertension. 1997 , 79, 1543-5	9
392	Cardiac effects of calcium antagonists in systemic hypertension. 1997 , 79, 39-46; discussion 47-8	26
391	Comparison of left ventricular mass and geometric remodeling in treated and untreated men and women >50 years of age with systemic hypertension. 1997 , 80, 648-51	6
390	Systolic hypertension in the elderly. 1997 , 22, 405-43	2
389	Hemostatic variables and ischemic cardiovascular disease: do we need a concerted effort for more profitable future clinical investigations?. 1997 , 10, 743-9	1
388	Clinical Symptoms of Myocardial Infarction and Delayed Treatment-Seeking Behavior in Blacks and Whites ¹ . 1998 , 3, 135-159	3
387	A simple nomogram for determination of echocardiographic left ventricular geometry. 1998 , 82, 485-9	6
386	Left ventricular geometry and function are related to electrocardiographic characteristics and diagnoses. 1998 , 18, 463-70	18
385	Effect of sustained-release diltiazem on ambulatory blood pressure and left ventricular mass in elderly patients with hypertension. 1998 , 59, 725-736	0
384	Influence of left ventricular geometric patterns on prognosis in patients with or without coronary artery disease. 1998 , 31, 1635-40	178
383	Increased left ventricular mass and hypertrophy are associated with increased risk for sudden death. 1998 , 32, 1454-9	627
382	Pathological versus physiological left ventricular hypertrophy: a review. 1998 , 16, 129-41	69
381	Prevalence of heart disease in older women in a nursing home. 1998 , 7, 1105-12	11

380	Prognostic significance of serial changes in left ventricular mass in essential hypertension. <i>Circulation</i> , 1998 , 97, 48-54	16.7	514
379	Time-voltage QRS area of the 12-lead electrocardiogram: detection of left ventricular hypertrophy. 1998 , 31, 937-42		69
378	Reviews of the Geriatric Literature. 1998 , 46, 661-663		
377	Relationship between left ventricular mass and serum cholesterol level in the untreated hypertensive. 1998 , 16, 1043-7		15
376	Effects of nitrendipine and enalapril on left ventricular mass in patients with non-insulin-dependent diabetes mellitus and hypertension. 1998 , 16, 689-96		19
375	Should exercise blood pressure be measured in clinical practice?. 1998 , 16, 15-7		7
374	Clues for understanding the pathogenesis of left ventricular hypertrophy in chronic uremia. 1998 , 21, 378-383		3
373	Why Is Left Ventricular Hypertrophy So Predictive of Morbidity and Mortality?. 1999 , 317, 168-175		65
372	Abnormalities of Kidney Function as a Cause and a Consequence of Cardiovascular Disease. 1999 , 317, 176-182		3
371	Ankle-arm index as a predictor of cardiovascular disease and mortality in the Cardiovascular Health Study. The Cardiovascular Health Study Group. 1999 , 19, 538-45		661
370	Both leg blood flow and the femoral blood flow pattern are related to left ventricular mass in elderly men. 1999 , 19, 275-6		3
369	Endothelium-dependent vasodilation and structural and functional changes in the cardiovascular system are dependent on age in healthy subjects. 1999 , 19, 400-9		21
368	Occurrence and Prognosis of Ventricular Arrhythmia in Men With and Without Asymptomatic Leg Artery Disease: Results from a Prospective Population Study Men Born in 1914, [Malmö] Sweden. 1999 , 4, 309-315		
367	Ambulatory blood pressure monitoring and echocardiography--noninvasive techniques for evaluation of the hypertensive patient. 1999 , 41, 397-440		12
366	Left ventricular hypertrophy as a surrogate end-point in hypertension. 1999 , 21, 583-93		23
365	Left ventricular mass regression with amlodipine in elderly hypertensives. 1999 , 21, 113-9		3
364	The older man's heart and heart disease. 1999 , 83, 1291-303		11
363	Coronary heart disease. Stable and unstable syndromes. 1999 , 17, 93-122		4

362	Cardiac rehabilitation and preventive cardiology in the elderly. 1999 , 17, 233-42	11
361	ACC/AHA/ACP-ASIM guidelines for the management of patients with chronic stable angina: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Committee on Management of Patients With Chronic Stable Angina). 1999 , 33, 2092-197	482
360	Relation of leisure-time physical activity to structural and functional arterial properties of the common carotid artery in male subjects. 1999 , 145, 107-14	38
359	Static and pulsatile blood pressure correlates of left ventricular structure and function in black and white young adults: the CARDIA study. 1999 , 138, 856-64	44
358	Myocardial diastolic impairment caused by left ventricular hypertrophy involves basal septum more than other walls: analysis by pulsed Doppler tissue imaging. 1999 , 17, 685-93	41
357	A pressure-time index' for assessing the severity of essential hypertension. 1999 , 17, 1387-93	6
356	Effect of insulin resistance on left ventricular hypertrophy and dysfunction in essential hypertension. 1999 , 17, 1153-60	38
355	The impact of different echocardiographic diagnostic criteria on the prevalence of left ventricular hypertrophy in essential hypertension: the VITAE study. <i>Ventriculo Izquierdo Tension Arterial Españ.</i> 1999 , 17, 1471-80	48
354	Increased left ventricular mass is not associated with impaired left ventricular diastolic filling in normal individuals. 2000 , 18, 757-62	6
353	Inadequate diagnosis and therapy of arterial hypertension as causes of left ventricular hypertrophy in uremic dialysis patients. 2000 , 58, 260-8	40
352	N-terminal atrial natriuretic peptide and left ventricular geometry and function in a population sample of elderly males. 2000 , 247, 699-708	10
351	Three-dimensional echocardiographic measurement of left ventricular mass: comparison with magnetic resonance imaging and two-dimensional echocardiographic determinations in man. <i>International Journal of Cardiovascular Imaging</i> , 2000 , 16, 347-57	38
350	Usefulness of beta blocker therapy in patients with Takayasu arteritis and moderate or severe aortic regurgitation. <i>International Heart Journal</i> , 2000 , 41, 325-37	8
349	Obesidade, hipertensão arterial e suas influências sobre a massa e função do ventrículo esquerdo. 2000 , 44, 64-71	4
348	Anticipatory blood pressure responses to exercise are associated with left ventricular mass in Finnish men: Kuopio Ischemic Heart Disease Risk Factor Study. <i>Circulation</i> , 2000 , 102, 1394-9	16.7 40
347	The Management of Chronic Ischemic Heart Disease in the Elderly. 2000 , 9, 145-150	
346	Performance of classic electrocardiographic criteria for left ventricular hypertrophy in an African population. 2000 , 36, 54-61	22
345	Left ventricular function, cardiac dysrhythmias, atrial activation, and volumes in nondipper hypertensive individuals with left ventricular hypertrophy. 2000 , 139, 529-36	30

344	Left ventricular hypertrophy as a predictor of coronary heart disease mortality and the effect of hypertension. 2000 , 140, 848-56	176
343	The influence of left ventricular geometry on coronary vasomotion in patients with essential hypertension. 2000 , 13, 789-95	8
342	Left ventricular mass and atrial volume determined by cine magnetic resonance imaging in essential hypertension. 2000 , 13, 1103-9	10
341	Changes in cardiac energy metabolism during early development of female SHR. 2000 , 13, 1074-81	18
340	Left ventricular mass and correlated atherosclerotic risk factors in young adolescents: report from Chin-Shan community cardiovascular study in Taiwan. 2001 , 155, 431-7	15
339	Left ventricular mass and cardiovascular morbidity in essential hypertension: the MAVI study. 2001 , 38, 1829-35	279
338	Diastolic dysfunction in arterial hypertension. 2001 , 3, 22-7	23
337	Similar effects of isolated systolic and combined hypertension on left ventricular geometry and function: the LIFE Study. 2001 , 14, 768-74	15
336	Renal function and renal disease in the elderly: Part II. 2001 , 12, 327-333	13
335	Effect of controlled-release nifedipine on left ventricular hypertrophy in Japanese patients with hypertension: An open-label, uncontrolled study. 2001 , 62, 773-782	2
334	Masa ventricular en ancianos con cardiopatía isquémica. 2001 , 13, 47-53	
333	Real-time 3-dimensional echocardiographic evaluation of left ventricular volume: correlation with magnetic resonance imaging—a validation study. 2001 , 14, 1001-9	43
332	Effects of antihypertensive agents on the left ventricle: clinical implications. 2001 , 1, 263-79	18
331	Effects of Aerobic Exercise on Energy Metabolism in the Hypertensive Rat Heart. 2001 , 81, 1006-1017	22
330	Genetic contribution to the variance in left ventricular mass: the Tecumseh Offspring Study. 2001 , 19, 1217-22	16
329	High-density lipoprotein cholesterol and left ventricular hypertrophy in essential hypertension. 2001 , 19, 2265-70	34
328	Relation of hemodynamics and risk factors to ventricular-vascular interactions in the elderly: the Cardiovascular Health Study. 2001 , 19, 1893-903	29
327	Left ventricular mass is not related to insulin sensitivity in never-treated primary hypertension. 2001 , 19, 311-7	12

326	Frequency and determinants of microalbuminuria in mild hypertension: a primary-care-based study. 2001 , 19, 319-26		26
325	Coronary heart disease, hypercholesterolemia, and atherosclerosis. II. Misrepresented data. 2001 , 70, 120-39		19
324	Gender differences in systolic left ventricular function in hypertensive patients with electrocardiographic left ventricular hypertrophy (the LIFE study). 2001 , 87, 980-3; A4		56
323	M-mode echocardiographic predictors of six- to seven-year incidence of coronary heart disease, stroke, congestive heart failure, and mortality in an elderly cohort (the Cardiovascular Health Study). 2001 , 87, 1051-7		314
322	Insulin resistance and cardiovascular risk in the pediatric patient. 2001 , 12, 169-175		26
321	The Preoperative Evaluation of the Patient With Cardiac Risk Factors for Noncardiac Surgery: Which Patients Need Further Cardiac Risk Stratification Tests?. 2001 , 5, 154-165		2
320	Midwall mechanics are improved after regression of hypertensive left ventricular hypertrophy and normalization of chamber geometry. <i>Circulation</i> , 2001 , 103, 678-83	16.7	67
319	Reversal of pathophysiologic changes with long-term lisinopril treatment in isolated systolic hypertension. 2001 , 37, 512-21		16
318	Echocardiographic and electrocardiographic diagnoses of left ventricular hypertrophy predict mortality independently of each other in a population of elderly men. <i>Circulation</i> , 2001 , 103, 2346-51	16.7	252
317	Association of left ventricular hypertrophy and aortic dilation in patients with acute thoracic aortic dissection. 2001 , 52, 447-55		19
316	Current practice and future promise for clinical noninvasive measurements of subclinical atherosclerotic disease in the elderly. 2002 , 11, 108-16; quiz 116-8		4
315	Peroxisome proliferator--activated receptor alpha gene regulates left ventricular growth in response to exercise and hypertension. <i>Circulation</i> , 2002 , 105, 950-5	16.7	135
314	Regulatory networks controlling mitochondrial energy production in the developing, hypertrophied, and diabetic heart. 2002 , 67, 371-82		15
313	Demographics and correlates of five-year change in echocardiographic left ventricular mass in young black and white adult men and women: the Coronary Artery Risk Development in Young Adults (CARDIA) study. 2002 , 40, 529-35		53
312	Noninvasive surrogate markers of atherosclerosis. 2002 , 89, 31C-43C; discussion 43C-44C		52
311	Echocardiographic comparison of left ventricular structure and function in hypertensive patients with primary aldosteronism and essential hypertension. 2002 , 15, 340-5		27
310	QT dispersion in patients with different etiologies of left ventricular hypertrophy: the significance of QT dispersion in endurance athletes. 2002 , 84, 153-9		14
309	Celiprolol inhibits mitogen-activated protein kinase and endothelin-1 and transforming growth factor-beta(1) gene in rats. 2002 , 457, 85-93		3

308	Echocardiographic left ventricular mass in African-Americans: the Jackson cohort of the Atherosclerosis Risk in Communities Study. 2003 , 20, 111-20	46
307	Night-time blood pressure load is associated with higher left ventricular mass index in renal transplant recipients. 2003 , 17, 239-44	29
306	Detección de hipertrofia ventricular izquierda por ECG mediante el producto duración por voltaje. Validación por ecocardiografía. 2003 , 20, 381-387	
305	Hypertensive target-organ damage in the very elderly. 2003 , 42, 130-5	29
304	Myocardial fatty acid metabolism: independent predictor of left ventricular mass in hypertensive heart disease. 2003 , 41, 83-7	129
303	Pulse wave analysis and pulse wave velocity: a critical review of their strengths and weaknesses. 2003 , 21, 463-72	202
302	Cardiovascular reactivity and development of preclinical and clinical disease states. 2003 , 65, 46-62	474
301	Role of insulin resistance in nondipper essential hypertensive patients. 2003 , 26, 669-76	63
300	The initial stage of left ventricular hypertrophy in spontaneously hypertensive rats is manifested by a decrease in the QRS amplitude/left ventricular mass ratio. 2004 , 26, 557-67	12
299	Surrogate markers for cardiovascular disease: structural markers. <i>Circulation</i> , 2004 , 109, IV22-30	16.7 146
298	Childhood adiposity as a predictor of cardiac mass in adulthood: the Bogalusa Heart Study. <i>Circulation</i> , 2004 , 110, 3488-92	16.7 162
297	Calcium antagonists. 2004 , 47, 34-57	93
296	Comparison of the prognostic value of left ventricular hypertrophy in African-American men versus women. 2004 , 94, 1383-90	17
295	Left ventricular hypertrophy and blood pressure as predictors of cognitive decline in old age. 2004 , 16, 147-52	46
294	Mechanisms and management of hypertensive heart disease: from left ventricular hypertrophy to heart failure. 2004 , 88, 1257-71	79
293	Los diuréticos son los fármacos de primera elección en el tratamiento de la hipertensión arterial. 2004 , 21, 466-474	
292	American Society of Echocardiography recommendations for use of echocardiography in clinical trials. 2004 , 17, 1086-119	392
291	The dioxin-like pollutant PCB 126 (3,3',4,4',5-pentachlorobiphenyl) affects risk factors for cardiovascular disease in female rats. 2004 , 150, 293-9	97

290	Effects of exercise, diet and weight loss on high blood pressure. 2004 , 34, 307-16		99
289	Cardiac remodeling in systemic hypertension. 2004 , 88, 115-30		42
288	The stroke volume/pulse pressure ratio predicts coronary heart disease mortality in a population of elderly men. 2004 , 22, 899-905		23
287	Cardiotrophin: its importance as a pathogenetic factor and as a measure of left ventricular hypertrophy. 2005 , 23, 2151-3		5
286	Left ventricular hypertrophy and preclinical impaired glucose tolerance and diabetes mellitus contribute to abnormal left ventricular diastolic function in hypertensive patients. 2005 , 10, 231-8		10
285	Renal artery stenosis: epidemiology, clinical manifestation, and percutaneous endovascular therapy. 2005 , 18, 497-506		26
284	Prevalence of echocardiographic left ventricular hypertrophy in persons with systemic hypertension, coronary artery disease, and peripheral arterial disease and in persons with systemic hypertension, coronary artery disease, and no peripheral arterial disease. 2005 , 96, 825-6		12
283	Regression of pressure overload-induced left ventricular hypertrophy in mice. 2005 , 288, H2702-7		67
282	Relation between QRS amplitude and left ventricular mass in the initial stage of exercise-induced left ventricular hypertrophy in rats. 2005 , 27, 533-41		11
281	Metabolic syndrome and echocardiographic left ventricular mass in blacks: the Atherosclerosis Risk in Communities (ARIC) Study. <i>Circulation</i> , 2005 , 112, 819-27	16.7	81
280	Randomized comparison of stentless versus stented valves for aortic stenosis: effects on left ventricular mass. <i>Circulation</i> , 2005 , 112, 2696-702	16.7	82
279	Optimal threshold value for left ventricular hypertrophy in blacks: the Atherosclerosis Risk in Communities study. 2005 , 45, 58-63		43
278	The transition from hypertrophy to failure: how certain are we?. <i>Circulation</i> , 2005 , 112, 936-8	16.7	57
277	Left ventricular remodelling index (LVRI) in various pathophysiological conditions: a real-time three-dimensional echocardiographic study. 2007 , 93, 205-9		51
276	Additional impact of electrocardiographic over echocardiographic diagnosis of left ventricular hypertrophy for predicting the risk of ischemic stroke. 2005 , 149, 181-6		39
275	Sex-related differences in relations of uric acid to left ventricular hypertrophy and remodeling in Japanese hypertensive patients. 2005 , 28, 133-9		35
274	Heart disease and aging. 2006 , 90, 849-62		43
273	Impact of left ventricular hypertrophy late after aortic valve replacement for aortic stenosis on cardiovascular morbidity and mortality. 2006 , 109, 41-7		20

272	Increased prevalence of coronary artery disease, silent myocardial ischemia, complex ventricular arrhythmias, atrial fibrillation, left ventricular hypertrophy, mitral annular calcium, and aortic valve calcium in patients with chronic renal insufficiency. 2006 , 14, 14-7	54
271	Arterial plasma noradrenaline predicts left ventricular mass independently of blood pressure and body build in men who develop hypertension over 20 years. 2006 , 24, 905-13	39
270	Histopathological study of time course changes in inter-renal aortic banding-induced left ventricular hypertrophy of mice. 2007 , 88, 31-8	11
269	Left ventricular mass and +276 G/G single nucleotide polymorphism of the adiponectin gene in uncomplicated obesity. <i>Obesity</i> , 2006 , 14, 368-72	8 15
268	Left ventricular geometry and mortality in patients >70 years of age with normal ejection fraction. 2006 , 98, 1396-9	60
267	From hypertension to heart failure -- are there better primary prevention strategies?. 2006 , 7, 64-73	29
266	High-density lipoprotein cholesterol and insulin resistance are independent and additive markers of left ventricular hypertrophy in essential hypertension. 2007 , 30, 125-31	15
265	Determinants of left ventricular mass in hypertensive heart disease: a complex interplay between volume, pressure, systolic function and genes. 2007 , 25, 1341-2	7
264	Heart size matters: lessons with MRI. 2007 , 3, 1-4	
263	Corin I555(P568) allele is associated with enhanced cardiac hypertrophic response to increased systemic afterload. 2007 , 49, 857-64	101
262	Regression of left ventricular hypertrophy following stenting of renal artery stenosis. 2007 , 14, 189-97	35
261	Left ventricular hypertrophy, subclinical atherosclerosis, and inflammation. 2007 , 49, 1385-91	63
260	Macrosomic newborns of diabetic mothers are associated with increased aortic intima-media thickness and lipid concentrations. 2007 , 67, 277-83	24
259	Left ventricular hypertrophy and geometry in untreated essential hypertension is associated with blood levels of aldosterone and procollagen type III amino-terminal peptide. 2007 , 71, 716-21	34
258	Subclinical disease detection: advanced imaging applications. 2007 , 18, 339-48	1
257	Whole grain intake and its cross-sectional association with obesity, insulin resistance, inflammation, diabetes and subclinical CVD: The MESA Study. 2007 , 98, 397-405	156
256	Coronary Artery Bypass Graft Surgery in End-Stage Renal Disease: Indications, Contraindications, and Uncertainties. 2007 , 7, 91-95	6
255	Early clinical and hemodynamic outcomes after stented and stentless aortic valve replacement: results from a randomized controlled trial. 2007 , 83, 2162-8	33

254	Meta-analysis of valve hemodynamics and left ventricular mass regression for stentless versus stented aortic valves. 2007 , 84, 73-8	94
253	Crecimiento ventricular izquierdo. Diagnóstico por electrocardiografía. 2007 , 24, 209-213	
252	Crecimiento ventricular izquierdo. Diagnóstico por electrocardiografía. 2007 , 24, 209-213	
251	Endothelial function and urine albumin levels among asymptomatic Mexican-Americans and non-Hispanic whites. 2008 , 6, 43	5
250	Hemodynamic performance of stentless versus stented valves: a systematic review and meta-analysis. 2008 , 23, 556-64	12
249	Beta-blockers for primary prevention of heart failure in patients with hypertension insights from a meta-analysis. 2008 , 52, 1062-72	75
248	The relationship of left ventricular mass and geometry to incident cardiovascular events: the MESA (Multi-Ethnic Study of Atherosclerosis) study. 2008 , 52, 2148-55	501
247	Differences in left ventricular mass between overweight and normal-weight preadolescent children. 2008 , 33, 1172-80	8
246	Incidence of new stroke or new myocardial infarction or death at 39-month follow-up in patients with diabetes mellitus, hypertension or both with and without microalbuminuria. 2008 , 109, 62-5	4
245	Hypertrophie ventriculaire gauche au cours de l'hypertension artérielle. 2008 , 3, 1-9	2
244	Association of leukocyte telomere length with echocardiographic left ventricular mass: the Framingham heart study. <i>Circulation</i> , 2009 , 120, 1195-202	16.7 50
243	Optimal medical treatment of cardiovascular risk factors: can we prevent the development of heart failure?. 2009 , 7, 147-57	8
242	Dietary sodium alters the prevalence of electrocardiogram determined left ventricular hypertrophy in hypertension. 2009 , 22, 669-73	17
241	Genetic variants associated with cardiac structure and function: a meta-analysis and replication of genome-wide association data. 2009 , 302, 168-78	164
240	Disparate effects of obesity and left ventricular geometry on mortality in 8088 elderly patients with preserved systolic function. 2009 , 121, 119-25	35
239	A model for left ventricular hypertrophy enabling non-invasive assessment of cardiac function. 2009 , 43, 267-72	7
238	Genomic analysis of left ventricular remodeling. <i>Circulation</i> , 2009 , 120, 437-44	16.7 8
237	Clinical impact of left ventricular hypertrophy and implications for regression. 2009 , 52, 153-67	117

236	Critical review of indications for renal artery stenting: do randomized trials give the answer?. 2009 , 74, 251-6	13
235	Predicting clinically unrecognized coronary artery disease: use of two- dimensional echocardiography. 2009 , 7, 10	18
234	Left ventricular end-systolic stress in young adults: distribution, risk factors, and relation to cardiovascular disease events. 2009 , 26, 1006-11	2
233	Determinants of left ventricular mass and presence of metabolic risk factors in normotensive individuals. 2009 , 135, 323-30	18
232	Effects of body size and body fatness on left ventricular mass in children and adolescents: Project HeartBeat!. 2009 , 37, S97-104	25
231	Is it time to review the treatment strategies in hypertension guidelines?. 2009 , 26, 151-156	
230	Multicenter epidemiological studies of atherosclerosis imaging. 2009 , 20, 239-46	1
229	Off-pump coronary artery revascularization in octogenarians: is it better?. 2009 , 24, 544-52	6
228	Body size adjustments for left ventricular mass by cardiovascular magnetic resonance and their impact on left ventricular hypertrophy classification. 2010 , 26, 459-68	52
227	Cardiac mortality of premature ventricular complexes in healthy people in Japan. 2010 , 56, 23-6	24
226	Do differences in subclinical cardiovascular disease in mexican americans versus European americans help explain the Hispanic paradox?. 2010 , 105, 205-9	8
225	Diagnosis and Management of Coronary Artery Disease. 2010 , 286-294	
224	Relations of biomarkers of extracellular matrix remodeling to incident cardiovascular events and mortality. 2010 , 30, 2283-8	44
223	Curcumin prevents cardiac remodeling secondary to chronic renal failure through deactivation of hypertrophic signaling in rats. 2010 , 299, H975-84	39
222	Plasma adiponectin levels are associated with left ventricular hypertrophy in a random sample of middle-aged subjects. 2010 , 42, 131-7	14
221	High prevalence of left ventricular hypertrophy in octogenarian women: The Jerusalem Longitudinal Cohort Study. 2010 , 19, 86-91	1
220	Impaired flow-mediated vasodilatation is associated with increased left ventricular mass in a multiethnic population. The Northern Manhattan Study. 2010 , 23, 413-9	13
219	Distribution and categorization of left ventricular measurements in the general population: results from the population-based Gutenberg Heart Study. 2010 , 3, 604-13	44

218	Natriuretic peptides and the genomics of left-ventricular hypertrophy. 2010 , 6, 55-64		6
217	Asymmetric septal hypertrophy - a marker of hypertension in aortic stenosis (a SEAS substudy). 2010 , 19, 140-4		27
216	The progression of hypertensive heart disease. <i>Circulation</i> , 2011 , 123, 327-34	16.7	459
215	Cardiac remodeling at the population level--risk factors, screening, and outcomes. 2011 , 8, 673-85		113
214	ACCf/AHA 2011 expert consensus document on hypertension in the elderly: a report of the American College of Cardiology Foundation Task Force on Clinical Expert Consensus documents developed in collaboration with the American Academy of Neurology, American Geriatrics Society, American Society for Preventive Cardiology, American Society of Hypertension, American Society of Echocardiography/European Association of Echocardiography. 2011 , 24, 1383-91		325
213	Prognostic impact of left ventricular mass severity according to the classification proposed by the American Society of Echocardiography/European Association of Echocardiography. 2011 , 24, 1383-91	16.7	18
212	Left ventricular mass and risk of cardiovascular events and all-cause death among ethnic Chinese--the Chin-Shan Community Cardiovascular Cohort study. 2011 , 149, 347-52		13
211	ACCf/AHA 2011 expert consensus document on hypertension in the elderly: a report of the American College of Cardiology Foundation Task Force on Clinical Expert Consensus Documents developed in collaboration with the American Academy of Neurology, American Geriatrics Society, American Society for Preventive Cardiology, American Society of Hypertension, American Society of Echocardiography/European Association of Echocardiography. 2011 , 24, 1383-91		100
210	Stentless aortic valve replacement: an update. 2011 , 7, 345-51		32
209	Left ventricular geometric patterns and adaptations to hemodynamics are similar in elderly men and women. 2011 , 11, 25		9
208	ACCf/AHA 2011 expert consensus document on hypertension in the elderly: a report of the American College of Cardiology Foundation Task Force on Clinical Expert Consensus Documents. <i>Circulation</i> , 2011 , 123, 2434-506	16.7	255
207	2012 ACCf/AHA/ACP/AATS/PCNA/SCAI/STS guideline for the diagnosis and management of patients with stable ischemic heart disease: a report of the American College of Cardiology Foundation/American Heart Association task force on practice guidelines, and the American College of Physicians, American Association for Thoracic Surgery, Preventive Cardiovascular Nurses Association, Society for Cardiovascular Angiography and Interventions, and Society of Thoracic Surgeons. 2012 , 33, 595-605	16.7	537
206	Regression of cardiac hypertrophy by granulocyte colony-stimulating factor-stimulated thoracic interleukin-1 β synthesis. 2012 , 33, 595-605		33
205	Influence of dietary sodium modulation on electrocardiographic voltage criteria for left ventricular hypertrophy in normotensive individuals. 2012 , 60, 39-43		1
204	Prognostic value of the extent of left ventricular hypertrophy and its evolution in the hypertensive patient. 2012 , 30, 2403-9		28
203	An update on biomarkers of heart failure in hypertensive patients. 2012 , 30, 1681-9		43
202	2012 ACCf/AHA/ACP/AATS/PCNA/SCAI/STS Guideline for the diagnosis and management of patients with stable ischemic heart disease: a report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines, and the American College of Physicians, American Association for Thoracic Surgery, Preventive Cardiovascular Nurses Association, Society for Cardiovascular Angiography and Interventions, and Society of Thoracic Surgeons. 2012 , 33, 595-605		1138
201	Early origins of heart disease: low birth weight and the role of the insulin-like growth factor system in cardiac hypertrophy. 2012 , 39, 958-64		16

200	Electrocardiographic left ventricular hypertrophy predicts arrhythmia and mortality in patients with ischemic cardiomyopathy. 2012 , 34, 237-45		11
199	Guía de práctica clínica de la ESC sobre diagnóstico y tratamiento de las enfermedades arteriales periféricas. 2012 , 65, 172.e1-172.e57		8
198	Relation between carotid intima-media thickness and left ventricular mass in type 1 diabetes mellitus (from the Epidemiology of Diabetes Interventions and Complications [EDIC] Study). 2012 , 110, 1534-40		5
197	Echocardiography and the Aging Heart. 2012 , 5, 501-506		2
196	Association of left ventricular mass with all-cause mortality, myocardial infarction and stroke. <i>PLoS ONE</i> , 2012 , 7, e45570	3.7	40
195	Reduced difference in left ventricular mass at end diastole and peak systole is a predictor of major stenosis of the left coronary artery territory. 2012 , 31, 1437-42		4
194	Does Cardiovascular Ultrasound Have a Role in Assessment of Cardiovascular Risk in Asymptomatic Persons?. 2012 , 6, 164-175		
193	Cardiorenal syndrome: pathophysiology, preclinical models, management and potential role of uraemic toxins. 2012 , 39, 692-700		15
192	Increased left ventricular myocardial mass is associated with arrhythmias after cardiac surgery. 2013 , 27, 292-7		5
191	Sustitución valvular aórtica con prótesis biológicas en pacientes con estenosis aórtica severa. ¿Válvulas soportadas o no soportadas?. 2013 , 20, 18-24		
190	Hypertension in elderly. 2013 , 2, 96-102		0
189	Influence of increased left ventricular myocardial mass on early and late mortality after cardiac surgery. 2013 , 110, 41-6		10
188	Inflammatory markers are associated with left ventricular hypertrophy and diastolic dysfunction in a population-based sample of elderly men and women. 2013 , 27, 13-7		54
187	The Differences of Left Ventricular Geometry in Acute Myocardial Infarction and the Effects on Short Term Mortality. 2013 , 36, 26		
186	Sex differences in the association between serum uric acid levels and cardiac hypertrophy in patients with chronic kidney disease. 2014 , 37, 246-52		31
185	Impact of left ventricular geometry on long-term survival in elderly men and women. 2014 , 34, 442-8		7
184	Left ventricular hypertrophy and chronic renal insufficiency in the elderly. 2014 , 4, 168-75		14
183	Prognostic implications of left ventricular dyssynchrony for major adverse cardiovascular events in asymptomatic women and men: the Multi-Ethnic Study of Atherosclerosis. 2014 , 3,		17

182	Left ventricular mass and the risk of sudden cardiac death: a population-based study. 2014 , 3, e001285	42
181	Early single-center experience in sutureless aortic valve implantation in 120 patients. 2014 , 147, 370-5	40
180	Impact of echocardiographic left ventricular geometry on clinical prognosis. 2014 , 57, 3-9	58
179	Left Ventricular Mass as a Risk Factor in the Oldest Old. 2015 , 17, 874-9	4
178	Left Ventricular Structure and Risk of Cardiovascular Events: A Framingham Heart Study Cardiac Magnetic Resonance Study. 2015 , 4, e002188	64
177	The prognostic value of dobutamine stress echocardiography amongst British Indian Asian and Afro-Caribbean patients: a comparison with European white patients. 2015 , 13, 36	1
176	Wave intensity analysis and its application to the coronary circulation. 2015 , 2015, 64	8
175	The association of left ventricular mass with coronary atherosclerosis and myocardial ischemia: cause and effect or simple association?. 2015 , 16, 156-7	1
174	Cohort Profile: The Framingham Heart Study (FHS): overview of milestones in cardiovascular epidemiology. 2015 , 44, 1800-13	156
173	Relationship of left ventricular mass to coronary atherosclerosis and myocardial ischaemia: the CORE320 multicenter study. 2015 , 16, 166-76	8
172	Left Ventricular Systolic Dysfunction in Asymptomatic Black Hypertensive Subjects. 2015 , 28, 924-9	3
171	Serum concentration of procollagen type III amino-terminal peptide is increased in patients with successfully repaired coarctation of the aorta with left ventricular hypertrophy. 2015 , 36, 555-60	4
170	Combination of hyperuricemia and metabolic syndrome is an independent and powerful predictor for left ventricular hypertrophy in rural Chinese. 2015 , 76, 264-71	7
169	Inhibition of hypertrophy is a good therapeutic strategy in ventricular pressure overload. <i>Circulation</i> , 2015 , 131, 1435-47	16.7 132
168	Association of computed tomography-derived left ventricular size with major cardiovascular events in the general population: the Heinz Nixdorf recall study. 2015 , 240, 46-52	4
167	Left ventricular size as a predictor of vascular events. 2015 , 240, 398-9	
166	Detection of coronary artery disease in diabetic hypertensive patients using conventional transthoracic echocardiography at rest. 2015 , 31, 987-93	3
165	Validation study of candidate single nucleotide polymorphisms associated with left ventricular hypertrophy in the Korean population. 2015 , 16, 13	4

164	Hyperuricemia is independently associated with left ventricular hypertrophy in post-menopausal women but not in pre-menopausal women in rural Northeast China. 2015 , 31, 736-41	20
163	Electrocardiographic and Echocardiographic Left Ventricular Hypertrophy in the Prediction of Stroke in the Elderly. 2015 , 24, 1991-7	26
162	Association of growth differentiation factor 11/8, putative anti-ageing factor, with cardiovascular outcomes and overall mortality in humans: analysis of the Heart and Soul and HUNT3 cohorts. 2015 , 36, 3426-34	75
161	Eligibility for Statin Treatment in Korean Subjects with Reduced Renal Function: An Observational Study. 2016 , 31, 402-409	4
160	Genetic association of left ventricular mass assessed by M-mode and two-dimensional echocardiography. 2016 , 34, 88-96	4
159	From the Editor. 2016 , 10, 901-902	
158	Electrocardiographic Left Ventricular Hypertrophy as a Predictor of Cardiovascular Disease Independent of Left Ventricular Anatomy in Subjects Aged 65 Years. 2016 , 117, 1831-5	30
157	Associations of residual left ventricular and left atrial remodeling with clinical outcomes in patients after aortic valve replacement for severe aortic stenosis. 2016 , 68, 241-7	13
156	To Stent or Not to Stent? Update on Revascularization for Atherosclerotic Renovascular Disease. 2016 , 18, 45	4
155	Assessment of Left Ventricular Mass and Hypertrophy by Cardiovascular Magnetic Resonance Imaging in Pediatric Hypertension. 2016 , 18, 976-981	5
154	Association between Obstructive Sleep Apnea and Left Ventricular Structure by Age and Gender: the Multi-Ethnic Study of Atherosclerosis. 2016 , 39, 523-9	14
153	Educational status and differences in left ventricular mass and ejection fraction - The role of BMI and parameters related to the metabolic syndrome: A longitudinal analysis from the population-based CARLA cohort. 2016 , 26, 815-23	1
152	Abnormal echocardiography in patients with type 2 diabetes and relation to symptoms and clinical characteristics. 2016 , 13, 321-30	28
151	Common carotid artery end-diastolic velocity is independently associated with future cardiovascular events. 2016 , 23, 116-24	23
150	Longitudinal Study of Left Ventricular Mass Growth: Comparative Study of Clinic and Ambulatory Systolic Blood Pressure in Chronic Kidney Disease. 2016 , 67, 710-6	10
149	Association of Fitness in Young Adulthood With Survival and Cardiovascular Risk: The Coronary Artery Risk Development in Young Adults (CARDIA) Study. 2016 , 176, 87-95	86
148	Adverse Left Ventricular Remodeling and Age Assessed with Cardiac MR Imaging: The Multi-Ethnic Study of Atherosclerosis. 2016 , 278, 714-22	55
147	Akt signaling as a mediator of cardiac adaptation to low birth weight. 2017 , 233, R81-R94	15

- ¹⁴⁶ Detection of concentric left ventricular wall hypertrophy by contrast-enhanced non-electrocardiogram-gated chest computed tomography. **2017**, 11, 482-488
- ¹⁴⁵ Loss of cardiac carnitine palmitoyltransferase 2 results in rapamycin-resistant, acetylation-independent hypertrophy. **2017**, 292, 18443-18456 31
- ¹⁴⁴ Geometric patterns of left ventricular hypertrophy: Is geometry alone to be blamed?. **2017**, 58, 143-145
- ¹⁴³ Phylloquinone Intake Is Associated with Cardiac Structure and Function in Adolescents. **2017**, 147, 1960-1967
- ¹⁴² Left ventricular mass, geometry and function in diabetic patients affected by coronary artery disease. **2017**, 31, 1533-1537 3
- ¹⁴¹ A propensity matched analysis of outcomes and long term survival in stented versus stentless valves. **2017**, 12, 45 3
- ¹⁴⁰ Overlap of Atherosclerotic Disease. **2017**, 71-77
- ¹³⁹ Hypertension and left ventricular hypertrophy. **2017**, 5, 310 29
- ¹³⁸ Wave intensity analysis and its application to the coronary circulation. **2017**, 2017, e201705 10
- ¹³⁷ Quantitative trait mapping in Diversity Outbred mice identifies two genomic regions associated with heart size. **2018**, 29, 80-89 14
- ¹³⁶ Cardiac Remodeling Patterns in Severe Obesity According to Arterial Hypertension Grade. **2018**, 28, 1047-1054 4
- ¹³⁵ Aging in the Cardiovascular System: Lessons from Hutchinson-Gilford Progeria Syndrome. **2018**, 80, 27-48 46
- ¹³⁴ Association of left ventricular hypertrophy with cognitive decline and dementia risk over 20 years: The Atherosclerosis Risk In Communities-Neurocognitive Study (ARIC-NCS). **2018**, 204, 58-67 14
- ¹³³ Ultrasound and Microbubble-targeted Delivery of a microRNA Inhibitor to the Heart Suppresses Cardiac Hypertrophy and Preserves Cardiac Function. **2019**, 9, 7088-7098 18
- ¹³² Left Ventricular Mass at MRI and Long-term Risk of Cardiovascular Events: The Multi-Ethnic Study of Atherosclerosis (MESA). **2019**, 293, 107-114 27
- ¹³¹ Prognostic implications of QRS dispersion for major adverse cardiovascular events in asymptomatic women and men: the Multi-Ethnic Study of Atherosclerosis. **2019**, 56, 45-53 1
- ¹³⁰ Differences in left ventricular geometry in hypertensive African-Europeans and Caucasian patients. **2019**, 62, 43-47 1
- ¹²⁹ Cardiac hypertrophy or failure? - A systematic evaluation of the transverse aortic constriction model in C57BL/6NTac and C57BL/6J substrains. **2019**, 1, 1-10 6

128	Relationship between vascular damage and left ventricular concentric geometry in patients undergoing coronary angiography: a multicenter prospective study. 2019 , 37, 1183-1190	6
127	Patient prosthesis mismatch and its impact on left ventricular regression following aortic valve replacement in aortic stenosis patients. 2019 , 35, 6-14	2
126	Association of renal artery stenosis with left ventricular remodeling in patients coexisting with renovascular and coronary artery disease. 2019 , 27, 190-198	
125	Birth weight and cardiac function assessed by echocardiography in adolescence: Avon Longitudinal Study of Parents and Children. 2019 , 54, 225-231	5
124	Correlation of Arterial Stiffness With Left Atrial Volume Index and Left Ventricular Mass Index in Young Adults: Evaluation by Coronary Computed Tomography Angiography. 2019 , 28, 932-938	6
123	A learning-based automatic segmentation and quantification method on left ventricle in gated myocardial perfusion SPECT imaging: A feasibility study. 2020 , 27, 976-987	46
122	Heart Failure as a Consequence of Hypertension. 2020 , 333-346.e6	
121	Association of fitness and body fatness with left ventricular mass: The Heart Health Study. 2020 , 6, 19-27	4
120	The prognostic implications of ST-segment and T-wave abnormalities in patients undergoing regadenoson stress SPECT myocardial perfusion imaging. 2020 , 1	1
119	Comprehensive Metabolic Phenotyping Refines Cardiovascular Risk in Young Adults. <i>Circulation</i> , 2020 , 142, 2110-2127	16.7 11
118	Echocardiogram Assessment of Left Ventricular Mass for Hemodialysis Patients. 2020 , 2, 523-525	
117	Echocardiography in the Era of Obesity. 2020 , 33, 779-787	3
116	Early Growth Patterns and Cardiac Structure and Function at Midlife: Northern Finland 1966 Birth Cohort Study. 2020 , 221, 151-158.e1	3
115	ECG Indices Poorly Predict Left Ventricular Hypertrophy and Are Applicable Only in Individuals With Low Cardiovascular Risk. 2020 , 9,	1
114	The polygenic architecture of left ventricular mass mirrors the clinical epidemiology. 2020 , 10, 7561	3
113	Left ventricular geometry as a predictor of carotid artery stenosis severity in patients undergoing carotid artery stenting. 2020 , 37, 663-669	1
112	Cardiac Troponin I and T Are Associated with Left Ventricular Function and Structure: Data from the Akershus Cardiac Examination 1950 Study. 2020 , 66, 567-578	10
111	Aortic Unfolding Measurement Using Non-Contrast Cardiac CT: Normal Range of Low-Risk Subjects. 2020 , 82,	

110	Distinct Body Mass Index Trajectories to Young-Adulthood Obesity and Their Different Cardiometabolic Consequences. 2021 , 41, 1580-1593		4
109	Cardiovascular disease risk and pathophysiology in South Asians: can longitudinal multi-omics shed light?. <i>Wellcome Open Research</i> , 2020 , 5, 255	4.8	0
108	Leptin Attenuates Cardiac Hypertrophy in Patients With Generalized Lipodystrophy. 2021 , 106, e4327-e4339		4
107	Left Ventricular Measurements and Strain in Pediatric Patients Evaluated for Systemic Hypertension and the Effect of Adequate Anti-hypertensive Treatment. 2021 , 1		0
106	Organ and Metabolic Complications: Cardiac. 1996 , 990-1002		1
105	Cardiac disease in chronic uremia. 2004 , 765-790		1
104	Relations of left ventricular geometry and function to prognosis in hypertension. 1997 , 432, 1-12		3
103	Physiological Versus Pathological Hypertrophy. 1997 , 145-158		4
102	Cardiovascular Reactivity in Youth. 2004 , 251-263		1
101	Calcium Antagonists and Calcium Sensitizers. 2000 , 333-363		1
100	The Lipid Hypothesis: Is it the Only Cause of Atherosclerosis?. <i>Medical Science Symposia Series</i> , 1992 , 13-18		1
99	Left Ventricular Hypertrophy, Congestive Heart Failure, and Coronary Flow Reserve Abnormalities in Hypertension. 2005 , 250-280		1
98	Quantitative Evaluation of Left Ventricular Structure, Wall Stress, and Systolic Function. 2007 , 187-211		2
97	B-Type Natriuretic Peptide Is Associated with Indices of Left Ventricular Dysfunction in Healthy Subjects from the General Population: The Akershus Cardiac Examination 1950 Study. 2021 , 67, 204-215		2
96	Why is left ventricular hypertrophy so predictive of morbidity and mortality?. 1999 , 317, 168-75		122
95	Abnormalities of kidney function as a cause and a consequence of cardiovascular disease. 1999 , 317, 176-82		38
94	Effect of quinapril and triamterene/hydrochlorothiazide on cardiac and vascular end-organ damage in isolated systolic hypertension. 1998 , 31, 187-94		13
93	Left ventricular hypertrophy. 1995 , 311, 273-4		24

92	Comparison of five antihypertensive monotherapies and placebo for change in left ventricular mass in patients receiving nutritional-hygienic therapy in the Treatment of Mild Hypertension Study (TOMHS). <i>Circulation</i> , 1995 , 91, 698-706	16.7	200
91	Sex, age, and disease affect echocardiographic left ventricular mass and systolic function in the free-living elderly. The Cardiovascular Health Study. <i>Circulation</i> , 1995 , 91, 1739-48	16.7	169
90	Effect of lean body mass, fat mass, blood pressure, and sexual maturation on left ventricular mass in children and adolescents. Statistical, biological, and clinical significance. <i>Circulation</i> , 1995 , 92, 3249-54	16.7	180
89	Relationship of cardiovascular risk factors to echocardiographic left ventricular mass in healthy young black and white adult men and women. The CARDIA study. Coronary Artery Risk Development in Young Adults. <i>Circulation</i> , 1995 , 92, 380-7	16.7	209
88	Subclinical disease as an independent risk factor for cardiovascular disease. <i>Circulation</i> , 1995 , 92, 720-6	16.7	185
87	Left ventricular hypertrophy has a greater impact on survival in women than in men. <i>Circulation</i> , 1995 , 92, 805-10	16.7	108
86	Midwall left ventricular mechanics. An independent predictor of cardiovascular risk in arterial hypertension. <i>Circulation</i> , 1996 , 93, 259-65	16.7	245
85	ACC/AHA Guidelines for the Clinical Application of Echocardiography. A report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Committee on Clinical Application of Echocardiography). Developed in collaboration with the American Society of Echocardiography. <i>Circulation</i> , 1997 , 95, 1686-744	16.7	431
84	Endothelial dysfunction and cardiorenal injury in experimental salt-sensitive hypertension: effects of antihypertensive therapy. <i>Circulation</i> , 1997 , 96, 2407-13	16.7	88
83	Gender differences and the electrocardiogram in left ventricular hypertrophy. 1995 , 25, 242-9		58
82	Time-voltage area of the QRS for the identification of left ventricular hypertrophy. 1996 , 27, 251-8		24
81	Weights at birth and in early infancy, systolic pressure, and left ventricular structure in subjects aged 8 to 24 years. 1996 , 27, 339-45		50
80	Utility of new electrocardiographic models for left ventricular mass in older adults. The Cardiovascular Health Study Collaborative Research Group. 1996 , 28, 8-15		48
79	High prevalence of concentric remodeling in elderly individuals with isolated systolic hypertension from a population survey. 1997 , 29, 539-43		31
78	Limited echocardiography for hypertensive left ventricular hypertrophy. 1997 , 29, 560-3		40
77	Left ventricular mass in the elderly. The Cardiovascular Health Study. 1997 , 29, 1095-103		81
76	Relations of left ventricular geometry and function to body composition in children with high casual blood pressure. 1997 , 30, 377-82		28
75	Plasma adrenomedullin concentrations and cardiac and arterial hypertrophy in hypertension. 1997 , 30, 741-5		40

74	Prospectively Randomized Evaluation of Stentless Versus Conventional Biological Aortic Valves. <i>Circulation</i> , 1999 , 100,	16.7	4
73	Regression of Left Ventricular Hypertrophy After Surgical Therapy for Aortic Stenosis Is Associated With Changes in Extracellular Matrix Gene Expression. <i>Circulation</i> , 2001 , 104,	16.7	4
72	Peroxisome Proliferator-Activated Receptor α s a Genetic Determinant of Cardiac Hypertrophic Growth. <i>Circulation</i> , 2002 , 105, 1025-1027	16.7	7
71	Mitochondrial function in permeabilized cardiomyocytes is largely preserved in the senescent rat myocardium. <i>PLoS ONE</i> , 2012 , 7, e43003	3.7	20
70	Age, Gender and Load-Related Influences on Left Ventricular Geometric Remodeling, Systolic Mid-Wall Function, and NT-ProBNP in Asymptomatic Asian Population. <i>PLoS ONE</i> , 2016 , 11, e0156467	3.7	15
69	HYPERPARATHYROIDISM AND CARDIOVASCULAR SYSTEM PATHOLOGY. 2006 , 9, 33-41		1
68	Early regional assessment of LV mass regression and function after stentless valve replacement: comparative randomized study. 2004 , 7, E462-5; discussion E462-5		7
67	Stented versus stentless bioprostheses in aortic valve stenosis: effect on left ventricular remodelling. 2007 , 10, E205-10		7
66	The Characteristics of Electrocardiography Findings in Left Ventricular Remodeling Patterns of Hypertensive Patients. 2015 , 21, 208-217		4
65	Regression of Left Ventricular Hypertrophy Following Stenting of Renal Artery Stenosis. 2007 , 14, 189-197		11
64	Normal Aging of the Cardiovascular System. <i>Fundamental and Clinical Cardiology</i> , 2008 , 1-44		3
63	Epidemiology of Coronary Heart Disease in the Elderly. <i>Fundamental and Clinical Cardiology</i> , 2008 , 215-242		6
62	Improved scoring system for the electrocardiographic diagnosis of left ventricular hypertrophy. 2019 , 11, 94-102		4
61	Hypertensive Heart Failure in Asia.. 2021 , 9, 47-56		2
60	Underwriting Older Ages. 2000 , 103-121		
59	The Aging Heart. 2001 , 401-410		
58	Cardiovascular Risk Assessment in Hypertension. 2001 , 100-117		
57	Risk Factors for Atherosclerosis in the Elderly. 2001 , 448-459		

56 Cardiovascular Risk Assessment in Hypertension. **2003**, 109-125

55 Ozhirenie i pochki: mekhanizmy povrezhdeniya pochk pri ozhireнии. *Obesity and Metabolism*, **2006**, 3, 22-28

0.6

54 Aging Changes Seen on Echocardiography. **2007**, 952-968

53 Echocardiographic Measurements in Elderly Patients Without Clinical Heart Disease. *Fundamental and Clinical Cardiology*, **2008**, 45-74

52 Diagnosis of Coronary Heart Disease in the Elderly. *Fundamental and Clinical Cardiology*, **2008**, 243-268

51 Interventional Treatment of Renal Artery Stenosis. 664-673

50 Risk Factors for Atherosclerosis in the Elderly. **2011**, 635-648

49 Echocardiography in the Assessment of Cardiovascular Disease Risk. **2014**, 547-556

48 Factors influencing left ventricular hypertrophy in children and adolescents with or without family history of premature myocardial infarction. *Advanced Biomedical Research*, **2014**, 3, 60

1.2

1

47 Left Ventricular Hypertrophy. *AMA Guides Newsletter*, **2014**, 19, 11-15

0

46 Is It Necessary to Demonstrate Changes in Left Ventricular Hypertrophy in the Evaluation of Antihypertensive Drugs?. *Developments in Cardiovascular Medicine*, **1990**, 35-43

45 Hypertension: Left Ventricular Hypertrophy, Ventricular Ectopy, and Sudden Death. *Primary Care - Clinics in Office Practice*, **1991**, 18, 577-592

2.2

1

44 Left Ventricular Mass as a Measure of Preclinical Disease in Patients with Hypertension. *Medical Science Symposia Series*, **1992**, 209-214

43 Antihypertensive Agents and Cardiovascular Risk. *Medical Science Symposia Series*, **1992**, 165-172

42 Epidemiology. *Developments in Cardiovascular Medicine*, **1993**, 9-26

41 Coronary Artery Disease. *Developments in Cardiovascular Medicine*, **1993**, 253-273

1

40 Ventricular tachyarrhythmias, myocardial ischemia and sudden cardiac death in patients with hypertensive heart disease. **1994**, 191-204

39 Prognostic Evaluation of Ventricular Arrhythmias in Athletes. **1997**, 45-53

- 38 Hypertension in the Elderly. **1998**, 69-74
- 37 Essential Hypertension. **1998**, 1183-1194
- 36 Left Ventricular Hypertrophy: Reversal by Antihypertensive Therapy. *Developments in Cardiovascular Medicine*, **1999**, 131-138
- 35 Negative U-wave as a predictor of antihypertensive treatment effect on regression of echocardiographic hypertrophy in hypertensive patients. *International Heart Journal*, **1999**, 40, 31-44
- 34 The Athlete's Heart: A Physiological or a Pathological Phenomenon?. *Developments in Cardiovascular Medicine*, **1999**, 85-106
- 33 The Renin-Angiotensin System and the Heart. **1999**, 53-67
- 32 The application of torasemide in patients with arterial hypertension: evidence-based and practical approaches. *Systemic Hypertension*, **2014**, 11, 79-83 1.6
- 31 The Coronary Circulation in Cardiomyopathies and Cardiac Allografts. **2017**, 119-135
- 30 Wave Intensity Patterns in Coronary Flow in Health and Disease. **2017**, 263-275
- 29 THE STUDY OF CARDIAC ABNORMALITY IN GERIATRIC POPULATION OF RURAL CENTRAL INDIA. *Journal of Evidence Based Medicine and Healthcare*, **2017**, 4, 4427-4434 0
- 28 Interaction Between the Haemodynamics of Coronary Flow and Aortic Valve Pathologies. **2019**, 115-126
- 27 High-Throughput Digitization of Analog Human Echocardiography Data.
- 26 Difference of Clinical Outcomes According to Left Ventricular Hypertrophy and Its Subtype in Korean Patients with Acute Myocardial Infarction. *Korean Journal of Medicine*, **2020**, 95, 387-397 0.5 1
- 25 High-throughput digitization of analog human echocardiography data. *MethodsX*, **2020**, 7, 101159 1.9
- 24 Echocardiography in Assessment of Cardiovascular Disease Risk. **2020**, 1-12
- 23 Left Ventricular Hypertrophy. **2007**, 116-149
- 22 Cardiovascular disease risk and pathophysiology in South Asians: can longitudinal multi-omics shed light?. *Wellcome Open Research*, **2020**, 5, 255 4.8 0
- 21 Basic Evaluation of Older Persons with Hypertension. *Clinics in Geriatric Medicine*, **1989**, 5, 717-732 3.8 1

20	Left ventricular mass index and coronary artery disease in hypertensive black males. <i>Journal of the National Medical Association</i> , 1993 , 85, 452-6	2.3	2
19	Impact of left ventricular geometry on prognosis-a review of ochsner studies. <i>Ochsner Journal</i> , 2008 , 8, 11-7	1.5	14
18	Correlates of left ventricular mass in hypertensive Nigerians: an echocardiographic study. <i>Cardiovascular Journal of Africa</i> , 2010 , 21, 79-85	0.7	4
17	IndEcho study: cohort study investigating birth size, childhood growth and young adult cardiovascular risk factors as predictors of midlife myocardial structure and function in South Asians. <i>BMJ Open</i> , 2018 , 8, e019675	3	3
16	Electrocardiographic Diagnosis of Left Ventricular Hypertrophy. <i>Arquivos Brasileiros De Cardiologia</i> , 2021 , 117, 932-933	1.2	0
15	Left Ventricular Structure is Associated with Postoperative Death After Coronary Artery Bypass Grafting in Patients with Heart Failure with Reduced Ejection Fraction.. <i>International Journal of General Medicine</i> , 2022 , 15, 53-62	2.3	0
14	IndEcho study: cohort study investigating birth size, childhood growth and young adult cardiovascular risk factors as predictors of midlife myocardial structure and function in South Asians. 2018 , 8, e019675		3
13	Influence of left ventricular mass regression on cardiac function in hypertensive elderly individuals. <i>European Journal of Clinical Pharmacology</i> , 1990 , 39 Suppl 1, S25-8	2.8	2
12	Does psychological stress contribute to the development of hypertension and coronary heart disease?. <i>European Journal of Clinical Pharmacology</i> , 1990 , 39 Suppl 1, S1-7	2.8	1
11	Longitudinal association between the timing of adiposity peak and rebound and overweight at seven years of age.. <i>BMC Pediatrics</i> , 2022 , 22, 215	2.6	
10	Impact of weight loss with diet or diet plus physical activity on cardiac magnetic resonance imaging and cardiovascular disease risk factors: Heart Health Study randomized trial.. <i>Obesity</i> , 2022 , 30, 1039-1056	8	0
9	Left Ventricular Reverse Remodeling After Surgical Therapy for Aortic Stenosis: Correlation to Renin-Angiotensin System Gene Expression. <i>Circulation</i> , 2002 , 106,	16.7	9
8	Determination of sources of error and improvement in accuracy of left ventricular mass measurement by echocardiography. <i>International Journal of Cardiovascular Imaging</i> ,		0
7	Potential role of conventional and speckle-tracking echocardiography in the screening of structural and functional cardiac abnormalities in elderly individuals: Baseline echocardiographic findings from the LOOP study. <i>PLoS ONE</i> , 2022 , 17, e0269475	3.7	0
6	THE EPIDEMIOLOGIC BASIS OF CORONARY DISEASE PREVENTION. 1992 , 27, 153-170		0
5	Aging Changes in Cardiovascular Structure and Function. 2022 , 127-162		0
4	Comparison of the efficiency between electrocardiogram and echocardiogram for left ventricular hypertrophy evaluation in patients with hypertension: Insight from the Korean Hypertension Cohort Study.		0
3	Accuracy of ECG left ventricular hypertrophy (LVH) criteria compared to echocardiographic LVH among hypertensives in an African population. 4 , 72-79		0

- 2 The prevalence of left ventricular hypertrophy associated with type-2 diabetes in Shiraz, Iran: a cross-sectional study. **2023**, 23, ○
- 1 Relation of the left ventricular geometric patten to coronary artery disease in hypertensive patients using a 320-detector-row CT scanner. **2023**, 75, ○