

CITATION REPORT

List of articles citing

**Coagulase-negative staphylococcal bacteremia.
Mortality and hospital stay**

DOI: 10.7326/0003-4819-110-1-9

Annals of Internal Medicine, 1989, 110, 9-16.

Source: <https://exaly.com/paper-pdf/21026014/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
274	Antimicrobial use in hospital-acquired infections. 1989 , 17, 311-5		1
273	Infection Control: Opportunistic Fungal Infections: The Increasing Importance of Candida Species. <i>Infection Control and Hospital Epidemiology</i> , 1989 , 10, 270-273	2	19
272	Nosocomial Bloodstream Infection at a Veterans Hospital; 1979 to 1987. <i>Infection Control and Hospital Epidemiology</i> , 1989 , 10, 455-464	2	20
271	Economic incentives in clinical investigation. 1989 , 321, 763-4		1
270	Clinical implications of positive blood cultures. 1989 , 2, 329-53		122
269	Drug-resistant coagulase-negative skin staphylococci. Evaluation of four marker systems and epidemiology in an orthopaedic ward. 1990 , 105, 95-105		33
268	Role of glycopeptide antibiotics in the treatment of febrile neutropenic patients. 1990 , 76 Suppl 2, 54-6		5
267	Treatment of sepsis in an intensive care unit. <i>Intensive Care Medicine</i> , 1990 , 16 Suppl 3, S243-7	14.5	1
266	Coagulase-negative staphylococci: incidence, pathogenicity, and treatment in the 1990s. 1990 , 24, 714-20		7
265	Les infections a staphylocoques a coagulase negative en nephrologie. 1990 , 20, 85-90		2
264	Biotyping of coagulase-negative staphylococci. 108 isolates from nosocomial bloodstream infections. <i>Diagnostic Microbiology and Infectious Disease</i> , 1990 , 13, 461-6	2.9	15
263	Infections a staphylocoques coagulase-negatifs liees aux catheterismes veineux. 1990 , 20, 62-72		5
262	Reply. 1990 , 18, 292		
261	Coagulase-negative staphylococci: pathogens with increasing clinical significance. 1990 , 116, 497-507		109
260	The continuing importance of staphylococci as major hospital pathogens. 1991 , 19 Suppl B, 3-17		18
259	Multiply antibiotic-resistant Staphylococcus epidermidis in patients, staff and environment--a one-week survey in a bone marrow transplant unit. 1991 , 17, 95-106		28
258	Principales caractéristiques bidéniologiques des septicémies à staphylocoques chez les hémodialysés chroniques. 1991 , 21, 367-370		1

257	Temporal trends in septicemia in a community hospital. 1991 , 91, 90S-94S		18
256	Feasible and desirable future targets for reducing the costs of hospital infections. 1991 , 18 Suppl A, 94-8		12
255	Epidemiologic Typing Systems for Coagulase-Negative Staphylococci. <i>Infection Control and Hospital Epidemiology</i> , 1991 , 12, 319-326	2	17
254	Principales caractéristiques épidémiologiques des septicémies à staphylocoques chez les hémodialysés chroniques. 1991 , 21, 367-370		
253	Coagulase-Negative Staphylococcal Infection in the Neonate. 1991 , 18, 281-302		34
252	Catheter-related infections and associated septicemia. 1991 , 99, 968-75		74
251	Antibiotic choices in surgical intensive care unit patients. 1991 , 71, 765-89		7
250	In vitro selection of resistance to vancomycin in bloodstream isolates of <i>Staphylococcus haemolyticus</i> and <i>Staphylococcus epidermidis</i> . <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 1991 , 10, 1007-12	53	30
249	Physiopathologie et épidémiologie des infections liées aux cathéters veineux centraux. 1991 , 5, 11-24		5
248	Action des concentrations subinhibitrices d'agents anti-microbiens sur l'adhérence des staphylocoques à coagulase négative : perspectives pour la prévention des infections liées aux cathéters. 1991 , 5, 37-46		5
247	Traitement curatif des infections sur cathéter veineux central en fonction du germe, de la situation clinique et du type de cathéter (cathéter en place ou après ablation). Propositions, limites. 1991 , 5, 95-104		2
246	Species identification and detection of oxacillin resistance in coagulase-negative <i>Staphylococcus</i> blood isolates from neutropenic patients. 1991 , 7, 686-9		5
245	Antimicrobial therapy of septicemic patients in intensive care units before and after blood culture reporting. 1991 , 23, 341-6		20
244	Molecular Epidemiology of Coagulase-Negative Staphylococci Isolated from Immunocompromised Patients. <i>Infection Control and Hospital Epidemiology</i> , 1992 , 13, 86-92	2	29
243	Impact of Central Venous Catheter Removal on the Recurrence of Catheter-Related Coagulase-Negative Staphylococcal Bacteremia. <i>Infection Control and Hospital Epidemiology</i> , 1992 , 13, 215-221	2	118
242	Sensibilités aux antibiotiques dont l'acide fusidique de 1475 souches de staphylocoques isolés dans un institut de cancérologie en 1989 et 1990. 1992 , 22, 855-858		
241	Dynamics of coagulase-negative staphylococcal colonization in patients and employees in a surgical intensive care unit. 1992 , 20, 247-55		17
240	Infections sur cathéter vasculaire. Propositions d'émissionnelles pour le traitement curatif devant une suspicion d'infection sur cathéter. 1992 , 22, 352-365		3

239	Occurrence of bacteremia in hematologic patients. 1992 , 8, 687-92		7
238	Nosocomial pneumonia in patients having bone marrow transplant. Attributable mortality and risk factors. 1992 , 69, 2653-62		97
237	Prospective multicentric study of the etiology of 1051 bacteremic episodes in 782 cancer patients. CEMIC (French-Belgian Study Club of Infectious Diseases in Cancer). 1993 , 1, 34-46		39
236	Peptidoglycan and teichoic acid from <i>Staphylococcus epidermidis</i> stimulate human monocytes to release tumour necrosis factor-alpha, interleukin-1 beta and interleukin-6. 1993 , 7, 281-7		59
235	Infections due to antibiotic-resistant gram-positive cocci. 1993 , 8, 626-34		8
234	Daily scrub with chlorhexidine reduces skin colonization by antibiotic-resistant <i>Staphylococcus epidermidis</i> . 1993 , 24, 47-61		13
233	Activity of daptomycin against enterococci and coagulase-negative staphylococci (CNS): relationship between CNS susceptibility and slime production. 1993 , 5, 151-4		4
232	The gastrointestinal tract. The "undrained abscess" of multiple organ failure. 1993 , 218, 111-9		315
231	Trends in Antimicrobial Utilization at a Tertiary Teaching Hospital during a 15-Year Period (1978-1992). <i>Infection Control and Hospital Epidemiology</i> , 1993 , 14, 376-382	2	50
230	Bacteraemia and fungaemia in an Australian general hospital--associations and outcomes. 1993 , 158, 671-4		28
229	Infections in Patients with Acute Non-Lymphocytic Leukemia Nursed with Central or Peripheral Venous Access. 1993 , 79, 112-115		2
228	Clinical Importance of Blood Cultures. 1994 , 14, 9-16		11
227	Blood Cultures and Immunocompromised Patients. 1994 , 14, 31-49		9
226	Relatedness of Coagulase-Negative Staphylococci Causing Bacteremia in Low-Birthweight Infants. <i>Infection Control and Hospital Epidemiology</i> , 1994 , 15, 658-662	2	19
225	Coagulase-negative staphylococcal bacteraemia with special reference to septic shock: experience in an intensive care unit. <i>Journal of Infection</i> , 1994 , 29, 295-303	18.9	8
224	The prevention and treatment of perinatal sepsis in a neonatal intensive care unit. 1994 , 9, 467-470		
223	Comparison of genotypic and phenotypic methods for species identification of coagulase-negative staphylococcal isolates from blood cultures. <i>Apmis</i> , 1994 , 102, 855-64	3-4	5
222	Les infections à cocci Gram positif en hématologie et en cancérologie. 1994 , 24, 1222-1228		3

221	Update on clinical significance of coagulase-negative staphylococci. 1994 , 7, 117-40		594
220	Evaluation of two commercial systems for identification of coagulase-negative staphylococci to species level. <i>Diagnostic Microbiology and Infectious Disease</i> , 1994 , 18, 1-5	2.9	41
219	Genotyping of <i>Staphylococcus epidermidis</i> by small-fragment restriction endonuclease analysis and pulsed-field gel electrophoresis of genomic restriction fragments. 1994 , 38, 527-34		3
218	Mortality Attributable to Nosocomial Infections in the ICU. <i>Infection Control and Hospital Epidemiology</i> , 1994 , 15, 428-434	2	60
217	Evaluation of staphylococci isolated from a blood culture system (Colorbact). <i>Apmis</i> , 1995 , 103, 383-7	3.4	5
216	Totally implanted catheters to reduce catheter-related infections in patients receiving interleukin-2: a 2-year experience. 1995 , 3, 297-300		2
215	Infections in neutropenic patients I: aetiology. 1995 , 12, 251-6		10
214	The Use of Molecular Techniques in the Epidemiology and Control of Infectious Diseases. 1995 , 15, 407-431		24
213	Continuous ambulatory peritoneal dialysis-associated peritonitis as a model device-related infection: phenotypic adaptation, the staphylococcal cell envelope and infection. 1995 , 30 Suppl, 35-43		5
212	Methicillin-resistant <i>Staphylococcus haemolyticus</i> on the hands of health care workers: a route of transmission or a source?. 1995 , 31, 195-203		17
211	The Lowbury Lecture. The economics of nosocomial infections. 1995 , 31, 79-87		119
210	Intravenous Catheter-Related Infections. 1995 , 9, 36-43		
209	Positive predictive value of blood cultures growing coagulase-negative staphylococci. 1995 , 346, 191-2		27
208	Identification simplifi� de <i>Staphylococcus epidermidis</i> par une m�thode originale de d�termination de son activit� glucidolytique sur milieu g�bs� 1995 , 25, 845-849		
207	Infectious rates of central venous pressure catheters: comparison between newly placed catheters and those that have been changed. 1996 , 71, 838-46		26
206	Cefoperazone/sulbactam versus cefoperazone plus mezlocillin: empiric therapy for febrile, neutropenic bone marrow transplant patients. 1996 , 7, 85-91		3
205	Value of the hospital epidemiologist. <i>Clinical Microbiology and Infection</i> , 1996 , 1, 154-159	9.5	0
204	Secular trends in mortality associated with bloodstream infections in 4268 patients hospitalized in a cancer referral center between 1975 and 1989. <i>Clinical Microbiology and Infection</i> , 1996 , 1, 160-167	9.5	13

203	Coagulase-negative Staphylococci in Danish blood cultures: species distribution and antibiotic susceptibility. 1996 , 32, 217-27		29
202	In-vitro activity of penicillin G plus sulbactam in comparison with other beta-lactamase inhibitor combinations and oxacillin against staphylococci. 1996 , 284, 297-301		1
201	Catheter-related complications of cancer therapy. <i>Infectious Disease Clinics of North America</i> , 1996 , 10, 255-95	6.5	39
200	Pediatric primary gram-negative nosocomial bacteremia: a possible relationship with infusate contamination. <i>Infection Control and Hospital Epidemiology</i> , 1996 , 17, 276-80	2	6
199	Guideline for Prevention of Intravascular-Device-Related Infections. <i>Infection Control and Hospital Epidemiology</i> , 1996 , 17, 438-473	2	2
198	A 6-month prospective study of hospital-acquired bacteremia in Copenhagen county. 1996 , 28, 601-8		17
197	The Role of Understaffing in Central Venous Catheter-Associated Bloodstream Infections. <i>Infection Control and Hospital Epidemiology</i> , 1996 , 17, 150-158	2	167
196	The Role of Understaffing in Central Venous Catheter-Associated Bloodstream Infection. <i>Infection Control and Hospital Epidemiology</i> , 1996 , 17, 150-158	2	281
195	Pediatric Primary Gram-Negative Nosocomial Bacteremia: A Possible Relationship with Infusate Contamination. <i>Infection Control and Hospital Epidemiology</i> , 1996 , 17, 276-280	2	32
194	Antibacterial activity of trovafloxacin against gram-positive blood culture isolates from nosocomial infections. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 1996 , 15, 694-6	5.3	3
193	Coagulase-negative staphylococci isolated from two cases of toxic shock syndrome lack superantigenic activity, but induce cytokine production. 1996 , 13, 81-6		10
192	Guideline for Prevention of Intravascular-Device-Related Infections. <i>Infection Control and Hospital Epidemiology</i> , 1996 , 17, 438-473	2	275
191	The clinical significance of positive blood cultures in the 1990s: a prospective comprehensive evaluation of the microbiology, epidemiology, and outcome of bacteremia and fungemia in adults. 1997 , 24, 584-602		871
190	Impact économique des infections nosocomiales : le cas de la multirésistance bactérienne. 1997 , 6, 205-212		
189	Conséquences de la multirésistance bactérienne en réanimation sur la durée de séjour et la charge en soins. 1997 , 6, 213-222		3
188	The changing epidemiology of severe infections in the ICU. <i>Clinical Microbiology and Infection</i> , 1997 , 3, S36-S47	9.5	16
187	Cardiac surgery in a high-risk group of patients: is prolonged postoperative antibiotic prophylaxis effective?. 1997 , 114, 162-8		65
186	Septic shock as a predictor of mortality in bacteremia caused by coagulase-negative staphylococci. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 1997 , 16, 411-6	5.3	8

185	Reproducibility of antibiogram of bovine mammary gland staphylococci under conditions of repeated subculturing. 1998 , 45, 189-92		1
184	Positive blood cultures for coagulase-negative staphylococci in neonates: does highly selective vancomycin usage affect outcome?. 1998 , 26, 85-92		17
183	Evaluation of clinical and laboratory findings in leukaemic patients with blood cultures positive for <i>Staphylococcus epidermidis</i> . 1998 , 38, 27-35		9
182	<i>Staphylococcus aureus</i> and coagulase-negative staphylococci from blood stream infections: frequency of occurrence, antimicrobial susceptibility, and molecular (<i>mecA</i>) characterization of oxacillin resistance in the SCOPE program. <i>Diagnostic Microbiology and Infectious Disease</i> , 1998 , 30, 205-14	2.9	91
181	Is there a clinical necessity to identify coagulase-negative staphylococci to the species level? Okay, so I was wrong! 1998 , 20, 78-80		3
180	Infection versus colonization in the critical care unit. 1998 , 14, 71-90		7
179	Clinical implications of nosocomial gram-positive bacteremia and superimposed antimicrobial resistance. 1998 , 104, 245-335		49
178	The "hands-off" catheter and the prevention of systemic infections associated with pulmonary artery catheter: a prospective study. 1998 , 157, 284-7		30
177	Increasing Bacteremia Due to Coagulase-Negative Staphylococci: Fiction or Reality?. <i>Infection Control and Hospital Epidemiology</i> , 1998 , 19, 581-589	2	64
176	Nosocomial bloodstream infections in HIV-infected patients: attributable mortality and extension of hospital stay. 1998 , 19, 490-7		25
175	Nosocomial Infections in a Rural Regional Hospital in a Developing Country: Infection Rates by Site, Service, Cost, and Infection Control Practices. <i>Infection Control and Hospital Epidemiology</i> , 1998 , 19, 136-140	2	23
174	Granulocyte Colony-Stimulating Factor to Prevent the Progression of Systemic Nonresponsiveness in Systemic Inflammatory Response Syndrome and Sepsis. <i>Blood</i> , 1999 , 93, 425-439	2.2	62
173	The attributable mortality and costs of primary nosocomial bloodstream infections in the intensive care unit. 1999 , 160, 976-81		357
172	An inflammatory polypeptide complex from <i>Staphylococcus epidermidis</i> : isolation and characterization. 1999 , 189, 907-18		156
171	Are there measures of proven value to reduce nosocomial acquisition of bloodstream infections?. <i>Clinical Microbiology and Infection</i> , 1999 , 5, 2S58-2S62	9.5	
170	A new technology of microdispersed silver in polyurethane induces antimicrobial activity in central venous catheters. 1999 , 27 Suppl 1, S16-23		161
169	Economic aspects of innovations in medical technology. 1999 , 27 Suppl 1, S78-80		0
168	The genomic diversity of coagulase-negative staphylococci associated with nosocomial infections. 1999 , 43, 187-93		38

167	An analysis of hospital-acquired bacteraemia in intensive care unit patients in a university hospital in Kuwait. 1999 , 43, 49-56		34
166	Efficacité de la décontamination nasale par Bédine [®] pommade dermique sur la colonisation des cathéters centraux par les staphylocoques à coagulase négative en réanimation. 1999 , 29, 385-394		
165	Molecular mechanisms of Staphylococcus epidermidis biofilm formation. 1999 , 43 Suppl, S113-25		114
164	The epidemiology of bacterial sepsis. <i>Infectious Disease Clinics of North America</i> , 1999 , 13, 299-312, vii	6.5	76
163	The emergence of decreased susceptibility to vancomycin in Staphylococcus epidermidis. <i>Infection Control and Hospital Epidemiology</i> , 1999 , 20, 167-70	2	82
162	Attributable morbidity and mortality of catheter-related septicemia in critically ill patients: a matched, risk-adjusted, cohort study. <i>Infection Control and Hospital Epidemiology</i> , 1999 , 20, 396-401	2	288
161	Bacteremia associated with central venous catheter infection is not an independent predictor of outcomes. 2000 , 190, 671-80; discussion 680-1		36
160	Evaluation of outcome of intravenous catheter-related infections in critically ill patients. 2000 , 162, 1027-30		284
159	Nosocomial bloodstream infections: organisms, risk factors, and implications. 2000 , 31 Suppl 4, S139-43		111
158	Molecular typing of coagulase-negative staphylococci from blood cultures does not correlate with clinical criteria for true bacteremia. 2000 , 109, 697-704		43
157	Problems and solutions in hospital-acquired bacteraemia. 2000 , 46, 89-95		35
156	Nasal colonization by methicillin-resistant coagulase-negative staphylococcus in community skilled nursing facility patients. 2000 , 28, 269-72		16
155	Estimation of extra hospital stay attributable to nosocomial infections: heterogeneity and timing of events. 2000 , 53, 409-17		85
154	Limitations of presently available glycopeptides in the treatment of Gram-positive infection. <i>Clinical Microbiology and Infection</i> , 2001 , 7 Suppl 4, 53-65	9.5	20
153	Antimicrobial resistance in the chronically critically ill patient. 2001 , 22, 87-103, viii		5
152	Outcomes of primary and catheter-related bacteremia. A cohort and case-control study in critically ill patients. 2001 , 163, 1584-90		777
151	The Role of Intravascular Devices in Sepsis. 2001 , 3, 496-506		49
150	Glycopeptide susceptibility profiles of nosocomial multiresistant Staphylococcus haemolyticus isolates. 2001 , 7, 142-7		10

149	Bacterial endocarditis in a child with haemophilia B: risks of central venous catheters. 2001 , 7, 507-10		23
148	Neonatal late-onset bloodstream infection: attributable mortality, excess of length of stay and risk factors. 2001 , 17, 715-20		37
147	Rapid species identification of coagulase negative Staphylococci by rRNA spacer length polymorphism analysis. <i>Journal of Infection</i> , 2001 , 42, 189-94	18.9	9
146	Identification of Staphylococcus spp. by PCR-restriction fragment length polymorphism of gap gene. <i>Journal of Clinical Microbiology</i> , 2001 , 39, 3693-5	9.7	52
145	The Pathophysiology of Gram-Positive Shock. 2002 , 117-134		
144	Attributable mortality of Stenotrophomonas maltophilia bacteremia. 2002 , 34, 1653-6		85
143	Fibrin sheath enhances central venous catheter infection. 2002 , 30, 908-12		137
142	Immunochemical properties of the staphylococcal poly-N-acetylglucosamine surface polysaccharide. <i>Infection and Immunity</i> , 2002 , 70, 4433-40	3.7	244
141	Peaks of endogenous G-CSF serum concentrations are followed by an increase in respiratory burst activity of granulocytes in patients with septic shock. 2002 , 17, 275-84		28
140	Clinical and epidemiologic significance of coagulase-negative staphylococci bacteremia in a tertiary care university Israeli hospital. 2002 , 30, 21-5		21
139	A national point-prevalence survey of pediatric intensive care unit-acquired infections in the United States. 2002 , 140, 432-8		193
138	A predictive model for mortality of bloodstream infections. Bedside analysis with the Weibull function. 2002 , 55, 563-72		18
137	[Bacteremia caused by coagulase-negative staphylococci: incidence, frequency of teicoplanin resistance and molecular epidemiology]. 2002 , 50, 552-9		4
136	[Nosocomial bacteremia in the adult patient. Study of associated costs]. 2002 , 202, 476-84		5
135	Hospital-acquired, laboratory-confirmed bloodstream infection: increased hospital stay and direct costs. <i>Infection Control and Hospital Epidemiology</i> , 2002 , 23, 190-7	2	126
134	Infections liés aux accés vasculaires : épidémiologie, pathogénie, traitement et nouvelles méthodes de prévention. 2002 , 16, 62-65		2
133	[Two first years' bacteremia incidence and impact in a new hospital]. 2003 , 120, 213-5		
132	Sepsis and treatment-induced immunosuppression in the patient with cancer. 2003 , 15, 109-18		9

131	Outcomes of nosocomial bloodstream infections in adult neutropenic patients: a prospective cohort and matched case-control study. <i>Infection Control and Hospital Epidemiology</i> , 2003 , 24, 905-11	2	57
130	A rational approach to the evaluation and treatment of the infected patient in the intensive care unit. 2003 , 24, 645-69		5
129	Importance of nondrug costs of intravenous antibiotic therapy. 2003 , 7, R184-90		53
128	Which antimicrobial impregnated central venous catheter should we use? Modeling the costs and outcomes of antimicrobial catheter use. 2003 , 31, 1-8		135
127	New therapeutic agents for resistant Gram-positive infections. 2003 , 1, 655-65		3
126	Epidemiology and outcome of nosocomial and community-onset bloodstream infection. <i>Journal of Clinical Microbiology</i> , 2003 , 41, 3655-60	9.7	211
125	Blood culture contamination: persisting problems and partial progress. <i>Journal of Clinical Microbiology</i> , 2003 , 41, 2275-8	9.7	266
124	Decreased vancomycin susceptibility of coagulase-negative staphylococci in a neonatal intensive care unit: evidence of spread of <i>Staphylococcus warneri</i> . <i>Journal of Clinical Microbiology</i> , 2003 , 41, 4660-87	9.7	52
123	Vascular catheter site care: the clinical and economic benefits of chlorhexidine gluconate compared with povidone iodine. 2003 , 37, 764-71		73
122	Epidemiological comparison of true methicillin-resistant and methicillin-susceptible coagulase-negative staphylococcal bacteremia at hospital admission. 2003 , 37, 644-9		18
121	Antiseptic chamber-containing hub reduces central venous catheter-related infection: a prospective, randomized study. 2003 , 31, 1318-24		44
120	Prevention of Central Venous Catheter-Related Bloodstream Infections Using Non-Technologic Strategies. <i>Infection Control and Hospital Epidemiology</i> , 2004 , 25, 675-677	2	9
119	Coagulase-negative staphylococci: clinical, microbiological and molecular features to predict true bacteraemia. 2004 , 53, 67-72		50
118	Prevalence of methicillin-resistant, coagulase-negative staphylococci in neonatal intensive care units: findings from a tertiary care hospital in India. 2004 , 53, 941-944		31
117	Bloodstream infections caused by <i>Staphylococcus aureus</i> in a university hospital in Turkey: clinical and molecular epidemiology of methicillin-resistant <i>Staphylococcus aureus</i> . <i>Clinical Microbiology and Infection</i> , 2004 , 10, 309-14	9.5	12
116	Non-epidermidis coagulase-negative staphylococcal bacteremia: clinical predictors of true bacteremia. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2004 , 23, 495-8	5.3	23
115	Bacterial repellence from polyethylene terephthalate surface modified by acetylene plasma immersion ion implantation/deposition. 2004 , 186, 299-304		85
114	Impact of ventilator-associated pneumonia on resource utilization and patient outcome. <i>Infection Control and Hospital Epidemiology</i> , 2004 , 25, 1090-6	2	67

113	Airborne dispersal as a novel transmission route of coagulase-negative staphylococci: interaction between coagulase-negative staphylococci and rhinovirus infection. <i>Infection Control and Hospital Epidemiology</i> , 2004 , 25, 504-11	2	16
112	Cost-benefit analysis of chlorhexidine gluconate dressing in the prevention of catheter-related bloodstream infections. <i>Infection Control and Hospital Epidemiology</i> , 2004 , 25, 668-74	2	51
111	Prevention of central venous catheter-related bloodstream infections using non-technologic strategies. <i>Infection Control and Hospital Epidemiology</i> , 2004 , 25, 675-7	2	33
110	Bacteremias: a leading cause of death. 2005 , 36, 646-59		149
109	Sepsis: still going strong. 2005 , 36, 672-81		26
108	Bloodstream Infections Including Endocarditis and Meningitis. 2005 , 337-377		
107	Practice guidelines for the diagnosis and management of skin and soft-tissue infections. 2005 , 41, 1373-406		1121
106	Species-level identification of staphylococcal isolates by real-time PCR and melt curve analysis. <i>Journal of Clinical Microbiology</i> , 2005 , 43, 2876-80	9.7	57
105	Nosocomial bacteremia: clinical significance of a single blood culture positive for coagulase-negative staphylococci. <i>Infection Control and Hospital Epidemiology</i> , 2005 , 26, 697-702	2	51
104	Determining the clinical significance of coagulase-negative staphylococci isolated from blood cultures. <i>Infection Control and Hospital Epidemiology</i> , 2005 , 26, 559-66	2	122
103	Polymerase chain reaction identification of coagulase-negative Staphylococci and of strain diversity and spread of <i>Staphylococcus epidermidis</i> in a major medical center in Lebanon. <i>Infection Control and Hospital Epidemiology</i> , 2006 , 27, 781-3	2	3
102	In vitro activity effects of combinations of cephalothin, dicloxacillin, imipenem, vancomycin and amikacin against methicillin-resistant <i>Staphylococcus</i> spp. strains. 2006 , 5, 25		34
101	Association between <i>Enterococcus</i> bacteraemia and death in neutropenic patients with haematological malignancies. <i>Journal of Infection</i> , 2006 , 53, 266-73	18.9	16
100	Excess risk of death from intensive care unit-acquired nosocomial bloodstream infections: a reappraisal. 2006 , 42, 1118-26		135
99	SdrF, a <i>Staphylococcus epidermidis</i> surface protein, binds type I collagen. 2007 , 282, 18767-76		63
98	Diagnostic evidence of <i>Staphylococcus warneri</i> as a possible cause of bovine abortion. 2007 , 19, 694-6		14
97	Attributable mortality of nosocomial <i>Acinetobacter</i> bacteremia. <i>Infection Control and Hospital Epidemiology</i> , 2007 , 28, 293-8	2	71
96	Compatibility of pulsed-field gel electrophoresis findings and clinical criteria commonly used to distinguish between true coagulase-negative staphylococcal bacteremia and contamination. <i>Infection Control and Hospital Epidemiology</i> , 2007 , 28, 992-6	2	10

95	The influence of polyethylene terephthalate surfaces modified by silver ion implantation on bacterial adhesion behavior. 2007 , 201, 8155-8159		46
94	Dynamics of C-reactive protein and white blood cell count in critically ill patients with nosocomial Gram positive vs. Gram negative bacteremia: a historical cohort study. <i>BMC Infectious Diseases</i> , 2007 , 7, 106	4	20
93	Bloodstream Infection in the Intensive Care Unit. 2007 , 292-302		
92	Molecular typing of staphylococcal communities isolated during municipal solid waste composting process. 2008 , 58, 387-394		12
91	[Left-sided native valve endocarditis by coagulase-negative staphylococci: an emerging disease]. 2008 , 26, 263-8		6
90	[Epidemiology and susceptibility profile of blood culture isolates in an intensive care unit (2002-2005)]. 2008 , 38, 18-24		11
89	Central venous catheterization: a prospective, randomized, double-blind study. 2009 , 15, 19-26		22
88	[Bacterial bloodstream infections in critical patients]. 2009 , 33, 336-45		7
87	Remifentanyl discontinuation and subsequent intensive care unit-acquired infection: a cohort study. 2009 , 13, R60		19
86	Attributable mortality rate for carbapenem-resistant <i>Klebsiella pneumoniae</i> bacteremia. <i>Infection Control and Hospital Epidemiology</i> , 2009 , 30, 972-6	2	280
85	Residual attributable mortality, a new concept for understanding the value of antibiotics in treating life-threatening acute infections. 2010 , 54, 4956-60		3
84	Impact of primary and intravascular catheter-related bacteremia due to coagulase-negative staphylococci in critically ill patients. 2011 , 35, 217-225		
83	Comparing clinical and microbiological methods for the diagnosis of true bacteraemia among patients with multiple blood cultures positive for coagulase-negative staphylococci. <i>Clinical Microbiology and Infection</i> , 2011 , 17, 569-71	9.5	21
82	Is there any rationale for treatment of <i>Staphylococcus aureus</i> infections with antimicrobials that are determined to be ineffective in vitro?. <i>Clinical Microbiology and Infection</i> , 2011 , 17, 1142-7	9.5	3
81	[Impact of primary and intravascular catheter-related bacteremia due to coagulase-negative staphylococci in critically ill patients]. 2011 , 35, 217-25		11
80	Phagocytosis and digestion of pH-sensitive fluorescent dye (Eos-FP) transfected <i>E. coli</i> in whole blood assays from patients with severe sepsis and septic shock. 2011 , 5, 135-44		8
79	Hospital epidemiology and infection control in acute-care settings. 2011 , 24, 141-73		352
78	Syntheses of novel chitosan derivative with excellent solubility, anticoagulation, and antibacterial property by chemical modification. 2012 , 124, 2641-2648		24

77	A composite score combining procalcitonin, C-reactive protein and temperature has a high positive predictive value for the diagnosis of intensive care-acquired infections. <i>BMC Infectious Diseases</i> , 2013 , 13, 159	4	10
76	Enterotoxin genes in coagulase-negative and coagulase-positive staphylococci isolated from bovine milk. 2013 , 96, 2866-72		54
75	Evaluation and Management of Bacterial and Fungal Infections Occurring in Patients with a Hematological Malignancy: A 2011 Update. 2013 , 1165-1191		
74	Mortality and hospital stay related to coagulase-negative Staphylococci bacteremia in non-critical patients. <i>Journal of Infection</i> , 2013 , 66, 155-62	18.9	26
73	Modulation of ENaC, CFTR, and iNOS expression in bronchial epithelial cells after stimulation with Staphylococcus epidermidis (94B080) and Staphylococcus aureus (90B083). <i>Apmis</i> , 2013 , 121, 814-26	3.4	7
72	Molecular and evolutionary analysis of NEAr-iron Transporter (NEAT) domains. <i>PLoS ONE</i> , 2014 , 9, e104794	3.7	25
71	Topical antibiotics as a major contextual hazard toward bacteremia within selective digestive decontamination studies: a meta-analysis. <i>BMC Infectious Diseases</i> , 2014 , 14, 714	4	22
70	Cost-effectiveness of a quality improvement programme to reduce central line-associated bloodstream infections in intensive care units in the USA. <i>BMJ Open</i> , 2014 , 4, e006065	3	18
69	Performance of SaSelect, a chromogenic medium for detection of staphylococci in clinical specimens. <i>Journal of Clinical Microbiology</i> , 2014 , 52, 1041-4	9.7	5
68	Factors influencing mortality in neutropenic patients with haematologic malignancies or solid tumours with bloodstream infection. <i>Clinical Microbiology and Infection</i> , 2015 , 21, 583-90	9.5	38
67	Electrospun Polycaprolactone Membrane Incorporated with Biosynthesized Silver Nanoparticles as Effective Wound Dressing Material. <i>Applied Biochemistry and Biotechnology</i> , 2015 , 176, 2213-24	3.2	62
66	Coagulase-negative staphylococcal bacteremia: risk factors for mortality and impact of initial appropriate antimicrobial therapy on outcome. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2015 , 34, 1395-401	5.3	11
65	Persistence of a major endemic clone of oxacillin-resistant Staphylococcus lugdunensis sequence type 6 at a tertiary medical centre in northern Taiwan. <i>International Journal of Infectious Diseases</i> , 2015 , 36, 72-7	10.5	11
64	Cost-Effectiveness of 30- Compared to 20-Milliliter Blood Cultures: a Retrospective Study. <i>Journal of Clinical Microbiology</i> , 2016 , 54, 64-7	9.7	4
63	Prognostic factors associated with 30-day in-hospital mortality in coagulase-negative Staphylococcus bacteraemia: no impact of vancomycin minimum inhibitory concentration. <i>Infectious Diseases</i> , 2017 , 49, 664-673	3.1	1
62	Antimicrobial strategies for polymeric hygienic surfaces in healthcare. <i>International Biodeterioration and Biodegradation</i> , 2017 , 125, 214-227	4.8	11
61	Attributable mortality of ICU-acquired bloodstream infections: Impact of the source, causative micro-organism, resistance profile and antimicrobial therapy. <i>Journal of Infection</i> , 2017 , 74, 131-141	18.9	46
60	Clinical Syndromes of Device-Associated Infections. 2018 , 600-612.e6		

59	Prior staphylococcal bacteremia and risk of surgical site infection after total joint arthroplasty: a nested case-control study. <i>Current Orthopaedic Practice</i> , 2018 , 29, 25-30	0.4	
58	Clinical Significance of Isolates Known to Be Blood Culture Contaminants in Pediatric Patients. <i>Medicina (Lithuania)</i> , 2019 , 55,	3.1	3
57	Catheter-related bloodstream infections with coagulase-negative staphylococci: are antibiotics necessary if the catheter is removed?. <i>Antimicrobial Resistance and Infection Control</i> , 2019 , 8, 21	6.2	11
56	Ceftobiprole activity when tested against contemporary bacteria causing bloodstream infections in the United States (2016-2017). <i>Diagnostic Microbiology and Infectious Disease</i> , 2019 , 94, 304-313	2.9	16
55	Antimicrobial strategies to reduce polymer biomaterial infections and their economic implications and considerations. <i>International Biodeterioration and Biodegradation</i> , 2019 , 136, 1-14	4.8	33
54	Incidence of coagulase-negative staphylococcal bacteremia among ICU patients: decontamination studies as a natural experiment. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2020 , 39, 657-664	5.3	5
53	COVID-19 increased the risk of ICU-acquired bloodstream infections: a case-cohort study from the multicentric OUTCOMEREA network. <i>Intensive Care Medicine</i> , 2021 , 47, 180-187	14.5	51
52	Kosten nosokomialer Infektionen. 2006 , 298-304		0
51	Pathogenic Studies on Five Species of Coagulase-Negative Staphylococci: A Mouse Model with a Foreign Body Implant. 1990 , 255-263		1
50	Research in the Intensive Care Unit. 1998 , 481-495		1
49	The Role of Interleukin-1 in Septic Shock. <i>Yearbook of Intensive Care and Emergency Medicine</i> , 1992 , 25-35		3
48	Clinical Syndromes of Device-Associated Infections. 2008 , 587-599		2
47	Coagulase-Negative Staphylococci. <i>Infectious Disease Clinics of North America</i> , 1989 , 3, 915-930	6.5	18
46	NOSOCOMIAL INFECTION IN THE SURGICAL INTENSIVE CARE UNIT. <i>Infectious Disease Clinics of North America</i> , 1992 , 6, 657-675	6.5	23
45	Trends in antimicrobial utilization at a tertiary teaching hospital during a 15-year period (1978-1992). <i>Infection Control and Hospital Epidemiology</i> , 1993 , 14, 376-82	2	26
44	Relatedness of coagulase-negative staphylococci causing bacteremia in low-birthweight infants. <i>Infection Control and Hospital Epidemiology</i> , 1994 , 15, 658-62	2	12
43	Current approaches to the diagnosis and prevention of catheter-related infections. <i>Current Opinion in Critical Care</i> , 1999 , 5, 341-349	3.5	11
42	Staphylococcus haemolyticus - an emerging threat in the twilight of the antibiotics age. <i>Microbiology (United Kingdom)</i> , 2015 , 161, 2061-8	2.9	79

41	The Epidemiology of Staphylococcus Infections. 526-534		1
40	Prevention of Health Care-Associated Infections. 106-119		2
39	Gram-positive cell walls stimulate synthesis of tumor necrosis factor alpha and interleukin-6 by human monocytes. <i>Infection and Immunity</i> , 1994 , 62, 2715-21	3.7	247
38	Characterization of transposon mutants of biofilm-producing Staphylococcus epidermidis impaired in the accumulative phase of biofilm production: genetic identification of a hexosamine-containing polysaccharide intercellular adhesin. <i>Infection and Immunity</i> , 1994 , 62, 3244-53	3.7	251
37	Serum-induced potentiation of tumor necrosis factor alpha production by human monocytes in response to staphylococcal peptidoglycan: involvement of different serum factors. <i>Infection and Immunity</i> , 1994 , 62, 3837-43	3.7	45
36	Supernatants from Staphylococcus epidermidis grown in the presence of different antibiotics induce differential release of tumor necrosis factor alpha from human monocytes. <i>Infection and Immunity</i> , 1996 , 64, 4351-5	3.7	22
35	Characterization of Staphylococcus epidermidis polysaccharide intercellular adhesin/hemagglutinin in the pathogenesis of intravascular catheter-associated infection in a rat model. <i>Infection and Immunity</i> , 1999 , 67, 2656-9	3.7	189
34	Vancomycin resistance in Staphylococcus haemolyticus causing colonization and bloodstream infection. <i>Journal of Clinical Microbiology</i> , 1990 , 28, 2064-8	9.7	105
33	Clinical comparison of the resin-containing BACTEC 26 Plus and the Isolator 10 blood culturing systems. <i>Journal of Clinical Microbiology</i> , 1991 , 29, 2245-9	9.7	46
32	Clinical significance of Staphylococcus warneri bacteremia. <i>Journal of Clinical Microbiology</i> , 1992 , 30, 261-4	9.7	67
31	Cervical adenitis caused by Staphylococcus epidermidis. <i>Journal of Clinical Microbiology</i> , 1993 , 31, 426-7	9.7	6
30	Evaluation of the Vitek Systems Gram-Positive Identification card for species identification of coagulase-negative staphylococci. <i>Journal of Clinical Microbiology</i> , 1993 , 31, 1322-5	9.7	44
29	Clinical comparison of isolator and thiol broth with ESP aerobic and anaerobic bottles for recovery of pathogens from blood. <i>Journal of Clinical Microbiology</i> , 1994 , 32, 2050-5	9.7	33
28	Coagulase-negative staphylococci in multiple blood cultures: strain relatedness and determinants of same-strain bacteremia. <i>Journal of Clinical Microbiology</i> , 1995 , 33, 816-20	9.7	65
27	Species-specific and ubiquitous DNA-based assays for rapid identification of Staphylococcus epidermidis. <i>Journal of Clinical Microbiology</i> , 1996 , 34, 2888-93	9.7	106
26	An epidemiological study of blood culture isolates of coagulase-negative staphylococci demonstrating hospital-acquired infection. <i>Journal of Clinical Microbiology</i> , 1997 , 35, 1746-50	9.7	53
25	Pediatric bacteremia due to Staphylococcus warneri: microbiological, epidemiological, and clinical features. <i>Journal of Clinical Microbiology</i> , 1997 , 35, 2174-7	9.7	15
24	Blood cultures positive for coagulase-negative staphylococci: antisepsis, pseudobacteremia, and therapy of patients. <i>Journal of Clinical Microbiology</i> , 1998 , 36, 1923-6	9.7	181

23	Clinical importance of identifying coagulase-negative staphylococci isolated from blood cultures: evaluation of MicroScan Rapid and Dried Overnight Gram-Positive panels versus a conventional reference method. <i>Journal of Clinical Microbiology</i> , 1998 , 36, 2089-92	9.7	55
22	Persistence of clones of coagulase-negative staphylococci among premature neonates in neonatal intensive care units: two-center study of bacterial genotyping and patient risk factors. <i>Journal of Clinical Microbiology</i> , 1998 , 36, 2485-90	9.7	41
21	Correlation of oxacillin MIC with mecA gene carriage in coagulase-negative staphylococci. <i>Journal of Clinical Microbiology</i> , 2000 , 38, 752-4	9.7	100
20	<i>Staphylococcus epidermidis</i> induces complement activation, tumor necrosis factor and interleukin-1, a shock-like state and tissue injury in rabbits without endotoxemia. Comparison to <i>Escherichia coli</i> . <i>Journal of Clinical Investigation</i> , 1991 , 87, 1925-35	15.9	198
19	Granulocyte Colony-Stimulating Factor to Prevent the Progression of Systemic Nonresponsiveness in Systemic Inflammatory Response Syndrome and Sepsis. <i>Blood</i> , 1999 , 93, 425-439	2.2	12
18	Stimulation of human neutrophils and monocytes by staphylococcal phenol-soluble modulins. 2001 , 70, 96-102		9
17	Coagulase-Negative Staphylococci. 2005 , 109-153		3
16	Monitoring the treatment of sepsis with vancomycin in term newborn infants. <i>Revista Do Hospital Das Clinicas</i> , 2001 , 56, 17-24		11
15	Comparison of methods for the identification of coagulase-negative staphylococci. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2004 , 99, 855-60	2.6	67
14	Antimicrobial impregnated catheters in the prevention of catheter-related bloodstream infection in hospitalized patients. <i>Journal of Pediatric Pharmacology and Therapeutics</i> , 2007 , 12, 77-90	1.6	6
13	Education as a Primary Tool for Prevention of Catheter-related Infections. 2001 , 137-150		
12	Mortality and Morbidity of Ventilator-Associated Pneumonia: The Controversy. <i>Perspectives on Critical Care Infectious Diseases</i> , 2001 , 165-176		
11	Nosocomial Bloodstream Infection in the ICU. 2001 , 535-547		
10	Antimicrobial Resistance in Organ Transplant Recipients. <i>Perspectives on Critical Care Infectious Diseases</i> , 2001 , 283-301		
9	Nosocomial Infections.		
8	Infection Control Epidemiology and Clinical Microbiology. 2011 , 73-84		0
7	Clinical Syndromes of Device-Associated Infections. 2012 , 588-599.e9		0
6	Intensivmedizinische Versorgung. 1997 , 335-389		

- 5 A COMPARATIVE STUDY BETWEEN CHLORHEXIDINE 2% AND POVIDONE-IODINE 10% IN PREVENTING CATHETER-RELATED BLOOD STREAM INFECTIONS. *Journal of Evidence Based Medicine and Healthcare*, **2016**, 3, 1309-1313 0
- 4 Epidemiology and Prognosis of Intensive Care Unit-Acquired Bloodstream Infection. *American Journal of Tropical Medicine and Hygiene*, **2020**, 103, 508-514 3.2 4
- 3 Resident bacterial flora in the skin of C57BL/6 mice housed under SPF conditions. *Journal of the American Association for Laboratory Animal Science*, **2010**, 49, 588-91 1.3 22
- 2 Clinical Syndromes of Device-Associated Infections. **2023**, 619-631.e7 0
- 1 Surface properties and bacterial adhesion on polyurethane central catheters: Impact of ethanol lock solution. **2023**, 146, 213281 0