CITATION REPORT List of articles citing

Cognitive-behavioural problem solving in the treatment of patients who repeatedly attempt suicide. A controlled trial

DOI: 10.1192/bjp.157.6.871 British Journal of Psychiatry, 1990, 157, 871-6.

Source: https://exaly.com/paper-pdf/21197858/citation-report.pdf

Version: 2024-04-20

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
288	•		
287	Psychiatric morbidity in an accident and emergency department. Characteristics of patients at presentation and one month follow-up. <i>British Journal of Psychiatry</i> , 1990 , 156, 483-7	5.4	29
286	Occurrence of schizotypal and borderline symptoms in parasuicide patients: comparison between subjective and objective indices. <i>Psychological Medicine</i> , 1991 , 21, 385-92	6.9	1
285	Autobiographical memory and problem-solving strategies of parasuicide patients. <i>Psychological Medicine</i> , 1992 , 22, 399-405	6.9	214
284	New Developments in the Understanding and Treatment of Suicidal Behaviour. 1992 , 20, 193-218		21
283	Personality disorder and self-wounding. British Journal of Psychiatry, 1992, 161, 451-64	5.4	103
282	Psycho-social intervention following attempted suicide: is there a case for better services?. <i>International Review of Psychiatry</i> , 1992 , 4, 15-22	3.6	28
281	Cognitive-behavioural problem solving in the treatment of patients attending a medical emergency department: a controlled trial. 1992 , 36, 299-307		4
2 80	Factors mediating suicidal behaviour: Their utility in primary and secondary prevention. 1993 , 2, 3-26		16
279	Evaluating Psychotherapies: A Comparison of Effectiveness. 1993 , 22, 43-65		14
278	Social problem solving in suicidal adolescents. <i>Journal of Consulting and Clinical Psychology</i> , 1993 , 61, 121-127	6.5	117
277	Correspondence. Australian and New Zealand Journal of Psychiatry, 1994, 28, 690-697	2.6	1
276	Gender issues in the treatment of suicidal individuals. 1994 , 18, 513-527		14
275	Family therapy for suicidal people. 1994 , 18, 409-426		8
274	Youth suicide: a public health problem?. Australian and New Zealand Journal of Psychiatry, 1994 , 28, 186	5 -7 .6	8
273	Multiple personality disorder. British Journal of Psychiatry, 1994, 164, 600-12	5.4	46
272	Brief cognitive-behavioral treatment for adolescent suicide attempters and their families. 1994 , 33, 508	8-17	71

271	Clinical model for suicide risk assessment. 1994 , 18, 311-326	18
270	Psychological therapies. 1994 , 89, 35-41	7
269	Helping with deliberate self-harm: Some practical guidelines. 1995 , 4, 243-250	42
268	Dysthymia in Clinical Practice. <i>British Journal of Psychiatry</i> , 1995 , 166, 174-183	49
267	Assessment of deliberate self-harm in adults. 1995 , 1, 124-130	4
266	Parental influence, pessimism and adolescent suicidality. <i>Archives of Suicide Research</i> , 1995 , 1, 229-242 2.3	25
265	Repetition of attempted suicide: The performance of the Edinburgh predictive scales in patients in Oxford. <i>Archives of Suicide Research</i> , 1995 , 1, 261-272	24
264	Suicidal children grow up: ego functions associated with suicide attempts. 1995 , 34, 1318-25	27
263	Attempted suicide: efficacy of treatment programs. 1995 , 49 Suppl 1, S99-103	3
262	The role of Axis II comorbidity in the management of patients with treatment-resistant depression. 1996 , 19, 287-309	44
261	Deliberate self-harm in adolescents: hopelessness, depression, problems and problem-solving. 1996 , 19, 523-32	72
260	A pilot study of a short cognitive-behavioral group treatment for female recurrent suicide attempters. 1996 , 26, 83-91	8
259	Problem-solving treatment: evidence for effectiveness and feasibility in primary care. 1996 , 26, 249-62	69
258	Epidemiology and patterns of hospital use after parasuicide in the south west of England. 1996 , 50, 24-9	19
257	Interpersonal and Emotional Problem Solving Skills and Parasuicide among Women with Borderline Personality Disorder. 1996 , 10, 153-163	58
256	The Relationship Between Problem-Solving and Autobiographical Memory in Parasuicide Patients. 1997 , 25, 195-202	64
255	Assessment and treatment of suicidal clients in a university counseling center 1997 , 44, 368-377	103
254	Intensive in-patient and community intervention versus routine care after attempted suicide. A randomised controlled intervention study. <i>British Journal of Psychiatry</i> , 1997 , 171, 35-41	95

253	A randomised controlled trial and cost analysis of problem-solving treatment for emotional disorders given by community nurses in primary care. <i>British Journal of Psychiatry</i> , 1997 , 170, 113-9	133
252	Management of suicidal behavior in children and adolescents. 1997 , 20, 641-66	31
251	A taxonomy of factors related to suicidal behavior 1997 , 4, 208-224	46
250	Behavioral treatments of suicidal behaviors. Definitional obfuscation and treatment outcomes. 1997 , 836, 302-28	93
249	Psychosocial intervention following suicide attempt: a systematic review of treatment interventions. 1997 , 96, 43-50	62
248	Liaison mental health nursing: origins, definition and prospects. 1997 , 25, 101-8	36
247	Coping and problem solving of self-mutilators. 1997 , 53, 177-86	53
246	Suicide prevention is possible: A review of recent studies. <i>Archives of Suicide Research</i> , 1998 , 4, 329-339 2.3	2
245	Suicide: the public health crisis of our time. 1998 , 28, 295-300	4
244	A meta-analysis of the effects of cognitive therapy in depressed patients. <i>Journal of Affective Disorders</i> , 1998 , 49, 59-72	529
244		529 273
	Disorders, 1998, 49, 59-72 Deliberate self harm: systematic review of efficacy of psychosocial and pharmacological treatments	
243	Deliberate self harm: systematic review of efficacy of psychosocial and pharmacological treatments in preventing repetition. <i>BMJ: British Medical Journal</i> , 1998 , 317, 441-7	273
243	Deliberate self harm: systematic review of efficacy of psychosocial and pharmacological treatments in preventing repetition. <i>BMJ: British Medical Journal</i> , 1998 , 317, 441-7 Cognitive Therapy and Depression. 1998 , 489-520	² 73
243 242 241	Deliberate self harm: systematic review of efficacy of psychosocial and pharmacological treatments in preventing repetition. <i>BMJ: British Medical Journal</i> , 1998 , 317, 441-7 Cognitive Therapy and Depression. 1998 , 489-520 Suicide prevention is possible: A review of recent studies. <i>Archives of Suicide Research</i> , 1998 , 4, 329-339 2.3	273 1 21
243242241240	Deliberate self harm: systematic review of efficacy of psychosocial and pharmacological treatments in preventing repetition. BMJ: British Medical Journal, 1998, 317, 441-7 Cognitive Therapy and Depression. 1998, 489-520 Suicide prevention is possible: A review of recent studies. Archives of Suicide Research, 1998, 4, 329-339 2.3 Suicide and suicidal behaviours: implications for mental health services. 1998, 43, 785-91	273 1 21
243242241240239	Deliberate self harm: systematic review of efficacy of psychosocial and pharmacological treatments in preventing repetition. <i>BMJ: British Medical Journal</i> , 1998 , 317, 441-7 Cognitive Therapy and Depression. 1998 , 489-520 Suicide prevention is possible: A review of recent studies. <i>Archives of Suicide Research</i> , 1998 , 4, 329-339 2.3 Suicide and suicidal behaviours: implications for mental health services. 1998 , 43, 785-91 Developing effective services for patients with personality disorders. 1998 , 43, 251-9	273 1 21 7

Suicide and Suicide Attempts During Adolescence. 1998 , 463-485		1
15. Treatmets that workin anxiety disorders. 1998 , 168, 628-634		16
Deliberate self harm. 1999 , 8, 137-43		7
Brief Cognitive Therapy for Depressed and Suicidal Adolescents: A Critical Comment. 1999 , 4, 593-596		1
A review of the literature on the prevention of suicide through interventions in accident and emergency departments. 1999 , 8, 3-12		20
Teaching front-line health and voluntary workers to assess and manage suicidal patients. <i>Journal of Affective Disorders</i> , 1999 , 52, 77-83	6.6	65
Psychosocial versus pharmacological treatments for deliberate self harm. 2000 , CD001764		78
The outpatient treatment of suicidality: An integration of science and recognition of its limitations 1999 , 30, 437-446		44
Manual-assisted cognitive-behaviour therapy (MACT): a randomized controlled trial of a brief intervention with bibliotherapy in the treatment of recurrent deliberate self-harm. <i>Psychological Medicine</i> , 1999 , 29, 19-25	6.9	184
Risk factors for suicide attempts among African American women. 2000 , 12, 13-20		86
Time-Limited Cognitive-Behavioral Group Interventions with Suicidal Adolescents. 2000 , 22, 55-75		5
Suicide reduction: policy context. <i>International Review of Psychiatry</i> , 2000 , 12, 15-20	3.6	2
Interventions to reduce repetition of deliberate self-harm. <i>International Review of Psychiatry</i> , 2000 , 12, 44-47	3.6	12
Deliberate self-harm in children and adolescents. International Review of Psychiatry, 2000, 12, 31-36	3.6	27
Repeated self-injury and its management. International Review of Psychiatry, 2000, 12, 48-53	3.6	57
Preventive interventions for youth suicide: a risk factor-based approach. <i>Australian and New Zealand Journal of Psychiatry</i> , 2000 , 34, 388-407	2.6	53
Linehan@ Dialectical Behaviour Therapy (DBT) for borderline personality disorder: Overview and adaptation. 2000 , 9, 7-23		32
Predictors of short-term deterioration and compliance in psychiatric emergency patients: a prospective study of 457 patients referred to the emergency room of a general hospital. 2001 , 104, 49-	59	21
	Deliberate self harm. 1999, 8, 137-43 Brief Cognitive Therapy for Depressed and Suicidal Adolescents: A Critical Comment. 1999, 4, 593-596 A review of the literature on the prevention of suicide through interventions in accident and emergency departments. 1999, 8, 3-12 Teaching front-line health and voluntary workers to assess and manage suicidal patients. Journal of Affective Disorders, 1999, 52, 77-83 Psychosocial versus pharmacological treatments for deliberate self harm. 2000, CD001764 The outpatient treatment of suicidality: An integration of science and recognition of its limitations 1999, 30, 437-446 Manual-assisted cognitive-behaviour therapy (MACT): a randomized controlled trial of a brief intervention with bibliotherapy in the treatment of recurrent deliberate self-harm. Psychological Medicine, 1999, 29, 19-25 Risk factors for suicide attempts among African American women. 2000, 12, 13-20 Time-Limited Cognitive-Behavioral Group Interventions with Suicidal Adolescents. 2000, 22, 55-75 Suicide reduction: policy context. International Review of Psychiatry, 2000, 12, 13-20 Interventions to reduce repetition of deliberate self-harm. International Review of Psychiatry, 2000, 12, 31-36 Repeated self-harm in children and adolescents. International Review of Psychiatry, 2000, 12, 31-36 Repeated self-injury and its management. International Review of Psychiatry, 2000, 12, 48-53 Preventive interventions for youth suicide: a risk factor-based approach. Australian and New Zealand Journal of Psychiatry, 2000, 34, 388-407 Linehang Dialectical Behaviour Therapy (DBT) for borderline personality disorder: Overview and adaptation. 2000, 9, 7-23	Deliberate self harm. 1999, 8, 137-43 Brief Cognitive Therapy for Depressed and Suicidal Adolescents: A Critical Comment. 1999, 4, 593-596 A review of the literature on the prevention of suicide through interventions in accident and emergency departments. 1999, 8, 3-12 Teaching front-line health and voluntary workers to assess and manage suicidal patients. Journal of Affective Disorders, 1999, 52, 77-83 Psychosocial versus pharmacological treatments for deliberate self harm. 2000, CD001764 The outpatient treatment of suicidality: An integration of science and recognition of its limitations. 1999, 30, 437-446 Manual-assisted cognitive-behaviour therapy (MACT): a randomized controlled trial of a brief intervention with bibliotherapy in the treatment of recurrent deliberate self-harm. Psychological Medicine, 1999, 29, 19-25 Risk factors for suicide attempts among African American women. 2000, 12, 13-20 Time-Limited Cognitive-Behavioral Group Interventions with Suicidal Adolescents. 2000, 22, 55-75 Suicide reduction: policy context. International Review of Psychiatry, 2000, 12, 15-20 3,6 Interventions to reduce repetition of deliberate self-harm. International Review of Psychiatry, 2000, 12, 31-36 Repeated self-harm in children and adolescents. International Review of Psychiatry, 2000, 12, 48-53 3,6 Repeated self-injury and its management. International Review of Psychiatry, 2000, 12, 48-53 3,6 Preventive interventions for youth suicide: a risk factor-based approach. Australian and New Zealand Journal of Psychiatry, 2000, 34, 388-407 Linehan@ Dialectical Behaviour Therapy (DBT) for borderline personality disorder: Overview and adaptation. 2000, 9, 7-23

217	From efficacy to effectiveness: managing organisational change to improve health services for young people with deliberate self harm behaviour. 2001 , 24, 143-51		3
216	Problem-solving treatment in general psychiatric practice. 2001 , 7, 417-425		40
215	[Evaluation of suicide prevention measures. Current state of research and resulting implications]. 2001 , 72, 677-84		9
214	Social Problem Solving, Mood, and Suicidality Among Inpatient Adolescents. 2001 , 25, 743-756		43
213	Suicide in later life: a review and recommendations for prevention. <i>Suicide and Life-Threatening Behavior</i> , 2001 , 31 Suppl, 32-47	3.9	106
212	Consumers of mental health services. Suicide and Life-Threatening Behavior, 2001, 31 Suppl, 60-83	3.9	6
211	Psychosocial and pharmacological treatment of patients following deliberate self-harm: the methodological issues involved in evaluating effectiveness. <i>Suicide and Life-Threatening Behavior</i> , 2001 , 31, 169-80	3.9	26
210	Efficacy of dialectical behavior therapy in women veterans with borderline personality disorder. 2001 , 32, 371-390		414
209	Risk factors and treatment of suicidality in borderline personality disorder. 2001 , 1, 351-361		4
208	The efficacy of problem-solving treatments after deliberate self-harm: meta-analysis of randomized controlled trials with respect to depression, hopelessness and improvement in problems. <i>Psychological Medicine</i> , 2001 , 31, 979-88	6.9	158
207	A randomized controlled trial of postcrisis suicide prevention. <i>Psychiatric Services</i> , 2001 , 52, 828-33	3.3	334
206	Treatment-as-usual for adolescent suicide attempters: implications for the choice of comparison groups in psychotherapy research. 2002 , 31, 41-7		38
205	A controlled, problem-solving, group-based intervention with vulnerable incarcerated young offenders. 2002 , 46, 678-98		43
204	Practice guideline for the treatment of borderline personality disorder: a bridge too far. 2002, 16, 113-	8	27
203	PROBLEM SOLVING AND REPETITION OF PARASUICIDE. 2002 , 30, 385-397		13
202	The Quality of Psychiatric Management of Youth Who Deliberately Self-poison: A Medical Records Audit in three University Teaching Hospitals. <i>Archives of Suicide Research</i> , 2002 , 6, 155-165	2.3	
201	Psychosocial intervention development for the prevention and treatment of depression: promoting innovation and increasing access. 2002 , 52, 610-30		231
200	Treatments for borderline personality disorder: integrating evidence into practice. <i>International Review of Psychiatry</i> , 2002 , 14, 42-51	3.6	4

(2004-2002)

199	Fatal and non-fatal repetition of self-harm. Systematic review. <i>British Journal of Psychiatry</i> , 2002 , 181, 193-9	5.4	866
198	References. 2002 , 555-603		
197	Parasuicidal behaviour and interpersonal problem solving performance in older adults. 2002 , 41, 375-86		22
196	Perceptions of the environment, suicidal ideation and problem-solving deficits in an offender population. 2002 , 7, 187-201		11
195	Suicide, suicidality and suicide prevention in affective disorders. 2003, 108, 73-80		74
194	Coping and problem solving of self-mutilators*. 2003 , 59, 1097-1106		17
193	Suicide prevention in first episode psychosis: the development of a randomised controlled trial of cognitive therapy for acutely suicidal patients with early psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2003 , 37, 414-20	2.6	113
192	Summary Australian and New Zealand Clinical Practice Guideline for the Management of Adult Deliberate Self-Harm (2003). 2003 , 11, 150-155		32
191	Research Report: Self-harming behaviour: from lay perceptions to clinical practice. 2003 , 16, 305-329		12
190	Suicidal behaviour in bipolar disorder: risk and prevention. 2003 , 17, 491-511		292
189	Cognitive Therapy for Adolescent and Young Adult Suicide Attempters. 2003 , 46, 1258-1268		23
188	The evaluation of suicide prevention activities: state of the art. 2003 , 4, 156-65		28
187	Suizidalit E. 2003 , 1745-1763		1
186	Suicidal Behavior in a Global Public Health Perspective. 2003 , 32, 67-78		1
185	. 2004,		5
184	Australian and New Zealand clinical practice guidelines for the management of adult deliberate self-harm. <i>Australian and New Zealand Journal of Psychiatry</i> , 2004 , 38, 868-84	2.6	36
183	A model predicting suicidal ideation and hopelessness in depressed older adults: the impact of emotion inhibition and affect intensity. 2004 , 8, 486-97		93
182	Suicide prevention and the broad-spectrum approach to health promotion. 2004 , 19, 476-80		3

181	History of multiple suicide attempts as a behavioral marker of severe psychopathology. 2004 , 161, 437-	43	226
180	The Personality Disorders Institute/Borderline Personality Disorder Research Foundation randomized control trial for borderline personality disorder: rationale, methods, and patient characteristics. 2004 , 18, 52-72		103
179	Psychological and psychosocial interventions after attempted suicide: an overview of treatment studies. <i>Crisis</i> , 2004 , 25, 108-17	2.8	52
178	Australian and New Zealand clinical practice guidelines for the management of adult deliberate self-harm. <i>Australian and New Zealand Journal of Psychiatry</i> , 2004 , 38, 868-884	2.6	16
177	A cognitive therapy intervention for suicide attempters: An overview of the treatment and case examples. <i>Cognitive and Behavioral Practice</i> , 2004 , 11, 265-277	2.3	53
176	Positive life goals and plans in parasuicide. 2004 , 11, 90-99		44
175	Cost-Effectiveness of Mammography for Older Women. <i>Annals of Internal Medicine</i> , 2004 , 140, 844	8	91
174	Screening for suicide risk in adults: a summary of the evidence for the U.S. Preventive Services Task Force. <i>Annals of Internal Medicine</i> , 2004 , 140, 822-35	8	151
173	35 Years of Working With Suicidal Patients: Lessons Learned 2005 , 46, 64-72		17
172	Suicide Prevention in Older Adults 2005 , 12, 242-259		55
171	The Development of Social Problem-Solving Interventions in Young Offender Mental Health Services: A Focus Upon Self-Harm and Suicide Risk. 145-162		2
170	Suizidpr¶ention: Vorgehensweisen und Wirksamkeit. 2005 , 15, 12-19		1
169	. 2005,		21
168	Cognitive therapy for the prevention of suicide attempts: a randomized controlled trial. 2005, 294, 563-	-70	660
167	Cognitive therapy and preventing suicide attempts. 2005, 294, 2847; author reply 2848		
166	The Development of Behavioural Coping Skills in a Repetitive and Deliberately Self-Harming Young Woman. 2005 , 33, 237-242		1
165	Plasma fibrinogen level and the risk of major cardiovascular diseases and nonvascular mortality: an individual participant meta-analysis. 2005 , 294, 1799-809		770
164	State of the science: violence prevention efforts in developing and developed countries. 2005 , 12, 93-10	04	17

(2007-2005)

163	History of family suicide behaviors and negative problem solving in multiple suicide attempters. Archives of Suicide Research, 2005 , 9, 135-46	24
162	Cognitive Therapy and Preventing Suicide Attempts R eply. 2005 , 294, 2847	1
161	[Factors associated with suicidal risk among consulting young people in a preventive health center]. 2005 , 31, 289-99	11
160	Filling the gaps in bariatric surgical research. 2005 , 294, 1957-60	27
159	Management of the depressed, suicidal child or adolescent. 2006 , 15, 999-1013, x	11
158	Suicide and its prevention among older adults. 2006 , 51, 143-54	52
157	Suicidal behaviour and cognitive problem solving therapy: theory, application and review. 2006 , 23, 29-32	3
156	Self-harm in British South Asian women: psychosocial correlates and strategies for prevention. 2006 , 5, 7	28
155	The depressed suicidal patient. Assessment and treatment. 2001 , 932, 1-23	22
154	Evaluating STORM skills training for managing people at risk of suicide. 2006 , 54, 739-50	68
153	The national suicide prevention strategy for England: the reality of a national strategy for the nursing profession. 2006 , 13, 641-50	21
152	Self-harm in the UK: differences between South Asians and Whites in rates, characteristics, provision of service and repetition. 2006 , 41, 782-8	52
151	Psychosocial treatments of suicidal behaviors: a practice-friendly review. 2006 , 62, 161-70	93
150	Problems in psychotherapy with suicidal patients. 2006 , 163, 67-72	52
149	Effect of telephone contact on further suicide attempts in patients discharged from an emergency department: randomised controlled study. 2006 , 332, 1241-5	172
148	Suicidality in chronic pain: a review of the prevalence, risk factors and psychological links. Psychological Medicine, 2006 , 36, 575-86 6.9	372
147	Deliberate Self-Harm: Have We Scratched the Surface?. 2006 , 23, 186-199	8
146	Psychosocial interventions following self-harm: systematic review of their efficacy in preventing suicide. <i>British Journal of Psychiatry</i> , 2007 , 190, 11-7	58

145	Policy on the prevention of suicidal behaviour; one treatment for all may be an unrealistic expectation. <i>Journal of the Royal Society of Medicine</i> , 2007 , 100, 461-4	2.3	3
144	Characteristics of recent suicide attempters with and without Borderline Personality Disorder. Archives of Suicide Research, 2007 , 11, 91-104	2.3	27
143	Secondary school learners@essays on suicide prevention. 2007, 19, 131-6		1
142	The relationship between self-injurious behavior and suicide in a young adult population. 2007 , 161, 634-	40	197
141	The Green Card Clinic: overview of a brief patient-centred intervention following deliberate self-harm. 2007 , 15, 35-41		14
140	Social problem-solving plus psychoeducation for adults with personality disorder: pragmatic randomised controlled trial. <i>British Journal of Psychiatry</i> , 2007 , 190, 307-13	5.4	77
139	Understanding autism: parents and pediatricians in historical perspective. 2007, 161, 392-8		49
138	ThEapie comportementale et cognitive avec suivi intrahospitalier au service des urgences et liaison en psychiatrie. 2007 , 165, 631-637		
137	The efficacy of problem solving therapy in reducing mental and physical health problems: a meta-analysis. 2007 , 27, 46-57		248
136	The role of randomized trials in testing interventions for the prevention of youth suicide. International Review of Psychiatry, 2007, 19, 617-31	3.6	43
135	Problem solving training for schizophrenia: Rationale and review. 2007 , 16, 553-568		7
134	Self-harm in South Asian women: a literature review informed approach to assessment and formulation. 2007 , 61, 71-81		13
133	Policy on the prevention of suicidal behaviour; one treatment for all may be an unrealistic expectation. <i>Journal of the Royal Society of Medicine</i> , 2007 , 100, 461-464	2.3	6
132	The emergency department. 751-760		
131	Systematic review of interventions delivered by UK mental health nurses. 2007, 44, 479-509		24
130	Understanding the link between anxiety symptoms and suicidal ideation and behaviors in outpatients with bipolar disorder. <i>Journal of Affective Disorders</i> , 2007 , 97, 91-9	5.6	49
129	The association of comorbid anxiety disorders with suicide attempts and suicidal ideation in outpatients with bipolar disorder. <i>Journal of Psychiatric Research</i> , 2007 , 41, 255-64	5.2	127
128	Efficacy of a Problem-Solving Therapy for Depression and Suicide Potential in Adolescents and Young Adults. 2008 , 32, 227-245		49

127	Cognitive-behavioural intervention in deliberate self-harm. 2008, 104, 340-345		9
126	Dissemination and implementation of suicide prevention training in one Scottish region. 2008 , 8, 246		20
125	A cognitive model of suicidal behavior: Theory and treatment. 2008 , 12, 189-201		216
124	The Medical Basis of Psychiatry. 2008 ,		4
123	Problem-Solving Therapy for Depression in Adults: A Systematic Review. 2008 , 18, 117-131		27
122	Cognitive-behavioral interventions to reduce suicide behavior: a systematic review and meta-analysis. 2008 , 32, 77-108		252
121	Cognition and Suicide: Two Decades of Progress. 2008 , 1, 47-68		38
120	Is cognitive behaviour therapy useful for people who self harm?. 2008, 11, 28-31		1
119	. 2008,		15
118	References. 2009 , 248-290		
118	References. 2009, 248-290 Assessment and treatment of suicide risk in bipolar disorders. 2009, 9, 109-36		62
		3.9	62
117	Assessment and treatment of suicide risk in bipolar disorders. 2009 , 9, 109-36 Comparing cognitive behavior therapy, problem solving therapy, and treatment as usual in a high	3.9	
117	Assessment and treatment of suicide risk in bipolar disorders. 2009, 9, 109-36 Comparing cognitive behavior therapy, problem solving therapy, and treatment as usual in a high risk population. Suicide and Life-Threatening Behavior, 2009, 39, 538-47 Application de la relolution de probleme dans une united suicidants et suicidaires: premiers	3.9	34
117 116 115	Assessment and treatment of suicide risk in bipolar disorders. 2009, 9, 109-36 Comparing cognitive behavior therapy, problem solving therapy, and treatment as usual in a high risk population. Suicide and Life-Threatening Behavior, 2009, 39, 538-47 Application de la r\(\text{Solution}\) de problihe dans une unit\(\text{Ide}\) suicidants et suicidaires': premiers r\(\text{Sultiats}\) aupr\(\text{Ide}\) de 53'patients hospitalis\(\text{B}\). 2009, 167, 375-379	3.9	34 o
117 116 115	Assessment and treatment of suicide risk in bipolar disorders. 2009, 9, 109-36 Comparing cognitive behavior therapy, problem solving therapy, and treatment as usual in a high risk population. Suicide and Life-Threatening Behavior, 2009, 39, 538-47 Application de la risolution de problihe dans une unitide suicidants et suicidaires': premiers risultats aupris de 53 patients hospitaliss. 2009, 167, 375-379 Prevention of suicide in ethnic minorities in the UK. 2009, 2, 10-17	3.9	34 0
117 116 115 114	Assessment and treatment of suicide risk in bipolar disorders. 2009, 9, 109-36 Comparing cognitive behavior therapy, problem solving therapy, and treatment as usual in a high risk population. Suicide and Life-Threatening Behavior, 2009, 39, 538-47 Application de la r\(\text{Solution}\) de problithe dans une unit\(\text{ide}\) suicidants et suicidaires\(\text{:}\) premiers r\(\text{Sultats}\) aupr\(\text{S}\) de 53'patients hospitalis\(\text{S}\). 2009, 167, 375-379 Prevention of suicide in ethnic minorities in the UK. 2009, 2, 10-17 Suicide prevention in first-episode psychosis. 257-282 Improving Continuity of Care for Suicidal Persons Through Collaboration Between Hospitals and	3.9	34 0

109 Suicide and self-harm. **2010**, 693-713

108	Group-based problem-solving therapy in self-poisoning females: A pilot study. <i>Counselling and Psychotherapy Research</i> , 2010 , 10, 201-213	7
107	Comment traiter la tentative de suicide? 1re partie: efficacit@es interventions psychosociales chez des patients suicidants 🛮 la sortie des urgences. 2011 , 169, 221-228	1
106	Variables associated with repeated suicide attempt in a criminal justice population. <i>Suicide and Life-Threatening Behavior</i> , 2011 , 41, 517-31	11
105	. 2011,	50
104	Is there a role for Psychological Wellbeing Practitioners and Primary Care Mental Health Workers in the delivery of low intensity cognitive behavioural therapy for individuals who self-harm?. 2011 , 6, 165-174	2
103	Suicide attempts: prevention of repetition. 2011 , 56, 621-9	27
102	The Role of the Therapist in the Treatment of the Suicidal Patient. 2011 , 419-434	4
101	After the Suicide Attempt: The Need for Continuity and Quality of Care. 2011, 353-367	2
100	Crisis interventions for people with borderline personality disorder. 2011,	3
99	Treating the Suicidal Patient: Cognitive Therapy and Dialectical Behaviour Therapy. 2011, 369-382	1
98	Cognitive behavioural therapy self-help for depression: an overview. 2011 , 20, 593-603	21
97	Crisis management in borderline personality disorder. 2011 , 57, 18-20	14
96	Problem-solving counseling as a therapeutic tool on youth suicidal behavior in the suburban population in Sri Lanka. 2011 , 53, 30-5	9
95	Preventing repetition of attempted suicideII. The Amager project, a randomized controlled trial. Nordic Journal of Psychiatry, 2011, 65, 292-8	45
94	Brief Cognitive Behavioral Therapy (BCBT) for Suicidality in Military Populations. 2012 , 24, 592-603	24
93	Comportements suicidaires. 2012 , 547-568	
92	A clinical audit of changes in suicide ideas with internet treatment for depression. <i>BMJ Open</i> , 2012 , 2,	39

91	Crisis interventions for people with borderline personality disorder. <i>The Cochrane Library</i> , 2012 , CD0093	353	27
90	The Effects of Hardiness Training on Suicide Ideation, Quality of Life and Plasma Levels of Lipoprotein (a) in Patients with Depressive Disorder. 2012 , 46, 4236-4243		9
89	Conduites suicidaires et troubles bipolaires. 2012 , 170, 62-65		О
88	Post-Admission Cognitive Therapy: A Brief Intervention for Psychiatric Inpatients Admitted After a Suicide Attempt. <i>Cognitive and Behavioral Practice</i> , 2012 , 19, 233-244	2.3	48
87	Serotonergic modulation of suicidal behaviour: integrating preclinical data with clinical practice and psychotherapy. <i>Experimental Brain Research</i> , 2013 , 230, 605-24	2.3	9
86	Risk assessment and psychosocial interventions for suicidal patients. <i>Bipolar Disorders</i> , 2013 , 15, 584-93	3.8	14
85	An open pilot feasibility study of a brief dialectical behavior therapy skills-based intervention for suicidal individuals. <i>Suicide and Life-Threatening Behavior</i> , 2013 , 43, 324-35	3.9	15
84	A systematic review of the literature on counselling and psychotherapy for the prevention of suicide: 1. Quantitative outcome and process studies. <i>Counselling and Psychotherapy Research</i> , 2013 , 13, 164-183	1.3	10
83	Social Skills and Problem-Solving Training. 2013 , 243-272		14
82	Suicidality. 2013 , 1241-1262		
81	Psychosocial approaches to reduce suicidal behavior. 256-276		
80	Reduction of suicidal behavior in bipolar disorder patients during long-term treatment with lithium. 217	7-228	5
80 79	Reduction of suicidal behavior in bipolar disorder patients during long-term treatment with lithium. 217 Advance statements for borderline personality disorder: a qualitative study of future crisis treatment preferences. <i>Psychiatric Services</i> , 2014 , 65, 802-7	7-228 3-3	5
	Advance statements for borderline personality disorder: a qualitative study of future crisis		
79	Advance statements for borderline personality disorder: a qualitative study of future crisis treatment preferences. <i>Psychiatric Services</i> , 2014 , 65, 802-7 Linkages between insomnia and suicidality: prospective associations, high-risk subgroups and	3.3	14
79 78	Advance statements for borderline personality disorder: a qualitative study of future crisis treatment preferences. <i>Psychiatric Services</i> , 2014 , 65, 802-7 Linkages between insomnia and suicidality: prospective associations, high-risk subgroups and possible psychological mechanisms. <i>International Review of Psychiatry</i> , 2014 , 26, 189-204 Does cognitive behavioural therapy have a role in improving problem solving and coping in	3.3 3.6	14 49
79 78 77	Advance statements for borderline personality disorder: a qualitative study of future crisis treatment preferences. <i>Psychiatric Services</i> , 2014 , 65, 802-7 Linkages between insomnia and suicidality: prospective associations, high-risk subgroups and possible psychological mechanisms. <i>International Review of Psychiatry</i> , 2014 , 26, 189-204 Does cognitive behavioural therapy have a role in improving problem solving and coping in adolescents with suicidal ideation?. <i>The Cognitive Behaviour Therapist</i> , 2014 , 7, Brief psychological intervention after self-harm: randomised controlled trial from Pakistan. <i>British</i>	3.3 3.6 2.9	14 49 8

73	Cognitive Behavioral Therapy in Psychiatric Nursing in Japan. <i>Nursing Research and Practice</i> , 2015 , 2015, 529107	1.9	7
72	Development of an Intervention for Nonsuicidal Self-Injury in Young Adults: An Open Pilot Trial. <i>Cognitive and Behavioral Practice</i> , 2015 , 22, 491-503	2.3	14
71	The Yoruba version of the Beck Hopelessness Scale: psychometric characteristics and correlates of hopelessness in a sample of Nigerian psychiatric outpatients. <i>Comprehensive Psychiatry</i> , 2015 , 56, 258-7	7.3	18
70	Suicidal Behavior. 2016 , 293-304		5
69	. 2016,		17
68	Risk Management and the Suicidal Patient. <i>Psychiatry, Psychology and Law</i> , 2016 , 23, 336-360	1.3	2
67	After the Suicide AttemptThe Need for Continuity and Quality of Care. 2016 , 387-402		1
66	Treating the Suicidal Patient. 2016 , 416-430		2
65	Talking therapy groups on acute psychiatric wards: patients@experience of two structured group formats. <i>BJPsych Bulletin</i> , 2016 , 40, 187-91	1.2	5
64	Preventing repetition of attempted suicide-III. The Amager Project, 5-year follow-up of a randomized controlled trial. <i>Nordic Journal of Psychiatry</i> , 2016 , 70, 547-53	2.3	10
63	Is psychotherapy effective for reducing suicide attempt and non-suicidal self-injury rates? Meta-analysis and meta-regression of literature data. <i>Journal of Psychiatric Research</i> , 2016 , 79, 8-20	5.2	65
62	Psychosocial interventions following self-harm in adults: a systematic review and meta-analysis. <i>Lancet Psychiatry,the</i> , 2016 , 3, 740-750	23.3	109
61	Royal Australian and New Zealand College of Psychiatrists clinical practice guideline for the management of deliberate self-harm. <i>Australian and New Zealand Journal of Psychiatry</i> , 2016 , 50, 939-1	0 3 6	81
60	Therapeutic Alliance and the Therapist. 2016 , 346-361		6
59	Effective psychological and psychosocial approaches to reduce repetition of self-harm: a systematic review, meta-analysis and meta-regression. <i>BMJ Open</i> , 2016 , 6, e011024	3	38
58	Psychosocial interventions for self-harm in adults. <i>The Cochrane Library</i> , 2016 , CD012189	5.2	92
57	Direct versus indirect psychosocial and behavioural interventions to prevent suicide and suicide attempts: a systematic review and meta-analysis. <i>Lancet Psychiatry,the</i> , 2016 , 3, 544-54	23.3	79
56	The Evolution of Cognitive Behavior Therapy. 2017 ,		16

55	Non-suicidal Self-injury. 2017 , 328-344		4
54	Understanding the relationship between suicidality, current depressed mood, personality, and cognitive factors. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2017 , 90, 530-549	3.5	11
53	Cognitive behavioural therapy halves the risk of repeated suicide attempts: systematic review. Journal of the Royal Society of Medicine, 2017, 110, 404-410	2.3	38
52	Suicide Risk Assessment and Intervention: Considerations for Rehabilitation Providers. 2017 , 241-251		
51	Multicomponent Intervention for Patients Admitted to an Emergency Unit for Suicide Attempt: An Exploratory Study. <i>Frontiers in Psychiatry</i> , 2017 , 8, 188	5	3
50	Treatment as usual (TAU) as a control condition in trials of cognitive behavioural-based psychotherapy for self-harm: Impact of content and quality on outcomes in a systematic review. <i>Journal of Affective Disorders</i> , 2018 , 235, 434-447	6.6	15
49	Cognition As a Therapeutic Target in the Suicidal Patient Approach. Frontiers in Psychiatry, 2018, 9, 31	5	9
48	Assessment and Management of Patients at Risk for Suicide: Synopsis of the 2019 U.S. Department of Veterans Affairs and U.S. Department of Defense Clinical Practice Guidelines. <i>Annals of Internal Medicine</i> , 2019 , 171, 343-353	8	22
47	Psychosocial Interventions for People Who Self-Harm: Methodological Issues Involved in Trials to Evaluate Effectiveness. <i>Archives of Suicide Research</i> , 2020 , 24, S32-S93	2.3	12
46	Study Protocol: A randomized controlled trial of suicide risk reduction in the year following jail release (the SPIRIT Trial). <i>Contemporary Clinical Trials</i> , 2020 , 94, 106003	2.3	3
45	Brief Cognitive-Behavioral Therapy for Suicidal Inpatients. <i>Cognitive and Behavioral Practice</i> , 2021 , 28, 224-240	2.3	1
44	Psychosocial Interventions for Reducing Suicidal Behaviour and Alcohol Consumption in Patients With Alcohol Problems: A Systematic Review of Randomized Controlled Trials. <i>Alcohol and Alcoholism</i> , 2021 , 56, 17-27	3.5	4
43	Psychosocial interventions for self-harm in adults. <i>The Cochrane Library</i> , 2021 , 4, CD013668	5.2	10
42	Treating Adolescent Non-Suicidal Self-Injury: Guidelines for Clinical Practice. <i>Child and Youth Services</i> , 1-18	0.5	О
41	Cost-Effectiveness of a Culturally Adapted Manual-Assisted Brief Psychological Intervention for Self-Harm in Pakistan: A Secondary Analysis of the Culturally Adapted Manual-Assisted Problem-Solving Training Randomized Controlled Trial. <i>Value in Health Regional Issues</i> , 2021 , 25, 150-1	1.6 56	
40	Suicidal and Self-Destructive Behavior. 2006 , 706-717		1
39	Comparative Treatments for Borderline Personality Disorder. 1993 , 355-378		2
38	Suicide and Suicidal Behavior. <i>Issues in Clinical Child Psychology</i> , 1996 , 193-224	0.1	9

37	Suicide and Suicidal Behaviors in Children and Adolescents. <i>Issues in Clinical Child Psychology</i> , 1994 , 525	5-580	19
36	Cognitive Behavior Therapy Manual for Treatment of Depressed Inpatients. 1996 , 201-231		6
35	Non-Suicidal Self-Injury. 2015 , 631-648		1
34	Cognitive and Behavioral Therapies. 2016 , 781-798		1
33	Cognitive and Behavioral Therapies. 2008 , 635-649		2
32	Suizidalit ī. 2011 , 2659-2691		1
31	Prlention parasuizidalen Verhaltens in der Adoleszenz: Mölichkeiten und Grenzen. <i>Kindheit Und Entwicklung (discontinued)</i> , 2004 , 13, 38-46	0.3	5
30	Cathartic effect of suicide attempts not limited to depression: a short-term prospective study after deliberate self-poisoning. <i>Crisis</i> , 2003 , 24, 73-8	2.8	23
29	Engagement and retention of suicide attempters in clinical research: challenges and solutions. <i>Crisis</i> , 2010 , 31, 62-8	2.8	18
28	An intervention and follow-up study following a suicide attempt in the emergency departments of four general hospitals in Shenyang, China. <i>Crisis</i> , 2013 , 34, 107-15	2.8	31
27	An intervention for nonsuicidal self-injury in young adults: A pilot randomized controlled trial. <i>Journal of Consulting and Clinical Psychology</i> , 2017 , 85, 620-631	6.5	19
26	The psychological and behavioural treatment of suicidal behaviour. 2009 , 428-438		3
25	Prevention of suicide: aspirations and evidence. <i>BMJ: British Medical Journal</i> , 1994 , 308, 1227-33		273
24	General hospital services for those who carry out deliberate self-harm. <i>Psychiatric Bulletin</i> , 1998 , 22, 88-91		8
23	Clinical characteristics of patients with psychotropic drug overdose admitted to the emergency department. <i>Nihon Kyukyu Igakukai Zasshi</i> , 2008 , 19, 901-913	Ο	2
22	Psychotherapeutic interventions for the prevention of suicide re-attempts: a systematic review. <i>Psychological Medicine</i> , 2021 , 1-16	6.9	3
21	Suizidalit E. 2000 , 137-148		
20	Examples of successful suicide prevention in psychiatry. 2001 , 219-224		

19	Suizidalit E. 2008 , 2283-2308		1
18	Cognitive treatment of suicidal adults. 2009 , 414-420		
17	Managing Suicidality. 2010 , 1157-1180		
16	Chapter 14A Global Perspective on Injuries Among Children and Adolescents. 2012,		
15	References. 2013 , 263-281		
14	Suicide and Attempted Suicide. 413-431		
13	Verhaltenstherapeutische Ansfize zur figer- und Aggressionskontrolle. 1992 , 121-131		
12	Suizidalit ī. 1996 , 135-145		
11	Management of deliberate self poisoning. Liaison psychiatric nurses can be used to increase psychosocial assessments. <i>BMJ: British Medical Journal</i> , 1998 , 317, 415-6		1
10	Evaluating suicide prevention: various approaches needed. World Psychiatry, 2004, 3, 153-4	14.4	11
9	Suicide Assessment in Hospital Emergency Departments: Implications for Patient Satisfaction and Compliance. <i>Topics in Emergency Medicine</i> , 2005 , 27, 302-312		15
8	General hospital services for deliberate self-harm. Haphazard clinical provision, little research, no central strategy. <i>Journal of the Royal College of Physicians of London</i> , 1994 , 28, 370-1		27
7	Cost-Effectiveness of a Culturally Adapted Manual-Assisted Brief Psychological Intervention for Self-Harm in Pakistan: A Secondary Analysis of the Culturally Adapted Manual-Assisted Brief Psychological Randomized Controlled Trial. <i>Value in Health Regional Issues</i> , 2021 , 27, 65-71	1.6	0
6	Addressing co-occurring suicidal thoughts and behaviors and posttraumatic stress disorder in evidence-based psychotherapies for adults: A systematic review <i>Journal of Traumatic Stress</i> , 2021 ,	3.8	1
5	Current state of the evidence on community treatments for people with complex emotional needs: a scoping review.		0
4	Suicidal and Self-Destructive Behavior. 2006 , 706-717		
3	Psychological therapies and non-suicidal self-injury in LGBTIQ in accident and emergency departments in the UK: a scoping review. 1-9		
2	Current state of the evidence on community treatments for people with complex emotional needs: a scoping review. 2022 , 22,		О

Designing Clinical Trials to Assess the Impact of Pharmacological Treatment for Suicidal Ideation/Behavior: Issues and Potential Solutions.

О