

CITATION REPORT

List of articles citing

Application of Zinc Oxide Varistors

DOI: 10.1111/j.1151-2916.1990.tb05232.x

Journal of the American Ceramic Society, 1990, 73, 1817-1840.

Source: <https://exaly.com/paper-pdf/21248071/citation-report.pdf>

Version: 2024-04-20

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1374	ChemInform Abstract: Application of Zinc Oxide Varistors. 1990 , 21, no		
1373	Twinning in ZnO Ceramics with Sb ₂ O ₃ Additions. 1991 , 99, 727-731		15
1372	ZnO varistors with BaCoO ₃ (0.12 > x > 0) as the only formulating phase. 1991 , 26, 261-268		11
1371	Junction Properties and Gap States of ZnO Thin Film Prepared by Sol-Gel Process. 1992 , 31, 3218-3220		20
1370	Microstructural engineering through donor and acceptor doping in the grain and grain boundary of a polycrystalline semiconducting ceramic. 1992 , 7, 3280-3295		78
1369	Relationship between nonlinear resistivity and the varistor forming mechanism in ZnO ceramics. 1992 , 60, 100-102		32
1368	Cooling rate effects in ZnO varistors. <i>Journal of Materials Science: Materials in Electronics</i> , 1992 , 3, 218-221		6
1367	Prebreakdown Conduction in ZnO Varistors. <i>Journal of the American Ceramic Society</i> , 1992 , 75, 800-804	3.8	12
1366	Phase Identification and Electrical Properties in ZnO Glass Varistors. <i>Journal of the American Ceramic Society</i> , 1992 , 75, 1636-1640	3.8	113
1365	Effect of Copper Additive on the Microstructure and Electrical Properties of Polycrystalline Zinc Oxide. <i>Journal of the American Ceramic Society</i> , 1992 , 75, 3363-3368	3.8	16
1364	Grain Growth of ZnO during Bi ₂ O ₃ Liquid-Phase Sintering. <i>Journal of the American Ceramic Society</i> , 1992 , 75, 2529-2534	3.8	90
1363	Improvement in the performance parameters of ZnO based varistors with 10 mol% MgO. 1992 , 84, 375-377		5
1362	ZnO-based voltage-limiting resistors with MCoO ₃ (M = Ba, Sr) as the only forming additive. 1992 , 13, 181-197		15
1361	Microscopic observation of the grain structure of photoetched Cd _{1-x} S _{1-x} solid solution and CdSe/CdS mixed crystal semiconductor electrodes. 1993 , 38, 593-596		4
1360	AC impedance spectroscopic characterization of 10 mol% MgO doped ZnO varistors. 1993 , 85, 671-674		1
1359	Research needs and opportunities in highly conducting electroceramics. 1993 , 18, 52-71		15
1358	Varistors based on n-BaTiO ₃ ceramics. 1993 , 20, 271-279		9

1357	The electrical properties and d.c. degradation characteristics of silver doped ZnO varistors. 1993 , 28, 1391-1395		31
1356	Novel Niobium-Doped Titania Varistor with Added Barium and Bismuth. <i>Journal of the American Ceramic Society</i> , 1993 , 76, 145-152	3.8	56
1355	Incorporation of Monovalent Ions in ZnO and Their Influence on Varistor Degradation. <i>Journal of the American Ceramic Society</i> , 1993 , 76, 2370-2372	3.8	112
1354	Microemulsion mediated synthesis of zinc-oxide nanoparticles for varistor studies. 1993 , 28, 1303-1310		168
1353	Grain and grain boundary conduction in zinc oxide varistors before and after DC degradation. 1993 , 11, 545-550		11
1352	.		1
1351	High-frequency terminal resonance in ZnO-Bi ₂ O ₃ -based varistors. 1993 , 74, 5850-5853		25
1350	Devices and Applications of II-VI Compounds. 1993 , 397-426		1
1349	Degradation in ZnO varistors. 1993 , 5, A341-A342		4
1348	Prebreakdown conduction in zinc oxide varistors: Thermionic or tunnel currents and one-step or two-step conduction processes. 1993 , 63, 1077-1079		26
1347	Influence of sintering temperature on electrical properties of ZnO varistors. 1993 , 74, 695-703		68
1346	Grain Growth of Sintered ZnO with Alkali Oxide Additions. 1993 , 101, 1085-1089		10
1345	Influence of Multiple Trapping Phenomena on The Applications Criteria of ZnO-Bi ₂ O ₃ -Based Varistors. 1994 , 17, 57-65		16
1344	The effects of heat treatment on B ₂ O ₃ -contained ZnO varistor. 1994 , 9, 1526-1532		8
1343	Dependence of ZnO varistor grain boundary resistance on sintering temperature. 1994 , 13, 925-926		12
1342	Novel varistor material based on tungsten oxide. 1994 , 13, 937-939		58
1341	Ineffective grain boundaries and breakdown threshold of zinc oxide varistors. 1994 , 22, 261-266		22
1340	Electroluminescence of Ho ³⁺ ions in a ZnO varistor-type structure. 1994 , 89, 859-863		8

1339	The influence of Bi ₂ O ₃ non-stoichiometry on the non-linear property of ZnO varistors. <i>Materials Chemistry and Physics</i> , 1994 , 38, 267-276	4.4	26
1338	Cobalt oxide and antimony oxide effects in the zinc oxide-bismuth oxide system. 1994 , 29, 1287-1295		3
1337	Electrical Properties of Multilayer-Chip ZnO Varistors in a Moist-Air Environment. <i>Journal of the American Ceramic Society</i> , 1994 , 77, 3006-3011	3.8	16
1336	Deep Level Transient Spectroscopy of Zinc Oxide Varistors Doped with Aluminum Oxide and/or Silver Oxide. <i>Journal of the American Ceramic Society</i> , 1994 , 77, 2663-2668	3.8	71
1335	Grain Boundary Defect Chemistry of Acceptor-Doped Titanates: Space Charge Layer Width. <i>Journal of the American Ceramic Society</i> , 1994 , 77, 235-243	3.8	205
1334	Impedance Spectroscopy Study of Sintering in Bi-Doped ZnO. <i>Journal of the American Ceramic Society</i> , 1994 , 77, 1493-1498	3.8	9
1333	Microanalytical Determination of ZnO Solidus and Liquidus Boundaries in the ZnO-Bi ₂ O ₃ System. <i>Journal of the American Ceramic Society</i> , 1994 , 77, 1499-1504	3.8	24
1332	The effect of NiO doping on the stoichiometry of ZnO. 1994 , 19, 53-56		2
1331	Preparation of ZnO-based varistors by the sol-gel technique. 1994 , 4, 615-621		37
1330	Hydrogen-sensing mechanism of zinc oxide varistor gas sensors. 1995 , 25, 843-850		68
1329	Electrical characteristics and pulse degradation of ZnO varistors with Nb ₂ O ₅ dopant. 1995 , 30, 5161-5165		
1328	Degradation Phenomena Due to Impulse-Current in Zinc Oxide Varistors. <i>Journal of the American Ceramic Society</i> , 1995 , 78, 2685-2689	3.8	11
1327	Varied Atmosphere Compensation—Exploring the Roles of Barium and Bismuth in (Ba,Bi,Nb)-Doped TiO ₂ Varistors. <i>Journal of the American Ceramic Society</i> , 1995 , 78, 2203-2208	3.8	22
1326	Zinc Oxide Varistor Gas Sensors: I, Effect of Bi ₂ O ₃ Content on the H ₂ -Sensing Properties. <i>Journal of the American Ceramic Society</i> , 1995 , 78, 2301-2306	3.8	43
1325	High-resolution chemical imaging with scanning ion probe SIMS. 1995 , 143, 191-212		69
1324	Fabrication of low-voltage ZnO varistors by a two-step process. 1995 , 15, 371-375		8
1323	Electronic properties of grain boundaries in SrTiO ₃ and BaTiO ₃ ceramics. 1995 , 75, 89-99		84
1322	Impedance spectroscopy of grain boundaries in nanophase ZnO. 1995 , 10, 2295-2300		112

1321	Nonlinear currents in Voronoi networks. 1995 , 51, 10825-10832		75
1320	Effects of Nb ₂ O ₅ in (Ba,Bi,Nb)-added TiO ₂ ceramic varistors. 1995 , 10, 345-352		60
1319	Effect of process variables on the grain growth and microstructure of ZnO-Bi ₂ O ₃ varistors and their nanosize ZnO precursors. 1995 , 10, 461-467		52
1318	High-field ZnO-based varistors. <i>Journal Physics D: Applied Physics</i> , 1995 , 28, 774-782	3	14
1317	The roles played by Ag and Al dopants in controlling the electrical properties of ZnO varistors. 1995 , 77, 4795-4800		170
1316	Relationship between threshold voltage and the amount of seed grains added for the manufacture of ZnO varistors. 1995 , 22, 187-191		1
1315	Zinc oxide ceramic varistors formulated with barium orthosilicate for operation in the 3-15 V battery range. 1996 , 27, 355-361		3
1314	Effect of strontium substitution in (Nb, Bi) doped TiO ₂ varistors. 1996 , 28, 37-41		17
1313	Surge arresters. Protecting equipment from heatstroke. 1996 , 15, 34-36		0
1312	Integrated varistor-capacitor ceramics.		
1311	Voronoi network model of ZnO varistors with different types of grain boundaries. 1996 , 80, 6516-6522		56
1310	Influence of ohmic grain boundaries in ZnO varistors. 1996 , 79, 273-281		53
1309	Gas Sensing Behavior of Porous ZnO Varistors Densified Via Rate Controlled Sintering. 1996 , 431, 427		1
1308	Equilibrium Configuration of Bi-Doped ZnO Grain Boundaries: Intergranular Amorphous Films. 1996 , 466, 209		1
1307	A new composition of ceramic varistor: SnO ₂ doped with (Co, Nb, Al). 1996 , 19, 713-715		3
1306	Synthesis of zinc oxide varistors through microwave-derived precursor. <i>Ceramics International</i> , 1996 , 22, 53-56	5.1	16
1305	Different degradation processes in ZnO varistors. <i>Ceramics International</i> , 1996 , 22, 39-43	5.1	11
1304	Effect of Variations in Grain Size and Grain Boundary Barrier Heights on the Current- Voltage Characteristics of ZnO Varistors. <i>Journal of the American Ceramic Society</i> , 1996 , 79, 3185-3192	3.8	52

1303	Low Breakdown Voltage Varistors by Grain Boundary Diffusion of Molten Bi ₂ O ₃ in ZnO. <i>Journal of the American Ceramic Society</i> , 1996 , 79, 962-966	3.8	8
1302	Rare earth-doped polycrystalline zinc oxide electroluminescent ceramics. 1996 , 57, 1869-1879		61
1301	Inversion domain boundaries in ZnO ceramics. 1996 , 11, 2009-2019		45
1300	Energy handling capability of ZnO varistors. 1996 , 79, 8629-8633		20
1299	Deep Level Transient Spectroscopy Depth Profile Measurements of Polycrystalline Zinc Oxide Ceramic. 1996 , 35, L1158-L1160		11
1298	Multiple-Peaked Structure in the Nonlinearity Coefficient of ZnO Varistors. 1996 , 35, L414-L417		15
1297	Electrical Properties of ZnO Varistors Prepared by Microwave Sintering Process. 1996 , 35, 4696-4703		14
1296	Microstructures and Electrical Properties of V ₂ O ₅ -based Multicomponent ZnO Varistors Prepared by Microwave Sintering Process. 1997 , 36, 1169-1175		56
1295	Superior electrical performance of raychem ZnO varistor through advanced processing. 1997 , 196, 199-204		
1294	Effect of rate controlled sintering on microstructure and electrical properties of ZnO doped with bismuth and antimony oxides. 1997 , 12, 2447-2454		20
1293	A.C. and D.C. characteristics of ZnO-Al ₂ O ₃ composites.		
1292	Current Flow and Structural Inhomogeneities in Nonlinear Materials. 1997 , 500, 235		2
1291	Current Localization, Non-Uniform Heating, and Failures of ZnO Varistors. 1997 , 500, 221		0
1290	Chemical synthesis of a new tin dioxide based (SnO ₂ : Co, Al, Nb) varistor. 1997 , 12, 326-328		33
1289	Functional design of semiconductor gas sensors for measurement of smell and freshness.		
1288	Electrical characteristics of SnO ₂ added ZnO.		
1287	Processing of zinc oxide varistors: sources of defects and possible measures for their elimination. 1997 , 45, 143-153		1
1286	TiO ₂ based varistors derived from powders prepared by a sol-gel process. 1997 , 32, 5-8		5

1285	Photoluminescence of polycrystalline zinc oxide co-activated with trivalent rare earth ions and lithium. Insertion of rare-earth ions into zinc oxide. 1997 , 75, 35-49		121
1284	Characteristics of thermally stimulated depolarization phenomena in zinc-oxide ceramics for varistors. 1997 , 42, 1166-1169		2
1283	Sol-gel process doped ZnO nanopowders and their grain growth. 1997 , 32, 1165-1171		26
1282	Effects of spinel phase formation in the calcination process on the characteristics of ZnO-glass varistors. <i>Journal of Materials Science: Materials in Electronics</i> , 1997 , 8, 115-123	2.1	5
1281	Effect of chromium on the phase evolution and microstructure of ZnO doped with bismuth and antimony. 1997 , 32, 4283-4287		22
1280	The relationship between crystal misorientation and conductive mode contrast of grain boundaries in additive-free zinc oxide. 1997 , 32, 4585-4589		11
1279	Processing of ZnO-based varistors using oxide, alkoxide, nitrate-alkoxide and carboxylato precursors. 1997 , 8, 697-701		5
1278	Nonlinear V-I property of Ag/BaTiO ₃ composite materials. 1997 , 42, 1046-1048		
1277	Degradation due to energy pulse in high-energy ZnO varistors. 1997 , 4, 113-116		
1276	Thermionic, tunnelling, and polarization currents in zinc oxide varistors. 1997 , 17, 1533-1537		6
1275	Microstructural relations in BZS pyrochlore-ZnO mixtures. 1997 , 17, 1049-1060		18
1274	On the optical band gap of zinc oxide. 1998 , 83, 5447-5451		1143
1273	Synthesis and Growth of ZnO Nanoparticles. 1998 , 102, 5566-5572		1078
1272	Modification of H ₂ -sensitive breakdown voltages of SnO ₂ varistors with noble metals. 1998 , 52, 38-44		25
1271	Analysis of ZnO varistors prepared from nanosize ZnO precursors. 1998 , 33, 1703-1708		28
1270	Characterization of SnO ₂ -varistors with different additives. 1998 , 18, 2233-2239		72
1269	Fabrication of dense ZnO-varistors by atmosphere sintering. 1998 , 18, 765-770		15
1268	Holding time in the pressing cycle and its influence on the performance characteristics of zinc oxide varistor discs. 1998 , 77, 54-58		

- 1267 A Bicontinuous Microemulsion Route to Zinc Oxide Powder. *Ceramics International*, **1998**, 24, 205-209 5.1 36
- 1266 Size Dependence of the Dissolution of ZnO Nanoparticles. **1998**, 102, 7764-7769 178
- 1265 Particle size dependence of rotational responses in Ni²⁺ ferrite. **1998**, 83, 6864-6866 14
- 1264 Improvement on the degradation of microwave sintered ZnO varistors by postannealing. **1998**, 13, 1560-1567 8
- 1263 Current - voltage properties of piezoelectric thin film ZnO in a micromechanical force sensor. 1
- 1262 Electrical Properties of Microwave-Sintered ZnO Varistors. **1999**, 38, 5500-5504 14
- 1261 Evaluation of Interface States in ZnO Varistors by Spectral Analysis of Deep Level Transient Spectroscopy. **1999**, 38, 899-900 19
- 1260 Direct Evidence for Grain Boundary Potential Barrier Breakdown via In Situ Electron Holography. **1999**, 5, 428-436 7
- 1259 Insulation system protection with zinc oxide surge arresters. **1999**, 15, 5-10 6
- 1258 Synthesis and current-voltage characterization of tin dioxide varistors. **1999**, 17, 1196-1200 1
- 1257 Effect of trap density on the dielectric response of varistor ceramics. **1999**, 43, 2123-2127 29
- 1256 Evolution of a skeleton structured TiO₂ surface consisting of grain boundaries. **1999**, 473, 204-208 11
- 1255 Influence of Bi₂O₃/TiO₂, Sb₂O₃ and Cr₂O₃ doping on low-voltage varistor ceramics. **1999**, 19, 709-713 40
- 1254 Electro- and photoluminescence of the Tm³⁺ ion in Tm³⁺- and Li⁺-doped ZnO ceramics. Influence of the sintering temperature. **1999**, 241, 339-349 31
- 1253 Characterisation of Zn₃(VO₄)₂ phases in V₂O₅-doped ZnO varistors. **1999**, 19, 721-726 61
- 1252 Origin of Solid-State Activated Sintering in Bi₂O₃-Doped ZnO. *Journal of the American Ceramic Society*, **1999**, 82, 916-920 3.8 123
- 1251 Anomalous temperature effect of nonlinearity of WO₃ varistor doped with Al₂O₃. **1999**, 44, 671-672 6
- 1250 Microstructural and electrical characteristics of SiO₂ doped ZnO-Bi₂O₃ varistors. **1999**, 22, 49-57 6

1249	I-V characteristics and impedance spectroscopy of a single grain boundary in Nb-doped SrTiO ₃ . 1999 , 34, 415-423		9
1248	Effects of doping and temperature on nonlinearity of WO ₃ varistor. <i>Materials Chemistry and Physics</i> , 1999 , 58, 51-54	4.4	16
1247	Failure modes and energy absorption capability of ZnO varistors. 1999 , 14, 152-162		62
1246	Electrical properties of ZnO varistors prepared by microwave and conventional sintering process. 1999 , 231, 237-242		5
1245	Segregation of Si and Ti in alumina. 1999 , 41, 198-203		7
1244	Bismuth Doping into the ZnO Ceramics Using the SOED Method. 1999 , 11, 3018-3020		1
1243	ZnO Varistors Prepared by Direct Mixing of Constituent Phases. 2000 , 41, 1226-1231		11
1242	Improved varistor nonlinearity via sintering and acceptor impurity doping. 2000 , 11, 155-158		31
1241	Triboluminescence of trivalent rare earth ions inserted in polycrystalline zinc oxide. 2000 , 91, 71-77		22
1240	Structural, dielectric and electrical properties of lead cadmium tungstate ceramics. 2000 , 77, 235-240		8
1239	Grain boundaries in dielectric and mixed-conducting ceramics. 2000 , 48, 797-825		192
1238	Current-Voltage Characteristics of Grain Boundaries with and without Cobalt Ions in Niobium-Doped SrTiO ₃ Bicrystals. <i>Journal of the American Ceramic Society</i> , 2000 , 83, 1527-1529	3.8	15
1237	Microstructural Development in SnO ₂ -Doped ZnO-Bi ₂ O ₃ Ceramics. <i>Journal of the American Ceramic Society</i> , 2000 , 83, 3165-3171	3.8	51
1236	Nonlinear electrical properties of zinc oxide ceramics with B ₂ O ₃ additions. 2000 , 36, 636-639		6
1235	Parameters of ZnO grains in ZnO-based ceramics. 2000 , 36, 1074-1077		9
1234	Effect of long-term electrical degradation on the distribution of donor impurities in ZnO varistor ceramics. 2000 , 36, 745-748		15
1233	Simulação da difusão do zinco e do oxigênio, e análise da durabilidade de varistor de ZnO utilizando o planejamento fatorial. 2000 , 46, 145-151		1
1232	Effects of Bi ₄ Ti ₃ O ₁₂ doping on the electrical properties of low breakdown voltage ZnO varistors. 2000 , 4077, 514		

1231	Nonlinear Electrical Behaviour of the TiO ₂ –Nb ₂ O ₃ System. 2000 , 17, 530-531		33
1230	Piezoelectric contributions to the electrical behavior of ZnO varistors. 2000 , 87, 4430-4438		96
1229	Temperature behaviour of ZnO varistors before and after post sintering heat treatment. 2000 , 43, 295-302		1
1228	First-principles study of native point defects in ZnO. 2000 , 61, 15019-15027		1454
1227	Zinc self-diffusion, electrical properties, and defect structure of undoped, single crystal zinc oxide. 2000 , 87, 117-123		172
1226	Influence of chromium oxide additive on electrical characteristics of ZnO varistor.		1
1225	Electrical properties of SnO ₂ -ZnO-Nb ₂ O ₅ varistor system. <i>Journal Physics D: Applied Physics</i> , 2000 , 33, 96-99	3	37
1224	Luminescent properties and lattice defects correlation on zinc oxide. 2001 , 3, 749-754		208
1223	Bulk electronic structure of SrTiO ₃ : Experiment and theory. 2001 , 90, 6156-6164		669
1222	The nonlinear properties and stability of ZnO-Pr ₆ O ₁₁ -CoO-Cr ₂ O ₃ -Er ₂ O ₃ ceramic varistors. 2001 , 47, 182-187		127
1221	Liquid Phase Sintering: Ceramics. 2001 , 4597-4601		2
1220	Preparation and characterization of lithium doped indium sesqui-oxide. 2001 , 322, 220-225		4
1219	. 2001 , 16, 591-598		23
1218	Electron transport behaviour in Nb-doped SrTiO ₃ bicrystals. 2001 , 50, 485-8		13
1217	Nonlinear electrical properties of cobalt doped SnO ₂ –Ni ₂ O ₃ –Nb ₂ O ₅ varistors. 2001 , 16, 3-9		8
1216	Non-linear characteristics of doped Sn _{1-x} Ti _x O ₂ (0.0 . 2001 , 24, 483-485		12
1215	Valence electron energy loss study of Fe-doped SrTiO ₃ and a sigma ₁₃ boundary: electronic structure and dispersion forces. 2001 , 86, 303-18		60
1214	Structural and electrical properties of ZnO varistors containing different spinel phases. <i>Ceramics International</i> , 2001 , 27, 115-122	5.1	42

1213	Effect of Mn ²⁺ on the electrical nonlinearity of (Ni, Nb)-doped SnO ₂ varistors. <i>Ceramics International</i> , 2001 , 27, 655-659	5.1	29
1212	Processing and phase evolution in low voltage varistor prepared by chemical processing. <i>Ceramics International</i> , 2001 , 27, 761-765	5.1	11
1211	Electroluminescence of the Er ³⁺ ion and electric conduction in polycrystalline ZnO:Mn,Bi,Er sintered pellets. 2001 , 62, 565-578		17
1210	Investigation of electrical properties of SnO ₂ /Co ₂ O ₃ /Sb ₂ O ₃ varistor system. 2001 , 307, 1-8		35
1209	Nonlinear electrical properties of TiO ₂ /ZrO ₂ /Nb ₂ O ₅ capacitor-varistor ceramics. 2001 , 85, 6-10		42
1208	Preparation and properties of ZnO-based ceramic films for low-voltage varistors by novel sol-gel process. 2001 , 86, 232-236		36
1207	The electrical properties and d.c. degradation characteristics of Dy ₂ O ₃ doped Pr ₆ O ₁₁ -based ZnO varistors. 2001 , 21, 545-553		65
1206	Characteristics of SnO ₂ -doped ZnO-based varistor ceramics. 2001 , 21, 1879-1882		36
1205	Modified citrate gel routes to ZnO-based varistors. 2001 , 21, 1887-1891		8
1204	On the microwave sintering technology for improving the properties of semiconducting electronic ceramics. 2001 , 21, 2085-2088		43
1203	Determination of dopants in ZnO-based ceramic varistors by x-ray fluorescence and inductively coupled plasma spectrometry. 2001 , 30, 273-279		8
1202	Sb-induced size effects in ZnO nanocrystallites. 2001 , 32, 979-981		23
1201	Smart technique for fabrication of zinc oxide varistor. 2001 , 36, 1259-1267		26
1200	Electrical characterisations of new microgap surge absorber fabricated by using conventional semiconductor technology. 2001 , 148, 171		
1199	Electrical and microstructural characteristics of ZnO/Bi ₂ O ₃ -based varistors doped with rare-earth oxides. 2001 , 16, 2817-2823		33
1198	Anomalous Charge Transport and Polarization in Semiconductors Oxides and Porous Film Electrodes. 2001 , 727-791		
1197	Pinning Effect by Interface States in Pr-type ZnO Varistors. 2001 , 40, 5985-5989		
1196	Nonlinear Electrical Behaviour of the TiO ₂ /ZrO ₂ /Nb ₂ O ₅ System. 2001 , 18, 674-676		8

1195	Analysis of the admittance-frequency and capacitance-voltage of dense SnO ₂ /CoO-based varistor ceramics. 2002 , 91, 6007-6014		52
1194	Nonlinear electrical behavior of the TiO ₂ /WO ₃ varistor. 2002 , 92, 4779-4783		20
1193	Studies of electronic structure of ZnO grain boundary and its proximity by using spatially resolved electron energy loss spectroscopy. 2002 , 81, 277-279		11
1192	Microcathodoluminescence spectroscopy of defects in Bi ₂ O ₃ -doped ZnO grains. 2002 , 92, 5072-5076		6
1191	The dimensional effect of breakdown field in ZnO varistors. <i>Journal Physics D: Applied Physics</i> , 2002 , 35, 1884-1888	3	25
1190	USING EMISSION QUENCHING TO STUDY THE INTERACTION BETWEEN ZnO NANOCRYSTALS AND ORGANIC LIGANDS. 2002 , 01, 743-747		1
1189	Current-Voltage Characteristics Across Small Angle Symmetric Tilt Boundaries in Nb-Doped SrTiO ₃ Bicrystals. 2002 , 43, 1537-1541		9
1188	Photoelectrochemical Etching. 2002 ,		
1187	Annealing of Nanometer-Sized Zinc Oxide Particles. 2002 , 14, 1411-1417		80
1186	Nonlinear electrical behavior and dielectric properties of (Ca, Ta)-doped TiO ₂ ceramics. 2002 , 335, 210-215		41
1185	Influence of sintering temperature on varistor characteristics of ZPCCE-based ceramics. 2002 , 53, 110-116		40
1184	Effect of Pr ₆ O ₁₁ /CoO mole ratio on nonlinear properties and DC accelerated aging characteristics of ZnO-Pr ₆ O ₁₁ -CoO-Dy ₂ O ₃ -based varistors. 2002 , 56, 379-385		8
1183	Influence of lanthanum on the nonlinear I-V characteristics of SnO ₂ : Co, Nb. 2002 , 57, 727-729		19
1182	Low-voltage varistors based on La _{0.5} MnO ₃ ceramics. 2002 , 57, 887-893		11
1181	Synthesis of ZnO nanopowder via an aqueous acetate-nitrate gelation method. 2002 , 37, 901-914		94
1180	Effect of temperature on nonlinear electrical behavior and dielectric properties of (Ca, Ta)-doped TiO ₂ ceramics. 2002 , 37, 1197-1206		15
1179	Nonlinear electrical properties of Ta-doped titania capacitor-varistor ceramics. <i>Materials Chemistry and Physics</i> , 2002 , 74, 187-191	4-4	21
1178	Influence of La ₂ O ₃ , Pr ₂ O ₃ and CeO ₂ on the nonlinear properties of SnO ₂ multicomponent varistors. <i>Materials Chemistry and Physics</i> , 2002 , 74, 150-153	4-4	22

1177	Nonlinear Electrical and Dielectric Properties of (Ca, Ta)-Doped TiO ₂ Varistors. 2002 , 194, 118-128		1
1176	A Strategic Two-Stage Low-Temperature Thermal Processing Leading to Fully Dense and Fine-Grained Doped-ZnO Varistors. 2002 , 14, 137-141		137
1175	Preparation of ZnO-glass varistor from tetrapod ZnO nanopowders. 2002 , 95, 157-161		57
1174	Novel (Zn, Nb)-doped SnO ₂ varistors. 2002 , 96, 8-13		32
1173	Defect chemistry and electrical characteristics of undoped and Mn-doped ZnO. 2002 , 22, 49-59		168
1172	Varistor behaviour of Mn-doped ZnO ceramics. 2002 , 22, 1653-1660		57
1171	Nonlinear electrical properties of SnO ₂ · Li ₂ O · Ta ₂ O ₅ varistors. <i>Ceramics International</i> , 2002 , 28, 521-526		15
1170	Synthesis and characterization of monodisperse zinc and zinc oxide nanoparticles from the organometallic precursor [Zn(C ₆ H ₁₁) ₂]. 2002 , 643-644, 307-312		84
1169	Sintering and Characterization of Nanophase Zinc Oxide. <i>Journal of the American Ceramic Society</i> , 2002 , 85, 1979-1987	3.8	88
1168	Ga, N solubility limit in co-implanted ZnO measured by secondary ion mass spectrometry. 2002 , 189, 349-352		28
1167	Simulation of the charge transport across grain boundaries in p-type SrTiO ₃ ceramics under dc load: Debye relaxation and dc bias dependence of long-term conductivity. 2002 , 91, 3037-3043		22
1166	Effect of the addition of ZnO seeds on the electrical proprieties of ZnO-based varistors. <i>Materials Chemistry and Physics</i> , 2003 , 80, 512-516	4.4	35
1165	Influence of praseodymium oxide/cobalt oxide ratio on microstructure and electrical properties of zinc oxide varistor ceramics. <i>Materials Chemistry and Physics</i> , 2003 , 80, 746-751	4.4	6
1164	Microstructure and electrical properties of Y ₂ O ₃ -doped ZnO·Br ₆ O ₁₁ -based varistor ceramics. <i>Materials Chemistry and Physics</i> , 2003 , 82, 157-164	4.4	55
1163	Effect of cooling rate on electrical properties and stability of ZPCCY-based varistor ceramics. <i>Materials Chemistry and Physics</i> , 2003 , 82, 726-732	4.4	6
1162	The origin of nonlinear current-voltage behavior in fiber-reinforced cement composites. 2003 , 33, 835-840		8
1161	Evolution of visible luminescence in ZnO by thermal oxidation of zinc films. 2003 , 375, 113-118		69
1160	Non-linear current-voltage characteristics related to native defects in SrTiO ₃ and ZnO bicrystals. 2003 , 4, 605-611		11

1159	Electric and luminescent properties of ZnO-based ceramics containing small amounts of Er and Mn oxide. 2003 , 104, 1-12		13
1158	Electrical and luminescent properties of ZnO:Bi,Er ceramics sintered at different temperatures. 2003 , 104, 103-114		17
1157	Nonlinear properties and stability against DC accelerated aging stress of praseodymium oxide-based ZnO varistors by Er ₂ O ₃ doping. 2003 , 126, 281-284		27
1156	Nonlinear electrical properties and DC accelerated aging characteristics of ZnO:Pr ₆ O ₁₁ :Co:Cr ₂ O ₃ :Dy ₂ O ₃ -based varistors. 2003 , 127, 389-393		28
1155	ZnO and TiO ₂ nanoparticles encapsulated in boron nitride nanocages. 2003 , 66, 70-76		8
1154	Degradation phenomena due to dc bias in low-voltage ZnO varistors. 2003 , 99, 412-415		16
1153	Electrical nonlinearity of (Cu, Ni, Nb)-doped SnO ₂ varistors system. 2003 , 99, 457-460		15
1152	Novel TiO ₂ /WO ₃ varistor system. 2003 , 99, 461-464		28
1151	Effects of Cr ₂ O ₃ on the properties of (Co, Nb)-doped SnO ₂ varistors. 2003 , 99, 470-474		9
1150	Preparation of ZnO particles by precipitation transformation method and its inherent formation mechanisms. 2003 , 226, 35-44		48
1149	Electrical properties and stability of praseodymium oxide-based ZnO varistor ceramics doped with Er ₂ O ₃ . 2003 , 23, 1345-1353		37
1148	Defect profile and microstructural development in SnO ₂ -based varistors. 2003 , 23, 1585-1591		57
1147	Grain-boundary segregation and precipitates in La ₂ O ₃ and Pr ₂ O ₃ doped SnO ₂ /CoO-based varistors. 2003 , 23, 1875-1880		31
1146	Processing of Novel Strontium Titanate-Based Thin-Film Varistors by Chemical Solution Deposition. <i>Journal of the American Ceramic Society</i> , 2003 , 86, 99-104	3.8	12
1145	Fully Dense, Fine-Grained, Doped Zinc Oxide Varistors with Improved Nonlinear Properties by Thermal Processing Optimization. <i>Journal of the American Ceramic Society</i> , 2003 , 86, 1326-1329	3.8	40
1144	Preparation and electrical properties of ZnO/glass ceramic films. 2003 , 66, 760-766		12
1143	The influence of defect drift in external electric field on green luminescence of ZnO single crystals. 2003 , 102-103, 733-736		116
1142	Rescaled electrical properties of ZnO/low density polyethylene nanocomposites. 2003 , 82, 1956-1958		108

1141	Influence of various donors on nonlinear IâV characteristics of tin dioxide ceramics. 2003 , 83, 4539-4541	52
1140	Negative temperature coefficient thermistor based on Bi ₃ Zn ₂ Sb ₃ O ₁₄ ceramic: An oxide semiconductor at high temperature. 2003 , 82, 2284-2286	50
1139	Microstructure and electrical properties of Y ₂ O ₃ -doped ZnOâPr ₆ O ₁₁ -based varistor ceramics. 2003 , 57, 1317-1321	74
1138	Effect of sinter temperature on the electrical properties of TiO ₂ -based capacitorâvaristors. 2003 , 57, 1400-1405	52
1137	Grain growth in sintered ZnOâ mol% V ₂ O ₅ ceramics. 2003 , 57, 1411-1416	49
1136	Influence of cooling rate on stability of nonlinear properties of ZnOâPr ₆ O ₁₁ -based varistor ceramics. 2003 , 57, 1544-1549	10
1135	Nonlinear currentâvoltage characteristics of ilmeniteâematite ceramic. 2003 , 57, 2104-2109	38
1134	Growth of well-defined ZnO microparticles by hydroxide ion hydrolysis of zinc salts. 2003 , 13, 1196-1201	190
1133	Electrical Properties of ZnO. 2003 , 6, J7	19
1132	The effect of processing conditions on varistors prepared from nanocrystalline ZnO. 2003 , 13, 2586-2590	126
1131	Dielectric relaxation of shallow donor in polycrystalline Mn-doped ZnO. 2003 , 93, 4097-4103	19
1130	Optical Properties and Electronic Structure of Oxidized and Reduced Single-Crystal Strontium Titanate. 2003 , 94, 226-232	14
1129	Effects of In ₂ O ₃ on the properties of (Co, Nb)-doped SnO ₂ varistors. <i>Journal Physics D: Applied Physics</i> , 2003 , 36, 1040-1043	3 13
1128	Effects of Ta ₂ O ₅ on the grain size and electrical properties of SnO ₂ -based varistors. <i>Journal Physics D: Applied Physics</i> , 2003 , 36, 3069-3072	3 23
1127	Deleterious effects of lightning and protective techniques. 2003 , 588-641	0
1126	Diffusion of the ⁶⁵ Zn radiotracer in ZnO polycrystalline ceramics. 2003 , 6, 167-171	32
1125	Electron holographic studies of irradiation damage in BaTiO ₃ . 2004 , 15, 1324-1327	8
1124	Effects of Er ₂ O ₃ on Electrical Properties of the SnO ₂ .CoO.Ta ₂ O ₅ Varistor System. 2004 , 21, 716-719	14

1123	Nonohmic behavior of SnO ₂ -MnO polycrystalline ceramics. II. Analysis of admittance and dielectric spectroscopy. 2004 , 96, 3811-3817		25
1122	Grain boundary dependency of nonlinear current-voltage characteristics in Pr and Co Doped ZnO Bicrystals. 2004 , 95, 1258-1264		37
1121	Dopant Effects on Sintering and Microstructure Development in Zinc Oxide-Based Electroceramics. 2004 , 264-268, 1269-1272		
1120	Textured ZnO-Based Varistors via Templated Grain Growth. 2004 , 264-268, 297-300		3
1119	Microstructure and Electrical Properties of Doped ZnO Varistor Nanomaterials. 2004 , 99-100, 127-132		6
1118	Synthesis of ZnO particle-polymer hybrid from zinc-organics. 2004 , 19, 651-656		7
1117	Nickel or cobalt doped zinc oxide varistors. 2004 , 103, 268-272		2
1116	Preparation and characterisation of Sb ₂ O ₃ with or without Cr ₂ O ₃ and CoO containing ZnO varistors. 2004 , 103, 171-175		1
1115	Microstructural Effects on Electrical Behaviour of ZnO-Based Varistors. 2004 , 264-268, 1345-1348		
1114	Microstructural analysis of varistors prepared from nanosize ZnO. 2004 , 20, 964-968		25
1113	Varistor Ceramics. <i>Journal of the American Ceramic Society</i> , 2004 , 82, 485-502	3.8	923
1112	Varistor Behavior at Twin Boundaries in ZnO. <i>Journal of the American Ceramic Society</i> , 2004 , 82, 2106-2110	3.8	33
1111	Microstructure and Current-Voltage Characteristics of Multicomponent Vanadium-Doped Zinc Oxide Varistors. <i>Journal of the American Ceramic Society</i> , 2004 , 83, 2455-2462	3.8	64
1110	Pore-Boundary Separation Behavior during Sintering of Pure and Bi ₂ O ₃ -Doped ZnO Ceramics. <i>Journal of the American Ceramic Society</i> , 2004 , 84, 1398-1400	3.8	18
1109	Formation of Zinc-Antimony-Based Spinel Phases. <i>Journal of the American Ceramic Society</i> , 2004 , 85, 703-705	3.8	10
1108	Microstructure of Varistors Prepared with Zinc Oxide Nanoparticles Coated with Bi ₂ O ₃ . <i>Journal of the American Ceramic Society</i> , 2004 , 87, 736-738	3.8	13
1107	Strong nonlinear current-voltage behaviour in perovskite-derivative calcium copper titanate. 2004 , 3, 774-8		703
1106	Mechanochemical synthesis of Bi ₂ O ₃ . 2004 , 6, 239-245		24

1105	Sintering and characterization of bismuth-oxide-containing zinc oxide varistors. 2004 , 52, 371-378		7
1104	WO ₃ -based capacitorâ€”varistor doped with Gd ₂ O ₃ . <i>Materials Chemistry and Physics</i> , 2004 , 86, 253-257	4-4	16
1103	Nonlinear behavior of TiO ₂ / Ta ₂ O ₅ / MnO ₂ material doped with BaO and Bi ₂ O ₃ . <i>Materials Chemistry and Physics</i> , 2004 , 85, 96-103	4-4	14
1102	The effect of CoO addition on electrical properties and DC accelerated aging behaviors of Znâ€”Coâ€”Dy oxides-based varistors. <i>Materials Chemistry and Physics</i> , 2004 , 88, 318-325	4-4	4
1101	Currentâ€”voltage characteristics and grain growth of Li ₂ CO ₃ -doped tungsten trioxide ceramics. 2004 , 39, 1459-1467		5
1100	Nonlinear I-V characteristics study of doped SnO ₂ . 2004 , 27, 43-45		11
1099	Dependence of the properties of CoO-doped ZnO-Bi ₂ O ₃ varistors on heating and cooling rates during ceramic processing. 2004 , 39, 7379-7381		2
1098	Effect of cooling rate on degradation characteristics of ZnO / Pr ₆ O ₁₁ / CoO / Cr ₂ O ₃ / Y ₂ O ₃ -based varistors. 2004 , 132, 213-218		8
1097	Effects of Pr ₂ O ₃ on the nonlinear electrical characteristics and dielectric properties of SnO ₂ / Co ₂ O ₃ / Ta ₂ O ₅ varistor systems. 2004 , 132, 163-167		15
1096	Preparation and characterization of thin films of ZnO:Al by nebulized spray pyrolysis. 2004 , 78, 1215-1218		7
1095	Effects of dopants and hydrogen on the electrical conductivity of ZnO. 2004 , 24, 139-146		131
1094	Compact shape as a relevant parameter for sintering ZnOâ€”Bi ₂ O ₃ based varistors. 2004 , 24, 1209-1212		25
1093	Ceramic varistors based on ZnOâ€”SnO ₂ . 2004 , 24, 1171-1175		26
1092	Effect of sintering time on electrical properties and stability against DC accelerated aging of Y ₂ O ₃ -doped ZnO-Pr ₆ O ₁₁ -based varistor ceramics. <i>Ceramics International</i> , 2004 , 30, 9-15	5-1	16
1091	Effects of hydrogen doping through ion implantation on the electrical conductivity of ZnO. 2004 , 29, 323-327		24
1090	Nonlinear Iâ€”V characteristics of doped SnO ₂ . 2004 , 110, 168-171		15
1089	Microstructure and electrical properties of ZnOâ€”CrO ₂ â€”Bi ₂ O ₃ â€”M ₃ O ₄ (MCo, Mn) varistors. 2004 , 24, 2537-2546		28
1088	Comparative characteristics of silver and copper electrodes on ZnO varistor ceramics. 2004 , 24, 2591-2595		16

1087	Microstructure and electrical characteristics of ZnO-B ₂ O ₃ -PbO-V ₂ O ₅ -MnO ₂ ceramics prepared from ZnO nanopowders. 2004 , 24, 3635-3641		11
1086	Nanoparticles of ZnO obtained by mechanical milling. 2004 , 148, 15-19		103
1085	Thermal conductivity features of ZnO-based varistors using the laser-pulse method. 2004 , 371, 377-381		24
1084	Effect of CeO ₂ on the microstructure and electrical properties of WO ₃ capacitor-varistor ceramics. 2004 , 110, 6-10		15
1083	Electrical properties and DC-accelerated aging behavior of ZnO-Pr ₆ O ₁₁ -Co-Cr ₂ O ₃ -Dy ₂ O ₃ -based varistor ceramics. <i>Ceramics International</i> , 2004 , 30, 1009-1016	5-1	19
1082	Influence of Ta ₂ O ₅ on the electrical properties of ZnO- and CoO-doped SnO ₂ varistors. <i>Ceramics International</i> , 2004 , 30, 2277-2281	5-1	9
1081	Electro-thermal simulation of ZnO arresters for diagnosis using thermal analysis.		0
1080	The influence of CeO ₂ on the microstructure and electrical behaviour of ZnO-Bi ₂ O ₃ based varistors. <i>Journal Physics D: Applied Physics</i> , 2004 , 37, 804-812	3	20
1079	Oriented Growth of ZnO Crystals on Self-Assembled Monolayers of Functionalized Alkyl Silanes. 2004 , 4, 169-175		37
1078	Effects of Sc ₂ O ₃ on the microstructure and varistor properties of (Co, Ta)-doped SnO ₂ . 2004 , 377, 82-84		11
1077	Microstructure and electrical properties of ZnO-Pr ₆ O ₁₁ -CoO-Cr ₂ O ₃ -Dy ₂ O ₃ -based varistors. 2004 , 58, 849-852		6
1076	Varistor effect of WO ₃ -based ceramics at high temperatures. 2004 , 58, 1017-1019		20
1075	Nonlinear electrical properties and DC-accelerated aging characteristics of Dy ₂ O ₃ -doped ZnO-Pr ₆ O ₁₁ -based varistors. 2004 , 58, 3358-3361		3
1074	Effect of sintering time on varistor properties of Dy ₂ O ₃ -doped ZnO-Pr ₆ O ₁₁ -based ceramics. 2004 , 58, 3297-3300		9
1073	Effect of sintering time on stability of nonlinear properties in Dy ₂ O ₃ -doped ZnO-Pr ₆ O ₁₁ -based varistors. 2004 , 58, 3769-3773		3
1072	High Resolution Microscopy Study for [001] Symmetric Tilt Boundary with a Tilt Angle of 66°; in Rutile-type TiO ₂ Bicrystal. 2004 , 45, 2117-2121		10
1071	Estudo da adsorçã de dispersante ^base de poliacrilato em um sistema varistor comercial: caracterizaçã físico-química. 2005 , 51, 30-36		5
1070	Microstructural evaluation of rare-earth-zinc oxide-based varistor ceramics. 2005 , 8, 425-429		6

1069	Analysis of secondary phases segregated and precipitated in SnO ₂ -based varistors. 2005 , 25, 401-406		23
1068	Bi ₂ O ₃ vaporization from ZnO-based varistors. 2005 , 25, 1675-1680		51
1067	Nonlinear properties and stability of SnO ₂ varistors prepared by evaporation and decomposition of suspensions. 2005 , 25, 3011-3015		12
1066	Influence of sintering temperature on semi-conductivity and nonlinear electrical properties of TiO ₂ -based varistor ceramics. 2005 , 117, 77-80		24
1065	(Yb,Co,Nb)-doped SnO ₂ varistor ceramics. 2005 , 119, 94-98		11
1064	Effect of Sc ₂ O ₃ on the electrical properties of (Co, Ta, Cr)-doped SnO ₂ varistors. 2005 , 367, 29-34		1
1063	Effect of annealing temperature of a novel Sol-gel process on the electrical properties of low voltage ZnO-based ceramic films. 2005 , 117, 317-320		12
1062	TiO ₂ ceramic varistor modified with tantalum and barium. 2005 , 123, 50-52		23
1061	Mechanism of formation of highly conductive layer on ZnO crystal surface. 2005 , 136, 475-478		14
1060	Grain boundary structures in zinc oxide varistors. 2005 , 53, 237-245		24
1059	Varistor properties of Sc ₂ O ₃ -doped Sn-(Co)-Nb ceramics. <i>Ceramics International</i> , 2005 , 31, 287-291	5.1	6
1058	Investigation of electrical properties of tantalum doped SnO ₂ varistor system. <i>Ceramics International</i> , 2005 , 31, 399-404	5.1	23
1057	Electrical and microstructural properties of (Zn, Nb, Fe)-doped SnO ₂ varistor systems. <i>Ceramics International</i> , 2005 , 31, 737-742	5.1	30
1056	The effect of aluminium oxide on the residual voltage of ZnO varistors. <i>Ceramics International</i> , 2005 , 31, 783-789	5.1	51
1055	Thermodynamic Stability of Intergranular Amorphous Films in Bismuth-Doped Zinc Oxide. <i>Journal of the American Ceramic Society</i> , 2005 , 81, 89-96	3.8	105
1054	Zinc Oxide Varistor Gas Sensors: II, Effect of Chromium(III) Oxide and Yttrium Oxide Additives on the Hydrogen-Sensing Properties. <i>Journal of the American Ceramic Society</i> , 2005 , 81, 1633-1643	3.8	43
1053	Nonuniform Heating in Zinc Oxide Varistors Studied by Infrared Imaging and Computer Simulation. <i>Journal of the American Ceramic Society</i> , 2005 , 81, 2013-2022	3.8	17
1052	Continuous Existence of Bismuth at Grain Boundaries of Zinc Oxide Varistor without Intergranular Phase. <i>Journal of the American Ceramic Society</i> , 2005 , 81, 2071-2076	3.8	29

1051	Processing and Electrical Characterization of a Varistor-Capacitor Cofired Multilayer Device. <i>Journal of the American Ceramic Society</i> , 2005 , 81, 2371-2380	3.8	11
1050	Microstructure and Nonlinear Properties of Microwave-Sintered ZnO-V2O5 Varistors: I, Effect of V2O5 Doping. <i>Journal of the American Ceramic Society</i> , 2005 , 81, 2942-2948	3.8	62
1049	Microstructure and Nonlinear Properties of Microwave-Sintered ZnO-V2O5 Varistors: II, Effect of Mn3O4 Doping. <i>Journal of the American Ceramic Society</i> , 2005 , 81, 2949-2956	3.8	33
1048	Electrical-Impulse-Induced Fracture of Zinc Oxide Varistor Ceramics. <i>Journal of the American Ceramic Society</i> , 2005 , 80, 2086-2092	3.8	23
1047	Oxygen Diffusion in Single-Crystal Zinc Oxide. <i>Journal of the American Ceramic Society</i> , 2005 , 81, 869-876	3.8	53
1046	(Pr, Co, Nb)-Doped SnO2 Varistor Ceramics. <i>Journal of the American Ceramic Society</i> , 2005 , 88, 331-334	3.8	39
1045	A Comparative Study of Thermal Conductivity in ZnO- and SnO2-Based Varistor Systems. <i>Journal of the American Ceramic Society</i> , 2005 , 88, 2629-2631	3.8	30
1044	(Er, Co, Nb)-doped SnO2 varistor ceramics. <i>Materials Chemistry and Physics</i> , 2005 , 92, 578-584	4.4	16
1043	Influence of sintering time on electrical and dielectric behavior, and DC accelerated aging characteristics of Dy3+-doped ZnO-Pr6O11-based varistors. <i>Materials Chemistry and Physics</i> , 2005 , 94, 275-282	4.4	8
1042	The influence of yttrium on a typical SnO2 varistor system: Microstructural and electrical features. <i>Materials Chemistry and Physics</i> , 2005 , 94, 347-352	4.4	13
1041	The relation between residual voltage ratio and microstructural parameters of ZnO varistors. 2005 , 59, 302-307		11
1040	Dielectric properties of zinc oxide/low density polyethylene nanocomposites. 2005 , 59, 473-476		111
1039	Influence of La2O3 additives on microstructure and electrical properties of ZnO-Pr6O11-CoO-Cr2O3-La2O3-based varistors. 2005 , 59, 2097-2100		19
1038	Organic phase conversion of bulk (wurtzite) ZnO to nanophase (wurtzite and zinc blende) ZnO. 2005 , 7, 1500-1505		21
1037	Effects of Sc2O3 on the microstructure and varistor properties of (Co, Nb)-doped SnO2. 2005 , 80, 1093-1096		5
1036	Processing of textured zinc oxide varistors via templated grain growth. 2005 , 25, 1663-1673		59
1035	(Gd, Co, Ta)-Doped SnO2 Varistor Ceramics. 2005 , 14, 133-137		12
1034	The Role of Oxygen Vacancies on the Microstructure Development and on the Electrical Properties of SnO2-Based Varistors. 2005 , 14, 149-156		13

1033	The failure analyses on ZnO varistors used in high tension devices. 2005 , 40, 5591-5596		21
1032	Microstructure and nonlinear electrical properties of ZnO-Pr ₆ O ₁₁ -CoO-Cr ₂ O ₃ -La ₂ O ₃ -based varistors. 2005 , 40, 6307-6309		10
1031	Electron transport behaviors across single grain boundaries in n-type BaTiO ₃ , SrTiO ₃ and ZnO. 2005 , 40, 881-887		16
1030	Influence of cobalt oxide addition on electrical properties of ZnO-Pr ₆ O ₁₁ -based varistor ceramics. 2005 , 40, 1265-1267		4
1029	Effect of La ₂ O ₃ addition on microstructure and electrical properties of ZnO-Pr ₆ O ₁₁ -based varistor ceramics. <i>Journal of Materials Science: Materials in Electronics</i> , 2005 , 16, 345-349	2.1	23
1028	Effect of sintering time on electrical characteristics and DC accelerated aging behaviors of Zn-Pr-Co-Cr-Dy oxide-based varistors. <i>Journal of Materials Science: Materials in Electronics</i> , 2005 , 16, 725-732	2.1	18
1027	Near-field scanning optical microscopy of ZnO nanopatterns fabricated by micromolding in capillaries. 2005 , 98, 024304		22
1026	Chemical Synthesis by Pechini Method for Obtation of ZnO Varistors. 2005 , 498-499, 299-304		1
1025	Synthesis and analysis of ZnO and CdSe nanoparticles. 2005 , 65, 615-620		28
1024	Crystallization of Highly Oriented ZnO Microrods on Carboxylic Acid-Terminated SAMs. 2005 , 17, 5048-5056		28
1023	Effect of In ₂ O ₃ doping and sintering on the electrical properties and the microstructure of (Co,Ta)-doped SnO ₂ varistors. 2005 , 351, 941-945		5
1022	Colloidal synthesis of organic-capped ZnO nanocrystals via a sequential reduction-oxidation reaction. 2005 , 109, 2638-44		64
1021	Optical characterization of filtered vacuum arc deposited zinc oxide thin films. 2006 , 21, 1303-1310		16
1020	Photothermal Study of Ceramic ZnO Doped with Y ₂ O ₃ . 2006 ,		
1019	ZnO-based hollow microspheres: biopolymer-assisted assemblies from ZnO nanorods. 2006 , 110, 15847-52		134
1018	Structural, morphological, and electrical characterization of heteroepitaxial ZnO thin films deposited on Si (100) by pulsed laser deposition: Effect of annealing (800' °C) in air. 2006 , 99, 014907		17
1017	Synthesis and characterization of zinc AP-MOCVD precursors and their utility in the growth of ZnO. 2006 , 3806-11		30
1016	Effect of the thermal distribution for ZnO nano-powder Bi-based varistors. 2006 ,		1

1015	Dielectric response on the critical breakdown field in ZnO varistors. <i>Journal Physics D: Applied Physics</i> , 2006 , 39, 4969-4974	3	12
1014	Crystallization of ZnO on Crystalline Magnetite Nanoparticles in the Presence of Ultrasound Radiation. 2006 , 6, 2260-2265		8
1013	Effects of Sr on the microstructure and electrical properties of (Co, Ta)-doped SnO ₂ varistors. 2006 , 413, 35-39		22
1012	Low voltage electroluminescence of terbium- and thulium-doped zinc oxide films. 2006 , 418, 35-38		20
1011	Caracterizaç�e e perspectivas de uso de concentrados de �xidos de terras-raras para fabrica� de cer�micas varistoras � base de �xido de zinco. 2006 , 11, 223-231		
1010	Mobile donors in undoped ZnO. 2006 , 3, 942-945		6
1009	Electrical barriers in the ZnO varistor grain boundaries. 2006 , 203, 410-427		66
1008	Solid-State Reactivity of the ZnO-xMn ₂ O ₃ System During Heat Treatment. <i>Journal of the American Ceramic Society</i> , 2006 , 89, 1458-1460	3.8	13
1007	Microstructural Morphology and Electrical Properties of Copper- and Niobium-Doped Tin Dioxide Polycrystalline Varistors. <i>Journal of the American Ceramic Society</i> , 2006 , 89, 2502-2508	3.8	12
1006	Synthesis and x-ray diffraction characterization of nanocrystalline ZnO obtained by Pechini method. 2006 , 42, 1348-1351		20
1005	Nonlinear electrical behaviour of the Cr ₂ O ₃ , ZnO, CoO and Ta ₂ O ₅ -doped SnO ₂ varistors. <i>Ceramics International</i> , 2006 , 32, 283-289	5.1	22
1004	Influence of CoO on stability of nonlinear electrical properties and dielectric characteristics in Pr ₆ O ₁₁ -based ZnO varistor ceramics. 2006 , 133, 91-97		11
1003	Fabrication of nanometer-sized zinc oxide at low decomposing temperature. 2006 , 178, 247-250		27
1002	How Cr ₂ O ₃ influences the microstructure and nonohmic features of the SnO ₂ (Co _x , Mn _{1-�x})O-based varistor system. 2006 , 26, 1221-1229		18
1001	Structure and properties of Ag embedded aluminum doped ZnO nanocomposite thin films prepared through a sol-gel process. 2006 , 201, 3188-3192		43
1000	Zinc oxalate nanorods: a convenient precursor to uniform nanoparticles of ZnO. 2006 , 17, 1236-1240		77
999	Effect of Sb ₂ O ₃ addition on the varistor characteristics of ZnO-Bi ₂ O ₃ -ZrO ₂ -MtrO (Mtr = Mn, Co). 2006 , 17, 1083-1086		5
998	Nonlinear electrical properties and stability of Zn-Pr-Co-Er-M (M = Ni, Mg, Cr) oxide-based varistors. 2006 , 41, 1635-1638		3

997	Electrical properties and stability of Dy ₂ O ₃ -doped ZnO-Br ₆ O ₁₁ -based varistors. 2006 , 41, 6822-6829		6
996	A simple approach to oxide varistor materials. 2006 , 41, 5709-5711		12
995	Electrical properties and stability against DC accelerated aging stress of lanthania doped praseodymia-based zinc oxide varistor ceramics. 2006 , 41, 7272-7278		8
994	Microstructure and non-ohmic properties of ZPCCT-based ceramics. 2006 , 41, 8382-8385		3
993	Thermal evolution of ZnO-Bi ₂ O ₃ -Sb ₂ O ₃ system in the region of interest for varistors. 2006 , 41, 2319-2325		20
992	(Ta, Cr)-doped {T} _i O ₂ electroceramic systems. <i>Journal of Materials Science: Materials in Electronics</i> , 2006 , 17, 79-84	2.1	5
991	The influence of heat-treatment on the current-voltage behavior of the ZnO-Bi ₂ O ₃ based varistors. <i>Journal of Materials Science: Materials in Electronics</i> , 2006 , 17, 211-217	2.1	5
990	Influence of different methods of controlling microwave sintering. 2006 , 83, 407-410		14
989	Crystallography of Ni-doped Zn ₇ Sb ₂ O ₁₂ and phase equilibria in the system ZnOSb ₂ O ₅ NiO. 2006 , 26, 2307-2311		10
988	A study on co-firing between Zn _{0.9} Mg _{0.1} TiO ₃ and ZnO-based multilayer varistor. 2006 , 26, 3753-3759		3
987	Thick film ZnO based varistors prepared by screen printing. 2006 , 26, 2985-2989		16
986	Preparation of ZnO varistors by solution nano-coating technique. 2006 , 130, 264-268		36
985	Effect of Sb ₂ O ₃ -doped on optical absorption of ZnO thin film. 2006 , 2, 51-54		1
984	Electrical characteristics and stability of low voltage ZnO varistors doped with Al. <i>Materials Chemistry and Physics</i> , 2006 , 100, 142-146	4.4	31
983	Nonlinear characteristics of Cr ₂ O ₃ , WO ₃ , ZnO and CoO doped SnO ₂ varistors. 2006 , 60, 142-146		6
982	Effect of CoO on nonlinear electrical properties of praseodymia-based ZnO varistors. 2006 , 60, 164-167		12
981	The role of TiO ₂ powder on the SrTiO ₃ -based synthesized varistor materials. 2006 , 60, 720-724		12
980	Effect of sintering temperature on nonlinear electrical properties and stability against DC accelerated aging stress of (CoO, Cr ₂ O ₃ , La ₂ O ₃)-doped ZnO-Br ₆ O ₁₁ -based varistors. 2006 , 60, 3311-3314		35

979	Effect of sintering temperature on microstructure and electrical properties of Zn ²⁺ /Pr ³⁺ /Co ²⁺ /Cr ³⁺ /La oxide-based varistors. 2006 , 60, 3394-3397	19
978	In Situ Synthesis of Nanosized ZnO Particle/Organic Hybrids. 2006 , 45, 6033-6038	3
977	Development of an Efficient of Microwave Sintering Process. 2006 , 45, 602-609	1
976	Effect of step sintering on breakdown voltage of varistors prepared from nanomaterials by sol gel route. 2006 , 105, 158-160	20
975	QCM Studies of Chemical Solution Deposition of ZnO in Aqueous Media Containing Zinc Nitrate and Dimethylamineborane. 2006 , 153, C735	13
974	Nonlinear Electrical Behavior of Treated ZnO-EPDM Nanocomposites. 2006 ,	4
973	Low-voltage varistors from ZnO+CaMnO ₃ ceramics. 2006 , 88, 123513	6
972	Electrostatic force microscopy as a tool to estimate the number of active potential barriers in dense non-Ohmic polycrystalline SnO ₂ devices. 2006 , 89, 152102	29
971	Inhibition Effect of Twins to Grain Growth in ZnO Varistors. 2006 ,	
970	Graded interface models for more accurate determination of van der Waals-London dispersion interactions across grain boundaries. 2006 , 74,	20
969	Synthesis and bandgap oscillation of uncapped, ZnO clusters by electroporation of vesicles. 2006 , 17, 4713-8	32
968	ZnO Surge Arresters Diagnosis Using Microcontroller. 2007 ,	1
967	Electro-thermal simulation studies for pulsed voltage failures in microstructured ZNO varistors. 2007 ,	
966	Persistent photoconductivity in highly porous ZnO films. 2007 , 101, 013709	88
965	Voltage Response of ZnO Varistors to 8/20 μ s Surge Current. 2007 , 280-283, 285-288	1
964	Effect of La ₂ O ₃ and CeO ₂ on Nb ₂ O ₅ Doped TiO ₂ Ceramic Varistors. 2007 , 280-283, 301-304	
963	Nonlinear Electrical Properties of (Sc, Ta) Doped TiO ₂ Varistor Ceramics. 2007 , 280-283, 289-292	4
962	Microstructure and Electrical Properties of ZnO-Pr ₆ O ₁₁ -Dy ₂ O ₃ -Based Varistor Ceramics Doped with La ₂ O ₃ . 2007 , 336-338, 680-683	0

961	Effect of Gd ₂ O ₃ on the Electrical Properties of (Co, Nb)-Doped SnO ₂ Varistors. 2007 , 280-283, 271-274		
960	Grain Size Effects of SnO ₂ Varistor Induced by Doping Pr. 2007 , 280-283, 275-278		
959	Modeling of the Degradation Electromigrational Processes in Structures with Intercrystallite Potential Barriers. 2007 , 3, 477-490		4
958	Microstructure and electrical properties of Tb-doped zinc oxide-based ceramics. 2007 , 353, 2954-2957		7
957	Discussions on Nonuniformity of Energy Absorption Capabilities of ZnO Varistors. 2007 , 22, 1523-1532		56
956	Controlled catalytic growth and characterization of zinc oxide nanopillars on a-plane sapphire. 2007 , 101, 054319		24
955	Controlled photostability of luminescent nanocrystalline ZnO solution for selective detection of aldehydes. 2007 , 1406-8		73
954	Modification of IEEE model for metal oxide arresters against transient impulses using genetic algorithms. 2007 ,		0
953	Electro-thermal simulation studies for pulsed voltage induced energy absorption and potential failure in microstructured ZnO varistors. 2007 ,		
952	Space Charge Effects on the Interfacial Conduction in Sr-Doped Lanthanum Gallates: A Quantitative Analysis. 2007 , 111, 14903-14910		37
951	Electro-thermal Simulation Studies for Pulsed Voltage Induced Energy Absorption and Potential Failure in Microstructured ZnO Varistors. 2007 , 14, 1007-1015		17
950	ZnO Nanoparticles From a Metal-Organic Framework Containing ZnII Metallacycles. 2007 , 2007, 524-529		43
949	Electrical properties and stability of Tb-doped zinc oxide-based nonlinear resistors. 2007 , 141, 685-690		23
948	Microstructure and electrical properties of vanadium-doped zinc oxide-based non-ohmic resistors. 2007 , 143, 453-456		14
947	Photoemission studies of initial oxidation for ultra-thin zinc film on 6H-SiC(0 0 0 1) surface with synchrotron radiation. 2007 , 253, 3761-3765		3
946	Varistors based on Ta-doped TiO ₂ . <i>Ceramics International</i> , 2007 , 33, 301-303	5.1	40
945	Degradation phenomena due to humidity in low voltage ZnO varistors. <i>Ceramics International</i> , 2007 , 33, 151-154	5.1	18
944	The influence of surfactant on ZnO varistors. <i>Ceramics International</i> , 2007 , 33, 289-291	5.1	6

943	Influence of organics on ZnO coatings prepared by chemical solution deposition. <i>Ceramics International</i> , 2007 , 33, 1071-1074	5.1	1
942	Rare earth oxides effects on both the threshold voltage and energy absorption capability of ZnO varistors. <i>Ceramics International</i> , 2007 , 33, 1191-1197	5.1	46
941	Direct synthesis of varistor-grade doped nanocrystalline ZnO and its densification through a step-sintering technique. 2007 , 55, 5792-5801		63
940	Electrical properties and aging characteristics of terbium-doped ZPCC-based varistors. 2007 , 137, 112-118		10
939	Dependence of the nonlinear electrical behavior of SnO ₂ -based varistors on Cr ₂ O ₃ addition. <i>Ceramics International</i> , 2007 , 33, 187-192	5.1	20
938	Inversion domain boundaries in ZnO with additions of Fe ₂ O ₃ studied by high-resolution ADF imaging. 2007 , 38, 549-52		14
937	Nonlinear IâV characteristics in doped ZnO based-ceramic varistor. 2007 , 388, 266-273		50
936	An investigation for new type of varistor based on BSCCO ceramics. 2007 , 400, 1-5		3
935	Surface ionics: A brief review. 2007 , 27, 3459-3467		29
934	Preparation by solar physical vapor deposition (SPVD) and nanostructural study of pure and Bi doped ZnO nanopowders. 2007 , 27, 3413-3424		13
933	Varistors based in the ZnOâBi ₂ O ₃ system: Microstructure control and properties. 2007 , 27, 3867-3872		42
932	ZnO varistors from intensively milled powders. 2007 , 27, 3897-3900		12
931	Improved non-linear behaviour of ZnO-based varistor thick films prepared by tape casting and screen printing. 2007 , 27, 3887-3891		15
930	Advances in the study of the conduction modes in SnO ₂ varistors. 2007 , 27, 3907-3909		12
929	Admittance and dielectric spectroscopy of polycrystalline semiconductors. 2007 , 27, 4313-4320		33
928	Effect of Ag on the microstructure and electrical properties of ZnO. 2007 , 27, 4521-4527		70
927	Effect of the pH on the growth and properties of solâgel derived boron-doped ZnO transparent conducting thin film. 2007 , 307, 328-333		46
926	ZnO nanostructures, defects, and devices. 2007 , 10, 40-48		1369

925	Microstructure and Electrical Properties of Er ₂ O ₃ -Doped ZnO-Based Varistor Ceramics Prepared by High-Energy Ball Milling. 2007 , 25, 120-123		29
924	Influence of dislocation decoration with mobile donors on exciton luminescence in ZnO crystals. 2007 , 4, 3086-3089		3
923	Photoemission studies of Mn/ZnO(000-1) interface. 2007 , 39, 865-870		3
922	Soft core behavior in ZnOâBi ₂ O ₃ -based varistors containing oxides of Ce and Gd. 2007 , 204, 887-899		13
921	Sintering Temperature Dependence of Grain Boundary Resistivity in a Rare-Earth-Doped ZnO Varistor. <i>Journal of the American Ceramic Society</i> , 2007 , 90, 291-294	3.8	47
920	Atomic Structures and Electrical Properties of ZnO Grain Boundaries. <i>Journal of the American Ceramic Society</i> , 2007 , 90, 337-357	3.8	82
919	Microstructure Development in Low-Antimony Oxide-Doped Zinc Oxide Ceramics. <i>Journal of the American Ceramic Society</i> , 2007 , 90, 3239-3247	3.8	14
918	ZnO with Additions of Fe ₂ O ₃ : Microstructure, Defects, and Fe Solubility. <i>Journal of the American Ceramic Society</i> , 2007 , 90, 070924065850003-???	3.8	2
917	Characterization of ZnO-degraded varistors used in high-tension devices. 2007 , 42, 1159-1168		26
916	Dependence of La ₂ O ₃ content on the nonlinear electrical behaviour of ZnO, CoO and Ta ₂ O ₅ doped SnO ₂ varistors. 2007 , 61, 2121-2125		16
915	Nonlinear currentâvoltage properties and accelerated aging behavior of ZPCCL-based varistors with sintering temperature. 2007 , 61, 4950-4953		1
914	Doped Bi ₂ O ₃ : synthesis of microcrystalline samples and crystal chemical analysis of structural data. 2007 , 222,		7
913	Electronic memory effects in diodes of zinc oxide nanoparticles in a matrix of polystyrene or poly(3-hexylthiophene). 2007 , 102, 083701		82
912	The influence of aluminium on the overall properties of SnO ₂ -based varistors. 2007 , 42, 4832-4837		1
911	Reactionary processes during mechanical treatment of mixtures of ZnO and MnO ₂ . I. Formation of defects and solid solution. 2007 , 42, 7116-7122		13
910	Microstructure and varistor properties of ZnOâV ₂ O ₅ âMnO ₂ -based ceramics. 2007 , 42, 8370-8373		41
909	Improvement of energy-handling capability of the ZnO varistors prepared by fractional precipitation on the seed materials. <i>Journal of Materials Science: Materials in Electronics</i> , 2007 , 18, 495-503 ²¹		2
908	Low voltage varistor ceramics based on SnO ₂ . 2007 , 30, 583-586		10

907	ZnO varistors with reduced amount of additives prepared by direct mixing of constituent phases. 2007 , 27, 1101-1104		15
906	The effect of sintering temperature on electrical properties and accelerated aging behavior of PCCL-doped ZnO varistors. 2007 , 136, 134-139		23
905	Influence of Mn doping on microstructure and DC-accelerated aging behaviors of ZnO/V ₂ O ₅ -based varistors. 2008 , 150, 32-37		17
904	Study on the ZnO-based ceramic films for low-voltage varistors with high stability. 2008 , 21, 528-531		4
903	Microstructure, electrical properties, and dc aging characteristics of Tb ₄ O ₇ -doped ZnO-based varistors. 2008 , 43, 2857-2864		9
902	Improvement of electrical properties of V ₂ O ₅ modified ZnO ceramics by Mn-doping for varistor applications. <i>Journal of Materials Science: Materials in Electronics</i> , 2008 , 19, 1023-1029	2.1	20
901	Nonlinear electrical properties and aging characteristics of (NiO, MgO, Cr ₂ O ₃)-doped Zn-Pr-Co-R (R = Y, Er) oxide-based varistors. 2008 , 31, 1007-1013		3
900	Preparation and characterization of a ZnO powder with the hexagonal plate particles. 2008 , 181, 285-291		34
899	Studies on the degradation properties of the ZnO-based ceramic film varistors. 2008 , 85, 371-374		8
898	Improvement of electrical properties and aging characteristics of Pr ₄ O ₇ -modified ZnO varistors by Al ₂ O ₃ doping. 2008 , 151, 146-151		9
897	Crystal chemistry of Co-doped Zn ₇ Sb ₂ O ₁₂ . 2008 , 181, 334-339		7
896	Degradation characteristics of low-voltage ZnO varistor manufactured by chemical coprecipitation processing. 2008 , 202, 406-411		23
895	The effect of vibratory milling on the powder properties of zinc oxide varistors. 2008 , 201, 645-650		3
894	Investigation into the interactions between Bi ₂ O ₃ -doped ZnO and AgPd electrode. 2008 , 28, 2557-2562		10
893	Photocatalytic degradation for methylene blue using zinc oxide prepared by codeposition and sol-gel methods. 2008 , 152, 172-5		117
892	The influence of the synthesis route on the final properties of SnO ₂ -based varistors. <i>Ceramics International</i> , 2008 , 34, 563-571	5.1	17
891	Effects of MgO doping in Zn _{0.5} mol% V ₂ O ₅ varistors. <i>Ceramics International</i> , 2008 , 34, 1153-1157	5.1	21
890	Two-step method fabricating high nonlinearity ZnVSb based varistors. <i>Ceramics International</i> , 2008 , 34, 1425-1429	5.1	12

889	Effect of sintering temperature electrical properties of ZNR doped with Pr&Co&Cr&Ala. <i>Ceramics International</i> , 2008 , 34, 1521-1525	5.1	5
888	Formation of a solid solution of ZnO : Mn ²⁺ during mechanical treatment of oxides mixture. 2008 , 145, 122-125		8
887	Quantitative structural analysis of twin boundary in alpha-Zn ₇ Sb ₂ O ₁₂ using HAADF STEM method. 2008 , 109, 96-103		8
886	Growth mechanism and optical property of ZnO nanoparticles synthesized by sonochemical method. 2008 , 15, 863-8		120
885	Photopyroelectric spectroscopy of Sb ₂ O ₃ - ZnO ceramics. 2008 , 153, 33-35		2
884	Electrothermal Model Evaluation of Grain Size and Disorder Effects on Pulsed Voltage Response of Microstructured ZnO Varistors. <i>Journal of the American Ceramic Society</i> , 2008 , 91, 1188-1193	3.8	10
883	Grain Growth Behavior of Bi ₂ O ₃ -Doped ZnO Grains in a Multilayer Varistor. <i>Journal of the American Ceramic Society</i> , 2008 , 91, 1572-1579	3.8	22
882	Phase equilibria, crystal chemistry and polymorphism of Zn ₇ Sb ₂ O ₁₂ doped with Cr and Ni. 2008 , 43, 1949-1956		6
881	Ceramic system based on ZnO&CuO&glass. 2008 , 62, 335-337		8
880	Microstructure and electrical properties of Al ₂ O ₃ -doped ZPCCYA-based varistors. 2008 , 62, 2900-2903		8
879	The effect of sintering temperature on varistor properties of (Pr, Co, Cr, Y, Al)-doped ZnO ceramics. 2008 , 62, 4440-4442		28
878	Effect of Al concentration in grain and grain boundary region of Al-doped ZnO films: a dielectric approach. <i>Journal Physics D: Applied Physics</i> , 2008 , 41, 025307	3	23
877	Electrical Properties. 2008 , 35-78		36
876	Fabrication and properties evaluation of aluminum and ruthenium co-doped zinc oxide thin films. 2008 , 456, 64-71		16
875	Varistor property of SnO ₂ ·CoO·Ta ₂ O ₅ ceramic modified by barium and strontium. 2008 , 466, 483-487		13
874	Investigation of the Influence of the ZnO varistor preparation method on its characteristics. 2008 ,		0
873	Photostable and luminescent ZnO films: synthesis and application as fluorescence resonance energy transfer donors. 2008 , 4912-4		8
872	High performance ZnO varistors prepared from nanocrystalline precursors for miniaturised electronic devices. 2008 , 18, 3926		44

- 871 The variation of optical absorption edge with sintering time for the ceramic ZnO + xMnO₂-Bi₂O₃-TiO₂. **2008**,
- 870 SIMPLE AND COST EFFECTIVE FABRICATION OF ZnO THIN FILMS ON HYDROGEN TERMINATED SILICON SUBSTRATES BY NEBULISED SPRAY PYROLYSIS. **2008**, 22, 219-229
- 869 Preparation of Smooth Zinc Oxide Thin Film via Liquid Phase Reaction with Cation Additives. **2008**, 1113, 1
- 868 Investigation of Electron Traps in SnO₂ Based Varistor Ceramics. **2008**, 368-372, 517-520
- 867 Effect of Ho₂O₃ Doping on Performance of ZnO Varistor. **2008**, 368-372, 507-509 1
- 866 Roles of Dopants in Sintering Behavior of ZnO-Based Varistor. **2008**, 368-372, 479-482 5
- 865 Electronic Band Structure and Optical Properties of Sn_{n+1}Ti_nO_{3n+1} Ruddlesden-Popper Homologous Series. **2008**, 47, 5516-5520 20
- 864 Effect of B₂O₃ Doping on the Microstructure and Electrical Properties of ZnO-Based Varistors. **2008**, 368-372, 497-499 1
- 863 Diffraction data of Zn₃Cu₄Sb₂O₁₂. **2008**, 23, 56-59 1
- 862 Defect studies of ZnO single crystals electrochemically doped with hydrogen. **2008**, 103, 053508 45
- 861 Distribution of impurities and minor components in nanostructured conducting oxides. **2008**, 2, 253 16
- 860 Influence of Y₂O₃ on electrical properties and dielectric characteristics in ZnO based varistor ceramics. **2009**, 1
- 859 Residual voltage properties of ZnO varistors doped with Y₂O₃ for high voltage gradient. **2009**, 1
- 858 Structure and optical properties of doped ZnO/CoO films. **2009**,
- 857 Polarity engineering in polycrystalline ZnO by inversion boundaries. **2009**, 94, 252108 3
- 856 HIGH POTENTIAL GRADIENT OF ZnO VARISTORS PREPARED BY Y₂O₃-DOPING AND LOW-TEMPERATURE SINTERING. **2009**, 23, 3013-3022 5
- 855 Investigation of the effect of different dopants on the trap states of ZnO-based and SnO₂-based varistors. **2009**, 152, 012060 1
- 854 Grain Boundary Phase Transformations in Nanostructured Conducting Oxides. **2009**, 75-88

853	Microwave sintering of doped nanocrystalline ZnO and characterization for varistor applications. <i>Materials Chemistry and Physics</i> , 2009 , 115, 677-684	4.4	42
852	Structures, varistor properties, and electrical stability of ZnO thin films. 2009 , 63, 2321-2323		21
851	Size Effect on Properties of Varistors Made From Zinc Oxide Nanoparticles Through Low Temperature Spark Plasma Sintering. 2009 , 19, 1775-1783		37
850	A microwave-assisted process for coating polymer and glass surfaces with semiconducting ZnO submicron particles. 2009 , 113, 1773-1780		12
849	Modelling of surface exchange reactions and diffusion in composites and polycrystalline materials. 2009 , 140, 1059-1068		11
848	Colloidal templating for producing hollow ZnO shells: Fabrication, growth and electrical properties. 2009 , 517, 3904-3907		7
847	A study on the Raman spectra of Al-doped and Ga-doped ZnO ceramics. 2009 , 9, 651-657		68
846	Structure and electrical properties of electrospun ZnO-NiO mixed oxide nanofibers. 2009 , 9, S213-S216		26
845	The effect of lithium oxide on the threshold field of ZnO varistors. <i>Ceramics International</i> , 2009 , 35, 1385-1389	5.1	6
844	Effect of sintering temperature on varistor properties and aging characteristics of ZnO-NiO-MnO ₂ ceramics. <i>Ceramics International</i> , 2009 , 35, 2679-2685	5.1	39
843	Fabrication and electrical properties of ordered two-dimensional hollow ZnO shells arrays. 2009 , 70, 1166-1170		1
842	ZnO-based varistor thick films with high non-linear electrical behavior. 2009 , 23, 62-66		5
841	Photochemistry on a polarisable semi-conductor: what do we understand today?. 2009 , 44, 5063-5079		100
840	Effect of cooling rate on electrical properties, impulse surge and dc-accelerated aging behaviors of ZPCCD-based varistors. <i>Journal of Materials Science: Materials in Electronics</i> , 2009 , 20, 418-424	2.1	15
839	Al doping effect on microstructure, electrical properties, dielectric characteristics, and aging behaviors of ZPCCY-based varistors. <i>Journal of Materials Science: Materials in Electronics</i> , 2009 , 20, 718-726		5
838	Synthesis and Crystal Structures of InGaO ₃ (ZnO) _m (m = 2 and 3). 2009 , 635, 2065-2071		24
837	Facile preparation and characterization of novel fluoroalkyl end-capped oligomer/zinc oxide nanocomposites. 2009 , 58, 177-182		6
836	Inner Electrodes for Multilayer Varistors. 2009 , 6, 223-230		5

835	Microstructure-Property Relationships for Low-Voltage Varistors. 2009 , 7, E80-E88		8
834	Electrical conductivity study in pure and doped ZnO ceramic system. 2009 , 404, 1316-1320		74
833	Effect of synthesis method variables on particle size in the preparation of homogeneous doped nano ZnO material. 2009 , 91, 272-276		19
832	A comparative study between the mixed-oxide and high-energy milling planetary method on electrical and microstructural properties for a SnO ₂ -based ceramic system. 2009 , 209, 318-323		8
831	Cr ₂ O ₃ doping in ZnO-0.5 mol% V ₂ O ₅ varistor ceramics. <i>Ceramics International</i> , 2009 , 35, 409-413	5.1	40
830	Effect of MnO ₂ addition on microstructure and electrical properties of ZnO-V ₂ O ₅ -based varistor ceramics. <i>Ceramics International</i> , 2009 , 35, 541-546	5.1	43
829	Preparation and electrical properties of multilayer ZnO varistors with water-based tape casting. <i>Ceramics International</i> , 2009 , 35, 487-492	5.1	29
828	Improvement on the mechanical properties of zinc oxide green sheets by aqueous acrylamide gel tape casting. <i>Ceramics International</i> , 2009 , 35, 2645-2649	5.1	4
827	Preparation and varistor properties of new quaternary Zn _{1-x-y-z} Mn _x (La, Dy) ceramics. <i>Ceramics International</i> , 2009 , 35, 3435-3440	5.1	35
826	The effect of heat treatment on the physical properties of sol-gel derived ZnO thin films. 2009 , 255, 5812-5817		236
825	Microstructures and characteristics of deep trap levels in ZnO varistors doped with Y ₂ O ₃ . 2009 , 52, 3668-3673	13	
824	Highly textured zinc oxide films by room temperature ion beam assisted deposition. 2009 , 3, 236-238		13
823	Photoluminescence and electrical transport characteristics of ZnO nanorods grown by vapor-solid technique. 2009 , 106, 024103		20
822	Effects of Counteranions and Dissolved Oxygen on Chemical ZnO Deposition from Aqueous Solutions. 2009 , 156, H320		15
821	Dielectric and non-ohmic properties of Bi _x Na _{1-x} Nb ₂ O _{5.5+x} ceramics. 2009 , 481, L1-L3		4
820	Synthesis, characterization and charge transport mechanism of CdZnO nanorods. 2009 , 485, 59-63		96
819	ZnO glass-ceramics: An alternative way to produce semiconductor materials. 2009 , 94, 151908		35
818	Organometallic chemistry: an alternative approach towards metal oxide nanoparticles. 2009 , 19, 4044		74

817	I ¹ V characteristics of a ZnO thick-film varistor fabricated by cold-pressing method. 2009 ,		2
816	Current-voltage characteristics of SnO ₂ -Co ₃ O ₄ -Cr ₂ O ₃ -Sb ₂ O ₅ ceramics. <i>Journal Physics D: Applied Physics</i> , 2009 , 42, 205401	3	8
815	Novel varistor material based on terbium oxide. <i>Journal Physics D: Applied Physics</i> , 2009 , 42, 035401	3	9
814	SnO ₂ -based varistors capable of withstanding surge current. 2009 , 117, 851-855		20
813	Energy Shift of Native 2.45 eV Related Defects in Annealed ZnO Films. 2010 , 15, 012041		1
812	Measurement of switching voltage of zinc oxide varistors between pre-breakdown and breakdown regions. 2010 , 118, 161-163		1
811	Photoluminescence and photoconductive characteristics of hydrothermally synthesized ZnO nanoparticles. 2010 , 18,		86
810	Electrical properties of Pr ₆ O ₁₁ -doped WO ₃ capacitor-varistor ceramics. <i>Ceramics International</i> , 2010 , 36, 1063-1067	5.1	7
809	Electrical properties and AC degradation characteristics of low voltage ZnO varistors doped with Nd ₂ O ₃ . <i>Ceramics International</i> , 2010 , 36, 1095-1099	5.1	21
808	Electrical behavior against current impulse in ZnO-Pr ₆ O ₁₁ -based varistor ceramics with terbium addition. <i>Ceramics International</i> , 2010 , 36, 1495-1501	5.1	23
807	Influence of boric acid as a flux on the properties of ZnO ceramics. 2010 , 45, 468-471		13
806	Gas sensing properties of WO ₃ -based ceramics to ethanol vapors. 2010 , 148, 1-5		11
805	Fabrication of ZnO-based thick film varistors with high potential gradient. 2010 , 29, 390-395		1
804	Effect of SiO ₂ addition on the microstructure and electrical properties of ZnO-based varistors. 2010 , 17, 86-91		40
803	Effect of aluminum addition on electrical properties, dielectric characteristics, and its stability of (Pr, Co, Cr, Y)-added zinc oxide-based varistors. 2010 , 33, 239-245		4
802	Thermoelectric Properties of Nanograined ZnO. 2010 , 39, 2059-2063		45
801	Deep level transient spectroscopy study of the effect of Mn and Bi doping on trap formation in ZnO. 2010 , 25, 188-197		12
800	High voltage SnO ₂ varistors prepared from nanocrystalline powders. <i>Journal of Materials Science: Materials in Electronics</i> , 2010 , 21, 199-205	2.1	5

799	Electrical properties of SnO ₂ based varistor ceramics with CuO addition. <i>Journal of Materials Science: Materials in Electronics</i> , 2010 , 21, 331-337	2.1	16
798	Influence of Nb addition on microstructure, electrical, dielectric properties, and aging behavior of MnCoDy modified ZnO-based varistors. <i>Journal of Materials Science: Materials in Electronics</i> , 2010 , 21, 540-547	2.1	25
797	Preparation of aluminum-doped zinc oxide (AZO) nano particles by hydrothermal synthesis. 2010 , 55, 171-176		23
796	Effects of Ag particles on sintering and electrical properties of ZnO-based varistor. 2010 , 45, 974-978		3
795	Effects of cobalt doping on the electrical characteristics of Al-doped ZnO varistors. 2010 , 64, 1081-1084		39
794	Highly stable nonlinear behavior against impulse current of ZnO:Pr ₆ O ₁₁ :Co:Cr ₂ O ₃ :ZnO varistors. 2010 , 64, 2631-2634		6
793	Delamination and solvothermal decomposition of layered zinc hydroxysalt: Formation of bimodal zinc oxide nanostructures. 2010 , 12, 1399-1403		9
792	Spray-deposited Li-doped ZnO transistors with electron mobility exceeding 50 cm ² /Vs. 2010 , 22, 4764-9		99
791	Electrical and mechanical properties of bismuth oxide nanowire/poly(vinyl acetate). 2010 , 118, n/a-n/a		2
790	Grain growth behaviour of ZnO-based multilayer varistors. 2010 , 30, 525-530		15
789	Electric force microscopy investigations of barrier formations in ZnO-based varistors. 2010 , 30, 549-554		17
788	Al doping effect on electrical and dielectric aging behavior against impulse surge in ZPCCYA-based varistors. 2010 , 170, 123-128		22
787	Electrical conduction in SnO ₂ varistors. 2010 , 405, 705-711		30
786	Structural, chemical and magnetic investigations of polycrystalline Zn _{1-x} Mn _x O. 2010 , 322, 536-541		28
785	Investigation of deep level transient spectroscopy (DLTS) of dopant ZnO-based varistors. 2010 , 405, 1518-1522		7
784	Microstructure and electrical properties of Ho ₂ O ₃ doped Bi ₂ O ₃ -based ZnO varistor ceramics. 2010 , 405, 3770-3774		26
783	Microwave-assisted sintering of ZnO varistors: Local microstructure and functional property variations. 2010 , 170, 15-21		17
782	Temperature dependence of electrophysical characteristics of zinc oxide based varistors. 2010 , 84, 1232-1235		15

781	Effect of dopant (Al, Nb, Bi, La) on varistor properties of ZnO $\text{V}_2\text{O}_5\text{MnO}_2\text{Co}_3\text{O}_4\text{Dy}_2\text{O}_3$ ceramics. <i>Ceramics International</i> , 2010 , 36, 1109-1115	5.1	43
780	Densification and grain growth of CuO-doped Pr ₆ O ₁₁ varistors. <i>Ceramics International</i> , 2010 , 36, 1511-1516	5.16	10
779	Dielectric relaxation of ZnO nanostructure synthesized by soft chemical method. 2010 , 10, 676-681		123
778	The Crystal Structure of InGaO ₃ (ZnO) ₄ : A Single Crystal X-ray and Electron Diffraction Study'. 2010 , 636, 1045-1049		15
777	The Influence of ZnF ₂ Doping on the Electrical Properties and Microstructure in Bi ₂ O ₃ -ZnO-Based Varistors. <i>Journal of the American Ceramic Society</i> , 2010 , 93, 44-47	3.8	7
776	Time-Domain Response Simulation of ZnO Varistors by Voronoi Network with an Actual Grain Boundary Model. <i>Journal of the American Ceramic Society</i> , 2010 , 93, 1547	3.8	10
775	Temperature Dependences of Leakage Currents of ZnO Varistors Doped with Rare-Earth Oxides. <i>Journal of the American Ceramic Society</i> , 2010 , 93, 2155-2157	3.8	10
774	Sintering Temperature Dependence of Varistor Properties and Aging Behavior in ZnO-Pr ₆ O ₁₁ -CoO-Cr ₂ O ₃ -Al ₂ O ₃ -ZrO ₂ Ceramics. <i>Journal of the American Ceramic Society</i> , 2010 , 93, 2297-2304	3.8	8
773	Microwave Sintering of Multilayer Integrated Passive Devices. <i>Journal of the American Ceramic Society</i> , 2010 , 93, 2274-2280	3.8	9
772	The Effect of Aluminum on Electrical Properties of ZnO Varistors. <i>Journal of the American Ceramic Society</i> , 2010 , 93, 2441-2444	3.8	41
771	Statistical Pulse Degradation Characteristics of Grain Boundaries in a ZnO Varistor Based on Microcontact Measurement. <i>Journal of the American Ceramic Society</i> , 2010 , 93, 2473-2475	3.8	6
770	Analysis of High-Voltage ZnO Varistor Prepared from a Novel Chemically Aided Method. <i>Journal of the American Ceramic Society</i> , 2010 , 93, 2522-2525	3.8	13
769	Low-Temperature Sintering and Electrical Properties of ZnO-Bi ₂ O ₃ -TiO ₂ -Co ₂ O ₃ -MnCO ₃ -Based Varistor with Bi ₂ O ₃ -B ₂ O ₃ Frit for Multilayer Chip Varistor Applications. <i>Journal of the American Ceramic Society</i> , 2010 , 93, 3319-3323	3.8	51
768	Major Effects on Impulse Aging Behavior of ZnO-Pr ₆ O ₁₁ -CoO-Cr ₂ O ₃ -ZrO ₂ Varistor Ceramics with Small Sintering Changes. <i>Journal of the American Ceramic Society</i> , 2010 , 93, 3056-3059	3.8	13
767	Study of the Electrophysical Properties of Composite Varistors Based on Zinc Oxide and Polymer (Polyaniline). 2010 , 2010, 1-5		2
766	Saturation Effect of Al(NO ₃) ₃ Dopant on Residual Voltages of ZnO Based Varistor Ceramics. 2010 , 105-106, 310-313		1
765	Synthesis of Pr ₆ O ₁₁ Doped Zinc Varistors by High-Energy Milling. 2010 , 105-106, 314-316		
764	Microstructure and Electrical Properties of Nd ₂ O ₃ -Doped TiO ₂ -Ta ₂ O ₅ -Based Capacitor-Varistor Ceramics. 2010 , 160-162, 348-352		1

- 763 Optical and Structural Characterization of ZnO Films Deposited by Chemical Bath and Activated by Means of Microwaves. **2010**, 636-637, 411-417
- 762 A Comparative Study between the Effects of Magnetic and Nonmagnetic Dopants on the Properties of ZnO Varistors. **2010**, 2010, 1-9 13
- 761 Optimization of Sintering Temperature and Doping Level of Cr₂O₃ in ZnO-Pr₆O₁₁-Based Varistor Ceramics. **2010**, 177, 382-385
- 760 Phase Transformation and Electrical Properties of Bi₂O₃-Based ZnO Varistor Doped with WO₃. **2010**, 49, 061102 3
- 759 Origin of varistor properties of tungsten trioxide (WO₃) ceramics. **2010**, 31, 023001 5
- 758 Simulation on surge responses of ZnO varistors by Voronoi network with actual grain boundary model. **2010**,
- 757 Research on Mechanism of Improving Electrical Properties of ZnO Varistor Ceramics by Laser Shock Processing. **2010**, 37-38, 1045-1049 2
- 756 Effect of Sintering Temperature on the Photothermal Spectrum of Bi₂O₃-TiO₂-Co₃O₄-ZnO Ceramics. **2010**,
- 755 Effect of pH on Zinc Oxide Powder Prepared by a Chemical Co-Precipitation Method. **2010**, 93-94, 691-694 2
- 754 Synthesis of Pr₆O₁₁ and Y₂O₃ Doped Zinc Varistors by High Energy Milling. **2010**, 411, 93-98
- 753 Microstructure and electrical properties of ZnO- γ -Fe₂O₃-MnO₂-Co₃O₄-Dy₂O₃-Nb₂O₅-based varistors. **2010**, 490, L52-L54 18
- 752 Effect of TiO₂ doping on microstructural and electrical properties of ZnO-Pr₆O₁₁-based varistor ceramics. **2010**, 497, 304-307 53
- 751 Improvement in electrical stability of ZnO varistors by infiltration of molten Bi₂O₃. **2010**, 503, 507-513 23
- 750 Microstructure and electrical characteristics of MnTa-doped ZnO- γ -Fe₂O₃-ceramics with sintering. **2010**, 505, 657-660 15
- 749 Influence of Fe₂O₃ doping on microstructural and electrical properties of ZnO-Pr₆O₁₁ based varistor ceramic materials. **2010**, 508, 494-499 46
- 748 Effect of sintering temperature on microstructure and electrical properties of ZVMCDN ceramics. **2010**, 64, 830-832 7
- 747 Evaluation of insulated gate bipolar transistor protection with ZnO thick films varistors. **2010**, 3, 1 1
- 746 Structural improvement of zinc oxide films produced by ion beam assisted reactive sputtering. *Journal Physics D: Applied Physics*, **2010**, 43, 205301 3 13

- 745 Low Temperature Dielectric Relaxations in ZnO Varistor. **2010**, 49, 051102 9
- 744 The AC aging characteristics of high voltage gradient ZnO varistors doped with different content of Bi₂O₃. **2010**,
- 743 Mechanisms leading to nonlinear electrical response of a nano p-SiC/silicone rubber composite. **2010**, 17, 1687-1696 65
- 742 Synthesis of novel core-shell nanocomposites for fabricating high breakdown voltage ZnO varistors. **2011**, 21, 11418 20
- 741 Effect of Pr on the Microstructure and Electrical Properties of Ta-Doped TiO₂ Capacitor-Varistor Ceramics. **2011**, 687, 34-38 1
- 740 Residual voltage caused by grain boundary in ZnO varistor ceramics. **2011**, 1 1
- 739 Effect of CeO₂ on the Electrical Properties of Ta₂O₅-Doped TiO₂ Capacitor-Varistor Ceramics. **2011**, 214, 168-172 4
- 738 The Effects of Bi₂O₃ Doping on the Electrical Characteristics of SnO₂ Based Varistors. **2011**, 287-290, 486-489 2
- 737 Structural characterization of self-assembled ZnO nanoparticles obtained by the sol-gel method from Zn(CH₃COO)₂ · 2H₂O. **2011**, 22, 395603 44
- 736 Effect of Er₂O₃ on the Microstructure and Electrical Properties of WO₃ Capacitor-Varistor Ceramics. **2011**, 233-235, 2503-2506
- 735 Optimization of Sol-Gel-Formed ZnO:Al Processing Parameters by Observation of Dopant Ion Location Using Solid-State ²⁷Al NMR Spectrometry. **2011**, 115, 15031-15039 26
- 734 Influence of B₂O₃ additives on microstructure and electrical properties of ZnO-Bi₂O₃-B₂O₃-based varistors. **2011**, 509, L56-L58 15
- 733 Effect of SnO₂ doping on microstructural and electrical properties of ZnO-Br₆O₁₁ based varistor ceramics. **2011**, 509, 7175-7180 21
- 732 Sintering effect on electrical properties of ZnO-V₂O₅-MnO₂-Nb₂O₅ ceramics. **2011**, 509, L314-L317 16
- 731 Crystal Structures and Properties of ZnO Nanopowders Prepared by Ultrasonic Method. **2011**, 9, 482-485 2
- 730 Nano/sub-nano analysis based on high resolution transmission electron microscopy for ceramic materials. **2011**, 119, 8-15
- 729 Effect of Ni and Cr on the stability of leakage current for spinel-reduced ZnO varistor ceramics. **2011**, 119, 234-237 4
- 728 Nickel oxide doping effects on electrical characteristics and microstructural phases of ZnO varistors with low residual voltage ratio. **2011**, 119, 43-47 13

727	Impulse Aging Behavior Against of ZnO-Pr ₂ O ₃ -Co ₂ O ₃ -Cr ₂ O ₃ -Y ₂ O ₃ -In ₂ O ₃ Dy Varistors with Cobalt Addition. <i>Journal of the American Ceramic Society</i> , 2011 , 94, 328-331	3.8	8
726	Impulse Aging Behavior of ZnO-Nb ₂ O ₅ -Based Varistors with Nb ₂ O ₅ Addition. <i>Journal of the American Ceramic Society</i> , 2011 , 94, 1305-1308	3.8	6
725	Enhancement of the Electrical Stability of ZnO Varistors by a Novel Immersion Process. <i>Journal of the American Ceramic Society</i> , 2011 , 94, 2939-2945	3.8	6
724	(Co, Nb, Sm)-Doped Tin Dioxide Varistor Ceramics Sintered Using Nanopowders Prepared by Coprecipitation Method. <i>Journal of the American Ceramic Society</i> , 2011 , 94, 3249-3255	3.8	11
723	Comparative Study of Microstructure and Electrical Properties of Varistors Prepared from Plasma Vapor-Phase Reaction Process and French Process ZnO Powders. <i>Journal of the American Ceramic Society</i> , 2011 , 94, 3871-3876	3.8	6
722	Sintering Effect on Pulse Aging Behavior of ZnO-Nb ₂ O ₅ -Mn ₂ O ₃ -Co ₂ O ₃ Varistors. <i>Journal of the American Ceramic Society</i> , 2011 , 94, 2269-2272	3.8	10
721	The Effect of Bi ₂ O ₃ /SiO ₂ Molar Ratio and Annealing on the dc Degradation of ZnO Varistors. <i>Journal of the American Ceramic Society</i> , 2011 , 94, 2300-2303	3.8	4
720	Er ₂ O ₃ Doping Effect on Electrical Properties of ZnO-Nb ₂ O ₅ -Mn ₂ O ₃ -Co ₂ O ₃ Varistor Ceramics. <i>Journal of the American Ceramic Society</i> , 2011 , 94, 3227-3229	3.8	21
719	Improvement in Nonlinear Properties and Electrical Stability of ZnO Varistors with B ₂ O ₃ Additives by Nano-Coating Method. <i>Journal of the American Ceramic Society</i> , 2011 , 95, n/a-n/a	3.8	2
718	Characterization of nanostructures of ZnO and ZnMnO films deposited by successive ionic layer adsorption and reaction method. 2011 , 519, 7638-7643		9
717	Solid state synthesis of tin-doped ZnO at room temperature: characterization and its enhanced gas sensing and photocatalytic properties. 2011 , 193, 194-9		65
716	Effect of dysprosia doping on structural and electrical property of stabilized zirconia for intermediate- temperature SOFCs. <i>Materials Chemistry and Physics</i> , 2011 , 125, 202-209	4.4	10
715	Statistics on the AC ageing characteristics of single grain boundaries of ZnO varistor. <i>Materials Chemistry and Physics</i> , 2011 , 125, 9-11	4.4	15
714	Varistor properties of ZnO-Pr ₆ O ₁₁ -CoO-Cr ₂ O ₃ -Y ₂ O ₃ -In ₂ O ₃ ceramics. 2011 , 65, 1299-1301		11
713	Preparation of smooth zinc oxide thin film via liquid phase reaction with aluminum ion additives. 2011 , 65, 2826-2828		2
712	AC ageing characteristics of Y ₂ O ₃ -doped ZnO varistors with high voltage gradient. 2011 , 65, 2595-2597		26
711	Microstructure, electrical properties, and aging behavior of ZnO-Pr ₆ O ₁₁ -CoO-Cr ₂ O ₃ -Y ₂ O ₃ -Er ₂ O ₃ varistor ceramics. <i>Ceramics International</i> , 2011 , 37, 3049-3054	5.1	16
710	Novel pulse ageing characteristics of ZPCCE varistor ceramics. <i>Ceramics International</i> , 2011 , 37, 3781-3784	4.1	2

709	Effect of Mn doping on electrical properties and accelerated ageing behaviours of ternary ZVM varistors. 2011 , 34, 1385-1391		2
708	Varistor composites with a positive temperature coefficient of resistance. 2011 , 56, 427-428		6
707	Effect of aluminum doping on electrical and dielectric aging behavior against current impulse of ZPCCY-based varistors. <i>Journal of Materials Science: Materials in Electronics</i> , 2011 , 22, 77-83	2.1	1
706	Microstructure and electrical properties of Pr6O11 doped ZnO-Bi2O3-based varistors. <i>Journal of Materials Science: Materials in Electronics</i> , 2011 , 22, 96-100	2.1	6
705	DC accelerated aging behavior of Co&Dy&Nb doped Zn&V&M-based varistors with sintering process. <i>Journal of Materials Science: Materials in Electronics</i> , 2011 , 22, 444-451	2.1	19
704	Varistor properties and aging behavior of ZnO-V2O5-Mn3O4 ceramics with sintering process. <i>Journal of Materials Science: Materials in Electronics</i> , 2011 , 22, 1010-1015	2.1	9
703	Effect of Dy2O3 addition on microstructure, electrical properties, and aging behavior of ZnO&V2O5&MnO2&CoO varistor ceramics. <i>Journal of Materials Science: Materials in Electronics</i> , 2011 , 22, 1674-1680	2.1	7
702	Microstructure and electrical properties of Sm2O3 doped Bi2O3-based ZnO varistor ceramics. 2011 , 176, 855-860		25
701	Pulse aging behavior of ZnO&Pr6O11&CoO&Cr2O3&Dy2O3 varistor ceramics with sintering time. <i>Ceramics International</i> , 2011 , 37, 1409-1414	5.1	7
700	Influence of Ag doping on the microstructure and electrical properties of ZnO-Bi2O3-based varistor ceramics. 2011 , 18, 600-605		5
699	Effects of manganese dioxide additives on the electrical characteristics of Al-doped ZnO varistors. 2011 , 54, 2204-2208		4
698	Dependence of residual voltage ratio behavior of SnO2-based varistors on Nb2O5 addition. 2011 , 54, 1415-1418		3
697	Relationship between space charge and nonlinear characteristics of ZnO varistor. 2011 , 54, 1771-1778		5
696	Interface states and MWS polarization contributions to the dielectric response of low voltage ZnO varistor. <i>Ceramics International</i> , 2011 , 37, 207-214	5.1	17
695	Impulse degradation behavior of Co&Cr&Al&V-doped ZnO&Pr6O11-based varistors with sintering temperature. <i>Ceramics International</i> , 2011 , 37, 265-271	5.1	4
694	Sintering behavior of Zn&Pr&Co&Mn&D varistor ceramics. <i>Ceramics International</i> , 2011 , 37, 2897-2900	5.1	3
693	Microstructure and electrical properties of Pr6O11&Co3O4&MnCO3&V2O3-doped ZnO varistors. <i>Ceramics International</i> , 2011 , 37, 2901-2905	5.1	6
692	Structural studies of Mn doped ZnO nanoparticles. 2011 , 11, 762-766		66

691	Boron doped ZnO thin films fabricated by RF-magnetron sputtering. 2011 , 257, 2498-2502	75
690	Dielectric behavior and transport properties of ZnO nanorods. 2011 , 406, 3023-3029	65
689	Non-uniform ageing behavior of individual grain boundaries in ZnO varistor ceramics. 2011 , 31, 1451-1456	34
688	Combustion synthesis of doped nanocrystalline ZnO powders for varistors applications. 2011 , 31, 1905-1913	54
687	Two-step sintering of ZnO varistors. 2011 , 190, 99-105	29
686	Microstructural characteristics and grain growth kinetics of Pr6O11 Doped SnO2-based varistors. 2011 , 189, 13-18	21
685	Effect of Ball Milling of Composite Additives on the Microstructure and Electrical Properties of ZnO Varistors. 2011 , 695, 581-584	
684	Influence of Sintering Temperature on the Electrical Properties of (La, Ta)-Doped TiO2 Capacitor-Varistor Ceramics. 2011 , 197-198, 294-297	1
683	Synthesis of Pr6O11 Doped ZnO-Based Varistors by Pyrogenic Decomposition of Nitrate. 2011 , 675-677, 179-182	
682	Effect of La2O3 on the Electrical Properties of WO3-Based Varistor Ceramics. 2011 , 480-481, 137-141	1
681	Effect of Er2O3 on the Microstructure and Electrical Properties of (Er, Ta)-Doped TiO2 Capacitor-Varistor Ceramics. 2011 , 216, 563-567	
680	Effect of Temperature on Microstructure and Electrical Properties of (Y, Ta)-Doped TiO2 Capacitor-Varistor Ceramics. 2011 , 214, 173-177	0
679	Effect of Fe2O3 Dopant on Electronic Densities and Electrical Properties of ZnO-Based Varistors. 2011 , 415-417, 1042-1045	
678	Application of Dielectric Spectroscopy in ZnO Varistor Ceramics. 2011 , 393-395, 24-27	6
677	Electronic relaxation of deep bulk trap and interface state in ZnO ceramics. 2011 , 20, 025201	4
676	Structural and Dielectric Properties of Sintering Zinc Oxide Bulk Ceramic. 2011 , 02, 764-769	7
675	The Effects of Cu Dopant on the Microstructure and Non-Ohmic Electrical Properties of ZnO Varistors. 2011 , 343-344, 160-165	1
674	Effects of Doped Cu, Mn on Electrical Properties of SrTiO3-Based Varistor Ceramics. 2011 , 399-401, 783-787	

673	Influence of Al ₂ O ₃ Doping on the Microstructure and Current-Voltage Characteristics of ZnO-Based Linear Resistance Ceramics. 2011 , 480-481, 556-559		2
672	The controllability of the non-ohmic and dielectric properties of the zno- based ceramic by doping with Ag. 2011 ,		
671	Grain Growth in (Ga, Mn)-Codoped ZnO Ceramics. 2011 , 492, 250-255		
670	Effect On The Processing Characteristics Of ZnO Varistors Produced Using Vibratory Milling. 2011 ,		1
669	The Design Principle and Application of Power Resistor with over Temperature and over Current Protection Function. 2012 , 562-564, 1501-1504		1
668	Microstructure Design and Optimization of ZnO-Bi ₂ O ₃ -Sb ₂ O ₃ Based Ceramic Varistors. 2012 , 519, 232-235		
667	La Doped Layered Structure Low-Voltage ZnO Varistor. 2012 , 512-515, 1263-1267		
666	Isothermal depolarization current spectroscopy of localized states in metal oxide varistors. <i>Journal Physics D: Applied Physics</i> , 2012 , 45, 465305	3	5
665	Inadequacy of the Mott-Schottky equation in strongly pinned double Schottky barriers with no deep donors. <i>Journal Physics D: Applied Physics</i> , 2012 , 45, 495302	3	7
664	The Design Principle and Application of Thermally Protected Metal Oxide Varistor TMOV. 2012 , 472-475, 1851-1855		
663	B ₂ O ₃ -Doped ZnO-Pr ₆ O ₁₁ Based Varistor Ceramics. 2012 , 512-515, 1277-1280		0
662	The Effects of B ₂ O ₃ Addition and Sintering Temperature on the Electrical Properties of SnO ₂ Based Varistors. 2012 , 621, 35-38		
661	SIMULATION OF THE ELECTRICAL PROPERTIES OF ZnO-BASED CERAMIC VARISTORS USING CONTINUUM THEORY. 2012 , 26, 1250104		1
660	Study on Electronic Properties of ZnO Doped with Cr, Mn and Co by First Principles. 2012 , 512-515, 1257-1262		
659	Basic models of isothermal depolarization analysis for diagnostics of heterogeneous materials. 2012 , 8, 105-119		1
658	Effect of Calcination of the Raw Materials on the Microstructure and Electrical Properties of ZnO-Based Linear Resistance Ceramics. 2012 , 724, 327-330		
657	Structural and electronic characteristics of pure and doped ZnO varistors. 2012 , 21, 116103		12
656	Effects of Y ₂ O ₃ and In ₂ O ₃ on the Electrical Properties of SnO ₂ -Based Varistors. 2012 , 217-219, 741-745		2

655	Effect of precipitation temperature and organic additives on size and morphology of ZnO nanoparticles. 2012 , 27, 1452-1461		12
654	Synthesis mechanism of low-voltage praseodymium oxide doped zinc oxide varistor ceramics prepared through modified citrate gel coating. 2012 , 13, 5278-89		23
653	Sol-gel synthesis of Y ₂ O ₃ -doped ZnO thin films varistors and their electrical properties. 2012 , 22, s110-s114		17
652	Zinc oxide nanoparticles reinforced conducting poly(aniline-co-p-phenylenediamine) nanocomposite. 2012 , 19, 397-409		20
651	Major effect on electrical properties and aging behavior of ZnO/Pr ₆ O ₁₁ -based varistor ceramics with small In ₂ O ₃ doping changes. <i>Journal of Materials Science: Materials in Electronics</i> , 2012 , 23, 1715-1727		1
650	Electrical and dielectric characteristics of erbium-added ZnO/W ₂ O ₅ -based varistor ceramics. <i>Ceramics International</i> , 2012 , 38, 6651-6658	5-1	11
649	Structure control of sputtered zinc oxide films by utilizing zinc oxide seed layers tailored by ion beam assisted sputtering. <i>Journal Physics D: Applied Physics</i> , 2012 , 45, 245302	3	8
648	DC degradation of ZnO varistor and its restorability by heat-treatment. 2012 ,		1
647	Energy Dispersive Spectrometer Analysis of AC Aged Zinc-Oxide Varistors. 2012 ,		
646	Reaction processes in a ZnO+1%Gd ₂ O ₃ powder mixture during mechanical and laser processing. 2012 , 177, 1417-1422		2
645	Effects of the mechanical activation of zinc carbonate hydroxide on the formation and properties of zinc oxides. 2012 , 519, 161-166		11
644	Effect of ZnO doping on microstructural and electrical properties of SnO ₂ /Ta ₂ O ₅ based varistors. 2012 , 528, 79-83		31
643	ZnO nanoparticles: Structural, optical and photoconductivity characteristics. 2012 , 539, 1-6		72
642	Semiconductors Elaboration/ZnO Based Varistors for Improving of Stability and Reliability of Electrical Systems Applications by Using the Rare-Earths. 2012 , 19, 1-14		3
641	Elaboration of ZnO Based Varistors and the Effect of the Rare-Earths on their Electrical Behaviour. 2012 , 19, 116-127		6
640	Sintering effect on ageing behavior of rare earths (Pr ₆ O ₁₁ -Er ₂ O ₃ -Y ₂ O ₃)-doped ZnO varistor ceramics. 2012 , 30, 1028-1033		16
639	Electrical properties of new tin dioxide varistor ceramics at high currents. 2012 , 32, 3801-3807		11
638	Preparation and applications of novel fluoroalkyl end-capped oligomeric nanocomposites. 2012 , 3, 46-65		63

637	Williamson-Hall analysis in estimation of lattice strain in nanometer-sized ZnO particles. 2012 , 6, 6		951
636	Synthesis of Nano ZnO Powder and Study of Its Varistor Behavior at Different Temperatures. 2012 , 1,		
635	Measurement of electrical characteristics of ZnO microvaristors. 2012 , 7, 107-108		2
634	Solid-State Thermolysis of Anion Induced Metal-Organic Frameworks to ZnO Microparticles with Predefined Morphologies: Facile Synthesis and Solar Cell Studies. 2012 , 12, 2572-2578		47
633	The AC impedance and variable temperature dielectric spectroscopic analysis of MnO ₂ doped and un-doped ZnO-V ₂ O ₅ ceramics. <i>Journal of Materials Science: Materials in Electronics</i> , 2012 , 23, 1143-1150 ^{2.1}		7
632	Influence of Dopants on Electrical Properties of ZnO-V ₂ O ₅ Varistors Deduced from AC Impedance and Variable-Temperature Dielectric Spectroscopy. 2012 , 41, 1970-1977		13
631	Electrical properties of Al ₂ O ₃ -doped ZnO varistors prepared by sol-gel process for device miniaturization. <i>Ceramics International</i> , 2012 , 38, S457-S461	5.1	31
630	Influence of intensive milling on the microstructure and electrical properties of ZnO-Bi ₂ O ₃ -based varistors. <i>Ceramics International</i> , 2012 , 38, S463-S466	5.1	14
629	Major effects on varistor properties of ZnO-V ₂ O ₅ -MnO ₂ -Nb ₂ O ₅ -Er ₂ O ₃ ceramics with sintering changes. <i>Ceramics International</i> , 2012 , 38, 2593-2596	5.1	16
628	Degradation behavior against surge stress of Zn-Pr-Co-Cr-V-Er varistor ceramics modified with Er ₂ O ₃ . <i>Ceramics International</i> , 2012 , 38, 3489-3497	5.1	8
627	Nb ₂ O ₅ doping effect on electrical properties of ZnO-V ₂ O ₅ -Mn ₃ O ₄ varistor ceramics. <i>Ceramics International</i> , 2012 , 38, 5281-5285	5.1	20
626	Low Temperature Sintering of Nanocrystalline Zinc Oxide: Effect of Heating Rate Achieved by Field Assisted Sintering/Spark Plasma Sintering. <i>Journal of the American Ceramic Society</i> , 2012 , 95, 2451-2457 ^{3.8}		34
625	Influence of Bi ₂ O ₃ Doping on Microstructure and Electrical Properties of ZnO-V ₂ O ₅ -MnO ₂ -Nb ₂ O ₅ Varistor Ceramics. <i>Journal of the American Ceramic Society</i> , 2012 , 95, 2093-2095 ^{3.8}		5
624	Microstructure and Electrical Properties in Low- Sb ₂ O ₃ -Doped Pr ₆ O ₁₁ Ceramics. <i>Journal of the American Ceramic Society</i> , 2012 , 95, 2914-2918	3.8	3
623	Varistor effect in Ag-graphene/epoxy resin nanocomposites. 2012 , 66, 113-116		27
622	Correlation between sintering temperature and properties of ZnO ceramic varistors. 2012 , 73, 505-510		31
621	Microstructure and varistor properties of ZnO-V ₂ O ₅ -MnO ₂ ceramics with Ta ₂ O ₅ addition. 2012 , 73, 834-838		9
620	Mechanical and magnetic properties of ZnO/Fe ₂ O ₃ ceramic varistors. 2012 , 52, 99-106		2

619	On the structural analysis and magnetic behavior of heavily doped Zn _{1-x} Mn _x O nanopowders synthesized by wet chemistry method. 2012 , 324, 1758-1763		2
618	Room-temperature deposition of transparent conductive Al-doped ZnO thin films using low energy ion bombardment. 2012 , 106, 961-966		9
617	Microstructural engineering of ZnO-based varistor ceramics. 2012 , 47, 1655-1668		35
616	Effect of sintering process on electrical properties and ageing behavior of ZnO-Nb ₂ O ₅ -MnO ₂ -Bi ₂ O ₃ varistor ceramics. <i>Journal of Materials Science: Materials in Electronics</i> , 2012 , 23, 457-463	2.1	13
615	Correlation between electrical properties and crystalline phases for ZnO-Bi ₂ O ₃ based varistor ceramics with rare earth additives. 2013 , 31, 138-142		6
614	Microstructure, electrical and dielectric properties, and impulse clamping characteristics of ZnO-Nb ₂ O ₅ -Mn ₃ O ₄ semiconducting ceramics modified with Er ₂ O ₃ . <i>Journal of Materials Science: Materials in Electronics</i> , 2013 , 24, 4129-4136	2.1	6
613	Effect of Sm ₂ O ₃ dopant on microstructure and electrical properties of ZnO-based varistor ceramics. <i>Journal of Materials Science: Materials in Electronics</i> , 2013 , 24, 3675-3679	2.1	8
612	SbVO ₄ doped ZnO-Nb ₂ O ₅ -based varistor ceramics: microstructure, electrical properties and conductive mechanism. <i>Journal of Materials Science: Materials in Electronics</i> , 2013 , 24, 2721-2726	2.1	3
611	Major effects on varistor properties and impulse aging behavior of Zn-Nb-Mn-Co-Dy ceramics with small sintering changes. <i>Journal of Materials Science: Materials in Electronics</i> , 2013 , 24, 3001-3008	2.1	3
610	Improvement of aging characteristics of (Mn, Nb, Er)-doped ZnO-Nb ₂ O ₅ -based varistor ceramics by small sintering changes. <i>Journal of Materials Science: Materials in Electronics</i> , 2013 , 24, 2228-2233	2.1	1
609	Influence of Nb ₂ O ₅ on the varistor behavior of TiO ₂ -Cr ₂ O ₃ system. <i>Journal of Materials Science: Materials in Electronics</i> , 2013 , 24, 938-944	2.1	9
608	Preparation and gas-sensing property of parallel-aligned ZnO nanofibrous films. 2013 , 36, 505-511		4
607	Nanofillers in ZnO based materials: a "martal" technique for developing miniaturized high energy field varistors. <i>Journal of Materials Chemistry C</i> , 2013 , 1, 6455	7.1	14
606	Effect of sintering temperature on the electric properties and microstructure of SnO ₂ -Co ₃ O ₄ -Sb ₂ O ₅ -Cr ₂ O ₃ varistor ceramic. <i>Ceramics International</i> , 2013 , 39, 4407-4412	5.1	16
605	Effect of Sn ₂ O ₃ doping on structural, optical and dielectric properties of ZnO ceramics. 2013 , 178, 1130-1139		23
604	Excellent DC aging behavior of ZnO-Bi ₂ O ₃ -Co ₃ O ₄ -Cr ₂ O ₃ -Nb ₂ O ₅ ceramics modified with Tb ₄ O ₇ . <i>Ceramics International</i> , 2013 , 39, 4701-4705	5.1	2
603	Investigation of zinc interstitial ions as the origin of anomalous stress-induced hump in amorphous indium gallium zinc oxide thin film transistors. 2013 , 102, 173502		26
602	Effect of gadolinia addition on varistor characteristics of vanadium oxide-doped zinc oxide ceramics. <i>Journal of Materials Science: Materials in Electronics</i> , 2013 , 24, 4839-4846	2.1	8

601	Bi4Ti3O12 modified low voltage ZnO-based varistors: microstructure, electrical properties and aging characteristics. <i>Journal of Materials Science: Materials in Electronics</i> , 2013 , 24, 4987-4992	2.1	2
600	SPACE-CHARGE LAYER, INTRINSIC "BULK" AND SURFACE COMPLEX DEFECTS IN ZnO NANOPARTICLES – A HIGH-FIELD ELECTRON PARAMAGNETIC RESONANCE ANALYSIS. 2013 , 06, 1330004		12
599	Organometallic approach for the synthesis of nanostructures. 2013 , 37, 3374		103
598	Effect of erbium on varistor characteristics of vanadium oxide-doped zinc oxide ceramics. <i>Journal of Materials Science: Materials in Electronics</i> , 2013 , 24, 27-35	2.1	18
597	Varistor characteristics of vanadium oxide-doped zinc oxide ceramics modified with bismuth oxide. <i>Journal of Materials Science: Materials in Electronics</i> , 2013 , 24, 70-78	2.1	5
596	Effect of sintering temperature on electrical properties, dielectric characteristics, and aging behavior of ZnO/V2O5-based varistor ceramics modified with Bi2O3. <i>Journal of Materials Science: Materials in Electronics</i> , 2013 , 24, 118-124	2.1	6
595	Possible two non-linear regions in the I–V characteristics of ZnO varistors. 2013 , 13, 2117-2122		5
594	Effect of changing Gallium arsenide content on Gallium arsenide–polymer composite varistors. 2013 , 74, 1169-1173		12
593	Effects of mechanical activation on structure and photocatalytic properties of ZnO powders. 2013 , 11, 1780-1785		4
592	Non-ohmic properties and impulse aging behavior of quaternary ZnO/V2O5/Mn3O4/Er2O3 semiconducting varistors with sintering processing. 2013 , 16, 1308-1315		10
591	The effect of sintering temperature on varistor characteristics of gallium arsenide–polyaniline–polyethylene composite varistors. 2013 , 16, 752-758		11
590	Temperature dependent electrophysical characteristics of GaAs-polymer composite varistors. 2013 , 13, 355-359		8
589	Na2CO3 doping effect on ZnO/Pr6O11/Cr3O4 ceramic varistor properties. 2013 , 558, 84-90		15
588	Characteristics of ZnO/V2O5/MnO2/Nb2O5/Er2O3 semiconducting varistors with sintering processing. 2013 , 16, 778-785		10
587	Polyvinyl alcohol/carbon coated zinc oxide nanocomposites: Electrical, optical, structural and morphological characteristics. 2013 , 580, 392-400		38
586	Influence of the preparation process on the electrical properties of high-field co-doped zinc oxide varistors. <i>Ceramics International</i> , 2013 , 39, 8869-8875	5.1	5
585	Clamping characteristics and pulse aging behavior of ZnO/V2O5/Mn3O4 varistor ceramics modified with Nb2O5. <i>Ceramics International</i> , 2013 , 39, 3417-3421	5.1	4
584	Nonlinear behavior of Tb4O7-modified ZnO-Pr6O11-based ceramics with high breakdown field. 2013 , 31, 276-280		13

583	Major effects on electrical properties of ZnO \AA 2O5 \AA MnO2 \AA Nb2O5 ceramics with small Gd2O3 doping changes. 2013 , 578, 132-135		15
582	Low-temperature sintering effect on varistor properties of ZnO \AA 2O5 \AA MnO2 \AA Nb2O5 \AA Bi2O3 ceramics. <i>Ceramics International</i> , 2013 , 39, 2117-2121	5.1	15
581	Advances in the synthesis of ZnO nanomaterials for varistor devices. <i>Journal of Materials Chemistry C</i> , 2013 , 1, 3268	7.1	118
580	Influence of diamond surface termination on thermal boundary conductance between Al and diamond. 2013 , 113, 183504		34
579	Dielectric and varistor properties of rare-earth-doped ZnO and CaCu3Ti4O12 composite ceramics. 2013 , 03, 1350001		6
578	Highly Efficient Room Temperature Synthesis of Silver-Doped Zinc Oxide (ZnO:Ag) Nanoparticles: Structural, Optical, and Photocatalytic Properties. <i>Journal of the American Ceramic Society</i> , 2013 , 96, 766-773	3.8	132
577	ZnO \AA Ag ceramics for ethanol sensors. <i>Ceramics International</i> , 2013 , 39, 2323-2330	5.1	13
576	High-current measurement of the grain resistivity in zinc oxide varistor ceramics. <i>Ceramics International</i> , 2013 , 39, 6441-6447	5.1	8
575	Progress on rare-earth doped ZnO-based varistor materials. 2013 , 2, 201-212		30
574	Structure, optical properties and synthesis of Co-doped ZnO superstructures. 2013 , 3, 133-139		67
573	Role of Surface to Volume Ratio of Zinc Oxide Arrester Blocks on the Energy Absorption Capability. 2013 , 16, 012008		
572	Preparation and Photocatalytic Property of Zinc Oxide Nanoparticle. 2013 , 800, 276-279		
571	Doping Effect of Alkali Ions on the Microstructural and Electrical Properties of ZnO-Pr6O11-Based Varistor Ceramics. 2013 , 544, 213-218		1
570	Effect of WO3 Doping on Microstructural and Electrical Properties of ZnO-Pr6O11 Based Varistor Materials. 2013 , 591, 54-60		
569	Pseudopartial Grain Boundary Wetting: Key to the Thin Intergranular Layers. 2013 , 333, 175-192		17
568	Large work function reduction by adsorption of a molecule with a negative electron affinity: pyridine on ZnO(1010). 2013 , 139, 174701		62
567	Er2O3 Doping Effect on Varistor Properties and Multiimpulse Stress Behavior of ZnO \AA PrO1.83 \AA CoO \AA Cr2O3 \AA Dy2O3 Ceramics. <i>Journal of the American Ceramic Society</i> , 2013 , 96, 2732-2736	3.8	2
566	A Novel Test Method for Ultrafast Pulse Response Characteristics of ZnO Varistor Ceramics. <i>Journal of the American Ceramic Society</i> , 2013 , 96, 2179-2183	3.8	1

565	Bismuth doped ZnO films as anti-reflection coatings for solar cells. 2013,	1
564	Effect of zinc addition and vacuum annealing time on the properties of spin-coated low-cost transparent conducting 1 at% Ga-ZnO thin films. 2013, 14, 065002	33
563	Effects of Doping Ratio and Thermal Annealing on Structural and Electrical Properties of Boron-Doped ZnO Thin Films by Spray Pyrolysis. 2013, 52, 065502	6
562	Isothermal depolarization current in metal-oxide varistor ceramics under various polarizing fields. 2013, 03, 1350016	1
561	Physical Characterization and Microstructure Evaluation of Titanium Dioxide Semiconductor Discs Processed with Binders. 2013, 02,	1
560	Preparation of Ultrahigh Potential Gradient of ZnO Varistors by Rare-Earth Doping and Low-Temperature Sintering. 2013, 2013, 1-5	2
559	Percolation effects in the capacitive properties of metal-oxide varistors in the range of high voltage. 2014, 04, 1450013	3
558	Composite varistors based on epoxy resin/La _{0.8} Sr _{0.2} MnO ₃ . 2014, 48, 677-681	4
557	Interfaces and Microstructures in Materials. 2014, 479-528	
556	Study on the electrical properties and defect structures of a high voltage gradient ZnO varistor. 2014,	
555	The Electrical Properties and Impedance Analysis of ZnO Varistors Doped with Different Cu ₂ O Contents. 2014, 681, 173-176	
554	Microstructural and Electrical Properties of ZnO Ceramics with ZnO-Na ₂ O-P ₂ O ₅ Glass Oxide Additions. 2014, 912-914, 231-234	
553	Electrical Properties of a TiO ₂ -SrO Varistor System. 2014, 975, 168-172	1
552	Tape casting and properties of Pr ₂ O ₃ -doped ZnO multilayer varistors. 2014, 31, 163-168	8
551	A Monte Carlo study of reflection electron energy loss spectroscopy spectrum of a carbon contaminated surface. 2014, 116, 124307	12
550	Aging characteristics of ZnO-Pr _{0.83} -based semiconducting varistors for surge protection reliability. 2014, 54, 2417-2422	6
549	Aging characteristics of ZnO-V ₂ O ₅ -based varistors for surge protection reliability. 2014, 54, 2836-2842	7
548	Improvement of physical properties of ZnO thin films by tellurium doping. 2014, 318, 319-323	41

547	Effect of Pr6O11 Doping on the Microstructural and Electrical Properties of ZnO-Pr6O11-Co3O4-Cr2O3-SnO2 Varistors. 2014 , 633, 308-312		1
546	Characterization of dielectric behavior in ZnO electroceramic: Superior grain boundary, inferior grain boundary and grain. 2014 , 132, 240-242		9
545	Microhardness, microstructure and electrical properties of ZVM ceramics. 2014 , 3, 287-296		5
544	Preparation and Electrical Properties of Multilayer Zinc Oxide Varistor by Gelcasting. 2014 , 852, 285-290		
543	TiO2 Added Zn-Bi Based Varistors: Microstructure, I-V, Flow and Aging Characteristics. 2014 , 633, 303-307		
542	Study of Nonlinear Current-Voltage Characteristic of Semiconductor Ceramic by the Method of Tilted Energy Band. 2014 , 941-944, 547-550		
541	Effect of Sintering Behaviors on Electrical Properties of ZnO Ceramics with Glass Oxide Additions. 2014 ,		
540	The Thermally Stimulated Current (TSC) Technique on Evaluating Degradation of ZnO Varistors. 2014 , 887-888, 413-416		1
539	The Influence of Li on the Point Defect Structure of ZnO Varistor Ceramics. 2014 , 1004-1005, 424-428		0
538	Modeling of current-voltage characteristic of the intergranular barrier in metal oxide varistor ceramics. 2014 , 10, 362-378		2
537	Micro four-point probe investigation of individual ZnO grain boundaries in a varistor ceramic. 2014 , 34, 1963-1970		15
536	Nonohmic properties of V/Mn/Nb/Gd co-doped zinc oxide semiconducting varistors with low-temperature sintering process. 2014 , 23, 58-62		5
535	Processes of microstructural evolution during high-energy mechanical treatment of ZnO and black NiO powder mixture. 2014 , 453, 116-122		14
534	The nonlinear electrical behavior of ZnO-based varistor ceramics with CaSiO3 addition. 2014 , 49, 758-765		8
533	Microstructure and electrical properties of La2O3-doped ZnO-based varistor thin films by sol-gel process. 2014 , 21, 9-13		2
532	Solvothermal synthesis and conductive properties of nanorod-constructed Al-doped ZnO microflowers. <i>Journal of Materials Science: Materials in Electronics</i> , 2014 , 25, 1724-1730	2.1	11
531	Effect of temperature on the electrical properties of Zn0.95M0.05O (M = Zn, Fe, Ni). 2014 , 32, 16-22		7
530	Effect of NiO doping on microstructural and electrical properties of ZnO-based linear resistance ceramics. <i>Journal of Materials Science: Materials in Electronics</i> , 2014 , 25, 791-796	2.1	12

529	Microwave assisted hydrothermal synthesis and characterization of ZnO@CNT composites. <i>Materials Chemistry and Physics</i> , 2014 , 145, 297-303	4.4	10
528	Efficient UV photosensitive and photoluminescence properties of sol-gel derived Sn doped ZnO nanostructures. 2014 , 211, 8-14		50
527	Microstructure and nonohmic properties of SnO ₂ -Ta ₂ O ₅ -TiO ₂ varistor system doped with CuO. 2014 , 28, 1450085		3
526	Synthesis and Crystal Structure of InFeO ₃ (ZnO) ₄ . 2014 , 640, 2817-2822		4
525	Specific features of thermal phonon scattering and ferromagnetic properties of ZnO varistor ceramics. 2014 , 119, 488-492		1
524	Low-temperature sintering and electrical properties of Co-doped ZnO varistors. <i>Journal of Materials Science: Materials in Electronics</i> , 2014 , 25, 3878-3884	2.1	23
523	Adsorption of chromium(VI) metal ions from aqueous solution using hexagonal ZnO particles: Equilibrium, kinetic and thermodynamic modelling studies. 2014 , 92, 496-502		4
522	Effect of sintering temperature on varistor and dielectric properties of Si-polymer composite films. 2014 , 27, 515-520		1
521	Tweaking electrical and magnetic properties of Al-Ni co-doped ZnO nanopowders. <i>Ceramics International</i> , 2014 , 40, 14927-14932	5.1	16
520	Microstructure control to reduce leakage current of medium and high voltage ceramic varistors based on doped ZnO. 2014 , 34, 3707-3714		15
519	Major effects on microstructure and electrical properties of ZnO-based linear resistance ceramics with MgO changes. <i>Journal of Materials Science: Materials in Electronics</i> , 2014 , 25, 2273-2278	2.1	7
518	Microstructure and electrical properties of rare-earth oxides doped ZnO-based linear resistance ceramics. <i>Journal of Materials Science: Materials in Electronics</i> , 2014 , 25, 3301-3307	2.1	9
517	Effect of Si content on electrophysical properties of Si-polymer composite varistors. <i>Materials Chemistry and Physics</i> , 2014 , 147, 1117-1122	4.4	13
516	Effects of aluminum doping on the microstructure and electrical properties of ZnO-Pr ₆ O ₁₁ -Co ₃ O ₄ -MnCO ₃ -Y ₂ O ₃ varistor ceramics. 2014 , 29, 246-249		1
515	Grain resistivity in zinc oxide and tin dioxide varistor ceramics. 2014 , 616, 372-377		7
514	Admittance spectroscopy and electrical properties of Co ₃ O ₄ -doped ZnO. 2014 , 10, 903-906		3
513	Synthesis of doped ZnO nanopowders in alcohol-water solvent for varistors applications. 2014 , 121, 149-151		9
512	Microstructure and varistor properties of Y ₂ O ₃ -doped ZnO-Pr ₆ O ₁₁ -Co ₃ O ₄ -Cr ₂ O ₃ -La ₂ O ₃ ceramics. <i>Ceramics International</i> , 2014 , 40, 2477-2481	5.1	18

- 511 Sintering and grain growth kinetics in undoped and silica doped zinc oxide ceramics. *Ceramics International*, **2014**, 40, 10755-10766 5.1 12
- 510 Influence of Cr₂O₃ on ZnO-Bi₂O₃-MnO₂-based varistor ceramics. *Ceramics International*, **2014**, 40, 10149-10152 5.1 10
- 509 Sintering effect on electrical properties and pulse aging behavior of (V₂O₅-Mn₃O₄-Er₂O₃)-doped zinc oxide varistor ceramics. **2014**, 32, 29-36 5
- 508 Microstructure and electrical properties of Dy₂O₃-doped ZnO-Bi₂O₃ based varistor ceramics. **2014**, 50, 141-147 20
- 507 Correlation between sintering pressure and electrical properties of hot-press sintered gallium arsenide-polyaniline-polyethylene composite varistors. **2014**, 17, 143-148 2
- 506 Non-ohmic effect and pulse aging behavior of V/Mn/Co/Bi/Dy co-doped ZnO semiconducting varistors with sintering processing. **2014**, 26, 455-459 2
- 505 Influence of Ta₂O₅ doping and microwave sintering on TiO₂-based varistor properties. *Ceramics International*, **2014**, 40, 14229-14234 5.1 27
- 504 Testing of high voltage surge protection devices for use in liquid argon TPC detectors. **2014**, 9, P09002-P09002 5
- 503 Selection of process parameters for mass plating of discrete electronic components. **2014**, 92, 126-131
- 502 Ab initio investigation of CaO-ZnO alloys under high pressure. **2015**, 5, 11003 11
- 501 Summary of the second workshop on liquid argon time projection chamber research and development in the United States. **2015**, 10, T07006-T07006 7
- 500 Electronic transport in highly conducting Si-doped ZnO thin films prepared by pulsed laser deposition. **2015**, 107, 232103 16
- 499 Characterization of Doped Titanium Oxide Varistor Powder Processed with Latex Binder. **2015**, 1115, 133-136
- 498 Bismuth pyrochlore thin films for dielectric energy storage. **2015**, 118, 054101 32
- 497 Zinc oxide-praseodymia semiconducting varistors having a powerful surge suppression capability. **2015**, 55, 2299-2305 2
- 496 Performance Evaluation of Doped Titanium Oxide for Low-Voltage Applications. **2015**, 12, 1189-1198 2
- 495 New Approaches to Preparation of SnO₂-Based Varistors – Chemical Synthesis, Dopants, and Microwave Sintering. **2015**, 1 1
- 494 Synthesis of ZnO nanoparticles by a hybrid electrochemical-thermal method: influence of calcination temperature. **2015**, 50, 21-28 12

493	The effect of negative capacitance in varistor structure on the basis of its models with voltage drop on the intergranular interlayer. 2015 , 11, 598-615			1
492	Enhance protection of electronic appliances through multivariate modelling and optimization of ceramic core materials in varistor devices. 2015 , 5, 21384-21395			10
491	Synthesis and characterization of nanostructured undoped and Sn-doped ZnO thin films via sol-gel approach. 2015 , 350, 109-114			52
490	Consequence of cobalt on structural, optical and dielectric properties in ZnO nanostructures. 2015 , 473, 42-47			12
489	Evaluation of Atomic Layer Deposition coating as gas barrier against hydrogen gas and humidity. 2015 , 107, 30-33			8
488	Enhancement of electronic protection to reduce e-waste. 2015 , 29, 400-407			3
487	Preparation and influence of highly concentrated screen-printing inks on the development and characteristics of thick-film varistors. 2015 , 35, 3013-3023			26
486	Effect of Dy ₂ O ₃ doping on microstructure, electrical and dielectric properties of ZnO- γ -ZrO ₂ -based varistor ceramics. <i>Journal of Materials Science: Materials in Electronics</i> , 2015 , 26, 10217-10224	2.1		2
485	Study on the intrinsic defects in ZnO by combing first-principle and thermodynamic calculations. 2015 , 29, 1550194			2
484	Microstructure and electrical properties of ZnO- γ -ZrO ₂ -Bi ₂ O ₃ -based varistor ceramics with sintering changes. <i>Journal of Materials Science: Materials in Electronics</i> , 2015 , 26, 8380-8385	2.1		5
483	Effect of sintering temperature on microstructure and varistor properties of Zn-V-O-based ceramics incorporated with Mn-Nb-Tb. 2015 , 25, 4040-4045			3
482	ZnO-based varistors prepared by spark plasma sintering. 2015 , 35, 1199-1208			24
481	Advanced ceramics in the SnO ₂ -ZnO binary system. <i>Ceramics International</i> , 2015 , 41, 4936-4945	5.1		19
480	Effects of Continuous Operating Voltage Stress and AC Energy Injection on Current Sharing Among Parallel-Connected Metal-Oxide Resistor Columns in Arrester Banks. 2015 , 30, 1331-1337			5
479	Influence of WO ₃ -Doping on the Microstructure and Electrical Properties of ZnO-Bi ₂ O ₃ Varistor Ceramics Sintered at 950 °C. <i>Journal of the American Ceramic Society</i> , 2015 , 98, 1356-1363	3.8		16
478	Ultra-high breakdown field varistors prepared from individually synthesized nanoprecursors. 2015 , 35, 1807-1814			14
477	The effect of TiO ₂ addition on microstructure and electrical properties of SnO ₂ varistors prepared from nanomaterials. <i>Ceramics International</i> , 2015 , 41, 6920-6924	5.1		14
476	Sintering effect on electrical properties and aging behavior of quaternary ZnO- γ -ZrO ₂ -Mn ₃ O ₄ -Nb ₂ O ₅ ceramics. <i>Journal of Materials Science: Materials in Electronics</i> , 2015 , 26, 168-175		2.1	7

475	Sintering temperature dependence of varistor properties and impedance spectroscopy behavior in ZnO based varistor ceramics. <i>Journal of Materials Science: Materials in Electronics</i> , 2015 , 26, 2389-2396	2.1	24
474	Low-temperature sintering of high potential gradient B ₂ O ₃ -doped ZnO varistors. <i>Journal of Materials Science: Materials in Electronics</i> , 2015 , 26, 4997-5000	2.1	8
473	High performance varistors prepared from doped ZnO nanopowders made by pilot-scale flame spray pyrolyzer: Sintering, microstructure and properties. 2015 , 35, 3535-3544		13
472	An analytic approach to the degradation of double-Schottky barrier: Theoretical prediction of VO [•] as dominant mobile ion in ZnO electroceramic. 2015 , 104, 25-28		15
471	Effect of small changes in sintering temperature on varistor properties and degradation behavior of V [•] Mn [•] Nb [•] co-doped zinc oxide ceramics. 2015 , 25, 1176-1184		2
470	Heat treatment of ZnO nanoparticles: new methods to achieve high-purity nanoparticles for high-voltage applications. 2015 , 3, 17190-17200		71
469	Effect of Zn doping on stability of ZnO varistors under high pulse-current stress. <i>Ceramics International</i> , 2015 , 41, 11611-11617	5.1	6
468	Influence of SnO ₂ on ZnO-Bi ₂ O ₃ -Co ₂ O ₃ based varistor ceramics. <i>Ceramics International</i> , 2015 , 41, 12490-12494		4
467	Influence of zinc oxide nanoparticles on structural and electrical properties of polyvinyl alcohol films. 2015 , 44, 33-39		38
466	Study of the Behavior of 3d-Shell Electrons in ZnO Based Varistors Doped with Semiconductor Additives. 2015 , 738-739, 168-174		
465	ZnO varistor ceramics prepared by the reduction-oxidation method. 2015 , 35, 3025-3031		7
464	Microstructure, electrical and dielectric properties, and aging behavior of ZPCCA varistor ceramics with Er ₂ O ₃ doping. 2015 , 33, 403-410		3
463	Degradation behavior by DC-accelerated and pulse-current stress in Co/Cr/Y/Al/Ni co-doped ZnO-Pr _{0.83} -based varistors. 2015 , 55, 565-571		4
462	Varistor characteristics of ZnO/V ₂ O ₅ /MnO ₂ /Nb ₂ O ₅ semiconducting ceramics with Tb ₄ O ₇ addition. <i>Journal of Materials Science: Materials in Electronics</i> , 2015 , 26, 4144-4151	2.1	12
461	Synthesis of Doped ZnO Nanopowders Through Sucrose Protection Method and Its Use in Varistors Productions. 2015 , 44, 50-55		4
460	Microstructure and Electrical Properties of La ₂ O ₃ and Sm ₂ O ₃ Co-doped ZnO-Based Varistor Ceramics Prepared From Nanosize ZnO Powder. 2015 , 44, 2651-2656		4
459	Effect of Cr ₂ O ₃ on the property and microstructure of ZnO-Bi ₂ O ₃ varistor ceramics in different sintering temperature. <i>Ceramics International</i> , 2015 , 41, S557-S562	5.1	17
458	Structural, morphological and luminescence studies on pristine and La doped zinc oxide (ZnO) nanoparticles. 2015 , 126, 1555-1558		14

457	The Effects of SnO ₂ Doping on the Electrical Properties of ZnO Varistors. 2015 , 736, 53-56		1
456	Mechanical, microstructure and electrical properties of ternary ZnO-V ₂ O ₅ -Mn ₃ O ₄ varistor with sintering temperature. 2015 , 38, 773-781		4
455	Advances in ZnO-Bi ₂ O ₃ based varistors. <i>Journal of Materials Science: Materials in Electronics</i> , 2015 , 26, 4782-4809	2.1	25
454	Evaluation of the Tauc method for optical absorption edge determination: ZnO thin films as a model system. 2015 , 252, 1700-1710		562
453	Phase development in ZnO varistors. 2015 , 114, 14-17		7
452	Percolation effects in dc degradation of ZnO varistors. 2015 , 05, 1550008		6
451	Effect of bismuth oxide dispersivity on the dielectric properties of zinc oxide ceramics. 2015 , 77, 012044		1
450	Effect of ascorbic acid on structural properties of ZnO nanoparticles prepared by precipitation process. 2015 ,		0
449	Studies on structural and electrical properties of ZnO/TiO ₂ composite materials. 2015 , 651, 49-58		17
448	Construction of master sintering curves to understand the effect of Na addition on ZnO-based varistors. 2015 , 35, 4195-4202		9
447	Advances in ZnO varistors in China during the past 30 years—fundamentals, processing, and applications. 2015 , 31, 35-44		20
446	Effect of doping on structural, physical, morphological and optical properties of Zn _{1-x} Mn _x O nano-particles. <i>Ceramics International</i> , 2015 , 41, 15153-15161	5.1	24
445	Effect of sintering temperature on varistor properties of Zn _{1-x} Mn _x Nb ₂ O ₇ oxide ceramics. <i>Ceramics International</i> , 2015 , 41, 5196-5199	5.1	9
444	Structural and optical properties of pure and Ag doped ZnO thin films obtained by sol gel spin coating technique. 2015 , 33, 601-605		18
443	Electrical properties of grain boundaries in interfacially controlled functional ceramics. 2015 , 34, 185-206		12
442	Thermoelectric properties of Sr _{n+1} Ti ₃ O _{3n+1} (n=1, 2, 3, ∞) Ruddlesden-Popper Homologous Series. 2015 , 76, 36-44		18
441	Influence of Cr incorporation on structural, dielectric and optical properties of ZnO nanoparticles. 2015 , 21, 283-291		59
440	Electrical properties of SnO ₂ ceramics for low voltage varistors. 2015 , 457, 108-112		19

439	First principles study on the electronic and optical properties of Al- and Si-doped ZnO with GGA and mBJ approximations. 2015 , 47, 1869-1880			16
438	Ab initio study of native point defects in ZnO under pressure. 2015 , 201, 130-134			7
437	Investigations on electrical conductivity and dielectric properties of Na doped ZnO synthesized from sol gel method. 2015 , 622, 687-694			85
436	Synthesis of Pr-doped ZnO nanoparticles by sol-gel method and varistor properties study. 2015 , 621, 220-224			33
435	Liquid Phase Sintering: Ceramics. 2016 ,			
434	Varistores à base de WO ₃ - revisã. 2016 , 21, 105-114			3
433	Structural and Electrical Studies on ZnO-Based Thin Films by Laser Irradiation. 2016 , 2016, 1-6			3
432	Ferromagnetic behaviour of ZnO: the role of grain boundaries. 2016 , 7, 1936-1947			93
431	Novel ESD-suppressing material: Voltage-dependent resistor (VDR) resin with ZnO-based ceramic fillers. 2016 ,			
430	Electrical degradation of double-Schottky barrier in ZnO varistors. <i>AIP Advances</i> , 2016 , 6, 030701	1.5		28
429	Electrical impedance spectroscopy and structural characterization of liquid-phase sintered ZnO-2O ₅ -Nb ₂ O ₅ varistor ceramics doped with MnO. <i>Ceramics International</i> , 2016 , 42, 9686-9696	5.1		21
428	Potential Barrier of (Zn,Nb)SnO ₂ -Films Induced by Microwave Thermal Diffusion of Cr ³⁺ for Low-Voltage Varistor. <i>Journal of the American Ceramic Society</i> , 2016 , 99, 152-157	3.8		8
427	Grain boundary complexions and pseudopartial wetting. 2016 , 20, 247-256			84
426	Laser Fragmentation and Melting of Particles. 2016 ,			1
425	Microstructure and electrical properties of Sm ₂ O ₃ -doped ZnO-based linear resistance ceramics. <i>Journal of Materials Science: Materials in Electronics</i> , 2016 , 27, 818-824	2.1		3
424	Influence of Cr ₂ O ₃ on highly nonlinear properties and low leakage current of ZnO-Bi ₂ O ₃ varistor ceramics. <i>Ceramics International</i> , 2016 , 42, 10547-10550	5.1		26
423	High voltage gradient and low residual-voltage ZnO varistor ceramics tailored by doping with In ₂ O ₃ and Al ₂ O ₃ . <i>Ceramics International</i> , 2016 , 42, 19437-19440	5.1		19
422	First observation of sol-gel derived Al:CsZnO/CsZnO bilayer thin film for solar cells application. 2016 , 131, 1			

4 ²¹	Synthesis of Submicrometer Zinc Oxide Particles and Zinc Oxide Nanowires Using Microwave Irradiation. 2016 , 45, 508-510		5
4 ²⁰	Effect of a Bi ³⁺ synthetic multi-phase on the microstructure and electrical properties of ZnO-Bi ₂ O ₃ varistor ceramics. <i>Ceramics International</i> , 2016 , 42, 14350-14354	5.1	20
4 ¹⁹	Improving age stability and energy absorption capabilities of ZnO varistors ceramics. <i>Ceramics International</i> , 2016 , 42, 17880-17883	5.1	17
4 ¹⁸	Modelling of diffusion and conductivity relaxation of oxide ceramics. 2016 , 99, 43-50		4
4 ¹⁷	Sintering temperature dependence on microstructure and non-ohmic properties of ZVMND ceramic semiconductors. <i>Journal of Materials Science: Materials in Electronics</i> , 2016 , 27, 9520-9525	2.1	4
4 ¹⁶	Effect of MgO doping on electrical characteristics of ZnO-0.5 mol% V ₂ O ₅ -0.5 mol% MnO varistors. <i>Journal of Materials Science: Materials in Electronics</i> , 2016 , 27, 11659-11665	2.1	4
4 ¹⁵	Highly nonlinear varistors from oxygen-deficient zinc oxide thin films by hot-dipping in Bi ₂ O ₃ : Influence of temperature. 2016 , 390, 92-99		11
4 ¹⁴	Influence of CeO ₂ -Doping on the Electrical Properties of ZnO-Bi ₂ O ₃ -Based Varistor Ceramics. 2016 , 697, 262-266		1
4 ¹³	Effect of SrO on the electrical barrier formation and microstructure of TiO ₂ varistors. <i>Materials Chemistry and Physics</i> , 2016 , 184, 91-100	4.4	5
4 ¹²	Effect of point defects on luminescence characteristics of ZnO ceramics. 2016 , 58, 2055-2061		11
4 ¹¹	High-frequency capacitance-voltage characteristics of the heterogeneous structure based on the model of spherical semiconductor particles in a dielectric. 2016 , 06, 1650020		
4 ¹⁰	Structural, morphological and optical behaviour of PVP capped binary (ZnO) _{0.4} (CdO) _{0.6} nanoparticles synthesised by a facile thermal route. 2016 , 53, 56-65		38
4 ⁰⁹	Preparation, characterization and dielectric response of a high-breakdown-field ZnO-based varistor. <i>Journal of Materials Science: Materials in Electronics</i> , 2016 , 27, 9196-9205	2.1	3
4 ⁰⁸	Fabrication and gas-sensing properties of hierarchical ZnO replica using down as template. 2016 , 122, 1		2
4 ⁰⁷	Controlling the exciton energy of zinc oxide (ZnO) quantum dots by changing the confinement conditions. 2016 , 152, 637-44		72
4 ⁰⁶	Temperature dependence of zinc oxide grain resistivity in ZnO varistor ceramics. 2016 , 656, 740-744		11
4 ⁰⁵	Zn-dust derived ultrafine grained ZnO non-linear ceramic resistors via in-situ thermal oxidation of cermet reactant mixture. 2016 , 92, 387-396		9
4 ⁰⁴	Investigation of the electrical properties of liquid-phase sintered ZnO-V ₂ O ₅ based varistor ceramics using impedance and dielectric spectroscopy. <i>Journal of Materials Science: Materials in Electronics</i> , 2016 , 27, 3748-3758	2.1	5

403	Electrical and optical study of ultrasonic-assisted hydrothermal synthesized Ga doped ZnO nanorods for polymer solar cell application. 2016 , 90, 895-901		5
402	Reliability enhancement of zinc oxide varistors using sputtered silver electrodes. 2016 , 61, 91-94		1
401	Effects of Fe ₂ O ₃ doping on microstructural and electrical properties of ZnO-based linear resistance ceramics. <i>Journal of Materials Science: Materials in Electronics</i> , 2016 , 27, 5729-5734	2.1	5
400	Preparation of nitrogen doped zinc oxide nanoparticles and thin films by colloidal route and low temperature nitridation process. 2016 , 54, 30-36		15
399	Electronic Applications of Ethylene Propylene Diene Monomer Rubber and Its Composites. 2016 , 305-333		3
398	High nonlinearity and low residual-voltage ZnO varistor ceramics by synchronously doping Ga ₂ O ₃ and Al ₂ O ₃ . 2016 , 164, 80-83		19
397	Synthesis of ZnO photocatalyst via ZnO ₂ precursor and its application for dye degradation from effluent under solar irradiation. 2016 , 57, 16514-16521		10
396	Effects of BN on phase compositions and electrical properties of ZnO-Bi ₂ O ₃ varistors prepared by the reduction-oxidation method. 2016 , 36, 609-614		9
395	Indium tailors the leakage current and voltage gradient of multiple dopant-based ZnO varistors. <i>Ceramics International</i> , 2017 , 43, 4127-4130	5.1	9
394	Structural, optical and electrical properties of zinc oxide thin films deposited by sol-gel spin coating technique. 2017 , 134, 53-59		25
393	Synthesis of Carbon-Coated ZnO Composite and Varistor Properties Study. 2017 , 46, 1908-1913		5
392	Low-residual-voltage ZnO varistor ceramics improved by multiple doping with gallium and indium. 2017 , 195, 209-212		6
391	Sol-Gel Materials for Varistor Devices. 2017 , 23-59		6
390	Influences of sintering process on (Bi ₂ O ₃ -V ₂ O ₅ -Mn ₃ O ₄ -ZnO-Co ₂ O ₃ -Cr ₂ O ₃)-doped ZnO varistors. <i>Journal of Materials Science: Materials in Electronics</i> , 2017 , 28, 2015-2022	2.1	3
389	Investigation of luminescence and structural properties of ZnO nanoparticles, synthesized with different precursors. 2017 , 1, 1413-1421		61
388	Rapid green synthesis of ZnO nanoparticles using a hydroelectric cell without an electrolyte. 2017 , 108, 15-20		39
387	High-performance varistors simply by hot-dipping zinc oxide thin films in PrO: Influence of temperature. 2017 , 7, 41994		10
386	Preparation and electrical properties of ZnO-Bi ₂ O ₃ -based multilayer varistors with base metal nickel inner electrodes. <i>Journal of the American Ceramic Society</i> , 2017 , 100, 3024-3032	3.8	5

385	Zinc interstitial as a universal microscopic origin for the electrical degradation of ZnO-based varistors under the combined DC and temperature condition. 2017 , 37, 3535-3540		22
384	Tailoring low leakage current and high nonlinear coefficient of a Y-doped ZnO varistor by indium doping. 2017 , 188, 77-79		24
383	Growth mechanism and photoluminescence property of hydrothermal oriented ZnO nanostructures evolving from nanorods to nanoplates. 2017 , 718, 161-169		48
382	Microstructure and varistor properties of Pr ³⁺ /Co co-doped ZnO ceramics obtained by sol-gel method. <i>Journal of Materials Science: Materials in Electronics</i> , 2017 , 28, 10166-10172	2.1	7
381	Influence of SiO ₂ on electrical properties of the highly nonlinear ZnO-Bi ₂ O ₃ -MnO ₂ varistors. 2017 , 37, 3965-3971		33
380	Influence of oxygen vacancies on surface charge potential and transportation properties of Al-doped ZnO nanostructures produced via atomic layer deposition. 2017 , 709, 819-828		26
379	The effect of SiO ₂ on electrical properties of low-temperature-sintered ZnO-Bi ₂ O ₃ -TiO ₂ -ZnO-MnO ₂ -based ceramics. <i>Journal of the American Ceramic Society</i> , 2017 , 100, 1057-1064	3.8	10
378	Particle Size Dependence of Carrier Dynamics and Reactivity of Photocatalyst BiVO ₄ Probed with Single-Particle Transient Absorption Microscopy. 2017 , 121, 22060-22066		18
377	Effect of oxygen pressure performance of PZO thin films deposited by pulsed laser deposition at low temperature. 2017 , 727, 1273-1279		3
376	Tailoring electrical properties of multiple dopant-based ZnO varistor by doping with yttrium, gallium, and indium. 2017 , 209, 413-416		9
375	Nonlinear electrical characteristics of core-satellite CaCu ₃ Ti ₄ O ₁₂ @ZnO doped silicone rubber composites. 2017 , 7, 31654-31662		4
374	Sintering effect on varistor properties and degradation behavior of ZVMB varistor ceramics. <i>Journal of Materials Science: Materials in Electronics</i> , 2017 , 28, 17063-17069	2.1	3
373	Influence of structural evolution on the magnetic behavior of the nanocrystals of Fe-doped ZnO synthesized by soft chemical route. 2017 , 123, 1		2
372	High-performance and low-voltage SnO ₂ -based varistors. <i>Ceramics International</i> , 2017 , 43, 13759-13764	5.1	11
371	A comparative study on degradation characteristics of ZnO nanoparticles-Bi ₂ O ₃ -Mn ₂ O ₃ varistors at various ambient sintering processes. 2017 , 55, 2605-2613		2
370	Sol-gel synthesized ZnO for optoelectronics applications: a characterization review. 2017 , 4, 122001		19
369	Microstructural and Nonlinear Properties of Zn-V-Mn-Nb-O Varistor Ceramics with Gd ₂ O ₃ Substitution for Low Voltage Application. 2017 , 268, 181-185		2
368	Basic models in dielectric spectroscopy of heterogeneous materials with semiconductor inclusions. 2017 , 13, 36-57		2

- 367 The nonlinear conductivity and mechanism of ZnO ceramic-epoxy composite material. **2017**, 723, 1011-1017 5
- 366 Influences of lithium on the defect structures and electrical properties of ZnO-Bi₂O₃ based varistors. *Journal of Materials Science: Materials in Electronics*, **2017**, 28, 13905-13911 2.1 7
- 365 Investigation of pH effect on the hydrothermal synthesis of highly efficient ZnO nanostructures as photocatalyst. **2017**, 47, 302-307 4
- 364 Designing of silk and ZnO based antibacterial and noncytotoxic bionanocomposite films and study of their mechanical and UV absorption behavior. **2017**, 65, 281-294 20
- 363 Effect of Bi₂O₃ doping on microstructure and electrical properties of ZnO-V₂O₅-Mn₃O₄ semiconducting ceramics. *Journal of Materials Science: Materials in Electronics*, **2017**, 28, 903-908 2.1 4
- 362 Microstructures and electrical properties of ZnO-V₂O₅-MnO₂ varistors with low-temperature sintering. *Journal of Materials Science: Materials in Electronics*, **2017**, 28, 1909-1913 2.1
- 361 Two-step microwave sintering of nanostructured ZnO-based varistors. *Ceramics International*, **2017**, 43, 847-853 5.1 23
- 360 Dielectric properties of Mn-doped ZnO-Bi₂O₃ varistors below liquid nitrogen temperature. **2017**,
- 359 Effect of electro-thermally induced degradation on the capacitance of metal oxide varistors. **2017**, 1
- 358 X-Ray Diffraction Analysis of ZnO Particles Prepared by Microwave Plasma. **2017**, 751, 195-201
- 357 Calcined Solution-Based PVP Influence on ZnO Semiconductor Nanoparticle Properties. **2017**, 7, 2 31
- 356 Distinct degradation processes in ZnO varistors: reliability analysis and modeling with accelerated AC tests. **2017**, 25, 3240-3252 1
- 355 Direct synthesis of ZnO nanorods from solution under electric field. *Materials Chemistry and Physics*, **2018**, 211, 168-171 4.4 5
- 354 Structural, Optical, and Luminescent Properties of ZnO:Ga and ZnO:In Ceramics. **2018**, 65, 2196-2202 14
- 353 TiN/Al₂O₃/ZnO gate stack engineering for top-gate thin film transistors by combination of post oxidation and annealing. **2018**, 112, 162105 9
- 352 Effects of Na Doping on Structural, Optical, and Electronic Properties of ZnO Thin Films Fabricated by Sol-Gel Technique. **2018**, 47, 3847-3854 6
- 351 Effect of Fe doping on optical and structural properties of ZnO thin film prepared by spray pyrolysis method. **2018**, 5, 9173-9176 1
- 350 Nonlinear current-voltage characteristics of WO_{3-x} nano-/micro-rods. **2018**, 78, 126-132 4

349	Effects of Fe and Al co-doping on the leakage current density and clamp voltage ratio of ZnO varistor. 2018 , 747, 1018-1026		14
348	High performance multi-layer varistor (MLV) from doped ZnO nanopowders by water based tape casting: Rheology, sintering, microstructure and properties. <i>Ceramics International</i> , 2018 , 44, 7837-7843	5.1	6
347	Microstructure, optical, dielectric and electrical characterizations of Mn doped ZnO nanocrystals synthesized by mechanical alloying. <i>Ceramics International</i> , 2018 , 44, 7110-7121	5.1	21
346	Synthesis and dielectric properties of Cr-substituted CeO ₂ nanoparticles. <i>Journal of Materials Science: Materials in Electronics</i> , 2018 , 29, 7402-7411	2.1	9
345	Effects of different compositions from magnetic and nonmagnetic dopants on structural and electrical properties of ZnO nanoparticles-based varistor ceramics. 2018 , 77, 54-61		9
344	Ultrasensitive Toluene-Gas Sensor: Nanosized Gold Loaded on Zinc Oxide Nanoparticles. 2018 , 90, 1959-1966		74
343	Al-doped ZnO varistors prepared by a two-step doping process. 2018 , 117, 237-242		3
342	Investigation of temperature approximation methods during flash sintering of ZnO. <i>Ceramics International</i> , 2018 , 44, 6162-6169	5.1	44
341	Electrophysical properties of ceramic-polymer composite films as function of sintering temperature. 2018 , 28, 495-501		2
340	Influence of sintering temperature on microstructure and electrical properties of Er ₂ O ₃ added ZnO-V ₂ O ₅ -MnO ₂ -Nb ₂ O ₅ varistor ceramics. 2018 , 749, 687-696		20
339	Electric and dielectric behaviors of (Ca, Ta)-doped TiO ₂ thick film varistor obtained by screen printing. 2018 , 8, 758-763		1
338	A Wide-Range Model for Metal-Oxide Surge Arrester. 2018 , 33, 102-109		24
337	Improving electrical properties of multiple dopant ZnO varistor by doping with indium and gallium. <i>Ceramics International</i> , 2018 , 44, 1168-1171	5.1	33
336	Nanostructured photocatalysis in the visible spectrum for the decontamination of air and water. 2018 , 63, 257-282		30
335	Kinetics of response of ZnO-Ag ceramics for resistive gas sensor to the impact of methane, and its analysis using a stretched exponential function. 2018 , 255, 1680-1686		4
334	Synthesis of SiO ₂ -Coated Core-Shell ZnO Composites for Preparing High-Voltage Varistors. 2018 , 47, 409-414		1
333	Effect of Yb ₂ O ₃ addition on varistor properties and aging characteristics of ZnO-V ₂ O ₅ -Mn ₃ O ₄ system. <i>Journal of Materials Science: Materials in Electronics</i> , 2018 , 29, 2958-2965	2.1	5
332	Effect Of sintering temperature on microstructure and electrical properties of ZnO-0.5 mol%V ₂ O ₅ -0.5 mol%Cr ₂ O ₃ varistors. <i>Journal of Materials Science: Materials in Electronics</i> , 2018 , 29, 3891-3897	2.1	3

331	Effect of co-doping Y ₂ O ₃ –La ₂ O ₃ on microstructure and electrical properties of ZnO-based varistor ceramics prepared from nanosize ZnO powder. <i>Journal of Materials Science: Materials in Electronics</i> , 2018 , 29, 3104-3109	2.1	15
330	The control of abnormal grain growth in low-voltage SnO ₂ varistors by microseed addition. <i>Ceramics International</i> , 2018 , 44, 3388-3393	5.1	11
329	High-performance varistors prepared by hot-dipping tin oxide thin films in Sb ₂ O ₃ powder: Influence of temperature. <i>Journal of the American Ceramic Society</i> , 2018 , 101, 61-70	3.8	6
328	Conventional Sintering Effects on the Microstructure and Electrical Characteristics of Low-Voltage Ceramic Varistor. 2018 ,		2
327	Surge Arrester with High Performance Metal Oxide Varistors for Deeply Suppressing Overvoltage in AC UHV Systems. 2018 ,		
326	Dielectric characteristics and nonlinear properties of ZnO–polypyrrole composites. 2018 , 28, 1377-1385		6
325	Sintering of Nanocrystalline Multicomponent Zinc Oxide Varistor Powders Prepared by Ball Milling. 2018 , 5, 9899-9909		4
324	Effects of Ta ₂ O ₅ Addition on Electrical Properties of ZnO-V ₂ O ₅ Based Varistor Ceramics. 2018 , 359, 012019		
323	Novel ZnO Varistors for Dramatically Improving Protective Effect of Surge Arresters. 2018 ,		
322	Effect of thermal treatment time on high-performance varistors prepared by hot-dipping oxygen-deficient zinc oxide thin films in bismuth oxide powder. <i>Journal of Materials Science: Materials in Electronics</i> , 2018 , 29, 20885-20894	2.1	2
321	Influence of High Current impulses and 50 Hz AC Bursts on the Temperature of Low-Voltage Metal-Oxide Surge Arresters. 2018 ,		
320	Finite Element Simulation of a ZnO Varistor Stressed by a 4/10 μ s Current Impulse. 2018 ,		
319	ReaxFF Molecular Dynamics Study on the Influence of Temperature on Adsorption, Desorption, and Decomposition at the Acetic Acid/Water/ZnO(101 0) Interface Enabling Cold Sintering. 2018 , 10, 37717-37724		25
318	Microstructure and Current-Voltage Characteristics of Erbium Oxide Doped Multicomponent Zinc Oxide Varistors. 2018 , 338, 012046		3
317	Assessing the Significance of Electro-Thermal Stress on Varistor Arresters Using Kruskal-Wallis H-Test. 2018 ,		1
316	Major Effects on Non-ohmic Properties and Aging Stress Behavior of ZPCCD Semiconducting Varistors with Er ₂ O ₃ Doping Changes. <i>Transactions on Electrical and Electronic Materials</i> , 2018 , 19, 330-336	1.7	6
315	Effect of milling speed and time on electrical properties and microstructure of SnO ₂ -Co ₃ O ₄ -Dy ₂ O ₃ -Ta ₂ O ₅ varistors. <i>Ceramics International</i> , 2018 , 44, 23185-23190	5.1	8
314	Electrical properties of ZnO varistor ceramics modified by rare earth-yttrium and gallium dopants. 2018 , 233, 20-23		11

313	Effect of erbium-calcium manganite doping on microstructure and electrical properties of zinc oxide based varistor ceramics. 2018 , 9, 298		2
312	Electrical properties of ZnO/alumina nano composites for high voltage transmission line insulator. <i>Journal of Materials Science: Materials in Electronics</i> , 2018 , 29, 13526-13533	2.1	4
311	A novel economical grain boundary engineered ultra-high performance ZnO varistor with lesser dopants. 2018 , 38, 5021-5029		19
310	Effect of spark plasma sintering on microstructure and electrical properties of ZnO-based varistors. <i>Journal of Materials Science: Materials in Electronics</i> , 2018 , 29, 16238-16247	2.1	10
309	Microstructural developments and electrical properties of novel coarse-grained SnO ₂ varistors obtained by CuO addition for low-voltage applications. <i>Ceramics International</i> , 2018 , 44, 18478-18483	5.1	4
308	Effect of impulse current degradation on the electrical properties and dielectric relaxations of ZnO-based ceramic varistors. 2018 , 25, 975-983		8
307	Methodology to evaluate the performance of metal-oxide surge arresters monitoring techniques based on the resistive leakage current. 2018 ,		1
306	A Review of Zinc Oxide Varistors for Surge Arrester. 2018 ,		
305	. 2018 ,		1
304	Novel multifunctional capacitor-varistor ceramics based on SnO ₂ . <i>Ceramics International</i> , 2018 , 44, 20386-20390		
303	Photocatalytic and electrically conductive transparent Cl-doped ZnO thin films via aerosol-assisted chemical vapour deposition. 2018 , 6, 12682-12692		22
302	Grain growth kinetics and electrical properties of CuO doped SnO ₂ -based varistors. 2019 , 770, 784-791		10
301	Nonlinear Electrical Properties of ZnO-V ₂ O ₅ Based Rare Earth (Er ₂ O ₃) Added Varistors. 2019 , 48, 5650-5661		11
300	Progress on Transition Metal-Doped ZnO Nanoparticles and Its Application. 2019 , 58, 17130-17163		63
299	Bulk heterojunction polymer solar cell, using ZnO nanorods with various mass ratios of P3HT:PCBM blend as the active layer. 2019 , 125, 1		4
298	Tailoring the structural, morphological, optical, thermal and dielectric characteristics of ZnO nanoparticles using starch as a capping agent. 2019 , 15, 102543		16
297	Influence of processing on microstructure and electrical characteristics of multilayer varistors. 2019 , 8, 408-417		13
296	Highly charged interface trap states in PbS _{1-x} govern electro-thermal transport. 2019 , 7, 071105		

295	Investigation of dielectric relaxation and degradation behavior of two-step sintered ZnO varistors. <i>Ceramics International</i> , 2019 , 45, 21900-21909	5.1	9
294	Nonlinear electrical properties and dielectric properties of ZnO ceramics doped with K ₂ CO ₃ . <i>Journal of Materials Science: Materials in Electronics</i> , 2019 , 30, 13768-13773	2.1	2
293	Breakdown phenomenon of ZnO varistors caused by non-uniform distribution of internal pores. 2019 , 39, 4824-4830		18
292	ZnO Nanoparticles, Nanorods, Hexagonal Plates and Nanosheets Produced by Polyol Route and the Effect of Surface Passivation by Acetate Molecules on Optical Properties. 2019 , 48, 6437-6445		2
291	Electrical properties of structures based on varistor ceramics and polymer nanocomposites with carbon filler. 2019 , 09, 1950023		4
290	High voltage gradient zinc oxide varistors for line surge arresters and GIS tank-type arresters. 2019 ,		1
289	Influence of a Zn-Bi-Sb-O Synthetic Multi-phase on Highly Nonlinear Properties of ZnO-Bi ₂ O ₃ Varistor Ceramics. 2019 , 48, 7352-7359		2
288	Structural and optical investigations of pure and Al-doped ZnO nano-aerogels: effects of supercritical organic solvent. 2019 , 125, 1		2
287	Fabrication and Electrical Characteristics of ZnSnO/Si Bilayer Tunneling Filed-Effect Transistors. 2019 , 7, 1201-1208		5
286	Synthesis of the Composite Additive Fine Powders for ZnO Varistor by Low-Temperature Combustion. 2019 , 14, 1950053		
285	Effect of B ₂ O ₃ Concentration and Sintering Temperature on Microstructure and Electrical Properties in the ZnO-Bi ₂ O ₃ -Based Varistors. 2019 , 48, 7704-7709		2
284	Grain growth kinetics of Er ₂ O ₃ doped ZnO-V ₂ O ₅ based varistor ceramics. <i>Ceramics International</i> , 2019 , 45, 24835-24850	5.1	15
283	Effect of Pr ₆ O ₁₁ doping on the microstructure and electrical properties of ZnO varistors. <i>Ceramics International</i> , 2019 , 45, 24777-24783	5.1	10
282	Preparation of Zinc Oxide Nanoparticles Containing Spray and Barrier Films for Potential Photoprotection on Wound Healing. 2019 , 4, 1801-1809		5
281	Heterojunction Fe O /ZnO Films with Enhanced Photocatalytic Properties Grown by Aerosol-Assisted Chemical Vapour Deposition. 2019 , 25, 11337-11345		8
280	Low-Cost One-Step Fabrication of Highly Conductive ZnO:Cl Transparent Thin Films with Tunable Photocatalytic Properties via Aerosol-Assisted Chemical Vapor Deposition. 2019 , 1, 1408-1417		26
279	Tuning the Electronic Structure and Optical Properties of S-Doped ZnO under Pressure. 2019 , 93, 902-908		
278	Effects of SiO ₂ /Cr ₂ O ₃ ratios on microstructures and electrical properties of high voltage gradient ZnO varistors. <i>Journal of Materials Science: Materials in Electronics</i> , 2019 , 30, 12113-12121	2.1	10

277	Boundary breakdown time of ZnO varistors under nanosecond pulse current. <i>AIP Advances</i> , 2019 , 9, 045032	0
276	Electrical, photoluminescence and ferromagnetic characterization of pure and doped ZnO nanostructures. 2019 , 125, 1	12
275	Comparison of different properties of zinc oxide nanoparticles synthesized by the green (using <i>Juglans regia</i> L. leaf extract) and chemical methods. 2019 , 286, 110831	47
274	Novel zinc-oxide varistor with superior performance in voltage gradient and aging stability for surge arrester. 2019 , 789, 948-952	17
273	. 2019 ,	21
272	On the correlation between electrical, optical and magnetic properties of Zn _{1-x} Pr _x O nanoparticles. 2019 , 6, 065903	6
271	Simulation on Varistor Ceramics. 2019 , 149-191	1
270	Breakdown Mechanism and Energy Absorption Capability of ZnO Varistor. 2019 , 193-234	
269	Electrical Degradation of ZnO Varistors. 2019 , 235-279	
268	Impulse current withstanding capability of ZnO varistors with influence of varistor size. 2019 , 14, 1016-1022	0
267	WO ₃ -Based Varistor Ceramics of Low Breakdown Voltage. 2019 , 441-460	
266	Tin Oxide Varistor Ceramics of High Thermal Conductivity. 2019 , 407-439	
265	Pure, Size Tunable ZnO Nanocrystals Assembled into Large Area PMMA Layer as Efficient Catalyst. 2019 , 9, 162	13
264	Praseodymium/Vanadium/Barium-Based ZnO Varistor Systems. 2019 , 281-305	
263	Introduction of Varistor Ceramics. 2019 , 1-30	
262	Tuning Electrical Characteristics of ZnO Varistors. 2019 , 67-124	
261	Influence of processing parameters on the densification and the microstructure of pure zinc oxide ceramics prepared by spark plasma sintering. <i>Ceramics International</i> , 2019 , 45, 10035-10043	5.1 13
260	Stable electrical properties of ZnO varistor ceramics with multiple additives against the AC accelerated aging process. <i>Ceramics International</i> , 2019 , 45, 11105-11108	5.1 11

259	Role of sintering temperature on microstructure and nonlinear electrical properties of 0.1 mol.% Nb2O5 added ZnO-Nb2O5 varistor ceramics. <i>Journal of Materials Science: Materials in Electronics</i> , 2019 , 30, 5640-5651	2.1	7
258	. 2019 ,		1
257	Thermal behaviour analysis in a porcelain-housed ZnO surge arrester by computer simulations and thermography. 2019 , 4, 173-177		5
256	Effect of Al doping on nonlinearity and residual voltage of ZnO ceramic resistor. 2019 ,		0
255	Research and Protection of Overvoltage Caused by Lightning Stroke on Wind Farm Collector Lines. 2019 ,		
254	Theoretical Studies on the Geometrical and Electronic Structures of C-Doped ZnO under High Pressure. 2019 , 93, 2407-2413		1
253	X-ray diffraction lineshape analysis of pulsed laser deposited ZnO nano-structured thin films. 2019 , 473, 298-302		8
252	Defects anomaly in cobalt-doped ZnO nanostructures using optical and charge transient analysis. 2019 , 58, 159-165		1
251	Testing Metal Oxide Varistors for HVDC Breaker Application. 2019 , 34, 346-352		9
250	Synthesis, structural and optical properties of Ni doped ZnO nanoparticle - A chemical approach. 2020 , 26, 148-153		4
249	Improving the protective effect of surge arresters by optimizing the electrical property of ZnO varistors. 2020 , 178, 106041		8
248	Green synthesis of ZnO nanoparticles using whey as an effective chelating agent. 2020 , 259, 126853		27
247	Hydrothermal synthesis of ZnO-CdS nanocomposites: Structural, optical and electrical behavior. <i>Ceramics International</i> , 2020 , 46, 391-402	5.1	21
246	Processing and characterizations of flash sintered ZnO-Bi2O3-MnO2 varistor ceramics under different electric fields. 2020 , 40, 1330-1337		18
245	Influence of CaO doping on phase, microstructure, electrical and dielectric properties of ZnO varistors. 2020 , 817, 152700		14
244	Electron-Doping Mottronics in Strongly Correlated Perovskite. 2020 , 32, e1905060		14
243	Controllable microstructure tailoring for regulating conductivity in Al-doped ZnO ceramics. 2020 , 40, 349-354		12
242	Effect of sintering temperature on nonlinearity and surge degradation characteristics of Mn3O4/Nb2O5/Er2O3-doped ZnO-Nb2O5-based varistors. 2020 , 57, 65-72		1

241	High-Frequency Metal-Oxide Varistor Modeling Response to Early-time Electromagnetic Pulses. 2020 ,		1
240	An economical dopant for improving the comprehensive electrical properties of ZnO varistor ceramics. 2020 , 279, 128471		5
239	Fabrication of pulsed laser-deposited Cr-doped zinc oxide thin films: structural, morphological, and optical studies. <i>Journal of Materials Science: Materials in Electronics</i> , 2020 , 31, 21193-21202	2.1	2
238	Special grain boundaries in perovskite crystals. 2020 , 567, 13-19		
237	Effect of Ni ₂ O ₃ Doping on the Electrical Properties and Intrinsic Defect Concentration of ZnO Varistor Ceramics. 2020 , 185, 01019		0
236	The effects of multiwall carbon nanotubes on the electrical characteristics of ZnO-based composites. 2020 , 14, 329-337		0
235	Synthesis by Hydrothermal Treatment of ZnO-Based Varistors Doped with Rare Earth Oxides and Their Characterization by Impedance Spectroscopy. 2020 , 10, 1134		1
234	High nonlinear coefficient SnO ₂ varistors tailored by Mn ₂ O ₃ doping. 2020 , 117, 105160		2
233	Defects and microstructure of highly conducting Al-doped ZnO ceramics obtained via spark plasma sintering. 2020 , 40, 5529-5534		5
232	Hybrid Ag/ZnO nanostructures for SERS detection of ammonium nitrate. 2020 , 1492, 012050		
231	A Route towards Fabrication of Functional Ceramic/Polymer Nanocomposite Devices Using the Cold Sintering Process. 2020 , 2, 1917-1924		5
230	The Photophysical Properties of Ga-doped ZnO Thin Films Grown by Spray Pyrolysis Method. 2020 , 30, 4895-4904		
229	The mechanism of formation of interface barriers in ZnO:Mn ceramics. 2020 , 2, 1		5
228	Enhanced electrical properties of ZnO varistor ceramics by spark plasma sintering: Role of annealing. <i>Ceramics International</i> , 2020 , 46, 15076-15083	5.1	10
227	Improving electrical properties of ZnO/Bi ₂ O ₃ -B ₂ O ₃ -MnO ₂ varistors by doping with pre-synthesized Bi ³⁺ phase. 2020 , 836, 154692		11
226	Improvement in Electrical Characteristics of ZnSnO/Si Bilayer TFET by W/Al ₂ O ₃ /Gate Stack. 2020 , 8, 341-345		4
225	A modified measurement method of electrical properties for ZnO microvaristors by direct measurements. 2020 , 91, 034702		
224	Precursor- and Time-Dependent Morphological Evolution of ZnO Nanostructures for Comparative Photocatalytic Activity and Adsorption Dynamics with Methylene Blue Dye. 2020 , 5, 16670-16680		3

223	Enhanced voltage gradient and energy absorption capability in ZnO varistor ceramics by using nano-sized ZnO powders. 2020 , 828, 154252		21
222	Investigation of schottky barriers at Pd-ZnO junctions in varistors. 2020 , 40, 3771-3775		4
221	The degradation behavior of high-voltage SnO ₂ based varistors sintered at different temperatures. <i>Ceramics International</i> , 2020 , 46, 11577-11583	5.1	1
220	Improvement of surge current performances of ZnO varistor ceramics via C3N4-doping. 2020 , 40, 2390-2395		11
219	Influence of Bi ₃ Zn ₂ Sb ₃ O ₁₄ pre-synthesis phase on electrical properties of the ZnO-Bi ₂ O ₃ based varistor ceramics. 2020 , 834, 155070		12
218	Effect of bismuth and vanadium as the varistor forming element in ZnO-based ceramics. <i>Journal of Materials Science: Materials in Electronics</i> , 2020 , 31, 8206-8211	2.1	4
217	Mesoscopic modeling of the mechanically tunable electrical conductivity of ZnO varistors. 2020 , 127, 155104		3
216	Varistor Electrical Properties: Microstructural Effects. 2021 , 254-271		3
215	Effects of pre-calcination and sintering temperature on the microstructure and electrical properties of ZnO-based varistor ceramics. 2021 , 123, 105529		6
214	Effect of shape and particle size distribution of inert surface particles on the oxygen exchange kinetics of oxide ceramics. 2021 , 148, 109735		
213	Cold sintering ZnO based varistor ceramics with controlled grain growth to realize superior breakdown electric field. 2021 , 41, 430-435		5
212	B ₂ O ₃ - and Y ₂ O ₃ -doped ZnO varistor ceramics: Enhanced voltage gradient and nonlinear properties for UHV. 2021 , 123, 105590		1
211	High improvement of degradation behavior of ZnO varistors under high current surges by appropriate Sb ₂ O ₃ doping. 2021 , 41, 436-442		8
210	CaO doped ZnO-Bi ₂ O ₃ varistors: Grain growth mechanism, structure and electrical properties. <i>Ceramics International</i> , 2021 , 47, 1229-1237	5.1	4
209	Simultaneously enhanced electrical stability and nonlinearity in ZnO varistor ceramics: Role of Si-stabilized Bi ₂ O ₃ phase. 2021 , 41, 2641-2647		4
208	Low temperature sintering ZnO - Bi ₂ O ₃ based varistor ceramics with low electrical breakdown voltage and high nonlinear coefficient. <i>Ceramics International</i> , 2021 , 47, 4118-4126	5.1	6
207	Observation of an electrical breakdown at ZnO Schottky contacts in varistors. 2021 , 41, 1969-1974		3
206	Development of a model for calculation of energy absorbed by a ZnO Surge Arrester during transients. 2021 , 1-1		1

205	Mechanistic insights into defect chemistry and tailored photoluminescence and photocatalytic properties of aliovalent cation substituted ZnMLiO (M: Fe, Al, Cr) nanoparticles. 2021 , 50, 14891-14907		3
204	Optical X-Ray Diffraction Data Analysis Using the Williamson-Ball Plot Method in Estimation of Lattice Strain-Stress. 2021 , 566-578		
203	The Degradation Phenomena of SLS Glass Doped ZnO Based Varistor Ceramics. 39, 55-62		
202	Thermodynamic stability and electronic structure of pristine wurtzite ZnO{0001} inversion domain boundaries. 2021 , 5,		2
201	Effect of stirring time on ZnO nanoparticles properties and morphology. 2021 , 1046, 012012		0
200	Relaxation peaks of ZnO varistors and their correlations with electrical properties. 2021 , 60, 031006		2
199	Compositional, Structural, Morphological, and Optical Properties of ZnO Thin Films Prepared by PECVD Technique. 2021 , 11, 202		3
198	Adsorption of syn-propanethial Sulfide on the Zn ₁₂ O ₁₂ cluster: insights from ab-initio modelling. 2021 , 42, 308-321		
197	Synthesis and characterization of ZnO-based nano-powders: study of the effect of sintering temperature on the performance of ZnO-Bi ₂ O ₃ varistors. <i>Journal of Materials Science: Materials in Electronics</i> , 2021 , 32, 3125-3139	2.1	3
196	Numerical modelling of MOV with Voronoi network and finite element method. 2021 , 6, 711-717		3
195	Electrical, photoluminescence and optical investigation of ZnO nanoparticles sintered at different temperatures. 2021 , 53, 1		1
194	Synthesis and Applications of ZnO/Polymer Nanohybrids. 2021 , 3, 599-621		16
193	ZnO Varistors: From Grain Boundaries to Power Applications. 2021 , 157-234		3
192	On the relationship between modification of Bi ₂ O ₃ by Sb and type of grain boundaries in ZnO-based varistors. 2021 , 122, 105251		2
191	A unique tuning effect of Mg on grain boundaries and grains of ZnO varistor ceramics. 2021 , 41, 2633-2640		7
190	Optimization Method of the Solvothermal Parameters Using Box-Behnken Experimental Design-The Case Study of ZnO Structural and Catalytic Tailoring. 2021 , 11,		3
189	Effects of doping Y ₂ O ₃ on the microstructure and electrical properties of ZnO-Bi ₂ O ₃ -based varistor ceramics. 2021 , 46, 131-140		2
188	Effect of Sr Doping on Nonlinear Current-Voltage Properties of ZnO-Based Ceramics. 2021 , 50, 4096-4103		1

187	A modelling approach to describe the DC current-voltage behaviour of low-voltage zinc oxide varistors. 2021 , 6, 100113			3
186	Ageing Characterisation of Varistor Arresters: A Statistical Model for Grain Response Under Applied Thermal Stress. 1			
185	Measurement of the piezotronic effect on single grain boundaries in zinc oxide Varistors. 2021 , 6, 100125			1
184	Intra-4f transitions-induced red emission in ZnO-Eu2O3 ceramic. 2021 , 183, 109392			
183	DC Aging Mechanism of Co2O3-Doped ZnO Varistors. 2021 , 14, 4011			1
182	Breakdown Phenomenon in Non-Ohmic Current-Voltage Characteristics of a Zinc Oxide-Bismuth Oxide Binary Varistor System. 2021 , 68, 257-261			
181	Effect of Bi2O3 on the ZnVMnCoTiO based varistor ceramic sintered at 800 °C. <i>Journal of Materials Science: Materials in Electronics</i> , 2021 , 32, 19724-19732	2.1		0
180	Effects of Sb2O3 on the microstructure and electrical properties of ZnO-Bi2O3-based varistor ceramics fabricated by two-step solid-state reaction route. <i>Ceramics International</i> , 2021 , 47, 19394-19401	5.1		1
179	Low temperature sintering and characterization of 0.25 mol% Bi2O3 doped ZnBiMnNbO based varistor ceramics. <i>Ceramics International</i> , 2021 , 47, 23362-23367	5.1		1
178	Two stage sintering behaviour of Er2O3 doped high performance ZnO varistors. 2021 , 41, 5184-5192			3
177	Efficacy of Ion Implantation in Zinc Oxide for Optoelectronic Applications: A Review. 2021 , 3, 3693-3714			5
176	High dose gamma irradiation effects on properties of active layers in ZnO thin film transistors. 2021 , 36, 105011			1
175	A current-controlled flash sintering processing leading to dense and fine-grained typical multi-element ZnO varistor ceramics. 2021 , 876, 160124			4
174	Fabrication of ZnO Ceramics with Defects by Spark Plasma Sintering Method and Investigations of Their Photoelectrochemical Properties. 2021 , 11,			2
173	High nonlinearity in 0.1 mol.% In2O3 added ZnO-V2O5 based varistors prepared at different sintering temperatures. <i>Ceramics International</i> , 2021 , 47, 35152-35152	5.1		1
172	High non-linear electrical properties of Li3xCo7-3xSb2+xO12 a new ceramic varistor. 2021 , 878, 160356			1
171	Effect of sintering process on the electrical properties and microstructure of Ca-doped ZnO varistor ceramics. 2021 , 133, 105880			2
170	Effectively enhanced comprehensive electrical performance of ZnO varistors by a fast combinatorial refinement method. 2021 , 133, 105945			1

169	Effects of the Er ₂ O ₃ doping on the microstructure and electrical properties of ZnO-Bi ₂ O ₃ based varistor ceramics. <i>Ceramics International</i> , 2021 , 47, 32349-32356	5.1	1
168	Oxide thermoelectric materials: Compositional, structural, microstructural, and processing challenges to realize their potential. 2021 , 269-302		
167	Heterogeneous photocatalytic decolorization and degradation of structurally related textile reactive dyes in aqueous suspension of ZnO nanotube. 2010 ,		1
166	Microstructure and Intergranular Phase Distribution in Bi ₂ O ₃ -Doped ZnO. 1998 , 131-147		6
165	Lineare und nicht-lineare Widerstände. 1994 , 129-218		1
164	Microstructure and nonlinear electrical properties of ZnO-Pr ₆ O ₁₁ -CoO-Cr ₂ O ₃ -La ₂ O ₃ -based varistors. 2005 , 40, 6307		2
163	Microwave sintering of a nanostructured low-level additive ZnO-based varistor. <i>Ceramics International</i> , 2020 , 46, 15044-15053	5.1	5
162	Effect of Co ₂ O ₃ on the microstructure and electrical properties of Ta-doped SnO ₂ varistors. <i>Journal Physics D: Applied Physics</i> , 2005 , 38, 1072-1075	3	14
161	Preparation and characterization of layered low-voltage ZnO varistors. 2009 , 30, 033002		2
160	Crystallography at the nanoscale: planar defects in ZnO nanospikes. 2019 , 52, 1009-1015		3
159	Sintering Behaviour of ZnO:Cu Ceramics Fabricated by Sol-Gel Derived Powders. 2012 , 121, 271-273		1
158	LOW-TEMPERATURE SINTERING OF ZnO-Bi ₂ O ₃ -BASED VARISTOR CERAMICS FOR ENHANCED MICROSTRUCTURE DEVELOPMENT AND CURRENT-VOLTAGE CHARACTERISTICS. 2017 , 8-14		2
157	Non-ohmic conduction in tin dioxide based ceramics with copper addition. 2011 , 14, 71-76		2
156	The change in optical characteristics of ZnO crystals under ruby laser irradiation. 2004 , 7, 350-354		5
155	ize Effects in Electrical Properties of Carbon-Polypropylene Composites. <i>Ukrainian Journal of Physics</i> , 2016 , 61, 1008-1016	0.4	1
154	Electrical Properties of ZnO Microvaristors under HV Application. 2012 , 132, 938-943		1
153	Características elétricas do sistema varistor ZnO.Bi ₂ O ₃ .Co ₂ O ₃ .MnO ₂ dopado com Ni ₂ O ₃ . 1998 , 44,		1
152	Influência de dopantes doadores na degradação do varistor base de SnO ₂ e o efeito do oxigênio p ₂ -degradação. 2006 , 52, 88-91		3

151	Revisã: efeito dos metais doadores nas propriedades eltricas e microestruturais dos varistores cerâmicos ^base de SnO2. 2008 , 54, 296-302		4
150	Electrical and microstructural properties of microwave sintered SnO2-based varistors. 2012 , 58, 151-157		4
149	Oxygen diffusion in pure and doped ZnO. 2003 , 6, 173-178		38
148	Sintesis de ceramicos de ZnO dopados con praseodimio y cobalto. 2003 , 6, 211-217		1
147	Electrical properties of mechanically activated zinc oxide. 2006 , 38, 131-138		4
146	Electrical properties of ZnO varistors prepared by direct mixing of constituent phases. 2006 , 38, 161-167		2
145	Quantitative microstructural and spectroscopic investigation of inversion domain boundaries in sintered zinc oxide ceramics doped with iron oxide. <i>International Journal of Materials Research</i> , 2006 , 97, 934-942	0.5	16
144	Densification and Surge Current Performance of SnO2-Sb2O3 Based Varistor Ceramics. 2009 , 24, 841-844		2
143	The Effect of PVP Addition and Heat-treatment Duration on Zinc Oxide Nanoparticles. 2006 , 6, 1298-1301		7
142	The Role of CeO2 in the High Electric Field ZnO Varistors. 2006 , 6, 1671-1678		5
141	Toxicological Emergencies and Their Management at Different Health Care Levels in Northern India-An Overview. 2005 , 1, 69-81		1
140	Optical X-Ray Diffraction Data Analysis Using the Williamson-Ball Plot Method in Estimation of Lattice Strain-Stress. 2020 , 121-133		1
139	Structural and Optical Properties of Zn_xMg_xO Ceramic Composites. 2012 , 03, 538-542		1
138	Electrical Properties and Dielectric Characteristics CCT-doped Zn/Pr-based Varistors with Sintering Temperature. <i>Transactions on Electrical and Electronic Materials</i> , 2009 , 10, 80-84	1.7	8
137	Anomalous Stress-Induced Hump Effects in Amorphous Indium Gallium Zinc Oxide TFTs. <i>Transactions on Electrical and Electronic Materials</i> , 2012 , 13, 47-49	1.7	16
136	Varistor Properties and Aging Behavior of ZnO-V2O5-MnO2-Co3O4-La2O3Ceramics Modified with Various Additives (Cr, Nb, Dy, Bi). <i>Transactions on Electrical and Electronic Materials</i> , 2013 , 14, 193-198	1.7	5
135	Microstructure and Varistor Properties of ZPCCAECeramics with Erbium. <i>Transactions on Electrical and Electronic Materials</i> , 2014 , 15, 213-216	1.7	2
134	Modeling of electrical transport in Zinc Oxide varistors. 12, 29-34		11

133	Optimising the performance of SiC-based varistors through composition and microstructure control. 2021 , 42, 600-600			1
132	Effect of Firing Temperature on Microstructure and the Electrical Properties of a ZnO-based Multilayered Chip Type Varistor(MLV). <i>Journal of the Korean Ceramic Society</i> , 2002 , 39, 286-293		2.2	
131	A Study on the Improvement of the Electrical Stability Versus MgO Additive for ZnO Ceramic Varistors. 2002 , 15, 398-405			
130	Effect of Pr6O11/CoO Ratio on Electrical Characteristics of ZPCD-Based varistor Ceramics. 2002 , 15, 876-882			
129	Nanocrystalline functional materials and nanocomposites synthesis through aerosol routes. 2003 , 57, 262-268			
128	Influence of Dy2O3 Addition on Microstructure and Electrical Properties of Pr6O11 Varistor Ceramics. <i>Korean Journal of Materials Research</i> , 2003 , 13, 645-650	0.2		1
127	Electrical and Dielectric Properties of Zn-Pr-Co-Cr-Dy Oxides-based Varistors. <i>Journal of the Korean Ceramic Society</i> , 2003 , 40, 943-948		2.2	
126	Electrical Stability of Zn-Pr-Co-Cr-Dy Oxides-based Varistor Ceramics. <i>Journal of the Korean Ceramic Society</i> , 2003 , 40, 1067-1072		2.2	
125	Microstructure and Electrical Properties of Zn-Pr-Co-Y-M(M=Ni, Mg, Cr) Oxide-Based Varistors. <i>Korean Journal of Materials Research</i> , 2004 , 14, 420-424		0.2	
124	Effect of Sintering Temperature on Electrical Stability against Surge Stress of Zn-Pr-Co-Cr-Er Oxides-based Varistors. 2004 , 17, 1167-1173			
123	Engenharia de microestrutura em varistor ^base de ZnO: evidências de homogeneidade e correlaçã com reaões químicas. 2005 , 51, 13-18			
122	Electrical Properties and Clamping Voltage Characteristics of ZPCCY-Based Varistor Ceramics. <i>Korean Journal of Materials Research</i> , 2005 , 15, 143-148		0.2	
121	Electrical Properties and Stability of ZPCCD-Based Varistors with Sintering Time. <i>Journal of the Korean Ceramic Society</i> , 2005 , 42, 490-496		2.2	
120	The Effect of Cobalt Oxide Addition on Electrical and Dielectric Stability of Zinc Oxide Varistors. <i>Korean Journal of Materials Research</i> , 2005 , 15, 722-729		0.2	
119	La2O3 Addition Influence on Electrical Characteristics of Pr6O11-based ZnO Varistors. <i>Transactions on Electrical and Electronic Materials</i> , 2006 , 7, 123-128			1.7
118	Electrical Properties and Stability of La2O3 Doped ZnO-Pr6O11-Based Varistor Ceramics. <i>Journal of the Korean Ceramic Society</i> , 2006 , 43, 383-388		2.2	0
117	Varistor Properties of ZPCCL-based Ceramics. <i>Korean Journal of Materials Research</i> , 2006 , 16, 416-421	0.2		
116	Electrical and Dielectric Properties, and Accelerated Aging Characteristics of Lanthania Doped Zinc Oxide Varistors. <i>Transactions on Electrical and Electronic Materials</i> , 2006 , 7, 189-195			1.7

- 115 Sintering Temperature Effect on Electrical and Dielectric Stability of ZPCCL-Based Varistors. *Korean Journal of Materials Research*, **2006**, 16, 466-472 0.2
- 114 Influence of Sintering Temperature on Electrical and Dielectric Characteristics of Zn-Pr-Co-Cr-La Oxide-Based Nonlinear Resistors. *Journal of the Korean Ceramic Society*, **2006**, 43, 558-563 2.2
- 113 Temperature and Leakage Current Characteristics of Polymeric Surge Arrester with Housing. **2007**, 20, 273-280
- 112 Terbium Addition Effects on Accelerated aging Characteristics of (Pr, Co, Cr)-doped ZnO Varistors. **2007**, 20, 508-513
- 111 Effect of Thermal Mechanical Stresses on Electrical Characteristics of Polymer Housed Surge Arresters. **2007**, 20, 555-560
- 110 Effect of Sintering Temperature on Electrical Properties and Stability of Zn-Pr-Co-Cr-Tb-Based Varistors. *Korean Journal of Materials Research*, **2007**, 17, 298-302 0.2
- 109 Electrical Properties of PCCYA-doped ZnO-based Varistors. *Transactions on Electrical and Electronic Materials*, **2008**, 9, 96-100 1.7
- 108 Effect of Sintering Temperature on Impulse Current Stress Characteristics of ZPCCL-based Varistors. **2008**, 21, 652-659
- 107 Sintering and Electrical Properties of Mn-doped ZnO-TeO₂ Ceramics. **2009**, 22, 22-28
- 106 Clamping Voltage Characteristics and Accelerated Aging Behavior of CoCrTb-doped Zn/Pr-based Varistors with Sintering Temperature. *Transactions on Electrical and Electronic Materials*, **2009**, 10, 125-130¹⁷
- 105 A Study of Lightning Impulse Operating Duty and Temperature Dependence of Series Gap Type Arrester. **2009**, 22, 659-664
- 104 A Study on the Design of Varistor Prevented from Thermal Runaway to Improve Safety. **2010**, 24, 69-76
- 103 Analysis of a.c. Characteristics in ZnO-Bi₂O₃Cr₂O₃ Varistor using Dielectric Functions. **2010**, 23, 368-373
- 102 Interfaces and Microstructures in Materials. 479-528
- 101 Transformation of Current Limiting Effect into Varistor Effect in Tin Dioxide Based Ceramics. 19-25
- 100 Microstructure, Electrical Properties, and Accelerated Aging Behavior of Er-Added ZPCC-YE Varistors. *Transactions on Electrical and Electronic Materials*, **2010**, 11, 216-221 1.7
- 99 Analysis of a.c. Characteristics in ZnO-Bi₂O₃-Mn₃O₄ Varistor Using Dielectric Functions. **2010**, 23, 936-941
- 98 Impulse Degradation Behavior of ZPCCYE Varistors with Y₂O₃/Er₂O₃ Ratio. *Transactions on Electrical and Electronic Materials*, **2011**, 12, 213-217 1.7

- 97 Low Temperature Sintering and Electrical Properties of Bi-based ZnO Chip Varistor. **2011**, 24, 876-881
- 96 Electrical Properties of ZnO-Bi₂O₃-Co₃O₄Varistor. **2011**, 24, 882-889
- 95 Defects and Grain Boundary Properties of ZnO with Mn₃O₄Contents. **2011**, 24, 962-968
- 94 Effect of Sintering Temperature and Sb/Bi Ratio on Microstructure and Grain Boundary Properties of ZnO-Bi₂O₃-Sb₂O₃-Co₃O₄Varistor. **2011**, 24, 969-976
- 93 Harmonics Analysis of Leakage Current due to Artificial Contamination of Distribution Arresters. **2012**, 61, 1306-1313
- 92 Microstructure and Electrical Properties of ZPCCYT Varistor Ceramics. *Transactions on Electrical and Electronic Materials*, **2012**, 13, 262-265 1.7
- 91 Effect of Sb/Bi Ratio on Sintering and Grain Boundary Properties of ZnO-Bi₂O₃-Sb₂O₃-NiO-Cr₂O₃Varistor. *Korean Journal of Materials Research*, **2012**, 22, 689-695 0.2
- 90 Defects and Electrical Properties of ZnO-Bi₂O₃-Mn₃O₄-Co₃O₄Varistor. **2012**, 25, 961-968
- 89 The Effect of DC degradation and heat-treatment on defects in ZnO varistor. *Wuli Xuebao/Acta Physica Sinica*, **2013**, 62, 077701 0.6 3
- 88 Defects and Electrical Properties of NiO and Co₃O₄-doped ZnO-Bi₂O₃-Sb₂O₃Ceramics. **2013**, 26, 38-43
- 87 Analysis of Electrical Properties of Insulation Material Filled with ZnO Microvaristors. **2013**, 133, 882-887 0
- 86 Microchemistry of ZnO Varistors. **1992**, 50, 1694-1695
- 85 Ceramic Microstructure - the Key to the High Performance Ceramics. **1994**, 801-810
- 84 Electrical/Electronic Applications for Advanced Ceramics. **1995**, 1016-1056
- 83 General Characteristics and Applications of Ceramics and Glasses. **1995**, 693-698
- 82 Microstructural Control of Zinc Oxide Varistor Ceramics. **1998**, 339-348 0
- 81 A formaçã e o estãgio atual do grupo de materiais cerâmicos (GPMC) da UEPG. **1999**, 45, 27-30
- 80 CARACTERÍSTICAS MICROESTRUTURAIS E COMPORTAMENTO ELÉTRICO DE CERMICAS VARISTORAS (BASE DE ZnO-SnO₂).

79	Influence of Sintering Time on the Microstructure and Electric Properties of Low-Voltage Zinc Oxide-Based Varistor Ceramics. <i>Ukrainian Journal of Physics</i> , 2014 , 59, 787-792	0.4	
78	Varistor Properties and Aging Behavior of V/Mn/Co/ La/Dy Co-doped Zinc Oxide Ceramics Modified with Various Additives. <i>Transactions on Electrical and Electronic Materials</i> , 2014 , 15, 284-289	1.7	
77	Effect of Er ₂ O ₃ Content on Nonlinear Properties and Impulse Clamping Characteristics of Pr/Co/Cr/Al Co-doped Zinc Oxide Ceramics. <i>Journal of the Korean Ceramic Society</i> , 2014 , 51, 612-617	2.2	
76	Degradation Characteristics of Pr/Co/Cr/Er Co-doped Zinc Oxide Varistors by Impulse Current Stress. <i>Transactions on Electrical and Electronic Materials</i> , 2014 , 15, 348-352	1.7	1
75	Effect of Sintering Temperature on Microstructure, Electrical and Dielectric Properties of (V, Mn, Co, Dy, Bi)-Codoped Zinc Oxide Ceramics. <i>Korean Journal of Materials Research</i> , 2015 , 25, 37-42	0.2	
74	Microstructure and Varistor Properties of ZVMND Ceramics with Sintering Temperature. <i>Transactions on Electrical and Electronic Materials</i> , 2015 , 16, 221-225	1.7	
73	Sintering Effect on Clamping Characteristics and Pulse Aging Behavior of ESD-Sensitive V ₂ O ₅ /Mn ₃ O ₄ /Nb ₂ O ₅ Codoped Zinc Oxide Varistors. <i>Transactions on Electrical and Electronic Materials</i> , 2015 , 16, 308-311	1.7	1
72	Assessing the Limits of Accuracy for the Tauc Method for Optical 3 Band Gap Determination. 1-15		
71	Current-Voltage and Impedance Characteristics of ZnO-Zn ₂ BiVO ₆ -Co ₃ O ₄ Varistor with Temperature. <i>Journal of Sensor Science and Technology</i> , 2016 , 25, 440-446	0.3	
70	Recent research progress of relaxation performances of defects in ZnO-Bi ₂ O ₃ varistor ceramics. <i>Wuli Xuebao/Acta Physica Sinica</i> , 2017 , 66, 027701	0.6	0
69	Yttrium Doping Effect on Varistor Properties of Zinc-Vanadium-Based Ceramics. <i>Journal of the Korean Ceramic Society</i> , 2018 , 55, 504-509	2.2	1
68	Effects of Low-Temperature Sintering on Varistor Properties and Stability of VMCDNB-Doped Zinc Oxide Ceramics. <i>Journal of the Korean Ceramic Society</i> , 2019 , 56, 84-90	2.2	
67	Development of Heterojunction Electric Shock Protector Device by Co-firing. <i>Korean Journal of Materials Research</i> , 2019 , 29, 106-115	0.2	
66	Doping Effect of Yb ₂ O ₃ on Varistor Properties of ZnO-V ₂ O ₅ -MnO ₂ -Nb ₂ O ₅ Ceramic Semiconductors. <i>Korean Journal of Materials Research</i> , 2019 , 29, 586-591	0.2	
65	Excellent electrical properties of zinc-oxide varistors by tailoring sintering process for optimizing line-arrester configuration. 2020 ,		1
64	The role of oxide optimization in improving the electrical properties of ZnO varistors. <i>Journal of Materials Science: Materials in Electronics</i> , 2021 , 32, 28553	2.1	0
63	Effects of boron oxide addition on electrical properties of yttrium-doped bismuth-based zinc oxide varistors. <i>Materials Chemistry and Physics</i> , 2022 , 276, 125390	4.4	
62	Electrical properties of photogalvanic element with built-in resistor layer based on polymer nanocomposite with carbon filler. <i>Tekhnologiya I Konstruirovaniye V Elektronnoi Apparature</i> , 2020 , 30-36	0.2	

61	Synthesis and characterization of multilayered ZnO/glass/ZnO varistors. 2020,		
60	Effect of Low-Temperature Sintering on Electrical Properties and Aging Behavior of ZVMNBCD Varistor Ceramics. <i>Korean Journal of Materials Research</i> , 2020 , 30, 502-508	0.2	1
59	Industrial Fabrication of ZnO Varistor: Leveraging the Powder Processing Parameters. 2021,		
58	XXXXXXXXXXXX Ukrainian <i>Journal of Physics</i> , 2022 , 57, 330	0.4	2
57	Obtaining a Composite Material for Varistor Ceramics in One Short-Time Operation Cycle of a Coaxial Magnetoplasma Accelerator. 2020,		0
56	Evolution of Intrinsic Defects Concentration of ZnO Varistor Ceramics Doped with Ni ₂ O ₃ during Sintering. 2020,		
55	Electric field simulations of field grading techniques in HVDC cable joints. <i>COMPEL - the International Journal for Computation and Mathematics in Electrical and Electronic Engineering</i> , 2022 , ahead-of-print,	0.7	
54	Aluminum Doping Effects on Interface Depletion Width of Low Temperature Processed ZnO Electron Transport Layer-Based Perovskite Solar Cells.. <i>Frontiers in Chemistry</i> , 2021 , 9, 795291	5	3
53	Alternative Process and Design Opportunities for ZnO-Based Surge Arrester: An Investigation Oriented Roadmap. 2022,		
52	The transition from non-ohmic to ohmic characteristics in La ₂ O ₃ doped ZnO-MgO-TiO ₂ linear resistance ceramics. <i>Ceramics International</i> , 2022 ,	5.1	0
51	Quantitative microstructural and spectroscopic investigation of inversion domain boundaries in sintered zinc oxide ceramics doped with iron oxide. <i>International Journal of Materials Research</i> , 2022 , 97, 934-942	0.5	
50	Simultaneously Enhanced Potential Gradient and Nonlinearity of ZnO Varistor Ceramics by MnO Doping with Nano-Sized ZnO Powders.. <i>Materials</i> , 2021 , 14,	3.5	0
49	Effect of Donor and Acceptor Co-Doping On' The' Physical' Properties of ZnO' Varistors. <i>SSRN Electronic Journal</i> ,	1	
48	A Comparative Study of Un-Doped ZnO and in Doping ZnO Thin Films with Various Concentrations, Subjected to Appropriate UHV Treatment and Characterized by Sensitive Spectroscopy Techniques XPS, AES, Reels and PL. 2022,		
47	Steadily Decreasing Power Loss of a Double Schottky Barrier Originating from the Dynamics of Mobile Ions with Stable Interface States. <i>Physical Review Applied</i> , 2022 , 17,	4.3	3
46	Analyses of defect distributions in ZnO varistors based on the Jonscher's universal power law and the Dissado-Bill model. <i>Journal Physics D: Applied Physics</i> , 2022 , 55, 135106	3	
45	A Review on the Condition Monitoring of HVDC Polymeric housed Surge Arresters. 2021,		
44	The influence of sintering temperature on the structure and electrical properties of ZBCMS varistors. <i>Journal of Materials Science: Materials in Electronics</i> , 2022 , 33, 12104	2.1	0

43	Effect of hydrothermal synthesis on structural properties of ZnO and Ag doped ZnO nanoparticles. <i>AIP Conference Proceedings</i> , 2022 ,	0	
42	Exploring the global publications on varistors using the Scopus database through a bibliometric analysis. <i>Journal of Asian Ceramic Societies</i> , 1-15	2.4	
41	Microstructural and Optical Properties of Manufactured ZnO Nanoparticles and Their Bioactivity Against Pathogenic Bacteria. <i>SSRN Electronic Journal</i> ,	1	
40	Effects of Sr(Co, Nb, Ta)O ₃ addition on the defect structures and electrical properties of ZnO-based varistors. <i>Journal of Materials Chemistry C</i> ,	7.1	0
39	Effect of Zn ₇ Sb ₂ O ₁₂ pre-synthesis on microstructure and properties of ZnO varistor ceramics. <i>AIP Advances</i> , 2022 , 12, 065214	1.5	0
38	Development of multifunctional electronic-ceramics with piezoelectric effect and varistor behavior. <i>Ceramics International</i> , 2022 ,	5.1	0
37	A novel method for improving the microstructure and electrical properties of Pr ₆ O ₁₁ -based ZnO varistors. <i>Journal of the Korean Ceramic Society</i> ,	2.2	0
36	Effects of In ₂ O ₃ doping on microstructure and electrical properties of ZnO low-voltage varistor. 2022 , 33, 19242-19251		0
35	Multilayer ceramic varistors with high thermal radiation performance for superior reliability against surges. 2022 , 130, 686-690		
34	A comprehensive review on zinc oxide bulk and nano-structured materials for ionizing radiation detection and measurement applications. 2022 , 151, 107040		
33	The effect of grinding media on suspensions, microstructures, and comprehensive electrical properties of ZnO varistors. 2022 , 33, 21727-21736		0
32	Effect of Nb ₂ O ₅ on ZnBiMnO varistor ceramic prepared by solid-state sintering at 850 °C. 2022 ,		0
31	Improvement of current withstand capacity of high gradient ZnO varistors. 2022 ,		0
30	Effect of La ₂ O ₃ doping on microstructure and electrical properties of flash-sintered ZnO-Bi ₂ O ₃ varistor.		1
29	Effect of DC ageing on the NiO-doped ZnO varistor ceramics.		0
28	Study on the high impulse current withstand properties and failure mechanism of ZnO varistors with different Bi ₂ O ₃ content.		0
27	Exploring the dielectric and conduction characteristics of iodine substituted CaCu ₃ Ti ₄ O ₁₂ -xI _x . 2022 ,		0
26	Effect of Ho ₂ O ₃ doping on the microstructure and electrical properties of ZnO-Bi ₂ O ₃ -Sb ₂ O ₃ -Cr ₂ O ₃ -Co ₂ O ₃ -MnO ₂ -based varistors. 2023 , 153, 107180		0

25	Influence of Co ₂ O ₃ doping on the microstructure and electrical properties of ZnO-Bi ₂ O ₃ -based varistors. 2023 , 153, 107179	○
24	Electrical characteristics of (AgNPs-PVA)-based Schottky diode and its application as a low-voltage varistor devices.	○
23	Preparation and Photocatalytic/Photoelectrochemical Investigation of 2D ZnO/CdS Nanocomposites. 2022 , 6, 87	○
22	Structural Morphology and Optical Properties of Strontium-Doped Cobalt Aluminate Nanoparticles Synthesized by the Combustion Method. 2022 , 15, 8180	○
21	ZnO Varistors – The Ideal Microstructure and Characteristics, and Methods Investigated and Developed to Achieve These. 2022 ,	○
20	Effect of Sc ₂ O ₃ doping on microstructure and electrical properties of ZnO-Bi ₂ O ₃ -based varistors. 2023 , 650, 414552	○
19	Influence of Cr ₂ O ₃ doping on the electrical characteristics of novel ZnO-Cr ₂ O ₃ -based varistor ceramics. 2023 , 159, 112111	○
18	Effect of NiO Dopant on the Polarity Reversal DC Degradation Properties of ZnO Varistors. 2022 ,	○
17	Study on the Effect of Bi ₂ O ₃ Addition on the Current Carrying Performance of ZnO varistors. 2022 ,	○
16	Zinc Oxide Varistors with Low Leakage Current and High Stability Arrester with Gallium Doping. 2023 , 0	○
15	Sandwich-structured ZnO-MnO ₂ -ZnO thin film varistors prepared via magnetron sputtering. 2023 ,	1
14	Influence of Calcium Element on Microstructure and Electrical Properties of ZnO Varistor with Lesser Dopants. 2200238	○
13	Structural, Surface and Optical Characterization of ZnO Thin Films Deposited by SILAR and Spin-Coating Methods. 2022 , 15, 931-941	○
12	Modification of optical constants at nanospherical ZnO:Al thin film. 2023 , 34,	○
11	Varistor development for in-vessel magnetic field coils in nuclear fusion devices. 2023 , 192, 113586	○
10	Power loss transition of stable ZnO varistor ceramics: Role of oxygen absorption on the stability of interface states at the grain boundary. 2023 ,	○
9	Structural and electrical properties of ZnO-V ₂ O ₅ -TiO ₂ -Co ₂ O ₃ -MnO varistor ceramics with low sintering temperature. 2023 , 34,	○
8	Effects of refining methods and time on suspension, microstructure, and electrical properties of ZnO varistors. 2023 , 34,	○

- 7 Normality Effect on Characterization of Chemically Synthesized ZnO Nanoparticles. 223-227 ○
- 6 Electron transport materials based on ZnO@carbon derived metal-organic framework for high-performance perovskite solar cell. **2023**, 253, 453-461 ○
- 5 Photocatalytic and Glucose Sensing Properties of ZnO-Based Nanocoating. **2023**, 7, 22 ○
- 4 Influence of SrCO₃-doping on the microstructure and electrical properties of ZnO/(Bi₂O₃/Sb₂O₃) varistor ceramics. **2023**, 34, ○
- 3 Study of Zinc Oxide Varistors by Incorporating Alkaline-Earth and Rare-Earth Metal Nanofillers. **2022**, 20, ○
- 2 OPTIMIZATION OF SINTERING PROCESS FOR IMPROVED ELECTRICAL CHARACTERISTICS OF ZINC OXIDE VARISTOR. **2023**, ○
- 1 Effect of Co₃O₄-doping on the microstructure and electrical properties of novel ZnO/(Cr₂O₃-based varistor ceramics. **2023**, 163, 107570 ○