

# The Relationship between Global and Local Changes in

Journal of Cerebral Blood Flow and Metabolism

10, 458-466

DOI: [10.1038/jcbfm.1990.88](https://doi.org/10.1038/jcbfm.1990.88)

Citation Report

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Positron Emission Tomography in Psychopharmacology. International Review of Psychiatry, 1990, 2, 427-439.  | 1.4 | 4         |
| 2  | Positron Emission Tomography in the Study of Brain Metabolism in Psychiatric and Neuropsychiatric Disorders. British Journal of Psychiatry, 1990, 157, 82-95.                            | 1.7 | 24        |
| 3  | Preliminary report: activation of the cerebellum in essential tremor. Lancet, The, 1990, 336, 1028-1030.   | 6.3 | 187       |
| 4  | 11 Positron emission tomography as a research tool in the investigation of psychiatric and psychological disorders. Bailliere's Clinical Endocrinology and Metabolism, 1991, 5, 187-203. | 1.0 | 6         |
| 5  | Sites of action of morphine in the brain. Lancet, The, 1991, 338, 825.   | 6.3 | 43        |
| 6  | The anatomy of single word processing: Activation studies with positron emission tomography. Journal of Neurolinguistics, 1991, 6, 273-284.  | 0.5 | 3         |
| 7  | Cortical and subcortical localization of response to pain in man using positron emission tomography. Proceedings of the Royal Society B: Biological Sciences, 1991, 244, 39-44.          | 1.2 | 449       |
| 8  | Investigating a network model of word generation with positron emission tomography. Proceedings of the Royal Society B: Biological Sciences, 1991, 244, 101-106.                         | 1.2 | 137       |
| 9  | Fenoterol and its bromide. Lancet, The, 1991, 338, 825-826.  | 6.3 | 4         |
| 11 | A direct demonstration of functional specialization in human visual cortex. Journal of Neuroscience, 1991, 11, 641-649.  | 1.7 | 1,617     |
| 12 | Regional cerebral blood flow during volitional breathing in man.. Journal of Physiology, 1991, 443, 91-103.  | 1.3 | 186       |
| 13 | A PET study of word finding. Neuropsychologia, 1991, 29, 1137-1148.  | 0.7 | 678       |
| 14 | Decreases in Regional Cerebral Blood Flow with Normal Aging. Journal of Cerebral Blood Flow and Metabolism, 1991, 11, 684-689.   | 2.4 | 362       |
| 15 | Comparing Functional (PET) Images: The Assessment of Significant Change. Journal of Cerebral Blood Flow and Metabolism, 1991, 11, 690-699.   | 2.4 | 1,553     |
| 16 | The functional anatomy of motor recovery after stroke in humans: A study with positron emission tomography. Annals of Neurology, 1991, 29, 63-71.  | 2.8 | 1,080     |
| 17 | Cortical areas and the selection of movement: a study with positron emission tomography. Experimental Brain Research, 1991, 84, 393-402.   | 0.7 | 794       |
| 18 | THE LEFT MEDIAL TEMPORAL REGION AND SCHIZOPHRENIA: A PET STUDY. Brain, 1992, 115, 367-382.   | 3.7 | 256       |
| 19 | Regional cerebral blood flow abnormalities in depressed patients with cognitive impairment.. Journal of Neurology, Neurosurgery and Psychiatry, 1992, 55, 768-773.                       | 0.9 | 212       |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 20 | The role of the left and right hemispheres in recovery from aphasia. <i>Aphasiology</i> , 1992, 6, 359-372.   | 1.4 | 78        |
| 21 | HUMAN FUNCTIONAL ANATOMY OF VISUALLY GUIDED FINGER MOVEMENTS. <i>Brain</i> , 1992, 115, 565-587.  | 3.7 | 349       |
| 22 | PET scanning and schizophrenia – what progress?. <i>Psychological Medicine</i> , 1992, 22, 557-560.   | 2.7 | 10        |
| 23 | The anatomy of melancholia – focal abnormalities of cerebral blood flow in major depression. <i>Psychological Medicine</i> , 1992, 22, 607-615.   | 2.7 | 692       |
| 24 | Evidence of dysfunction of a prefrontal-limbic network in schizophrenia: a magnetic resonance imaging and regional cerebral blood flow study of discordant monozygotic twins. <i>American Journal of Psychiatry</i> , 1992, 149, 890-897.       | 4.0 | 653       |
| 25 | Patterns of Cerebral Blood Flow in Schizophrenia. <i>British Journal of Psychiatry</i> , 1992, 160, 179-186.  | 1.7 | 890       |
| 26 | THE CORTICAL LOCALIZATION OF THE LEXICONS. <i>Brain</i> , 1992, 115, 1769-1782.   | 3.7 | 674       |
| 27 | Regional response differences within the human auditory cortex when listening to words. <i>Neuroscience Letters</i> , 1992, 146, 179-182.   | 1.0 | 281       |
| 28 | Measuring the neuromodulatory effects of drugs in man with positron emission tomography. <i>Neuroscience Letters</i> , 1992, 141, 106-110.  | 1.0 | 84        |
| 29 | Motor practice and neurophysiological adaptation in the cerebellum: a positron tomography study. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 1992, 248, 223-228.   | 1.2 | 243       |
| 30 | Instrumentation for positron emission tomography: Tomographs and data processing and display systems. <i>Seminars in Nuclear Medicine</i> , 1992, 22, 162-181.  | 2.5 | 22        |
| 31 | Functional anatomy of human procedural learning determined with regional cerebral blood flow and PET. <i>Journal of Neuroscience</i> , 1992, 12, 2542-2548.   | 1.7 | 598       |
| 32 | The Effect of Apomorphine and Bupirone on Regional Cerebral Blood Flow During the Performance of a Cognitive Task-Measuring Neuromodulatory Effects of Psychotropic Drugs in Man. <i>European Journal of Neuroscience</i> , 1992, 4, 1203-1212. | 1.2 | 46        |
| 33 | Effect of the 5-HT1A partial agonist bupirone on regional cerebral blood flow in man. <i>Psychopharmacology</i> , 1992, 108, 380-386.   | 1.5 | 27        |
| 34 | Functional reorganization of the brain in recovery from striatocapsular infarction in man. <i>Annals of Neurology</i> , 1992, 31, 463-472.  | 2.8 | 869       |
| 35 | Impaired mesial frontal and putamen activation in Parkinson's disease: A positron emission tomography study. <i>Annals of Neurology</i> , 1992, 32, 151-161.  | 2.8 | 600       |
| 36 | Impaired activation of the supplementary motor area in Parkinson's disease is reversed when akinesia is treated with apomorphine. <i>Annals of Neurology</i> , 1992, 32, 749-757.   | 2.8 | 426       |
| 37 | Individual patterns of functional reorganization in the human cerebral cortex after capsular infarction. <i>Annals of Neurology</i> , 1993, 33, 181-189.  | 2.8 | 751       |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 38 | A positron emission tomography study of essential tremor: Evidence for overactivity of cerebellar connections. <i>Annals of Neurology</i> , 1993, 34, 82-90.  | 2.8  | 295       |
| 39 | Three-dimensional analysis of clustered voxels in 15O-butanol brain activation images. <i>Human Brain Mapping</i> , 1993, 1, 3-19.  | 1.9  | 112       |
| 40 | Time-dependent changes in effective connectivity measured with PET. <i>Human Brain Mapping</i> , 1993, 1, 69-79.  | 1.9  | 256       |
| 41 | Positron-emission tomographic localization of abnormalities of brain metabolism in patients with minimal hepatic encephalopathy. <i>Hepatology</i> , 1993, 18, 1061-1068.   | 3.6  | 111       |
| 42 | Within-arm somatotopy in human motor areas determined by positron emission tomography imaging of cerebral blood flow. <i>Experimental Brain Research</i> , 1993, 95, 172-6.   | 0.7  | 197       |
| 43 | Analysis of Covariance in Statistical Parametric Mapping. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1993, 13, 1038-1038.   | 2.4  | 11        |
| 45 | Functional Connectivity: The Principal-Component Analysis of Large (PET) Data Sets. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1993, 13, 5-14.  | 2.4  | 1,688     |
| 46 | Analysis of Individual Positron Emission Tomography Activation Maps by Detection of High Signal-to-Noise-Ratio Pixel Clusters. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1993, 13, 425-437.  | 2.4  | 146       |
| 47 | Detection of Thirty-Second Cognitive Activations in Single Subjects with Positron Emission Tomography: A New Low-Dose $H^{2<sub>2</sub><sup>15</sup>O}$ Regional Cerebral Blood Flow Three-Dimensional Imaging Technique. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1993, 13, 617-629. | 2.4  | 227       |
| 48 | The neural correlates of the verbal component of working memory. <i>Nature</i> , 1993, 362, 342-345.  | 13.7 | 2,322     |
| 49 | Investigations of the functional anatomy of attention using the stroop test. <i>Neuropsychologia</i> , 1993, 31, 907-922.   | 0.7  | 727       |
| 50 | Functional mapping of brain areas implicated in auditory-verbal memory function. <i>Brain</i> , 1993, 116, 1-20.  | 3.7  | 579       |
| 51 | Regional cerebral blood flow during the wisconsin card sorting test in normal subjects studied by xenon-133 dynamic SPECT: Comparison of absolute values, percent distribution values and covariance analysis. <i>Psychiatry Research - Neuroimaging</i> , 1993, 50, 177-192.                       | 0.9  | 70        |
| 52 | Activation of the human hippocampal formation during auditory-verbal long-term memory function. <i>Neuroscience Letters</i> , 1993, 163, 185-188.   | 1.0  | 79        |
| 53 | General activation of cerebral metabolism with speech: a PET study. <i>International Journal of Psychophysiology</i> , 1993, 14, 199-208.   | 0.5  | 17        |
| 54 | Functional cortical interaction patterns in visual perception and visuospatial problem solving. <i>Journal of the Neurological Sciences</i> , 1993, 114, 25-35.   | 0.3  | 17        |
| 55 | Going beyond the information given: the relation of illusory visual motion to brain activity. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 1993, 252, 215-222.  | 1.2  | 190       |
| 56 | Area V5 of the Human Brain: Evidence from a Combined Study Using Positron Emission Tomography and Magnetic Resonance Imaging. <i>Cerebral Cortex</i> , 1993, 3, 79-94.  | 1.6  | 1,236     |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 57 | Dorsolateral prefrontal cortex dysfunction in the major psychoses; symptom or disease specificity?. Journal of Neurology, Neurosurgery and Psychiatry, 1993, 56, 1290-1294.   | 0.9 | 245       |
| 58 | Different perceptual tasks performed with the same visual stimulus attribute activate different regions of the human brain: a positron emission tomography study. Proceedings of the National Academy of Sciences of the United States of America, 1993, 90, 10927-10931. | 3.3 | 75        |
| 59 | Data analysis in behavioral cerebral blood flow activation studies using xenon-133 clearance.. Stroke, 1993, 24, 387-391.   | 1.0 | 4         |
| 60 | The effect of the dopamine agonist, apomorphine, on regional cerebral blood flow in normal volunteers. Psychological Medicine, 1993, 23, 605-613.   | 2.7 | 52        |
| 61 | Changes in global cerebral blood flow in humans: effect on regional cerebral blood flow during a neural activation task.. Journal of Physiology, 1993, 471, 521-534.  | 1.3 | 116       |
| 62 | Regional cerebral blood flow during volitional expiration in man: a comparison with volitional inspiration.. Journal of Physiology, 1993, 461, 85-101.  | 1.3 | 134       |
| 63 | Regional cerebral blood flow in depression measured by positron emission tomography: the relationship with clinical dimensions. Psychological Medicine, 1993, 23, 579-590.  | 2.7 | 520       |
| 64 | Implications of Positron Emission Tomography Research for the Investigation of the Actions of Antipsychotic Drugs. British Journal of Psychiatry, 1993, 163, 25-30.   | 1.7 | 9         |
| 65 | The functional organization of human extrastriate cortex: a PET-rCBF study of selective attention to faces and locations. Journal of Neuroscience, 1994, 14, 6336-6353.   | 1.7 | 1,038     |
| 66 | Motor sequence learning: a study with positron emission tomography. Journal of Neuroscience, 1994, 14, 3775-3790.   | 1.7 | 1,126     |
| 67 | Statistical methods in neuroimaging with particular application to emission tomography. Statistical Methods in Medical Research, 1994, 3, 63-86.  | 0.7 | 22        |
| 68 | Cortical control of saccades and fixation in man A PET study. Brain, 1994, 117, 1073-1084.  | 3.7 | 306       |
| 69 | A PET study of cognitive strategies in normal subjects during language tasks. Brain, 1994, 117, 671-682.  | 3.7 | 224       |
| 70 | Tactile exploration of shape after subcortical ischaemic infarction studied with PET. Brain, 1994, 117, 593-605.  | 3.7 | 81        |
| 71 | Depression in Parkinson's Disease. British Journal of Psychiatry, 1994, 165, 333-339.   | 1.7 | 213       |
| 72 | Brain activity during reading The effects of exposure duration and task. Brain, 1994, 117, 1255-1269.   | 3.7 | 484       |
| 73 | Functional Anatomy of Obsessiveâ€“Compulsive Phenomena. British Journal of Psychiatry, 1994, 164, 459-468.  | 1.7 | 436       |
| 74 | Cerebral responses to pain in patients with atypical facial pain measured by positron emission tomography.. Journal of Neurology, Neurosurgery and Psychiatry, 1994, 57, 1166-1172.   | 0.9 | 275       |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 75 | The brain activity related to residual motion vision in a patient with bilateral lesions of V5. <i>Brain</i> , 1994, 117, 1023-1038.  | 3.7  | 110       |
| 76 | PET studies of language: An assessment of the reliability of the technique. <i>Journal of Psycholinguistic Research</i> , 1994, 23, 499-527.  | 0.7  | 67        |
| 77 | Identification of the central vestibular projections in man: a positron emission tomography activation study. <i>Experimental Brain Research</i> , 1994, 99, 164-9.   | 0.7  | 323       |
| 78 | Analysis of functional MRI time-series. <i>Human Brain Mapping</i> , 1994, 1, 153-171.  | 1.9  | 1,397     |
| 79 | Human brain atlas: For high-resolution functional and anatomical mapping. <i>Human Brain Mapping</i> , 1994, 1, 173-184.  | 1.9  | 212       |
| 80 | Regional brain activity when selecting a response despite interference: An H215O PET study of the stroop and an emotional stroop. <i>Human Brain Mapping</i> , 1994, 1, 194-209.  | 1.9  | 231       |
| 81 | Assessing the significance of focal activations using their spatial extent. <i>Human Brain Mapping</i> , 1994, 1, 210-220.  | 1.9  | 1,654     |
| 82 | Functional neuroanatomy of verbal free recall: A replication study. <i>Human Brain Mapping</i> , 1994, 1, 284-292.  | 1.9  | 44        |
| 83 | Functional and effective connectivity in neuroimaging: A synthesis. <i>Human Brain Mapping</i> , 1994, 2, 56-78.  | 1.9  | 1,964     |
| 84 | Application of the scaled subprofile model to functional imaging in neuropsychiatric disorders: A principal component approach to modeling brain function in disease. <i>Human Brain Mapping</i> , 1994, 2, 79-94.                                  | 1.9  | 138       |
| 85 | Data analysis paradigms for metabolic-flow data: Combining neural modeling and functional neuroimaging. <i>Human Brain Mapping</i> , 1994, 2, 112-122.  | 1.9  | 58        |
| 86 | Statistical parametric maps in functional imaging: A general linear approach. <i>Human Brain Mapping</i> , 1994, 2, 189-210.  | 1.9  | 8,177     |
| 87 | Red nuclear and cerebellar but no olivary activation associated with essential tremor: A positron emission tomographic study. <i>Annals of Neurology</i> , 1994, 36, 636-642.   | 2.8  | 250       |
| 88 | Opiate receptors in idiopathic generalised epilepsy measured with [ <sup>11</sup> C]diprenorphine and positron emission tomography. <i>Epilepsy Research</i> , 1994, 19, 71-77.   | 0.8  | 28        |
| 89 | Mapping motor representations with positron emission tomography. <i>Nature</i> , 1994, 371, 600-602.  | 13.7 | 1,023     |
| 90 | Activation of Regional Cerebral Blood Flow by a Memorization Task in Early Parkinson's Disease Patients and Normal Subjects. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1994, 14, 431-438.  | 2.4  | 15        |
| 91 | Imaging Transient, Randomly Occurring Neuropsychological Events in Single Subjects with Positron Emission Tomography: An Event-Related Count Rate Correlational Analysis. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1994, 14, 771-782. | 2.4  | 41        |
| 92 | Human cortical areas selectively activated by apparent sound movement. <i>Current Biology</i> , 1994, 4, 892-895.   | 1.8  | 85        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 93  | A likely in vivo probe of human circadian timing system function using PET. <i>Biological Psychiatry</i> , 1994, 36, 562-565.  | 0.7 | 6         |
| 94  | PASAT performance and the pattern of uptake of <sup>99m</sup> Tc-exametazime in brain estimated with single photon emission tomography. <i>Biological Psychology</i> , 1994, 38, 1-18.                 | 1.1 | 29        |
| 95  | Central nervous pathways mediating angina pectoris. <i>Lancet, The</i> , 1994, 344, 147-150.   | 6.3 | 252       |
| 96  | Brain-imaging studies of cognitive functions. <i>Trends in Neurosciences</i> , 1994, 17, 221-227.  | 4.2 | 132       |
| 97  | Brain activation study by use of positron emission tomography in unanesthetized monkeys. <i>Neuroscience Letters</i> , 1994, 182, 279-282.   | 1.0 | 41        |
| 98  | Neuropsychological dysfunction in depression: the relationship to regional cerebral blood flow. <i>Psychological Medicine</i> , 1994, 24, 849-857.   | 2.7 | 153       |
| 99  | A graded task approach to the functional mapping of brain areas implicated in auditory verbal memory. <i>Brain</i> , 1994, 117, 1271-1282.   | 3.7 | 243       |
| 100 | The cerebral activity related to the visual perception of forward motion in depth. <i>Brain</i> , 1994, 117, 1039-1054.  | 3.7 | 173       |
| 101 | Neuroanatomical correlates of encoding in episodic memory: levels of processing effect.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1994, 91, 2008-2011. | 3.3 | 553       |
| 102 | Basal Ganglia and Frontal Lobe Glucose Metabolism. <i>Journal of Neuroimaging</i> , 1995, 5, 219-226.  | 1.0 | 9         |
| 103 | A motion area in human visual cortex.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1995, 92, 993-997.   | 3.3 | 121       |
| 104 | Methods for the correction of vascular artifacts in PET O-15 water brain mapping studies. , 0, , .   |     | 0         |
| 105 | Evidence for limbic system activation during CO <sub>2</sub> stimulated breathing in man.. <i>Journal of Physiology</i> , 1995, 488, 77-84.  | 1.3 | 124       |
| 106 | Effects of stimulus rate on regional cerebral blood flow after median nerve stimulation. <i>Brain</i> , 1995, 118, 1339-1351.  | 3.7 | 107       |
| 107 | Changes in regional cerebral blood flow on recovery from depression. <i>Psychological Medicine</i> , 1995, 25, 247-261.  | 2.7 | 341       |
| 108 | Hyperpnoea during and immediately after exercise in man: evidence of motor cortical involvement.. <i>Journal of Physiology</i> , 1995, 489, 663-675.   | 1.3 | 94        |
| 109 | Chromosome 14 linked familial Alzheimer's disease. <i>Brain</i> , 1995, 118, 185-205.  | 3.7 | 92        |
| 110 | The functional anatomy of recovery from auditory agnosia. <i>Brain</i> , 1995, 118, 1395-1409.   | 3.7 | 153       |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 111 | Improved Sensitivity of 18FDG-Positron Emission Tomography Scans in Frontal and "Frontal Plus" Epilepsy. <i>Epilepsia</i> , 1995, 36, 388-395.  | 2.6  | 51        |
| 112 | Regional cerebral blood flow changes in motor cortical areas after transient anesthesia of the forearm. <i>Annals of Neurology</i> , 1995, 37, 74-81.   | 2.8  | 67        |
| 113 | Overactive prefrontal and underactive motor cortical areas in idiopathic dystonia. <i>Annals of Neurology</i> , 1995, 37, 363-372.  | 2.8  | 299       |
| 114 | Recovery from wernicke's aphasia: A positron emission tomographic study. <i>Annals of Neurology</i> , 1995, 37, 723-732.  | 2.8  | 570       |
| 115 | Motor reorganization in acquired hemidystonia. <i>Annals of Neurology</i> , 1995, 37, 746-757.  | 2.8  | 121       |
| 116 | Improved Assessment of Significant Activation in Functional Magnetic Resonance Imaging (fMRI): Use of a Cluster-Size Threshold. <i>Magnetic Resonance in Medicine</i> , 1995, 33, 636-647.  | 1.9  | 3,030     |
| 117 | Hemispheric differences in neural systems for face working memory: A PET-rCBF study. <i>Human Brain Mapping</i> , 1995, 3, 68-82.   | 1.9  | 201       |
| 118 | Regional cerebral blood flow during object naming and word reading. <i>Human Brain Mapping</i> , 1995, 3, 93-106.   | 1.9  | 367       |
| 119 | Regional cerebral activity associated with the incidental processing of pseudo-words. <i>Human Brain Mapping</i> , 1995, 3, 153-160.  | 1.9  | 40        |
| 120 | Clustered pixels analysis for functional MRI activation studies of the human brain. <i>Human Brain Mapping</i> , 1995, 3, 287-301.  | 1.9  | 333       |
| 121 | The effect of the muscarinic antagonist scopolamine on regional cerebral blood flow during the performance of a memory task. <i>Experimental Brain Research</i> , 1995, 104, 337-48.  | 0.7  | 54        |
| 122 | Complications in the Use of the SPM $t_2$ Statistic. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1995, 15, 895-896.  | 2.4  | 5         |
| 123 | Commentary and Opinion: I. Principal Component Analysis, Variance Partitioning, and "Functional Connectivity". <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1995, 15, 353-360.  | 2.4  | 61        |
| 124 | Commentary and Opinion: II. Statistical Parametric Mapping: Ontology and Current Issues. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1995, 15, 361-370.  | 2.4  | 253       |
| 125 | Commentary and Opinion: III. Some Nonontological and Functionally Unconnected Views on Current Issues in the Analysis of PET Datasets. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1995, 15, 371-377.  | 2.4  | 24        |
| 126 | Analysis of PET Neurofunctional Mapping Studies. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1995, 15, 492-504.  | 2.4  | 7         |
| 127 | Principal Component Analysis and the Scaled Subprofile Model Compared to Intersubject Averaging and Statistical Parametric Mapping: I. "Functional Connectivity" of the Human Motor System Studied with [15O]Water PET. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1995, 15, 738-753. | 2.4  | 102       |
| 128 | Brain stem activation in spontaneous human migraine attacks. <i>Nature Medicine</i> , 1995, 1, 658-660.   | 15.2 | 1,335     |



| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 129 | Brain regions associated with retrieval of structurally coherent visual information. <i>Nature</i> , 1995, 376, 587-590.  | 13.7 | 277       |
| 130 | Modulation of conscious experience by peripheral sensory stimuli. <i>Nature</i> , 1995, 376, 778-781.   | 13.7 | 154       |
| 131 | Visualizing the evolution of abnormal metabolic networks in the brain using PET. <i>Computerized Medical Imaging and Graphics</i> , 1995, 19, 295-306.  | 3.5  | 23        |
| 132 | Physiological activation of a cortical network during performance of the Wisconsin Card Sorting Test: A positron emission tomography study. <i>Neuropsychologia</i> , 1995, 33, 1027-1046.                  | 0.7  | 498       |
| 133 | Functional anatomy of the mental representation of upper extremity movements in healthy subjects. <i>Journal of Neurophysiology</i> , 1995, 73, 373-386.  | 0.9  | 862       |
| 134 | Brain systems for encoding and retrieval of auditory verbal memory. An in vivo study in humans. <i>Brain</i> , 1995, 118, 401-416.  | 3.7  | 442       |
| 135 | Self-initiated versus externally triggered movements. <i>Brain</i> , 1995, 118, 913-933.  | 3.7  | 980       |
| 136 | A Positron Emission Tomography Study of Cerebral Activation Associated With Essential and Writing Tremor. <i>Archives of Neurology</i> , 1995, 52, 299-305.   | 4.9  | 144       |
| 137 | Regional cerebral blood flow during a self-paced sequential finger opposition task in patients with cerebellar degeneration. <i>Brain</i> , 1995, 118, 379-393.   | 3.7  | 133       |
| 138 | Cortical Metabolic Activation in Humans during a Visual Memory Task. <i>Cerebral Cortex</i> , 1995, 5, 205-214.   | 1.6  | 85        |
| 139 | Imaging the head: functional imaging. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1995, 58, 132-144.   | 0.9  | 11        |
| 140 | [ <sup>18</sup> F]FDG PET Study in Obsessive Compulsive Disorder. <i>British Journal of Psychiatry</i> , 1995, 166, 244-250.  | 1.7  | 307       |
| 141 | Altered frontostriatal relationship in unmedicated schizophrenic patients. <i>Psychiatry Research - Neuroimaging</i> , 1995, 61, 161-171.   | 0.9  | 25        |
| 142 | Electrical stimulation of precentral cortical area in the treatment of central pain: electrophysiological and PET study. <i>Pain</i> , 1995, 62, 275-286.   | 2.0  | 238       |
| 143 | Cognitive brain potentials and regional cerebral blood flow equivalents during two- and three-sound auditory oddball tasks. <i>Electroencephalography and Clinical Neurophysiology</i> , 1995, 95, 434-443. | 0.3  | 72        |
| 144 | Abnormal brain glucose metabolism in the delusional misidentification syndromes: A positron emission tomography study in Alzheimer disease. <i>Biological Psychiatry</i> , 1995, 38, 438-449.               | 0.7  | 114       |
| 145 | The role of the basal ganglia in motor control: contributions from PET. <i>Journal of the Neurological Sciences</i> , 1995, 128, 1-13.  | 0.3  | 152       |
| 146 | Discrete Cortical Regions Associated with Knowledge of Color and Knowledge of Action. <i>Science</i> , 1995, 270, 102-105.  | 6.0  | 1,173     |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 147 | The physiology of coloured hearing A PET activation study of colour-word synaesthesia. <i>Brain</i> , 1995, 118, 661-676.  | 3.7 | 205       |
| 148 | Quantitative validation of a new coregistration algorithm. <i>IEEE Transactions on Nuclear Science</i> , 1995, 42, 1377-1382.  | 1.2 | 0         |
| 149 | Auditory cortex activity changes in long-term sensorineural deprivation during crude cochlear electrical stimulation: Evaluation by positron emission tomography. <i>Hearing Research</i> , 1995, 86, 34-42. | 0.9 | 35        |
| 150 | Activation of Human Hippocampal Formation During Memory for Faces: A Pet Study. <i>Cortex</i> , 1995, 31, 99-108.  | 1.1 | 187       |
| 151 | Brain Representation of Active and Passive Movements. <i>NeuroImage</i> , 1996, 4, 105-110.  | 2.1 | 334       |
| 152 | Adult Age Differences in Regional Cerebral Blood Flow during Visual Word Identification: Evidence from H215O PET. <i>NeuroImage</i> , 1996, 3, 127-142.  | 2.1 | 109       |
| 153 | Brain Activation Induced by Estimation of Duration: A PET Study. <i>NeuroImage</i> , 1996, 3, 119-126.   | 2.1 | 189       |
| 154 | Normalizing Counts and Cerebral Blood Flow Intensity in Functional Imaging Studies of the Human Brain. <i>NeuroImage</i> , 1996, 3, 175-184.   | 2.1 | 60        |
| 155 | Cerebral blood flow activation and functional lesions in schizophrenia. <i>Schizophrenia Research</i> , 1996, 19, 129-140.   | 1.1 | 33        |
| 156 | The Effect of Varying Stimulus Rate and Duration on Brain Activity during Reading. <i>NeuroImage</i> , 1996, 3, 40-52.   | 2.1 | 172       |
| 157 | Isolating the Mnemonic Component in Spatial Delayed Response: A Controlled PET15O-Labeled Water Regional Cerebral Blood Flow Study in Normal Humans. <i>NeuroImage</i> , 1996, 3, 69-78.                     | 2.1 | 51        |
| 158 | Brain metabolism patterns are sensitive to attentional effort associated with a tone recognition task. <i>Biological Psychiatry</i> , 1996, 39, 1013-1022.   | 0.7 | 10        |
| 159 | Gender differences in regional cerebral blood flow during transient self-induced sadness or happiness. <i>Biological Psychiatry</i> , 1996, 40, 859-871.   | 0.7 | 204       |
| 160 | The Neural Correlates of Inner Speech and Auditory Verbal Imagery in Schizophrenia: Relationship to Auditory Verbal Hallucinations. <i>British Journal of Psychiatry</i> , 1996, 169, 148-159.               | 1.7 | 236       |
| 161 | Task dependency of visual processing in the human visual system. <i>Behavioural Brain Research</i> , 1996, 76, 215-223.  | 1.2 | 56        |
| 162 | Studies of working memory using 18FDG-positron emission tomography in normal controls and subjects with epilepsy. <i>Life Sciences</i> , 1996, 58, 2057-2064.  | 2.0 | 13        |
| 163 | Object and Spatial Visual Working Memory Activate Separate Neural Systems in Human Cortex. <i>Cerebral Cortex</i> , 1996, 6, 39-49.  | 1.6 | 836       |
| 164 | Effects of four normalizing methods on data analytic results in functional brain imaging. <i>Biological Psychiatry</i> , 1996, 40, 1106-1121.  | 0.7 | 17        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 165 | Neuroanatomical Correlates of Veridical and Illusory Recognition Memory: Evidence from Positron Emission Tomography. <i>Neuron</i> , 1996, 17, 267-274.                  | 3.8 | 258       |
| 166 | The neural correlates of intentional learning of verbal materials: A PET study in humans. <i>Cognitive Brain Research</i> , 1996, 4, 243-249.                            | 3.3 | 156       |
| 167 | Quantitative Comparison of Functional Magnetic Resonance Imaging with Positron Emission Tomography Using a Force-Related Paradigm. <i>NeuroImage</i> , 1996, 4, 201-209. | 2.1 | 97        |
| 168 | Signal-to-noise ratio in neuro activation PET studies. <i>IEEE Transactions on Medical Imaging</i> , 1996, 15, 197-205.  | 5.4 | 13        |
| 169 | Positron emission tomography study of voluntary saccadic eye movements and spatial working memory. <i>Journal of Neurophysiology</i> , 1996, 75, 454-468.                | 0.9 | 638       |
| 170 | Is developmental dyslexia a disconnection syndrome?. <i>Brain</i> , 1996, 119, 143-157.  | 3.7 | 573       |
| 171 | Functional neuroanatomy of verbal self-monitoring. <i>Brain</i> , 1996, 119, 907-917.  | 3.7 | 276       |
| 172 | Abnormal saccadic distractibility in patients with schizophrenia: a <sup>99m</sup> Tc-HMPAO SPET study. <i>Psychological Medicine</i> , 1996, 26, 265-277.               | 2.7 | 57        |
| 173 | In Vivo Imaging of Human Limbic Responses to Nitrous Oxide Inhalation. <i>Anesthesia and Analgesia</i> , 1996, 83, 291-298.  | 1.1 | 29        |
| 174 | Human Brain Activity Response to Fentanyl Imaged by Positron Emission Tomography. <i>Anesthesia and Analgesia</i> , 1996, 82, 1247-1251.                                 | 1.1 | 9         |
| 175 | Regional brain activity during working memory tasks. <i>Brain</i> , 1996, 119, 1617-1625.  | 3.7 | 304       |
| 176 | In Vivo Imaging of Human Limbic Responses to Nitrous Oxide Inhalation. <i>Anesthesia and Analgesia</i> , 1996, 83, 291-298.  | 1.1 | 35        |
| 177 | Human Brain Activity Response to Fentanyl Imaged by Positron Emission Tomography. <i>Anesthesia and Analgesia</i> , 1996, 82, 1247-1251.                                 | 1.1 | 124       |
| 178 | Face encoding and recognition in the human brain.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1996, 93, 922-927.           | 3.3 | 480       |
| 179 | Neural systems engaged by planning: a PET study of the Tower of London task. <i>Neuropsychologia</i> , 1996, 34, 515-526.  | 0.7 | 574       |
| 180 | A fronto-parietal network for rapid visual information processing: a PET study of sustained attention and working memory. <i>Neuropsychologia</i> , 1996, 34, 1085-1095. | 0.7 | 513       |
| 181 | Motor imageryâ€™ Anatomical representation and electrophysiological characteristics. <i>Neurochemical Research</i> , 1996, 21, 1105-1116.                                | 1.6 | 45        |
| 182 | Effect of Valproate on Cerebral Metabolism and Blood Flow: An 18F-2-Deoxyglucose and 15O Water Positron Emission Tomography Study. <i>Epilepsia</i> , 1996, 37, 515-521. | 2.6 | 110       |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 183 | The effect of ethanol on alcohol-responsive essential tremor: A positron emission tomography study. <i>Annals of Neurology</i> , 1996, 39, 650-658.                      | 2.8  | 209       |
| 184 | Benzodiazepine receptors in focal epilepsy with cortical dysgenesis: An 11C-flumazenil PET study. <i>Annals of Neurology</i> , 1996, 40, 188-198.                        | 2.8  | 137       |
| 185 | Contributions of the mesial frontal cortex to the premovement potentials associated with intermittent hand movements in humans. , 1996, 4, 1-22.                         |      | 35        |
| 186 | A unified statistical approach for determining significant signals in images of cerebral activation. , 1996, 4, 58-73.   |      | 2,394     |
| 187 | Searching scale space for activation in PET images. , 1996, 4, 74-90.  |      | 237       |
| 188 | Within-subject transformations of PET regional cerebral blood flow data: ANCOVA, ratio, and Z-score adjustments on empirical data. , 1996, 4, 93-102.                    |      | 22        |
| 189 | Effect of task difficulty on cerebral blood flow during perceptual matching of faces. , 1996, 4, 227-239.  |      | 102       |
| 190 | Localization of grasp representations in humans by PET: 1. Observation versus execution. <i>Experimental Brain Research</i> , 1996, 111, 246-52.                         | 0.7  | 844       |
| 191 | The sensory guidance of movement: a comparison of the cerebellum and basal ganglia. <i>Experimental Brain Research</i> , 1996, 112, 462-74.                              | 0.7  | 60        |
| 192 | Brain activity related to serial cognitive performance resembles circuitry of higher order motor control. <i>Experimental Brain Research</i> , 1996, 109, 136-140.       | 0.7  | 40        |
| 193 | Nonparametric Analysis of Statistic Images from Functional Mapping Experiments. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1996, 16, 7-22.                   | 2.4  | 802       |
| 194 | Frequency-Dependent Changes of Regional Cerebral Blood Flow during Finger Movements. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1996, 16, 23-33.             | 2.4  | 219       |
| 195 | Neural correlates of category-specific knowledge. <i>Nature</i> , 1996, 379, 649-652.  | 13.7 | 1,621     |
| 196 | Activation of the primary visual cortex by Braille reading in blind subjects. <i>Nature</i> , 1996, 380, 526-528.  | 13.7 | 1,170     |
| 197 | Assumptions and Validations of Statistical Tests for Functional Neuroimaging. <i>European Journal of Neuroscience</i> , 1996, 8, 2232-2235.                              | 1.2  | 11        |
| 198 | Pain Processing in Four Regions of Human Cingulate Cortex Localized with Co-registered PET and MR Imaging. <i>European Journal of Neuroscience</i> , 1996, 8, 1461-1473. | 1.2  | 366       |
| 199 | Functional Magnetic Resonance Imaging of Symptom Provocation in Obsessive-compulsive Disorder. <i>Archives of General Psychiatry</i> , 1996, 53, 595.                    | 13.8 | 589       |
| 200 | Novelty and Familiarity Activations in PET Studies of Memory Encoding and Retrieval. <i>Cerebral Cortex</i> , 1996, 6, 71-79.  | 1.6  | 606       |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 201 | Active Representation of Shape and Spatial Location in Man. <i>Cerebral Cortex</i> , 1996, 6, 612-619.  | 1.6  | 190       |
| 202 | Silent Ischemia as a Central Problem: Regional Brain Activation Compared in Silent and Painful Myocardial Ischemia. <i>Annals of Internal Medicine</i> , 1996, 124, 939.    | 2.0  | 178       |
| 203 | Functional anatomy of inner speech and auditory verbal imagery. <i>Psychological Medicine</i> , 1996, 26, 29-38.  | 2.7  | 285       |
| 204 | Regional Cerebral Blood Flow in Schizophrenia and the Local Circuit Neurons Hypothesis. <i>Schizophrenia Bulletin</i> , 1996, 22, 163-182.                                  | 2.3  | 26        |
| 205 | Understanding Emotional Prosody Activates Right Hemisphere Regions. <i>Archives of Neurology</i> , 1996, 53, 665-670.   | 4.9  | 248       |
| 206 | Methods for the correction of vascular artifacts in PET O-15 water brain-mapping studies. <i>IEEE Transactions on Nuclear Science</i> , 1996, 43, 3308-3314.                | 1.2  | 4         |
| 207 | Demonstrating the Implicit Processing of Visually Presented Words and Pseudowords. <i>Cerebral Cortex</i> , 1996, 6, 62-70.   | 1.6  | 538       |
| 208 | Functional Topography: Multidimensional Scaling and Functional Connectivity in the Brain. <i>Cerebral Cortex</i> , 1996, 6, 156-164.  | 1.6  | 262       |
| 209 | Frontal lobe dysfunction in amyotrophic lateral sclerosis. <i>Brain</i> , 1996, 119, 2105-2120.   | 3.7  | 259       |
| 210 | Noun and verb retrieval by normal subjects Studies with PET. <i>Brain</i> , 1996, 119, 159-179.   | 3.7  | 661       |
| 211 | Cerebral benzodiazepine receptors in hippocampal sclerosis. <i>Brain</i> , 1996, 119, 1677-1687.  | 3.7  | 122       |
| 212 | Anterior Paralimbic Mediation of Procaine-Induced Emotional and Psychosensory Experiences. <i>Archives of General Psychiatry</i> , 1996, 53, 59.                            | 13.8 | 195       |
| 213 | Cochlear implant efficiency in pre- and postlingually deaf subjects: A study with H215O and PET. <i>Brain</i> , 1996, 119, 1297-1306.                                       | 3.7  | 60        |
| 214 | Neuroanatomical correlates of externally and internally generated human emotion. <i>American Journal of Psychiatry</i> , 1997, 154, 918-925.                                | 4.0  | 667       |
| 215 | The kinetic occipital region in human visual cortex. <i>Cerebral Cortex</i> , 1997, 7, 283-292.   | 1.6  | 178       |
| 216 | Regional cerebral blood flow throughout the sleep-wake cycle. An H2(15)O PET study. <i>Brain</i> , 1997, 120, 1173-1197.  | 3.7  | 1,089     |
| 217 | Association of ketamine-induced psychosis with focal activation of the prefrontal cortex in healthy volunteers. <i>American Journal of Psychiatry</i> , 1997, 154, 805-811. | 4.0  | 380       |
| 218 | Neuroanatomical correlates of happiness, sadness, and disgust. <i>American Journal of Psychiatry</i> , 1997, 154, 926-933.  | 4.0  | 670       |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 219 | Cortical grey matter and benzodiazepine receptors in malformations of cortical development. A voxel-based comparison of structural and functional imaging data. <i>Brain</i> , 1997, 120, 1961-1973. | 3.7 | 99        |
| 220 | Optimum activity levels of <sup>15</sup> O-water to map human brain function with the ECAT HR+. , 0, , .   |     | 0         |
| 221 | Regional Brain Activity Changes Associated with Fentanyl Analgesia Elucidated by Positron Emission Tomography. <i>Anesthesia and Analgesia</i> , 1997, 84, 120-126.                                  | 1.1 | 64        |
| 222 | Functional Neuroanatomy of Human Slow Wave Sleep. <i>Journal of Neuroscience</i> , 1997, 17, 2807-2812.  | 1.7 | 534       |
| 223 | Blunted left cingulate activation in mood disorder subjects during a response interference task (the Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5   | 0.9 | 225       |
| 224 | Regional Brain Activity Changes Associated with Fentanyl Analgesia Elucidated by Positron Emission Tomography. <i>Anesthesia and Analgesia</i> , 1997, 84, 120-126.                                  | 1.1 | 134       |
| 225 | In Vivo Imaging of Nitrous Oxide-induced Changes in Cerebral Activation during Noxious Heat Stimuli. <i>Anesthesiology</i> , 1997, 86, 538-548.  | 1.3 | 28        |
| 226 | Evidence for lateral premotor and parietal overactivity in Parkinson's disease during sequential and bimanual movements. A PET study. <i>Brain</i> , 1997, 120, 963-976.                             | 3.7 | 351       |
| 227 | Chapter 34 Cerebellar somatotopic representation and cerebro-cerebellar interconnections in ataxic patients. <i>Progress in Brain Research</i> , 1997, 114, 577-588.                                 | 0.9 | 11        |
| 228 | Characterization of dynamic 3-D PET imaging for functional brain mapping. <i>IEEE Transactions on Medical Imaging</i> , 1997, 16, 261-269.   | 5.4 | 11        |
| 229 | Quantitative 3D data extraction using contiguous volumes. <i>IEEE Transactions on Nuclear Science</i> , 1997, 44, 1571-1577.   | 1.2 | 3         |
| 230 | Empirical Analyses of BOLD fMRI Statistics. <i>NeuroImage</i> , 1997, 5, 199-212.  | 2.1 | 279       |
| 231 | Visuomotor Transformations for Reaching to Memorized Targets: A PET Study. <i>NeuroImage</i> , 1997, 5, 129-146.   | 2.1 | 126       |
| 232 | The Activity in Human Areas V1/V2, V3, and V5 during the Perception of Coherent and Incoherent Motion. <i>NeuroImage</i> , 1997, 5, 1-12.  | 2.1 | 147       |
| 233 | The effect of movement frequency on cerebral activation: a positron emission tomography study. <i>Journal of the Neurological Sciences</i> , 1997, 151, 195-205.                                     | 0.3 | 83        |
| 234 | 1519 Role of the supplementary motor area and the right premotor cortex in coordination of bimanual finger movements. <i>Neuroscience Research</i> , 1997, 28, S187.                                 | 1.0 | 4         |
| 235 | How to Estimate Global Activity Independent of Changes in Local Activity. <i>NeuroImage</i> , 1997, 6, 237-244.  | 2.1 | 101       |
| 236 | Empirical Analyses of BOLD fMRI Statistics. <i>NeuroImage</i> , 1997, 5, 179-197.  | 2.1 | 658       |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 237 | Optical Imaging of Brain Function and Metabolism 2. <i>Advances in Experimental Medicine and Biology</i> , 1997, . .   | 0.8 | 9         |
| 238 | Lateralized Changes in Regional Cerebral Blood Flow during Performance of Verbal and Facial Recognition Tasks: Correlations with Performance and "Effort". <i>Brain and Cognition</i> , 1997, 33, 388-414. | 0.8 | 56        |
| 239 | PET brain mapping study of auditory verbal supraspan memory versus visual fixation in schizophrenia. <i>Biological Psychiatry</i> , 1997, 41, 33-42.   | 0.7 | 47        |
| 240 | Pain processing during three levels of noxious stimulation produces differential patterns of central activity. <i>Pain</i> , 1997, 73, 431-445.  | 2.0 | 547       |
| 241 | Multiple Nonprimary Motor Areas in the Human Cortex. <i>Journal of Neurophysiology</i> , 1997, 77, 2164-2174.  | 0.9 | 451       |
| 242 | Depressed Subjects Have Decreased rCBF Activation During Facial Emotion Recognition. <i>CNS Spectrums</i> , 1997, 2, 45-55.  | 0.7 | 5         |
| 243 | Abnormal Access of Axial Vibrotactile Input to Deafferented Somatosensory Cortex in Human Upper Limb Amputees. <i>Journal of Neurophysiology</i> , 1997, 77, 2753-2764.                                    | 0.9 | 71        |
| 244 | Neuroimaging in Affective Disorders: Accomplishments and Shortfalls. <i>Child and Adolescent Psychiatric Clinics of North America</i> , 1997, 6, 413-430.  | 1.0 | 2         |
| 245 | The Noninvasive Identification of Language Function. <i>Neurosurgery Clinics of North America</i> , 1997, 8, 321-335.  | 0.8 | 17        |
| 246 | Anatomy of Motor Learning. II. Subcortical Structures and Learning by Trial and Error. <i>Journal of Neurophysiology</i> , 1997, 77, 1325-1337.  | 0.9 | 420       |
| 247 | Lateralization and Behavioral Correlation of Changes in Regional Cerebral Blood Flow With Classical Conditioning of the Human Eyeblink Response. <i>Journal of Neurophysiology</i> , 1997, 77, 2153-2163.  | 0.9 | 147       |
| 248 | Cortical control of movement in Huntington's disease. A PET activation study. <i>Brain</i> , 1997, 120, 1569-1578.   | 3.7 | 72        |
| 249 | Role of the Supplementary Motor Area and the Right Premotor Cortex in the Coordination of Bimanual Finger Movements. <i>Journal of Neuroscience</i> , 1997, 17, 9667-9674.                                 | 1.7 | 311       |
| 250 | Anatomy of Motor Learning. I. Frontal Cortex and Attention to Action. <i>Journal of Neurophysiology</i> , 1997, 77, 1313-1324.   | 0.9 | 580       |
| 251 | Human Brain Activity Related to Orientation Discrimination Tasks. <i>European Journal of Neuroscience</i> , 1997, 9, 246-259.  | 1.2 | 55        |
| 252 | Relative Changes in Regional Cerebral Blood Flow During Spinal Cord Stimulation in Patients with Refractory Angina Pectoris. <i>European Journal of Neuroscience</i> , 1997, 9, 1178-1183.                 | 1.2 | 84        |
| 253 | The Neural Correlates of the Noradrenergic Modulation of Human Attention, Arousal and Learning. <i>European Journal of Neuroscience</i> , 1997, 9, 589-598.  | 1.2 | 96        |
| 254 | Optimization of Noninvasive Activation Studies with 15O-Water and Three-Dimensional Positron Emission Tomography. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1997, 17, 732-739.                | 2.4 | 22        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 255 | The functional anatomy of verbal initiation and suppression using the Hayling Test. <i>Neuropsychologia</i> , 1997, 35, 559-566.   | 0.7 | 134       |
| 256 | Neuroanatomical correlates of pleasant and unpleasant emotion. <i>Neuropsychologia</i> , 1997, 35, 1437-1444.  | 0.7 | 778       |
| 257 | Regulation of cerebral blood flow response to somatosensory stimulation through the cholinergic system: a positron emission tomography study in unanesthetized monkeys. <i>Brain Research</i> , 1997, 749, 10-17.  | 1.1 | 39        |
| 258 | Decrease in parietal cerebral hemoglobin oxygenation during performance of a verbal fluency task in patients with Alzheimer's disease monitored by means of near-infrared spectroscopy (NIRS) and correlation with simultaneous rCBF-PET measurements. <i>Brain Research</i> , 1997, 755, 293-303. | 1.1 | 356       |
| 259 | Forebrain activation in REM sleep: an FDG PET study. <i>Brain Research</i> , 1997, 770, 192-201.   | 1.1 | 615       |
| 260 | Matching of digitised brain atlas to magnetic resonance images. <i>Medical and Biological Engineering and Computing</i> , 1997, 35, 239-245.   | 1.6 | 8         |
| 261 | The role of posterior parietal cortex in visually guided reaching movements in humans. <i>Experimental Brain Research</i> , 1997, 114, 170-183.  | 0.7 | 138       |
| 262 | Cortical reorganization in patients with facial palsy. <i>Annals of Neurology</i> , 1997, 41, 621-630.   | 2.8 | 139       |
| 263 | Statistical methods in functional magnetic resonance imaging with respect to nonstationary time-series: Auditory cortex activity. <i>Magnetic Resonance in Medicine</i> , 1997, 38, 811-820.   | 1.9 | 39        |
| 264 | A PET study on cortical and subcortical control of pelvic floor musculature in women. <i>Journal of Comparative Neurology</i> , 1997, 389, 535-544.  | 0.9 | 129       |
| 265 | Modulation of human medial temporal lobe activity by form, meaning, and experience. , 1997, 7, 587-593.  |     | 125       |
| 266 | Functional anatomy of verbal and visuospatial span tasks in Alzheimer's disease. , 1997, 5, 110-118.   |     | 32        |
| 267 | Regional cerebral blood flow during word and nonword reading. , 1997, 5, 84-92.  |     | 251       |
| 268 | Selective and divided visual attention: Age-related changes in regional cerebral blood flow measured by H215O PET. , 1997, 5, 389-409.   |     | 86        |
| 269 | Neural activation during acute capsaicin-evoked pain and allodynia assessed with PET. <i>Brain</i> , 1998, 121, 931-947.   | 3.7 | 347       |
| 270 | Central cancellation of self-produced tickle sensation. <i>Nature Neuroscience</i> , 1998, 1, 635-640.   | 7.1 | 1,195     |
| 271 | Minding the body. <i>Psychophysiology</i> , 1998, 35, 135-150.   | 1.2 | 48        |
| 272 | Changing patterns of brain activation during maze learning. <i>Brain Research</i> , 1998, 793, 29-38.  | 1.1 | 42        |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 273 | How do we predict the consequences of our actions? a functional imaging study. <i>Neuropsychologia</i> , 1998, 36, 521-529.   | 0.7 | 150       |
| 274 | Monitoring for target objects: activation of right frontal and parietal cortices with increasing time on task. <i>Neuropsychologia</i> , 1998, 36, 1325-1334.   | 0.7 | 206       |
| 275 | Neural correlates of semantic and episodic memory retrieval. <i>Neuropsychologia</i> , 1998, 37, 103-118.   | 0.7 | 204       |
| 276 | Increased activation of frontal areas during arm movement in idiopathic torsion dystonia. <i>Movement Disorders</i> , 1998, 13, 309-318.  | 2.2 | 97        |
| 277 | Cerebral blood flow changes in the primary motor and premotor cortices during hyperventilation. <i>Annals of Nuclear Medicine</i> , 1998, 12, 29-33.  | 1.2 | 12        |
| 278 | Resting state rCBF mapping with single-photon emission tomography and positron emission tomography: magnitude and origin of differences. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1998, 25, 157-165. | 3.3 | 16        |
| 279 | Cerebral effects of nicotine during cognition in smokers and non-smokers. <i>Psychopharmacology</i> , 1998, 136, 179-189.   | 1.5 | 97        |
| 280 | Human brain activity related to speed discrimination tasks. <i>Experimental Brain Research</i> , 1998, 122, 9-22.   | 0.7 | 48        |
| 281 | Regions in the human brain activated by simultaneous orientation discrimination: a study with positron emission tomography. <i>European Journal of Neuroscience</i> , 1998, 10, 3689-3699.                                      | 1.2 | 34        |
| 282 | The neuronal machinery involved in successive orientation discrimination. <i>Progress in Neurobiology</i> , 1998, 55, 117-147.  | 2.8 | 37        |
| 283 | Cerebral Networks and Functional Brain Asymmetry: Evidence from Regional Metabolic Changes during Word Repetition. <i>Brain and Language</i> , 1998, 63, 108-121.   | 0.8 | 32        |
| 284 | A method for the assessment of the functional neuroanatomy of human sleep using FDG PET. <i>Brain Research Protocols</i> , 1998, 2, 191-198.  | 1.7 | 122       |
| 285 | Cortical Networks Implicated in Semantic and Episodic Memory: Common or Unique?. <i>Cortex</i> , 1998, 34, 547-561.   | 1.1 | 34        |
| 286 | Effects of Healthy Aging on the Regional Cerebral Metabolic Rate of Glucose Assessed with Statistical Parametric Mapping. <i>NeuroImage</i> , 1998, 7, 176-184.   | 2.1 | 211       |
| 287 | Statistical analysis of normal and abnormal dissymmetry in volumetric medical images. , 0, , .  |     | 6         |
| 288 | Mapping Voxel-Based Statistical Power on Parametric Images. <i>NeuroImage</i> , 1998, 7, 97-107.  | 2.1 | 42        |
| 289 | The Inferential Impact of Global Signal Covariates in Functional Neuroimaging Analyses. <i>NeuroImage</i> , 1998, 8, 302-306.   | 2.1 | 212       |
| 290 | Influence of ANOVA Design and Anatomical Standardization on Statistical Mapping for PET Activation. <i>NeuroImage</i> , 1998, 8, 283-301.   | 2.1 | 19        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 291 | Differential Activation of Right Superior Parietal Cortex and Intraparietal Sulcus by Spatial and Nonspatial Attention. <i>NeuroImage</i> , 1998, 8, 176-187.  | 2.1 | 167       |
| 292 | <sup>&gt;11&lt;/sup&gt; C-flumazenil PET in neocortical epilepsy. <i>Neurology</i>, 1998, 51, 485-492.</sup>   | 1.5 | 87        |
| 293 | Neuroanatomical Correlates of Human Reasoning. <i>Journal of Cognitive Neuroscience</i> , 1998, 10, 293-302.   | 1.1 | 294       |
| 294 | Cerebral activation in malformations of cortical development. <i>Brain</i> , 1998, 121, 1295-1304.   | 3.7 | 69        |
| 295 | PET activation of the medial temporal lobe in learning. <i>Brain</i> , 1998, 121, 875-887.   | 3.7 | 84        |
| 296 | Alcohol activates the cerebral reward system in man.. <i>Journal of Studies on Alcohol and Drugs</i> , 1998, 59, 258-269.  | 2.4 | 43        |
| 297 | Neural networks for Braille reading by the blind. <i>Brain</i> , 1998, 121, 1213-1229.   | 3.7 | 299       |
| 298 | Where and When to Pay Attention: The Neural Systems for Directing Attention to Spatial Locations and to Time Intervals as Revealed by Both PET and fMRI. <i>Journal of Neuroscience</i> , 1998, 18, 7426-7435.         | 1.7 | 1,122     |
| 299 | Bilateral Representation of Language Function. <i>Journal of Neuroimaging</i> , 1998, 8, 246-249.  | 1.0 | 17        |
| 300 | Site of Opioid Action in the Human Brain: Mu and Kappa Agonists' Subjective and Cerebral Blood Flow Effects. <i>American Journal of Psychiatry</i> , 1998, 155, 470-473.   | 4.0 | 137       |
| 301 | Where the imaginal appears real: A positron emission tomography study of auditory hallucinations. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1998, 95, 1956-1960.        | 3.3 | 220       |
| 302 | The functional neuroanatomy of simple and complex sequential finger movements: a PET study. <i>Brain</i> , 1998, 121, 253-264.   | 3.7 | 356       |
| 303 | Positron Emission Tomography Studies in Movement Disorders. <i>Neurosurgery Clinics of North America</i> , 1998, 9, 263-282.   | 0.8 | 17        |
| 304 | Relatively Preserved Hippocampal Glucose Metabolism in Mild Alzheimer's Disease. <i>Dementia and Geriatric Cognitive Disorders</i> , 1998, 9, 317-322.   | 0.7 | 51        |
| 305 | Cerebral cortical hyperactivation in response to mental stress in patients with coronary artery disease. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1998, 95, 6454-6459. | 3.3 | 107       |
| 306 | A PET study of sequential finger movements of varying length in patients with Parkinson's disease. <i>Brain</i> , 1999, 122, 483-495.  | 3.7 | 207       |
| 307 | Context-dependent, neural system-specific neurophysiological concomitants of ageing: mapping PET correlates during cognitive activation. <i>Brain</i> , 1999, 122, 963-979.  | 3.7 | 200       |
| 308 | A functional neuroimaging study of the variables that generate category-specific object processing differences. <i>Brain</i> , 1999, 122, 943-962.   | 3.7 | 292       |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 309 | Mapping the network for planning: a correlational PET activation study with the Tower of London task. <i>Brain</i> , 1999, 122, 1973-1987.  | 3.7 | 368       |
| 310 | Deficient activation of the motor cortical network in patients with writer's cramp. <i>Neurology</i> , 1999, 53, 96-96.   | 1.5 | 250       |
| 311 | Cortical Regions Associated with Perceiving, Naming, and Knowing about Colors. <i>Journal of Cognitive Neuroscience</i> , 1999, 11, 25-35.  | 1.1 | 250       |
| 312 | Regional Specific Changes of Cerebral Metabolism in Systemic Lupus erythematosus Identified by Positron Emission Tomography. <i>European Neurology</i> , 1999, 41, 187-193.   | 0.6 | 12        |
| 313 | Sensory processing in Parkinson's and Huntington's disease. <i>Brain</i> , 1999, 122, 1651-1665.  | 3.7 | 195       |
| 314 | Neuropharmacology and Receptor Studies in the Elderly. <i>Journal of Geriatric Psychiatry and Neurology</i> , 1999, 12, 137-149.  | 1.2 | 9         |
| 315 | Principal component analysis of the dynamic response measured by fMRI: a generalized linear systems framework. <i>Magnetic Resonance Imaging</i> , 1999, 17, 795-815.   | 1.0 | 215       |
| 316 | Measurement of Changes in Opioid Receptor Binding in Vivo During Trigeminal Neuralgic Pain Using [11C]Diprenorphine and Positron Emission Tomography. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1999, 19, 803-808. | 2.4 | 99        |
| 317 | Multiresolution Analysis of Emission Tomography Images in the Wavelet Domain. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1999, 19, 1189-1208.   | 2.4 | 116       |
| 318 | Cerebral responses to pain in patients suffering acute post-dental extraction pain measured by positron emission tomography (PET). <i>European Journal of Pain</i> , 1999, 3, 103-113.  | 1.4 | 45        |
| 319 | Clinical doses of fluoxetine and cerebral blood flow in healthy volunteers. <i>Psychopharmacology</i> , 1999, 143, 24-28.   | 1.5 | 30        |
| 320 | Dissociating neuromodulatory effects of diazepam on episodic memory encoding and executive function. <i>Psychopharmacology</i> , 1999, 145, 213-222.  | 1.5 | 39        |
| 321 | A fronto-parietal system for computing the egocentric spatial frame of reference in humans. <i>Experimental Brain Research</i> , 1999, 124, 281-286.  | 0.7 | 219       |
| 322 | Cortical control of optokinetic nystagmus in humans: a positron emission tomography study. <i>Experimental Brain Research</i> , 1999, 126, 149-159.   | 0.7 | 34        |
| 323 | Gender effects on odor-stimulated functional magnetic resonance imaging. <i>Brain Research</i> , 1999, 818, 480-487.  | 1.1 | 157       |
| 324 | Mapping of secondary somatosensory cortex activation induced by vibrational stimulation: an fMRI study. <i>Brain Research</i> , 1999, 824, 291-295.   | 1.1 | 72        |
| 325 | Adult age differences in the functional neuroanatomy of verbal recognition memory. , 1999, 7, 115-135.  |     | 263       |
| 326 | On two methods of statistical image analysis. <i>Human Brain Mapping</i> , 1999, 8, 245-258.  | 1.9 | 9         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 327 | Noradrenergically Mediated Plasticity in a Human Attentional Neuronal Network. <i>NeuroImage</i> , 1999, 10, 705-715.   | 2.1 | 150       |
| 328 | Verb Generation in Japanese—A Multicenter PET Activation Study. <i>NeuroImage</i> , 1999, 9, 154-164.   | 2.1 | 16        |
| 330 | The Neural Correlates of Updating Information in Verbal Working Memory. <i>Memory</i> , 1999, 7, 549-561.   | 0.9 | 55        |
| 331 | Rapid Quantitative Analysis of Individual 18FDG-PET Scans. <i>Molecular Imaging and Biology</i> , 1999, 2, 47-56.   | 0.3 | 13        |
| 332 | Changes in forebrain function from waking to REM sleep in depression: preliminary analyses [of 18F]FDG PET studies. <i>Psychiatry Research - Neuroimaging</i> , 1999, 91, 59-78.  | 0.9 | 89        |
| 333 | Regional brain activity during tasks devoted to the central executive of working memory. <i>Cognitive Brain Research</i> , 1999, 7, 411-417.  | 3.3 | 128       |
| 334 | The distribution of cerebral activity related to visuomotor coordination indicating perceptual and executional specialization. <i>Cognitive Brain Research</i> , 1999, 8, 45-59.  | 3.3 | 45        |
| 335 | Electrical stimulation of motor cortex for pain control: a combined PET-scan and electrophysiological study. <i>Pain</i> , 1999, 83, 259-273.   | 2.0 | 473       |
| 336 | PET imaging of cochlear-implant and normal-hearing subjects listening to speech and nonspeech. <i>Hearing Research</i> , 1999, 132, 34-42.  | 0.9 | 63        |
| 337 | Functional neuroanatomy of hypnotic state. <i>Biological Psychiatry</i> , 1999, 45, 327-333.  | 0.7 | 220       |
| 338 | Baseline cerebral hypermetabolism associated with carbamazepine response, and hypometabolism with nimodipine response in mood disorders. <i>Biological Psychiatry</i> , 1999, 46, 1364-1374.                                      | 0.7 | 73        |
| 339 | Rapid Assessment of Regional Cerebral Metabolic Abnormalities in Single Subjects with Quantitative and Nonquantitative [18F]FDG PET: A Clinical Validation of Statistical Parametric Mapping. <i>NeuroImage</i> , 1999, 9, 63-80. | 2.1 | 264       |
| 340 | Effect of Familiarity on the Processing of Human Faces. <i>NeuroImage</i> , 1999, 9, 278-289.   | 2.1 | 185       |
| 341 | Voxel-by-Voxel Comparison of Automatically Segmented Cerebral Gray Matter—A Rater-Independent Comparison of Structural MRI in Patients with Epilepsy. <i>NeuroImage</i> , 1999, 10, 373-384.                                      | 2.1 | 185       |
| 342 | Functional Neuroanatomy of Semantic Memory: Recognition of Semantic Associations. <i>NeuroImage</i> , 1999, 9, 88-96.   | 2.1 | 73        |
| 343 | The Cerebellum Contributes to Somatosensory Cortical Activity during Self-Produced Tactile Stimulation. <i>NeuroImage</i> , 1999, 10, 448-459.  | 2.1 | 183       |
| 344 | A FAIR Study of Motor Cortex Activation under Normo- and Hypercapnia Induced by Breath Challenge. <i>NeuroImage</i> , 1999, 10, 562-569.  | 2.1 | 37        |
| 345 | Neuronal Mechanisms of Perceptual Learning: Changes in Human Brain Activity with Training in Orientation Discrimination. <i>NeuroImage</i> , 1999, 9, 46-62.  | 2.1 | 136       |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 346 | A Study of Injected Dose for Brain Mapping on the ECAT HR+: Activation Maps for a Parametric Verbal Working Memory Task. <i>NeuroImage</i> , 1999, 9, 145-153.   | 2.1 | 5         |
| 347 | The Sensory Somatotopic Map of the Human Hand Demonstrated at 4 Tesla. <i>NeuroImage</i> , 1999, 10, 55-62.  | 2.1 | 181       |
| 348 | Statistical limitations in functional neuroimaging. I. Non-inferential methods and statistical models. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 1999, 354, 1239-1260. | 1.8 | 112       |
| 349 | Statistical limitations in functional neuroimaging II. Signal detection and statistical inference. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 1999, 354, 1261-1281.     | 1.8 | 154       |
| 350 | Pain and functional imaging. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 1999, 354, 1347-1358.   | 1.8 | 218       |
| 351 | A Positron Emission Tomography (PET) Study of Autobiographical Memory Retrieval. <i>Memory</i> , 1999, 7, 679-703.   | 0.9 | 156       |
| 352 | Striatal activation during acquisition of a cognitive skill.. <i>Neuropsychology</i> , 1999, 13, 564-574.  | 1.0 | 369       |
| 353 | Abnormal cerebral structure in juvenile myoclonic epilepsy demonstrated with voxel-based analysis of MRI. <i>Brain</i> , 1999, 122, 2101-2108.   | 3.7 | 302       |
| 354 | Chapter 14 Non-invasive in vivo imaging of transplant function. <i>Progress in Brain Research</i> , 2000, 127, 321-332.  | 0.9 | 4         |
| 355 | Extramotor involvement in ALS: PET studies with the GABAA ligand [11C]flumazenil. <i>Brain</i> , 2000, 123, 2289-2296.   | 3.7 | 166       |
| 356 | Neural Mechanisms of Antinociceptive Effects of Hypnosis. <i>Anesthesiology</i> , 2000, 92, 1257-1267.   | 1.3 | 326       |
| 357 | Robust estimation of the probabilities of 3-D clusters in functional brain images: Application to PET data. , 2000, 9, 143-155.  |     | 13        |
| 358 | Sensory tricks in cervical dystonia: Perceptual dysbalance of parietal cortex modulates frontal motor programming. <i>Annals of Neurology</i> , 2000, 47, 322-328.   | 2.8 | 192       |
| 359 | Functional neuroanatomy of human sleep states after zolpidem and placebo: A H215O-PET study. <i>Journal of Sleep Research</i> , 2000, 9, 161-173.  | 1.7 | 40        |
| 360 | Functional neuroimaging of normal human sleep by positron emission tomography. <i>Journal of Sleep Research</i> , 2000, 9, 207-231.  | 1.7 | 638       |
| 361 | Statistical analysis of normal and abnormal dissymmetry in volumetric medical images. <i>Medical Image Analysis</i> , 2000, 4, 111-121.  | 7.0 | 54        |
| 362 | Regional Differences in Cerebral Vascular Response to Paco2 Changes in Humans Measured by Positron Emission Tomography. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2000, 20, 1264-1270.          | 2.4 | 121       |
| 363 | The Effects of an Alpha-2 Adrenergic Agonist, Guanfacine, on rCBF in Human Cortex in Normal Controls and Subjects with Focal Epilepsy. <i>Neuropsychopharmacology</i> , 2000, 23, 263-275.                   | 2.8 | 26        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 364 | Functional brain areas used for the lifting of objects using a precision grip: a PET study. <i>Brain Research</i> , 2000, 857, 119-130.   | 1.1 | 49        |
| 365 | Activity in Human Frontal Cortex Associated with Spatial Working Memory and Saccadic Behavior. <i>Journal of Cognitive Neuroscience</i> , 2000, 12, 2-14.   | 1.1 | 140       |
| 366 | Prefrontal cortical hypometabolism during low-dose interferon alpha treatment. <i>Psychopharmacology</i> , 2000, 152, 383-389.  | 1.5 | 138       |
| 367 | Long-term changes of GABAergic function in the sensorimotor cortex of amputees. <i>Experimental Brain Research</i> , 2000, 133, 552-556.  | 0.7 | 30        |
| 368 | Activation of the cerebellum in co-ordinated eye and hand tracking movements: an fMRI study. <i>Experimental Brain Research</i> , 2000, 135, 22-33.   | 0.7 | 96        |
| 369 | SPECT in Focal Epilepsies. <i>Behavioural Neurology</i> , 2000, 12, 69-75.  | 1.1 | 10        |
| 370 | Midazolam decreases cerebral blood flow in the left prefrontal cortex in a dose-dependent fashion. <i>International Journal of Neuropsychopharmacology</i> , 2000, 3, 117-127.  | 1.0 | 54        |
| 371 | Movement Disorders: Parkinson's Disease. , 2000, , 241-261.   |     | 11        |
| 372 | Functional Maps and Brain Networks. , 2000, , 111-139.  |     | 7         |
| 373 | Self-initiated versus externally triggered movements. <i>Brain</i> , 2000, 123, 1216-1228.  | 3.7 | 491       |
| 374 | Reduction of frontal neocortical grey matter associated with affective aggression in patients with temporal lobe epilepsy: an objective voxel by voxel analysis of automatically segmented MRI. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2000, 68, 162-169. | 0.9 | 102       |
| 375 | Contrasting Cortical and Subcortical Activations Produced by Attentional-Set Shifting and Reversal Learning in Humans. <i>Journal of Cognitive Neuroscience</i> , 2000, 12, 142-162.  | 1.1 | 408       |
| 376 | <sup>11</sup> C-flumazenil PET in patients with refractory temporal lobe epilepsy and normal MRI. <i>Neurology</i> , 2000, 54, 332-332.   | 1.5 | 111       |
| 377 | Activation of language cortex with automatic speech tasks. <i>Neurology</i> , 2000, 55, 1151-1157.  | 1.5 | 145       |
| 379 | Ilya Metchnikoff (1845-1908). <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2000, 68, 169-169.   | 0.9 | 2         |
| 380 | A possible role of the human cerebellum in conditioning of the jaw-opening reflex. <i>Neuroscience Letters</i> , 2000, 285, 213-217.  | 1.0 | 9         |
| 381 | Movement and Mind: A Functional Imaging Study of Perception and Interpretation of Complex Intentional Movement Patterns. <i>NeuroImage</i> , 2000, 12, 314-325.   | 2.1 | 1,141     |
| 382 | Towards a neurobiology of dysfunctional arousal in depression: the relationship between beta EEG power and regional cerebral glucose metabolism during NREM sleep. <i>Psychiatry Research - Neuroimaging</i> , 2000, 98, 71-91.   | 0.9 | 108       |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 383 | Ketone bodies do not directly alter excitatory or inhibitory hippocampal synaptic transmission. <i>Neurology</i> , 2000, 54, 325-325.  | 1.5 | 138       |
| 384 | Detection of Consistently Task-Related Activations in fMRI Data with Hybrid Independent Component Analysis. <i>NeuroImage</i> , 2000, 11, 24-35.   | 2.1 | 158       |
| 385 | Cortical Activity Related to Accuracy of Letter Recognition. <i>NeuroImage</i> , 2000, 11, 111-123.  | 2.1 | 58        |
| 386 | Event-Related Potentials Correlate with Task-Dependent Glucose Metabolism. <i>NeuroImage</i> , 2000, 11, 517-531.  | 2.1 | 4         |
| 387 | A PET Study of Visuomotor Learning under Optical Rotation. <i>NeuroImage</i> , 2000, 11, 505-516.  | 2.1 | 99        |
| 388 | Gender Difference in Premotor Activity during Active Tactile Discrimination. <i>NeuroImage</i> , 2000, 11, 532-540.  | 2.1 | 34        |
| 389 | The Role of the Dorsolateral Prefrontal Cortex in Random Number Generation: A Study with Positron Emission Tomography. <i>NeuroImage</i> , 2000, 12, 713-725.  | 2.1 | 225       |
| 390 | Statistical Parametric Mapping: Assessment of Application in Children. <i>NeuroImage</i> , 2000, 12, 538-549.  | 2.1 | 226       |
| 391 | The brain-heart axis in the perception of cardiac Pain: the elusive link between ischaemia and pain. <i>Annals of Medicine</i> , 2000, 32, 350-364.  | 1.5 | 42        |
| 392 | Acute effects of thalamotomy and pallidotomy on regional cerebral metabolism, evaluated by PET. <i>Clinical Neurology and Neurosurgery</i> , 2000, 102, 84-90.   | 0.6 | 14        |
| 393 | Removal of Confounding Effects of Global Signal in Functional MRI Analyses. <i>NeuroImage</i> , 2001, 13, 751-758.   | 2.1 | 183       |
| 394 | Effects of mood and subtype on cerebral glucose metabolism in treatment-resistant bipolar disorder. <i>Biological Psychiatry</i> , 2001, 49, 97-109.   | 0.7 | 275       |
| 395 | Regional cerebral blood flow correlated with flashback intensity in patients with posttraumatic stress disorder. <i>Biological Psychiatry</i> , 2001, 50, 246-253.   | 0.7 | 182       |
| 396 | Different uptake of <sup>99m</sup> Tc-ECD and <sup>99m</sup> Tc-HMPAO in the same brains: analysis by statistical parametric mapping. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2001, 28, 191-197. | 2.2 | 29        |
| 397 | Functional Heterogeneity of Inferior Frontal Gyrus Is Shaped by Linguistic Experience. <i>Brain and Language</i> , 2001, 76, 227-252.  | 0.8 | 153       |
| 398 | Does Hypercapnia-Induced Cerebral Vasodilation Modulate the Hemodynamic Response to Neural Activation?. <i>NeuroImage</i> , 2001, 13, 1207-1211.   | 2.1 | 100       |
| 399 | A Global Estimator Unbiased by Local Changes. <i>NeuroImage</i> , 2001, 13, 1193-1206.   | 2.1 | 29        |
| 400 | Estimation of the Number of "True" Null Hypotheses in Multivariate Analysis of Neuroimaging Data. <i>NeuroImage</i> , 2001, 13, 920-930.   | 2.1 | 71        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 401 | Cortical Correlates of Gesture Processing: Clues to the Cerebral Mechanisms Underlying Apraxia during the Imitation of Meaningless Gestures. <i>NeuroImage</i> , 2001, 14, 149-161.  | 2.1 | 125       |
| 402 | The Functional Anatomy of Inhibition Processes Investigated with the Hayling Task. <i>NeuroImage</i> , 2001, 14, 258-267.  | 2.1 | 128       |
| 403 | Continuous Transcranial Magnetic Stimulation during Positron Emission Tomography: A Suitable Tool for Imaging Regional Excitability of the Human Cortex. <i>NeuroImage</i> , 2001, 14, 883-890.  | 2.1 | 102       |
| 404 | Activation in the Ipsilateral Posterior Parietal Cortex during Tool Use: A PET Study. <i>NeuroImage</i> , 2001, 14, 1469-1475.   | 2.1 | 68        |
| 405 | Interactions of prefrontal cortex during eyeblink conditioning as a function of age. <i>Neurobiology of Aging</i> , 2001, 22, 237-246.   | 1.5 | 24        |
| 406 | Effects of bupropion SR on anterior paralimbic function during waking and REM sleep in depression: preliminary findings using [18F]-FDG PET. <i>Psychiatry Research - Neuroimaging</i> , 2001, 106, 95-111.  | 0.9 | 33        |
| 407 | A Pet Study of Human Skill Learning: Changes in Brain Activity Related to Learning an Orientation Discrimination Task. <i>Cortex</i> , 2001, 37, 243-265.  | 1.1 | 21        |
| 408 | An assessment of perfusion deficits in decompression illness using 99Tcm HMPAO SPET and statistical parametric mapping. <i>Nuclear Medicine Communications</i> , 2001, 22, 423-428.  | 0.5 | 3         |
| 409 | Ultrasound activates the auditory cortex of profoundly deaf subjects. <i>NeuroReport</i> , 2001, 12, 583-586.  | 0.6 | 33        |
| 410 | The role of the striatum and hippocampus in planning: A PET activation study in Parkinson's disease. <i>Brain</i> , 2001, 124, 1020-1032.  | 3.7 | 232       |
| 411 | Study of the brain serotonergic system with labeled $\pm$ -methyl-I-tryptophan. <i>Journal of Neurochemistry</i> , 2001, 78, 1185-1200.  | 2.1 | 102       |
| 412 | Benzodiazepine $\hat{e}$ GABA A Receptor Binding Is Very Low in Dysembryoplastic Neuroepithelial Tumor: a PET Study. <i>Epilepsia</i> , 2001, 42, 1327-1334.   | 2.6 | 38        |
| 413 | Brain correlates of fast and slow handwriting in humans: a PET-performance correlation analysis. <i>European Journal of Neuroscience</i> , 2001, 14, 726-736.  | 1.2 | 41        |
| 414 | Analysis and use of fMRI response delays. <i>Human Brain Mapping</i> , 2001, 13, 74-93.  | 1.9 | 148       |
| 415 | Human cortical processing of colour and pattern. <i>Human Brain Mapping</i> , 2001, 13, 213-225.   | 1.9 | 28        |
| 416 | Neural sources involved in auditory target detection and novelty processing: An event-related fMRI study. <i>Psychophysiology</i> , 2001, 38, 133-142.   | 1.2 | 333       |
| 417 | Interdependence of Regional and Global Cerebral Blood Flow during Visual Stimulation: An O-15-Butanol Positron Emission Tomography Study. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2001, 21, 664-670.  | 2.4 | 30        |
| 418 | Quantitative Comparison of the Bolus and Steady-State Methods for Measurement of Cerebral Perfusion and Oxygen Metabolism: Positron Emission Tomography Study Using 15O-Gas and Water. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2001, 21, 793-803. | 2.4 | 64        |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 419 | The effects of graded hypercapnia on the activation flow coupling response due to forepaw stimulation in $\pm$ -chloralose anesthetized rats. <i>Brain Research</i> , 2001, 911, 82-88.   | 1.1 | 25        |
| 420 | Imaging the mental components of a planning task. <i>Neuropsychologia</i> , 2001, 39, 315-327.  | 0.7 | 131       |
| 421 | Brain regions involved in prospective memory as determined by positron emission tomography. <i>Neuropsychologia</i> , 2001, 39, 545-555.  | 0.7 | 481       |
| 422 | Effects of Triazolam on Brain Activity During Episodic Memory Encoding: A PET Study. <i>Neuropsychopharmacology</i> , 2001, 25, 744-756.  | 2.8 | 23        |
| 423 | Cerebral blood flow in obsessive-compulsive patients with major depression: effect of treatment with sertraline or desipramine on treatment responders and non-responders. <i>Psychiatry Research - Neuroimaging</i> , 2001, 108, 89-100. | 0.9 | 40        |
| 424 | Activated brain regions in musicians during an ensemble: a PET study. <i>Cognitive Brain Research</i> , 2001, 12, 101-108.  | 3.3 | 73        |
| 425 | Brain Areas Sensitive to Coherent Visual Motion. <i>Perception</i> , 2001, 30, 61-72.   | 0.5 | 317       |
| 426 | Neocortical abnormalities of [ <sup>11</sup> C]-flumazenil PET in mesial temporal lobe epilepsy. <i>Neurology</i> , 2001, 56, 897-906.  | 1.5 | 101       |
| 427 | The Neural Substrate of Orientation Working Memory. <i>Journal of Cognitive Neuroscience</i> , 2001, 13, 813-828.   | 1.1 | 49        |
| 428 | Contribution of lexico-semantic processes to verbal short-term memory tasks: A PET activation study. <i>Memory</i> , 2001, 9, 249-259.  | 0.9 | 65        |
| 429 | Presenilin-1-associated abnormalities in regional cerebral perfusion. <i>Neurology</i> , 2001, 56, 1545-1551.   | 1.5 | 68        |
| 430 | Brain Regional $\pm$ -[ <sup>11</sup> C]Methyl-I-Tryptophan Trapping in Impulsive Subjects With Borderline Personality Disorder. <i>American Journal of Psychiatry</i> , 2001, 158, 775-782.  | 4.0 | 217       |
| 431 | Separate neural subsystems within 'Wernicke's area'. <i>Brain</i> , 2001, 124, 83-95.   | 3.7 | 583       |
| 432 | Human regional cerebral glucose metabolism during non-rapid eye movement sleep in relation to waking. <i>Brain</i> , 2002, 125, 1105-1115.  | 3.7 | 306       |
| 433 | Abnormalities of grey and white matter [ <sup>11</sup> C]flumazenil binding in temporal lobe epilepsy with normal MRI. <i>Brain</i> , 2002, 125, 2257-2271.   | 3.7 | 88        |
| 434 | Involvement of the human cerebellum in fear-conditioned potentiation of the acoustic startle response: a PET study. <i>NeuroReport</i> , 2002, 13, 1275-1278.   | 0.6 | 33        |
| 435 | Limb flexion reflex-related areas in human cerebellum. <i>NeuroReport</i> , 2002, 13, 2325-2330.  | 0.6 | 15        |
| 436 | Frontal Hypometabolism Does Not Explain Inhibitory Dysfunction in Alzheimer Disease. <i>Alzheimer Disease and Associated Disorders</i> , 2002, 16, 228-238.   | 0.6 | 44        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 437 | PET imaging and quantitation of Internet-addicted patients and normal controls. , 2002, 4683, 419.   |     | 1         |
| 438 | Detection of grey matter loss in mild Alzheimer's disease with voxel based morphometry. Journal of Neurology, Neurosurgery and Psychiatry, 2002, 73, 657-664.                              | 0.9 | 301       |
| 439 | Speech production: Wernicke, Broca and beyond. Brain, 2002, 125, 1829-1838.  | 3.7 | 296       |
| 440 | Gender differences in cerebral glucose metabolism: a PET study. Journal of the Neurological Sciences, 2002, 199, 79-83.  | 0.3 | 73        |
| 441 | Regional cerebral glucose utilization in patients with a range of severities of unipolar depression. Biological Psychiatry, 2002, 51, 237-252.   | 0.7 | 267       |
| 442 | Principal components of the beck depression inventory and regional cerebral metabolism in unipolar and bipolar depression. Biological Psychiatry, 2002, 51, 387-399.                       | 0.7 | 175       |
| 443 | Regional changes in brain gray and white matter in patients with schizophrenia demonstrated with voxel-based analysis of MRI. Schizophrenia Research, 2002, 55, 41-54.                     | 1.1 | 159       |
| 444 | Gender differences in patterns of cerebral activation during equal experience of painful laser stimulation. Journal of Pain, 2002, 3, 401-411.   | 0.7 | 88        |
| 445 | Regional Changes in Human Cerebral Blood Flow during Dipyridamole Stress: Neural Activation in the Thalamus and Prefrontal Cortex. NeuroImage, 2002, 16, 788-793.                          | 2.1 | 6         |
| 446 | A H215O Positron Emission Tomography Study on Mental Imagery of Movement Sequencesâ€”The Effect of Modulating Sequence Length and Direction. NeuroImage, 2002, 17, 999-1009.               | 2.1 | 72        |
| 447 | Cortical Activation to Auditory Mismatch Elicited by Frequency Deviant and Complex Novel Sounds: A PET Study. NeuroImage, 2002, 17, 231-239.   | 2.1 | 92        |
| 448 | Simulation of the Effects of Global Normalization Procedures in Functional MRI. NeuroImage, 2002, 17, 532-542.   | 2.1 | 74        |
| 449 | PET imaging of differential cortical activation by monaural speech and nonspeech stimuli. Hearing Research, 2002, 166, 9-23.   | 0.9 | 43        |
| 450 | Poor self-control in personality inventory and reduced volume of supplementary motor area. International Congress Series, 2002, 1232, 131-135.   | 0.2 | 0         |
| 451 | Long-Term Consequences of Switching Handedness: A Positron Emission Tomography Study on Handwriting in â€œConvertedâ€•Left-Handers. Journal of Neuroscience, 2002, 22, 2816-2825.          | 1.7 | 97        |
| 452 | Effects of incidental and intentional feature binding on recognition: a behavioural and PET activation study. Neuropsychologia, 2002, 40, 131-144.   | 0.7 | 25        |
| 453 | Left prefrontal-repetitive transcranial magnetic stimulation (rTMS) and regional cerebral glucose metabolism in normal volunteers. Psychiatry Research - Neuroimaging, 2002, 115, 101-113. | 0.9 | 102       |
| 454 | Lack of self-control as assessed by a personality inventory is related to reduced volume of supplementary motor area. Psychiatry Research - Neuroimaging, 2002, 116, 53-61.                | 0.9 | 23        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 455 | Sensory system interactions during simultaneous vestibular and visual stimulation in PET. <i>Human Brain Mapping</i> , 2002, 16, 92-103.  | 1.9 | 118       |
| 456 | Statistical parametric mapping of LORETA using high density EEG and individual MRI: Application to mismatch negativities in Schizophrenia. <i>Human Brain Mapping</i> , 2002, 17, 168-178.  | 1.9 | 99        |
| 457 | Regional cerebral blood flow as assessed by principal component analysis and 99mTc-HMPAO SPET in healthy subjects at rest: normal distribution and effect of age and gender. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2002, 29, 67-75. | 3.3 | 74        |
| 458 | Regional cerebral perfusion abnormalities in attention deficit/hyperactivity disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2002, 252, 219-225.   | 1.8 | 119       |
| 459 | The neural substrate of orientation short-term memory and resistance to distractor items. <i>European Journal of Neuroscience</i> , 2002, 15, 165-175.  | 1.2 | 11        |
| 460 | The effect of the 5-HT <sub>3</sub> receptor antagonist, alosetron, on brain responses to visceral stimulation in irritable bowel syndrome patients. <i>Alimentary Pharmacology and Therapeutics</i> , 2002, 16, 1357-1366.                                       | 1.9 | 112       |
| 461 | Effect of Aging on Cerebral Vascular Response to Paco <sub>2</sub> Changes in Humans as Measured by Positron Emission Tomography. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2002, 22, 997-1003.  | 2.4 | 82        |
| 462 | Effect of Basal Conditions on the Magnitude and Dynamics of the Blood Oxygenation Level-Dependent fMRI Response. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2002, 22, 1042-1053.  | 2.4 | 338       |
| 463 | Development of quantitative analysis method for stereotactic brain image: Assessment of reduced accumulation in extent and severity using anatomical segmentation. <i>Annals of Nuclear Medicine</i> , 2003, 17, 289-295.   | 1.2 | 146       |
| 464 | Changes in human cerebral blood flow and myocardial blood flow during mental stress measured by dual positron emission tomography. <i>Annals of Nuclear Medicine</i> , 2003, 17, 381-386.   | 1.2 | 22        |
| 465 | Human brain regions required for the dividing and switching of attention between two features of a single object. <i>Cognitive Brain Research</i> , 2003, 17, 1-13.   | 3.3 | 19        |
| 466 | Add-on rTMS for treatment of depression: a pilot study using stereotaxic coil-navigation according to PET data. <i>Journal of Psychiatric Research</i> , 2003, 37, 267-275.   | 1.5 | 112       |
| 467 | Delusions of alien control in the normal brain. <i>Neuropsychologia</i> , 2003, 41, 1058-1067.  | 0.7 | 279       |
| 468 | The role of the rostral frontal cortex (area 10) in prospective memory: a lateral versus medial dissociation. <i>Neuropsychologia</i> , 2003, 41, 906-918.  | 0.7 | 358       |
| 469 | Modeling intra-subject correlation among repeated scans in positron emission tomography (PET) neuroimaging data. <i>Human Brain Mapping</i> , 2003, 20, 59-70.  | 1.9 | 12        |
| 470 | Gray matter features of schizotypal disorder patients exhibiting the schizophrenia-related code types of the Minnesota Multiphasic Personality Inventory. <i>Acta Psychiatrica Scandinavica</i> , 2003, 108, 333-340.   | 2.2 | 22        |
| 471 | Changes in Human Cerebral Blood Flow and Cerebral Blood Volume during Hypercapnia and Hypocapnia Measured by Positron Emission Tomography. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2003, 23, 665-670.  | 2.4 | 210       |
| 472 | Positron emission tomography imaging of the aging brain. <i>Neuroimaging Clinics of North America</i> , 2003, 13, 759-767.  | 0.5 | 15        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 473 | Decreased volume and increased asymmetry of the anterior limb of the internal capsule in patients with schizophrenia. <i>Biological Psychiatry</i> , 2003, 54, 427-436.   | 0.7 | 121       |
| 474 | Estimation of the local statistical noise in positron emission tomography revisited: practical implementation. <i>NeuroImage</i> , 2003, 19, 442-456.   | 2.1 | 11        |
| 475 | Regional distribution of human cerebral vascular mean transit time measured by positron emission tomography. <i>NeuroImage</i> , 2003, 19, 1163-1169.   | 2.1 | 42        |
| 476 | The LONI Pipeline Processing Environment. <i>NeuroImage</i> , 2003, 19, 1033-1048.  | 2.1 | 295       |
| 477 | Positron emission tomography scanning in essential blepharospasm. <i>American Journal of Ophthalmology</i> , 2003, 136, 846-852.  | 1.7 | 61        |
| 478 | A study of the acute effect of smoking on cerebral blood flow using 99mTc-ECD SPET. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2003, 30, 612-614.  | 3.3 | 26        |
| 479 | Seeking the Neural Substrates of Visual Working Memory Storage. <i>Cortex</i> , 2003, 39, 927-946.  | 1.1 | 148       |
| 480 | LORETA imaging of P300 in schizophrenia with individual MRI and 128-channel EEG. <i>NeuroImage</i> , 2003, 20, 1552-1560.   | 2.1 | 48        |
| 481 | Differential brain activations during intentionally simulated and subjectively experienced paralysis. <i>Cognitive Neuropsychiatry</i> , 2003, 8, 295-312.  | 0.7 | 98        |
| 482 | Voxel-based analysis of MRI reveals anterior cingulate gray-matter volume reduction in posttraumatic stress disorder due to terrorism. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 9039-9043.                                 | 3.3 | 349       |
| 483 | Patients with focal arm dystonia have increased sensitivity to slow-frequency repetitive TMS of the dorsal premotor cortex. <i>Brain</i> , 2003, 126, 2710-2725.  | 3.7 | 191       |
| 486 | Grey and white matter flumazenil binding in neocortical epilepsy with normal MRI. A PET study of 44 patients. <i>Brain</i> , 2003, 126, 1300-1318.  | 3.7 | 87        |
| 487 | Scaling images using their background ratio. An application in statistical comparisons of images. <i>Physics in Medicine and Biology</i> , 2003, 48, 1539-1549.   | 1.6 | 6         |
| 488 | Cerebellar representation of the eyeblink response as revealed by PET. <i>NeuroReport</i> , 2003, 14, 1371-1374.  | 0.6 | 4         |
| 489 | Cerebellar representation of the eyeblink response as revealed by PET. <i>NeuroReport</i> , 2003, 14, 1371-1374.  | 0.6 | 10        |
| 490 | Sex Differences of Brain Serotonin Synthesis in Patients with Irritable Bowel Syndrome Using $^{11}\text{C}$ -methyl-L-tryptophan, Positron Emission Tomography and Statistical Parametric Mapping. <i>Canadian Journal of Gastroenterology &amp; Hepatology</i> , 2003, 17, 191-196. | 1.8 | 40        |
| 491 | The General Linear Model. , 2004, , 725-760.  |     | 8         |
| 492 | Default brain functionality in blind people. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 15500-15505.   | 3.3 | 29        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 493 | Increased Activation of Anterior Paralimbic and Executive Cortex From Waking to Rapid Eye Movement Sleep in Depression. <i>Archives of General Psychiatry</i> , 2004, 61, 695.  | 13.8 | 103       |
| 494 | Correlation of Behavior Changes and BOLD Signal in Alzheimer-like Rat Model. <i>Acta Biochimica Et Biophysica Sinica</i> , 2004, 36, 803-810.   | 0.9  | 10        |
| 495 | Is central nervous system processing altered in patients with heart failure?. <i>European Heart Journal</i> , 2004, 25, 952-962.  | 1.0  | 22        |
| 496 | Acute Alcohol Effects on Neuronal and Attentional Processing: Striatal Reward System and Inhibitory Sensory Interactions under Acute Ethanol Challenge. <i>Neuropsychopharmacology</i> , 2004, 29, 1527-1537.                     | 2.8  | 54        |
| 497 | Brain activity during distention of the descending colon in humans. <i>Neurogastroenterology and Motility</i> , 2004, 16, 299-309.  | 1.6  | 47        |
| 498 | Task Repetition Can Affect Functional Magnetic Resonance Imaging-Based Measures of Language Lateralization and Lead to Pseudoincreases in Bilaterality. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2004, 24, 179-187. | 2.4  | 28        |
| 499 | Functional neuroanatomical correlates of eye movements during rapid eye movement sleep in depressed patients. <i>Psychiatry Research - Neuroimaging</i> , 2004, 130, 259-268.   | 0.9  | 17        |
| 500 | Structural brain differences in patients with schizophrenia and schizotypal disorder demonstrated by voxel-based morphometry. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2004, 254, 406-414.              | 1.8  | 100       |
| 501 | Oscillopsia Associated with Dysfunction of Visual Cortex. <i>Japanese Journal of Ophthalmology</i> , 2004, 48, 128-132.   | 0.9  | 5         |
| 502 | On the logic of hypothesis testing in functional imaging. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2004, 31, 725-732.  | 3.3  | 21        |
| 503 | Metabolic changes in vestibular and visual cortices in acute vestibular neuritis. <i>Annals of Neurology</i> , 2004, 56, 624-630.   | 2.8  | 104       |
| 504 | Rollvection versus linearvection: Comparison of brain activations in PET. <i>Human Brain Mapping</i> , 2004, 21, 143-153.   | 1.9  | 58        |
| 505 | Cerebral decreases in opioid receptor binding in patients with central neuropathic pain measured by [ <sup>11</sup> C]diprenorphine binding and PET. <i>European Journal of Pain</i> , 2004, 8, 479-485.                          | 1.4  | 135       |
| 506 | Regional brain gray matter volume differences in patients with bipolar disorder as assessed by optimized voxel-based morphometry. <i>Biological Psychiatry</i> , 2004, 55, 1154-1162.   | 0.7  | 144       |
| 507 | Applications of positron emission tomography (PET) in neurology. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2004, 75, 669-676.  | 0.9  | 98        |
| 508 | Male-specific Volume Expansion of the Human Hippocampus during Adolescence. <i>Cerebral Cortex</i> , 2004, 15, 187-193.   | 1.6  | 111       |
| 509 | Advancing the neurobiology of insomnia, a commentary on: "Functional imaging of the sleeping brain" by Drummond et al.. <i>Sleep Medicine Reviews</i> , 2004, 8, 243-247.   | 3.8  | 7         |
| 510 | GABAA receptor abnormalities in Prader-Willi syndrome assessed with positron emission tomography and [ <sup>11</sup> C]flumazenil. <i>NeuroImage</i> , 2004, 22, 22-28.   | 2.1  | 71        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 511 | A dynamic system model-based technique for functional MRI data analysis. <i>NeuroImage</i> , 2004, 22, 179-187.  | 2.1  | 13        |
| 512 | A method for removal of global effects from fMRI time series. <i>NeuroImage</i> , 2004, 22, 360-366.   | 2.1  | 377       |
| 513 | Popout modulates focal attention in the primary visual cortex. <i>NeuroImage</i> , 2004, 22, 574-582.  | 2.1  | 20        |
| 514 | The thalamus as the generator and modulator of EEG alpha rhythm: a combined PET/EEG study with lorazepam challenge in humans. <i>NeuroImage</i> , 2004, 22, 637-644.   | 2.1  | 160       |
| 515 | Covariance PET patterns in early Alzheimer's disease and subjects with cognitive impairment but no dementia: utility in group discrimination and correlations with functional performance. <i>NeuroImage</i> , 2004, 23, 35-45.  | 2.1  | 101       |
| 516 | Short-term modulation of regional excitability and blood flow in human motor cortex following rapid-rate transcranial magnetic stimulation. <i>NeuroImage</i> , 2004, 23, 849-859.   | 2.1  | 76        |
| 517 | Statistical mapping of functional olfactory connections of the rat brain in vivo. <i>NeuroImage</i> , 2004, 23, 1326-1335.   | 2.1  | 64        |
| 518 | Regional Brain Glucose Metabolism During Morning and Evening Wakefulness in Humans: Preliminary Findings. <i>Sleep</i> , 2004, 27, 1245-1254.  | 0.6  | 89        |
| 519 | Neurobiology of Non-REM Sleep in Depression: Further Evidence for Hypofrontality and Thalamic Dysregulation. <i>American Journal of Psychiatry</i> , 2004, 161, 1856-1863.   | 4.0  | 72        |
| 520 | Investigating the physiology of brain activation with MRI. , 2004, , .   |      | 0         |
| 521 | Effects of Metabolite Correction for Arterial Input Function on Quantitative Receptor Images With 11C-Flumazenil in Clinical Positron Emission Tomography Studies. <i>Journal of Computer Assisted Tomography</i> , 2004, 28, 428-435.   | 0.5  | 16        |
| 522 | Alterations in Regional Cerebral Glucose Metabolism Across Waking and Non-Rapid Eye Movement Sleep in Depression. <i>Archives of General Psychiatry</i> , 2005, 62, 387.   | 13.8 | 62        |
| 523 | How does transcranial DC stimulation of the primary motor cortex alter regional neuronal activity in the human brain?. <i>European Journal of Neuroscience</i> , 2005, 22, 495-504.  | 1.2  | 681       |
| 524 | Changes in Cerebral Blood Flow and Cerebral Oxygen Metabolism during Neural Activation Measured by Positron Emission Tomography: Comparison with Blood Oxygenation Level-Dependent Contrast Measured by Functional Magnetic Resonance Imaging. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2005, 25, 371-377. | 2.4  | 67        |
| 525 | The effects of the 5-HT3 antagonist, alosetron, on brain serotonin synthesis in patients with irritable bowel syndrome. <i>Neurogastroenterology and Motility</i> , 2005, 17, 212-221.   | 1.6  | 25        |
| 526 | Involvement of both prefrontal and inferior parietal cortex in dual-task performance. <i>Cognitive Brain Research</i> , 2005, 24, 237-251.   | 3.3  | 128       |
| 527 | Prefrontal abnormalities in patients with simple schizophrenia: Structural and functional brain-imaging studies in five cases. <i>Psychiatry Research - Neuroimaging</i> , 2005, 140, 157-171.   | 0.9  | 26        |
| 528 | A study paradigm allowing comparison of multiple high-resolution rCBV-maps for the examination of drug effects. <i>NMR in Biomedicine</i> , 2005, 18, 260-268.   | 1.6  | 10        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 529 | A new approach to neuroimaging with magnetoencephalography. <i>Human Brain Mapping</i> , 2005, 25, 199-211.  | 1.9 | 465       |
| 530 | Intrinsic brain activity sets the stage for expression of motivated behavior. <i>Journal of Comparative Neurology</i> , 2005, 493, 167-176.  | 0.9 | 201       |
| 531 | Examining the neural targets of the AMPA receptor potentiator LY404187 in the rat brain using pharmacological magnetic resonance imaging. <i>Psychopharmacology</i> , 2005, 180, 743-751.  | 1.5 | 37        |
| 532 | The effect of tapping finger and mode differences on cortical and subcortical activities: a PET study. <i>Experimental Brain Research</i> , 2005, 160, 375-383.  | 0.7 | 33        |
| 533 | Relationship between exploratory eye movements and brain morphology in schizophrenia spectrum patients. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2005, 255, 104-110.   | 1.8 | 21        |
| 534 | Differential activation of cerebral blood flow by stimulating amblyopic and fellow eye. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2005, 243, 576-582.  | 1.0 | 23        |
| 535 | Effects of tissue heterogeneity on cerebral vascular response to acetazolamide stress measured by an I-123-IMP autoradiographic method with single-photon emission computed tomography. <i>Annals of Nuclear Medicine</i> , 2005, 19, 251-260. | 1.2 | 5         |
| 536 | Human cerebral circulation: positron emission tomography studies. <i>Annals of Nuclear Medicine</i> , 2005, 19, 65-74.   | 1.2 | 139       |
| 537 | Impaired Cross-Modal Inhibition in Alzheimer Disease. <i>PLoS Medicine</i> , 2005, 2, e288.  | 3.9 | 37        |
| 538 | The unpleasantness of tonic pain is encoded by the insular cortex. <i>Neurology</i> , 2005, 64, 1175-1183.   | 1.5 | 153       |
| 539 | CASL fMRI of subcortico-cortical perfusion changes during memory-guided finger sequences. <i>NeuroImage</i> , 2005, 25, 122-132.   | 2.1 | 44        |
| 540 | Executive dysfunction in Parkinson's disease is associated with altered pallidal "frontal processing. <i>NeuroImage</i> , 2005, 25, 588-599.   | 2.1 | 78        |
| 541 | Association between lower P300 amplitude and smaller anterior cingulate cortex volume in patients with posttraumatic stress disorder: a study of victims of Tokyo subway sarin attack. <i>NeuroImage</i> , 2005, 25, 43-50.                    | 2.1 | 68        |
| 542 | Effects of hypoxia, hyperoxia, and hypercapnia on baseline and stimulus-evoked BOLD, CBF, and CMRO2 in spontaneously breathing animals. <i>NeuroImage</i> , 2005, 25, 850-858.   | 2.1 | 259       |
| 543 | Neuroimaging of emotion: empirical effects of proportional global signal scaling in fMRI data analysis. <i>NeuroImage</i> , 2005, 25, 520-526.   | 2.1 | 68        |
| 544 | Bupropion and venlafaxine responders differ in pretreatment regional cerebral metabolism in unipolar depression. <i>Biological Psychiatry</i> , 2005, 57, 220-228.   | 0.7 | 80        |
| 545 | Separating functional and structural damage in persistent vegetative state using combined voxel-based analysis of 3-D MRI and FDG-PET. <i>Journal of the Neurological Sciences</i> , 2005, 228, 179-184.                                       | 0.3 | 40        |
| 546 | Regional cerebral perfusion abnormalities in developmental language disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2006, , .   | 1.8 | 0         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 547 | BRAIN WORK AND BRAIN IMAGING. Annual Review of Neuroscience, 2006, 29, 449-476.   | 5.0 | 1,393     |
| 548 | Spatiotemporal dynamics of human object recognition processing: An integrated high-density electrical mapping and functional imaging study of "closure" processes. NeuroImage, 2006, 29, 605-618. | 2.1 | 132       |
| 549 | Activity of left inferior frontal gyrus related to word repetition effects: LORETA imaging with 128-channel EEG and individual MRI. NeuroImage, 2006, 29, 712-720.                                | 2.1 | 6         |
| 550 | Mapping cerebral blood flow changes during auditory-cued conditioned fear in the nontethered, nonrestrained rat. NeuroImage, 2006, 29, 1344-1358.   | 2.1 | 42        |
| 551 | The effect of global cerebral vasodilation on focal activation hemodynamics. NeuroImage, 2006, 30, 726-734.   | 2.1 | 89        |
| 552 | Cortical surface-based analysis of 18F-FDG PET: Measured metabolic abnormalities in schizophrenia are affected by cortical structural abnormalities. NeuroImage, 2006, 31, 1434-1444.             | 2.1 | 56        |
| 553 | EEG-fMRI of idiopathic and secondarily generalized epilepsies. NeuroImage, 2006, 31, 1700-1710.   | 2.1 | 254       |
| 554 | Using a white matter reference to remove the dependency of global signal on experimental conditions in SPECT analyses. NeuroImage, 2006, 32, 49-53.   | 2.1 | 21        |
| 555 | A cluster mass permutation test with contextual enhancement for fMRI activation detection. NeuroImage, 2006, 32, 654-664.   | 2.1 | 13        |
| 556 | In vivo imaging of functional disruption, recovery and alteration in rat olfactory circuitry after lesion. NeuroImage, 2006, 32, 1265-1272.   | 2.1 | 33        |
| 557 | Cortical trapping of $\pm$ -[11C]methyl-l-tryptophan, an index of serotonin synthesis, is lower in females than males. NeuroImage, 2006, 33, 815-824.   | 2.1 | 63        |
| 558 | Involvement of the human cerebellum in short-term and long-term habituation of the acoustic startle response: A serial PET study. Clinical Neurophysiology, 2006, 117, 1290-1300.                 | 0.7 | 10        |
| 559 | Neuroimaging methods in affective neuroscience: Selected methodological issues. Progress in Brain Research, 2006, 156, 123-143.   | 0.9 | 56        |
| 560 | HUMAN BRAIN METABOLIC CHANGES INDUCED BY ACTUAL CAR-DRIVING. , 2006, , .  |     | 0         |
| 561 | Quantitative analysis of dopamine synthesis in human brain using positron emission tomography with L-[ $\beta$ - <sup>11</sup> C]DOPA. Nuclear Medicine Communications, 2006, 27, 723-731.        | 0.5 | 29        |
| 562 | Effects of 5-HT <sub>1B/1D</sub> Receptor Agonist Rizatriptan on Cerebral Blood Flow and Blood Volume in Normal Circulation. Journal of Cerebral Blood Flow and Metabolism, 2006, 26, 92-98.      | 2.4 | 18        |
| 563 | Regional cerebral perfusion abnormalities in developmental language disorder. European Archives of Psychiatry and Clinical Neuroscience, 2006, 256, 131-137.                                      | 1.8 | 8         |
| 564 | Dose effects of triazolam on brain activity during episodic memory encoding: a PET study. Psychopharmacology, 2006, 188, 445-461.   | 1.5 | 12        |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 565 | Functional brain mapping of actual car-driving using [18F]FDG-PET. <i>Annals of Nuclear Medicine</i> , 2006, 20, 623-628.   | 1.2 | 60        |
| 566 | Database of normal human cerebral blood flow measured by SPECT: I. Comparison between I-123-IMP, Tc-99m-HMPAO, and Tc-99m-ECD as referred with O-15 labeled water PET and voxel-based morphometry. <i>Annals of Nuclear Medicine</i> , 2006, 20, 131-138. | 1.2 | 68        |
| 567 | Brain and whole body distribution of N-isopropyl-4-iodoamphetamine (I-123) in humans: Comparison of radiopharmaceuticals marketed by different companies in Japan. <i>Annals of Nuclear Medicine</i> , 2006, 20, 493-498.                                 | 1.2 | 19        |
| 568 | Motion illusion activates the visual motion area of the brain: A near-infrared spectroscopy (NIRS) study. <i>Brain Research</i> , 2006, 1077, 116-122.  | 1.1 | 19        |
| 569 | How does spatial extent of fMRI datasets affect independent component analysis decomposition?. <i>Human Brain Mapping</i> , 2006, 27, 736-746.  | 1.9 | 11        |
| 570 | Positron Emission Tomography Reveals Correlations between Brain Metabolism and Mood Changes in Hyperthyroidism. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006, 91, 4786-4791.  | 1.8 | 61        |
| 571 | Unique, common, and interacting cortical correlates of thirst and pain. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 2416-2421.  | 3.3 | 68        |
| 572 | A short history of SPM. , 2007, , 3-9.  |     | 14        |
| 573 | The Functional Anatomy of Recovery from Brain Injury. <i>Novartis Foundation Symposium</i> , 1991, 163, 235-249.  | 1.2 | 10        |
| 574 | Language Activation Studies with Positron Emission Tomography. <i>Novartis Foundation Symposium</i> , 1991, 163, 218-234.   | 1.2 | 18        |
| 575 | The Neurotransmitter Basis of Cognition: Psychopharmacological Activation Studies Using Positron Emission Tomography. <i>Novartis Foundation Symposium</i> , 1991, 163, 76-92.  | 1.2 | 14        |
| 576 | Anxiety, respiration, and cerebral blood flow: implications for functional brain imaging. <i>Comprehensive Psychiatry</i> , 2007, 48, 103-112.  | 1.5 | 61        |
| 577 | Localization of load sensitivity of working memory storage: Quantitatively and qualitatively discrepant results yielded by single-subject and group-averaged approaches to fMRI group analysis. <i>NeuroImage</i> , 2007, 35, 881-903.                    | 2.1 | 41        |
| 578 | Changes in brain functional activation during resting and locomotor states after unilateral nigrostriatal damage in rats. <i>NeuroImage</i> , 2007, 36, 755-773.  | 2.1 | 36        |
| 579 | Neural correlates of regional EEG power change. <i>NeuroImage</i> , 2007, 36, 1301-1312.  | 2.1 | 33        |
| 580 | Mapping the Updating Process: Common and Specific Brain Activations Across Different Versions of the Running Span Task. <i>Cortex</i> , 2007, 43, 146-158.  | 1.1 | 41        |
| 581 | Diurnal Variation in Regional Brain Glucose Metabolism in Depression. <i>Biological Psychiatry</i> , 2007, 62, 438-445.   | 0.7 | 53        |
| 582 | Voxel-Based Morphometry. , 2007, , 92-98.   |     | 72        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 584 | Reorganization of functional brain maps after exercise training: Importance of cerebellar-thalamic-cortical pathway. <i>Brain Research</i> , 2007, 1184, 96-107.                         | 1.1 | 79        |
| 585 | Tiagabine does not attenuate alcohol-induced activation of the human reward system. <i>Psychopharmacology</i> , 2007, 191, 975-983.  | 1.5 | 12        |
| 586 | Glucose hypermetabolism in the thalamus of patients with essential blepharospasm. <i>Journal of Neurology</i> , 2007, 254, 890-896.  | 1.8 | 53        |
| 587 | Mapping of central dopamine synthesis in man, using positron emission tomography with I-[ <sup>12</sup> -11C]DOPA. <i>Annals of Nuclear Medicine</i> , 2007, 21, 355-360.                | 1.2 | 15        |
| 588 | SPECT evaluation of cerebral blood flow during arm exercise in patients with subclavian steal. <i>Annals of Nuclear Medicine</i> , 2007, 21, 463-470.                                    | 1.2 | 7         |
| 589 | Rivastigmine effects on EEG spectra and three-dimensional LORETA functional imaging in Alzheimer's disease. <i>Psychopharmacology</i> , 2008, 198, 323-332.                              | 1.5 | 44        |
| 590 | A method for removing global effects in small-animal functional MRI. <i>NMR in Biomedicine</i> , 2008, 21, 53-58.  | 1.6 | 10        |
| 591 | Association between mitochondrial DNA 10398A>G polymorphism and the volume of amygdala. <i>Genes, Brain and Behavior</i> , 2008, 7, 698-704.   | 1.1 | 12        |
| 592 | Changes in regional brain perfusion during functional brain activation: Comparison of [64Cu]-PTSM with [14C]-Iodoantipyrine. <i>Brain Research</i> , 2008, 1234, 32-43.                  | 1.1 | 10        |
| 593 | Evidence for Acquired Pregenual Anterior Cingulate Gray Matter Loss from a Twin Study of Combat-Related Posttraumatic Stress Disorder. <i>Biological Psychiatry</i> , 2008, 63, 550-556. | 0.7 | 317       |
| 594 | Brain maps on the go: Functional imaging during motor challenge in animals. <i>Methods</i> , 2008, 45, 255-261.  | 1.9 | 22        |
| 595 | Sympathetic activity at rest and motor brain areas: FDG-PET study. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2008, 143, 27-32.   | 1.4 | 24        |
| 596 | Statistical mapping of sound-evoked activity in the mouse auditory midbrain using Mn-enhanced MRI. <i>NeuroImage</i> , 2008, 39, 223-230.  | 2.1 | 62        |
| 597 | Age-related decrease in axonal transport measured by MR imaging in vivo. <i>NeuroImage</i> , 2008, 39, 915-926.  | 2.1 | 47        |
| 598 | Normal database of dopaminergic neurotransmission system in human brain measured by positron emission tomography. <i>NeuroImage</i> , 2008, 39, 555-565.                                 | 2.1 | 75        |
| 599 | Imaging of amyloid plaques and cerebral glucose metabolism in semantic dementia and Alzheimer's disease. <i>NeuroImage</i> , 2008, 39, 619-633.  | 2.1 | 201       |
| 600 | Normalization in PET group comparison studies-The importance of a valid reference region. <i>NeuroImage</i> , 2008, 40, 529-540.   | 2.1 | 87        |
| 601 | Cerebral blood flow effects of acute intravenous heroin administration. <i>European Neuropsychopharmacology</i> , 2008, 18, 278-285.   | 0.3 | 19        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 603 | Gender-Common and -Specific Neuroanatomical Basis of Human Anxiety-Related Personality Traits. <i>Cerebral Cortex</i> , 2008, 18, 46-52.   | 1.6 | 105       |
| 604 | Voxel-based morphometry in Alzheimer's disease. <i>Expert Review of Neurotherapeutics</i> , 2008, 8, 1691-1702.  | 1.4 | 114       |
| 605 | Spontaneous Activity Associated with Primary Visual Cortex: A Resting-State fMRI Study. <i>Cerebral Cortex</i> , 2008, 18, 697-704.  | 1.6 | 132       |
| 606 | Sex-Linked Neuroanatomical Basis of Human Altruistic Cooperativeness. <i>Cerebral Cortex</i> , 2008, 18, 2331-2340.  | 1.6 | 62        |
| 607 | Modeling Dynamic Functional Neuroimaging Data Using Structural Equation Modeling. <i>Structural Equation Modeling</i> , 2009, 16, 147-162.   | 2.4 | 15        |
| 608 | Effects of the Antipsychotic Risperidone on Dopamine Synthesis in Human Brain Measured by Positron Emission Tomography with [ <sup>11</sup> C]DOPA: A Stabilizing Effect for Dopaminergic Neurotransmission?. <i>Journal of Neuroscience</i> , 2009, 29, 13730-13734.                                      | 1.7 | 37        |
| 609 | Comparison of transcranial Doppler ultrasonography and positron emission tomography using a three-dimensional template of the middle cerebral artery. <i>Neurological Research</i> , 2009, 31, 52-59.  | 0.6 | 13        |
| 610 | No regional difference in dopamine D2 receptor occupancy by the second-generation antipsychotic drug risperidone in humans: a positron emission tomography study. <i>International Journal of Neuropsychopharmacology</i> , 2009, 12, 667.   | 1.0 | 22        |
| 611 | Quantitative PET Analysis of the Dopamine D <sub>2</sub> Receptor Agonist Radioligand [ <sup>11</sup> C]-R-CH <sub>3</sub> -O-N-Propylnorapomorphine in the Human Brain. <i>Journal of Nuclear Medicine</i> , 2009, 50, 703-710.   | 2.8 | 20        |
| 612 | Brain Activation Associated With Changes in Heart Rate, Heart Rate Variability, and Plasma Catecholamines During Rectal Distention. <i>Psychosomatic Medicine</i> , 2009, 71, 619-626.   | 1.3 | 33        |
| 613 | Simple Assessment of Cerebral Hemodynamics Using Single-Slab 3D Time-of-Flight MR Angiography in Patients with Cervical Internal Carotid Artery Steno-Occlusive Diseases: Comparison with Quantitative Perfusion Single-Photon Emission CT. <i>American Journal of Neuroradiology</i> , 2009, 30, 559-563. | 1.2 | 30        |
| 614 | Cerebral glucose metabolic response to combined total sleep deprivation and antidepressant treatment in geriatric depression: A randomized, placebo-controlled study. <i>Psychiatry Research - Neuroimaging</i> , 2009, 171, 1-9.  | 0.9 | 15        |
| 615 | Smaller amygdala volume and reduced anterior cingulate gray matter density associated with history of post-traumatic stress disorder. <i>Psychiatry Research - Neuroimaging</i> , 2009, 174, 210-216.  | 0.9 | 118       |
| 616 | Cortical network dynamics during source memory retrieval: Current density imaging with individual MRI. <i>Human Brain Mapping</i> , 2009, 30, 78-91.   | 1.9 | 7         |
| 617 | Attention impairment in temporal lobe epilepsy: A neurophysiological approach via analysis of the P300 wave. <i>Human Brain Mapping</i> , 2009, 30, 2267-2277.   | 1.9 | 35        |
| 618 | Functional brain areas associated with manipulation of a prehensile tool: A PET study. <i>Human Brain Mapping</i> , 2009, 30, 2879-2889.   | 1.9 | 13        |
| 619 | Comparing isotropic and anisotropic smoothing for voxel-based DTI analyses: A simulation study. <i>Human Brain Mapping</i> , 2010, 31, 98-114.   | 1.9 | 89        |
| 620 | Image intensity normalisation by maximising the Siddon line integral in the joint intensity distribution space. <i>Medical Image Analysis</i> , 2009, 13, 900-909.   | 7.0 | 1         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 621 | Meditators and Non-Meditators: EEG Source Imaging During Resting. <i>Brain Topography</i> , 2009, 22, 158-165.   | 0.8 | 60        |
| 622 | Measurement of cerebral blood flow by the autoradiographic method with N-isopropyl-4-[I-123] iodoamphetamine: comparison of radiopharmaceuticals marketed by different companies in Japan. <i>Annals of Nuclear Medicine</i> , 2009, 23, 355-361.  | 1.2 | 0         |
| 623 | Vasodilatory effect of adenosine triphosphate does not change cerebral blood flow: a PET study with 15O-water. <i>Annals of Nuclear Medicine</i> , 2009, 23, 717-723.  | 1.2 | 4         |
| 624 | Preoperative cerebrovascular reactivity to acetazolamide measured by brain perfusion SPECT predicts development of cerebral ischemic lesions caused by microemboli during carotid endarterectomy. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2009, 36, 294-301. | 3.3 | 41        |
| 625 | Computational anatomy with the SPM software. <i>Magnetic Resonance Imaging</i> , 2009, 27, 1163-1174.  | 1.0 | 468       |
| 626 | Activating a memory system focuses connectivity toward its central structure. <i>Behavioural Brain Research</i> , 2009, 204, 226-234.  | 1.2 | 8         |
| 627 | Clinical severity of Alzheimer's disease is associated with PIB uptake in PET. <i>Neurobiology of Aging</i> , 2009, 30, 1902-1909.   | 1.5 | 89        |
| 628 | Database-managed Grid-enabled analysis of neuroimaging data: The CNARI framework. <i>International Journal of Psychophysiology</i> , 2009, 73, 62-72.  | 0.5 | 9         |
| 629 | Motor activity and imagery modulate the body-selective region in the occipital-temporal area: A near-infrared spectroscopy study. <i>Neuroscience Letters</i> , 2009, 465, 85-89.  | 1.0 | 33        |
| 630 | Beta Amyloid in Alzheimer's Disease: Increased Deposition in Brain Is Reflected in Reduced Concentration in Cerebrospinal Fluid. <i>Biological Psychiatry</i> , 2009, 65, 927-934.   | 0.7 | 256       |
| 631 | Regional cerebral blood flow changes in Parkinson's disease: correlation with disease duration. <i>Revista Española De Medicina Nuclear</i> , 2009, 28, 114-120.   | 0.3 | 2         |
| 632 | SPM-based count normalization provides excellent discrimination of mild Alzheimer's disease and amnesic mild cognitive impairment from healthy aging. <i>NeuroImage</i> , 2009, 44, 43-50.   | 2.1 | 117       |
| 633 | Artefactual subcortical hyperperfusion in PET studies normalized to global mean: Lessons from Parkinson's disease. <i>NeuroImage</i> , 2009, 45, 249-257.  | 2.1 | 78        |
| 634 | The impact of global signal regression on resting state correlations: Are anti-correlated networks introduced?. <i>NeuroImage</i> , 2009, 44, 893-905.   | 2.1 | 2,164     |
| 635 | Components of variance in brain perfusion and the design of studies of individual differences: The baseline study. <i>NeuroImage</i> , 2009, 46, 12-22.  | 2.1 | 30        |
| 636 | Data-driven intensity normalization of PET group comparison studies is superior to global mean normalization. <i>NeuroImage</i> , 2009, 46, 981-988.   | 2.1 | 56        |
| 638 | The Pre-Supplementary and Primary Motor Areas Generate Rhythm for Voluntary Eye Opening and Closing Movements. <i>Tohoku Journal of Experimental Medicine</i> , 2010, 222, 97-104.   | 0.5 | 9         |
| 639 | Shifting from region of interest (ROI) to voxel-based analysis in human brain mapping. <i>Pediatric Radiology</i> , 2010, 40, 1857-1867.   | 1.1 | 56        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 640 | Components of acquisition-to-acquisition variance in continuous arterial spin labelling (CASL) imaging. <i>BMC Neuroscience</i> , 2010, 11, 30.  | 0.8  | 5         |
| 641 | Antidepressant mechanism of add-on repetitive transcranial magnetic stimulation in medication-resistant depression using cerebral glucose metabolism. <i>Journal of Affective Disorders</i> , 2010, 127, 219-229.  | 2.0  | 83        |
| 642 | Functional (GT)n polymorphisms in promoter region of <i>GRIN2A</i> gene affect hippocampal and amygdala volumes. <i>Genes, Brain and Behavior</i> , 2010, 9, 269-275.  | 1.1  | 12        |
| 643 | Neuroanatomical correlates of attention-deficit/hyperactivity disorder accounting for comorbid oppositional defiant disorder and conduct disorder. <i>Psychiatry and Clinical Neurosciences</i> , 2010, 64, 394-402.   | 1.0  | 58        |
| 644 | Postcarotid Endarterectomy Improvement in Cognition Is Associated with Resolution of Crossed Cerebellar Hypoperfusion and Increase in <sup>123</sup> I-Iomazenil Uptake in the Cerebral Cortex: A SPECT Study. <i>Cerebrovascular Diseases</i> , 2010, 29, 343-351.  | 0.8  | 45        |
| 645 | Focal Neuronal Damage in Patients with Neuropsychological Impairment after Diffuse Traumatic Brain Injury: Evaluation Using <sup>11</sup> C-Flumazenil Positron Emission Tomography with Statistical Image Analysis. <i>Journal of Neurotrauma</i> , 2010, 27, 2131-2138.  | 1.7  | 48        |
| 646 | Objective Detection of Epileptic Foci by <sup>18</sup> F-FDG PET in Children Undergoing Epilepsy Surgery. <i>Journal of Nuclear Medicine</i> , 2010, 51, 1901-1907.  | 2.8  | 87        |
| 647 | A Neural Marker of Costly Punishment Behavior. <i>Psychological Science</i> , 2010, 21, 337-342.   | 1.8  | 86        |
| 648 | Impaired Visual Object Processing Across an Occipital-Frontal-Hippocampal Brain Network in Schizophrenia. <i>Archives of General Psychiatry</i> , 2010, 67, 772.   | 13.8 | 119       |
| 649 | Statistical Parametric Mapping reveals ligand and region-specific activation of G-proteins by CB1 receptors and non-CB1 sites in the 3D reconstructed mouse brain. <i>NeuroImage</i> , 2010, 52, 1243-1251.  | 2.1  | 17        |
| 650 | Sub-cortical and brainstem sites associated with chemo-stimulated increases in ventilation in humans. <i>NeuroImage</i> , 2010, 49, 2526-2535.   | 2.1  | 23        |
| 651 | Technical aspects of amyloid imaging for Alzheimer's disease. <i>Alzheimer's Research and Therapy</i> , 2011, 3, 25.   | 3.0  | 8         |
| 652 | Theory of Mind Skills Are Related to Gray Matter Volume in the Ventromedial Prefrontal Cortex in Schizophrenia. <i>Biological Psychiatry</i> , 2011, 70, 1169-1178.  | 0.7  | 91        |
| 653 | Gray matter density increase in the primary sensorimotor cortex in long-term essential blepharospasm. <i>NeuroImage</i> , 2011, 56, 1-7.   | 2.1  | 38        |
| 654 | Use of swLORETA to localize the cortical sources of target- and distracter-elicited P300 components. <i>Clinical Neurophysiology</i> , 2011, 122, 1991-2002.   | 0.7  | 27        |
| 655 | Brain energization in response to deep brain stimulation of subthalamic nuclei in Parkinson's disease. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2011, 31, 1612-1622.   | 2.4  | 11        |
| 656 | Postoperative Resolution of <sup>123</sup> I-Iomazenil Uptake and Metabolic Rate of Oxygen in the Cerebral Cortex Accompanied by Postoperative Improvement of Cognition in a Patient Undergoing Extracranial-Intracranial Arterial Bypass Surgery for Internal Carotid Artery Occlusion. <i>Clinical Nuclear Medicine</i> , 2011, 36, 361-362. | 0.7  | 3         |
| 657 | CYP2D6 in the brain: genotype effects on resting brain perfusion. <i>Molecular Psychiatry</i> , 2011, 16, 333-341.   | 4.1  | 49        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 658 | P11 expression and PET in bipolar disorders. <i>Journal of Psychiatric Research</i> , 2011, 45, 1426-1431.  | 1.5 | 18        |
| 659 | Brain perfusion CT compared with 15O-H <sub>2</sub> O-PET in healthy subjects. <i>EJNMMI Research</i> , 2011, 1, 28.  | 1.1 | 23        |
| 660 | Antenatal maternal stress alters functional brain responses in adult offspring during conditioned fear. <i>Brain Research</i> , 2011, 1385, 163-174.  | 1.1 | 23        |
| 661 | An Open Source Multivariate Framework for n-Tissue Segmentation with Evaluation on Public Data. <i>Neuroinformatics</i> , 2011, 9, 381-400.   | 1.5 | 515       |
| 662 | EEG and MEG Data Analysis in SPM8. <i>Computational Intelligence and Neuroscience</i> , 2011, 2011, 1-32.   | 1.1 | 500       |
| 663 | Global and System-Specific Resting-State fMRI Fluctuations Are Uncorrelated: Principal Component Analysis Reveals Anti-Correlated Networks. <i>Brain Connectivity</i> , 2011, 1, 496-510.   | 0.8 | 108       |
| 664 | Preoperative Central Benzodiazepine Receptor Binding Potential and Cerebral Blood Flow Images on SPECT Predict Development of New Cerebral Ischemic Events and Cerebral Hyperperfusion After Carotid Endarterectomy. <i>Journal of Nuclear Medicine</i> , 2011, 52, 1400-1407.  | 2.8 | 21        |
| 665 | Central Benzodiazepine Receptor Binding Potential and CBF Images on SPECT Correlate with Oxygen Extraction Fraction Images on PET in the Cerebral Cortex with Unilateral Major Cerebral Artery Occlusive Disease. <i>Journal of Nuclear Medicine</i> , 2011, 52, 511-518.   | 2.8 | 27        |
| 666 | Relation between Presynaptic and Postsynaptic Dopaminergic Functions Measured by Positron Emission Tomography: Implication of Dopaminergic Tone. <i>Journal of Neuroscience</i> , 2011, 31, 7886-7890.  | 1.7 | 45        |
| 667 | Effect of Combination Therapy with the Angiotensin Receptor Blocker Losartan plus Hydrochlorothiazide on Brain Perfusion in Patients with both Hypertension and Cerebral Hemodynamic Impairment due to Symptomatic Chronic Major Cerebral Artery Steno-Occlusive Disease: A SPECT Study. <i>Cerebrovascular Diseases</i> , 2012, 33, 354-361. | 0.8 | 11        |
| 668 | Comparison of early and late images on 123I-iodoamphetamine SPECT with cerebral blood flow and oxygen extraction fraction images on PET in the cerebral cortex of patients with chronic unilateral major cerebral artery occlusive disease. <i>Nuclear Medicine Communications</i> , 2012, 33, 171-178.                                       | 0.5 | 19        |
| 669 | Combination of Preoperative Cerebral Blood Flow and 123I-iodoamphetamine SPECT Imaging Predicts Postoperative Cognitive Improvement in Patients Undergoing Uncomplicated Endarterectomy for Unilateral Carotid Stenosis. <i>Clinical Nuclear Medicine</i> , 2012, 37, 128-133.  | 0.7 | 23        |
| 670 | Accuracy of Central Benzodiazepine Receptor Binding Potential/Cerebral Blood Flow SPECT Imaging for Detecting Myocardial Perfusion in Patients With Unilateral Major Cerebral Artery Occlusive Diseases. <i>Clinical Nuclear Medicine</i> , 2012, 37, 235-240.  | 0.7 | 14        |
| 671 | Correlation between decreased motor activity and dopaminergic degeneration in the ventrolateral putamen in monkeys receiving repeated MPTP administrations: A positron emission tomography study. <i>Neuroscience Research</i> , 2012, 73, 61-67.   | 1.0 | 12        |
| 672 | Ventral and dorsal streams processing visual motion perception (FDG-PET study). <i>BMC Neuroscience</i> , 2012, 13, 81.   | 0.8 | 35        |
| 673 | Differential relations between fronto-limbic metabolism and executive function in patients with remitted bipolar I and bipolar II disorder. <i>Bipolar Disorders</i> , 2012, 14, 831-842.   | 1.1 | 45        |
| 674 | Postoperative Cerebral White Matter Damage Associated with Cerebral Hyperperfusion and Cognitive Impairment after Carotid Endarterectomy: A Diffusion Tensor Magnetic Resonance Imaging Study. <i>Cerebrovascular Diseases</i> , 2012, 34, 358-367.   | 0.8 | 44        |
| 675 | SPM: A history. <i>NeuroImage</i> , 2012, 62, 791-800.  | 2.1 | 391       |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 676 | Oxygen metabolism, oxygen extraction and positron emission tomography: Historical perspective and impact on basic and clinical neuroscience. <i>NeuroImage</i> , 2012, 61, 492-504.  | 2.1 | 62        |
| 677 | Resting state FDG-PET functional connectivity as an early biomarker of Alzheimer's disease using conjoint univariate and independent component analyses. <i>NeuroImage</i> , 2012, 63, 936-946.                                | 2.1 | 87        |
| 678 | Biological parametric mapping accounting for random regressors with regression calibration and model II regression. <i>NeuroImage</i> , 2012, 62, 1761-1768.   | 2.1 | 5         |
| 679 | Role of Basal Ganglia Circuits in Resisting Interference by Distracters: A swLORETA Study. <i>PLoS ONE</i> , 2012, 7, e34239.  | 1.1 | 20        |
| 680 | Adaptive thresholding for reliable topological inference in single subject fMRI analysis. <i>Frontiers in Human Neuroscience</i> , 2012, 6, 245.   | 1.0 | 42        |
| 681 | The Effects of High-Frequency Transcranial Magnetic Stimulation Combined with Transcutaneous Electrical Stimulation in a Severe Stroke Patient. <i>Clinics and Practice</i> , 2012, 2, 231-234.                                | 0.6 | 1         |
| 682 | Statistical parametric mapping reveals regional alterations in cannabinoid CB <sub>1</sub> receptor distribution and Gâ€œprotein activation in the 3D reconstructed epileptic rat brain. <i>Epilepsia</i> , 2012, 53, 897-907. | 2.6 | 8         |
| 683 | Analysis of fMRI time series with mutual information. <i>Medical Image Analysis</i> , 2012, 16, 451-458.   | 7.0 | 20        |
| 684 | Schizotypy trait and striatal dopamine receptors in healthy volunteers. <i>Psychiatry Research - Neuroimaging</i> , 2012, 201, 218-221.  | 0.9 | 19        |
| 685 | Abnormal resting state corticolimbic blood flow in depressed unmedicated patients with major depression: A <sup>15</sup> Oâ€œH <sub>2</sub> O PET study. <i>Human Brain Mapping</i> , 2012, 33, 272-279.                       | 1.9 | 58        |
| 686 | Glucose hypermetabolism in the thalamus of patients with hemifacial spasm. <i>Movement Disorders</i> , 2012, 27, 519-525.  | 2.2 | 19        |
| 687 | Structural abnormalities in the dyslexic brain: A metaâ€œanalysis of voxelâ€œbased morphometry studies. <i>Human Brain Mapping</i> , 2013, 34, 3055-3065.  | 1.9 | 203       |
| 688 | Optimizing statistical parametric mapping analysis of 18F-FDG PET in children. <i>EJNMMI Research</i> , 2013, 3, 2.  | 1.1 | 45        |
| 690 | A PET study of discrimination of cerebral glucose metabolism in Alzheimer's disease and mild cognitive impairment. , 2013, , .   |     | 1         |
| 691 | Remote Brain Network Changes after Unilateral Cortical Impact Injury and Their Modulation by Acetylcholinesterase Inhibition. <i>Journal of Neurotrauma</i> , 2013, 30, 907-919.   | 1.7 | 19        |
| 692 | Ricean over Gaussian modelling in magnitude fMRI analysisâ€œadded complexity with negligible practical benefits. <i>Stat</i> , 2013, 2, 303-316.   | 0.3 | 9         |
| 693 | Multiclass classification of FDG PET scans for the distinction between Parkinson's disease and atypical parkinsonian syndromes. <i>NeuroImage: Clinical</i> , 2013, 2, 883-893.  | 1.4 | 71        |
| 694 | Effects of menopause on brain structural changes in schizophrenia. <i>Psychiatry and Clinical Neurosciences</i> , 2013, 67, 3-11.  | 1.0 | 11        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 695 | The functional neuroimaging correlates of psychogenic versus organic dystonia. <i>Brain</i> , 2013, 136, 770-781.   | 3.7 | 83        |
| 696 | Striatal Dopamine Transporter Availability in Drug-Naive Patients With Schizophrenia: A Case-Control SPECT Study With [ <sup>99m</sup> Tc]-TRODAT-1 and a Meta-Analysis. <i>Schizophrenia Bulletin</i> , 2013, 39, 378-386.   | 2.3 | 38        |
| 697 | Adenosine A2A Receptors in Secondary Progressive Multiple Sclerosis: A [ <sup>11</sup> C]TMSX Brain PET Study. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2013, 33, 1394-1401.  | 2.4 | 79        |
| 698 | FDG-PET imaging in mild traumatic brain injury: a critical review. <i>Frontiers in Neuroenergetics</i> , 2014, 5, 13.   | 5.3 | 124       |
| 699 | sLORETA intracortical lagged coherence during breath counting in meditation-naïve participants. <i>Frontiers in Human Neuroscience</i> , 2014, 8, 303.  | 1.0 | 29        |
| 700 | Influence of O-Methylated Metabolite Penetrating the Blood-Brain Barrier to Estimation of Dopamine Synthesis Capacity in Human L-[ <sup>11</sup> C]DOPA PET. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2014, 34, 268-274.                                  | 2.4 | 2         |
| 702 | Brain electrical source imaging in manic and depressive episodes of bipolar disorder. <i>Bipolar Disorders</i> , 2014, 16, 690-702.   | 1.1 | 11        |
| 703 | P300 waveform and dopamine transporter availability: a controlled EEG and SPECT study in medication-naive patients with schizophrenia and a meta-analysis. <i>Psychological Medicine</i> , 2014, 44, 2151-2162.   | 2.7 | 15        |
| 704 | fMRI paradigm designing and post-processing tools. <i>Indian Journal of Radiology and Imaging</i> , 2014, 24, 13-21.  | 0.3 | 13        |
| 705 | Glucose hypermetabolism in the thalamus of patients with drug-induced blepharospasm. <i>Neuroscience</i> , 2014, 263, 240-249.  | 1.1 | 12        |
| 706 | Can we increase the yield of FDG-PET in the preoperative work-up for epilepsy surgery?. <i>Epilepsy Research</i> , 2014, 108, 1095-1105.  | 0.8 | 20        |
| 707 | Modification of EEG power spectra and EEG connectivity in autobiographical memory: a sLORETA study. <i>Cognitive Processing</i> , 2014, 15, 351-361.  | 0.7 | 27        |
| 708 | Imaging of amyloid deposition in human brain using positron emission tomography and [ <sup>18</sup> F]FACT: comparison with [ <sup>11</sup> C]PIB. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2014, 41, 745-754.                               | 3.3 | 19        |
| 709 | The brain of the beholder: honouring individual representational idiosyncrasies. <i>Language, Cognition and Neuroscience</i> , 2015, 30, 367-379.   | 0.7 | 21        |
| 710 | Manganese-Enhanced Magnetic Resonance Imaging Reveals Differential Long-Term Neuroadaptation After Methamphetamine and the Substituted Cathinone 4-Methylmethcathinone (Mephedrone). <i>International Journal of Neuropsychopharmacology</i> , 2015, 18, pyu106-pyu106. | 1.0 | 3         |
| 711 | Cerebral glucose metabolism in the striate cortex positively correlates with fractional anisotropy values of the optic radiation in patients with glaucoma. <i>Clinical and Experimental Ophthalmology</i> , 2015, 43, 711-719.   | 1.3 | 8         |
| 712 | Intensity normalization of DaTSCAN SPECT imaging using a model-based clustering approach. <i>Applied Soft Computing Journal</i> , 2015, 37, 234-244.  | 4.1 | 14        |
| 713 | The Good, the Bad, and the Irrelevant: Neural Mechanisms of Learning Real and Hypothetical Rewards and Effort. <i>Journal of Neuroscience</i> , 2015, 35, 11233-11251.  | 1.7 | 74        |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 714 | Brain activation induced by voluntary alcohol and saccharin drinking in rats assessed with manganese-enhanced magnetic resonance imaging. <i>Addiction Biology</i> , 2015, 20, 1012-1021.   | 1.4 | 39        |
| 715 | Short-term Cortical Plasticity Associated With Feedback-Error Learning After Locomotor Training in a Patient With Incomplete Spinal Cord Injury. <i>Physical Therapy</i> , 2015, 95, 257-266.                                       | 1.1 | 14        |
| 716 | Hierarchical Event Descriptors (HED): Semi-Structured Tagging for Real-World Events in Large-Scale EEG. <i>Frontiers in Neuroinformatics</i> , 2016, 10, 42.  | 1.3 | 26        |
| 717 | Alcohol preference and consumption are controlled by the caudal linear nucleus in alcohol-preferring rats. <i>European Journal of Neuroscience</i> , 2016, 43, 1440-1448.   | 1.2 | 7         |
| 718 | Cerebral Functional Response during Eyelid Opening/Closing with Bell's Phenomenon and Volitional Vertical Eye Movements in Humans. <i>Tohoku Journal of Experimental Medicine</i> , 2016, 240, 141-146.                             | 0.5 | 3         |
| 719 | A method for normalizing pathology images to improve feature extraction for quantitative pathology. <i>Medical Physics</i> , 2016, 43, 528-537.   | 1.6 | 26        |
| 720 | Functional brain microstate predicts the outcome in a visuospatial working memory task. <i>Behavioural Brain Research</i> , 2016, 314, 134-142.   | 1.2 | 22        |
| 721 | Effect of Attenuation Correction on Regional Quantification Between PET/MR and PET/CT: A Multicenter Study Using a 3-Dimensional Brain Phantom. <i>Journal of Nuclear Medicine</i> , 2016, 57, 818-824.                             | 2.8 | 11        |
| 722 | Wake and Sleep EEG in Patients With Huntington Disease. <i>Clinical EEG and Neuroscience</i> , 2017, 48, 60-71.   | 0.9 | 31        |
| 723 | The global signal in fMRI: Nuisance or Information?. <i>NeuroImage</i> , 2017, 150, 213-229.  | 2.1 | 339       |
| 724 | Forward to the Past: The Case for Quantitative PET Imaging. <i>Journal of Nuclear Medicine</i> , 2017, 58, 1019-1024.   | 2.8 | 128       |
| 725 | Functional localization and effective connectivity of cortical theta and alpha oscillatory activity during an attention task. <i>Clinical Neurophysiology Practice</i> , 2017, 2, 193-200.  | 0.6 | 32        |
| 726 | Simultaneously estimating the task-related and stimulus-evoked components of hemodynamic imaging measurements. <i>Neurophotonics</i> , 2017, 4, 031223.   | 1.7 | 11        |
| 727 | Two dose investigation of the 5-HT-agonist psilocybin on relative and global cerebral blood flow. <i>NeuroImage</i> , 2017, 159, 70-78.   | 2.1 | 61        |
| 728 | Brain activation induced by chronic psychosocial stress in mice. <i>Scientific Reports</i> , 2017, 7, 15061.  | 1.6 | 64        |
| 729 | Normative data of dopaminergic neurotransmission functions in substantia nigra measured with MRI and PET: Neuromelanin, dopamine synthesis, dopamine transporters, and dopamine D2 receptors. <i>NeuroImage</i> , 2017, 158, 12-17. | 2.1 | 19        |
| 730 | Statistical Parametric Mapping of HR-pQCT Images: A Tool for Population-Based Local Comparisons of Micro-Scale Bone Features. <i>Annals of Biomedical Engineering</i> , 2017, 45, 949-962.  | 1.3 | 9         |
| 731 | Brain Metabolism Changes in Patients Infected with HTLV-1. <i>Frontiers in Molecular Neuroscience</i> , 2017, 10, 52.   | 1.4 | 13        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 732 | Persistent antidepressant effect of low-dose ketamine and activation in the supplementary motor area and anterior cingulate cortex in treatment-resistant depression: A randomized control study. <i>Journal of Affective Disorders</i> , 2018, 225, 709-714. | 2.0 | 45        |
| 733 | Complex-valued time series modeling for improved activation detection in fMRI studies. <i>Annals of Applied Statistics</i> , 2018, 12, 1451-1478.   | 0.5 | 15        |
| 734 | Voxel-Based Statistical Analysis of 3D Immunostained Tissue Imaging. <i>Frontiers in Neuroscience</i> , 2018, 12, 754.  | 1.4 | 7         |
| 735 | Use of machine learning to predict cognitive performance based on brain metabolism in Neurofibromatosis type 1. <i>PLoS ONE</i> , 2018, 13, e0203520.   | 1.1 | 11        |
| 736 | Motor cognition in patients treated with subthalamic nucleus deep brain stimulation: Limits of compensatory overactivity in Parkinson's disease. <i>Neuropsychologia</i> , 2018, 117, 491-499.  | 0.7 | 3         |
| 737 | Identifying stage of Alzheimer disease using multiclass particle swarm optimisation technique. <i>Journal of Experimental and Theoretical Artificial Intelligence</i> , 2018, 30, 911-925.  | 1.8 | 4         |
| 738 | Hyperactivation of left inferior parietal lobule and left temporal gyri shortens resting EEG microstate in schizophrenia. <i>Schizophrenia Research</i> , 2018, 201, 204-207.   | 1.1 | 20        |
| 739 | Fast Adaptive Smoothing and Thresholding for Improved Activation Detection in Low-Signal fMRI. <i>IEEE Transactions on Medical Imaging</i> , 2019, 38, 2821-2828.   | 5.4 | 3         |
| 740 | Pre-trial and pre-response EEG microstates in schizophrenia: An endophenotypic marker. <i>Behavioural Brain Research</i> , 2019, 371, 111964.   | 1.2 | 9         |
| 741 | Magnetic resonance imaging of mouse brain networks plasticity following motor learning. <i>PLoS ONE</i> , 2019, 14, e0216596.   | 1.1 | 20        |
| 742 | Control of false positive rates in clusterwise fMRI inferences. <i>Journal of Applied Statistics</i> , 2019, 46, 1956-1972.   | 0.6 | 4         |
| 743 | Sex differences in insular functional connectivity in response to noxious visceral stimulation in rats. <i>Brain Research</i> , 2019, 1717, 15-26.  | 1.1 | 10        |
| 744 | Kinematic profiles during activities of daily living in adults with traumatic brachial plexus injuries. <i>Clinical Biomechanics</i> , 2019, 70, 209-216.   | 0.5 | 8         |
| 745 | Motion artifact in studies of functional connectivity: Characteristics and mitigation strategies. <i>Human Brain Mapping</i> , 2019, 40, 2033-2051.   | 1.9 | 104       |
| 746 | Regional Cerebral Associations Between Psychometric Tests and Imaging Biomarkers in Alzheimer's Disease. <i>Frontiers in Psychiatry</i> , 2020, 11, 793.  | 1.3 | 7         |
| 747 | Amplitude of fNIRS Resting-State Global Signal Is Related to EEG Vigilance Measures: A Simultaneous fNIRS and EEG Study. <i>Frontiers in Neuroscience</i> , 2020, 14, 560878.   | 1.4 | 12        |
| 748 | Brain activity underlying American crow processing of encounters with dead conspecifics. <i>Behavioural Brain Research</i> , 2020, 385, 112546.   | 1.2 | 6         |
| 749 | How Our Perception and Confidence Are Altered Using Decision Cues. <i>Frontiers in Neuroscience</i> , 2019, 13, 1371.   | 1.4 | 2         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 750 | <sc>MRI</sc>-Based Quantitative Osteoporosis Imaging at the Spine and Femur. Journal of Magnetic Resonance Imaging, 2021, 54, 12-35.  | 1.9 | 61        |
| 751 | Striatal dopamine D2/3 receptors in medication-naïve schizophrenia: an [123I] IBZM SPECT study. Psychological Medicine, 2021, , 1-9.  | 2.7 | 3         |
| 752 | Alcohol Co-Administration Changes Mephedrone-Induced Alterations of Neuronal Activity. Frontiers in Pharmacology, 2021, 12, 679759.   | 1.6 | 1         |
| 753 | Single Photon Emission Tomography. , 1994, , 437-456.   |     | 1         |
| 754 | A Role for Near Infrared Spectroscopy in Psychiatry?. Advances in Experimental Medicine and Biology, 1997, 413, 105-112.  | 0.8 | 11        |
| 755 | Near-Infrared Spectroscopy in Functional Activation Studies. Advances in Experimental Medicine and Biology, 1997, 413, 113-127.   | 0.8 | 44        |
| 756 | Uncoupling of Absolute CBF to Neural Activity. Advances in Experimental Medicine and Biology, 1997, 413, 209-214.   | 0.8 | 9         |
| 757 | Linking Cerebral Blood Oxygenation to Human Brain Function. Advances in Experimental Medicine and Biology, 1997, , 221-233.   | 0.8 | 1         |
| 758 | Neuroimaging of Heart Pain. , 2000, , 365-411.  |     | 10        |
| 759 | Prototype System for Semantic Retrieval of Neurological PET Images. , 2007, , 179-188.  |     | 17        |
| 760 | Covariance Analysis of Functional Interactions in the Brain Using Metabolic and Blood Flow Data. , 1992, , 189-217.   |     | 33        |
| 761 | Applications of 3D PET. , 1998, , 133-167.  |     | 10        |
| 762 | Dissociation of Object and Spatial Visual Processing Pathways in Human Extrastriate Cortex. , 1993, , 329-340.  |     | 47        |
| 763 | Talairach Space as a Tool for Intersubject Standardization in the Brain. , 2000, , 555-567.   |     | 6         |
| 764 | Data Extraction from Brain PET Images Using Three-Dimensional Stereotactic Surface Projections 1<br>1Transcripts of the BRAINPET97 discussion of this chapter can be found in Section VIII.. , 1998, , 133-137. |     | 6         |
| 765 | Calculation of the Probability That an Activation Site Has Occurred by Chance. , 1998, , 229-235.   |     | 1         |
| 766 | Proportionality of Reaction CBF to Baseline CBF with Neural Activation and Deactivation. , 1996, , 362-364.   |     | 4         |
| 767 | [15O]Water PET. , 1996, , 378-383.  |     | 2         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 768 | Comparative Analysis of rCBF Increases in Voluntary Index Flexion Movements. , 1996, , 393-397.   |     | 3         |
| 769 | Striatal activation during acquisition of a cognitive skill. <i>Neuropsychology</i> , 1999, 13, 564-74.   | 1.0 | 202       |
| 770 | Implementation and Validation of a Fully Automatic System for Intra- and Interindividual Registration of PET Brain Scans. <i>Journal of Computer Assisted Tomography</i> , 1997, 21, 136-144.                                 | 0.5 | 62        |
| 771 | Activation Patterns of Covert Word Generation Detected by fMRI. <i>Journal of Computer Assisted Tomography</i> , 1998, 22, 945-952.   | 0.5 | 27        |
| 772 | Analyzing Functional Brain Images in a Probabilistic Atlas: A Validation of Subvolume Thresholding. <i>Journal of Computer Assisted Tomography</i> , 2000, 24, 128-138.   | 0.5 | 42        |
| 774 | Cerebral Glucose Metabolic Response to Combined Total Sleep Deprivation and Antidepressant Treatment in Geriatric Depression. <i>American Journal of Psychiatry</i> , 1999, 156, 683-689.                                     | 4.0 | 114       |
| 775 | Grey matter correlates of syndromes in schizophrenia. <i>British Journal of Psychiatry</i> , 1997, 170, 406-410.  | 1.7 | 117       |
| 776 | Effects of Dopamine D2 Receptor Partial Agonist Antipsychotic Aripiprazole on Dopamine Synthesis in Human Brain Measured by PET with L-[ $^{12}$ C]DOPA. <i>PLoS ONE</i> , 2012, 7, e46488.                                   | 1.1 | 31        |
| 777 | Comparison between Different Intensity Normalization Methods in 123I-hoflupane Imaging for the Automatic Detection of Parkinsonism. <i>PLoS ONE</i> , 2015, 10, e0130274.   | 1.1 | 17        |
| 778 | Reorganization of the Human Somatosensory Cortex in Hand Dystonia. <i>Journal of Movement Disorders</i> , 2012, 5, 5-8.   | 0.7 | 6         |
| 779 | Complexity affects regional cerebral blood flow change during sequential finger movements. <i>Journal of Neuroscience</i> , 1996, 16, 2691-2700.  | 1.7 | 291       |
| 780 | Anterior insular cortex plays a critical role in interoceptive attention. <i>ELife</i> , 2019, 8, .   | 2.8 | 99        |
| 781 | Three-dimensional kinematic analysis of upper limb movements between individuals with and without subacromial shoulder pain exploring the statistical parametric mapping. <i>Journal of Biomechanics</i> , 2021, 129, 110806. | 0.9 | 2         |
| 782 | Relationships between Cognitive Performance and Cerebral Metabolism in Alzheimer's Disease. <i>Current Psychology Letters: Behaviour, Brain &amp; Cognition: CPL</i> , 2000, , .  | 0.2 | 0         |
| 783 | Chapitre VI. La reconnaissance des consÃ©quences sensorielles de lâ€™action. , 2002, , 131.   |     | 1         |
| 785 | Is it a statistically significant anomaly?. , 2005, , .   |     | 0         |
| 787 | Talairach Space as a Tool for Intersubject Standardization in the Brain. , 2009, , 629-641.   |     | 2         |
| 788 | Accounting for Random Regressors: A Unified Approach to Multi-modality Imaging. <i>Lecture Notes in Computer Science</i> , 2011, 7012, 1-9.   | 1.0 | 1         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 789 | An Introduction to Kinetic Modeling and Quantification and its Role in Drug Development. , 2012, , 417-453.   |     | 1         |
| 790 | The dorsolateral prefrontal cortex, schizophrenia and PET. , 1992, 37, 79-93.   |     | 22        |
| 791 | The role of anatomic information in quantifying functional neuroimaging data. , 1992, 37, 67-78.  |     | 6         |
| 792 | Functional Mapping of the Human Brain. , 1993, , 77-91.   |     | 2         |
| 793 | Recovery from Motor Stroke: Different Patterns of Functional Reorganisation in Individual Patients. , 1994, , 19-27.  |     | 0         |
| 794 | Diagnostic imaging techniques with special reference to PET. Key Topics in Brain Research, 1994, , 53-67.   | 0.2 | 0         |
| 795 | Funktionelle Reorganisation sprachlicher Systeme nach Schlaganfall. Eine PET-Aktivierungsstudie bei Patienten nach Restitution von Wernicke Aphasie. Verhandlungen Der Deutschen Gesellschaft FÅ¼r Neurologie, 1995, , 115-117. | 0.0 | 0         |
| 796 | Nachweis einer Beteiligung des primÄr motorischen Kortex an der Atemsteuerung des Menschen wÄhrend kÄrperlicher Belastung. Verhandlungen Der Deutschen Gesellschaft FÅ¼r Neurologie, 1995, , 193-197.                           | 0.0 | 0         |
| 797 | Positron Emission Tomography Studies of Cardiac Neurostimulation. Developments in Cardiovascular Medicine, 1995, , 231-240.   | 0.1 | 0         |
| 799 | Functional Magnetic Resonance Imaging. , 1996, , 331-348.   |     | 1         |
| 800 | Statistical Aspects of the Detection of Activation Effects in Cerebral Blood Flow and Metabolism by Positron Emission Tomography. , 1996, , 293-303.  |     | 0         |
| 801 | Dynamic Imaging of a PET Activation Experiment. , 1996, , 415-420.  |     | 0         |
| 802 | Correction for Global Metabolism in FDG PET Brain Images Using Linear Regression and Anatomic Standardization by Nonlinear Warping. , 1996, , 209-213.  |     | 0         |
| 804 | Optimization of Noninvasive Activation Studies with O-15-Water and 3D PET. , 1996, , 98-101.  |     | 1         |
| 805 | Functional Magnetic Resonance Imaging. , 1996, , 299-330.   |     | 0         |
| 806 | Mapping Cerebral Responses to Volatile Anesthetics in Humans. , 1998, , 273-290.  |     | 0         |
| 807 | Functional Neuroimaging of Angina Pectoris. Developments in Cardiovascular Medicine, 1998, , 137-161.   | 0.1 | 0         |
| 808 | PET studies in Neuropharmacology. , 1998, , 239-248.  |     | 0         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 809 | Neuroleptic Treatment of Schizophrenic Patients: How Do Haloperidol and Clozapine Normalize Brain Blood Flow Patterns Associated with a Difficult Tone Recognition Task?. , 1999, , 355-365.   |     | 3         |
| 813 | Neocortical Epilepsy. , 2005, , 123-129.   |     | 0         |
| 814 | Structural and functional brain imaging in schizophrenia. Journal of Psychiatry and Neuroscience, 1991, 16, 53-74.   | 1.4 | 21        |
| 815 | Functional neuroanatomy of the human brain: positron emission tomography--a new neuroanatomical technique. Journal of Anatomy, 1994, 184 ( Pt 2), 211-25.  | 0.9 | 20        |
| 816 | Statistical mapping analysis of serotonin synthesis images generated in healthy volunteers using positron-emission tomography and alpha-[11C]methyl-L-tryptophan. Journal of Psychiatry and Neuroscience, 2000, 25, 359-70.                | 1.4 | 31        |
| 818 | Preoperative 123I-iomazenil SPECT imaging predicts cerebral hyperperfusion following endarterectomy for unilateral cervical internal carotid artery stenosis. American Journal of Nuclear Medicine and Molecular Imaging, 2012, 2, 77-87.  | 1.0 | 13        |
| 820 | Alternative normalization methods demonstrate widespread cortical hypometabolism in untreated de novo Parkinson's disease. Quarterly Journal of Nuclear Medicine and Molecular Imaging, 2012, 56, 299-308.                                 | 0.4 | 13        |
| 821 | The effect of age on odor-stimulated functional MR imaging. American Journal of Neuroradiology, 1999, 20, 600-8.   | 1.2 | 66        |
| 822 | Focal brain glucose hypometabolism in patients with neuropsychologic deficits after diffuse axonal injury. American Journal of Neuroradiology, 2007, 28, 236-42.   | 1.2 | 53        |
| 827 | Metabolic phenotyping of hand automatisms in mesial temporal lobe epilepsy. EJNMMI Research, 2022, 12, .   | 1.1 | 2         |
| 832 | Review of Quantitative Methods for the Detection of Alzheimer's Disease with Positron Emission Tomography. Applied Sciences (Switzerland), 2022, 12, 11463.  | 1.3 | 1         |
| 835 | Sense of self in mind and body: an eLORETA-EEG study. Neuroscience of Consciousness, 2022, 2022, .   | 1.4 | 1         |
| 836 | Motivational decline and proactive response under thermal environmental stress are related to emotion- and problem-focused coping, respectively: Questionnaire construction and fMRI study. Frontiers in Behavioral Neuroscience, 0, 17, . | 1.0 | 2         |