

CITATION REPORT

List of articles citing

Measuring psychological and physical distress in cancer patients: structure and application of the Rotterdam Symptom Checklist

DOI: 10.1038/bjc.1990.434

British Journal of Cancer, 1990, 62, 1034-8.

Source: <https://exaly.com/paper-pdf/21261350/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
730	Psychiatric morbidity in patients with advanced cancer of the breast: prevalence measured by two self-rating questionnaires. <i>British Journal of Cancer</i> , 1991 , 64, 349-52	8.7	152
729	Screening for psychiatric morbidity in patients with advanced breast cancer: validation of two self-report questionnaires. <i>British Journal of Cancer</i> , 1991 , 64, 353-6	8.7	218
728	Quality of life measurement for patients undergoing treatment for lung cancer. 1991 , 46, 671-5		21
727	Quality of life: philosophical question or clinical reality?. 1992 , 305, 466-9		61
726	Psychometric validation of the EORTC Core Quality of Life Questionnaire, 30-item version and a diagnosis-specific module for head and neck cancer patients. 1992 , 31, 311-21		300
725	Adjuvant psychological therapy for patients with cancer: a prospective randomised trial. 1992 , 304, 675-80		368
724	A method for assessing the quality of life of cancer patients: replication of the factor structure. <i>British Journal of Cancer</i> , 1992 , 65, 961-6	8.7	21
723	Priorities in the psychological care of cancer patients. 1992 , 4, 35-44		11
722	Quality-of-life assessment in small cell lung cancer. 1992 , 2, 181-8		6
721	Doxorubicin in advanced breast cancer: influence of schedule on response, survival and quality of life. 1992 , 28A, 1023-8		57
720	Psychosocial well-being in testicular cancer patients. 1992 , 28A, 722		4
719	Consensus Development Conference: Assessment of the Quality of Life in Cancer Clinical Trials. 1992 , 78, 151-154		5
718	Quality of Life in Terminal Illness: Defining and Measuring Subjective Well-Being in the Dying. 1992 , 8, 40-45		162
717	Discussion on the Paper by Cox et al.. 1992 , 155, 375-393		
716	Assessment of validity and clinical application of an Italian version of the Rotterdam Symptom Checklist. 1992 , 1, 129-34		21
715	The distinction between affect and cognition in the quality of life of cancer patients--sensitivity and stability. 1992 , 1, 315-22		38
714	Further development of a quality of life measure for cancer patients: The rotterdam symptom checklist (revised). 1992 , 1, 35-44		40

713	Remembering bad news consultations: An evaluation of tape-recorded consultations. 1992 , 1, 147-154		35
712	Advanced breast cancer and its prevention by screening. <i>British Journal of Cancer</i> , 1992 , 65, 950-5	8.7	52
711	Quality of Life in patients with resected oesophageal cancer. 1992 , 35, 139-45		59
710	A double blind placebo controlled trial of medroxyprogesterone acetate (MPA) in cancer cachexia. <i>British Journal of Cancer</i> , 1993 , 67, 1102-5	8.7	52
709	A randomised study of bolus vs continuous pump infusion of ifosfamide and doxorubicin with oral etoposide for small cell lung cancer. <i>British Journal of Cancer</i> , 1993 , 67, 1385-90	8.7	24
708	Continuous chemotherapy in responsive metastatic breast cancer: a role for tumour markers?. <i>British Journal of Cancer</i> , 1993 , 68, 181-5	8.7	34
707	A randomised trial of three or six courses of etoposide cyclophosphamide methotrexate and vincristine or six courses of etoposide and ifosfamide in small cell lung cancer (SCLC). II: Quality of life. Medical Research Council Lung Cancer Working Party. <i>British Journal of Cancer</i> , 1993 , 68, 1157-66	8.7	43
706	Early stage cervical cancer: psychosocial and sexual outcomes of treatment. <i>British Journal of Cancer</i> , 1993 , 68, 1216-20	8.7	127
705	A daily diary for quality of life measurement in advanced breast cancer trials. <i>British Journal of Cancer</i> , 1993 , 67, 341-6	8.7	40
704	Effect of mass screening for breast cancer from the aspect of psychosocial assessment of the quality of life. 1993 , 84, 365-70		5
703	Measuring quality of life. 1993 , 2, 77-81		10
702	Quality-of-life assessment in a home care program for advanced cancer patients: a study using the Symptom Distress Scale. 1993 , 8, 306-11		28
701	Economic evaluation and quality of life assessments in cancer clinical trials: the CHART Trial. 1993 , 29A, 766-70		8
700	The European Organization for Research and Treatment of Cancer QLQ-C30: a quality-of-life instrument for use in international clinical trials in oncology. 1993 , 85, 365-76		9862
699	Patient acceptability and practical implications of pharmacokinetic studies in patients with advanced cancer. 1993 , 29A, 1707-11		5
698	The assessment of body image in cancer patients. 1993 , 29A, 276-81		77
697	Efficacy and toxicity of fractionated stereotactic radiotherapy in the treatment of recurrent gliomas (phase I/II study). 1993 , 27, 22-9		82
696	The value of quality of life scores in clinical cancer research. 1993 , 29A, 1656-7		4

695	Fatigue in cancer patients. <i>British Journal of Cancer</i> , 1993 , 68, 220-4	8.7	236
694	Quality of life measurement in palliative care: philosophy, science or pontification?. 1993 , 1, 6-10		3
693	Improved control of emesis and quality of life with ondansetron in breast cancer. 1993 , 50, 180-5		32
692	Quality of life in cancer care. 1993 , 158, 429-32		6
691	A comparison of two measures of quality of life: their sensitivity and validity for patients with advanced cancer. <i>Palliative Medicine</i> , 1994 , 8, 282-90	5.5	41
690	A self-evaluated assessment suitable for seriously ill hospice patients. <i>Palliative Medicine</i> , 1994 , 8, 29-34	5.5	29
689	Symptom relief and quality of life after stenting for malignant bile duct obstruction. 1994 , 35, 467-70		194
688	Approaches to the analysis of quality of life data: experiences gained from a medical research council lung cancer working party palliative chemotherapy trial. 1994 , 3, 339-52		112
687	Opinion polling and decision making: a critical appraisal of quality of life assessment. 1994 , 3, 155-62		2
686	Symptom prevalence, characteristics and distress in a cancer population. 1994 , 3, 183-9		496
685	On the development of the Medical Research Council trial of alpha-interferon in metastatic renal carcinoma. Urological Working Party Renal Carcinoma Subgroup. 1994 , 13, 2249-60		15
684	Adjuvant psychological therapy for patients with cancer: Outcome at one year. 1994 , 3, 39-46		94
683	Quality of life questionnaires in cancer clinical trials: Imputing missing values. 1994 , 3, 215-222		26
682	The impact of age, treatment, and symptoms on the physical and mental health of cancer patients. A longitudinal perspective. 1994 , 74, 2128-38		73
681	Is double data entry necessary? The CHART trials. CHART Steering Committee. Continuous, Hyperfractionated, Accelerated Radiotherapy. 1994 , 15, 482-8		38
680	Evaluation of bone disease in breast cancer. 1994 , 3, 73-78		23
679	Iododoxorubicin in advanced breast cancer: a phase II evaluation of clinical activity, pharmacology and quality of life. <i>British Journal of Cancer</i> , 1994 , 69, 726-31	8.7	15
678	Quality of life assessment in clinical cancer research. <i>British Journal of Cancer</i> , 1994 , 70, 1-5	8.7	86

677	High-dose intravenous pamidronate for metastatic bone pain. <i>British Journal of Cancer</i> , 1994 , 70, 554-8	8.7	135
676	Quality of life as an outcome variable in oncology and surgery. 1994 , 64, 227-35		17
675	A question of choice: results of a prospective 3-year follow-up study of women with breast cancer. 1994 , 3, 202-208		54
674	The Memorial Symptom Assessment Scale: an instrument for the evaluation of symptom prevalence, characteristics and distress. 1994 , 30A, 1326-36		1141
673	Measurement and valuation of quality of life in economic appraisal of cancer treatment. 1994 , 30A, 111-7		30
672	Screening for anxiety and depression in cancer patients: the effects of disease and treatment. 1994 , 30A, 37-40		346
671	Widening perspectives: quality of life as a measure of outcome in the treatment of patients with cancers of the head and neck. 1994 , 30B, 29-31		15
670	Neurological and cognitive impairment in long-term survivors of small cell lung cancer. 1994 , 30A, 1067-74		81
669	Quality of life measures in cancer chemotherapy: methodology and implications. 1994 , 5, 376-88		15
668	Quality of life assessment in palliative care. 1994 , 5, 13-8		36
667	A phase II study in advanced gastro-esophageal cancer using epirubicin and cisplatin in combination with continuous infusion 5-fluorouracil (ECF). 1994 , 5, 609-16		197
666	Assessing quality of life in palliative oncology. 1994 , 2, 80-86		5
665	Aromatherapy and massage in palliative care. <i>International Journal of Palliative Nursing</i> , 1995 , 1, 21-30	0.9	61
664	A randomised double-blind comparison of intravenous pamidronate and clodronate in the hypercalcaemia of malignancy. <i>British Journal of Cancer</i> , 1995 , 72, 1289-93	8.7	131
663	Pain relief and quality-of-life assessment following intravenous and oral clodronate in hormone-escaped metastatic prostate cancer. 1995 , 76, 360-5		51
662	Rehabilitation outcomes of long-term survivors treated for head and neck cancer. 1995 , 17, 503-15		107
661	MRC quality of life studies using a daily diary card--practical lessons learned from cancer trials. 1995 , 4, 343-52		24
660	Methods and problems in measuring quality of life. <i>Supportive Care in Cancer</i> , 1995 , 3, 11-22	3.9	64

659	Irish Association for Cancer Research. 1995 , 164, 219-244	
658	Test/retest study of the European Organization for Research and Treatment of Cancer Core Quality-of-Life Questionnaire. 1995 , 13, 1249-54	297
657	Quality of life measurement in patients with oesophageal cancer. 1995 , 37, 505-8	107
656	The WHO objectives for palliative care: to what extent are we achieving them?. <i>Palliative Medicine</i> , 1995 , 9, 123-37	5.5 50
655	Quality of life in adult cancer patients treated with bone marrow transplantation--a review of the literature. 1995 , 31A, 163-73	50
654	European School of Oncology Advisory report to the Commission of the European Communities for the "Europe Against Cancer Programme" cost-effectiveness in cancer care. 1995 , 31A, 1410-24	27
653	A prospective evaluation of changes in neuropsychological and liver function tests following transjugular intrahepatic portosystemic stent-shunt. 1995 , 23, 697-705	39
652	Reliability and validity of the Functional Assessment of Cancer Therapy-Lung (FACT-L) quality of life instrument. 1995 , 12, 199-220	560
651	Assessment of quality of life in breast cancer. 1995 , 34, 689-94	41
650	Complementary cancer therapy: A pilot study of patients, therapies and quality of life. 1995 , 3, 129-133	20
649	Mesures de la qualit�de vie en cancfologie. 1995 , 82, 79-84	2
648	A randomised trial comparing two doses of the new selective aromatase inhibitor anastrozole (Arimidex) with megestrol acetate in postmenopausal patients with advanced breast cancer. 1996 , 32A, 404-12	222
647	Measuring the meaning of life for patients with incurable cancer: the life evaluation questionnaire (LEQ). 1996 , 32A, 755-60	66
646	What do cancer patients mean when they complain of concentration and memory problems?. <i>British Journal of Cancer</i> , 1996 , 74, 1674-9	8.7 172
645	Symptom assessment. 1996 , 10, 21-39	24
644	Treatment of venous thrombosis with intravenous unfractionated heparin administered in the hospital as compared with subcutaneous low-molecular-weight heparin administered at home. The Tasman Study Group. 1996 , 334, 682-7	941
643	Social Comparison and the Subjective Well-Being of Cancer Patients. 1996 , 18, 453-468	47
642	Assessment of palliation in women with recurrent breast cancer. 1996 , 12, 825-6	4

641	Quality of life in prostate cancer: what are the issues and how are they measured?. 1996 , 29 Suppl 2, 121-3		7
640	Developing a symptom distress scale for terminal malignant disease. <i>International Journal of Palliative Nursing</i> , 1996 , 2, 192-198	0.9	10
639	Quality of life (QoL) measurement in economical analysis in cancer. 1996 , 3, 787-91		4
638	Application of the multidimensional fatigue inventory (MFI-20) in cancer patients receiving radiotherapy. <i>British Journal of Cancer</i> , 1996 , 73, 241-5	8.7	321
637	Evaluation of quality of life for diverse patient populations. 1996 , 40, 87-104		10
636	Patients' and doctors' perception of long-term morbidity in patients with testicular cancer clinical stage I. A descriptive pilot study. <i>Supportive Care in Cancer</i> , 1996 , 4, 118-28	3.9	56
635	Quality of life in patients with ovarian cancer: current state of research. <i>Supportive Care in Cancer</i> , 1996 , 4, 169-79	3.9	46
634	Randomized trial of palliative two-fraction versus more intensive 13-fraction radiotherapy for patients with inoperable non-small cell lung cancer and good performance status. Medical Research Council Lung Cancer Working Party. 1996 , 8, 167-75		175
633	Assessment of the RSCL quality of life instrument during chemotherapy in an Italian setting. 1996 , 5, 491-5		6
632	Measuring quality of life in oncology: is it worthwhile? II. Experiences from the treatment of cancer. 1996 , 5, 168-75		17
631	Measuring symptomatic benefit and quality of life in paediatric oncology. <i>British Journal of Cancer</i> , 1996 , 73, 1313-6	8.7	40
630	Randomised trial of four-drug vs less intensive two-drug chemotherapy in the palliative treatment of patients with small-cell lung cancer (SCLC) and poor prognosis. Medical Research Council Lung Cancer Working Party. <i>British Journal of Cancer</i> , 1996 , 73, 406-13	8.7	49
629	Quality of life assessment in advanced cancer. <i>Palliative Medicine</i> , 1996 , 10, 275-83	5.5	37
628	Tradeoffs between quality and quantity of life: development of the QQ Questionnaire for Cancer Patient Attitudes. 1996 , 16, 184-92		71
627	Randomised Controlled Clinical Trials. 1996 ,		11
626	Feasibility, psychometric performance, and stability across modes of administration of the CARES-SF. 1996 , 7, 381-90		28
625	Late psychosocial effects of conditioning for BMT. 1996 , 5, 1296-302		9
624	Adjuvant psychological therapy for cancer patients. <i>Palliative Medicine</i> , 1997 , 11, 240-4	5.5	32

623	Quality of life: the main outcome measure of palliative care. <i>Palliative Medicine</i> , 1997 , 11, 89-92	5.5	37
622	Outcome measures in palliative care for advanced cancer patients: a review. 1997 , 19, 193-9		136
621	Quality of life assessment in patients receiving adjuvant therapy for breast cancer: the IBCSG approach. The International Breast Cancer Study Group. 1997 , 8, 825-35		56
620	Relationships between biochemical and symptomatic response in a double-blind randomised trial of pamidronate for metastatic bone disease. 1997 , 8, 1243-50		129
619	Openness to discuss cancer in the nuclear family: scale, development, and validation. 1997 , 59, 269-79		80
618	Treatment costs and quality of life with granulocyte-macrophage colony-stimulating factor in patients with antineoplastic therapy-related febrile neutropenia. Results of a randomised placebo-controlled trial. 1997 , 12, 351-60		9
617	Improving quality of life in patients with non-small cell lung cancer: research experience with gemcitabine. 1997 , 33 Suppl 1, S8-13		32
616	Quality of life assessment in clinical trials--guidelines and a checklist for protocol writers: the U.K. Medical Research Council experience. MRC Cancer Trials Office. 1997 , 33, 20-8		135
615	Prophylactic cranial irradiation is indicated following complete response to induction therapy in small cell lung cancer: results of a multicentre randomised trial. United Kingdom Coordinating Committee for Cancer Research (UKCCCR) and the European Organization for Research and Treatment of Cancer (EORTC). 1997 , 33, 1752-8		314
614	Stage II breast cancer: differences between four coping patterns in side effects during adjuvant chemotherapy. 1997 , 43, 143-57		42
613	Five-day oral etoposide treatment for advanced small-cell lung cancer: randomized comparison with intravenous chemotherapy. 1997 , 89, 577-80		168
612	Prospective, Longitudinal Quality-of-Life Study of Patients With Head and Neck Cancer: A Feasibility Study Including the EORTC QLQ-C30. 1997 , 116, 666-673		86
611	Influence of urological morbidity on quality of life in patients with prostate cancer. 1997 , 31 Suppl 3, 3-8		85
610	Subjective and Objective Parameters in the Evaluation of Treatment Success in Antiemetic Prophylaxis of Cancer Chemotherapy. 1997 , 20, 54-59		1
609	Transcending chronic liver disease: a qualitative study. 1997 , 6, 43-5		18
608	A critique of the methodology of research studies evaluating massage. 1997 , 6, 23-31		37
607	Follow-up of colorectal cancer patients: quality of life and attitudes towards follow-up. <i>British Journal of Cancer</i> , 1997 , 75, 914-20	8.7	105
606	Hepatic arterial cannulation for regional chemotherapy is safe in patients with a liver metastasis volume of less than 1 litre. <i>British Journal of Cancer</i> , 1997 , 75, 1213-6	8.7	9

605	Quality of life in breast cancer adjuvant therapy: validation and pilot testing of a combination of questionnaires. 1997 , 6, 97-107	10
604	A prospective quality of life study of patients with oral or pharyngeal carcinoma treated with external beam irradiation with or without brachytherapy. 1997 , 33, 189-96	55
603	Assessing quality of life in comparative cancer clinical trials: does it make a difference?. 1997 , 18, 301-5	2
602	Randomized trials with quality of life endpoints: are doctors' ratings of patients' physical symptoms interchangeable with patients' self-ratings?. 1997 , 6, 225-36	181
601	Symptoms before and after surgery for colorectal cancer. 1997 , 6, 61-6	25
600	Factor analysis, causal indicators and quality of life. 1997 , 6, 139-50	178
599	Constructing health state preference values from descriptive quality of life outcomes: mission impossible?. 1997 , 6, 159-68	27
598	The role of monitoring in determining quality of life following treatment for a bone tumor. 1997 , 4, 397-414	2
597	Costs of conventional radical radiotherapy versus continuous hyperfractionated accelerated radiotherapy (CHART) in the treatment of patients with head and neck cancer or carcinoma of the bronchus. Medical Research Council CHART Steering Committee. 1997 , 9, 313-21	16
596	Validity of the Rotterdam Symptom Checklist in paediatric oncology. 1997 , 28, 451-4	5
595	The psychological and psychiatric effects of rIL-2 therapy: a controlled clinical trial. 1997 , 6, 290-301	40
594	High dose pamidronate. 1997 , 80, 1686-1690	50
593	Off-treatment fatigue in breast cancer survivors: a controlled comparison. 1998 , 21, 1-18	185
592	Quality of life measures in alcohol dependent subjects and changes with abstinence and continued heavy drinking. 1998 , 3, 321-32	34
591	Quality-of-life assessment during palliative radiotherapy. 1998 , 42, 354-9	3
590	Psychosocial adaptation of patients and families following bone marrow transplantation: a prospective, longitudinal study. 1998 , 22, 905-11	56
589	Fatigue and radiotherapy: (A) experience in patients undergoing treatment. <i>British Journal of Cancer</i> , 1998 , 78, 899-906	8.7 164
588	Hepatic arterial floxuridine as second-line treatment for systemic fluorouracil-resistant colorectal liver metastases. <i>British Journal of Cancer</i> , 1998 , 78, 1058-60	8.7 17

587	Do patients with advanced breast cancer benefit from chemotherapy?. <i>British Journal of Cancer</i> , 1998 , 78, 1488-94	8.7	41
586	Profiles of distress in women following treatment for primary breast cancer. 1998 , 7, 251-254		6
585	Psychosocial and physical correlates of survival and recurrence in patients with head and neck carcinoma. 1998 , 83, 2567-2579		69
584	Malnutrition and food intake in relation to quality of life in head and neck cancer patients. 1998 , 20, 540-8		119
583	Spanish version of the Rotterdam Symptom Check List: cross-cultural adaptation and preliminary validity in a sample of terminal cancer patients. 1998 , 7, 229-39		16
582	The use of psychotropic medication in patients referred to a psycho-oncology service. 1998 , 7, 301-6		20
581	Quality of life after treatment of pancreatic cancer. 1998 , 383, 145-51		30
580	Cost-effectiveness and quality-of-life assessment of GM-CSF as an adjunct to intensive remission induction chemotherapy in elderly patients with acute myeloid leukemia. 1998 , 100, 629-36		48
579	Transmural care. A new approach in the care for terminal cancer patients: its effects on re-hospitalization and quality of life. 1998 , 35, 189-99		27
578	Survey of the Administration of quality of life (QL) questionnaires in three multicentre randomised trials in cancer. The Medical Research Council Lung Cancer Working Party the CHART Steering Committee. 1998 , 34, 49-57		31
577	Monitoring of bone metastases. 1998 , 34, 252-9		44
576	Using reference data on quality of life--the importance of adjusting for age and gender, exemplified by the EORTC QLQ-C30 (+3). 1998 , 34, 1381-9		218
575	Fatigue in patients with cancer. 1998 , 34, 1670-6		185
574	Predictors of relapse to heavy drinking in alcohol dependent subjects following alcohol detoxification--the role of quality of life measures, ethnicity, social class, cigarette and drug use. 1998 , 3, 333-43		48
573	Anastrozole. A review of its use in the management of postmenopausal women with advanced breast cancer. 1998 , 13, 321-32		42
572	Recent developments in palliative cancer care. 1998 , 37, 749-57		11
571	Quality of life (QOL) assessment of MIP (mitomycin, ifosfamide and cisplatin) chemotherapy in advanced non-small cell lung cancers (NSCLC). 1998 , 28, 749-53		10
570	Development of an aromatherapy service at a Cancer Centre. <i>Palliative Medicine</i> , 1998 , 12, 171-80	5.5	51

569	LEIPAD, an internationally applicable instrument to assess quality of life in the elderly. 1998 , 24, 17-27		77
568	Assessment and Measurement Issues. 1998 , 113-135		3
567	Evaluation of adjuvant psychological therapy in patients with testicular cancer: randomised controlled trial. 1998 , 316, 429-35		74
566	Medical and psychosocial effects of early discharge after surgery for breast cancer: randomised trial. 1998 , 316, 1267-71		78
565	Psychiatric symptomatology in adolescents with cancer. 1998 , 15, 211-21		11
564	Quality of life assessment in a cross-cultural context: use of the Rotterdam Symptom Checklist in a multinational randomised trial comparing CMF and Zoladex (Goserlin) treatment in early breast cancer. 1998 , 9, 745-50		49
563	Measuring quality of life: impact of chemotherapy for advanced colorectal cancer. Experience from two recent large phase III trials. <i>British Journal of Cancer</i> , 1998 , 77 Suppl 2, 9-14	8.7	16
562	Randomised controlled trial of effects of early discharge after surgery for breast cancer. 1998 , 317, 1275-9		79
561	Does dexamethasone enhance the efficacy of alizapride in cis-platinum-induced delayed vomiting and nausea?. 1998 , 55, 293-9		9
560	Role of Pamidronate Disodium in the Treatment of Metastatic Bone Disease. 1998 , 84, 442-455		10
559	Evaluating the effectiveness of complementary therapies. <i>International Journal of Palliative Nursing</i> , 1998 , 4, 32-36	0.9	7
558	Evaluation of Clinical Efficacy of New Medical Treatments in Advanced Colorectal Cancer. Results of a Workshop Organized by the Eortc Gitccg. 1998 , 84, 335-347		11
557	Relation between depression and circulating immune products in patients with advanced colorectal cancer. <i>Journal of the Royal Society of Medicine</i> , 1998 , 91, 408-13	2.3	48
556	Subjective and objective prospective, long-term analysis of quality of life during inhaled interleukin-2 immunotherapy. 1999 , 17, 3612-20		29
555	Quality-of-life measurement in advanced cancer: assessing the individual. 1999 , 17, 3603-11		154
554	Cancer-Related Fatigue: Guidelines for Evaluation and Management. 1999 , 4, 1-10		311
553	Health-related quality of life in patients with endocrine tumours of the gastrointestinal tract. 1999 , 38, 481-90		31
552	Good quality of life in prostate cancer patients: how can it be obtained?. 1999 , 203, 51-2		

551	Quality of life as an instrument for need assessment and outcome assessment of health care in chronic patients. 1999 , 8, 247-52		20
550	Validation of Italian multiple sclerosis quality of life 54 questionnaire. 1999 , 67, 158-62		118
549	The applicability of quality-of-life assessment in palliative care: comparing two quality-of-life measures. <i>Palliative Medicine</i> , 1999 , 13, 325-34	5.5	41
548	Group therapy for metastatic cancer patients: Report of an intervention. 1999 , 4, 229-240		10
547	Screening for psychiatric illness in the palliative care inpatient setting: a comparison between the Hospital Anxiety and Depression Scale and the General Health Questionnaire-12. <i>Palliative Medicine</i> , 1999 , 13, 399-407	5.5	113
546	The Perceived Illness Experience Scale (PIE): reliability and validity revisited. 1999 , 25, 179-90		18
545	A correlational evaluation of tiredness and lack of energy in survivors of haematological malignancies. 1999 , 8, 19-25		19
544	Specialist nurse counsellor interventions at the time of diagnosis of breast cancer: comparing 'advocacy' with a conventional approach. 1999 , 29, 445-53		50
543	Sexual activity questionnaires in clinical trials: acceptability to patients with gynaecological disorders. 1999 , 106, 50-4		38
542	Defining and analysing symptom palliation in cancer clinical trials: a deceptively difficult exercise. <i>British Journal of Cancer</i> , 1999 , 79, 538-44	8.7	63
541	Role of dexamethasone dosage in combination with 5-HT3 antagonists for prophylaxis of acute chemotherapy-induced nausea and vomiting. <i>British Journal of Cancer</i> , 1999 , 79, 637-9	8.7	15
540	Psychological, clinical and pathological effects of relaxation training and guided imagery during primary chemotherapy. <i>British Journal of Cancer</i> , 1999 , 80, 262-8	8.7	157
539	Physical and psychological symptoms of quality of life in the CHART randomized trial in head and neck cancer: short-term and long-term patient reported symptoms. CHART Steering Committee. Continuous hyperfractionated accelerated radiotherapy. <i>British Journal of Cancer</i> , 1999 , 81, 1196-205	8.7	24
538	Randomized trial to compare the efficacy and toxicity of cyclophosphamide, methotrexate and 5-fluorouracil (CMF) with methotrexate mitoxantrone (MM) in advanced carcinoma of the breast. <i>British Journal of Cancer</i> , 1999 , 81, 316-22	8.7	26
537	Quality of life in alcohol-dependent subjects--a review. 1999 , 8, 255-61		128
536	Treatment of endotracheal or endobronchial obstruction by non-small cell lung cancer: lack of patients in an MRC randomized trial leaves key questions unanswered. Medical Research Council Lung Cancer Working Party. 1999 , 11, 179-83		19
535	Assessment of the quality of life of patients with advanced and end-stage cancer or serious infections with a symptom-based or an impact-based instrument. <i>Supportive Care in Cancer</i> , 1999 , 7, 64-70	9	9
534	The concept of quality of life of dying persons in the context of health care. 1999 , 17, 93-108		261

533	The use of the Rotterdam Symptom Checklist in palliative care. 1999 , 18, 79-84	26
532	Social comparison as a mediator of response shift. 1999 , 48, 1517-30	78
531	Auditing complementary therapies in palliative care: the experience of the day-care massage service at Mount Edgumbe Hospice. 1999 , 5, 51-60	11
530	Determinants of caregiving experiences and mental health of partners of cancer patients. 1999 , 86, 577-88	244
529	Cancer patients' coping styles and doctor-patient communication. 1999 , 8, 155-66	80
528	A review of quality-of-life evaluations in prostate cancer. 1999 , 16, 127-40	30
527	An evaluation of aromatherapy massage in palliative care. <i>Palliative Medicine</i> , 1999 , 13, 409-17	5.5 143
526	Are we using appropriate self-report questionnaires for detecting anxiety and depression in women with early breast cancer?. 1999 , 35, 79-85	137
525	The construction and testing of the EORTC colorectal cancer-specific quality of life questionnaire module (QLQ-CR38). European Organization for Research and Treatment of Cancer Study Group on Quality of Life. 1999 , 35, 238-47	397
524	Quality of life instruments in oncology. 1999 , 35, 1571-80	98
523	Physical and psychosocial correlates of head and neck cancer: a review of the literature. 1999 , 120, 427-36	149
522	Treatment of patients with systemic sclerosis with extracorporeal photochemotherapy (photopheresis). 1999 , 41, 915-22	70
521	Interferon- α and survival in metastatic renal carcinoma: early results of a randomised controlled trial. 1999 , 353, 14-17	539
520	Is Fatigue a Long-term Side Effect of Breast Cancer Treatment?. 1999 , 6, 256-263	69
519	Phase II study of vinorelbine in patients with malignant pleural mesothelioma. 2000 , 18, 3912-7	170
518	Quality of life assessment in patients with hormone-resistant prostate cancer treated with epirubicin or with epirubicin plus medroxy progesterone acetate - is it feasible?. 2000 , 38, 259-64	11
517	Paclitaxel versus doxorubicin as first-line single-agent chemotherapy for metastatic breast cancer: a European Organization for Research and Treatment of Cancer Randomized Study with cross-over. 2000 , 18, 724-33	297
516	Schedule specific biochemical modulation of 5-fluorouracil in advanced colorectal cancer: a randomized study. GISCAD, IOR and collaborating centers. 2000 , 11, 1413-20	13

515	Quality-of-life measurement in speech pathology and audiology. 2000 , 5, 1-20	18
514	Assessment of the evaluative properties of health status instruments. 2000 , 38, 1195-9	9
513	Patient statement of satisfaction with antiemetic treatment is related to quality of life. 2000 , 23, 575-8	15
512	A randomised controlled trial to test a non-metallic deodorant used during a course of radiotherapy. 2000 , 1, 205-212	21
511	Biweekly irinotecan or raltitrexed plus 6S-leucovorin and bolus 5-fluorouracil in advanced colorectal carcinoma: a Southern Italy Cooperative Oncology Group phase II-III randomized trial. 2000 , 11, 1323-33	24
510	Validation of the Edmonton Symptom Assessment Scale. 2000 , 88, 2164-71	652
509	The memorial symptom assessment scale short form (MSAS-SF). 2000 , 89, 1162-71	318
508	Assessing symptom distress in cancer patients: the M.D. Anderson Symptom Inventory. 2000 , 89, 1634-46	945
507	Coping with new treatments for cancer: a feasibility study of daily diary measures. 2000 , 40, 11-9	35
506	Motivations, satisfaction, and information of immediate breast reconstruction following mastectomy. 2000 , 40, 201-8	58
505	Doctor-patient communication and cancer patients' quality of life and satisfaction. 2000 , 41, 145-56	292
504	Quality of life measures and outcome in alcohol-dependent men and women. 2000 , 22, 45-52	92
503	Measurement of quality of life in alcohol-dependent subjects by a cancer symptoms checklist. 2000 , 20, 105-10	11
502	Cancer-related symptoms. 2000 , 10, 175-90	104
501	The evaluation of the Center for Epidemiologic Studies Depression (CES-D) scale: Depressed and Positive Affect in cancer patients and healthy reference subjects. 2000 , 9, 1015-29	192
500	Cancer patients as 'experts' in defining quality of life domains. A multicentre survey by the Italian Group for the Evaluation of Outcomes in Oncology (IGEO). 2000 , 9, 151-9	30
499	Sample sizes for cancer trials where Health Related Quality of Life is the primary outcome. <i>British Journal of Cancer</i> , 2000 , 83, 959-63	8.7 11
498	New treatments for advanced cancer: an approach to prioritization. <i>British Journal of Cancer</i> , 2000 , 83, 1268-73	8.7 20

497	Improving survival without reducing quality of life in small-cell lung cancer patients by increasing the dose-intensity of chemotherapy with granulocyte colony-stimulating factor support: results of a British Medical Research Council Multicenter Randomized Trial. Medical Research Council Lung Cancer Working Party. 2000 , 18, 395-404		209
496	Depression in patients with lung cancer: prevalence and risk factors derived from quality-of-life data. 2000 , 18, 893-903		411
495	Effect of providing cancer patients with the audiotaped initial consultation on satisfaction, recall, and quality of life: a randomized, double-blind study. 2000 , 18, 3052-60		112
494	Randomized trial of paclitaxel plus supportive care versus supportive care for patients with advanced non-small-cell lung cancer. 2000 , 92, 1074-80		238
493	Randomized clinical trial of adenosine 5'-triphosphate in patients with advanced non-small-cell lung cancer. 2000 , 92, 321-8		109
492	Sensitivity to Change Following Liver Transplantation: A Comparison of Three Instruments that Measure Quality of Life. 2000 , 5, 69-74		14
491	Patterns of caregiver experiences among partners of cancer patients. 2000 , 40, 738-46		139
490	Subjective scales for the evaluation of therapeutic effects and their use in complementary medicine. 2000 , 6, 257-64		5
489	Colorectal cancer follow-up: perspectives for future studies. <i>European Journal of Surgical Oncology</i> , 2000 , 26, 329-37	3.6	20
488	Randomized trial of regional plus systemic fluorinated pyrimidine compared with systemic fluorinated pyrimidine in treatment of colorectal liver metastases. <i>European Journal of Surgical Oncology</i> , 2000 , 26, 468-73	3.6	32
487	A longitudinal study of cancer-related fatigue in patients with breast cancer: research in progress. 2000 , 4, 122-6		1
486	Federation of European Cancer Societies. Full report. Economic evaluation in cancer care: questions and answers on how to alleviate conflicts between rising needs and expectations and tightening budgets. 2000 , 36, 13-36		10
485	Report on the quality of life analysis from the phase III trial of pion versus photon radiotherapy in locally advanced prostate cancer. 2000 , 36, 759-65		9
484	Economics and health-related quality of life in antiemetic therapy: recommendations for trial design. 2000 , 36, 1522-35		17
483	Randomised trial of paclitaxel versus doxorubicin as first-line chemotherapy for advanced breast cancer: quality of life evaluation using the EORTC QLQ-C30 and the Rotterdam symptom checklist. 2000 , 36, 1488-97		50
482	Identification and interpretation of clinical and quality of life prognostic factors for survival and response to treatment in first-line chemotherapy in advanced breast cancer. 2000 , 36, 1498-506		141
481	Anxiety and depression in cancer patients: relation between the Hospital Anxiety and Depression Scale and the European Organization for Research and Treatment of Cancer Core Quality of Life Questionnaire. 2000 , 49, 27-34		216
480	Construct validation of the hospital anxiety and depression scale with clinical populations. 2000 , 48, 579-84		260

479	Treatment and outcomes for elderly patients with small cell lung cancer. 2000 , 17, 229-47	26
478	Lebensqualität nach Gastrektomie: Spielt das Rekonstruktionsverfahren eine Rolle?. 2000 , 16, 55-61	
477	Outcome assessment in cancer management. 2000 , 80, 471-86, viii	7
476	Response to chemotherapy, quality of life benefits and survival in advanced non-small cell lung cancer: review of literature results. 2001 , 34 Suppl 4, S95-101	39
475	Psychological distress in patients with head and neck cancer: review. 2001 , 39, 67-70	34
474	Quality of life in breast cancer patients--not enough attention for long-term survivors?. 2001 , 42, 117-23	168
473	Treatment of cancer in old age, shortcomings and challenges. 2001 , 59, 259-66	24
472	Maternal health, antenatal and at 8 weeks after delivery, in home versus in-hospital fetal monitoring in high-risk pregnancies. 2001 , 94, 197-204	12
471	Quality of life in patients with prostate cancer. 2001 , 17, 138-46	15
470	Reference data for the quality of life questionnaire EORTC QLQ-C30 in the general German population. 2001 , 37, 1345-51	384
469	Cancer pain and depression. 2001 , 457-477	
468	Measuring information needs among cancer patients. 2001 , 43, 253-62	126
467	Women's anxieties surrounding breast disorders: a systematic review of the literature. 2001 , 33, 29-41	48
466	Efficacy of clinical hypnosis in the enhancement of quality of life of terminally ill cancer patients. 2001 , 18, 145-160	52
465	Alternative methods of interpreting quality of life data in advanced gastrointestinal cancer patients. <i>British Journal of Cancer</i> , 2001 , 85, 1265-72	8.7 45
464	A preliminary study of the utility of the brief hospice inventory. 2001 , 22, 637-48	28
463	Palliative care in old age. 2001 , 11, 149-157	11
462	Progress in understanding fatigue associated with breast cancer treatment. 2001 , 19, 723-31	22

461	A systematic overview of chemotherapy effects in gastric cancer. 2001 , 40, 309-26		89
460	Interviewing terminally ill people: is it fair to take their time?. <i>Palliative Medicine</i> , 2001 , 15, 157-8	5.5	34
459	Cross-cultural validation of the McGill Quality of Life questionnaire in Hong Kong Chinese. <i>Palliative Medicine</i> , 2001 , 15, 387-97	5.5	57
458	A Systematic Overview of Chemotherapy Effects in Gastric Cancer. 2001 , 40, 309-326		79
457	Health-related quality of life measures in cancer. 2001 , 12 Suppl 3, S7-10		69
456	Fatigue assessment in cancer clinical trials. 2002 , 2, 67-76		14
455	Quality of life in breast cancer patients: measurement issues in cancer clinical trials. 2002 , 2, 57-65		5
454	Serum tryptophan decrease correlates with immune activation and impaired quality of life in colorectal cancer. <i>British Journal of Cancer</i> , 2002 , 86, 1691-6	8.7	176
453	Immediate versus delayed palliative thoracic radiotherapy in patients with unresectable locally advanced non-small cell lung cancer and minimal thoracic symptoms: randomised controlled trial. <i>BMJ, The</i> , 2002 , 325, 465	5.9	69
452	Lebensqualität unter wirkspiegelkontrollierter Gestagentherapie bei Patientinnen mit metastasiertem Mamma- oder Korpuserkarzinom. 2002 , 62, 9-16		
451	Quality-of-life assessment in oncology. Achievements and challenges. 2002 , 41, 229-37		104
450	The analysis of repeated multivariate binary quality of life data: a hierarchical model approach. 2002 , 11, 69-83		19
449	Effect of Breaking Bad News on Patients' Perceptions of Doctors. <i>Journal of the Royal Society of Medicine</i> , 2002 , 95, 343-347	2.3	16
448	Benefits of chemotherapy for quality of life in patients with advanced nonsmall-cell lung cancer. 2002 , 14, 389-93		13
447	Short Form 36 and Hospital Anxiety and Depression Scale. A comparison based on patients with testicular cancer. 2002 , 52, 79-87		47
446	Quality-of-life assessment in palliative care. 2002 , 3, 175-82		64
445	[Measure of quality of life in patients with metastatic colorectal cancer: techniques and main results]. 2002 , 23, 703-16		9
444	Affective disorders in advanced cancer. 2002 , 16, 671-700		63

443	Palliative care of the chronically critically ill patient. 2002 , 18, 659-81	24
442	Prognosis in advanced cancer. 2002 , 16, 715-29	33
441	Patients' estimation of overall treatment burden: why not ask the obvious?. 2002 , 20, 65-72	54
440	Multicenter randomized controlled trial of the management of unresectable malignant mesothelioma proposed by the British Thoracic Society and the British Medical Research Council. 2002 , 29, 97-101	15
439	The impact of endocrine therapy on patients with breast cancer: a review of the literature. 2002 , 11, 1-12	12
438	Quality of life and length of survival in advanced cancer patients on home parenteral nutrition. 2002 , 21, 281-8	151
437	Preliminary evaluation of a clinical syndrome approach to assessing cancer-related fatigue. 2002 , 23, 406-16	78
436	Symptom assessment in cancer patients. 2002 , 4, 256-63	22
435	Quality of life in patients with aggressive non-Hodgkin's lymphoma. Validation of the medical outcomes study short form 20 and the Rotterdam symptom checklist in older patients. 2002 , 43, 219-26	7
434	Acceptability and tolerance of a low tyrosine and phenylalanine diet in patients with advanced cancer -- a pilot study. 2002 , 15, 193-202	12
433	Contribution of diet, tumour volume and patient-related factors to weight loss in patients with colorectal liver metastases. 1999 , 86, 639-44	18
432	Validation of the gastrointestinal quality of life index for patients with potentially operable periampullary carcinoma. 2000 , 87, 110-5	56
431	Quality of life in long-term survivors after curative transhiatal oesophagectomy for oesophageal carcinoma. 2000 , 87, 1716-21	81
430	Explaining quality of life with crisis theory. 2002 , 11, 419-26	24
429	Quality of life in advanced non-small-cell lung cancer: results of a Southwest Oncology Group randomized trial. 2002 , 11, 115-26	41
428	Quality of life in alcohol misuse: comparison of men and women. 2003 , 6, 239-43	30
427	Fatigue in the radiation therapy patient: current management and investigations. 2003 , 13, 372-80	28
426	Quality of life in oncology trials: a clinical guide. 2003 , 13, 235-47	57

425	Clinical research for surgeons in palliative care: challenges and opportunities. 2003 , 196, 141-51		30
424	Japanese version of the MD Anderson Symptom Inventory: a validation study. 2003 , 26, 1093-104		110
423	The development of the Canberra symptom scorecard: a tool to monitor the physical symptoms of patients with advanced tumours. 2003 , 3, 32		12
422	Symptom assessment in elderly cancer patients receiving palliative care. 2003 , 47, 281-6		61
421	Anorexia and weight loss in long-term survivors of haematological malignancies. 2003 , 12, 925-7		7
420	Quality of life after treatment for rectal cancer. 1998 , 85, 1036-43		140
419	Treatment decisions in older patients with colorectal cancer: the role of age and multidimensional function. 2003 , 12, 257-62		23
418	Oral antibiotics with early hospital discharge compared with in-patient intravenous antibiotics for low-risk febrile neutropenia in patients with cancer: a prospective randomised controlled single centre study. <i>British Journal of Cancer</i> , 2003 , 89, 43-9	8.7	96
417	Impact of nausea and vomiting on quality of life in cancer patients during chemotherapy. 2003 , 1, 46		79
416	Quality of life and the treatment of advanced lung cancer. 2003 , 5, 28-32		21
415	New approaches to symptom improvements in lung cancer patients. 2003 , 41 Suppl 4, S32-6		1
414	Cancer distress screening. Needs, models, and methods. 2003 , 55, 403-9		265
413	Quality of life in patients with advanced colorectal cancer: what has been learnt?. 2003 , 39, 287-94		38
412	Cancer, fatigue and the return of patients to work-a prospective cohort study. 2003 , 39, 1562-7		231
411	[Validation of the Spanish version of the Brief Pain Inventory in patients with oncological pain]. 2003 , 120, 52-9		100
410	Symptom control. 2003 , 21, 564-78		12
409	Return to work of cancer survivors: a prospective cohort study into the quality of rehabilitation by occupational physicians. 2003 , 60, 352-7		96
408	Quality of life in good prognosis patients with metastatic germ cell cancer: a prospective study of the European Organization for Research and Treatment of Cancer Genitourinary Group/Medical Research Council Testicular Cancer Study Group (30941/TE20). 2003 , 21, 1107-18		106

407	Dispositional optimism predicts survival status 1 year after diagnosis in head and neck cancer patients. 2003 , 21, 543-8		117
406	Placebo effects in oncology. 2003 , 95, 19-29		74
405	The impact on the family of terminal restlessness and its management. <i>Palliative Medicine</i> , 2003 , 17, 454-60	5.5	56
404	Palliative chemotherapy or best supportive care? A prospective study explaining patients' treatment preference and choice. <i>British Journal of Cancer</i> , 2003 , 89, 2219-26	8.7	85
403	The RAI-PC: an assessment instrument for palliative care in all settings. 2003 , 20, 211-9		68
402	Quality of life in goserelin-treated versus cyclophosphamide + methotrexate + fluorouracil-treated premenopausal and perimenopausal patients with node-positive, early breast cancer: the Zoladex Early Breast Cancer Research Association Trialists Group. 2003 , 21, 4510-6		55
401	Cross-cultural use of health-related quality of life assessments in clinical oncology. 2004 , 406-424		3
400	Assessing health status and quality of life of cancer patients: the use of general instruments. 2004 , 31-68		1
399	Measuring quality of life in prostate cancer: progress and challenges. 2004 , 126-159		1
398	Treatment for colorectal cancer: impact on health-related quality of life. 2004 , 178-200		1
397	Invited Paper D Industry perspective regarding outcomes research in oncology. 2004 , 623-638		
396	[Fatigue experienced by patients suffering from cancer]. 2004 , 16, 509-20		6
395	Descriptive review of the literature on breast cancer outcomes: 1990 through 2000. 2004 , 8-44		29
394	Cost-utility analysis of preoperative radiotherapy in patients with rectal cancer undergoing total mesorectal excision: a study of the Dutch Colorectal Cancer Group. 2004 , 22, 244-53		75
393	Effect of a cognitive behavioral intervention on reducing symptom severity during chemotherapy. 2004 , 22, 507-16		151
392	Assessment of fatigue in cancer patients. 2004 , 93-7		72
391	Assessment of symptom clusters in people with cancer. 2004 , 98-102		65
390	Quality of life issues in non-small cell lung cancer. 2004 , 4, 215-26		3

389	Greek M.D. Anderson Symptom Inventory: validation and utility in cancer patients. 2004 , 67, 203-10		45
388	Quality of life after transhiatal compared with extended transthoracic resection for adenocarcinoma of the esophagus. 2004 , 22, 4202-8		142
387	Satisfaction and prosthesis related complaints in women with immediate breast reconstruction following prophylactic and oncological mastectomy. 2004 , 9, 71-84		8
386	Identifying the concepts contained in outcome measures of clinical trials on breast cancer using the International Classification of Functioning, Disability and Health as a reference. 2004 , 43-8		30
385	Normative data for functional assessment of cancer therapy--general scale and its use for the interpretation of quality of life scores in cancer survivors. 2004 , 43, 153-60		88
384	Shorter symptom assessment instruments: the Condensed Memorial Symptom Assessment Scale (CMSAS). 2004 , 22, 526-36		102
383	Older patients' experiences of treatment for colorectal cancer: an analysis of functional status and service use. 2004 , 13, 483-93		27
382	Patient's needs and preferences in routine follow-up after treatment for breast cancer. <i>British Journal of Cancer</i> , 2004 , 90, 1144-50	8.7	103
381	Quality of life considerations in patients with advanced lung cancer. 2004 , 31, 16-20		95
380	The life closure scale: additional psychometric testing of a tool to measure psychological adaptation in death and dying. 2004 , 27, 52-62		16
379	Is a single-item visual analogue scale as valid, reliable and responsive as multi-item scales in measuring quality of life?. 2004 , 13, 311-20		449
378	On the enhancement of efficiency in care for cancer patients in outpatient clinics: an instrument to accelerate psychosocial screening and referral. 2004 , 53, 135-40		24
377	The role of age at the onset of cancer in relation to survivors' long-term adjustment: a controlled comparison over an eight-year period. 2004 , 13, 740-52		51
376	Chinese version of the M. D. Anderson Symptom Inventory: validation and application of symptom measurement in cancer patients. 2004 , 101, 1890-901		101
375	Quality of life after colon interposition by necessity for esophageal cancer replacement. 2004 , 88, 32-38		50
374	Towards better communication in cancer care: a framework for developing evidence-based interventions. 2004 , 55, 32-9		61
373	Memorial symptom assessment scale. 2004 , 4, 171-8		42
372	Methods for assessment of cognitive failure and delirium in palliative care patients: implications for practice and research. <i>Palliative Medicine</i> , 2004 , 18, 494-506	5.5	46

371	Quality-of-life trials in lung cancer: past achievements and future challenges. 2004 , 18, 161-86	6
370	Quality of life after lung cancer resection. 2004 , 14, 353-65	27
369	Quality of life. 2004 , 18, 483-97	
368	Rflexions anthropologiques sur la sant, la prvention et le dpistage ^ partir dUne expfience de terrain dans les Bouches-du-Rhne et la Charente: Anthropological study about health, prevention and breast cancer screening in Bouche du Rhne and Charente (France). 2004 , 14, 247-257	
367	Palliation of malignant extrahepatic biliary obstruction with plastic versus expandable metal stents: An evidence-based approach. 2004 , 2, 273-85	127
366	Treatment of patients with advanced non-small cell lung cancer. 2004 , 3, 281-290	4
365	The content and amount of information given by medical oncologists when telling patients with advanced cancer what their treatment options are. palliative chemotherapy and watchful-waiting. 2004 , 40, 225-35	100
364	Quality of life after esophagectomy. 2004 , 16, 152-9	18
363	Chronic symptoms after subtotal or partial oesophagectomy: diagnosis and treatment. 2004 , 18, 901-915	27
362	Economic consequence of local control with radiotherapy: cost analysis of internal mammary and medial supraclavicular lymph node radiotherapy in breast cancer. 2005 , 63, 1122-31	8
361	Observer variation in assessment of quality of life in patients with oesophageal cancer. 1995 , 82, 1200-3	66
360	Quality-of-life assessment in patients undergoing treatment for oesophageal carcinoma. 1995 , 82, 1682-5	29
359	Quality of life after curative or palliative surgical treatment of pancreatic and periampullary carcinoma. 2005 , 92, 471-7	74
358	The impact of diagnosis and treatment of rectal cancer on paid and unpaid labor. 2005 , 48, 1875-82	25
357	Missing forms and dropout in the TME quality of life substudy. 2005 , 14, 857-65	4
356	The Needs Assessment for Advanced Cancer Patients (NA-ACP): a measure of the perceived needs of patients with advanced, incurable cancer. a study of validity, reliability and acceptability. 2005 , 14, 297-306	54
355	Patient-professional communication research in cancer: an integrative review of research methods in the context of a conceptual framework. 2005 , 14, 812-28; discussion 829-30	33
354	Quality of Life in Radiation Oncology of Lung Cancer. 2005 , 395-409	

353	Interferon-alpha as maintenance therapy in patients with multiple myeloma. 2005 , 16, 634-9		38
352	Impact of short-term preoperative radiotherapy on health-related quality of life and sexual functioning in primary rectal cancer: report of a multicenter randomized trial. 2005 , 23, 1847-58		503
351	Fatigue and relating factors in high-risk breast cancer patients treated with adjuvant standard or high-dose chemotherapy: a longitudinal study. 2005 , 23, 8296-304		78
350	Predictors of quality of life in newly diagnosed melanoma and breast cancer patients. 2005 , 16, 805-16		106
349	A randomised controlled trial of nurse-managed trial conclusion following early phase cancer trial participation. <i>British Journal of Cancer</i> , 2005 , 93, 41-5	8.7	7
348	Ifosfamide, carboplatin, and etoposide with midcycle vincristine versus standard chemotherapy in patients with small-cell lung cancer and good performance status: clinical and quality-of-life results of the British Medical Research Council multicenter randomized LU21 trial. 2005 , 23, 8371-9		46
347	Results of the Dutch National study of the palliative effect of irradiation using two different treatment schemes for non-small-cell lung cancer. 2005 , 23, 2962-70		97
346	Quality of life as an endpoint in Phase I oncology clinical trials of novel chemotherapy drugs. 2005 , 5, 633-44		
345	Enhancing cancer trial management: An intervention study of the impact of providing information, trial results and support to patients in phase I and II anti-cancer drug trials at trial conclusion. 2005 , 9, 119-132		1
344	Assessment instruments. 2005 , 21, 121-46, ix		5
343	[Oncology and quality of life. Study in head and neck cancer]. 2005 , 122, 134-41		13
342	Late side effects of short-course preoperative radiotherapy combined with total mesorectal excision for rectal cancer: increased bowel dysfunction in irradiated patients—a Dutch colorectal cancer group study. 2005 , 23, 6199-206		684
341	Quality of life in prostate cancer. 2005 , 41, 922-31		17
340	Health related quality of life assessment instruments: a prospective study on preference and acceptability among cancer patients referred for radiotherapy. 2005 , 41, 2250-6		11
339	Phase II study of pemetrexed in patients pretreated with an anthracycline, a taxane, and capecitabine for advanced breast cancer. 2005 , 6, 143-9		46
338	Health-related quality of life in patients undergoing drug therapy for advanced non-small-cell lung cancer. 2005 , 48, 365-77		19
337	Cost effectiveness of increasing the dose intensity of chemotherapy with granulocyte colony-stimulating factor in small-cell lung cancer: based on data from the Medical Research Council LU19 trial. 2006 , 24, 443-52		5
336	The effect of chemotherapy on symptom control and quality of life in patients with advanced non-small cell lung cancer. 2006 , 6, 531-44		13

335	Quality-of-life outcomes in oncology. 2006 , 20, 165-85		21
334	Medici3n de la calidad de vida e importancia de la atenci3n a las necesidades autopercibidas en pacientes drogodependientes. 2006 , 8, 212-221		6
333	Future trends in patient-reported outcomes assessment for patients with advanced-stage lung cancer receiving targeted therapy. 2006 , 8, 99-109		6
332	Assessment of health-related quality of life in arthritis: conceptualization and development of five item banks using item response theory. 2006 , 4, 33		31
331	Cancer symptom assessment instruments: a systematic review. 2006 , 24, 1459-73		193
330	Psychometric properties of the revised Piper Fatigue Scale in Dutch cancer patients were satisfactory. 2006 , 59, 642-9		28
329	Nutritional Support and Quality of Life. 2006 , 713-720		
328	Quality of Life Assessment of Randomized Controlled Trials. 2006 , 92, 373-378		3
327	Effects of prolonged intensive care unit stay on quality of life and long-term survival after transthoracic esophageal resection. 2006 , 34, 354-62		20
326	Hope and related variables in Italian cancer patients. 2006 , 29, 356-66		50
325	Does it hurt to know the worst?—psychological morbidity, information preferences and understanding of prognosis in patients with advanced cancer. 2006 , 15, 44-55		72
324	Baseline psychosocial predictors of survival in localised breast cancer. <i>British Journal of Cancer</i> , 2006 , 94, 1245-52	8.7	64
323	Symptom evaluation in palliative medicine: patient report vs systematic assessment. <i>Supportive Care in Cancer</i> , 2006 , 14, 444-53	3.9	165
322	Determinants of physicians' patient-centred behaviour in the medical specialist encounter. 2006 , 63, 899-910		56
321	Adjustment to cancer in the 8 years following diagnosis: a longitudinal study comparing cancer survivors with healthy individuals. 2006 , 63, 598-610		73
320	Symptom assessment in community-dwelling older adults with advanced chronic disease. 2006 , 31, 31-7		32
319	Validation study of the Korean version of the M. D. Anderson Symptom Inventory. 2006 , 31, 345-52		54
318	Pain, depression, and fatigue in community-dwelling adults with and without a history of cancer. 2006 , 32, 118-28		94

317	Pain assessment tools: is the content appropriate for use in palliative care?. 2006 , 32, 567-80	78
316	Hypnosis in cancer care. 2006 , 23, 47-57	8
315	Prospective evaluation of quality of life in patients with localized oesophageal cancer treated by multimodality therapy or surgery alone. 2006 , 93, 1084-90	94
314	Symptoms in the lives of terminal cancer patients: which is the most important?. 2006 , 71, 69-76	29
313	[Assessment of psychosocial distress and resources in oncology--a literature review about screening measures and current developments]. 2006 , 56, 462-79	48
312	Quality of life in patients with oesophageal and gastric cancer: an overview. 2006 , 70, 391-402	58
311	Health-related quality of life measurement in randomized clinical trials in surgical oncology. 2006 , 24, 3178-86	105
310	The measurement of pain from metastatic bone disease: capturing the patient's experience. 2006 , 12, 6236s-6242s	87
309	Improvements in measuring the health-related quality of life of cancer patients. 2006 , 6, 97-105	1
308	Quality of life and/or symptom control in randomized clinical trials for patients with advanced cancer. 2007 , 18, 1935-42	83
307	Multicenter trial of neo-adjuvant chemotherapy followed by extrapleural pneumonectomy in malignant pleural mesothelioma. 2007 , 18, 1196-202	239
306	A critical review of complementary therapies for cancer-related fatigue. 2007 , 6, 8-13	64
305	Assessment of cancer-related fatigue: implications for clinical diagnosis and treatment. 2007 , 12 Suppl 1, 11-21	192
304	How can occupational therapists measure outcomes in palliative care?. <i>Palliative Medicine</i> , 2007 , 21, 477-85	13
303	Symptom burden: a concept analysis and implications for oncology nurses. 2007 , 34, 673-80	58
302	Medical specialists' patient-centered communication and patient-reported outcomes. 2007 , 45, 330-9	68
301	Quality of Life Issues Related to Dysphagia. 2007 , 23, 352-365	20
300	Clinical assessment of symptom clusters. 2007 , 23, 106-12	15

299	Baseline psychosocial predictors of survival in localized melanoma. 2007 , 63, 9-15	55
298	Quality of life and adjuvant systemic therapy for early-stage breast cancer. 2007 , 7, 1123-34	22
297	Symptom burden among patients with renal cell carcinoma (RCC): content for a symptom index. 2007 , 5, 34	25
296	Psychosocial factors and quality of life in colorectal cancer. 2007 , 5, 344-54	7
295	Revue critique des outils d'évaluation de la douleur chez une clientèle adulte souffrant de cancer. 2007 , N° 90, 35	1
294	Phase II trial of irinotecan, cisplatin and mitomycin for relapsed small cell lung cancer. 2007 , 121, 2575-7	10
293	Efficacy and safety of first- or second-line irinotecan, cisplatin, and mitomycin in mesothelioma. 2007 , 109, 93-9	38
292	The rationale, design, and implementation of the American Cancer Society's studies of cancer survivors. 2007 , 109, 1-12	174
291	A prospective study of the impact of nasopharyngeal cancer and radiotherapy on the psychosocial condition of Chinese patients. 2007 , 109, 1344-54	26
290	Patient participation in the medical specialist encounter: does physicians' patient-centred communication matter?. 2007 , 65, 396-406	60
289	Current methodological approaches to the study of sleep disturbances and quality of life in adults with cancer: a systematic review. 2007 , 16, 401-20	34
288	Changes in satisfaction in patients with gynaecological and breast malignancies: an analysis with the Socio-Economic Satisfaction and Quality of Life questionnaire. 2007 , 16, 508-16	5
287	Patient-reported outcomes in cancer: a review of recent research and policy initiatives. 2007 , 57, 278-300	220
286	Application of adenosine 5'-triphosphate (ATP) infusions in palliative home care: design of a randomized clinical trial. 2007 , 7, 4	6
285	Nutritional intervention and quality of life in adult oncology patients. 2007 , 26, 289-301	184
284	Taiwanese version of the M. D. Anderson symptom inventory: symptom assessment in cancer patients. 2007 , 33, 180-8	67
283	Symptom management for cancer patients: a trial comparing two multimodal interventions. 2007 , 34, 253-64	79
282	Population-based survivorship research using cancer registries: a study of non-Hodgkin's lymphoma survivors. 2007 , 1, 49-63	62

281	Symptom burden in cancer survivorship. 2007 , 1, 167-75		61
280	Noncancer life stresses in newly diagnosed cancer. <i>Supportive Care in Cancer</i> , 2008 , 16, 1231-41	3.9	13
279	Impact of the site of anastomosis after oncologic esophagectomy on quality of life--a prospective, longitudinal outcome study. 2008 , 15, 566-75		39
278	Work ability and return-to-work in cancer patients. <i>British Journal of Cancer</i> , 2008 , 98, 1342-7	8.7	211
277	Clinical interpretation of quality-of-life outcomes: an investigation of data from the randomized trial of gemcitabine plus paclitaxel compared with paclitaxel alone for advanced breast cancer. 2008 , 14, 228-35		8
276	A review of instruments measuring two aspects of meaning: search for meaning and meaning in illness. 2008 , 62, 394-406		14
275	Individual versus standard quality of life assessment in a phase II clinical trial in mesothelioma patients: feasibility and responsiveness to clinical changes. 2008 , 61, 398-404		23
274	Systematic review of symptom control and quality of life in studies on chemotherapy for advanced non-small cell lung cancer: how CONSORTed are the data?. 2008 , 62, 126-38		13
273	Psychometric testing of the MDASI-HF: a symptom assessment instrument for patients with cancer and concurrent heart failure. 2008 , 14, 497-507		31
272	Active symptom control with or without chemotherapy in the treatment of patients with malignant pleural mesothelioma (MS01): a multicentre randomised trial. 2008 , 371, 1685-94		210
271	Molecular epidemiology, cancer-related symptoms, and cytokines pathway. 2008 , 9, 777-85		79
270	Breast Cancer and Fatigue. 2008 , 3, 61-71		63
269	Cancer-related fatigue: role of oncology nurses in translating National Comprehensive Cancer Network assessment guidelines into practice. 2008 , 12, 37-47		66
268	Is a STAS-based tool valid to triage patients at a specialist palliative care inpatient unit?. <i>International Journal of Palliative Nursing</i> , 2008 , 14, 34-39	0.9	7
267	Systematic review of massage intervention for adult patients with cancer: a methodological perspective. 2008 , 31, E24-35		32
266	Methodological challenges of symptom management research in recurrent cancer. 2008 , 31, 175-81		3
265	A Guide of the Questionnaires Used in the Measurement of Health-Related Quality of Life in Head and Neck Oncology. 2008 , 94, 724-731		27
264	Quality of life measurement in bone metastases: A literature review. 2008 , 1, 49-58		20

263 (A) Global Generic QoL Assessments. **2009**,

262	A review of the reliability and validity of the Edmonton Symptom Assessment System. 2009 , 16, 55		165
261	[Impact of the doctor-patient-communication on distress and utilization of psychosocial services among cancer patients. A review of the current literature]. 2009 , 59, e3-27		19
260	Screening for emotional distress in cancer patients: a systematic review of assessment instruments. 2009 , 101, 1464-88		351
259	Exploratory factor analysis of the Cancer Problems in Living Scale: a report from the American Cancer Society's Studies of Cancer Survivors. 2009 , 37, 676-86		26
258	A review of the prevalence and impact of multiple symptoms in oncology patients. 2009 , 37, 715-36		133
257	Measurement in clinical trials: a neglected issue for statisticians?. 2009 , 28, 3189-209		98
256	A couple-based intervention for female breast cancer. 2009 , 18, 276-83		147
255	Unbearability of suffering at the end of life: the development of a new measuring device, the SOS-V. 2009 , 8, 16		25
254	Response analysis for multiple symptoms revealed differences between arms of a symptom management trial. 2009 , 62, 716-24		23
253	The effect of home healthcare on quality of life in patients diagnosed with gastrointestinal cancer. 2009 , 32, 273-83		9
252	Preoperative and early postoperative quality of life predict survival in potentially curable patients with esophageal cancer. 2010 , 17, 23-30		42
251	Symptom assessment in children receiving cancer therapy: the parents' perspective. <i>Supportive Care in Cancer</i> , 2010 , 18, 281-99	3.9	67
250	Kinesitherapy alleviates fatigue in terminal hospice cancer patients-an experimental, controlled study. <i>Supportive Care in Cancer</i> , 2010 , 18, 743-9	3.9	23
249	Effectiveness of palliative care services in symptom control of patients with advanced terminal cancer: a spanish, multicenter, prospective, quasi-experimental, pre-post study. 2010 , 40, 652-60		31
248	Validation and application of a module of the M. D. Anderson Symptom Inventory for measuring multiple symptoms in patients with gastrointestinal cancer (the MDASI-GI). 2010 , 116, 2053-63		47
247	Health-related quality of life in patients with metastatic renal cell carcinoma treated with sunitinib vs interferon-alpha in a phase III trial: final results and geographical analysis. <i>British Journal of Cancer</i> , 2010 , 102, 658-64	8.7	45
246	The nested structure of cancer symptoms. Implications for analyzing co-occurrence and managing symptoms. 2010 , 49, 581-91		12

245	Symptom severity and distress in advanced cancer. <i>Palliative Medicine</i> , 2010 , 24, 330-9	5.5	66
244	Room for improvement? A quality-of-life assessment in patients with malignant bowel obstruction. <i>Palliative Medicine</i> , 2010 , 24, 38-45	5.5	23
243	Patient-reported outcomes in support of oncology product labeling claims: regulatory context and challenges. 2010 , 10, 407-20		15
242	Cuestionamientos y requerimientos en la investigación de la calidad de vida en oncología. 2010 , 39, 153-167		
241	Acupuncture as palliative therapy for physical symptoms and quality of life for advanced cancer patients. 2010 , 9, 158-67		72
240	Long-term quality of life in patients with rectal cancer treated with preoperative (chemo)-radiotherapy within a randomized trial. 2010 , 14, 530-4		46
239	Patients' self reports and caregivers' perception of symptoms in Turkish cancer patients. 2010 , 14, 119-24		14
238	Health related quality of life in NCI-sponsored cancer treatment trials. 2010 , 26, 68-78		11
237	Health-related quality of life in non-small-cell lung cancer: an update of a systematic review on methodologic issues in randomized controlled trials. 2011 , 29, 2104-20		79
236	[Influence of clinical and biographical factors on the quality of life of women with breast cancer receiving adjuvant chemotherapy]. 2011 , 26, 299-305		6
235	Patients' needs and preferences in routine follow-up for early breast cancer; an evaluation of the changing role of the nurse practitioner. <i>European Journal of Surgical Oncology</i> , 2011 , 37, 765-73	3.6	23
234	Quality of Life of Patients With Cancer of the Oesophagus and Stomach. 2011 , 89, 635-644		1
233	Considerations on the use of patient-reported outcomes in comparative effectiveness research. 2011 , 17, S27-33		7
232	Examination of Data, Analytical Issues and Proposed Methods for Conducting Comparative Effectiveness Research Using "Real-World Data"?. 2011 , 17, 1-37		0
231	41 Quality of Life in Salivary Gland Diseases. 2011 ,		
230	Malignant bowel obstruction. 2011 , 326-341		
229	When breast cancer survivors report cognitive problems at work. 2011 , 42, 279-94		20
228	Development and initial validation of the Three-Levels-of-Needs Questionnaire for self-assessment of palliative needs in patients with cancer. 2011 , 41, 1025-39		31

227	Clinimetric evaluations of patients with chronic widespread pain. 2011 , 25, 249-70	16
226	[Quality of life of patients with cancer of the oesophagus and stomach]. 2011 , 89, 635-44	8
225	Participation as an outcome measure in psychosocial oncology: content of cancer-specific health-related quality of life instruments. 2011 , 20, 1617-27	22
224	The Fatigue Symptom Inventory: a systematic review of its psychometric properties. <i>Supportive Care in Cancer</i> , 2010 , 19, 169-85	3.9 48
223	Why and How Should We Measure the Long-Term Consequences of Rectal Cancer Treatment?. 2011 , 7, 97-104	1
222	Effects on quality of life, anti-cancer responses, breast conserving surgery and survival with neoadjuvant docetaxel: a randomised study of sequential weekly versus three-weekly docetaxel following neoadjuvant doxorubicin and cyclophosphamide in women with primary breast cancer. 2011 , 11, 173	21
221	Function, adjustment, quality of life and symptoms (FAQS) in allogeneic hematopoietic stem cell transplantation (HSCT) survivors: a study protocol. 2011 , 9, 24	18
220	Family communication matters: the impact of telling relatives about unclassified variants and uninformative DNA-test results. 2011 , 13, 333-41	31
219	Palliative care symptom assessment for patients with cancer in the emergency department: validation of the Screen for Palliative and End-of-life care needs in the Emergency Department instrument. 2011 , 14, 757-64	35
218	Symptom management in gynecologic malignancies. 2011 , 11, 1077-89	14
217	Impact of relaxation training according to Yoga In Daily Life [®] system on perceived stress after breast cancer surgery. 2011 , 10, 16-26	37
216	High scores on the Edmonton Symptom Assessment Scale identify patients with self-defined high symptom burden. 2011 , 14, 1309-16	33
215	Health-related quality of life in Colombia: reference values of the EORTC QLQ-C30. 2012 , 21, 829-36	21
214	The measurement of symptoms and side effects in clinical trials of chronic pain. 2012 , 33, 903-11	14
213	Effectiveness of reirradiation for painful bone metastases: a systematic review and meta-analysis. 2012 , 84, 8-14	124
212	The influence of chemotherapy on taste perception and food hedonics: a systematic review. 2012 , 38, 152-63	85
211	Health-related quality of life in patients with melanoma: overview of instruments and outcomes. 2012 , 30, 245-54, viii	13
210	Pain assessment strategies in patients with musculoskeletal conditions. 2012 , 64, 216-29	16

209	Psychological Distress Screening in Cancer Patients: Psychometric Properties of Tools Available in Italy. 2012 , 98, 501-509		5
208	Opening the psychological black box in genetic counseling. The psychological impact of DNA testing is predicted by the counselees' perception, the medical impact by the pathogenic or uninformative BRCA1/2-result. 2012 , 21, 29-42		52
207	Fear of cancer recurrence: a systematic literature review of self-report measures. 2012 , 21, 571-87		156
206	Evaluating health-related quality-of-life therapeutic effectiveness in a clinical trial with extensive nonignorable missing data and heterogeneous response: results from a phase III randomized trial of gemcitabine plus paclitaxel versus paclitaxel monotherapy in patients with metastatic breast cancer. 2012 , 21, 765-75		8
205	Men's psychological functioning in the context of women's breast cancer. 2012 , 38, 317-29		10
204	Identification of cancer-related symptom clusters: an empirical comparison of exploratory factor analysis methods. 2012 , 44, 10-22		16
203	A mixed methods approach to adapting health-related quality of life measures for use in routine oncology clinical practice. 2012 , 21, 389-403		9
202	[Anemia caused by cancer in the context of palliative care]. 2012 , 162, 11-7		6
201	Randomised phase 3 open-label trial of first-line treatment with gemcitabine in association with docetaxel or paclitaxel in women with metastatic breast cancer: a comparison of different schedules and treatments. 2013 , 13, 164		16
200	Changes over time in occurrence, severity, and distress of common symptoms during and after radiation therapy for breast cancer. 2013 , 45, 980-1006		25
199	More negative emotion and symptom burden for female cancer patients. 2013 , 7, 175-181		
198	Coping and its effects on cancer caregiving. <i>Supportive Care in Cancer</i> , 2013 , 21, 385-95	3.9	15
197	Effects of Yoga on the Quality of Life in Cancer Patients. 2013 , 127-151		1
196	Psychopathology, physical complaints and health risk behaviors among youths who were victims of childhood maltreatment: A comparison between home and institutional interventions. 2013 , 35, 603-610		12
195	Patient-reported outcomes evaluating palliative radiotherapy and chemotherapy in patients with oesophageal cancer: a systematic review. 2013 , 52, 679-90		20
194	Psychological and health comorbidities before and after bariatric surgery: a longitudinal study. 2013 , 35, 264-71		3
193	Ill, but Well: A Phenomenology of Well-Being in Chronic Illness. 243-270		3
192	Early Contact with Palliative Care Services: A Randomized Trial in Patients with Newly Detected Incurable Metastatic Cancer. 2014 , 04,		10

191	CALIDAD DE VIDA RELACIONADA CON SALUD: INSTRUMENTOS DE MEDICIÓN PARA VALORACIÓN DE RESULTADOS EN CIRUGÍA DIGESTIVA ALTA. 2014 , 66, 274-282		2
190	Impact of symptom burden on work-related abilities in patients with locally recurrent or metastatic breast cancer: Results from a substudy of the VIRGO observational cohort study. 2014 , 23, 763-9		41
189	Measurement properties of the Work Limitations Questionnaire were sufficient among cancer survivors. 2014 , 23, 515-25		22
188	Effect of chemotherapy on quality of life in patients with non-small cell lung cancer. <i>Supportive Care in Cancer</i> , 2014 , 22, 1417-28	3.9	27
187	Developing core outcomes sets: methods for identifying and including patient-reported outcomes (PROs). 2014 , 15, 49		111
186	Assessing the Reliability of Retrospective Reports of Adverse Childhood Experiences among Adolescents with Documented Childhood Maltreatment. 2014 , 29, 431-438		75
185	Reporting of health-related quality of life (HRQOL) data in oncology trials: a comparison of the European Organization for Research and Treatment of Cancer Quality of Life (EORTC QLQ-C30) and the Functional Assessment of Cancer Therapy-General (FACT-G). 2014 , 23, 971-6		29
184	Impact of radical operative treatment on the quality of life in women with vulvar cancer--a retrospective study. <i>European Journal of Surgical Oncology</i> , 2014 , 40, 875-82	3.6	36
183	Quality of life in palliative care: An analysis of quality-of-life assessment. 2015 , 23, 208-219		3
182	Does neoadjuvant treatment before oncologic esophagectomy affect the postoperative quality of life? A prospective, longitudinal outcome study. 2015 , 28, 652-9		10
181	Treatment-related problems experienced by cancer patients undergoing chemotherapy: a scoping review. 2015 , 24, 605-17		27
180	Assessment of Quality of Life of Women with Breast Cancer. 2016 , 8, 52792		13
179	Clinical practice recommendations for quality of life assessment in patients with gynecological cancer. 2015 , 14, 271-82		9
178	Development of a learning-oriented computer assisted instruction designed to improve skills in the clinical assessment of the nutritional status: a pilot evaluation. 2015 , 10, e0126345		2
177	Patient experiences at diagnosis and psychological well-being in prostate cancer: A Finnish national survey. 2015 , 19, 220-9		23
176	The psychometric properties of cancer multisymptom assessment instruments: a clinical review. <i>Supportive Care in Cancer</i> , 2015 , 23, 2189-202	3.9	31
175	Trajectories of personal control in cancer patients receiving psychological care. 2015 , 24, 556-63		3
174	Patient-reported outcome measures for use in gynaecological oncology: a systematic review. 2015 , 122, 615-22		13

173	Long-term changes in physical capacity after colorectal cancer treatment. 2015 , 6, 153-64	37
172	Vinca alkaloids in the therapeutic management of malignant pleural mesothelioma. 2015 , 41, 853-8	11
171	Patient-Reported Outcome Instruments for Physical Symptoms Among Patients Receiving Maintenance Dialysis: A Systematic Review. 2015 , 66, 1033-46	47
170	Modern Management of Cancer of the Rectum. 2015 ,	1
169	Assessment of Quality of Life among Women Aged 35-55 Suffering from Breast Cancer. 2016 , 4,	
168	Relationship between Resilience, Psychological Distress and Physical Activity in Cancer Patients: A Cross-Sectional Observation Study. 2016 , 11, e0154496	76
167	Systematic review of patient-reported outcome measures in the surgical treatment of patients with esophageal cancer. 2016 , 29, 760-772	32
166	The PERS(2) ON score for systemic assessment of symptomatology in palliative care: a pilot study. 2016 , 25, 544-50	8
165	Translation and validation of the Cancer-Related Fatigue Scale in Greek in a sample of patients with advanced prostate cancer. 2016 , 6, e011798	5
164	Psychometric Validation of the M. D. Anderson Symptom Inventory-Head and Neck Module in the Spanish Language. 2016 , 51, 1055-61	8
163	Oncology. 2016 , 1, 375-395	
162	The Edmonton Symptom Assessment System: Poor performance as screener for major depression in patients with incurable cancer. <i>Palliative Medicine</i> , 2016 , 30, 587-98	5.5 8
161	Reliability and Validity of the Spanish Version of the Memorial Symptom Assessment Scale in Oncology Patients. 2016 , 52, 884-891	4
160	Trajectories and predictors of state and trait anxiety in patients receiving chemotherapy for breast and colorectal cancer: Results from a longitudinal study. 2016 , 24, 1-7	15
159	Subtypes of depression in cancer patients: an empirically driven approach. <i>Supportive Care in Cancer</i> , 2016 , 24, 1387-96	3.9 9
158	An instrument to collect data on frequency and intensity of symptoms in older palliative cancer patients: A development and validation study. 2016 , 21, 38-47	10
157	Prevalence of pelvic floor disorders in women with suspected gynecological malignancy: a survey-based study. 2016 , 27, 1409-14	18
156	A comprehensive longitudinal overview of health-related quality of life and symptoms after treatment for rectal cancer in the TME trial. 2016 , 55, 502-8	27

155	A Psychometric Evaluation of the Chinese Version of the M.D. Anderson Symptom Inventory-Heart Failure in Chinese Cancer Patients With Concurrent Heart Failure. 2017 , 42, 354-361	1
154	Co-morbidity of depression, anxiety and fatigue in cancer patients receiving psychological care. 2017 , 26, 444-451	15
153	Patients' perceptions of the negative effects following different prostate cancer treatments and the impact on psychological well-being: a nationwide survey. <i>British Journal of Cancer</i> , 2017 , 116, 864-873 ^{8:7}	36
152	Existential Well-Being: Spirituality or Well-Being?. 2017 , 205, 234-241	11
151	Experimental Demonstration of Feature Extraction and Dimensionality Reduction Using Memristor Networks. 2017 , 17, 3113-3118	128
150	Defining low anterior resection syndrome: a systematic review of the literature. 2017 , 19, 713-722	84
149	Acute Side Effects of Radiation Therapy. 2017 ,	3
148	Suffering and dying well: on the proper aim of palliative care. 2017 , 20, 413-424	22
147	Clinical endpoints in trials of chemoradiation for patients with anal cancer. 2017 , 18, e218-e227	19
146	Improving quality of life in patients with advanced cancer: Targeting metastatic bone pain. 2017 , 71, 80-94	45
145	A Model of Consultation in Prostate Cancer Care: Evidence From a Systematic Review. 2017 , 40, 276-288	16
144	Resilience and active coping style: Effects on the self-reported quality of life in cancer patients. 2017 , 52, 124-136	31
143	Advancing Symptom Science Through Symptom Cluster Research: Expert Panel Proceedings and Recommendations. 2017 , 109,	157
142	Preliminary evaluation of a predictive blood assay to identify patients at high risk of chemotherapy-induced nausea. <i>Supportive Care in Cancer</i> , 2017 , 25, 581-587	3-9
141	Basic methods for the assessment of health-related quality of life in uro-oncological patients. 2017 , 69, 409-420	5
140	Validation and Application of the MD Anderson Symptom Inventory for Traditional Chinese Medicine (MDASI-TCM). 2017 , 2017,	1
139	Physical Therapy in Patients with Cancer. 2017 ,	1
138	Self-Reports of Health before and during Imprisonment in Female Inmates. 2017 , 35, 132-140	

137	Alleviation of Side Effects and Distress in Breast Cancer Patients by Cognitive-Behavioral Interventions: A Systematic Review and Meta-analysis. 2018 , 25, 335-355		9
136	Measuring health-related quality of life in patients with advanced cancer: a systematic review of self-administered measurement instruments. 2018 , 27, 1937-1955		24
135	Structured review of the patient-reported outcome instruments used in clinical trials in head and neck surgery. 2018 , 56, 161-167		9
134	Symptomerfassung in der palliativen Betreuung. 2018 , 33, 113-118		
133	Assessment of psychological distress among Asian adolescents and young adults (AYA) cancer patients using the distress thermometer: a prospective, longitudinal study. <i>Supportive Care in Cancer</i> , 2018 , 26, 3257-3266	3.9	10
132	Hospital at Home care for older patients with cognitive impairment: a protocol for a randomised controlled feasibility trial. 2018 , 8, e020332		4
131	Psychometric Evaluation of the Chinese Breast Cancer Prevention Trial Symptom Scale. 2018 , 41, E18-E30		
130	The effect of an aerobic exercise bout 24 h prior to each doxorubicin treatment for breast cancer on markers of cardiotoxicity and treatment symptoms: a RCT. 2018 , 167, 719-729		36
129	Experiences and psychological distress of spouses of prostate cancer patients at time of diagnosis and primary treatment. 2018 , 27, e12729		13
128	The use of patient-reported outcome measures (PROMs) in the management of malignant pleural mesothelioma: a descriptive literature survey. 2018 , 7, 507-515		5
127	Symptoms as Patient-Reported Outcomes in Cancer Patients Undergoing Immunotherapies. 2018 , 995, 165-182		2
126	Immunotherapy. 2018 ,		3
125	Changes in quality of life following initial treatment of oesophageal carcinoma: a cohort study from Sri Lanka. 2018 , 18, 1184		2
124	Physical symptoms in long-term survivors of rare cancer. 2018 , 12, 835-842		6
123	Complementary and Alternative Medicine in Hospice and Palliative Care: A Systematic Review. 2018 , 56, 781-794.e4		26
122	Acceptance and Commitment Therapy for Symptom Interference in Advanced Lung Cancer and Caregiver Distress: A Pilot Randomized Trial. 2019 , 58, 632-644		31
121	Melatonin, temazepam and placebo in hospitalised older patients with sleeping problems (MATCH): a study protocol of randomised controlled trial. 2019 , 9, e025514		1
120	Health-related quality of life in patients receiving first-line eribulin mesylate with or without trastuzumab for locally recurrent or metastatic breast cancer. 2019 , 19, 578		3

119	Relationships Between Weight Change and Physical and Psychological Distress in Early-Stage Breast Cancer Survivors. 2019 , 42, E43-E50		6
118	Evaluation of the content coverage of questionnaires containing basic and instrumental activities of daily living (ADL) used in adult patients with brain tumors. 2019 , 143, 1-13		10
117	The effects of inpatient music therapy on self-reported symptoms at an academic cancer center: a preliminary report. <i>Supportive Care in Cancer</i> , 2019 , 27, 4207-4212	3.9	15
116	Pruritus in patients with solid tumors: an overlooked supportive care need. <i>Supportive Care in Cancer</i> , 2019 , 27, 3897-3904	3.9	2
115	Central Nervous System Metastasis in Patients with HER2-Positive Metastatic Breast Cancer: Patient Characteristics, Treatment, and Survival from SystHERs. 2019 , 25, 2433-2441		33
114	Trajectories of spiritual well-being in long-term survivors of cancer: A report from the American Cancer Society's Studies of Cancer Survivors-I. 2019 , 125, 1726-1736		7
113	Early quality-of-life and psychological predictors of disease-free time and survival in localized prostate cancer. 2019 , 28, 677-686		9
112	Patients as experts: characterizing the most relevant patient-reported outcomes after hematopoietic cell transplantation. 2020 , 55, 242-244		3
111	Exploring the interconnectedness of fatigue, depression, anxiety and potential risk and protective factors in cancer patients: a network approach. 2020 , 43, 553-563		14
110	Patient-Reported Outcomes in Surgical Oncology: An Overview of Instruments and Scores. 2020 , 27, 45-53		8
109	High mobility group box-1-toll-like receptor 4-phosphatidylinositol 3-kinase/protein kinase B-mediated generation of matrix metalloproteinase-9 in the dorsal root ganglion promotes chemotherapy-induced peripheral neuropathy. 2020 , 146, 2810-2821		17
108	Patient-reported outcome measures (PROMs) in pancreatic cancer: a systematic review. 2020 , 22, 187-203		12
107	Quality of life in a real-world study of patients with metastatic colorectal cancer treated with trifluridine/tipiracil. 2020 , 27, e451-e458		3
106	Clinical nutrition in patients with cancer. 2020 , 605-618		
105	Desperate times call for a desperate measure: Validating a measure of state desperation. 2020 , 1		
104	Symptom Clusters' Content, Stability and Correlation with the Quality of Life in a Heterogeneous Group of Cancer Patients: A Large-Scale Longitudinal Study. <i>Clinical Nursing Research</i> , 2020 , 29, 561-570 ¹⁻⁷		4
103	Effects of a Mindfulness Intervention on Hospitalized Patients With Hematologic Malignancies and Their Caregivers. 2020 , 47, 70-78		2
102	Home Parenteral Nutrition in Patients with Advanced Cancer: A Systematic Review and Meta-Analysis. 2021 , 73, 943-955		2

101	Factors related to changes in resilience and distress in women with endometrial cancer. 2021 , 24, 413-421		1
100	Clinical Assessment of Human Suffering. 2021 ,		1
99	Clinimetrics of Fibromyalgia Syndrome. 2021 , 223-243		
98	Reliability and validity of the Patient Benefit Assessment Scale for Hospitalised Older Patients (P-BAS HOP). <i>BMC Geriatrics</i> , 2021 , 21, 149	4.1	1
97	Symptom Clusters Predictive of Quality of Life Among Jordanian Women with Breast Cancer. 2021 , 37, 151144		4
96	Trajectories of fatigue in cancer patients during psychological care. 2021 , 1-20		0
95	Measuring Quality of Life Using Patient-Reported Outcomes in Real-World Metastatic Breast Cancer Patients: The Need for a Standardized Approach. <i>Cancers</i> , 2021 , 13,	6.6	0
94	Potential therapeutic effects of different mouthwashes for alleviation and treatment of oral complications of 5-fluorouracil-based chemotherapy in patients with colon cancer. 2021 ,		
93	Adjuvant Trastuzumab Emtansine Versus Paclitaxel in Combination With Trastuzumab for Stage I HER2-Positive Breast Cancer (ATEMPT): A Randomized Clinical Trial. 2021 , 39, 2375-2385		20
92	Psycho-Oncology: A Bibliometric Review of the 100 Most-Cited Articles. 2021 , 9,		0
91	The impact of age, treatment, and symptoms on the physical and mental health of cancer patients. 1994 , 74, 2128-2138		67
90	Psychosocial Assessment and Screening in Psycho-oncology. 21-38		1
89	Erfassung der Lebensqualität in der Onkologie. 2006 , 323-332		1
88	Measuring Quality of Life in Cancer Survivors. 2007 , 79-110		11
87	Quality of Life in Rectal Cancer Patients. 2015 , 349-366		1
86	Tryptophan and quality of life in colorectal cancer. 2003 , 527, 353-8		5
85	Psychological aspects of breast cancer. 1996 , 15-45		5
84	Health-Related Quality of Life. 2006 , 237-251		2

83	Quality of life in patients with oesophageal cancer. 2000 , 155, 193-204	21
82	Assessment of quality of life and benefits from adjuvant therapies in breast cancer. 1993 , 127, 201-10	20
81	Respiratoire aandoeningen. 2006 , 137-156	1
80	Measuring the quality of life of patients with cancer. 1993 , 235-267	3
79	Laparoscopic cholecystectomy: day-care versus clinical observation. 1998 , 228, 734-40	103
78	Development and validation of a patient needs assessment tool (PNAT) for oncology clinicians. 1996 , 19, 81-92	24
77	Comparison before and after transplantation of pancreas-kidney and pancreas-kidney with loss of pancreas--a prospective controlled quality of life study. 1996 , 62, 754-8	49
76	Effect of breaking bad news on patients' perceptions of doctors. <i>Journal of the Royal Society of Medicine</i> , 2002 , 95, 343-7	2.3 30
75	Assessment of cancer therapy-induced oral mucositis using a patient-reported oral mucositis experience questionnaire. 2014 , 9, e91733	16
74	Depression, anxiety and stress among patients with hematological malignancies and the association with quality of life: a cross-sectional study. 2020 , 93, 62-68	4
73	Assessment and Management of Cancer-Related Fatigue. 2008 , 1-20	1
72	Surgical perspectives in gastrointestinal disease: a study of quality of life outcomes in esophageal, pancreatic, colon, and rectal cancers. 2006 , 12, 3213-8	9
71	The Construction and Testing of the Japanese Version of EORTC Colorectal Cancer-specific Quality of Life Questionnaire Module (EORTC QLQ-CR38). 2007 , 60, 69-76	2
70	Quality-of-life Assessment of Family Planning Adopters through User Perspectives in the District of Karimnagar. 2009 , 34, 24-8	1
69	Understanding the Toxicity of Cancer Immunotherapies: Use of Patient-Reported Outcomes. 2018 , 1, 38-45	1
68	Quality of Life of Cancer Patients: A Multi-set Analysis. 2000 , 421-429	
67	Erfassung der Lebensqualität in der Onkologie. 2001 , 321-330	
66	Quality of Life in Alcohol-Misusing Subjects. 2001 , 325-333	

65 Lebensqualität nach operativen Eingriffen. **2004**, 403-412

64 Grundlagen der Symptomkontrolle in der Palliativmedizin. **2004**, 649-709

63 The Effect of Alcohol on Quality of Life. **2005**, 295-308

62 Empfehlungen zur Bewertung des Allgemeinzustands des Patienten. **2006**, 6474-6492

61 Adaptation psychologique: Concepts et problématiques. **2008**, 87-121

1

60 QUALITY OF LIFE IN ESOPHAGEAL CANCER PATIENTS. **2008**, 663-674

59 Stellenwert der Lebensqualität beim Ovarialkarzinom: Eine aktuelle Bestandsaufnahme. **2009**, 289-303

58 Qualitative and Quantitative Symptom Assessment. **2009**, 333-341

57 Bibliography. **2009**, 277-284

56 The Burden of Chemotherapy Induced Nausea and Vomiting on Patients' Daily Lives: Italian Perspectives. **2010**, 885-898

55 Symptoms and HRQOL Assessment. **2012**, 199-246

54 Health Status and HRQOL Assessment. **2012**, 247-291

53 Summary Measurement: The Role of Categories or Domains. **2012**, 159-192

52 Neurocognition and HRQOL Assessment. **2012**, 339-392

51 Pain Assessment Tools in Palliative Cancer Care. **2013**, 71-94

50 Outcomes Research. **2012**, 140-156.e8

49 Quality of Life. **2013**, 255-278

48 Patients' Perceptions, health and psychological changes with obesity treatment: Success and failure in a triangulation study. **2013**, 05, 1750-1759

- 47 Psychosocial response and symptom burden for male smokers with lung cancer. **2014**, 15, 309-14 1
- 46 Methoden zur Lebensqualitätsbewertung in der Onkologie. **1995**, 1339-1351
- 45 Terminal care. **1995**, 405-418
- 44 The Role of Nurses in the Prevention and Management of Emesis from Chemotherapy and Radiotherapy. **1996**, 99-111
- 43 Recent Research in Pain and Cachexia in Advanced Cancer and AIDS. **1998**, 3-15
- 42 Quality of Life in Pancreatic Cancer. **1998**, 319-338
- 41 A Comparative Study of Symptom Clustering On Clinical and Social Media Data. **2015**, 222-231 0
- 40 A Study on Attention Allocation of Psychological Distress Students Based on Eye Movement Data Analysis. **2015**, 104-114
- 39 Role of Physiotherapy in Cancer-Related Fatigue in Cancer Survivors - A Narrative Review. 030-034
- 38 Cancer. **2017**, 159-183
- 37 Fatigue. **2017**, 173-189
- 36 Emotional Turmoil in Oncology Patients. **2017**, 2,
- 35 Adaptation psychologique au diagnostic et aux traitements. **2019**, 157-206
- 34 Evaluation of a Remote Symptom Assessment and Management (SAM) System for People Receiving Adjuvant Chemotherapy for Breast or Colorectal Cancer: Mixed Methods Study (Preprint).
- 33 Dimensions of Care. **2021**, 39-59
- 32 Evaluation of a Remote Symptom Assessment and Management (SAM) System for People Receiving Adjuvant Chemotherapy for Breast or Colorectal Cancer: Mixed Methods Study. **2020**, 6, e22825 0
- 31 Adaptación transcultural del componente de síntomas gastrointestinales de la escala CTCAE versión 4.02. **2020**, 24, 108-118
- 30 Rectal Cancer and Quality of Life. **2005**, 89-95

29	Depression. 2007 , 173-189		1
28	Quality of life measurement in breast cancer. <i>Journal of the Royal Society of Medicine</i> , 1993 , 86, 10-2	2.3	6
27	Aromatherapy: a systematic review. <i>British Journal of General Practice</i> , 2000 , 50, 493-6	1.6	124
26	The impact of nausea and vomiting upon quality of life measures. <i>The British Journal of Cancer Supplement</i> , 1992 , 19, S14-22; discussion S23		11
25	Cancer clinical outcomes for minority ethnic groups. <i>The British Journal of Cancer Supplement</i> , 1996 , 29, S54-60		6
24	Evidence-based complementary medicine for palliative cancer care: does it make sense?. <i>Palliative Medicine</i> , 2003 , 17, 704-7	5.5	23
23	Programa de formaci3n en Psico-Oncolog3a para residentes de Psiquiatr3a y Psicolog3a Cl3nica: modelo de interconsulta. 2003 , 5, 443-449		
22	Development and validation of the Symptom Burden Questionnaire for Long Covid: A Rasch analysis.		0
21	Quality of Life. 2022 , 411-434		
20	Adaptation of the Patient Benefit Assessment Scale for Hospitalised Older Patients: development, reliability and validity of the P-BAS picture version.. <i>BMC Geriatrics</i> , 2022 , 22, 43	4.1	0
19	Developing a Personalized Integrative Obesity-Coaching Program: A Systems Health Perspective.. <i>International Journal of Environmental Research and Public Health</i> , 2022 , 19,	4.6	
18	Quality of life assessment instruments in adult patients receiving home parenteral and enteral nutrition: A scoping review.. <i>Nutrition in Clinical Practice</i> , 2022 ,	3.6	0
17	Symptom Prevalence in Spanish and Colombian Oncology Patients Measured with the MSAS.. <i>Cancers</i> , 2022 , 14,	6.6	
16	Development and content validation of the Assessment of Burden of ColoRectal Cancer (ABCRC)-tool.. <i>European Journal of Surgical Oncology</i> , 2022 ,	3.6	0
15	Development and evaluation of the efficacy of a web-based education program among cancer patients undergoing treatment with systemic chemotherapy: a randomized controlled trial.. <i>Supportive Care in Cancer</i> , 2022 ,	3.9	
14	Symptom measurement by patient report. 268-284		1
13	Development and validation of the symptom burden questionnaire for long covid (SBQ-LC): Rasch analysis.. <i>BMJ, The</i> , 2022 , 377, e070230	5.9	4
12	Factors Associated With Physical and Psychological Health Outcomes Among Inmate Women in Portugal. <i>Women and Criminal Justice</i> , 1-16	0.8	

11	Identifying Symptom Clusters in Cancer Patients Receiving Chemotherapy using Symptom Occurrence and Distress Dimensions. <i>Clinical Nursing Research</i> , 105477382211003	1.7
10	Assessment of symptoms among among patients living with cancer: prevalence, distress and its correlation with quality of life. <i>International Journal of Palliative Nursing</i> , 2022, 28, 270-279	0.9
9	Prevalence of psychological distress among cancer patients in Southeast Asian countries: A systematic review.	2
8	Caught in a Dangerous World: Problematic News Consumption and Its Relationship to Mental and Physical Ill-Being. 1-11	
7	The Impact of Postoperative Complications on Short- and Long-Term Health-Related Quality of Life After Total Mesorectal Excision for Rectal Cancer. 2022,	1
6	Investigation of the Relationship between Health Literacy and Quality of Life in Cancer Patients Treated in the Oncology Clinic.	0
5	Goal-based outcomes of hospitalisation of older adults are predicted by gender, confidence, quality of life and type of goals.	0
4	Fertility-sparing, surgical interventions for low-risk, non-metastatic gestational trophoblastic neoplasia. 2022, 2022,	0
3	Cognitive impairment in adolescent and young adult cancer patients: Pre-treatment findings of a longitudinal study.	0
2	Treatment discontinuation, patient-reported toxicities and quality-of-life by age following trastuzumab emtansine or paclitaxel/trastuzumab (ATEMPT). 2022, 8,	0
1	Quality of Life and Side Effects Management in Cancer Treatment A Cross Sectional Study. 2023, 20, 1708	0