

A transformation invariant matching algorithm for hand recognition

Pattern Recognition

23, 1167-1188

DOI: [10.1016/0031-3203\(90\)90114-z](https://doi.org/10.1016/0031-3203(90)90114-z)

Citation Report

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Two-dimensional neural networks for handwritten Chinese character recognition. , 0, , . | | 2 |
| 2 | Document image analysis: A bibliography. Machine Vision and Applications, 1992, 5, 231-243. | 1.7 | 39 |
| 3 | Optical recognition of handwritten Chinese characters: Advances since 1980. Pattern Recognition, 1993, 26, 205-225. | 5.1 | 143 |
| 4 | Stroke-based handwritten Chinese character recognition using neural networks. Pattern Recognition Letters, 1993, 14, 833-840. | 2.6 | 4 |
| 5 | Corner detection and shape classification of on-line handprinted kanji strokes. Pattern Recognition, 1993, 26, 1315-1334. | 5.1 | 16 |
| 6 | 2-stage character recognition by detection and correction of erroneously-identified characters. , 0, , . | | 5 |
| 7 | <title>Parallel approach to character recognition and its VLSI implementation</title>. , 1993, 2094, 62. | | 0 |
| 8 | Increasing character recognition accuracy by detection and correction of erroneously identified characters. Pattern Recognition, 1994, 27, 1259-1266. | 5.1 | 21 |
| 9 | Multi-stage pre-candidate selection in handwritten chinese character recognition systems. Pattern Recognition, 1994, 27, 1093-1102. | 5.1 | 29 |
| 10 | Invariant handwritten Chinese character recognition using fuzzy ring data. Image and Vision Computing, 1996, 14, 647-657. | 2.7 | 10 |
| 11 | A novel parallel approach to character recognition and its VLSI implementation. Pattern Recognition, 1996, 29, 97-119. | 5.1 | 7 |
| 12 | Stroke extraction for chinese characters using a trend-followed transcribing technique. Pattern Recognition, 1996, 29, 1789-1805. | 5.1 | 16 |
| 13 | A recursive hierarchical scheme for radical extraction of handwritten Chinese characters. , 1996, , . | | 3 |
| 14 | Invariant handwritten Chinese character recognition using fuzzy min-max neural networks. Pattern Recognition Letters, 1997, 18, 481-491. | 2.6 | 36 |
| 15 | Recursive hierarchical radical extraction for handwritten Chinese characters. Pattern Recognition, 1997, 30, 1213-1227. | 5.1 | 10 |
| 16 | A Chinese-character-stroke-extraction algorithm based on contour information. Pattern Recognition, 1998, 31, 651-663. | 5.1 | 42 |
| 17 | Face recognition: elastic relation encoding and structural matching. , 0, , . | | 7 |
| 18 | A novel stroke-based feature extraction for handwritten Chinese character recognition. Pattern Recognition, 1999, 32, 1947-1959. | 5.1 | 25 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Positional Specificity of Radicals in Chinese Character Recognition. Journal of Memory and Language, 1999, 40, 498-519. | 1.1 | 171 |
| 20 | An improved naive Bayesian classifier technique coupled with a novel input solution method [rainfall prediction]. IEEE Transactions on Systems, Man and Cybernetics, Part C: Applications and Reviews, 2001, 31, 249-256. | 3.3 | 39 |
| 21 | Complex character decomposition using deformable model. IEEE Transactions on Systems, Man and Cybernetics, Part C: Applications and Reviews, 2001, 31, 126-132. | 3.3 | 13 |
| 22 | Active radical modeling for handwritten Chinese characters. , 0, , . | | 5 |
| 23 | Optical recognition of handwritten Chinese characters by hierarchical radical matching method. Pattern Recognition, 2001, 34, 15-35. | 5.1 | 61 |
| 24 | A radical approach to handwritten Chinese character recognition using active handwriting models. , 0, , . | | 8 |
| 25 | Mathematical-expressions-based knowledge discovery method and its application in verification of incompatibility of water and fire. , 0, , . | | 1 |
| 27 | Handwritten Chinese character recognition using nonlinear active shape models and the Viterbi algorithm. Pattern Recognition Letters, 2002, 23, 1853-1862. | 2.6 | 16 |
| 28 | Offline handwritten Chinese character recognition by radical decomposition. ACM Transactions on Asian Language Information Processing, 2003, 2, 27-48. | 0.8 | 28 |
| 29 | An Approach to Off-Line Handwritten Chinese Character Recognition Based on Hierarchical Radical Decomposition. Journal of Quantitative Linguistics, 2003, 10, 41-69. | 0.7 | 3 |
| 30 | Deeper Chinese information processing of open software and its application in Chinese document watermarking. , 0, , . | | 0 |
| 31 | On the Choice of Band-Pass Quadrature Filters. Journal of Mathematical Imaging and Vision, 2004, 21, 53-80. | 0.8 | 104 |
| 32 | Chinese Chess Character Recognition with Radial Harmonic Fourier Moments. , 2011, , . | | 5 |
| 33 | Generating Chinese characters based on stroke splitting and feature extraction. Displays, 2013, 34, 258-269. | 2.0 | 4 |
| 34 | An optical music recognition system for traditional Chinese Kunqu Opera scores written in Gong-Che Notation. Eurasip Journal on Audio, Speech, and Music Processing, 2014, 2014, . | 1.3 | 5 |
| 36 | Rare Chinese character recognition by Radical Extraction Network. , 2017, , . | | 7 |
| 37 | Off-line handwritten chinese character recognition by using support vector machines. Journal of Information and Optimization Sciences, 2021, 42, 493-512. | 0.2 | 0 |
| 38 | Recognition of Handwritten Chinese Character Based on Least Square Support Vector Machine. Advances in Intelligent and Soft Computing, 2011, , 219-227. | 0.2 | 1 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 39 | Chinese Character Recognition-Comparison of Classification Methodologies. Lecture Notes in Computer Science, 2002, , 524-530. | 1.0 | 0 |
| 40 | A Similarity Measure for On-line Handprinted Kanji Character Recognition. , 1994, , . | | 0 |
| 41 | Generating Stable Structure of a Color Texture Image using Scale-space Analysis with Non-uniform Gaussian Kernels. , 1996, , 199-202. | | 0 |
| 42 | A natural stroke-based structural approach to loosely-constrained handwritten Chinese character recognition. , 0, , . | | 0 |