CITATION REPORT List of articles citing

Transcatheter hepatic segmental arterial embolization using lipiodol mixed with an anticancer drug and Gelfoam particles for hepatocellular carcinoma

DOI: 10.1007/bf02575465 CardioVascular and Interventional Radiology, 1990, 13, 140-5

Source: https://exaly.com/paper-pdf/21344770/citation-report.pdf

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
164	Lipiodol-Cisplatin embolisation in hepatocellular carcinoma. Radiological techinique and evaluation. 1991 , 1, 131-138		2
163	Prospective and randomized clinical trial for the treatment of hepatocellular carcinomaa comparison of L-TAE with Farmorubicin and L-TAE with adriamycin (second cooperative study). The Cooperative Study Group for Liver Cancer Treatment of Japan. 1992 , 31 Suppl, S20-4		19
162	Bone metastases of hepatocellular carcinoma after liver resection. 1992 , 50, 12-8		27
161	Percutaneous ethanol injection in the treatment of hepatocellular carcinoma in cirrhosis. A study on 207 patients. 1992 , 69, 925-9		356
160	Segmental embolotherapy for hepatic cancer: keys to success. <i>CardioVascular and Interventional Radiology</i> , 1993 , 16, 67-71	2.7	19
159	Segmental transcatheter hepatic artery chemoembolization with iodized oil for hepatocellular carcinoma: antitumor effect and influence on normal tissue. <i>Journal of Vascular and Interventional Radiology</i> , 1993 , 4, 543-9	2.4	43
158	Preliminary experimental evaluation of temporary segmental hepatic venous occlusion: angiographic, pathologic, and scintigraphic findings. <i>Journal of Vascular and Interventional Radiology</i> , 1993 , 4, 759-66	2.4	23
157	Palliative Treatment of Hepatocellular Carcinoma with Transcatheter Arterial Embolization. 1993 , 34, 26-29		4
156	Treatment of Hepatocellular Carcinoma by Intraarterial Injection of Adriamycin/Mitomycin C Oil Suspension (ADMOS) Alone or Combined with CIS-Diaminodichloroplatinum (CDDP). 1993 , 34, 388-391		5
155	Transcatheter Hepatic Subsegmental Arterial Chemoembolization Therapy Using Iodized Oil for Small Hepatocellular Carcinomas: Correlation between Lipiodol Accumulation Pattern and Local Recurrence. 1994 , 35, 576-580		25
154	Transcatheter arterial embolization followed by percutaneous ethanol injection in the treatment of hepatocellular carcinoma. <i>CardioVascular and Interventional Radiology</i> , 1994 , 17, 70-5	2.7	32
153	Determination of the optimum dose level of lipiodol in transcatheter arterial embolization of primary hepatocellular carcinoma based on retrospective multivariate analysis. <i>CardioVascular and Interventional Radiology</i> , 1994 , 17, 76-80	2.7	17
152	Prospective and randomized controlled study of chemoembolization therapy in patients with advanced hepatocellular carcinoma. Cooperative Study Group for Liver Cancer Treatment in Shikoku area. 1994 , 33 Suppl, S93-6		35
151	Subsegmental transcatheter arterial embolization for small hepatocellular carcinomas: local therapeutic effect and 5-year survival rate. 1994 , 33 Suppl, S84-8		56
150	Segmental transarterial chemoembolization with Lipiodol mixed with anticancer drugs for nonresectable hepatocellular carcinoma: follow-up CT and therapeutic results. 1994 , 33 Suppl, S60-8		58
149	Chemo-occlusion for the treatment of liver cancer. A new technique using degradable starch microspheres. 1994 , 26, 275-91		26
148	Combined transjugular intrahepatic portosystemic shunt and segmental Lipiodol hepatic artery embolization for the treatment of esophagogastric varices and hepatocellular carcinoma in patients with cirrhosis: preliminary report. CardioVascular and Interventional Radiology. 1995, 18, 9-15	2.7	20

[1999-1995]

147	Embolization of the hepatic falciform artery to prevent supraumbilical skin rash during transcatheter arterial chemoembolization for hepatocellular carcinoma. <i>CardioVascular and</i> 2.7 <i>Interventional Radiology</i> , 1995 , 18, 183-5	29	
146	Effective segmental chemoembolization of advanced hepatocellular carcinoma with tumor thrombus in the portal vein. <i>CardioVascular and Interventional Radiology</i> , 1995 , 18, 217-21	10	
145	Targeting of different ethiodized oil-doxorubicin mixtures to hypovascular hepatic metastases with intraarterial and intraportal injections. <i>Journal of Vascular and Interventional Radiology</i> , 1996 , 7, 409-17	10	
144	Regional Chemotherapy Approaches for Primary and Metastatic Liver Tumors. 1996 , 5, 411-427	21	
143	Ethanol injection for the treatment of hepatic tumours. 1996 , 6, 682-96	66	
142	Inhibition of NO synthase induction by an anticancer drug 4Repi-doxorubicin in rats. 1996 , 27, 1367-72	7	
141	Surgical treatment for hepatocellular carcinoma and concomitant esophagogastric varices. 1996 , 12, 193-6	2	
140	Ethiodized oil emulsions in hepatic microcirculation: in vivo microscopy in animal models. 1997 , 4, 275-82	38	
139	Persistent release of noradrenaline caused by anticancer drug 4Repidoxorubicin in rat tail artery in vitro. 1998 , 356, 25-30	2	
138	The long term efficacy of combined transcatheter arterial embolization and percutaneous ethanol injection in the treatment of patients with large hepatocellular carcinoma and cirrhosis. 1998 , 82, 78-85	69	
137	Transcatheter arterial embolization for malignant osseous and soft tissue sarcomas. II. Clinical results. <i>CardioVascular and Interventional Radiology</i> , 1998 , 21, 208-13	28	
136	Transcatheter oily chemoembolization of the inferior phrenic artery in hepatocellular carcinoma: the safety and potential therapeutic role. <i>Journal of Vascular and Interventional Radiology</i> , 1998 , 9, 495-500	102	
135	Subsegmental transcatheter arterial embolization for hepatocellular carcinoma in the caudate lobe. <i>Journal of Vascular and Interventional Radiology</i> , 1998 , 9, 501-8	43	
134	The watershed between right and left hepatic artery territories: findings on CT scans after transcatheter oily chemoembolization of hepatic tumors. A preliminary report. 1998 , 20, 355-60	7	
133	Ultrasound-guided percutaneous treatment of hepatocellular carcinoma by radiofrequency hyperthermia with a R ooled-tip needleRA preliminary clinical experience. 1999 , 9, 145-53	87	
132	Segmental embolization by ethanol iodized oil emulsion for hepatocellular carcinoma. 1999 , 19, 135-40	3	
131	Anticancer drugs inhibit induction of NO synthase in rat in vivo. 1999 , 32, 185-8	11	
130	Selective transcatheter hepatic arterial chemoembolization for hemobilia from hepatocellular carcinoma: report of three cases. <i>Journal of Vascular and Interventional Radiology</i> , 1999 , 10, 1357-60	13	

129	Hemostatic effect of glue-lipiodol mixture plugged in the needle tract after renal biopsies in a high-risk, anticoagulated rabbit model. <i>Investigative Radiology</i> , 2000 , 35, 684-8	10.1	7
128	Hepatocellular carcinoma extending into the portal vein: restoration of extended-term patency by placement of uncovered Wallstents. <i>CardioVascular and Interventional Radiology</i> , 2000 , 23, 159-61	2.7	2
127	Comparison of CT findings with resected specimens after chemoembolization with iodized oil for hepatocellular carcinoma. <i>American Journal of Roentgenology</i> , 2000 , 175, 699-704	5.4	180
126	Hepatocellular carcinoma with blood supply from omental branches: treatment with transcatheter arterial embolization. <i>Journal of Vascular and Interventional Radiology</i> , 2001 , 12, 1285-90	2.4	38
125	Liver abscess after transcatheter oily chemoembolization for hepatic tumors: incidence, predisposing factors, and clinical outcome. <i>Journal of Vascular and Interventional Radiology</i> , 2001 , 12, 313-20	2.4	133
124	Ischemic bile duct injury as a serious complication after transarterial chemoembolization in patients with hepatocellular carcinoma. 2001 , 32, 423-7		92
123	Comparison between color power Doppler ultrasound with echo-enhancer and spiral computed tomography in the evaluation of hepatocellular carcinoma vascularization before and after ablation procedures. 2001 , 96, 1854-9		19
122	Nonresectable hepatocellular carcinoma: improved percutaneous ethanol injection therapy guided by CO(2)-enhanced sonography. <i>American Journal of Roentgenology</i> , 2001 , 177, 789-98	5.4	26
121	Targeted transarterial oily chemoembolization for small foci of hepatocellular carcinoma using a unified helical CT and angiography system: analysis of factors affecting local recurrence and survival rates. <i>American Journal of Roentgenology</i> , 2001 , 176, 681-8	5.4	135
120	Angiographic study and therapeutic embolization of soft-tissue fibrosarcoma in a dog: case report and literature. 2002 , 38, 452-7		9
119	Pulmonary complications after hepatic artery chemoembolization or infusion via the inferior phrenic artery for primary liver cancer. <i>Journal of Vascular and Interventional Radiology</i> , 2002 , 13, 893-96	o ∂ ·4	54
118	Percutaneous ethanol injection via an artificially induced right hydrothorax for hepatocellular carcinoma in the hepatic dome. <i>CardioVascular and Interventional Radiology</i> , 2003 , 26, 543-9	2.7	4
117	Hepatic artery embolization for hepatocellular carcinoma: technique, patient selection, and outcomes. 2003 , 12, 105-26		41
116	Transcatheter arterial chemoembolization for unresectable hepatocellular carcinoma fed by the cystic artery. <i>Journal of Vascular and Interventional Radiology</i> , 2003 , 14, 1155-61	2.4	41
115	Extrahepatic collateral supply of hepatocellular carcinoma by the intercostal arteries. <i>Journal of Vascular and Interventional Radiology</i> , 2003 , 14, 461-8	2.4	54
114	Three-dimensional CT angiography of the hepatic artery: use of multi-detector row helical CT and a contrast agent. 2003 , 227, 883-9		41
113	Contrast-enhanced harmonic gray-scale sonographic-histologic correlation of the therapeutic effects of transcatheter arterial chemoembolization in patients with hepatocellular carcinoma. <i>American Journal of Roentgenology</i> , 2003 , 181, 65-9	5.4	36
112	Transcatheter arterial chemoembolization with paclitaxel-lipiodol solution in rabbit VX2 liver tumor. 2003 , 229, 126-31		49

111	multiphasic CT. 2003 , 27, 341-6	14
110	Multidetector-row CT angiography of the aorta and visceral arteries. 2004 , 25, 25-40	20
109	LAPAROSCOPIC ABLATION THERAPY FOR HEPATOCELLULAR CARCINOMA. 2005, 17, 1-8	3
108	Chemoembolization of the left inferior phrenic artery in patients with hepatocellular carcinoma: radiographic findings and clinical outcome. <i>Journal of Vascular and Interventional Radiology</i> , 2005 , 2.4 16, 1741-5	18
107	Extension of radiofrequency ablation of the liver by transcatheter arterial embolization with iodized oil and gelatin sponge: results in a pig model. <i>Journal of Vascular and Interventional</i> 2.4 <i>Radiology</i> , 2005 , 16, 849-56	39
106	Diaphragmatic weakness after transcatheter arterial chemoembolization of inferior phrenic artery for treatment of hepatocellular carcinoma. 2006 , 241, 581-8	24
105	Prospective cohort study of transarterial chemoembolization for unresectable hepatocellular carcinoma in 8510 patients. 2006 , 131, 461-9	629
104	Long-term results of percutaneous ethanol injection for the treatment of hepatocellular carcinoma in Korea. 2006 , 7, 187-92	19
103	Risk factors for local tumor recurrence after segmental transarterial chemoembolization for hepatocellular carcinoma: the importance of tumor located in the segmental border zone. 2006 , 7, 267-74	4
102	Treatment of small hepatocellular carcinoma: a comparison of techniques and long-term results. 2006 , 18, 659-72	20
101	Extrahepatic blood supply to hepatocellular carcinoma: angiographic demonstration and transcatheter arterial chemoembolization. <i>CardioVascular and Interventional Radiology</i> , 2006 , 29, 39-48	108
100	Prediction of viable tumor in hepatocellular carcinoma treated with transcatheter arterial chemoembolization: usefulness of attenuation value measurement at quadruple-phase helical computed tomography. 2007 , 31, 198-203	29
99	Chemoembolization of hepatocellular carcinoma with drug eluting beads: efficacy and doxorubicin pharmacokinetics. 2007 , 46, 474-81	734
98	Ultraselective transcatheter arterial chemoembolization with a 2-f tip microcatheter for small hepatocellular carcinomas: relationship between local tumor recurrence and visualization of the 2.4 portal vein with iodized oil. <i>Journal of Vascular and Interventional Radiology</i> , 2007 , 18, 365-76	191
97	Efficacy of transcatheter embolization/chemoembolization (TAE/TACE) for the treatment of single hepatocellular carcinoma. <i>World Journal of Gastroenterology</i> , 2007 , 13, 2952-5	55
96	Local recurrence of hepatocellular carcinoma after segmental transarterial chemoembolization: risk estimates based on multiple prognostic factors. 2007 , 8, 111-9	9
95	Altered findings of hepatic arteriography after radiofrequency ablation of hepatocellular carcinoma: comparison of pre-ablation and post-ablation angiograms. <i>Abdominal Imaging</i> , 2007 , 32, 332-8	1
94	Clinicopathologic features and results of transcatheter arterial chemoembolization for osteosarcoma. <i>CardioVascular and Interventional Radiology</i> , 2007 , 30, 201-6	28

93	Local therapeutic results of computed tomography-guided transcatheter arterial chemoembolization for hepatocellular carcinoma: results of 265 tumors in 79 patients. <i>CardioVascular and Interventional Radiology</i> , 2007 , 30, 1144-55	2.7	20	
92	Iodized oil accumulation in the hypovascular tumor portion of early-stage hepatocellular carcinoma after ultraselective transcatheter arterial chemoembolization. 2007 , 1, 451-9		28	
91	Transcatheter arterial chemoembolization (TACE) with lipiodol to treat hepatocellular carcinoma: survey results from the TACE study group of Japan. <i>CardioVascular and Interventional Radiology</i> , 2008 , 31, 756-61	2.7	37	
90	Transarterial chemoembolization using cisplatin powder in a rabbit model of liver cancer. <i>CardioVascular and Interventional Radiology</i> , 2008 , 31, 981-5	2.7	18	
89	Angiographic evaluation of hepatic arterial damage after transarterial chemoembolization for hepatocellular carcinoma. 2008 , 26, 206-12		37	
88	Iodized oil accumulation in hypervascular hepatocellular carcinoma after transcatheter arterial chemoembolization: comparison of imaging findings with CT during hepatic arteriography. <i>Journal of Vascular and Interventional Radiology</i> , 2008 , 19, 333-41	2.4	20	
87	Creation of a cleft in an angiography catheter to facilitate catheterization of branches of the aorta arising at an acute angle. <i>Journal of Vascular and Interventional Radiology</i> , 2008 , 19, 1769-71	2.4	5	
86	Evaluation of hepatocellular carcinoma supplied by the right inferior phrenic artery at initial treatment. 2008 , 32, 877-81		3	
85	Multivariate analysis of the predictors of survival for patients with hepatocellular carcinoma undergoing transarterial chemoembolization: focusing on superselective chemoembolization. 2008 , 9, 534-40		29	
84	Impact of a unified CT angiography system on outcome of patients with hepatocellular carcinoma. <i>American Journal of Roentgenology</i> , 2009 , 192, 766-74	5.4	28	
83	The anterior branch of the left inferior phrenic artery arising from the right inferior phrenic artery: an angiographic and CT study. <i>CardioVascular and Interventional Radiology</i> , 2009 , 32, 250-4	2.7	14	
82	Usefulness of cone-beam computed tomography during ultraselective transcatheter arterial chemoembolization for small hepatocellular carcinomas that cannot be demonstrated on angiography. <i>CardioVascular and Interventional Radiology</i> , 2009 , 32, 255-64	2.7	92	
81	Histopathological findings after ultraselective transcatheter arterial chemoembolization for hepatocellular carcinoma. <i>Hepatology Research</i> , 2009 , 39, 374-81	5.1	44	
80	Effects of hepatic artery chemoembolization using cisplatin-lipiodol suspension with gelatin sponge particles on swine liver. <i>Journal of Vascular and Interventional Radiology</i> , 2009 , 20, 1359-64	2.4	10	
79	Development of diaphragmatic weakness after transcatheter arterial chemoembolization of the right inferior phrenic artery: frequency and determinant factors. <i>Journal of Vascular and Interventional Radiology</i> , 2009 , 20, 484-9	2.4	12	
78	Efficacy of transarterial embolization with arsenic trioxide oil emulsion in a rabbit VX2 liver tumor model. <i>Journal of Vascular and Interventional Radiology</i> , 2009 , 20, 1365-70	2.4	12	
77	Safety margins of hepatocellular carcinoma demonstrated by 3-dimensional fused images of computed tomographic hepatic arteriography/unenhanced computed tomography: prognostic significance in patients who underwent transcatheter arterial chemoembolization. 2010 , 34, 712-9		4	
76	Main bile duct stricture occurring after transcatheter arterial chemoembolization for hepatocellular carcinoma. <i>CardioVascular and Interventional Radiology</i> , 2010 , 33, 1168-79	2.7	44	

(2013-2010)

75	Excellent outcomes with angiographic subsegmentectomy in the treatment of typical hepatocellular carcinoma: a retrospective study of local recurrence and long-term survival rates in 120 patients with hepatocellular carcinoma. 2010 , 116, 393-9		23	
74	Haemodynamic events and localised parenchymal changes following transcatheter arterial chemoembolisation for hepatic malignancy: interpretation of imaging findings. 2010 , 83, 71-81		22	
73	Delineation of the watershed between right and left hepatic arterial territories with carbon dioxide-enhanced ultrasonography. <i>Journal of Vascular and Interventional Radiology</i> , 2011 , 22, 667-72	2.4	6	
72	Portal blood supply to locally progressed hepatocellular carcinoma after transcatheter arterial chemoembolization: Observation on CT during arterial portography. <i>Hepatology Research</i> , 2011 , 41, 853	3- 5 - 5	16	
71	Efficacy of selective transarterial chemoembolization in inducing tumor necrosis in small (. 2011 , 53, 1580-9		187	
70	Superselective transarterial chemoembolization for hepatocellular carcinoma: recent progression and perspective. <i>Oncology</i> , 2011 , 81 Suppl 1, 105-10	3.6	7	
69	Use of the triaxial microcatheter method in super-selective transcatheter arterial chemoembolisation for hepatocellular carcinoma. 2011 , 84, 184-7		20	
68	Transarterial chemoembolization for hepatocellular carcinoma over three decades: current progress and perspective. 2012 , 42, 247-55		37	
67	Current status of embolic agents for liver tumor embolization. 2012 , 17, 306-15		49	
66	Clinical usefulness of the triaxial system in super-selective transcatheter arterial chemoembolization for hepatocellular carcinoma. 2012 , 53, 857-61		14	
65	Origins of feeding arteries of hepatocellular carcinoma located near the umbilical fissure of the left hepatic lobe: angiographic evaluation. <i>CardioVascular and Interventional Radiology</i> , 2012 , 35, 1380-7	2.7	2	
64	Variations in feeding arteries of hepatocellular carcinoma located in the left hepatic lobe. <i>Japanese Journal of Radiology</i> , 2012 , 30, 471-9	2.9	7	
63	Comparison of local control effects of superselective transcatheter arterial chemoembolization using epirubicin plus mitomycin C and miriplatin for hepatocellular carcinoma. <i>Japanese Journal of Radiology</i> , 2012 , 30, 263-70	2.9	38	
62	Long-term outcome of transcatheter subsegmental and segmental arterial chemoemobolization using lipiodol for hepatocellular carcinoma. <i>CardioVascular and Interventional Radiology</i> , 2012 , 35, 544-5	5 4 ·7	24	
61	Use of arterial to equilibrium enhancement washout to predict viability in liver cancers treated with transcatheter arterial chemoembolization. <i>Journal of the Korean Physical Society</i> , 2013 , 62, 1204-1210	0.6		
60	Identification of small hepatocellular carcinoma and tumor-feeding branches with cone-beam CT guidance technology during transcatheter arterial chemoembolization. <i>Journal of Vascular and Interventional Radiology</i> , 2013 , 24, 501-8	2.4	95	
59	Prospective study of transcatheter arterial chemoembolization for unresectable hepatocellular carcinoma: an Asian cooperative study between Japan and Korea. <i>Journal of Vascular and Interventional Radiology</i> , 2013 , 24, 490-500	2.4	59	
58	Hepatocellular carcinoma responding to superselective transarterial chemoembolization: an issue of nodule dimension?. <i>Journal of Vascular and Interventional Radiology</i> , 2013 , 24, 509-17	2.4	71	

57	Transcatheter arterial chemoembolization for unresectable hepatocellular carcinoma: recent progression and perspective. <i>Oncology</i> , 2013 , 84 Suppl 1, 28-33	3.6	10
56	Comparison of epirubicin hydrochloride and miriplatin hydrate as anticancer agents for transcatheter arterial chemoembolization of hepatocellular carcinoma. <i>Hepatology Research</i> , 2013 , 43, 475-80	5.1	8
55	Effect of transarterial chemoembolization with miriplatin plus epirubicin on local control of hepatocellular carcinoma: a retrospective comparison with miriplatin monotherapy. <i>OncoTargets and Therapy</i> , 2013 , 6, 1025-30	4.4	
54	Transarterial chemoembolization for hepatocellular carcinoma: A review of techniques. <i>World Journal of Hepatology</i> , 2014 , 6, 844-50	3.4	45
53	Ultraselective transcatheter arterial chemoembolization for small hepatocellular carcinoma guided by automated tumor-feeders detection software: technical success and short-term tumor response. <i>Abdominal Imaging</i> , 2014 , 39, 645-56		35
52	Comparison of local control in transcatheter arterial chemoembolization of hepatocellular carcinoma B cm with or without intraprocedural monitoring of the embolized area using cone-beam computed tomography. <i>CardioVascular and Interventional Radiology</i> , 2014 , 37, 388-95	2.7	50
51	Chemoembolization-induced arterial damage: Evaluation of three different chemotherapeutic protocols using epirubicin and miriplatin. <i>Hepatology Research</i> , 2014 , 44, 201-8	5.1	9
50	Feasible and technical aspects of transcatheter arterial chemoembolization for non-resectable hepatocellular carcinoma using a 3.5-French catheter system. <i>Abdominal Imaging</i> , 2014 , 39, 1304-8		2
49	Guidelines on the use of gelatin sponge particles in embolotherapy. <i>Japanese Journal of Radiology</i> , 2014 , 32, 242-50	2.9	31
48	Development of Intra-Arterial Chemoembolization for Various Types of Cancer in Humans. <i>Juntendo Medical Journal</i> , 2015 , 61, 220-227	0.1	
47	Surgical and Locoregional Therapy of HCC: TACE. <i>Liver Cancer</i> , 2015 , 4, 165-75	9.1	105
46	Development of Conventional Transarterial Chemoembolization for Hepatocellular Carcinomas in Japan: Historical, Strategic, and Technical Review. <i>American Journal of Roentgenology</i> , 2015 , 205, 764-7	3 ^{5.4}	24
45	Transcatheter arterial embolization of hypervascular tumors with HepaSphere: prospective multicenter open label clinical trial of microspheres in Japan. <i>Japanese Journal of Radiology</i> , 2015 , 33, 479-86	2.9	5
44	Evaluation of tumor recurrence after superselective conventional transcatheter arterial chemoembolization for hepatocellular carcinoma: Comparison of computed tomography and gadoxetate disodium-enhanced magnetic resonance imaging. <i>Hepatology Research</i> , 2016 , 46, 890-8	5.1	9
43	Synthesis of 24-h soluble gelatin sponge particles and their effect on liver necrosis following hepatic artery embolization: Results of in vitro and in vivo studies. <i>Hepatology Research</i> , 2016 , 46, 335-4	125.1	2
42	Superselective Conventional Transarterial Chemoembolization for Hepatocellular Carcinoma: Rationale, Technique, and Outcome. <i>Journal of Vascular and Interventional Radiology</i> , 2016 , 27, 1269-12	78 ⁴	37
41	Selective balloon-occluded transarterial chemoembolization for patients with one or two hepatocellular carcinoma nodules: Retrospective comparison with conventional super-selective TACE. <i>Hepatology Research</i> , 2016 , 46, 209-14	5.1	31
4 0	Treatment of Liver Tumors with Lipiodol TACE: Technical Recommendations from Experts Opinion. CardioVascular and Interventional Radiology, 2016 , 39, 334-43	2.7	133

39	Transarterial Therapies for Hepatocellular Carcinoma. <i>Liver Cancer</i> , 2016 , 6, 27-33	9.1	34
38	Miscellaneous Indications for Embolization: Indications for Bleeding or for Decreasing Vascularity in Different Vascular Beds. 2017 , 93-128		
37	Use of proximal side-hole micro-balloon catheter in transcatheter hepatic arterial chemoembolization. <i>Minimally Invasive Therapy and Allied Technologies</i> , 2017 , 26, 372-376	2.1	5
36	Transarterial Chemoembolization with and without Microballoon Occlusion for Hypovascular Hepatocellular Carcinoma. <i>Interventional Radiology</i> , 2017 , 2, 1-4	0.1	
35	Improved Local Tumor Control and Survival Rates by Obtaining a 3D-Safety Margin in Superselective Transarterial Chemoembolization for Small Hepatocellular Carcinoma. <i>CardioVascular and Interventional Radiology</i> , 2020 , 43, 423-433	2.7	4
34	Feasibility of Changing Intra-Arterial Flow Direction by Temporary Occlusion Using Retrievable Coils: Study with a Normal Pig Model. <i>Journal of Vascular and Interventional Radiology</i> , 2020 , 31, 341-34	6 ^{2.4}	
33	Sodium Cholate Bile Acid-Stabilized Ferumoxytol-Doxorubicin-Lipiodol Emulsion for Transcatheter Arterial Chemoembolization of Hepatocellular Carcinoma. <i>Journal of Vascular and Interventional Radiology</i> , 2020 , 31, 1697-1705.e3	2.4	3
32	Efficacy of combined bland embolization and chemoembolization for huge (10 cm) hepatocellular carcinoma. <i>Minimally Invasive Therapy and Allied Technologies</i> , 2021 , 30, 221-228	2.1	5
31	The diagnostic value of dual-phase cone-beam CT during hepatic arteriography in transarterial chemoembolization for hepatocellular carcinoma. <i>Medicine (United States)</i> , 2021 , 100, e24902	1.8	
30	Survival impact of C-Arm cone-beam computed tomography on hepatocellular carcinoma patients undergoing chemoembolization. <i>American Journal of Interventional Radiology</i> , 5, 9		
29	The Impact of the use of C-Arm Cone-Beam CT during Chemoembolization for Hepatocellular Carcinoma. <i>Current Medical Imaging</i> , 2021 ,	1.2	1
28	Can nanotechnology overcome challenges facing stem cell therapy? A review. <i>Journal of Drug Delivery Science and Technology</i> , 2021 , 66, 102883	4.5	О
27	Balloon-Occluded Transarterial Chemoembolization: In Which Size Range Does It Perform Best? A Comparison of Its Efficacy versus Conventional Transarterial Chemoembolization, Using Propensity Score Matching. <i>Liver Cancer</i> , 2021 , 10, 522-534	9.1	1
26	Liver-Specific X-Ray Contrast Agents. <i>Topics in Current Chemistry</i> , 2002 , 173-200		8
25	Interventionelle Radiologie. 1995 , 237-256		1
24	Long-term results of lipiodol-transcatheter arterial embolization with cisplatin or doxorubicin for unresectable hepatocellular carcinoma. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2000 , 23, 564-8	2.7	65
23	Effect of temporary hepatic venous occlusion on hepatic arterial embolization. An experimental study. <i>Investigative Radiology</i> , 1999 , 34, 341-7	10.1	1
22	Cone-Beam Computed Tomography Correlates with Conventional Helical Computed Tomography in Evaluation of Lipiodol Accumulation in HCC after Chemoembolization. <i>PLoS ONE</i> , 2016 , 11, e0145546	; 3.7	9

21	Historical changes of hospitalization in patients with hepatocellular carcinoma considering for clinical path preparation. <i>Journal of Medical Investigation</i> , 2007 , 54, 124-32	1.2	1
20	Safety margin of embolized area can reduce local recurrence of hepatocellular carcinoma after superselective transarterial chemoembolization. <i>Clinical and Molecular Hepatology</i> , 2019 , 25, 74-85	6.9	13
19	Predictive factors of tumor response to trans-catheter treatment in cirrhotic patients with hepatocellular carcinoma: a multivariate analysis of pre-treatment findings. <i>World Journal of Gastroenterology</i> , 2007 , 13, 6022-6	5.6	15
18	Radiofrequency ablation in a porcine liver model: effects of transcatheter arterial embolization with iodized oil on ablation time, maximum output, and coagulation diameter as well as angiographic characteristics. <i>World Journal of Gastroenterology</i> , 2007 , 13, 2841-5	5.6	16
17	CT volume measurement for prognostic evaluation of unresectable hepatocellular carcinoma after TACE. World Journal of Gastroenterology, 2010 , 16, 2038-45	5.6	13
16	Therapeutic efficacy of transarterial chemo-embolization with a fine-powder formulation of cisplatin for hepatocellular carcinoma. <i>World Journal of Gastroenterology</i> , 2013 , 19, 2242-8	5.6	5
15	Stage II surgical resection of hepatocellular carcinoma after TAE:a report of 38 cases. <i>World Journal of Gastroenterology</i> , 1998 , 4, 133-136	5.6	10
14	Cancer of the Liver, Biliary Tree, and Pancreas. 2002 , 478-505		
13	Chemoembolization, Infusion, and Embolization. <i>Medical Radiology</i> , 2004 , 179-224	0.2	
12	Five cases of hepatocellular carcinoma with more than ten years survival. <i>Acta Hepatologica Japonica</i> , 2005 , 46, 372-381	0.3	1
11	Comparative study of transcatheter arterial embolization (TAE) for hepatocellular carcinoma using a lecithin-added Lipiodol emulsion. <i>Acta Hepatologica Japonica</i> , 2005 , 46, 395-405	0.3	1
10	Analysis of transcatheter arterial infusion chemotherapy of cisplatin in advanced hepatocellular carcinoma: relationship between imaging findings (contrast-enhanced CT and angiography) and the results of TAI. <i>Acta Hepatologica Japonica</i> , 2008 , 49, 461-469	0.3	4
9	[Outstanding radiation medicine: its present, future and harmony between man and technologyIVR]. <i>Japanese Journal of Radiological Technology</i> , 2010 , 66, 641-3		
8	Special Techniques. 2013, 473-540		1
7	Comparison of the Local Control Effects of Microballoon-Occluded Transarterial Chemoembolization (TACE) Using Miriplatin and Using Epirubicin for Hepatocellular Carcinoma: A Retrospective Study of 62 Cases. <i>Interventional Radiology</i> , 2017 , 2, 64-73	0.1	0
6	Midterm Outcomes and Prognostic Factors of Patients Treated Using Microballoon-Occluded Transarterial Chemoembolization with Miriplatin: A Retrospective Study of 37 Cases. <i>Interventional Radiology</i> , 2018 , 3, 97-109	0.1	
5	A Case of Spontaneous Rupture of Hepatocellular Carcinoma Supplied by the Right Renal Capsular Artery Treated by Transcatheter Arterial Embolization. <i>Journal of Liver Cancer</i> , 2019 , 19, 59-63	0.7	
4	Recent technical advances in conventional transarterial chemoembolization for hepatocellular carcinoma in Japan. <i>International Journal of Gastrointestinal Intervention</i> , 2021 , 10, 152-160	0.2	

CITATION REPORT

Physics and Physiology of Transarterial Chemoembolization and Drug-Eluting Beads for Liver Tumors. **2020**, 29-42

2	Balloon-occluded transarterial chemoembolization for hepatocellular carcinoma: History, background, and the roles. <i>International Journal of Gastrointestinal Intervention</i> , 2020 , 9, 13-18	0.2
1	Hepatic Arterioportal Fistulas: A Retrospective Analysis of 97 Cases. <i>Journal of Clinical and Translational Hepatology</i> , 2022 , 000, 000-000	5.2