

CITATION REPORT

List of articles citing

Percutaneous transluminal angioplasty of occlusions of the femoral and popliteal arteries by subintimal dissection

DOI: 10.1007/bf02578675

CardioVascular and Interventional Radiology, 1990, 13, 357-63

Source: <https://exaly.com/paper-pdf/21344866/citation-report.pdf>

Version: 2024-04-29

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
275	Percutaneous femoropopliteal graft placement. <i>Journal of Vascular and Interventional Radiology</i> , 1993 , 4, 455-63	2.4	46
274	Subintimal angioplasty for femoropopliteal artery occlusion. 1993 , 341, 238		13
273	Subintimal and intraluminal recanalisation of occluded crural arteries by percutaneous balloon angioplasty. 1994 , 8, 214-9		87
272	Subintimal angioplasty of femoropopliteal artery occlusions: the long-term results. 1994 , 8, 148-55		175
271	Recanalization using a low speed rotational device (ROTACS) in total occlusions of the femoropopliteal artery. 1994 , 49, 304-6		3
270	Percutaneous transluminal angioplasty by a retrograde subintimal transpopliteal approach. 1994 , 49, 824-7; discussion 827-8		32
269	Percutaneous intentional extraluminal recanalisation of the femoropopliteal artery. 1994 , 8, 723-8		66
268	Recanalisation of the native artery following failure of a bypass graft. 1995 , 10, 125-7		15
267	Percutaneous transluminal angioplasty by a retrograde subintimal transpopliteal approach. 1995 , 50, 507-8		8
266	Percutaneous transluminal angioplasty in femoral artery occlusions: primary and long-term results in 107 claudicant patients using femoral and popliteal catheterization techniques. 1995 , 50, 237-44		50
265	Technical report: Recanalisation of all three infrapopliteal arteries by subintimal angioplasty. 1996 , 51, 366-7		24
264	Percutaneous extraluminal (subintimal) recanalization of a brachial artery occlusion following cardiac catheterization. <i>CardioVascular and Interventional Radiology</i> , 1996 , 19, 184-6	2.7	7
263	Intentional extraluminal recanalisation of the femoropopliteal segment following perforation during percutaneous transluminal angioplasty. 1996 , 12, 246-9		14
262	Recanalization of iliac artery occlusion by subintimal dissection using the ipsilateral and the contralateral approach. 1997 , 52, 684-7		32
261	Subintimal angioplasty of infrapopliteal occlusions in critically ischaemic limbs. 1997 , 14, 212-6		93
260	Results of surgery and angioplasty for the treatment of chronic severe lower limb ischaemia. 1998 , 16, 159-63		45
259	Positive outcome following unsuccessful subintimal angioplasty. 1998 , 16, 266-70		16

258	The clinical impact of the Pier technique. 1998 , 28, 189-91		4
257	Percutaneous intentional extraluminal (subintimal) recanalization: how to do it yourself. 1998 , 28, 192-8		89
256	Subintimal recanalisation of a popliteal occlusion following a perforation and coil embolisation. 1999 , 17, 363-5		6
255	Vascular imaging and intervention in peripheral arteries in the diabetic patient. 2000 , 16 Suppl 1, S16-22		32
254	Subintimal angioplasty of tibial vessel occlusions in the treatment of critical limb ischaemia: mid-term results. 2000 , 20, 441-6		107
253	Angioplasty and stent placement in chronic occlusion of the superficial femoral artery: technique and results. <i>Journal of Vascular and Interventional Radiology</i> , 2000 , 11, 1009-20	2.4	46
252	Recanalization Devices and Techniques. <i>Journal of Vascular and Interventional Radiology</i> , 2001 , 12, P78-P84		
251	Open Surgery has not had its Day. 2001 , 101, 101-105		
250	Femoropopliteal artery obstructions: from the balloon to the stent-graft. <i>CardioVascular and Interventional Radiology</i> , 2001 , 24, 73-83	2.7	20
249	Subintimal angioplasty of native vessels in the management of occluded vascular grafts. 2001 , 22, 41-3		17
248	Subintimal angioplasty of isolated infragenicular vessels in lower limb ischemia: long-term results. <i>Journal of Endovascular Therapy</i> , 2002 , 9, 411-6	2.5	114
247	Percutaneous intentional extraluminal (subintimal) revascularization (PIER) for critical lower limb ischemia: too good to be true?. <i>Journal of Endovascular Therapy</i> , 2002 , 9, 419-21	2.5	19
246	Diameter of occluded superficial femoral arteries limits percutaneous recanalization: preliminary results. <i>Journal of Endovascular Therapy</i> , 2002 , 9, 369-74	2.5	5
245	Review: The management of tibial artery disease in diabetes. 2002 , 2, 162-166		3
244	Subintimal angioplasty in lower limb ischemia: a vascular surgeon's view. <i>Journal of Endovascular Therapy</i> , 2002 , 9, 417-8	2.5	3
243	The radiological investigation and treatment of the critically ischemic limb--a review. 2002 , 1, 33-42		
242	Subintimal Recanalization for SFA Disease. <i>Journal of Vascular and Interventional Radiology</i> , 2002 , 13, P161-P164	2.4	
241	Role of subintimal angioplasty in the treatment of chronic lower limb ischaemia. 2002 , 24, 417-22		53

240	The results of subintimal angioplasty in a district general hospital. 2002 , 24, 524-7		47
239	Short-term results of femoropopliteal subintimal angioplasty. 2000 , 87, 1361-5		63
238	Management of intermittent claudication (Br J Surg 2002; 89: 529-31). 2002 , 89, 1323-4; author reply 1324-5		
237	Techniques for the endovascular management of complications following lower limb percutaneous transluminal angioplasty. 2003 , 25, 125-30		32
236	Subintimal angioplasty as a treatment of femoropopliteal artery occlusions. 2003 , 25, 578-82		89
235	Subintimal Recanalization of the Femoropopliteal Artery. <i>Journal of Vascular and Interventional Radiology</i> , 2003 , 14, P98-P102	2.4	
234	Subintimal angioplasty of long superficial femoral artery occlusions. <i>Journal of Vascular and Interventional Radiology</i> , 2003 , 14, 997-1010	2.4	64
233	Systematic versus selective stent placement after superficial femoral artery balloon angioplasty: a multicenter prospective randomized study. <i>Journal of Vascular Surgery</i> , 2003 , 37, 487-94	3.5	132
232	Treatment of limb-threatening ischemia with percutaneous intentional extraluminal recanalization: a preliminary evaluation. <i>Journal of Vascular Surgery</i> , 2003 , 38, 29-35	3.5	30
231	Simultaneous antegrade and retrograde access for subintimal recanalization of peripheral arterial occlusion. <i>Journal of Vascular and Interventional Radiology</i> , 2003 , 14, 1449-54	2.4	80
230	Percutaneous treatment of long superficial femoral artery occlusive disease: efficacy of the Hemobahn stent-graft. <i>Journal of Endovascular Therapy</i> , 2003 , 10, 619-28	2.5	36
229	Percutaneous transluminal angioplasty in the treatment of critical limb ischemia. <i>Journal of Endovascular Therapy</i> , 2003 , 10, 298-303	2.5	59
228	Percutaneous intentional extraluminal recanalization in patients with chronic critical limb ischemia. 2004 , 232, 499-507		60
227	Fate of collateral vessels following subintimal angioplasty. <i>Journal of Endovascular Therapy</i> , 2004 , 11, 269-73	2.5	32
226	Novel intravascular ultrasound-guided method to create transintimal arterial communications: initial experience in peripheral occlusive disease and aortic dissection. <i>Journal of Endovascular Therapy</i> , 2004 , 11, 274-80	2.5	69
225	Subintimal versus intraluminal recanalization of chronic iliac occlusions. <i>Journal of Endovascular Therapy</i> , 2004 , 11, 107-18	2.5	35
224	Subintimal angioplasty as a primary modality in the management of critical limb ischemia: comparison to bypass grafting for aortoiliac and femoropopliteal occlusive disease. <i>Journal of Endovascular Therapy</i> , 2004 , 11, 460-71	2.5	58
223	Percutaneous peripheral atherectomy of femoropopliteal stenoses using a new-generation device: six-month results from a single-center experience. <i>Journal of Endovascular Therapy</i> , 2004 , 11, 676-85	2.5	95

222	Endovascular interventions in iliac and infrainguinal occlusive artery disease. 2004 , 17, 427-35		29
221	Subintimal angioplasty: feasible and durable. 2004 , 28, 138-41		53
220	Percutaneous transluminal angioplasty for critical limb ischaemia in octogenarians and nonagenarians. 2004 , 28, 142-5		41
219	Subintimal angioplasty in the treatment of patients with intermittent claudication: long term results. 2004 , 28, 645-50		55
218	The outback catheter: a new device for true lumen re-entry after dissection during recanalization of arterial occlusions. <i>CardioVascular and Interventional Radiology</i> , 2004 , 27, 26-30	2.7	56
217	Utility of IVUS-guided transaccess catheter in the treatment of long chronic total occlusion of the superficial femoral artery. <i>Catheterization and Cardiovascular Interventions</i> , 2004 , 62, 237-43	2.7	25
216	Can endovascular therapy of infrainguinal disease for claudication be justified?. <i>Expert Review of Cardiovascular Therapy</i> , 2004 , 2, 229-37	2.5	5
215	Subintimal PTA: The Elegant Solution. <i>Journal of Vascular and Interventional Radiology</i> , 2004 , 15, P132-P134		1
214	Subintimal angioplasty for infrainguinal occlusive disease. 2004 , 84, 1365-80, viii		16
213	Homocysteine levels, haemostatic risk factors and patency rates after endovascular treatment of the above-knee femoro-popliteal artery. 2004 , 28, 410-7		18
212	Subintimal recanalisation and stenting of a common iliac artery occlusion by a left axillary and an ipsilateral femoral retrograde approach using modified gooseneck grab aided by balloon dilatation of "dissection port". 2004 , 59, 527-30		5
211	Percutaneous bypass: subintimal recanalization of peripheral occlusive disease with IVUS guided luminal re-entry. 2004 , 7, 23-7		32
210	Subintimal angioplasty for chronic arterial occlusions. 2004 , 7, 16-22		36
209	Technical report and preliminary clinical data of a novel catheter for luminal re-entry after subintimal dissection. 2005 , 40, 725-8		28
208	Comprehensive endovascular therapy for femoropopliteal arterial atherosclerotic occlusive disease. 2005 , 201, 275-96		32
207	Two cases of subintimal angioplasty with proximal stent implantation for long superficial femoral artery occlusions. <i>Catheterization and Cardiovascular Interventions</i> , 2005 , 65, 540-3	2.7	3
206	Femoropopliteal subintimal angioplasty and nitinol stenting: a marriage of technique and technology...but will it last?. <i>Catheterization and Cardiovascular Interventions</i> , 2005 , 65, 544-6	2.7	
205	Endovascular placement of an extraluminal femoropopliteal bypass graft in human cadavers. <i>CardioVascular and Interventional Radiology</i> , 2005 , 28, 209-14	2.7	3

204	Percutaneous endovascular treatment for chronic limb ischemia. <i>Annals of Vascular Surgery</i> , 2005 , 19, 186-91	1.7	42
203	Comparison of results in endovascular interventions for infrainguinal lesions: claudication versus critical limb ischemia. 2005 , 71, 474-9; discussion 479-80		40
202	Percutaneous extraluminal recanalization: usefulness of false channel balloon dilation and heparin administration before true lumen reentry. 2005 , 237, 744-5; author reply 745		2
201	Subintimal Recanalization Techniques. <i>Journal of Vascular and Interventional Radiology</i> , 2005 , 16, P59-P62.4		2
200	Subintimal arterial flossing with antegrade-retrograde intervention (SAFARI) for subintimal recanalization to treat chronic critical limb ischemia. <i>Journal of Vascular and Interventional Radiology</i> , 2005 , 16, 37-44	2.4	162
199	A comparison of a 'J' wire and a straight wire in successful antegrade cannulation of the superficial femoral artery. 2005 , 60, 112-5		4
198	Delayed recanalization angioplasty after traumatic occlusion of the superficial femoral and popliteal artery. <i>Journal of Vascular Surgery</i> , 2005 , 41, 544-7	3.5	2
197	Results of percutaneous subintimal angioplasty using routine stenting. <i>Journal of Vascular Surgery</i> , 2006 , 43, 513-9	3.5	51
196	Subintimal angioplasty in the treatment of chronic lower limb ischemia. 2006 , 7, 131-8		4
195	Analysis of outcomes following failed endovascular treatment of chronic limb ischemia. <i>Annals of Vascular Surgery</i> , 2006 , 20, 440-6	1.7	70
194	[Chronic critical ischemia of the lower leg: pretherapeutic imaging and methods for revascularization]. 2006 , 46, 962-72		
193	The impact of diabetes on current revascularisation practice and clinical outcome in patients with critical lower limb ischaemia. 2006 , 32, 51-9		61
192	Subintimal angioplasty of tibial vessel occlusions in critical limb ischaemia: a good opportunity?. 2006 , 32, 663-7		48
191	Reinforced long saphenous vein bypass graft for infrainguinal reconstruction procedures: case series and literature review. <i>Vascular</i> , 2006 , 14, 113-8	1.3	7
190	Subintimal recanalization of the femoropopliteal segment to promote healing of an ulcerated below-knee amputation stump. <i>Journal of Endovascular Therapy</i> , 2006 , 13, 420-3	2.5	3
189	Efficacy of subintimal angioplasty/stent implantation for long, multisegmental lower limb occlusive lesions in patients unsuitable for surgery. <i>Journal of Endovascular Therapy</i> , 2006 , 13, 514-21	2.5	25
188	Subintimal angioplasty of infrainguinal arterial occlusions for critical limb ischemia: long-term patency and clinical efficacy. <i>Journal of Endovascular Therapy</i> , 2007 , 14, 444-51	2.5	11
187	Improved technical success and midterm patency with subintimal angioplasty compared to intraluminal angioplasty in long femoropopliteal occlusions. <i>Journal of Endovascular Therapy</i> , 2007 , 14, 374-81	2.5	46

186	Initial experience with directed laser atherectomy using the CLiRpath photoablation atherectomy system and bias sheath in superficial femoral artery lesions. <i>Journal of Endovascular Therapy</i> , 2007 , 14, 365-73	2.5	20
185	Iatrogenic vessel perforation during below-the-knee percutaneous revascularisation for critical limb ischaemia: successful management with deep catheter intubation and prolonged balloon inflations. 2007 , 8, 305-8		1
184	Side-by-side stenting technique to recanalise a complete in-stent occlusion of the superficial femoral artery. 2007 , 8, 965-6		2
183	Management of complex femoral artery occlusion with a re-entry catheter. 2007 , 8, 1083-5		
182	Subintimal angioplasty as the first-choice revascularization technique for infrainguinal arterial occlusions in patients with critical limb ischemia. <i>Annals of Vascular Surgery</i> , 2007 , 21, 819-28	1.7	19
181	L'angioplastie sous-intimale : la technique de choix pour traiter les occlusions artérielles sous-inguinales chez les malades ayant une ischémie critique de membre. 2007 , 21, 462-472		
180	The feasibility of a percutaneous temporary pedal bypass. 2007 , 34, 50-2		6
179	Percutaneous recanalization of acute internal carotid artery occlusions in patients with severe stroke. <i>CardioVascular and Interventional Radiology</i> , 2007 , 30, 34-41	2.7	35
178	The "Safari" technique to perform difficult subintimal infragenicular vessels. <i>CardioVascular and Interventional Radiology</i> , 2007 , 30, 469-73	2.7	61
177	Indikation und Technik der kruralen PTA. 2007 , 12, 104-114		0
176	The use of a re-entry catheter in recanalization of chronic inflow occlusions of the common iliac artery. <i>CardioVascular and Interventional Radiology</i> , 2008 , 31, 650-4	2.7	21
175	Subintimal angioplasty for peripheral arterial occlusive disease: a systematic review. <i>CardioVascular and Interventional Radiology</i> , 2008 , 31, 687-97	2.7	148
174	Novel use of ultrasound guidance for recanalization of iliac, femoral, and popliteal arteries. <i>Catheterization and Cardiovascular Interventions</i> , 2008 , 71, 727-33	2.7	36
173	Recanalization of chronic peripheral artery occlusions: moving forward by looking sideways. <i>Catheterization and Cardiovascular Interventions</i> , 2008 , 71, 734-5	2.7	
172	¿Qu� papel desempe�a la diabetes mellitus en las tasas de reestenosis y permeabilidad tras la revascularizaci�n infrainguinal? Revisi�n cr�tica. 2008 , 22, 525-536		
171	Outback catheter-assisted simultaneous antegrade and retrograde access for subintimal recanalization of peripheral arterial occlusion. 2008 , 32, 236-40		6
170	Comparison of results of subintimal angioplasty and percutaneous transluminal angioplasty in superficial femoral artery occlusions. 2008 , 36, 101-6		23
169	Does diabetes mellitus play a role in restenosis and patency rates following lower extremity peripheral arterial revascularization? A critical overview. <i>Annals of Vascular Surgery</i> , 2008 , 22, 481-91	1.7	40

168	Combined stent placement and high dose PGE1 drip infusion for chronic occlusion of the superficial femoral artery as a modality to salvage chronic critical limb ischemia. 2008 , 66, 95-9		3
167	The role of subintimal angioplasty in the management of arterial disease of the lower limb: the North-East of Scotland experience. 2008 , 6, 329-34		
166	Percutaneous Viabahn-assisted subintimal recanalization for severe superficial femoral artery occlusive disease. <i>Journal of Vascular and Interventional Radiology</i> , 2008 , 19, 493-8	2.4	21
165	Le diabète joue-t-il un rôle dans les resthoses et les taux de perméabilité après revascularisation artifielle des membres inferieurs ? une étude gñfale critique. 2008 , 22, 521-532		
164	Selective primary angioplasty following an angiosome model of reperfusion in the treatment of Wagner 1-4 diabetic foot lesions: practice in a multidisciplinary diabetic limb service. <i>Journal of Endovascular Therapy</i> , 2008 , 15, 580-93	2.5	98
163	Plaque Excision in Management of Lower Extremity Peripheral Arterial Disease with the SilverHawk Atherectomy Catheter. 2008 , 25, 11-9		9
162	Endovascular Treatment of Lower Extremity Occlusive Arterial Disease. 2008 , 277-284		
161	Bailout revascularization of chronic femoral artery occlusions with the new outback catheter following failed conventional endovascular intervention. <i>Journal of Endovascular Therapy</i> , 2009 , 16, 206-212		21
160	Combined primary subintimal and endoluminal angioplasty for ischaemic inferior-limb ulcers in diabetic patients: 5-year practice in a multidisciplinary 'diabetic-foot' service. 2009 , 37, 448-56		28
159	Subintimal angioplasty with the aid of a re-entry device for TASC C and D lesions of the SFA. 2009 , 38, 76-87		61
158	Subintimal angioplasty: meta-analytical evidence of clinical utility. 2009 , 38, 323-37		47
157	Recanalization of chronic occlusions of the superficial femoral artery using the Outback re-entry catheter: a single centre experience. <i>Catheterization and Cardiovascular Interventions</i> , 2009 , 74, 934-8	2.7	32
156	A novel "cheese wire" technique for stent positioning following difficult iliac artery subintimal dissection and aortic re-entry. <i>CardioVascular and Interventional Radiology</i> , 2009 , 32, 781-4	2.7	13
155	Subintimal angioplasty: predictors of long-term success. <i>Journal of Vascular and Interventional Radiology</i> , 2009 , 20, 1013-22	2.4	18
154	Chirurgia endovascolare degli arti inferiori. <i>EMC - Tecniche Chirurgiche Vascolare</i> , 2009 , 14, 1-22	0	
153	Chirurgie endovasculaire des membres inférieurs. 2009 , 4, 1-22		2
152	Percutaneous intraluminal recanalization of long, chronic superficial femoral and popliteal occlusions using the Fronrunner XP CTO device: a single-center experience. <i>CardioVascular and Interventional Radiology</i> , 2010 , 33, 25-33	2.7	40
151	Interventional therapy for chronic simple atherosclerotic occlusive disease of lower extremity. 2010 , 25, 212-219		

150	Peripheral chronic total occlusion in patients with critical limb ischemia. <i>Catheterization and Cardiovascular Interventions</i> , 2010 , 76, 220-1	2.7	
149	Five-year retrograde transpopliteal angioplasty results compared with antegrade angioplasty. 2010 , 92, 347-52		21
148	Contrast-enhanced magnetic resonance angiography following subintimal recanalization. <i>Vascular and Endovascular Surgery</i> , 2010 , 44, 223-31	1.4	
147	Subintimal angioplasty for advanced lower extremity ischemia due to TASC II C and D lesions of the superficial femoral artery. <i>Vascular and Endovascular Surgery</i> , 2010 , 44, 633-7	1.4	14
146	Infrainguinal revascularization using the Crosser vibrational system. 2010 , 19, 231-6		6
145	Impact of aggressive endovascular recanalization techniques on success rate in chronic total arterial occlusions (CTOs). <i>Vascular and Endovascular Surgery</i> , 2010 , 44, 460-7	1.4	9
144	The reentry catheter: a second chance for endoluminal reentry at difficult lower extremity subintimal arterial recanalizations. <i>Journal of Vascular and Interventional Radiology</i> , 2010 , 21, 730-4	2.4	24
143	Dispositif écho-guidé pour la réentrée dans la vraie lumière lors de la recanalisation unilatérale d'une occlusion chronique des artères iliaques : Technique et suivi. 2010 , 24, 531-541		
142	Intravascular ultrasound-guided true lumen reentry device for recanalization of unilateral chronic total occlusion of iliac arteries: technique and follow-up. <i>Annals of Vascular Surgery</i> , 2010 , 24, 487-97	1.7	28
141	Subintimal angioplasty for femoro-popliteal occlusive disease. <i>Journal of Vascular Surgery</i> , 2010 , 52, 1410-6	3.5	30
140	A comparison of the standard bolia technique versus subintimal recanalization plus Viabahn stent graft in the management of femoro-popliteal occlusions. <i>Journal of Vascular Surgery</i> , 2010 , 52, 1211-7	3.5	14
139	Subintimal angioplasty in femoropopliteal region-Mid-term results. 2010 , 73, 672-6		4
138	Percutaneous revascularization of chronic total occlusions. 2010 , 13, 23-36		9
137	Confluent two-balloon technique: an alternative method for subintimal recanalization of peripheral arterial occlusion. <i>Journal of Vascular and Interventional Radiology</i> , 2011 , 22, 1139-43	2.4	11
136	Below knee angioplasty in elderly patients: predictors of major adverse clinical outcomes. 2011 , 77, 483-9		4
135	Limitations of the Outback LTD re-entry device in femoropopliteal chronic total occlusions. <i>Journal of Vascular Surgery</i> , 2011 , 53, 1260-4	3.5	44
134	Subintimal angioplasty for chronic lower limb arterial occlusion. 2011 ,		3
133	Reprinted article "Subintimal angioplasty of femoropopliteal artery occlusions: the long-term results". 2011 , 42 Suppl 1, S9-15		9

132	Commentary. Subintimal angioplasty of femoropopliteal artery occlusions: the long-term results. 2011 , 42 Suppl 1, S16-8		1
131	Retrograde access via the popliteal artery to facilitate the re-entry technique for recalcitrant superficial femoral artery chronic total occlusions. <i>Catheterization and Cardiovascular Interventions</i> , 2011 , 78, 625-31	2.7	8
130	[New techniques for the endovascular treatment of peripheral arterial disease]. 2011 , 36, 16-23		0
129	Commentary: Outback catheter in femoropopliteal subintimal angioplasty: new horizons in treating chronic total occlusions. <i>Journal of Endovascular Therapy</i> , 2011 , 18, 22-4	2.5	2
128	A reliable approach to diabetic neuroischemic foot wounds: below-the-knee angiosome-oriented angioplasty. <i>Journal of Endovascular Therapy</i> , 2011 , 18, 376-87	2.5	105
127	Results with Viabahn-assisted subintimal recanalization for TASC C and TASC D superficial femoral artery occlusive disease. <i>Vascular and Endovascular Surgery</i> , 2011 , 45, 391-7	1.4	21
126	Subintimal angioplasty track of the superficial femoral artery: a histological analysis. 2012 , 5, e6-8		6
125	Thrombin generation and platelet activation related to subintimal percutaneous transluminal angioplasty. 2012 , 72, 23-8		5
124	Commentary: The ENABLER-P Balloon Catheter System: a new and exciting tool for recanalization of femoropopliteal CTOs. <i>Journal of Endovascular Therapy</i> , 2012 , 19, 140-3	2.5	
123	Successful extra-anatomical recanalization of occluded superficial femoral arteries using the Outback device--a report of 2 cases. <i>Vascular and Endovascular Surgery</i> , 2012 , 46, 62-5	1.4	2
122	A multicenter experience evaluating chronic total occlusion crossing with the Wildcat catheter (the CONNECT study). <i>Journal of Vascular Surgery</i> , 2012 , 56, 1615-21	3.5	32
121	The "SAFARI" technique using retrograde access via peroneal artery access. <i>CardioVascular and Interventional Radiology</i> , 2012 , 35, 927-31	2.7	10
120	Strategies for successful percutaneous revascularization of chronic total occlusion of the femoropopliteal arteries when the antegrade passage of a guide wire fails. 2012 , 13, 467-75		8
119	Subintimal angioplasty of long chronic total femoropopliteal occlusions: long-term outcomes, predictors of angiographic restenosis, and role of stenting. <i>CardioVascular and Interventional Radiology</i> , 2012 , 35, 483-90	2.7	21
118	Devices to treat peripheral chronic total occlusions. 2012 , 25, 395-403		10
117	Principles of endoluminal therapy. <i>Surgery</i> , 2012 , 30, 390-398	0.3	
116	Stent implantation for chronic total occlusion in the iliac artery using intravascular ultrasound-guided carbon dioxide angiography without iodinated contrast medium. 2013 , 28, 415-8		5
115	Subintimal recanalization of occluded stents: the substent technique. <i>CardioVascular and Interventional Radiology</i> , 2013 , 36, 943-9	2.7	4

114	Subintimal recanalization of peripheral chronic occlusive arterial disease with modified transseptal needle. <i>Journal of Vascular and Interventional Radiology</i> , 2013 , 24, 184-9	2.4	3
113	Impact of new technologies on vascular surgery. 2013 , 11 Suppl 1, S11-5		1
112	Retrograde popliteal approach for challenging occlusions of the femoral-popliteal arteries. <i>Journal of Vascular Surgery</i> , 2013 , 58, 84-9	3.5	34
111	Novel devices and specialized techniques in recanalization of peripheral artery chronic total occlusions (CTOs)--a literature review. 2013 , 165, 423-9		12
110	Chronic total occlusion of the iliac artery: endoluminal reentry using a metal stiffening cannula. <i>Journal of Vascular and Interventional Radiology</i> , 2013 , 24, 1043-7	2.4	2
109	Midterm outcomes of subintimal angioplasty supported by primary proximal stenting for chronic total occlusion of the superficial femoral artery. <i>Journal of Endovascular Therapy</i> , 2013 , 20, 782-91	2.5	15
108	Final results of the Chronic Total Occlusion Crossing With the Ocelot System II (CONNECT II) study. <i>Journal of Endovascular Therapy</i> , 2013 , 20, 770-81	2.5	32
107	Randomized control study of the outback LTD reentry catheter versus manual reentry for the treatment of chronic total occlusions in the superficial femoral artery. <i>Catheterization and Cardiovascular Interventions</i> , 2013 , 82, 485-92	2.7	36
106	Subintimal angioplasty for chronic lower limb arterial occlusion. 2013 , CD009418		3
105	A successful retrograde re-entry at aorta using the Outback LTD catheter for a bilateral common iliac artery occlusion. <i>Catheterization and Cardiovascular Interventions</i> , 2013 , 81, E250-4	2.7	3
104	The STAR technique. 2013 , 172-177		
103	Successful outside-the-stent stenting for an occluded primary stented superficial femoral artery. 2014 , 29, 187-92		
102	Endovascular recanalization of native chronic total occlusions in patients with failed lower-extremity bypass grafts. <i>Journal of Vascular and Interventional Radiology</i> , 2014 , 25, 1353-9	2.4	4
101	Subintimal arterial flossing with antegrade-retrograde intervention (SAFARI) and retrograde access for critical limb ischemia. 2014 , 17, 203-10		13
100	How does subintimal angioplasty compare to transluminal angioplasty for the treatment of femoral occlusive disease?. 2014 , 12, 361-4		4
99	Management of Atherosclerotic Aortoiliac Occlusive Disease. 2014 , 3, 531-543		5
98	Combined antegrade-retrograde intervention to improve chronic total occlusion recanalization in high-risk critical limb ischemia. <i>Annals of Vascular Surgery</i> , 2014 , 28, 1439-48	1.7	24
97	Intravascular ultrasound findings after knuckle wire technique for superficial femoral artery occlusion. 2014 , 6, 367-371		2

96	Transpopliteal balloon-assisted excimer-laser atherectomy for the treatment of chronic femoropopliteal occlusions: feasibility and initial results. 2014 , 8, 23-8		97
95	Treatment of Chronic Total Occlusions Using the Avinger Ocelot Crossing Catheter. 2015 , 32, 370-3		4
94	Silicon cap structure development and microassembly for forward tactile sensing in endovascular guidewire intervention. 2015 ,		
93	Principles of endoluminal therapy. <i>Surgery</i> , 2015 , 33, 315-322		0.3
92	[Distal revascularization in diabetic patients with chronic limb ischemia]. 2015 , 40, 24-36		6
91	Rupture of pseudoaneurysm of the superficial femoral artery over four years after self-expandable nitinol stent implantation. 2015 , 12, 52-56		4
90	Infrapopliteal arterial recanalization: A true advance for limb salvage in diabetics. 2015 , 96, 423-34		15
89	Superficial Femoral Artery Intervention: Creating an Algorithmic Approach for the Use of Old and Novel (Endovascular) Technologies. 2015 , 17, 400		8
88	Targeted True Lumen Re-Entry With the Outback Catheter: Accuracy, Success, and Complications in 100 Peripheral Chronic Total Occlusions and Systematic Review of the Literature. <i>Journal of Endovascular Therapy</i> , 2015 , 22, 538-45	2.5	37
87	Technical and early outcomes using ultrasound-guided reentry for chronic total occlusions. <i>Annals of Vascular Surgery</i> , 2015 , 29, 55-62	1.7	12
86	Advances in peripheral arterial disease endovascular revascularization. 2015 , 33, 89-98		7
85	Subintimal angioplasty for lower limb arterial chronic total occlusions. 2016 , 11, CD009418		5
84	Outcomes of Endovascular Therapy With the Controlled Antegrade Retrograde Subintimal Tracking (CART) or Reverse CART Technique for Long Infrainguinal Occlusions. <i>Journal of Endovascular Therapy</i> , 2016 , 23, 330-8	2.5	15
83	[Subintimal recanalization. Indications, technique and results]. 2016 , 56, 266-74		
82	Commentary: Alternative Approach to Successful Crossing: The Retrograde Tibiopedal Technique. <i>Journal of Endovascular Therapy</i> , 2016 , 23, 847-850	2.5	1
81	Forward Tactile Sensing Device Development and Biopackaging for Endovascular Guidewire Intervention Application. 2016 ,		
80	Strategies to Approaching Lower Limb Occlusions. 2016 , 19, 136-44		5
79	Hydrodynamic boost: a novel re-entry technique in subintimal angioplasty of below-the-knee vessels. 2016 , 26, 2419-25		2

78	Techniques actuelles de recanalisation des artères de jambe chez le diabétique en ischémie critique. 2016 , 97, 54-65		
77	Percutaneous Recanalization of Iliac Artery Occlusions by Radiofrequency Perforation: Initial Experience. <i>Journal of Vascular and Interventional Radiology</i> , 2016 , 27, 68-72	2.4	4
76	Lower-extremity arterial revascularization: Is there any evidence for diabetic foot ulcer-healing?. 2016 , 42, 4-15		21
75	Endovascular retrograde recanalization in Asian critical limb ischaemia patients. <i>ANZ Journal of Surgery</i> , 2017 , 87, E61-E64	1	9
74	Recanalization of peripheral chronic total occlusions: 'no fancy devices, just a crossing catheter'. <i>Expert Review of Cardiovascular Therapy</i> , 2017 , 15, 221-225	2.5	4
73	Histological Analysis of a New Route after Subintimal Crural Angioplasty. <i>Annals of Vascular Surgery</i> , 2017 , 45, 262.e15-262.e19	1.7	1
72	Comparative Assessment of Crossing and Reentry Devices in Treating Chronic Total Occlusions for Femoropopliteal and Below-the-Knee Interventions. 2017 , 75-94		
71	Chirurgia endovascolare aortoiliaca e degli arti inferiori per patologia occlusiva ateromasi. <i>EMC - Tecniche Chirurgiche Vascolare</i> , 2017 , 22, 1-23	0	
70	Endovascular Technologies for Chronic Critical Limb Ischemia. 2017 , 387-412		
69	Combination of Carbon Dioxide Angiography and Outback Elite for Revascularization of a Patient with Renal Insufficiency with Bilateral Femoropopliteal Chronic Total Occlusions. <i>Case Reports in Cardiology</i> , 2017 , 2017, 8632747	0.6	
68	Comparison of the OUTBACK Elite Reentry Catheter and the Bi-directional Approach after Failed Antegrade Approach for Femoro-popliteal Occlusive Disease. <i>Journal of Atherosclerosis and Thrombosis</i> , 2017 , 24, 1242-1248	4	3
67	Procedural and Early Outcomes of Two Re-entry Devices for Subintimal Recanalization of Aortoiliac and Femoropopliteal Chronic Total Occlusions. <i>Korean Circulation Journal</i> , 2017 , 47, 89-96	2.2	6
66	Use of the Ocelot catheter in iliac chronic total occlusion intervention. <i>Cardiovascular Revascularization Medicine</i> , 2018 , 19, 795-798	1.6	1
65	Preoperative assessment of computerized tomography angiography to predict success for crossing long Trans-Atlantic Inter-Society Consensus D lesions using the optical coherence tomography catheter. <i>Vascular</i> , 2018 , 26, 362-367	1.3	3
64	Long-term outcomes after re-entry device use for recanalization of common iliac artery chronic total occlusions. <i>Catheterization and Cardiovascular Interventions</i> , 2018 , 92, 526-532	2.7	11
63	Subadventitial techniques for chronic total occlusion percutaneous coronary intervention: The concept of "vessel architecture". <i>Catheterization and Cardiovascular Interventions</i> , 2018 , 91, 725-734	2.7	18
62	Comparison of Endovascular Versus Bypass Surgery in Femoropopliteal TASC II D Lesions: A Single-Center Study. <i>Annals of Vascular Surgery</i> , 2018 , 47, 179-187	1.7	15
61	Use of a Re-entry Device in Left Subclavian Occlusion: Case Series. <i>CardioVascular and Interventional Radiology</i> , 2018 , 41, 177-181	2.7	3

60	Outcome After Crossing Femoropopliteal Chronic Total Occlusions Based on Optical Coherence Tomography Guidance. <i>Vascular and Endovascular Surgery</i> , 2018 , 52, 27-33	1.4	3
59	The Aortic Bifurcation Angle as a Factor in Application of the Outback for Femoropopliteal Lesions in Ipsilateral Versus Contralateral Approaches. <i>CardioVascular and Interventional Radiology</i> , 2018 , 41, 37-42	2.7	3
58	Instrumentation: Guidewires for Peripheral Interventions. 2018 , 1361-1376		
57	Tips for pedal access: technical evolution and review. <i>Journal of Cardiovascular Surgery</i> , 2018 , 59, 685-691.	1.7	1
56	Principles of endoluminal therapy. <i>Surgery</i> , 2018 , 36, 279-289	0.3	
55	Endovascular Extra-Anatomic Femoro-Popliteal Bypass for Limb Salvage in Chronic Critical Limb Ischemia. <i>CardioVascular and Interventional Radiology</i> , 2019 , 42, 1279-1292	2.7	1
54	Femoropopliteal CTO Subintimal Recanalization Using a Homemade Reentry Device. <i>Annals of Vascular Surgery</i> , 2019 , 58, 384.e15-384.e18	1.7	1
53	Endovascular repair of an acute symptomatic carotid artery dissection through the false dissecting carotid lumen. <i>Interventional Neuroradiology</i> , 2019 , 25, 51-53	1.9	
52	Use, Safety and Effectiveness of Subintimal Angioplasty and Re-Entry Devices for the Treatment of Iliac Artery Chronic Total Occlusions: A Systematic Review of 30 Studies and 1112 Lesions. <i>Cardiovascular Revascularization Medicine</i> , 2020 , 21, 334-341	1.6	4
51	Use, Safety and Effectiveness of Subintimal Angioplasty and Re-Entry Devices for the Treatment of Femoropopliteal Chronic Total Occlusions: A Systematic Review of 87 Studies and 4,665 Patients. <i>Cardiovascular Revascularization Medicine</i> , 2020 , 21, 34-45	1.6	8
50	Anatomical Considerations of Infrageniculate Popliteal Artery Puncture: Alternative Pathway for Retrograde Access After Failed Re-entry. <i>Annals of Vascular Surgery</i> , 2020 , 67, 388-394	1.7	1
49	The Use of Re-entry Devices in Aortoiliac Occlusive Disease. <i>Frontiers in Cardiovascular Medicine</i> , 2020 , 7, 144	5.4	1
48	Outcome and Distal Access Patency in Subintimal Arterial Flossing with Antegrade-Retrograde Intervention for Chronic Total Occlusions in Lower Extremity Critical Limb Ischemia. <i>Journal of Vascular and Interventional Radiology</i> , 2020 , 31, 601-606	2.4	6
47	The Cupidon's Strike Technique: How to Never Miss a Rendezvous While Going on SAFARI. <i>Annals of Vascular Surgery</i> , 2021 , 70, 555-558	1.7	
46	Histological Analysis of a Long Term Patent Subintimal Canal in the Superficial Femoral Artery. <i>EJVES Vascular Forum</i> , 2021 , 50, 19-23	0.4	2
45	Transpedal approach for femoral-popliteal chronic total occlusions using the outback elite re-entry device. <i>CVIR Endovascular</i> , 2021 , 4, 9	1.5	1
44	Retrograde Popliteal Access for Challenging Superficial Femoral Artery Occlusion. <i>International Journal of Vascular Medicine</i> , 2021 , 2021, 8833025	1.2	
43	A Robotically Steerable Guidewire With Forward-Viewing Ultrasound: Development of Technology for Minimally-Invasive Imaging. <i>IEEE Transactions on Biomedical Engineering</i> , 2021 , 68, 2222-2232	5	2

42	Factors contributing to efficient recanalization procedures for chronic total occlusion of the superficial femoral artery. <i>Cardiovascular Revascularization Medicine</i> , 2021 ,	1.6	0
41	Retrograde use of the Outback re-entry catheter in complex infrainguinal arterial recanalizations. <i>Journal of Vascular Surgery</i> , 2021 ,	3.5	1
40	Safety and efficacy outcomes of the Pioneer Plus catheter in endovascular revascularization of lower extremity chronic total occlusions. <i>Journal of Vascular Surgery</i> , 2021 , 74, 746-755	3.5	3
39	Technical perspectives in the management of complex infrainguinal arterial chronic total occlusions. <i>Journal of Vascular Surgery</i> , 2021 ,	3.5	0
38	Complications of Femoropopliteal Interventions for Occlusive Disease. 2022 , 215-223		
37	Interventional Treatments for Femoropopliteal Arterial Disease and Recent Updates. <i>Journal of the Korean Society of Radiology</i> , 2021 , 82, 527	0.2	
36	The History of Vascular Surgery in Europe. 2007 , 3-21		1
35	Successful re-entry using the outback elite catheter via retrograde popliteal access with IVUS guidance for femoropopliteal occlusion: a case report. <i>CVIR Endovascular</i> , 2020 , 3, 63	1.5	2
34	Subintimal Angioplasty of Isolated Infragenicular Vessels in Lower Limb Ischemia:Long-term Results. <i>Journal of Endovascular Therapy</i> , 2002 , 9, 411-416	2.5	55
33	Percutaneous Intentional Extraluminal (Subintimal) Revascularization (PIER) for Critical Lower Limb Ischemia:Too Good to Be True?. <i>Journal of Endovascular Therapy</i> , 2002 , 9, 419-421	2.5	16
32	Percutaneous Transluminal Angioplasty in the Treatment of Critical Limb Ischemia. <i>Journal of Endovascular Therapy</i> , 2003 , 10, 298-303	2.5	13
31	Percutaneous Treatment of Long Superficial Femoral Artery Occlusive Disease:Efficacy of the Hemobahn Stent-Graft. <i>Journal of Endovascular Therapy</i> , 2003 , 10, 619-628	2.5	14
30	Subintimal Angioplasty of Infrainguinal Arterial Occlusions for Critical Limb Ischemia:Long-term Patency and Clinical Efficacy. <i>Journal of Endovascular Therapy</i> , 2007 , 14, 444-451	2.5	5
29	OUTBACK catheter for treatment of superficial femoral and iliac artery chronic total occlusion: Experience from two centers. <i>Indian Journal of Radiology and Imaging</i> , 2016 , 26, 249-53	0.8	3
28	Hybrid Common Femoral Artery Surgical Revascularization Associated to Endovascular Femoropopliteal Recanalization in High-Risk (ASA 3 - 4) Patients: A Seven-Year Period Institutional Experience. <i>World Journal of Cardiovascular Diseases</i> , 2016 , 06, 31-43	0	6
27	Guidewires for lower extremity artery angioplasty: a review. <i>EuroIntervention</i> , 2015 , 11, 799-807	3.1	4
26	Crossing chronic total occlusions with the Ocelot system: the initial European experience. <i>EuroIntervention</i> , 2013 , 9, 854-62	3.1	15
25	Diameter of Occluded Superficial Femoral Arteries Limits Percutaneous Recanalization:Preliminary Results. <i>Journal of Endovascular Therapy</i> , 2002 , 9, 369-374	2.5	1

24	Subintimal Angioplasty in Lower Limb Ischemia:A Vascular Surgeon's View. <i>Journal of Endovascular Therapy</i> , 2002 , 9, 417-418	2.5	
23	Successful Recanalization of a Long Superficial Femoral Artery Occlusion by Retrograde Subintimal Angioplasty After a Failed Antegrade Subintimal Approach. <i>Korean Circulation Journal</i> , 2008 , 38, 557	2.2	1
22	Angioplastia subintimal sem o uso de stent em paciente diabético portador de lesão complexa no pé. <i>Jornal Vascular Brasileiro</i> , 2008 , 7, 155-158	0.9	
21	Changing Paradigms in the Management of Peripheral Vascular Disease: The Need for Integration of Knowledge, Imaging, and Therapeutics. 2010 , 13-41		
20	Subintimal Angioplasty. 2010 , 111-128		
19	Pied vasculaire diabétique. 2010 , 295-299		
18	Application of Advanced Technologies for the Treatment of Lower Extremity Arterial Disease. 2014 , 395-403		
17	Target Balloon-Assisted Antegrade and Retrograde Approach for Recanalization of Thrombosed Fem-Pop Bypass Graft Using the Outback Catheter. <i>Journal of the Korean Society of Radiology</i> , 2016 , 74, 37	0.2	1
16	Re-Opening Leg Arteries: Approach to Chronic Total Occlusion. 2019 , 293-299		
15	Characteristics and outcomes of octogenarians with revascularized critical limb ischemia: Impact of altered cardiac function for early mortality. <i>JMV-Journal De Medecine Vasculaire</i> , 2021 , 46, 224-231	0.6	0
14	Crural Arterial Interventions. 2007 , 49-57		
13	Recent Update on Peripheral Arterial Endovascular Therapy for Peripheral Arterial Occlusive Disease. <i>Interventional Radiology</i> , 2020 , 5, 120-127	0.1	
12	Re-entry devices in the treatment of peripheral chronic occlusions. <i>Texas Heart Institute Journal</i> , 2011 , 38, 392-7	0.8	18
11	Towards the Development of an Ultrasound-Guided Robotically Steerable Guidewire. 2020 ,		0
10	Technical Success of the GoBack [®] Crossing Catheter in Chronic Total Occlusion in Patients with Chronic Limb Threatening Ischemia.. <i>CardioVascular and Interventional Radiology</i> , 2022 , 1	2.7	0
9	Technical note: An alternative use of a steerable homemade for the treatment of chronic total occlusion of an iliac artery.. <i>Vascular</i> , 2022 , 17085381221079998	1.3	
8	Use and effectiveness of Pioneer re-entry device for subintimal true lumen re-entry: single-centre data and a review of the literature. <i>CVIR Endovascular</i> , 2021 , 4, 81	1.5	0
7	Superficial Femoral Artery Recanalization Using Fiber Optic RealShape Technology. <i>Medicina (Lithuania)</i> , 2022 , 58, 961	3.1	

- 6 Chirurgia endovascolare dell'asse della gamba e del piede. **2022**, 27, 1-15
- 5 Re-entry catheters in subintimal lower limb recanalizations: up to date.
- 4 Subintimal Recanalization is Safe and Effective in Treating Chronic Critical Limb Ischemia in Selected Patients. **2004**, 70, 479-483
- 3 Target Balloon-Assisted Antegrade and Retrograde Use of Re-Entry Catheters in Complex Chronic Total Occlusions. **2023**, 10, 53
- 2 A novel technique to reach the contralateral iliac artery in Leriche syndrome. 170853812311651
- 1 The Role of Technology in Managing Vascular Wounds. **2023**, 7-43