

CITATION REPORT

List of articles citing

Chain structure, phase morphology, and toughness relationships in polymers and blends

DOI: 10.1002/pen.760301302

Polymer Engineering and Science, 1990, 30, 753-761.

Source: <https://exaly.com/paper-pdf/21358821/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
380	Aromatic biphenylene polymers: Synthesis via nickel coupling of aryl dichlorides. 1992 , 54-55, 199-224		5
379	Compatibilization and impact modification of mixed recycled plastics. 1992 , 57, 331-344		2
378	Compatibility of high polymers probed by interfacial tension. 1992 , 31, 554-564		22
377	Predicting chain conformation and entanglement of polymers from chemical structure. <i>Polymer Engineering and Science</i> , 1992 , 32, 823-830	2.3	82
376	Control of intrinsic brittleness and toughness of polymers and blends by chemical structure: A review. 1992 , 29, 229-247		154
375	Toughening styrene maleic anhydride copolymers with functionalized ethylene propylene rubbers. <i>Polymer</i> , 1992 , 33, 3848-3857	3.9	11
374	Chain entanglement in homopolymers, copolymers and terpolymers of methyl methacrylate, styrene and N-phenylmaleimide. <i>Polymer</i> , 1992 , 33, 509-515	3.9	23
373	Effect of chain length on the network modulus and entanglement. <i>Polymer</i> , 1992 , 33, 1255-1260	3.9	37
372	The estimation of mechanical properties of polymers from molecular structure. <i>Journal of Applied Polymer Science</i> , 1993 , 49, 1331-1351	2.9	149
371	Deformation and toughness of polymeric systems: 3. Influence of crosslink density. <i>Polymer</i> , 1993 , 34, 5063-5072	3.9	51
370	Reactive coupling of core-shell impact modifiers to polyamide matrices using styrene-maleic anhydride copolymers. <i>Polymer</i> , 1993 , 34, 1874-1885	3.9	40
369	Fatigue behaviour of some temperature-resistant polymers. 1993 , 28, 2207-2213		17
368	The origin of chain entanglement: Correlations between entanglement and chain structure. <i>Polymer Engineering and Science</i> , 1993 , 33, 289-292	2.3	13
367	Percolation behavior in morphology and modulus of polymer blends. <i>Polymer Engineering and Science</i> , 1993 , 33, 293-302	2.3	63
366	Rubber toughened polyamide 6: The influences of compatibilizer on morphology and impact properties. <i>Polymer Engineering and Science</i> , 1993 , 33, 1329-1335	2.3	29
365	Impact toughening mechanisms in rubber-dispersed polymer alloy. <i>Polymer Engineering and Science</i> , 1993 , 33, 1606-1610	2.3	14
364	Deformation and toughness of polymeric systems: 1. The concept of a critical thickness. <i>Polymer</i> , 1993 , 34, 2148-2154	3.9	72

363	Ultimate toughness of amorphous polymers. 1993 , 75, 115-125		8
362	The ultimate toughness of polymers. The influence of network and microscopic structure. 1993 , 120-128		3
361	Influence of components and interface conditions on mechanical properties of composites and blends. 1993 , 70-71, 193-212		3
360	Rubber toughening mechanisms in polymeric materials. 1994 , 29-56		25
359	Methods of measurement and interpretation of results. 1994 , 90-135		3
358	Toughened polyamides. 1994 , 210-242		4
357	Supertough poly(lactide)s. 1994 , 33, 599-605		32
356	Chain entanglement, mechanical properties and drawability of poly(lactide). 1994 , 272, 1068-1081		115
355	Mechanical behaviour and morphology of toughened aliphatic polyamides. <i>Polymer</i> , 1994 , 35, 1399-1408,9		53
354	Basic functionalization of polypropylene and the role of interfacial chemical bonding in its toughening. <i>Polymer</i> , 1994 , 35, 988-994	3.9	59
353	Determination of critical molecular weight for entangled macromolecules using the tensile strength data. 1995 , 34, 578-585		26
352	Relationship between molecular structure and deformation-fracture mechanism of amorphous polymers: 1. Shear yield stress. <i>Polymer</i> , 1995 , 36, 2389-2392	3.9	8
351	Relationship between molecular structure and deformation-fracture mechanism of amorphous polymers: 2. Crazing stress. <i>Polymer</i> , 1995 , 36, 2393-2396	3.9	12
350	THE FORMATION OF INTERPENETRATING POLYMER BLENDS. 1995 , 14,		3
349	Recent advances in olefin polymerization. 1996 , 101, 289-299		11
348	Microstructure and mechanical properties of polymers studied by positron annihilation. 1996 , 210, 407-421		12
347	Effect of intermolecular interactions on the plastic deformation of glassy polymers. <i>Polymer</i> , 1996 , 37, 1177-1181	3.9	14
346	Effect of molecular weight between crosslinks on fracture behaviour of diallylterephthalate resins. <i>Polymer</i> , 1996 , 37, 813-817	3.9	18

345	Effect of the orientation hardening of matrix polymers on the toughness of polymer blends. <i>Polymer</i> , 1996 , 37, 5583-5588	3.9	4
344	Role of blend morphology in rubber-toughened polymers. 1996 , 31, 3945-3954		84
343	Morphology and properties of ASA/PET blends. 1996 , 31, 1425-1430		15
342	Elastomer-toughened poly(phenylene sulfide). <i>Polymer Engineering and Science</i> , 1996 , 36, 265-270	2.3	18
341	Interphase and compatibilization of polymer blends. <i>Polymer Engineering and Science</i> , 1996 , 36, 1574-1585		150
340	Impact strength improvement of polystyrene by dispersion of rigid particulate. <i>Polymer Engineering and Science</i> , 1996 , 36, 2241-2246	2.3	25
339	The role of dispersed phase morphology on toughening of epoxies. <i>Polymer</i> , 1997 , 38, 21-30	3.9	58
338	Toughening of polystyrene by natural rubber-based composite particles: Part II Influence of the internal structure of PMMA and PS-grafted core-shell particles. 1997 , 32, 6343-6356		13
337	Rubber particle size and cavitation process in high impact polystyrene blends. 1997 , 32, 6539-6547		20
336	Toughening of polystyrene by natural rubber-based composite particles: Part I Impact reinforcement by PMMA and PS grafted core-shell particles. 1997 , 32, 6331-6342		23
335	Thin film and bulk deformation behaviour of poly(ether ether ketone)/poly(ether imide) blends. 1997 , 32, 3037-3042		7
334	Ultimate properties of polycarbonate blends: Effects of inclusion plastic deformation and of matrix phase continuity. <i>Polymer Engineering and Science</i> , 1997 , 37, 128-137	2.3	26
333	The effect of temperature on the interfacial tension of polycarbonate/polyethylene blends. <i>Polymer Engineering and Science</i> , 1997 , 37, 636-639	2.3	14
332	A model for the plateau in the relaxation modulus for linear chain polymer melts. 1997 , 7, 101-111		5
331	Effect of morphology on the brittle ductile transition of polymer blends: 1. A new equation for correlating morphological parameters. <i>Polymer</i> , 1997 , 38, 5267-5273	3.9	80
330	Impact toughening behaviour of quaternary PP/HDPE/EPDM/EP blends. 1998 , 34, 755-760		30
329	Effect of morphology on the brittle ductile transition of polymer blends: 5. The role of CaCO ₃ particle size distribution in high density polyethylene/CaCO ₃ composites. <i>Polymer</i> , 1998 , 39, 1863-1868	3.9	26
328	Effects of morphology on the toughness of styrene-butadiene-ethylene triblock copolymer/methyl methacrylate-ethylene copolymer blends. <i>Polymer</i> , 1998 , 39, 1765-1778	3.9	17

327	Influence of particle dispersion on the matrix ligament thickness of polymer blends. 1. The configuration of well-dispersed particles versus simple cubic lattice. <i>Polymer</i> , 1998 , 39, 4433-4436	3.9	24
326	Effect of morphology on the brittle ductile transition of polymer blends: 3. The influence of rubber particle spatial distribution on the fracture behaviour of poly(vinyl chloride)/nitrile rubber blends. <i>Polymer</i> , 1998 , 39, 5027-5033	3.9	29
325	Effect of morphology on the brittle ductile transition of polymer blends: 4. Influence of the rubber particle spatial distribution in poly(vinyl chloride)/nitrile rubber blends. <i>Polymer</i> , 1998 , 39, 5035-5045	3.9	25
324	Effect of morphology on the brittle ductile transition of polymer blends: 2. Analysis on poly(vinyl chloride)/nitrile rubber blends. <i>Polymer</i> , 1998 , 39, 5019-5025	3.9	52
323	Processing and characterization of microcellular foamed high-density polyethylene/isotactic polypropylene blends. <i>Polymer Engineering and Science</i> , 1998 , 38, 1205-1215	2.3	215
322	Characterization of the fracture toughness of rubber-toughened polypropylene thin plates. <i>Polymer Engineering and Science</i> , 1998 , 38, 2063-2071	2.3	18
321	Dependence of the fracture and fatigue performance of polyolefins and related blends and composites on microstructural and molecular characteristics. 1999 , 143, 185-205		19
320	Application of cluster model for the description of epoxy polymer structure and properties. <i>Polymer</i> , 1999 , 40, 1045-1051	3.9	20
319	Brittle-ductile transition in polypropylene filled with glass beads. <i>Polymer</i> , 1999 , 40, 3191-3195	3.9	49
318	Influence of particle dispersion on the matrix ligament thickness of polymer blends. <i>Polymer</i> , 1999 , 40, 2903-2915	3.9	16
317	Morphology and physical properties of SAN/NBR blends: The effect of AN content and melt viscosity of SAN. 1999 , 73, 935-941		5
316	Compatibilization of polystyrene/polypropylene blends by styrene-butadiene block copolymers with differing polystyrene block lengths. 1999 , 37, 1647-1656		47
315	Viscosity and morphology of the two-phase system PDMS/P(DMS-ran-MPS). 1999 , 43, 1033-1045		24
314	Mechanical properties of crazes investigated by ultramicrohardness. 1999 , 79, 167-178		7
313	Rubber toughening in polypropylene: A review. <i>Journal of Applied Polymer Science</i> , 2000 , 77, 409-417	2.9	276
312	Toughening PA1010 with a functionalized saturated polyolefin elastomer. <i>Journal of Applied Polymer Science</i> , 2000 , 77, 928-933	2.9	29
311	Morphology and physical properties of SAN/NBR blends: The effect of AN content in NBR. <i>Journal of Applied Polymer Science</i> , 2000 , 78, 1861-1868	2.9	9
310	Synthesis of poly(dimethylsiloxane) and poly(butadiene) composite particles and the properties of their grafted polymer particles. <i>Polymer</i> , 2000 , 41, 453-460	3.9	13

309	A study of the microscopic plastic deformation process in poly(methylmethacrylate)/acrylic impact modifier compounds by means of small angle X-ray scattering. <i>Polymer</i> , 2000 , 41, 6067-6079	3.9	15
308	Molecular dependence of the essential and non-essential work of fracture of amorphous films of poly(ethylene-2,6-naphthalate) (PEN). <i>Polymer</i> , 2000 , 41, 6301-6310	3.9	61
307	Influence of low molecular weight ABS species on properties of PC/ABS systems. <i>Polymer Engineering and Science</i> , 2000 , 40, 1701-1715	2.3	21
306	Mechanical and morphological characterization of polypropylene toughened with olefinic elastomer. 2000 , 3, 37-44		34
305	Structure and properties of polymers in terms of the fractal approach. 2000 , 69, 523-549		14
304	Microstructural and molecular dependence of the work of fracture parameters in semicrystalline and amorphous polymer systems. 2000 , 213-230		6
303	Morphology and Physical Properties of ABS/NBR: The Effect of Melt Viscosity of SAN and the Content of NBR. 2000 , 39, 691-700		4
302	Pronounced Poly(methyl methacrylate) Dynamics Induced by Blending Morphology. <i>Macromolecules</i> , 2000 , 33, 457-460	5.5	11
301	Reactive Compatibilization of SAN/EPR Blends. 2. Effect of Type and Content of Reactive Groups Randomly Attached to SAN. <i>Macromolecules</i> , 2001 , 34, 965-975	5.5	18
300	A Length Scale Dependent Model for Stress Relaxation in Polymer Melts. <i>Macromolecules</i> , 2001 , 34, 4586-4593	5.5	3
299	Measurement of interfacial tension between polyamide-6 and poly(styrene-co-acrylonitrile) by breaking thread method. <i>Polymer</i> , 2001 , 42, 1287-1291	3.9	30
298	Compatibilization efficiency of styrene-butadiene multiblock copolymers in PS/PP blends. 2001 , 39, 931-942		44
297	Effect of supercritical carbon dioxide on PMMA/rubber and polystyrene/rubber blending: Viscosity ratio and phase inversion. <i>Polymer Engineering and Science</i> , 2001 , 41, 2108-2125	2.3	40
296	Identification of deformation behavior in high-thermal-resistant poly(acrylonitrile-butadiene-styrene) (ABS). <i>Journal of Applied Polymer Science</i> , 2001 , 81, 1316-1321	2.9	3
295	Effects of interfacial adhesion on the rubber toughening of poly(vinyl chloride) Part 1. Impact tests. <i>Polymer</i> , 2001 , 42, 737-746	3.9	83
294	Particle-in-particle morphology for the dispersed phase formed in reactive compatibilization of SAN/EPDM blends. <i>Polymer</i> , 2001 , 42, 1893-1906	3.9	33
293	Measurement of interfacial tension by a deformed drop retraction method. <i>Polymer</i> , 2001 , 42, 7209-7213	3.9	15
292	Crazing in Amorphous Polymers [Formation of Fibrillated Crazes Near the Glass Transition Temperature. 2001 , 193-208		4

291	Analysis of interfacial delamination in stretched PET film containing incompatible polymer particles Mechanism of void formation. 2002 , 31, 151-157		4
290	Flexibilized Styrene-N-Substituted Maleimide Copolymers with Enhanced Entanglement Density. <i>Macromolecules</i> , 2002 , 35, 6210-6216	5.5	13
289	Tensile modulus of polymer nanocomposites. <i>Polymer Engineering and Science</i> , 2002 , 42, 983-993	2.3	294
288	Effect of styrene-butadiene triblock copolymer structure on its compatibilization efficiency in PS/PB and PS/PP blends. <i>Polymer Engineering and Science</i> , 2002 , 42, 2042-2047	2.3	26
287	Effect of selected structural parameters of styrene-butadiene block copolymers on their compatibilization efficiency in polystyrene/polybutadiene blends. 2002 , 40, 2612-2623		17
286	Effects of coupling agent and morphology on the impact strength of high density polyethylene/CaCO ₃ composites. <i>Polymer</i> , 2002 , 43, 2501-2506	3.9	77
285	Interfacial tension measurement between immiscible polymers: improved deformed drop retraction method. <i>Polymer</i> , 2002 , 43, 3001-3006	3.9	28
284	Relation between molecular structure and flow instability for ethylene-butadiene copolymers. <i>Polymer</i> , 2002 , 43, 5249-5255	3.9	39
283	On compatibilization and toughening of a copolyester with a maleated thermoplastic elastomer. <i>Polymer</i> , 2002 , 43, 6993-7001	3.9	37
282	Effects of compatibilization on the essential work of fracture parameters of in situ microfiber reinforced poly(ethylene terephthalate)/polyethylene blend. 2003 , 38, 1867-1878		16
281	Compatibilization of syndiotactic polystyrene and a thermotropic liquid-crystalline polymer blend with a zinc salt of a sulfonated polystyrene ionomer. <i>Journal of Applied Polymer Science</i> , 2003 , 87, 564-568	2.9	10
280	Toughening of polyethylene terephthalate/amorphous copolyester blends with a maleated thermoplastic elastomer. <i>Journal of Applied Polymer Science</i> , 2003 , 89, 797-805	2.9	14
279	Synergistic effect of dual rubber system in toughening styrene maleic anhydride copolymers. <i>Journal of Applied Polymer Science</i> , 2003 , 90, 2260-2267	2.9	8
278	Prediction of brittle-to-ductile transitions in polystyrene. <i>Polymer</i> , 2003 , 44, 457-465	3.9	47
277	A micro-indentation method for probing the craze-initiation stress in glassy polymers. <i>Polymer</i> , 2003 , 44, 2481-2491	3.9	48
276	Stiffness and toughness of polypropylene/glass bead composites. <i>Polymer Composites</i> , 2003 , 24, 53-59	3	10
275	In-situ microfiber reinforced composite based on PET and PE via slit die extrusion and hot stretching: Influences of hot stretching ratio on morphology and tensile properties at a fixed composition. <i>Polymer Engineering and Science</i> , 2003 , 43, 615-628	2.3	87
274	Introduction to Polymer Blends. 2003 , 1-122		34

273	Influences of Tensile Rates and Filler Content on Mechanical Properties for PP-GB Composites. 2003 , 16, 403-411		3
272	Microtribological behaviour of monodisperse polystyrene. 2003 , 43, 507-515		
271	Influences of hot stretch ratio on essential work of fracture of in-situ microfibrillar poly(ethylene terephthalate)/polyethylene blends. <i>Polymer Engineering and Science</i> , 2004 , 44, 2165-2173	2.3	19
270	Morphology and nonisothermal crystallization of in situ microfibrillar poly(ethylene terephthalate)/polypropylene blend fabricated through slit-extrusion, hot-stretch quenching. 2004 , 42, 374-385		60
269	Poly(ether ether ketone)/poly(aryl ether sulfone) blends: Melt rheological behavior. 2004 , 42, 1548-1563		41
268	Silicone-based impact modifiers for poly(vinyl chloride), engineering resins, and blends. 2004 , 42, 1112-1119		11
267	Effect of the addition of acrylonitrile/ethylene-propylene diene monomer (EPDM)/styrene graft copolymer on the morphology-properties relationships in poly(styrene-co-acrylonitrile)/EPDM rubber blends. <i>Journal of Applied Polymer Science</i> , 2004 , 91, 1685-1697	2.9	11
266	Reactive blends of polyamide 6 with polyester elastomer using coupling agents. <i>Journal of Applied Polymer Science</i> , 2004 , 91, 3966-3973	2.9	6
265	Effect of molecular weight on brittle-to-ductile transition temperature of polyetherimide. <i>Journal of Applied Polymer Science</i> , 2004 , 92, 1666-1671	2.9	6
264	Compatibilization efficiency of styrene-butadiene triblock copolymers in polystyrene-polypropylene blends with varying compositions. <i>Journal of Applied Polymer Science</i> , 2004 , 92, 2431-2441	2.9	25
263	Relation between strain hardening and wear resistance of polymers. <i>Journal of Applied Polymer Science</i> , 2004 , 92, 2689-2692	2.9	16
262	Effects of maleated styrene(ethylene-co-butene)-styrene on compatibilization and properties of nylon-12,12/nylon-6 blends. <i>Journal of Applied Polymer Science</i> , 2004 , 93, 1446-1453	2.9	8
261	Compatibilization of a polyolefin blend through covalent and ionic coupling of grafted polypropylene and polyethylene. II. Morphology. <i>Journal of Applied Polymer Science</i> , 2004 , 93, 2237-2244	2.9	17
260	Mechanical Behavior of Alumina/Poly(methyl methacrylate) Nanocomposites. <i>Macromolecules</i> , 2004 , 37, 1358-1369	5.5	221
259	Microdeformation and Fracture in Bulk Polyolefins. 75-120		23
258	Mechanical properties of titanium dioxide-filled polystyrene microcomposites. 2004 , 58, 281-289		105
257	Mechanical performance of polymer systems: The relation between structure and properties. 2005 , 30, 915-938		322
256	Influence of yield strength and toughness on friction and wear of polycarbonate. 2005 , 258, 915-923		21

255	Toughening of polycarbonate: Effect of particle size and rubber phase contents of the core-shell impact modifier. <i>Journal of Applied Polymer Science</i> , 2005 , 95, 748-755	2.9	30
254	Chain structure and mechanical properties of polyethylene/polypropylene/poly(ethylene-co-propylene)in-reactor alloys synthesized with a spherical Ziegler-Natta catalyst by gas-phase polymerization. <i>Journal of Applied Polymer Science</i> , 2005 , 97, 640-647	2.9	42
253	Synergistically toughening high-density polyethylene with calcium carbonate and elastomer. 2005 , 43, 3213-3221		10
252	Thermal Expansion Behavior of Polystyrene Blended Porous Silica through Psuedo-Phase Separation. <i>Zairyo/Journal of the Society of Materials Science, Japan</i> , 2005 , 54, 453-458	0.1	2
251	Polymer Blends. 2005 ,		
250	Modeling and Computational Analysis of Fracture of Glassy Polymers. 2005 , 195-234		19
249	Polymer Blends. 2005 ,		7
248	Modeling of Thin Layer Yielding in Polymers. 2006 , 45, 727-739		17
247	What is the Essence of Nano-Technology?. 2006 , 42, 78-87		
246	Structure and mechanical properties of compatibilized poly(ethylene terephthalate)/poly(ethylene octene) blends. <i>Polymer Engineering and Science</i> , 2006 , 46, 172-180	2.3	25
245	Transition from crazing to shear deformation in ABS/PVC blends. 2006 , 44, 687-695		17
244	Independence of the brittle-ductile transition from the rubber particle size for impact-modified poly(vinyl chloride). 2006 , 44, 696-702		17
243	Morphology and crack toughness behaviour of nanostructured block copolymer/homopolymer blends. 2006 , 73, 2399-2412		21
242	One-step functionalization and reactive blending of polyolefin/polyamide mixtures (EPM/PA6). <i>Polymer</i> , 2006 , 47, 85-97	3.9	19
241	Two-step formation of entanglement from disentangled polymer melt detected by using nucleation rate. <i>Polymer</i> , 2006 , 47, 6422-6428	3.9	56
240	Influence of polymerization conditions on the structure and properties of polyethylene/polypropylene in-reactor alloy synthesized in the gas phase with a spherical Ziegler-Natta catalyst. <i>Journal of Applied Polymer Science</i> , 2006 , 101, 2136-2143	2.9	7
239	Comparative measurement of interfacial tension by transient dynamic methods. <i>Journal of Applied Polymer Science</i> , 2006 , 99, 1910-1918	2.9	6
238	Influence of copolymerization conditions on the structure and properties of polyethylene/polypropylene/poly(ethylene-co-propylene) in-reactor alloys synthesized in gas-phase with spherical ziegler-natta catalyst. <i>Journal of Applied Polymer Science</i> , 2006 , 102, 2481-2487	2.9	10

237	Relationships between phase morphology and deformation mechanisms in polymer nanocomposite nanofibres prepared by an electrospinning process. 2006 , 17, 963-72		36
236	Materials for Optical Disc Substrates. 2006 , 31, 299-307		5
235	BisGMA/TiO ₂ Organic-Inorganic Hybrid Nanocomposite. 2007 , 46, 1181-1186		8
234	Effect of octene content in poly(ethylene-co-1-octene) on the properties of poly(propylene)/poly(ethylene-co-1-octene) blends. <i>Journal of Applied Polymer Science</i> , 2007 , 103, 1133-1139	2.9	24
233	Tensile properties of hollow glass bead-filled polypropylene composites. <i>Journal of Applied Polymer Science</i> , 2007 , 104, 1697-1701	2.9	22
232	Regulation of morphology and mechanical properties of polypropylene/poly(ethylene-co-propylene) in-reactor alloys by multi-stage sequential polymerization. <i>Polymer</i> , 2007 , 48, 5905-5916	3.9	72
231	Effect of matrix composition on the fracture behavior of rubber-modified PMMA/PVC blends. 2007 , 58, 979-988		13
230	Impact fracture toughness of hollow glass bead-filled polypropylene composites. 2007 , 42, 841-846		34
229	Influence of a nucleating agent on the crystallization behaviour of isotactic polypropylene and elastomer blends. <i>Polymer</i> , 2007 , 48, 5324-5331	3.9	53
228	Optimizing the balance between impact strength and stiffness in polypropylene/elastomer blends by incorporation of a nucleating agent. <i>Polymer Engineering and Science</i> , 2008 , 48, 80-87	2.3	36
227	Time- and Temperature-Dependent Fracture Mechanics of Polymers: General Aspects at Monotonic Quasi-Static and Impact Loading Conditions. <i>Macromolecular Materials and Engineering</i> , 2008 , 293, 555-567	3.9	15
226	Effect of Impact Modifier Types on Mechanical Properties of Rubber-Toughened Glass-Fibre-Reinforced Nylon 66. 2008 , 84, 693-703		6
225	Effect of the molecular structure of ethene-propene and styrene-butadiene copolymers on their compatibilization efficiency in low-density polyethylene/polystyrene blends. <i>Journal of Applied Polymer Science</i> , 2008 , 107, 174-186	2.9	9
224	Reinforcing network structure: Analysis of the phase morphology and mechanical properties of polymer blends [poly(methyl methacrylate)/poly(?-caprolactone)] with the addition of a third polymer [poly(vinyl chloride)]. <i>Journal of Applied Polymer Science</i> , 2008 , 108, 1044-1048	2.9	1
223	Compatibilization efficiency of styrene-butadiene block copolymers as a function of their block number. <i>Journal of Applied Polymer Science</i> , 2008 , 108, 466-472	2.9	6
222	Fabrication and characterization of TiO ₂ -epoxy nanocomposite. 2008 , 487, 574-585		190
221	Polymer toughening using residue of recycled windshields: PVB film as impact modifier. 2008 , 44, 755-768		35
220	Effect of Compatibilizer on Morphology and Mechanical Properties of SAN/EPDM Blends. 2008 , 23, 356-362		4

219	Gray Relational Analysis between Size Distribution and Impact Strength of Polypropylene/Hollow Glass Bead Composites. 2009 , 28, 1945-1955		8
218	Layered particle-based polymer composites for coatings: Part II Stone chip resistant automotive coatings. 2009 , 64, 193-204		24
217	Miscibility enhancement of PP/PBT blends with a side-chain liquid crystalline ionomer. <i>Journal of Applied Polymer Science</i> , 2009 , 112, 3007-3015	2.9	9
216	Morphology of nylon 1212 toughened with a maleated EPDM rubber. 2009 , 58, 190-197		15
215	Predictive nonlinear constitutive relations in polymers through loss history. 2009 , 46, 1981-1993		47
214	Creep rupture properties of homopolymer, copolymer, and terpolymer based on poly(oxymethylene). <i>Journal of Applied Polymer Science</i> , 2010 , 116, NA-NA	2.9	
213	Study of compatibility, morphology structure and mechanical properties of CPVC/ABS blends. <i>Journal of Applied Polymer Science</i> , 2010 , 116, NA-NA	2.9	1
212	Annealing induced microstructure and fracture resistance changes in isotactic polypropylene/ethylene-octene copolymer blends with and without β phase nucleating agent. 2010 , 48, 2108-2120		23
211	Design and morphology control of polymer nanocomposites using light-driven phase separation phenomena. 2010 , 1, 013002		4
210	Materials in optical data storage. 2010 , 101, 199-215		17
209	Super Toughened Poly(lactic acid) Ternary Blends by Simultaneous Dynamic Vulcanization and Interfacial Compatibilization. <i>Macromolecules</i> , 2010 , 43, 6058-6066	5.5	249
208	Mechanical Properties of Polypropylene Filled with Electron Beam Modified Surface-treated Titanium Dioxide Nanoparticles. 2010 , 29, 1999-2014		8
207	Interaction of Microstructure and Interfacial Adhesion on Impact Performance of Polylactide (PLA) Ternary Blends. <i>Macromolecules</i> , 2011 , 44, 1513-1522	5.5	246
206	Parametric study of FENE and FENE-P models in steady and unsteady flow in a circular pipe using CONNFESSIT approach. 2011 , 166, 1012-1023		1
205	Mechanisms of nucleation and crystal growth in a nascent isotactic polypropylene/poly(ethylene-co-octene) in-reactor alloy investigated by temperature-resolved synchrotron SAXS and DSC methods. <i>Polymer</i> , 2011 , 52, 4590-4599	3.9	22
204	Eighty years of macromolecular science: from birth to nano-, bio- and self-assembling polymers With slight emphasis on European contributions. 2011 , 289, 1407-1427		10
203	Crystallization behavior and morphology of one-step reaction compatibilized microfibrillar reinforced isotactic polypropylene/poly(ethylene terephthalate) (iPP/PET) blends. 2011 , 29, 540-551		10
202	Mechanical properties and deformation behaviors of acrylonitrile-butadiene-styrene under Izod impact test and uniaxial tension at various strain rates. <i>Polymer Engineering and Science</i> , 2011 , 51, 902-907		17

201	Research progress in toughening modification of poly(lactic acid). 2011 , 49, 1051-1083		524
200	Photodegradation of thermodegraded polypropylene/high-impact polystyrene blends: Mechanical properties. <i>Journal of Applied Polymer Science</i> , 2011 , 120, 770-779	2.9	16
199	Failure mechanisms in polyolefines: The role of crazing, shear yielding and the entanglement network. <i>Polymer</i> , 2011 , 52, 2979-2990	3.9	186
198	Measuring size-dependent mechanical properties of electrospun polystyrene fibers using in-situ AFM-SEM. 2012 , 1424, 13		1
197	Morphology and Crystallization Behavior of Compatibilized Isotactic Polypropylene/Poly(butylene terephthalate) Blends under Shear Flow. 2012 , 51, 507-513		8
196	Toughening Modification of Poly(lactic acid) via Melt Blending. 2012 , 27-46		5
195	Tailor-Made Fibrous Hydroxyapatite/Polydimethylsiloxane Composites: Insight into the Kinetics of Polymerization in the Presence of Filler and Structure-Property Relationship. 2012 , 116, 26551-26560		5
194	Tailoring impact toughness of poly(L-lactide)/poly(ϵ -caprolactone) (PLLA/PCL) blends by controlling crystallization of PLLA matrix. 2012 , 4, 897-905		188
193	Correlation between impact strength and fracture surface fractal dimension of ABS filled with hollow glass beads. 2012 , 23, 108-113		10
192	Preparation of a structured acrylic impact modifier and its application in toughening polyamide 6. <i>Polymer Engineering and Science</i> , 2012 , 52, 399-407	2.3	2
191	The influence of the internal structure of core-shell particles on poly(vinyl chloride)/(methyl methacrylate-butadiene-styrene) blends. 2012 , 61, 1067-1072		1
190	Influence of the tert-dodecyl mercaptan content in poly(acrylonitrile-butadiene-styrene) on properties of chlorinated polyvinyl chloride/poly(acrylonitrile-butadiene-styrene) blends. <i>Polymer Engineering and Science</i> , 2012 , 52, 820-825	2.3	1
189	Commercial, high-impact polypropylenes: Composition and chain structure as revealed by temperature-gradient extraction fractionation. <i>Journal of Applied Polymer Science</i> , 2012 , 125, 1606-1615	2.9	5
188	Preparation of PBAS core-shell structured polymer by seeded emulsion polymerization and investigation in AS resin toughness. <i>Journal of Applied Polymer Science</i> , 2012 , 125, 3419-3428	2.9	7
187	Effects of liquid-liquid phase separation on crystallization kinetics and morphology of isotactic polypropylene/poly(ethylene-co-octene) in-reactor alloy. <i>Polymer</i> , 2012 , 53, 2465-2475	3.9	12
186	Fractal characterization of impact fracture surface of polypropylene nanocomposites. 2012 , 31, 71-81		9
185	Periodic crazing on polymethylmethacrylate film by localized bending. <i>Journal of Applied Polymer Science</i> , 2013 , 127, 2307-2313	2.9	6
184	High impact poly(lactic acid)/poly(ethylene octene) blends prepared by reactive blending. <i>Polymer Engineering and Science</i> , 2013 , 53, 389-396	2.3	57

183	Improved chemical composition separation of ethylene-propylene random copolymers by high-temperature solvent gradient interaction chromatography. 2013 , 405, 8607-14		17
182	Polymer Nucleation. 2013 , 125-164		6
181	Toughening of poly(l-lactide) with poly(ϵ -caprolactone): Combined effects of matrix crystallization and impact modifier particle size. <i>Polymer</i> , 2013 , 54, 5257-5266	3.9	99
180	Effect of Entanglement Density on Mechanical Properties and Deformation Behavior of Rubber-Modified PVC/MSAN Blends. <i>Industrial & Engineering Chemistry Research</i> , 2013 , 52, 12567-12573	3.9	11
179	Blends of poly(vinyl chloride) with β -methylstyrene-acrylonitrile-butadiene-styrene copolymer: Thermal properties, mechanical properties, and morphology. 2013 , 19, 1-10		21
178	Phase separation of impact-modified PVC/PMMA blends under melt-blending conditions. 2013 , 19, 11-17		4
177	Effect of the Combined External Electron Donors on the Structure and Properties of Polypropylene/Poly(ethylene-co-propylene) In-Reactor Alloys Prepared by High-Efficiency Industrial Ziegler-Natta Catalyst. <i>Industrial & Engineering Chemistry Research</i> , 2013 , 52, 5887-5894	3.9	21
176	Temperature dependence of crystallization of nano-oriented crystals of iPP and the formation mechanism. <i>Polymer Journal</i> , 2013 , 45, 70-78	2.7	5
175	Recent advances in high performance poly(lactide): from "green" plasticization to super-tough materials via (reactive) compounding. <i>Frontiers in Chemistry</i> , 2013 , 1, 32	5	104
174	Preparation of Nano-Porous Polypropylene Film by Periodic Crazing and Its Evaluation as Battery Separators. 2013 , 70, 1-9		4
173	Mechanical Properties of Polymer Blends. 2014 , 1203-1297		16
172	Migration Study of Biodegradable Blends of Polylactic Acid and Epoxidized Natural Rubber. 2014 , 983, 342-346		1
171	Effect of ageing and annealing on the mechanical behaviour and biodegradability of a poly(3-hydroxybutyrate) and poly(ethylene-co-methyl-acrylate-co-glycidyl-methacrylate)blend. 2014 , 63, 1085-1093		21
170	Polymer Blends: Introduction. 2014 , 3-170		4
169	The elastic mechanical response of supported thin polymer films. 2014 , 30, 15200-5		47
168	Introduction. 2014 , 1-30		6
167	Effect of the Addition of a Brazilian Sodium Smectite Clay in Toughened Nylon-6. 2014 , 798-799, 743-746		
166	Fracture Micromechanisms of Polypropylene/Polycarbonate/Poly(styrene-b-(ethylene-co-butylene)-b-styrene) (PP/PC/SEBS) Ternary Blends: The Effects of SEBS Content. 2014 , 53, 1103-1115		4

165	Development of acrylonitrile-butadiene-styrene composites with enhanced UV stability. 2014 , 49, 510-518		5
164	Brittle-ductile transition behavior of poly(ethylene terephthalate)/poly(ethylene-octene) blend: the roles of compatibility and test temperature. 2014 , 49, 1794-1804		7
163	In situ reactive compatibilized polypropylene/nitrile butadiene rubber blends by zinc dimethacrylate: Preparation, structure, and properties. <i>Polymer Engineering and Science</i> , 2014 , 54, 2321-2331		10
162	Highly toughened poly(vinylidene fluoride)/nitrile butadiene rubber blends prepared via peroxide-induced dynamic vulcanization. 2014 , 33, 179-186		15
161	Glass fibers reinforced poly(ethylene 2,6-naphthalate)/ethylene propylene diene monomer composites: Structure, mechanical, and thermal properties. <i>Polymer Composites</i> , 2014 , 35, 939-947	3	6
160	In situ formed crosslinked polyurethane toughened polylactide. 2014 , 5, 2530		105
159	Fully biobased and supertough polylactide-based thermoplastic vulcanizates fabricated by peroxide-induced dynamic vulcanization and interfacial compatibilization. 2014 , 15, 4260-71		145
158	Morphological evolution and toughening mechanism of polypropylene and polypropylene/poly(ethylene-co-octene) alternating multilayered materials with enhanced low-temperature toughness. <i>RSC Advances</i> , 2014 , 4, 20297-20307	3.7	33
157	Alumina modification with long chain carboxylic acid surface nanocrystals for biocompatible polysulfone nanocomposites. 2014 , 6, 14460-8		24
156	Preparation of a functionalized core-shell structured polymer by seeded emulsion polymerization and investigation on toughening poly(butylene terephthalate). <i>RSC Advances</i> , 2014 , 4, 1067-1073	3.7	10
155	Composition-dependent fracture toughness of ROMP-based Dilulin/dicyclopentadiene copolymers. 2014 , 49, 4880-4890		4
154	Polymer Fracture. 2015 , 1-65		5
153	Largely toughening biodegradable poly(lactic acid)/thermoplastic polyurethane blends by adding MDI. <i>Journal of Applied Polymer Science</i> , 2015 , 132, n/a-n/a	2.9	15
152	Aging of polyamide 11. Part 3: Multiscale model predicting the mechanical properties after hydrolytic degradation. <i>Journal of Applied Polymer Science</i> , 2015 , 132, n/a-n/a	2.9	4
151	Stereocomplex Poly(lactic acid) Alloys with Superb Heat Resistance and Toughness. 2015 , 3, 3245-3252		45
150	Entanglement network formed in miscible PLA/PMMA blends and its role in rheological and thermo-mechanical properties of the blends. <i>Polymer</i> , 2015 , 80, 38-45	3.9	46
149	Mechanistic insights on nanosilica self-networking inducing ultra-toughness of rubber-modified polylactide-based materials. 2015 , 1, 113-125		12
148	High-impact toughness poly(vinyl chloride)/(methylstyrene)-acrylonitrile-butadiene-styrene copolymer/acrylic resin blends: Thermal properties and toughening mechanism. 2015 , 21, 205-214		8

147	New understanding of the hierarchical distribution of isotactic polypropylene blends formed by microinjection-molded poly(ethylene terephthalate) and nucleating agent. <i>RSC Advances</i> , 2015 , 5, 61127-61138	3.7	1138
146	High temperature size exclusion liquid adsorption chromatography (HT-SEC-LAC): Full isocratic separation of parent isotactic polypropylene homopolymer from ethylene-propylene copolymers. <i>Polymer</i> , 2015 , 64, 1-7	3.9	7
145	Properties of isotactic polypropylene/atactic polypropylene blends. 2015 , 23, 809-813		5
144	Effects of composition on microstructure and crystallization behavior for impact polypropylene copolymer investigated by restructuring the complex core-shell dispersed particles in ternary blends. 2015 , 33, 95-108		5
143	Control of Craze Process by Surface Coating on the Film as Battery Separators. 2016 , 72, 66-73		4
142	Design of Graft Block Polymer Thermoplastics. <i>Macromolecules</i> , 2016 , 49, 9108-9118	5.5	49
141	Perspective on Polylactic Acid (PLA) based Sustainable Materials for Durable Applications: Focus on Toughness and Heat Resistance. 2016 , 4, 2899-2916		446
140	Biodegradable poly(butylene succinate-co-butylene dimerized fatty acid)s: Synthesis, crystallization, mechanical properties, and rheology. 2016 , 58, 183-193		0
139	Effect of ABS/PMMA/EMA ternary blending sequence on mechanical properties and surface glossiness. 2016 , 36, 625-633		3
138	Correlation of viscosity ratio, morphology, and mechanical properties of polyamide 12/natural rubber blends via reactive compatibilization. <i>Journal of Polymer Research</i> , 2016 , 23, 1	2.7	5
137	Theoretical Aspects of Fracture of Polymeric Materials. 2016 , 73, 281-293		2
136	Toughening of polylactide nanocomposites with an ethylene alkyl acrylate copolymer: Effects of the addition of nanoparticles on phase morphology and fracture mechanisms. <i>Polymer Engineering and Science</i> , 2016 , 56, 1415-1424	2.3	4
135	Rubber/Plastic Blends: Structure/Property Relationship. 2016 , 229-298		4
134	Improvement of the impact strength of ethylene-propylene random copolymers by nucleation. <i>Journal of Applied Polymer Science</i> , 2016 , 133,	2.9	11
133	Intermolecular cooperativity and entanglement network in a miscible PLA/PMMA blend in the presence of nanosilica. <i>Polymer</i> , 2016 , 82, 57-65	3.9	44
132	Toughening mechanism in impact polypropylene copolymer containing a nucleating agent. <i>RSC Advances</i> , 2016 , 6, 23117-23125	3.7	8
131	Morphology Controlled PA11 Bio-Alloys with Excellent Impact Strength. 2016 , 4, 2158-2164		9
130	A simple drop-casting approach to fabricate the super-hydrophobic PMMA-PSF-CNFs composite coating with heat-, wear- and corrosion-resistant properties. 2016 , 294, 303-309		12

129	Strong synergistic effects in PLA/PCL blends: Impact of PLA matrix viscosity. 2017 , 69, 229-241		54
128	Direct three-dimensional imaging of the fracture of fiber-reinforced plastic under uniaxial extension: Effect of adhesion between fibers and matrix. <i>Polymer</i> , 2017 , 116, 556-564	3.9	6
127	Relationship between structure and properties in high-performance PA6/SEBS-g-MA/(PPO/PS) blends: The role of PPO and PS. <i>Journal of Applied Polymer Science</i> , 2017 , 134, 45281	2.9	7
126	Grafting Polymers from Poly(2,6-dimethyl-1,4-phenylene oxide) as New Thermoplastics. 2017 , 218, 1700023		3
125	Progress in Toughening Poly(Lactic Acid) with Renewable Polymers. 2017 , 57, 557-593		115
124	Polychloroprene Rubber-Based Nanoblends: Preparation, Characterization and Applications. 2017 , 249-279		2
123	Super impact absorbing bio-alloys from inedible plants. 2017 , 19, 4503-4508		6
122	On the Plastic Constraint Factor of Polymers. 2017 , 373, 1600117		
121	Stress-strain measurement of ultra-thin polystyrene films: Film thickness and molecular weight dependence of crazing stress. <i>Polymer</i> , 2017 , 123, 179-183	3.9	31
120	Role of weak particle-matrix interfacial adhesion in deformation and fracture mechanisms of rigid particulate-filled poly(methyl methacrylate). 2017 , 104, 1-12		13
119	Variation of periodic crazing based on polymer blends of an ultra-high and a low molecular weight poly(methyl methacrylate). <i>Journal of Applied Polymer Science</i> , 2017 , 134,	2.9	4
118	Photopolymerized Triazole-Based Glassy Polymer Networks with Superior Tensile Toughness. <i>Advanced Functional Materials</i> , 2018 , 28, 1801095	15.6	19
117	Dynamic performance of an amorphous polymer composite under controlled loading of reduced graphene oxide based on entanglement of filler with polymer chains. <i>Journal of Polymer Research</i> , 2018 , 25, 1	2.7	5
116	Fully biobased thermoplastic elastomers: Synthesis of highly branched linear comb poly(Emyrcene)-graft-poly(l-lactide) copolymers with tunable mechanical properties. <i>Polymer</i> , 2018 , 138, 57-64	3.9	27
115	Effect of particle size and crosslinking on the toughening of core-shell-type rubber-modified poly(lactic acid) composites. 2018 , 65, 440-449		15
114	Fully biobased thermoplastic elastomers: Synthesis of highly branched star comb poly(Emyrcene)-graft-poly(l-lactide) copolymers with tunable mechanical properties. 2018 , 99, 477-484		18
113	AOTEMPO-mediated dynamic vulcanization: Synthesis of impact-modified polypropylene. <i>Polymer Engineering and Science</i> , 2018 , 58, 1999-2007	2.3	2
112	Morphologic and mechanical properties of blends from recycled acrylonitrile-butadiene-styrene and high-impact polystyrene. <i>Polymer</i> , 2018 , 135, 271-278	3.9	27

111	Supertough PLA-Silane Nanohybrids by in Situ Condensation and Grafting. 2018 , 6, 1289-1298		27
110	Energy Absorption Mechanisms and Impact Strength Modification in Multiphase Biopolymer Systems. 2018 , 11, 2-18		2
109	Chain Structure and Molecular Weight Dependent Mechanics of Poly(ethylene 2,5-furandicarboxylate) Compared to Poly(ethylene terephthalate). <i>Macromolecules</i> , 2018 , 51, 8539-8549	5.5	27
108	Effect of the Ratio k/p on Glassy-Polymeric Shear Deformation Mechanisms. <i>Macromolecules</i> , 2018 , 51, 4370-4380	5.5	5
107	Effect of the composition and degree of crosslinking on the properties of poly(l-lactic acid)/crosslinked polyurethane blends. 2018 , 67, 1221-1228		4
106	Simultaneously improving stiffness, toughness, and heat deflection resistance of polylactide using the strategy of orientation crystallization amplified by interfacial interactions. 2018 , 1, e10004		6
105	Improvement of mechanical toughness of poly(lactic acid) by addition of ethylene-vinyl acetate copolymer. 2019 , 80, 106021		7
104	formation of PLA-grafted alkoxy silanes for toughening a biodegradable PLA stereocomplex thin film.. <i>RSC Advances</i> , 2019 , 9, 21748-21759	3.7	10
103	Observations of compression and fracture in polymer networks subjected to impact loading. 2019 , 216, 106487		2
102	Toward Fully Bio-based and Supertough PLA Blends via in Situ Formation of Cross-Linked Biopolyamide Continuity Network. <i>Macromolecules</i> , 2019 , 52, 8415-8429	5.5	51
101	Supramolecular Elastomers with Movable Cross-Linkers Showing High Fracture Energy Based on Stress Dispersion. <i>Macromolecules</i> , 2019 , 52, 6953-6962	5.5	12
100	Jet Milling as an Alternative Processing Technique for Preparing Polysulfone Hard Nanocomposites. 2019 , 2019, 1-8		1
99	Polyamide 11/Poly(butylene succinate) Bio-Based Polymer Blends. 2019 , 12,		6
98	Advances in toughened polymer materials by structured rubber particles. 2019 , 98, 101160		51
97	Correlation between enthalpy relaxation and mechanical response on physical aging of polycarbonate in relation to the effect of molecular weight on ductile-brittle transition. <i>Polymer</i> , 2019 , 181, 121720	3.9	5
96	Novel tunable super-tough materials from biodegradable polymer blends: nano-structuring through reactive extrusion.. <i>RSC Advances</i> , 2019 , 9, 2836-2847	3.7	11
95	Predicting embrittlement of polymer glasses using a hydrostatic stress criterion. <i>Journal of Applied Polymer Science</i> , 2019 , 136, 47373	2.9	4
94	Evaluation of toughness and failure mode of PA6/mSEBS/PS ternary blends with an oil-extended viscoelastic controlled interface. <i>Polymer</i> , 2019 , 177, 57-64	3.9	9

93	Self-Healing Alkyl Acrylate-Based Supramolecular Elastomers Cross-Linked via Host-Guest Interactions. <i>Macromolecules</i> , 2019 , 52, 2659-2668	5.5	52
92	Rubber Toughening of Polylactic Acid (PLA) with Poly(butylene adipate-co-terephthalate) (PBAT): Mechanical Properties, Fracture Mechanics and Analysis of Ductile-to-Brittle Behavior while Varying Temperature and Test Speed. 2019 , 115, 125-137		48
91	The temperature-dependent ballistic performance and the ductile-to-brittle transition in polymer networks. 2019 , 57, 511-523		11
90	Coarse-grained molecular dynamics simulation of deformation and fracture in polycarbonate: Effect of loading mode, strain rate, temperature and molar mass. 2019 , 23, 348-353		1
89	Effect of organophilic clay addition on properties of SAN/EPDM blends. 2019 , 26, 711-727		6
88	Morphology and mechanical properties of Acrylonitrile-styrene-acrylate toughened plastics with block copolymer chain structure. <i>Polymer Engineering and Science</i> , 2019 , 59, 389-395	2.3	0
87	Shape memory effects in self-healing polymers. 2020 , 102, 101208		61
86	Cellulose nanofibers reinforced biodegradable polyester blends: Ternary biocomposites with balanced mechanical properties. 2020 , 233, 115845		18
85	Tailoring the toughness of sustainable polymer blends from biodegradable plastics via morphology transition observed by atomic force microscopy. <i>Polymer Degradation and Stability</i> , 2020 , 173, 109066	4.7	17
84	Effect of recycled poly(vinyl chloride) on the mechanical, thermal and rheological characteristics of recycled poly(methyl methacrylate). 2020 , 22, 698-710		0
83	Epoxidized soybean oil toughened recycled blends: a new method for the toughening of recycled polymers employing renewable resources. 2020 , 77, 6543-6562		0
82	Sustainable green composites from biodegradable plastics blend and natural fibre with balanced performance: Synergy of nano-structured blend and reactive extrusion. 2020 , 200, 108369		17
81	Coarse-grained molecular dynamics simulation of deformation and fracture in polycarbonate: Effect of molar mass and entanglement. 2020 , 109, 102699		1
80	Influences of temperature and opening rate of substrate cracks on the mechanical behaviour, crack-bridging ability and deformation mechanisms of one-component, cementitious, flexible waterproofing membranes. <i>Cement and Concrete Research</i> , 2020 , 136, 106140	10.3	2
79	Predicting the Young's modulus and the impact strength of immiscible polyolefin blends. <i>Polymer</i> , 2020 , 204, 122795	3.9	2
78	Effects of ethylene-octene copolymer (POE) on the brittle to ductile transition of high-density polyethylene/POE blends. <i>Polymer Engineering and Science</i> , 2020 , 60, 2640-2652	2.3	7
77	Beyond Stretchability: Strength, Toughness, and Elastic Range in Semiconducting Polymers. <i>Chemistry of Materials</i> , 2020 , 32, 7582-7601	9.6	35
76	Effect of water absorption on the structure and properties of isosorbide-based polycarbonate. <i>Polymer</i> , 2020 , 202, 122713	3.9	0

75	Toughening Effect of Clay Particles on Poly(Lactic Acid)/Natural Rubber Blend. <i>Nihon Reorji Gakkaishi</i> , 2020 , 48, 101-107	0.8	
74	Achieving High-Ductile Polylactide Sheets with Inherent Strength via a Compact and Uniform Stress Conduction Network. <i>Industrial & Engineering Chemistry Research</i> , 2020 , 59, 12096-12105	3.9	2
73	Tacticity Effects on Polymer Glass Transition Revisited by Coarse-Grained Simulations. <i>Macromolecular Theory and Simulations</i> , 2020 , 29, 2000001	1.5	5
72	Super tough poly(lactic acid) blends: a comprehensive review.. <i>RSC Advances</i> , 2020 , 10, 13316-13368	3.7	87
71	Percolation Model for Renewable-Carbon Doped Functional Composites in Packaging Application: A Brief Review. <i>Coatings</i> , 2020 , 10, 193	2.9	3
70	Role of Secondary Thermal Relaxations in Conjugated Polymer Film Toughness. <i>Chemistry of Materials</i> , 2020 , 32, 6540-6549	9.6	10
69	Bulk Copolymerization of Host-Guest Monomers with Liquid-Type Acrylamide Monomers for Supramolecular Materials Applications. <i>ACS Applied Polymer Materials</i> , 2020 , 2, 1553-1560	4.3	8
68	Study of POSS on the Properties of Novel Inorganic Dental Composite Resin. <i>Polymers</i> , 2020 , 12,	4.5	10
67	Crystallization and Microstructure Evolution of Microinjection Molded Isotactic Polypropylene with the Assistance of Poly(Ethylene Terephthalate). <i>Polymers</i> , 2020 , 12,	4.5	2
66	Composites of Recycled Polypropylene from Cotton Swab Waste with Pyrolyzed Rice Husk. <i>Journal of Polymers and the Environment</i> , 2021 , 29, 350-362	4.5	8
65	Toward strong and super-toughened PLA via incorporating a novel fully bio-based copolyester containing cyclic sugar. <i>Composites Part B: Engineering</i> , 2021 , 207, 108558	10	7
64	Synergistic toughening effect of hybrid clay particles on poly(lactic acid)/natural rubber blend. <i>Polymer Composites</i> , 2021 , 42, 1021-1033	3	2
63	Highly Toughened and Heat-Resistant Poly(lactic acid) with Balanced Strength Using an Unsaturated Liquid Crystalline Polyester via Dynamic Vulcanization. <i>ACS Applied Polymer Materials</i> , 2021 , 3, 299-309	4.3	5
62	Conducting polymers: a comprehensive review on recent advances in synthesis, properties and applications. <i>RSC Advances</i> , 2021 , 11, 5659-5697	3.7	124
61	Poly(lactic acid) (PLA)/Poly(butylene succinate-co-adipate) (PBSA) Compatibilized Binary Biobased Blends: Melt Fluidity, Morphological, Thermo-Mechanical and Micromechanical Analysis. <i>Polymers</i> , 2021 , 13,	4.5	11
60	Analysis of PLA Blends Using Weighted Relaxation Spectrum. <i>Fibers and Polymers</i> , 2021 , 22, 314-322	2	1
59	Strengthening Polyethylene Thermoplastics through a Dynamic Covalent Networking Additive Based on Alkylboron Chemistry. <i>Macromolecules</i> , 2021 , 54, 1760-1766	5.5	2
58	Temperature dependency of cavitation in impact copolymer polypropylene during stretching. <i>Polymer</i> , 2021 , 217, 123428	3.9	2

57	Stable Co-Continuous PLA/PBAT Blends Compatibilized by Interfacial Stereocomplex Crystallites: Toward Full Biodegradable Polymer Blends with Simultaneously Enhanced Mechanical Properties and Crystallization Rates. <i>Macromolecules</i> , 2021 , 54, 2852-2861	5.5	15
56	Toward morphology development and impact strength of Co-continuous supertough dynamically vulcanized rubber toughened PLA blends: Effect of sulfur content. <i>Polymer</i> , 2021 , 217, 123439	3.9	10
55	Entropy-Driven Ultratough Blends from Brittle Polymers.. <i>ACS Macro Letters</i> , 2021 , 10, 406-411	6.6	5
54	Phase Structure and Properties of Ternary Polylactide/Poly(methyl methacrylate)/Polysilsesquioxane Blends. <i>Polymers</i> , 2021 , 13,	4.5	
53	Improvement of Mechanical Properties of Polymeric Glass Materials by Addition of Low-mass Compounds. <i>Seikei-Kakou</i> , 2021 , 33, 144-147	0	
52	Post-chemical grafting poly(methyl methacrylate) to commercially renewable elastomer as effective modifiers for polylactide blends. <i>International Journal of Biological Macromolecules</i> , 2021 , 181, 718-733	7.9	2
51	Super-tough poly(lactic acid) using a fully bio-based polyester containing malic acid via in-situ interfacial compatibilization. <i>Journal of Applied Polymer Science</i> , 2021 , 138, 51413	2.9	1
50	Preparation of poly(lactic acid) with excellent comprehensive properties via simple deformation or microfibrillation of spherulites. <i>Journal of Applied Polymer Science</i> , 2022 , 139, 51539	2.9	1
49	Novel environmentally sustainable xylitol-based plasticizer: synthesis and application. <i>Journal of Polymer Research</i> , 2021 , 28, 1	2.7	1
48	Neural network feature and architecture optimization for injection molding surface defect prediction of model polypropylene. <i>Polymer Engineering and Science</i> , 2021 , 61, 2376-2387	2.3	2
47	Manipulating Crystallization for Simultaneous Improvement of Impact Strength and Heat Resistance of Plasticized Poly(l-lactic acid) and Poly(butylene succinate) Blends. <i>Polymers</i> , 2021 , 13,	4.5	1
46	Control of Polymer Properties by Entanglement: A Review. <i>Macromolecular Materials and Engineering</i> , 2100536	3.9	7
45	Highly Toughened Polylactide-Based Materials through Melt-Blending Techniques. 235-274		2
44	Investigation of the microstructures, properties, and toughening mechanism of polypropylene/calcium carbonate toughening masterbatch composites. <i>Journal of Applied Polymer Science</i> , 2017 , 134, 45515	2.9	13
43	Toughening Engineering Thermoplastics with Functionalized Ethylene-Propylene Rubbers: Impact Modification of Styrene-Maleic Anhydride Copolymer. 1993 , 197-207		2
42	Fracture and Fatigue Behaviour of Semicrystalline Polymers as a Function of Microstructural and Molecular Parameters. 2000 , 163-179		7
41	Rubber Toughened Polymers. 2012 , 315-368		1
40	Resolving the Molecular Origin of Mechanical Relaxations in Donor-Acceptor Polymer Semiconductors. <i>Advanced Functional Materials</i> , 2021 , 2105597	15.6	3

39	Rheological and mechanical properties of poly(methyl methacrylate) doped with lithium salts. <i>Polymer Journal</i> ,	2.7	1
38	Thermoplastic Elastomers. 2004 ,		
37	Deformation and Toughness of Polymers.		
36	Reactive Processing of Polymer Blends: Polymer-Polymer Interface Aspects.		
35	?????????????????? 10 ??????. <i>Seikei-Kakou</i> , 2008 , 20, 533-539	0	
34	Encyclopedia of Polymeric Nanomaterials. 2013 , 1-6		
33	CONTROL OF INTRINSIC BRITTLINESS AND TOUGHNESS OF POLYMERS AND BLENDS BY CHEMICAL STRUCTURE. 1992 , 809-813		
32	Limiting Toughness of Polymers The relation between molecular and microscopic structure. 1993 , 231-244		
31	LATEX ACRYLIC SEALANTS. 1993 , 205-231		
30	Welding and fracture of polypropylene interfaces. 1995 , 227-272		1
29	Structure-Property Relationships [Large Strain. <i>Polymer Science and Technology</i> , 1999 , 233-237		
28	Viscoelastic Properties of Rubbery Materials. <i>Nippon Gomu Kyokaishi</i> , 2018 , 91, 351-357	0	
27	Basic of the Elastic and Fracture Behavior for Thermoplastic Composites. <i>Seikei-Kakou</i> , 2019 , 31, 222-225		
26	Effect of polypropylene molecular weight distribution on the balance between the toughness and rigidity of the impact polypropylene composites. <i>Journal of Applied Polymer Science</i> , 51834	2.9	0
25	Poly lactide-Based Porous Materials: Synthesis, Hydrolytic Degradation Features, and Application Areas. <i>Polymer Science - Series C</i> , 2021 , 63, 199-218	1.1	1
24	Chapitre 9. Propriétés mécaniques ultimes des matériaux polymères [État solide. 2012 , 297-350		
23	Fabrication and mechanical properties of knitted dissimilar polymeric materials with movable cross-links. <i>Molecular Systems Design and Engineering</i> ,	4.6	0
22	Coarse-Grained Molecular Dynamics Simulation of Fracture in Polycarbonate: Fracture Stress Prediction From Molecular Entanglement and Spatial Distribution. <i>Zairyo/Journal of the Society of Materials Science, Japan</i> , 2022 , 71, 151-158	0.1	

21	Effect of olefin block copolymer on the toughness of microcellular polypropylene composite. <i>Materials Research Express</i> , 2022 , 9, 035301	1.7	1
20	Morphological control and interfacial compatibilization of fully biobased PLA/ENR blends via partial crosslinking ENR with sebacic acid. <i>Industrial Crops and Products</i> , 2022 , 180, 114707	5.9	1
19	Super-Tough Poly(lactic Acid)-Based Thermoplastic Vulcanizate Based on Selective Dispersion and In Situ Compatibilization of Commercial Reinforcing Fillers and Its Application in Three-Dimensional Printing. <i>Industrial & Engineering Chemistry Research</i> , 2022 , 61, 359-371	3.9	1
18	Mechanically enhanced poly(lactic acid)/polyurethane blend with interfacial-localized clay particles. <i>Journal of Applied Polymer Science</i> ,	2.9	
17	The construction of super-tough polylactide/crosslinked polyamide blends by dynamic vulcanization. <i>Polymer Degradation and Stability</i> , 2022 , 202, 110007	4.7	
16	Ultra-Tough Polylactide/Bromobutyl Rubber-Based Ionomer Blends via Reactive Blending Strategy. <i>Frontiers in Chemistry</i> , 10,	5	
15	Effects of plastic deformation and failure on the folding behavior of non-crosslinked ethylene propylene diene terpolymer composites. <i>Polymer Engineering and Science</i> ,	2.3	
14	Effect of Entanglement Density on Mechanical Properties and the Deformation Mechanism of Rubber-Modified PPO/PS Blends. <i>Macromolecular Materials and Engineering</i> , 2200325	3.9	o
13	Water boosts reactive toughening of PET. <i>Polymer Degradation and Stability</i> , 2022 , 203, 110052	4.7	o
12	Impact and stretching standardized tests as useful tools for assessment of viscoelastic behavior for highly rubberized asphalt binder. 2022 , 348, 128650		o
11	Controllable Synthesis of Submicrometer CoreShell Modifier and Its Effect on Toughening Polyphethylene Ether/Polystyrene Blends. 2200537		o
10	Effects of Hydrolytic Aging on Constitutive Behavior of Silicone Adhesives in Seawater and Distilled Water.		o
9	Novel Transparent Films Composed of Bisphenol-A Polycarbonate and Copolyester. 2022 , 14, 4146		o
8	?????????????????. 2000 , 12, 695-700		o
7	Mechanical Properties and Deformation Mechanism of Bimodal-Rubber-Particle-Toughened Polyphenylene Ether/Polystyrene Blends.		o
6	Coarse-Grained Molecular Dynamics Simulation of Polycarbonate Deformation: Dependence of Mechanical Performance by the Effect of Spatial Distribution and Topological Constraints. 2023 , 15, 43		o
5	Polymers and rheology: A tale of give and take. 2023 , 271, 125811		o
4	Combined effects of matrix molecular weight and crystallinity on the impact toughness of PP/EPR blends: The role of chain entanglement. 2023 , 272, 125863		o

- 3 The Cellular Structure and Toughness of Hydrogenated Styrene-Butadiene Block Copolymer Reinforced Polypropylene Foams. **2023**, 15, 1503
- 2 Invention of biobased polymer alloys and their application in plastic automobile parts.
- 1 Strain-induced multiscale structural evolutions of crystallized polymers: From fundamental studies to recent progresses. **2023**, 101676