

CITATION REPORT

List of articles citing

A process for making microcellular thermoplastic parts

DOI: 10.1002/pen.760302010

Polymer Engineering and Science, 1990, 30, 1323-1329.

Source: <https://exaly.com/paper-pdf/21358899/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
386	Unusual Fabrication of Lightweight Injection-Molded Polypropylene Foams by Using Air as the Novel Foaming Agent.		
385	Numerical and experimental studies of bubble growth during the microcellular foaming process. <i>Polymer Engineering and Science</i> , 1991 , 31, 1657-1664	2.3	113
384	The Effects of Cell Content on the Mechanical Characteristics of Structural Foams. <i>Journal of Cellular Plastics</i> , 1991 , 27, 295-319	1.5	2
383	Microcellular PVC. 1992 , 14, 191-197		14
382	Tension-Tension Fatigue of Microcellular Polycarbonate: Initial Results. 1993 , 12, 359-376		142
381	A model for the unfoamed skin on microcellular foams. <i>Polymer Engineering and Science</i> , 1994 , 34, 169-173	2.3	63
380	Generation of microcellular polymeric foams using supercritical carbon dioxide. I: Effect of pressure and temperature on nucleation. <i>Polymer Engineering and Science</i> , 1994 , 34, 1137-1147	2.3	416
379	Generation of microcellular polymeric foams using supercritical carbon dioxide. II: Cell growth and skin formation. <i>Polymer Engineering and Science</i> , 1994 , 34, 1148-1156	2.3	207
378	The heterogeneous nucleation of microcellular foams assisted by the survival of microvoids in polymers containing low glass transition particles. Part I: Mathematical modeling and numerical simulation. <i>Polymer Engineering and Science</i> , 1994 , 34, 1685-1697	2.3	102
377	Processing, Structure, and Morphology of Graphitic Carbon Foams Produced from Anisotropic Pitch. 1994 , 349, 61		1
376	Nonisothermal bubble growth in polymeric foams. <i>Polymer Engineering and Science</i> , 1995 , 35, 252-260	2.3	58
375	Effect of the pressure drop rate on cell nucleation in continuous processing of microcellular polymers. <i>Polymer Engineering and Science</i> , 1995 , 35, 432-440	2.3	328
374	Tensile toughness of microcellular foams of polystyrene, styrene-acrylonitrile copolymer, and polycarbonate, and the effect of dissolved gas on the tensile toughness of the same polymer matrices and microcellular foams. <i>Polymer Engineering and Science</i> , 1995 , 35, 1167-1177	2.3	102
373	The viscoelastic behavior of microcellular plastics with varying cell size. <i>Polymer Engineering and Science</i> , 1995 , 35, 1387-1393	2.3	91
372	Study of reaction injection molding of polyurethane microcellular foam. <i>Polymer Engineering and Science</i> , 1995 , 35, 1899-1906	2.3	16
371	Characterization of Microcellular Foamed PVC/Cellulosic-Fibre Composites. <i>Journal of Cellular Plastics</i> , 1996 , 32, 449-469	1.5	71
370	Axiomatic design of a microcellular filament extrusion system. 1996 , 8, 166-177		14

369	Filamentary extrusion of microcellular polymers using a rapid decompressive element. <i>Polymer Engineering and Science</i> , 1996 , 36, 34-48	2.3	146
368	An extrusion system for the processing of microcellular polymer sheets: Shaping and cell growth control. <i>Polymer Engineering and Science</i> , 1996 , 36, 1425-1435	2.3	86
367	A microcellular processing study of poly(ethylene terephthalate) in the amorphous and semicrystalline states. Part II: Cell growth and process design. <i>Polymer Engineering and Science</i> , 1996 , 36, 1446-1453	2.3	122
366	Generation of microcellular polyurethane foams via polymerization in carbon dioxide. II: Foam formation and characterization. <i>Polymer Engineering and Science</i> , 1996 , 36, 2417-2431	2.3	42
365	Effect of the crystallinity and morphology on the microcellular foam structure of semicrystalline polymers. <i>Polymer Engineering and Science</i> , 1996 , 36, 2645-2662	2.3	228
364	Rapid Polymer/Gas Solution Formation for Continuous Production of Microcellular Plastics. <i>Journal of Manufacturing Science and Engineering, Transactions of the ASME</i> , 1996 , 118, 639-645	3.3	62
363	Microcellular Foams. 1997 , 101-114		12
362	Processing and cell morphology relationships for microcellular foamed PVC/wood-fiber composites. <i>Polymer Engineering and Science</i> , 1997 , 37, 1137-1147	2.3	166
361	Microcellular sheet extrusion system process design models for shaping and cell growth control. <i>Polymer Engineering and Science</i> , 1998 , 38, 674-688	2.3	41
360	Microcellular PET Foams Produced by the Solid State Process. 1999 , 241-247		2
359	Macroporous Thermosets by Chemically Induced Phase Separation. 1999 , 161-247		25
358	Solubilities and diffusion coefficients of carbon dioxide and nitrogen in polypropylene, high-density polyethylene, and polystyrene under high pressures and temperatures. 1999 , 162, 261-276		305
357	Expansion of Polystyrene Using Supercritical Carbon Dioxide: Effects of Molecular Weight, Polydispersity, and Low Molecular Weight Components. 1999 , 32, 7610-7616		128
356	Predicting the Performance of Chemical Blowing Agents Using Thermal Analysis Techniques. <i>Journal of Cellular Plastics</i> , 2000 , 36, 310-326	1.5	4
355	Growth of gas bubbles in the foam extrusion process. 2000 , 19, 97-112		42
354	Preparation and morphology characterization of microcellular styrene-co-acrylonitrile (SAN) foam processed in supercritical CO ₂ . <i>Polymer International</i> , 2000 , 49, 712-718	3.3	17
353	Production of polystyrene microcellular foam plastics and a comparison of late- and quick-heating. <i>Journal of Applied Polymer Science</i> , 2000 , 77, 2383-2395	2.9	25
352	Polystyrene microcellular plastic generation by quick-heating process at high temperature. <i>Polymer Engineering and Science</i> , 2000 , 40, 1510-1521	2.3	19

351	CO ₂ -Induced Stereocomplex Formation of Stereoregular Poly(methyl methacrylate) and Microcellular Foams. 2000 , 33, 6757-6763		49
350	Processing of Polyamide 11 with Supercritical Carbon Dioxide. 2001 , 40, 5570-5577		24
349	The Effect of Material Factors on the Density and Cell Morphology of Chemically Foamed Polypropylene. <i>Frontiers in Forests and Global Change</i> , 2001 , 20, 403-416	1.6	1
348	Foaming of Thermoplastic Elastomers with Water. <i>Journal of Cellular Plastics</i> , 2001 , 37, 149-159	1.5	18
347	Morphology and physical properties of closed cell microcellular ethylene-butene copolymer: Effect of precipitated silica filler and blowing agent. <i>Journal of Applied Polymer Science</i> , 2002 , 83, 357-366	2.9	19
346	Preparation, characterization, and mechanical properties of some microcellular polysulfone foams. <i>Journal of Applied Polymer Science</i> , 2002 , 86, 1692-1701	2.9	73
345	Continuous microcellular polystyrene foam extrusion with supercritical CO ₂ . <i>Polymer Engineering and Science</i> , 2002 , 42, 2094-2106	2.3	102
344	The relationship between gas absorption and the glass transition temperature in a batch microcellular foaming process. <i>Polymer Testing</i> , 2002 , 21, 269-275	4.5	33
343	Generation of microcellular foams of PVDF and its blends using supercritical carbon dioxide in a continuous process. <i>Polymer</i> , 2002 , 43, 5511-5520	3.9	111
342	Microcellular foams from polyethersulfone and polyphenylsulfone. 2002 , 38, 2373-2381		87
341	Polystyrene foams. I. Processing-structure relationships. <i>Journal of Applied Polymer Science</i> , 2003 , 90, 1412-1420	2.9	32
340	Preparation and characterization of microcellular polystyrene/polystyrene ionomer blends with supercritical carbon dioxide. 2003 , 41, 368-377		24
339	Effect of die temperature on the morphology of microcellular foams. <i>Polymer Engineering and Science</i> , 2003 , 43, 1206-1220	2.3	54
338	Extrusion of polystyrene nanocomposite foams with supercritical CO ₂ . <i>Polymer Engineering and Science</i> , 2003 , 43, 1261-1275	2.3	196
337	Effect of Key Process Variables on Microstructure of Injection Molded Microcellular Polystyrene Foams. <i>Frontiers in Forests and Global Change</i> , 2003 , 22, 175-190	1.6	20
336	Morphology and Physico-Mechanical Properties of Closed Cell Microcellular EPDM Rubber Vulcanizates: Effect of Conductive Carbon Black and Blowing Agent. <i>Frontiers in Forests and Global Change</i> , 2004 , 23, 127-144	1.6	20
335	Processing of microcellular nanocomposite foams by using a supercritical fluid. 2004 , 5, 160-169		23
334	Study of injection molded microcellular polyamide-6 nanocomposites. <i>Polymer Engineering and Science</i> , 2004 , 44, 673-686	2.3	92

333	Investigation on the cell nucleation and cell growth in microcellular foaming by means of temperature quenching. <i>Journal of Applied Polymer Science</i> , 2004 , 93, 163-171	2.9	22
332	Tunable Microcellular Morphologies from Poly(ferrocenylsilane) Ceramic Precursors Foamed in Supercritical CO ₂ . <i>Macromolecular Chemistry and Physics</i> , 2004 , 205, 2398-2408	2.6	10
331	In-Situ Investigation of Liquid-Liquid Phase Separation in Polycarbonate/Carbon Dioxide System. 2004 , 37, 7358-7363		17
330	Block Copolymer Micelles for Nucleation of Microcellular Thermoplastic Foams. 2004 , 37, 6874-6882		91
329	Surface-Constrained Foaming of Polymer Thin Films with Supercritical Carbon Dioxide. 2004 , 37, 9872-9879		72
328	Supercritical CO ₂ Processed Polystyrene Nanocomposite Foams. <i>Journal of Cellular Plastics</i> , 2004 , 40, 229-241	1.5	49
327	Microstructure and mechanical properties of microcellular injection molded polyamide-6 nanocomposites. <i>Polymer</i> , 2005 , 46, 7273-7292	3.9	122
326	Cell morphology analysis of high density polymer foams. <i>Polymer Testing</i> , 2005 , 24, 1027-1035	4.5	75
325	Phenomenology of bubble nucleation in the solid-state nitrogen-polystyrene microcellular foams. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2005 , 263, 336-340	5.1	13
324	CO ₂ foaming of poly(ethylene glycol)/polystyrene blends: Relationship of the blend morphology, CO ₂ mass transfer, and cellular structure. <i>Journal of Applied Polymer Science</i> , 2005 , 97, 1899-1906	2.9	73
323	Nozzle Injection of Physical Blowing Agents in the Injection Molding of Microcellular Foams. <i>International Polymer Processing</i> , 2005 , 20, 149-156	1	4
322	Effect of Processing Parameters on Cellular Structures and Mechanical Properties of PMMA Microcellular Foams. <i>Frontiers in Forests and Global Change</i> , 2005 , 24, 177-195	1.6	31
321	Morphology and Mechanical Properties of Foamed Polyethylene-Polypropylene Blends. <i>Journal of Cellular Plastics</i> , 2005 , 41, 417-435	1.5	35
320	Controlled Foaming of Polymer Films through Restricted Surface Diffusion and the Addition of Nanosilica Particles or CO ₂ -philic Surfactants. 2005 , 38, 2271-2280		103
319	Effect of wood powder on polymer foam nucleation. <i>Journal of Vinyl and Additive Technology</i> , 2006 , 12, 19-24	2	41
318	Remarkable features in the interactions of quadrupolar molecules. 2006 , 110, 6399-407		7
317	Effect of Nanoclay on the Mechanical Properties of PMMA/Clay Nanocomposite Foams. <i>Journal of Cellular Plastics</i> , 2006 , 42, 325-342	1.5	81
316	Strategies for Achieving Microcellular LDPE Foams in Extrusion. <i>Frontiers in Forests and Global Change</i> , 2006 , 25, 1-18	1.6	20

315	Effect of Processing Parameters on the Cellular Morphology and Mechanical Properties of Thermoplastic Polyolefin (TPO) Microcellular Foams. 2006 , 131		
314	The processing-structure relationships in thin microcellular PET sheet prepared by compression molding. 2006 , 42, 1022-1032		25
313	Heterogeneous nucleation uniformizing cell size distribution in microcellular nanocomposites foams. <i>Polymer</i> , 2006 , 47, 7580-7589	3.9	170
312	Porous structure of crystalline polymers by exclusion effect of carbon dioxide. <i>Polymer</i> , 2006 , 47, 7564-7571	3.9	38
311	Preparation and characterization of microcellular thin polycarbonate sheets. <i>Journal of Applied Polymer Science</i> , 2006 , 99, 1760-1766	2.9	11
310	Fracture Toughness of High Density Polycarbonate Microcellular Foams. <i>Journal of Cellular Plastics</i> , 2006 , 42, 229-240	1.5	26
309	Thermoplastic Foams from Zein and Gelatin. <i>International Polymer Processing</i> , 2007 , 22, 480-488	1	28
308	Thin Microcellular Plastic Sheet Incorporating Designed Foaming Patterns Made by Photochemical Foaming Technology. <i>Journal of Cellular Plastics</i> , 2007 , 43, 103-109	1.5	5
307	Preparation and Characterization of Nanocellular Poly(phenylquinoxaline) Foams. A New Approach to Nanoporous High-Performance Polymers. 2007 , 40, 2070-2078		38
306	Low Density Sub-Critical CO ₂ -Blown Solid-State PLA Foams. <i>Frontiers in Forests and Global Change</i> , 2007 , 26, 11-35	1.6	26
305	Steady flow simulation of a polymer-diluent solution through an abrupt axisymmetric contraction using internally consistent rheological scaling. <i>Journal of Applied Polymer Science</i> , 2007 , 106, 1053-1074	2.9	5
304	Biodegradable foams of poly(lactic acid)/starch. I. Extrusion condition and cellular size distribution. <i>Journal of Applied Polymer Science</i> , 2007 , 106, 857-862	2.9	46
303	Generation of microcellular polyurethane with supercritical carbon dioxide. <i>Journal of Applied Polymer Science</i> , 2007 , 106, 3581-3586	2.9	53
302	Effect of processing parameters on the cellular morphology and mechanical properties of thermoplastic polyolefin (TPO) microcellular foams. 2007 , 26, 232-246		25
301	Foaming of polypropylene with supercritical carbon dioxide. <i>Journal of Supercritical Fluids</i> , 2007 , 41, 299-310	3.10	229
300	Foaming of polymers with supercritical CO ₂ : An experimental and theoretical study. <i>Polymer</i> , 2007 , 48, 5928-5939	3.9	183
299	A novel nanoporous structure on the surface of bubbles in polycarbonate foams. 2008 , 46, 843-846		12
298	Raman spectroscopic study of CO ₂ sorption process in poly methyl methacrylate. 2008 , 46, 831-842		10

297	Cell coalescence suppressed by crosslinking structure in polypropylene microcellular foaming. <i>Polymer Engineering and Science</i> , 2008 , 48, 1312-1321	2.3	73
296	Correlation of the melt rheological properties with the foaming behavior of immiscible blends of poly(2,6-dimethyl-1,4-phenylene ether) and poly(styrene-co-acrylonitrile). <i>Polymer Engineering and Science</i> , 2008 , 48, 2111-2125	2.3	13
295	Nanocellular Foams of PS/PMMA Polymer Blends. <i>Macromolecular Materials and Engineering</i> , 2008 , 293, 78-82	3.9	69
294	Control of Bubble Size and Location in Nano-/Microscale Cellular Poly(propylene)/Rubber Blend Foams. <i>Macromolecular Materials and Engineering</i> , 2008 , 293, 574-580	3.9	51
293	Nanoscale Cellular Foams from a Poly(propylene)-Rubber Blend. <i>Macromolecular Materials and Engineering</i> , 2008 , 293, 991-998	3.9	53
292	Preparation of skinless polymer foam with supercritical carbon dioxide and its application to a photoinduced hydrogen evolution system. <i>Polymer</i> , 2008 , 49, 1611-1619	3.9	15
291	Foaming behavior of isotactic polypropylene in supercritical CO ₂ influenced by phase morphology via chain grafting. <i>Polymer</i> , 2008 , 49, 3146-3156	3.9	71
290	Sustainable polymer foaming using high pressure carbon dioxide: a review on fundamentals, processes and applications. 2008 , 10, 731		177
289	Understanding Melt Rheology and Foamability of Polypropylene-based TPO Blends. <i>Journal of Cellular Plastics</i> , 2008 , 44, 307-325	1.5	32
288	Generation of Microcellular Foams by Supercritical Carbon Dioxide in a PMMA Compound. <i>International Polymer Processing</i> , 2008 , 23, 8-16	1	3
287	Compression Moulding of Polypropylene Foams and Their Properties. <i>Frontiers in Forests and Global Change</i> , 2008 , 27, 217-233	1.6	6
286	Correlation between Molding Conditions and Foam Morphology in Microcellular Injection Molding. <i>Seikei-Kakou</i> , 2009 , 21, 633-639	0	0
285	Studies on Polypropylene/Carbon Fiber Composite Foams by Nozzle-Based Microcellular Injection Molding System. 2009 , 24, 533-540		12
284	Understanding the Compressive Behavior of Linear and Cross-linked Poly(vinyl chloride) Foams. <i>Journal of Cellular Plastics</i> , 2009 , 45, 419-439	1.5	23
283	Structure and properties of closed-cell foam prepared from irradiation crosslinked silicone rubber. <i>Journal of Applied Polymer Science</i> , 2009 , 113, 3590-3595	2.9	63
282	Generation of low-density high-performance poly(arylene ether sulfone) foams using a benign processing technique. <i>Polymer Engineering and Science</i> , 2009 , 49, 44-51	2.3	10
281	Foaming of thin films of a fluorinated ethylene propylene copolymer using supercritical carbon dioxide. <i>Journal of Supercritical Fluids</i> , 2009 , 49, 103-110	4.2	31
280	Generation and characterization of carbon nano-fiber/poly(arylene ether sulfone) nanocomposite foams. <i>Polymer</i> , 2009 , 50, 1868-1876	3.9	11

279	Microcellular structure of a thin polycarbonate sheet prepared by compression molding. <i>Polymer Science - Series A</i> , 2009 , 51, 1008-1012	1.2	1
278	Classical Nucleation Theory Applied to Homogeneous Bubble Nucleation in the Continuous Microcellular Foaming of the Polystyrene/CO ₂ System. 2009 , 48, 7603-7615		16
277	Foam processing of polyethylene ionomers with supercritical CO ₂ . 2009 , 40, 1708-1716		18
276	Theoretical and experimental study of foaming process with chain extended recycled PET. 2009 , 3, 84-96		31
275	Optimization of Microcellular Injection Molding Parameters. <i>International Polymer Processing</i> , 2009 , 24, 399-405	1	16
274	Comparison and analysis of bubble growth and foam formation models. 2010 , 27, 387-408		20
273	Design of novel 3D gene activated PEG scaffolds with ordered pore structure. 2010 , 21, 1013-20		12
272	Preparation of microcellular poly(ethylene-co-octene) rubber foam with supercritical carbon dioxide. <i>Journal of Applied Polymer Science</i> , 2010 , 116, NA-NA	2.9	11
271	Microcellular foaming of polymethylmethacrylate in a batch supercritical CO ₂ process: Effect of microstructure on compression behavior. <i>Journal of Applied Polymer Science</i> , 2010 , 118, 320-331	2.9	38
270	Synthesis and processing of PMMA carbon nanotube nanocomposite foams. <i>Polymer</i> , 2010 , 51, 655-664	3.9	121
269	The influence of carbon nanotube aspect ratio on the foam morphology of MWNT/PMMA nanocomposite foams. <i>Polymer</i> , 2010 , 51, 2368-2375	3.9	145
268	A new self designed apparatus for foaming. <i>Polymer Testing</i> , 2010 , 29, 1014-1020	4.5	2
267	Microcellular extrusion foaming of poly(lactide)/poly(butylene adipate-co-terephthalate) blends. 2010 , 30, 255-262		55
266	Influence of nanoparticle surface chemistry and size on supercritical carbon dioxide processed nanocomposite foam morphology. <i>Journal of Supercritical Fluids</i> , 2010 , 51, 420-427	4.2	105
265	Investigation of a strategy for well controlled inducement of microcellular and nanocellular morphologies in polymers. <i>Polymer Engineering and Science</i> , 2010 , 50, 1558-1570	2.3	30
264	Nanocellular foams: Cell structure difference between immiscible and miscible PEEK/PEI polymer blends. <i>Polymer Engineering and Science</i> , 2010 , 50, 2408-2416	2.3	42
263	Preparation of Cost-Effective TiO ₂ -Outerloaded Porous Lava Composites using Supercritical CO ₂ and Their Photocatalytic Activity for Methylene Blue Degradation. 2010 , 31, 1221-1226		7
262	Production of Porous Polymeric Films with Unimodal or Bimodal Pore-Size Distributions via Depressurization- and Photopolymerization-Induced Bubble Nucleation in Low-Viscosity UV-Curable Monomer/High-Pressure CO ₂ Solutions. 2010 , 43, 9899-9907		4

261	Thermally robust nanocellular thin films of high-Tg semifluorinated block copolymers foamed with supercritical carbon dioxide. 2011 , 7, 4032		22
260	Introduction. 2011 , 1-30		
259	Supercritical Carbon Dioxide Induced Foaming of Highly Oriented Isotactic Polypropylene. 2011 , 50, 13387-13395		37
258	Effect of clay dispersion on the cell structure of LDPE/clay nanocomposite foams. 2011 , 32, 1095-1105		24
257	Low-Density Nanocellular Foams Produced by High-Pressure Carbon Dioxide. <i>Macromolecular Materials and Engineering</i> , 2011 , 296, 752-759	3.9	40
256	Foaming of a polymer/nanoparticle system: Effect of the particle properties. <i>Journal of Applied Polymer Science</i> , 2011 , 119, 2847-2856	2.9	27
255	Preparation of mesophase pitch-based carbon foams with supercritical toluene. <i>Journal of Applied Polymer Science</i> , 2011 , 121, 336-341	2.9	5
254	Fabrication of functionally graded porous polymer via supercritical CO ₂ foaming. <i>Composites Part B: Engineering</i> , 2011 , 42, 318-325	10	80
253	Two-step micro cellular foaming of amorphous polymers in supercritical CO ₂ . <i>Journal of Supercritical Fluids</i> , 2011 , 57, 87-94	4.2	59
252	Micro and nano cellular amorphous polymers (PMMA, PS) in supercritical CO ₂ assisted by nanostructured CO ₂ -philic block copolymers [One step foaming process. <i>Journal of Supercritical Fluids</i> , 2011 , 58, 168-176	4.2	71
251	Solid-state supercritical CO ₂ foaming of PCL and PCL-HA nano-composite: Effect of composition, thermal history and foaming process on foam pore structure. <i>Journal of Supercritical Fluids</i> , 2011 , 58, 158-167	4.2	80
250	The estimation of cell density in isotropic microcellular polymeric foams using the critical bubble lattice. <i>Journal of Cellular Plastics</i> , 2011 , 47, 133-152	1.5	11
249	Effect of Kaolin Clay Content on the Cell Morphology and Physical Properties of Injection Molded PS Foams. 2011 , 233-235, 2451-2455		
248	A semi-empirical model for density gradient in microcellular thermoplastic foams. <i>Journal of Cellular Plastics</i> , 2011 , 47, 413-428	1.5	5
247	Microcellular Foaming of Plasticized Thin PC Sheet: II. Mechanical Properties. 2012 , 51, 526-532		6
246	Effect of two kinds of lignins, alkaline lignin and sodium lignosulfonate, on the foamability of thermoplastic zein-based bionanocomposites. <i>Journal of Cellular Plastics</i> , 2012 , 48, 516-525	1.5	12
245	Facile and rapid preparation of ultramicrocellular polystyrene using voided nanoparticles. 2012 , 7, 1069-1071		3
244	Enhancement of Polymer Foam Quality by Modifying Structural and Decomposition Characteristics of Chemical Blowing Agent. 2012 , 51, 263-267		8

243	The Preparation of Microcellular Foam PP Reflective Film. 2012 , 468-471, 1078-1081		
242	Visualization Analysis of a Multilayer Foam Development Process in Microcellular Injection Molding. <i>International Polymer Processing</i> , 2012 , 27, 299-309	1	9
241	Gene-activated and cell-migration guiding PEG matrices based on three dimensional patterning of RGD peptides and DNA complexes. 2012 , 8, 3228-40		8
240	Synthesis and expansion characteristics of expandable styrene/methyl methacrylate copolymer beads: The effects of monomer composition and cell structure modifying aid. <i>Journal of Cellular Plastics</i> , 2012 , 48, 161-190	1.5	11
239	Foamed Cores. 2012 , 1		
238	Plasticization of [C12MIM][PF6] Ionic Liquid on Foaming Performance of Poly(methyl methacrylate) in Supercritical CO ₂ . 2012 , 51, 12329-12336		9
237	Development of Crystallization in PLA during Solid-State Foaming Process using Sub-Critical CO ₂ . <i>Frontiers in Forests and Global Change</i> , 2012 , 31, 1-18	1.6	14
236	Fabrication and Thermal Conductivity Characterization of Polyetherimide Nanofoam. 2012 ,		
235	Investigation on microstructure and properties of foamed (wood fiber)/(recycled polypropylene) composites. <i>Journal of Vinyl and Additive Technology</i> , 2012 , 18, 105-112	2	9
234	The orientation of carbon nanotubes in poly(ethylene-co-octene) microcellular foaming and its suppression effect on cell coalescence. <i>Polymer Engineering and Science</i> , 2012 , 52, 2078-2089	2.3	52
233	Investigation of the nanocellular foaming of polystyrene in supercritical CO ₂ by adding a CO ₂ -philic perfluorinated block copolymer. <i>Journal of Applied Polymer Science</i> , 2012 , 126, 38-45	2.9	19
232	Controlling bubble density in MWNT/polymer nanocomposite foams by MWNT surface modification. 2012 , 72, 190-196		38
231	A novel strategy for the preparation of long chain branching polypropylene and the investigation on foamability and rheology. 2012 , 48, 362-371		66
230	Relationship between the cell structure and mechanical properties of chemically crosslinked polyethylene foams. <i>Journal of Applied Polymer Science</i> , 2012 , 124, 2789-2797	2.9	12
229	Open-celled microcellular foaming and the formation of cellular structure by a theoretical pattern in polystyrene. 2013 , 22, 417-428		11
228	Effect of precured degrees on morphology, thermal, and mechanical properties of BR/SBR/NR foams. 2013 , 34, 849-859		18
227	Preparation of long-chain branching polypropylene and investigation on its foamability. <i>Polymer Engineering and Science</i> , 2013 , 53, 1598-1604	2.3	8
226	Microcellular foaming of plasticized thin PC sheet I. Effects of processing conditions. 2013 , 28, 235-242		1

225	Low density thermoplastic nanofoams nucleated by nanoparticles. <i>Polymer</i> , 2013 , 54, 2785-2795	3.9	109
224	Influence of rheology and morphology on foaming of PS-b-PMMA diblock copolymers and their composites with modified silica nanoparticles. <i>Polymer</i> , 2013 , 54, 3860-3873	3.9	10
223	Effect of blowing agent composition and processing parameters on the low temperature foaming of poly(l-lactide/caprolactone) co-polymer by means of supercritical CO ₂ /ethyl lactate binary mixtures. <i>Journal of Supercritical Fluids</i> , 2013 , 84, 195-204	4.2	8
222	Microcellular foam processing of biodegradable polymers [review]. 2013 , 14, 679-690		24
221	Microstructure and Properties of Microcellular Poly (phenylene sulfide) Foams by Mucell Injection Molding. 2013 , 52, 440-445		17
220	The influence of foam morphology of multi-walled carbon nanotubes/poly(methyl methacrylate) nanocomposites on electrical conductivity. <i>Polymer</i> , 2013 , 54, 3261-3270	3.9	77
219	Hierarchical polymerized high internal phase emulsions synthesized from surfactant-stabilized emulsion templates. 2013 , 29, 5952-61		55
218	Fabrication of well-controlled porous foams of graphene oxide modified poly(propylene-carbonate) using supercritical carbon dioxide and its potential tissue engineering applications. <i>Journal of Supercritical Fluids</i> , 2013 , 73, 1-9	4.2	46
217	Investigation on multifunctional monomer modified polypropylene and its foamability. <i>Journal of Applied Polymer Science</i> , 2013 , 130, 1675-1681	2.9	3
216	Investigation of Parameters Relevant to Microcellular Foam Injection Molding. 2013 , 785-786, 1041-1045		1
215	Controlling Foam Morphology of Poly(methyl methacrylate) via Surface Chemistry and Concentration of Silica Nanoparticles and Supercritical Carbon Dioxide Process Parameters. 2013 , 2013, 1-13		15
214	Homogeneous nanocellular foams from styrenic-acrylic polymer blends. 2013 , 28, 2351-2365		34
213	Preparation of short carbon fiber/polypropylene fine-celled foams in supercritical CO ₂ . <i>Journal of Cellular Plastics</i> , 2013 , 49, 65-82	1.5	26
212	Preparation and Characterization of Foaming Poly (phenylene ether ketone) PPEK by Using Supercritical Carbon Dioxide. 2013 , 423-426, 519-522		0
211	On thermal conductivity of micro- and nanocellular polymer foams. <i>Polymer Engineering and Science</i> , 2013 , 53, 1901-1909	2.3	38
210	Foaming of polypropylene with supercritical carbon dioxide: An experimental and theoretical study on a new process. <i>Journal of Applied Polymer Science</i> , 2013 , 130, 2877-2885	2.9	9
209	Influence of Process Parameters on the Mechanical and Foaming Properties of PP Polymer and PP/TALC/EPDM Composites. 2013 , 52, 433-439		22
208	Cell morphology and mechanical properties of microcellular mucell injection molded polyetherimide and polyetherimide/fillers composite foams. <i>Journal of Applied Polymer Science</i> , 2013 , 130, 4171-4181	2.9	29

207	Mechanical properties and impact behavior of a microcellular structural foam. 2014 , 11, 200-222		10
206	Asymmetric microcellular composites: Morphological properties. <i>Journal of Cellular Plastics</i> , 2014 , 50, 449-473	1.5	21
205	Foaming behaviour of microcellular foam short carbon fibres/polypropylene/nano-CaCO ₃ composites. 2014 , 43, 130-137		11
204	CO ₂ -blown nanocellular foams. <i>Journal of Applied Polymer Science</i> , 2014 , 131, n/a-n/a	2.9	119
203	Bubble nucleation in nonpressurized polymer foaming systems. <i>Polymer Engineering and Science</i> , 2014 , 54, 1201-1210	2.3	8
202	Polymer Blends: Introduction. 2014 , 3-170		4
201	Preparation of micro/nanocellular polypropylene foam with crystal nucleating agents. <i>Polymer Engineering and Science</i> , 2014 , 54, 2075-2085	2.3	51
200	Solid-state foaming of carbon fiber/polypropylene/nano-CaCO ₃ composite using supercritical CO ₂ . 2014 , 35, 1723-1735		4
199	The mechanical and thermal characteristics of phenolic foams reinforced with carbon nanoparticles. 2014 , 103, 85-93		71
198	Influence of foam agent content and talc filler on the microcellular and mechanical properties of injection molded polypropylene and talc filled polypropylene composite foams. <i>Journal of Cellular Plastics</i> , 2014 , 50, 563-576	1.5	21
197	A Novel Strategy for Achieving High Melt Strength Polypropylene and an Investigation of Its Foamability. 2014 , 53, 1695-1714		7
196	Supercritical CO ₂ and polycarbonate based nanocomposites: A critical issue for foaming. <i>Polymer</i> , 2014 , 55, 2422-2431	3.9	17
195	Effect of the molecular weight between crosslinks of thermally cured epoxy resins on the CO ₂ -bubble nucleation in a batch physical foaming process. <i>Journal of Applied Polymer Science</i> , 2014 , 131, n/a-n/a	2.9	27
194	Temperature influence and CO ₂ transport in foaming processes of poly(methyl methacrylate)Block copolymer nanocellular and microcellular foams. <i>Journal of Supercritical Fluids</i> , 2014 , 94, 198-205	4.2	41
193	Microcellular foams made from gliadin. 2014 , 292, 2385-2389		10
192	Block Copolymers Self-Assembly Allows Obtaining Tunable Micro or Nanoporous Membranes or Depth Filters Based on PMMA; Fabrication Method and Nanostructures. 2014 , 118, 4656-4663		31
191	Absorption and foaming of plastics using carbon dioxide. 2014 , 40, 2259-2268		6
190	Microcellular foaming of silicone rubber with supercritical carbon dioxide. 2014 , 31, 166-171		38

189	Nanocellular CO ₂ foaming of PMMA assisted by block copolymer nanostructuring. 2014 , 243, 428-435		70
188	The cell forming process of microcellular injection-molded parts. <i>Journal of Applied Polymer Science</i> , 2014 , 131, n/a-n/a	2.9	9
187	Rigid polyurethane and kenaf core composite foams. <i>Polymer Engineering and Science</i> , 2015 , 55, 132-144	2.3	7
186	Nanocomposite Foams of Polypropylene and Carbon Nanotubes: Preparation, Characterization, and Evaluation of their Performance as EMI Absorbers. <i>Macromolecular Chemistry and Physics</i> , 2015 , 216, 1302-1312	2.6	33
185	Effect of glass transition temperature and saturation temperature on the solid-state microcellular foaming of cyclic olefin copolymer. <i>Journal of Applied Polymer Science</i> , 2015 , 132, n/a-n/a	2.9	3
184	Thermal Degradation and Damping Characteristic of UV Irradiated Biopolymer. 2015 , 2015, 1-11		6
183	Microwave synthesis and actuation of shape memory polycaprolactone foams with high speed. 2015 , 5, 11152		43
182	Response surface optimization for producing microcellular polymethyl methacrylate foam using supercritical CO ₂ . <i>Journal of Cellular Plastics</i> , 2015 , 51, 471-487	1.5	6
181	Gradient foaming of polycarbonate/carbon nanotube based nanocomposites with supercritical carbon dioxide and their EMI shielding performances. <i>Polymer</i> , 2015 , 59, 117-123	3.9	64
180	Experimental validation of the Knudsen effect in nanocellular polymeric foams. <i>Polymer</i> , 2015 , 56, 57-67	3.9	148
179	Study of microstructure and flexural properties of microcellular acrylonitrile-butadiene-styrene nanocomposite foams: experimental results. 2015 , 36, 487-498		1
178	Compressive strength study of cement mortars lightened with foamed HDPE nanocomposites. 2015 , 74, 119-124		14
177	Experimental study and modeling of nanofoams formation from single phase acrylic copolymers. <i>Journal of Cellular Plastics</i> , 2015 , 51, 197-221	1.5	35
176	Towards a new generation of polymeric foams: PMMA nanocellular foams with enhanced physical properties. <i>Polymer</i> , 2015 , 63, 116-126	3.9	95
175	Anisotropic compressive properties of multiwall carbon nanotube/polyurethane foams. 2015 , 91, 167-176		16
174	Mechanical characterization of asymmetric high density polyethylene/hemp composite sandwich panels with and without a foam core. <i>Journal of Sandwich Structures and Materials</i> , 2015 , 17, 748-765	2.1	7
173	Preparation of PMMA/graphene oxide microcellular foams using supercritical carbon dioxide. 2015 , 87, 012042		3
172	Preparation of microcellular low-density PMMA nanocomposite foams: Influence of different fillers on the mechanical, rheological and cell morphological properties. 2015 , 118, 108-116		39

171	Morphological and mechanical characterization of foamed polyethylene via biaxial rotational molding. <i>Journal of Cellular Plastics</i> , 2015 , 51, 489-503	1.5	27
170	Nanofoaming of PMMA using a batch CO ₂ process: Influence of the PMMA viscoelastic behaviour. <i>Polymer</i> , 2015 , 77, 1-9	3.9	21
169	Improvement of Structure and Properties of Nanocomposite Foams Based on Ethylene-Vinyl Acetate (EVA)/Natural Rubber (NR)/Nanoclay: Effect of NR Addition. 2015 , 659, 418-422		3
168	CO ₂ nano-foaming of nanostructured PMMA. <i>Polymer</i> , 2015 , 58, 76-87	3.9	39
167	High Melt Strength Polypropylene with Wide Molecular Weight Distribution Used as Basic Resin for Expanded Polypropylene Beads. 2015 , 54, 217-225		9
166	Preparation and foamability of high melt strength polypropylene based on grafting vinyl polydimethylsiloxane and styrene. <i>Polymer Engineering and Science</i> , 2015 , 55, 251-259	2.3	26
165	Effects of processing conditions on foaming behaviors of polyetherimide (PEI) and PEI/polypropylene blends in microcellular injection molding process. <i>Journal of Applied Polymer Science</i> , 2015 , 132, n/a-n/a	2.9	1
164	The role of nanofillers on (natural rubber)/(ethylene vinyl acetate)/clay nanocomposite in blending and foaming. <i>Journal of Vinyl and Additive Technology</i> , 2015 , 21, 134-146	2	20
163	Polymer nano-foams for insulating applications prepared from CO ₂ foaming. 2015 , 41, 122-145		178
162	How much do nanoparticle fillers improve the modulus and strength of polymer foams?. <i>Journal of Cellular Plastics</i> , 2016 , 52, 57-88	1.5	22
161	Numerical Selection of the Parameters in Producing Microcellular Polymethyl Methacrylate with Supercritical CO ₂ . <i>Frontiers in Forests and Global Change</i> , 2016 , 35, 309-328	1.6	1
160	Foam Injection Molding. 2016 , 53-106		7
159	Low Density Nanocellular Polymers Based on PMMA Produced by Gas Dissolution Foaming: Fabrication and Cellular Structure Characterization. <i>Polymers</i> , 2016 , 8,	4.5	34
158	Preparation and characterization of multilayer foamed composite by rotational molding. <i>Polymer Engineering and Science</i> , 2016 , 56, 278-286	2.3	8
157	Supercritical Fluids. 2016 , 1-28		1
156	Design of a Multifunctional Porous Coaxial Electrospun Mesh Using Polycaprolactone (PCL) and Poly Butylene Adipate-CO-Terephthalate (PBAT). 2016 ,		
155	Effects of silica aerogel content on microstructural and mechanical properties of poly(methyl methacrylate)/silica aerogel dual-scale cellular foams processed in supercritical carbon dioxide. 2016 , 31, 750-756		3
154	Nanocellular polymer foams nucleated by core-shell nanoparticles. <i>Polymer</i> , 2016 , 104, 22-30	3.9	20

153	Polydimethylsiloxane assisted supercritical CO2 foaming behavior of high melt strength polypropylene grafted with styrene. 2016 , 10, 396-404		11
152	Combination of fused deposition modeling and gas foaming technique to fabricated hierarchical macro/microporous polymer scaffolds. <i>Materials and Design</i> , 2016 , 109, 415-424	8.1	63
151	Nanocellular Foams. 2016 , 205-249		
150	Polyoxymethylene foam: From an investigation of key factors related to porous morphologies and microstructure to the optimization of foam properties. <i>Polymer</i> , 2016 , 96, 54-62	3.9	19
149	Foaming of polymers with supercritical fluids: A thermodynamic investigation. <i>Journal of Supercritical Fluids</i> , 2016 , 110, 240-250	4.2	48
148	Nanoporous polymeric materials: A new class of materials with enhanced properties. 2016 , 78-79, 93-139		111
147	Preparation and foaming mechanism of foamable polypropylene based on self-assembled nanofibrils from sorbitol nucleating agents. 2016 , 51, 788-796		13
146	Effect of pre-curing process on epoxy resin foaming using carbon dioxide as blowing agent. <i>Journal of Cellular Plastics</i> , 2017 , 53, 181-197	1.5	16
145	Foaming of poly(vinylidene fluoride-co-hexafluoropropylene) using supercritical carbon dioxide. 2017 , 73, 146-153		6
144	Towards gliadin nanofoams. 2017 , 295, 267-275		
143	A novel gas-assisted microcellular injection molding method for preparing lightweight foams with superior surface appearance and enhanced mechanical performance. <i>Materials and Design</i> , 2017 , 127, 115-125	8.1	50
142	Mechanical and thermal properties of carbon foam derived from phenolic foam reinforced with composite particles. 2017 , 173, 1-8		38
141	A novel method to prepare microcellular poly(vinyl alcohol) foam based on thermal processing and supercritical fluid. 2017 , 28, 285-292		16
140	Development of a Simplified Foam Injection Molding Technique and Its Application to the Production of High Void Fraction Polypropylene Foams. 2017 , 56, 13734-13742		19
139	Silica-Assisted Nucleation of Polymer Foam Cells with Nanoscopic Dimensions: Impact of Particle Size, Line Tension, and Surface Functionality. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 37929-37940	9.5	32
138	Key Production Parameters to Obtain Transparent Nanocellular PMMA. <i>Macromolecular Materials and Engineering</i> , 2017 , 302, 1700343	3.9	34
137	Fabrication of poly (vinyl alcohol)/graphene nanocomposite foam based on solid state shearing milling and supercritical fluid technology. <i>Materials and Design</i> , 2017 , 134, 121-131	8.1	17
136	Fabrication of lightweight microcellular foams in injection-molded polypropylene using the synergy of long-chain branches and crystal nucleating agents. <i>Polymer</i> , 2017 , 128, 119-127	3.9	49

135	PMMA-sepiolite nanocomposites as new promising materials for the production of nanocellular polymers. 2017 , 96, 10-26		31
134	Controlled foaming of polycarbonate/polymethyl methacrylate thin film with supercritical carbon dioxide. 2017 , 30, 1713-1727		3
133	Mechanical Properties of Microcellular and Nanocellular Thermoplastic Polyurethane Nanocomposite Foams Created Using Supercritical Carbon Dioxide. 2017 , 56, 8499-8507		32
132	Nanoporous polymer foams from nanostructured polymer blends: Preparation, characterization, and properties. 2017 , 237-288		1
131	Preparation of porous poly(L-lactic acid)-co-(trimethylene-carbonate) structures using supercritical CO ₂ as antisolvent and as foaming agent. <i>Polymer Engineering and Science</i> , 2017 , 57, 1005-1015	2.3	2
130	Porous scaffolds. 2017 , 27-59		3
129	A new core-back foam injection molding method with chemical blowing agents. <i>Materials and Design</i> , 2018 , 144, 331-342	8.1	26
128	Facile preparation of poly(vinyl alcohol)/graphene oxide nanocomposites and their foaming behavior in supercritical carbon dioxide. 2018 , 107, 675-684		19
127	Experimental measurement of CO ₂ diffusion in PMMA and its effect on microcellular foaming. <i>Journal of Supercritical Fluids</i> , 2018 , 135, 180-187	4.2	15
126	Regulation of pore cell structures of coal-based carbon foams based on the nucleation mechanism of microcellular polymer. 2018 , 44, 11077-11087		6
125	Rheological, crystallization and foaming behaviors of high melt strength polypropylene in the presence of polyvinyl acetate. <i>Journal of Polymer Research</i> , 2018 , 25, 1	2.7	11
124	Physicomechanical, friction, and abrasion properties of EVA/PU blend foams foamed by supercritical nitrogen. <i>Polymer Engineering and Science</i> , 2018 , 58, 673-682	2.3	15
123	Microcellular foaming by using subcritical CO ₂ of crosslinked and non-crosslinked LDPE/clay nanocomposites. <i>Journal of Cellular Plastics</i> , 2018 , 54, 257-282	1.5	8
122	Preparation and characterization of microcellular injection molded foams from high-performance blends based on PPS-modified PPBESK. 2018 , 30, 480-488		2
121	Foaming of trans-polyisoprene using N ₂ as the blowing agent. 2018 , 29, 716-725		6
120	Sorption behavior and microcellular foaming of low-density polyethylene/clay nanocomposites by gas dissolution under sub-critical conditions. 2018 , 52, 2337-2349		
119	Thermoplastic starch and glutaraldehyde modified thermoplastic starch foams prepared using supercritical carbon dioxide fluid as a blowing agent. 2018 , 29, 2643-2654		7
118	The Effects of Foaming Conditions on Plasticized Polyvinyl Chloride Foam Morphology by using Supercritical Carbon Dioxide. 2018 , 5, 23526-23533		2

117	Optimization of the cellular morphology of biaxially stretched thin polyethylene foams produced by extrusion film blowing. <i>Frontiers in Forests and Global Change</i> , 2018 , 37, 153-168	1.6	15
116	Preparation and characterization of shape memory composite foams based on solid foaming method. <i>Journal of Applied Polymer Science</i> , 2018 , 135, 46767	2.9	2
115	Effect of surface modification on the dispersion, rheological behavior, crystallization kinetics, and foaming ability of polypropylene/cellulose nanofiber nanocomposites. 2018 , 168, 412-419		45
114	Evolution of Filament-Shaped Porous Structure in Polycarbonate by Stretching under Carbon Dioxide. <i>Polymers</i> , 2018 , 10,	4.5	1
113	Foaming behavior of silicone/fluorosilicone blends. <i>Polymer</i> , 2018 , 146, 21-30	3.9	10
112	Effect of the Addition of ENR on Foam Properties of EVA/NR/Clay Nanocomposites. <i>International Polymer Processing</i> , 2018 , 33, 42-51	1	4
111	Understanding the role of MAM molecular weight in the production of PMMA/MAM nanocellular polymers. <i>Polymer</i> , 2018 , 153, 262-270	3.9	20
110	Creating orientated cellular structure in thermoplastic polyurethane through strong interfacial shear interaction and supercritical carbon dioxide foaming for largely improving the foam compression performance. <i>Journal of Supercritical Fluids</i> , 2019 , 153, 104577	4.2	19
109	The influence of cell size on the mechanical properties of nanocellular PMMA. <i>Polymer</i> , 2019 , 181, 1218059	3.9	2
108	A kind of special weld lines with high specific strength and elongation obtained by core-back chemical foam injection molding. 2019 , 13, 1041-1056		6
107	Development of bio-based poly(butylene succinate) formulations for microcellular injection foaming. 2019 , 12, 1009-1022		1
106	The mechanics of solid-state nanofoaming. 2019 , 475, 20190339		1
105	Preparation of Microcellular Injection-Molded Foams Using Different Types of Low-Pressure Gases via a New Foam Injection Molding Technology. 2019 , 58, 17824-17832		14
104	Highly anisotropic nanocellular polymers based on tri-phasic blends of PMMA with two nucleating agents. 2019 , 255, 126587		1
103	Bioinspired cellular sheath-core electrospun non-woven mesh. 2019 , 2, 127-140		2
102	The Application of a Tri-Functional Epoxy Resin as a Crosslinking Agent in Extruded Polyamide-6 Foam. 2019 , 61, 574-581		3
101	Production of PMMA-based nanocellular polymers using low demanding saturation conditions. 2019 , 255, 126551		2
100	Effect of Graphene Surface Functional Groups on the Mechanical Property of PMMA Microcellular Composite Foams. 2019 , 34, 717-722		3

99	A Combined In-Mold Decoration and Microcellular Injection Molding Method for Preparing Foamed Products with Improved Surface Appearance. <i>Polymers</i> , 2019 , 11,	4.5	13
98	Mechanical Properties of PMMA-Sepiolite Nanocellular Materials with a Bimodal Cellular Structure. <i>Macromolecular Materials and Engineering</i> , 2019 , 304, 1900041	3.9	12
97	Nanocellular Polymers: The Challenge of Creating Cells in the Nanoscale. <i>Materials</i> , 2019 , 12,	3.5	16
96	Development of a rapid decompression system for nanocellular foaming at 100 MPa. <i>Journal of Supercritical Fluids</i> , 2019 , 149, 26-33	4.2	10
95	Transparent nanocellular PMMA: Characterization and modeling of the optical properties. <i>Polymer</i> , 2019 , 170, 16-23	3.9	26
94	Anisotropy in nanocellular polymers promoted by the addition of needle-like sepiolites. <i>Polymer International</i> , 2019 , 68, 1204-1214	3.3	8
93	Overcoming the Challenge of Producing Large and Flat Nanocellular Polymers: A Study with PMMA. 2019 , 21, 1900148		5
92	Cell morphologies and mechanical properties of cellulose nanofiber reinforced polypropylene foams. <i>Journal of Cellular Plastics</i> , 2019 , 55, 385-400	1.5	6
91	A green strategy to regulate cellular structure and crystallization of poly(lactic acid) foams based on pre-isothermal cold crystallization and CO foaming. <i>International Journal of Biological Macromolecules</i> , 2019 , 129, 171-180	7.9	26
90	Preparation of polymeric foams with bimodal cell size: An application of heterogeneous nucleation effect of nanofillers. <i>Journal of Supercritical Fluids</i> , 2019 , 147, 107-115	4.2	11
89	Low-density PMMA/MAM nanocellular polymers using low MAM contents: Production and characterization. <i>Polymer</i> , 2019 , 163, 115-124	3.9	16
88	Modeling the heat transfer by conduction of nanocellular polymers with bimodal cellular structures. <i>Polymer</i> , 2019 , 160, 126-137	3.9	21
87	Foaming Behavior and Microcellular Morphologies of Incompatible SAN/CPE Blends with Supercritical Carbon Dioxide as a Physical Blowing Agent. <i>Polymers</i> , 2019 , 11,	4.5	8
86	A novel route to produce structural polymer foams with a controlled solid skin-porous core structure based on gas diffusion mechanisms. <i>Journal of Sandwich Structures and Materials</i> , 2020 , 22, 822-832	2.1	4
85	Comparative study on foaming process of thermoplastic polyester and polyether polyurethane with supercritical CO ₂ as foaming agent. <i>Polymer-Plastics Technology and Materials</i> , 2020 , 59, 457-468	1.5	1
84	Nanocellular Polymers with a Gradient Cellular Structure Based on Poly(methyl methacrylate)/Thermoplastic Polyurethane Blends Produced by Gas Dissolution Foaming. <i>Macromolecular Materials and Engineering</i> , 2020 , 305, 1900428	3.9	6
83	Influence of the viscosity of poly(methyl methacrylate) on the cellular structure of nanocellular materials. <i>Polymer International</i> , 2020 , 69, 72-83	3.3	5
82	Thermodynamic limits on cell size in the production of stable polymeric nanocellular materials. <i>Polymer</i> , 2020 , 186, 122036	3.9	2

81	New insights in the morphological characterization and modelling of poly(ϵ -caprolactone) bone scaffolds obtained by supercritical CO ₂ foaming. <i>Journal of Supercritical Fluids</i> , 2020 , 166, 105012	4.2	7
80	Effects of pressure drop rate and CO ₂ content on the foaming behavior of newly developed high-melt-strength polypropylene in continuous extrusion. <i>Journal of Cellular Plastics</i> , 2020 , 0021955X2094314	1.5	14
79	High-strength, flexible and cycling-stable piezo-resistive polymeric foams derived from thermoplastic polyurethane and multi-wall carbon nanotubes. <i>Composites Part B: Engineering</i> , 2020 , 199, 108279	10	25
78	Recent Progress in Processing Functionally Graded Polymer Foams. <i>Materials</i> , 2020 , 13,	3.5	18
77	Two-Stage Depressurization in Gas Dissolution Foaming: The Production of Nanocellular Materials Free of Defects. <i>Macromolecular Materials and Engineering</i> , 2020 , 305, 2000283	3.9	1
76	A new generation of hollow polymeric microfibers produced by gas dissolution foaming. <i>Journal of Materials Chemistry B</i> , 2020 , 8, 8820-8829	7.3	3
75	Wrong expectation of superinsulation behavior from largely-expanded nanocellular foams. <i>Nanoscale</i> , 2020 , 12, 13064-13085	7.7	9
74	Emulsion-templated synthetic polypeptide scaffolds prepared by ring-opening polymerization of N-carboxyanhydrides. <i>Polymer Chemistry</i> , 2020 , 11, 4260-4270	4.9	6
73	Advances in microcellular injection moulding. <i>Journal of Cellular Plastics</i> , 2020 , 56, 646-674	1.5	11
72	Two-step foaming process for production of PMMA nanocellular polymer foams via ultra-high pressure and rapid depressurization. <i>Journal of Supercritical Fluids</i> , 2020 , 165, 104963	4.2	9
71	Recent advancements in manufacturing technologies of microcellular polymers: a review. <i>Journal of Polymer Research</i> , 2020 , 27, 1	2.7	12
70	Foaming and Physical Properties, Flame Retardancy, and Combustibility of Polyethylene Octene Foams Modified by Natural Rubber and Expandable Graphite. <i>Journal of Vinyl and Additive Technology</i> , 2020 , 26, 423-433	2	2
69	Synergetic effect of nanoclay and nano-CaCO ₃ hybrid filler systems on the foaming properties and cellular structure of polystyrene nanocomposite foams using supercritical CO ₂ . <i>Frontiers in Forests and Global Change</i> , 2020 , 39, 185-202	1.6	2
68	Bubble Seeding Nanocavities: Multiple Polymer Foam Cell Nucleation by Polydimethylsiloxane-Grafted Designer Silica Nanoparticles. <i>ACS Nano</i> , 2020 , 14, 1623-1634	16.7	19
67	Study of microcellular foaming of polystyrene aided with 45 kHz of ultrasound waves energy. <i>Polymer-Plastics Technology and Materials</i> , 2020 , 59, 1343-1349	1.5	1
66	Tensile behavior of nanoporous polyethylene reinforced with carbon-based nanostructures. <i>Computational Materials Science</i> , 2021 , 186, 109971	3.2	2
65	Controlling the structure and density of PMMA bimodal nanocellular foam by blending different molecular weights. <i>Polymer Testing</i> , 2021 , 93, 107004	4.5	6
64	Conductive thermoplastic polyurethane nanocomposite foams derived from a cellulose/MWCNTs aerogel framework: simultaneous enhancement of piezoresistance, strength, and endurance. <i>Journal of Materials Chemistry C</i> ,	7.1	9

63	Designer Core-Shell Nanoparticles as Polymer Foam Cell Nucleating Agents: The Impact of Molecularly Engineered Interfaces. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 17034-17045	9.5	3
62	Relationship between microstructure and mechanical properties of polyether block amide foams. <i>Polymer Engineering and Science</i> , 2021 , 61, 1971-1981	2.3	2
61	Effect of gas pressure on the microstructure of parts foamed with the novel microcellular injection molding technology Ku-Fizz [®] <i>SPE Polymers</i> ,	1.1	2
60	Recycling and rheology of poly(lactic acid) (PLA) to make foams using supercritical fluid. <i>Physics of Fluids</i> , 2021 , 33, 067119	4.4	3
59	Effect of extrusion on the foaming behavior of thermoplastic polyurethane with different hard segments. <i>Journal of Polymer Research</i> , 2021 , 28, 1	2.7	1
58	Evolution of ordered structure of TPU in high-elastic state and their influences on the autoclave foaming of TPU and inter-bead bonding of expanded TPU beads. <i>Polymer</i> , 2021 , 228, 123872	3.9	6
57	Cyclic Gas Dissolution Foaming as an Approach for Simultaneously Reducing Cell Size and Relative Density in Nanocellular PMMA. <i>Polymers</i> , 2021 , 13,	4.5	2
56	The control of expansion ratios and cellular structure of supercritical CO ₂ -aid thermoplastic starch foams using crosslinking agents and nano-silica particles. <i>Journal of Polymer Research</i> , 2021 , 28, 1	2.7	4
55	Influence of the dispersion of Nanoclays on the cellular structure of foams based on polystyrene. <i>Journal of Applied Polymer Science</i> , 2021 , 138, 51373	2.9	0
54	Nanoparticles Addition in PU Foams: The Dramatic Effect of Trapped-Air on Nucleation. <i>Polymers</i> , 2021 , 13,	4.5	1
53	Recent progress in acoustic materials and noise control strategies – A review. <i>Applied Materials Today</i> , 2021 , 24, 101141	6.6	4
52	POLYSTYRENE/SEPIOLITES NANOCOMPOSITE FOAMS. RELATIONSHIP BETWEEN COMPOSITION, PARTICLE DISPERSION, EXTENSIONAL RHEOLOGY, AND CELLULAR STRUCTURE. <i>Materials Today Communications</i> , 2021 , 29, 102850	2.5	0
51	Preparation of PLA with High Impact-Toughness and Reduced Internal Stress via Formation of Laminated, Bimodal Structure with Micro/Nanocells. <i>Macromolecular Materials and Engineering</i> , 2021 , 306, 2100426	3.9	2
50	Effect of the Molecular Structure of TPU on the Cellular Structure of Nanocellular Polymers Based on PMMA/TPU Blends. <i>Polymers</i> , 2021 , 13,	4.5	2
49	Effect of Pressure of Supercritical CO ₂ on Perfusion Explosive with Foamed SF-3 Propellant. <i>Propellants, Explosives, Pyrotechnics</i> ,	1.7	0
48	Effect of film types on thermal response, cellular structure, forming defects and mechanical properties of combined in-mold decoration and microcellular injection molding parts. <i>Journal of Materials Science and Technology</i> , 2021 , 92, 98-108	9.1	0
47	Influence of spherical-shaped carbon nanoparticles on the mechanical properties of a foamed sugarcane bagasse/polypropylene composite. <i>Industrial Crops and Products</i> , 2021 , 172, 114041	5.9	0
46	Preparation and properties of thermoplastic polyurethane foams with bimodal structure based on TPU/PDMS blends. <i>Journal of Supercritical Fluids</i> , 2021 , 177, 105324	4.2	0

45	Nanometer scale porous structures. 2021 , 53-76		
44	Thermal analysis of foamed polyethylene rotational molding followed by internal air temperature profiles. <i>Polymer Engineering and Science</i> , 2018 , 58, E235-E241	2.3	8
43	On the interaction of infrared radiation and nanocellular polymers: First experimental determination of the extinction coefficient. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2020 , 600, 124937	5.1	7
42	Continuous Production of High-Density and Low-Density Microcellular Plastics in Extrusion. 2000 ,		8
41	Extrusion Equipment for Foam Processing. 2014 , 310-335		2
40	INVESTIGATION OF PP/BAMBOO FIBER BLEND FOAMS USING SUPERCRITICAL CO ₂ . <i>Acta Polymerica Sinica</i> , 2011 , 011, 1419-1424		2
39	Piezoelectric cellular polymer films: Fabrication, properties and applications. <i>AIMS Materials Science</i> , 2018 , 5, 845-869	1.9	17
38	Effect of Control Factors on Microstructure of Injection Molded Microcellular Polystyrene. <i>Seikei-Kakou</i> , 2003 , 15, 632-637	0	3
37	A Fundamental Study for Microcellular Poly (ethylene telephthalate) Production Using Supercritical Fluids. <i>Seikei-Kakou</i> , 2004 , 16, 247-253	0	3
36	Effects of Control Factors on Injection Foaming of Amorphous and Crystalline Resins. <i>Seikei-Kakou</i> , 2004 , 16, 735-740	0	0
35	Physical Properties of Polypropylene Foam Blended with Thermally Expandable Microcapsules. <i>Porrime</i> , 2015 , 39, 64-70	1	5
34	The Relationship between Morphology and Mechanical Properties in Thermoplastic Foams. 2004 ,		
33	Equation-of-State Approach in Polymer Solution and Polymer Foaming Thermodynamics. 2015 , 61-95		
32	Rheology and Extrusion Foaming of Partially Crosslinked Thermoplastic Vulcanizates Silicone. <i>International Polymer Processing</i> , 2019 , 34, 445-456	1	0
31	Biomedical Manufacturing: A Review of the Emerging Research and Applications. <i>Journal of Manufacturing Science and Engineering, Transactions of the ASME</i> , 2020 , 142,	3.3	6
30	Easy-way production of highly transparent nanocellular polymers films. <i>Polymer</i> , 2021 , 236, 124298	3.9	
29	Novel approach based on autoclave bead foaming to produce expanded polycarbonate (EPC) bead foams with microcellular structure and controlled crystallinity. <i>Materials and Design</i> , 2021 , 212, 110200	8.1	1
28	Foams and their applications. <i>Supercritical Fluid Science and Technology</i> , 2021 , 9, 1-20		2

27	Study on electrical conductivity and microwave absorption properties of CNTs/CB/PMMA nanocomposites foam. <i>Materials Research Express</i> , 2021 , 8, 126301	1.7	
26	Fabrication and characterization of low-density nanocellular foam based on PMMA/TPU blends. <i>Polymer</i> , 2022 , 240, 124493	3.9	0
25	A facile strategy for preparation of strong tough poly(lactic acid) foam with a unique microfibrillated bimodal micro/nano cellular structure.. <i>International Journal of Biological Macromolecules</i> , 2022 , 199, 264-274	7.9	2
24	Production of Cellular Polymers Without Solid Outer Skins by Gas Dissolution Foaming: A Long-Sought Step Towards New Applications. <i>SSRN Electronic Journal</i> ,	1	
23	Micro foaming performance of scCO ₂ -aid glutaraldehyde/hexametaphosphate/thermoplastic starch foams modified by alkali treatment and montmorillonite nano-platelets. <i>Frontiers in Forests and Global Change</i> , 2022 , 41, 119-143	1.6	
22	Nano-Scale Pores are Formed between the Shish-Kebab Structures of Double-Mold Polyethylene by Supercritical Carbon Dioxide Foaming. <i>Polymer Science - Series A</i> , 2021 , 63, 664-671	1.2	
21	Foaming of Polylactic Acid/Cellulose Nanocrystal Composites: Pickering Emulsion Templating for High-Homogeneity Filler Dispersions. <i>ACS Applied Polymer Materials</i> , 2022 , 4, 111-120	4.3	0
20	Production of cellular polymers without solid outer skins by gas dissolution foaming: A long-sought step towards new applications. <i>Materials and Design</i> , 2022 , 217, 110648	8.1	0
19	Development of modeling to investigate polyurethane pad hardness in chemical mechanical planarization/polishing (CMP) process. <i>Japanese Journal of Applied Physics</i> ,	1.4	0
18	Microcellular foams production from nanocomposites based on PS using MOF nanoparticles with enhanced CO ₂ properties as nucleating agent. <i>Journal of Cellular Plastics</i> , 0021955X2210875	1.5	1
17	Physical and mechanical properties of hybridized elastomeric foam based on ethylene-propylene-diene-monomer, multiwall carbon nanotube, and barium titanate. <i>Journal of Cellular Plastics</i> , 0021955X2210851	1.5	1
16	Sustainable Synthesis of Non-Isocyanate Polyurethanes Based on Renewable 2,3-Butanediol. <i>Macromolecular Chemistry and Physics</i> , 2200010	2.6	0
15	Microcellular injection molding of polyether-ether-ketone. <i>Polymer</i> , 2022 , 251, 124866	3.9	0
14	Effect of mold opening on microcellular polyether-ether-ketone fabricated by injection molding. <i>Journal of Materials Research and Technology</i> , 2022 ,	5.5	0
13	Production of Talc/EPDM/Polypropylene polymer composite foam and optimizing production conditions. <i>Gözüne Üniversitesi Fen Bilimleri Enstitüsü Dergisi</i> ,		
12	Highly sensitive large strain cellulose/multiwalled carbon nanotubes (MWCNTs)/thermoplastic polyurethane (TPU) nanocomposite foams: From design to performance evaluation. <i>Journal of Supercritical Fluids</i> , 2022 , 188, 105653	4.2	1
11	Utilization of CO ₂ as a physical blowing agent for foaming of high temperature sulfone polymers. <i>Journal of CO₂ Utilization</i> , 2022 , 63, 102131	7.6	1
10	Thermal conductivity of low-density micro-and nanocellular poly(methyl-methacrylate) (PMMA): Experimental and modeling. <i>Materials and Design</i> , 2022 , 221, 110938	8.1	0

- 9 Microcellular foam of styrene-~~isobutylene~~styrene copolymer with N₂ using polypropylene as a crystallization nucleating and shrinkage reducing agent.
- 8 Investigation of film-substrate interfacial characteristics of polymer parts fabricated via in-mold decoration and microcellular injection molding process. ○
- 7 Improvement of the surface quality of foam injection molded products from a material property perspective. ○
- 6 A study of the cell morphology and mechanical properties of bumper material PP-T-EPDM composite foam. **2023**, 42, 73-87 ○
- 5 Ultrasound and H₂O assisted scCO₂ foaming technology for preparation of PS/PMMA composite foams with ultra-lightweight and super thermal-insulation. **2023**, 169, 107527 ○
- 4 The influence of nanoclays on the mechanical and thermal properties of rigid PIR and PUR foams. **2023**, 89-89 ○
- 3 Investigation of film-substrate interfacial characteristics of polymer parts fabricated via in-mold decoration and microcellular injection molding process. **2023**, 125, 4363-4377 ○
- 2 Stretching-induced foaming of gas-laden thermoplastic elastomers. **2023**, 270, 125785 ○
- 1 Significantly Improved Foamability and Mechanical Properties of Polypropylene through a Core-shell Structure via Low Gas Pressure Foam Injection Molding. ○