

# The maturity index: an ecological measure of environment nematode species composition

Oecologia

83, 14-19

DOI: [10.1007/bf00324627](https://doi.org/10.1007/bf00324627)

Citation Report

#	ARTICLE	IF	CITATIONS
1	On the potential of basing an ecological typology of aquatic sediments on the nematode fauna: An example from the River Rhine. <i>Hydrobiological Bulletin</i> , 1990, 24, 37-45.	0.5	31
2	Soil nematode biodiversity. <i>Biology and Fertility of Soils</i> , 1992, 14, 99-103.	2.3	80
3	A weighted coenotic index (WCI): Description and application to soil animal assemblages. <i>Biology and Fertility of Soils</i> , 1992, 14, 5-13.	2.3	23
4	The influence of ionic composition on the distribution of nematode species in springs of the province of Granada (Spain). <i>Hydrobiologia</i> , 1992, 237, 81-92.	1.0	2
5	Assessment of disturbance on soil ecosystems. <i>Veterinary Parasitology</i> , 1993, 48, 75-85.	0.7	24
6	Characterization of nematode colonization and succession in disturbed soil using the Maturity Index. <i>Biology and Fertility of Soils</i> , 1993, 16, 79-85.	2.3	211
7	Differentiation of bacterial-feeding nematodes in soil ecological studies by means of arbitrarily-primed PCR. <i>Soil Biology and Biochemistry</i> , 1993, 25, 1141-1151.	4.2	17
8	Assessing nematode communities in agroecosystems of varying human intervention. <i>Agriculture, Ecosystems and Environment</i> , 1993, 45, 239-261.	2.5	363
10	Estuarine nematodes as indicators of organic pollution; An example from the Ems estuary (The Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 42	0.3	15
11	Evaluation of xenobiotic effects by ecological techniques. <i>Chemosphere</i> , 1994, 28, 357-374.	4.2	17
12	Nematode communities and microbial biomass in soils with annual and perennial crops. <i>Applied Soil Ecology</i> , 1994, 1, 17-28.	2.1	131
13	Nematode community structure in relation to soil and vegetation characteristics. <i>Applied Soil Ecology</i> , 1994, 1, 29-44.	2.1	79
14	Development of the Decomposer Food-Web, Trophic Relationships, and Ecosystem Properties during a Three-Year Primary Succession in Sawdust. <i>Oikos</i> , 1995, 73, 155.	1.2	103
15	Effect of sewage effluent on soil fauna in a <i>Pinus-radiata</i> plantation. <i>Soil Research</i> , 1995, 33, 555.	0.6	15
16	Measures of nematode community structure and sources of variability among and within agricultural fields. <i>Plant and Soil</i> , 1995, 170, 167-181.	1.8	95
17	Meiobenthic distribution and nematode community structure in five European estuaries. <i>Hydrobiologia</i> , 1995, 311, 185-206.	1.0	109
18	The Spatial Distribution of Nematode Trophic Groups Across a Cultivated Ecosystem. <i>Ecology</i> , 1995, 76, 1425-1432.	1.5	136
19	The Significance and Regulation of Soil Biodiversity. , 1995, , .		36

#	ARTICLE	IF	CITATIONS
20	Nematode Fauna in Spruce Forest Soils: a Qualitative/ Quantitative Comparison. <i>Nematologica</i> , 1995, 41, 106-124.	0.2	40
21	Secondary Successional Stages of Soil Nematodes in Cambisols of South Bohemia. <i>Nematologica</i> , 1995, 41, 197-218.	0.2	38
22	Studies On the Nematode Fauna of an Acid Forest Soil: Spatial Distribution and Extraction. <i>Nematologica</i> , 1995, 41, 229-239.	0.2	105
24	Differences in development of soil nematode communities in single- and multi- species grass experimental treatments. <i>Applied Soil Ecology</i> , 1995, 2, 53-64.	2.1	33
25	Impacts of Disturbance on Detritus Food Webs in Agro-Ecosystems of Contrasting Tillage and Weed Management Practices. <i>Advances in Ecological Research</i> , 1995, 26, 105-185.	1.4	336
27	Diversity of nematode faunae under three vegetation types on a pallic soil in Otago, New Zealand. <i>New Zealand Journal of Zoology</i> , 1996, 23, 401-407.	0.6	18
28	Population energetics of bacterial-feeding nematodes: Stage-specific development and fecundity rates. <i>Soil Biology and Biochemistry</i> , 1996, 28, 271-280.	4.2	50
29	Distribution of soil animals in patchily contaminated soil. <i>Soil Biology and Biochemistry</i> , 1996, 28, 1349-1355.	4.2	20
30	Short-term effects of cadmium, copper, nickel and zinc on soil nematodes from different feeding and life-history strategy groups. <i>Applied Soil Ecology</i> , 1996, 4, 107-117.	2.1	135
31	Dynamics of nematode communities in tomatoes grown in conventional and organic farming systems, and their impact on soil fertility. <i>Applied Soil Ecology</i> , 1996, 3, 161-175.	2.1	137
32	Effects of sod-cutting on the nematode community of a secondary forest of <i>Pinus sylvestris</i> L.. <i>Biology and Fertility of Soils</i> , 1996, 22, 227-236.	2.3	31
33	Recolonization of methyl-bromide sterilized soils by plant and soil nematodes over 52 months. <i>Biology and Fertility of Soils</i> , 1996, 21, 1-6.	2.3	30
34	Soil Health and Sustainability. <i>Advances in Agronomy</i> , 1996, , 1-54.	2.4	468
35	Microcosms and soil Ecology: Critical Linkages between Fields Studies and Modelling Food Webs. <i>Ecology</i> , 1996, 77, 694-705.	1.5	77
36	Nematodes and their relationship to forest dynamics: I. Species and trophic groups. <i>Biology and Fertility of Soils</i> , 1996, 23, 405-413.	2.3	17
37	Toxicity analysis of freshwater and marine sediments with meio- and macrobenthic organisms: a review. <i>Hydrobiologia</i> , 1996, 328, 215-261.	1.0	80
38	The diversity of soil communities, the 'poor man's tropical rainforest'. <i>Biodiversity and Conservation</i> , 1996, 5, 135-168.	1.2	326
39	Carbon flux and diversity of nematodes and termites in Cameroon forest soils. <i>Biodiversity and Conservation</i> , 1996, 5, 261-273.	1.2	82

#	ARTICLE	IF	CITATIONS
40	The Effect of Environment On Marine Nematode Assemblages as Indicated By the Maturity Index. <i>Nematologica</i> , 1996, 42, 232-242.	0.2	14
41	A food-web approach to assess the effects of disturbance on ecosystem structure, function and stability. , 1997, , 157-171.		2
42	The Development of a Bioindicator System for Soil Acidity Based on Arthropod pH Preferences. <i>Journal of Applied Ecology</i> , 1997, 34, 217.	1.9	149
43	Long-Term Effects of Crude Oil Contamination and Bioremediation in a Soil Ecosystem. <i>Bioremediation Journal</i> , 1997, 1, 41-51.	1.0	11
44	Relationship of crop and rainfall to soil nematode community structure in perennial agroecosystems. <i>Applied Soil Ecology</i> , 1997, 6, 147-159.	2.1	26
45	Faunal and Microbial Diversity in Three Welsh Grassland Soils Under Conventional and Organic Management Regimes. <i>Journal of Applied Ecology</i> , 1997, 34, 453.	1.9	180
46	Inverse relationship between the nematode maturity index and plant parasite index under enriched nutrient conditions. <i>Applied Soil Ecology</i> , 1997, 6, 195-199.	2.1	154
47	Development and Testing of an Assay for Soil Ecosystem Health Using the Bacterial-Feeding Nematode <i>Cruzema tripartitum</i> . <i>Ecotoxicology and Environmental Safety</i> , 1997, 36, 133-139.	2.9	9
48	Trichloroethylene (TCE) and toluene effects on the structure and function of the soil community. <i>Soil Biology and Biochemistry</i> , 1997, 29, 75-89.	4.2	41
49	Thermal constraints to population growth of bacterial-feeding nematodes. <i>Soil Biology and Biochemistry</i> , 1997, 29, 63-74.	4.2	47
50	Population energetics of bacterial-feeding nematodes: Carbon and nitrogen budgets. <i>Soil Biology and Biochemistry</i> , 1997, 29, 1183-1194.	4.2	139
51	Effects of metal ions in combination with a non-ionic surfactant on stress responses in a transgenic nematode. <i>Aquatic Toxicology</i> , 1997, 40, 37-50.	1.9	26
52	Methods for Assessing Soil Quality. <i>SSSA Special Publication Series</i> , 1997, , .	0.2	144
53	Soil mesofauna in unstable environments and their population density-biomass relationship: Cases from the Egyptian deserts. <i>Geobios</i> , 1997, 30, 135-144.	0.7	1
54	The effects of forest disturbance on diversity of tropical soil nematodes. <i>Oecologia</i> , 1997, 111, 575-582.	0.9	102
55	Response of the fauna of a grassland soil to doubling of atmospheric carbon dioxide concentration. <i>Biology and Fertility of Soils</i> , 1997, 25, 307-315.	2.3	59
56	Changes in estuarine nematode communities following a decrease of organic pollution. <i>Aquatic Ecology</i> , 1998, 32, 195-202.	0.7	31
57	Soil nematode biodiversity in terrestrial ecosystems. <i>Biodiversity and Conservation</i> , 1998, 7, 617-630.	1.2	125

#	ARTICLE	IF	CITATIONS
58	Nitrogen mineralization by bacterial-feeding nematodes: verification and measurement. <i>Plant and Soil</i> , 1998, 203, 159-171.	1.8	157
59	An extraction method for nematodes in decomposition studies using the minicontainer-method. <i>Plant and Soil</i> , 1998, 198, 109-116.	1.8	9
60	Enzymological and microbiological study of the evolution of a technogenic soil submitted to biological recultivation at the lead and zinc mine in Rodna (Romania). <i>Soil and Tillage Research</i> , 1998, 47, 163-168.	2.6	8
61	Transgenic nematodes as biomonitors of microwave-induced stress. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 1998, 399, 55-64.	0.4	75
62	Stress-inducible transgenic nematodes as biomonitors of soil and water pollution. <i>Journal of Biosciences</i> , 1998, 23, 513-526.	0.5	23
63	Dynamics and stratification of functional groups of nematodes in the organic layer of a Scots pine forest in relation to temperature and moisture. <i>Biology and Fertility of Soils</i> , 1998, 26, 293-304.	2.3	16
64	Contrasting response to cropping of populations of earthworms and predacious nematodes in four soils. <i>Soil and Tillage Research</i> , 1998, 48, 255-264.	2.6	39
65	Establishment of carabid beetle and nematode populations in a nature restoration project after the abandonment of arable land. <i>Applied Soil Ecology</i> , 1998, 9, 355-360.	2.1	12
66	Dynamic interactions between soil animals and microorganisms in upland grassland soils amended with sheep dung: a microcosm experiment. <i>Soil Biology and Biochemistry</i> , 1998, 30, 531-539.	4.2	116
67	Influence of bacterial type and density on population growth of bacterial-feeding nematodes. <i>Soil Biology and Biochemistry</i> , 1998, 30, 949-960.	4.2	100
68	Effects of soil management history on the rate of organic matter decomposition. <i>Soil Biology and Biochemistry</i> , 1998, 30, 1917-1927.	4.2	56
69	Plant parasitic nematodes and spatio-temporal variation in natural vegetation. <i>Applied Soil Ecology</i> , 1998, 10, 253-262.	2.1	66
70	Response of the soil nematode community in a shortgrass steppe to long-term and short-term grazing. <i>Applied Soil Ecology</i> , 1998, 9, 39-44.	2.1	38
71	Differences in soil nematode community structure of beech forests: Comparison between a mull and a moder soil. <i>Applied Soil Ecology</i> , 1998, 9, 9-15.	2.1	30
72	Nematodes in a coastal dune succession: Indicators of soil properties?. <i>Applied Soil Ecology</i> , 1998, 9, 465-469.	2.1	72
73	Comparison of soil microbial properties and fauna under tussock grassland and pine plantation. <i>Journal of the Royal Society of New Zealand</i> , 1998, 28, 523-535.	1.0	23
74	Functional diversity of nematodes. <i>Applied Soil Ecology</i> , 1998, 10, 239-251.	2.1	903
75	Changes in the proportions of groups of bacterivorous soil nematodes with different life strategies in relation to environmental conditions. <i>Applied Soil Ecology</i> , 1998, 9, 215-220.	2.1	28

#	ARTICLE	IF	CITATIONS
76	Influence of perennial ryegrass on a copper and zinc affected terrestrial nematode community. <i>Applied Soil Ecology</i> , 1998, 10, 73-85.	2.1	46
77	A maturity index for predatory soil mites (Mesostigmata: Gamasina) as an indicator of environmental impacts of pollution on forest soils. <i>Applied Soil Ecology</i> , 1998, 9, 447-452.	2.1	79
78	Observations on the effect of different management regimes of set-aside land on nematode community structure. <i>Applied Soil Ecology</i> , 1998, 9, 339-343.	2.1	16
79	Soil nematode fauna of a subarctic heath: potential nematicidal action of plant leaf extracts. <i>Applied Soil Ecology</i> , 1998, 7, 111-124.	2.1	14
80	Functional aspects of soil animal diversity in agricultural grasslands. <i>Applied Soil Ecology</i> , 1998, 10, 263-276.	2.1	179
81	Evaluation of bioindicator systems derived from soil arthropod communities. <i>Applied Soil Ecology</i> , 1998, 9, 429-437.	2.1	202
82	COMPARISON OF NEMATODE COMMUNITIES IN AGRICULTURAL SOILS OF NORTH CAROLINA AND NEBRASKA. , 1998, 8, 213-223.		36
83	DEVELOPING SUSTAINABLE SYSTEMS FOR NEMATODE MANAGEMENT. <i>Annual Review of Phytopathology</i> , 1998, 36, 165-205.	3.5	161
84	SPATIOTEMPORAL DISTRIBUTIONS OF BACTERIVOROUS NEMATODES AND SOIL RESOURCES IN A RESTORED RIPARIAN WETLAND. <i>Ecology</i> , 1998, 79, 2721-2734.	1.5	90
85	Effects of Crop Rotations of Cereals With Vetch and Fallow On Soil Nematofauna in Central Spain. <i>Nematologica</i> , 1998, 44, 63-80.	0.2	11
87	Predatory mites (Gamasina, Mesostigmata). , 1999, , 395-410.		13
88	Nematode diversity in agroecosystems. , 1999, , 113-135.		29
89	Simulated climate change in subarctic soils: responses in nematode species composition and dominance structure. <i>Nematology</i> , 1999, 1, 513-526.	0.2	34
90	Effects of global warming on nematode diversity in a Swedish tundra soil - a soil transplantation experiment. <i>Nematology</i> , 1999, 1, 695-709.	0.2	21
91	A field study with genetically engineered alfalfa inoculated with recombinant <i>Sinorhizobium meliloti</i> : effects on the soil ecosystem. <i>Journal of Applied Ecology</i> , 1999, 36, 920.	1.9	95
92	Nematodes as indicators of pollution: a case study from the Swartkops River system, South Africa. <i>Hydrobiologia</i> , 1999, 397, 155-169.	1.0	68
93	Title is missing!. <i>Plant and Soil</i> , 1999, 212, 63-73.	1.8	134
94	Title is missing!. <i>Plant and Soil</i> , 1999, 212, 13-22.	1.8	226

#	ARTICLE	IF	CITATIONS
95	Effect of an artificial metal pollution on nematode assemblage of a calcareous loamy chernozem soil. <i>Plant and Soil</i> , 1999, 212, 35-43.	1.8	38
96	Grazing in a porous environment. 2. Nematode community structure. <i>Plant and Soil</i> , 1999, 212, 85-99.	1.8	41
97	Title is missing!. , 1999, 212, 1-11.		160
98	Biological Indicators of Marine Environmental Health: Meiofauna – A Neglected Benthic Component?. <i>Environmental Monitoring and Assessment</i> , 1999, 54, 47-68.	1.3	195
99	Title is missing!. <i>Agroforestry Systems</i> , 1999, 45, 159-185.	0.9	132
100	Nematode diversity in agroecosystems. <i>Agriculture, Ecosystems and Environment</i> , 1999, 74, 113-135.	2.5	359
101	Predatory mites (Gamasina, Mesostigmata). <i>Agriculture, Ecosystems and Environment</i> , 1999, 74, 395-410.	2.5	170
102	The toxicity of dithiocarbamate fungicides to soil nematodes, assessed using a stress-inducible transgenic strain of <i>Caenorhabditis elegans</i> . , 1999, 13, 324-333.		32
103	Effects of climate change on soil factors and metazoan microfauna (nematodes, tardigrades and) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 4 113-128.	2.1	38
104	Nematode communities as indicators of status and processes of a soil ecosystem influenced by agricultural management practices. <i>Applied Soil Ecology</i> , 1999, 13, 69-86.	2.1	123
105	Controls on soil biodiversity: insights from extreme environments. <i>Applied Soil Ecology</i> , 1999, 13, 137-150.	2.1	212
106	Nematode community structure as a bioindicator in environmental monitoring. <i>Trends in Ecology and Evolution</i> , 1999, 14, 224-228.	4.2	833
107	Nematodes as bioindicators of dry pasture recovery after temporary rye cultivation. <i>Soil Biology and Biochemistry</i> , 1999, 31, 535-541.	4.2	10
108	The effects of nematode grazing on nitrogen mineralization during fungal decomposition of organic matter. <i>Soil Biology and Biochemistry</i> , 1999, 31, 1265-1279.	4.2	94
109	Riparian soil response to surface nitrogen input: the indicator potential of free-living soil nematode populations. <i>Soil Biology and Biochemistry</i> , 1999, 31, 1625-1638.	4.2	23
110	Responses of soil nematode populations, community structure, diversity and temporal variability to agricultural intensification over a seven-year period. <i>Soil Biology and Biochemistry</i> , 1999, 31, 1721-1733.	4.2	124
111	EFFECTS OF PLANTS ON NEMATODE COMMUNITY STRUCTURE. <i>Annual Review of Phytopathology</i> , 1999, 37, 127-149.	3.5	176
112	Effect of nitrogen amendments on microbial biomass, above-ground biomass and nematode population in the Negev Desert soil. <i>Journal of Arid Environments</i> , 1999, 41, 429-441.	1.2	33

#	ARTICLE	IF	CITATIONS
113	Response of soil microflora to changes in nematode abundance – evidence for large scale effects in grassland soil+. <i>Journal of Plant Nutrition and Soil Science</i> , 1999, 162, 385-391.	1.1	10
114	Trophic structure of nematode communities, microbial biomass, and nitrogen mineralization in soils of forests and clearcuts in the southern interior of British Columbia. <i>Canadian Journal of Soil Science</i> , 2000, 80, 401-410.	0.5	35
115	Temperature- and moisture-induced changes in the structure of the nematode fauna of a semiarid grassland – patterns and mechanisms. <i>Global Change Biology</i> , 2000, 6, 697-707.	4.2	52
116	Interactions between above- and belowground biota: importance for small-scale vegetation mosaics in a grassland ecosystem. <i>Oikos</i> , 2000, 90, 582-598.	1.2	99
117	Biological and chemical monitoring after pilot remediations in the delta of the rivers Rhine and Meuse. <i>Aquatic Ecosystem Health and Management</i> , 2000, 3, 317-334.	0.3	7
118	Title is missing!. <i>European Journal of Plant Pathology</i> , 2000, 106, 51-65.	0.8	19
120	Short-term effects of different tillage in a sustainable farming system on nematode community structure. <i>Biology and Fertility of Soils</i> , 2000, 31, 237-244.	2.3	63
121	Biological and chemical monitoring after pilot remediations in the delta of the rivers Rhine and Meuse. <i>Aquatic Ecosystem Health and Management</i> , 2000, 3, 317-334.	0.3	2
122	Nematode Population Dynamics under the Canopy of Desert Halophytes. <i>Arid Land Research and Management</i> , 2000, 14, 183-192.	0.3	12
123	The nematode extraction efficiency of the Oostenbrink elutriator-cottonwool filter method with special reference to nematode body size and life strategy. <i>Nematology</i> , 2000, 2, 325-342.	0.2	44
124	Effects of increased nitrogen deposition on soil nematodes in alpine tundra soils. <i>Pedobiologia</i> , 2000, 44, 591-608.	0.5	19
125	The impact of clearcutting and partial harvesting systems on population dynamics of soil nematodes in coastal Douglas-fir forests. <i>Pedobiologia</i> , 2000, 44, 641-665.	0.5	23
126	Soil nematodes indicate food web responses to elevated atmospheric CO <sub>2</sub> . <i>Pedobiologia</i> , 2000, 44, 725-735.	0.5	52
127	Impacts of Airborne Pollutants on Soil Fauna. <i>Annual Review of Ecology, Evolution, and Systematics</i> , 2000, 31, 395-423.	6.7	76
128	Diversity and distribution of nematode communities in grasslands from Romania in relation to vegetation and soil characteristics. <i>Applied Soil Ecology</i> , 2000, 14, 27-36.	2.1	44
129	Successional trends in the characteristics of soil nematode communities in cropped and fallow lands in Senegal (Sonkorong). <i>Applied Soil Ecology</i> , 2000, 14, 5-15.	2.1	34
130	Responses of trophic groups of soil nematodes to residue application under conventional tillage and no-till regimes. <i>Soil Biology and Biochemistry</i> , 2000, 32, 1731-1741.	4.2	90
131	Biotic indices based on soil nematode communities for assessing soil quality in terrestrial ecosystems. <i>Science of the Total Environment</i> , 2000, 247, 253-261.	3.9	44



#	ARTICLE	IF	CITATIONS
132	Deriving ecological risk-based soil quality values in the Basque Country. <i>Science of the Total Environment</i> , 2000, 247, 279-284.	3.9	37
133	Terrestrial Meiofauna and Contaminated Land Assessment. <i>Environmental Science &amp; Technology</i> , 2000, 34, 1594-1602.	4.6	14
134	DESIGNING A SOIL QUALITY ASSESSMENT TOOL FOR SUSTAINABLE AGROECOSYSTEM MANAGEMENT. , 2001, 11, 1573-1585.		372
135	Global Biodiversity in a Changing Environment. <i>Ecological Studies</i> , 2001, , .	0.4	40
136	Temporal changes in nematode community structure in a desert ecosystem. <i>Journal of Arid Environments</i> , 2001, 48, 267-280.	1.2	23
137	Abundance and diversity of soil nematodes in chronosequences of coastal Douglas-fir forests on Vancouver Island, British Columbia. <i>Pedobiologia</i> , 2001, 45, 193-212.	0.5	23
138	Factors determining the distribution of soil nematodes in a commercial forest landscape. <i>Forest Ecology and Management</i> , 2001, 146, 129-143.	1.4	47
139	Nematode community structure as indicator of soil functioning in European grassland soils. <i>European Journal of Soil Biology</i> , 2001, 37, 263-268.	1.4	93
140	Nematode community composition and diversity associated with a topoclimatic transect in a rain shadow desert. <i>European Journal of Soil Biology</i> , 2001, 37, 315-320.	1.4	21
141	Succession of soil nematodes in pine forests on coal-mining sands near Cottbus, Germany. <i>Applied Soil Ecology</i> , 2001, 16, 23-34.	2.1	45
142	Changes in nematode communities following cultivation of soils after fallow periods of different length. <i>Applied Soil Ecology</i> , 2001, 17, 43-52.	2.1	52
143	Manipulations of a microbial based soil food web at two arctic sites "evidence of species redundancy among the nematode fauna?. <i>Applied Soil Ecology</i> , 2001, 17, 19-30.	2.1	29
144	A framework for soil food web diagnostics: extension of the nematode faunal analysis concept. <i>Applied Soil Ecology</i> , 2001, 18, 13-29.	2.1	1,064
145	Effect of nitrogen and phosphate fertilisers on microbial and nematode diversity in pasture soils. <i>Soil Biology and Biochemistry</i> , 2001, 33, 953-964.	4.2	257
146	Microfaunal primary succession on the volcanic island of Surtsey, Iceland. <i>Polar Research</i> , 2001, 20, 61-73.	1.6	3
147	Preliminary study of the soil nematode community at Machu Picchu Station, King George Island, Antarctica. <i>Polar Biology</i> , 2001, 24, 545-548.	0.5	14
148	Proportions of active ciliate taxa in soils. <i>Biology and Fertility of Soils</i> , 2001, 33, 197-203.	2.3	26
149	Structure of nematode communities in forest soils of southern British Columbia: relationships to nitrogen mineralization and effects of clearcut harvesting and fertilization. <i>Biology and Fertility of Soils</i> , 2001, 34, 170-178.	2.3	52

#	ARTICLE	IF	CITATIONS
150	Nematode community structure as a sensitive indicator of microbial perturbations induced by a genetically modified <i>Pseudomonas fluorescens</i> strain. <i>Biology and Fertility of Soils</i> , 2001, 34, 270-275.	2.3	18
151	Linking above- and below-ground biodiversity: abundance and trophic complexity in soil as a response to experimental plant communities on abandoned arable land. <i>Functional Ecology</i> , 2001, 15, 506-514.	1.7	106
152	Acute sensitivity of nematode taxa to CuSO <sub>4</sub> and relationships with feeding type and life history classification. <i>Environmental Toxicology and Chemistry</i> , 2001, 20, 1511-1516.	2.2	47
153	The meiofauna community of two small German streams as indicator of pollution. <i>Hydrobiologia</i> , 2001, 8, 387-405.	1.0	38
154	Nematode communities of Lake Tana and other inland water bodies of Ethiopia. <i>Hydrobiologia</i> , 2001, 462, 41-73.	1.0	8
157	Recolonisation of meiofauna after catastrophic iceberg scouring in shallow Antarctic sediments. <i>Polar Biology</i> , 2001, 24, 918-925.	0.5	76
158	Meiofauna response to iceberg disturbance on the Antarctic continental shelf at Kapp Norvegia (Weddell Sea). <i>Polar Biology</i> , 2001, 24, 926-933.	0.5	41
159	Microfaunal primary succession on the of Surtsey, Iceland. <i>Polar Research</i> , 2001, 20, 61-73.	1.6	10
160	Population growth of two aphelenchid nematodes with six different fungi as a food source. <i>Nematology</i> , 2001, 3, 9-15.	0.2	10
161	<i>Ecotoxicology</i> , 2001, , 118-126.		0
162	Incidence of plant-parasitic nematodes in natural and semi-natural mountain grassland and the host status of some common grass species. <i>Nematology</i> , 2002, 4, 541-552.	0.2	22
163	The extent to which nematode communities are affected by soil factors-a pot experiment. <i>Nematology</i> , 2002, 4, 943-952.	0.2	23
164	Effect of Four Cropping Systems on the Abundance and Diversity of Epedaphic Springtails (Hexapoda: Tj ETQq0 0 0 rgBT /Overlock 10 T	0.7	19
165	Mycetophagy in <i>Filenchus misellus</i> (AndrĀjssy, 1958) Lownsbey & Lownsbey, 1985 (Nematoda: Tj ETQq1 1 0.784314 rgBT /Overlock	0.2	41
166	Responses of nematode species composition to factorial addition of carbon, fertiliser, bactericide and fungicide at two sub-arctic sites. <i>Nematology</i> , 2002, 4, 527-539.	0.2	28
167	Colonization of Exclosures in a Costa Rican Stream: Effects of Macrobenthos on Meiobenthos and the Nematode Community. <i>Journal of Freshwater Ecology</i> , 2002, 17, 531-541.	0.5	6
168	Influence of the controlled dual ectomycorrhizal and rhizobal symbiosis on the growth of <i>Acacia mangium</i> provenances, the indigenous symbiotic microflora and the structure of plant parasitic nematode communities. <i>Geoderma</i> , 2002, 109, 85-102.	2.3	20
169	Seasonal variation in the nematode communities associated with two halophytes in a desert ecosystem. <i>Pedobiologia</i> , 2002, 46, 63-74.	0.5	27

#	ARTICLE	IF	CITATIONS
170	Development of soil nematode communities on coal-mining dumps in two different landscapes and reclamation practices. <i>European Journal of Soil Biology</i> , 2002, 38, 167-171.	1.4	15
171	Effect of subsurface clay on nematode communities in a sandy soil. <i>Applied Soil Ecology</i> , 2002, 19, 1-11.	2.1	11
172	Influence of clear-cutting and forest age on the nematode fauna in a Swedish pine forest soil. <i>Applied Soil Ecology</i> , 2002, 19, 261-277.	2.1	51
173	Nematode communities under stress: the long-term effects of heavy metals in soil treated with sewage sludge. <i>Applied Soil Ecology</i> , 2002, 20, 27-42.	2.1	116
174	Soil invertebrate and microbial communities, and decomposition as indicators of polycyclic aromatic hydrocarbon contamination. <i>Applied Soil Ecology</i> , 2002, 21, 71-88.	2.1	109
175	Diversity of soil nematodes across a Mediterranean ecotone. <i>Applied Soil Ecology</i> , 2002, 20, 191-198.	2.1	11
176	Soil faunal response to land use: effect of estuarine tideland reclamation on nematode communities. <i>Applied Soil Ecology</i> , 2002, 21, 131-147.	2.1	57
177	Influences of organic and synthetic soil fertility amendments on nematode trophic groups and community dynamics under tomatoes. <i>Applied Soil Ecology</i> , 2002, 21, 233-250.	2.1	127
178	DISTINGUISHING SENSITIVITY OF FREE-LIVING SOIL NEMATODE GENERA TO PHYSICAL AND CHEMICAL DISTURBANCES. , 2002, 12, 565-575.		182
179	Population Age Structure of Nematodes in the Antarctic Dry Valleys: Perspectives on Time, Space, and Habitat Suitability. <i>Arctic, Antarctic, and Alpine Research</i> , 2002, 34, 159-168.	0.4	33
180	A comparison of soil quality indexing methods for vegetable production systems in Northern California. <i>Agriculture, Ecosystems and Environment</i> , 2002, 90, 25-45.	2.5	767
181	In-Situ Phytoremediation of TNT-Contaminated Soil. <i>Acta Biotechnologica</i> , 2002, 22, 67-80.	1.0	11
183	Nematode community and trophic structure along a sand dune succession. <i>Biology and Fertility of Soils</i> , 2002, 35, 293-301.	2.3	85
184	Effects of Zinc Contamination on a Natural Nematode Community in Outdoor Soil Mesocosms. <i>Archives of Environmental Contamination and Toxicology</i> , 2002, 42, 205-216.	2.1	42
185	Non-target effects of entomopathogenic nematodes on the soil nematode community. <i>Journal of Applied Ecology</i> , 2002, 39, 735-744.	1.9	48
186	Pressure plate studies to determine how moisture affects access of bacterial-feeding nematodes to food in soil. <i>European Journal of Soil Science</i> , 2002, 53, 355-365.	1.8	53
187	Nematode soil faunal analysis of decomposition pathways in different ecosystems. <i>Nematology</i> , 2003, 5, 179-181.	0.2	70
188	Influence of pasture management (nitrogen and lime addition and insecticide treatment) on soil organisms and pasture root system dynamics in the field. <i>Plant and Soil</i> , 2003, 255, 121-130.	1.8	22

#	ARTICLE	IF	CITATIONS
189	Response of an estuarine ecosystem to reduced organic waste discharge. <i>Aquatic Ecology</i> , 2003, 37, 65-76.	0.7	25
190	COMPARISON OF THE SENSITIVITY OF THREE NEMATODE SPECIES TO COPPER AND THEIR UTILITY IN AQUATIC AND SOIL TOXICITY TESTS. <i>Environmental Toxicology and Chemistry</i> , 2003, 22, 2768.	2.2	99
191	Nematodes as soil indicators: functional and biodiversity aspects. <i>Biology and Fertility of Soils</i> , 2003, 37, 199-210.	2.3	542
192	Earthworms and pH affect communities of nematodes and enchytraeids in forest soil. <i>Biology and Fertility of Soils</i> , 2003, 38, 52-58.	2.3	94
193	Biodiversity and agri-environmental indicatorsâ€”general scopes and skills with special reference to the habitat level. <i>Agriculture, Ecosystems and Environment</i> , 2003, 98, 35-78.	2.5	120
194	A biological classification concept for the assessment of soil quality: â€œbiological soil classification schemeâ€•(BBSK). <i>Agriculture, Ecosystems and Environment</i> , 2003, 98, 263-271.	2.5	58
195	Collembolan communities as bioindicators of land use intensification. <i>Soil Biology and Biochemistry</i> , 2003, 35, 813-826.	4.2	123
196	Observational and simulated evidence of ecological shifts within the soil nematode community of agroecosystems under conventional and organic farming. <i>Functional Ecology</i> , 2003, 17, 516-525.	1.7	98
197	Effects of microelements on soil nematode assemblages seven years after contaminating an agricultural field. <i>Science of the Total Environment</i> , 2003, 320, 131-131.	3.9	0
198	Long-term effects of heavy metals and microelements on nematode assemblage. <i>Toxicology Letters</i> , 2003, 140-141, 391-401.	0.4	33
199	On-farm impact of cattle slurry manure management on biological soil quality. <i>Njas - Wageningen Journal of Life Sciences</i> , 2003, 51, 103-133.	7.9	33
200	Host status of 10 fungal isolates for two nematode species, <i>Filenchus misellus</i> and <i>Aphelenchus avenae</i> . <i>Soil Biology and Biochemistry</i> , 2003, 35, 1601-1607.	4.2	67
201	Nematoda: Genes, Genomes and the Evolution of Parasitism. <i>Advances in Parasitology</i> , 2003, 54, 101-195.	1.4	83
202	Soil nematode fauna of afforested mine sites: genera distribution, trophic structure and functional guilds. <i>Applied Soil Ecology</i> , 2003, 22, 113-126.	2.1	55
203	Recovery of soil nematode populations from cropping stress by natural secondary succession to meadow land. <i>Applied Soil Ecology</i> , 2003, 22, 255-270.	2.1	68
204	Transport of free-living nematodes by runoff water in a Sudano-Sahelian area. <i>Applied Soil Ecology</i> , 2003, 23, 85-91.	2.1	11
205	Structural and functional succession in the nematode fauna of a soil food web. <i>Applied Soil Ecology</i> , 2003, 23, 93-110.	2.1	285
206	Biodiversity of nematode assemblages from deep-sea sediments of the Atacama Slope and Trench (South Pacific Ocean). <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , 2003, 50, 103-117.	0.6	130

#	ARTICLE	IF	CITATIONS
207	Changes in nematode communities after manuring in millet fields in Senegal. <i>Nematology</i> , 2003, 5, 351-358.	0.2	35
208	Multi-Species Ecotoxicity Assessment of Petroleum-Contaminated Soil. <i>Soil and Sediment Contamination</i> , 2003, 12, 181-206.	1.1	20
209	Chapter 15 Nematodes. <i>Trace Metals and Other Contaminants in the Environment</i> , 2003, 6, 529-554.	0.1	5
210	Seasonal distribution of free-living nematodes in the KrÄhenbach, a fine-grained submountain carbonate stream in southwest Germany. <i>Nematology</i> , 2003, 5, 113-136.	0.2	32
211	Nematode communities of anthropogenous birch stands in central Finland. <i>Nematology</i> , 2003, 5, 629-639.	0.2	10
212	Seasonal distribution of free-living nematodes in the KÄrsch, a coarse-grained submountain carbonate stream in southwest Germany. <i>Nematology</i> , 2003, 5, 481-504.	0.2	18
213	Relationship of nematode communities to human demographics and environment in agricultural fields and fallow lands in Senegal. <i>Journal of Tropical Ecology</i> , 2003, 19, 279-290.	0.5	7
218	Distribution of the meiofaunal community in a eutrophic shallow lake of China. <i>Archiv FÄ¼r Hydrobiologie</i> , 2004, 159, 555-575.	1.1	15
219	The influence of temperature on the life history of the Antarctic nematode <i>Panagrolaimus davidi</i> . <i>Nematology</i> , 2004, 6, 883-890.	0.2	16
220	Nematode community composition in five alpine habitats. <i>Nematology</i> , 2004, 6, 737-747.	0.2	15
221	Plant community development is affected by nutrients and soil biota. <i>Journal of Ecology</i> , 2004, 92, 824-834.	1.9	200
222	Plant species identity and diversity effects on different trophic levels of nematodes in the soil food web. <i>Oikos</i> , 2004, 106, 576-586.	1.2	356
223	Spatial patterns of variation in the composition and structure of nematode communities in relation to different microhabitats: a case study of <i>Quercus dalechampii</i> Ten. forest. <i>Soil Biology and Biochemistry</i> , 2004, 36, 701-712.	4.2	34
224	Interactions between nematodes and microbial communities in a tropical soil following manipulation of the soil food web. <i>Soil Biology and Biochemistry</i> , 2004, 36, 2033-2043.	4.2	44
225	Effects of microelements on soil nematode assemblages seven years after contaminating an agricultural field. <i>Science of the Total Environment</i> , 2004, 320, 131-143.	3.9	52
226	Ring-testing and Field-validation of a Terrestrial Model Ecosystem (TME) â€“ An Instrument for Testing Potentially Harmful Substances: Effects of Carbendazim on Nematodes. <i>Ecotoxicology</i> , 2004, 13, 61-74.	1.1	31
227	Simulated herbivory effects on rhizosphere organisms in pea ( <i>Pisum sativum</i> ) depended on phosphate. <i>Plant and Soil</i> , 2004, 264, 185-194.	1.8	21
228	INFLUENCE OF 4-NONYLPHENOL ON THE STRUCTURE OF NEMATODE COMMUNITIES IN FRESHWATER MICROCOSMS. <i>Environmental Toxicology and Chemistry</i> , 2004, 23, 1268.	2.2	35

#	ARTICLE	IF	CITATIONS
229	Aphid effects on rhizosphere microorganisms and microfauna depend more on barley growth phase than on soil fertilization. <i>Oecologia</i> , 2004, 141, 84-93.	0.9	30
230	Selecting agri-environmental indicators to facilitate monitoring and assessment of EU agri-environmental measures effectiveness. <i>Journal of Environmental Management</i> , 2004, 70, 315-321.	3.8	44
231	Chapter 6 The use of soil invertebrates in ecological surveys of contaminated soils. <i>Developments in Soil Science</i> , 2004, , 159-195.	0.5	6
233	Response of soil nematodes inhabiting spruce forests in the Åumava Mountains to disturbance by bark beetles and clear-cutting. <i>Forest Ecology and Management</i> , 2004, 202, 209-225.	1.4	24
234	Effects of forest management on carabid beetles in Belgium: implications for biodiversity conservation. <i>Biological Conservation</i> , 2004, 118, 219-234.	1.9	66
235	Spatial and temporal dynamics of nematode populations under <i>Zygophyllum dumosum</i> in arid environments. <i>European Journal of Soil Biology</i> , 2004, 40, 31-46.	1.4	40
236	Nematode assemblages in the rhizosphere of spring barley ( <i>Hordeum vulgare</i> L.) depended on fertilisation and plant growth phase. <i>Pedobiologia</i> , 2004, 48, 257-265.	0.5	38
237	Soil nematode communities of Alpine summits—site differentiation and microclimatic influences. <i>Pedobiologia</i> , 2004, 48, 313-320.	0.5	22
238	Colonization of chemical factory wastes by soil nematodes. <i>Pedobiologia</i> , 2004, 48, 373-381.	0.5	16
239	Soil management to enhance bacterivore and fungivore nematode populations and their nitrogen mineralisation function. <i>Applied Soil Ecology</i> , 2004, 25, 19-35.	2.1	190
240	Nematode community changes associated with decomposition of <i>Crotalaria juncea</i> amendment in litterbags. <i>Applied Soil Ecology</i> , 2004, 27, 31-45.	2.1	59
241	Effect of agricultural management on soil nematode trophic structure in a Mediterranean cereal system. <i>Applied Soil Ecology</i> , 2004, 27, 197-210.	2.1	22
242	Spatial distribution and trophic diversity of nematode populations under <i>Acacia raddiana</i> along a temperature gradient in the Negev Desert ecosystem. <i>Journal of Arid Environments</i> , 2004, 56, 339-355.	1.2	30
244	The Soil Management Assessment Framework. <i>Soil Science Society of America Journal</i> , 2004, 68, 1945-1962.	1.2	819
245	Biodiversity of indigenous tussock grassland sites in Otago, Canterbury and the central North Island of New Zealand II. Nematodes. <i>Journal of the Royal Society of New Zealand</i> , 2005, 35, 303-319.	1.0	17
246	Cultural aspects of pest management. , 2005, , 189-212.		0
247	Pasture management and conservation. , 2005, , 266-276.		0
248	Agricultural disturbance: diversity and effects on invertebrates. , 2005, , 85-137.		0

#	ARTICLE	IF	CITATIONS
249	Agriculture: effects on invertebrate diversity and conservation. , 2005, , 53-84.		0
250	Biological control and invertebrate conservation. , 2005, , 138-188.		0
251	Agriculture and biodiversity: the place of invertebrates. , 2005, , 18-52.		0
252	Field margins and landscape ecology. , 2005, , 229-265.		0
253	Towards more holistic management for invertebrates. , 2005, , 277-311.		0
254	Extending beyond cropping areas. , 2005, , 213-228.		0
255	A survey of Australian temperate pastures in summer and winter rainfall zones: soil nematodes, chemical, and biochemical properties. Soil Research, 2005, 43, 887.	0.6	16
256	Soil biodiversity: stress and change in grasslands under restoration succession. , 2005, , 343-362.		2
257	Biological Methods for Assessing Potentially Contaminated Soils. , 0, , 163-205.		5
258	Microarthropod communities as a tool to assess soil quality and biodiversity: a new approach in Italy. Agriculture, Ecosystems and Environment, 2005, 105, 323-333.	2.5	310
259	The microfood web of grassland soils responds to a moderate increase in atmospheric CO2. Global Change Biology, 2005, 11, 1148-1155.	4.2	35
260	How does litter quality and site heterogeneity interact on decomposer food webs of a semi-natural forest?. Soil Biology and Biochemistry, 2005, 37, 203-213.	4.2	27
261	Fungal-feeding habits of six nematode isolates in the genus Filenchus. Soil Biology and Biochemistry, 2005, 37, 1113-1120.	4.2	123
262	Early decomposer assemblages of soil organisms in litterbags with vetch and rye roots. Soil Biology and Biochemistry, 2005, 37, 1145-1155.	4.2	22
263	Does the positive feedback effect of nematodes on the biomass and activity of their bacteria prey vary with nematode species and population size?. Soil Biology and Biochemistry, 2005, 37, 1979-1987.	4.2	80
264	Nematode succession and microfaunaâ€™microorganism interactions during root residue decomposition. Soil Biology and Biochemistry, 2005, 37, 1763-1774.	4.2	34
265	Impact of grazing on soil biota in a Mediterranean grassland. Land Degradation and Development, 2005, 16, 581-592.	1.8	25
266	A field colonization experiment with meiofauna and seagrass mimics: effect of time, distance and leaf surface area. Marine Biology, 2005, 148, 73-86.	0.7	35

#	ARTICLE	IF	CITATIONS
267	Within-trophic group interactions of bacterivorous nematode species and their effects on the bacterial community and nitrogen mineralization. <i>Oecologia</i> , 2005, 142, 428-439.	0.9	73
268	Observed Differences in Life History Characteristics of Nematodes <i>Aphelenchus</i> and <i>Acrobeloides</i> upon Exposure to Copper and Benzo(a)pyrene. <i>Ecotoxicology</i> , 2005, 14, 419-429.	1.1	21
269	Introduction: agricultural ecosystems and conservation. , 2005, , 1-17.		0
273	The nematode community of two Italian rivers (Taro and Ticino). <i>Nematology</i> , 2005, 7, 667-675.	0.2	9
274	Responses of nematode community structure to pesticide treatments in an arid ecosystem of the Negev Desert. <i>Nematology</i> , 2005, 7, 179-191.	0.2	23
275	Detectability of Coleopteran-specific Cry3Bb1 Protein in Soil and Its Effect on Nontarget Surface and Below-Ground Arthropods. <i>Environmental Entomology</i> , 2005, 34, 385-394.	0.7	84
276	Characteristics of <i>Tylencholaimus parvus</i> (Nematoda: Dorylaimida) as a fungivorous nematode. <i>Nematology</i> , 2005, 7, 843-849.	0.2	10
277	Ecological classification and assessment concepts in soil protection. <i>Ecotoxicology and Environmental Safety</i> , 2005, 62, 211-229.	2.9	64
278	The use of nematodes in ecological soil classification and assessment concepts. <i>Ecotoxicology and Environmental Safety</i> , 2005, 62, 278-289.	2.9	47
279	The use of predatory soil mites in ecological soil classification and assessment concepts, with perspectives for oribatid mites. <i>Ecotoxicology and Environmental Safety</i> , 2005, 62, 290-299.	2.9	72
280	Nitrogen availability and nematode populations in soil and litter after gap formation in a semi-natural beech-dominated forest. <i>Applied Soil Ecology</i> , 2005, 28, 175-189.	2.1	24
281	Changes in free-living nematode community structure in relation to progressive land reclamation at an intertidal marsh. <i>Applied Soil Ecology</i> , 2005, 29, 47-58.	2.1	44
282	Nematode faunal analysis in an aquatic brown soil fertilised with slow-release urea, Northeast China. <i>Applied Soil Ecology</i> , 2005, 29, 185-192.	2.1	46
283	Ecosystem type affects interpretation of soil nematode community measures. <i>Applied Soil Ecology</i> , 2005, 30, 47-64.	2.1	147
284	Plant species effects on soil nematode communities in experimental grasslands. <i>Applied Soil Ecology</i> , 2005, 30, 90-103.	2.1	164
285	Distribution of Soil Microbial Biomass and Free-living Nematode Population in Terrace Chronosequences of Makhtesh-Ramon Crater. <i>Arid Land Research and Management</i> , 2005, 19, 197-213.	0.6	5
286	Phylum-Wide Analysis of SSU rDNA Reveals Deep Phylogenetic Relationships among Nematodes and Accelerated Evolution toward Crown Clades. <i>Molecular Biology and Evolution</i> , 2006, 23, 1792-1800.	3.5	867
287	Nematode assemblages and their responses to disturbances: a case study from the Empordà wetlands (northeastern Iberian Peninsula). <i>Journal of the North American Benthological Society</i> , 2006, 25, 643-655.	3.0	5



#	ARTICLE	IF	CITATIONS
288	Influence of organic <i>Crotalaria juncea</i> hay and ammonium nitrate fertilizers on soil nematode communities. <i>Applied Soil Ecology</i> , 2006, 31, 186-198.	2.1	79
289	Vertical Distribution and Seasonal Fluctuation of Nematode Trophic Groups as Affected by Land Use. <i>Pedosphere</i> , 2006, 16, 169-176.	2.1	20
290	Biology of Soil Invertebrates. , 2006, , 3-53.		5
291	Effects of organic versus conventional management on chemical and biological parameters in agricultural soils. <i>Applied Soil Ecology</i> , 2006, 31, 120-135.	2.1	273
292	Changes in the structure of the soil nematode community over long-term secondary grassland succession in drained fen peat. <i>Applied Soil Ecology</i> , 2006, 32, 165-179.	2.1	31
293	Molecular sequencing and morphological analysis of a nematode community. <i>Applied Soil Ecology</i> , 2006, 32, 325-337.	2.1	58
294	The maturity index applied to soil gamasine mites from five natural forests in Austria. <i>Applied Soil Ecology</i> , 2006, 34, 1-9.	2.1	10
295	Differential effects of raw and composted manure on nematode community, and its indicative value for soil microbial, physical and chemical properties. <i>Applied Soil Ecology</i> , 2006, 34, 140-151.	2.1	104
296	Nutrition on bacteria by bacterial-feeding nematodes and consequences on the structure of soil bacterial community. <i>European Journal of Soil Biology</i> , 2006, 42, S70-S78.	1.4	64
297	Secondary succession of nematodes in power plant ash dumps reclaimed by covering with turf. <i>European Journal of Soil Biology</i> , 2006, 42, S164-S170.	1.4	11
298	Long-term effect of legume cover crop ( <i>Mucuna pruriens</i> var. <i>utilis</i> ) on the communities of soil macrofauna and nematofauna, under maize cultivation, in southern Benin. <i>European Journal of Soil Biology</i> , 2006, 42, S136-S144.	1.4	104
299	Response of soil micro- and mesofauna to diversity and quality of plant litter. <i>European Journal of Soil Biology</i> , 2006, 42, S244-S249.	1.4	40
300	Effects of slurry application methods on soil faunal communities in permanent grassland. <i>European Journal of Soil Biology</i> , 2006, 42, S348-S353.	1.4	22
301	Soil invertebrates and ecosystem services. <i>European Journal of Soil Biology</i> , 2006, 42, S3-S15.	1.4	1,050
302	The influence of soil pollution on soil microbial biomass and nematode community structure in Navoiy Industrial Park, Uzbekistan. <i>Environment International</i> , 2006, 32, 1-11.	4.8	24
303	Using nematodes in soil ecotoxicology. <i>Environment International</i> , 2006, 32, 374-383.	4.8	107
304	Nematode communities of grazed and ungrazed semi-natural steppe grasslands in Eastern Austria. <i>Pedobiologia</i> , 2006, 50, 11-22.	0.5	32
305	Nematode communities in greenhouse soil of different ages from Shenyang suburb. <i>Helminthologia</i> , 2006, 43, 51-55.	0.3	27

#	ARTICLE	IF	CITATIONS
306	Diversity of soil nematodes in meadows of the White Carpathians. <i>Helminthologia</i> , 2006, 43, 109-116.	0.3	14
307	Effect of mechanical disturbances on nematode communities in arable land. <i>Helminthologia</i> , 2006, 43, 117-121.	0.3	15
308	Nematode communities in three types of grassland in the Slovak Republic. <i>Helminthologia</i> , 2006, 43, 171-176.	0.3	8
309	Impact of triphenyltin acetate in microcosms simulating floodplain lakes. I. Influence of sediment quality. <i>Ecotoxicology</i> , 2006, 15, 267-293.	1.1	30
310	Ecotoxicological Assessment of the Impact of Residual Heavy Metals on Soil Nematodes in the Guadamar River Basin (Southern Spain). <i>Environmental Monitoring and Assessment</i> , 2006, 116, 245-262.	1.3	36
311	Differential response of nematode colonist communities to the intertidal placement of dredged material. <i>Journal of Experimental Marine Biology and Ecology</i> , 2006, 334, 244-255.	0.7	26
312	Biosolids recycling: Nitrogen management and soil ecology. <i>Canadian Journal of Soil Science</i> , 2006, 86, 613-620.	0.5	43
313	Moss inhabiting nematodes: influence of the moss substratum and geographical distribution in Europe. <i>Nematology</i> , 2006, 8, 575-582.	0.2	14
314	Linking soil properties and nematode community composition: effects of soil management on soil food webs. <i>Nematology</i> , 2006, 8, 703-715.	0.2	108
315	Tools and Techniques for the Assessment of Ecotoxicological Impacts of Contaminants in the Terrestrial Environment. <i>Human and Ecological Risk Assessment (HERA)</i> , 2006, 12, 84-101.	1.7	14
316	Present situation and prospect of soil nematode diversity in farmland ecosystems. <i>Biodiversity Science</i> , 2007, 15, 134.	0.2	5
317	Plant induced spatial distribution of nematodes in a semi-natural grassland. <i>Nematology</i> , 2007, 9, 131-142.	0.2	18
318	FAUNA: THE ENGINE FOR MICROBIAL ACTIVITY AND TRANSPORT. , 2007, , 163-191.		30
319	Plant Biodiversity in the Fabricated Soil Experiment. <i>Agroecology and Sustainable Food Systems</i> , 2007, 29, 101-114.	0.9	2
320	Fungi in fabricated soils. <i>International Journal of Environment and Pollution</i> , 2007, 29, 424.	0.2	1
321	ç-šè™«ç¾4é†ã,'â^©ç””ã-ã†ãceŸã£CEã@ã¥ã°ã°  ã,'è©•ã¾¼;ã™ã,ç. <i>Kagaku To Seibutsu</i> , 2007, 45, 43-50.	0.0	3
322	Soil Food Webs and Carbon Dynamics in Response to Conservation Tillage in California. <i>Soil Science Society of America Journal</i> , 2007, 71, 952-963.	1.2	92
323	Study of bacterial activity in fabricated soils. <i>International Journal of Environment and Pollution</i> , 2007, 29, 412.	0.2	8

#	ARTICLE	IF	CITATIONS
324	Lessons learned in remediation and restoration in the Oklahoma prairie: A review. <i>Applied Geochemistry</i> , 2007, 22, 2225-2239.	1.4	10
325	Soil nematode communities are ecologically more mature beneath late- than early-successional stage biological soil crusts. <i>Applied Soil Ecology</i> , 2007, 35, 203-212.	2.1	78
326	Original vegetation type affects soil nematode communities. <i>Applied Soil Ecology</i> , 2007, 35, 68-78.	2.1	21
327	Urbanization alters the functional composition, but not taxonomic diversity, of the soil nematode community. <i>Applied Soil Ecology</i> , 2007, 35, 329-339.	2.1	64
328	Effects of tillage and fertilizer on nematode communities in a Japanese soybean field. <i>Applied Soil Ecology</i> , 2007, 35, 582-598.	2.1	141
329	Effect of elevated CO <sub>2</sub> and N fertilisation on soil nematode abundance and diversity in a wheat field. <i>Applied Soil Ecology</i> , 2007, 36, 63-69.	2.1	32
330	Soil nematode community structure as affected by temperature and moisture in a temperate semiarid shrubland. <i>Applied Soil Ecology</i> , 2007, 37, 31-40.	2.1	88
331	Soil nematode community, organic matter, microbial biomass and nitrogen dynamics in field plots transitioning from conventional to organic management. <i>Applied Soil Ecology</i> , 2007, 37, 256-266.	2.1	125
332	The application of vegetable, fruit and garden waste (VFG) compost in addition to cattle slurry in a silage maize monoculture: Effects on soil fauna and yield. <i>European Journal of Soil Biology</i> , 2007, 43, 91-100.	1.4	59
333	Nematode diversity and food web condition in heavy metal polluted soils in a river basin in southern Spain. <i>European Journal of Soil Biology</i> , 2007, 43, 166-179.	1.4	37
334	Does the activity of the earthworm <i>Aporrectodea caliginosa</i> modify the plant diversity effect on soil nematodes?. <i>European Journal of Soil Biology</i> , 2007, 43, S157-S164.	1.4	9
335	Nematode communities in contaminated river sediments. <i>Environmental Pollution</i> , 2007, 146, 64-76.	3.7	73
336	Functional diversity of nematode communities in the southwestern North Sea. <i>Marine Environmental Research</i> , 2007, 63, 368-389.	1.1	125
337	Linking Soil Organisms Within Food Webs to Ecosystem Functioning and Environmental Change. <i>Advances in Agronomy</i> , 2007, , 307-350.	2.4	18
338	Monitoring Soil Ecosystem Recovery Following Bioremediation of a Terrestrial Crude Oil Spill With and Without a Fertilizer Amendment. <i>Soil and Sediment Contamination</i> , 2007, 16, 181-208.	1.1	5
339	Indicative Value of Soil Nematode Food Web Indices and Trophic Group Abundance in Differentiating Habitats with a Gradient of Anthropogenic Impact. <i>Environmental Bioindicators</i> , 2007, 2, 146-160.	0.4	23
340	Soil properties and perceived disturbance of grasslands subjected to mechanized military training: evaluation of an index. <i>Land Degradation and Development</i> , 2007, 18, 269-288.	1.8	18
341	Impact of harvesting practices on nematode communities and yield of sugarcane. <i>Crop Protection</i> , 2007, 26, 1239-1250.	1.0	11

#	ARTICLE	IF	CITATIONS
342	Development of a site-specific ecological risk assessment for contaminated sites: Part I. A multi-criteria based system for the selection of ecotoxicological tests and ecological observations. <i>Science of the Total Environment</i> , 2007, 379, 16-33.	3.9	56
343	Exotic plant influences soil nematode communities through litter input. <i>Soil Biology and Biochemistry</i> , 2007, 39, 1782-1793.	4.2	74
344	Temporal dynamics of soil nematode community structure under invasive <i>Ambrosia trifida</i> and native <i>Chenopodium serotinum</i> . <i>Helminthologia</i> , 2007, 44, 29-33.	0.3	19
345	Communities of free living and plant parasitic nematodes in hop gardens in Slovakia. <i>Helminthologia</i> , 2007, 44, 80-86.	0.3	18
346	Soil nematode responses to heavy metal stress. <i>Helminthologia</i> , 2007, 44, 87-91.	0.3	25
347	Soil nematodes inhabiting an original dry meadow and an abandoned vineyard in the National Park Seewinkel, Eastern Austria. <i>Helminthologia</i> , 2007, 44, 112-117.	0.3	6
348	Soil nematode community structure in a Chinese sand dune system. <i>Helminthologia</i> , 2007, 44, 204-209.	0.3	19
349	Suppressive service of the soil food web: Effects of environmental management. <i>Agriculture, Ecosystems and Environment</i> , 2007, 119, 75-87.	2.5	140
350	Vertical distribution of soil nematodes in an age sequence of <i>Caragana microphylla</i> plantations in the Horqin Sandy Land, Northeast China. <i>Ecological Research</i> , 2007, 22, 49-56.	0.7	27
351	Nematode communities of small farmland ponds. <i>Hydrobiologia</i> , 2007, 583, 91-105.	1.0	10
352	Combined influence of river discharge and wind on littoral nematode communities of a river mouth area of Lake Constance. <i>Aquatic Ecology</i> , 2007, 41, 231-242.	0.7	4
353	Impact of tillage, stubble management and crop rotation on nematode populations in a long-term field experiment. <i>Soil and Tillage Research</i> , 2007, 95, 110-119.	2.6	48
354	Ecology of urban lawns under three common management programs. <i>Urban Ecosystems</i> , 2008, 11, 177-195.	1.1	42
355	The effect of <i>Cercidium praecox</i> and <i>Prosopis laevigata</i> on vertical distribution of soil free-living nematode communities in the Tehuacn Desert, Mexico. <i>Ecological Research</i> , 2008, 23, 973-982.	0.7	13
356	Nematodes as indicators of ecosystem development during platinum mine tailings reclamation. <i>The Environmentalist</i> , 2008, 28, 99-107.	0.7	6
357	Global diversity of nematodes (Nematoda) in freshwater. <i>Hydrobiologia</i> , 2008, 595, 67-78.	1.0	29
358	Effects of vegetation coverage on the spatial distribution of soil nematode trophic groups. <i>Frontiers of Biology in China: Selected Publications From Chinese Universities</i> , 2008, 3, 63-67.	0.2	3
359	Assessment of land use impact on biodiversity. <i>International Journal of Life Cycle Assessment</i> , 2008, 13, 22-31.	2.2	63

#	ARTICLE	IF	CITATIONS
360	Effects of land use history and inoculation with <i>Fusarium oxysporum</i> f. sp. <i>cucumberinum</i> Owen on soil nematodes communities. <i>Helminthologia</i> , 2008, 45, 204-210.	0.3	1
361	Role of tardigrades in the suppressive service of a soil food web. <i>Agriculture, Ecosystems and Environment</i> , 2008, 124, 187-192.	2.5	37
362	Application of self-organizing maps for assessing soil biological quality. <i>Agriculture, Ecosystems and Environment</i> , 2008, 126, 139-152.	2.5	81
363	A ribosomal DNA-based framework for the detection and quantification of stress-sensitive nematode families in terrestrial habitats. <i>Molecular Ecology Resources</i> , 2008, 8, 23-34.	2.2	123
364	Ecological theory meets soil ecotoxicology: Challenge and chance. <i>Basic and Applied Ecology</i> , 2008, 9, 346-355.	1.2	31
365	An assessment of the spatial heterogeneity of environmental disturbance within an enclosed harbour through the analysis of meiofauna and nematode assemblages. <i>Estuarine, Coastal and Shelf Science</i> , 2008, 77, 565-576.	0.9	84
366	Organic waste impact of capture-based Atlantic bluefin tuna aquaculture at an exposed site in the Mediterranean Sea. <i>Estuarine, Coastal and Shelf Science</i> , 2008, 78, 369-384.	0.9	73
367	Nematode-based risk assessment of mixture toxicity in a moderately polluted river floodplain in The Netherlands. <i>Science of the Total Environment</i> , 2008, 406, 449-454.	3.9	4
368	Differential effects of food availability on population growth and fitness of three species of estuarine, bacterial-feeding nematodes. <i>Journal of Experimental Marine Biology and Ecology</i> , 2008, 355, 27-40.	0.7	51
369	Effects of six grassland plant species on soil nematodes: A glasshouse experiment. <i>Soil Biology and Biochemistry</i> , 2008, 40, 906-915.	4.2	36
370	Belowground nematode herbivores are resistant to elevated atmospheric CO <sub>2</sub> concentrations in grassland ecosystems. <i>Soil Biology and Biochemistry</i> , 2008, 40, 978-985.	4.2	47
371	Nematodes as indicators of soil recovery in tailings of a lead/zinc mine. <i>Soil Biology and Biochemistry</i> , 2008, 40, 2040-2046.	4.2	85
372	Nematode community development early in ecological restoration: The role of organic amendments. <i>Soil Biology and Biochemistry</i> , 2008, 40, 2366-2374.	4.2	36
373	Effects of long-term turfgrass management practices on soil nematode community and nutrient pools. <i>Applied Soil Ecology</i> , 2008, 38, 174-184.	2.1	53
374	Organic mulches alter nematode communities, root growth and fluxes of phosphorus in the root zone of apple. <i>Applied Soil Ecology</i> , 2008, 39, 15-22.	2.1	56
375	Suppression of root-knot nematodes in natural and agricultural soils. <i>Applied Soil Ecology</i> , 2008, 39, 291-298.	2.1	28
376	Responses of root-feeding nematodes ( <i>Helicotylenchus</i> spp.) to local and non-local populations of the host plant <i>Ammophila arenaria</i> . <i>Applied Soil Ecology</i> , 2008, 39, 245-253.	2.1	9
377	Nematode assemblages indicate soil restoration on colliery spoils afforested by planting different tree species and by natural succession. <i>Applied Soil Ecology</i> , 2008, 40, 86-99.	2.1	21

#	ARTICLE	IF	CITATIONS
378	Development of key soil health indicators for the Australian banana industry. <i>Applied Soil Ecology</i> , 2008, 40, 155-164.	2.1	54
379	Soil fauna in grazed New Zealand hill country pastures at two management intensities. <i>Applied Soil Ecology</i> , 2008, 40, 218-228.	2.1	61
380	A sequential extraction procedure reveals that water management affects soil nematode communities in paddy fields. <i>Applied Soil Ecology</i> , 2008, 40, 250-259.	2.1	58
381	Soil biological quality after 36 years of ley-arable cropping, permanent grassland and permanent arable cropping. <i>Applied Soil Ecology</i> , 2008, 40, 432-446.	2.1	122
382	Canonical correspondence analysis demonstrates unique soil conditions for entomopathogenic nematode species compared with other free-living nematode species. <i>Biological Control</i> , 2008, 46, 371-379.	1.4	31
383	Influence of industrial heavy metal pollution on soil free-living nematode population. <i>Environmental Pollution</i> , 2008, 152, 172-183.	3.7	67
384	Effects of transgenic corn and Cry1Ab protein on the nematode, <i>Caenorhabditis elegans</i> . <i>Ecotoxicology and Environmental Safety</i> , 2008, 70, 334-340.	2.9	54
385	Soil microbial activity and free-living nematode community in the upper soil layer of the anticline erosional cirque, Makhtesh Ramon, Israel. <i>European Journal of Soil Biology</i> , 2008, 44, 71-79.	1.4	4
386	Nematode communities in the artificially vegetated belt with or without irrigation in the Tengger Desert, China. <i>European Journal of Soil Biology</i> , 2008, 44, 238-246.	1.4	16
387	Effect of desert plant ecophysiological adaptation on soil nematode communities. <i>European Journal of Soil Biology</i> , 2008, 44, 298-308.	1.4	12
388	Spatiotemporal Distribution of Free-Living Nematodes in Glacial-Fed Stream Reaches (Hohe Tauern,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	0.4	7
389	Comparison of nematode community similarities assessed by polymerase chain reaction-denaturing gradient gel electrophoresis (DGGE) and by morphological identification. <i>Nematology</i> , 2008, 10, 689-700.	0.2	31
390	Nematode and Microarthropod Communities: Comparative Use of Soil Quality Bioindicators in Covered Dump and Natural Soils. <i>Environmental Bioindicators</i> , 2008, 3, 35-46.	0.4	29
391	Development of a multistep indicator-based approach (MIBA) for the assessment of environmental quality of harbours. <i>ICES Journal of Marine Science</i> , 2008, 65, 1436-1441.	1.2	37
392	Effects of different soil management practices on soil free-living nematode community structure, Eastern China. <i>Canadian Journal of Soil Science</i> , 2008, 88, 115-127.	0.5	20
393	Request from the European Commission related to the safeguard clause invoked by Hungary on maize MON810 according to Article 23 of Directive 2001/18/EC – Scientific opinion of the Panel on Genetically Modified Organisms. <i>EFSA Journal</i> , 2008, 6, 756.	0.9	1
394	Cadaver Decomposition and Soil. , 2008, , 29-51.		41
395	Effect of Three Organophosphorous Nematicides on Non-target Nematodes and Soil Microbial Community. <i>Microbes and Environments</i> , 2008, 23, 331-336.	0.7	26

#	ARTICLE	IF	CITATIONS
396	Priorities for conservation of soil animals.. CAB Reviews: Perspectives in Agriculture, Veterinary Science, Nutrition and Natural Resources, 0, , .	0.6	14
397	Long-term response of the nematode community to elevated atmospheric CO <sub>2</sub> in a temperate dry grassland soil. <i>Community Ecology</i> , 2008, 9, 167-173.	0.5	2
398	Distribution of nematodes in wetland soils with difference distance from the Bohai sea 359-366. <i>Plant, Soil and Environment</i> , 2008, 54, 359-366.	1.0	8
399	R�ponse des n�matodes � la perturbation des for�ts dans la r�gion d'Oum�, C�te d'Ivoire.. <i>Sciences &amp; Nature</i> , 2008, 4, .	0.1	0
400	Impact of direct seeding mulch-based cropping systems on soil nematodes in a long-term experiment in Madagascar. <i>Pesquisa Agropecuaria Brasileira</i> , 2009, 44, 949-953.	0.9	14
401	Methodological adaptation for nematodes extration in forest soils of the southern Mata Atl�ntica. <i>Pesquisa Agropecuaria Brasileira</i> , 2009, 44, 975-980.	0.9	4
402	Soil Quality Indicators as Affected by a Long Term Barley-Maize and Maize Cropping Systems. <i>Italian Journal of Agronomy</i> , 2009, 4, 15.	0.4	6
403	Towards a universal sampling protocol for soil biotas in the humid tropics. <i>Pesquisa Agropecuaria Brasileira</i> , 2009, 44, 825-834.	0.9	15
404	Organic mulches influence population densities of root-lesion nematodes, soil health indicators, and root growth of red raspberry. <i>Canadian Journal of Plant Pathology</i> , 2009, 31, 241-249.	0.8	21
405	Nematodes as an Indicator of Biological Crust Development in the Tengger Desert, China. <i>Arid Land Research and Management</i> , 2009, 23, 223-236.	0.6	4
406	Distribution patterns of free-living nematodes in differently degraded river reaches of the River Wien, Austria. <i>Nematology</i> , 2009, 11, 509-521.	0.2	3
407	Short-term nematode population dynamics as influenced by the quality of exogenous organic matter. <i>Nematology</i> , 2009, 11, 23-38.	0.2	31
408	Nematode faunal response to long-term application of nitrogen fertilizer and organic manure in Northeast China. <i>Soil Biology and Biochemistry</i> , 2009, 41, 883-890.	4.2	241
409	Highlights and perspectives of soil biology and ecology research in China. <i>Soil Biology and Biochemistry</i> , 2009, 41, 868-876.	4.2	40
410	Nested variation of soil arthropod communities in isolated patches of vegetation on a rocky outcrop. <i>Soil Biology and Biochemistry</i> , 2009, 41, 323-329.	4.2	6
411	Host range as an axis of niche partitioning in the plant-feeding nematode community of banana agroecosystems. <i>Soil Biology and Biochemistry</i> , 2009, 41, 1139-1145.	4.2	13
412	Residue incorporation and N fertilization affect the response of soil nematodes to the elevated CO <sub>2</sub> in a Chinese wheat field. <i>Soil Biology and Biochemistry</i> , 2009, 41, 1497-1503.	4.2	33
413	Biodiversity and trophic structure of soil nematode communities are altered following woody plant invasion of grassland. <i>Soil Biology and Biochemistry</i> , 2009, 41, 1943-1950.	4.2	50

#	ARTICLE	IF	CITATIONS
414	Biodiversity patterns of free-living marine nematodes in a tropical bay: Cienfuegos, Caribbean Sea. <i>Estuarine, Coastal and Shelf Science</i> , 2009, 85, 179-189.	0.9	66
415	Effects of heavy metal pollution of highway origin on soil nematode guilds in North Shenyang, China. <i>Journal of Environmental Sciences</i> , 2009, 21, 193-198.	3.2	19
416	Benthic community response to a passive fishing gear in a coastal lagoon (South Brazil). <i>Aquatic Ecology</i> , 2009, 43, 521-538.	0.7	7
417	Soil biogeochemical properties of Angren industrial area, Uzbekistan. <i>Journal of Soils and Sediments</i> , 2009, 9, 206-215.	1.5	13
418	Effect of slow-release urea on soil nematode community structure in a Chinese soybean field. <i>Frontiers of Biology in China: Selected Publications From Chinese Universities</i> , 2009, 4, 94-101.	0.2	2
419	Response of soil nematode communities to long-term application of inorganic fertilizers in the black soil of Northeast China. <i>Frontiers of Biology in China: Selected Publications From Chinese Universities</i> , 2009, 4, 111-116.	0.2	17
420	Do slope orientation and sampling location determine soil biota composition?. <i>Frontiers of Biology in China: Selected Publications From Chinese Universities</i> , 2009, 4, 364-375.	0.2	6
421	Influences of chronic contamination of oil field exploitation on soil nematode communities at the Yellow River Delta of China. <i>Frontiers of Biology in China: Selected Publications From Chinese Universities</i> , 2009, 4, 376-383.	0.2	12
422	Yermak Plateau revisited: spatial and temporal patterns of meiofaunal assemblages under permanent ice-coverage. <i>Polar Biology</i> , 2009, 32, 1159-1176.	0.5	18
423	Soil biological quality of grassland fertilized with adjusted cattle manure slurries in comparison with organic and inorganic fertilizers. <i>Biology and Fertility of Soils</i> , 2009, 45, 595-608.	2.3	51
424	Interactions among bacterial-feeding nematode species at different levels of food availability. <i>Marine Biology</i> , 2009, 156, 629-640.	0.7	29
425	Diversity of Soil Nematodes in Areas Polluted with Heavy Metals and Polycyclic Aromatic Hydrocarbons (PAHs) in Lanzhou, China. <i>Environmental Management</i> , 2009, 44, 163-172.	1.2	40
426	Biological measurements in a nationwide soil monitoring network. <i>European Journal of Soil Science</i> , 2009, 60, 820-832.	1.8	114
427	Soil biodiversity monitoring in Europe: ongoing activities and challenges. <i>European Journal of Soil Science</i> , 2009, 60, 807-819.	1.8	106
428	Nematode assemblages from Mountain Pine ( <i>Pinus mugo</i> Turra) communities in Pirin Mountain, Bulgaria. <i>Helminthologia</i> , 2009, 46, 49-58.	0.3	2
429	Soil nematode community changes associated with windfall and wildfire in forest soil at the High Tatras National Park, Slovak Republic. <i>Helminthologia</i> , 2009, 46, 123-130.	0.3	28
430	Food web diagnostics and functional diversity of soil inhabiting nematodes in a natural woodland. <i>Helminthologia</i> , 2009, 46, 183-189.	0.3	11
431	Distribution of soil nematode communities along a section of Shen-Ha Highway. <i>Helminthologia</i> , 2009, 46, 241-246.	0.3	5



#	ARTICLE	IF	CITATIONS
432	Assessment of structure and function in metal polluted grasslands using Terrestrial Model Ecosystems. <i>Ecotoxicology and Environmental Safety</i> , 2009, 72, 51-59.	2.9	21
433	Selecting biological indicators for monitoring soils: A framework for balancing scientific and technical opinion to assist policy development. <i>Ecological Indicators</i> , 2009, 9, 1212-1221.	2.6	227
434	Nematodes, indicators of the origin of the soil used by termites to construct biostructures. <i>Pedobiologia</i> , 2009, 52, 301-307.	0.5	12
435	Effects of agricultural management on nematode-mite assemblages: Soil food web indices as predictors of mite community composition. <i>Applied Soil Ecology</i> , 2009, 41, 107-117.	2.1	78
436	Effects of cover crop quality and quantity on nematode-based soil food webs and nutrient cycling. <i>Applied Soil Ecology</i> , 2009, 41, 157-167.	2.1	134
437	Soil enzymes, nematode community and selected physico-chemical properties as soil quality indicators in organic and conventional olive oil farming: Influence of seasonality and site features. <i>Applied Soil Ecology</i> , 2009, 41, 305-314.	2.1	111
438	Dynamics of the soil nematode food web and nutrient pools under tall fescue lawns established on soil matrices resulting from common urban development activities. <i>Applied Soil Ecology</i> , 2009, 42, 107-117.	2.1	20
439	Impact of floor vegetation on the abundance of nematode trophic groups in vineyards. <i>Applied Soil Ecology</i> , 2009, 42, 96-106.	2.1	16
440	A mixture of grass and clover combines the positive effects of both plant species on selected soil biota. <i>Applied Soil Ecology</i> , 2009, 42, 254-263.	2.1	63
441	Response of a soil nematode community to liquid hog manure and its acidification. <i>Applied Soil Ecology</i> , 2009, 43, 75-82.	2.1	14
442	Meiofauna with special reference to nematodes in trawling ground of subtropical Hong Kong. <i>Marine Pollution Bulletin</i> , 2009, 58, 607-615.	2.3	8
443	Nematode Diversity in Phaeozem Agroecosystems of Northeast China. <i>Pedosphere</i> , 2009, 19, 597-605.	2.1	5
444	Soil nematode community succession in stabilised sand dunes in the Tengger Desert, China. <i>Soil Research</i> , 2009, 47, 508.	0.6	8
445	Trends of nematode community recovery after soil cover degradation. <i>Biology Bulletin</i> , 2010, 37, 647-652.	0.1	5
446	Abundance and diversity of soil nematodes as influenced by different types of organic manure. <i>Helminthologia</i> , 2010, 47, 58-66.	0.3	24
447	Effect of sand-dune slope orientation on soil free-living nematode abundance and diversity. <i>Helminthologia</i> , 2010, 47, 179-188.	0.3	10
448	Harvested perennial grasslands provide ecological benchmarks for agricultural sustainability. <i>Agriculture, Ecosystems and Environment</i> , 2010, 137, 3-12.	2.5	154
449	Long-term impacts of high-input annual cropping and unfertilized perennial grass production on soil properties and belowground food webs in Kansas, USA. <i>Agriculture, Ecosystems and Environment</i> , 2010, 137, 13-24.	2.5	161

#	ARTICLE	IF	CITATIONS
450	No-tillage conversion of harvested perennial grassland to annual cropland reduces root biomass, decreases active carbon stocks, and impacts soil biota. <i>Agriculture, Ecosystems and Environment</i> , 2010, 137, 25-32.	2.5	112
451	Influence of long-term organic and mineral fertilization on soil nematofauna when growing <i>Sorghum bicolor</i> in Burkina Faso. <i>Biology and Fertility of Soils</i> , 2010, 46, 659-670.	2.3	56
452	Benthic communities along a littoral of the Central Adriatic Sea (Italy). <i>Helgoland Marine Research</i> , 2010, 64, 101-115.	1.3	57
453	Soil nematode community structure on the northern slope of Changbai Mountain, Northeast China. <i>Journal of Forestry Research</i> , 2010, 21, 93-98.	1.7	22
454	Functional traits as indicators of biodiversity response to land use changes across ecosystems and organisms. <i>Biodiversity and Conservation</i> , 2010, 19, 2921-2947.	1.2	385
455	Impact of biological soil crusts and desert plants on soil microfaunal community composition. <i>Plant and Soil</i> , 2010, 328, 421-431.	1.8	44
456	The response of nematode assemblages to intensive mussel farming in coastal sediments (Southern Tj ETQq0 0 0 ggBT /Overlock 10 Tf	1.3	26
457	Utility of nematode <i>Acrobeloides nanus</i> for assessing subacute toxicity of heavy metals. <i>Environmental Monitoring and Assessment</i> , 2010, 164, 273-278.	1.3	11
458	Ecosystem services in grassland associated with biotic and abiotic soil parameters. <i>Soil Biology and Biochemistry</i> , 2010, 42, 1491-1504.	4.2	95
459	Assessment of nematode community structure as a bioindicator in river monitoring. <i>Environmental Pollution</i> , 2010, 158, 1741-1747.	3.7	23
460	Reproductive traits of riverine shrimps may explain the impact of altered flow conditions. <i>Freshwater Biology</i> , 2010, 55, 2011-2022.	1.2	2
461	Ecometagenetics confirm high tropical rainforest nematode diversity. <i>Molecular Ecology</i> , 2010, 19, 5521-5530.	2.0	90
462	The spatial influence of aboveground diversity on belowground communities. <i>Ecosphere</i> , 2010, 1, art7.	1.0	2
463	Vertebrate herbivores influence soil nematodes by modifying plant communities. <i>Ecology</i> , 2010, 91, 828-835.	1.5	104
464	Soil nematode community changes associated with compost amendments. <i>Nematology</i> , 2010, 12, 681-692.	0.2	29
465	Soil biota community structure and abundance under agricultural intensification and extensification. <i>Ecology</i> , 2010, 91, 460-473.	1.5	272
466	Ecology of Plant and Free-Living Nematodes in Natural and Agricultural Soil. <i>Annual Review of Phytopathology</i> , 2010, 48, 371-394.	3.5	318
467	Effects of organic enrichment on nematode assemblages in a microcosm experiment. <i>Marine Environmental Research</i> , 2010, 70, 374-382.	1.1	49

#	ARTICLE	IF	CITATIONS
468	Plant treatment, pollutant load, and soil type effects in rhizosphere ecology of trace element polluted soils. <i>Ecotoxicology and Environmental Safety</i> , 2010, 73, 970-981.	2.9	8
469	Nematodes as indicators of fumigant effects on soil food webs in strawberry crops in Southern Spain. <i>Ecological Indicators</i> , 2010, 10, 148-156.	2.6	45
470	Soil free-living nematodes as indicators of both industrial pollution and livestock activity in Central Asia. <i>Ecological Indicators</i> , 2010, 10, 955-967.	2.6	26
471	Form and function: Metabolic footprints of nematodes in the soil food web. <i>European Journal of Soil Biology</i> , 2010, 46, 97-104.	1.4	297
472	Responses of soil nematode community structure to different long-term fertilizer strategies in the soybean phase of a soybean-wheat-corn rotation. <i>European Journal of Soil Biology</i> , 2010, 46, 105-111.	1.4	42
473	Effect of compost and chemical fertilizer on soil nematode community in a Chinese maize field. <i>European Journal of Soil Biology</i> , 2010, 46, 230-236.	1.4	62
474	A comparison of molecular methods for monitoring soil nematodes and their use as biological indicators. <i>European Journal of Soil Biology</i> , 2010, 46, 319-324.	1.4	38
475	Nematode succession during composting and the potential of the nematode community as an indicator of compost maturity. <i>Pedobiologia</i> , 2010, 53, 181-190.	0.5	48
476	The network of interactions among soil quality variables and nematodes: short-term responses to disturbances induced by chemical and organic disinfection. <i>Applied Soil Ecology</i> , 2010, 44, 67-74.	2.1	24
477	Brassicaceous and rye cover crops altered free-living soil nematode community composition. <i>Applied Soil Ecology</i> , 2010, 45, 1-12.	2.1	36
478	Effect of individual grass species and grass species mixtures on soil quality as related to root biomass and grass yield. <i>Applied Soil Ecology</i> , 2010, 45, 275-283.	2.1	22
479	Long-term effect of fertility management on the soil nematode community in vegetable production under greenhouse conditions. <i>Applied Soil Ecology</i> , 2010, 46, 111-118.	2.1	79
480	Effects of organic amendment and tillage on soil microorganisms and microfauna. <i>Applied Soil Ecology</i> , 2010, 46, 103-110.	2.1	126
481	Separating the effects of defoliation and dairy cow treading pressure on the abundance and diversity of soil invertebrates in pastures. <i>Applied Soil Ecology</i> , 2010, 46, 209-221.	2.1	34
482	Spatial variation in biodiversity and trophic structure of soil nematode communities in a subtropical savanna parkland: Responses to woody plant encroachment. <i>Applied Soil Ecology</i> , 2010, 46, 168-176.	2.1	6
483	An outline of soil nematode succession on abandoned fields in South Bohemia. <i>Applied Soil Ecology</i> , 2010, 46, 355-371.	2.1	31
484	Assessing effects of the pharmaceutical ivermectin on meiobenthic communities using freshwater microcosms. <i>Aquatic Toxicology</i> , 2010, 99, 126-137.	1.9	59
485	Reproducibility of read numbers in high-throughput sequencing analysis of nematode community composition and structure. <i>Molecular Ecology Resources</i> , 2010, 10, 666-676.	2.2	93

#	ARTICLE	IF	CITATIONS
486	Effects of Arbuscular Mycorrhizal Fungi and Earthworm on Nematode Communities and Arsenic Uptake by Maize in Arsenic-Contaminated Soils. <i>Pedosphere</i> , 2010, 20, 163-173.	2.1	24
487	Soil Biota in the Arava Valley of Negev Desert, Israel. <i>Pedosphere</i> , 2010, 20, 273-284.	2.1	10
488	Spatial Distribution of Soil Nematode Communities in Stable and Active Sand Dunes of Horqin Sandy Land. <i>Arid Land Research and Management</i> , 2010, 24, 68-80.	0.6	5
489	<i>Acroboloides ishraqi</i> sp. n. and <i>Acroboloides mushtaqi</i> sp. n. (Nematoda: Rhabditida) from chickpea rhizosphere, Uttar Pradesh, India. <i>Archives of Phytopathology and Plant Protection</i> , 2011, 44, 1438-1446.	0.6	5
490	Biological Control of Plant-Parasitic Nematodes. , 2011, , .		25
491	Effects of organic transition strategies for peri-urban vegetable production on soil properties, nematode community, and tomato yield. <i>Applied Soil Ecology</i> , 2011, 47, 84-91.	2.1	30
492	Soil nematode populations in a grassland plant diversity experiment run for seven years. <i>Applied Soil Ecology</i> , 2011, 48, 174-184.	2.1	17
493	Effects of crumb rubber waste as a soil conditioner on the nematode assemblage in a turfgrass soil. <i>Applied Soil Ecology</i> , 2011, 49, 94-98.	2.1	6
494	Plant-associated nematode communities in West-paelearctic coastal foredunes may relate to climate and sediment origins. <i>Applied Soil Ecology</i> , 2011, 49, 81-93.	2.1	5
495	Effects of four organic amendments on banana parasitic nematodes and soil nematode communities. <i>Applied Soil Ecology</i> , 2011, 49, 59-67.	2.1	35
496	Effects of heavy metal contamination from an abandoned mine on nematode community structure as an indicator of soil ecosystem health. <i>Applied Soil Ecology</i> , 2011, 51, 17-24.	2.1	52
497	Early-stage impacts of sika deer on structure and function of the soil microbial food webs in a temperate forest: A large-scale experiment. <i>Forest Ecology and Management</i> , 2011, 261, 391-399.	1.4	22
498	Carbofuran effects in soil nematode communities: Using trait and taxonomic based approaches. <i>Ecotoxicology and Environmental Safety</i> , 2011, 74, 2002-2012.	2.9	38
499	The use of nematodes in assessing ecological quality status in the Mediterranean coastal ecosystems. <i>Ecological Indicators</i> , 2011, 11, 328-336.	2.6	174
500	Nematode species at risk – A metric to assess pollution in soft sediments of freshwaters. <i>Environment International</i> , 2011, 37, 940-949.	4.8	91
501	Effects of biological soil crusts on soil nematode communities following dune stabilization in the Tengger Desert, Northern China. <i>Applied Soil Ecology</i> , 2011, 49, 118-124.	2.1	29
502	Scale Variation of Soil Quality Indices and Association with Edaphic Properties. <i>Soil Science Society of America Journal</i> , 2011, 75, 580-590.	1.2	10
503	Microhabitat preferences in springs, as shown by a survey of nematode communities of Trentino (south-eastern Alps, Italy). <i>Journal of Limnology</i> , 2011, 70, 93.	0.3	8

#	ARTICLE	IF	CITATIONS
504	Changes in Plant Species Richness Induce Functional Shifts in Soil Nematode Communities in Experimental Grassland. <i>PLoS ONE</i> , 2011, 6, e24087.	1.1	64
505	Nematode community structure as bioindicator of soil heavy metal pollution along an urban rural gradient in southern Shenyang, China. <i>International Journal of Environment and Pollution</i> , 2011, 45, 297.	0.2	11
506	Nematode Assemblages in Bauxite Residue with Different Restoration Histories. <i>Restoration Ecology</i> , 2011, 19, 758-764.	1.4	11
507	Changes in nematode abundances and body length in response to management intensive grazing in a low-input temperate pasture. <i>Soil Biology and Biochemistry</i> , 2011, 43, 150-158.	4.2	26
508	The distribution of nematodes and soil microbial communities across soil aggregate fractions and farm management systems. <i>Soil Biology and Biochemistry</i> , 2011, 43, 905-914.	4.2	160
509	Effects of vegetation removal on soil properties and decomposer organisms. <i>Soil Biology and Biochemistry</i> , 2011, 43, 954-960.	4.2	88
510	Temporal dynamics of soil nematode communities in a grassland plant diversity experiment. <i>Soil Biology and Biochemistry</i> , 2011, 43, 1063-1070.	4.2	31
511	Few apparent short-term effects of elevated soil temperature and increased frequency of summer precipitation on the abundance and taxonomic diversity of desert soil micro- and meso-fauna. <i>Soil Biology and Biochemistry</i> , 2011, 43, 1474-1481.	4.2	58
512	Near infrared reflectance spectroscopy (NIRS) could be used for characterization of soil nematode community. <i>Soil Biology and Biochemistry</i> , 2011, 43, 1649-1659.	4.2	17
513	How different or similar are nematode communities between a paddy and an upland rice fields across a floodingâ€“drainage cycle?. <i>Soil Biology and Biochemistry</i> , 2011, 43, 2142-2142.	4.2	26
514	Assessing the risk posed to free-living soil nematodes by a genetically modified maize expressing the insecticidal Cry3Bb1 protein. <i>Science of the Total Environment</i> , 2011, 409, 2674-2684.	3.9	39
515	Response of meiofaunal community with special reference to nematodes upon deployment of artificial reefs and cessation of bottom trawling in subtropical waters, Hong Kong. <i>Marine Pollution Bulletin</i> , 2011, 63, 376-384.	2.3	17
516	Composition and vertical distribution of free living and plant parasitic nematodes in hop gardens in the Czech Republic. <i>Helminthologia</i> , 2011, 48, 124-136.	0.3	7
517	Soil nematode community characteristics around the Gangue hill of Fushun West Open-pit mine. <i>Helminthologia</i> , 2011, 48, 116-123.	0.3	5
518	Nematode community structure in the vicinity of a metallurgical factory. <i>Environmental Monitoring and Assessment</i> , 2011, 183, 451-464.	1.3	12
519	Response of biofilm-dwelling nematodes to habitat changes in the Garonne River, France: influence of hydrodynamics and microalgal availability. <i>Hydrobiologia</i> , 2011, 673, 229-244.	1.0	40
520	Are grasslands important habitats for soil microarthropod conservation?. <i>Biodiversity and Conservation</i> , 2011, 20, 1073-1087.	1.2	67
521	An assessment of soil nematode food webs and nutrient pools in community gardens and vacant lots in two post-industrial American cities. <i>Urban Ecosystems</i> , 2011, 14, 181-194.	1.1	38

#	ARTICLE	IF	CITATIONS
522	Soil microbial activity and a free-living nematode community in the playa and in the sandy biological crust of the Negev Desert. <i>Biology and Fertility of Soils</i> , 2011, 47, 363-375.	2.3	26
523	Influence of soil organic amendments on suppression of the burrowing nematode, <i>Radopholus similis</i> , on the growth of bananas. <i>Australasian Plant Pathology</i> , 2011, 40, 385-396.	0.5	7
524	Using meiofauna to assess pollutants in freshwater sediments: A microcosm study with cadmium. <i>Environmental Toxicology and Chemistry</i> , 2011, 30, 427-438.	2.2	33
525	Microbial Ecology and Nematode Control in Natural Ecosystems. , 2011, , 39-64.		3
526	Effect of soil disturbance and biocides on nematode communities and extracellular enzyme activity in soybean cyst nematode suppressive soil. <i>Nematology</i> , 2011, 13, 687-699.	0.2	15
527	Small-Scale Heterogeneity in Deep-Sea Nematode Communities around Biogenic Structures. <i>PLoS ONE</i> , 2011, 6, e29152.	1.1	43
528	SOIL BIOLOGICAL AND BIOCHEMICAL QUALITY OF WHEAT-MAIZE CROPPING SYSTEM IN LONG-TERM FERTILIZER EXPERIMENTS. <i>Experimental Agriculture</i> , 2011, 47, 593-608.	0.4	9
529	Grassland management history affects the response of the nematode community to changes in above-ground grazing regime. <i>Nematology</i> , 2011, 13, 995-1008.	0.2	4
530	Effects of plant species and plant diversity on soil nematodes – a field experiment on grassland run for seven years. <i>Nematology</i> , 2011, 13, 115-131.	0.2	23
531	Organic amendments and their influences on plant-parasitic and free-living nematodes: a promising method for nematode management?. <i>Nematology</i> , 2011, 13, 133-153.	0.2	156
532	A strategy in searching for stress tolerance-correlated characteristics in nematodes while accounting for phylogenetic interdependence. <i>Nematology</i> , 2011, 13, 261-275.	0.2	1
533	The karst ecology of the Bakwena Cave (Gauteng). <i>South African Journal of Science and Technology</i> , 2012, 31, .	0.1	9
534	How are nematode communities affected during a conversion from conventional to organic farming in southern French vineyards?. <i>Nematology</i> , 2012, 14, 665-676.	0.2	17
535	Ecology of the dorylaimid omnivore genera <i>Aporcelaimellus</i> , <i>Eudorylaimus</i> and <i>Mesodorylaimus</i> . <i>Nematology</i> , 2012, 14, 645-663.	0.2	21
536	Composition of soil nematode communities in native birch forests in Central Europe. <i>Nematology</i> , 2012, 14, 15-25.	0.2	8
537	Relationship between Food Resource, Soil Physical Condition, and Invertebrates in Pastoral Soils. <i>Soil Science Society of America Journal</i> , 2012, 76, 1644-1654.	1.2	14
538	Nematode assemblages in banana ( <i>Musa acuminata</i> ) monocultures and banana plantations with Juçara palms ( <i>Euterpe edulis</i> ) in the southern Mata Atlântica, Brazil. <i>Nematology</i> , 2012, 14, 371-384.	0.2	2
539	Influence of summer irrigation on soil invertebrate populations in a long-term sheep irrigation trial at Winchmore (Canterbury). <i>New Zealand Journal of Agricultural Research</i> , 2012, 55, 165-180.	0.9	34

#	ARTICLE	IF	CITATIONS
540	Responses of soil nematode communities to agroecological crop management systems. <i>Nematology</i> , 2012, 14, 209-221.	0.2	8
541	Nematodes as bioindicators of soil degradation due to heavy metals. <i>Ecotoxicology</i> , 2012, 21, 2319-2330.	1.1	46
542	The Response of Soil Nematode Community to Nitrogen, Water, and Grazing History in the Inner Mongolian Steppe, China. <i>Ecosystems</i> , 2012, 15, 1121-1133.	1.6	50
543	Responses of soil microbial and nematode communities to aluminum toxicity in vegetated oil-shale-waste lands. <i>Ecotoxicology</i> , 2012, 21, 2132-2142.	1.1	9
544	Linking invertebrate communities to decomposition rate and nitrogen availability in pine forest soils. <i>Applied Soil Ecology</i> , 2012, 54, 14-23.	2.1	82
545	Effects of cadmium on the fitness of, and interactions between, two bacterivorous nematode species. <i>Applied Soil Ecology</i> , 2012, 56, 10-18.	2.1	15
546	Agricultural intensification and de-intensification differentially affect taxonomic diversity of predatory mites, earthworms, enchytraeids, nematodes and bacteria. <i>Applied Soil Ecology</i> , 2012, 57, 39-49.	2.1	74
547	Effects of yellow mustard amendments on the soil nematode community in a potato field with focus on <i>Globodera rostochiensis</i> . <i>Applied Soil Ecology</i> , 2012, 59, 39-47.	2.1	28
548	Resiliency of a nematode community and suppressive service to tillage and nematicide application. <i>Applied Soil Ecology</i> , 2012, 59, 48-59.	2.1	32
549	Macrobenthic community for assessment of estuarine health in tropical areas (Northeast, Brazil): Review of macrofauna classification in ecological groups and application of AZTI Marine Biotic Index. <i>Marine Pollution Bulletin</i> , 2012, 64, 1809-1820.	2.3	39
550	Do nematode and macrofauna assemblages provide similar ecological assessment information?. <i>Ecological Indicators</i> , 2012, 14, 124-137.	2.6	50
551	Bioindication potential of using molecular characterisation of the nematode community: Response to soil tillage. <i>European Journal of Soil Biology</i> , 2012, 49, 92-97.	1.4	30
552	Nematode community responses to a moisture gradient and grazing along a restored riparian corridor. <i>European Journal of Soil Biology</i> , 2012, 50, 32-38.	1.4	20
553	Tillage-induced changes in the functional diversity of soil biota – A review with a focus on German data. <i>European Journal of Soil Biology</i> , 2012, 50, 165-181.	1.4	197
554	Differential responses of structural and functional aspects of soil microbes and nematodes to abiotic and biotic modifications of the soil environment. <i>Applied Soil Ecology</i> , 2012, 61, 26-33.	2.1	23
555	Structure, functions and interguild relationships of the soil nematode assemblage in organic vegetable production. <i>Applied Soil Ecology</i> , 2012, 61, 16-25.	2.1	102
556	Nematode communities and macronutrients in composts and compost-amended soils as affected by feedstock composition. <i>Applied Soil Ecology</i> , 2012, 61, 100-112.	2.1	28
557	Soil biodiversity, biological indicators and soil ecosystem services – an overview of European approaches. <i>Current Opinion in Environmental Sustainability</i> , 2012, 4, 529-538.	3.1	213

#	ARTICLE	IF	CITATIONS
558	Suppression of soil decomposers and promotion of long-lived, root herbivorous nematodes by climate change. <i>European Journal of Soil Biology</i> , 2012, 52, 1-7.	1.4	39
559	Wide interguild relationships among entomopathogenic and free-living nematodes in soil as measured by real time qPCR. <i>Journal of Invertebrate Pathology</i> , 2012, 111, 126-135.	1.5	59
560	Nematode communities in continuous tomato-cropping field soil infested by root-knot nematodes. <i>Acta Agriculturae Scandinavica - Section B Soil and Plant Science</i> , 2012, 62, 216-223.	0.3	3
561	Response of soil nematode community structure and diversity to long-term land use in the black soil region in China. <i>Ecological Research</i> , 2012, 27, 701-714.	0.7	16
562	Phosphorus acquisition from phytate depends on efficient bacterial grazing, irrespective of the mycorrhizal status of <i>Pinus pinaster</i> . <i>Plant and Soil</i> , 2012, 358, 155-168.	1.8	49
563	SSU Ribosomal DNA-Based Monitoring of Nematode Assemblages Reveals Distinct Seasonal Fluctuations within Evolutionary Heterogeneous Feeding Guilds. <i>PLoS ONE</i> , 2012, 7, e47555.	1.1	62
564	Soil Fauna Diversity - Function, Soil Degradation, Biological Indices, Soil Restoration. , 0, , .		55
565	Meiofauna as a Tool for Marine Ecosystem Biomonitoring. , 0, , .		29
566	Descriptions of one new and two known species of Panagrolaimoidea (Nematoda) from India. <i>Journal of Natural History</i> , 2012, 46, 867-884.	0.2	2
567	Footprints of Stress in Communities. , 2012, , 345-367.		0
568	Effects of soil mechanical resistance on nematode community structure under conventional sugarcane and remaining of Atlantic Forest. <i>Environmental Monitoring and Assessment</i> , 2012, 184, 3529-3544.	1.3	19
569	Effects of native and exotic range-expanding plant species on taxonomic and functional composition of nematodes in the soil food web. <i>Oikos</i> , 2012, 121, 181-190.	1.2	26
570	Niche partitioning based on soil type and climate at the landscape scale in a community of plant-feeding nematodes. <i>Soil Biology and Biochemistry</i> , 2012, 44, 49-55.	4.2	25
571	Nematode community populations in the rhizosphere of cultivated olive differs according to the plant genotype. <i>Soil Biology and Biochemistry</i> , 2012, 45, 168-171.	4.2	33
572	Freezing eliminates efficient colonizers from nematode communities in frost-free temperate soils. <i>Soil Biology and Biochemistry</i> , 2012, 48, 167-174.	4.2	19
573	Cover crops alter the soil nematode food web in banana agroecosystems. <i>Soil Biology and Biochemistry</i> , 2012, 48, 142-150.	4.2	52
574	Crop resistance traits modify the effects of an aboveground herbivore, brown planthopper, on soil microbial biomass and nematode community via changes to plant performance. <i>Soil Biology and Biochemistry</i> , 2012, 49, 157-166.	4.2	7
575	Effects of resource availability and quality on the structure of the micro-food web of an arable soil across depth. <i>Soil Biology and Biochemistry</i> , 2012, 50, 1-11.	4.2	60



#	ARTICLE	IF	CITATIONS
576	Mulch type affects soil biological functioning and crop yield of conservation agriculture systems in a long-term experiment in Madagascar. <i>Soil and Tillage Research</i> , 2012, 118, 11-21.	2.6	31
577	Soil Nematode Assemblages in Natural European Peatlands of the Horná Orava Protected Landscape Area, Slovakia. <i>Wetlands</i> , 2013, 33, 459-470.	0.7	7
578	Fine-scale patterns in micrometazoans: tardigrade diversity, community composition and trophic dynamics in leaf litter. <i>Systematics and Biodiversity</i> , 2013, 11, 181-193.	0.5	31
579	Evidence that acidification-induced declines in plant diversity and productivity are mediated by changes in below-ground communities and soil properties in a semi-arid steppe. <i>Journal of Ecology</i> , 2013, 101, 1322-1334.	1.9	201
580	Community structures of Mesostigmata, Prostigmata and Oribatida in broad-leaved regeneration forests and conifer plantations of various ages. <i>Experimental and Applied Acarology</i> , 2013, 59, 391-408.	0.7	21
581	The impact of agricultural practices on soil biota: A regional study. <i>Soil Biology and Biochemistry</i> , 2013, 67, 271-284.	4.2	116
582	Nematode and microbial communities in a rapidly changing compost environment: How nematode assemblages reflect composting phases. <i>European Journal of Soil Biology</i> , 2013, 56, 1-10.	1.4	7
583	Spatial and temporal infaunal dynamics of the Blanes submarine canyon-slope system (NW Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tj 5 Progress in Oceanography, 2013, 118, 159-174.	1.5	26
584	Environmentally-driven dissimilarity of trait-based indices of nematodes under different agricultural management and soil types. <i>Agriculture, Ecosystems and Environment</i> , 2013, 179, 133-138.	2.5	29
585	Nematode indicators as integrative measures of soil condition in organic cropping systems. <i>Soil Biology and Biochemistry</i> , 2013, 64, 103-113.	4.2	71
586	The influence of Western corn rootworm seed coating and granular insecticides on the seasonal fluctuations of soil nematode communities in a maize field. <i>Helminthologia</i> , 2013, 50, 205-214.	0.3	3
587	Response of soil nematodes to elevated temperature in conventional and no-tillage cropland systems. <i>Plant and Soil</i> , 2013, 373, 907-918.	1.8	25
588	Plant-parasitic nematodes as invasive species: characteristics, uncertainty and biosecurity implications. <i>Annals of Applied Biology</i> , 2013, 163, 323-350.	1.3	25
589	Community patterns of the small riverine benthos within and between two contrasting glacier catchments. <i>Ecology and Evolution</i> , 2013, 3, 2832-2844.	0.8	12
590	Metal toxicity and biodiversity in serpentine soils: Application of bioassay tests and microarthropod index. <i>Chemosphere</i> , 2013, 90, 1267-1273.	4.2	34
591	Effects of dropstone-induced habitat heterogeneity on Arctic deep-sea benthos with special reference to nematode communities. <i>Marine Biology Research</i> , 2013, 9, 229-245.	0.3	17
592	The influence of a shrub-based intercropping system on the soil nematofauna when growing millet in Senegal. <i>European Journal of Soil Biology</i> , 2013, 57, 35-41.	1.4	22
593	Effects of conventional and reduced N inputs on nematode communities and plant yield under intensive vegetable production. <i>Applied Soil Ecology</i> , 2013, 66, 48-55.	2.1	17

#	ARTICLE	IF	CITATIONS
594	Influence of invasive plants on nematode communities under simulated CO2 enrichment. <i>European Journal of Soil Biology</i> , 2013, 58, 91-97.	1.4	23
595	Soil microarthropod communities from Mediterranean forest ecosystems in Central Italy under different disturbances. <i>Environmental Monitoring and Assessment</i> , 2013, 185, 1637-1655.	1.3	54
596	Spatial organization of soil nematode communities in urban landscapes: Taylor's Power Law reveals life strategy characteristics. <i>Applied Soil Ecology</i> , 2013, 64, 214-222.	2.1	30
597	The use of liquid swine manure for the control of potato cyst nematode through soil disinfestation in laboratory conditions. <i>Crop Protection</i> , 2013, 49, 1-7.	1.0	11
598	Soil Nematode Response to Biochar Addition in a Chinese Wheat Field. <i>Pedosphere</i> , 2013, 23, 98-103.	2.1	76
599	Vertebrate herbivore-induced changes in plants and soils: linkages to ecosystem functioning in a semi-arid steppe. <i>Functional Ecology</i> , 2013, 27, 273-281.	1.7	74
600	Spatial stability of a plant-feeding nematode community in relation to macro-scale soil properties. <i>Soil Biology and Biochemistry</i> , 2013, 57, 173-181.	4.2	18
601	Tree species diversity versus tree species identity: Driving forces in structuring forest food webs as indicated by soil nematodes. <i>Soil Biology and Biochemistry</i> , 2013, 62, 36-45.	4.2	91
602	The effect of free-living nematodes on nitrogen mineralisation in undisturbed and disturbed soil cores. <i>Soil Biology and Biochemistry</i> , 2013, 60, 142-155.	4.2	36
603	Propagation of <i>Caenorhabditis japonica</i> in the Nest of Its Carrier Insect, <i>Parastrachia japonensis</i> . <i>Zoological Science</i> , 2013, 30, 174-177.	0.3	13
604	Effects of experimentally increased near-bottom flow on meiofauna diversity and community structure in the Arctic Ocean. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , 2013, 73, 31-45.	0.6	11
605	A 2-Year Field Study Shows Little Evidence That the Long-Term Planting of Transgenic Insect-Resistant Cotton Affects the Community Structure of Soil Nematodes. <i>PLoS ONE</i> , 2013, 8, e61670.	1.1	23
606	Soil health as a predictor of lettuce productivity and quality: A case study of urban vacant lots. <i>Urban Ecosystems</i> , 2013, 16, 637-656.	1.1	29
607	Seasonal and spatial variations in nematode assemblages affected by thermal influence of nuclear power plant in Korea (East Sea, Pacific Ocean). <i>Marine Biology Research</i> , 2013, 9, 725-738.	0.3	5
608	The use of nematodes in assessing ecological conditions in shallow waters surrounding a Mediterranean harbour facility. <i>Estuarine, Coastal and Shelf Science</i> , 2013, 130, 209-221.	0.9	41
609	Sentinel soil invertebrate taxa as bioindicators for forest management practices. <i>Ecological Indicators</i> , 2013, 24, 236-239.	2.6	36
610	Benthic meiofauna as indicator of ecological changes in estuarine ecosystems: The use of nematodes in ecological quality assessment. <i>Ecological Indicators</i> , 2013, 24, 462-475.	2.6	99
611	Survival and colonization of nematodes in a composting process. <i>Invertebrate Biology</i> , 2013, 132, 108-119.	0.3	15

#	ARTICLE	IF	CITATIONS
612	The response of soil organism communities to the application of the insecticide lindane in terrestrial model ecosystems. <i>Ecotoxicology</i> , 2013, 22, 339-362.	1.1	23
613	Soil Biodiversity and Community Structure in the Mcurdo Dry Valleys, Antarctica. <i>Antarctic Research Series</i> , 2013, , 323-335.	0.2	27
614	Effect of forest and field habitat features on abundance of genera in nematode assemblages. <i>Nematology</i> , 2013, 15, 947-956.	0.2	1
615	Food choice of two bacteria-feeding nematode species dependent on food source, food density and interspecific competition. <i>Nematology</i> , 2013, 15, 291-301.	0.2	17
616	4. Ecology of Freshwater Nematodes. , 2013, , 153-170.		1
617	3. Ecology of free-living marine nematodes. , 2013, , 109-152.		46
618	The importance of different spatial scales in determining structural and functional characteristics of deep-sea infauna communities. <i>Biogeosciences</i> , 2013, 10, 4547-4563.	1.3	35
619	Short-term effects of forest disturbances on soil nematode communities in European mountain spruce forests. <i>Journal of Helminthology</i> , 2013, 87, 376-385.	0.4	18
620	Nematodes of the Bakwena Cave in Irene, South Africa. <i>South African Journal of Science and Technology</i> , 2013, 32, .	0.1	0
621	High-throughput amplicon sequencing of r<scp>RNA</scp> genes requires a copy number correction to accurately reflect the effects of management practices on soil nematode community structure. <i>Molecular Ecology</i> , 2013, 22, 5456-5471.	2.0	62
622	Unravelling the environmental drivers of deep-sea nematode biodiversity and its relation with carbon mineralisation along a longitudinal primary productivity gradient. <i>Biogeosciences</i> , 2013, 10, 3127-3143.	1.3	28
623	Understanding soil erosion impacts in temperate agroecosystems: bridging the gap between geomorphology and soil ecology using nematodes as a model organism. <i>Biogeosciences</i> , 2013, 10, 7133-7145.	1.3	17
624	Diversity and distribution of soil nematodes in Ngere tea catchment area of Muranga county, Kenya. <i>African Journal of Agricultural Research Vol Pp</i> , 2013, 8, 1986-1989.	0.2	1
625	Nitrogen Addition and Warming Independently Influence the Belowground Micro-Food Web in a Temperate Steppe. <i>PLoS ONE</i> , 2013, 8, e60441.	1.1	53
626	Descriptions of ten known species of the superfamily Mononchoidea (Mononchida: Nematoda) from North India with a detailed account on their variations. <i>Zootaxa</i> , 2013, 3646, 301-35.	0.2	2
627	Diversity of Nematodes and Nematode Destroying Fungi as Influenced by Land Use in Taita Taveta, Kenya. <i>Journal of Agricultural Science</i> , 2013, 5, .	0.1	0
628	Characterization of nematode community in apple orchard soil in the Northwestern Loess Plateau, China. <i>African Journal of Microbiology Research</i> , 2014, 8, 1140-1147.	0.4	1
629	Spatial patterns of distribution of meiofaunal and nematode assemblages in the Huvadho lagoon (Maldives, Indian Ocean). <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2014, 94, 1377-1385.	0.4	33

#	ARTICLE	IF	CITATIONS
630	Characteristics of soil nematode communities under two different land use systems. <i>Biological Agriculture and Horticulture</i> , 2014, 30, 119-130.	0.5	7
631	Biodiversity: Conserving Biodiversity in Agroecosystems. , 2014, , 41-60.		7
632	Relevance of use-invariant soil properties to assess soil quality of vulnerable ecosystems: The case of Mediterranean vineyards. <i>Ecological Indicators</i> , 2014, 43, 83-93.	2.6	33
633	Long-term effects of eight soil health treatments to control plant-parasitic nematodes and <i>Verticillium dahliae</i> in agro-ecosystems. <i>Applied Soil Ecology</i> , 2014, 76, 112-123.	2.1	52
634	Relationships between nematode diversity, plant biomass, nutrient cycling and soil suppressiveness in fumigated soils. <i>European Journal of Soil Biology</i> , 2014, 62, 49-59.	1.4	23
635	Quantifying soil health and tomato crop productivity in urban community and market gardens. <i>Urban Ecosystems</i> , 2014, 17, 221-238.	1.1	17
636	A molecularâ€based approach for examining responses of eukaryotes in microcosms to contaminantâ€spiked estuarine sediments. <i>Environmental Toxicology and Chemistry</i> , 2014, 33, 359-369.	2.2	48
637	Effect of mine tailing on the spatial variability of soil nematodes from lead pollution in La Union (Spain). <i>Science of the Total Environment</i> , 2014, 473-474, 518-529.	3.9	57
638	Spatial association between entomopathogenic and other free-living nematodes and the influence of habitat. <i>Applied Soil Ecology</i> , 2014, 76, 1-6.	2.1	7
639	Effects of small-scale trawling on benthic communities of estuarine vegetated and non-vegetated habitats. <i>Biodiversity and Conservation</i> , 2014, 23, 1041-1055.	1.2	12
640	Soil as World Heritage. , 2014, , .		5
641	Effects of experimental nitrogen and/or phosphorus additions on soil nematode communities in a secondary tropical forest. <i>Soil Biology and Biochemistry</i> , 2014, 75, 1-10.	4.2	107
642	Elevated temperature has stronger effects on the soil food web of a flooded paddy than does CO <sub>2</sub> . <i>Soil Biology and Biochemistry</i> , 2014, 70, 166-175.	4.2	20
643	The positive relationship between soil quality and crop production: A case study on the effect of farm compost application. <i>Applied Soil Ecology</i> , 2014, 75, 189-198.	2.1	157
644	Small-scale microcosms to detect chemical induced changes in soil nematode communities â€” Effects of crystal proteins and Bt-maize plant material. <i>Science of the Total Environment</i> , 2014, 472, 662-671.	3.9	19
645	Taxonomic resolution and Biological Traits Analysis (BTA) approaches in estuarine free-living nematodes. <i>Estuarine, Coastal and Shelf Science</i> , 2014, 138, 69-78.	0.9	37
646	Effects of organic, low input, conventional management practices on soil nematode community under greenhouse conditions. <i>Acta Agriculturae Scandinavica - Section B Soil and Plant Science</i> , 2014, 64, 360-371.	0.3	2
647	Legume-soil interactions: legume addition enhances the complexity of the soil food web. <i>Plant and Soil</i> , 2014, 385, 273-286.	1.8	36

#	ARTICLE	IF	CITATIONS
648	Impacts of Nighttime Warming on the Soil Nematode Community in a Winter Wheat Field of Yangtze Delta Plain, China. <i>Journal of Integrative Agriculture</i> , 2014, 13, 1477-1485.	1.7	10
649	Taxonomic and functional biodiversity variations of meiobenthic and nematode assemblages across an extreme environment: a study case in a Blue Hole cave. <i>Italian Journal of Zoology</i> , 2014, 81, 508-516.	0.6	23
650	Diversity and food web structure of nematode communities under high soil salinity and alkaline pH. <i>Ecotoxicology</i> , 2014, 23, 1367-1376.	1.1	20
651	Plant-parasitic nematodes associated with olive tree ( <i>Olea europaea</i> L.) with a focus on the Mediterranean Basin: A review. <i>Comptes Rendus - Biologies</i> , 2014, 337, 423-442.	0.1	48
652	Successive development of soil ecosystems at abandoned coal-ash landfills. <i>Ecotoxicology</i> , 2014, 23, 880-897.	1.1	12
653	Root traits and soil properties in harvested perennial grassland, annual wheat, and never-tilled annual wheat. <i>Plant and Soil</i> , 2014, 381, 405-420.	1.8	79
654	Response of nematode communities to reclamation of agricultural soils following degradation through brown coal strip-mining processes. <i>Helminthologia</i> , 2014, 51, 53-62.	0.3	3
655	Structure of the microbial biomass and trophic groups of nematodes in soddy-podzolic soils of a postagrogenic succession in the southern taiga (Tver oblast). <i>Eurasian Soil Science</i> , 2014, 47, 453-458.	0.5	3
656	Bt cotton planting does not affect the community characteristics of rhizosphere soil nematodes. <i>Applied Soil Ecology</i> , 2014, 73, 156-164.	2.1	19
657	NINJA: An automated calculation system for nematode-based biological monitoring. <i>European Journal of Soil Biology</i> , 2014, 61, 90-93.	1.4	221
658	Higher taxa vs. functional guilds vs. trophic groups as indicators of soil nematode diversity and community structure. <i>Ecological Indicators</i> , 2014, 41, 25-29.	2.6	26
659	Responses of the soil nematode community to management of hybrid napiergrass: The trade-off between positive and negative effects. <i>Applied Soil Ecology</i> , 2014, 75, 134-144.	2.1	41
660	Weighing in: Size spectra as a standard tool in soil community analyses. <i>Soil Biology and Biochemistry</i> , 2014, 68, 366-372.	4.2	42
661	Impact of coleopteran-active Bt corn on non-target nematode communities in soil and decomposing corn roots. <i>Soil Biology and Biochemistry</i> , 2014, 76, 127-135.	4.2	24
662	Intensive rubber cultivation degrades soil nematode communities in Xishuangbanna, southwest China. <i>Soil Biology and Biochemistry</i> , 2014, 76, 161-169.	4.2	44
663	Integration of cover crops and vermicompost tea for soil and plant health management in a short-term vegetable cropping system. <i>Applied Soil Ecology</i> , 2014, 82, 26-37.	2.1	31
664	Soil nematode assemblages as bioindicators of radiation impact in the Chernobyl Exclusion Zone. <i>Science of the Total Environment</i> , 2014, 490, 161-170.	3.9	22
665	The responses of soil nematode assemblages to disturbance in Liaohe estuary wetlands. <i>European Journal of Soil Biology</i> , 2014, 61, 6-11.	1.4	11

#	ARTICLE	IF	CITATIONS
666	Response of nematodes to agricultural input levels in various reclaimed and unreclaimed habitats. <i>European Journal of Soil Biology</i> , 2014, 60, 120-129.	1.4	9
667	Plant-induced differentiation of soil variables and nematode community structure in a Mediterranean serpentine ecosystem. <i>Soil Research</i> , 2014, 52, 593.	0.6	9
668	Protocols for Ecological Risk Assessment Using the Triad Approach. <i>Springer Protocols</i> , 2015, , 65-79.	0.1	1
669	Agricultural Sustainability and Nematode Integrated Pest Management. <i>Agronomy</i> , 2015, , 251-287.	0.2	10
670	Soil Invertebrates as Indicators of Soil Quality. <i>SSSA Special Publication Series</i> , 0, , 273-291.	0.2	27
671	Comparing sugarcane fields and forest fragments: the effect of disturbance on soil physical properties and nematode assemblages. <i>Soil Use and Management</i> , 2015, 31, 397-407.	2.6	16
672	Spatial and Temporal Diversity in Production Fields. <i>Assa, Cssa and Sssa</i> , 2015, , 73-94.	0.6	1
673	Nontarget Ecological Effects of Plant, Microbial, and Chemical Introductions to Terrestrial Systems. <i>SSSA Special Publication Series</i> , 2015, , 313-340.	0.2	21
674	A Hierarchical Framework for Evaluating Diversity in Agroecosystems. <i>Assa, Cssa and Sssa</i> , 2015, , 5-34.	0.6	8
675	In situ Versus On Site Practices. <i>Agronomy</i> , 2015, , 539-558.	0.2	4
676	Evident Response of the Soil Nematode Community to Consecutive Peanut Monoculturing. <i>Agronomy Journal</i> , 2015, 107, 195-203.	0.9	12
677	Effect of long-term fertilization on free-living nematode community structure in Mollisols. <i>Journal of Soil Science and Plant Nutrition</i> , 2015, , 0-0.	1.7	5
678	Soil Microbial Diversity in Agricultural Systems. <i>Assa, Cssa and Sssa</i> , 0, , 35-54.	0.6	5
679	Soil Properties and Olive Cultivar Determine the Structure and Diversity of Plant-Parasitic Nematode Communities Infesting Olive Orchards Soils in Southern Spain. <i>PLoS ONE</i> , 2015, 10, e0116890.	1.1	38
680	Effects of Interactions of Auxin-Producing Bacteria and Bacterial-Feeding Nematodes on Regulation of Peanut Growths. <i>PLoS ONE</i> , 2015, 10, e0124361.	1.1	10
681	Bacterial Respiration and Growth Rates Affect the Feeding Preferences, Brood Size and Lifespan of <i>Caenorhabditis elegans</i> . <i>PLoS ONE</i> , 2015, 10, e0134401.	1.1	28
682	Long-term effects of a wildfire on the soil nematode communities in the spruce forest ecosystem of High Tatra National Park. <i>International Journal of Wildland Fire</i> , 2015, 24, 702.	1.0	14
683	Heavy Metals " Soil Communities at Ecological Risk. , 2015, , .		1

#	ARTICLE	IF	CITATIONS
684	Ecosystem Health: An Overview. SSSA Special Publication Series, 2015, , 1-20.	0.2	27
685	Biological Diversity in Soils of Agricultural and Nature Ecosystems. Assa, Cssa and Sssa, 2015, , 55-72.	0.6	0
686	Nematode Composition and Soil Conditions in Plots under a Wheat Crop in Colfax, Washington State. Journal of Agricultural Science, 2015, 7, .	0.1	0
687	The Response of Nematode Trophic Groups to Organic and Inorganic Nutrient Inputs in Agroecosystems. SSSA Special Publication Series, 0, , 235-244.	0.2	5
688	From the Ground Up: Nematode Ecology in Bioassessment and Ecosystem Health. Agronomy, 2015, , 65-85.	0.2	12
689	Changes of nematode community under monoculture wheat and wheat/jujube intercropping system in Xinjiang, Northwest China. Helminthologia, 2015, 52, 123-129.	0.3	5
690	The effects of the presence of Bt-transgenic oilseed rape in wild mustard populations on the rhizosphere nematode and microbial communities. Science of the Total Environment, 2015, 530-531, 263-270.	3.9	22
691	Temperature-based bioclimatic parameters can predict nematode metabolic footprints. Oecologia, 2015, 179, 187-199.	0.9	23
692	Effects of elevated CO <sub>2</sub> and temperature on an intertidal meiobenthic community. Journal of Experimental Marine Biology and Ecology, 2015, 469, 44-56.	0.7	39
693	Nematode communities response to long-term grazing disturbance on Tibetan plateau. European Journal of Soil Biology, 2015, 69, 24-32.	1.4	53
694	Congruence of community structure between taxonomic identification and T-RFLP analyses in free-living soil nematodes. Pedobiologia, 2015, 58, 113-117.	0.5	1
695	Functional diversity patterns of abyssal nematodes in the Eastern Mediterranean: A comparison between cold seeps and typical deep sea sediments. Journal of Sea Research, 2015, 98, 57-72.	0.6	9
696	Effects of organic and conventional pesticides on plant biomass, nematode diversity and the structure of the soil food web. Nematology, 2015, 17, 11-26.	0.2	15
697	Different changes of soil nematode communities in replant and continuous-planting peach orchards and their indicative value for peach replant problem. Helminthologia, 2015, 52, 261-269.	0.3	8
698	Long-term effects on soil nematode community structure in spruce forests of removing or not removing fallen trees after a windstorm. Forest Ecology and Management, 2015, 356, 243-252.	1.4	21
699	Effect of transgenic insect-resistant maize to the community structure of soil nematodes in two field trials. Helminthologia, 2015, 52, 41-49.	0.3	2
700	Risk assessment of the cultivation of a stacked Bt-maize variety (MON89034+MON88017) for nematode communities. Soil Biology and Biochemistry, 2015, 91, 109-118.	4.2	8
701	Responses of estuarine nematodes to an increase in nutrient supply: An in situ continuous addition experiment. Marine Pollution Bulletin, 2015, 90, 115-120.	2.3	8

#	ARTICLE	IF	CITATIONS
702	Soil Fauna. , 2015, , 111-149.		73
703	Species and trait compositions of freshwater nematodes as indicative descriptors of lake eutrophication. <i>Ecological Indicators</i> , 2015, 53, 196-205.	2.6	13
704	Fertilization and irrigation practice as source of microorganisms and the impact on nematodes as their potential vectors. <i>Applied Soil Ecology</i> , 2015, 90, 68-77.	2.1	9
705	Nematode functional guilds, not trophic groups, reflect shifts in soil food webs and processes in response to interacting global change factors. <i>Pedobiologia</i> , 2015, 58, 23-32.	0.5	86
706	Responses of soil nematode community structure to soil carbon changes due to different tillage and cover crop management practices over a nine-year period in Kanto, Japan. <i>Applied Soil Ecology</i> , 2015, 89, 50-58.	2.1	46
707	Nematodes as Bioindicators of Ecosystem Recovery During Phytoremediation of Crude Oil Contaminated Soil. <i>International Journal of Phytoremediation</i> , 2015, 17, 182-190.	1.7	6
708	An analysis of soil free-living and plant-parasitic nematode communities in three habitats invaded by <i>Heracleum sosnowskyi</i> in central Lithuania. <i>Biological Invasions</i> , 2015, 17, 1025-1039.	1.2	30
709	Relationship between soil heavy metal contamination and soil food web health in vacant lots slated for urban agriculture in two post-industrial cities. <i>Urban Ecosystems</i> , 2015, 18, 835-855.	1.1	18
710	Tillage and herbicide decrease soil biodiversity in olive orchards. <i>Agronomy for Sustainable Development</i> , 2015, 35, 691-700.	2.2	44
711	Response of belowground communities to short-term phosphorus addition in a phosphorus-limited woodland. <i>Plant and Soil</i> , 2015, 391, 321-331.	1.8	47
712	Resilience of soil microbial and nematode communities after biofumigant treatment with defatted seed meals. <i>Industrial Crops and Products</i> , 2015, 75, 79-90.	2.5	33
713	Laboratory experiments on nematodes from natural CO <sub>2</sub> springs reveal species-specific tolerance to extreme CO <sub>2</sub> concentrations. <i>Soil Biology and Biochemistry</i> , 2015, 88, 165-168.	4.2	7
714	<i>Acroboloides buetschlii</i> as a potential vector for enteric pathogens. <i>Nematology</i> , 2015, 17, 447-457.	0.2	6
715	A comparative analysis of benthic nematode assemblages from <i>Zostera noltii</i> beds before and after a major vegetation collapse. <i>Estuarine, Coastal and Shelf Science</i> , 2015, 167, 256-268.	0.9	16
716	Plant species richness does not attenuate responses of soil microbial and nematode communities to a flood event. <i>Soil Biology and Biochemistry</i> , 2015, 89, 135-149.	4.2	41
717	Soil nematode assemblages in an acid soil as affected by lime application. <i>Nematology</i> , 2015, 17, 179-191.	0.2	27
718	Effects of nitrogen enrichment on belowground communities in grassland: Relative role of soil nitrogen availability vs. soil acidification. <i>Soil Biology and Biochemistry</i> , 2015, 89, 99-108.	4.2	188
719	Soil and litter nematode diversity of Mount Hamiguitan, the Philippines, with description of <i>Bicirronema hamiguitanense</i> n. sp. (Rhabditida: Bicirronematidae). <i>Nematology</i> , 2015, 17, 325-344.	0.2	8



#	ARTICLE	IF	CITATIONS
720	Status of soil nematode communities during natural regeneration of a subtropical forest in southwestern China. <i>Nematology</i> , 2015, 17, 79-90.	0.2	12
721	Size spectra of soil nematode assemblages under different land use types. <i>Soil Biology and Biochemistry</i> , 2015, 85, 130-136.	4.2	37
722	How do harpacticoid copepods colonize detrital seagrass leaves?. <i>Marine Biology</i> , 2015, 162, 929-943.	0.7	7
723	Unearthing the role of biological diversity in soil health. <i>Soil Biology and Biochemistry</i> , 2015, 85, 101-109.	4.2	118
724	Estuarine intertidal meiofauna and nematode communities as indicator of ecosystem's recovery following mitigation measures. <i>Ecological Indicators</i> , 2015, 54, 184-196.	2.6	33
725	Application of body size spectra to nematode trait-index analyses. <i>Soil Biology and Biochemistry</i> , 2015, 84, 15-20.	4.2	27
726	Variation of soil nematode community composition with increasing sand-fixation year of <i>Caragana microphylla</i> : Bioindication for desertification restoration. <i>Ecological Engineering</i> , 2015, 81, 93-101.	1.6	17
727	Responses of Soil Nematode Abundance and Diversity to Long-Term Crop Rotations in Tropical China. <i>Pedosphere</i> , 2015, 25, 844-852.	2.1	14
728	Dynamics of soil nematode communities in wheat fields under different nitrogen management in Northern China Plain. <i>European Journal of Soil Biology</i> , 2015, 71, 13-20.	1.4	20
729	Towards multi-level biomonitoring of nematodes to assess risk of nitrogen and phosphorus pollution in Jinchuan Wetland of Northeast China. <i>Ecotoxicology</i> , 2015, 24, 2190-2199.	1.1	10
730	Nematodes and rotifers on two Alpine debris-covered glaciers. <i>Italian Journal of Zoology</i> , 2015, 82, 616-623.	0.6	18
731	Biochemical characteristics of cover crop litter affect the soil food web, organic matter decomposition, and regulation of plant-parasitic nematodes in a banana field soil. <i>Applied Soil Ecology</i> , 2015, 96, 131-140.	2.1	39
732	Body size is a sensitive trait-based indicator of soil nematode community response to fertilization in rice and wheat agroecosystems. <i>Soil Biology and Biochemistry</i> , 2015, 88, 275-281.	4.2	52
733	Community composition, diversity and metabolic footprints of soil nematodes in differently-aged temperate forests. <i>Soil Biology and Biochemistry</i> , 2015, 80, 118-126.	4.2	90
734	Soil nematode community structure affected by tillage systems and cover crop managements in organic soybean production. <i>Applied Soil Ecology</i> , 2015, 86, 137-147.	2.1	44
735	Plant-soil interactions in metal contaminated soils. <i>Soil Biology and Biochemistry</i> , 2015, 80, 224-231.	4.2	73
736	Hard rock aquifers and free-living nematodes – an interdisciplinary approach based on two widely neglected components in groundwater research. <i>Ecohydrology</i> , 2015, 8, 368-377.	1.1	12
737	Long-term nutrient enrichment alters nematode trophic structure and body size in a <i>Spartina alterniflora</i> salt marsh. <i>Marine Ecology</i> , 2015, 36, 910-925.	0.4	5

#	ARTICLE	IF	CITATIONS
738	Fourteen years of evidence for positive effects of conservation agriculture and organic farming on soil life. <i>Agronomy for Sustainable Development</i> , 2015, 35, 169-181.	2.2	144
739	Characterizations of community and trophic structures of soil nematodes in a coastal Japanese black pine forest. <i>Nihon Senchu Gakkai Shi = Japanese Journal of Nematology</i> , 2016, 46, 71-78.	0.3	7
740	Options for Soil Health Measurement in Vineyards and Deciduous Fruit Orchards, with Special Reference to Nematodes. <i>South African Journal of Enology and Viticulture</i> , 2016, 34, .	0.8	3
741	Technological advancements and their importance for nematode identification. <i>Soil</i> , 2016, 2, 257-270.	2.2	11
742	Structure and function of nematode communities across the Indian western continental margin and its oxygen minimum zone. <i>Biogeosciences</i> , 2016, 13, 191-209.	1.3	17
743	The Abundance, Diversity, and Metabolic Footprint of Soil Nematodes Is Highest in High Elevation Alpine Grasslands. <i>Frontiers in Ecology and Evolution</i> , 2016, 4, .	1.1	51
744	Effects of plant functional group loss on soil biota and net ecosystem exchange: a plant removal experiment in the Mongolian grassland. <i>Journal of Ecology</i> , 2016, 104, 734-743.	1.9	58
745	Population structure of free-living and plant-parasitic nematodes in strawberry plantations under organic farming conditions. <i>Acta Horticulturae</i> , 2016, , 745-752.	0.1	0
746	Soil Nematodes in Organic and Conventional Farming System: A Comparison of the Taxonomic and Functional Diversity. <i>Polish Journal of Ecology</i> , 2016, 64, 547-563.	0.2	7
747	Minimal soil quality impact by cold season pasture management in Vermont. <i>Canadian Journal of Soil Science</i> , 2016, , .	0.5	0
748	Effect of long-term combined application of organic and inorganic fertilizers on soil nematode communities within aggregates. <i>Scientific Reports</i> , 2016, 6, 31118.	1.6	51
749	Community diversity, structure and carbon footprint of nematode food web following reforestation on degraded Karst soil. <i>Scientific Reports</i> , 2016, 6, 28138.	1.6	20
750	Relationships between labile soil organic matter and nematode communities in a California oak woodland. <i>Nematology</i> , 2016, 18, 1231-1245.	0.2	20
751	Is maturity index an efficient tool to assess the effects of the physical disturbance on the marine nematode assemblages?â€”A critical interpretation of disturbance-induced maturity successions in some study cases in Maldives. <i>Acta Oceanologica Sinica</i> , 2016, 35, 89-98.	0.4	11
752	Review: Natural tracers in fractured hard-rock aquifers in the Austrian part of the Eastern Alpsâ€”previous approaches and future perspectives for hydrogeology in mountain regions. <i>Hydrogeology Journal</i> , 2016, 24, 1091-1105.	0.9	18
753	Effects of firstâ€”and secondâ€”generation bioenergy crops on soil processes and legacy effects on a subsequent crop. <i>GCB Bioenergy</i> , 2016, 8, 136-147.	2.5	39
754	Effects of mulching on above and below ground pests and beneficials in a green onion agroecosystem. <i>Agriculture, Ecosystems and Environment</i> , 2016, 224, 75-85.	2.5	23
755	Biosolids applied to agricultural land: Influence on structural and functional endpoints of soil fauna on a short- and long-term scale. <i>Science of the Total Environment</i> , 2016, 562, 312-326.	3.9	33

#	ARTICLE	IF	CITATIONS
756	Spatial and temporal variation of resource allocation in an arable soil drives community structure and biomass of nematodes and their role in the micro-food web. <i>Pedobiologia</i> , 2016, 59, 111-120.	0.5	25
757	Soil nematode communities in jujube ( <i>Ziziphus jujuba</i> Mill.) rhizosphere soil under monoculture and jujube/wheat ( <i>Triticum aestivum</i> Linn.) intercropping systems, a case study in Xinjiang arid region, northwest of China. <i>European Journal of Soil Biology</i> , 2016, 74, 52-59.	1.4	18
758	Selecting cost effective and policy-relevant biological indicators for European monitoring of soil biodiversity and ecosystem function. <i>Ecological Indicators</i> , 2016, 69, 213-223.	2.6	80
759	Effects of decomposing cadavers on soil nematode communities over a one-year period. <i>Soil Biology and Biochemistry</i> , 2016, 103, 405-416.	4.2	30
760	Soil nematode community structure and metabolic footprint in the early pedogenesis of a Mollisol. <i>European Journal of Soil Biology</i> , 2016, 77, 17-25.	1.4	15
761	Comparing the effects of litter quantity and quality on soil biota structure and functioning: Application to a cultivated soil in Northern France. <i>Applied Soil Ecology</i> , 2016, 107, 261-271.	2.1	36
762	Elevated CO <sub>2</sub> and warming shift the functional composition of soil nematode communities in a semiarid grassland. <i>Soil Biology and Biochemistry</i> , 2016, 103, 46-51.	4.2	47
763	Fungal Interactions with Pollutants and Climate Change. <i>Mycology</i> , 2016, , 263-342.	0.5	0
764	Fluxes of root-derived carbon into the nematode micro-food web of an arable soil. <i>Food Webs</i> , 2016, 9, 32-38.	0.5	24
765	Nematode community resistant to deep soil frost in boreal forest soils. <i>Pedobiologia</i> , 2016, 59, 243-251.	0.5	12
766	Responses of meiofauna and nematode communities to crude oil contamination in a laboratory microcosm experiment. <i>Ocean Science Journal</i> , 2016, 51, 465-476.	0.6	3
767	Differential responses of soil nematode community to pig manure application levels in Ferric Acrisols. <i>Scientific Reports</i> , 2016, 6, 35334.	1.6	6
768	Latitudinal variation in nematode diversity and ecological roles along the Chinese coast. <i>Ecology and Evolution</i> , 2016, 6, 8018-8027.	0.8	25
769	A temporal assessment of nematode community structure and diversity in the rhizosphere of cisgenic <i>Phytophthora infestans</i> -resistant potatoes. <i>BMC Ecology</i> , 2016, 16, 55.	3.0	23
770	Features of soil nematode communities in various types of natural biocenoses: Effectiveness of assessment parameters. <i>Biology Bulletin</i> , 2016, 43, 474-482.	0.1	10
771	Risk management and regeneration of brownfields using bioenergy crops. <i>Journal of Soils and Sediments</i> , 2016, 16, 987-1000.	1.5	27
772	Effects of wetland utilization change on spatial distribution of soil nematodes in Heihe River Basin, Northwest China. <i>Chinese Geographical Science</i> , 2016, 26, 339-351.	1.2	1
773	Structural and Functional Composition of Benthic Nematode Assemblages During a Natural Recovery Process of <i>Zostera noltii</i> Seagrass Beds. <i>Estuaries and Coasts</i> , 2016, 39, 1478-1490.	1.0	10

#	ARTICLE	IF	CITATIONS
774	Responses of soil nematodes to water and nitrogen additions in an old-field grassland. <i>Applied Soil Ecology</i> , 2016, 102, 53-60.	2.1	98
775	Response of soil nematode community composition and diversity to different crop rotations and tillage in the tropics. <i>Applied Soil Ecology</i> , 2016, 107, 134-143.	2.1	16
776	Soil nematode community response to fertilisation in the root-associated and bulk soils of a rice-wheat agroecosystem. <i>Nematology</i> , 2016, 18, 727-741.	0.2	8
777	Comparative approach using ecotoxicological methods from single-species bioassays to model ecosystems. <i>Environmental Toxicology and Chemistry</i> , 2016, 35, 2987-2997.	2.2	18
778	Microfauna Within Biological Soil Crusts. <i>Ecological Studies</i> , 2016, , 139-157.	0.4	22
779	The dynamics of soil micro-food web structure and functions vary according to litter quality. <i>Soil Biology and Biochemistry</i> , 2016, 95, 262-274.	4.2	74
780	The soil quality concept as a framework to assess management practices in vulnerable agroecosystems: A case study in Mediterranean vineyards. <i>Ecological Indicators</i> , 2016, 61, 456-465.	2.6	79
781	Patterns of earthworm, enchytraeid and nematode diversity and community structure in urban soils of different ages. <i>European Journal of Soil Biology</i> , 2016, 73, 46-58.	1.4	29
782	Mite community composition across a European transect and its relationships to variation in other components of soil biodiversity. <i>Applied Soil Ecology</i> , 2016, 97, 86-97.	2.1	21
783	Comparison between infaunal communities of the deep floor and edge of the Tonga Trench: Possible effects of differences in organic matter supply. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , 2016, 116, 264-275.	0.6	52
784	Organic farming practices result in compositional shifts in nematode communities that exceed crop-related changes. <i>Applied Soil Ecology</i> , 2016, 98, 254-260.	2.1	44
785	Biodiversity and life strategies of deep-sea meiofauna and nematode assemblages in the Whittard Canyon (Celtic margin, NE Atlantic Ocean). <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , 2016, 108, 13-22.	0.6	29
786	Subordinate plants sustain the complexity and stability of soil micro-food webs in natural bamboo forest ecosystems. <i>Journal of Applied Ecology</i> , 2016, 53, 130-139.	1.9	24
787	Impact of offshore gas platforms on the structural and functional biodiversity of nematodes. <i>Marine Environmental Research</i> , 2016, 115, 56-64.	1.1	13
788	A test of biological trait analysis with nematodes and an anthropogenic stressor. <i>Environmental Monitoring and Assessment</i> , 2016, 188, 140.	1.3	7
789	Cultivation and domestication of highbush blueberry ( <i>Vaccinium corymbosum</i> ) alters abundance, diversity and virulence of entomopathogenic nematodes. <i>Agriculture, Ecosystems and Environment</i> , 2016, 222, 148-155.	2.5	7
790	Intertidal nematode communities in the Mekong estuaries of Vietnam and their potential for biomonitoring. <i>Environmental Monitoring and Assessment</i> , 2016, 188, 91.	1.3	10
791	Aridity or low temperatures: What affects the diversity of plant-parasitic nematode communities in the Moroccan argan relic forest?. <i>Applied Soil Ecology</i> , 2016, 101, 64-71.	2.1	18

#	ARTICLE	IF	CITATIONS
792	Effects of crop species richness on the community of soil nematodes in an experimental agro-ecosystem. <i>European Journal of Soil Biology</i> , 2016, 73, 26-33.	1.4	15
793	Influence of long-term corn-soybean crop sequences on soil ecology as indicated by the nematode community. <i>Applied Soil Ecology</i> , 2016, 100, 172-185.	2.1	67
794	Effect of paddy cultivation on nematode community in Jinchuan Wetland of Changbai Mountain area, China. <i>Ecological Engineering</i> , 2016, 96, 20-25.	1.6	7
795	Soil free-living nematodes as bio-indicators for assaying the invasive effect of the alien plant <i>Heterotheca subaxillaris</i> in a coastal dune ecosystem. <i>Applied Soil Ecology</i> , 2016, 102, 1-9.	2.1	26
796	Relationship between nematode assemblages and physical properties across land use types. <i>Tropical Plant Pathology</i> , 2016, 41, 107-114.	0.8	10
797	Nematode communities as indicators of the status of a soil ecosystem influenced by mining practices in Brazil. <i>Nematology</i> , 2016, 18, 265-276.	0.2	11
798	Copper effects on soil nematodes and their possible impact on leaf litter decomposition: A microcosm approach. <i>European Journal of Soil Biology</i> , 2016, 73, 1-7.	1.4	6
799	Effect of shade tree planting and soil management on rehabilitation success of a 22-year-old degraded cocoa ( <i>Theobroma cacao</i> L.) plantation. <i>Agriculture, Ecosystems and Environment</i> , 2016, 219, 14-25.	2.5	32
800	A natural odor attraction between lactic acid bacteria and the nematode <i>Caenorhabditis elegans</i> . <i>ISME Journal</i> , 2016, 10, 558-567.	4.4	44
801	Impact of organic and conventional peach and apple production practices on soil microbial populations and plant nutrients. <i>Organic Agriculture</i> , 2016, 6, 19-30.	1.2	3
802	Belowground biological responses to pyrogenic organic matter and litter inputs in grasslands. <i>Functional Ecology</i> , 2017, 31, 260-269.	1.7	14
803	Aboveground mammal and invertebrate exclusions cause consistent changes in soil food webs of two subalpine grassland types, but mechanisms are system-specific. <i>Oikos</i> , 2017, 126, .	1.2	9
804	Dynamic of nematode communities in energy plant cropping systems. <i>European Journal of Soil Biology</i> , 2017, 78, 92-101.	1.4	9
805	Nitrogen deposition cancels out exotic earthworm effects on plant-feeding nematode communities. <i>Journal of Animal Ecology</i> , 2017, 86, 708-717.	1.3	49
806	Soil nematodes associated with different land uses in the Los Tuxtlas Biosphere Reserve, Veracruz, Mexico. <i>Revista Mexicana De Biodiversidad</i> , 2017, 88, 136-145.	0.4	17
807	Nematode Responses to the Invasion of Exotic <i>Spartina</i> in Mangrove Wetlands in Southern China. <i>Estuaries and Coasts</i> , 2017, 40, 1437-1449.	1.0	7
808	Influences of different tillage and residue management systems on soil nematode community composition and diversity in the tropics. <i>Soil Biology and Biochemistry</i> , 2017, 107, 234-243.	4.2	40
809	Nematode spatial distribution and the frequency of zeros in samples. <i>Nematology</i> , 2017, 19, 263-270.	0.2	8

#	ARTICLE	IF	CITATIONS
810	Large-scale patterns of distribution and diversity of terrestrial nematodes. <i>Applied Soil Ecology</i> , 2017, 114, 161-169.	2.1	79
811	Nematology in South Africa: A View from the 21st Century. , 2017, , .		14
812	Marine and Estuarine Nematodes in South Africa. , 2017, , 495-519.		0
813	Associations of soil type and previous crop with plant-feeding nematode communities in plantain agrosystems. <i>Applied Soil Ecology</i> , 2017, 113, 63-70.	2.1	10
814	The impact of modified nanoscale carbon black on soil nematode assemblages under turfgrass growth conditions. <i>European Journal of Soil Biology</i> , 2017, 80, 53-58.	1.4	1
815	Possible mechanisms underlying abundance and diversity responses of nematode communities to plant diversity. <i>Ecosphere</i> , 2017, 8, e01719.	1.0	52
816	Differentiating between root- and leaf-litter controls on the structure and stability of soil micro-food webs. <i>Soil Biology and Biochemistry</i> , 2017, 113, 192-200.	4.2	21
817	Long-term application of organic matter based fertilisers: Advantages or risks for soil biota? A review. <i>Environmental Reviews</i> , 2017, 25, 408-414.	2.1	9
818	Does plant richness alter multitrophic soil food web and promote plant-parasitic nematode regulation in banana agroecosystems?. <i>Applied Soil Ecology</i> , 2017, 117-118, 137-146.	2.1	14
819	Ecoenzymes as Indicators of Compost to Suppress <i>Rhizoctonia Solani</i> . <i>Compost Science and Utilization</i> , 2017, 25, 251-261.	1.2	24
820	Plant species richness sustains higher trophic levels of soil nematode communities after consecutive environmental perturbations. <i>Oecologia</i> , 2017, 184, 715-728.	0.9	41
821	Feeding preference as a main determinant of microscale patchiness among terrestrial nematodes. <i>Molecular Ecology Resources</i> , 2017, 17, 1257-1270.	2.2	33
822	Scientific Opinion addressing the state of the science on risk assessment of plant protection products for invertebrate soil organisms. <i>EFSA Journal</i> , 2017, 15, e04690.	0.9	79
823	The effects of vegetation cover on soil nematode communities in various biotopes disturbed by industrial emissions. <i>Science of the Total Environment</i> , 2017, 592, 106-114.	3.9	14
824	Fertilization influences the nematode community through changing the plant community in the Tibetan Plateau. <i>European Journal of Soil Biology</i> , 2017, 78, 7-16.	1.4	38
825	Tidal flooding diminishes the effects of livestock grazing on soil micro-food webs in a coastal saltmarsh. <i>Agriculture, Ecosystems and Environment</i> , 2017, 236, 177-186.	2.5	14
826	Can changes in litter quality drive soil fauna structure and functions?. <i>Soil Biology and Biochemistry</i> , 2017, 107, 94-103.	4.2	44
827	Effects of low quantities of added labile carbon on soil nematodes in intact forest soil microcosms. <i>European Journal of Soil Biology</i> , 2017, 78, 29-37.	1.4	11

#	ARTICLE	IF	CITATIONS
828	Nematode community structure in relation to metals in the southern of Caspian Sea. <i>Acta Oceanologica Sinica</i> , 2017, 36, 79-86.	0.4	5
829	Soil Biodiversity and Tree Crops Resilience. , 2017, , 321-343.		2
830	Novel soil fumigation strategy suppressed plant-parasitic nematodes associated with soil nematode community alterations in the field. <i>Applied Soil Ecology</i> , 2017, 121, 135-142.	2.1	4
831	Nematode communities on putting greens, fairways, and roughs of organic and conventional cool-season golf courses. <i>Applied Soil Ecology</i> , 2017, 121, 161-171.	2.1	9
832	Characteristics of ecological and faunistic complex of soil nematodes in dry-steppe landscapes in Manych valley. <i>Arid Ecosystems</i> , 2017, 7, 191-202.	0.2	3
833	The effects of hydrocarbons on meiofauna in marine sediments in Antarctica. <i>Journal of Experimental Marine Biology and Ecology</i> , 2017, 496, 56-73.	0.7	24
834	Indication of rapid soil food web recovery by nematode-derived indices in restored agricultural soil after open-cast lignite mining. <i>Soil Biology and Biochemistry</i> , 2017, 115, 261-264.	4.2	14
835	Nematode Community Response to Green Infrastructure Design in a Semiarid City. <i>Journal of Environmental Quality</i> , 2017, 46, 687-694.	1.0	20
836	Long-term cultivation of Bt rice expressing the Cry1Ab/1Ac gene reduced phytoparasitic nematode abundance but did not affect other nematode parameters in paddy fields. <i>Science of the Total Environment</i> , 2017, 607-608, 463-474.	3.9	15
837	The effect of organic amendment input and crop management practices on the nematode community and suppression of root-lesion nematode ( <i>Pratylenchus thornei</i> ) in a grain-growing soil. <i>Australasian Plant Pathology</i> , 2017, 46, 463-472.	0.5	2
838	Stable isotopes of carbon and nitrogen help to predict the belowground communities at a regional scale. <i>Scientific Reports</i> , 2017, 7, 7276.	1.6	5
839	How anthropogenic changes may affect soil-borne parasite diversity? Plant-parasitic nematode communities associated with olive trees in Morocco as a case study. <i>BMC Ecology</i> , 2017, 17, 4.	3.0	13
840	Distribution and community structure of soil nematodes in coastal Japanese pine forests were shaped by harsh environmental conditions. <i>Applied Soil Ecology</i> , 2017, 119, 91-98.	2.1	21
841	Effects of experimental insecticide applications and season on soil nematode communities in a maize field. <i>Crop Protection</i> , 2017, 92, 1-15.	1.0	14
842	Nematode community indices for microhabitat type and large scale landscape properties. <i>Ecological Indicators</i> , 2017, 73, 472-479.	2.6	39
843	Environmental quality assessment of El Bibane lagoon (Tunisia) using taxonomic and functional diversity of meiofauna and nematodes. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2017, 97, 1593-1603.	0.4	27
844	Validating the NemaSPEAR[%]-index for assessing sediment quality regarding chemical-induced effects on benthic communities in rivers. <i>Ecological Indicators</i> , 2017, 73, 52-60.	2.6	27
845	Unifying the functional diversity in natural and cultivated soils using the overall body-mass distribution of nematodes. <i>BMC Ecology</i> , 2017, 17, 36.	3.0	14

#	ARTICLE	IF	CITATIONS
846	Empirical Methods of Identifying and Quantifying Trophic Interactions for Constructing Soil Food-Web Models. , 0, , 257-286.		6
847	Estimation of phylogenetic divergence times in Panagrolaimidae and other nematodes using relaxed molecular clocks calibrated with insect and crustacean fossils. <i>Nematology</i> , 2017, 19, 899-913.	0.2	6
848	Conservation Agriculture Systems to Mitigate Climate Variability Effects on Soil Health. , 2017, , 79-107.		12
849	Isolation of Antagonistic Endophytes from Banana Roots against <i>Meloidogyne javanica</i> and Their Effects on Soil Nematode Community. <i>Frontiers in Microbiology</i> , 2017, 8, 2070.	1.5	40
850	Disentangling the root- and detritus-based food chain in the micro-food web of an arable soil by plant removal. <i>PLoS ONE</i> , 2017, 12, e0180264.	1.1	16
851	Biodiversity of nematodes biological indicators of soil quality in the agroecosystems. <i>Arquivos Do Instituto Biologico</i> , 2017, 84, .	0.4	21
853	Integrating quantitative morphological and qualitative molecular methods to analyse soil nematode community responses to plant range expansion. <i>Methods in Ecology and Evolution</i> , 2018, 9, 1366-1378.	2.2	78
854	Thinning-induced canopy opening exerted a specific effect on soil nematode community. <i>Ecology and Evolution</i> , 2018, 8, 3851-3861.	0.8	10
855	Soil nematode abundance and diversity from four vegetation types in Central Mexico. <i>Nematology</i> , 2018, 20, 15-32.	0.2	5
856	Effects of a bacterivorous nematode on rice 32P uptake and root architecture in a high P-sorbing ferrallitic soil. <i>Soil Biology and Biochemistry</i> , 2018, 122, 39-49.	4.2	21
857	Community structure of soil nematodes under different drought conditions. <i>Geoderma</i> , 2018, 325, 110-116.	2.3	36
858	Standard methods for the assessment of structural and functional diversity of soil organisms: A review. <i>Integrated Environmental Assessment and Management</i> , 2018, 14, 463-479.	1.6	17
859	Effect of different set-aside management systems on soil nematode community and soil fertility in North, Central and South Italy. <i>Agriculture, Ecosystems and Environment</i> , 2018, 261, 251-260.	2.5	6
861	Soil type-driven variable effects on cover- and rotation-crops, nematodes and soil food web in sugar beet fields reveal a roadmap for developing healthy soils. <i>European Journal of Soil Biology</i> , 2018, 85, 53-63.	1.4	12
862	Do the morphological and functional traits of free-living marine nematodes mirror taxonomical diversity?. <i>Marine Environmental Research</i> , 2018, 135, 114-122.	1.1	43
863	The responses of soil nematode communities to Bt maize cultivation at four field sites across Europe. <i>Soil Biology and Biochemistry</i> , 2018, 119, 194-202.	4.2	10
864	Characterization of soil nematode communities in three cropping systems through morphological and DNA metabarcoding approaches. <i>Scientific Reports</i> , 2018, 8, 2004.	1.6	70
865	Comparative effects of different organic materials on nematode community in continuous soybean monoculture soil. <i>Applied Soil Ecology</i> , 2018, 125, 12-17.	2.1	22



#	ARTICLE	IF	CITATIONS
866	Responses of soil biota to non-inversion tillage and organic amendments: An analysis on European multiyear field experiments. <i>Pedobiologia</i> , 2018, 66, 18-28.	0.5	43
867	Meiofauna abundance and community patterns along a transatlantic transect in the Vema Fracture Zone and in the hadal zone of the Puerto Rico trench. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 2018, 148, 223-235.	0.6	8
868	Soil biota in boreal urban greenspace: Responses to plant type and age. <i>Soil Biology and Biochemistry</i> , 2018, 118, 145-155.	4.2	51
869	Biochar-enhanced composts reduce the potential leaching of nutrients and heavy metals and suppress plant-parasitic nematodes in excessively fertilized cucumber soils. <i>Environmental Science and Pollution Research</i> , 2018, 25, 7589-7599.	2.7	47
870	Exploring patterns of <i>Camellia</i> seed cake application in relation to plant growth, soil nematodes and microbial biomass. <i>Soil Science and Plant Nutrition</i> , 2018, 64, 253-264.	0.8	5
871	Microfaunal soil food webs in Mediterranean semi-arid agroecosystems. Does organic management improve soil health?. <i>Applied Soil Ecology</i> , 2018, 125, 138-147.	2.1	29
872	Influence of heavy metals on nematode community structure in deteriorated soil by gold mining activities in Sibutad, southern Philippines. <i>Ecological Indicators</i> , 2018, 91, 712-721.	2.6	26
873	Effects of lights out-turfgrass renovation on plants, soil arthropod and nematode communities. <i>Applied Soil Ecology</i> , 2018, 127, 144-154.	2.1	1
874	The relative importance of the bacterial pathway and soil inorganic nitrogen increase across an extreme woodash application gradient. <i>GCB Bioenergy</i> , 2018, 10, 320-334.	2.5	35
875	Integrated management reduces <i>Globodera rostochiensis</i> abundance and enhances nematode community composition. <i>Archives of Agronomy and Soil Science</i> , 2018, 64, 1-12.	1.3	6
876	Nematode communities in the Sai Gon River harbors in relation to tributyltin concentrations. <i>Marine Biodiversity</i> , 2018, 48, 139-151.	0.3	5
877	Local effects of large food-falls on nematode diversity at an arctic deep-sea site: Results from an in situ experiment at the deep-sea observatory HAUSGARTEN. <i>Journal of Experimental Marine Biology and Ecology</i> , 2018, 502, 129-141.	0.7	20
878	The Impacts of Above- and Belowground Plant Input on Soil Microbiota: Invasive <i>Spartina alterniflora</i> Versus Native <i>Phragmites australis</i> . <i>Ecosystems</i> , 2018, 21, 469-481.	1.6	29
879	Assessment of ecological quality status along the Apulian coasts (eastern Mediterranean Sea) based on meiobenthic and nematode assemblages. <i>Marine Biodiversity</i> , 2018, 48, 105-115.	0.3	35
880	How ecosystems change following invasion by <i>Robinia pseudoacacia</i> : Insights from soil chemical properties and soil microbial, nematode, microarthropod and plant communities. <i>Science of the Total Environment</i> , 2018, 622-623, 1509-1518.	3.9	93
881	Diversity of plant-parasitic nematode communities associated with olive nurseries in Morocco: Origin and environmental impacts. <i>Applied Soil Ecology</i> , 2018, 124, 7-16.	2.1	15
882	Bacterivore nematodes stimulate soil gross N transformation rates depending on their species. <i>Biology and Fertility of Soils</i> , 2018, 54, 107-118.	2.3	39
883	Is <i>Caenorhabditis elegans</i> representative of freshwater nematode species in toxicity testing?. <i>Environmental Science and Pollution Research</i> , 2018, 25, 2879-2888.	2.7	21

#	ARTICLE	IF	CITATIONS
884	Benthic nematode biodiversity of the Abzu, Tiamat and Michael Ivanov mud volcanoes located along the SWIM fracture zone (Gulf of Cadiz). <i>Marine Biodiversity</i> , 2018, 48, 423-438.	0.3	4
885	An approach based on nematode descriptors for the classification of ecological quality (EcoQ) of the Malaysian coasts. <i>Marine Biodiversity</i> , 2018, 48, 117-126.	0.3	16
886	Factors influencing the nematode community during composting and nematode-based criteria for compost maturity. <i>Ecological Indicators</i> , 2018, 85, 409-421.	2.6	18
887	Nematode indicators as integrative measures of soil condition during conversion from conventional to organic rice production in Italy: a case study. <i>Biological Agriculture and Horticulture</i> , 2018, 34, 141-153.	0.5	10
888	Biodiversity Genomics: Monitoring Restoration Efforts Using DNA Barcoding and Environmental DNA. , 2018, , 395-417.		0
889	Swine Manure, Nematicides, and Long-Term Tillage Change Soil Ecology in Corn and Soybean Production. <i>Agronomy Journal</i> , 2018, 110, 2288-2301.	0.9	10
890	Influence of liquid chicken manure preparation on soil health and agrochemical soil properties. <i>Poljoprivreda</i> , 2018, 24, 3-9.	0.2	6
891	Nematode communities in pine forests are shaped by environmental filtering of habitat conditions. <i>Journal of Forest Research</i> , 2018, 23, 346-353.	0.7	8
892	Spatial impacts of a multi-individual grave on microbial and microfaunal communities and soil biogeochemistry. <i>PLoS ONE</i> , 2018, 13, e0208845.	1.1	24
893	Response of Soil Nematodes Under Different Pest Management Practices: A Field Experimental Approach in Tomato ( <i>Lycopersicon Esculentum</i> L.) Growing Agro-Ecosystem. <i>Journal of Institute of Science and Technology</i> , 2018, 22, 45-55.	0.2	1
894	Rapid Changes in Soil Nematodes in the First Years after Technosol Construction for the Remediation of an Industrial Wasteland. <i>Eurasian Soil Science</i> , 2018, 51, 1266-1273.	0.5	13
895	Global warming-induced temperature effects to intertidal tropical and temperate meiobenthic communities. <i>Marine Environmental Research</i> , 2018, 142, 163-177.	1.1	13
896	Effects of Yellow Sea Cold Water Mass on marine nematodes based on biological trait analysis. <i>Marine Environmental Research</i> , 2018, 141, 167-185.	1.1	8
897	The effect of a medic-wheat rotational system and contrasting degrees of soil disturbance on nematode functional groups and soil microbial communities. <i>Agriculture, Ecosystems and Environment</i> , 2018, 268, 103-114.	2.5	7
898	Effects of plant and animal waste-based compost amendments on the soil food web, soil properties, and yield and quality of fresh market and processing carrot cultivars. <i>Nematology</i> , 2018, 20, 147-168.	0.2	7
899	Impact of agricultural practices and environmental variables on plant-parasitic nematode communities in fields at a landscape scale. <i>Nematology</i> , 2018, 20, 211-233.	0.2	3
900	Toxicity and uptake of nanoparticulate and bulk ZnO in nematodes with different life strategies. <i>Ecotoxicology</i> , 2018, 27, 1058-1068.	1.1	14
901	Biodiversity and soil health: the role of the soil food web in soil fertility and suppressiveness to soil-borne diseases. <i>Acta Horticulturae</i> , 2018, , 95-104.	0.1	4

#	ARTICLE	IF	CITATIONS
902	Nutrient optimization of tree growth alters structure and function of boreal soil food webs. <i>Forest Ecology and Management</i> , 2018, 428, 46-56.	1.4	11
903	Soil Biological Quality Index based on earthworms (QBS-e). A new way to use earthworms as bioindicators in agroecosystems. <i>Ecological Indicators</i> , 2018, 93, 1276-1292.	2.6	34
904	Examining trophic-level nematode community structure and nitrogen mineralization to assess local effective microorganisms' role in nitrogen availability of swine effluent to forage crops. <i>Applied Soil Ecology</i> , 2018, 130, 209-218.	2.1	15
905	Variability in responses of soil nematodes to trace element contamination. <i>Chemosphere</i> , 2018, 210, 166-174.	4.2	5
906	Plant sex and phenological stage affect interactions with rhizosphere nematode communities. <i>Plant Ecology and Diversity</i> , 2018, 11, 227-238.	1.0	1
907	Impact of unusual monsoonal rainfall in structuring meiobenthic assemblages at Sundarban estuarine system, India. <i>Ecological Indicators</i> , 2018, 94, 139-150.	2.6	11
908	Soil micro-food web interactions and rhizosphere priming effect. <i>Plant and Soil</i> , 2018, 432, 129-142.	1.8	16
909	Structure and function of nematode assemblages in contaminated sediments: what can we learn from the Mar Piccolo of Taranto (Ionian Sea)?. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2018, 98, 1845-1857.	0.4	7
910	Impact of human trampling on biological soil crusts determined by soil microbial biomass, enzyme activities and nematode communities in a desert ecosystem. <i>European Journal of Soil Biology</i> , 2018, 87, 61-71.	1.4	18
911	Scale-dependent effects of <i>Gypsophila paniculata</i> invasion and management on plant and soil nematode community diversity and heterogeneity. <i>Biological Conservation</i> , 2018, 224, 153-161.	1.9	10
912	Metacommunity analysis of meiobenthos of deep-sea sediments from the Gulf of Mexico. <i>Marine Biodiversity</i> , 2019, 49, 1217-1231.	0.3	10
913	Nematode communities after the reintroduction of silver fir in beech-dominated forests. <i>European Journal of Forest Research</i> , 2019, 138, 957-965.	1.1	10
914	Effects of Earthworms and Agricultural Plant Species on the Soil Nematode Community in a Microcosm Experiment. <i>Scientific Reports</i> , 2019, 9, 11660.	1.6	11
915	Does vertical distribution of meiobenthic community structure differ among various mangrove habitats of Sundarban Estuarine System?. <i>Regional Studies in Marine Science</i> , 2019, 31, 100778.	0.4	7
916	Meiofauna communities' response to an anthropogenic pressure: The case study of green macroalgal bloom on sandy beach in Brittany. <i>Estuarine, Coastal and Shelf Science</i> , 2019, 227, 106326.	0.9	7
917	Effects of reduced seawater pH on nematode community composition and diversity in sandy sediments. <i>Marine Environmental Research</i> , 2019, 150, 104773.	1.1	4
918	Spatial distribution of soil nematodes relates to soil organic matter and life strategy. <i>Soil Biology and Biochemistry</i> , 2019, 136, 107542.	4.2	46
919	Sensitivity of Nematode Community Analysis to Agricultural Management Practices and Inoculation with Local Effective Microorganisms in the Southeastern United States. <i>Soil Systems</i> , 2019, 3, 41.	1.0	11

#	ARTICLE	IF	CITATIONS
920	Effects of Mercury (Hg) on Soil Nematodes: A Microcosm Approach. Archives of Environmental Contamination and Toxicology, 2019, 77, 421-431.	2.1	4
921	The effects of increasing land use intensity on soil nematodes: A turn towards specialism. Functional Ecology, 2019, 33, 2003-2016.	1.7	20
922	Salinity drives meiofaunal community structure dynamics across the Baltic ecosystem. Molecular Ecology, 2019, 28, 3813-3829.	2.0	31
923	Soil nematode abundance and functional group composition at a global scale. Nature, 2019, 572, 194-198.	13.7	635
924	Nematodes and other worms. , 2019, , 143-234.		2
925	Applications of TPL. , 2019, , 461-487.		0
926	Contrasting responses of soil nematode communities to native and non-native woody plant expansion. Oecologia, 2019, 190, 891-899.	0.9	7
927	Nematodes as evolutionary commuters between marine, freshwater and terrestrial habitats. Biological Journal of the Linnean Society, 2019, 128, 756-767.	0.7	39
928	Inter fjord variations as a key contributor in the meiobenthic faunal distribution in the Arctic Kongsfjord, Svalbard. Regional Studies in Marine Science, 2019, 32, 100817.	0.4	7
929	Variation of nematode indices under contrasting pest management practices in a tomato growing agro-ecosystem. Heliyon, 2019, 5, e02621.	1.4	9
930	Soil Nematode Fauna and Microbial Characteristics in an Early-Successional Forest Ecosystem. Forests, 2019, 10, 888.	0.9	13
931	The effect of combined application of Streptomyces rubrogriseus HDZ-9-47 with soil biofumigation on soil microbial and nematode communities. Scientific Reports, 2019, 9, 16886.	1.6	12
932	Changes in soil nematode abundance and composition under elevated [CO <sub>2</sub> ] and canopy warming in a rice paddy field. Plant and Soil, 2019, 445, 425-437.	1.8	23
933	Traces of Imidacloprid Induce Hormesis as a Stimulatory Conditioned Response of Sweetpotato Whitefly (Hemiptera: Aleyrodidae). Environmental Entomology, 2019, 48, 1418-1424.	0.7	3
934	Effects of an experimental oil spill on the structure and function of benthic assemblages with different history of exposure to oil perturbation. Marine Environmental Research, 2019, 152, 104822.	1.1	6
935	The invasive plant Mikania micrantha affects the soil foodweb and plant-soil nutrient contents in orchards. Soil Biology and Biochemistry, 2019, 139, 107630.	4.2	26
936	Reduced tillage, but not organic matter input, increased nematode diversity and food web stability in European long-term field experiments. Molecular Ecology, 2019, 28, 4987-5005.	2.0	39
937	Monitoring of marine nematode communities through 18S rRNA metabarcoding as a sensitive alternative to morphology. Ecological Indicators, 2019, 107, 105554.	2.6	17

#	ARTICLE	IF	CITATIONS
938	Perennial grain crop roots and nitrogen management shape soil food webs and soil carbon dynamics. <i>Soil Biology and Biochemistry</i> , 2019, 137, 107573.	4.2	56
939	Conventional and organic soil management as divergent drivers of resident and active fractions of major soil food web constituents. <i>Scientific Reports</i> , 2019, 9, 13521.	1.6	54
940	Forest Gap Size Alters the Functional Diversity of Soil Nematode Communities in Alpine Forest Ecosystems. <i>Forests</i> , 2019, 10, 806.	0.9	3
941	Comparing the effects of fludioxonil on non-target soil invertebrates using ecotoxicological methods from single-species bioassays to model ecosystems. <i>Ecotoxicology and Environmental Safety</i> , 2019, 183, 109596.	2.9	11
942	The effects of drought and nutrient addition on soil organisms vary across taxonomic groups, but are constant across seasons. <i>Scientific Reports</i> , 2019, 9, 639.	1.6	72
943	Isolation and characterization of <i>Aspergillus niger</i> NBC001 underlying suppression against <i>Heterodera glycines</i> . <i>Scientific Reports</i> , 2019, 9, 591.	1.6	11
944	Dune soil communities primarily associated with climate factors, not exotic plant presence. <i>Plant and Soil</i> , 2019, 436, 503-515.	1.8	2
945	Effect of piscivorous and omnivorous colonial birds' activity on structure, abundance and diversity of soil free-living nematodes. Preliminary results from a study of the impact of avifauna on soil biota in Israel's Mediterranean Coastal Plain. <i>Ecological Indicators</i> , 2019, 107, 105211.	2.6	6
946	Presence or absence? Primary structure, regioselectivity and evolution of $\delta^{12}C$ fatty acid desaturases in nematodes. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2019, 1864, 1194-1205.	1.2	13
947	The impacts of nutrient addition and livestock enclosure on the soil nematode community in a degraded grassland. <i>Land Degradation and Development</i> , 2019, 30, 1574-1583.	1.8	11
948	Does topsoil removal in grassland restoration benefit both soil nematode and plant communities?. <i>Journal of Applied Ecology</i> , 2019, 56, 1782-1793.	1.9	21
949	Soil microbial, nematode, and enzymatic responses to elevated CO <sub>2</sub> , N fertilization, warming, and reduced precipitation. <i>Soil Biology and Biochemistry</i> , 2019, 135, 184-193.	4.2	64
950	Bioindicators or sediment relationships: Evaluating ecological responses from sandy beach nematodes. <i>Estuarine, Coastal and Shelf Science</i> , 2019, 224, 217-227.	0.9	10
951	New Insights Into Nematode DNA-metabarcoding as Revealed by the Characterization of Artificial and Spiked Nematode Communities. <i>Diversity</i> , 2019, 11, 52.	0.7	43
952	Crop rotation and tillage affect nematode communities more than biocides in monoculture soybean. <i>Applied Soil Ecology</i> , 2019, 140, 89-97.	2.1	22
953	Anthropogenic Impacts on Soil Fauna Assemblages. , 2019, , 192-220.		0
954	Soil and Its Fauna. , 2019, , 1-41.		1
955	Functional Roles of Soil Fauna. , 2019, , 42-85.		0

#	ARTICLE	IF	CITATIONS
956	Soil Fauna Biogeography and Macroecology. , 2019, , 121-151.		0
959	Approaches to Studying Soil Fauna and Its Functional Roles. , 2019, , 86-120.		1
960	Soil Fauna Assemblages at Fine Scales to Landscapes. , 2019, , 152-191.		0
961	Climate Change Impacts on Soil Fauna. , 2019, , 221-245.		1
962	Soil Fauna Assemblage Succession and Restoration. , 2019, , 246-267.		0
963	The Future of Soil Fauna Assemblages. , 2019, , 268-290.		0
965	Soil mites as bioindicators of disturbance in the boreal forest in northern Alberta, Canada: Testing taxonomic sufficiency at multiple taxonomic levels. Ecological Indicators, 2019, 102, 349-365.	2.6	18
966	Specific legumes allay drought effects on soil microbial food web activities of the focal species in agroecosystem. Plant and Soil, 2019, 437, 455-471.	1.8	18
967	Functional diversity of free-living nematodes in river lagoons: can biological traits analysis (BTA) integrate traditional taxonomic-based approaches as a monitoring tool?. Marine Environmental Research, 2019, 145, 164-176.	1.1	11
968	Biotic homogenization of wetland nematode communities by exotic <i>Spartina alterniflora</i> in China. Ecology, 2019, 100, e02596.	1.5	37
969	A method for estimating nematode body lengths for use in the calculation of biomass via a simplified formula. Soil Biology and Biochemistry, 2019, 134, 36-41.	4.2	6
970	Future Trend Lines in Ecological Meiobenthos Research. SpringerBriefs in Biology, 2019, , 37-49.	0.5	1
971	Diversity of arbuscular mycorrhizal fungi and nematodes in a 14 years no-tillage chronosequence. Rhizosphere, 2019, 10, 100149.	1.4	3
972	Nematode communities differ in Hopi landrace maize and commercial maize. Applied Soil Ecology, 2019, 138, 181-188.	2.1	1
973	Perspectives in Meiobenthology. SpringerBriefs in Biology, 2019, , .	0.5	15
974	Influence of natural and anthropogenic disturbances on foraminifera and free-living nematodes in four lagoons of the Po delta system. Estuarine, Coastal and Shelf Science, 2019, 220, 99-110.	0.9	14
975	Response of Soil Nematode Community to Phosphorous Amendment in a Subalpine Spruce Plantation. Clean - Soil, Air, Water, 2019, 47, 1800202.	0.7	5
976	Free-living nematode assemblages in the rhizosphere of watermelon plants in Nigeria: a baseline study. Nematology, 2019, 22, 23-37.	0.2	1

#	ARTICLE	IF	CITATIONS
977	Distribution and community structure of plant-parasitic nematodes and their relationship with some soil properties in betel vine-growing regions of West Bengal, India. <i>Nematology</i> , 2019, 21, 581-595.	0.2	4
978	The effect of fumigation on nematode communities in California almond orchards. <i>Nematology</i> , 2019, 21, 899-912.	0.2	4
979	Characterization of the Soil Nematode Fauna of Makerere Hill, Kampala, Uganda. <i>Journal of Entomology and Nematology</i> , 2019, 11, 70-84.	0.2	2
980	Liming, phosphorus and zinc influence on soil nematode community structure at hot pepper. <i>Zahradnictvi (Prague, Czech Republic)</i> : 1992), 2019, 46, 65-71.	0.3	3
981	Communities of Soil Nematodes of Various Tundra Phytocenoses Differing in the Development Level of the Shrub Layer. <i>Russian Journal of Ecology</i> , 2019, 50, 526-534.	0.3	3
982	Evaluation of Nematicidal Activity of Fluensulfone against Non-Target Free-Living Nematodes under Field Conditions. <i>Agronomy</i> , 2019, 9, 853.	1.3	10
983	Rebuilding Soil Ecosystems for Improved Productivity in Biosolarized Soils. <i>International Journal of Agronomy</i> , 2019, 2019, 1-10.	0.5	14
984	Whey: The Soil Bio-Community Enhancer That Selectively Controls Root-Knot Nematodes. <i>Plants</i> , 2019, 8, 445.	1.6	4
985	Nematode soil food webs in maize agro-ecosystems and their implication on plant-parasitic nematodes. <i>Phytoparasitica</i> , 2019, 47, 743-758.	0.6	5
986	Changes in Nematode Communities and Functional Diversity With the Conversion of Rainforest Into Rubber and Oil Palm Plantations. <i>Frontiers in Ecology and Evolution</i> , 2019, 7, .	1.1	21
987	Functional response of tropical estuarine benthic assemblages to perturbation by Polycyclic Aromatic Hydrocarbons. <i>Ecological Indicators</i> , 2019, 96, 229-240.	2.6	41
988	How does an invasive <i>Heracleum sosnowskyi</i> affect soil nematode communities in natural conditions?. <i>Nematology</i> , 2019, 21, 71-89.	0.2	10
989	Natura 2000 priority and non-priority habitats do not differ in soil nematode diversity. <i>Applied Soil Ecology</i> , 2019, 135, 166-173.	2.1	9
990	Perennial crop legacy effects on nematode community structure in semi-arid wheat systems. <i>Applied Soil Ecology</i> , 2019, 136, 93-100.	2.1	6
991	Plant and soil microfaunal biodiversity across the borders between arable and forest ecosystems in a Mediterranean landscape. <i>Applied Soil Ecology</i> , 2019, 136, 122-138.	2.1	22
992	Long-term nitrogen addition shifts the soil nematode community to bacterivore-dominated and reduces its ecological maturity in a subalpine forest. <i>Soil Biology and Biochemistry</i> , 2019, 130, 177-184.	4.2	58
993	Cascading spatial and trophic impacts of oak decline on the soil food web. <i>Journal of Ecology</i> , 2019, 107, 1199-1214.	1.9	15
994	Direct and indirect effects of nitrogen enrichment on soil organisms and carbon and nitrogen mineralization in a semi-arid grassland. <i>Functional Ecology</i> , 2019, 33, 175-187.	1.7	115

#	ARTICLE	IF	CITATIONS
995	Effects of cover crops on soil biota, soil fertility and weeds, and <i>Pratylenchus</i> suppression in experimental conditions. <i>Nematology</i> , 2019, 21, 227-241.	0.2	8
996	The effect of phosphorus addition, soil moisture, and plant type on soil nematode abundance and community composition. <i>Journal of Soils and Sediments</i> , 2019, 19, 1139-1150.	1.5	25
997	Impact of the invasive plant <i>Solidago gigantea</i> on soil nematodes in a semi-natural grassland and a temperate broadleaved mixed forest. <i>Journal of Helminthology</i> , 2020, 94, e51.	0.4	16
998	Soil nematodes differ in association with native and non-native dune-building grass species. <i>Applied Soil Ecology</i> , 2020, 145, 103306.	2.1	4
999	Spatial structure and soil properties shape local community structure of plant-parasitic nematodes in cultivated olive trees in southern Spain. <i>Agriculture, Ecosystems and Environment</i> , 2020, 287, 106688.	2.5	18
1000	Impact of Peatland Restoration on Soil Microbial Activity and Nematode Communities. <i>Wetlands</i> , 2020, 40, 865-875.	0.7	5
1001	Temperature changes affect multi-trophic interactions among pines, mycorrhizal fungi, and soil nematodes in a microcosm experiment. <i>Pedobiologia</i> , 2020, 78, 150595.	0.5	16
1002	Cyclic formation of zokor mounds promotes plant diversity and renews plant communities in alpine meadows on the Tibetan Plateau. <i>Plant and Soil</i> , 2020, 446, 65-79.	1.8	11
1003	Community Structure of Soil Nematodes Associated with the Rhizosphere of <i>Solanum Lycopersicum</i> in a Major Production Area in Argentina: a Case Study Among Agroecosystem Types. <i>Journal of Soil Science and Plant Nutrition</i> , 2020, 20, 43-54.	1.7	7
1004	Responses of nematode, bacterial, and fungal populations to high frequency applications and increasing rates of biosolids in an agricultural soil. <i>Applied Soil Ecology</i> , 2020, 148, 103481.	2.1	7
1005	Community- and trophic-level responses of soil nematodes to removal of a non-native tree at different stages of invasion. <i>PLoS ONE</i> , 2020, 15, e0227130.	1.1	2
1006	Meiobenthic nematodes in the assessment of the relative impact of human activities on coastal marine ecosystem. <i>Environmental Monitoring and Assessment</i> , 2020, 192, 81.	1.3	11
1007	The response of soil nematode fauna to climate drying and warming in <i>Stipa breviflora</i> desert steppe in Inner Mongolia, China. <i>Journal of Soils and Sediments</i> , 2020, 20, 2166-2180.	1.5	26
1008	Cacao agroforestry in Belize: Effects on soil nematode community structure. <i>Agroforestry Systems</i> , 2020, 94, 1123-1132.	0.9	4
1009	Land use, soil properties and climate variables influence the nematode communities in the Caatinga dry forest. <i>Applied Soil Ecology</i> , 2020, 150, 103474.	2.1	26
1010	Influence of invasion by <i>Sosnowsky's</i> hogweed on nematode communities and microbial activity in forest and grassland ecosystems. <i>Global Ecology and Conservation</i> , 2020, 21, e00851.	1.0	10
1011	Nematode community characteristics are associated to loggerhead turtle hatching success. <i>Ecological Indicators</i> , 2020, 111, 105977.	2.6	3
1012	Climate change and land use induce functional shifts in soil nematode communities. <i>Oecologia</i> , 2020, 192, 281-294.	0.9	35



#	ARTICLE	IF	CITATIONS
1013	Interactions of bacterial-feeding nematodes and indole-3-acetic acid (IAA)-producing bacteria promotes growth of <i>Arabidopsis thaliana</i> by regulating soil auxin status. <i>Applied Soil Ecology</i> , 2020, 147, 103447.	2.1	15
1014	Assessing costs and benefits of improved soil quality management in remediation projects: A study of an urban site contaminated with PAH and metals. <i>Science of the Total Environment</i> , 2020, 707, 135582.	3.9	13
1015	Effects of sediment disturbance on deep-sea nematode communities: Results from an in-situ experiment at the arctic LTER observatory HAUSGARTEN. <i>Journal of Experimental Marine Biology and Ecology</i> , 2020, 533, 151471.	0.7	3
1016	Root traits mediate functional guilds of soil nematodes in an ex-arable field. <i>Soil Biology and Biochemistry</i> , 2020, 151, 108038.	4.2	25
1017	Direct and indirect trophic interactions of soil nematodes impact chickpea and oat nutrition. <i>Plant and Soil</i> , 2020, 457, 255-268.	1.8	7
1018	Restructuring of a meiobenthic assemblage after sediment contamination with an antibacterial compound: Case study of ciprofloxacin. <i>Ecotoxicology and Environmental Safety</i> , 2020, 205, 111084.	2.9	14
1019	Influence of edaphic factors along an altitudinal gradient on a litter arthropod community in an <i>Abies-Quercus</i> forest in Mexico. <i>Acta Oecologica</i> , 2020, 108, 103609.	0.5	3
1020	A Case Study of Nematode Communities' Dynamics along Successional Paths in the Reclaimed Landfill. <i>Diversity</i> , 2020, 12, 274.	0.7	9
1021	Ecto- and endoparasitic nematodes respond differently across sites to changes in precipitation. <i>Oecologia</i> , 2020, 193, 761-771.	0.9	14
1022	Effect of Soil Treatments and Amendments on the Nematode Community under <i>Miscanthus</i> Growing in a Lead Contaminated Military Site. <i>Agronomy</i> , 2020, 10, 1727.	1.3	16
1023	Soil nematode communities as indicators of soil health in different land use types in tropical area. <i>Nematology</i> , 2020, 22, 595-610.	0.2	19
1024	The Short-Term Impact of Different Silvicultural Thinnings on Soil Nematode and Microarthropod Biodiversity in Artificial Black Pine Stands. <i>Forests</i> , 2020, 11, 1212.	0.9	8
1025	Biological attributes of Salibroã,ç, a novel sulfonamide nematicide. Part 2: Impact on the fitness of various non-target nematodes. <i>Nematology</i> , 2020, 23, 287-303.	0.2	8
1026	Effects of resource manipulation on nematode community structure and metabolic footprints in an arable soil across time and depth. <i>Nematology</i> , 2020, 22, 1025-1043.	0.2	6
1027	Relationship Between Soil Properties and Banana Productivity in the Two Main Cultivation Areas in Venezuela. <i>Journal of Soil Science and Plant Nutrition</i> , 2020, 20, 2512-2524.	1.7	45
1028	Impact of low-cost management techniques on population dynamics of plant-parasitic nematodes in sweet potato. <i>Crop Protection</i> , 2020, 137, 105311.	1.0	4
1029	Differential gene expression in the insect pathogen <i>Steinernema feltiae</i> in response to chromium VI exposure in contaminated host cadavers. <i>Computational Biology and Chemistry</i> , 2020, 88, 107331.	1.1	0
1030	Nematode metabolic footprints, ecological and functional indices in tropical maize-beans agro-ecosystems under different farming practices. <i>Acta Oecologica</i> , 2020, 108, 103622.	0.5	11

#	ARTICLE	IF	CITATIONS
1031	The effect of soil and plant material transplants on vegetation and soil biota during forest restoration in a limestone quarry: A case study. <i>Ecological Engineering</i> , 2020, 158, 106039.	1.6	16
1032	Response of life-history traits of estuarine nematodes to the surfactant sodium dodecyl sulfate. <i>Aquatic Toxicology</i> , 2020, 227, 105609.	1.9	4
1033	Responses of soil nematode community to monoculture or mixed culture of a grass and a legume forage species in China. <i>Pedosphere</i> , 2020, 30, 791-800.	2.1	17
1034	Effects of microhabitats and soil conditions on structuring patterns of nematode communities in Japanese cedar ( <i>Cryptomeria japonica</i> ) plantation forests under temperate climate conditions. <i>Soil Biology and Biochemistry</i> , 2020, 151, 108044.	4.2	23
1035	Bacterivorous Nematodes Correlate with Soil Fertility and Improved Crop Production in an Organic Minimum Tillage System. <i>Sustainability</i> , 2020, 12, 6730.	1.6	13
1036	Assessing multifunctionality of agricultural soils: Reducing the biodiversity trade-off. <i>European Journal of Soil Science</i> , 2021, 72, 1624-1639.	1.8	12
1037	Effects of maize pre-cultivation on soil deterioration indicated by the soil nematode community in replanted apple orchard. <i>Biocontrol Science and Technology</i> , 2020, 30, 878-896.	0.5	1
1038	Immediate responses of soil nematode community to addition of multiple nutrients in a degraded grassland. <i>Plant and Soil</i> , 2022, 473, 123-136.	1.8	2
1039	Testing Bathymetric and Regional Patterns in the Southwest Atlantic Deep Sea Using Infaunal Diversity, Structure, and Function. <i>Diversity</i> , 2020, 12, 485.	0.7	8
1040	Chemical and biological indicators of soil health in Chicago urban gardens and farms. <i>Urban Agriculture &amp; Regional Food Systems</i> , 2020, 5, e20004.	0.6	10
1041	Effects of the invasive common milkweed ( <i>Asclepias syriaca</i> ) on nematode communities in natural grasslands. <i>Nematology</i> , 2020, 22, 423-438.	0.2	6
1042	Seasonal variation and vertical distribution of nematode communities and their relation to soil chemical property and rice productivity under triple rice cultivation in the Mekong Delta, Vietnam. <i>Nematology</i> , 2020, 23, 33-46.	0.2	5
1043	Validation and Modification of the Van Genuchten Model for Eroded Black Soil in Northeastern China. <i>Water (Switzerland)</i> , 2020, 12, 2678.	1.2	5
1044	Effects of mowing frequency on abundance, genus diversity and community traits of soil nematodes in a meadow steppe in northeast China. <i>Plant and Soil</i> , 2022, 473, 89-107.	1.8	9
1045	Soil quality response to organic amendments on dryland red soil in subtropical China. <i>Geoderma</i> , 2020, 373, 114416.	2.3	49
1046	Impact of historical sulfide mine tailings discharge on meiofaunal assemblages (Portmán Bay, Tj ETQq1 1 0.784314,rgBT /Oyerlock 10 3.9 16	3.9	16
1047	The Effect of a Dam Construction on Subtidal Nematode Communities in the Ba Lai Estuary, Vietnam. <i>Diversity</i> , 2020, 12, 137.	0.7	11
1048	Changes in Soil Nematode Communities during Postagrogenic Transformation of Peat Soils and Vegetation. <i>Eurasian Soil Science</i> , 2020, 53, 686-695.	0.5	1

#	ARTICLE	IF	CITATIONS
1049	Soil acidification reduces the effects of short-term nutrient enrichment on plant and soil biota and their interactions in grasslands. <i>Global Change Biology</i> , 2020, 26, 4626-4637.	4.2	43
1050	Contrasting effects of nitrogen deposition and increased precipitation on soil nematode communities in a temperate forest. <i>Soil Biology and Biochemistry</i> , 2020, 148, 107869.	4.2	15
1051	Effects of cropping systems and soil amendments on nematode community and its relationship with soil physicochemical properties in a paddy rice field in the Vietnamese Mekong Delta. <i>Applied Soil Ecology</i> , 2020, 156, 103683.	2.1	18
1052	Effects of synthetic fertilizer and farm compost on soil nematode community in long-term crop rotation plots: A morphological and metabarcoding approach. <i>PLoS ONE</i> , 2020, 15, e0230153.	1.1	19
1053	Distribution of Root-Lesion and Stunt Nematodes, and Their Relationship with Soil Properties and Nematode Fauna in Sugarcane Fields in Okinawa, Japan. <i>Agronomy</i> , 2020, 10, 762.	1.3	4
1054	Microbial community size is a potential predictor of nematode functional group in limed grasslands. <i>Applied Soil Ecology</i> , 2020, 156, 103702.	2.1	24
1055	Gene family expansion of pinewood nematode to detoxify its host defence chemicals. <i>Molecular Ecology</i> , 2020, 29, 940-955.	2.0	23
1056	Influence of management intensity and environmental conditions on microbiota in biological soil crust and crust-free soil habitats of temperate forests. <i>Soil Biology and Biochemistry</i> , 2020, 144, 107761.	4.2	15
1057	Multiple benthic indicators suggest low sewage impact from an ocean outfall in a high-energy sandy shore (South Brazil). <i>Ecological Indicators</i> , 2020, 113, 106207.	2.6	1
1058	Using high-throughput sequencing quantitatively to investigate soil nematode community composition in a steppe-forest ecotone. <i>Applied Soil Ecology</i> , 2020, 152, 103562.	2.1	38
1059	Biochar addition combined with daily fertigation improves overall soil quality and enhances water-fertilizer productivity of cucumber in alkaline soils of a semi-arid region. <i>Geoderma</i> , 2020, 363, 114170.	2.3	60
1060	Micro-food web interactions involving bacteria, nematodes, and mycorrhiza enhance tree P nutrition in a high P-sorbing soil amended with phytate. <i>Soil Biology and Biochemistry</i> , 2020, 143, 107728.	4.2	16
1061	Forest canopy maintains the soil community composition under elevated nitrogen deposition. <i>Soil Biology and Biochemistry</i> , 2020, 143, 107733.	4.2	47
1062	Contrasting latitudinal clines of nematode diversity in <i>Spartina alterniflora</i> salt marshes between native and introduced ranges. <i>Diversity and Distributions</i> , 2020, 26, 623-631.	1.9	3
1063	Biology of Composts. <i>Soil Biology</i> , 2020, , .	0.6	4
1064	Assessing the Ecological Status of the Seekoeivlei Wetland, South Africa: a Nematode Community Case Study. <i>Wetlands</i> , 2020, 40, 1269-1281.	0.7	2
1065	Deciphering the synergistic impact of elevated temperature and oil pollution on meiobenthic community structure: A benthocosm study. <i>Ecotoxicology and Environmental Safety</i> , 2021, 207, 111549.	2.9	4
1066	Crop tree release increased the density of soil nematodes and improved the food web structure. <i>Canadian Journal of Forest Research</i> , 2021, 51, 101-110.	0.8	3

#	ARTICLE	IF	CITATIONS
1067	Plant-feeding nematodes associated with <i>Miscanthus giganteus</i> and their use as potential indicators of the plantations state. <i>International Journal of Environmental Science and Technology</i> , 2021, 18, 57-72.	1.8	8
1068	Plant genotypic diversity effects on soil nematodes vary with trophic level. <i>New Phytologist</i> , 2021, 229, 575-584.	3.5	9
1069	Relationships of plant traits and soil biota to soil functions change as nitrogen fertiliser rates increase in an intensively managed agricultural system. <i>Journal of Applied Ecology</i> , 2021, 58, 392-405.	1.9	6
1070	Biochar addition rate determines contrasting shifts in soil nematode trophic groups in outdoor mesocosms: An appraisal of underlying mechanisms. <i>Applied Soil Ecology</i> , 2021, 158, 103788.	2.1	19
1071	Soil management induced shifts in nematode food webs within a Mediterranean vineyard in the Central Coast of California (USA). <i>Applied Soil Ecology</i> , 2021, 157, 103756.	2.1	5
1072	Re-establishment of nematode communities in a rehabilitated surface mining area in Sibutad, southern Philippines. <i>European Journal of Soil Biology</i> , 2021, 102, 103254.	1.4	1
1073	Nematodes as Drivers of Plant Performance in Natural Systems. <i>Trends in Plant Science</i> , 2021, 26, 237-247.	4.3	90
1074	Evaluating long-term success in grassland restoration: an ecosystem multifunctionality approach. <i>Ecological Applications</i> , 2021, 31, e02271.	1.8	17
1076	Soil nutrient and nematode community changes in response to hardwood charcoal application. <i>Communications in Soil Science and Plant Analysis</i> , 2021, 52, 917-925.	0.6	5
1077	Seasonal Dynamics of the Structure of Soil Nematode Communities in Chestnut Soils Affected by Grazing Pressure in the Manych River Valley. <i>Arid Ecosystems</i> , 2021, 11, 91-101.	0.2	1
1078	The Evolution of Biological Soil Quality Under Long Term Agricultural Management. <i>SSRN Electronic Journal</i> , 0, , .	0.4	0
1079	Composition of marine nematode communities across broad longitudinal and bathymetric gradients in the Northeast Chukchi and Beaufort Seas. <i>Polar Biology</i> , 2021, 44, 85-103.	0.5	5
1080	Communities of Soil Invertebrates near Iska-Shor Hydrogen Sulfide Springs in the Adak Nature Reserve (Komi Republic). <i>Russian Journal of Ecology</i> , 2021, 52, 76-83.	0.3	0
1081	Short-Time Impact of Soil Amendments with Medicago Plant Materials on Soil Nematofauna. <i>Plants</i> , 2021, 10, 145.	1.6	0
1082	Seasonal Stabilities of Soil Nematode Communities and Their Relationships with Environmental Factors in Different Temperate Forest Types on the Chinese Loess Plateau. <i>Forests</i> , 2021, 12, 246.	0.9	7
1083	Phytoparasitic nematodes of organic vegetables in the Argan Biosphere of Souss-Massa (Southern Morocco). <i>Journal of Applied Ecology</i> , 2021, 58, 392-405.	2.7	5
1084	Functional Diversity of Soil Nematodes in Relation to the Impact of Agriculture – A Review. <i>Diversity</i> , 2021, 13, 64.	0.7	38
1085	Nematode Community-Based Soil Food Web Analysis of Ferralsol, Lithosol and Nitosol Soil Groups in Ghana, Kenya and Malawi Reveals Distinct Soil Health Degradations. <i>Diversity</i> , 2021, 13, 101.	0.7	6

#	ARTICLE	IF	CITATIONS
1086	Description of <i>Prionchulus girchi</i> sp. nov. (Nematoda: Mononchina) with additional data on two known species of the genus <i>Prionchulus</i> from Lorestan province, Iran. <i>Helminthologia</i> , 2021, 58, 85-91.	0.3	1
1087	Soil nematodes status of crude oil polluted sites in Bodo community, Gokana Local Government Area, Rivers State, Nigeria. <i>African Journal of Environmental Science and Technology</i> , 2021, 15, 85-97.	0.2	0
1088	Temporal recovery of soil biological activity and diversity after 915-MHz microwave treatments. <i>Biology and Fertility of Soils</i> , 2021, 57, 603-616.	2.3	0
1089	Effect of land use and seasonality on nematode faunal structure and ecosystem functions in the Caatinga dry forest. <i>European Journal of Soil Biology</i> , 2021, 103, 103296.	1.4	13
1090	Occurrence of <i>Meloidogyne hapla</i> relative to nematode abundance and soil food web structure in soil groups of selected Michigan vegetable production fields. <i>Nematology</i> , 2021, 23, 1-12.	0.2	2
1091	Effects of residue mulching amounts on metabolic footprints based on production and respiration of soil nematodes in a long-term no-tillage system. <i>Land Degradation and Development</i> , 2021, 32, 2383-2392.	1.8	12
1092	First Assessment of the Benthic Meiofauna Sensitivity to Low Human-Impacted Mangroves in French Guiana. <i>Forests</i> , 2021, 12, 338.	0.9	6
1093	Changes in soil nematodes in rhizosphere and non-rhizosphere soils following combined elevated [CO <sub>2</sub> ] and canopy warming in a winter wheat field. <i>Geoderma</i> , 2021, 386, 114907.	2.3	11
1094	Impacts of saltwater intrusion on soil nematodes community in alluvial and acid sulfate soils in paddy rice fields in the Vietnamese Mekong Delta. <i>Ecological Indicators</i> , 2021, 122, 107284.	2.6	6
1095	Considerable impacts of litter inputs on soil nematode community composition in a young <i>Acacia crassicapa</i> plantation. <i>Soil Ecology Letters</i> , 2021, 3, 145-155.	2.4	7
1096	The Impact of Root-Derived Resources on Forest Soil Invertebrates Depends on Body Size and Trophic Position. <i>Frontiers in Forests and Global Change</i> , 2021, 4, .	1.0	11
1097	Legacy of plant-parasitic nematode communities from past ecosystems and shift by recent afforestation. <i>Global Ecology and Conservation</i> , 2021, 26, e01423.	1.0	2
1098	Effects of ecosystem disturbance on nematode communities in calcareous and red soils: Comparison of taxonomic methods. <i>Soil Biology and Biochemistry</i> , 2021, 155, 108162.	4.2	6
1099	Soil nematode community composition, diversity, and soil properties in an age sequence of <i>Haloxylon ammodendron</i> plantations in an oasis-desert ecotone of northwestern China. <i>Arid Land Research and Management</i> , 2021, 35, 463-482.	0.6	4
1100	The maturity index for Uropodina (Acari: Mesostigmata) communities as an indicator of human-caused disturbance in selected forest complexes of Poland. <i>Experimental and Applied Acarology</i> , 2021, 83, 475-491.	0.7	2
1101	Spruce girdling decreases abundance of fungivorous soil nematodes in a boreal forest. <i>Soil Biology and Biochemistry</i> , 2021, 155, 108184.	4.2	19
1102	Agricultural habitats are dominated by rapidly evolving nematodes revealed through phylogenetic comparative methods. <i>Soil Biology and Biochemistry</i> , 2021, 155, 108183.	4.2	16
1103	Distinct community structures of soil nematodes from three ecologically different sites revealed by high-throughput amplicon sequencing of four 18S ribosomal RNA gene regions. <i>PLoS ONE</i> , 2021, 16, e0249571.	1.1	5

#	ARTICLE	IF	CITATIONS
1104	The Effect of Botanicals with Nematicidal Activity on the Structural and Functional Characteristics of the Soil Nematode Community. <i>Agriculture (Switzerland)</i> , 2021, 11, 326.	1.4	7
1105	Nematode communities indicate the negative impact of <i>Reynoutria japonica</i> invasion on soil fauna in ruderal habitats of tatra national park in Slovakia. <i>Global Ecology and Conservation</i> , 2021, 26, e01470.	1.0	10
1106	Soil physicochemical properties shape distinct nematode communities in serpentine ecosystems. <i>Pedobiologia</i> , 2021, 85-86, 150725.	0.5	2
1107	Effects of Mowing Frequency on Soil Nematode Diversity and Community Structure in a Chinese Meadow Steppe. <i>Sustainability</i> , 2021, 13, 5555.	1.6	2
1108	Biodisinfestation With Agricultural By-Products Developed Long-Term Suppressive Soils Against <i>Meloidogyne incognita</i> in Lettuce Crop. <i>Frontiers in Sustainable Food Systems</i> , 2021, 5, .	1.8	4
1109	Nematode traits after separate and simultaneous exposure to Polycyclic Aromatic Hydrocarbons (anthracene, pyrene and benzo[a]pyrene) in closed and open microcosms. <i>Environmental Pollution</i> , 2021, 276, 116759.	3.7	20
1110	Relationships between physico-chemical, biological and functional approaches for soil quality assessment. A case study along a gradient of disturbance. <i>European Journal of Soil Biology</i> , 2021, 104, 103300.	1.4	0
1111	Plant signals differentially affect rhizosphere nematode populations. <i>Journal of Experimental Botany</i> , 2021, 72, 3496-3499.	2.4	3
1112	Análise e identificação de nematoides fitófagos em área irrigada por pivô central. <i>Research, Society and Development</i> , 2021, 10, e54110515213.	0.0	0
1113	Using Nematode Community to Evaluate Banana Soil Food Web in Mekargalih, Cianjur, West Java. <i>Pertanika Journal of Science and Technology</i> , 2021, 44, .	0.1	0
1114	Influence of ecological and edaphic factors on biodiversity of soil nematodes. <i>Saudi Journal of Biological Sciences</i> , 2021, 28, 3049-3059.	1.8	45
1115	Disentangling the Effect of Seasonal Dynamics on Meiobenthic Community Structure From River Matla of Sundarbans Estuarine System, India. <i>Frontiers in Marine Science</i> , 2021, 8, .	1.2	3
1116	Nematode community structure and functional guilds differ in tea fields and tropical forest. <i>Geoderma</i> , 2021, 392, 115006.	2.3	7
1117	Sulfur deposition changed the community structure of soil nematodes by affecting omnivores-predators. <i>Science of the Total Environment</i> , 2021, 771, 144912.	3.9	6
1118	Comparison of nematode communities in anecic earthworm casts and adjacent soil reveal a land use-independent trophic group signature. <i>Global Ecology and Conservation</i> , 2021, 27, e01565.	1.0	1
1119	Overview of the Genus <i>Boleodorus</i> and First Reports of <i>Boleodorus thylactus</i> and <i>B. volutus</i> from Southern Alberta, Canada. <i>Animals</i> , 2021, 11, 1760.	1.0	4
1120	Long-term nitrogen addition and precipitation reduction decrease soil nematode community diversity in a temperate forest. <i>Applied Soil Ecology</i> , 2021, 162, 103895.	2.1	15
1121	Biological indicative assessment of nematodes in evaluating different terrestrial habitats. <i>International Journal of Agricultural and Applied Sciences</i> , 2021, 2, 91-109.	0.1	0

#	ARTICLE	IF	CITATIONS
1122	Monitoring of Long-Lasting Effects of Fumigation with Dimethyl Disulfide (DMDS) on Root-Gall Index, Root-Knots, Other Nematode Populations, and Crop Yield over Three Protected Cucumber Crops in Bulgaria. <i>Agronomy</i> , 2021, 11, 1206.	1.3	1
1123	Effect of grazing intensity on plant-parasitic nematodes in an integrated crop–livestock system with low plant diversity. <i>Applied Soil Ecology</i> , 2021, 163, 103908.	2.1	2
1124	Suitability of Free-Living Marine Nematodes as Bioindicators: Status and Future Considerations. <i>Frontiers in Marine Science</i> , 2021, 8, .	1.2	34
1125	The impact of fluzaindolizine on free-living nematodes and the nematode community structure in a root-knot nematode infested vegetable production system. <i>Pest Management Science</i> , 2021, 77, 5220-5227.	1.7	14
1126	Medium-term response of the natural grassland soil biota to multiwalled carbon nanotube contamination. <i>Science of the Total Environment</i> , 2021, 779, 146392.	3.9	1
1127	Soil Nematode Communities in Managed and Natural Temperate Forest. <i>Diversity</i> , 2021, 13, 327.	0.7	8
1128	Relating nematode community structure to different kikuyu-ryegrass pasture establishment methods. <i>Journal of Plant Diseases and Protection</i> , 0, , 1.	1.6	2
1129	Livestock grazing promotes ecosystem multifunctionality of a coastal salt marsh. <i>Journal of Applied Ecology</i> , 2021, 58, 2124-2134.	1.9	11
1130	Are free-living nematodes effective environmental quality indicators? Insights from Bohai Bay, China. <i>Ecological Indicators</i> , 2021, 127, 107756.	2.6	9
1131	Exploiting the Innate Potential of Sorghum/Sorghum–Sudangrass Cover Crops to Improve Soil Microbial Profile That Can Lead to Suppression of Plant-Parasitic Nematodes. <i>Microorganisms</i> , 2021, 9, 1831.	1.6	4
1132	Positioning entomopathogenic nematodes for the future viticulture: exploring their use against biotic threats and as bioindicators of soil health. <i>Turkish Journal of Zoology</i> , 2021, 45, 335-346.	0.4	5
1133	Altitudinal gradient affect abundance, diversity and metabolic footprint of soil nematodes in Banihal-Pass of Pir-Panjaj mountain range. <i>Scientific Reports</i> , 2021, 11, 16214.	1.6	12
1134	Independent effects of warming and altered precipitation pattern on nematode community structure in an arable field. <i>Agriculture, Ecosystems and Environment</i> , 2021, 316, 107467.	2.5	9
1135	Large-Scale Patterns of Soil Nematodes across Grasslands on the Tibetan Plateau: Relationships with Climate, Soil and Plants. <i>Diversity</i> , 2021, 13, 369.	0.7	3
1136	Silvicultural management does not affect biotic communities in conifer plantations in the short-term: A multi-taxon assessment using a BACI approach. <i>Forest Ecology and Management</i> , 2021, 493, 119257.	1.4	3
1137	Effects of long-term straw incorporation on nematode community composition and metabolic footprint in a rice–wheat cropping system. <i>Journal of Integrative Agriculture</i> , 2021, 20, 2265-2276.	1.7	7
1138	Restoration of damaged ecosystems in desert steppe open-pit coal mines: Effects on soil nematode communities and functions. <i>Land Degradation and Development</i> , 2021, 32, 4402-4416.	1.8	11
1139	Above-ground Nematode Community Structure and Hyphal Abundance in Different Organs of a Japanese Cedar ( <i>Cryptomeria japonica</i> ) Trees. <i>Journal of the Japanese Forest Society</i> , 2021, 103, 253-258.	0.1	0

#	ARTICLE	IF	CITATIONS
1140	A comparison of soil nematode community structure and environmental factors along fen-bush-forest succession in a peatland, northeastern China. <i>Global Ecology and Conservation</i> , 2021, 28, e01679.	1.0	6
1141	Effects of grazing intensity on soil nematode community structure and function in different soil layers in a meadow steppe. <i>Plant and Soil</i> , 2022, 471, 33-46.	1.8	13
1142	Agriculture causes homogenization of plant-feeding nematode communities at the regional scale. <i>Journal of Applied Ecology</i> , 2021, 58, 2881-2891.	1.9	10
1143	Dead Wood as an Element Enriching Biodiversity of Forest Ecosystems: A Case Study Based on Mites from the Suborder Uropodina (Acari: Parasitiformes). <i>Diversity</i> , 2021, 13, 476.	0.7	4
1144	Changes in Composition and Connectivity of Soil Nematode Assemblages under Different Mulching Systems in a Strawberry Field Experiment. <i>Eurasian Soil Science</i> , 0, , 1.	0.5	0
1145	Impact of land use type and organic farming on the abundance, diversity, community composition and functional properties of soil nematode communities in vegetable farming. <i>Agriculture, Ecosystems and Environment</i> , 2021, 318, 107488.	2.5	28
1146	The functional role and diversity of soil nematodes are stronger at high elevation in the lesser Himalayan Mountain ranges. <i>Ecology and Evolution</i> , 2021, 11, 13793-13804.	0.8	10
1147	On the balance between practical relevance and standardization - Testing the effects of zinc and pyrene on native nematode communities in soil microcosms. <i>Science of the Total Environment</i> , 2021, 788, 147742.	3.9	7
1148	Geostatistical modelling and mapping of nematode-based soil ecological quality indices in a polluted nature reserve. <i>Pedosphere</i> , 2021, 31, 670-682.	2.1	3
1149	Changes in taxonomic structure and functional traits of nematodes as tools in the assessment of port impact. <i>Estuarine, Coastal and Shelf Science</i> , 2021, 260, 107524.	0.9	17
1150	Soil nematode communities on five oceanic islands across a latitudinal gradient in the north of the South China Sea: Influence of biotic and abiotic factors. <i>Ecological Indicators</i> , 2021, 129, 107619.	2.6	4
1151	Cattle grazing mitigates the negative impacts of nitrogen addition on soil nematode communities. <i>Ecological Indicators</i> , 2021, 129, 107876.	2.6	8
1152	Organic manure induced soil food web of microbes and nematodes drive soil organic matter under jackfruit planting. <i>Applied Soil Ecology</i> , 2021, 166, 103994.	2.1	19
1153	Quantification of the global impact of agricultural practices on soil nematodes: A meta-analysis. <i>Soil Biology and Biochemistry</i> , 2021, 161, 108383.	4.2	42
1154	Next-generation sequencing of the soil nematode community enables the sustainability of banana plantations to be monitored. <i>Applied Soil Ecology</i> , 2021, 166, 103999.	2.1	4
1155	Plant functional identity has predictable effects on nematode communities across successional stages. <i>Soil Biology and Biochemistry</i> , 2021, 162, 108406.	4.2	10
1156	Combined attributes of soil nematode communities as indicators of grassland degradation. <i>Ecological Indicators</i> , 2021, 131, 108215.	2.6	7
1157	Impact of crop management systems on soil nematode communities in South Brazil. <i>Scientia Agricola</i> , 2022, 79, .	0.6	3



#	ARTICLE	IF	CITATIONS
1158	Soil nematodes of coniferous forests in the Finnish-Russian Friendship Nature Reserve. <i>Nature Conservation Research</i> , 2021, 6, .	0.4	4
1159	Organic fertilization influences nematode diversity and maturity index in coffee tree plantations using an agroforestry system. <i>Journal of Nematology</i> , 2021, 53, 1-13.	0.4	1
1160	THE SOIL AS A RESERVOIR FOR NATURAL ENEMIES OF PEST INSECTS AND MITES WITH EMPHASIS ON FUNGI AND NEMATODES. , 2006, , 145-211.		53
1161	Global diversity of nematodes (Nematoda) in freshwater. , 2007, , 67-78.		4
1162	Soil Biodiversity. <i>Ecological Studies</i> , 2001, , 47-82.	0.4	11
1163	Ecological Risk Assessment: The Triad Approach. , 2010, , 4465-4472.		1
1164	Ã–kotoxikologische Testmethoden. , 2001, , 149-266.		1
1165	ReviTec® â€” eine neue integrierte Ã–kologische Technologie zur Renaturierung degradierter Standorte. , 1999, , 173-187.		2
1166	Relationship between Functional Diversity and Genetic Diversity in Complex Microbial Communities. , 1997, , 1-9.		29
1167	Meiobenthic distribution and nematode community structure in five European estuaries. , 1995, , 185-206.		3
1169	The Maturity Index as an Instrument for Risk Assessment of Soil Pollution. , 1996, , 85-93.		24
1170	Transgenic Nematodes as Biosensors of Environmental Stress. <i>Focus on Biotechnology</i> , 2002, , 221-236.	0.4	1
1171	Measures of nematode community structure and sources of variability among and within agricultural fields. , 1995, , 187-201.		10
1172	Microbialâ€”Faunal Interactions in the Rhizosphere. <i>Rhizosphere Biology</i> , 2021, , 237-253.	0.4	4
1173	Effects of sod-cutting on the nematode community of a secondary forest of <i>Pinus sylvestris</i> L.. <i>Biology and Fertility of Soils</i> , 1996, 22, 227-236.	2.3	6
1174	Nematodes and their relationship to forest dynamics: I. Species and trophic groups. <i>Biology and Fertility of Soils</i> , 1996, 23, 405-413.	2.3	3
1175	Assessment of land use impact on biodiversity. <i>International Journal of Life Cycle Assessment</i> , 2008, 13, 22-31.	2.2	56
1176	<i>Ecotoxicology</i> . , 2001, , 363-373.		1

#	ARTICLE	IF	CITATIONS
1177	Species-specific effects of long-term microplastic exposure on the population growth of nematodes, with a focus on microplastic ingestion. <i>Ecological Indicators</i> , 2020, 118, 106698.	2.6	40
1180	No-till banana planting on crop residue mulch: effect on soil quality and crop functioning. <i>Fruits</i> , 2010, 65, 55-68.	0.3	10
1181	Effects of dairy cow treading pressures and food resources on invertebrates in two contrasting and co-occurring soils. <i>Soil Research</i> , 2011, 49, 703.	0.6	8
1182	Computation and application of nematode community indices: general guidelines.. , 2006, , 211-222.		27
1183	Biological soil quality from biomass to biodiversity - importance and resilience to management stress and disturbance.. , 2004, , 139-161.		25
1184	General community indices that can be used for analysis of nematode assemblages.. , 2009, , 107-123.		28
1185	Nematode Communities as Ecological Indicators of Agroecosystem Health. <i>Advances in Agroecology</i> , 2000, , 105-120.	0.3	7
1186	Diversity and Function of Soil Mesofauna. <i>Advances in Agroecology</i> , 1998, , .	0.3	20
1187	Community composition of soil organisms under different wheat farming systems. <i>Advances in Agroecology</i> , 2012, , 89-111.	0.3	13
1189	Transgenic Potatoes for Potato Cyst Nematode Control Can Replace Pesticide Use without Impact on Soil Quality. <i>PLoS ONE</i> , 2012, 7, e30973.	1.1	32
1190	Nitrogen Addition Regulates Soil Nematode Community Composition through Ammonium Suppression. <i>PLoS ONE</i> , 2012, 7, e43384.	1.1	77
1191	The Role of the Sedimentary Regime in Shaping the Distribution of Subtidal Sandbank Environments and the Associated Meiofaunal Nematode Communities: An Example from the Southern North Sea. <i>PLoS ONE</i> , 2014, 9, e109445.	1.1	8
1192	Soil nematode functional diversity, successional patterns, and indicator taxa associated with vertebrate decomposition hotspots. <i>PLoS ONE</i> , 2020, 15, e0241777.	1.1	9
1193	Windstorms as mediator of soil nematode community changes: Evidence from European spruce forest. <i>Helminthologia</i> , 2017, 54, 36-47.	0.3	6
1194	Soil nematodes in alpine meadows of the Tatra National Park (Slovak Republic). <i>Helminthologia</i> , 2017, 54, 48-67.	0.3	6
1195	Soil nematode communities in three Natura 2000 sites of the Trascau Mountains (Romania). <i>Annals of Forest Research</i> , 2014, 58, 1.	0.6	5
1196	Indikációs modellek a talajfertősítés és a talajfertősítés során. <i>Agrokémia Es Talajtan</i> , 2004, 53, 181-194.	0.1	2
1197	Short term effects of soil disinfection with metham sodium and organic alternatives on nematode communities. <i>Community Ecology</i> , 2011, 12, 161-170.	0.5	9

#	ARTICLE	IF	CITATIONS
1198	Nematode communities as bioindicators of antropogenic influence in agroecosystems. Cereal Research Communications, 2007, 35, 297-300.	0.8	5
1199	Nematode community, trophic structure and population fluctuation in soybean fields. Tropical Plant Pathology, 2003, 28, 258-266.	0.3	31
1200	Thematic monitoring network of soil fauna diversity in China: exploring the mystery of soils. Biodiversity Science, 2016, 24, 1234-1239.	0.2	1
1201	Applications of nitrate and ammonium fertilizers alter soil nematode food webs in a continuous cucumber cropping system in Southwestern Sichuan, China. Eurasian Journal of Soil Science, 2015, 4, 287.	0.2	10
1202	Nematode Fauna of Tropical Rainforest in Brazil: A Descriptive and Seasonal Approach. Journal of Nematology, 2016, 48, 116-125.	0.4	6
1203	Effects of Cover Crops on <i>Pratylenchus penetrans</i> and the Nematode Community in Carrot Production. Journal of Nematology, 2017, 49, 114-123.	0.4	27
1204	Effects of vermicompost water extract prepared from bamboo and kudzu against <i>Meloidogyne incognita</i> and <i>Rotylenchulus reniformis</i> . Journal of Nematology, 2018, 50, 569-578.	0.4	11
1205	Nematicide effects on non-target nematodes in bermudagrass. Journal of Nematology, 2019, 51, 1-12.	0.4	26
1206	Agricultural intensification and urbanization negatively impact soil nematode richness and abundance: a meta-analysis. Journal of Nematology, 2019, 51, 1-17.	0.4	20
1207	A case study of soil food web components affected by <i>Fallopia japonica</i> (Polygonaceae) in three natural habitats in Central Europe. Journal of Nematology, 2019, 51, 1-16.	0.4	7
1208	Diversity and seasonal fluctuation of tylenchid plant-parasitic nematodes in association with alfalfa in the Kerman Province (Iran). Journal of Nematology, 2019, 51, 1-14.	0.4	8
1209	Nematicide efficacy at managing <i>Meloidogyne arenaria</i> and non-target effects on free-living nematodes in peanut production. Journal of Nematology, 2020, 52, 1-10.	0.4	18
1210	Effects of integrated application of plant-based compost and urea on soil food web, soil properties, and yield and quality of a processing carrot cultivar. Journal of Nematology, 2020, 52, 1-17.	0.4	5
1211	Faunal Indicators of Soil Quality. SSSA Special Publication Series, 0, , 91-106.	0.2	34
1212	Biomass and morphological features of free-living marine nematodes in the Manila clam <i>Ruditapes philippinarum</i>; fishery tidal flats, throughout Japan. Nippon Suisan Gakkaishi, 2020, 86, 184-195.	0.0	2
1213	The effect of soil type and ecosystems on the soil nematode and microbial communities. Helminthologia, 2020, 57, 129-144.	0.3	22
1214	Testing soil nematode extraction efficiency using different variations of the Baermann-funnel method. Soil Organisms, 2019, 91, 61-72.	2.2	11
1215	The impact of tall fescue (<i>Festuca arundinacea</i>) endophyte (<i>Neotyphodium</i> spp) on nontarget soil nematodes. New Zealand Plant Protection, 0, 58, 112-116.	0.3	3

#	ARTICLE	IF	CITATIONS
1216	Nematode assemblage response to fish-farm impact in vegetated ( <i>Posidonia oceanica</i> ) and non-vegetated habitats. <i>Aquaculture Environment Interactions</i> , 2014, 5, 17-28.	0.7	23
1217	Response of estuarine free-living nematode assemblages to organic enrichment: an experimental approach. <i>Marine Ecology - Progress Series</i> , 2018, 602, 117-133.	0.9	8
1218	Effects of different amounts of straw returning treatments on soil nematode community in purple soil. <i>Biodiversity Science</i> , 2014, 22, 392.	0.2	4
1219	Effect of continuous cropping of banana on soil nematode community structure and diversity. <i>Chinese Journal of Eco-Agriculture</i> , 2012, 20, 604-611.	0.1	4
1220	Are community structures of soil nematodes different between organic and conventional farming systems in commercial tomato fields?. <i>Nihon Senchu Gakkai Shi = Japanese Journal of Nematology</i> , 2009, 39, 63-71.	0.3	4
1221	Application of diversity indices and ecological indices to evaluate nematode community changes after soil fumigation. <i>Nihon Senchu Gakkai Shi = Japanese Journal of Nematology</i> , 2004, 34, 89-98.	0.3	11
1222	Metabarcoding of soil nematodes: the importance of taxonomic coverage and availability of reference sequences in choosing suitable marker(s). <i>Metabarcoding and Metagenomics</i> , 0, 3, .	0.0	37
1223	Changes in soil free-living nematode communities and their trophic composition along a climatic gradient. <i>Open Journal of Ecology</i> , 2012, 02, 79-89.	0.4	10
1224	The effects of prescribed fire on soil nematodes in an arid juniper savanna. <i>Open Journal of Ecology</i> , 2014, 04, 66-75.	0.4	11
1225	Free-Living Nematodes as Pollution Indicator in Incomati River Estuary, Mozambique. <i>Open Journal of Ecology</i> , 2019, 09, 117-133.	0.4	3
1226	Nematodes for Soil Quality Monitoring: Results from the RMQS BioDiv Programme. <i>Open Journal of Soil Science</i> , 2013, 03, 30-45.	0.3	14
1232	Short-Term Effects of Low-Level Heavy Metal Contamination on Soil Health Analyzed by Nematode Community Structure. <i>Plant Pathology Journal</i> , 2016, 32, 329-339.	0.7	7
1233	Nematode diversity in soil from a field trial with decomposing Bt cotton expressing Cry1Ac and Cry2Ab2 protein. <i>Spanish Journal of Agricultural Research</i> , 2013, 11, 968.	0.3	3
1234	Soil nematode responses to fertilization with ammonium nitrate after six years of unfertilized apple orchard. <i>Spanish Journal of Agricultural Research</i> , 2014, 12, 353.	0.3	13
1236	Organic or conventional production system and nutrient rate affect the nematode community in carrot production. <i>Journal of Nematology</i> , 2021, 53, 1-18.	0.4	1
1237	Long-Term Giant Hogweed Invasion Contributes to the Structural Changes of Soil Nematofauna. <i>Plants</i> , 2021, 10, 2103.	1.6	6
1238	Effects of benzo(a)pyrene on meiobenthic assemblage and biochemical biomarkers in an <i>Oncholaimus campylocercoides</i> (Nematoda) microcosm. <i>Environmental Science and Pollution Research</i> , 2022, 29, 16529-16548.	2.7	6
1239	Effect of <i>Aspergillus niger</i> NBC001 on the soybean rhizosphere microbial community in a soybean cyst nematode-infested field. <i>Journal of Integrative Agriculture</i> , 2021, 20, 3230-3239.	1.7	9

#	ARTICLE	IF	CITATIONS
1240	Soil Biodiversity and Ecosystem Functioning. , 2000, , 283-290.		2
1241	Meiofauna response to iceberg disturbance on the Antarctic continental shelf at Kapp Norvegia (Weddell Sea). , 2002, , 202-209.		9
1242	Recolonisation of meiofauna after catastrophic iceberg scouring in shallow Antarctic sediments. , 2002, , 194-201.		10
1243	The Population Dynamics of Nematodes in the Farm Field with Long-term Reduced Tillage and Manure Application. Japanese Journal of Farm Work Research, 2003, 38, 155-161.	0.2	0
1244	Influence of pasture management (nitrogen and lime addition and insecticide treatment) on soil organisms and pasture root system dynamics in the field. , 2003, , 121-130.		1
1245	Fungal Interactions with Humans. , 2003, , .		0
1246	Connecting Belowground and Aboveground Food Webs. Advances in Agroecology, 2004, , .	0.3	2
1247	ToxAlert teszt alkalmazás a talajszennyezetség minőségének vizsgálatára. Agrokémia Es Talajtan, 2004, 53, 343-354.	0.1	0
1249	Vital Soil Versus Contaminants. NATO Science for Peace and Security Series C: Environmental Security, 2008, , 35-44.	0.1	0
1250	Effects of Sika Deer (Cervus nippon) on Soil Decomposer System and Community Structure of Soil Nematode.. Journal of the Japanese Forest Society, 2008, 90, 327-334.	0.1	1
1251	Nematodos del suelo en el sistema maíz-soya y en hábitats naturales adyacentes de la Altillanura colombiana (Meta). Ciencia Tecnología Agropecuaria, 2014, 9, 61-65.	0.3	0
1252	Assessing the Effects of Veterinary Medicines on the Terrestrial Environment. , 2008, , 155-180.		0
1253	Parameters for the Measurement of Marine Benthic Structural and Functional Diversity. , 2009, , .		0
1254	NEMATODE DIVERSITY IN A RANGE OF LAND USE TYPES IN JAMBI BENCHMARK INDONESIA. Jurnal Hama Dan Penyakit Tumbuhan Tropika, 2010, 10, 162-171.	0.1	3
1255	Nicieńie glebowe na polu i odwołanie zagrożeń zanieczyszczenia i rozkładu norodnośi. Studia Ecologiae Et Bioethicae, 2011, 9, 45-66.	0.2	0
1256	Quantitative detection of nematodes by using PCR-DGGE for evaluation of community similarities. Nihon Senchu Gakkai Shi = Japanese Journal of Nematology, 2012, 42, 27-30.	0.3	1
1257	Nematode biodiversity in a semi-arid pasture under different grazing regimes. African Journal of Agricultural Research Vol Pp, 2012, 7, .	0.2	2
1259	Nematofauna associada ao cultivo comercial de mamoeiro no estado da Paraíba. Revista Brasileira de Ciências Agrárias, 2012, 7, 502-507.	0.3	0

#	ARTICLE	IF	CITATIONS
1260	Effects of Long-Term Fertility Management on the Soil Nematode Community and Cyst Nematode <i>Heterodera schachtii</i> Population in Experimental Sugar Beet Fields. , 2014, , 37-43.		0
1261	Las comunidades de nematodos como indicadores ambientales. <i>Tecnología En Marcha</i> , 0, , 30.	0.1	0
1262	Ä–kosystem Boden. , 1999, , 9-26.		0
1263	Beurteilung von BodenqualitÄt mit Hilfe von Bodentieren. , 1999, , 119-132.		0
1264	Selection of sentinel taxa and biomarkers. , 2004, , 511-514.		0
1265	Soil: Fauna. , 2014, , 454-459.		0
1266	Nematode communities act as bio-indicator of status and processes of an agricultural soil ecosystem in Thanh An, Binh Phuoc province. <i>Journal of Vietnamese Environment</i> , 2015, 6, 227-232.	0.2	2
1267	Application of Microbiology in Conservation Agriculture. , 2015, , 525-557.		2
1268	Effects of trampling on a terrestrial orchid environment. <i>Lankesteriana</i> , 2015, 7, .	0.2	2
1269	Niczenie glebowe w Parku Skaryszewskim â€œ porÄ³wnanie zagÄ™szczenia i rÄ³Ä¼norodnoÅci zespoÄ³w w dwÄ³ch typach siedlisk. <i>Studia Ecologiae Et Bioethicae</i> , 2015, 13, 119-133.	0.2	0
1270	Spatial distribution and size composition of free-living marine nematodes on the Mae tidal flat, Hatsukaichi, Hiroshima Bay. <i>Japanese Journal of Benthology</i> , 2017, 72, 1-11.	0.1	1
1271	Organisms and Soil Food Webs. , 2017, , 1624-1628.		0
1272	Fauna. , 2017, , 871-876.		0
1273	Nematodes and Soil. , 2017, , 1523-1529.		0
1274	Ä¡omparative analysis of the nematode fauna of epiphytic mosses in recreational parks of Chernihiv city. <i>ScienceRise Biological Science</i> , 2017, .	0.1	0
1275	Nematode biodiversity in cereal growing areas of Bolu, Turkey. <i>Turkiye Entomoloji Dergisi</i> , 2017, 41, 159-159.	0.1	7
1276	MuÄ°Ä°lindeki BazÄ± MeralarÄ±n Nematod Fauna YapÄ±sÄ±nÄ±n Ä°ncelenmesi. <i>Yuzuncu Yil University Journal of Agricultural Sciences</i> , 2017, 27, 197-203.	0.1	3
1277	Distribution and Identification of Nematodes in Tomato Farmersâ€™ Fields in the Selected Semi-Arid Climates of Central and Northern Tanzania. <i>Journal of Advances in Microbiology</i> , 2018, 9, 1-8.	0.2	1

#	ARTICLE	IF	CITATIONS
1280	Swine manure application enriches the soil food web in corn and soybean production. Journal of Nematology, 2019, 51, 1-14.	0.4	2
1282	Influence of Asari clam ( <i>Ruditapes philippinarum</i> ) abundance increase caused by cover-net on the nematode assemblages on a tidal flat. Japanese Journal of Benthology, 2019, 74, 25-34.	0.1	2
1283	Assessing Changes in Ecological Quality Status of Sediment in Tri An Reservoir (Southeast Vietnam) by using Indicator of Nematode Communities. VNU Journal of Science Natural Sciences and Technology, 2020, 36, .	0.1	0
1284	Short-term effects of cadmium and mercury on soil nematode communities in a pot experiment. Helminthologia, 2020, 57, 145-153.	0.3	1
1286	Assessment of the structure of the nematode community as an index for soil health. Plant Pathology Science, 2020, 9, 129-136.	0.2	0
1287	Diversity and Management Strategies of Plant Parasitic Nematodes in Moroccan Organic Farming and Their Relationship with Soil Physico-Chemical Properties. Agriculture (Switzerland), 2020, 10, 447.	1.4	13
1288	Soil health indicators for Central Washington orchards. PLoS ONE, 2021, 16, e0258991.	1.1	1
1289	Nematode communities indicate anthropogenic alterations to soil dynamics across diverse grasslands. Ecological Indicators, 2021, 132, 108338.	2.6	9
1290	Soil nematodes in the field and fallow - density and diversity. Studia Ecologiae Et Bioethicae, 2020, 18, 303-315.	0.2	0
1291	Diversity patterns of free-living nematode assemblages in seagrass beds from the Cuban archipelago (Caribbean Sea). Biodiversity Data Journal, 2020, 8, e58848.	0.4	3
1292	The impact of fertilization intensity on soil nematode communities in a Tibetan Plateau grassland ecosystem. Applied Soil Ecology, 2022, 170, 104258.	2.1	4
1293	Ecological maturity and stability of nematode communities in response to precipitation manipulations in grasslands. Applied Soil Ecology, 2022, 170, 104263.	2.1	4
1294	Soil Nematodes as Indicators of Heavy Metal Pollution: A Meta-Analysis. Open Journal of Soil Science, 2020, 10, 579-601.	0.3	16
1295	Biological control of <i>Meloidogyne</i> spp. in glasshouse-grown chrysanthemum. Journal of Nematology, 2020, 52, 1-12.	0.4	2
1296	A Comparative Study of Field Nematode Communities over a Decade of Cotton Production in Australia. Agronomy, 2020, 10, 123.	1.3	1
1297	Nematode Succession During Composting Process. Soil Biology, 2020, , 49-62.	0.6	1
1298	Elevated CO <sub>2</sub> not increased temperature has specific effects on soil nematode community either with planting of transgenic <i>Bt</i> rice or non- <i>Bt</i> rice. PeerJ, 2020, 8, e8547.	0.9	3
1299	Valorization of a Bio-Stabilized Municipal Solid Waste Amendment for Faba Bean ( <i>Vicia faba</i> L.) Fertilization. Agriculture (Switzerland), 2021, 11, 1109.	1.4	3

#	ARTICLE	IF	CITATIONS
1300	Plant-Parasitic and Free-Living Nematodes from Organically Farmed Fields in Illinois and Wisconsin. <i>Plant Health Progress</i> , 2022, 23, 227-234.	0.8	1
1301	Vertical distribution of soil free-living nematode in a playa habitat in the North-Western Negev desert, Israel. <i>Helminthologia</i> , 2020, 57, 361-375.	0.3	2
1302	Nematode indicators of organic enrichment. <i>Journal of Nematology</i> , 2006, 38, 3-12.	0.4	92
1303	Sentinel nematodes of land-use change and restoration in tallgrass prairie. <i>Journal of Nematology</i> , 2006, 38, 20-7.	0.4	21
1304	Temporary changes in populations of soil organisms after field application of entomopathogenic nematodes. <i>Journal of Nematology</i> , 2006, 38, 466-73.	0.4	0
1305	Granite rock outcrops: an extreme environment for soil nematodes?. <i>Journal of Nematology</i> , 2009, 41, 84-91.	0.4	3
1306	Some new and known species of genera <i>Tripylina</i> Brzeski and <i>Trischistoma</i> (Nematoda) with a discussion on their relationships. <i>Journal of Nematology</i> , 2010, 42, 128-38.	0.4	3
1307	Contribution of nematodes to the structure and function of the soil food web. <i>Journal of Nematology</i> , 2010, 42, 63-7.	0.4	50
1308	Effect of Storage Temperature on Soil Nematode Community Structures as Revealed by PCR-DGGE. <i>Journal of Nematology</i> , 2010, 42, 324-31.	0.4	3
1309	Soil nematode responses to crop management and conversion to native grasses. <i>Journal of Nematology</i> , 2012, 44, 245-54.	0.4	11
1310	Factors associated with the suppressiveness of sugarcane soils to plant-parasitic nematodes. <i>Journal of Nematology</i> , 2011, 43, 135-48.	0.4	13
1311	Reflections on plant and soil nematode ecology: past, present and future. <i>Journal of Nematology</i> , 2012, 44, 115-26.	0.4	34
1312	Response of plant parasitic and free living soil nematodes to composted animal manure soil amendments. <i>Journal of Nematology</i> , 2012, 44, 329-36.	0.4	13
1313	Nematode Genera in Forest Soil Respond Differentially to Elevated CO <sub>2</sub> . <i>Journal of Nematology</i> , 2013, 45, 214-22.	0.4	22
1314	Conserving and enhancing biological control of nematodes. <i>Journal of Nematology</i> , 2014, 46, 75-89.	0.4	38
1315	Utility of Classical Taxonomy for Biodiversity of Aquatic Nematodes. <i>Journal of Nematology</i> , 2015, 47, 1-10.	0.4	7
1316	Experimental studies with nematodes in ecotoxicology: an overview. <i>Journal of Nematology</i> , 2015, 47, 11-27.	0.4	24
1319	Abundance and community composition of free-living nematodes as a function of soil structure under different vineyard managements. <i>Applied Soil Ecology</i> , 2022, 170, 104291.	2.1	9



#	ARTICLE	IF	CITATIONS
1320	Nature restoration shifts the abundance and structure of soil nematode communities in subtropical forests. <i>Plant and Soil</i> , 2022, 471, 315-327.	1.8	18
1321	Effects of Experimental Warming and Canada Goldenrod Invasion on the Diversity and Function of the Soil Nematode Community. <i>Sustainability</i> , 2021, 13, 13145.	1.6	2
1322	Soil Microbial and Nematode Community Response to the Field Application of Recycled Bio-Based Fertilisers in Irish Grassland. <i>Sustainability</i> , 2021, 13, 12342.	1.6	8
1323	Belowground Dynamics Influence Nitrogen Cycling and Crop Productivity in Diversified Corn Systems. <i>Frontiers in Sustainable Food Systems</i> , 2021, 5, .	1.8	6
1324	Soil response to root-knot nematode management with wine vinasse in a solarised horticultural soil under glasshouse conditions. <i>Nematology</i> , 2021, -1, 1-21.	0.2	0
1325	Use of universal primers for the 18S ribosomal RNA gene and whole soil DNAs to reveal the taxonomic structures of soil nematodes by high-throughput amplicon sequencing. <i>PLoS ONE</i> , 2021, 16, e0259842.	1.1	3
1326	Investigation of the soil nematode community composition in a monoculture Robusta coffee plantation in Dak Lak, Vietnam. <i>Global Ecology and Conservation</i> , 2021, 32, e01932.	1.0	1
1327	Substratum-dependent moss microhabitat types alter soil nematode community structure in the mixed coniferous forest of Dachigam National Park, Jammu and Kashmir. <i>Global Ecology and Conservation</i> , 2021, 32, e01924.	1.0	3
1328	Community structure in mediterranean shallow lentic ecosystems: size-based vs. taxon-based approaches. , 2006, 25, 303-320.		19
1329	Relative contribution of high and low elevation soil microbes and nematodes to ecosystem functioning. <i>Functional Ecology</i> , 2022, 36, 974-986.	1.7	5
1330	Soil fauna development during heathland restoration from arable land: Role of soil modification and material transplant. <i>Ecological Engineering</i> , 2022, 176, 106531.	1.6	2
1331	Nematode grazing increases the allocation of plant-derived carbon to soil bacteria and saprophytic fungi, and activates bacterial species of the rhizosphere. <i>Pedobiologia</i> , 2022, 90, 150787.	0.5	10
1332	High-throughput sequencing and conventional morphotyping show different soil nematode assemblages but similar community responses to altitudinal gradients on Mt. Ibuki, Japan. <i>Pedobiologia</i> , 2022, 90, 150788.	0.5	4
1333	Organic maize and bean farming enhances free-living nematode dynamics in sub-Saharan Africa. <i>Agriculture, Ecosystems and Environment</i> , 2022, 327, 107846.	2.5	4
1334	Invertebrate communities in soft sediments along a pollution gradient in a Mediterranean river (Llobregat, NE Spain). , 2010, 29, 311-322.		21
1335	Nematode-Based Effect Assessment in Freshwater Sediments. <i>Methods in Pharmacology and Toxicology</i> , 2019, , 211-225.	0.1	1
1336	Orchard floor management effect on soil free-living nematode communities. <i>Soil Research</i> , 2022, 60, 310-319.	0.6	4
1337	Soil nematode communities and functions: Ecological package restoration responses in damaged desert steppe openâ€pit mining ecosystems. <i>Land Degradation and Development</i> , 2022, 33, 1015-1028.	1.8	4

#	ARTICLE	IF	CITATIONS
1338	Biological traits analysis of free-living nematodes as indicators of environmental quality at Lake Bacalar, Mexico. <i>Limnology</i> , 2022, 23, 355.	0.8	1
1339	Nematodes as Ghosts of Land Use Past: Elucidating the Roles of Soil Nematode Community Studies as Indicators of Soil Health and Land Management Practices. <i>Applied Biochemistry and Biotechnology</i> , 2022, 194, 2357-2417.	1.4	14
1340	Response of Soil Nematode Community Structure and Function to Monocultures of Pumpkin and Melon. <i>Life</i> , 2022, 12, 102.	1.1	5
1341	Feeding habits and multifunctional classification of soil-associated consumers from protists to vertebrates. <i>Biological Reviews</i> , 2022, 97, 1057-1117.	4.7	113
1342	Alteration of freshwater ecosystems and its assessment: In the light of nematode community structure. , 2022, , 265-280.		0
1343	Maturity Index of Nematode Communities and its Potential use for Measuring Environmental Disturbances with Special Emphasis on Effects of Organic Enrichment in Mangrove Ecosystems. <i>Thalassas</i> , 2022, 38, 355.	0.1	0
1344	Nematode community structure along elevation gradient in high altitude vegetation cover of Gangotri National Park (Uttarakhand), India. <i>Scientific Reports</i> , 2022, 12, 1428.	1.6	5
1345	Influence of Rice Husk Biochar on Soil Nematode Community under Upland and Flooded Conditions: A Microcosm Experiment. <i>Agronomy</i> , 2022, 12, 378.	1.3	3
1346	Variations in the community patterns of soil nematodes at different soil depths across successional stages of subalpine forests. <i>Ecological Indicators</i> , 2022, 136, 108624.	2.6	7
1347	Phylogenies of traits and functions in soil invertebrate assemblages. <i>Austral Ecology</i> , 0, , .	0.7	1
1348	New Approach for the Evaluation of Ecological Quality in the Mediterranean Coastal Ecosystems, Case Study of Bizerte Lagoon: Marine Nematodes Functional Traits Assessment. , 0, , .		0
1349	Long-term cattle grazing shifts the ecological state of forest soils. <i>Ecology and Evolution</i> , 2022, 12, e8786.	0.8	3
1350	Soil biodiversity and nature-mimicry in agriculture; the power of metaphor?. <i>Outlook on Agriculture</i> , 2022, 51, 75-90.	1.8	14
1351	A Three-Year Plant Study of Salt-Tolerant Transgenic Maize Showed No Effects on Soil Enzyme Activity and Nematode Community. <i>Life</i> , 2022, 12, 412.	1.1	6
1352	The integration of nematode communities into the soil biological health framework by factor analysis. <i>Ecological Indicators</i> , 2022, 136, 108676.	2.6	11
1353	The soil nematode community indicates the soil ecological restoration of the <i>Pinus massoniana</i> plantation gap replanted with <i>Cinnamomum longipaniculatum</i> . <i>Ecological Indicators</i> , 2022, 136, 108678.	2.6	7
1354	Phylum Nematoda: feeding habits for all valid genera using a new, universal scheme encompassing the entire phylum, with descriptions of morphological characteristics of the stoma, a key, and discussion of the evidence for trophic relationships. <i>Zootaxa</i> , 2022, 5114, 318-451.	0.2	14
1355	Diversity of plant parasitic nematodes characterized from fields of the French national monitoring programme for the Columbia root-knot nematode. <i>PLoS ONE</i> , 2022, 17, e0265070.	1.1	4

#	ARTICLE	IF	CITATIONS
1356	Nematode diversity and community structure assessment in different vegetations of Jammu division of J & K, India. Journal of Applied and Natural Science, 2022, 14, 102-115.	0.2	0
1357	The Impact of Bio-Based Fertilizer Integration Into Conventional Grassland Fertilization Programmes on Soil Bacterial, Fungal, and Nematode Communities. Frontiers in Sustainable Food Systems, 2022, 6, .	1.8	2
1358	Biodiversity of Nematode Communities Associated with Wheat ( <i>Triticum aestivum</i> L.) in Southern Morocco and Their Contribution as Soil Health Bioindicators. Diversity, 2022, 14, 194.	0.7	6
1359	A Study on Community Diversity of Soil-Inhabiting Nematodes in Lower Forest Area of Gulmarg of District Baramulla, Jammu and Kashmir, India. Proceedings of the Zoological Society, 2022, 75, 111-117.	0.4	0
1360	Suitability of molecular taxonomy for assessing polluted sediments using the NemaSPEAR[%] index. Ecological Indicators, 2022, 137, 108761.	2.6	3
1361	Nematode-based indices in soil ecology: Application, utility, and future directions. Soil Biology and Biochemistry, 2022, 169, 108640.	4.2	56
1362	Meiofauna in a changing world. Ecological Indicators, 2022, 138, 108769.	2.6	0
1363	Global patterns and drivers of soil nematodes in response to nitrogen enrichment. Catena, 2022, 213, 106235.	2.2	7
1364	Increase in rainfall intensity promotes soil nematode diversity but offset by nitrogen addition in a temperate grassland. Science of the Total Environment, 2022, 825, 154039.	3.9	6
1365	Natural ecosystem heterogeneity diversity and functioning of nematode communities in a semi-desert ecosystem in Mexico. Applied Soil Ecology, 2022, 176, 104477.	2.1	2
1366	Investigations on soil nematode diversity in three contrasting habitat types in Bolu, Turkey. Turkiye Entomoloji Dergisi, 2021, 45, 451-461.	0.1	2
1367	Mulching with Leaf Litter from Municipal Green Waste Favours Predatory Mononchid Nematodes. Agronomy, 2021, 11, 2522.	1.3	1
1368	THE SOIL AS A RESERVOIR FOR NATURAL ENEMIES OF PEST INSECTS AND MITES WITH EMPHASIS ON FUNGI AND NEMATODES. , 2006, , 145-211.		1
1371	Rice diterpenoid phytoalexins are involved in defence against parasitic nematodes and shape rhizosphere nematode communities. New Phytologist, 2022, 235, 1231-1245.	3.5	12
1372	Earthworms Regulate the Nematode Community by Directly Enhancing the Bacterial-Based Energy Channel Rather than Through the Indirect Effect of Casts. SSRN Electronic Journal, 0, , .	0.4	0
1373	Temporal dynamics of range expander and congeneric native plant responses during and after extreme drought events. Ecological Monographs, 2022, 92, .	2.4	5
1374	What Is the Impact of Dexamethasone and Prednisolone Glucocorticoids on the Structure of Meiobenthic Nematode Communities?. Sustainability, 2022, 14, 5344.	1.6	0
1375	Roots with larger specific root length and C: N ratio sustain more complex rhizosphere nematode community. Plant and Soil, 2022, 477, 693-706.	1.8	6

#	ARTICLE	IF	CITATIONS
1376	Consistent response of nematode communities to management of coniferous plantations. <i>Forest Ecosystems</i> , 2022, 9, 100045.	1.3	7
1377	Relationships between Soil Tillage Systems, Nematode Communities and Weed Seed Predation. <i>Horticulturae</i> , 2022, 8, 425.	1.2	4
1378	Increased Resilience of Peas Toward Root Rot Pathogens Can Be Predicted by the Nematode Metabolic Footprint. <i>Frontiers in Sustainable Food Systems</i> , 2022, 6, .	1.8	4
1379	Exploring the optimal grazing intensity in desert steppe based on soil nematode community and function. <i>Land Degradation and Development</i> , 2022, 33, 2512-2527.	1.8	5
1380	NemaRec: A deep learning-based web application for nematode image identification and ecological indices calculation. <i>European Journal of Soil Biology</i> , 2022, 110, 103408.	1.4	5
1381	Effects of nitrogen addition and warming on nematode ecological indices: A meta-analysis. <i>European Journal of Soil Biology</i> , 2022, 110, 103407.	1.4	1
1382	Organic amendments increase the flow uniformity of energy across nematode food webs. <i>Soil Biology and Biochemistry</i> , 2022, 170, 108695.	4.2	12
1383	Soil Nematodes as the Silent Sufferers of Climate-Induced Toxicity: Analysing the Outcomes of Their Interactions with Climatic Stress Factors on Land Cover and Agricultural Production. <i>Applied Biochemistry and Biotechnology</i> , 2023, 195, 2519-2586.	1.4	4
1384	Biodiversity and distribution of soil nematodes at surroundings of the ancient city of Prusias ad Hypium, Konuralp, DÄ¼zce (Turkey). <i>Turkiye Entomoloji Dergisi</i> , 2022, 46, 139-148.	0.1	0
1385	The exposure to polyvinyl chloride microplastics and chrysene induces multiple changes in the structure and functionality of marine meiobenthic communities. <i>Journal of Hazardous Materials</i> , 2022, 436, 129161.	6.5	9
1386	Non-Linear Responses of the Soil Nematode Community Along a Gradient of Yak Grazing Intensity in an Alpine Meadow. <i>SSRN Electronic Journal</i> , 0, , .	0.4	0
1387	Free-living marine nematodes community structure in the conservation area (Chaojing Park) and its adjacent area of Keelung, Taiwan. <i>PLoS ONE</i> , 2022, 17, e0268691.	1.1	1
1388	Acute resource pulses from periodical cicadas propagate to belowground food webs but do not affect tree performance. <i>Ecology</i> , 2022, 103, .	1.5	7
1389	Carbon nanomaterial addition changes soil nematode community in a tall fescue mesocosm. <i>Pedosphere</i> , 2022, 32, 777-784.	2.1	5
1390	Effects of irrigation and fertilization practice on soil nematode communities in arable land. <i>Applied Soil Ecology</i> , 2022, 177, 104546.	2.1	2
1391	Characterization of soil nematode community structure in semi-Ä¼rid dryland barley systems. , 2022, 5, .		1
1392	İ¸¸First record of functional underground traps in a pitcher plant: <i>Nepenthes pudica</i> (Nepenthaceae), a new species from North Kalimantan, Borneo. <i>PhytoKeys</i> , 0, 201, 77-97.	0.4	8
1393	Successional Effects of No-Till Cover Cropping with Black Oat ( <i>Avena strigosa</i> ) vs. Soil Solarization on Soil Health in a Tropical Oxisol. <i>Horticulturae</i> , 2022, 8, 527.	1.2	0

#	ARTICLE	IF	CITATIONS
1394	Changes in the Abundance and Community Complexity of Soil Nematodes in Two Rice Cultivars Under Elevated Ozone. <i>Frontiers in Microbiology</i> , 0, 13, .	1.5	6
1395	Nematode assemblages in conservation and conventional maize fields: a South African baseline study. <i>Journal of Plant Diseases and Protection</i> , 0, , .	1.6	0
1396	Forest dieback switches the relationships between microfaunal bacterivore guilds and soil nutrients. <i>Soil Biology and Biochemistry</i> , 2022, 172, 108763.	4.2	2
1397	Concentration-Dependent Impacts of Microplastics on Soil Nematode Community in Bulk Soils of Maize: Evidence From a Pot Experiment. <i>Frontiers in Environmental Science</i> , 0, 10, .	1.5	1
1398	Impact of Super-High Density Olive Orchard Management System on Soil Free-Living and Plant-Parasitic Nematodes in Central and South Italy. <i>Animals</i> , 2022, 12, 1551.	1.0	3
1399	Free-living nematodes of Mediterranean ports: A mandatory contribution for their use in ecological quality assessment. <i>Marine Pollution Bulletin</i> , 2022, 180, 113814.	2.3	6
1400	Soil food web structure and function in annual row-crop systems: How can nematode communities infer soil health?. <i>Applied Soil Ecology</i> , 2022, 178, 104553.	2.1	8
1401	Loss of plant functional groups impacts soil carbon flow by changing multitrophic interactions within soil micro-food webs. <i>Applied Soil Ecology</i> , 2022, 178, 104566.	2.1	6
1402	The Life Cycle of the Bacterial-Feeding Nematode <i>Diplolaimella stagnosa</i> and Its Population Growth in Response to Temperature and Food Availability. <i>Frontiers in Ecology and Evolution</i> , 0, 10, .	1.1	0
1403	Sunflower Seed Husk as Promising By-Product for Soil Biodisinfestation Treatments and Fertility Improvement in Protected Lettuce Crop. <i>Frontiers in Sustainable Food Systems</i> , 0, 6, .	1.8	2
1404	It takes a community to maintain a tree hollow: Food web complexity enhances decomposition and wood mould production. <i>Functional Ecology</i> , 2022, 36, 2215-2226.	1.7	2
1405	Nematode Assemblages Development Twenty-One Years after the Introduction of Meadow Soil into Bare Post Mining Spoil Heap. <i>Diversity</i> , 2022, 14, 567.	0.7	1
1406	Nematode Community of a Natural Grassland Responds Sensitive to the Broad-Spectrum Fungicide Mancozeb in Soil Microcosms. <i>Environmental Toxicology and Chemistry</i> , 2022, 41, 2420-2430.	2.2	2
1407	Increasing Levels of Physical Disturbance Affect Soil Nematode Community Composition in a Previously Undisturbed Ecosystem. <i>Journal of Nematology</i> , 2022, 54, .	0.4	7
1408	Responses of soil nematode community within soil aggregates to tea plantation age. <i>Environmental Science and Pollution Research</i> , 0, , .	2.7	0
1409	Some Bacterivorous Nematodes from Uttarakhand, India. <i>Records of the Zoological Survey of India</i> , 2009, 109, 79.	0.1	0
1410	Nematodes as Ecological and Environmental Indicators. , 2022, , 165-195.		0
1411	Use in Soil Agro-Ecology. , 2022, , 196-214.		0

#	ARTICLE	IF	CITATIONS
1412	Integrating spatial and temporal patterns of free-living nematodes with physical and chemical environmental traits: implications for coastal ecological monitoring. <i>Hydrobiologia</i> , 0, , .	1.0	2
1413	Soil Amendments with Spearmint, Peppermint and Rosemary Enhance the Community of Free-Living Nematodes and Improve Soil Quality, While Having Strikingly Different Effects on Plant Growth. <i>Life</i> , 2022, 12, 1121.	1.1	5
1414	Vineyard Management and Its Impacts on Soil Biodiversity, Functions, and Ecosystem Services. <i>Frontiers in Ecology and Evolution</i> , 0, 10, .	1.1	13
1415	Effects of Plasticulture and Conservation Tillage on Nematode Assemblage and Their Relationships with Nitrous Oxide Emission following a Winter Cover Cropping and Vegetable Production System. <i>Horticulturae</i> , 2022, 8, 728.	1.2	0
1416	Leveraging functional traits of cover crops to coordinate crop productivity and soil health. <i>Journal of Applied Ecology</i> , 2022, 59, 2627-2641.	1.9	17
1417	Morpho-anatomical traits explain the effects of bacterial-feeding nematodes on soil bacterial community composition and plant growth and nutrition. <i>Geoderma</i> , 2022, 425, 116068.	2.3	6
1418	A common framework for developing robust soil fauna classifications. <i>Geoderma</i> , 2022, 426, 116073.	2.3	14
1419	Responses of soil nematode community to yak grazing intensity in an alpine meadow. <i>Agriculture, Ecosystems and Environment</i> , 2022, 339, 108134.	2.5	7
1420	Plant-Soil Mediated Effects of Long-Term Warming on Soil Nematodes of Alpine Meadow on the Qinghai-Tibet Plateau. <i>SSRN Electronic Journal</i> , 0, , .	0.4	2
1421	Dominant Plants Mediate Effects of Grazing on Soil Nematode Traits in a Wet Meadow Grassland. <i>SSRN Electronic Journal</i> , 0, , .	0.4	0
1422	Nematode Management Prospects in Composting. <i>Sustainability in Plant and Crop Protection</i> , 2022, , 67-85.	0.2	0
1423	Neem Cake Amendment and Soil Nematode Spatio-Temporal Dynamics: A Case Study in the Brazilian Semiarid Region. <i>Sustainability in Plant and Crop Protection</i> , 2022, , 423-440.	0.2	0
1424	Nematodes as soil stress indicators for polycyclic aromatic hydrocarbons: A review. <i>Helminthologia</i> , 2022, 59, 117-126.	0.3	2
1425	Diversity of plant-parasitic nematode communities infesting olive orchards in Tunisia in relation to agronomic factors. <i>European Journal of Plant Pathology</i> , 2022, 164, 479-494.	0.8	3
1426	The Short-Term Effects of Amendments on Nematode Communities and Diversity Patterns under the Cultivation of <i>Miscanthus Æ— giganteus</i> on Marginal Land. <i>Agronomy</i> , 2022, 12, 2063.	1.3	3
1427	A preliminary faunistic study of soil nematodes from different land uses in Tropical Deciduous Forest in the Costa Chica of Guerrero, Mexico. <i>Acta ZoolÃ³gica Mexicana</i> , 0, , 1-22.	1.1	0
1428	The Invasion and Long Naturalization of <i>Solanum elaeagnifolium</i> affects the Soil Nematode Community: Evidence from a Comparative Study. <i>Agronomy</i> , 2022, 12, 2346.	1.3	3
1429	Differences in the effects of broadleaf and coniferous trees on soil nematode communities and soil fertility across successional stages. <i>Plant and Soil</i> , 2023, 485, 197-212.	1.8	5

#	ARTICLE	IF	CITATIONS
1430	Responses of bryosphere fauna to drought across a boreal forest chronosequence. <i>Oecologia</i> , 0, , .	0.9	1
1431	Effects of the ocean acidification on the functional structure of coral reef nematodes. <i>Coral Reefs</i> , 2022, 41, 1481-1494.	0.9	1
1432	Comparison of Life Traits in Two Bacterivorous Nematodes Suggest Different Ecological Strategies to Exploit Similar Habitats. <i>Life</i> , 2022, 12, 1516.	1.1	1
1433	Effects of source sample amount on biodiversity surveys of bacteria, fungi, and nematodes in soil ecosystems. <i>Frontiers in Ecology and Evolution</i> , 0, 10, .	1.1	2
1434	Effects of Grass-Based Crop Rotation, Nematicide, and Irrigation on the Nematode Community in Cotton. <i>Journal of Nematology</i> , 2022, 54, .	0.4	1
1435	Impact of a dam construction on the intertidal environment and free-living nematodes in the Ba Lai, Mekong Estuaries, Vietnam. <i>Environmental Monitoring and Assessment</i> , 2022, 194, .	1.3	1
1436	Plant-Soil Mediated Effects of Long-Term Warming on Soil Nematodes of Alpine Meadows on the Qinghaiâ€“Tibetan Plateau. <i>Biology</i> , 2022, 11, 1596.	1.3	3
1437	Relationships between Soil Nematode Communities and Soil Quality as Affected by Land-Use Type. <i>Forests</i> , 2022, 13, 1658.	0.9	5
1438	Year-Long Assessment of Soil Nematode Diversity and Root Inhibition-Indicator Nematode Genera in Rice Fields. <i>Biology</i> , 2022, 11, 1572.	1.3	3
1439	Contrasting Responses of Soil Nematode Trophic Groups to Long-Term Nitrogen Addition. <i>Ecosystems</i> , 0, , .	1.6	0
1441	Afterlife effect of cover crops on soil nematode food web: Implications from the plant ecological strategy. <i>Biology and Fertility of Soils</i> , 2022, 58, 937-947.	2.3	1
1442	Free-living nematode community structure and distribution within vineyard soil aggregates under conventional and organic management practices. <i>Pedosphere</i> , 2023, 33, 916-926.	2.1	1
1443	The Free-Living Nematodes as Indicators of the Soil Quality in Relation to the Clay Content, When Coffee Waste Is Applied. <i>Agronomy</i> , 2022, 12, 2702.	1.3	5
1444	Earthworms regulate the nematode community by directly enhancing the bacterial-based energy channel rather than through the effect of casts. <i>Pedobiologia</i> , 2022, 95, 150843.	0.5	3
1445	Unveiling the drivers of nematode community structure and function across rice agroecosystems. <i>Applied Soil Ecology</i> , 2023, 182, 104715.	2.1	0
1446	The effect of auxin status driven by bacterivorous nematodes on root growth of <i>Arabidopsis thaliana</i> . <i>Applied Soil Ecology</i> , 2023, 182, 104730.	2.1	1
1447	Making â€œSenseâ€“of Ecology from a Genetic Perspective: <i>Caenorhabditis elegans</i> , Microbes and Behavior. <i>Metabolites</i> , 2022, 12, 1084.	1.3	1
1448	Organic nitrogen fertilization benefits selected soil fauna in global agroecosystems. <i>Biology and Fertility of Soils</i> , 2023, 59, 1-16.	2.3	10

#	ARTICLE	IF	CITATIONS
1449	Effects of Exotic and Native Earthworms on Soil Micro-Decomposers in a Subtropical Forest: A Field Mesocosm Experiment. <i>Forests</i> , 2022, 13, 1924.	0.9	2
1450	Legume biological nitrogen fixation improves but chemical nitrogen fertilizer suppresses soil nematode communities in a <i>Camellia oleifera</i> plantation. <i>Land Degradation and Development</i> , 2023, 34, 1403-1414.	1.8	5
1451	Life in a Contaminated Environment: How Soil Nematodes Can Indicate Long-Term Heavy-Metal Pollution. <i>Journal of Nematology</i> , 2022, 54, .	0.4	5
1452	Effects of management intensity, soil properties and region on the nematode communities in temperate forests in Germany. <i>Forest Ecology and Management</i> , 2023, 529, 120675.	1.4	2
1453	A review of nematodes as biological indicators of sustainable functioning for northern soils undergoing land-use conversion. <i>Applied Soil Ecology</i> , 2023, 183, 104762.	2.1	2
1454	Marine Free-Living Nematodes as Tools for Environmental Pollution Assessment: A Special Focus on Emerging Contaminants Impact in the Tunisian Lagoon Ecosystems. , 0, , .		0
1455	Effects of long-term fertilization with contemporary Danish human urine, composted household waste and sewage sludge on soil nematode abundance and community structure. <i>Science of the Total Environment</i> , 2023, 860, 160485.	3.9	7
1456	Change in land-use from natural forest impacts functional composition and metabolic footprint of soil nematode community in Western Himalayas. <i>Acta Ecologica Sinica</i> , 2023, 43, 842-852.	0.9	1
1457	Soil Nematodes as a Means of Conservation of Soil Predatory Mites for Biocontrol. <i>Agronomy</i> , 2023, 13, 32.	1.3	3
1458	Post-Fire Recovery of Soil Nematode Communities Depends on Fire Severity. <i>Diversity</i> , 2022, 14, 1116.	0.7	4
1459	Plant clustering generates negative plant-soil feedback without changing the spatial distribution of soil fauna. <i>Web Ecology</i> , 2023, 23, 1-15.	0.4	1
1461	Altered energy dynamics of multitrophic groups modify the patterns of soil CO <sub>2</sub> emissions in planted forest. <i>Soil Biology and Biochemistry</i> , 2023, 178, 108953.	4.2	6
1462	Impact of marshy area reclamation by various vegetations on soil-nematode community structure in Dachigam National Park. <i>Soil Ecology Letters</i> , 2023, 5, .	2.4	0
1463	Alfalfa and maize intercropping enhances soil nematode structure and food web complexity in low-nitrogen soils. <i>Applied Soil Ecology</i> , 2023, 186, 104809.	2.1	7
1464	Stronger effects of long-term P enrichment on soil biota than plants in grasslands. <i>Soil and Tillage Research</i> , 2023, 229, 105668.	2.6	1
1465	Bioassessment of environmental quality based on taxonomic and functional traits of marine nematodes in the Bohai Sea, China. <i>Marine Pollution Bulletin</i> , 2023, 190, 114884.	2.3	0
1466	Structure and composition of the nematode community in a restoration area affected by iron tailings. <i>Pedobiologia</i> , 2023, 97-98, 150864.	0.5	0
1467	Variations in the soil micro-food web structure and its relationship with soil C and N mineralization during secondary succession of subalpine forests. <i>Science of the Total Environment</i> , 2023, 879, 163257.	3.9	4



#	ARTICLE	IF	CITATIONS
1468	Spatiotemporal distribution of free-living marine nematodes in the tidal flats of Nakatsu and Yokohama Umino-Koen. <i>Japanese Journal of Benthology</i> , 2022, 77, 10-19.	0.1	0
1469	Short- and long-term responses of nematode communities to predicted rainfall reduction in Mediterranean forests. <i>Soil Biology and Biochemistry</i> , 2023, 179, 108974.	4.2	3
1470	Functional traits of soil nematodes define their response to nitrogen fertilization. <i>Functional Ecology</i> , 2023, 37, 1197-1210.	1.7	1
1472	Nematode diversity patterns in mangroves: a review of environmental drivers at different spatial scales. <i>Biodiversity and Conservation</i> , 2023, 32, 1451-1471.	1.2	0
1473	Response of nematode community structure to different restoration practices in two vineyard soils in Tuscany (Italy). <i>Biological Agriculture and Horticulture</i> , 0, , 1-21.	0.5	0
1474	A functional perspective of nematode assemblages as proxy of quality in tropical estuarine tidal flats. <i>Marine Environmental Research</i> , 2023, 186, 105922.	1.1	0
1475	NemaTaxa: A new taxonomic database for analysis of nematode community data. <i>Phytobiomes Journal</i> , 0, , .	1.4	1
1476	Impact of local iron enrichment on the small benthic biota in the deep Arctic Ocean. <i>Frontiers in Marine Science</i> , 0, 10, .	1.2	1
1477	Effects of grazing on soil nematodes in grasslands: A global meta-analysis. <i>Journal of Applied Ecology</i> , 2023, 60, 814-824.	1.9	4
1478	Nematode community response to intensive tomato production in the tropics. <i>Rhizosphere</i> , 2023, 25, 100681.	1.4	1
1479	<i>Legionella pneumophila</i> and Free-Living Nematodes: Environmental Co-Occurrence and Trophic Link. <i>Microorganisms</i> , 2023, 11, 738.	1.6	0
1480	Successional effects of cover cropping and deep tillage on suppression of plant-parasitic nematodes and soilborne fungal pathogens. <i>Pest Management Science</i> , 2023, 79, 2737-2747.	1.7	2
1482	Nematode Community as a Tool to Monitor Ecosystem Health of Kembangkuning Mangrove Forest, Indonesia. <i>IOP Conference Series: Earth and Environmental Science</i> , 2023, 1155, 012009.	0.2	1
1483	Responses of Soil Nematodes to Combined Bio-Organic-Mineral Fertilizers on Upland Rice Cropping in the Highlands of Madagascar. <i>Proceedings of the Zoological Society</i> , 0, , .	0.4	0
1485	A Field Study on Determination of Nematode Diversity in Canola Fields in Tekirdağ, Turkey. <i>Türk Doğa Ve Fen Dergisi</i> , 0, , .	0.2	1
1486	Use of Microbially Treated Olive Mill Wastewaters as Soil Organic Amendments; Their Short-Term Effects on the Soil Nematode Community. <i>Diversity</i> , 2023, 15, 497.	0.7	1
1487	Plant Genotype Shapes the Soil Nematode Community in the Rhizosphere of Tomatoes with Different Resistance to <i>Meloidogyne incognita</i> . <i>Plants</i> , 2023, 12, 1528.	1.6	2
1488	Elevational patterns of soil nematode diversity, community structure and metabolic footprint in the Trikuta mountains of Northwestern Himalaya. <i>Frontiers in Forests and Global Change</i> , 0, 6, .	1.0	0

#	ARTICLE	IF	CITATIONS
1489	Exploring the short-term in-field performance of Recovered Nitrogen from Manure (RENURE) materials to substitute synthetic nitrogen fertilisers. , 2023, 5, 100043.		1
1490	Soil Macrofauna Disperse and Reconstruct Soil Nematode Communities: Takeaways from a Microcosm Study. Forests, 2023, 14, 748.	0.9	1
1491	Phytopathogenic nematodes associated with olive trees ( <i>Olea europaea</i> L.) in North Africa: current status and management prospects. Journal of Plant Diseases and Protection, 2023, 130, 689-706.	1.6	3
1512	Methodological Framework. The Latin American Studies Book Series, 2023, , 23-58.	0.1	0
1515	An integrated approach to assessing soil biological health. Advances in Agronomy, 2023, , 131-168.	2.4	1
1574	Soil fauna: occurrence, biodiversity, and roles in ecosystem function. , 2024, , 131-159.		0
1600	Impact of Soil Disturbances on Soil Nematode Communities. Sustainability in Plant and Crop Protection, 2024, , 33-47.	0.2	0
1602	Soil Regeneration and Microbial Community on Terrestrial Food Chain. Earth and Environmental Sciences Library, 2024, , 243-267.	0.3	0
1605	Beneath the Surface: Comparative Diversity, Abundance, and Bio-Indicative Capabilities of Nematode Community Structure in Natural and Disturbed Habitats. , 0, , .		0
1607	Use of PCR-DGGE-Based Molecular Methods to Analyze Nematode Community Diversity. Methods in Molecular Biology, 2024, , 247-255.	0.4	0