## CITATION REPORT List of articles citing

Phase I study of a 120-hour continuous intravenous infusion of 5-fluorouracil in pediatric patients with recurrent solid tumors: a Pediatric Oncology Group study

DOI: 10.1002/mpo.2950180413 Medical and Pediatric Oncology, 1990, 18, 321-4.

**Source:** https://exaly.com/paper-pdf/21417424/citation-report.pdf

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
6	Phase II study of 5-fluorouracil/leucovorin for pediatric patients with malignant solid tumors. <i>Cancer</i> , <b>1994</b> , 74, 2593-8	6.4	16
5	Phase I therapy trials in children with cancer. <i>Journal of Pediatric Hematology/Oncology</i> , <b>1998</b> , 20, 431-8	1.2	48
4	Phase I trials in pediatric oncology: perceptions of pediatricians from the United Kingdom Childreng Cancer Study Group and the Pediatric Oncology Group. <i>Journal of Clinical Oncology</i> , <b>2000</b> , 18, 1900-5	2.2	42
3	Pediatric phase I trials in oncology: an analysis of study conduct efficiency. <i>Journal of Clinical Oncology</i> , <b>2005</b> , 23, 8431-41	2.2	107
2	The ERK/eIF4F/Bcl-XL pathway mediates SGP-2 induced osteosarcoma cells apoptosis in vitro and in vivo. <i>Cancer Letters</i> , <b>2014</b> , 352, 203-13	9.9	25
1	A comparison of safety and efficacy of cytotoxic versus molecularly targeted drugs in pediatric phase I solid tumor oncology trials. <i>Pediatric Blood and Cancer</i> , <b>2017</b> , 64, e26258	3	11