

CITATION REPORT

List of articles citing

Revised criteria for diagnosis of coeliac disease. Report of Working Group of European Society of Paediatric Gastroenterology and Nutrition

DOI: 10.1136/adc.65.8.909

Archives of Disease in Childhood, 1990, 65, 909-11.

Source: <https://exaly.com/paper-pdf/21616492/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1553	Immunopathology of dermatitis herpetiformis. 1991 , 9, 295-311		21
1552	Use of Serological Antibody Tests in Celiac Disease. 1992 , 19, 108-129		1
1551	Insulin Dependent Diabetes Mellitus and Coeliac Disease. <i>Journal of the Royal Society of Medicine</i> , 1991 , 84, 436-436	2.3	2
1550	The nutritional consequences of gastrointestinal disease in adolescence. 1991 , 373, 91-102		16
1549	Predictive value for coeliac disease of antibodies to gliadin, endomysium, and jejunum in patients attending for jejunal biopsy. 1991 , 303, 1163-5		81
1548	Usefulness of antiendomysial antibodies as a serological marker in coeliac children. 1991 , 2, 199-204		6
1547	Human leucocyte class I and II antigens in coeliac disease: a study in an Austrian paediatric population. 1991 , 150, 704-7		1
1546	Revised criteria for diagnosis of coeliac disease and medical audit. <i>Archives of Disease in Childhood</i> , 1991 , 66, 561	2.2	1
1545	T cell receptor V beta expression by mucosal T cells. 1991 , 44, 915-8		15
1544	Auditing community screening for undescended testes. <i>Archives of Disease in Childhood</i> , 1991 , 66, 560-1	2.2	1
1543	Celiac sprue. 1991 , 325, 1709-19		394
1542	Serologic Markers of Gluten-Sensitive Enteropathy in Bullous Diseases. 1992 , 128, 1474		9
1541	Aristotle, Francois Mauriceau, and plagiarism. <i>Archives of Disease in Childhood</i> , 1992 , 67, 153-153	2.2	
1540	Transient gluten intolerance. <i>Archives of Disease in Childhood</i> , 1992 , 67, 152-3	2.2	
1539	Salivary IgA antigliadin antibody as a marker for coeliac disease. <i>Archives of Disease in Childhood</i> , 1992 , 67, 724-7	2.2	25
1538	Occurrence of large granular lymphocytes and natural killer cells in the epithelium of the gut distinguishes two different coeliac diseases. <i>Gut</i> , 1992 , 33, 767-72	19.2	12
1537	Increasing incidence of childhood coeliac disease in Sweden. Results of a national study. 1992 , 81, 589-92		92

1536	Comparison of fiberoendoscopy and Watson capsule for small intestinal biopsy in infants and children. 1992 , 81, 399-401	14
1535	Diabetes-related autoantibodies do appear in children with coeliac disease. 1992 , 81, 593-7	60
1534	Scanning electron microscopy of the small intestine during gluten-challenge in celiac disease. 1992 , 55 Suppl, 125-30	6
1533	HLA-DR and -DQ genotypes of celiac disease patients serologically typed to be non-DR3 or non-DR5/7. 1992 , 35, 188-92	102
1532	Antigliadin antibody, D-xylose, and cellobiose/mannitol permeability tests as indicators of mucosal damage in children with coeliac disease. 1992 , 27, 703-6	22
1531	A study of Italian pediatric celiac disease patients confirms that the primary HLA association is to the DQ(alpha 1*0501, beta 1*0201) heterodimer. 1992 , 33, 133-9	56
1530	Celiac disease (gluten-sensitive enteropathy). 1992 , 12, 156-161	
1529	Gastrointestinal food allergy in childhood: Current problems. 1992 , 12, 123-135	2
1528	Investigation of chronic diarrhoea. 1992 , 2, 189-193	
1527	Phenotypical and functional characterization of small intestinal TcR gamma delta + T cells in coeliac disease. 1992 , 35, 459-68	57
1526	HLA class II alleles associated with celiac disease susceptibility in a southern European population. 1992 , 40, 90-7	61
1525	Immunologic and absorptive tests in celiac disease: can they replace intestinal biopsies?. 1993 , 28, 673-6	45
1524	Incidence of celiac disease identified by the presence of serum endomysial antibodies in children with chronic diarrhea, short stature, or insulin-dependent diabetes mellitus. 1993 , 123, 262-4	84
1523	Malignant osteopetrosis treated with high doses of 1 alpha-hydroxyvitamin D3 and interferon gamma. 1993 , 123, 264-8	11
1522	A new, rapid, noninvasive screening test for celiac disease. 1993 , 123, 425-7	16
1521	Transient improvement of congenital lactic acidosis in a male infant with pyruvate decarboxylase deficiency treated with dichloroacetate. 1993 , 123, 427-30	20
1520	Antibodies in the diagnosis and management of coeliac disease. 1993 , 29, 331-4	2
1519	Numbers of T cell receptor (TCR) alpha beta+ but not of TcR gamma delta+ intraepithelial lymphocytes correlate with the grade of villous atrophy in coeliac patients on a long term normal diet. <i>Gut</i> , 1993 , 34, 208-14	19.2 124

1518	Is an intestinal permeability test a valid marker for slight dietary transgressions in adolescents with coeliac disease?. <i>Gut</i> , 1993 , 34, 774-7	19.2	7
1517	Clinical and pathological spectrum of coeliac disease. <i>Gut</i> , 1993 , 34, 1740-1	19.2	0
1516	Different features of coeliac disease in two neighbouring countries. <i>Archives of Disease in Childhood</i> , 1993 , 69, 375-80	2.2	69
1515	T-cell receptor variable genes and genetic susceptibility to celiac disease: an association and linkage study. 1993 , 105, 1790-6		10
1514	HLA susceptibility genes in celiac disease: genetic mapping and role in pathogenesis. 1993 , 105, 910-22		491
1513	Prognostic factors in meningococcal disease and a new scoring system. 1993 , 82, 1053-6		28
1512	Small intestinal biopsy in children with coeliac disease: measurement of radiation dose and analysis of risk. 1993 , 82, 296-9		4
1511	Is the incidence of childhood coeliac disease in Sweden still rising?. 1993 , 82, 1056		9
1510	Changes in coeliac disease behaviour over the years. 1993 , 82, 566-8		20
1509	Very late mucosal relapse in a girl with coeliac disease. 1993 , 82, 887-889		11
1508	The Development of Hemochromatosis after Treatment for Celiac Sprue. 1994 , 8, 358-361		
1507	Screening and monitoring coeliac disease: multicentre trial of a new serum antibody test kit. 1994 , 12, 71-80		3
1506	Serological screening suggests that adult coeliac disease is underdiagnosed in the UK and increases the incidence by up to 12%. <i>Gut</i> , 1994 , 35, 61-4	19.2	62
1505	Endomysium and gliadin IgA antibodies in children with coeliac disease. 1994 , 29, 452-6		25
1504	Raised pro-inflammatory cytokines interleukin 6 and tumour necrosis factor alpha in coeliac disease mucosa detected by immunohistochemistry. <i>Gut</i> , 1994 , 35, 1398-403	19.2	76
1503	Pitfalls in diagnosing coeliac disease. 1994 , 47, 693-4		52
1502	Endomysium antibodies in coeliac disease: an improved method. <i>Gut</i> , 1994 , 35, 776-8	19.2	187
1501	Immunologic and intestinal permeability tests as predictors of relapse during gluten challenge in childhood coeliac disease. 1994 , 29, 144-7		33

1500 Periureteral pheochromocytoma in a child. **1994**, 153, 864-5

1499 Do endomysial antibodies in connection with selenium deficiency contribute to pericardial effusions in coeliac disease?. **1994**, 153, 865

1498 Small intestine biopsy of children with coeliac disease: Influence of X-ray equipment on radiation dosage. **1994**, 4, 458-461 7

1497 Biopsies endoscopiques de l'intestin grêle avec capsule guidée. **1994**, 24, 393-401 3

1496 Celiac disease and insulin-dependent diabetes mellitus. Screening in an adult population. **1994**, 39, 1633-7 46

1495 Abnormal gastrointestinal motility in patients with celiac sprue. **1994**, 39, 1947-54 58

1494 Pancreatic insufficiency in celiac disease is not dependent on nutritional status. **1994**, 39, 2235-42 23

1493 IgA antiendomysium antibodies have a high positive predictive value for celiac disease in asymptomatic patients. **1994**, 49, 593-7 61

1492 The coexistence of systemic lupus erythematosus with other autoimmune diseases: the kaleidoscope of autoimmunity. **1994**, 24, 105-13 54

1491 Coeliac disease in the year 2000: exploring the iceberg. **1994**, 343, 200-3 555

1490 Association of hepatic vein obstruction and coeliac disease in North African subjects. **1994**, 20, 650-3 35

1489 Lymphocytic gastritis: a positive relationship with celiac disease. **1994**, 124, 57-62 69

1488 Associations between alleles of the major histocompatibility complex-encoded ABC transporter gene TAP2, HLA class II alleles, and celiac disease susceptibility. **1994**, 39, 9-16 19

1487 Intractable diarrhoea in infancy: a continuing challenge for the paediatric gastroenterologist. **1994**, 83, 6-9 11

1486 Coeliac disease, enamel defects and HLA typing. **1994**, 83, 1272-5 38

1485 Antigliadin antibody screening for coeliac disease. **1994**, 83, 349-50 6

1484 Increasing incidence of childhood celiac disease in Sicily: results of a multicenter study. **1994**, 83, 1065-9 25

1483 Antiendomysium antibodies and coeliac disease: solved and unsolved questions. An Italian multicentre study. **1995**, 84, 1125-31 50

1482	Anti-endomysium and anti-gliadin antibodies as serological markers for coeliac disease in childhood: a clinical study to develop a practical routine. 1995 , 84, 294-8		66
1481	Muscular dystrophy misdiagnosed as hepatic disease in a child with coeliac disease. 1995 , 84, 707-8		3
1480	Oesophageal motility in adult coeliac disease. 1995 , 7, 239-44		38
1479	Adverse reactions to food. European Academy of Allergology and Clinical Immunology Subcommittee. 1995 , 50, 623-35		447
1478	Pancreatic enzyme therapy in childhood celiac disease. A double-blind prospective randomized study. 1995 , 40, 2555-60		28
1477	Coeliac disease in childhood. 1995 , 9, 295-327		4
1476	Coeliac disease research and clinical practice: maintaining momentum into the twenty-first century. 1995 , 9, 395-412		13
1475	Genetic difference in HLA-DR phenotypes between coeliac disease and transitory gluten intolerance. <i>Archives of Disease in Childhood</i> , 1995 , 72, 29-32	2.2	33
1474	Coeliac disease in children of West Indian origin. <i>Archives of Disease in Childhood</i> , 1995 , 73, 166-7	2.2	15
1473	Physical state of human papillomavirus using non-isotopic in situ hybridisation. 1995 , 48, 786		1
1472	Pitfalls in diagnosing coeliac disease. 1995 , 48, 787		
1471	Antigliadin antibody measurement by chemiluminescence ELISA in the diagnosis of coeliac disease. 1995 , 48, 509-12		1
1470	Challenges of a nutrition support team in 1995. From the Mayo Clinic Jacksonville and St. Luke's Hospital, Jacksonville, FL. 1995 , 10, 151-6		3
1469	Novel insights into human intestinal epithelial cell proliferation in health and disease using confocal microscopy. <i>Gut</i> , 1995 , 36, 369-74	19.2	16
1468	Inaccurate haemoglobin estimation in Waldenstrom's macroglobulinaemia. 1995 , 48, 787		12
1467	Analysis of crypt cell proliferation in coeliac disease using MI-B1 antibody shows an increase in growth fraction. <i>Gut</i> , 1995 , 36, 22-7	19.2	15
1466	Low incidence of childhood celiac disease in The Netherlands. 1995 , 37, 213-8		24
1465	Intestinal proliferation in coeliac disease: looking into the crypt. <i>Gut</i> , 1995 , 36, 321-3	19.2	11

1464	Translocation of gliadin into HLA-DR antigen containing lysosomes in coeliac disease enterocytes. <i>Gut</i> , 1995 , 36, 703-9	19.2	40
1463	Seroconversion of reticulin autoantibodies predicts coeliac disease in insulin dependent diabetes mellitus. <i>Gut</i> , 1995 , 36, 239-42	19.2	86
1462	Screening tests for coeliac disease. <i>Archives of Disease in Childhood</i> , 1995 , 73, 3-4	2.2	5
1461	Flow cytometric detection of borreliacidal antibodies: a test for immune status and specific serodiagnosis of lyme disease. 1995 , 15, 41-46		1
1460	Reevaluation of the relative risk for susceptibility to celiac disease of HLA-DRB1, -DQA1, -DQB1, -DPB1, and -TAP2 alleles in a French population. 1995 , 43, 190-9		23
1459	T-cell receptor V gamma and V delta gene transcription in celiac disease gut. 1995 , 756, 400-2		
1458	High prevalence of undiagnosed coeliac disease in 5280 Italian students screened by antigliadin antibodies. 1995 , 84, 672-6		122
1457	Association of splenic vein obstruction and coeliac disease in an Indian patient. 1995 , 23, 358		4
1456	Prevalence and diagnosis of celiac disease in IgA-deficient children. 1996 , 77, 333-6		102
1455	57-year old woman with anemia and rash. 1996 , 71, 303-6		
1454	Gluten-sensitive enteropathy. 1996 , 43, 355-73		35
1453	[Celiac disease, cerebral calcifications and epilepsy syndrome]. 1996 , 3, 1013-9		4
1452	[Dermatitis herpetiformis occurring in patients with celiac disease in childhood]. 1996 , 3, 541-8		4
1451	Coeliac disease and lymphoma: current status. 1996 , 49, 212-20		3
1450	Role of T cell receptor delta gene in susceptibility to celiac disease. 1996 , 74, 93-8		4
1449	Hydrophobic interactions between gliadin and proteins and celiac disease. 1996 , 59, 1951-60		10
1448	Microflora persistence on duodenojejunal flat or normal mucosa in time after a meal in children. 1996 , 60, 1551-6		12
1447	Value of serologic markers for clinical diagnosis and population studies of coeliac disease. 1996 , 31, 61-7		60

1446	Diagnostic value of various serum antibodies detected by diverse methods in childhood celiac disease. 1996 , 42, 1838-1842		20
1445	A zebra is not always a zebra and a zero is not always a zero. 1996 , 41, 1655-7		1
1444	History of coeliac disease. 1996 , 155, 427-8		1
1443	Transient hyperphosphatasaemia and malabsorption syndrome. 1996 , 32, 197		1
1442	Small bowel biopsy in Swedish paediatric clinics. 1996 , 85, 240-1		8
1441	Serum and salivary antigliadin antibodies and serum IgA anti-endomysium antibodies as a screening test for coeliac disease. 1996 , 85, 814-7		26
1440	Radiation dose at small intestinal biopsies in children: results of a national study. 1996 , 85, 1042-6		3
1439	Where have all the American celiacs gone?. 1996 , 412, 20-4		53
1438	The coeliac iceberg in Italy. A multicentre antigliadin antibodies screening for coeliac disease in school-age subjects. 1996 , 412, 29-35		250
1437	Results of coeliac disease screening in Estonia in 1990-1994. 1996 , 412, 39-41		15
1436	Coeliac Disease. Pathogenesis and clinical aspects. 1996 , 104, 5-48		2
1435	HLA DQ and DP in Finnish families with celiac disease. 1996 , 23, 221-34		28
1434	Analysis of interleukin-4 and interleukin-10 and their association with the lymphocytic infiltrate in the small intestine of patients with coeliac disease. <i>Gut</i> , 1996 , 39, 818-23	19.2	30
1433	In vitro hydrolysis of gliadin and casein peptides: secondary defect in coeliac disease shown by organ culture. 1996 , 31, 240-6		2
1432	High incidence of urinary tract infection in patients with coeliac disease. <i>Archives of Disease in Childhood</i> , 1996 , 74, 170-1	2.2	8
1431	Transient gluten intolerance. <i>Archives of Disease in Childhood</i> , 1996 , 74, 183-4	2.2	1
1430	Epithelial cell proliferation in childhood enteropathies. <i>Gut</i> , 1996 , 39, 185-93	19.2	32
1429	IgA antiendomysial antibodies on the umbilical cord in diagnosing celiac disease. Sensitivity, specificity, and comparative evaluation with the traditional kit. 1996 , 31, 759-63		37

1428	Incidence and prevalence of adult coeliac disease within a defined geographic area in Denmark. 1996 , 31, 694-9		35
1427	ACP Broadsheet No 149: September 1996. Serological diagnosis of gluten sensitive enteropathy. 1996 , 49, 704-11		43
1426	Clinical aspects of coeliac disease in children with insulin-dependent diabetes mellitus. 1996 , 9 Suppl 1, 101-11		30
1425	Changing infant feeding practices and declining incidence of coeliac disease in West Somerset. <i>Archives of Disease in Childhood</i> , 1997 , 77, 206-9	2.2	43
1424	Is the sugar intestinal permeability test a reliable investigation for coeliac disease screening?. <i>Gut</i> , 1997 , 40, 215-7	19.2	14
1423	Food Allergy. 1997 , 278, 1888		92
1422	Influence of infant feeding and gluten intake on coeliac disease. <i>Archives of Disease in Childhood</i> , 1997 , 76, 113-7	2.2	73
1421	Defining treatment resistance in the irritable bowel syndrome. <i>Gut</i> , 1997 , 41, 723	19.2	1
1420	Twenty years of childhood coeliac disease in The Netherlands: a rapidly increasing incidence?. <i>Gut</i> , 1997 , 40, 61-6	19.2	34
1419	Serum prolactin in coeliac disease: a marker for disease activity. <i>Archives of Disease in Childhood</i> , 1997 , 77, 155-7	2.2	31
1418	Detection and characterisation of anti-endomysial antibody in coeliac disease using human umbilical cord. 1997 , 112, 140-4		19
1417	[Celiac disease and IgA deficiency]. 1997 , 4, 92-3		2
1416	[Is systematic screening of asymptomatic celiac diseases justified?]. 1997 , 4, 207-12		0
1415	Coeliac disease. 1997 , 7, 203-206		3
1414	Celiac disease and selective immunoglobulin A deficiency. 1997 , 131, 306-8		110
1413	Coeliac disease. 1997 , 349, 1755-9		471
1412	IgA antiendomysium antibodies in human umbilical cord sections as a screening test in relatives of patients with coeliac disease. 1997 , 52, 1017-21		7
1411	Absolute linkage of coeliac disease and dermatitis herpetiformis to HLA-DQ. 1997 , 50, 52-6		49

1410	The spectrum of coeliac disease in children. 1997 , 11, 485-507			33
1409	Wheat starch intolerance in patients with celiac disease. 1997 , 97, 612-8			53
1408	Anti-gliadin antibodies in patients with celiac disease cross-react with enterocytes and human calreticulin. 1997 , 85, 289-96			35
1407	Estimation of serum beta-2-microglobulin in children with malabsorption disorders syndrome. 1997 , 32, 312-7			2
1406	Anti-endomysium antibody on human umbilical cord vein tissue: an inexpensive and sensitive diagnostic tool for the screening of coeliac disease. 1997 , 156, 616-8			14
1405	Gliadin Specific, HLA DQ2-Restricted T Cells are Commonly Found in Small Intestinal Biopsies from Coeliac Disease Patients, but not from Controls. 1997 , 46, 103-109			7
1404	Gliadin Specific, HLA DQ2-Restricted T Cells are Commonly Found in Small Intestinal Biopsies from Coeliac Disease Patients, but not from Controls. 1997 , 46, 103-108			110
1403	Density of gamma/delta+ T cells in the jejunal epithelium of patients with coeliac disease and dermatitis herpetiformis is increased with age. <i>Clinical and Experimental Immunology</i> , 1997 , 109, 464-7	6.2		35
1402	Autonomic dysfunction and upper digestive functional disorders in untreated adult coeliac disease. 1997 , 27, 1009-15			73
1401	Genetic contribution of the HLA region to the familial clustering of coeliac disease. 1997 , 61, 307-17			113
1400	Expression of cytotoxic molecules in intestinal T-cell lymphomas. The German Study Group on Intestinal Non-Hodgkin Lymphoma. 1997 , 182, 311-7			27
1399	HLA restriction patterns of gliadin- and astrovirus-specific CD4+ T cells isolated in parallel from the small intestine of celiac disease patients. 1998 , 52, 407-15			23
1398	Low cereal intake in Estonian infants: the possible explanation for the low frequency of coeliac disease in Estonia. 1998 , 52, 85-8			25
1397	Flow cytometry description of a novel CD3-/CD7+ intraepithelial lymphocyte subset in human duodenal biopsies: potential diagnostic value in coeliac disease. 1998 , 34, 95-102			61
1396	[Diagnosis and therapy of endemic (gluten-sensitive) sprue]. 1998 , 93, 729-31			
1395	Gehüftes Auftreten von Zölkakie bei Kindern mit Diabetes mellitus Typ I. 1998 , 146, 942-945			1
1394	Anti-alpha-gliadin antibodies (AGA) in the serum of coeliac children and controls recognize an identical collection of linear epitopes of alpha-gliadin. <i>Clinical and Experimental Immunology</i> , 1998 , 114, 189-95	6.2		13
1393	Determination of anti-secalin antibodies in sera from coeliac patients by ELISA-based assay. 1998 , 18, 255-60			

1392	SAT and serology in adult coeliacs, seronegative coeliac disease seems a reality. 1998 , 53, 15-9	36
1391	New advances for serologic evaluation of celiac disease and dermatitis herpetiformis. 1998 , 18, 125-134	1
1390	HLA-DQ2-negative celiac disease in Finland and Spain. 1998 , 59, 169-75	82
1389	Increased incidence of lymphomas and carcinomas in patients with coeliac disease. 1998 , 34, 592-3	4
1388	Beta structure motif recognition by anti-gliadin antibodies in coeliac disease. 1998 , 427, 36-40	9
1387	Autoantibodies to tissue transglutaminase as predictors of celiac disease. 1998 , 115, 1317-21	473
1386	Tissue transglutaminase autoantibody enzyme-linked immunosorbent assay in detecting celiac disease. 1998 , 115, 1322-8	484
1385	Gluten induces an intestinal cytokine response strongly dominated by interferon gamma in patients with celiac disease. 1998 , 115, 551-63	369
1384	Overexpression of an unstable intrinsic factor-cobalamin receptor in Imerlund-Gräbeck syndrome. 1998 , 115, 173-6	12
1383	Diagnosis of celiac sprue. 1998 , 115, 211-6	133
1382	Mucosal healing in Crohn's disease. 1998 , 114, 419-20	8
1381	Chronic diarrhea in treated celiacs: are they really celiacs?. 1998 , 114, 420-1, 425	
1380	Reply. 1998 , 114, 420-421	
1379	Genome search in celiac disease. 1998 , 62, 669-75	173
1378	Celiac disease: a reappraisal. 1998 , 133, 181-7	54
1377	New clinical issues in celiac disease. 1998 , 27, 453-65	12
1376	Spinal Bone Mineral Density in Children with Celiac Disease. 1998 , 1, 129-136	7
1375	Coeliac disease: always something to discover. 1998 , 228, 122-9	12

1374	Undiagnosed coeliac disease is common in Finnish adults. 1998 , 33, 1280-3		111
1373	Small-bowel mucosal inflammation in reticulín or gliadin antibody-positive patients without villous atrophy. 1998 , 33, 944-9		42
1372	Improved method for serological testing in celiac disease--IgA anti-endomysium antibody test: a comparison between monkey oesophagus and human umbilical cord as substrate in indirect immunofluorescence test. 1998 , 58, 547-54		5
1371	Diagnostic value of serological markers for celiac disease in diabetic children and adolescents. 1998 , 11, 751-6		12
1370	Role of tissue transglutaminase in gliadin binding to reticular extracellular matrix and relation to coeliac disease autoantibodies. 1998 , 28, 185-95		11
1369	Prevalence of IgA-antigliadin antibodies and IgA-antiendomysium antibodies related to celiac disease in children with Down syndrome. 1998 , 101, 272-5		79
1368	Lack of cross-reactivity between casein and gliadin in sera from coeliac disease patients. 1998 , 117, 152-4		
1367	Chromosome aberrations in coeliac and non-coeliac enteropathies. <i>Archives of Disease in Childhood</i> , 1998 , 78, 466-8	2.2	5
1366	Prevalence and clinical features of selective immunoglobulin A deficiency in coeliac disease: an Italian multicentre study. Italian Society of Paediatric Gastroenterology and Hepatology (SIGEP) and "Club del Tenue" Working Groups on Coeliac Disease. <i>Gut</i> , 1998 , 42, 362-5	19.2	234
1365	Coeliac disease in north-eastern Libya. 1998 , 18, 27-30		19
1364	Audit of the clinical utility of antibodies to endomysium and gliadin as markers of coeliac disease. 1998 , 35 (Pt 3), 436-8		2
1363	Reversal of low bone density with a gluten-free diet in children and adolescents with celiac disease. 1998 , 67, 477-81		109
1362	Discrimination between Celiac and Other Gastrointestinal Disorders in Childhood by Rapid Human Lymphocyte Antigen Typing. 1998 , 44, 1755-1757		7
1361	Targeting of gliadin peptides, CD8, alpha/beta-TCR, and gamma/delta-TCR to Golgi complexes and vacuoles within celiac disease enterocytes. 1998 , 12, 1349-57		29
1360	The changing features of celiac disease. Preface. 1998 , 16, 328-9		
1359	Prevalence of IgA-antiendomysium and IgA-antigliadin autoantibodies at diagnosis of insulin-dependent diabetes mellitus in Swedish children and adolescents. 1999 , 103, 1248-52		77
1358	Small Bowel Diseases in the Elderly. 1999 , 15, 473-486		12
1357	Recombinant Human Tissue Transglutaminase ELISA for the Diagnosis of Gluten-sensitive Enteropathy. 1999 , 45, 2142-2149		95

1356	Expression of HSP-65 in jejunal epithelial cells in patients clinically suspected of coeliac disease. 1999 , 31, 125-32		14
1355	New Diagnostic Test for Celiac Disease. 1999 , 1, 44-45		
1354	Increased expression of mRNA for matrix metalloproteinases-1 and -3 and tissue inhibitor of metalloproteinases-1 in intestinal biopsy specimens from patients with coeliac disease. <i>Gut</i> , 1999 , 44, 17-25	19.2	106
1353	Identification of common epitopes on gliadin, enterocytes, and calreticulin recognised by antigliadin antibodies of patients with coeliac disease. <i>Gut</i> , 1999 , 44, 168-73	19.2	40
1352	Autoantibodies predicting diabetes mellitus type I in celiac disease. 1999 , 52, 119-24		15
1351	Tissue transglutaminase antibodies in celiac disease. 1999 , 94, 2187-92		44
1350	Sensitivity of antiendomysium and antigliadin antibodies in untreated celiac disease: disappointing in clinical practice. 1999 , 94, 888-94		336
1349	The clinical pattern of subclinical/silent celiac disease: an analysis on 1026 consecutive cases. 1999 , 94, 691-6		80
1348	Bone density and bone metabolism are normal after long-term gluten-free diet in young celiac patients. 1999 , 94, 398-403		75
1347	Assessment of body composition by bioelectrical impedance in adolescent patients with celiac disease. 1999 , 94, 2951-5		12
1346	Blood Pressure and Birth Weight. 1999 , 1, 45-46		
1345	Review article: coeliac disease and its management. <i>Alimentary Pharmacology and Therapeutics</i> , 1999 , 13, 1-13	6.1	39
1344	A non-toxic analogue of a coeliac-activating gliadin peptide: a basis for immunomodulation?. <i>Alimentary Pharmacology and Therapeutics</i> , 1999 , 13, 945-50	6.1	25
1343	Changing jejunal gamma delta T cell receptor (TCR)-bearing intraepithelial lymphocyte density in coeliac disease. <i>Clinical and Experimental Immunology</i> , 1999 , 117, 51-5	6.2	42
1342	A novel visual immunoassay for coeliac disease screening. 1999 , 29, 697-9		11
1341	Simultaneous presentation of coeliac disease and ulcerative colitis in a child. 1999 , 35, 204-6		5
1340	Linkage disequilibrium between intra-locus variants in the aminopeptidase n gene and test of their association with coeliac disease. 1999 , 63, 207-15		7
1339	Common HLA alleles, rather than rare mutants, confer susceptibility to coeliac disease. 1999 , 63, 217-25		12

1338	Cytokine profile in coeliac disease. 1999 , 49, 441-6	89
1337	Salivary antigliadin and antiendomysium antibodies in coeliac disease. 1999 , 50, 528-35	10
1336	Celiac disease and autoimmune endocrinologic disorders. 1999 , 44, 1428-33	61
1335	Clinical application of immunological markers as monitoring tests in celiac disease. 1999 , 44, 2133-8	16
1334	Serological markers and HLA-DQ2 haplotype among first-degree relatives of celiac patients. Catalanian Coeliac Disease Study Group. 1999 , 44, 2344-9	50
1333	Expression of interleukin-4 and interferon-gamma in the small bowel of patients with dermatitis herpetiformis and isolated gluten-sensitive enteropathy. 1999 , 44, 2124-32	10
1332	Zñakie. 1999 , 147, 60-72	1
1331	Atypische Zñakie im Kindesalter. 1999 , 147, 469-472	
1330	Etiology of chronic diarrhea. 1999 , 66, 657-61	8
1329	High frequency of antigliadin antibodies and absence of antireticulin and antiendomysium antibodies in patients with ulcerative colitis. 1999 , 34, 61-5	41
1328	Normal binding of plasma von Willebrand factor to platelets in essential thrombocythemia. 1999 , 61, 153-4	2
1327	Multifocal T-cell lymphoma of bone. 1999 , 61, 154	2
1326	Androgen-induced erythrocytosis: is it erythropoietin?. 1999 , 61, 154-5	18
1325	Thiamine deficiency in a patient receiving chemotherapy for acute myeloblastic leukemia. 1999 , 61, 155-6	6
1324	Iron deficiency anemia of unknown etiology and/or resistance to the treatment: The sole manifestation of adult celiac disease (CD). 1999 , 61, 156-157	1
1323	Remission of pure-red-cell aplasia associated with operative cure of lung cancer. 1999 , 61, 157-8	4
1322	The circulating insulin-like growth factor system in children with coeliac disease: an additional marker for disease activity. 1999 , 15, 254-60	16
1321	Wheat starch-containing gluten-free flour products in the treatment of coeliac disease and dermatitis herpetiformis. A long-term follow-up study. 1999 , 34, 163-9	53

1320	New diagnostic findings in coeliac disease. 1999 , 31, 399-405		25
1319	High prevalence of celiac disease in apparently healthy blood donors suggests a high prevalence of undiagnosed celiac disease in the Dutch population. 1999 , 34, 276-9		81
1318	IgA antibodies to tissue transglutaminase: An effective diagnostic test for celiac disease. 1999 , 134, 166-71		157
1317	The clinical pattern of subclinical/silent celiac disease: an analysis on 1026 consecutive cases. 1999 , 94, 691-696		154
1316	Assessment of body composition by bioelectrical impedance in adolescent patients with celiac disease. 1999 , 94, 2951-2955		9
1315	Duration of exposure to gluten and risk for autoimmune disorders in patients with celiac disease. SIGEP Study Group for Autoimmune Disorders in Celiac Disease. 1999 , 117, 297-303		700
1314	Comparison of tissue transglutaminase-specific antibody assays with established antibody measurements for coeliac disease. 1999 , 12, 51-6		92
1313	Increased density of jejunal gammadelta+ T cells in patients having normal mucosa--marker of operative autoimmune mechanisms?. 1999 , 29, 179-87		35
1312	55-year-old woman with worsening seizure control. 2000 , 75, 529-32		
1311	Body composition in children with celiac disease and the effects of a gluten-free diet: a prospective case-control study. 2000 , 72, 71-5		84
1310	Cost-effective strategy for the serological investigation of coeliac disease. 2000 , 37 (Pt 4), 467-70		6
1309	Celiac disease in older people. 2000 , 48, 1690-6		7
1308	Human leukocyte antigen class II alleles in white Brazilian patients with celiac disease. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2000 , 31, 391-4	2.8	10
1307	Comparative evaluation of serologic tests for celiac disease: a European initiative toward standardization. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2000 , 31, 513-9	2.8	104
1306	The measurement of IgA and IgG transglutaminase antibodies in celiac disease: a comparison with current diagnostic methods. 2000 , 32, 181-185		15
1305	Tissue transglutaminase is the target in both rodent and primate tissues for celiac disease-specific autoantibodies. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2000 , 31, 520-7	2.8	39
1304	Boy with celiac disease, malformations, and ring chromosome 13 with deletion 13q32->qter. 2000 , 93, 399-402		2
1303	Celiac disease in Turkish children: presentation of 104 cases. 2000 , 42, 483-7		28

1302	The high frequency of coeliac disease among children with neurological disorders. 2000 , 7, 707-11		14
1301	A genome-wide family-based linkage study of coeliac disease. 2000 , 64, 479-90		70
1300	The effects of 1-year gluten withdrawal on bone mass, bone metabolism and nutritional status in newly-diagnosed adult coeliac disease patients. <i>Alimentary Pharmacology and Therapeutics</i> , 2000 , 14, 35-43	6.1	100
1299	Cyclosporin in the treatment of adults with refractory coeliac disease--an open pilot study. <i>Alimentary Pharmacology and Therapeutics</i> , 2000 , 14, 767-74	6.1	66
1298	Local challenge of oral mucosa with gliadin in patients with coeliac disease. <i>Clinical and Experimental Immunology</i> , 2000 , 120, 38-45	6.2	22
1297	The mouth--an accessible region for gluten challenge. <i>Clinical and Experimental Immunology</i> , 2000 , 120, 10-1	6.2	2
1296	The expression of OX40 in immunologically mediated diseases of the gastrointestinal tract (celiac disease, Crohn's disease, ulcerative colitis). 2000 , 30, 594-9		37
1295	A beta-turn rich oats peptide as an antigen in an ELISA method for the screening of coeliac disease in a paediatric population. 2000 , 30, 702-8		5
1294	Prevalence of coeliac disease and longitudinal follow-up of antigliadin antibody status in children and adolescents with type 1 diabetes mellitus. 2000 , 1, 199-203		22
1293	The CTLA4/CD28 gene region on chromosome 2q33 confers susceptibility to celiac disease in a way possibly distinct from that of type 1 diabetes and other chronic inflammatory disorders. 2000 , 56, 350-5		74
1292	Epidemic of coeliac disease in Swedish children. 2000 , 89, 165-171		291
1291	Intraepithelial lymphocytes and coeliac disease: permanent changes in CD3 ⁺ CD7 ⁺ and T cell receptor β subsets studied by flow cytometry. 2000 , 89, 285-290		7
1290	Usefulness of screening program for celiac disease in autoimmune thyroiditis. 2000 , 45, 403-6		57
1289	Increased levels of circulating ICAM-1, E-selectin, and IL-2 receptors in celiac disease. 2000 , 45, 398-402		13
1288	Coeliac disease in spondyloarthropathy: usefulness of serological screening. 2000 , 19, 118-22		11
1287	Search for coeliac disease susceptibility loci on 7q11.23 candidate region: absence of association with the ELN17 microsatellite marker. 2000 , 50, 180-3		9
1286	The association of celiac disease, diabetes mellitus type 1, hypothyroidism, chronic liver disease, and selective IgA deficiency. 2000 , 39, 229-31		14
1285	Human recombinant tissue transglutaminase ELISA: an innovative diagnostic assay for celiac disease. 2000 , 95, 1253-7		156

1284	Prevalence of celiac disease among blood donors in Brazil. 2000 , 95, 689-92		130
1283	Importance of gluten in the induction of endocrine autoantibodies and organ dysfunction in adolescent celiac patients. 2000 , 95, 1742-8		81
1282	Celiac disease in a Chilean population carrying Amerindian traits. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2000 , 31, 381-6	2.8	29
1281	Comparison of a tissue transglutaminase ELISA with the endomysium antibody test in the diagnosis of gluten-sensitive enteropathy. 2000 , 38, 357-64		21
1280	Immunoassay for detection of IgA antitissue transglutaminase in patients with celiac disease. 2000 , 41, 241-5		1
1279	Celiac disease diagnosis in misdiagnosed children. 2000 , 48, 590-2		24
1278	Determination of anti-omega-gliadin antibodies in serologic tests for coeliac disease. 2000 , 35, 508-16		7
1277	Antiendomysium versus antigliadin antibodies in screening the general population for coeliac disease. 2000 , 35, 732-6		54
1276	Up-regulation of the IL-12 receptor beta 2 chain in Crohn's disease. 2000 , 165, 7234-9		115
1275	Immune reaction against the cytoskeleton in coeliac disease. <i>Gut</i> , 2000 , 47, 520-6	19.2	62
1274	HLA-DQA1*05-DQB1*0201 positivity predisposes to coeliac disease in Czech diabetic children. 2000 , 89, 1426-30		17
1273	Tissue transglutaminase autoantibodies in patients with non-Hodgkin's lymphoma. Case reports. 2000 , 62, 271-5		12
1272	Development of a novel rapid non-invasive screening test for coeliac disease. <i>Gut</i> , 2000 , 47, 628-31	19.2	64
1271	A new cause of 'non-responsiveness' in coeliac disease?. 2000 , 76, 227-9		
1270	Occurrence of IgA and IgG autoantibodies to calreticulin in coeliac disease and various autoimmune diseases. 2000 , 15, 441-9		41
1269	Significance of unsuspected celiac disease detected at endoscopy. 2000 , 51, 60-5		60
1268	A case of dermatitis herpetiformis with IgA endomysial antibodies but negative direct immunofluorescent findings. 2000 , 43, 329-32		24
1267	Gluten-dependent diabetes-related and thyroid-related autoantibodies in patients with celiac disease. 2000 , 137, 263-5		167

1266	Histopathology of celiac disease. 2000 , 54, 368-72	177
1265	Compliance with gluten-free diet in adolescents with screening-detected celiac disease: A 5-year follow-up study. 2000 , 136, 841-843	149
1264	The prevalence of celiac disease in at-risk groups of children in the United States. 2000 , 136, 86-90	97
1263	Evoluci3n de las estrategias diagn3sticas en la enfermedad cel3ca. 2000 , 53, 509-512	1
1262	Celiac Disease. 2000 ,	1
1261	Children with untreated food allergy express a relative increment in the density of duodenal gammadelta+ T cells. 2000 , 35, 1137-42	67
1260	Calcaneal ultrasound attenuation and vitamin-D-receptor genotypes in celiac disease. 2000 , 35, 172-6	17
1259	IgG(1) antiendomysium and IgG antitissue transglutaminase (anti-tTG) antibodies in coeliac patients with selective IgA deficiency. Working Groups on Celiac Disease of SIGEP and Club del Tenue. <i>Gut</i> , 2000 , 47, 366-9	19.2 92
1258	55-Year-Old Woman With Worsening Seizure Control. 2000 , 75, 529-532	1
1257	[Clinical relevance of immunoglobulin A deficiency in celiac disease]. 2000 , 115, 687-9	5
1256	Anticuerpo antitransglutaminasa: utilidad en el diagn3stico de la enfermedad cel3ca. 2000 , 53, 542-546	1
1255	Sensitivity of a hyperosmolar or "low"-osmolar test solution for sugar absorption in recognizing small intestinal mucosal damage in coeliac disease. 2000 , 32, 195-200	12
1254	Current approaches to diagnosis and treatment of celiac disease: an evolving spectrum. 2001 , 120, 636-51	903
1253	AGA technical review on Celiac Sprue. American Gastroenterological Association. 2001 , 120, 1526-40	252
1252	Endoscopic features of celiac disease in children. 2001 , 54, 736-42	54
1251	Vaccines and vaccination. 2001 , 345, 1042-53	212
1250	The tissue transglutaminase gene is not a primary factor predisposing to celiac disease. 2001 , 96, 3337-3340	9
1249	Characteristics of adult celiac disease in the USA: results of a national survey. 2001 , 96, 126-31	407

1248	Breastfeeding and chronic disease in childhood and adolescence. 2001 , 48, 125-41, ix	87
1247	Health-related quality of life in children with celiac disease. 2001 , 138, 593-5	99
1246	A prospective, longitudinal study of the long-term effect of treatment on bone density in children with celiac disease. 2001 , 139, 516-21	102
1245	Celiac disease in children with autoimmune thyroid disease. 2001 , 139, 738-40	77
1244	Cow's milk protein-sensitive enteropathy at school age. 2001 , 139, 797-803	72
1243	Heat-shock protein 70-1 and HLA class II gene polymorphisms associated with celiac disease susceptibility in Navarra (Spain). 2001 , 62, 821-5	19
1242	[Anti-endomysium, anti-reticulin and anti-gliadin antibodies, value in the diagnosis of celiac disease in the child]. 2001 , 49, 47-52	13
1241	Coeliac disease and reproductive disorders: a neglected association. 2001 , 96, 146-9	67
1240	Forma atípica de presentación de enfermedad celíaca del adulto. 2001 , 8, 723-724	
1239	Enfermedad celíaca del adulto: estudio de 21 casos y revisión de la bibliografía. 2001 , 24, 236-239	5
1238	Hemophilus influenzae pyarthrosis and meningitis treated with aureomycin. 2001 , 138, 595	
1237	Anti-transglutaminase IgA ELISA: Clinical Potential and Drawbacks in Celiac Disease Diagnosis. 2001 , 36, 849-853	36
1236	Coeliac disease in patients with cerebellar ataxia of unknown origin. 2001 , 33, 445-9	39
1235	Tissue transglutaminase auto-antibodies in cord blood from children to become celiacs. 2001 , 36, 1279-83	5
1234	Serum antigliadin antibody levels as a screening criterion before jejunal biopsy indication for celiac disease in a developing country. 2001 , 34, 1415-20	4
1233	[Assessment of gliadin in pharmaceutical products - important information to the orientation of celiac disease patients]. 2001 , 38, 176-82	1
1232	[Celiac disease: evaluation of compliance to gluten-free diet and knowledge of disease in patients registered at the Brazilian Celiac Association (ACA)]. 2001 , 38, 232-9	14
1231	Antiendomysium antibodies in Brazilian patients with celiac disease and their first-degree relatives. 2001 , 38, 94-103	22

1230	High prevalence of celiac disease in patients with type 1 diabetes detected by antibodies to endomysium and tissue transglutaminase. 2001 , 15, 297-301		85
1229	Doen celca: caractersticas clnicas e mtodos utilizados no diagnstico de pacientes cadastrados na Associa dos Celacos do Brasil. 2001 , 77, 131		2
1228	The changing face of celiac disease. 2001 , 6, 644-51		1
1227	Antibodies to human tissue transglutaminase for the diagnosis of celiac disease. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2001 , 33, 349-50	2.8	15
1226	A pilot study of recombinant human interleukin-10 in adults with refractory coeliac disease. 2001 , 13, 1183-8		59
1225	Antiendomysial antibody test reliability in children with frequent diarrhea and malnutrition: is it celiac disease?. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2001 , 33, 483-7	2.8	8
1224	Treatment of giardiasis reverses "active" coeliac disease to "latent" coeliac disease. 2001 , 13, 1101-5		25
1223	When is a coeliac a coeliac? Report of a working group of the United European Gastroenterology Week in Amsterdam, 2001. 2001 , 13, 1123-8		160
1222	The prevalence and clinical characteristics of celiac disease in juvenile diabetes in Wisconsin. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2001 , 33, 462-5	2.8	70
1221	Germline mutations in TGM2 do not contribute to coeliac disease susceptibility in the Swedish population. 2001 , 13, 1477-9		2
1220	Sorbitol H2-breath test versus anti-endomysium antibodies for the diagnosis of subclinical/silent coeliac disease. 2001 , 36, 1170-2		23
1219	Prevalence and clinical picture of celiac disease in italian down syndrome patients: a multicenter study. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2001 , 33, 139-43	2.8	95
1218	An update on coeliac disease. 2001 , 62, 735-9		
1217	Undiagnosed coeliac disease and risk of autoimmune disorders in subjects with Type I diabetes mellitus. 2001 , 44, 151-5		108
1216	Eisenmangelanmie als Leitsymptom einer glutensensitiven Enteropathie bei einem 16-jhrigen Mdchen. 2001 , 149, 908-913		
1215	Do you still need a biopsy to diagnose celiac disease?. 2001 , 3, 385-91		7
1214	Maladie cliaque: facteurs gntiques et prsentation des antignes. 2001 , 31, 255-264		
1213	In vivo and in vitro permeability in coeliac disease. <i>Alimentary Pharmacology and Therapeutics</i> , 2001 , 15, 1417-25	6.1	12

1212	Autoantibodies from patients with coeliac disease recognize distinct functional domains of the autoantigen tissue transglutaminase. <i>Clinical and Experimental Immunology</i> , 2001 , 125, 216-21	6.2	41
1211	Fecal elastase-1 is decreased in villous atrophy regardless of the underlying disease. 2001 , 31, 425-30		42
1210	Endomysium antibodies in the diagnosis of celiac disease in short-statured children with no gastrointestinal symptoms. 2001 , 43, 71-3		23
1209	Coeliac disease: follow-up linkage study provides further support for existence of a susceptibility locus on chromosome 11p11. 2001 , 65, 377-386		32
1208	Celiac disease and mineralisation disturbances of permanent teeth. 2001 , 11, 179-83		27
1207	Clinical relevance of villous atrophy. 2001 , 12 Suppl 14, 47-50		
1206	Prediction of silent celiac disease at diagnosis of childhood type 1 diabetes by tissue transglutaminase autoantibodies and HLA. 2001 , 2, 58-65		27
1205	High prevalence rates of adult silent coeliac disease, as seen in Sweden, must be expected in Denmark. 2001 , 109, 745-50		36
1204	Commentary: advances in the laboratory diagnosis of celiac disease. 2001 , 15, 105-7		2
1203	IgA antibodies against endomysium and transglutaminase: a comparison of methods. 2001 , 15, 108-11		8
1202	Diagnostic accuracy of fecal elastase 1 assay in patients with pancreatic maldigestion or intestinal malabsorption: a collaborative study of the Italian Society of Pediatric Gastroenterology and Hepatology. 2001 , 46, 1335-42		39
1201	Celiac disease without villous atrophy: revision of criteria called for. 2001 , 46, 879-87		133
1200	Hydrogen breath test with D-xylose for celiac disease screening is as useful in the elderly as in other age groups. 2001 , 46, 2201-5		8
1199	Diagnostic approach to a patient with suspected celiac disease: a cost analysis. 2001 , 46, 2510-4		21
1198	Spectrum of autoantibodies in celiac patients and relatives. 2001 , 46, 2624-30		35
1197	Anti-endomysial antibody negative celiac disease: does additional serological testing help?. 2001 , 46, 214-21		28
1196	Genome-wide linkage analysis of Scandinavian affected sib-pairs supports presence of susceptibility loci for celiac disease on chromosomes 5 and 11. 2001 , 9, 938-44		70
1195	Coeliac disease: effect of early feeding on the incidence of the disease. 2001 , 65 Suppl, S153-60		13

1194	New automated immunoassay measuring immunoglobulin A antigliadin antibodies for prediction of celiac disease in childhood. 2001 , 8, 564-70		9
1193	Serological screening for celiac disease in healthy 2.5-year-old children in Sweden. 2001 , 107, 42-5		129
1192	A case-control study of the effect of infant feeding on celiac disease. 2001 , 45, 135-42		56
1191	Association between coeliac disease, epilepsy and brain atrophy. 2001 , 46, 187-91		26
1190	Bone mineral density and importance of a gluten-free diet in patients with celiac disease in childhood. 2001 , 108, E89		82
1189	Increased levels of IgA antibodies against desmin in children with coeliac disease. 2001 , 126, 157-66		14
1188	Coeliac disease in Williams syndrome. 2001 , 38, 767-8		61
1187	Screening for autoantibodies to tissue transglutaminase reveals a low prevalence of celiac disease in blood donors with cryptogenic hypertransaminasemia. 2001 , 64, 87-91		2
1186	Serum IgA tissue transglutaminase antibodies in coeliac disease and other gastrointestinal diseases. 2001 , 94, 195-205		37
1185	Celiac disease screening: exploring the iceberg with salivary antigliadin antibodies. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2001 , 32, 227-8	2.8	5
1184	Serologic markers of untreated celiac disease in Libyan children: antigliadin, antitransglutaminase, antiendomysial, and anticalreticulin antibodies. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2001 , 33, 276-82	2.8	14
1183	A case of celiac disease presenting with autoimmune hepatitis and erythroblastopenia. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2001 , 33, 616-9	2.8	17
1182	Celiac disease and short stature--not always cause and effect. 2001 , 14, 71-4		1
1181	Gluten challenge in borderline gluten-sensitive enteropathy. 2001 , 96, 1464-9		78
1180	The tissue transglutaminase gene is not a primary factor predisposing to celiac disease. 2001 , 96, 3337-40		8
1179	Low prevalence of antigliadin and anti-endomysium antibodies in subclinical/silent celiac disease. 2001 , 96, 1507-10		83
1178	Prevalence of thyroid disorders in untreated adult celiac disease patients and effect of gluten withdrawal: an Italian multicenter study. 2001 , 96, 751-7		110
1177	Radioimmunoassay to detect antitransglutaminase autoantibodies is the most sensitive and specific screening method for celiac disease. 2001 , 96, 1536-40		63

1176	Macroamylasemia attributable to gluten-related amylase autoantibodies: a case report. 2001 , 107, E93		20
1175	Searching for celiac disease in pediatric general practice. 2001 , 40, 575-7		10
1174	Guinea pig transglutaminase immunolinked assay does not predict coeliac disease in patients with chronic liver disease. <i>Gut</i> , 2001 , 49, 506-11	19.2	52
1173	Frequency of clonal intraepithelial T lymphocyte proliferations in enteropathy-type intestinal T cell lymphoma, coeliac disease, and refractory sprue. <i>Gut</i> , 2001 , 49, 804-12	19.2	104
1172	Keratinocyte growth factor and coeliac disease. <i>Gut</i> , 2001 , 49, 176-81	19.2	23
1171	Comparison of the prevalence of glutamic acid decarboxylase (GAD65) and gliadin antibodies (AGA) in a randomly selected adult estonian population. 2001 , 33, 564-7		5
1170	Case records of the Massachusetts General Hospital. Weekly clinicopathological exercises. Case 5-2001. A 52-year-old man with chronic anemia and sudden severe abdominal pain. 2001 , 344, 510-7		9
1169	[Diagnosis of sprue]. 2001 , 126, 638-42		1
1168	Diagnostic duodenal bulb biopsy in celiac disease. 2001 , 33, 336-40		121
1167	Celiac Disease and Risk of Atopy in Childhood. 2001 , 15, 77-80		3
1166	CTLA-4/CD28 gene region is associated with genetic susceptibility to coeliac disease in UK families. 2002 , 39, 51-4		32
1165	Paternal contribution to the risk for pre-eclampsia. 2002 , 39, 44-5		25
1164	Association of polymorphisms and allelic combinations in the tumour necrosis factor-alpha-complement MHC region with coronary artery disease. 2002 , 39, 46-51		33
1163	Tissue transglutaminase antibody determination in celiac disease. Analysis of diagnostic specificity of anti-human IgA-type assays. 2002 , 23, 211-27		2
1162	Interleukin 18 and associated markers of T helper cell type 1 activity in coeliac disease. <i>Gut</i> , 2002 , 50, 186-90	19.2	95
1161	Type 1 Diabetes and Celiac Disease: Overview and Medical Nutrition Therapy. 2002 , 15, 197-201		3
1160	Coeliac disease in children and adolescents with type 1 diabetes mellitus: to screen or not, to treat or not?. 2002 , 57 Suppl 1, 97-100		6
1159	Production of recombinant human tissue transglutaminase using the baculovirus expression system, and its application for serological diagnosis of coeliac disease. 2002 , 14, 1217-23		22

1158	Analysis of the CTLA4 gene in Swedish coeliac disease patients. 2002 , 37, 28-31		26
1157	Intestinal intraepithelial lymphocytes and anti-transglutaminase in a screening algorithm for coeliac disease. <i>Gut</i> , 2002 , 50, 740-1	19.2	16
1156	Adenoma prevalence and cancer risk in familial non-polyposis colorectal cancer. <i>Gut</i> , 2002 , 50, 228-34	19.2	82
1155	Branchio-oculo-facial syndrome and branchio-otic/branchio-oto-renal syndromes are distinct entities. 2002 , 39, 71-3		16
1154	Genome screening of coeliac disease. 2002 , 39, 328-31		25
1153	Covert operations. 2002 , 39, 331-331		78
1152	Tissue transglutaminase-serology markers for coeliac disease. 2002 , 40, 485-92		7
1151	Histologic follow-up of people with celiac disease on a gluten-free diet: slow and incomplete recovery. 2002 , 118, 459-63		240
1150	The hunt for coeliac disease in primary care. 2002 , 95, 75-7		21
1149	Even small amounts of gluten cause relapse in children with celiac disease. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2002 , 34, 26-30	2.8	40
1148	HLA-DQA1 and HLA-DQB1 genetic markers and clinical presentation in celiac disease. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2002 , 34, 548-54	2.8	56
1147	Celiac disease: an emerging global problem. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2002 , 35, 472-4	2.8	15
1146	Endoscopic features of celiac disease in adults and their correlation with age, histological damage, and clinical form of the disease. 2002 , 34, 787-92		52
1145	Prevalence and clinical picture of celiac disease in Turner syndrome. 2002 , 87, 5495-8		135
1144	Endocrinological disorders and celiac disease. 2002 , 23, 464-83		216
1143	Recombinant human tissue transglutaminase for diagnosis and follow-up of childhood coeliac disease. 2002 , 51, 700-5		66
1142	[Endemic celiac sprue and Hodgkin's disease in a 72-year-old patient]. 2002 , 127, 1815-8		
1141	In vitro analysis of aminoglycoside therapy for the Arg120stop nonsense mutation in RP2 patients. 2002 , 39, 62-7		28

1140	Production of anti-endomysial antibodies in cultured duodenal mucosa: usefulness in coeliac disease diagnosis. 2002 , 37, 32-8		39
1139	A common ancestral haplotype in carrier chromosomes from different ethnic backgrounds in vacuolating megalencephalic leucoencephalopathy with subcortical cysts. 2002 , 39, 54-7		3
1138	Mutational analysis of CD28 in coeliac disease. 2002 , 37, 536-9		
1137	The first large population based twin study of coeliac disease. <i>Gut</i> , 2002 , 50, 624-8	19.2	267
1136	Coeliac disease and liver dysfunction. <i>Archives of Disease in Childhood</i> , 2002 , 87, 293-6	2.2	41
1135	Changing face of adult coeliac disease: experience of a single university hospital in South Yorkshire. 2002 , 78, 31-3		97
1134	Infantile spinal muscular atrophy variant with congenital fractures in a female neonate: evidence for autosomal recessive inheritance. 2002 , 39, 74-7		15
1133	Coeliac disease in the older patient. 2002 , 12, 119-126		
1132	A late onset variant of ataxia-telangiectasia with a compound heterozygous genotype, A8030G/7481insA. 2002 , 39, 57-61		38
1131	Association between markers in chromosomal region 17q23 and young onset hypertension: a TDT study. 2002 , 39, 42-4		4
1130	MHC class I chain related gene A (MICA) modulates the development of coeliac disease in patients with the high risk heterodimer DQA1*0501/DQB1*0201. <i>Gut</i> , 2002 , 50, 336-40	19.2	58
1129	Epilepsy, occipital calcifications, and oligosymptomatic celiac disease in childhood. 2002 , 17, 800-6		39
1128	Okihiro syndrome and acro-renal-ocular syndrome: clinical overlap, expansion of the phenotype, and absence of PAX2 mutations in two new families. 2002 , 39, 68-71		14
1127	Celiac disease in India: are they true cases of celiac disease?. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2002 , 35, 508-12	2.8	38
1126	Celiac disease: Working Group Report of the First World Congress of Pediatric Gastroenterology, Hepatology, and Nutrition. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2002 , 35 Suppl 2, S78-88	2.8	37
1125	Tissue transglutaminase and endomysial autoantibodies measured in an historical cohort of children and young adults in whom coeliac disease was suspected. 2002 , 14, 71-6		8
1124	Serum soluble interleukin-2 receptor, interleukin-6, and tumor necrosis factor-alpha levels in children with celiac disease: response to treatment. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2002 , 35, 513-7	2.8	29
1123	A controlled, prospective screening study of celiac disease presenting as iron deficiency anemia. 2002 , 35, 228-33		48

1122	Research agenda for pediatric gastroenterology, hepatology and nutrition: allergy and immunology. Report of the North American Society for Pediatric Gastroenterology, Hepatology and Nutrition for the Children's Digestive Health and Nutrition Foundation. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2002 , 35 Suppl 3, S291-5	2.8	1
1121	Thyroid-related autoantibodies and celiac disease: a role for a gluten-free diet?. 2002 , 35, 245-8		35
1120	Enterovirus infection during pregnancy is not a risk factor for celiac disease in the offspring. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2002 , 35, 649-52	2.8	14
1119	Breast-feeding protects against celiac disease. 2002 , 75, 914-21		333
1118	Prevalence of coeliac disease in primary biliary cirrhosis and of antimitochondrial antibodies in adult coeliac disease patients in Italy. 2002 , 34, 258-61		43
1117	Sorbitol H ₂ -breath test versus anti-endomysium antibodies to assess histological recovery after gluten-free diet in coeliac disease. 2002 , 34, 846-50		11
1116	Idiopathic dilated cardiomyopathy associated with coeliac disease: the effect of a gluten-free diet on cardiac performance. 2002 , 34, 866-9		37
1115	Coeliac disease: changing views on gluten-sensitive enteropathy. 2002 , 60-5		36
1114	Antibodies against human tissue transglutaminase and endomysium in diagnosing and monitoring coeliac disease. 2002 , 37, 685-91		85
1113	A reliable screening procedure for coeliac disease in clinical practice. 2002 , 37, 679-84		42
1112	Short and Long Term Effects of Breast Feeding on Child Health. 2002 ,		1
1111	HLA-DQ typing in the diagnosis of celiac disease. 2002 , 97, 695-9		167
1110	One-step immunochromatographic assay for screening of coeliac disease. 2002 , 359, 945-6		37
1109	Celiac disease for the endoscopist. 2002 , 56, 407-15		39
1108	Pediatric celiac disease in India is associated with multiple DR3-DQ2 haplotypes. 2002 , 63, 677-82		67
1107	Enfermedad celíaca y leiomioma intestinal. 2002 , 118, 677		
1106	Linfocitos intraepiteliales en la enfermedad celíaca. 2002 , 56, 224-232		2
1105	Comparison of Anti-Transglutaminase ELISAs and an Anti-Endomysial Antibody Assay in the Diagnosis of Celiac Disease: A Prospective Study. 2002 , 48, 1546-1550		97

1104	Does breast-feeding affect the risk for coeliac disease?. 2000 , 478, 139-49	8
1103	[Sprue]. 2002 , 91, 1687-90	0
1102	Celiac disease A diagnostic challenge with many facets. 2002 , 2, 293-305	7
1101	Celiac disease. 2002 , 3, 61-71	11
1100	Analysis of candidate genes on chromosome 19 in coeliac disease: an association study of the KIR and LILR gene clusters. 2002 , 29, 287-91	21
1099	TNF alpha and LT alpha gene polymorphisms as additional markers of celiac disease susceptibility in a DQ2-positive population. 2002 , 54, 551-5	30
1098	Variant mannose-binding lectin alleles are associated with celiac disease. 2002 , 54, 596-8	20
1097	Human tissue transglutaminase enzyme linked immunosorbent assay outperforms both the guinea pig based tissue transglutaminase assay and anti-endomysium antibodies when screening for coeliac disease. 2002 , 161, 284-7	27
1096	HLA-DRB1 and MHC class 1 chain-related A haplotypes in Basque families with celiac disease. 2002 , 60, 71-6	30
1095	HLA in coeliac disease families: a novel test of risk modification by the 'other' haplotype when at least one DQA1*05-DQB1*02 haplotype is carried. 2002 , 60, 147-54	44
1094	Variation in the CTLA4/CD28 gene region confers an increased risk of coeliac disease. 2002 , 66, 125-137	33
1093	Genetic dissection between coeliac disease and dermatitis herpetiformis in sib pairs. 2002 , 66, 387-392	21
1092	Severe clinical onset of diabetes and increased prevalence of other autoimmune diseases in children with coeliac disease diagnosed before diabetes mellitus. 2002 , 45, 1719-22	49
1091	Diagnostic value of anti-Saccharomyces cerevisiae and antineutrophil cytoplasmic antibodies for inflammatory bowel disease: high prevalence in patients with celiac disease. 2002 , 22, 281-8	54
1090	The Swedish coeliac disease epidemic with a prevailing twofold higher risk in girls compared to boys may reflect gender specific risk factors. 2003 , 18, 677-84	51
1089	Screening for celiac disease in non-Hodgkin's lymphoma patients: a serum anti-transglutaminase-based approach. 2003 , 48, 1530-6	10
1088	IgA and IgG tissue transglutaminase antibody prevalence and clinical significance in connective tissue diseases, inflammatory bowel disease, and primary biliary cirrhosis. 2003 , 48, 2360-5	72
1087	Analysis of the expression of MICA in small intestinal mucosa of patients with celiac disease. 2003 , 23, 498-503	17

1086	Changing presentation of adult celiac disease. 2003 , 48, 395-8		153
1085	Distribution of HLA class I alleles differs in celiac disease patients according to age of onset. 2003 , 48, 611-4		5
1084	Small intestinal biopsies in celiac disease: duodenal or jejunal?. 2003 , 442, 124-8		32
1083	Immunohistochemical study of the apoptotic mechanisms in the intestinal mucosa during children's coeliac disease. 2003 , 442, 453-61		14
1082	Iron supplementation in children with celiac disease. 2003 , 70, 955-8		14
1081	Refractory sprue. 2003 , 5, 373-8		12
1080	Coeliac disease patients carry conserved HLA-DR3-DQ2 haplotypes revealed by association of TNF alleles. 2003 , 55, 339-43		25
1079	Coeliac disease: investigation of proposed causal variants in the CTLA4 gene region. 2003 , 30, 427-32		30
1078	The prevalence of coeliac disease in Libyan children with type 1 diabetes mellitus. 2003 , 19, 69-75		38
1077	Additional factor in some HLA DR3/DQ2 haplotypes confers a fourfold increased genetic risk of celiac disease. 2003 , 61, 308-16		30
1076	Plasma cytokine profiles in patients with celiac disease and selective IgA deficiency. 2003 , 14, 320-4		22
1075	Celiac disease and epilepsy: favorable outcome in a child with difficult to control seizures. 2003 , 108, 290-3		15
1074	Case of intraductal papillary mucinous tumor in which endosonography-guided fine-needle aspiration biopsy caused dissemination. 2003 , 18, 1323-4		172
1073	Autoimmune hepatitis associated with celiac disease in childhood: report of two cases. 2003 , 18, 1324-7		11
1072	Review article: The diagnosis of coeliac disease. <i>Alimentary Pharmacology and Therapeutics</i> , 2003 , 17, 987-95	6.1	42
1071	Hypogalactosylation of serum IgG in patients with coeliac disease. <i>Clinical and Experimental Immunology</i> , 2003 , 133, 422-9	6.2	13
1070	Recognizing and managing celiac disease in primary care. 2003 , 15, 108-14		1
1069	Meta and pooled analysis of European coeliac disease data. 2003 , 11, 828-34		65

1068	Celiac disease: a progress report. 2003 , 16, 342-6	45
1067	Transition of care between paediatric and adult gastroenterology. Coeliac disease. 2003 , 17, 181-95	19
1066	Advances in celiac disease. 2003 , 32, 931-47	25
1065	IgE and non-IgE food allergy. 2003 , 90, 71-6	49
1064	Spontaneous resolution of a pancreaticobiliary fistula after acute pancreatitis. 2003 , 98, 2809-2810	1
1063	Splanchnic haemodynamics in patients with coeliac disease: effects of a gluten-free diet. 2003 , 35, 262-8	14
1062	Duodenal histology in patients with celiac disease after treatment with a gluten-free diet. 2003 , 57, 187-91	174
1061	Children born in the summer have increased risk for coeliac disease. 2003 , 57, 36-9	90
1060	IgA anti-gliadin antibody immunoreactivity to food proteins. 2003 , 15, 217-223	14
1059	Familial prevalence of coeliac disease: a twenty-year follow-up study. 2003 , 38, 61-5	85
1058	Cytokine genotyping (TNF and IL-10) in patients with celiac disease and selective IgA deficiency. 2003 , 98, 850-6	31
1057	Risk of malignancy in patients with celiac disease. 2003 , 115, 191-5	280
1056	Celiac disease-associated transglutaminase autoantibody target domains at diagnosis are age and sex dependent. 2003 , 109, 318-24	6
1055	Coeliac disease. 2003 , 362, 383-91	714
1054	CTLA-4 +49 A/G dimorphism in Italian patients with celiac disease. 2003 , 64, 297-301	35
1053	A collaborative European search for non-DQA1*05-DQB1*02 celiac disease loci on HLA-DR3 haplotypes: analysis of transmission from homozygous parents. 2003 , 64, 350-8	20
1052	HLA types in celiac disease patients not carrying the DQA1*05-DQB1*02 (DQ2) heterodimer: results from the European Genetics Cluster on Celiac Disease. 2003 , 64, 469-77	407
1051	The investigation of chronic diarrhoea. 2003 , 13, 89-94	1

1050	Epitopes of calreticulin recognised by IgA autoantibodies from patients with hepatic and coeliac disease. 2003 , 21, 383-92		15
1049	Trends in the identification and clinical features of coeliac disease in a North American community, 1950-2001. 2003 , 1, 19-27		245
1048	Increase in nitric oxide urinary products during gluten challenge in children with coeliac disease. 2003 , 38, 55-60		10
1047	Elevation of IgG antibodies against tissue transglutaminase as a diagnostic tool for coeliac disease in selective IgA deficiency. <i>Gut</i> , 2003 , 52, 1567-71	19.2	127
1046	Promoter polymorphisms of the CD14 gene in Italian patients with coeliac disease. 2003 , 40, e108		9
1045	Anti-tissue transglutaminase antibodies in arthritic patients: a disease-specific finding?. 2003 , 49, 2091-4		31
1044	Is intestinal biopsy always needed for diagnosis of coeliac disease?. 2003 , 98, 1325-31		49
1043	Intraepithelial lymphocytes in coeliac disease. 2003 , 98, 1332-7		112
1042	The association between mannan-binding lectin gene alleles and coeliac disease. 2003 , 98, 2808-9		9
1041	High prevalence of small intestinal bacterial overgrowth in coeliac patients with persistence of gastrointestinal symptoms after gluten withdrawal. 2003 , 98, 839-43		135
1040	Association of MICA-A5.1 allele with susceptibility to coeliac disease in a family study. 2003 , 98, 359-62		25
1039	Spontaneous resolution of a pancreatic-colonic fistula after acute pancreatitis. 2003 , 98, 2809-10		5
1038	High frequency of coeliac disease among patients with autoimmune adrenocortical failure. 2003 , 38, 511-5		44
1037	Intestinal non-Hodgkin's lymphoma: a multicenter prospective clinical study from the German Study Group on Intestinal non-Hodgkin's Lymphoma. 2003 , 21, 2740-6		193
1036	Neuromuscular and sensory disturbances in patients with well treated coeliac disease. 2003 , 74, 490-4		89
1035	Effectiveness of the sorbitol H2 breath test in detecting histological damage among relatives of coeliacs. 2003 , 38, 727-31		17
1034	The role of antitissue transglutaminase assay for the diagnosis and monitoring of coeliac disease: a French-Italian multicentre study. 2003 , 56, 389-93		50
1033	Autoimmune thyroid disease and coeliac disease in children. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2003 , 37, 63-6	2.8	70

1032	Does exclusive breast-feeding reduce the risk of coeliac disease in children?. 2003 , 8, 127-32		7
1031	Tissue transglutaminase immunoglobulin isotypes in children with untreated and treated celiac disease. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2003 , 36, 77-82	2.8	22
1030	Bone mineral density of the lumbar spine in children and adolescents with celiac disease on a gluten-free diet in So Paulo, Brazil. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2003 , 37, 571-6	2.8	30
1029	Bone mineral density in children with untreated and treated celiac disease. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2003 , 37, 434-6	2.8	79
1028	[Long-term study of patients with coeliac disease in childhood and adolescence: latent and transient coeliac disease]. 2003 , 215, 76-81		5
1027	The development of pediatric gastroenterology: a historical overview. 2003 , 53, 706-15		9
1026	No association of CTLA4 gene with celiac disease in the Basque population. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2003 , 37, 142-5	2.8	22
1025	Affective disorders and quality of life in adult coeliac disease patients on a gluten-free diet. 2003 , 15, 1287-92		107
1024	The symptomatic and histologic response to a gluten-free diet in patients with borderline enteropathy. 2003 , 36, 13-7		62
1023	Lack of usefulness of anti-transglutaminase antibodies in assessing histologic recovery after gluten-free diet in celiac disease. 2003 , 37, 387-91		72
1022	Increased prevalence of autoimmune diseases in first-degree relatives of patients with celiac disease. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2003 , 36, 470-3	2.8	39
1021	Urinary NOx:creatinine ratios during gluten challenge in children with celiac disease. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2003 , 36, 372-5	2.8	8
1020	Characterizing one of the DQ2 candidate epitopes in coeliac disease: A-gliadin 51-70 toxicity assessed using an organ culture system. 2003 , 15, 1293-8		12
1019	Assessment of the DQ heterodimer test in the diagnosis of celiac disease in the Canary Islands (Spain). <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2003 , 37, 604-8	2.8	11
1018	Antibody and genetic testing in coeliac disease. 2003 , 35, 285-304		17
1017	Is the prevalence of celiac disease increased among epileptic patients?. 2003 , 61, 330-4		26
1016	Detection of MBL-2 gene expression in intestinal biopsies of celiac patients by in situ reverse transcription polymerase chain reaction. 2003 , 47, 177-80		15
1015	Doena celica em tratamento: avaliao da densidade mineral ssea. 2003 , 79, 303-308		

1014	Longitudinal changes in bone metabolism and bone mineral content in children with celiac disease during consumption of a gluten-free diet. 2004 , 79, 148-54		60
1013	Prevalence of celiac disease in Brazilian children of short stature. 2004 , 37, 55-60		23
1012	[Celiac disease in a group of children and adolescents with type 1 diabetes mellitus]. 2004 , 48, 823-7		6
1011	Neurological manifestations of celiac disease. 2004 , 62, 969-72		28
1010	Duodenal versus jejunal biopsies in suspected celiac disease. 2004 , 36, 993-6		28
1009	Testing for anti-human transglutaminase antibodies in saliva is not useful for diagnosis of celiac disease. 2004 , 50, 216-9		15
1008	Serum prolactin in celiac disease. 2004 , 50, 37-40		18
1007	Evaluation of an enzyme immunometric assay to measure serum adiponectin concentrations. 2004 , 50, 219-21		86
1006	Anti-tissue transglutaminase antibodies in inflammatory bowel disease: new evidence. 2004 , 42, 1092-7		41
1005	Patchy villous atrophy of the duodenum in childhood celiac disease. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2004 , 38, 204-7	2.8	131
1004	Bone quantitative ultrasound and bone mineral density in children with celiac disease. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2004 , 39, 504-10	2.8	42
1003	IgA antibodies against tissue transglutaminase in the diagnosis of celiac disease: concordance with intestinal biopsy in children and adults. 2004 , 50, 451-3		14
1002	Mass screening for coeliac disease using antihuman transglutaminase antibody assay. <i>Archives of Disease in Childhood</i> , 2004 , 89, 512-5	2.2	161
1001	Diagnostic accuracy of ten second-generation (human) tissue transglutaminase antibody assays in celiac disease. 2004 , 50, 2125-35		95
1000	Younger age at onset and sex predict celiac disease in children and adolescents with type 1 diabetes: an Italian multicenter study. 2004 , 27, 1294-8		145
999	Association of MHC class I related gene B (MICB) to celiac disease. 2004 , 99, 676-80		25
998	Celiac disease diagnosis in patients with giardiasis: high value of antitransglutaminase antibodies. 2004 , 99, 1330-2		27
997	Increasing prevalence of coeliac disease in Swedish children: influence of feeding recommendations, serological screening and small intestinal biopsy activity. 2004 , 39, 946-52		12

996	Candidate gene region 2q33 in European families with coeliac disease. 2004 , 63, 212-22	38
995	Genetic analysis of the CD28/CTLA4/ICOS (CELIAC3) region in coeliac disease. 2004 , 64, 593-9	36
994	Celiac disease with various presentations. 2004 , 46, 693-6	11
993	HLA-DQ relative risks for coeliac disease in European populations: a study of the European Genetics Cluster on Coeliac Disease. 2004 , 63, 562-7	142
992	A functional variant of IFNgamma gene is associated with coeliac disease. 2004 , 5, 517-9	20
991	A milligram of gluten a day keeps the mucosal recovery away: a case report. 2004 , 62, 360-3	53
990	Using radioligand-binding assays to measure tissue transglutaminase autoantibodies in young children. 2004 , 93, 1046-1051	8
989	Screening of coeliac disease in north Italian children with type 1 diabetes: limited usefulness of HLA-DQ typing. 2004 , 93, 628-632	21
988	Tissue transglutaminase--the key player in celiac disease: a review. 2004 , 3, 40-5	94
987	CA microsatellite polymorphism of the nuclear factor kappa B1 gene in celiac disease. 2004 , 31, 129-32	6
986	Magnesium status in children and adolescents with coeliac disease without malabsorption symptoms. 2004 , 23, 1074-9	23
985	Seronegative celiac disease: increased prevalence with lesser degrees of villous atrophy. 2004 , 49, 546-50	102
984	Neurological abnormalities associated with celiac disease. 2004 , 251, 1393-7	32
983	Diagnostiek van coeliakie anno 2004. 2004 , 72, 20-25	
982	Volwassenen met coeliakie: meer dan alleen vlokatrofie. 2004 , 72, 40-45	
981	Increasing age at diagnosis of celiac disease in Malta. 2004 , 71, 581-2	4
980	MICA response to gliadin in intestinal mucosa from celiac patients. 2004 , 56, 549-54	37
979	Clinical characteristics of collagenous and lymphocytic colitis. 2004 , 39, 837-45	65

978	Morbo celiaco ed endocrinopatie autoimmuni: implicazioni diagnostiche e terapeutiche. 2004 , 5, 95-103		
977	Is inflammatory bowel disease an independent and disease specific risk factor for thromboembolism?. <i>Gut</i> , 2004 , 53, 542-8	19.2	308
976	Given capsule endoscopy in celiac disease. 2004 , 14, 115-27		30
975	Abordaje serológico de la enfermedad celíaca. 2004 , 11, 624-629		
974	Immuno-chromatographic sticks for tissue transglutaminase and anti-gliadin antibody screening in celiac disease. 2004 , 2, 480-4		20
973	Celiac disease associated with type 1 diabetes mellitus. 2004 , 33, 197-214, xi		72
972	Transcriptional downregulation of tight junction protein ZO-1 in active coeliac disease is reversed after a gluten-free diet. 2004 , 36, 337-41		47
971	Epidemiological and clinical features in immigrant children with coeliac disease: an Italian multicentre study. 2004 , 36, 722-9		21
970	Role of human-tissue transglutaminase IgG and anti-gliadin IgG antibodies in the diagnosis of coeliac disease in patients with selective immunoglobulin A deficiency. 2004 , 36, 730-4		63
969	Update on food allergy. 2004 , 113, 805-19; quiz 820		1075
968	Villous tip intraepithelial lymphocytes as markers of early-stage coeliac disease. 2004 , 39, 428-33		87
967	[Prevalence of celiac disease markers in a French cohort of children and adolescents with type 1 diabete mellitus]. 2004 , 65, 131-5		2
966	[Celiac disease in adults: new aspects]. 2004 , 25, 22-34		14
965	Tissue transglutaminase autoantibody detection in human saliva: a powerful method for celiac disease screening. 2004 , 144, 632-6		28
964	Effect of a gluten-free diet on gastrointestinal symptoms in celiac disease. 2004 , 79, 669-73		178
963	The usefulness of routine small bowel biopsies in evaluation of iron deficiency anemia. 2004 , 38, 756-60		53
962	The risk of celiac disease in 107 families with at least two affected siblings. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2004 , 38, 338-42	2.8	28
961	Celiac disease is a good disease--HLA association model [corrected]. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2004 , 39, 569-70	2.8	

960	Should we screen reflux oesophagitis patients for coeliac disease?. 2004 , 16, 917-20		16
959	Neurologic complications of celiac disease. 2004 , 5, 129-37		25
958	Range of neurologic disorders in patients with celiac disease. 2004 , 113, 1672-6		179
957	Clinical features of children with screening-identified evidence of celiac disease. 2004 , 113, 1254-9		64
956	Celiac disease. 2004 , 15, 91-103, ix		6
955	Cirrhosis in children with celiac disease. 2005 , 39, 630-3		22
954	Serum nitric oxide levels in children with celiac disease. 2005 , 39, 782-5		14
953	Evidence for increased apoptosis of duodenal intraepithelial lymphocytes in cow's milk sensitive enteropathy. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2005 , 40, 352-8	2.8	11
952	Autoantibodies against soluble and immobilized human recombinant tissue transglutaminase in children with celiac disease. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2005 , 41, 322-7	2.8	9
951	Antitissue transglutaminase and antithyroid autoantibodies in children with Down syndrome and celiac disease. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2005 , 40, 170-4; discussion 125-7	2.8	15
950	Antiendomysial antibody detection in biopsy culture allows avoidance of gluten challenge in celiac children. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2005 , 40, 165-9; discussion 122-4	2.8	9
949	Predisposing HLA-DQ2 and HLA-DQ8 haplotypes of coeliac disease and associated enteropathy in microscopic colitis. 2005 , 17, 1333-8		53
948	IgA anti-transglutaminase antibodies as a tool for screening atypical forms of coeliac disease in a French at-risk paediatric population. 2005 , 17, 235-9		12
947	Refractory coeliac disease: remission with infliximab and immunomodulators. 2005 , 17, 667-9		36
946	Ulcerative jejunoileitis and enteropathy-associated T-cell lymphoma. 2005 , 17, 1401-5		31
945	Nutritional status in adolescents and young adults with screen-detected celiac disease. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2005 , 40, 566-70	2.8	41
944	In Vitro is less challenging to celiac children. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2005 , 40, 122-4	2.8	1
943	Catch-up growth in children with late-diagnosed coeliac disease. 2005 , 94, 437-42		27

942	Coeliac disease: a diverse clinical syndrome caused by intolerance of wheat, barley and rye. 2005 , 64, 434-50		51
941	Narrative review: celiac disease: understanding a complex autoimmune disorder. 2005 , 142, 289-98		197
940	Intraepithelial lymphocytes and coeliac disease. 2005 , 19, 341-50		30
939	Coeliac disease: changing views. 2005 , 19, 313-21		24
938	Coeliac disease: is it time for mass screening?. 2005 , 19, 441-52		82
937	Case-finding for adult celiac disease in patients with reduced bone mineral density. 2005 , 50, 587-92		22
936	Prospective screening for biopsy proven coeliac disease, autoimmunity and malabsorption markers in Belgian subjects with Type 1 diabetes. 2005 , 22, 889-92		20
935	Chronic urticaria and associated coeliac disease in children: a case-control study. 2005 , 16, 428-32		58
934	Increased IFN-gamma secretion from duodenal biopsy samples in delayed-type cow's milk allergy. 2005 , 16, 439-44		29
933	Coeliac disease: an overview of the diagnosis, treatment and management. 2005 , 30, 231-236		10
932	Liver transplantation in a child with celiac disease. 2005 , 20, 956-60		11
931	Coeliac disease case finding and diet monitoring by point-of-care testing. <i>Alimentary Pharmacology and Therapeutics</i> , 2005 , 22, 729-37	6.1	50
930	Growth hormone deficiency and coeliac disease: an unusual association?. 2005 , 62, 372-5		33
929	Differential association of the PTPN22 coding variant with autoimmune diseases in a Dutch population. 2005 , 6, 459-61		94
928	Duodenal intraepithelial lymphocytosis with normal villous architecture: common occurrence in H. pylori gastritis. 2005 , 18, 1134-44		93
927	Immunoglobulin isotype profile of tissue transglutaminase autoantibodies is correlated with the clinical presentation of coeliac disease. 2005 , 61, 207-12		7
926	Acute motor axonal neuropathy in a Turner's syndrome patient with a "potential" celiac disease. 2005 , 10, 210-2		1
925	Coeliac disease, epilepsy and cerebral calcifications. 2005 , 27, 189-200		74

924	Outcome of infants with celiac disease. 2005 , 29, 1097-102	3
923	Isolated increased serum TSH response to TRH is prevalent in celiac disease and predicts poor response to treatment. 2005 , 29, 1063-4	
922	Poly (ADP-ribose) polymerase-1 haplotypes are associated with coeliac disease. 2005 , 32, 245-8	9
921	Age related clinical features of childhood coeliac disease in Australia. 2005 , 5, 11	15
920	A new case of 2q duplication supports either a locus for orofacial clefting between markers D2S1897 and D2S2023 or a locus for cleft palate only on chromosome 2q13-q21. 2005 , 137A, 323-7	10
919	Złakie bei Diabetes mellitus Typ I. 2005 , 153, 565-570	
918	Definitionen der Złakie. 2005 , 153, 969-973	
917	Mechanisms underlying celiac disease and its neurologic manifestations. 2005 , 62, 791-9	58
916	Diagnosis of coeliac disease. 2005 , 19, 389-400	101
915	Association of Crohn's disease and latent celiac disease: a case report and review of the literature. 2005 , 20, 376-80	25
914	Hypertransaminasemia in childhood as a marker of genetic liver disorders. 2005 , 40, 820-6	49
913	Localization of tissue transglutaminase and N (epsilon)-(gamma) -glutamyl lysine in duodenal mucosa during the development of mucosal atrophy in coeliac disease. 2005 , 446, 613-8	10
912	CTLA4 is differentially associated with autoimmune diseases in the Dutch population. 2005 , 118, 58-66	56
911	Association study of functional genetic variants of innate immunity related genes in celiac disease. 2005 , 6, 29	7
910	[Autoimmune hypothyroidism nonresponsive to high doses of levothyroxine and severe hypocalcemia]. 2005 , 49, 599-603	7
909	Recombinant human interleukin 10 suppresses gliadin dependent T cell activation in ex vivo cultured coeliac intestinal mucosa. <i>Gut</i> , 2005 , 54, 46-53	19.2 94
908	No genetic association of the human prolyl endopeptidase gene in the Dutch celiac disease population. 2005 , 289, G495-500	9
907	Celiac Disease: An Emerging Epidemic. 2005 , 1, 245-251	2

906	Negative results of antiendomysial antibodies: long term follow up. <i>Archives of Disease in Childhood</i> , 2005 , 90, 41-2	2.2	46
905	[Diagnosis of celiac disease]. 2005 , 43, 1243-52		6
904	[Definitions of celiac disease--statement of an expert group from the German Society for Celiac Disease]. 2005 , 43, 751-4		18
903	ICCE consensus for celiac disease. 2005 , 37, 1055-9		80
902	Case records of the Massachusetts General Hospital. Weekly clinicopathological exercises. Case 3-2005. A 14-year-old boy with recent slowing of growth and delayed puberty. 2005 , 352, 393-403		6
901	Written in response to Scott LD: treating hepatitis C in active injection drug users. 2005 , 100, 2131-2; author reply 2132		
900	Variability of histologic lesions in relation to biopsy site in gluten-sensitive enteropathy-what are the implications for diagnosing adult celiac disease?. 2005 , 100, 2128; author reply 2128-30		1
899	Colonic ischemia with laxative use in young adults. 2005 , 100, 2134-6		26
898	Response to Kumar and Itha. 2005 , 100, 2131-2131		
897	Reply to Dr. Barkun's Letter. 2005 , 100, 2133-2134		2
896	Response from the Author. 2005 , 100, 2132-2132		
895	Long-term outcome of pneumatic dilation in the treatment of achalasia. 2005 , 100, 2130-1; author reply 2131		4
894	Response to Dr. Hopper and Colleagues. 2005 , 100, 2128-2130		1
893	Response to "Potentially flawed interpretation of data by Andriulli et al.". 2005 , 100, 2133; author reply 2133-4		2
892	Variability of histologic lesions in relation to biopsy site in gluten-sensitive enteropathy. 2005 , 100, 177-85		147
891	Suppurative granulomatous myositis of an extra-ocular muscle in Crohn's disease. 2005 , 100, 2136-7		18
890	Molecular mechanisms of the adaptive, innate and regulatory immune responses in the intestinal mucosa of celiac disease patients. 2005 , 5, 681-700		10
889	Anti-actin antibodies in celiac disease: correlation with intestinal mucosa damage and comparison of ELISA with the immunofluorescence assay. 2005 , 51, 917-20		23

888	T cells in peripheral blood after gluten challenge in coeliac disease. <i>Gut</i> , 2005 , 54, 1217-23	19.2	101
887	The soluble transferrin receptor (sTfR)-ferritin index is a potential predictor of celiac disease in children with refractory iron deficiency anemia. 2005 , 43, 38-42		4
886	"Coelionomics": towards understanding the molecular pathology of coeliac disease. 2005 , 43, 685-95		37
885	Can tissue transglutaminase antibody titers replace small-bowel biopsy to diagnose celiac disease in select pediatric populations?. 2005 , 115, 1341-6		111
884	Tissue transglutaminase and celiac disease. 2005 , 38, 158-73		4
883	Guideline for the diagnosis and treatment of celiac disease in children: recommendations of the North American Society for Pediatric Gastroenterology, Hepatology and Nutrition. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2005 , 40, 1-19	2.8	754
882	Diagnostic criteria for coeliac disease: time for change?. 2005 , 17, 41-3		39
881	Celiac disease: from inflammation to atrophy: a long-term follow-up study. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2005 , 41, 44-8	2.8	41
880	Celiac disease with mild to moderate histologic changes is a common cause of chronic diarrhea in Indian children. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2005 , 41, 204-9	2.8	39
879	Diarrea crônica. 2005 , 3, 271-276		
878	Small-bowel mucosal transglutaminase 2-specific IgA deposits in coeliac disease without villous atrophy: a prospective and randomized clinical study. 2005 , 40, 564-72		124
877	Metalloelastase (MMP-12) is upregulated in the gut of pediatric patients with potential celiac disease and in type 1 diabetes. 2005 , 40, 1413-22		11
876	Patients with serum IgA endomysial antibodies and intact duodenal villi: clinical characteristics and management options. 2005 , 40, 1240-3		38
875	Effect of gender on the manifestations of celiac disease: evidence for greater malabsorption in men. 2005 , 40, 183-7		65
874	CTLA4/CT60 polymorphism is not relevant in susceptibility to autoimmune inflammatory intestinal disorders. 2005 , 66, 321-5		19
873	Association of the matrix metalloproteinase-3 (MMP-3) promoter polymorphism with celiac disease in male subjects. 2005 , 66, 716-20		11
872	C1858T functional variant of PTPN22 gene is not associated with celiac disease genetic predisposition. 2005 , 66, 848-52		34
871	Analysis of a GT microsatellite in the promoter of the <i>foxp3/scurfin</i> gene in autoimmune diseases. 2005 , 66, 869-73		23

870	The pathogenesis of coeliac disease. 2005 , 26, 421-58	42
869	Calcium activation of tissue transglutaminase in radioligand binding and enzyme-linked autoantibody immunoassays in childhood celiac disease. 2005 , 358, 95-103	7
868	Carnitine deficiency in patients with coeliac disease and idiopathic dilated cardiomyopathy. 2005 , 15, 279-83	17
867	[Celiac disease in close family members]. 2005 , 35, 198-203	1
866	[Serological and genetic markers in the diagnosis and follow-up of coeliac disease]. 2005 , 62, 412-9	2
865	[Screening for celiac disease in high risk groups]. 2005 , 28, 561-6	2
864	Gut microflora associated characteristics in children with celiac disease. 2005 , 100, 2784-8	102
863	Clinical, HLA, and small bowel immunohistochemical features of children with positive serum antiendomysium antibodies and architecturally normal small intestinal mucosa. 2005 , 100, 2294-8	102
862	Clinical features and diagnosis of celiac disease. 2005 , 128, S19-24	148
861	Should all children be screened for celiac disease?. 2005 , 128, S98-103	26
860	Follow-up of patients with celiac disease: achieving compliance with treatment. 2005 , 128, S135-41	139
859	Epidemiology of celiac disease: what are the prevalence, incidence, and progression of celiac disease?. 2005 , 128, S47-51	240
858	Serum granzymes and CD30 are increased in children's milk protein sensitive enteropathy and celiac disease. 2005 , 115, 157-62	19
857	Abdominal CT findings may suggest coeliac disease. 2005 , 37, 402-6	38
856	TNFalpha, IFNgamma and IL-10 gene polymorphisms in a sample of Sicilian patients with coeliac disease. 2005 , 37, 756-60	18
855	Antibodies to recombinant human tissue-transglutaminase in coeliac disease: diagnostic effectiveness and decline pattern after gluten-free diet. 2006 , 38, 98-102	26
854	Prevalence of celiac disease: before and after a national change in feeding recommendations. 2006 , 41, 553-8	46
853	Usefulness of the organ culture system in the in vitro diagnosis of coeliac disease: a multicentre study. 2006 , 41, 186-90	24

852	Anti-tissue transglutaminase antibodies and their role in the investigation of coeliac disease. 2006 , 43, 105-17	51
851	Understanding the molecular basis of celiac disease: what genetic studies reveal. 2006 , 38, 578-91	19
850	Functional polymorphism of the NFKB1 gene promoter is not relevant in predisposition to celiac disease. 2006 , 41, 420-3	21
849	Celiac disease. 2006 , 1, 3	41
848	American Gastroenterological Association (AGA) Institute technical review on the diagnosis and management of celiac disease. 2006 , 131, 1981-2002	543
847	How do Swedish paediatric clinics diagnose coeliac disease? Results of a nationwide questionnaire study. 2006 , 95, 1495-7	21
846	Clínica de la enfermedad celíaca del adulto. 2006 , 5, 262-266	
845	Diagnóstico de la enfermedad celíaca. 2006 , 5, 267-271	
844	Patterns of clinical presentation of adult coeliac disease in a rural setting. 2006 , 5, 24	21
843	Coeliac disease in primary care: evaluation of a case-finding strategy. 2006 , 38, 461-7	23
842	Malignancies and mortality in patients with coeliac disease and dermatitis herpetiformis: 30-year population-based study. 2006 , 38, 374-80	128
841	The occurrence of terminal ileal histological abnormalities in patients with coeliac disease. 2006 , 38, 815-9	50
840	Transglutaminase 2 in the enterocytes is coeliac specific and gluten dependent. 2006 , 38, 652-8	13
839	Coeliac disease in children. 2006 , 16, 317-321	8
838	FOXP3 polymorphisms in type 1 diabetes and coeliac disease. 2006 , 27, 140-4	36
837	MHC class I chain-related gene B promoter polymorphisms and celiac disease. 2006 , 67, 208-14	25
836	Association analysis of MYO9B gene polymorphisms with celiac disease in a Swedish/Norwegian cohort. 2006 , 67, 341-5	40
835	HLA DQA1*0501 and DQB1*02 in Cuban celiac patients. 2006 , 67, 639-42	9

834	Adulthood-onset celiac disease is associated with intercellular adhesion molecule-1 (ICAM-1) gene polymorphism. 2006 , 67, 612-7		13
833	. 2006 ,		3
832	Nutritional management of the gluten-free diet in young people with celiac disease in The Netherlands. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2006 , 43, 102-8	2.8	100
831	Genetic and functional analysis of pyroglutamyl-peptidase I in coeliac disease. 2006 , 18, 637-44		4
830	Epithelial electrical resistance as a measure of permeability changes in pediatric duodenal biopsies. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2006 , 43, 619-23	2.8	14
829	Serologic and genetic markers of celiac disease: a sequential study in the screening of first degree relatives. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2006 , 42, 150-4	2.8	50
828	A new indirect chemiluminescent immunoassay to measure anti-tissue transglutaminase antibodies. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2006 , 43, 613-8	2.8	15
827	Prevalence of celiac disease in a sample of Turkish children and adolescents with type 1 diabetes mellitus. 2006 , 40, 655-7		8
826	Celiac disease and childhood cancer. 2006 , 28, 346-9		4
825	Serum ghrelin levels in children with celiac disease. 2006 , 40, 191-4		18
824	Serum leptin levels in childhood celiac disease. 2006 , 40, 906-9		9
823	Interleukin-10 haplotypes in Celiac Disease in the Spanish population. 2006 , 7, 32		13
822	Celiac disease: India on the global map. 2006 , 21, 1511-3		21
821	No evidence of association of the MYO9B polymorphisms with celiac disease in the Spanish population. 2006 , 68, 489-92		24
820	Are food intolerances and allergies increasing in immigrant children coming from developing countries ?. 2006 , 17, 364-9		16
819	Anti-tissue transglutaminase IgA antibodies in peripheral neuropathy and motor neuronopathy. 2006 , 114, 54-8		16
818	Reduction of tissue transglutaminase autoantibody levels by gluten-free diet is associated with changes in subsets of peripheral blood lymphocytes in children with newly diagnosed coeliac disease. <i>Clinical and Experimental Immunology</i> , 2006 , 144, 67-75	6.2	23
817	Development of an immunocapture method for measuring IgA antibodies to tissue transglutaminase in the sera of patients with coeliac disease. <i>Clinical and Experimental Immunology</i> , 2006 , 144, 101-9	6.2	

816	Combinations of common chronic paediatric diseases deviate the immune response in diverging directions. <i>Clinical and Experimental Immunology</i> , 2006 , 146, 433-42	6.2	11
815	Review article: safe amounts of gluten for patients with wheat allergy or coeliac disease. <i>Alimentary Pharmacology and Therapeutics</i> , 2006 , 23, 559-75	6.1	178
814	Self transglutaminase-based rapid coeliac disease antibody detection by a lateral flow method. <i>Alimentary Pharmacology and Therapeutics</i> , 2006 , 24, 147-54	6.1	68
813	Immunoglobulin A autoantibodies against transglutaminase 2 in the small intestinal mucosa predict forthcoming coeliac disease. <i>Alimentary Pharmacology and Therapeutics</i> , 2006 , 24, 541-52	6.1	128
812	Diagnostic significance of HLA-DQ typing in patients with previous coeliac disease diagnosis based on histology alone. <i>Alimentary Pharmacology and Therapeutics</i> , 2006 , 24, 1395-402	6.1	28
811	The downstream modulator of interferon-gamma, STAT1 is not genetically associated to the Dutch coeliac disease population. 2006 , 14, 1120-4		4
810	Genetic variants of RANTES are associated with serum RANTES level and protection for type 1 diabetes. 2006 , 7, 544-9		41
809	A role for tissue transglutaminase in alpha-gliadin peptide cytotoxicity. <i>Clinical and Experimental Immunology</i> , 2006 , 146, 550-8	6.2	19
808	Peripheral neurological disturbances, autonomic dysfunction, and antineuronal antibodies in adult celiac disease before and after a gluten-free diet. 2006 , 51, 1869-74		40
807	Growth hormone impaired secretion and antipituitary antibodies in patients with coeliac disease and poor catch-up growth after a long gluten-free diet period: a causal association?. 2006 , 165, 897-903		25
806	Diagnosis of celiac disease. 2006 , 73, 703-9		11
805	Unusual manifestations of celiac disease. 2006 , 73, 711-6		7
804	Management of celiac disease in childhood and adolescence: unique challenges and strategies. 2006 , 9, 399-408		1
803	Tissue transglutaminase expression and activity in placenta. 2006 , 27, 148-57		26
802	Clinical features of celiac disease in Indian children: are they different from the West?. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2006 , 43, 313-7	2.8	27
801	Clinical and anthropometric profile of children with celiac disease in Punjab (North India). 2006 , 52, 30-3		8
800	[Treatment and management of celiac disease]. 2006 , 44, 1167-75		6
799	IL-10 polymorphisms are associated with early-onset celiac disease and severe mucosal damage in patients of Caucasian origin. 2006 , 8, 169-74		17

798	Coeliac disease in the older patient. 2006 , 16, 291-300		
797	Therapy with budesonide in patients with refractory sprue. 2006 , 73, 60-8		43
796	Spectrum of gluten-sensitive enteropathy in first-degree relatives of patients with coeliac disease: clinical relevance of lymphocytic enteritis. <i>Gut</i> , 2006 , 55, 1739-45	19.2	75
795	The changing clinical presentation of coeliac disease. <i>Archives of Disease in Childhood</i> , 2006 , 91, 969-71	2.2	90
794	Best practice in primary care pathology: review 6. 2007 , 60, 225-34		18
793	Endomysial antibody-negative coeliac disease: clinical characteristics and intestinal autoantibody deposits. <i>Gut</i> , 2006 , 55, 1746-53	19.2	172
792	Clinical benefit of a gluten-free diet in type 1 diabetic children with screening-detected celiac disease: a population-based screening study with 2 years' follow-up. 2006 , 29, 2452-6		133
791	Looking for celiac disease: diagnostic accuracy of two rapid commercial assays. 2006 , 101, 1597-600		42
790	Anti-transglutaminase antibody assay of the culture medium of intestinal biopsy specimens can improve the accuracy of celiac disease diagnosis. 2006 , 52, 1175-80		38
789	Faecal calprotectin concentrations in untreated coeliac patients. 2007 , 42, 957-61		28
788	Long-term follow-up of 61 coeliac patients diagnosed in childhood: evolution toward latency is possible on a normal diet. <i>Gut</i> , 2007 , 56, 1379-86	19.2	88
787	Prevalence of celiac disease, <i>Helicobacter pylori</i> and gastroesophageal reflux in patients with refractory iron deficiency anemia. 2008 , 54, 43-53		21
786	Systematic evaluation of the causes of chronic watery diarrhea with functional characteristics. 2007 , 102, 2520-8		87
785	Development of additional autoimmune diseases in a multiethnic cohort of patients with systemic lupus erythematosus with reference to damage and mortality. 2007 , 66, 1173-7		24
784	Antioxidant enzymes, glutathione and lipid peroxidation in peripheral blood of children affected by coeliac disease. 2007 , 44, 537-43		28
783	Two-year follow-up of anti-transglutaminase autoantibodies among celiac children on gluten-free diet: comparison of IgG and IgA. 2007 , 40, 117-21		17
782	Celiac disease and autoimmune thyroid disease. 2007 , 5, 184-92		101
781	Celiac disease screening by immunochromatographic visual assays: results of a multicenter study. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2007 , 45, 546-50	2.8	22

780	Tissue transglutaminase antibodies are a useful serological marker for the diagnosis of celiac disease in patients with Down syndrome. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2007 , 44, 583-6	2.8	21
779	Deamidated gliadin peptides as targets for celiac disease-specific antibodies. 2007 , 44, 35-63		20
778	Increased mucosal expression of Toll-like receptor (TLR)2 and TLR4 in coeliac disease. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2007 , 45, 187-93	2.8	69
777	Subclinical neurological abnormalities in children with celiac disease receiving a gluten-free diet. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2007 , 45, 366-9	2.8	36
776	Analysis of candidate genes on chromosomes 5q and 19p in celiac disease. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2007 , 45, 180-6	2.8	14
775	A decapeptide from durum wheat prevents celiac peripheral blood lymphocytes from activation by gliadin peptides. 2007 , 61, 67-71		27
774	Latent coeliac disease or coeliac disease beyond villous atrophy?. <i>Gut</i> , 2007 , 56, 1339-40	19.2	32
773	Pre-endoscopy serological testing for coeliac disease: evaluation of a clinical decision tool. 2007 , 334, 729		110
772	Gluten-free diet impact on leptin levels in asymptomatic coeliac adolescents: one year of follow-up. 2007 , 67, 100-4		5
771	Accuracy of serologic tests and HLA-DQ typing for diagnosing celiac disease. 2007 , 147, 294-302		140
770	HLA related genetic risk for coeliac disease. <i>Gut</i> , 2007 , 56, 1054-9	19.2	73
769	Determining IgA and IgG antigliadin, IgA antitransglutaminase, and antiendomysial antibodies in monkey esophagus and in umbilical cord for diagnosis of celiac disease in developing countries. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2007 , 45, 551-8	2.8	4
768	High prevalence of celiac disease in Brazilian blood donor volunteers based on screening by IgA antitissue transglutaminase antibody. 2007 , 19, 43-9		51
767	Ninety percent of celiac disease is being missed. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2007 , 45, 497-9	2.8	50
766	Hyper-CK-emia in pediatric celiac disease: prevalence and clinical importance. 2007 , 41, 667-70		3
765	Clinical pattern of celiac disease is still changing. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2007 , 45, 611-4	2.8	51
764	Celiac disease. 2007 , 357, 1731-43		1417
763	Tissue transglutaminase ELISA positivity in autoimmune disease independent of gluten-sensitive disease. 2007 , 376, 126-35		29

762	Testing for IgG class antibodies in celiac disease patients with selective IgA deficiency. A comparison of the diagnostic accuracy of 9 IgG anti-tissue transglutaminase, 1 IgG anti-gliadin and 1 IgG anti-deaminated gliadin peptide antibody assays. 2007 , 382, 95-9	54
761	MYO9B gene polymorphisms are associated with autoimmune diseases in Spanish population. 2007 , 68, 610-5	26
760	HLA DQ gene dosage and risk and severity of celiac disease. 2007 , 5, 1406-12	68
759	Neutrophil recruitment and barrier impairment in celiac disease: a genomic study. 2007 , 5, 574-81	29
758	Highly efficient gluten degradation by lactobacilli and fungal proteases during food processing: new perspectives for celiac disease. 2007 , 73, 4499-507	191
757	Celiac-related properties of chemically and enzymatically modified gluten proteins. 2007 , 55, 2482-8	54
756	Antibodies against synthetic deamidated gliadin peptides and tissue transglutaminase for the identification of childhood celiac disease. 2007 , 5, 1276-81	68
755	Skeletal and muscular status in juveniles with GFD treated clinical and newly diagnosed atypical celiac disease--preliminary data. 2007 , 10, 76-85	8
754	Predictors of clinical response to gluten-free diet in patients diagnosed with diarrhea-predominant irritable bowel syndrome. 2007 , 5, 844-50; quiz 769	181
753	Celiac disease among children and adolescents. 2007 , 37, 86-105	56
752	Performance of a new rapid whole blood coeliac test in adult patients with low prevalence of endomysial antibodies. 2007 , 39, 1057-63	31
751	Coeliac disease in Dutch patients with Hashimoto's thyroiditis and vice versa. 2007 , 13, 1715-22	74
750	Diagnostic Upper Endoscopy Technique. 2007 , 60-101	1
749	Mucosal reactivity to cow's milk protein in coeliac disease. <i>Clinical and Experimental Immunology</i> , 2007 , 147, 449-55	6.2 20
748	A comprehensive screen for SNP associations on chromosome region 5q31-33 in Swedish/Norwegian celiac disease families. 2007 , 15, 980-7	12
747	Involvement of macrophage migration inhibitory factor gene in celiac disease susceptibility. 2007 , 8, 168-70	18
746	Effect of a gluten-free diet on growth and small-bowel histology in children with celiac disease in India. 2007 , 22, 1300-5	18
745	Genetic analyses of celiac disease in a Spanish population confirm association with CELIAC3 but not with CELIAC4. 2007 , 70, 324-9	9

744	Toll-like receptor 4 (TLR4) gene polymorphisms in celiac disease. 2007 , 70, 495-8		16
743	Fine mapping study in Scandinavian families suggests association between coeliac disease and haplotypes in chromosome region 5q32. 2008 , 71, 27-34		4
742	Dental enamel defects in children with coeliac disease. 2007 , 17, 163-8		60
741	Surface expression of transglutaminase 2 by dendritic cells and its potential role for uptake and presentation of gluten peptides to T cells. 2007 , 65, 213-20		18
740	Persistent small bowel mucosal villous atrophy without symptoms in coeliac disease. <i>Alimentary Pharmacology and Therapeutics</i> , 2007 , 25, 1237-45	6.1	118
739	Oral mucosa of coeliac disease patients produces antiendomysial and antitransglutaminase antibodies: the diagnostic usefulness of an in vitro culture system. <i>Alimentary Pharmacology and Therapeutics</i> , 2007 , 25, 1471-7	6.1	11
738	Increasing prevalence of coeliac disease over time. <i>Alimentary Pharmacology and Therapeutics</i> , 2007 , 26, 1217-25	6.1	536
737	Clinical, subclinical and potential autoimmune diseases in an Italian population of children with coeliac disease. <i>Alimentary Pharmacology and Therapeutics</i> , 2007 , 26, 1409-17	6.1	28
736	Oral pathology in untreated coeliac [corrected] disease. <i>Alimentary Pharmacology and Therapeutics</i> , 2007 , 26, 1529-36	6.1	33
735	Decreased blood dendritic cell counts in type 1 diabetic children. 2007 , 123, 281-8		53
734	Coeliac disease and risk of mood disorders--a general population-based cohort study. 2007 , 99, 117-26		89
733	Prevalence of coeliac disease in Turner syndrome. 2007 , 88, 933-936		47
732	A prevalence study of celiac disease in persons with Down syndrome residing in the United States of America. 2007 , 88, 953-956		29
731	Unmasking anti-endomysial antibodies in coeliac subjects positive for anti-smooth muscle antibodies. 2007 , 88, 462-464		8
730	HLA - DQA1*05-DQB 1*0201 positivity predisposes to coeliac disease in Czech diabetic children. 2007 , 89, 1426-1430		18
729	Two different doses of gluten show a dose-dependent response of enteropathy but not of serological markers during gluten challenge in children with coeliac disease. 2007 , 90, 255-259		16
728	High prevalence of coeliac disease in Danish children with type I diabetes mellitus. 2007 , 90, 1238-1243		63
727	Small bowel biopsy in Swedish paediatric clinics. 2007 , 91, 1126-1129		5

726	Regression of autoimmunity and abnormal glucose homeostasis in an adolescent boy with silent coeliac disease. 2007 , 91, 1141-1143	3
725	Use of the lactose H2 breath test to monitor mucosal healing in coeliac disease. 2007 , 91, 141-144	
724	Epidemiological changes in diagnosed coeliac disease in a population of Spanish children. 2003 , 92, 165-9	11
723	Conscious or deep sedation: a questionnaire regarding the experience of parents, children and staff during small bowel biopsy. 2007 , 92, 704-708	2
722	Alpha/beta intraepithelial lymphocytes, serum gliadin antibodies and allergy test positivity in children. 2007 , 93, 17-21	1
721	Enhanced local immune response in children with prolonged gastrointestinal symptoms. 2007 , 93, 1601-1607	9
720	Understanding diagnostic tests 2: likelihood ratios, pre- and post-test probabilities and their use in clinical practice. 2007 , 96, 487-91	281
719	Omitting control biopsy in paediatric coeliac disease: a follow-up study. 2007 , 96, 1190-4	7
718	Diagnostic accuracy of IgA anti-tissue transglutaminase antibody assays in celiac disease patients with selective IgA deficiency. 2007 , 1109, 212-20	29
717	Celiac disease with diffuse cutaneous vitamin K-deficiency bleeding. 2007 , 24, 1286-9	6
716	Hyperamylasemia, reactive plasmacytosis, and immune abnormalities in a patient with celiac disease. 2007 , 52, 1444-7	7
715	Intestinal permeability and antigliadin antibody test for monitoring adult patients with celiac disease. 2007 , 52, 1304-9	24
714	Prevalence of anticardiolipin and anti-beta2-glycoprotein I antibodies in celiac disease. 2007 , 52, 1096-100	6
713	Morphometric analysis of small-bowel mucosa in Turkish children with celiac disease and relationship with the clinical presentation and laboratory findings. 2007 , 52, 2133-9	6
712	Gliadin peptides activate blood monocytes from patients with celiac disease. 2007 , 27, 201-9	75
711	Serological and clinical comparison of children and adults with anti-endomysial antibodies. 2007 , 27, 163-71	5
710	Étude de l'auto-immunité chez des patients tunisiens adultes atteints de maladie cœliaque : résultats d'une étude prospective comparative. 2007 , 1, 78-83	
709	Celiac disease in children: impact on bone health. 2008 , 9, 123-30	29

708	Elevated serum anti-Saccharomyces cerevisiae, anti-I2 and anti-OmpW antibody levels in patients with suspicion of celiac disease. 2008 , 28, 486-94		27
707	The absence of a mucosal lesion on standard histological examination does not exclude diagnosis of celiac disease. 2008 , 53, 52-61		23
706	Parasites in patients with malabsorption syndrome: a clinical study in children and adults. 2008 , 53, 672-9		43
705	Effect of gluten-free diet on pregnancy outcome in celiac disease patients with recurrent miscarriages. 2008 , 53, 2925-8		22
704	Celiac disease in children with short stature. 2008 , 75, 131-3		6
703	Is there an association between familial Mediterranean fever and celiac disease?. 2008 , 27, 1135-9		5
702	Coeliac disease screening in children: assessment of a novel anti-gliadin antibody assay. 2008 , 22, 327-33		3
701	Histomorphology of healthy oral mucosa in untreated celiac patients: unexpected association with spongiosis. 2009 , 38, 34-41		4
700	IL23R: a susceptibility locus for celiac disease and multiple sclerosis?. 2008 , 9, 289-93		51
699	Association study of IL2/IL21 and FcγRIIa: significant association with the IL2/IL21 region in Scandinavian coeliac disease families. 2008 , 9, 364-7		30
698	Eosinophilic esophagitis in children with celiac disease. 2008 , 23, 1144-8		45
697	Brush border enzyme activities in relation to histological lesion in pediatric celiac disease. 2008 , 23, e348-52		25
696	Does every short stature child need screening for celiac disease?. 2008 , 23, e353-6		20
695	Coeliac disease: current approach and future prospects. 2008 , 38, 790-9		25
694	Modifying effect of HLA haplotypes located trans to DQB1*02-DRB1*03 in celiac patients of Southern Europe. 2008 , 71, 213-8		13
693	Review article: future research on coeliac disease - a position report from the European multistakeholder platform on coeliac disease (CDEUSSA). <i>Alimentary Pharmacology and Therapeutics</i> , 2008 , 27, 1030-43	6.1	41
692	Systematic review: The evidence base for long-term management of coeliac disease. <i>Alimentary Pharmacology and Therapeutics</i> , 2008 , 28, 1042-66	6.1	137
691	Gamma/delta T cells and the diagnosis of coeliac disease. <i>Clinical and Experimental Immunology</i> , 1991 , 85, 109-13	6.2	98

690	Immunological diagnosis of childhood coeliac disease: comparison between antigliadin, antireticulin and antiendomysial antibodies. <i>Clinical and Experimental Immunology</i> , 1994 , 95, 78-82	6.2	116
689	Predominance of T cell receptor V delta 3 in small bowel biopsies from coeliac disease patients. <i>Clinical and Experimental Immunology</i> , 1994 , 98, 78-82	6.2	9
688	Infiltration of forkhead box P3-expressing cells in small intestinal mucosa in coeliac disease but not in type 1 diabetes. <i>Clinical and Experimental Immunology</i> , 2008 , 152, 498-507	6.2	65
687	Anti-calreticulin immunoglobulin A (IgA) antibodies in refractory coeliac disease. <i>Clinical and Experimental Immunology</i> , 2008 , 153, 351-9	6.2	12
686	Changes and relationships of IGFS and IGFBPS and cytokines in coeliac disease at diagnosis and on gluten-free diet. 2008 , 68, 22-8		33
685	The everyday life of adolescent coeliacs: issues of importance for compliance with the gluten-free diet. 2008 , 21, 359-67		64
684	Secretion of celiac disease autoantibodies after in vitro gliadin challenge is dependent on small-bowel mucosal transglutaminase 2-specific IgA deposits. 2008 , 9, 6		22
683	Celiac disease: from gluten to autoimmunity. 2008 , 7, 644-50		144
682	The clinical relevance of duodenal intraepithelial lymphocyte counts in children treated for coeliac disease. 2008 , 97, 1133-5		1
681	IgA endomysium antibodies--an early predictor for celiac disease in children without villous atrophy. 2008 , 97, 972-6		6
680	Serum zinc in small children with coeliac disease. 2009 , 98, 343-5		20
679	Regional variation in celiac disease risk within Sweden revealed by the nationwide prospective incidence register. 2009 , 98, 337-42		24
678	Bone metabolism in celiac disease. 2008 , 153, 262-5		48
677	What is the role of serologic testing in celiac disease? A prospective, biopsy-confirmed study with economic analysis. 2008 , 6, 314-20		130
676	ICAM1 R241 is not associated with celiac disease in the Spanish population. 2008 , 69, 675-8		4
675	Prevalence of dental enamel defects in celiac patients with deciduous dentition: a pilot study. 2008 , 106, 74-8		21
674	The influence of gluten free diet on quantitative ultrasound of proximal phalanxes in children and adolescents with type 1 diabetes mellitus and celiac disease. 2008 , 43, 322-326		14
673	Small bowel ultrasound in patients with celiac disease. Retrospective study. 2008 , 68, 505-6		

672	Uselessness of anti-actin antibody in celiac disease screening. 2008 , 390, 134-7		14
671	Protein A and protein G ELISA for the detection of IgG autoantibodies against tissue transglutaminase in childhood celiac disease. 2008 , 395, 72-6		10
670	Interleukin 6 -174(G>C) gene polymorphism is related to celiac disease and autoimmune thyroiditis coincidence in diabetes type 1 children. 2008 , 82, 108-12		10
669	Eating pathology in adolescents with celiac disease. 2008 , 49, 399-406		52
668	[What can confirm the celiac disease diagnosis?]. 2008 , 15, 504-5		1
667	Comparative usefulness of deamidated gliadin antibodies in the diagnosis of celiac disease. 2008 , 6, 426-32; quiz 370		89
666	Clinical symptoms in celiac patients on a gluten-free diet. 2008 , 43, 1315-21		16
665	Clinical response to gluten withdrawal is not an indicator of coeliac disease. 2008 , 43, 1311-4		39
664	Autoantibodies in celiac disease. 2008 , 41, 19-26		60
663	Helicobacter pylori infection in children with celiac disease. 2008 , 43, 1088-93		31
662	Effective detection of human leukocyte antigen risk alleles in celiac disease using tag single nucleotide polymorphisms. 2008 , 3, e2270		113
661	Duodenal bulb biopsies in celiac disease: a multicenter study. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2008 , 47, 618-22	2.8	83
660	Molecular diagnosis of celiac disease: are we there yet?. 2008 , 2, 399-416		3
659	Lymphocytic gastritis and celiac disease in indian children: evidence of a positive relation. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2008 , 47, 568-72	2.8	13
658	Difference in celiac disease risk between Swedish birth cohorts suggests an opportunity for primary prevention. 2008 , 122, 528-34		49
657	Pathogenesis and Clinical Practice in Gastroenterology. 2008 ,		
656	Paediatric gastroenterology 1966-2000. 2008 , 8, 292-5		1
655	Investigation and management of coeliac disease. <i>Archives of Disease in Childhood</i> , 2008 , 93, 251-4	2.2	21

654	Functional cereal products for those with gluten intolerance. 2008 , 446-475			13
653	HLA-DQ and susceptibility to celiac disease: evidence for gender differences and parent-of-origin effects. 2008 , 103, 997-1003			61
652	Patchy villous atrophy in adult patients with suspected gluten-sensitive enteropathy: is a multiple duodenal biopsy strategy appropriate?. 2008 , 40, 219-24			131
651	Celiac disease in adults: evaluation with MDCT enteroclysis. 2008 , 191, 1483-92			25
650	Wenn Getreide krank macht. 2008 , 33, S35-S38			1
649	Historical Perspective of Celiac Disease. 2008 , 1-11			1
648	Six new coeliac disease loci replicated in an Italian population confirm association with coeliac disease. 2009 , 46, 60-3			38
647	ATG16L1 and IL23R are associated with inflammatory bowel diseases but not with celiac disease in the Netherlands. 2008 , 103, 621-7			77
646	Gluten-dependent small bowel mucosal transglutaminase 2-specific IgA deposits in overt and mild enteropathy coeliac disease. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2008 , 47, 436-42	2.8		51
645	Maladie cœliaque de l'adulte. 2008 , 3, 1-7			
644	Federation of International Societies of Pediatric Gastroenterology, Hepatology, and Nutrition consensus report on celiac disease. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2008 , 47, 214-9	2.8		76
643	Oral manifestations of celiac disease. 2008 , 42, 224-32			96
642	Diagnosis of Coeliac Disease. 2008 , 99-106			
641	Frequencies of genetic polymorphisms of TLR4 and CD14 and of HLA-DQ genotypes in children with celiac disease, type 1 diabetes mellitus, or both. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2008 , 47, 283-7	2.8		22
640	The History of Coeliac Disease. 1-13			
639	Gluten tolerance in adult patients with celiac disease 20 years after diagnosis?. 2008 , 20, 423-9			23
638	Antigliadin immunoglobulin A best in finding celiac disease in children younger than 18 months of age. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2008 , 47, 428-35	2.8		70
637	Human leucocyte antigen and TNFalpha polymorphism association in microscopic colitis. 2008 , 20, 276-82			46

636	A tale of two cities: typical celiac sprue presenting symptoms are significantly more common in Turkish than in US Patients. 2008 , 42, 62-5		7
635	Is tissue transglutaminase autoantibody the best for diagnosing celiac disease in children of developing countries?. 2008 , 42, 147-51		13
634	HLA-DQB1*02 dose effect on RIA anti-tissue transglutaminase autoantibody levels and clinicopathological expressivity of celiac disease. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2008 , 47, 288-92	2.8	21
633	Comparison of a novel whole blood transglutaminase-based ELISA with a whole blood rapid antibody test and established conventional serological celiac disease assays. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2008 , 47, 562-7	2.8	21
632	Immunoglobulin A anti-tissue transglutaminase antibody deposits in the small intestinal mucosa of children with no villous atrophy. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2008 , 47, 293-8	2.8	52
631	Celiac disease. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2008 , 47 Suppl 1, S3-6	2.8	15
630	3.10 Celiac Disease. 2008 , 178-183		
629	Current Guidelines for the Diagnosis and Treatment of Celiac Disease. 2008 , 107-113		
628	Prevalence of celiac disease among first degree relatives of Brazilian celiac patients. 2008 , 45, 69-72		18
627	A non-human primate model for gluten sensitivity. 2008 , 3, e1614		61
626	Diagnosing Coeliac Disease. 53-76		
625	Estado actual del diagnóstico y presentaciones clínicas de enfermedad celíaca: Estudio multicéntrico. 2008 , 136,		1
624	Prevalence of low bone mineral density in children and adolescents with celiac disease under treatment. 2009 , 127, 278-82		18
623	Celiac disease: presentation of 109 children. 2009 , 50, 617-23		30
622	Sero-negative celiac disease with dermatitis herpetiformes: a case report. 2009 , 2, 7512		3
621	Celiac disease: diagnosis criteria in young children. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2009 , 6, 447-8	24.2	4
620	Hippocampal sclerosis in refractory temporal lobe epilepsy is associated with gluten sensitivity. 2009 , 80, 626-30		27
619	HLA and autoimmune digestive disease: a clinically oriented review for gastroenterologists. 2009 , 104, 195-217; quiz 194, 218		38

618	Changing pattern in the clinical presentation of pediatric celiac disease: a 30-year study. 2009 , 80, 185-91		64
617	A functional soluble form of CTLA-4 is present in the serum of celiac patients and correlates with mucosal injury. 2009 , 21, 1037-45		33
616	Small-intestinal histopathology and mortality risk in celiac disease. 2009 , 302, 1171-8		261
615	CT enteroclysis features of uncomplicated celiac disease: retrospective analysis of 44 patients. 2009 , 253, 416-24		35
614	Headache in pediatric patients with celiac disease and its prevalence as a diagnostic clue. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2009 , 49, 202-7	2.8	36
613	Is gluten challenge really necessary for the diagnosis of coeliac disease in children younger than age 2 years?. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2009 , 48, 566-70	2.8	4
612	Follow-up of adult celiac patients: which noninvasive test reflects mucosal status most reliably?1. 2009 , 41, 123-8		14
611	Performance of serology assays for diagnosing celiac disease in a clinical setting. 2009 , 16, 1576-82		33
610	Discrepancies between histology and serology for the diagnosis of coeliac disease in a district general hospital: is this an unrecognised problem in other hospitals?. 2009 , 9, 346-8		7
609	Association study of the IL18RAP locus in three European populations with coeliac disease. 2009 , 18, 1148-55		27
608	Gastrointestinal symptoms in children with type 1 diabetes screened for celiac disease. 2009 , 124, e489-95		31
607	Prevalence of autoimmune thyroiditis in children with celiac disease and effect of gluten withdrawal. 2009 , 155, 51-5, 55.e1		48
606	Orofacial granulomatosis in childhood-a clinical entity that may indicate Crohn's disease as well as food allergy. 2009 , 98, 1162-7		32
605	T-cell response to different cultivars of farro wheat, <i>Triticum turgidum</i> ssp. <i>dicoccum</i> , in celiac disease patients. 2009 , 28, 272-7		25
604	Effect of a gluten-free diet on bone mineral density in children with celiac disease. 2009 , 33, 109-14		17
603	Mannose binding lectin gene polymorphisms and associated auto-immune diseases in type 1 diabetes Brazilian patients. 2009 , 131, 254-9		7
602	Clinical presentation of celiac disease and the diagnostic accuracy of serologic markers in children. 2009 , 168, 839-45		25
601	Complications in celiac disease under gluten-free diet. 2009 , 54, 2175-82		20

600	Long-term effect of gluten-free diet on growth velocity in Turkish children with celiac disease. 2009 , 54, 2183-7		5
599	Serological responses to microbial antigens in celiac disease patients during a gluten-free diet. 2009 , 29, 190-5		36
598	Zlilakie. 2009 , 4, 19-26		0
597	Celiac disease in 87 children with typical and atypical symptoms in Black Sea region of Turkey. 2009 , 5, 282-6		19
596	Cost-effective HLA typing with tagging SNPs predicts celiac disease risk haplotypes in the Finnish, Hungarian, and Italian populations. 2009 , 61, 247-56		47
595	Validation study of villous atrophy and small intestinal inflammation in Swedish biopsy registers. 2009 , 9, 19		133
594	IL23R in the Swedish, Finnish, Hungarian and Italian populations: association with IBD and psoriasis, and linkage to celiac disease. 2009 , 10, 8		53
593	Changing patterns of coeliac serology requests. <i>Alimentary Pharmacology and Therapeutics</i> , 2009 , 29, 1137-42	6.1	10
592	Comparison of the prevalence of fructose and lactose malabsorption across chronic intestinal disorders. <i>Alimentary Pharmacology and Therapeutics</i> , 2009 , 30, 165-74	6.1	104
591	Childhood coeliac disease: towards an improved serological mass screening strategy. <i>Alimentary Pharmacology and Therapeutics</i> , 2010 , 31, 760-6	6.1	16
590	High density of intraepithelial gammadelta lymphocytes and deposits of immunoglobulin (Ig)M anti-tissue transglutaminase antibodies in the jejunum of coeliac patients with IgA deficiency. <i>Clinical and Experimental Immunology</i> , 2010 , 160, 199-206	6.2	28
589	The shared CTLA4-ICOS risk locus in celiac disease, IgA deficiency and common variable immunodeficiency. 2009 , 10, 151-61		37
588	Lack of replication of celiac disease risk variants reported in a Spanish population using an independent Spanish sample. 2009 , 10, 659-61		
587	Linkage and association study of FcgammaR polymorphisms in celiac disease. 2009 , 73, 54-8		4
586	Allelic distribution and the effect of haplotype combination for HLA type II loci in the celiac disease population of the Valencian community (Spain). 2009 , 73, 255-61		15
585	Autoimmune disease association signals in CIITA and KIAA0350 are not involved in celiac disease susceptibility. 2009 , 73, 326-9		3
584	Antigenic proteins of <i>Lactobacillus acidophilus</i> that are recognised by serum IgG antibodies in children with type 1 diabetes and coeliac disease. 2010 , 21, e772-9		10
583	Antioxidant status and lipid peroxidation in small intestinal mucosa of children with celiac disease. 2009 , 42, 1431-7		43

582	GastroPanel: evaluation of the usefulness in the diagnosis of gastro-duodenal mucosal alterations in children. 2009 , 402, 54-60		27
581	A modified ELISA for improved detection of IgA, IgG, and IgM anti-tissue transglutaminase antibodies in celiac disease. 2009 , 403, 37-41		24
580	The IL6-174G/C polymorphism is associated with celiac disease susceptibility in girls. 2009 , 70, 191-4		16
579	Optical coherence tomography in pediatric patients: a feasible technique for diagnosing celiac disease in children with villous atrophy. 2009 , 41, 639-43		17
578	Lactose intolerance in infants with gluten-sensitive enteropathy: frequency and clinical characteristics. <i>Srpski Arhiv Za Celokupno Lekarstvo</i> , 2009 , 137, 33-7	0.2	6
577	[Type 1 diabetes mellitus and celiac disease: family secrets]. 2009 , 56, 437-40		
576	Diagnosing mild enteropathy celiac disease: a randomized, controlled clinical study. 2009 , 136, 816-23		206
575	Silent celiac disease in a cohort of healthy adults. 2009 , 42, 705-8		9
574	Antibodies against deamidated gliadin as new and accurate biomarkers of childhood coeliac disease. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2009 , 49, 52-8	2.8	52
573	Association between genotypes and phenotypes in coeliac disease. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2009 , 49, 165-9	2.8	11
572	Severe liver damage associated with celiac disease: findings in six toddler-aged girls. 2009 , 21, 452-9		11
571	Assessment of the diagnostic value of duodenal bulb histology in patients with celiac disease, using multiple biopsy sites. 2009 , 43, 307-11		31
570	High rates of complications and substantial mortality in both types of refractory sprue. 2009 , 21, 66-70		63
569	Chromosome instability in lymphocytes of children with coeliac disease. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2009 , 49, 143-6	2.8	1
568	The Clinical Presentation and Diagnosis of Celiac Disease. 16-27		1
567	Italian paediatricians' approach to coeliac disease diagnosis. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2009 , 49, 374-6	2.8	12
566	Increased expression of serum- and glucocorticoid-regulated kinase-1 in the duodenal mucosa of children with coeliac disease. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2010 , 50, 147-53	2.8	6
565	Gluten-free sourdough wheat baked goods appear safe for young celiac patients: a pilot study. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2010 , 51, 777-83	2.8	66

564	Defensin-mRNA expression in the upper gastrointestinal tract is modulated in children with celiac disease and Helicobacter pylori-positive gastritis. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2010 , 50, 596-600	2.8	18
563	Usefulness of small-bowel mucosal transglutaminase-2 specific autoantibody deposits in the diagnosis and follow-up of celiac disease. 2010 , 44, 483-8		56
562	Fecal calprotectin concentration in celiac disease. 2010 , 44, 544-6		47
561	Scientific Opinion on the assessment of allergenicity of GM plants and microorganisms and derived food and feed. 2010 , 8, 1700		217
560	Celiac disease diagnosis and gluten-free food analytical control. 2010 , 397, 1743-53		25
559	Two prolamin peptides from durum wheat preclude celiac disease-specific T cell activation by gluten proteins. 2010 , 49, 251-5		6
558	The frequency of histologic lesion variability of the duodenal mucosa in children with celiac disease. 2010 , 6, 60-4		14
557	Assessment of dietary compliance to gluten free diet and psychosocial problems in Indian children with celiac disease. 2010 , 77, 649-54		46
556	Les anticorps anti-gliadines d'amidès: nouvelles avancès dans le diagnostic s'ologique de la maladie coeliaque. 2010 , 34, 16-21		
555	Suboptimal performance of IgG anti-tissue transglutaminase in the diagnosis of celiac disease in a tropical country. 2010 , 55, 698-702		7
554	Long-term clinical significance of thyroid autoimmunity in children with celiac disease. 2010 , 156, 292-5		23
553	Celiac disease without villous atrophy in children: a prospective study. 2010 , 157, 373-80, 380.e1		120
552	Diagnosing celiac disease: how important is the biopsy?. 2010 , 157, 353-4		3
551	The effects of ALV003 pre-digestion of gluten on immune response and symptoms in celiac disease in vivo. 2010 , 134, 289-95		107
550	Nutritional status of children with coeliac disease. 2010 , 99, 1020-5		22
549	Serological screening for celiac disease in schoolchildren in Jordan. Is height and weight affected when seropositive?. 2010 , 36, 16		18
548	The neurology of coeliac disease in childhood: what is the evidence? A systematic review and meta-analysis. 2010 , 52, 700-7		80
547	The economics of coeliac disease: a population-based study. <i>Alimentary Pharmacology and Therapeutics</i> , 2010 , 32, 261-9	6.1	63

546	Dissecting the T-cell response to hordeins in coeliac disease can develop barley with reduced immunotoxicity. <i>Alimentary Pharmacology and Therapeutics</i> , 2010 , 32, 1184-91	6.1	22
545	Dietary compliance and life style of children with coeliac disease. 2010 , 23, 176-82		79
544	Dietary shortcomings in children on a gluten-free diet. 2010 , 23, 294-300		94
543	Implications of gluten exposure period, CD clinical forms, and HLA typing in the association between celiac disease and dental enamel defects in children. A case-control study. 2010 , 20, 119-24		22
542	Four novel coeliac disease regions replicated in an association study of a Swedish-Norwegian family cohort. 2010 , 11, 79-86		14
541	Prevalence, human leukocyte antigen typing and strategy for screening among Asian first-degree relatives of children with celiac disease. 2010 , 25, 319-24		28
540	The changing face of celiac disease: a girl with obesity and celiac disease. 2010 , 46, 696		4
539	Symptomless celiac disease in type 1 diabetes: 12-year experience in Estonia. 2010 , 52, 230-3		16
538	Celiac disease prevalence in children and adolescents with type 1 diabetes from Serbia. 2010 , 52, 579-83		22
537	An influence of HLA-A, B, DR, DQ, and MICA on the occurrence of Celiac disease in patients with type 1 diabetes. 2010 , 76, 208-15		29
536	Doenã celãca em familiares de primeiro grau de portadores. 2010 , 86, 331-336		1
535	The Small Bowel. 2010 , 652-660		
534	Long-term management of patients with celiac disease: current practices of gastroenterologists in Canada. 2010 , 24, 499-509		16
533	Doenã celãca associada ã tireoidite de Hashimoto e sãndrome de Noonan. 2010 , 28, 398-404		0
532	Serologic screening and genetic testing among brazilian patients with celiac disease and their first degree relatives. 2010 , 47, 257-62		11
531	[Anti-deamidated gliadin peptides antibodies and coeliac disease: state of art and analysis of false-positive results from five assays]. 2010 , 68, 149-56		2
530	Biochemical markers in Celiac disease. 2010 , 2, 313-7		1
529	Follow-up endoscopy in gastroenterology: when is it helpful?. 2010 , 107, 30-9		5

528	Oxidatively damaged DNA/oxidative stress in children with celiac disease. 2010 , 19, 1960-5		29
527	Positive predictive value of serological diagnostic measures in celiac disease. 2010 , 48, 685-91		22
526	Comprehensive, quantitative mapping of T cell epitopes in gluten in celiac disease. 2010 , 2, 41ra51		321
525	Mechanism of degradation of immunogenic gluten epitopes from <i>Triticum turgidum</i> L. var. durum by sourdough lactobacilli and fungal proteases. 2010 , 76, 508-18		73
524	Zinc supplementation to patients with celiac disease--is it required?. 2010 , 56, 391-7		13
523	Anti-pituitary antibodies in children with newly diagnosed celiac disease: a novel finding contributing to linear-growth impairment. 2010 , 105, 691-6		36
522	How patchy is patchy villous atrophy?: distribution pattern of histological lesions in the duodenum of children with celiac disease. 2010 , 105, 2103-10		125
521	Epidemiological research drives a paradigm shift in complementary feeding - the celiac disease story and lessons learnt. 2010 , 66, 65-79		2
520	Isolated short stature as a presentation of celiac disease in Saudi children. 2010 , 2, e4		17
519	Influence of early feeding practices on celiac disease in infants. 2010 , 51, 417-22		15
518	Prediction of clinical and mucosal severity of coeliac disease and dermatitis herpetiformis by quantification of IgA/IgG serum antibodies to tissue transglutaminase. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2010 , 50, 140-6	2.8	102
517	Screening detects a high proportion of celiac disease in young HLA-genotyped children. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2010 , 50, 49-53	2.8	53
516	Celiac disease: predictors of compliance with a gluten-free diet in adolescents and young adults. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2010 , 50, 54-60	2.8	56
515	Increased heat shock protein 72 expression in celiac disease. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2010 , 51, 573-8	2.8	13
514	Increased expression of hypoxia-inducible factor 1alpha in coeliac disease. 2010 , 68, 118-22		18
513	Celiac disease and the gluten-free diet. 2010 , 4, 321-328		2
512	Enteropathies of Infancy and Childhood. 2010 , 3, 603-40		1
511	Diagnostic methods beyond conventional histology in coeliac disease diagnosis. 2010 , 42, 28-32		41

510	Bulb biopsies for the diagnosis of celiac disease in pediatric patients. 2010 , 72, 564-8		34
509	Bone involvement in clusters of autoimmune diseases: just a complication?. 2010 , 46, 551-5		14
508	Bone mineral density and importance of strict gluten-free diet in children and adolescents with celiac disease. 2010 , 47, 598-603		53
507	Current methods to diagnose the unresponsive and complicated forms of coeliac disease. 2010 , 21, 247-53		8
506	Prevalence of Celiac Disease in Children with Unexplained Failure to Thrive. 2010 , 66, 134-7		2
505	Celiac disease diagnosis: simple rules are better than complicated algorithms. 2010 , 123, 691-3		139
504	The spectrum of celiac disease: epidemiology, clinical aspects and treatment. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2010 , 7, 204-13	24.2	193
503	Gastrointestinal symptoms, quality of life and bone mineral density in mild enteropathic coeliac disease: a prospective clinical trial. 2010 , 45, 305-14		48
502	Screening-detected and symptomatic untreated celiac children show similar gut microflora-associated characteristics. 2010 , 45, 1059-62		9
501	Early human pregnancy serum cytokine levels predict autoimmunity in offspring. 2011 , 44, 445-52		8
500	Additional value of serum I-FABP levels for evaluating celiac disease activity in children. 2011 , 46, 1435-41		58
499	HLA-G 14 bp deletion/insertion polymorphism in celiac disease. 2011 , 106, 139-44		15
498	Dense genotyping identifies and localizes multiple common and rare variant association signals in celiac disease. 2011 , 43, 1193-201		535
497	Natural history of potential celiac disease in children. 2011 , 9, 320-5; quiz e36		89
496	Mild enteropathy as a cause of iron-deficiency anaemia of previously unknown origin. 2011 , 43, 448-53		16
495	Intestinal deposits of anti-tissue transglutaminase IgA in childhood celiac disease. 2011 , 43, 604-8		31
494	MicroRNA-449a overexpression, reduced NOTCH1 signals and scarce goblet cells characterize the small intestine of celiac patients. 2011 , 6, e29094		69
493	A prospective study of duodenal bulb biopsy in newly diagnosed and established adult celiac disease. 2011 , 106, 1837-742		69

492	Assessing possible celiac disease by an HLA-DQ2-gliadin Tetramer Test. 2011 , 106, 1318-24		47
491	Celiac disease and health-related quality of life. 2011 , 5, 83-90		38
490	High frequency of low-risk human leukocyte antigen class II genotypes in latent celiac disease. 2011 , 72, 179-82		8
489	Gluten-dependent enteropathy and atypical human leukocyte antigen alleles. 2011 , 42, 1112-6		11
488	Coeliac disease: the histology report. 2011 , 43 Suppl 4, S385-95		80
487	Combined atherogenic effects of celiac disease and type 1 diabetes mellitus. 2011 , 217, 531-5		39
486	Celiac Disease. 2011 , 366-373.e3		
485	Coeliac disease is on the rise. 2011 , 194, 278-9		7
484	Antiendomysium antibodies assay in the culture medium of intestinal mucosa: an accurate method for celiac disease diagnosis. 2011 , 23, 1018-23		20
483	Prevalence of celiac disease in siblings of Iranian patients with celiac disease. 2011 , 48, 131-5		8
482	Adherencia e impacto de la dieta sin gluten en niños con enfermedad celíaca. 2011 , 82, 191-197		4
481	Potential celiac patients: a model of celiac disease pathogenesis. 2011 , 6, e21281		38
480	Antibodies against deamidated gliadin peptides in early-stage celiac disease. 2011 , 45, 673-8		22
479	Cytokine gene polymorphism in microscopic colitis association with the IL-6-174 GG genotype. 2011 , 23, 607-13		10
478	The role of duodenal bulb biopsy in the diagnosis of celiac disease in children. 2011 , 45, 26-9		25
477	HLA-DQ genotyping combined with serological markers for the diagnosis of celiac disease: is intestinal biopsy still mandatory?. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2011 , 52, 729-33	2.8	19
476	Amerindian mtDNA haplogroups and celiac disease risk HLA haplotypes in mixed-blood Latin American patients. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2011 , 53, 429-34	2.8	14
475	Prevalence and clinical profile of celiac disease in type 1 diabetes mellitus in north India. 2011 , 26, 378-81		55

474	The association of coeliac disease in childhood with functional gastrointestinal disorders: a prospective study in patients fulfilling Rome III criteria. <i>Alimentary Pharmacology and Therapeutics</i> , 2011 , 34, 783-9	6.1	25
473	Clinical management of coeliac disease. 2011 , 269, 560-71		77
472	Celiac disease in patients with type 1 diabetes: a condition with distinct changes in intestinal immunity?. 2011 , 8, 150-6		14
471	Multiple independent variants in 6q21-22 associated with susceptibility to celiac disease in the Dutch, Finnish and Hungarian populations. 2011 , 19, 682-6		5
470	Clinical accuracy of anti-tissue transglutaminase as screening test for celiac disease under 2 years. 2011 , 100, 728-31		10
469	Children with screening-detected coeliac disease show increased levels of nitric oxide products in urine. 2011 , 100, 1023-7		12
468	Compliance with the gluten-free diet: the role of locus of control in celiac disease. 2011 , 158, 463-466.e5		25
467	An update on the diagnostics of celiac disease. 2011 , 30, 185-96		25
466	Immune phenotype of children with newly diagnosed and gluten-free diet-treated celiac disease. 2011 , 56, 792-8		12
465	Changing scenario in aetiological profile of short stature in India-growing importance of celiac disease: a study from tertiary care centre. 2011 , 78, 41-4		22
464	Current spectrum of malabsorption syndrome in adults in India. 2011 , 30, 22-8		31
463	Short-term corticosteroids for celiac crisis in infants. 2011 , 48, 641-2		6
462	Złakie. 2011 , 6, 471-476		
461	Small- bowel mucosal changes and antibody responses after low- and moderate-dose gluten challenge in celiac disease. 2011 , 11, 129		51
460	Gene expression profiling of duodenal biopsies discriminates celiac disease mucosa from normal mucosa. 2011 , 69, 530-7		30
459	A key role for abdominal ultrasound examination in "difficult" diagnoses of celiac disease. 2011 , 32 Suppl 1, S53-61		6
458	Specific celiac disease antibodies in children on a gluten-free diet. 2011 , 128, 547-52		33
457	Risk of lymphoproliferative malignancy in relation to small intestinal histopathology among patients with celiac disease. 2011 , 103, 436-44		95

456	Anti-Henolase Antibodies in Serum from Pediatric Patients Affected by Inflammatory Diseases: Diagnostic and Pathogenetic Insights. 2011 , 2011, 870214		6
455	Lower expression of tight junction protein 1 gene and increased FOXP3 expression in the small bowel mucosa in coeliac disease and associated type 1 diabetes mellitus. 2011 , 156, 451-61		10
454	Nationwide cohort study of risk of ischemic heart disease in patients with celiac disease. 2011 , 123, 483-90		70
453	Accuracy in celiac disease diagnostics by controlling the small-bowel biopsy process. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2011 , 52, 549-53	2.8	23
452	Improved efficacy by using the pTnT-rhtTG plasmid for the detection of celiac disease specific tissue transglutaminase autoantibodies in radioligand binding assays. 2011 , 71, 701-4		7
451	Reproducibility of the histological diagnosis of celiac disease. 2011 , 46, 1065-73		45
450	Is there need for a new hepatitis B vaccine schedule for children with celiac disease?. 2011 , 11, 634-7		12
449	Morphometric evaluation of duodenal biopsies in celiac disease. 2011 , 106, 145-50		27
448	Gastroduodenal mucosa in microscopic colitis. 2011 , 46, 567-76		9
447	Thyroid autoimmunity in children with coeliac disease: a prospective survey. <i>Archives of Disease in Childhood</i> , 2011 , 96, 1038-41	2.2	25
446	Diagnosis and management of coeliac disease in children. 2011 , 87, 19-25		11
445	The missense variation Q705K in CIAS1/NALP3/NLRP3 gene and an NLRP1 haplotype are associated with celiac disease. 2011 , 106, 539-44		79
444	Celiac disease: A missed cause of metabolic bone disease. 2012 , 16, 780-5		14
443	HLA class II high-resolution genotyping in Greek children with celiac disease and impact on disease susceptibility. 2012 , 72, 625-30		17
442	The Value of Ensari's Proposal in Evaluating the Mucosal Pathology of Childhood Celiac Disease: Old Classification versus New Version. 2012 , 29, 281-4		
441	Early vaccinations are not risk factors for celiac disease. 2012 , 130, e63-70		16
440	European Society for Pediatric Gastroenterology, Hepatology, and Nutrition guidelines for the diagnosis of coeliac disease. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2012 , 54, 136-60	2.8	1637
439	Screening for celiac disease among patients with chronic kidney disease. 2012 , 34, 545-9		6

438	Gastrointestinal pathology in celiac disease: a case series of 150 consecutive newly diagnosed patients. 2012 , 138, 42-9		77
437	A new dot immunoassay for simultaneous detection of celiac specific antibodies and IgA-deficiency. 2012 , 50, 337-43		12
436	The old and new tests for celiac disease: which is the best test combination to diagnose celiac disease in pediatric patients?. 2011 , 50, 111-7		18
435	Coeliac disease diagnosis: ESPGHAN 1990 criteria or need for a change? Results of a questionnaire. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2012 , 54, 15-9	2.8	28
434	Are immunoglobulin A anti-gliadin antibodies helpful in diagnosing coeliac disease in children younger than 2 years?. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2012 , 54, 110-2	2.8	5
433	Refeeding syndrome in children in developing countries who have celiac disease. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2012 , 54, 521-4	2.8	19
432	XVIII Latin American Congress. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2012 , 54, S1-S7	2.8	
431	World perspective on celiac disease. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2012 , 55, 494-9	2.8	23
430	Bone health in children with celiac disease assessed by dual x-ray absorptiometry: effect of gluten-free diet and predictive value of serum biochemical indices. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2012 , 54, 680-4	2.8	35
429	Correlation between IgA tissue transglutaminase antibody ratio and histological finding in celiac disease. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2012 , 55, 44-9	2.8	82
428	Accuracy of diagnostic antibody tests for coeliac disease in children: summary of an evidence report. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2012 , 54, 229-41	2.8	171
427	Increased incidence of eosinophilic esophagitis in children and adults with celiac disease. 2012 , 46, e6-e11		39
426	Do gastroenterologists adhere to diagnostic and treatment guidelines for celiac disease?. 2012 , 46, e12-20		15
425	Symptom-detected and screen-detected celiac disease and adult height: a large cohort study. 2012 , 24, 1066-70		12
424	Monitoring of anti-transglutaminase autoantibodies in pediatric celiac disease using a sensitive radiobinding assay. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2012 , 54, 392-6	2.8	12
423	Determination of IgG and IgA antibodies against native gliadin is not helpful for the diagnosis of coeliac disease in children up to 2 years old. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2012 , 55, 21-5	2.8	9
422	Celiac disease: clinical, endoscopic, and histopathologic review. 2012 , 76, 625-40		20
421	A medical issue affecting the diagnosis of mood, attention and autistic disorders: a closer look at celiac disease and gluten sensitivity. 2012 , 6, 222-240		0

420	State-of-the-Art Incorporation of Oats into a Gluten-Free Diet. <i>Food Reviews International</i> , 2012 , 28, 330-342	12
419	The irritable bowel syndrome-celiac disease connection. 2012 , 22, 623-37	17
418	Non-celiac wheat sensitivity diagnosed by double-blind placebo-controlled challenge: exploring a new clinical entity. 2012 , 107, 1898-906; quiz 1907	269
417	Celiac disease: prevalence, diagnosis, pathogenesis and treatment. 2012 , 18, 6036-59	354
416	Nationwide study of childhood celiac disease incidence over a 35-year period in Estonia. 2012 , 171, 1823-8	18
415	Voltammetric immunosensor for the diagnosis of celiac disease based on the quantification of anti-gliadin antibodies. 2012 , 163, 253-259	22
414	Clinical presentation of celiac disease among pediatric compared to adolescent and adult patients. 2012 , 31, 116-20	15
413	Assessment of sexual maturity in a cohort of adolescents with celiac disease on gluten-free diet. 2012 , 31, 130-2	2
412	Low risk of gastrointestinal cancer among patients with celiac disease, inflammation, or latent celiac disease. 2012 , 10, 30-6	59
411	Detection of gliadin in foods using a quartz crystal microbalance biosensor that incorporates gold nanoparticles. 2012 , 60, 6483-92	60
410	Diagnosis of celiac disease. 2012 , 22, 661-77	32
409	Celiac disease: Pediatric celiac disease--is a diagnostic biopsy necessary?. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2012 , 9, 127-8	24.2 3
408	Small bowel endoscopy and coeliac disease. 2012 , 26, 315-23	6
407	Are positive serum-IgA-tissue-transglutaminase antibodies enough to diagnose coeliac disease without a small bowel biopsy? Post-test probability of coeliac disease. 2012 , 6, 861-6	21
406	High tissue-transglutaminase antibody level predicts small intestinal villous atrophy in adult patients at high risk of celiac disease. 2012 , 44, 280-5	42
405	Anti-cardiolipin and anti-beta 2-glycoprotein I antibodies in celiac disease. 2012 , 60, 291-5	13
404	Clinical guidelines: Secondary prevention of gastric cancer. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2012 , 9, 128-9	24.2 21
403	Utility of the new ESPGHAN criteria for the diagnosis of celiac disease in at-risk groups. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2012 , 54, 387-91	2.8 38

402	CD14 polymorphisms correlate with an augmented risk for celiac disease in Italian patients. 2012 , 13, 489-95		4
401	Subclinical celiac disease and crystal-induced kidney disease following kidney transplant. 2012 , 60, 662-7		15
400	Serum parameters in the spectrum of coeliac disease: beyond standard antibody testing--a cohort study. 2012 , 12, 159		15
399	Selective IgA deficiency: clinical and laboratory features of 118 children in Turkey. 2012 , 32, 961-6		43
398	HLA-DQ typing in the diagnostic algorithm of celiac disease. <i>Revista Espanola De Enfermedades Digestivas</i> , 2012 , 104, 248-54	0.9	26
397	Autism spectrum disorder and celiac disease: no evidence for a link. 2012 , 70, 28-33		44
396	Endomysial antibodies predict celiac disease irrespective of the titers or clinical presentation. 2012 , 18, 2511-6		23
395	Frequency of MYO9B polymorphisms in celiac patients and controls. <i>Revista Espanola De Enfermedades Digestivas</i> , 2012 , 104, 566-71	0.9	10
394	Glutathione redox cycle in small intestinal mucosa and peripheral blood of pediatric celiac disease patients. 2012 , 84, 175-84		19
393	The clinical significance of 25OH-Vitamin D status in celiac disease. 2012 , 42, 322-30		58
392	A novel algorithm for the diagnosis of celiac disease and a comprehensive review of celiac disease diagnostics. 2012 , 42, 331-41		29
391	An ELIME assay for the rapid diagnosis of coeliac disease. 2012 , 403, 1191-4		19
390	Clinical practice : coeliac disease. 2012 , 171, 1011-21		27
389	Oral ecosystem alterations in celiac children: a follow-up study. 2012 , 57, 154-60		13
388	Elution of antitransglutaminase antibodies from duodenal biopsies: a novel approach in the diagnosis of celiac disease. 2012 , 120, 666-74		5
387	Short wheat challenge is a reproducible in-vivo assay to detect immune response to gluten. <i>Clinical and Experimental Immunology</i> , 2012 , 169, 129-36	6.2	16
386	Evaluation of the quality of life of children with celiac disease and their parents: a case-control study. 2012 , 21, 77-85		41
385	Celiac disease screening assays for children younger than 3 years of age: the performance of three serological tests. 2012 , 57, 127-32		4

384	[Serological diagnosis of celiac disease]. 2013 , 61, e39-46		3
383	MRI in Epilepsy. 2013 ,		2
382	Prevalence of associated disorders in Indian patients with celiac disease. 2013 , 32, 330-4		15
381	Celiac disease presentation in a tertiary referral centre in India: current scenario. 2013 , 32, 98-102		23
380	The thrombophilic network of autoantibodies in celiac disease. 2013 , 11, 89		26
379	Serum soluble interleukin-2 receptor, interleukin-6 and tumor necrosis factor alpha as markers of celiac disease activity. 2013 , 80, 108-13		14
378	Type 1 diabetes and celiac disease in adults: glycemic control and diabetic complications. 2013 , 50, 319-24		29
377	A combined biochemical, biophysical and immunological approach towards the identification of celiac disease-specific wheat antigens. 2013 , 45, 889-900		5
376	Celiac disease: the new proposed ESPGHAN diagnostic criteria do work well in a selected population. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2013 , 56, 251-6	2.8	56
375	The risk of contracting pediatric inflammatory bowel disease in children with celiac disease, epilepsy, juvenile arthritis and type 1 diabetes--a nationwide study. 2013 , 7, 53-7		26
374	Systematic review: worldwide variation in the frequency of coeliac disease and changes over time. <i>Alimentary Pharmacology and Therapeutics</i> , 2013 , 38, 226-45	6.1	164
373	Duodenal-mucosal bacteria associated with celiac disease in children. 2013 , 79, 5472-9		105
372	Celiac disease: a disease with varied manifestations in adults and adolescents. 2013 , 14, 518-25		30
371	Defining thresholds of antibody levels improves diagnosis of celiac disease: replacing the gold standard. 2013 , 11, 404-5		2
370	A novel serogenetic approach determines the community prevalence of celiac disease and informs improved diagnostic pathways. 2013 , 11, 188		72
369	Immunoregulatory pathways are active in the small intestinal mucosa of patients with potential celiac disease. 2013 , 108, 1775-84		20
368	Duodenal bulb biopsy in children for the diagnosis of coeliac disease: experience from Perth, Australia. 2013 , 49, 210-4		10
367	The Oslo definitions for coeliac disease and related terms. <i>Gut</i> , 2013 , 62, 43-52	19.2	992

366	Celiac disease in children with short stature: A hospital based study. 2013 , 8, 93-96		2
365	Diagnostic yield of EGD in children: a retrospective single-center study of 1000 cases. 2013 , 78, 47-54.e1		38
364	Defining thresholds of antibody levels improves diagnosis of celiac disease. 2013 , 11, 398-403; quiz e32		28
363	[Updates on coeliac disease]. 2013 , 78, 1-5		3
362	Enfermedad celíaca con anticuerpos y antígeno leucocitario humano negativos. 2013 , 213, 418-419		
361	Degree of damage to the small bowel and serum antibody titers correlate with clinical presentation of patients with celiac disease. 2013 , 11, 166-71.e1		43
360	[Should the whole population be screened for coeliac disease?]. 2013 , 61, e57-60		2
359	[Epidemiology of celiac disease]. 2013 , 61, e1-4		7
358	[Histopathology of coeliac disease]. 2013 , 61, e13-9		2
357	Malnutrition (Maldigestion und Malabsorption). 2013 , 337-363		
356	New aspects of the diagnosis of celiac disease in children, adolescents, and adults. 2013 , 88, 540-3		5
355	Pediatric and adult celiac disease: similarities and differences. 2013 , 32, 283-8		10
354	Markers of antigen presentation and activation on eosinophils and T cells in the esophageal tissue of patients with eosinophilic esophagitis. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2013 , 56, 257-62	2.8	25
353	Response to hepatitis A and B vaccination in pediatric patients with celiac disease. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2013 , 56, 408-11	2.8	11
352	[Celiac disease in children from the northwest of Mexico: clinical characteristics of 24 cases]. 2013 , 78, 211-8		8
351	Celiac disease in children from the northwest of Mexico: Clinical characteristics of 24 cases. 2013 , 78, 211-218		3
350	Anti-actin IgA antibodies identify celiac disease patients with a Marsh 3 intestinal damage among subjects with moderate anti-TG2 levels. 2013 , 2013, 630463		7
349	Rapid anti-transglutaminase assay and patient interview for monitoring dietary compliance in celiac disease. 2013 , 48, 764-6		9

348	Mechanism of villous atrophy in celiac disease: role of apoptosis and epithelial regeneration. 2013 , 137, 1262-9		35
347	High prevalence of celiac disease in Swedish children and adolescents with type 1 diabetes and the relation to the Swedish epidemic of celiac disease: a cohort study. 2014 , 49, 52-8		22
346	Childhood coeliac disease diagnoses in Scotland 2009-2010: the SPSU project. <i>Archives of Disease in Childhood</i> , 2013 , 98, 52-6	2.2	24
345	Epidemiology of coeliac disease and comorbidity in Norwegian children. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2013 , 57, 467-71	2.8	35
344	The rising incidence of celiac disease in Scotland. 2013 , 132, e924-31		58
343	Toddler's diarrhea: is it an under-recognized entity in developing countries?. 2013 , 59, 470-5		3
342	The epidemiology of coeliac disease in South Wales: a 28-year perspective. <i>Archives of Disease in Childhood</i> , 2013 , 98, 405-7	2.2	22
341	Testing for antireticulin antibodies in patients with celiac disease is obsolete: a review of recommendations for serologic screening and the literature. 2013 , 20, 447-51		5
340	Nutritional inadequacies of the gluten-free diet in both recently-diagnosed and long-term patients with coeliac disease. 2013 , 26, 349-58		169
339	Intakes of nutrients in Italian children with celiac disease and the role of commercially available gluten-free products. 2013 , 26, 436-44		71
338	Celiac disease-associated autoimmune hepatitis in childhood: long-term response to treatment. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2013 , 56, 671-4	2.8	27
337	Diagnosis of coeliac disease in children younger than 2 years. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2013 , 56, 201-5	2.8	9
336	Metabolic Disorders. 2013 , 227-244		
335	The clinical response to gluten challenge: a review of the literature. <i>Nutrients</i> , 2013 , 5, 4614-41	6.7	33
334	Avaliaço nutricional e consumo alimentar de pacientes com doena celaca com e sem transgresso alimentar. 2013 , 26, 301-311		1
333	Specific IgG response against Mycobacterium avium paratuberculosis in children and adults with Crohn's disease. 2013 , 8, e62780		10
332	Gene expression profile of peripheral blood monocytes: a step towards the molecular diagnosis of celiac disease?. 2013 , 8, e74747		21
331	Beyond the Intestinal Celiac Mucosa: Diagnostic Role of Anti-TG2 Deposits, a Systematic Review. 2014 , 1, 9		10

330	Duodenal mucosa in children with coeliac disease in catamnesis and varying compliance with the gluten-free diet. 2014 , 115, 150-5		1
329	The significance of increased levels of end nitric oxide metabolites in blood serum of children with celiac disease. 2014 , 115, 712-7		2
328	. 2014 ,		5
327	Coeliac disease in children with type 1 diabetes: are current guidelines proving difficult to implement in practice?. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2014 , 59, 600-3	2.8	9
326	Histopathology of duodenal mucosal lesions in pediatric patients with inflammatory bowel disease: statistical analysis to identify distinctive features. 2014 , 17, 450-4		39
325	Diagnosis and management of adult coeliac disease: guidelines from the British Society of Gastroenterology. <i>Gut</i> , 2014 , 63, 1210-28	19.2	660
324	Predictors of Compliance to Gluten-Free Diet in Children with Celiac Disease. 2014 , 2014, 248402		12
323	Accurate and robust genomic prediction of celiac disease using statistical learning. 2014 , 10, e1004137		68
322	Diagnosis of coeliac disease in children in primary care and clinical implications. 2014 , 64, 382-3		
321	Diagnosing coeliac disease in children. 2014 , 75, 268-70		6
320	Hypertransaminasemia in paediatric population of coeliac disease. 2014 , 5, 41-44		
319	Spanish national registry of celiac disease: incidence and clinical presentation. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2014 , 59, 522-6	2.8	23
318	What happens to food choices when a gluten-free diet is required? A prospective longitudinal population-based study among Swedish adolescent with coeliac disease and their peers. 2014 , 3, e2		13
317	Nutrient intake in adolescent girls and boys diagnosed with coeliac disease at an early age is mostly comparable to their non-coeliac contemporaries. 2014 , 27, 41-53		20
316	Ex-vivo whole blood secretion of interferon (IFN)- γ and IFN- γ -inducible protein-10 measured by enzyme-linked immunosorbent assay are as sensitive as IFN- γ -enzyme-linked immunospot for the detection of gluten-reactive T cells in human leucocyte antigen (HLA)-DQ2 β (+)-associated coeliac disease. <i>Clinical and Experimental Immunology</i> , 2014 , 175, 305-15	6.2	48
315	Celiac disease treatment: gluten-free diet and beyond. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2014 , 59 Suppl 1, S15-7	2.8	9
314	Diagnosis of celiac disease: where are we heading after the ESPGHAN 2012 guidelines?. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2014 , 59 Suppl 1, S13-5	2.8	8
313	Neighborhood conditions and celiac disease risk among children in Sweden. 2014 , 42, 572-80		8

312	[New European recommendations for the diagnosis of celiac disease in children: a real simplification?]. 2014 , 21, 241-4		2
311	Early microbial markers of celiac disease. 2014 , 48, 620-4		22
310	Diagnosis and classification of celiac disease and gluten sensitivity. 2014 , 13, 472-6		81
309	Celiac disease in children with atopic dermatitis. 2014 , 31, 483-8		35
308	Association between maternal iron supplementation during pregnancy and risk of celiac disease in children. 2014 , 12, 624-31.e1-2		17
307	Symptom positivity is essential for omitting biopsy in children with suspected celiac disease according to the new ESPGHAN guidelines. 2013 , 173, 497		20
306	Predictors of persistent villous atrophy in coeliac disease: a population-based study. <i>Alimentary Pharmacology and Therapeutics</i> , 2014 , 39, 488-95	6.1	68
305	Incidence and prevalence of celiac disease and dermatitis herpetiformis in the UK over two decades: population-based study. 2014 , 109, 757-68		178
304	Randomized feeding intervention in infants at high risk for celiac disease. 2014 , 371, 1304-15		297
303	Le diagnostic de la maladie cœliaque au laboratoire : recommandations actuelles. 2014 , 2014, 15-20		2
302	Celiac Disease A Complex Disorder. 2014 , 1-96		4
301	Clinical and histopathological correlation of duodenal biopsy with IgA anti-tissue transglutaminase titers in children with celiac disease. 2014 , 33, 350-4		19
300	Andamento dei marcatori sierologici della malattia celiaca nella dieta priva di glutine. 2014 , 10, 20-25		1
299	Celiac disease risk varies between birth cohorts, generating hypotheses about causality: evidence from 36 years of population-based follow-up. 2014 , 14, 59		25
298	Low prevalence of IgA anti-transglutaminase 1, 2, and 3 autoantibodies in children with atopic dermatitis. 2014 , 7, 310		5
297	Diagnosing coeliac disease and the potential for serological markers. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2014 , 11, 655-63	24.2	22
296	Interleukin-10 gene promoter polymorphisms in celiac patients from north-eastern Italy. 2014 , 75, 656-61		5
295	Issues associated with the emergence of coeliac disease in the Asia-Pacific region: a working party report of the World Gastroenterology Organization and the Asian Pacific Association of Gastroenterology. 2014 , 29, 666-77		47

294	Coeliac disease and nutrition. 2014 , 160-168		
293	Low expression of CD39(+) /CD45RA(+) on regulatory T cells (Treg) cells in type 1 diabetic children in contrast to high expression of CD101(+) /CD129(+) on Treg cells in children with coeliac disease. <i>Clinical and Experimental Immunology</i> , 2015 , 180, 70-82	6.2	13
292	The Relationship between Spontaneous Multi-Vessel Coronary Artery Dissection and Celiac Disease. 2015 , 45, 242-4		12
291	Gliadin-Specific T-Cells Mobilized in the Peripheral Blood of Coeliac Patients by Short Oral Gluten Challenge: Clinical Applications. <i>Nutrients</i> , 2015 , 7, 10020-31	6.7	13
290	Exome sequencing of 75 individuals from multiply affected coeliac families and large scale resequencing follow up. 2015 , 10, e0116845		8
289	Antithyroid antibodies and thyroid function in pediatric patients with celiac disease. 2015 , 2015, 276575		13
288	Predictors and Significance of Incomplete Mucosal Recovery in Celiac Disease After 1 Year on a Gluten-Free Diet. 2015 , 110, 1078-85		42
287	Human autoimmune diseases: a comprehensive update. 2015 , 278, 369-95		331
286	A Case Study of Fixed-Effects and Random-Effects Meta-Analysis Models for Genome-Wide Association Studies in Celiac Disease. 2015 , 80, 51-61		1
285	HLA-G and susceptibility to develop celiac disease. 2015 , 76, 36-41		10
284	Celiac disease evolving into dermatitis herpetiformis in patients adhering to normal or gluten-free diet. 2015 , 50, 387-92		18
283	Interleukin-18 gene promoter polymorphisms and celiac disease in Italian patients. 2015 , 42, 525-33		3
282	Consistency in polyclonal T-cell responses to gluten between children and adults with celiac disease. 2015 , 149, 1541-1552.e2		38
281	Administration of Bifidobacterium breve Decreases the Production of TNF- α in Children with Celiac Disease. 2015 , 60, 3386-92		77
280	Distal duodenum versus duodenal bulb: intraepithelial lymphocytes have something to say in celiac disease diagnosis. 2015 , 60, 1004-9		9
279	Evaluation of the impact of celiac disease and its dietary manipulation on children and their caregivers. 2015 , 34, 112-6		14
278	Risk of Celiac Disease in the First- and Second-Degree Relatives of Patients With Celiac Disease: A Systematic Review and Meta-Analysis. 2015 , 110, 1539-48		77
277	Appropriate clinical use of human leukocyte antigen typing for coeliac disease: an Australasian perspective. 2015 , 45, 441-50		27

276	Are ESPGHAN "biopsy-sparing" guidelines for celiac disease also suitable for asymptomatic patients?. 2015 , 110, 1485-9		46
275	Diagnostic performance of three serologic tests in childhood celiac disease. 2015 , 53, 108-14		2
274	Presentation of Celiac Disease in Finnish Children Is No Longer Changing: A 50-Year Perspective. 2015 , 167, 1109-15.e1		61
273	Silent coeliac disease is over-represented in children with type 1 diabetes and their siblings. 2015 , 104, 185-91		10
272	Ingestion of oats and barley in patients with celiac disease mobilizes cross-reactive T cells activated by avenin peptides and immuno-dominant hordein peptides. 2015 , 56, 56-65		52
271	Human milk composition differs in healthy mothers and mothers with celiac disease. 2015 , 54, 119-28		78
270	Disordered eating practices in gastrointestinal disorders. 2015 , 84, 240-50		50
269	Changing face and clinical features of celiac disease in children. 2015 , 57, 107-12		18
268	Sensorineural hearing loss in pediatric patients with celiac disease. 2015 , 272, 2149-51		4
267	Validation of celiac disease diagnoses recorded in the Danish National Patient Register using duodenal biopsies, celiac disease-specific antibodies, and human leukocyte-antigen genotypes. 2016 , 8, 789-799		11
266	Presence of DQ2.2 Associated with DQ2.5 Increases the Risk for Celiac Disease. 2016 , 2016, 5409653		21
265	Evaluation of Multiple Diagnostic Indicators in Comparison to the Intestinal Biopsy as the Golden Standard in Diagnosing Celiac Disease in Children. 2016 , 4,		1
264	Outcomes of Seropositive Patients With Marsh 1 Histology in Clinical Practice. 2016 , 50, 619-23		3
263	ESPGHAN 2012 Guidelines for Coeliac Disease Diagnosis: Validation Through a Retrospective Spanish Multicentric Study. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2016 , 62, 284-91	2.8	26
262	Investigating the early metabolic fingerprint of celiac disease - a prospective approach. 2016 , 72, 95-101		8
261	Prevalence of celiac disease in Asia: A systematic review and meta-analysis. 2016 , 31, 1095-101		57
260	The impact of langerin (CD207)+ dendritic cells and FOXP3+ Treg cells in the small bowel mucosa of children with celiac disease and atopic dermatitis in comparison to children with functional gastrointestinal disorders. 2016 , 124, 689-96		3
259	Coeliac disease in the ERA of the new ESPGHAN and BSPGHAN guidelines: a prospective cohort study. <i>Archives of Disease in Childhood</i> , 2016 , 101, 172-6	2.2	23

258	Transition from childhood to adulthood in coeliac disease: the Prague consensus report. <i>Gut</i> , 2016 , 65, 1242-51	19.2	56
257	Shared and unique common genetic determinants between pediatric and adult celiac disease. 2016 , 9, 44		10
256	Novel genetic risk variants for pediatric celiac disease. 2016 , 10, 34		7
255	Maternal and perinatal conditions and the risk of developing celiac disease during childhood. 2016 , 16, 77		22
254	Season and region of birth as risk factors for coeliac disease a key to the aetiology?. <i>Archives of Disease in Childhood</i> , 2016 , 101, 1114-1118	2.2	17
253	Identification of a serum transglutaminase threshold value for the noninvasive diagnosis of symptomatic adult celiac disease patients: a retrospective study. 2016 , 51, 1031-1039		15
252	Identification of coeliac disease triggering glutenin peptides in adults. 2016 , 51, 819-26		2
251	Biosensors for the Diagnosis of Celiac Disease: Current Status and Future Perspectives. 2016 , 58, 381-92		5
250	Interpretation of serological tests in the diagnosis of celiac disease: Anti-deamidated gliadin peptide antibodies revisited. 2016 , 49, 414-420		6
249	Long-term mucosal recovery and healing in celiac disease is the rule - not the exception. 2016 , 51, 1439-1446		38
248	Eye disorders in children with celiac disease. 2016 , 26, 85-7		12
247	Celiac crisis in children in Serbia. 2016 , 42, 25		6
246	Analysis of FOXP3 gene in children with allergy and autoimmune diseases. 2016 , 44, 32-40		7
245	In the Intestinal Mucosa of Children With Potential Celiac Disease IL-21 and IL-17A are Less Expressed than in the Active Disease. 2016 , 111, 134-44		12
244	Fully-automated, chemiluminescence IgA and IgG anti-tissue transglutaminase (tTG) antibodies serum assays for the screening of celiac disease. 2016 , 429, 57-9		5
243	Validity of histology for the diagnosis of paediatric coeliac disease: a Swedish multicentre study. 2016 , 51, 427-33		21
242	Simultaneous detection of IgA and IgG antibodies against tissue transglutaminase: The preferred pre-biopsy test in childhood celiac disease. 2016 , 76, 208-16		8
241	The clinical presentation of coeliac disease in 1030 Swedish children: Changing features over the past four decades. 2016 , 48, 16-22		22

240	Celiac crisis in an adult type 1 diabetes mellitus patient presented with diarrhea, weight loss and hypoglycemic attacks. 2017 , 37, 85-87		2
239	Dynamics of occurrence of refractory coeliac disease and associated complications over 25 years. <i>Alimentary Pharmacology and Therapeutics</i> , 2017 , 45, 364-372	6.1	26
238	Characterization of globulin storage proteins of a low prolamin cereal species in relation to celiac disease. 2017 , 7, 39876		9
237	The role of gluten consumption at an early age in celiac disease development: a further analysis of the prospective PreventCD cohort study. 2017 , 105, 890-896		30
236	Celiac Disease in Children with Severe Acute Malnutrition (SAM): A Hospital Based Study. 2017 , 84, 339-343		6
235	HLA class II alleles in Norwegian patients with coexisting type 1 diabetes and celiac disease. 2017 , 89, 278-284		15
234	Anthropometric measures and prevalence trends in adolescents with coeliac disease: a population based study. <i>Archives of Disease in Childhood</i> , 2017 , 102, 139-144	2.2	11
233	Cardiovascular Risk Factors in Adolescents With Celiac Disease: A Cross-sectional Population-Based Study. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2017 , 65, 190-194	2.8	7
232	Selected Probiotic Lactobacilli Have the Capacity To Hydrolyze Gluten Peptides during Simulated Gastrointestinal Digestion. 2017 , 83,		34
231	Upper Endoscopy for GI Fellows. 2017 ,		
230	Role of Biopsies in Childhood Celiac Disease: Do We Need Less or More?. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2017 , 64, 173-174	2.8	4
229	Value of IgA tTG in Predicting Mucosal Recovery in Children With Celiac Disease on a Gluten-Free Diet. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2017 , 64, 286-291	2.8	45
228	Symptoms and Mucosal Changes Stable During Rapid Increase of Pediatric Celiac Disease in Norway. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2017 , 64, 586-591	2.8	5
227	No Need for Routine Endoscopy in Children With Celiac Disease on a Gluten-free Diet. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2017 , 65, 267-269	2.8	14
226	Diarrhea after allogeneic stem cell transplantation: beyond graft-versus-host disease. 2017 , 29, 495-502		17
225	Circulating gluten-specific FOXP3CD39 regulatory T cells have impaired suppressive function in patients with celiac disease. 2017 , 140, 1592-1603.e8		41
224	Local ocular surface parameters in patients with systemic celiac disease. 2017 , 31, 1093-1098		13
223	Circulating Zonulin Correlates with Density of Enteroviruses and Tolerogenic Dendritic Cells in the Small Bowel Mucosa of Celiac Disease Patients. 2017 , 62, 358-371		13

222	Small bowel villous atrophy: celiac disease and beyond. 2017 , 11, 125-138		15
221	Declining trend in the incidence of biopsy-verified coeliac disease in the adult population of Finland, 2005-2014. <i>Alimentary Pharmacology and Therapeutics</i> , 2017 , 46, 1085-1093	6.1	17
220	Progress towards non-invasive diagnosis and follow-up of celiac disease in children; a prospective multicentre study to the usefulness of plasma I-FABP. 2017 , 7, 8671		26
219	Association of the IL-15 and IL-15RA genes with celiac disease. 2017 , 99, 73-79		14
218	[Gluten-free diet - Update 2017]. 2017 , 55, 1323-1343		1
217	The roles of MHC class II genes and post-translational modification in celiac disease. 2017 , 69, 605-616		52
216	Systematic Review and Meta-analysis Show 3% of Patients With Celiac Disease in Spain to be Negative for HLA-DQ2.5 and HLA-DQ8. 2017 , 15, 594-596		9
215	Tissue Transglutaminase Levels Are Not Sufficient to Diagnose Celiac Disease in North American Practices Without Intestinal Biopsies. 2017 , 62, 175-179		23
214	CCR5- β 2 gene polymorphism is related to celiac disease and autoimmune thyroiditis coincidence in patients with type 1 diabetes. 2017 , 31, 615-618		3
213	3. Złakie. 2017 , 26-153		
212	Celiac Disease. 2017 , 475-526		
211	Intestinal Production of Anti-Tissue Transglutaminase 2 Antibodies in Patients with Diagnosis Other Than Celiac Disease. <i>Nutrients</i> , 2017 , 9,	6.7	16
210	Indications and Use of the Gluten Contamination Elimination Diet for Patients with Non-Responsive Celiac Disease. <i>Nutrients</i> , 2017 , 9,	6.7	34
209	Serum brain-derived neurotrophic factor in children with coeliac disease. 2018 , 48, e12916		2
208	Chapter 2. ESPGHAN: 50 Years Memories-The Early Years. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2018 , 66 Suppl 1, S20-S28	2.8	
207	Seronegative coeliac disease: clearing the diagnostic dilemma. 2018 , 34, 154-158		35
206	Celiac Disease 30 Years After Diagnosis: Struggling With Gluten-free Adherence or Gaining Gluten Tolerance?. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2018 , 67, 361-366	2.8	8
205	Histopathological evaluation of duodenal biopsy in the PreventCD project. An observational interobserver agreement study. 2018 , 126, 208-214		11

204	HLA-DQ genetics in children with celiac disease: a meta-analysis suggesting a two-step genetic screening procedure starting with HLA-DQ [chains. 2018 , 83, 564-572			27
203	Global Prevalence of Celiac Disease: Systematic Review and Meta-analysis. 2018 , 16, 823-836.e2			501
202	Assessment of dietary compliance in celiac children using a standardized dietary interview. 2018 , 37, 1000-1004			13
201	Intussusception in celiac disease: Is it a common feature in children?. 2018 , 33, 380-384			10
200	Coeliac disease and the liver: spectrum of liver histology, serology and treatment response at a tertiary referral centre. 2018 , 71, 412-419			13
199	Coeliac disease: to biopsy or not?. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2018 , 15, 60-66	24.2		19
198	Celiac Disease Diagnosis Without Biopsy: Is a 10 μ LN Antitransglutaminase Result Suitable for a Chemiluminescence Method?. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2018 , 66, 645-650	2.8		9
197	Intestinal anti-transglutaminase 2 immunoglobulin A deposits in children at risk for coeliac disease (CD): data from the PreventCD study. <i>Clinical and Experimental Immunology</i> , 2018 , 191, 311-317	6.2		15
196	Intraepithelial lymphocyte immunophenotype: a useful tool in the diagnosis of celiac disease. 2018 , 74, 153-158			5
195	Celiac Disease and Other Causes of Duodenitis. 2018 , 142, 35-43			16
194	[Analysis of bone mineral density in children with celiac disease. Densitometry indications and effect of gluten-free diet]. 2018 , 35, 543-549			1
193	HLA-DQ distribution and risk assessment of celiac disease in a Spanish center. <i>Revista Espanola De Enfermedades Digestivas</i> , 2018 , 110, 421-426	0.9		9
192	Towards an individual screening strategy for first-degree relatives of celiac patients. 2018 , 177, 1585-1592			16
191	Ex vivo Culture of Duodenal Biopsies from Patients with Dermatitis Herpetiformis Indicates that Transglutaminase 3 Antibody Production Occurs in the Gut. 2018 , 98, 366-372			10
190	Faecal high mobility group box 1 in children with celiac disease: A pilot study. 2018 , 50, 916-919			6
189	Chapter 8. 50 Years of the European Society for Paediatric Gastroenterology, Hepatology and Nutrition (ESPGHAN): Captivating Witness Reports of a Success Story. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2018 , 66 Suppl 1, S154-S171	2.8		
188	Frequency of overweight/obesity among a group of children with celiac disease in Iran. 2018 , 13, 127-131			3
187	Seasonality of birth affects paediatric coeliac disease. 2019 , 108, 529-534			1

186	Clinical intervention using Bifidobacterium strains in celiac disease children reveals novel microbial modulators of TNF- α and short-chain fatty acids. 2019 , 38, 1373-1381		49
185	HLA Haplotype Association with Celiac Disease in Albanian Pediatric Patients from Kosovo. 2019 , 2019, 7369014		1
184	Sobrepeso y obesidad en la enfermedad celiaca activa: posibles mecanismos fisiopatológicos. 2019 , 46, 485-490		1
183	Celiac disease in the East and the West: Bridging the gaps between the guidelines and their implementation in daily practice is mandatory. 2019 , 38, 185-189		4
182	The intestinal expansion of TCR α and disappearance of IL4 T γ cells suggest their involvement in the evolution from potential to overt celiac disease. 2019 , 49, 2222-2234		4
181	CX3CL1-CX3CR1 Axis: A New Player in Coeliac Disease Pathogenesis. <i>Nutrients</i> , 2019 , 11, 6.7		2
180	Diagnosing Celiac Disease: Towards Wide-Scale Screening and Serology-Based Criteria?. 2019 , 2019, 2916024		10
179	Influence of HLA on clinical and analytical features of pediatric celiac disease. 2019 , 19, 91		5
178	Relevance of HLA-DQB1*02 Allele in the Genetic Predisposition of Children with Celiac Disease: Additional Cues from a Meta-Analysis. 2019 , 55,		11
177	Celiac Disease in Children, Particularly with Accompanying Type 1 Diabetes, Is Characterized by Substantial Changes in the Blood Cytokine Balance, Which May Reflect Inflammatory Processes in the Small Intestinal Mucosa. 2019 , 2019, 6179243		13
176	Dual Role of but Not Inflammasome Polymorphisms in Type 1 Diabetes and Celiac Disease in Children. 2019 , 7, 63		4
175	Pachychoroid Pigment Epitheliopathy and Choroidal Thickness Changes in Coeliac Disease. 2019 , 2019, 6924191		5
174	Diagnostic Accuracy of Point of Care Tests for Diagnosing Celiac Disease: A Systematic Review and Meta-Analysis. 2019 , 53, 535-542		16
173	Infant milk-feeding practices and diagnosed celiac disease and inflammatory bowel disease in offspring: a systematic review. 2019 , 109, 8385-8515		12
172	Efficacy Study of Anti-Endomysium Antibodies for Celiac Disease Diagnosis: A Retrospective Study in a Spanish Pediatric Population. 2019 , 8,		6
171	Common Problems Found in the Methodological Approach to Small Bowel Biopsies in the Diagnosis of Celiac Disease. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2019 , 69, 336-338	2.8	1
170	Changing Epidemiology of Liver Involvement in Children With Celiac Disease. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2019 , 68, 547-551	2.8	3
169	The Use of Biopsy and "No-Biopsy" Approach for Diagnosing Paediatric Coeliac Disease in the Central European Region. 2019 , 2019, 9370397		8

168	Onset of menarche is not delayed in Slovenian patients with celiac disease. 2019 , 47, 815-822		1
167	Prevalence and characteristics of celiac disease in South African patients with type 1 diabetes mellitus: Results from the Durban Diabetes and Celiac Disease Study. 2019 , 34, 673-678		7
166	Evaluation of screening for coeliac disease in children with juvenile idiopathic arthritis. 2019 , 108, 688-693		4
165	Transglutaminase 2 and Transglutaminase 2 Autoantibodies in Celiac Disease: a Review. 2019 , 57, 23-38		20
164	Extraintestinal manifestations were common in children with coeliac disease and were more prevalent in patients with more severe clinical and histological presentation. 2019 , 108, 681-687		22
163	Cytokine release after gluten ingestion differentiates coeliac disease from self-reported gluten sensitivity. 2020 , 8, 108-118		16
162	The evolution of celiac disease publications: a holistic approach with bibliometric analysis. 2020 , 189, 267-276		17
161	Characterisation of clinical and immune reactivity to barley and rye ingestion in children with coeliac disease. <i>Gut</i> , 2020 , 69, 830-840	19.2	8
160	Antibodies against neo-epitope of microbial and human transglutaminase complexes as biomarkers of childhood celiac disease. <i>Clinical and Experimental Immunology</i> , 2020 , 199, 294-302	6.2	5
159	Bedouin Children With Celiac Disease: Less Symptoms but More Severe Histological Features at Presentation. 2020 , 8, 580240		
158	Child and Parent Mental Health Problems in Pediatric Celiac Disease: A Prospective Study. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2020 , 71, 315-320	2.8	0
157	Suppressed immune profile in children with combined type 1 diabetes and celiac disease. <i>Clinical and Experimental Immunology</i> , 2020 , 201, 244-257	6.2	2
156	Serum IL-21 levels from celiac disease patients correlates with anti-tTG IgA autoantibodies and mucosal damage. 2020 , 53, 225-230		3
155	The Utility of IgA-Based Serologic Markers in Diagnosing Celiac Disease in Children 24 Months of Age or Younger. 2020 , 224, 158-161.e2		4
154	Strength of the association between Turner syndrome and coeliac disease: protocol for a systematic review and meta-analysis. 2020 , 10, e037478		1
153	T1D progression is associated with loss of CD3CD56 regulatory T cells that control CD8 T cell effector functions. 2020 , 2, 142-152		9
152	Rational application of the new European Society for Paediatric Gastroenterology, Hepatology and Nutrition (ESPGHAN) 2020 criteria for the diagnosis of coeliac disease. 2020 , 92, 110.e1-110.e9		0
151	Diagnostic findings and long-term prognosis in children with anemia undergoing GI endoscopies. 2020 , 91, 1272-1281.e2		6

150	[Rational application of the new European Society for Paediatric Gastroenterology, Hepatology and Nutrition (ESPGHAN) 2020 criteria for the diagnosis of coeliac disease]. 2020 , 92, 110.e1-110.e9		3
149	Incidence of Celiac Disease Is Increasing Over Time: A Systematic Review and Meta-analysis. 2020 , 115, 507-525		75
148	Prevalence of celiac disease in patients with short stature: A systematic review and meta-analysis. 2021 , 36, 44-54		7
147	Gut microbiota signatures and clinical manifestations in celiac disease children at onset: a pilot study. 2021 , 36, 446-454		20
146	Diagnosis and Management of Gluten-Associated Disorders. 2021 ,		1
145	Celiac disease can be predicted by high levels of tissue transglutaminase antibodies in children and adolescents with type 1 diabetes. 2021 , 22, 417-424		1
144	Analysis of gluten immunogenic peptides in feces to assess adherence to the gluten-free diet in pediatric celiac patients. 2021 , 60, 2131-2140		9
143	Estudio de la adherencia a la dieta sin gluten en pacientes celíacos. 2021 , 94, 377-384		7
142	Gallbladder motility in children with celiac disease before and after gluten-free diet. 2021 , 34, 385-391		2
141	Phenotype and Natural History of Children With Coexistent Inflammatory Bowel Disease and Celiac Disease. 2021 , 27, 1881-1888		2
140	Prevalence of celiac disease in low and high risk population in Asia-Pacific region: a systematic review and meta-analysis. 2021 , 11, 2383		9
139	[Analysis of health-related quality life in celiac patients]. 2021 , 38, 715-721		
138	Evaluation of Gluten-Free Diet Efficacy for Improving Quality of Life of Patients with Celiac Disease. 2021 , 10,		1
137	Associations of TP53 codon 72 polymorphism with complications and comorbidities in patients with type 1 diabetes. 2021 , 99, 675-683		2
136	Symptomatic Study of Celiac Disease Patients Using Fuzzy Logic. 1		
135	Selection of Gut-Resistant Bacteria and Construction of Microbial Consortia for Improving Gluten Digestion under Simulated Gastrointestinal Conditions. <i>Nutrients</i> , 2021 , 13,	6.7	5
134	Low-Risk Human Leukocyte Antigen Genes and Mild Villous Atrophy Typify Celiac Disease With Immunoglobulin A Deficiency. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2021 , 72, 889-893	2.8	0
133	Efficient implementation of the 'non-biopsy approach' for the diagnosis of childhood celiac disease in the Netherlands: a national prospective evaluation 2010-2013. 2021 , 180, 2485-2492		1

132	Relationship Between Villous Atrophy and tTGA Levels in Dyspeptic Patients: A Case Series. 2021 , 13, e15043		
131	Study of adherence to the gluten-free diet in coeliac patients. 2021 , 94, 377-384		3
130	Systematic review and meta-analysis: the incidence and prevalence of paediatric coeliac disease across Europe. <i>Alimentary Pharmacology and Therapeutics</i> , 2021 , 54, 109-128	6.1	7
129	Serological study of celiac disease in children with dental caries. 2021 , 29, 237-241		1
128	Prevalence of Celiac Disease in Patients With Turner Syndrome: Systematic Review and Meta-Analysis. 2021 , 8, 674896		1
127	Antitissue transglutaminase antibodies' normalization after starting a gluten-free diet in a large population of celiac children-a real-life experience. 2021 ,		1
126	Diagnosing and Monitoring Celiac Patients with Selective IgA Deficiency: Still an Open Issue. 2021 , 66, 3234-3241		2
125	Celiac Disease: Diagnosis. 2015 , 1326, 15-22		5
124	CELIAC DISEASE. 2005 , 407-417		1
123	The Serologic and Mucosal Immunologic Basis of Celiac Disease. 1993 , 295-333		10
122	Celiac Disease. 2005 , 1311-1333		1
121	DIAGNOSIS OF COELIAC SPRUE IN 1994. 1995 , 24, 133-143		7
120	Prevalence and clinical significance of esophageal abnormalities in children with celiac disease. 2020 , 33,		2
119	Celiac disease: clinical features and pathogenesis. 1994 , 307, 204-11		9
118	Celiac disease: helping families adapt. 1997 , 20, 79-81		2
117	Increased prevalence of diabetes-related autoantibodies in celiac disease. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 1996 , 23, 524-7	2.8	20
116	Celiac disease in the general population: should we treat asymptomatic cases?. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 1997 , 24, S10-2; discussion S12-3	2.8	19
115	Serum levels of osteocalcin and type I procollagen in children with celiac disease. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 1997 , 24, 170-3	2.8	10

114	Circulating oxyntomodulin-like immunoreactivity in healthy children and children with celiac disease. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 1998 , 27, 513-8	2.8	8
113	Nonbiopsy Approach for Celiac Disease Is Accurate When Using Exact Duodenal Histomorphometry: Prospective Study in 2 Countries. 2021 , 55, 227-232		2
112	Infiltration of Foxp3- and Toll-like receptor-4-positive cells in the intestines of children with food allergy. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2010 , 50, 367-76	2.8	29
111	Role of confocal endomicroscopy in the diagnosis of celiac disease. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2010 , 51, 274-9	2.8	23
110	Very late mucosal relapse in a girl with coeliac disease. 1993 , 82, 887-9		10
109	Celiac disease and hypoparathyroidism: cross-reaction of endomysial antibodies with parathyroid tissue. 1996 , 3, 143-6		11
108	Basement membrane and connective tissue proteins in intestinal mucosa of patients with coeliac disease. 2002 , 55, 440-5		19
107	Production of antibodies to gliadin by peripheral blood lymphocytes in children with celiac disease: the use of an enzyme-linked immunospot technique for screening and follow-up. 1997 , 41, 554-9		19
106	Anemia and Celiac Disease-Experience At Tertiary Care Center of Northern India. 2016 , 2, 3-8		1
105	Visualization of transepithelial passage of the immunogenic 33-residue peptide from alpha-2 gliadin in gluten-sensitive macaques. 2010 , 5, e10228		25
104	Improving the estimation of celiac disease sibling risk by non-HLA genes. 2011 , 6, e26920		20
103	Unusually High Incidence of Paediatric Coeliac Disease in Sweden during the Period 1973 - 2013. 2015 , 10, e0144346		5
102	Different Gene Expression Signatures in Children and Adults with Celiac Disease. 2016 , 11, e0146276		16
101	Comparative analysis of serologic screening tests for the initial diagnosis of celiac disease. 1999 , 104, 75-8		31
100	[Clinical presentation of children with celiac disease attended at a Brazilian specialized university service, over two periods of time]. 2004 , 41, 234-8		1
99	HLA genotyping in pediatric celiac disease patients. 2014 , 14, 171-6		17
98	Effect of gluten-free diet on the growth and nutritional status of children with coeliac disease. <i>Srpski Arhiv Za Celokupno Lekarstvo</i> , 2009 , 137, 632-7	0.2	13
97	Coeliac disease as the cause of resistant sideropenic anaemia in children with Down's syndrome: case report. <i>Srpski Arhiv Za Celokupno Lekarstvo</i> , 2010 , 138, 91-4	0.2	2

96	Thyroid and celiac disease in pediatric age: a literature review. 2018 , 89, 11-16		6
95	Clinical evaluation of dental enamel defects and oral findings in coeliac children. 2018 , 52, 150-156		5
94	Feasibility of confocal endomicroscopy in the diagnosis of pediatric gastrointestinal disorders. 2009 , 15, 2214-9		33
93	Effect of B vitamin supplementation on plasma homocysteine levels in celiac disease. 2009 , 15, 955-60		19
92	Assessment of autonomic function in untreated adult coeliac disease. 2004 , 10, 2715-8		9
91	Association of FAS (TNFRSF6)-670 gene polymorphism with villous atrophy in coeliac disease. 2004 , 10, 717-20		16
90	A functional variant in the CD209 promoter is associated with DQ2-negative celiac disease in the Spanish population. 2006 , 12, 4397-400		14
89	Celiac disease in South-West of Iran. 2006 , 12, 4416-9		19
88	Prevalence of celiac disease in an urban area of Brazil with predominantly European ancestry. 2006 , 12, 6546-50		44
87	Children with celiac disease and high tTGA are genetically and phenotypically different. 2013 , 19, 7114-20		12
86	Increased density of tolerogenic dendritic cells in the small bowel mucosa of celiac patients. 2015 , 21, 439-52		12
85	Carrier frequency of HLA-DQB1*02 allele in patients affected with celiac disease: A systematic review assessing the potential rationale of a targeted allelic genotyping as a first-line screening. 2020 , 26, 1365-1381		14
84	Comparative study of clinical features of patients with celiac disease & those with concurrent celiac disease & type 1 diabetes mellitus. <i>Indian Journal of Medical Research</i> , 2017 , 145, 334-338	2.9	9
83	A Retrospective Study on Standard Regimen for Vaccination in Celiac Children. 2011 , 01, 29-32		1
82	How common is celiac disease in Eastern Saudi Arabia?. 2002 , 22, 315-9		14
81	Prevalence of celiac disease in healthy Iranian school children. 2013 , 33, 159-61		23
80	Celiac disease presenting as rickets in Saudi children. 2013 , 33, 49-51		12
79	Quantitative histology-based classification system for assessment of the intestinal mucosal histological changes in patients with celiac disease. 2019 , 17, 387-397		6

- 78 A simple phenotypic classification for celiac disease. **2018**, 16, 288-292 2
- 77 Is There Need for a New Hepatitis B Vaccine Schedule for Children with Celiac Disease?. **2011**, 11, 634-637 15
- 76 Gluten-sensitive enteropathy (celiac disease): controversies in diagnosis and classification. **2010**, 134, 826-36 78
- 75 Krankheiten von Verdauungstrakt, Peritoneum, Bauchwand und Pankreas. **2001**, 776-871
- 74 Złakie. **2003**, 884-887
- 73 Celiac Disease, Pediatric. **2004**, 283-288
- 72 Enteropathies Associated with Chronic Diarrhea and Malabsorption of Infancy and Childhood. **2004**, 63-99
- 71 Złakie. **2007**, 916-920
- 70 Osteoporosi nelle malattie gastroenteriche. **2009**, 151-158
- 69 Correspondence (letter to the editor): No follow-up endoscopy. **2010**, 107, 492; author reply 492-3
- 68 Coeliac Disease in the 21st Century: No Longer "Kids' Stuff". **2011**, 4, 268-276 3
- 67 Celiac Disease. **2012**, 501-510
- 66 Erkrankungen der Gastrointestinalorgane * *Berarbeitet und aktualisiert von Dr. Walter Burghardt. **2014**, 151-270
- 65 Złakie. **2014**, 1099-1103
- 64 Celiac disease. From the pathogenesis to the treatment. **2014**, 3, 22 0
- 63 Immunology of gastrointestinal food allergy in infancy and early childhood. **1992**, 61-73
- 62 Malabsorption Syndromes and Intestinal Protein Loss. **1994**, 457-491
- 61 Gliadin Antibodies. **1996**, 285-290

60	Handling und intrazellulärer Transport von Gliadinmolekülen bei Zöliakie. 1996 , 227-242		
59	Coeliac Disease in Children and Adolescents with Type 1 Diabetes Mellitus. 1998 , 7, 125-129		
58	The Small Bowel. 2015 , 307-357		
57	Zöliakie im Kindes- und Jugendalter. 2015 , 1-10		
56	[Celiac disease in children--new guidelines]. 2016 , 136, 403		
55	Celiakie - doporučení postupu pro diagnostiku a terapie u dětí a dospívajících. 2016 , 17, i-vii		3
54	Pediatric EGD. 2017 , 125-137		
53	Two Adolescents with Gluten Sensitivity, Non Celiac, not Wheat Allergy, Associated with Non Specific Inflammatory Bowel Disease. <i>Gastroenterology & Hepatology (Bartlesville, Okla)</i> , 2017 , 7,	0.2	
52	Authors' response. <i>Indian Journal of Medical Research</i> , 2018 , 147, 208		2.9
51	Persistent alterations in plasma lipid profiles prior to introduction of gluten in the diet associate with progression to celiac disease.		
50	A Comparison of the Prevalence of Dental Enamel Defects and Other Oral Findings in Children with and Without Celiac Disease. <i>Iranian Journal of Pediatrics</i> , 2018 , In Press,		1
49	Zöliakie im Kindes- und Jugendalter. <i>Springer Reference Medizin</i> , 2019 , 1-7		0
48	Beneficial effects of gluten free diet on IgA tissue transglutaminase levels and various growth parameters in celiac disease patients. <i>Journal of Family Medicine and Primary Care</i> , 2019 , 8, 823-827	1.5	1
47	Excess weight and gastrointestinal symptoms in Chilean celiac patients at the time of diagnosis. <i>Revista Espanola De Enfermedades Digestivas</i> , 2019 , 111, 384-387	0.9	2
46	Yeni Tanımlanan Hastalarda Tanımda Karaciğer Fonksiyon Testlerinin Analizi. <i>Akademik Gastroenteroloji Dergisi</i> , 1-5		
45	Association of celiac disease in patients with multiple sclerosis in Tuscany. <i>Revista Espanola De Enfermedades Digestivas</i> , 2020 , 112, 474-476	0.9	1
44	Seronegative Celiac Disease. 2021 , 89-98		
43	Epidemiology and clinical features of celiac disease in adults. 2022 , 1-23		

42	Złakie. <i>Springer Reference Medizin</i> , 2020 , 1615-1621		0
41	Structure of the HLA-DR-DQ-genotype in children with coeliac disease. <i>Meditinskiy Sovet</i> , 2020 , 74-80		0.4
40	Differential Diagnosis of Pediatric Inflammatory Bowel Disease. 2008 , 165-178		
39	Celiac Disease in Kosovar Albanian Children: Evaluation of Clinical Features and Diagnosis. <i>Current Pediatric Reviews</i> , 2020 , 16, 241-247		2.8
38	Small bowel malignancy at diagnosis of coeliac disease. <i>Gut</i> , 2005 , 54, 565-6	19.2	1
37	Evidence that intestinal intraepithelial lymphocytes are activated cytotoxic T cells in celiac disease but not in giardiasis. <i>American Journal of Pathology</i> , 1996 , 148, 1351-7	5.8	54
36	Clinical utility of serologic testing for celiac disease in ontario: an evidence-based analysis. <i>Ontario Health Technology Assessment Series</i> , 2010 , 10, 1-111	3.1	3
35	Clinical utility of serologic testing for celiac disease in asymptomatic patients: an evidence-based analysis. <i>Ontario Health Technology Assessment Series</i> , 2011 , 11, 1-63	3.1	2
34	Changing spectrum of celiac disease in India. <i>Iranian Journal of Pediatrics</i> , 2010 , 20, 459-65	1	6
33	Spectrum of malabsorption syndrome among adults & factors differentiating celiac disease & tropical malabsorption. <i>Indian Journal of Medical Research</i> , 2012 , 136, 451-9	2.9	17
32	Celiac disease in childhood: evaluation of 140 patients. <i>Eurasian Journal of Medicine</i> , 2009 , 41, 154-7	1.3	6
31	Does gluten-free diet protect children with celiac disease from low bone density?. <i>Iranian Journal of Pediatrics</i> , 2014 , 24, 429-34	1	3
30	Rickets and osteomalacia in Saudi children and adolescents attending endocrine clinic, Riyadh, Saudi Arabia. <i>Sudanese Journal of Paediatrics</i> , 2012 , 12, 56-63	0.6	4
29	Short stature in children: Pattern and frequency in a pediatric clinic, Riyadh, Saudi Arabia. <i>Sudanese Journal of Paediatrics</i> , 2012 , 12, 79-83	0.6	7
28	Association of PTPN22 rs2476601 Polymorphism with Rheumatoid Arthritis and Celiac Disease in Khuzestan Province, Southwestern Iran. <i>Iranian Biomedical Journal</i> , 2017 , 21, 61-6	2	6
27	Pattern and Frequency of Short Stature in Albanian Children. <i>Current Health Sciences Journal</i> , 2016 , 42, 390-395	0.3	2
26	It Is High Time for Personalized Dietary Counseling in Celiac Disease: A Systematic Review and Meta-Analysis on Body Composition. <i>Nutrients</i> , 2021 , 13,	6.7	
25	Celiac Disease: Background. 2022 , 1-6		0

24	Value and Use of Serologic Markers of Celiac Disease. 2022 , 63-78		
23	Clinical Presentation of Celiac Disease and Diagnosis Accuracy in a Single-Center European Pediatric Cohort over 10 Years. <i>Nutrients</i> , 2021 , 13,	6.7	
22	Epidemiology of Celiac Disease. 2022 , 7-22		
21	Classical and Non-classical Forms of CD in Paediatrics. 2022 , 23-33		
20	Gluten-related disorders. <i>Srpski Arhiv Za Celokupno Lekarstvo</i> , 2021 , 100-100	0.2	
19	The global burden of coeliac disease: opportunities and challenges.. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2022 ,	24.2	1
18	Tek Bir Merkezde Çocuklarda Malnütrisyon Değerlendirilmesi ve Malnütre Hastalarda Yak Hastalıkların Sıklığı. <i>Ekim Dergisi</i> , 2021 , 10, 219-225		
17	It Is High Time for Personalized Dietary Counseling in Celiac Disease: A Systematic Review and Meta-Analysis on Body Composition. <i>Nutrients</i> , 2021 , 13, 2947	6.7	1
16	Gluten: do only celiac patients benefit from its removal from the diet?. <i>Food Reviews International</i> , 1-31	5.5	1
15	Diagnostic Accuracy of IgA Anti-Transglutaminase and IgG Anti-Deamidated Gliadin for Diagnosis of Celiac Disease in Children under Two Years of Age: A Systematic Review and Meta-Analysis.. <i>Nutrients</i> , 2021 , 14,	6.7	1
14	Pathology of Malabsorption Syndrome. 2022 , 279-338		
13	Spanish National Registry of Paediatric Coeliac Disease: Changes in the Clinical Presentation in the 21st Century.. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2022 ,	2.8	1
12	Intestinal anti-tissue transglutaminase IgA deposits as a complementary method for the diagnostic evaluation of celiac disease in patients with low-grade histological lesions.. <i>Clinical and Experimental Immunology</i> , 2021 ,	6.2	0
11	Data_Sheet_1.pdf. 2019 ,		
10	Review article: Diagnosis of coeliac disease: a perspective on current and future approaches. <i>Alimentary Pharmacology and Therapeutics</i> , 2022 , 56,	6.1	1
9	Lymphoma in Coeliac Disease. <i>Journal of the Royal Society of Medicine</i> , 1995 , 88, 672-677	2.3	2
8	The Role of Serological Tests in Redefining Coeliac Disease. <i>Journal of the Royal College of Physicians of Edinburgh, The</i> , 2000 , 30, 100-113	0.9	0
7	No-biopsy strategy for coeliac disease is applicable in adult patients: a Real-world Scottish experience. <i>fgastro-2022-102254</i>		0

- 6 Intestinal gluconeogenesis is downregulated in pediatric patients with celiac disease. **2022**, 20, ○
- 5 Association of Celiac Disease and Plasminogen Activator Inhibitor-1 Polymorphism. **2022**, 32, 601-604 ○
- 4 Could Celiac Disease and Overweight/Obesity Coexist in School-Aged Children and Adolescents? A Systematic Review. ○
- 3 New and Old Criteria for diagnosing Celiac Disease: an observational study.. ○
- 2 Peroxiredoxins and Hypoxia-Inducible Factor-1 α in Duodenal Tissue: Emerging Factors in the Pathophysiology of Pediatric Celiac Disease Patients. **2023**, 45, 1779-1793 ○
- 1 Coeliac Disease CaseControl Study: Has the Time Come to Explore beyond Patients at Risk?. **2023**, 15, 1267 ○