

CITATION REPORT

List of articles citing

Association between intraocular pressure and loss of visual field in chronic simple glaucoma

DOI: 10.1136/bjo.74.1.3

British Journal of Ophthalmology, 1990, 74, 3-6.

Source: <https://exaly.com/paper-pdf/21637713/citation-report.pdf>

Version: 2024-04-29

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
69	The visual field in chronic simple glaucoma and ocular hypertension; its character, progress, relationship to the level of intraocular pressure and response to treatment. <i>Eye</i> , 1989 , 3 (Pt 5), 536-46	4.4	26
68	The progress of the visual field in chronic simple glaucoma and ocular hypertension treated topically with pilocarpine or with timolol. <i>Eye</i> , 1990 , 4 (Pt 4), 563-71	4.4	9
67	Efficiency of referral for suspected glaucoma. <i>BMJ: British Medical Journal</i> , 1991 , 302, 998-1000		51
66	Intraocular pressure and the rate of visual field loss in chronic open-angle glaucoma. <i>American Journal of Ophthalmology</i> , 1991 , 111, 491-500	4.9	130
65	Short-term effects of levobunolol on ocular pulsatile flow. <i>American Journal of Ophthalmology</i> , 1992 , 114, 280-6	4.9	27
64	Effect of timolol versus pilocarpine on visual field progression in patients with primary open-angle glaucoma. <i>Ophthalmology</i> , 1992 , 99, 1505-11	7.3	18
63	How optometrists screen for glaucoma: A survey. <i>Ophthalmic and Physiological Optics</i> , 1992 , 12, 3-7	4.1	13
62	The relationship between intraocular pressure and visual field progression in glaucoma. <i>Graefes Archive for Clinical and Experimental Ophthalmology</i> , 1992 , 230, 521-6	3.8	57
61	Preservation of residual field after surgical lowering of intraocular pressure. <i>Australian and New Zealand Journal of Ophthalmology</i> , 1992 , 20, 343-5		5
60	Glaucoma screening by optometrists. <i>Australasian journal of optometry, The</i> , 1993 , 76, 199-207	2.7	3
59	Relative effectiveness of different modes of glaucoma screening in optometric practice. <i>Ophthalmic and Physiological Optics</i> , 1993 , 13, 227-32	4.1	21
58	Factors associated with visual loss in patients with advanced glaucomatous changes in the optic nerve head. <i>American Journal of Ophthalmology</i> , 1993 , 116, 176-81	4.9	124
57	The primary treatment trial: changes in the visual field analysis by computer-assisted perimetry. <i>Eye</i> , 1994 , 8 (Pt 1), 117-20	4.4	23
56	Screening for glaucoma: the time taken by primary examiners to conduct visual field tests in practice. <i>Ophthalmic and Physiological Optics</i> , 1994 , 14, 351-355	4.1	5
55	The cost-effectiveness of various modes of screening for primary open angle glaucoma. <i>Ophthalmic Epidemiology</i> , 1997 , 4, 3-17	1.9	46
54	Screening for glaucoma. Why is the disease underdetected?. <i>Drugs and Aging</i> , 1997 , 10, 1-9	4.7	6
53	Intraocular pressure as a risk factor for visual field loss in pseudoexfoliative and in primary open-angle glaucoma. <i>Ophthalmology</i> , 1998 , 105, 2225-9; discussion 2229-30	7.3	38

52	Discussion by Douglas E. Gaasterland, MD. <i>Ophthalmology</i> , 1998 , 105, 2229-2230	7.3	5
51	The age distribution of primary open angle glaucoma. <i>Ophthalmic Epidemiology</i> , 1998 , 5, 173-83	1.9	85
50	A third locus (GLC1D) for adult-onset primary open-angle glaucoma maps to the 8q23 region. <i>American Journal of Ophthalmology</i> , 1998 , 126, 17-28	4.9	139
49	Glaucoma. <i>Disease Management and Health Outcomes</i> , 1998 , 4, 183-192		2
48	Management of Primary Open-Angle Glaucoma and Ocular Hypertension: The Potential Role of Latanoprost. <i>Disease Management and Health Outcomes</i> , 1998 , 4, 101-112		2
47	The National Survey of Trabeculectomy. I. Sample and methods. <i>Eye</i> , 1999 , 13 (Pt 4), 524-30	4.4	26
46	Impact of intraocular pressure regulation on visual fields in open-angle glaucoma. <i>Ophthalmology</i> , 1999 , 106, 997-1004; discussion 1004-5	7.3	135
45	Factors associated with long-term progression or stability in primary open-angle glaucoma. <i>American Journal of Ophthalmology</i> , 2000 , 130, 274-9	4.9	129
44	Intraocular pressure and progression of glaucomatous visual field loss. <i>American Journal of Ophthalmology</i> , 2000 , 129, 302-8	4.9	63
43	Pharmacological therapy for glaucoma: a review. <i>Drugs</i> , 2000 , 59, 411-34	12.1	124
42	Evaluation of travoprost as adjunctive therapy in patients with uncontrolled intraocular pressure while using timolol 0.5%. <i>American Journal of Ophthalmology</i> , 2001 , 132, 860-8	4.9	50
41	Beyond intraocular pressure: neuroprotective strategies for future glaucoma therapy. <i>Optometry and Vision Science</i> , 2001 , 78, 85-94	2.1	20
40	Topical bimatoprost: a review of its use in open-angle glaucoma and ocular hypertension. <i>Drugs and Aging</i> , 2002 , 19, 231-48	4.7	43
39	Patterns of glaucomatous visual field defects in an older population: the Blue Mountains Eye Study. <i>Clinical and Experimental Ophthalmology</i> , 2003 , 31, 331-5	2.4	25
38	Glaucoma clinical trials and what they mean for our patients. <i>American Journal of Ophthalmology</i> , 2003 , 136, 136-45	4.9	8
37	Primary open angle glaucoma. The need for a consensus case definition. <i>Journal of Epidemiology and Community Health</i> , 2003 , 57, 752-4	5.1	15
36	Intraocular pressure and visual field loss in primary angle closure and primary open angle glaucomas. <i>British Journal of Ophthalmology</i> , 2003 , 87, 720-5	5.5	51
35	Efficacy of bimatoprost 0.03 percent in untreated glaucoma and ocular hypertension patients: results from a large community-based clinical trial. <i>Journal of Ocular Pharmacology and Therapeutics</i> , 2004 , 20, 115-22	2.6	6

34	Evolving paradigms in the medical treatment of glaucoma. <i>International Ophthalmology</i> , 2004 , 25, 253-65.2	7
33	Predictive factors for glaucomatous visual field progression in the Advanced Glaucoma Intervention Study. <i>Ophthalmology</i> , 2004 , 111, 1627-35	7.3 519
32	Progression of visual field defects and visual loss in trabeculectomized eyes. <i>Graefes Archive for Clinical and Experimental Ophthalmology</i> , 2005 , 243, 741-7	3.8 15
31	Travoprost versus latanoprost combinations in glaucoma: economic evaluation based on visual field deficit progression. <i>Current Medical Research and Opinion</i> , 2006 , 22, 1737-43	2.5 6
30	24-hour intraocular pressure control with maximum medical therapy compared with surgery in patients with advanced open-angle glaucoma. <i>Ophthalmology</i> , 2006 , 113, 761-5.e1	7.3 81
29	Factors affecting the outcome of trabeculectomy: an analysis based on combined data from two phase III studies of an antibody to transforming growth factor beta2, CAT-152. <i>Ophthalmology</i> , 2007 , 114, 1831-8	7.3 51
28	Medically controlled glaucoma patients show greater increase in intraocular pressure than surgically controlled patients with the water drinking test. <i>Ophthalmology</i> , 2008 , 115, 1566-70	7.3 38
27	A comparative study of bimatoprost and travoprost: effect on intraocular pressure and ocular circulation in newly diagnosed glaucoma patients. <i>Ophthalmologica</i> , 2008 , 222, 88-95	3.7 23
26	Morpho-functional follow-up of the optic nerve in treated ocular hypertension: disc morphometry and steady-state pattern electroretinogram. <i>Current Eye Research</i> , 2008 , 33, 709-21	2.9 8
25	Chronic open-angle glaucoma and advanced visual field defects in a defined population. <i>Acta Ophthalmologica</i> , 1991 , 69, 574-80	3.7 8
24	Normal tension glaucoma: the value of predictive tests. <i>Acta Ophthalmologica</i> , 1993 , 71, 463-70	3.7 36
23	Visual field prognosis in early glaucoma. A long-term clinical follow-up. <i>Acta Ophthalmologica</i> , 1993 , 71, 721-6	3.7 9
22	Clinical use of a topical carbonic anhydrase inhibitor in patients affected by chronic simple glaucoma. <i>Acta Ophthalmologica</i> , 1998 , 76, 36-8	
21	Visual field progression in the Collaborative Initial Glaucoma Treatment Study the impact of treatment and other baseline factors. <i>Ophthalmology</i> , 2009 , 116, 200-7	7.3 275
20	Understanding the mechanism of the water drinking test: the role of fluid challenge volume in patients with medically controlled primary open angle glaucoma. <i>Clinical and Experimental Ophthalmology</i> , 2010 , 38, 4-9	2.4 19
19	Poor public health knowledge about glaucoma: fact or fiction?. <i>Eye</i> , 2010 , 24, 653-7	4.4 12
18	Diurnal IOP-lowering efficacy and safety of travoprost 0.004% compared with tafluprost 0.0015% in patients with primary open-angle glaucoma or ocular hypertension. <i>Clinical Ophthalmology</i> , 2010 , 4, 1459-63	2.5 22
17	Implantate. <i>Biomedizinische Technik</i> , 2010 , 55, 1-146	1.3

16	[New concepts for pressure-controlled glaucoma implants]. <i>Ophthalmologe</i> , 2013 , 110, 733-9	1.6	4
15	Can early postoperative intraocular pressure predict success following mitomycin-C augmented trabeculectomy in primary angle-closure glaucoma. <i>Eye</i> , 2013 , 27, 403-9	4.4	10
14	Genome-wide association study of intraocular pressure identifies the GLCCI1/ICA1 region as a glaucoma susceptibility locus. <i>Human Molecular Genetics</i> , 2013 , 22, 4653-60	5.6	24
13	A novel rat model to study the role of intracranial pressure modulation on optic neuropathies. <i>PLoS ONE</i> , 2013 , 8, e82151	3.7	17
12	Dose-response-relationship between number of laser burns and IOP reduction in cyclophotocoagulation: an animal study. <i>BioMed Research International</i> , 2014 , 2014, 983102	3	0
11	Ocular surface cytotoxicity and safety evaluation of tafluprost, a recently developed anti-glaucoma prostaglandin analog. <i>Ophthalmology and Eye Diseases</i> , 2014 , 6, 5-12		9
10	A European Study of the Performance and Safety of MINIject in Patients With Medically Uncontrolled Open-angle Glaucoma (STAR-II). <i>Journal of Glaucoma</i> , 2020 , 29, 864-871	2.1	1
9	Two-year outcomes of the MINIject drainage system for uncontrolled glaucoma from the STAR-I first-in-human trial. <i>British Journal of Ophthalmology</i> , 2020 ,	5.5	7
8	Achieving low target intraocular pressures in severe glaucoma. <i>European Journal of Ophthalmology</i> , 2021 , 31, 3068-3073	1.9	1
7	Intraocular Pressure Control: Does It Protect the Visual Fields?. 1991 , 179-182		6
6	Rehabilitation of Low Vision in Aged People. 2008 , 375-392		
5	Primäres Offenwinkelglaukom. 1993 , 165-190		1
4	Sensitivity and Specificity of Diagnostic Parameters of Glaucoma. 1996 , 65-73		
3	A COMPARATIVE STUDY OF SURGICAL OUTCOME OF TRABECULECTOMY WITH OLOGEN IMPLANT VERSUS MITOMYCIN C IN A TERTIARY CARE CENTRE OF WEST BENGAL. <i>Journal of Evidence Based Medicine and Healthcare</i> , 2017 , 4, 5001-5004	0	
2	Cytokine profile in tear and aqueous humor of primary open-angle patients as a prognostic factor for trabeculectomy outcome. <i>European Journal of Ophthalmology</i> , 2021 , 11206721211055965	1.9	0
1	Comparison of Vascular Density and Structural Patterns Between POAG and PACG. <i>Journal of Glaucoma</i> , Publish Ahead of Print,	2.1	