

SCAN

Archives of General Psychiatry

47, 589

DOI: [10.1001/archpsyc.1990.01810180089012](https://doi.org/10.1001/archpsyc.1990.01810180089012)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Counselling the Relatives of the Long-Term Adult Mentally Ill. <i>British Journal of Psychiatry</i> , 1989, 154, 775-782.	2.8	37
2	On the way to expert systems. <i>European Archives of Psychiatry and Neurological Sciences</i> , 1989, 239, 127-132.	0.9	16
3	The Assessment of Psychiatric Disability in the Community a Comparison of Clinical, Staff, and Family Interviews. <i>British Journal of Psychiatry</i> , 1990, 157, 671-674.	2.8	27
4	Psychotic Depression Presenting as Status Epilepticus. <i>British Journal of Psychiatry</i> , 1990, 157, 909-911.	2.8	2
5	The classification of mental disorders in the Tenth Revision of the International Classification of Diseases. <i>European Psychiatry</i> , 1991, 6, 315-322.	0.2	16
6	Diagnostic criteria in psychiatry: a straitjacket or a prop?. <i>European Psychiatry</i> , 1991, 6, 323-329.	0.2	3
7	Lists of integrated criteria for the evaluation of taxonomy. <i>European Psychiatry</i> , 1991, 6, 287-294.	0.2	1
8	CIDI, SCAN and IPDE: structured diagnostic interviews for ICD 10 and DSM III-R. <i>European Psychiatry</i> , 1991, 6, 277-285.	0.2	14
9	Collaborative Strategies in the Molecular Genetics of the Major Psychoses. <i>British Journal of Psychiatry</i> , 1991, 158, 605-610.	2.8	26
10	Reliable use of the Present State Examination by psychiatric nurses for clinical studies of psychotic and nonpsychotic patients. <i>Acta Psychiatrica Scandinavica</i> , 1991, 83, 121-124.	4.5	13
11	Left-sided Parkinson's disease is associated with greater anxiety and depression. <i>Psychological Medicine</i> , 1991, 21, 629-638.	4.5	73
12	The Structured Clinical Interview for DSM-III-R (SCID). <i>Archives of General Psychiatry</i> , 1992, 49, 624.	12.3	3,675
13	Social isolation and personality of schizophrenic patients at first admittance and 12 months later. <i>Nordic Journal of Psychiatry</i> , 1992, 46, 381-386.	1.3	0
14	Depression: Current Understanding and Changing Trends. <i>Annual Review of Public Health</i> , 1992, 13, 319-339.	17.4	73
15	Social conditions of first-admittance depressed patients compared with those of the general population. <i>Nordic Journal of Psychiatry</i> , 1992, 46, 373-379.	1.3	0
16	Social conditions of first-admittance schizophrenics compared with those of the general population. <i>Nordic Journal of Psychiatry</i> , 1992, 46, 367-372.	1.3	2
17	The future of psychiatric epidemiology. <i>Epidemiologia E Psichiatria Sociale</i> , 1992, 1, 71-73.	0.9	3
18	Distress in the relatives of psychiatric patients admitted for the first time. <i>Acta Psychiatrica Scandinavica</i> , 1992, 85, 337-344.	4.5	30

#	ARTICLE	IF	CITATIONS
19	Measuring psychiatric disorder in the recent past: the use of the Psychiatric Assessment Schedule retrospectively. <i>Psychological Medicine</i> , 1992, 22, 457-463.	4.5	10
20	A longitudinal psychopathological schedule. <i>Psychological Medicine</i> , 1992, 22, 1035-1043.	4.5	9
21	Empirical subtypes of DSM-III-R alcohol dependence: United States, 1988. <i>Drug and Alcohol Dependence</i> , 1992, 30, 75-84.	3.2	30
22	WHO's work on the epidemiology of mental disorders. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1993, 28, 147-155.	3.1	20
23	Routine psychiatric examinations guided by ICD-10 Diagnostic Checklists (International Diagnostic) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	3.2	49
24	A SCAN-SADS comparison study of psychotic subjects and their first-degree relatives. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 1993, 242, 352-356.	3.2	13
25	Immunologic and psychologic therapy for patients with chronic fatigue syndrome: A double-blind, placebo-controlled trial. <i>American Journal of Medicine</i> , 1993, 94, 197-203.	1.5	188
26	Progress Toward Achieving a Common Language in Psychiatry. <i>Archives of General Psychiatry</i> , 1993, 50, 115.	12.3	163
27	Social conditions and personality of depressed patients at first admittance and 12 months later. <i>Nordic Journal of Psychiatry</i> , 1993, 47, 101-107.	1.3	0
28	Longitudinal psychiatric epidemiologic studies in the Nordic countries. <i>Nordic Journal of Psychiatry</i> , 1993, 47, 405-419.	1.3	1
29	Psychiatry in Mannheim. <i>Nordic Journal of Psychiatry</i> , 1993, 47, 217-220.	1.3	0
30	Classificazione, diagnosi ed ICD-10. I - Principi generali e considerazioni critiche. <i>Epidemiologia E Psichiatria Sociale</i> , 1993, 2, 83-103.	0.9	1
31	New findings on tardive dyskinesia in a community sample. <i>Psychological Medicine</i> , 1993, 23, 453-465.	4.5	13
32	Incidence and comorbidity of psychiatric disorders from a well-defined catchment area in Denmark. <i>European Psychiatry</i> , 1993, 8, 193-199.	0.2	7
33	An introduction to computer diagnosis in psychiatry. <i>Psychiatric Bulletin</i> , 1994, 18, 73-74.	0.3	0
34	Incidence and comorbidity of personality disorders among first ever admitted psychiatric patients. <i>European Psychiatry</i> , 1994, 9, 175-184.	0.2	6
35	Life Events and Endogenous Depression. <i>Archives of General Psychiatry</i> , 1994, 51, 525.	12.3	209
36	The International Personality Disorder Examination. <i>Archives of General Psychiatry</i> , 1994, 51, 215.	12.3	858

#	ARTICLE	IF	CITATIONS
37	Obsessive-compulsive disorder in children and adolescents. A 6-22-year follow-up study. Clinical descriptions of the course and continuity of obsessive-compulsive symptomatology. <i>European Child and Adolescent Psychiatry</i> , 1994, 3, 82-96.	4.7	53
38	Sequential strategy to identify a susceptibility gene for schizophrenia: Report of potential linkage on chromosome 22q12-q13.1: Part 1. <i>American Journal of Medical Genetics Part A</i> , 1994, 54, 36-43.	2.4	356
39	Linkage analysis between manic-depressive illness and 35 classical markers. <i>American Journal of Medical Genetics Part A</i> , 1994, 54, 144-148.	2.4	7
40	Report from the Maryland epidemiology schizophrenia linkage study: No evidence for linkage between schizophrenia and a number of candidate and other genomic regions using a complex dominant model. <i>American Journal of Medical Genetics Part A</i> , 1994, 54, 345-353.	2.4	27
41	Phenotypic definitions of psychotic illness for molecular genetic research. <i>American Journal of Medical Genetics Part A</i> , 1994, 54, 365-371.	2.4	21
42	The molecular genetics of schizophrenia. <i>Neuropathology and Applied Neurobiology</i> , 1994, 20, 344-349.	3.2	7
43	Poor efficacy of the hospital anxiety and depression scale in the diagnosis of major depressive disorder in both medical and psychiatric patients. <i>Journal of Psychosomatic Research</i> , 1994, 38, 441-450.	2.6	77
44	Imprinting and Anticipation. <i>British Journal of Psychiatry</i> , 1994, 164, 619-624.	2.8	94
45	Clinical and Psychosocial Origins of Chronic Depressive Episodes. <i>British Journal of Psychiatry</i> , 1994, 165, 447-456.	2.8	209
46	Clinical and Psychosocial Origins of Chronic Depressive Episodes. <i>British Journal of Psychiatry</i> , 1994, 165, 457-465.	2.8	127
47	New versions of World Health Organization instruments for the assessment of mental disorders. <i>Acta Psychiatrica Scandinavica</i> , 1994, 90, 73-83.	4.5	88
49	Does community psychiatry treat the severely mentally ill in accordance with diagnostic criteria?. <i>Nordic Journal of Psychiatry</i> , 1995, 49, 343-356.	1.3	2
50	Depression undertreatment: lost cohorts, lost opportunities?. <i>Psychological Medicine</i> , 1995, 25, 3-6.	4.5	28
51	Clinical practice, measurement and information technology. <i>Psychological Medicine</i> , 1995, 25, 443-446.	4.5	10
52	Loss, humiliation and entrapment among women developing depression: a patient and non-patient comparison. <i>Psychological Medicine</i> , 1995, 25, 7-21.	4.5	436
53	Diagnostic validity in a community psychiatric centre. <i>Nordic Journal of Psychiatry</i> , 1995, 49, 301-310.	1.3	3
54	Schizophrenia: Recent Epidemiologic Issues. <i>Epidemiologic Reviews</i> , 1995, 17, 10-20.	3.5	91
55	Psychiatric Illness in Patients with Persistent Somatisation. <i>British Journal of Psychiatry</i> , 1995, 166, 93-99.	2.8	44

#	ARTICLE	IF	CITATIONS
56	The East York Health Needs Study. <i>British Journal of Psychiatry</i> , 1995, 166, 100-106.	2.8	30
57	Experiences with a checklist for DSM-III-R in the Russian Federation and Belarus. A study about the interrater reliability and the concurrent validity of the Munich Diagnostic Checklist for DSM-III-R. <i>Acta Psychiatrica Scandinavica</i> , 1995, 92, 419-424.	4.5	7
58	Alcoholism among Four Aboriginal Groups in Taiwan: High Prevalences and Their Implications. <i>Alcoholism: Clinical and Experimental Research</i> , 1995, 19, 81-91.	2.4	68
59	Linkage analysis between manic-depressive illness and markers on the long arm of chromosome 11. <i>American Journal of Medical Genetics Part A</i> , 1995, 60, 386-392.	2.4	11
60	Neuraesthesia Revisited: ICD-10 and DSM-III-R Psychiatric Syndromes in Chronic Fatigue Patients and Comparison Subjects. <i>British Journal of Psychiatry</i> , 1995, 167, 503-506.	2.8	53
61	A Comparison of Two Structured Diagnostic Interviews: CIDI and SCAN. <i>Australian and New Zealand Journal of Psychiatry</i> , 1995, 29, 124-132.	2.3	92
62	Screening for stratification in two-phase ('two-stage') epidemiological surveys. <i>Statistical Methods in Medical Research</i> , 1995, 4, 73-89.	1.5	183
63	Brief Psychiatric Rating Scale, versione 4.0 «ampliata» (BPRS 4.0). Presentazione. <i>Epidemiologia E Psichiatria Sociale</i> , 1995, 4, 67-68.	0.9	8
64	Mental Illness and Suicide. <i>Archives of General Psychiatry</i> , 1995, 52, 594.	12.3	332
65	Anticipation in unipolar affective disorder. <i>Journal of Affective Disorders</i> , 1995, 35, 31-40.	4.1	43
66	Course of Obsessive-Compulsive Disorder in Children and Adolescents: A Prospective Follow-up Study of 23 Danish Cases. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 1995, 34, 1432-1440.	0.5	95
67	The DSM-IV field trial for substance use disorders: major results. brief commentaries on this article by Cottler et al. pp. 59-69 Commetary no. 2: The road to DSM-IV: confessions of an erstwhile nosologist. <i>Drug and Alcohol Dependence</i> , 1995, 38, 75-79.	3.2	6
68	Comparing assessments of DSM-IV substance dependence disorders using CIDI-SAM and SCAN. <i>Drug and Alcohol Dependence</i> , 1996, 41, 179-187.	3.2	89
69	Concise assessment for depression (CAD): A brief screening approach to depression in the medically ill. <i>Journal of Psychosomatic Research</i> , 1996, 41, 161-170.	2.6	26
70	ICD-10 checklists: A tool for clinicians' use of the ICD-10 classification of mental and behavioral disorders. <i>Comprehensive Psychiatry</i> , 1996, 37, 180-187.	3.1	69
71	Screening for Psychiatric Morbidity in Subjects Presenting with Chronic Fatigue Syndrome. <i>British Journal of Psychiatry</i> , 1996, 168, 354-358.	2.8	19
72	The Prevalence of Mental Disorders among Clergy in São Paulo, Brazil. <i>Journal of Psychology and Theology</i> , 1996, 24, 313-322.	0.4	1
73	Measuring the need for psychiatric treatment in the general population: the community version of the MRC Needs for Care Assessment. <i>Psychological Medicine</i> , 1996, 26, 229-236.	4.5	56

#	ARTICLE	IF	CITATIONS
74	Diagnostic complexity and depression: time to allow for uncertainty. <i>Psychological Medicine</i> , 1996, 26, 1105-1110.	4.5	4
75	Confirmation of association between expanded CAG/CTG repeats and both schizophrenia and bipolar disorder. <i>Psychological Medicine</i> , 1996, 26, 1145-1153.	4.5	126
76	The reliability of the community version of the MRC Needs for Care Assessment. <i>Psychological Medicine</i> , 1996, 26, 237-243.	4.5	27
77	Expanded CAG/CTG Repeats in Schizophrenia. <i>British Journal of Psychiatry</i> , 1996, 169, 766-771.	2.8	15
78	The molecular genetics of schizophrenia. <i>Journal of Molecular Neuroscience</i> , 1996, 7, 147-157.	2.3	17
79	Prevalence of ICD-10 psychiatric morbidity in random samples of prisoners on remand. <i>International Journal of Law and Psychiatry</i> , 1996, 19, 61-74.	0.9	50
80	Migraine: Temperament and character. <i>Journal of Psychiatric Research</i> , 1996, 30, 359-368.	3.1	26
81	Cognitive-behavioral group intervention as a means of tertiary prevention in depressed patients: Acceptance and short-term efficacy. <i>Cognitive Therapy and Research</i> , 1996, 20, 391-409.	1.9	13
82	The development of a language for automating medical interviews. <i>Computers in Human Behavior</i> , 1996, 12, 515-526.	8.5	2
83	Systematic chromosome examination of two families with schizophrenia and two families with manic depressive illness. <i>American Journal of Medical Genetics Part A</i> , 1996, 67, 58-62.	2.4	8
84	Linkage study between manic-depressive illness and chromosome 21. , 1996, 67, 218-224.		12
85	SCAN and the PSE tradition. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1996, 31, 50-54.	3.1	38
86	Psychiatric assessment instruments developed by the World Health Organization. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1996, 31, 55-69.	3.1	191
87	Comparisons of alcohol and other drugs: experience from the WHO collaborative cross-cultural applicability research (CAR) study. <i>Addiction</i> , 1996, 91, 1529-1538.	3.3	5
88	WHO cross-cultural applicability research on diagnosis and assessment of substance use disorders: an overview of methods and selected results. <i>Addiction</i> , 1996, 91, 199-220.	3.3	58
89	The Present State of Psychiatric Epidemiology. <i>Australian and New Zealand Journal of Psychiatry</i> , 1996, 30, 9-19.	2.3	7
90	Language, Culture and Psychopathology: Conceptual and Methodological Issues. <i>Transcultural Psychiatry</i> , 1997, 34, 291-311.	1.6	89
91	Behavioral Phenomenology in Alzheimer's Disease, Frontotemporal Dementia, and Late-Life Depression: A Retrospective Analysis. <i>Journal of Geriatric Psychiatry and Neurology</i> , 1997, 10, 67-74.	2.3	55

#	ARTICLE	IF	CITATIONS
92	The LÅ¼beck General Hospital Study. I: Prevalence of psychiatric disorders in medical and surgical inpatients. <i>International Journal of Psychiatry in Clinical Practice</i> , 1997, 1, 207-216.	2.4	36
93	The need for psychiatric treatment in the general population: the Camberwell Needs for Care survey. <i>Psychological Medicine</i> , 1997, 27, 821-834.	4.5	103
94	Prospective study of clinical and social outcome of stay in small group homes for people with mental illness. <i>British Journal of Psychiatry</i> , 1997, 171, 251-255.	2.8	18
95	The convergence between different definitions of functional psychoses. <i>Nordic Journal of Psychiatry</i> , 1997, 51, 21-27.	1.3	1
96	The 100-year epidemiology of schizophrenia. <i>Schizophrenia Research</i> , 1997, 28, 111-125.	2.0	141
97	Relationship between prophylactic effect of lithium therapy and family history of affective disorders. <i>Biological Psychiatry</i> , 1997, 42, 425-433.	1.3	32
98	Expanded CAG/CTG repeats in bipolar disorder: No correlation with phenotypic measures of illness severity. <i>Biological Psychiatry</i> , 1997, 42, 876-881.	1.3	21
99	Influence of smoking and drinking habits on salivary cortisol levels. <i>Personality and Individual Differences</i> , 1997, 23, 593-599.	2.9	13
100	WHO Study on the reliability and validity of the alcohol and drug use disorder instruments: overview of methods and results. <i>Drug and Alcohol Dependence</i> , 1997, 47, 161-169.	3.2	267
101	Test-retest reliability of the alcohol and drug use disorder sections of the schedules for clinical assessment in neuropsychiatry (SCAN). <i>Drug and Alcohol Dependence</i> , 1997, 47, 187-194.	3.2	42
102	Concordance of DSM-IV alcohol and drug use disorder criteria and diagnoses as measured by AUDADIS-ADR, CIDI and SCAN. <i>Drug and Alcohol Dependence</i> , 1997, 47, 195-205.	3.2	276
103	The Genetics of Schizophrenia. , 1997, 167, 89-104.		1
104	Mental health in primary care. <i>British Journal of Psychiatry</i> , 1997, 170, 529-535.	2.8	87
105	Association studies of bipolar disorder at the human serotonin transporter gene (hSERT;â€%5HTT). <i>Molecular Psychiatry</i> , 1997, 2, 398-402.	7.9	145
106	Preliminary adaptation of a psychiatric interview for computerization. <i>Computers in Human Behavior</i> , 1997, 13, 229-245.	8.5	0
107	An investigation into the psychobiology of social phobia: personality domains and serotonergic function. <i>Acta Psychiatrica Scandinavica</i> , 1997, 95, 544-550.	4.5	53
108	Prevalence of DSM-III-R and ICD-10 psychiatric disorders in a Spanish population of 18-year-olds. <i>Acta Psychiatrica Scandinavica</i> , 1997, 96, 287-294.	4.5	91
109	Problems related to alcohol use: a cross-cultural perspective. <i>Culture, Medicine and Psychiatry</i> , 1997, 21, 199-211.	1.2	19

#	ARTICLE	IF	CITATIONS
110	No evidence for an allelic association between schizophrenia and markers D22S278 and D22S283. , 1997, 74, 37-39.		13
111	Linkage Study of Chromosome 6p in Sib-Pairs With Schizophrenia. , 1997, 74, 319-323.		14
112	Prevalence of Alcohol Dependence and Abuse in General Practice. Alcoholism: Clinical and Experimental Research, 1998, 22, 935-940.	2.4	27
113	Low activity allele of catechol-O-methyltransferase gene associated with rapid cycling bipolar disorder. Molecular Psychiatry, 1998, 3, 342-345.	7.9	162
114	Further support for an association between a polymorphic CAG repeat in the hKCa3 gene and schizophrenia. Molecular Psychiatry, 1998, 3, 266-269.	7.9	64
115	A functional variant of the serotonin transporter gene in families with bipolar affective disorder. Journal of Affective Disorders, 1998, 48, 135-144.	4.1	25
116	Thyroid disorders in lithium-treated patients. Journal of Affective Disorders, 1998, 50, 33-40.	4.1	56
117	Time to initial medical presentation in a first admission group with depression. Acta Psychiatrica Scandinavica, 1998, 97, 166-167.	4.5	6
118	The evaluation of an Urdu version of the GHQ-28. Acta Psychiatrica Scandinavica, 1998, 97, 427-432.	4.5	17
119	Psychotic symptoms in the elderly: a prospective study in a population sample. , 1998, 13, 484-492.		73
120	Obsessive-compulsive disorder in children and adolescents. Clinical guidelines. European Child and Adolescent Psychiatry, 1998, 7, 1-11.	4.7	33
121	The psychometric properties of the Composite International Diagnostic Interview. Social Psychiatry and Psychiatric Epidemiology, 1998, 33, 80-88.	3.1	750
122	Burden on the families of patients with schizophrenia: results of the BIOMED I study. Social Psychiatry and Psychiatric Epidemiology, 1998, 33, 405-412.	3.1	232
123	An evaluation of DSM-IV benzodiazepine dependence criteria Rasch modelling and ICD-10 using. Addiction, 1998, 93, 349-359.	3.3	22
124	Basal activity of the hypothalamic-pituitary-adrenal axis in patients with the chronic fatigue syndrome (neurasthenia). Biological Psychiatry, 1998, 43, 236-237.	1.3	54
125	Treatment with antipsychotics: The impact on the patient in the community. European Psychiatry, 1998, 13, 31s-36s.	0.2	1
126	Treatment with antipsychotics: the impact on the patient in the community. European Psychiatry, 1998, 13, 31s-36s.	0.2	2
127	Validity of diagnoses and other clinical register data in patients with affective disorder. European Psychiatry, 1998, 13, 392-398.	0.2	194

#	ARTICLE	IF	CITATIONS
128	Psychiatric morbidity and HIV in female drug dependants in Malaysia. <i>European Psychiatry</i> , 1998, 13, 431-433.	0.2	3
129	Personality dimensions, the TPQ, and depression. <i>European Psychiatry</i> , 1998, 13, 434-434.	0.2	6
130	A statistician's comment on the above letter. <i>European Psychiatry</i> , 1998, 13, 435-435.	0.2	0
131	British psychiatric morbidity survey. <i>British Journal of Psychiatry</i> , 1998, 173, 4-7.	2.8	102
132	Frequency and Clinical Determinants of Poststroke Depression. <i>Stroke</i> , 1998, 29, 2311-2317.	2.0	263
133	Structured Diagnostic Interview Schedules. , 1998, , 97-130.		8
134	Rationale and design. <i>British Journal of Psychiatry</i> , 1998, 173, 363-370.	2.8	159
135	Reliability of the Romanian Version of the Alcohol Module of the WHO Alcohol Use Disorder and Associated Disabilities: Interview Schedule "Alcohol/Drug-Revised. <i>European Addiction Research</i> , 1998, 4, 144-149.	2.4	110
136	Mood improvement in 'normal' volunteers. <i>Journal of Psychopharmacology</i> , 1998, 12, 246-251.	4.0	34
137	Onset and recovery from panic disorder in the Baltimore Epidemiologic Catchment Area follow-up. <i>British Journal of Psychiatry</i> , 1998, 173, 501-507.	2.8	66
138	New methods in psychiatric epidemiology. <i>Psychiatry and Clinical Neurosciences</i> , 1998, 52, S261-4.	1.8	5
139	The Leicester 500 Project. Social support and the development of postnatal depressive symptoms, a prospective cohort survey. <i>Psychological Medicine</i> , 1998, 28, 63-79.	4.5	161
140	Predicting depression in women: the role of past and present vulnerability. <i>Psychological Medicine</i> , 1998, 28, 39-50.	4.5	174
141	Sibling pairs with schizophrenia or schizoaffective disorder: associations of subtypes, symptoms and demographic variables. <i>Psychological Medicine</i> , 1998, 28, 815-823.	4.5	36
142	Frequency and predictors of adverse events. <i>British Journal of Psychiatry</i> , 1998, 173, 376-384.	2.8	26
143	Use of renal transplants from living donors. <i>BMJ: British Medical Journal</i> , 1999, 318, 1553-1553.	2.3	4
144	Dimensions of Psychosis in Affected Sibling Pairs. <i>Schizophrenia Bulletin</i> , 1999, 25, 841-850.	4.3	65
145	A Two-Stage Genome Scan for Schizophrenia Susceptibility Genes in 196 Affected Sibling Pairs. <i>Human Molecular Genetics</i> , 1999, 8, 1729-1739.	2.9	136

#	ARTICLE	IF	CITATIONS
146	Tryptophan Hydroxylase Gene and Manic-Depressive Illness. Archives of General Psychiatry, 1999, 56, 98.	12.3	32
147	High Rates of Schizophrenia in Adults With Velo-Cardio-Facial Syndrome. Archives of General Psychiatry, 1999, 56, 940.	12.3	928
148	Sex Differences in the Inferior Parietal Lobule. Cerebral Cortex, 1999, 9, 896-901.	2.9	102
149	A validity study of the SSAGA's comparison with the SCAN. Addiction, 1999, 94, 1361-1370.	3.3	645
150	Folate levels in psychiatric outpatients. Psychiatry and Clinical Neurosciences, 1999, 53, 531-533.	1.8	32
151	Mutational analysis of phospholipase A2A: a positional candidate susceptibility gene for bipolar disorder. Molecular Psychiatry, 1999, 4, 274-279.	7.9	27
152	Autosome search for schizophrenia susceptibility genes in multiply affected families. Molecular Psychiatry, 1999, 4, 353-359.	7.9	20
153	Family-based association studies of bipolar disorder with candidate genes involved in dopamine neurotransmission: DBH, DAT1, COMT, DRD2, DRD3 and DRD5. Molecular Psychiatry, 1999, 4, 558-565.	7.9	77
154	Cognitive approaches to delusions: A critical review of theories and evidence. British Journal of Clinical Psychology, 1999, 38, 113-154.	3.5	652
155	Mental disorders on the island of Formentera: prevalence in general population using the Schedules for Clinical Assessment in Neuropsychiatry (SCAN). Social Psychiatry and Psychiatric Epidemiology, 1999, 34, 410-415.	3.1	26
156	Lifetime prevalence of mental disorders among homeless people in a southeast city in Brazil. European Archives of Psychiatry and Clinical Neuroscience, 1999, 249, 150-155.	3.2	29
157	Diagnostic interview for genetic studies (DIGS): inter-rater and test-retest reliability of the French version. European Archives of Psychiatry and Clinical Neuroscience, 1999, 249, 174-179.	3.2	263
158	The fertility and fecundity of patients with psychoses. Acta Psychiatrica Scandinavica, 1999, 99, 441-446.	4.5	191
159	The World Health Organization International Consorthm in Psychiatric Epidemiology (ICPE): initial work and future directions -the NAPE Lecture 1998a. Acta Psychiatrica Scandinavica, 1999, 99, 2-9.	4.5	66
160	Family burden and coping strategies in schizophrenia: are key relatives really different to other relatives?. Acta Psychiatrica Scandinavica, 1999, 99, 10-15.	4.5	65
161	Psychopathy and psychopathological profiles in prisoners on remand. Acta Psychiatrica Scandinavica, 1999, 99, 33-39.	4.5	38
162	Neurological abnormalities in schizophrenic patients: a prospective follow-up study 5 years after first admission. Acta Psychiatrica Scandinavica, 1999, 100, 119-125.	4.5	71
163	Incidence of DIS/DSM-IV social phobia in adults. Acta Psychiatrica Scandinavica, 1999, 100, 186-192.	4.5	25

#	ARTICLE	IF	CITATIONS
164	No association between a polymorphic CAG repeat in the human potassium channel gene hKCa3 and bipolar disorder. , 1999, 88, 57-60.		18
165	Eleven trinucleotide repeat loci that map to chromosome 12 excluded from involvement in the pathogenesis of bipolar disorder. , 1999, 88, 67-70.		17
166	No evidence for allelic association between schizophrenia and a functional variant of the human dopamine β -hydroxylase gene (DBH). , 1999, 88, 557-559.		20
167	Using an annual over-75 health check to screen for depression: validation of the short geriatric depression scale (GDS15) within general practice. <i>International Journal of Geriatric Psychiatry</i> , 1999, 14, 431-439.	2.7	88
168	Heroin dependence: Consequences and precursors related to route of administration. <i>Nordic Journal of Psychiatry</i> , 1999, 53, 153-158.	1.3	8
169	Diagnostic efficiency of the Rorschach schizophrenia and depression indices in identifying first-episode schizophrenia and severe depression. <i>Psychiatry Research</i> , 1999, 87, 183-192.	3.3	26
170	Prevalence and detection of serious psychiatric disorder in defendants attending court. <i>Lancet</i> , The, 1999, 353, 1053-1056.	13.7	69
171	Scalability, reliability, and validity of the benzodiazepine dependence self-report questionnaire in outpatient benzodiazepine users. <i>Comprehensive Psychiatry</i> , 1999, 40, 283-291.	3.1	37
172	CAG repeat length in the hKCa3 gene and symptom dimensions in schizophrenia. <i>Biological Psychiatry</i> , 1999, 45, 1592-1596.	1.3	47
173	Psychopathology and cognition in schizophrenia spectrum disorders: the role of depressive symptoms. <i>Schizophrenia Research</i> , 1999, 39, 65-71.	2.0	45
174	Altered adhesion, proliferation and death in neural cultures from adults with schizophrenia. <i>Schizophrenia Research</i> , 1999, 40, 211-218.	2.0	112
175	A functional polymorphism in the promoter of monoamine oxidase A gene and bipolar affective disorder. <i>International Journal of Neuropsychopharmacology</i> , 1999, 2, 293-298.	2.1	25
176	Chapter 5.1 sychiatric genetics current perspective. <i>Handbook of Behavioral Neuroscience</i> , 1999, , 753-772.	0.0	0
177	Validation of the Health of the Nation Outcome Scales. <i>British Journal of Psychiatry</i> , 1999, 174, 389-394.	2.8	93
178	The treatment of psychiatric disorder in the community: Report from the Camberwell Needs for Care Survey. <i>Journal of Mental Health</i> , 1999, 8, 7-17.	1.9	29
179	Neurobehavioural symptoms one year after a head injury. <i>British Journal of Psychiatry</i> , 1999, 174, 360-365.	2.8	90
180	Befriending as an intervention for chronic depression among women in an inner city. <i>British Journal of Psychiatry</i> , 1999, 174, 219-224.	2.8	140
181	Befriending as an intervention for chronic depression among women in an inner city. <i>British Journal of Psychiatry</i> , 1999, 174, 225-232.	2.8	66

#	ARTICLE	IF	CITATIONS
182	A difference that matters: comparisons of structured and semi-structured psychiatric diagnostic interviews in the general population. <i>Psychological Medicine</i> , 1999, 29, 1013-1020.	4.5	179
183	The survey form of SCAN: the feasibility of using experienced lay survey interviewers to administer a semi-structured systematic clinical assessment of psychotic and non-psychotic disorders. <i>Psychological Medicine</i> , 1999, 29, 703-711.	4.5	39
184	Cross validation of a general population survey diagnostic interview: a comparison of CIS-R with SCAN ICD-10 diagnostic categories. <i>Psychological Medicine</i> , 1999, 29, 1029-1042.	4.5	116
185	Aims, outcome measures, study sites and patient sample. <i>British Journal of Psychiatry</i> , 2000, 177, s1-s7.	2.8	34
186	When Acute-Stage Psychosis and Substance Use Co-Occur: Differentiating Substance-Induced and Primary Psychotic Disorders. <i>Journal of Psychiatric Practice</i> , 2000, 6, 256-266.	0.7	24
187	Community Diagnosis Counts. <i>Archives of General Psychiatry</i> , 2000, 57, 223.	12.3	23
188	Cognitive Dysfunction at Baseline Predicts Symptomatic 1-Year Outcome in First-Episode Schizophrenics. <i>Psychopathology</i> , 2000, 33, 48-51.	1.5	54
189	Cardiff Depression Study. <i>British Journal of Psychiatry</i> , 2000, 176, 150-155.	2.8	81
190	The Multidimensionality of Self-Report Schizotypy in a Psychiatric Population: An Analysis Using Multidimensional Rasch Models. <i>Schizophrenia Bulletin</i> , 2000, 26, 565-575.	4.3	139
191	Increased Bone Remodeling in First-Episode Major Depressive Disorder. <i>Psychosomatic Medicine</i> , 2000, 62, 779-782.	2.0	49
192	Is Alexithymia a Risk Factor for Unexplained Physical Symptoms in General Medical Outpatients?. <i>Psychosomatic Medicine</i> , 2000, 62, 768-778.	2.0	63
193	Efficacy and Safety of Fluoxetine in the Treatment of Patients With Major Depression After First Myocardial Infarction: Findings From a Double-Blind, Placebo-Controlled Trial. <i>Psychosomatic Medicine</i> , 2000, 62, 783-789.	2.0	222
194	Factors associated with neuropsychological performance in HIV-seropositive subjects without AIDS. <i>Psychological Medicine</i> , 2000, 30, 205-217.	4.5	57
195	The Personal Health Questionnaire: a new screening instrument for detection of ICD-10 depressive disorders in primary care. <i>Psychological Medicine</i> , 2000, 30, 831-840.	4.5	65
196	Pragmatic randomized trial of antenatal intervention to prevent post-natal depression by reducing psychosocial risk factors. <i>Psychological Medicine</i> , 2000, 30, 1273-1281.	4.5	170
197	A European multicenter association study of HTR2A receptor polymorphism in bipolar affective disorder. , 2000, 96, 136-140.		38
198	Bipolar disorder and variation at a common polymorphism (A1832G) within exon 8 of the Wolfram gene. , 2000, 96, 154-157.		32
199	Molecular genetic studies of bipolar disorder and puerperal psychosis at two polymorphisms in the estrogen receptor ? gene (ESR 1). <i>American Journal of Medical Genetics Part A</i> , 2000, 96, 850-853.	2.4	40

#	ARTICLE	IF	CITATIONS
200	Second stage of a genome scan of schizophrenia: Study of five positive regions in an expanded sample. <i>American Journal of Medical Genetics Part A</i> , 2000, 96, 864-869.	2.4	71
201	The association between chronic widespread pain and mental disorder: A population-based study. <i>Arthritis and Rheumatism</i> , 2000, 43, 561.	6.7	197
202	No evidence of association from transmission disequilibrium analysis of the hKCa3 gene in bipolar disorder. <i>Bipolar Disorders</i> , 2000, 2, 328-331.	1.9	3
203	Epidemiological research in mental disorders: lessons for the next decade of research - the NAPE Lecture 1999. <i>Acta Psychiatrica Scandinavica</i> , 2000, 101, 2-10.	4.5	41
204	Social networks and functional status in patients with psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2000, 102, 376-385.	4.5	36
205	Comparative sequencing of the proneurotensin gene and association studies in schizophrenia. <i>Molecular Psychiatry</i> , 2000, 5, 208-212.	7.9	25
206	Comparative sequencing and association studies of aromatic L-amino acid decarboxylase in schizophrenia and bipolar disorder. <i>Molecular Psychiatry</i> , 2000, 5, 327-331.	7.9	17
207	Impaired eye expression recognition in schizophrenia. <i>Journal of Psychiatric Research</i> , 2000, 34, 341-347.	3.1	89
208	Family burden and coping strategies in schizophrenia: 1-year follow-up data from the BIOMED I study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2000, 35, 109-115.	3.1	153
209	Lifetime stressors and recurrent depression: preliminary findings of the Adult Life Phase Interview (ALPHI). <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2000, 35, 264-275.	3.1	94
210	Psychometric properties of the schedules for clinical assessment in neuropsychiatry (SCAN-2.1). <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2000, 35, 348-352.	3.1	58
211	Pregnancy in women with psychotic disorders. <i>Archives of Women's Mental Health</i> , 2000, 3, 23-26.	2.6	12
212	Approaches to the ascertainment, recruitment and clinical assessment of women with puerperal psychosis. <i>Archives of Women's Mental Health</i> , 2000, 3, 59-64.	2.6	8
213	Morning cortisol as a risk factor for subsequent major depressive disorder in adult women. <i>British Journal of Psychiatry</i> , 2000, 177, 505-510.	2.8	190
214	Population research and mental health policy. <i>British Journal of Psychiatry</i> , 2000, 176, 407-411.	2.8	19
215	Genetic Influence on Laterality in Schizophrenia? A Twin Study of Neurological Soft Signs. <i>American Journal of Psychiatry</i> , 2000, 157, 272-274.	7.2	61
216	The need for psychiatric treatment in the general population. , 2000, , 85-96.		10
217	High Levels of Dopamine Activity in the Basal Ganglia of Cigarette Smokers. <i>American Journal of Psychiatry</i> , 2000, 157, 632-634.	7.2	147

#	ARTICLE	IF	CITATIONS
218	The Reliability of the Structured Interview for Schizotypy-Revised. <i>Schizophrenia Bulletin</i> , 2000, 26, 619-629.	4.3	71
219	Epidemiology of Mental Disorders: The Current Agenda. <i>Epidemiologic Reviews</i> , 2000, 22, 24-28.	3.5	12
220	Psychosocial aetiology of chronic disease: a pragmatic approach to the assessment of lifetime affective morbidity in an EPIC component study. <i>Journal of Epidemiology and Community Health</i> , 2000, 54, 114-122.	3.7	42
222	Impaired Wisconsin Card Sorting Test performance in first-episode severe depression. <i>Nordic Journal of Psychiatry</i> , 2000, 54, 275-280.	1.3	27
223	A Comparison of Self-report and Clinical Diagnostic Interviews for Depression. <i>Archives of General Psychiatry</i> , 2000, 57, 217.	12.3	294
224	Characterising Psychosis in the Australian National Survey of Mental Health and Wellbeing Study on Low Prevalence (Psychotic) Disorders. <i>Australian and New Zealand Journal of Psychiatry</i> , 2000, 34, 792-800.	2.3	15
225	Psychotic Disorders in Urban Areas: An Overview of the Study on Low Prevalence Disorders. <i>Australian and New Zealand Journal of Psychiatry</i> , 2000, 34, 221-236.	2.3	372
226	Higher levels of serum copper in schizophrenic patients treated with depot neuroleptics. <i>Psychiatry Research</i> , 2000, 94, 51-58.	3.3	36
227	Auditory sensory memory in schizophrenia: inadequate trace formation?. <i>Psychiatry Research</i> , 2000, 96, 99-115.	3.3	58
228	Impaired Wisconsin Card Sorting Test performance in first-episode schizophrenia: Resource or motivation deficit?. <i>Comprehensive Psychiatry</i> , 2000, 41, 385-391.	3.1	15
229	Fibromyalgia is associated with panic disorder and functional dyspepsia with mood disorders. <i>Journal of Psychosomatic Research</i> , 2000, 49, 285-289.	2.6	58
230	Determinants of smoking behaviour in outpatients with schizophrenia. <i>Schizophrenia Research</i> , 2000, 41, 373-381.	2.0	90
231	Reliability of the Life Chart Schedule for assessment of the long-term course of schizophrenia. <i>Schizophrenia Research</i> , 2000, 42, 67-77.	2.0	87
232	Habituation of the blink reflex in first-episode schizophrenia, psychotic depression and non-psychotic depression. <i>Schizophrenia Research</i> , 2000, 44, 69-79.	2.0	42
233	The Kings Schizotypy Questionnaire as a quantitative measure of schizophrenia liability. <i>Schizophrenia Research</i> , 2000, 45, 213-221.	2.0	17
234	Sustained and selective attention as measures of genetic liability to schizophrenia. <i>Schizophrenia Research</i> , 2001, 48, 263-272.	2.0	31
235	Cross-validation of the benzodiazepine dependence self-report questionnaire in outpatient benzodiazepine users. <i>Comprehensive Psychiatry</i> , 2001, 42, 433-439.	3.1	19
236	Psychological Distress as a Predictor of Frequent Attendance in Family Practice: A Cohort Study. <i>Psychosomatics</i> , 2001, 42, 416-422.	2.5	52

#	ARTICLE	IF	CITATIONS
237	Normal personality traits and comorbidity among phobic, panic and major depressive disorders. <i>Psychiatry Research</i> , 2001, 102, 73-85.	3.3	138
238	Does frontal normality exist in schizophrenia? A saccadic eye movement study. <i>Psychiatry Research</i> , 2001, 103, 167-178.	3.3	23
239	Mental disorders and medical conditions. <i>Journal of Psychosomatic Research</i> , 2001, 50, 39-44.	2.6	12
241	Comparison of clinical and best-estimate research DSM-IV diagnoses in a Finnish sample of first-admission psychosis and severe affective disorder. <i>Nordic Journal of Psychiatry</i> , 2001, 55, 107-111.	1.3	5
242	Lack of association between GABRA3 and unipolar affective disorder: a multicentre study. <i>International Journal of Neuropsychopharmacology</i> , 2001, 4, 273-8.	2.1	10
243	<i>Psychiatric Diagnosis and Illness Experience.</i> , 2001, 169, 21-34.		3
244	Cross-cultural implementation of a Chinese version of the Schedules for Clinical Assessment in Neuropsychiatry (SCAN) in Taiwan. <i>British Journal of Psychiatry</i> , 2001, 178, 567-572.	2.8	52
245	The Cardiff Depression Study: a sib-pair study of dysfunctional attitudes in depressed probands and healthy control subjects. <i>Psychological Medicine</i> , 2001, 31, 627-633.	4.5	25
246	A general population comparison of the Composite International Diagnostic Interview (CIDI) and the Schedules for Clinical Assessment in Neuropsychiatry (SCAN). <i>Psychological Medicine</i> , 2001, 31, 1001-1013.	4.5	154
247	Sensation-seeking, life events and depression. <i>British Journal of Psychiatry</i> , 2001, 178, 549-552.	2.8	32
248	Life events, difficulties and onset of depressive episodes in later life. <i>Psychological Medicine</i> , 2001, 31, 859-869.	4.5	118
249	Structural brain abnormalities associated with deletion at chromosome 22q11. <i>British Journal of Psychiatry</i> , 2001, 178, 412-419.	2.8	156
250	Recurrent Unipolar Mania in a Psychiatric Hospital Setting in the Fiji Islands. <i>Psychopathology</i> , 2001, 34, 312-317.	1.5	26
251	Familiality of the Puerperal Trigger in Bipolar Disorder: Results of a Family Study. <i>American Journal of Psychiatry</i> , 2001, 158, 913-917.	7.2	301
252	Psychiatric Disorders Among Tortured Bhutanese Refugees in Nepal. <i>Archives of General Psychiatry</i> , 2001, 58, 475.	12.3	174
253	Effects of long-term treatment with antipsychotics on serum leptin levels. <i>British Journal of Psychiatry</i> , 2001, 179, 59-62.	2.8	74
254	Psychosocial characteristics and needs of mothers with psychotic disorders. <i>British Journal of Psychiatry</i> , 2001, 178, 427-432.	2.8	100
255	Clinical Correlates of Depression following Myocardial Infarction. <i>International Journal of Psychiatry in Medicine</i> , 2001, 31, 255-264.	1.8	15

#	ARTICLE	IF	CITATIONS
256	Aggressive behaviour in patients with schizophrenia is associated with catechol-O-methyltransferase genotype. <i>British Journal of Psychiatry</i> , 2001, 179, 351-355.	2.8	87
257	Diagnostic Accuracy in the First 5 min of a Psychiatric Interview. <i>Psychotherapy and Psychosomatics</i> , 2001, 70, 141-144.	8.8	9
258	Al Ain Community Psychiatric Survey. I. Prevalence and socio-demographic correlates. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2001, 36, 20-28.	3.1	84
259	Urban birth and migrant status as risk factors for psychosis: an Australian case-control study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2001, 36, 533-536.	3.1	31
260	Depression in palliative care patients - a prospective study. <i>European Journal of Cancer Care</i> , 2001, 10, 270-274.	1.5	52
261	Working memory in schizophrenia and mania: correlation with symptoms during the acute and subacute phases. <i>Acta Psychiatrica Scandinavica</i> , 2001, 103, 181-188.	4.5	74
262	The Florence Psychiatric Interview. <i>International Journal of Methods in Psychiatric Research</i> , 2001, 10, 157-171.	2.1	17
263	CUX2, a potential regulator of NCAM expression: Genomic characterization and analysis as a positional candidate susceptibility gene for bipolar disorder. <i>American Journal of Medical Genetics Part A</i> , 2001, 105, 295-300.	2.4	16
264	Allelic variation of aBall polymorphism in the DRD3 gene does not influence susceptibility to bipolar disorder: Results of analysis and meta-analysis. <i>American Journal of Medical Genetics Part A</i> , 2001, 105, 307-311.	2.4	25
265	A genomewide linkage study of age at onset in schizophrenia. <i>American Journal of Medical Genetics Part A</i> , 2001, 105, 439-445.	2.4	63
266	Suicidal Ideation, Psychiatric Disorder, and Medical Illness in a Community Epidemiological Study. <i>Suicide and Life-Threatening Behavior</i> , 2001, 31, 207-213.	1.9	44
267	Exclusion of the Darier's disease gene, ATP2A2, as a common susceptibility gene for bipolar disorder. <i>Molecular Psychiatry</i> , 2001, 6, 92-97.	7.9	49
268	Further evidence for a bipolar risk gene on chromosome 12q24 suggested by investigation of haplotype sharing and allelic association in patients from the Faroe Islands. <i>Molecular Psychiatry</i> , 2001, 6, 450-455.	7.9	50
269	Dopamine D4 Receptor (DRD4) Gene Polymorphism in the First Psychotic Episode. <i>Archives of Medical Research</i> , 2001, 32, 35-38.	3.3	10
270	An Analysis of the Validity of the Hospital Anxiety and Depression Scale as a Screening Tool in Patients with Advanced Metastatic Cancer. <i>Journal of Pain and Symptom Management</i> , 2001, 22, 990-996.	1.2	124
271	Reliability, Validity and Psychometric Properties of the Greek Translation of the Center for Epidemiological Studies-Depression (CES-D) Scale. <i>BMC Psychiatry</i> , 2001, 1, 3.	2.6	136
272	Reliability, validity and psychometric properties of the Greek translation of the zung depression rating scale. <i>BMC Psychiatry</i> , 2001, 1, 6.	2.6	110
273	<i>Psychopathology Today</i> , 2001, , 1-27.		0

#	ARTICLE	IF	CITATIONS
274	Morning and Evening Plasma Melatonin and Dexamethasone Suppression Test in Patients with Nonseasonal Major Depressive Disorder from Northern Greece (Latitude 40°41.5Å°). <i>Neuropsychobiology</i> , 2001, 44, 113-117.	1.9	25
275	Classification, disability and the public health agenda. <i>British Medical Bulletin</i> , 2001, 57, 3-15.	6.9	14
276	Magnetic Resonance Imaging Correlates of Depression After Ischemic Stroke. <i>Archives of General Psychiatry</i> , 2001, 58, 925.	12.3	175
277	Comparison of clinical and best-estimate research DSM-IV diagnoses in a Finnish sample of first-admission psychosis and severe affective disorder. <i>Nordic Journal of Psychiatry</i> , 2001, 55, 107-111.	1.3	31
278	Community surveys of late-life depression: who are the non-responders?. <i>Age and Ageing</i> , 2001, 30, 517-521.	1.6	15
279	The Italian version of HoNOS (Health of the Nation Outcome Scales), a scale for evaluating the outcomes and the severity in mental health services. <i>Epidemiologia E Psichiatria Sociale</i> , 2001, 10, 198-204.	0.9	55
280	Persecutory delusions: developing the understanding of belief maintenance and emotional distress. <i>Psychological Medicine</i> , 2001, 31, 1293-1306.	4.5	259
281	Insomnia in Ischemic Stroke Patients. <i>Cerebrovascular Diseases</i> , 2002, 14, 90-97.	1.7	203
282	Discriminant Validity of the Eating Attitudes Test According to American Psychiatric Association and World Health Organization Criteria of Eating Disorders. <i>Psychological Reports</i> , 2002, 91, 1052-1056.	1.7	28
283	Neuroticism, extraversion, life events and depression. <i>British Journal of Psychiatry</i> , 2002, 181, 118-122.	2.8	16
284	Axis I and II Psychiatric Disorders After Traumatic Brain Injury: A 30-Year Follow-Up Study. <i>American Journal of Psychiatry</i> , 2002, 159, 1315-1321.	7.2	444
285	Exploring psychological abuse in childhood: II. Association with other abuse and adult clinical depression. <i>Bulletin of the Menninger Clinic</i> , 2002, 66, 241-258.	0.6	144
286	The Wellcome trust UK's Irish bipolar affective disorder sibling-pair genome screen: first stage report. <i>Molecular Psychiatry</i> , 2002, 7, 189-200.	7.9	68
287	Excess of allele1 for $\hat{\pm}3$ subunit GABA receptor gene (GABRA3) in bipolar patients: a multicentric association study. <i>Molecular Psychiatry</i> , 2002, 7, 201-207.	7.9	51
288	Evidence for familial cosegregation of major affective disorder and genetic markers flanking the gene for Darier's disease. <i>Molecular Psychiatry</i> , 2002, 7, 424-427.	7.9	67
289	OPUS study: Suicidal behaviour, suicidal ideation and hopelessness among patients with first-episode psychosis. <i>British Journal of Psychiatry</i> , 2002, 181, s98-s106.	2.8	247
290	Can routine information improve case finding of depression among 65 to 74 year olds in primary care?. <i>Family Practice</i> , 2002, 19, 520-522.	1.9	2
291	Memory performance in panic disorder patients after chronic use of clomipramine. <i>Journal of Psychopharmacology</i> , 2002, 16, 220-226.	4.0	20

#	ARTICLE	IF	CITATIONS
292	Parents with psychosis: a pilot study examining self-report measures related to family functioning. Australian E-Journal for the Advancement of Mental Health, 2002, 1, 38-48.	0.2	8
293	Social adjustment in depressed patients treated with venlafaxine and amitriptyline. International Clinical Psychopharmacology, 2002, 17, 171-175.	1.7	14
294	Structural magnetic resonance imaging in patients with first-episode schizophrenia, psychotic and severe non-psychotic depression and healthy controls. British Journal of Psychiatry, 2002, 181, s58-s65.	2.8	57
295	Do puerperal psychotic episodes identify a more familial subtype of bipolar disorder? Results of a family history study. Psychiatric Genetics, 2002, 12, 177-180.	1.1	55
296	Major psychiatric disorders and the serotonin transporter gene (SLC6A4): family-based association studies. Psychiatric Genetics, 2002, 12, 137-141.	1.1	10
297	The Depression Interview and Structured Hamilton (DISH): Rationale, Development, Characteristics, and Clinical Validity. Psychosomatic Medicine, 2002, 64, 897-905.	2.0	1
298	Minor Physical Anomalies and Quantitative Measures of the Head and Face in Patients With Psychosis. Archives of General Psychiatry, 2002, 59, 458.	12.3	101
299	The National Survey of Psychiatric Morbidity among Prisoners and the Future of Prison Healthcare. Medicine, Science and the Law, 2002, 42, 245-250.	1.0	22
300	Psychiatric Disorder, Impairment, and Service Use in Rural African American and White Youth. Archives of General Psychiatry, 2002, 59, 893.	12.3	441
301	The APA Classification of Mental Disorders: Future Perspectives. Psychopathology, 2002, 35, 166-170.	1.5	14
302	The Lifetime Dimensions of Psychosis Scale (LDPS): Description and Interrater Reliability. Schizophrenia Bulletin, 2002, 28, 683-695.	4.3	43
303	Gender differences in living with schizophrenia. A cross-sectional European multi-site study. Schizophrenia Research, 2002, 57, 191-200.	2.0	41
304	The social functioning of older adults with schizophrenia. Aging and Mental Health, 2002, 6, 149-152.	2.8	28
305	Psychosocial interventions for adults with intellectual disabilities and mental health problems: A review. Journal of Mental Health, 2002, 11, 357-374.	1.9	124
306	Decreased [3H]spiperone binding in the anterior cingulate cortex of schizophrenia patients: an autoradiographic study. Neuroscience, 2002, 109, 709-716.	2.3	19
307	Working memory correlates of three symptom clusters in schizophrenia. Psychiatry Research, 2002, 110, 49-61.	3.3	81
308	Expressed emotion is not associated with disorder severity in first-episode mental disorder. Psychiatry Research, 2002, 111, 155-165.	3.3	50
309	Schizophrenic patients without neuropsychological deficits: subgroup, disease severity or cognitive compensation?. Psychiatry Research, 2002, 112, 1-11.	3.3	77

#	ARTICLE	IF	CITATIONS
310	Neuroendocrine response to meta-chlorophenylpiperazine and ipsapirone in relation to anxiety and aggression. <i>Psychiatry Research</i> , 2002, 113, 29-40.	3.3	29
311	Diagnostic interview for genetic studies (DIGS): inter-rater and test-retest reliability of alcohol and drug diagnoses. <i>Drug and Alcohol Dependence</i> , 2002, 65, 149-158.	3.2	79
312	Dependence potential of antidepressants compared to benzodiazepines. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2002, 26, 939-943.	4.8	15
313	Randomized Controlled Trial of Interventions Designed to Reduce the Risk of Progression to First-Episode Psychosis in a Clinical Sample With Subthreshold Symptoms. <i>Archives of General Psychiatry</i> , 2002, 59, 921.	12.3	922
314	Symptom Scales and Diagnostic Schedules in Adult Psychiatry. , 0, , 273-332.		25
315	The National Comorbidity Survey. , 0, , 343-362.		69
317	Neuroticism, extraversion, life events and depression. <i>British Journal of Psychiatry</i> , 2002, 181, 118-122.	2.8	144
319	Reliability and cultural applicability of the Greek version of the International Personality Disorders Examination.. <i>BMC Psychiatry</i> , 2002, 2, 6.	2.6	14
320	Attitudes towards future testing for bipolar disorder susceptibility genes: a preliminary investigation. <i>Journal of Affective Disorders</i> , 2002, 71, 189-193.	4.1	53
321	Validation of the Portuguese version of the Social Adjustment Scale on Brazilian samples. <i>Journal of Affective Disorders</i> , 2002, 69, 167-175.	4.1	37
322	Depression among hospitalised medically ill patients: a two-stage screening study. <i>Journal of Affective Disorders</i> , 2002, 70, 205-209.	4.1	11
323	Panic disorder patients have reduced cyclic AMP in platelets. <i>Journal of Psychiatric Research</i> , 2002, 36, 105-110.	3.1	10
324	Dissociable Hormonal, Cognitive and Mood Responses to Neuroendocrine Challenge Evidence for Receptor-Specific Serotonergic Dysregulation in Depressed Mood. <i>Neuropsychopharmacology</i> , 2002, 26, 358-367.	5.4	65
325	Search for a shared segment on chromosome 10q26 in patients with bipolar affective disorder or schizophrenia from the Faroe Islands. <i>American Journal of Medical Genetics Part A</i> , 2002, 114, 196-204.	2.4	34
326	Schizophrenia and functional polymorphisms in the MAOA and COMT genes: No evidence for association or epistasis. <i>American Journal of Medical Genetics Part A</i> , 2002, 114, 491-496.	2.4	71
327	The Clinical Interview Schedule – Sinhala version: validation in a community setting in Sri Lanka. <i>International Journal of Methods in Psychiatric Research</i> , 2002, 11, 169-177.	2.1	19
328	First-time hospitalisation for depressive and/or anxiety disorders and severe life events. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2002, 37, 586-591.	3.1	2
329	Predictors of depression at eighteen. A 7-year follow-up study in a Spanish nonclinical population. <i>European Child and Adolescent Psychiatry</i> , 2002, 11, 226-233.	4.7	27

#	ARTICLE	IF	CITATIONS
330	Comparisons between schizophrenia patients recruited from Australian general practices and public mental health services. <i>Acta Psychiatrica Scandinavica</i> , 2002, 105, 346-355.	4.5	25
331	Screening the human protocadherin 8 (PCDH8) gene in schizophrenia. <i>Genes, Brain and Behavior</i> , 2002, 1, 187-191.	2.2	26
332	Post-stroke depression, executive dysfunction and functional outcome. <i>European Journal of Neurology</i> , 2002, 9, 269-275.	3.3	163
333	Research methods in psychiatric epidemiology: an overview*. <i>Australian and New Zealand Journal of Psychiatry</i> , 2002, 36, 298-310.	2.3	25
334	Cannabis Use is Not Associated With the Development of Psychosis in an "Ultra" High-Risk Group. <i>Australian and New Zealand Journal of Psychiatry</i> , 2002, 36, 800-806.	2.3	112
335	Determination of the genomic structure and mutation screening in schizophrenic individuals for five subunits of the N-methyl-D-aspartate glutamate receptor. <i>Molecular Psychiatry</i> , 2002, 7, 508-514.	7.9	100
336	A genome-wide scan shows significant linkage between bipolar disorder and chromosome 12q24.3 and suggestive linkage to chromosomes 1p22-21, 4p16, 6q14-22, 10q26 and 16p13.3. <i>Molecular Psychiatry</i> , 2002, 7, 734-744.	7.9	124
337	Mutation screening and LD mapping in the VCFS deleted region of chromosome 22q11 in schizophrenia using a novel DNA pooling approach. <i>Molecular Psychiatry</i> , 2002, 7, 1092-1100.	7.9	19
338	The prevalence of potentially traumatic events in childhood and adolescence. <i>Journal of Traumatic Stress</i> , 2002, 15, 99-112.	1.8	368
339	Psycho-social determinants for psychiatric hospitalisation for neurotic disorders in women. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2003, 38, 317-325.	3.1	1
340	Exploring and enhancing engagement to the psychosocial intervention "Preparing for Parenthood?". <i>Archives of Women's Mental Health</i> , 2003, 6, 275-285.	2.6	22
341	Motherhood as a vulnerability factor in major depression: the role of negative pregnancy experiences. <i>Social Science and Medicine</i> , 2003, 56, 1249-1260.	3.8	36
342	Reliability, validity and psychometric properties of the Greek translation of the Major Depression Inventory. <i>BMC Psychiatry</i> , 2003, 3, 2.	2.6	27
343	The greek translation of the symptoms rating scale for depression and anxiety: preliminary results of the validation study. <i>BMC Psychiatry</i> , 2003, 3, 21.	2.6	45
344	Directional and fluctuating asymmetry in finger and a-b ridge counts in psychosis: a case-control study. <i>BMC Psychiatry</i> , 2003, 3, 3.	2.6	33
345	A sib-pair study of psychoticism, life events and depression. <i>Personality and Individual Differences</i> , 2003, 34, 613-623.	2.9	10
346	Alterations of liver function test in patients treated with antipsychotics. <i>Journal of Clinical Laboratory Analysis</i> , 2003, 17, 216-218.	2.1	13
347	The Composite International Diagnostic Interview (CIDI-AUTO): problems and remedies for diagnosing panic disorder and social phobia. <i>International Journal of Methods in Psychiatric Research</i> , 2003, 12, 167-181.	2.1	17

#	ARTICLE	IF	CITATIONS
348	Variation in the coding sequence and flanking splice junctions of the estrogen receptor alpha (ER?) gene does not play an important role in genetic susceptibility to bipolar disorder or bipolar affective puerperal psychosis. American Journal of Medical Genetics Part A, 2003, 118B, 72-75.	2.4	11
349	Possible parent-of-origin effect of Dopa decarboxylase in susceptibility to bipolar affective disorder. , 2003, 117B, 18-22.		39
350	Association analysis of the HOPA12bp polymorphism in schizophrenia and manic depressive illness. American Journal of Medical Genetics Part A, 2003, 118B, 16-19.	2.4	9
351	Dopamine D2 receptor gene Ser311Cys variant and schizophrenia: association study and meta-analysis. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2003, 119B, 28-34.	1.7	53
352	Mutation screening of the <i>Homer</i> gene family and association analysis in schizophrenia. American Journal of Medical Genetics Part A, 2003, 120B, 18-21.	2.4	59
353	Genome wide scan using homozygosity mapping and linkage analyses of a single pedigree with affective disorder suggests oligogenic inheritance. American Journal of Medical Genetics Part A, 2003, 120B, 63-71.	2.4	30
354	Detailed analysis of PRODH and PsPRODH reveals no association with schizophrenia. American Journal of Medical Genetics Part A, 2003, 120B, 42-46.	2.4	46
355	Bipolar disorder. II: Personality and age of onset. Bipolar Disorders, 2003, 5, 340-348.	1.9	37
356	Dimensional vs. categorical diagnosis in psychosis. Acta Psychiatrica Scandinavica, 2003, 107, 378-384.	4.5	54
357	A longitudinal analysis of the impact of social and clinical characteristics on the costs of schizophrenia treatment. Acta Psychiatrica Scandinavica, 2003, 107, 351-360.	4.5	22
358	No association between two polymorphisms at the 5HT2A gene and bipolar affective puerperal psychosis. Acta Psychiatrica Scandinavica, 2003, 108, 387-391.	4.5	13
359	Prevalence of mental disorders among 15-17-year-old male adolescent remand prisoners in Denmark. Acta Psychiatrica Scandinavica, 2003, 107, 102-110.	4.5	58
360	Costs of Schizophrenia and Other Psychoses in Urban Australia: Findings from the Low Prevalence (Psychotic) Disorders Study. Australian and New Zealand Journal of Psychiatry, 2003, 37, 31-40.	2.3	71
361	MRI correlates of executive dysfunction in patients with ischaemic stroke. European Journal of Neurology, 2003, 10, 625-631.	3.3	92
362	Linkage analysis of candidate regions using a composite neurocognitive phenotype correlated with schizophrenia. Molecular Psychiatry, 2003, 8, 511-523.	7.9	43
363	Support for genetic variation in neuregulin 1 and susceptibility to schizophrenia. Molecular Psychiatry, 2003, 8, 485-487.	7.9	226
364	Event-related potential correlates of impaired visuospatial working memory in schizophrenia. Psychophysiology, 2003, 40, 702-715.	2.4	9
365	Lack of association between the 5HT2A receptor polymorphism (T102C) and unipolar affective disorder in a multicentric European study. European Neuropsychopharmacology, 2003, 13, 365-368.	0.7	20

#	ARTICLE	IF	CITATIONS
366	Self-reported schizotypy and bipolar disorder: demonstration of a lack of specificity of the Kings Schizotypy Questionnaire. <i>Schizophrenia Research</i> , 2003, 65, 153-158.	2.0	17
367	Brain volumes as predictor of outcome in recent-onset schizophrenia: a multi-center MRI study. <i>Schizophrenia Research</i> , 2003, 64, 41-52.	2.0	82
368	Use of complementary therapy among internal medical inpatients. <i>Journal of Psychosomatic Research</i> , 2003, 55, 547-552.	2.6	5
369	Pattern-reversed visual evoked potentials in subtypes of major depression. <i>Psychiatry Research</i> , 2003, 118, 259-271.	3.3	40
370	A Systematic Genomewide Linkage Study in 353 Sib Pairs with Schizophrenia. <i>American Journal of Human Genetics</i> , 2003, 73, 1355-1367.	6.2	115
371	Variation in the protocadherin $\hat{3}$ A gene cluster \hat{f} . <i>Genomics</i> , 2003, 82, 433-440.	2.9	12
372	Clasificaciones en psiquiatrÃa. <i>Medicine</i> , 2003, 8, 5590-5594.	0.0	0
373	Generalized Anxiety Disorders Three to Four Months after Ischemic Stroke. <i>Cerebrovascular Diseases</i> , 2003, 16, 257-264.	1.7	70
374	The influence of age and sex on the prevalence of depressive conditions: report from the National Survey of Psychiatric Morbidity. <i>International Review of Psychiatry</i> , 2003, 15, 74-83.	2.8	132
375	Alcohol misuse by women. <i>International Review of Psychiatry</i> , 2003, 15, 256-268.	2.8	27
376	Psychiatric morbidity among young offenders in England and Wales. <i>International Review of Psychiatry</i> , 2003, 15, 144-147.	2.8	66
377	Mental illness in new neurological patients. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2003, 74, 817-819.	1.9	63
378	Prevalence and Development of Psychiatric Disorders in Childhood and Adolescence. <i>Archives of General Psychiatry</i> , 2003, 60, 837.	12.3	3,149
379	Alcohol Misuse: A Risk Factor for Putaminal Damage by Ischemic Brain Infarct?. <i>European Neurology</i> , 2003, 50, 69-72.	1.4	3
380	Sleep Disturbance in Unipolar and Bipolar Depression: Relationship to Psychiatric Family History. <i>Neuropsychobiology</i> , 2003, 48, 131-135.	1.9	6
381	The circumstances of adults with a psychotic disorder. <i>International Review of Psychiatry</i> , 2003, 15, 84-90.	2.8	4
382	Violence against nurses in hospitals: prevalence and effects. <i>British Journal of Nursing</i> , 2003, 12, 102-107.	0.7	55
383	The National Psychiatric Morbidity Surveys of Great Britain–initial findings from the Household Survey. <i>International Review of Psychiatry</i> , 2003, 15, 29-42.	2.8	60

#	ARTICLE	IF	CITATIONS
384	Psychiatric morbidity among adults living in private households, 2000. <i>International Review of Psychiatry</i> , 2003, 15, 65-73.	2.8	276
385	A screening questionnaire for the detection of serious mental illness in the criminal justice system. <i>Journal of Forensic Psychiatry and Psychology</i> , 2003, 14, 138-150.	1.0	25
386	10 year follow up study of mortality among users of hostels for homeless people in Copenhagen. <i>BMJ: British Medical Journal</i> , 2003, 327, 81-0.	2.3	129
387	Mental State Examination: The Elicitation of Symptoms. <i>Psychopathology</i> , 2003, 36, 1-5.	1.5	11
388	Satisfaction With Mental Health Services Among People With Schizophrenia in Five European Sites: Results From the EPSILON Study. <i>Schizophrenia Bulletin</i> , 2003, 29, 229-245.	4.3	89
389	A Sib-Pair Study of the Temperament and Character Inventory Scales in Major Depression. <i>Archives of General Psychiatry</i> , 2003, 60, 490.	12.3	232
390	Patterns of Service Use Among Persons With Schizophrenia and Other Psychotic Disorders. <i>Psychiatric Services</i> , 2003, 54, 226-235.	2.0	69
391	Cognitive Behavioral Psychotherapy for Depression Following Stroke. <i>Stroke</i> , 2003, 34, 111-115.	2.0	203
392	Frequent attenders in secondary care: a 3-year follow-up study of patients with medically unexplained symptoms. <i>Psychological Medicine</i> , 2003, 33, 519-524.	4.5	50
393	Humiliation, loss and other types of life events and difficulties: a comparison of depressed subjects, healthy controls and their siblings. <i>Psychological Medicine</i> , 2003, 33, 1169-1175.	4.5	66
394	Title is missing!. <i>Psychiatric Genetics</i> , 2003, 13, 97-101.	1.1	1
395	Minimum effective doses of haloperidol for the treatment of first psychotic episode: a comparative study with risperidone and olanzapine. <i>International Journal of Neuropsychopharmacology</i> , 2003, 6, 403-408.	2.1	19
396	Title is missing!. <i>Psychiatric Genetics</i> , 2003, 13, 103-106.	1.1	0
397	Mutational analysis of two positional candidate susceptibility genes for bipolar disorder on chromosome 12q23-q24. <i>Psychiatric Genetics</i> , 2003, 13, 97-101.	1.1	9
398	Mesial Temporal Structures and Comorbid Anxiety in Refractory Partial Epilepsy. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2003, 15, 450-452.	1.8	26
399	Long-Term Memory Deficits in Schizophrenia: Primary or Secondary Dysfunction?. <i>Neuropsychology</i> , 2003, 17, 539-547.	1.3	62
400	Standardisierte psychiatrische Befunddiagnostik. , 2003, , 400-423.		0
401	Chromosome 22q11 deletions, velo-cardio-facial syndrome and early-onset psychosis. <i>British Journal of Psychiatry</i> , 2003, 183, 409-413.	2.8	67

#	ARTICLE	IF	CITATIONS
402	Premorbid, psychosocial and clinical predictors of the costs of schizophrenia and other psychoses. <i>British Journal of Psychiatry</i> , 2004, 184, 517-525.	2.8	42
403	Trends in service use and treatment for mental disorders in adults throughout Great Britain. <i>British Journal of Psychiatry</i> , 2004, 185, 378-384.	2.8	104
404	Major Depression Following Traumatic Brain Injury. <i>Archives of General Psychiatry</i> , 2004, 61, 42.	12.3	637
405	Co-occurrence of 12-Month Alcohol and Drug Use Disorders and Personality Disorders in the United States. <i>Archives of General Psychiatry</i> , 2004, 61, 361.	12.3	597
406	Poststroke Depression and Lesion Location Revisited. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2004, 16, 156-162.	1.8	107
407	Brain Anatomy in Adults With Velocardiofacial Syndrome With and Without Schizophrenia. <i>Archives of General Psychiatry</i> , 2004, 61, 1085.	12.3	140
408	Speed of processing and individual differences in IQ in schizophrenia: General or specific cognitive deficits?. <i>Cognitive Neuropsychiatry</i> , 2004, 9, 233-247.	1.3	15
409	Impact of Maternal Depression on Infant Nutritional Status and Illness. <i>Archives of General Psychiatry</i> , 2004, 61, 946.	12.3	576
410	Making a Structured Psychiatric Diagnostic Interview Faithful to the Nomenclature. <i>American Journal of Epidemiology</i> , 2004, 160, 808-813.	3.4	24
411	Atypical depression in growth hormone deficient adults, and the beneficial effects of growth hormone treatment on depression and quality of life. <i>European Journal of Endocrinology</i> , 2004, 151, 325-332.	3.7	51
412	Familial Aggregation of Suicidal Ideation in Psychiatric Patients: Influence of Gender. <i>Neuropsychobiology</i> , 2004, 50, 216-220.	1.9	6
413	Identification in 2 Independent Samples of a Novel Schizophrenia Risk Haplotype of the Dystrobrevin Binding Protein Gene (DTNBP1). <i>Archives of General Psychiatry</i> , 2004, 61, 336.	12.3	175
414	Continued Needs for Epidemiological Studies of Mental Disorders in the Community. <i>Psychotherapy and Psychosomatics</i> , 2004, 73, 197-206.	8.8	27
415	The structural brain correlates of neurological soft signs in AeSOP first-episode psychoses study. <i>Brain</i> , 2004, 127, 143-153.	7.6	211
416	Psychiatric Symptoms, Social Disability, Low Wellbeing and Need for Treatment: Data from a Population-Based Study. <i>International Journal of Social Psychiatry</i> , 2004, 50, 195-203.	3.1	9
417	<i>APOE</i> ϵ 4 predicts dementia but not other psychiatric disorders after traumatic brain injury. <i>Neurology</i> , 2004, 63, 749-750.	1.1	59
418	Bipolar disorder. III: Harm avoidance a risk factor for suicide attempts. <i>Bipolar Disorders</i> , 2004, 6, 130-138.	1.9	70
419	Paradoxical association between smoking and olfactory identification in psychosis versus controls. <i>Australian and New Zealand Journal of Psychiatry</i> , 2004, 38, 81-83.	2.3	23

#	ARTICLE	IF	CITATIONS
420	Quality of life in persons with schizophrenia in out-patient treatment with first- or second-generation antipsychotics. <i>Acta Psychiatrica Scandinavica</i> , 2004, 110, 108-118.	4.5	55
421	Anxiety and depression: a 40-year perspective on relationships regarding prevalence, distribution, and comorbidity. <i>Acta Psychiatrica Scandinavica</i> , 2004, 109, 355-375.	4.5	101
422	Psychodynamic personality profile in first-episode severe mental disorders. <i>Acta Psychiatrica Scandinavica</i> , 2004, 109, 187-193.	4.5	13
423	Neurological soft signs discriminating mood disorders from first episode schizophrenia. <i>Acta Psychiatrica Scandinavica</i> , 2004, 110, 29-35.	4.5	78
424	Diagnosing comorbidity: concepts, criteria, and methods. <i>Acta Neuropsychiatrica</i> , 2004, 16, 9-18.	2.1	28
425	Differential impairment of working memory performance in first-degree relatives of individuals with schizophrenia. <i>Acta Neuropsychiatrica</i> , 2004, 16, 149-153.	2.1	1
426	Serotonin transporter 5HTTLPR polymorphism and affective disorders: no evidence of association in a large European multicenter study. <i>European Journal of Human Genetics</i> , 2004, 12, 377-382.	2.8	78
428	Mental Health in Prison Populations. A review " with special emphasis on a study of Danish prisoners on remand. <i>Acta Psychiatrica Scandinavica</i> , 2004, 110, 5-59.	4.5	141
429	Social adjustment and self-esteem of bipolar patients: a multicentric study. <i>Journal of Affective Disorders</i> , 2004, 79, 97-103.	4.1	92
430	Biological markers and psychophysiological methods as long term response predictors to fluoxetine treatment. <i>Journal of Affective Disorders</i> , 2004, 80, 291-292.	4.1	3
431	Neurological soft signs in bipolar I disorder patients. <i>Journal of Affective Disorders</i> , 2004, 80, 221-230.	4.1	74
432	The role of personality in childhood sexual abuse. <i>Personality and Individual Differences</i> , 2004, 36, 1295-1303.	2.9	10
433	The Depression Network (DeNT) Study: methodology and sociodemographic characteristics of the first 470 affected sibling pairs from a large multi-site linkage genetic study. <i>BMC Psychiatry</i> , 2004, 4, 42.	2.6	43
434	Thyroid function in clinical subtypes of major depression: an exploratory study. <i>BMC Psychiatry</i> , 2004, 4, 6.	2.6	63
435	Bipolar disorder. <i>Journal of Affective Disorders</i> , 2004, 82, 131-134.	4.1	77
436	Prevalence and identification of alcohol use disorders among nonpsychiatric inpatients in one general hospital. <i>General Hospital Psychiatry</i> , 2004, 26, 219-225.	2.4	43
437	A study of lifetime prevalence of anxiety and depressive disorders in patients presenting with chest pain to emergency medicine. <i>General Hospital Psychiatry</i> , 2004, 26, 470-474.	2.4	23
438	Risk factors for eating disorders in adolescents. <i>European Child and Adolescent Psychiatry</i> , 2004, 13, 287-294.	4.7	87

#	ARTICLE	IF	CITATIONS
439	The epidemiology of depersonalisation and derealisation. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004, 39, 9-18.	3.1	229
440	Correlates of victimisation amongst people with psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004, 39, 836-840.	3.1	64
441	Risk factors and the prevalence of neurosis and psychosis in ethnic groups in Great Britain. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004, 39, 939-946.	3.1	45
442	Relationship among Dexamethasone Suppression Test, personality disorders and stressful life events in clinical subtypes of major depression: An exploratory study. <i>Annals of General Psychiatry</i> , 2004, 3, 15.	0.1	15
443	Cognitive-behaviour therapy for people with psychosis and mild intellectual disabilities: a case series. <i>Clinical Psychology and Psychotherapy</i> , 2004, 11, 282-298.	2.7	55
444	Anxiety and depressive disorders and the five-factor model of personality: A higher- and lower-order personality trait investigation in a community sample. <i>Depression and Anxiety</i> , 2004, 20, 92-97.	4.1	299
445	Psychiatric Disorders in a Representative Sample of Incarcerated Boys in The Netherlands. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2004, 43, 97-104.	0.5	123
447	The sociodemographic correlates of schizophrenia in Butajira, rural Ethiopia. <i>Schizophrenia Research</i> , 2004, 69, 133-141.	2.0	35
448	Paternal and maternal age as risk factors for psychosis: findings from Denmark, Sweden and Australia. <i>Schizophrenia Research</i> , 2004, 67, 227-236.	2.0	129
449	Demographic and clinical correlates of comorbid substance use disorders in psychosis: multivariate analyses from an epidemiological sample. <i>Schizophrenia Research</i> , 2004, 66, 115-124.	2.0	166
450	Risk factors for psychosis in an ultra high-risk group: psychopathology and clinical features. <i>Schizophrenia Research</i> , 2004, 67, 131-142.	2.0	673
451	A nonsense mutation in the synaptogyrin 1 gene in a family with schizophrenia. <i>Biological Psychiatry</i> , 2004, 55, 196-199.	1.3	22
452	Support for RGS4 as a susceptibility gene for schizophrenia. <i>Biological Psychiatry</i> , 2004, 55, 192-195.	1.3	132
453	Strong evidence for association between the dystrobrevin binding protein 1 gene (DTNBP1) and schizophrenia in 488 parent-offspring trios from Bulgaria. <i>Biological Psychiatry</i> , 2004, 55, 971-975.	1.3	149
454	Adjustment to antidepressant utilization rates to account for depression in remission. <i>Comprehensive Psychiatry</i> , 2004, 45, 268-274.	3.1	14
455	Recall and recognition confabulation in psychotic and bipolar disorders: evidence for two different types without unitary mechanisms. <i>Comprehensive Psychiatry</i> , 2004, 45, 281-288.	3.1	33
456	A goal activation approach to the study of executive function: An application to antisaccade tasks. <i>Brain and Cognition</i> , 2004, 56, 198-214.	1.8	77
457	Neuropsychological subtyping of schizophrenia. <i>Psychiatry Research</i> , 2004, 129, 191-199.	3.3	17

#	ARTICLE	IF	CITATIONS
458	Exploration of somatosensory P50 gating in schizophrenia spectrum patients: reduced P50 amplitude correlates to social anhedonia. <i>Psychiatry Research</i> , 2004, 125, 147-160.	3.3	41
459	Maintaining and updating semantic context in schizophrenia: an investigation of the effects of multiple remote primes. <i>Psychiatry Research</i> , 2004, 126, 241-252.	3.3	35
460	Pathological gambling, gender, and risk-taking behaviors. <i>Addictive Behaviors</i> , 2004, 29, 1231-1235.	3.0	112
463	Detecting mental disorders in general hospitals by the SCL-8 scale. <i>Journal of Psychosomatic Research</i> , 2004, 56, 371-375.	2.6	68
464	Alexithymia Does Not Predict the Persistence of Medically Unexplained Physical Symptoms. <i>Psychosomatic Medicine</i> , 2004, 66, 224-232.	2.0	47
465	Linkage analysis in bipolar pedigrees adds support for a susceptibility locus on 21q22. <i>Psychiatric Genetics</i> , 2004, 14, 101-106.	1.1	9
466	Neuropsychiatric Sequelae of Nipah Virus Encephalitis. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2004, 16, 500-504.	1.8	44
467	Neuropsychological Processing Associated With Recovery From Depression After Stereotactic Subcaudate Tractotomy. <i>American Journal of Psychiatry</i> , 2004, 161, 1913-1916.	7.2	45
468	Somali and Oromo Refugees: Correlates of Torture and Trauma History. <i>American Journal of Public Health</i> , 2004, 94, 591-598.	2.7	206
469	Life Events, Social Support, and Onset of Major Depressive Episode in Finnish Patients. <i>Journal of Nervous and Mental Disease</i> , 2004, 192, 373-381.	1.0	36
470	Psychotic Symptoms Among Male Adolescent Detainees in The Netherlands. <i>Schizophrenia Bulletin</i> , 2004, 30, 73-86.	4.3	31
471	Intergenerational transmission of somatization behaviour: 2. Observations of joint attention and bids for attention. <i>Psychological Medicine</i> , 2004, 34, 199-209.	4.5	43
472	Co-morbidity and stability of melancholic features in DSM-IV major depressive disorder. <i>Psychological Medicine</i> , 2004, 34, 1443-1452.	4.5	57
473	How accurate is recall of key symptoms of depression? A comparison of recall and longitudinal reports. <i>Psychological Medicine</i> , 2004, 34, 1001-1011.	4.5	178
474	Dimensions of depression, mania and psychosis in the general population. <i>Psychological Medicine</i> , 2004, 34, 1177-1186.	4.5	91
475	Cognitive functions in depressive disorders: evidence from a population-based study. <i>Psychological Medicine</i> , 2004, 34, 83-91.	4.5	225
476	Familiarity of Symptom Dimensions in Depression. <i>Archives of General Psychiatry</i> , 2004, 61, 468.	12.3	97
477	Alcohol Misuse and Mood Disorders Following Traumatic Brain Injury. <i>Archives of General Psychiatry</i> , 2005, 62, 742.	12.3	116

#	ARTICLE	IF	CITATIONS
478	Functional and Work Disability in Major Depressive Disorder. <i>Journal of Nervous and Mental Disease</i> , 2005, 193, 189-195.	1.0	62
479	Baroreflex Sensitivity Is Reduced in Depression. <i>Psychosomatic Medicine</i> , 2005, 67, 648-651.	2.0	66
480	Alexithymia After Traumatic Brain Injury: Its Relation to Magnetic Resonance Imaging Findings and Psychiatric Disorders. <i>Psychosomatic Medicine</i> , 2005, 67, 807-812.	2.0	39
481	Trauma and Hallucinatory Experience in Psychosis. <i>Journal of Nervous and Mental Disease</i> , 2005, 193, 501-507.	1.0	186
482	The Epidemiology of Mood Disorders. , 2005, , 1-34.		3
483	Operation of the Schizophrenia Susceptibility Gene, Neuregulin 1, Across Traditional Diagnostic Boundaries to Increase Risk for Bipolar Disorder. <i>Archives of General Psychiatry</i> , 2005, 62, 642.	12.3	232
484	Paraprofessionals for anxiety and depressive disorders. <i>The Cochrane Library</i> , 2005, , CD004688.	2.8	31
485	Pathophysiologic Aspects of Major Depression Following Traumatic Brain Injury. <i>Journal of Head Trauma Rehabilitation</i> , 2005, 20, 475-487.	1.7	126
486	The longitudinal relationship between personality disorder dimensions and global functioning in a community-residing population. <i>Psychological Medicine</i> , 2005, 35, 891-895.	4.5	22
487	Prospective study of risk factors for attempted suicide among patients with DSM-IV major depressive disorder. <i>British Journal of Psychiatry</i> , 2005, 186, 314-318.	2.8	161
488	Work-Related Self-Efficacy Among Community Residents with Psychiatric Disabilities.. <i>Psychiatric Rehabilitation Journal</i> , 2005, 29, 105-113.	1.1	44
489	Improving Success in a Veterans Homeless Domiciliary Vocational Program: Model Development and Evaluation.. <i>Rehabilitation Psychology</i> , 2005, 50, 297-304.	1.3	7
490	The childhood experience of care and abuse questionnaire (CECA.Q): Validation in a community series. <i>British Journal of Clinical Psychology</i> , 2005, 44, 563-581.	3.5	301
491	The epidemiology of bipolar disorder: sociodemographic, disability and service utilization data from the Australian National Study of Low Prevalence (Psychotic) Disorders. <i>Bipolar Disorders</i> , 2005, 7, 326-337.	1.9	111
492	Association between COMT (Val158Met) functional polymorphism and early onset in patients with major depressive disorder in a European multicenter genetic association study. <i>Molecular Psychiatry</i> , 2005, 10, 598-605.	7.9	134
493	Stage 2 of the Wellcome Trust UK-irish bipolar affective disorder sibling-pair genome screen: evidence for linkage on chromosomes 6q16-q21, 4q12-q21, 9p21, 10p14-p12 and 18q22. <i>Molecular Psychiatry</i> , 2005, 10, 831-841.	7.9	55
494	Identification of a potential Bipolar risk haplotype in the gene encoding the winged-helix transcription factor RFX4. <i>Molecular Psychiatry</i> , 2005, 10, 920-927.	7.9	24
495	Association study of myo-inositol monophosphatase 2 (IMPA2) polymorphisms with bipolar affective disorder and response to lithium treatment. <i>Pharmacogenomics Journal</i> , 2005, 5, 35-41.	2.0	31

#	ARTICLE	IF	CITATIONS
496	New Approach to the Validity of the Alcohol Use Disorders Identification Test: Stratum-Specific Likelihood Ratios Analysis. <i>Alcoholism: Clinical and Experimental Research</i> , 2005, 29, 602-608.	2.4	38
497	Does it make sense to do repeated surveys? - the Lundby Study, 1947-1997. <i>Acta Psychiatrica Scandinavica</i> , 2005, 111, 444-452.	4.5	41
498	The cyclothymic temperament in healthy controls and familiarly at risk individuals for mood disorder: endophenotype for genetic studies?. <i>Journal of Affective Disorders</i> , 2005, 85, 135-145.	4.1	85
499	Prevalence and clinical characteristics of bipolar I disorder in Butajira, Ethiopia: A community-based study. <i>Journal of Affective Disorders</i> , 2005, 87, 193-201.	4.1	50
500	Prevalence and correlates of anxiety among nursing home patients. <i>Journal of Affective Disorders</i> , 2005, 88, 145-153.	4.1	74
501	The reliability and validity of general psychotic rating scales with people with mild and moderate intellectual disabilities: an empirical investigation. <i>Journal of Intellectual Disability Research</i> , 2005, 49, 490-500.	2.0	51
502	Dimensions of intelligence in schizophrenia: evidence from patients with preserved, deteriorated and compromised intellect. <i>Journal of Psychiatric Research</i> , 2005, 39, 11-19.	3.1	67
503	Neuropsychological functions in anxiety disorders in population-based samples: evidence of episodic memory dysfunction. <i>Journal of Psychiatric Research</i> , 2005, 39, 207-214.	3.1	240
505	No evidence for association between polymorphisms in GRM3 and schizophrenia. <i>BMC Psychiatry</i> , 2005, 5, 23.	2.6	50
506	Computer-aided DSM-IV-diagnostics "acceptance, use and perceived usefulness in relation to users' learning styles. <i>BMC Medical Informatics and Decision Making</i> , 2005, 5, 1.	3.0	47
507	Linkage disequilibrium mapping of bipolar affective disorder at 12q23-q24 provides evidence for association at CUX2 and FLJ32356. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2005, 132B, 38-45.	1.7	24
508	A genome-wide search for risk genes using homozygosity mapping and microarrays with 1,494 single-nucleotide polymorphisms in 22 eastern Cuban families with bipolar disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2005, 133B, 25-30.	1.7	21
509	Recalibration methods to enhance information on prevalence rates from large mental health surveys. <i>International Journal of Methods in Psychiatric Research</i> , 2005, 14, 3-13.	2.1	9
510	The Major Depression Inventory versus Schedules for Clinical Assessment in Neuropsychiatry in a population sample. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005, 40, 209-213.	3.1	74
511	The European Schizophrenia Cohort. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005, 40, 707-717.	3.1	58
512	SYNGR1 is associated with schizophrenia and bipolar disorder in southern India. <i>Journal of Human Genetics</i> , 2005, 50, 635-640.	2.3	25
513	Content validity, construct validity, and reliability of the WHOQOL-Bref in a population of Dutch adult psychiatric outpatients. <i>Quality of Life Research</i> , 2005, 14, 151-160.	3.1	200
514	The effects of antipsychotic treatment on quality of life of schizophrenic patients under naturalistic treatment conditions: An application of random effect regression models and propensity scores in an observational prospective trial. <i>Quality of Life Research</i> , 2005, 14, 1275-1289.	3.1	27

#	ARTICLE	IF	CITATIONS
515	Are Dexamethasone Suppression Test Nonsuppression and Thyroid Dysfunction Related to a Family History of Dementia in Patients with Major Depression? An Exploratory Study. <i>Canadian Journal of Psychiatry</i> , 2005, 50, 342-345.	1.9	8
516	Laterality phenotypes in patients with schizophrenia, their siblings and controls: Associations with clinical and cognitive variables. <i>British Journal of Psychiatry</i> , 2005, 187, 221-228.	2.8	14
517	Risk of puerperal and non-puerperal recurrence of illness following bipolar affective puerperal (post-partum) psychosis. <i>British Journal of Psychiatry</i> , 2005, 186, 258-259.	2.8	133
518	Epidemiological and clinical aspects of bipolar disorders: controversies or a common need to redefine the aims and methodological aspects of surveys. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2005, 1, 4.	1.2	61
519	Cognitive style in bipolar disorder. <i>British Journal of Psychiatry</i> , 2005, 187, 431-437.	2.8	89
520	Work-Related Subjective Experiences Among Community Residents with Schizophrenia or Schizoaffective Disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , 2005, 39, 288-299.	2.3	13
521	Psychiatric and social aspects of suicidal behaviour in prisons. <i>Psychological Medicine</i> , 2005, 35, 257-269.	4.5	160
522	Genomewide Linkage Scan in Schizoaffective Disorder. <i>Archives of General Psychiatry</i> , 2005, 62, 1081.	12.3	177
523	Whole genome linkage scan of recurrent depressive disorder from the depression network study. <i>Human Molecular Genetics</i> , 2005, 14, 3337-3345.	2.9	142
524	Psychosis in the Community and in Prisons: A Report From the British National Survey of Psychiatric Morbidity. <i>American Journal of Psychiatry</i> , 2005, 162, 774-780.	7.2	129
525	Localization of Bipolar Susceptibility Locus by Molecular Genetic Analysis of the Chromosome 12q23-q24 Region in Two Pedigrees With Bipolar Disorder and Darier's Disease. <i>American Journal of Psychiatry</i> , 2005, 162, 35-42.	7.2	56
526	Evaluation of diagnostic procedures in Swedish patients with schizophrenia and related psychoses. <i>Nordic Journal of Psychiatry</i> , 2005, 59, 457-464.	1.3	195
527	Persistent Cognitive Dysfunctions in Bipolar I Disorder and Schizophrenic Patients: A 3-Year Follow-Up Study. <i>Psychotherapy and Psychosomatics</i> , 2005, 74, 113-119.	8.8	143
528	Spatial Working Memory and Planning Ability: Contrasts between Schizophrenia and Bipolar I Disorder. <i>Cortex</i> , 2005, 41, 753-763.	2.4	73
529	Size and burden of depressive disorders in Europe. <i>European Neuropsychopharmacology</i> , 2005, 15, 411-423.	0.7	205
530	Size and burden of mental disorders in Europe—a critical review and appraisal of 27 studies. <i>European Neuropsychopharmacology</i> , 2005, 15, 357-376.	0.7	1,179
531	Validation of the WHO Quality of Life assessment instrument (WHOQOL-100) in a population of Dutch adult psychiatric outpatients. <i>European Psychiatry</i> , 2005, 20, 465-473.	0.2	36
532	Professional team's choices of intervention towards problems and needs of patients suffering from schizophrenia across six European countries. <i>European Psychiatry</i> , 2005, 20, 521-528.	0.2	3

#	ARTICLE	IF	CITATIONS
533	Genomewide Scan for Affective Disorder Susceptibility Loci in Families of a Northern Swedish Isolated Population. <i>American Journal of Human Genetics</i> , 2005, 76, 237-248.	6.2	51
534	Genetic Evidence for a Distinct Subtype of Schizophrenia Characterized by Pervasive Cognitive Deficit. <i>American Journal of Human Genetics</i> , 2005, 77, 468-476.	6.2	148
535	Genomewide Scan and Fine-Mapping Linkage Studies in Four European Samples with Bipolar Affective Disorder Suggest a New Susceptibility Locus on Chromosome 1p35-p36 and Provides Further Evidence of Loci on Chromosome 4q31 and 6q24. <i>American Journal of Human Genetics</i> , 2005, 77, 1102-1111.	6.2	56
537	Depressionâ€“Executive Dysfunction Syndrome in Stroke Patients. <i>American Journal of Geriatric Psychiatry</i> , 2005, 13, 99-107.	1.2	15
538	Attitudes towards change and treatment outcome in eating disorders. <i>Eating and Weight Disorders</i> , 2005, 10, 59-65.	2.5	16
539	Use of depression rating scales in chronic fatigue syndrome. <i>Journal of Psychosomatic Research</i> , 2005, 59, 181-184.	2.6	27
540	Executive control of working memory in schizophrenia. <i>Psychiatry Research</i> , 2005, 135, 81-90.	3.3	17
541	Hippocampal and ventricular volumes in psychotic and nonpsychotic bipolar patients compared with schizophrenia patients and community control subjects: A pilot study. <i>Biological Psychiatry</i> , 2005, 57, 633-639.	1.3	162
542	Bipolar disorder and polymorphisms in the dysbindin gene (DTNBP1). <i>Biological Psychiatry</i> , 2005, 57, 696-701.	1.3	120
543	MLC1 Gene Is Associated with Schizophrenia and Bipolar Disorder in Southern India. <i>Biological Psychiatry</i> , 2005, 58, 16-22.	1.3	44
544	Evidence for a Relationship Between Genetic Variants at the Brain-Derived Neurotrophic Factor (BDNF) Locus and Major Depression. <i>Biological Psychiatry</i> , 2005, 58, 307-314.	1.3	284
545	Integrated treatment ameliorates negative symptoms in first episode psychosisâ€“results from the Danish OPUS trial. <i>Schizophrenia Research</i> , 2005, 79, 95-105.	2.0	143
546	Investigation of corpus callosum in schizophrenia with diffusion imaging. <i>Schizophrenia Research</i> , 2005, 79, 201-210.	2.0	68
547	Short-term symptomatic and functional outcomes of schizophrenia in Butajira, Ethiopia. <i>Schizophrenia Research</i> , 2005, 78, 171-185.	2.0	60
548	Life Stress, the "Kindling" Hypothesis, and the Recurrence of Depression: Considerations From a Life Stress Perspective.. <i>Psychological Review</i> , 2005, 112, 417-445.	3.8	526
549	Patientsâ€™ feedback after computer-assisted diagnostic interviews for mental disorders. <i>Psychotherapy Research</i> , 2006, 16, 357-363.	1.8	27
550	Somatoform Disorder in Primary Care: Course and the Need for Cognitive-Behavioral Treatment. <i>Psychosomatics</i> , 2006, 47, 498-503.	2.5	46
551	ECNP consensus meeting March 2003 guidelines for the investigation of efficacy in substance use disorders. <i>European Neuropsychopharmacology</i> , 2006, 16, 224-230.	0.7	14

#	ARTICLE	IF	CITATIONS
552	The 2-year stability of neurological soft signs after a first episode of non-affective psychosis. <i>European Psychiatry</i> , 2006, 21, 288-290.	0.2	16
553	Infrequent use of antidepressants in depressed individuals (an interview and prescription database) <i>Tj ETQq1 1 0.784314 rgBJ/Overlo</i>	0.2	27
555	Quality of life and depression in Parkinson's disease. <i>Journal of the Neurological Sciences</i> , 2006, 248, 151-157.	0.6	320
556	Cell cycle alterations in biopsied olfactory neuroepithelium in schizophrenia and bipolar I disorder using cell culture and gene expression analyses. <i>Schizophrenia Research</i> , 2006, 82, 163-173.	2.0	118
557	Perceptual organization in first episode schizophrenia and ultra-high-risk states. <i>Schizophrenia Research</i> , 2006, 83, 41-52.	2.0	49
558	Come in from the cold: A review of the screening and assessment strategies for working with the socially excluded. <i>Clinical Effectiveness in Nursing</i> , 2006, 9, e243-e252.	0.1	0
559	Cognitive functioning and expressed emotion among patients with first-episode severe psychiatric disorders. <i>Comprehensive Psychiatry</i> , 2006, 47, 152-158.	3.1	9
560	Interleukin-1 alpha and beta, TNF-alpha and HTTLPR gene variants study on alcohol toxicity and detoxification outcome. <i>Neuroscience Letters</i> , 2006, 406, 107-112.	2.1	10
561	Life events and clinical subtypes of major depression: A cross-sectional study. <i>Psychiatry Research</i> , 2006, 143, 235-244.	3.3	15
562	The descriptive epidemiology of obsessive-compulsive disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2006, 30, 327-337.	4.8	238
563	Brain-derived neurotrophic factor gene (BDNF) variants and schizophrenia: An association study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2006, 30, 924-933.	4.8	98
564	Convergent Evidence for 2 ^q 3 ^q -Cyclic Nucleotide 3 ^q -Phosphodiesterase as a Possible Susceptibility Gene for Schizophrenia. <i>Archives of General Psychiatry</i> , 2006, 63, 18.	12.3	115
565	Agoraphobia in adults: Incidence and longitudinal relationship with panic. <i>British Journal of Psychiatry</i> , 2006, 188, 432-438.	2.8	54
566	Obstetric variables associated with bipolar affective puerperal psychosis. <i>British Journal of Psychiatry</i> , 2006, 188, 32-36.	2.8	88
567	Self-reported psychotic symptoms in the general population. <i>British Journal of Psychiatry</i> , 2006, 188, 519-526.	2.8	214
568	Genetics of panic disorder on the Faroe Islands: a replication study of chromosome 9 and panic disorder. <i>Psychiatric Genetics</i> , 2006, 16, 99-104.	1.1	6
569	The diagnostic interview for psychoses (DIP): development, reliability and applications. <i>Psychological Medicine</i> , 2006, 36, 69-80.	4.5	314
570	Self-reported and neuropsychological measures of impulsivity in pathological gambling. <i>Journal of the International Neuropsychological Society</i> , 2006, 12, 907-12.	1.8	98

#	ARTICLE	IF	CITATIONS
571	Event attributes and the content of psychotic experiences in first-episode psychosis. <i>Psychological Medicine</i> , 2006, 36, 221-230.	4.5	67
572	The influence of adversity and perceived social support on the outcome of major depressive disorder in subjects with different levels of depressive symptoms. <i>Psychological Medicine</i> , 2006, 36, 779-788.	4.5	85
573	Incidence of schizophrenia and other psychoses in ethnic minority groups: results from the MRC AESOP Study. <i>Psychological Medicine</i> , 2006, 36, 1541-1550.	4.5	433
574	Physical activity, diet and gene-environment interactions in relation to body mass index and waist circumference: The Swedish Young Male Twins Study. <i>Public Health Nutrition</i> , 2006, 9, 851-858.	2.2	48
575	Genetic variation of brain-derived neurotrophic factor (BDNF) in bipolar disorder. <i>British Journal of Psychiatry</i> , 2006, 188, 21-25.	2.8	126
577	Persistence with polypharmacy and excessive dosing in patients with schizophrenia treated in four European countries. <i>International Clinical Psychopharmacology</i> , 2006, 21, 355-362.	1.7	73
578	Determinants of Functional Disability and Social Adjustment in Major Depressive Disorder. <i>Journal of Nervous and Mental Disease</i> , 2006, 194, 570-576.	1.0	44
579	Determinants of first- and second-generation antipsychotic drug use in clinically unstable patients with schizophrenia treated in four European countries. <i>International Clinical Psychopharmacology</i> , 2006, 21, 73-79.	1.7	9
580	Delayed early proprioceptive information processing in schizophrenia. <i>British Journal of Psychiatry</i> , 2006, 189, 558-559.	2.8	12
581	Variation at the DAOA/G30 Locus Influences Susceptibility to Major Mood Episodes but Not Psychosis in Schizophrenia and Bipolar Disorder. <i>Archives of General Psychiatry</i> , 2006, 63, 366.	12.3	138
582	Adherence therapy for people with schizophrenia. <i>British Journal of Psychiatry</i> , 2006, 189, 508-514.	2.8	155
583	Reliability and psychometric properties of the Greek translation of the State-Trait Anxiety Inventory form Y: preliminary data. <i>Annals of General Psychiatry</i> , 2006, 5, 2.	2.7	179
584	The relationship between stress and quality of life in psychiatric outpatients. <i>Stress and Health</i> , 2006, 22, 249-255.	2.6	6
585	Can personality traits help us explain disability in chronic schizophrenia?. <i>Psychiatry and Clinical Neurosciences</i> , 2006, 60, 538-545.	1.8	31
586	Prospective investigations of the prodromal state of schizophrenia: review of studies. <i>Acta Psychiatrica Scandinavica</i> , 2006, 113, 247-272.	4.5	130
587	Randomized controlled trial of a cannabis-focused intervention for young people with first-episode psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2006, 114, 109-117.	4.5	136
588	Positional cloning, association analysis and expression studies provide convergent evidence that the cadherin gene FAT contains a bipolar disorder susceptibility allele. <i>Molecular Psychiatry</i> , 2006, 11, 372-383.	7.9	59
589	Quality of life in HIV subtype C infection among asymptomatic subjects and its association with CD4 counts and viral loads - a study from South India. <i>Quality of Life Research</i> , 2006, 15, 1597-1605.	3.1	43

#	ARTICLE	IF	CITATIONS
590	Social network among young adults with first-episode schizophrenia spectrum disorders. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2006, 41, 761-770.	3.1	55
591	Personality disorders in rapists and murderers from a maximum security prison in Brazil. <i>International Journal of Law and Psychiatry</i> , 2006, 29, 361-369.	0.9	8
592	Symptomatic and functional outcome of bipolar disorder in Butajira, Ethiopia. <i>Journal of Affective Disorders</i> , 2006, 90, 239-249.	4.1	41
593	Can adjustment disorder and depressive episode be distinguished? Results from ODIN. <i>Journal of Affective Disorders</i> , 2006, 92, 291-297.	4.1	94
594	Decline in suicidal ideation among patients with MDD is preceded by decline in depression and hopelessness. <i>Journal of Affective Disorders</i> , 2006, 95, 95-102.	4.1	58
595	Phenotypic variation between parent-offspring trios and non-trios in genetic studies of schizophrenia. <i>Journal of Psychiatric Research</i> , 2006, 40, 622-626.	3.1	6
596	MRI findings and Axis I and II psychiatric disorders after traumatic brain injury: A 30-year retrospective follow-up study. <i>Psychiatry Research - Neuroimaging</i> , 2006, 146, 263-270.	1.8	25
597	Morphological correlates to cognitive dysfunction in schizophrenia as studied with Bayesian regression. <i>BMC Psychiatry</i> , 2006, 6, 31.	2.6	47
598	Schizophrenia and quality of life: a one-year follow-up in four EU countries. <i>BMC Psychiatry</i> , 2006, 6, 39.	2.6	22
599	Relationship between mood related disorders and quality of life in a population of Dutch adult psychiatric outpatients. <i>Depression and Anxiety</i> , 2006, 23, 353-363.	4.1	21
600	Provisional diagnostic criteria for depression in Parkinson's disease: Report of an NINDS/NIMH Work Group. <i>Movement Disorders</i> , 2006, 21, 148-158.	3.9	312
601	Concordance of the Composite International Diagnostic Interview Version 3.0 (CIDI 3.0) with standardized clinical assessments in the WHO World Mental Health Surveys. <i>International Journal of Methods in Psychiatric Research</i> , 2006, 15, 167-180.	2.1	949
602	BDNF gene variants and brain morphology in schizophrenia. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2006, 141B, 513-523.	1.7	70
603	What Is Familial About Familial Bipolar Disorder?. <i>Archives of General Psychiatry</i> , 2006, 63, 1368-76.	12.3	98
604	Prevalence of Psychiatric Disorders in an Italian Town: Low Prevalence Confirmed with Two Different Interviews. <i>Psychotherapy and Psychosomatics</i> , 2006, 75, 170-176.	8.8	19
605	New-Onset Bipolar Disorder in Late Life: A Case of Mistaken Identity. <i>American Journal of Psychiatry</i> , 2006, 163, 198-203.	7.2	27
606	Needs for care among patients with schizophrenia in six European countries: a one-year follow-up study. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2006, 2, 22.	1.2	12
607	Specialised care for early psychosis: Symptoms, social functioning and patient satisfaction. <i>British Journal of Psychiatry</i> , 2006, 188, 37-45.	2.8	183

#	ARTICLE	IF	CITATIONS
608	Proximal Psychiatric Risk Factors for Suicidality in Youth. Archives of General Psychiatry, 2006, 63, 1017.	12.3	271
609	Association of Brain-Specific Tryptophan Hydroxylase, TPH2, With Unipolar and Bipolar Disorder in a Northern Swedish, Isolated Population. Archives of General Psychiatry, 2006, 63, 1103.	12.3	98
610	Quality of Life and Psychopathology: Investigations into their Relationship. Australian and New Zealand Journal of Psychiatry, 2006, 40, 333-340.	2.3	39
611	A pilot study of positive mood induction in euthymic bipolar subjects compared with healthy controls. Psychological Medicine, 2006, 36, 1213-1218.	4.5	49
612	Meditation therapy for anxiety disorders. The Cochrane Library, 2006, , CD004998.	2.8	87
613	Prevalence and correlates of personality disorder in Great Britain. British Journal of Psychiatry, 2006, 188, 423-431.	2.8	778
614	Work-Related Subjective Experiences, Work-Related Self-Efficacy, and Career Learning Among People with Psychiatric Disabilities. American Journal of Psychiatric Rehabilitation, 2007, 10, 275-300.	0.7	30
615	The Effects of Increased Central Serotonergic Activity on Prepulse Inhibition and Habituation of the Human Startle Response. Neuropsychopharmacology, 2007, 32, 2117-2124.	5.4	28
616	Rates and correlates of employment in people with schizophrenia in the UK, France and Germany. British Journal of Psychiatry, 2007, 191, 30-37.	2.8	294
618	Associations of blood levels of insulin-like growth factor (IGF)-I, IGF-II and IGF binding protein (IGFBP)-3 in schizophrenic Arab subjects. Clinical Chemistry and Laboratory Medicine, 2007, 45, 1229-31.	2.3	21
619	Professionalizing the role of appropriate adults. Journal of Forensic Psychiatry and Psychology, 2007, 18, 99-119.	1.0	3
620	Classifying Socially-Valued Role Functioning Among Community Residents with Psychiatric Disorders. American Journal of Psychiatric Rehabilitation, 2007, 10, 185-221.	0.7	26
621	Relationships between Social Functioning and Quality of Life in a Population of Dutch Adult Psychiatric Outpatients. International Journal of Social Psychiatry, 2007, 53, 36-47.	3.1	35
622	Depression and Social Phobia Secondary to Alcohol Dependence. Neuropsychobiology, 2007, 56, 111-118.	1.9	7
623	Clinical presentation of postnatal and non-postnatal depressive episodes. Psychological Medicine, 2007, 37, 1273-1280.	4.5	27
624	Burden on caregivers of people with schizophrenia: Comparison between Germany and Britain. British Journal of Psychiatry, 2007, 190, 333-338.	2.8	108
625	A glossary on psychiatric epidemiology. Journal of Epidemiology and Community Health, 2007, 61, 185-189.	3.7	11
626	Suppression of Prepotent Motor Responses Implicate Frontostriatal Dysfunction in Schizophrenia and Its Subtypes. Brain Impairment, 2007, 8, 1-9.	0.7	5

#	ARTICLE	IF	CITATIONS
627	Testing the self-medication hypothesis of depression and aggression in cannabis-dependent subjects. <i>Psychological Medicine</i> , 2007, 37, 935-945.	4.5	103
628	Genotype effects of <i>CHRNA7, CNR1</i> and <i>COMT</i> in schizophrenia: interactions with tobacco and cannabis use. <i>British Journal of Psychiatry</i> , 2007, 191, 402-407.	2.8	164
629	Gaze strategies during planning in first-episode psychosis.. <i>Journal of Abnormal Psychology</i> , 2007, 116, 589-598.	1.9	20
630	Bipolar Affective Puerperal Psychosis: Genome-Wide Significant Evidence for Linkage to Chromosome 16. <i>American Journal of Psychiatry</i> , 2007, 164, 1099-1104.	7.2	77
631	The effects of imipramine on P50 suppression, prepulse inhibition and habituation of the startle response in humans. <i>International Journal of Neuropsychopharmacology</i> , 2007, 10, 787-95.	2.1	22
632	Differentiation of executive and attention impairments in affective illness. <i>Psychological Medicine</i> , 2007, 37, 1613-1623.	4.5	21
633	Predictive value of cognition for different domains of outcome in recent-onset schizophrenia. <i>Psychiatry Research</i> , 2007, 149, 71-80.	3.3	85
634	The relationship between dimensional personality models and quality of life in psychiatric outpatients. <i>Psychiatry Research</i> , 2007, 149, 81-88.	3.3	50
635	Negative association between a history of obstetric complications and the number of neurological soft signs in first-episode schizophrenic disorder. <i>Psychiatry Research</i> , 2007, 149, 273-277.	3.3	8
636	Amisulpride-induced hyperprolactinemia is reversible following discontinuation. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2007, 31, 92-96.	4.8	37
637	Abnormal brain connectivity in first-episode psychosis: A diffusion MRI tractography study of the corpus callosum. <i>NeuroImage</i> , 2007, 35, 458-466.	4.2	111
638	Performance Characteristics of Depression Screening Instruments in Survivors of Acute Myocardial Infarction: Review of the Evidence. <i>Psychosomatics</i> , 2007, 48, 185-194.	2.5	36
639	Comparative genome hybridization suggests a role for NRXN1 and APBA2 in schizophrenia. <i>Human Molecular Genetics</i> , 2007, 17, 458-465.	2.9	344
640	Case identification in psychiatric epidemiology: A review. <i>International Review of Psychiatry</i> , 2007, 19, 497-507.	2.8	62
641	Psychiatric epidemiology: Challenges and opportunities. <i>International Review of Psychiatry</i> , 2007, 19, 509-521.	2.8	29
642	Potential genetic variants in schizophrenia: A Bayesian analysis. <i>World Journal of Biological Psychiatry</i> , 2007, 8, 12-22.	2.6	26
643	Underlying dimensions of ICD-10 personality disorders: Risk factors, childhood antecedents, and adverse outcomes in adulthood. <i>Journal of Forensic Psychiatry and Psychology</i> , 2007, 18, 44-58.	1.0	21
644	Insight in individuals with an At Risk Mental State [†] . <i>Schizophrenia Research</i> , 2007, 90, 238-244.	2.0	42

#	ARTICLE	IF	CITATIONS
645	Association analysis of AKT1 and schizophrenia in a UK case control sample. <i>Schizophrenia Research</i> , 2007, 93, 58-65.	2.0	56
646	A prospective study of Quality of life in schizophrenia in three European countries. <i>Schizophrenia Research</i> , 2007, 93, 194-202.	2.0	61
647	Frequency and predictive values of first rank symptoms at baseline among 362 young adult patients with first-episode schizophrenia. <i>Schizophrenia Research</i> , 2007, 97, 60-67.	2.0	19
648	Association analysis of the glial cell line-derived neurotrophic factor (GDNF) gene in schizophrenia. <i>Schizophrenia Research</i> , 2007, 97, 271-276.	2.0	19
649	Hippocampal Volume and Mood Disorders After Traumatic Brain Injury. <i>Biological Psychiatry</i> , 2007, 62, 332-338.	1.3	104
650	Gender Differences in Young Adults With First-Episode Schizophrenia Spectrum Disorders at Baseline in the Danish OPUS Study. <i>Journal of Nervous and Mental Disease</i> , 2007, 195, 396-405.	1.0	158
651	Pathological gambling and obsessive-compulsive disorder: towards a spectrum of disorders of volition. <i>Revista Brasileira De Psiquiatria</i> , 2007, 29, 107-117.	1.7	55
652	Psychiatric epidemiology and its contributions to cultural psychiatry. , 2007, , 157-168.		2
653	IGF1, growth pathway polymorphisms and schizophrenia: A pooling study. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2007, 144B, 117-120.	1.7	18
654	Interrelationship of childhood trauma, neuroticism, and depressive phenotype. <i>Depression and Anxiety</i> , 2007, 24, 163-168.	4.1	42
655	Associations of blood homocysteine concentrations in Arab schizophrenic patients. <i>Clinical Biochemistry</i> , 2007, 40, 1026-1031.	1.9	32
656	Genome-wide association study of 14,000 cases of seven common diseases and 3,000 shared controls. <i>Nature</i> , 2007, 447, 661-678.	27.8	8,895
657	Reductions in cannabis and other illicit substance use between treatment entry and early recovery in patients with first-episode psychosis. <i>Microbial Biotechnology</i> , 2007, 1, 259-266.	1.7	22
658	Employment functioning and disability among community residents with bipolar affective disorder: results from an Australian community survey. <i>Bipolar Disorders</i> , 2007, 9, 166-182.	1.9	40
659	'Needs expressed' and 'offers of care': an observational study of mothers with somatisation disorder and their children. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2007, 48, 97-104.	5.2	10
660	Predictors of long-term work disability in Major Depressive Disorder: a prospective study. <i>Acta Psychiatrica Scandinavica</i> , 2007, 115, 206-213.	4.5	45
661	Personality traits in unaffected twins discordant for affective disorder. <i>Acta Psychiatrica Scandinavica</i> , 2007, 115, 442-450.	4.5	16
662	Low episodic memory performance as a premorbid marker of depression: evidence from a 3-year follow-up. <i>Acta Psychiatrica Scandinavica</i> , 2007, 115, 458-465.	4.5	66

#	ARTICLE	IF	CITATIONS
663	Why people do not take their psychotropic drugs as prescribed: results of the 2000 National Psychiatric Morbidity Survey. <i>Acta Psychiatrica Scandinavica</i> , 2007, 116, 47-53.	4.5	65
664	Chernobyl exposure as stressor during pregnancy and behaviour in adolescent offspring. <i>Acta Psychiatrica Scandinavica</i> , 2007, 116, 438-446.	4.5	77
665	Comparison of depressive indices: Reliability, validity, relationship to anxiety and personality and the role of age and life events. <i>Journal of Affective Disorders</i> , 2007, 97, 187-195.	4.1	50
666	Quality of life in unaffected twins discordant for affective disorder. <i>Journal of Affective Disorders</i> , 2007, 99, 133-138.	4.1	4
667	Is it possible to predict the long-term response to venlafaxine with the use of biological markers and psychophysiological methods?. <i>Journal of Affective Disorders</i> , 2007, 99, 155-163.	4.1	7
668	Development of a retrospective interview measure of parental maltreatment using the Childhood Experience of Care and Abuse (CECA) instrument â€” A life-course study of adult chronic depression â€” 1. <i>Journal of Affective Disorders</i> , 2007, 103, 205-215.	4.1	60
669	Validity of retrospective measures of early maltreatment and depressive episodes using the Childhood Experience of Care and Abuse (CECA) instrument â€” A life-course study of adult chronic depression â€” 2. <i>Journal of Affective Disorders</i> , 2007, 103, 217-224.	4.1	73
670	Child-specific and family-wide risk factors using the retrospective Childhood Experience of Care & Abuse (CECA) instrument: A life-course study of adult chronic depression â€” 3. <i>Journal of Affective Disorders</i> , 2007, 103, 225-236.	4.1	23
671	Progressive atrophy of the frontal lobes in first-episode schizophrenia: interaction with clinical course and neuroleptic treatment. <i>Acta Psychiatrica Scandinavica</i> , 2007, 100, 367-374.	4.5	61
672	Physiology and pathology of eye-head coordination. <i>Progress in Retinal and Eye Research</i> , 2007, 26, 486-515.	15.5	50
673	Normal pituitary volumes in chronic schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2007, 154, 41-48.	1.8	28
674	Subclinical psychopathology and socio-economic status in unaffected twins discordant for affective disorder. <i>Journal of Psychiatric Research</i> , 2007, 41, 229-238.	3.1	27
675	Assessment of cerebral blood volume in schizophrenia: A magnetic resonance imaging study. <i>Journal of Psychiatric Research</i> , 2007, 41, 502-510.	3.1	25
676	Bipolar I patients with and without a history of psychotic symptoms: Do they differ in their cognitive functioning?. <i>Journal of Psychiatric Research</i> , 2007, 41, 265-272.	3.1	89
677	M129V variation in the prion protein gene and psychotic disorders: Relationship to neuropsychological and psychopathological measures. <i>Journal of Psychiatric Research</i> , 2007, 41, 885-892.	3.1	9
678	Prevalence of mental disorders based on general population surveys. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2007, 42, 537-546.	3.1	160
679	Residential area and social contacts in schizophrenia. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2007, 42, 617-622.	3.1	18
680	Predictors of quality of life: A model based study. <i>Quality of Life Research</i> , 2007, 16, 309-320.	3.1	15

#	ARTICLE	IF	CITATIONS
681	The Rotterdam Study: objectives and design update. <i>European Journal of Epidemiology</i> , 2007, 22, 819-829.	5.7	644
682	Dopamine Genes and Pathological Gambling in Discordant Sib-Pairs. <i>Journal of Gambling Studies</i> , 2007, 23, 421-433.	1.6	111
683	No "latent period"™ in the onset of bipolar affective puerperal psychosis. <i>Archives of Women's Mental Health</i> , 2007, 10, 79-81.	2.6	57
684	Cerebral atrophy and white matter disruption in chronic schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2007, 257, 3-11.	3.2	32
685	Unemployment, social isolation, achievement" expectation mismatch and psychosis: findings from the ÅT SOP Study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2008, 43, 743-751.	3.1	84
686	The distribution of psychopathy among a household population: categorical or dimensional?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2008, 43, 773-781.	3.1	37
687	The effects of increased serotonergic activity on human sensory gating and its neural generators. <i>Psychopharmacology</i> , 2008, 196, 631-641.	3.1	33
688	Is the perimenopause a time of increased risk of recurrence in women with a history of bipolar affective postpartum psychosis? A case series. <i>Archives of Women's Mental Health</i> , 2008, 11, 75-78.	2.6	26
689	Association study in the 5q31-32 linkage region for schizophrenia using pooled DNA genotyping. <i>BMC Psychiatry</i> , 2008, 8, 11.	2.6	26
690	Design paper: The CapOpus trial: A randomized, parallel-group, observer-blinded clinical trial of specialized addiction treatment versus treatment as usual for young patients with cannabis abuse and psychosis. <i>Trials</i> , 2008, 9, 42.	1.6	13
691	Detecting lifetime alcohol problems in individuals referred for liver transplantation for nonalcoholic liver failure. <i>Liver Transplantation</i> , 2008, 14, 1609-1613.	2.4	30
692	Sex differences in symptom patterns of recurrent major depression in siblings. <i>Depression and Anxiety</i> , 2008, 25, 527-534.	4.1	21
693	No association with the 5,10"methylenetetrahydrofolate reductase gene and major depressive disorder: Results of the depression case control (DeCC) study and a meta" analysis. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008, 147B, 699-706.	1.7	59
694	Comprehensive analysis of tagging sequence variants in <i>DTNBP1</i> shows no association with schizophrenia or with its composite neurocognitive endophenotypes. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008, 147B, 1159-1166.	1.7	31
695	A network of dopaminergic gene variations implicated as risk factors for schizophrenia. <i>Human Molecular Genetics</i> , 2008, 17, 747-758.	2.9	124
696	The effectiveness of peer support groups in psychosis: a randomized controlled trial. <i>Acta Psychiatrica Scandinavica</i> , 2008, 118, 64-72.	4.5	139
697	Does a detection team shorten duration of untreated psychosis?. <i>Microbial Biotechnology</i> , 2008, 2, 22-26.	1.7	7
698	Early postpartum symptoms in puerperal psychosis. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2008, 115, 348-353.	2.3	102

#	ARTICLE	IF	CITATIONS
699	Decision support in psychiatry – a comparison between the diagnostic outcomes using a computerized decision support system versus manual diagnosis. BMC Medical Informatics and Decision Making, 2008, 8, 9.	3.0	13
700	Differences in depressive symptom profile between males and females. Journal of Affective Disorders, 2008, 108, 279-284.	4.1	74
701	Neurocognitive and clinical predictors of functional outcome in patients with schizophrenia and bipolar I disorder at one-year follow-up. Journal of Affective Disorders, 2008, 109, 286-299.	4.1	256
702	Increased fronto-temporal perfusion in bipolar disorder. Journal of Affective Disorders, 2008, 110, 106-114.	4.1	28
703	Parental maltreatment and adulthood cohabiting partnerships: A life-course study of adult chronic depression – 4. Journal of Affective Disorders, 2008, 110, 115-125.	4.1	27
704	Parental maltreatment and proximal risk factors using the Childhood Experience of Care & Abuse (CECA) instrument: A life-course study of adult chronic depression – 5. Journal of Affective Disorders, 2008, 110, 222-233.	4.1	60
705	Examining encoding imprecision in spatial working memory in schizophrenia. Schizophrenia Research, 2008, 100, 144-152.	2.0	44
706	Cognitive deficits in early-onset schizophrenia spectrum patients and their non-psychotic siblings: A comparison with ADHD. Schizophrenia Research, 2008, 99, 85-95.	2.0	68
707	Different psychological effects of cannabis use in adolescents at genetic high risk for schizophrenia and with attention deficit/hyperactivity disorder (ADHD). Schizophrenia Research, 2008, 105, 216-223.	2.0	24
708	Psychosocial interventions for people with both severe mental illness and substance misuse. , 2008, , CD001088.		104
709	Inducción a buprenorfina sublingual desde metadona: estudio clínico descriptivo en una muestra de pacientes tratados en una comunidad terapéutica. Trastornos Adictivos, 2008, 10, 49-64.	0.1	4
710	Event-Related Potentials in Adolescents with Schizophrenia and Their Siblings: A Comparison with Attention-Deficit/Hyperactivity Disorder. Biological Psychiatry, 2008, 63, 784-792.	1.3	69
711	Support for Neuregulin 1 as a Susceptibility Gene for Bipolar Disorder and Schizophrenia. Biological Psychiatry, 2008, 64, 419-427.	1.3	104
712	The Opioid Peptides Enkephalin and β -Endorphin in Alcohol Dependence. Biological Psychiatry, 2008, 64, 989-997.	1.3	64
713	Social phobia with sudden onset – Post-panic social phobia?. Journal of Anxiety Disorders, 2008, 22, 684-692.	3.2	3
714	SF-36 scales, and simple sums of scales, were reliable quality-of-life summaries for patients with schizophrenia. Journal of Clinical Epidemiology, 2008, 61, 588-596.	5.0	34
715	Salivary cortisol in unaffected twins discordant for affective disorder. Psychiatry Research, 2008, 161, 292-301.	3.3	30
716	Prevalence and correlates of hoarding behavior in a community-based sample. Behaviour Research and Therapy, 2008, 46, 836-844.	3.1	360

#	ARTICLE	IF	CITATIONS
717	Does areca nut use lead to dependence?. Drug and Alcohol Dependence, 2008, 97, 114-121.	3.2	78
718	Cannabis and schizophrenia. , 2008, , CD004837.		20
719	Divergent effects of increased serotonergic activity on psychophysiological parameters of human attention. International Journal of Neuropsychopharmacology, 2008, 11, 453-63.	2.1	51
720	Detecting personality disorders in the prison population of England and Wales: comparing case identification using the SCID-II screen and the SCID-II clinical interview. Journal of Forensic Psychiatry and Psychology, 2008, 19, 301-322.	1.0	53
721	Diagnosing adjustment disorder with depressive features. Expert Review of Neurotherapeutics, 2008, 8, 1203-1208.	2.8	8
722	Five-Year Follow-up of a Randomized Multicenter Trial of Intensive Early Intervention vs Standard Treatment for Patients With a First Episode of Psychotic Illness. Archives of General Psychiatry, 2008, 65, 762.	12.3	399
723	Externally assessed psychosocial work characteristics and diagnoses of anxiety and depression. Occupational and Environmental Medicine, 2008, 65, 90-96.	2.8	57
724	Strong evidence that GNB1L is associated with schizophrenia. Human Molecular Genetics, 2008, 17, 555-566.	2.9	64
725	The mini-mental state examination: Age and education distribution for a Latin American population. Aging and Mental Health, 2008, 12, 66-71.	2.8	11
726	Effects of a functional COMT polymorphism on brain anatomy and cognitive function in adults with velo-cardio-facial syndrome. Psychological Medicine, 2008, 38, 89-100.	4.5	39
727	Urban residence, victimhood and the appraisal of personal safety in people with schizophrenia: results from the European Schizophrenia Cohort (EuroSC). Psychological Medicine, 2008, 38, 591-597.	4.5	37
728	Clinical differences between bipolar and unipolar depression. British Journal of Psychiatry, 2008, 192, 388-389.	2.8	118
729	Incidence and Recurrence of Late-Life Depression. Archives of General Psychiatry, 2008, 65, 1394.	12.3	159
730	Raised Incidence Rates of All Psychoses Among Migrant Groups. Archives of General Psychiatry, 2008, 65, 1250.	12.3	189
731	Medical disorders in people with recurrent depression. British Journal of Psychiatry, 2008, 192, 351-355.	2.8	109
732	Attributional style and depression. British Journal of Psychiatry, 2008, 192, 275-278.	2.8	23
733	Brain-derived neurotrophic factor polymorphisms and frontal cortex morphology in schizophrenia. Psychiatric Genetics, 2008, 18, 177-183.	1.1	27
734	Correlates of Subjective Quality of Life in People With Schizophrenia. Journal of Nervous and Mental Disease, 2008, 196, 87-94.	1.0	83

#	ARTICLE	IF	CITATIONS
735	The Influence of Major Depressive Disorder on Objective and Subjective Social Support. Journal of Nervous and Mental Disease, 2008, 196, 876-883.	1.0	27
736	Assessment of Medication Adherence in Patients With Schizophrenia. Journal of Nervous and Mental Disease, 2008, 196, 274-281.	1.0	46
737	Whither DSM and ICD, Chapter V?. Mental Health Review Journal, 2008, 13, 4-15.	0.7	19
738	Development of a Standardized Scoring Method for the Graphic Sequence Test Suitable for Use in Psychiatric Populations. Cognitive and Behavioral Neurology, 2008, 21, 18-27.	0.9	8
739	Current approaches to classification. , 2008, , 39-52.		0
740	Affective disorders. , 0, , 250-283.		3
741	CLASSIFICATION AND ASSESSMENT OF SUBSTANCE USE DISORDERS IN ADOLESCENTS. , 2008, , 17-57.		0
742	High Prevalence of Eating Disorders in Narcolepsy with Cataplexy: A Case-Control Study. Sleep, 2008, 31, 335-341.	1.1	91
743	Maintenance pharmacotherapy for recurrent major depressive disorder: 5-year follow-up study. British Journal of Psychiatry, 2008, 193, 163-164.	2.8	13
744	Late- versus early-onset geriatric depression in a memory research center. Neuropsychiatric Disease and Treatment, 2009, 5, 517.	2.2	39
745	Epistasis between IL1A, IL1B, TNF, HTR2A, 5-HTTLPR and TPH2 Variations Does Not Impact Alcohol Dependence Disorder Features. International Journal of Environmental Research and Public Health, 2009, 6, 1980-1990.	2.6	10
746	Patterns of neurocognitive impairment in first-episode bipolar disorder and schizophrenia. British Journal of Psychiatry, 2009, 195, 67-72.	2.8	76
747	Determinants of wanting to seek full versus part-time paid employment among people with severe mental illness. Journal of Mental Health, 2009, 18, 424-432.	1.9	0
748	Impaired conscious and preserved unconscious inhibitory processing in recent onset schizophrenia. Psychological Medicine, 2009, 39, 907-916.	4.5	52
749	Support for the involvement of large copy number variants in the pathogenesis of schizophrenia. Human Molecular Genetics, 2009, 18, 1497-1503.	2.9	378
750	The effect of positive mood induction on emotional processing in euthymic individuals with bipolar disorder and controls. Psychological Medicine, 2009, 39, 785-791.	4.5	48
751	Apolipoprotein E Polymorphism and Clinical Disease Phenotypes in Arab Patients with Schizophrenia. Neuropsychobiology, 2009, 60, 67-72.	1.9	13
752	Adjustment Disorder with Depressed Mood. Psychopathology, 2009, 42, 139-147.	1.5	78

#	ARTICLE	IF	CITATIONS
753	Comparison of Patient and Clinician Perspectives in the Assessment of Antipsychotic Medication Adherence. <i>Psychopathology</i> , 2009, 42, 311-317.	1.5	28
754	Stroop-test interference in bipolar disorder. <i>British Journal of Psychiatry</i> , 2009, 194, 285-286.	2.8	29
755	Validity of the diagnosis of a single depressive episode in a case register. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2009, 5, 4.	1.2	161
756	Altered Effect of Dopamine Transporter 3'UTR VNTR Genotype on Prefrontal and Striatal Function in Schizophrenia. <i>Archives of General Psychiatry</i> , 2009, 66, 1162.	12.3	37
757	Paternal age and common mental disorders. <i>World Journal of Biological Psychiatry</i> , 2009, 10, 518-523.	2.6	14
758	Predictors of employment status change over 2 years in people with schizophrenia living in Europe. <i>Epidemiology and Psychiatric Sciences</i> , 2009, 18, 344-351.	3.9	27
759	Diagnostic Accuracy of Spanish Language Depression-Screening Instruments. <i>Annals of Family Medicine</i> , 2009, 7, 455-462.	1.9	75
760	The BDNF Val66Met polymorphism: Relation to familiar risk of affective disorder, BDNF levels and salivary cortisol. <i>Psychoneuroendocrinology</i> , 2009, 34, 1380-1389.	2.7	46
761	Psychotic symptoms in narcolepsy: phenomenology and a comparison with schizophrenia. <i>General Hospital Psychiatry</i> , 2009, 31, 146-154.	2.4	76
762	Prevalence and correlates of psychopathic traits in the household population of Great Britain. <i>International Journal of Law and Psychiatry</i> , 2009, 32, 65-73.	0.9	259
763	Psychopathy among prisoners in England and Wales. <i>International Journal of Law and Psychiatry</i> , 2009, 32, 134-141.	0.9	140
764	A multifactorial developmental model for the etiology of Major Depression in a population-based sample. <i>Journal of Affective Disorders</i> , 2009, 113, 66-76.	4.1	30
765	Relationships of neuroticism and extraversion with axis I and II comorbidity among patients with DSM-IV major depressive disorder. <i>Journal of Affective Disorders</i> , 2009, 114, 110-121.	4.1	44
766	Is depression severity the sole cause of psychotic symptoms during an episode of unipolar major depression? A study both between and within subjects. <i>Journal of Affective Disorders</i> , 2009, 114, 103-109.	4.1	29
767	Identifying hypomanic features in major depressive disorder using the hypomania checklist (HCL-32). <i>Journal of Affective Disorders</i> , 2009, 114, 68-73.	4.1	52
768	Age-at-onset in bipolar-I disorder: Mixture analysis of 1369 cases identifies three distinct clinical sub-groups. <i>Journal of Affective Disorders</i> , 2009, 116, 23-29.	4.1	75
769	Interaction between genetic polymorphisms and stressful life events in first episode depression. <i>Journal of Affective Disorders</i> , 2009, 119, 107-115.	4.1	84
770	Childhood abuse and the content of delusions. <i>Child Abuse and Neglect</i> , 2009, 33, 205-208.	2.6	8

#	ARTICLE	IF	CITATIONS
771	Health-Seeking Behavior for Psychiatric Disorders in North India. , 0, , 149-166.		7
772	Bipolar disorder in the Bulgarian Gypsies: Genetic heterogeneity in a young founder population. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2009, 150B, 191-201.	1.7	11
773	Convergent patterns of association between phenylalanine hydroxylase variants and schizophrenia in four independent samples. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2009, 150B, 560-569.	1.7	15
774	Association of the dystrobrevin binding protein 1 gene (<i>DTNBP1</i>) in a bipolar caseâ€“control study (BACCS). American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2009, 150B, 836-844.	1.7	33
775	Evidence that putative ADHD low risk alleles at<i>SNAP25</i> may increase the risk of schizophrenia. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2009, 150B, 893-899.	1.7	31
776	<i>P2RX7</i>: A bipolar and unipolar disorder candidate susceptibility gene?. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2009, 150B, 1063-1069.	1.7	59
777	<i>NRG1</i> gene in recurrent major depression: No association in a largeâ€“scale caseâ€“control association study. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2010, 153B, 141-147.	1.7	2
778	Mutation screening of the <i>DTNBP1</i> exonic sequence in 669 schizophrenics and 710 controls using highâ€“resolution melting analysis. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2010, 153B, 766-774.	1.7	6
779	Neuroticism, introversion, and major depressive disorder-traits, states, or scars?. Depression and Anxiety, 2009, 26, 325-334.	4.1	60
780	Implications of long-term conditions for both mental and physical health: comparison of rheumatoid arthritis and schizophrenia. Quality of Life Research, 2009, 18, 699-707.	3.1	10
781	The Rotterdam Study: 2010 objectives and design update. European Journal of Epidemiology, 2009, 24, 553-572.	5.7	235
782	Predictors of general quality of life and the mediating role of health related quality of life in patients with schizophrenia. Social Psychiatry and Psychiatric Epidemiology, 2009, 44, 361-368.	3.1	31
783	Do stressful life events predict medical treatment outcome in first episode of depression?. Social Psychiatry and Psychiatric Epidemiology, 2009, 44, 752-760.	3.1	20
784	Rationale and design of the participant, investigator, observer, and data-analyst-blinded randomized AGENDA trial on associations between gene-polymorphisms, endophenotypes for depression and antidepressive intervention: the effect of escitalopram versus placebo on the combined dexamethasone-corticotrophine releasing hormone test and other potential endophenotypes in healthy first-degree relatives of persons with depression. Trials, 2009, 10, 66.	1.6	13
785	The role of intrusive and other recent life events on symptomatology in relapses of schizophrenia: a community nursing investigation. Journal of Psychiatric and Mental Health Nursing, 2009, 16, 685-693.	2.1	11
786	A genome-wide association study in 574 schizophrenia trios using DNA pooling. Molecular Psychiatry, 2009, 14, 796-803.	7.9	133
787	Sideâ€“effects of antipsychotic medication and healthâ€“related quality of life in schizophrenia. Acta Psychiatrica Scandinavica, 2009, 119, 22-28.	4.5	54
788	Subâ€“threshold manic symptoms in recurrent major depressive disorder are a marker for poor outcome. Acta Psychiatrica Scandinavica, 2009, 119, 325-329.	4.5	46

#	ARTICLE	IF	CITATIONS
789	Predictors of psychological morbidity in liver transplant assessment candidates: is alcohol abuse or dependence a factor?. <i>Transplant International</i> , 2009, 22, 606-614.	1.6	17
790	Polarity at illness onset in bipolar I disorder and clinical course of illness. <i>Bipolar Disorders</i> , 2009, 11, 82-88.	1.9	56
791	Clinical characteristics of unipolar disorder and bipolar disorder according to the lifetime presence of recurrent panic attacks. <i>Bipolar Disorders</i> , 2009, 11, 307-315.	1.9	4
792	Moodâ€incongruent psychosis in bipolar disorder: conditional linkage analysis shows genomeâ€wide suggestive linkage at 1q32.3, 7p13 and 20q13.31. <i>Bipolar Disorders</i> , 2009, 11, 610-620.	1.9	23
793	Predictors of poor adherence to medication among patients with firstâ€episode schizophreniaâ€spectrum disorder. <i>Microbial Biotechnology</i> , 2009, 3, 66-74.	1.7	38
794	Improving detection of firstâ€episode psychosis by mental healthâ€care services using a selfâ€report questionnaire. <i>Microbial Biotechnology</i> , 2009, 3, 289-295.	1.7	21
795	Depression, Migraine With Aura and Migraine Without Aura: Their Familiality and Interrelatedness. <i>Cephalalgia</i> , 2009, 29, 848-854.	3.9	6
796	Genetic susceptibility to schizophrenia: role of dopaminergic pathway gene polymorphisms. <i>Pharmacogenomics</i> , 2009, 10, 277-291.	1.3	54
797	Association studies of catechol- <i>O</i> -methyltransferase (<i>COMT</i>) gene with schizophrenia and response to antipsychotic treatment. <i>Pharmacogenomics</i> , 2009, 10, 385-397.	1.3	71
798	The association between bodily anxiety symptom dimensions and the scales of the Revised NEO Personality Inventory and the Temperament and Character Inventory. <i>Comprehensive Psychiatry</i> , 2009, 50, 38-47.	3.1	17
799	Time discrimination deficits in schizophrenia patients with first-rank (passivity) symptoms. <i>Psychiatry Research</i> , 2009, 167, 12-20.	3.3	46
800	Association of blood levels of C-reactive protein with clinical phenotypes in Arab schizophrenic patients. <i>Psychiatry Research</i> , 2009, 169, 56-61.	3.3	55
801	Electrophysiological brain activity and antisaccade performance in schizophrenia patients with first-rank (passivity) symptoms. <i>Psychiatry Research</i> , 2009, 170, 140-149.	3.3	13
802	The structure of emotional and cognitive anxiety symptoms. <i>Journal of Anxiety Disorders</i> , 2009, 23, 600-608.	3.2	8
804	Course of illness in a sample of 265 patients with first-episode psychosisâ€”Five-year follow-up of the Danish OPUS trial. <i>Schizophrenia Research</i> , 2009, 107, 173-178.	2.0	85
805	Factors Contributing to Utilization of Health Care Services in Malaysia: A Population-Based Study. <i>Asia-Pacific Journal of Public Health</i> , 2009, 21, 442-450.	1.0	32
806	Neuropsychological Functioning in Schizophrenia Patients with First-Rank (Passivity) Symptoms. <i>Psychopathology</i> , 2009, 42, 47-58.	1.5	22
807	National Comorbidity Survey Replication Adolescent Supplement (NCS-A): III. Concordance of DSM-IV/CIDI Diagnoses With Clinical Reassessments. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2009, 48, 386-399.	0.5	252

#	ARTICLE	IF	CITATIONS
808	Attention and depressive symptoms in chronic phase after traumatic brain injury. <i>Brain Injury</i> , 2009, 23, 220-227.	1.2	23
809	Adjustment Disorder. <i>CNS Drugs</i> , 2009, 23, 927-938.	5.9	72
810	Support for NRG1 as a Susceptibility Factor for Schizophrenia in a Northern Swedish Isolated Population. <i>Archives of General Psychiatry</i> , 2009, 66, 828.	12.3	32
811	Influence of Personality on Objective and Subjective Social Support Among Patients With Major Depressive Disorder. <i>Journal of Nervous and Mental Disease</i> , 2009, 197, 728-735.	1.0	21
812	Migraine in recurrent depression: case-control study. <i>British Journal of Psychiatry</i> , 2009, 194, 350-354.	2.8	42
813	A Comparison of Diagnoses Obtained From In-Person and Telephone Interviews, Using the Semi-Structured Assessment for the Genetics of Alcoholism (SSAGA). <i>Journal of Studies on Alcohol and Drugs</i> , 2009, 70, 623-627.	1.0	14
814	Sensorimotor gating and habituation in antipsychotic-naïve, first-episode schizophrenia patients before and after 6 months' treatment with quetiapine. <i>International Journal of Neuropsychopharmacology</i> , 2010, 13, 1383-1395.	2.1	55
815	Coping Styles in Healthy Individuals at Risk of Affective Disorder. <i>Journal of Nervous and Mental Disease</i> , 2010, 198, 39-44.	1.0	8
816	Cost-effectiveness of an early intervention service for people with psychosis. <i>British Journal of Psychiatry</i> , 2010, 196, 377-382.	2.8	144
817	Cognitive style, personality and vulnerability to postnatal depression. <i>British Journal of Psychiatry</i> , 2010, 196, 200-205.	2.8	30
818	Validity of a short clinical interview for psychiatric diagnosis: the mini-SCAN. <i>British Journal of Psychiatry</i> , 2010, 196, 64-68.	2.8	45
819	Testing the continuum of delusional beliefs: An experimental study using virtual reality. <i>Journal of Abnormal Psychology</i> , 2010, 119, 83-92.	1.9	154
820	Depressive symptoms among adults 18-69 years in Italy: results from the Italian behavioural risk factor surveillance system, 2007. <i>International Journal of Public Health</i> , 2010, 55, 479-488.	2.3	14
821	Does bereavement-related first episode depression differ from other kinds of first depressions?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2010, 45, 801-808.	3.1	27
822	Validity across translations of short survey psychiatric diagnostic instruments: CIDI-SF and CIS-R versus SCID-I/NP in four European countries. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2010, 45, 1149-1159.	3.1	48
823	The stability of DSM personality disorders over twelve to eighteen years. <i>Journal of Psychiatric Research</i> , 2010, 44, 1-7.	3.1	26
824	Hippocampal volume changes in healthy subjects at risk of unipolar depression. <i>Journal of Psychiatric Research</i> , 2010, 44, 655-662.	3.1	70
825	Anxiety and mood disorders in narcolepsy: a case-control study. <i>General Hospital Psychiatry</i> , 2010, 32, 49-56.	2.4	102

#	ARTICLE	IF	CITATIONS
826	Affective temperaments across the bipolar–unipolar spectrum: Examination of the TEMPS-A in 927 patients and controls. <i>Journal of Affective Disorders</i> , 2010, 123, 42-51.	4.1	39
827	Reducing the Hypomania Checklist (HCL-32) to a 16-item version. <i>Journal of Affective Disorders</i> , 2010, 124, 351-356.	4.1	39
828	Differences in neuroticism and extraversion between patients with bipolar I or II and general population subjects or major depressive disorder patients. <i>Journal of Affective Disorders</i> , 2010, 125, 42-52.	4.1	45
829	Stressful life events and the brain-derived neurotrophic factor gene in bipolar disorder. <i>Journal of Affective Disorders</i> , 2010, 125, 345-349.	4.1	68
830	Treatment attitudes and adherence of psychiatric patients with major depressive disorder: A five-year prospective study. <i>Journal of Affective Disorders</i> , 2010, 127, 102-112.	4.1	37
831	Trans–diagnostic outcome of eating disorders: A 30–month follow–up study of 629 patients. <i>European Eating Disorders Review</i> , 2010, 18, 453-463.	4.1	47
832	The Bipolar Association Case–Control Study (BACCS) and meta–analysis: No association with the 5,10–Methylenetetrahydrofolate reductase gene and bipolar disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010, 153B, 1298-1304.	1.7	26
833	No evidence that rare coding variants in <i>ZNF804A</i> confer risk of schizophrenia. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010, 153B, 1411-1416.	1.7	18
834	Validation of self–report depression rating scales in Huntington's disease. <i>Movement Disorders</i> , 2010, 25, 91-96.	3.9	57
835	The switch from conventional to atypical antipsychotic treatment should not be based exclusively on the presence of cognitive deficits. A pilot study in individuals with schizophrenia. <i>BMC Psychiatry</i> , 2010, 10, 47.	2.6	13
836	Effects of erythropoietin on depressive symptoms and neurocognitive deficits in depression and bipolar disorder. <i>Trials</i> , 2010, 11, 97.	1.6	42
837	Electrophysiological indices of abnormal error–processing in adolescents with attention deficit hyperactivity disorder (ADHD). <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2010, 51, 66-76.	5.2	84
838	A cohort study of the prevalence of sleep problems in adults with intellectual disabilities. <i>Journal of Sleep Research</i> , 2010, 19, 42-53.	3.2	38
839	The neuropsychiatric phenotype in Darier disease. <i>British Journal of Dermatology</i> , 2010, 163, 515-522.	1.5	63
840	Strong genetic evidence for a selective influence of GABAA receptors on a component of the bipolar disorder phenotype. <i>Molecular Psychiatry</i> , 2010, 15, 146-153.	7.9	111
841	The bipolar disorder risk allele at CACNA1C also confers risk of recurrent major depression and of schizophrenia. <i>Molecular Psychiatry</i> , 2010, 15, 1016-1022.	7.9	458
842	Evidence for rare and common genetic risk variants for schizophrenia at protein kinase C, alpha. <i>Molecular Psychiatry</i> , 2010, 15, 1101-1111.	7.9	32
843	Association analysis of <i>DAOA</i> and <i>DAO</i> in bipolar disorder: results from two independent case–control studies. <i>Bipolar Disorders</i> , 2010, 12, 579-581.	1.9	9

#	ARTICLE	IF	CITATIONS
844	The Outcome of Health Anxiety in Primary Care. A Two-Year Follow-up Study on Health Care Costs and Self-Rated Health. <i>PLoS ONE</i> , 2010, 5, e9873.	2.5	169
845	Depression among patients with diabetes mellitus in a Nigerian teaching hospital. <i>South African Journal of Psychiatry</i> , 2010, 16, 4.	0.4	14
846	El sacrificio de la validez a expensas de la Habilidad en psicopatología: Mirando por un cristal opaco. <i>Revista Chilena De Neuro-Psiquiatria</i> , 2010, 48, .	0.1	1
847	Junkie on the Phone. <i>British Journal of Psychiatry</i> , 2010, 196, 205-205.	2.8	1
848	Diagnosing psychotic disorders: validity, reliability and applications of the Diagnostic Interview for Psychosis (DIP). Italian version. <i>Epidemiologia E Psichiatria Sociale</i> , 2010, 19, 33-43.	0.9	5
849	Linking "big" personality traits to anxiety, depressive, and substance use disorders: A meta-analysis. <i>Psychological Bulletin</i> , 2010, 136, 768-821.	6.1	1,892
850	Prevalence of mental health conditions in cancer patients in acute care—a meta-analysis. <i>Annals of Oncology</i> , 2010, 21, 925-930.	1.2	294
851	Supported employment: randomised controlled trial. <i>British Journal of Psychiatry</i> , 2010, 196, 404-411.	2.8	82
852	Decreased Frontal Serotonin2A Receptor Binding in Antipsychotic-Naive Patients With First-Episode Schizophrenia. <i>Archives of General Psychiatry</i> , 2010, 67, 9.	12.3	105
853	A Meta-analysis of Depression During Pregnancy and the Risk of Preterm Birth, Low Birth Weight, and Intrauterine Growth Restriction. <i>Archives of General Psychiatry</i> , 2010, 67, 1012.	12.3	1,480
854	Genome-Wide Association Study of Major Recurrent Depression in the U.K. Population. <i>American Journal of Psychiatry</i> , 2010, 167, 949-957.	7.2	221
855	Adverse life event reporting and worst illness episodes in unipolar and bipolar affective disorders: measuring environmental risk for genetic research. <i>Psychological Medicine</i> , 2010, 40, 1829-1837.	4.5	42
856	Atherosclerosis and Incident Depression in Late Life. <i>Archives of General Psychiatry</i> , 2010, 67, 1144.	12.3	46
857	Personality disorder and offending behaviour: findings from the national survey of male prisoners in England and Wales. <i>Journal of Forensic Psychiatry and Psychology</i> , 2010, 21, 221-237.	1.0	26
858	Modeling psychopathology structure: a symptom-level analysis of Axis I and II disorders. <i>Psychological Medicine</i> , 2010, 40, 273-288.	4.5	270
859	Improving the Reliability of the Diagnosis of Post-Traumatic Stress Disorder in Civil Litigation. <i>Psychiatry, Psychology and Law</i> , 2010, 17, 79-87.	1.2	6
860	Lack of Association Between Genetic Polymorphisms of ARRB2 and Alcohol Dependence in a Caucasian Population. <i>Alcohol and Alcoholism</i> , 2010, 45, 590-591.	1.6	5
861	Trimethoprim as Adjuvant Treatment in Schizophrenia: A Double-Blind, Randomized, Placebo-Controlled Clinical Trial. <i>Schizophrenia Bulletin</i> , 2010, 36, 846-851.	4.3	33

#	ARTICLE	IF	CITATIONS
862	Hippocampal and caudate volume reductions in antipsychotic-naive first-episode schizophrenia. <i>Journal of Psychiatry and Neuroscience</i> , 2010, 35, 95-104.	2.4	103
863	Why do we need to control alcohol use through legislative measures? A south east asia perspective?. <i>Indian Journal of Community Medicine</i> , 2010, 35, 147.	0.4	2
864	Gender Differences among Patients with a Single Depressive Episode. <i>Psychopathology</i> , 2010, 43, 159-169.	1.5	13
865	The Influence of Comorbid Personality Disorder and Neuroticism on Treatment Outcome in First Episode Depression. <i>Psychopathology</i> , 2010, 43, 197-204.	1.5	41
866	The Relationship Between IQ, Memory, Executive Function, and Processing Speed in Recent-Onset Psychosis: 1-Year Stability and Clinical Outcome. <i>Schizophrenia Bulletin</i> , 2010, 36, 400-409.	4.3	90
867	Training General Practitioners in the Treatment of Functional Somatic Symptoms: Effects on Patient Health in a Cluster-Randomised Controlled Trial (the Functional Illness in Primary Care Study). <i>Psychotherapy and Psychosomatics</i> , 2010, 79, 227-237.	8.8	49
868	Specific and Generalized Neuropsychological Deficits: A Comparison of Patients With Various First-Episode Psychosis Presentations. <i>American Journal of Psychiatry</i> , 2010, 167, 78-85.	7.2	175
869	Incidence and Predictors of Suicide Attempts in DSM-IV Major Depressive Disorder: A Five-Year Prospective Study. <i>American Journal of Psychiatry</i> , 2010, 167, 801-808.	7.2	195
870	Depression-Executive Dysfunction Syndrome Relates to Poor Poststroke Survival. <i>American Journal of Geriatric Psychiatry</i> , 2010, 18, 1007-1016.	1.2	26
871	Changes in the Frontotemporal Cortex and Cognitive Correlates in First-Episode Psychosis. <i>Biological Psychiatry</i> , 2010, 68, 51-60.	1.3	74
872	The quality of life among first-episode psychotic patients in the opus trial. <i>Schizophrenia Research</i> , 2010, 116, 27-34.	2.0	33
873	INTERIM ANALYSIS OF THE CAPOPLUS TRIAL: A RANDOMIZED, PARALLEL-GROUP, OBSERVER-BLINDED CLINICAL TRIAL OF SPECIALIZED ADDICTION TREATMENT VERSUS TREATMENT AS USUAL FOR YOUNG PATIENTS WITH CANNABIS ABUSE AND PSYCHOSIS. <i>Schizophrenia Research</i> , 2010, 117, 190.	2.0	4
874	Perinatal folate-related exposures and risk of psychotic symptoms in the ALSPAC birth cohort. <i>Schizophrenia Research</i> , 2010, 120, 177-183.	2.0	16
875	Validation of the Alcohol Use Disorders Identification Test and the Drug Use Disorders Identification Test in a Swedish sample of suspected offenders with signs of mental health problems: Results from the Mental Disorder, Substance Abuse and Crime study. <i>Journal of Substance Abuse Treatment</i> , 2010, 39, 364-377.	2.8	44
876	Severity of affective temperament and maladaptive self-schemas differentiate borderline patients, bipolar patients, and controls. <i>Comprehensive Psychiatry</i> , 2010, 51, 486-491.	3.1	71
877	Variations in 5-HTTLPR: Relation to familiar risk of affective disorder, life events, neuroticism and cortisol. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2010, 34, 86-91.	4.8	16
878	Obesity and smoking in patients with schizophrenia and normal controls: A case-control study. <i>Psychiatry Research</i> , 2010, 176, 13-16.	3.3	19
879	No interactions between genetic polymorphisms and stressful life events on outcome of antidepressant treatment. <i>European Neuropsychopharmacology</i> , 2010, 20, 327-335.	0.7	31

#	ARTICLE	IF	CITATIONS
880	First-Rank Symptoms in Schizophrenia: Reexamining Mechanisms of Self-recognition. <i>Schizophrenia Bulletin</i> , 2010, 36, 510-517.	4.3	88
881	The mental health and treatment needs of imprisoned mothers of young children. <i>Journal of Forensic Psychiatry and Psychology</i> , 2010, 21, 378-392.	1.0	17
882	An IRT validation of the Affective Self Rating Scale. <i>Nordic Journal of Psychiatry</i> , 2011, 65, 396-402.	1.3	15
883	Axis I and II psychiatric disorders in patients with traumatic brain injury: A 12-month follow-up study. <i>Brain Injury</i> , 2011, 25, 1029-1034.	1.2	55
884	Adjustment disorders: the state of the art. <i>World Psychiatry</i> , 2011, 10, 11-18.	10.4	124
885	Mental health of the non-heterosexual population of England. <i>British Journal of Psychiatry</i> , 2011, 198, 143-148.	2.8	216
886	Prevention of Alcohol Dependence: Strategies for Selective, Indicated, and Universal Prevention. <i>Substance Abuse</i> , 2011, 32, 135-143.	2.3	3
887	Source localization of sensory gating: A combined EEG and fMRI study in healthy volunteers. <i>NeuroImage</i> , 2011, 54, 2711-2718.	4.2	57
888	Exaggerated Brain Activation During Emotion Processing in Unaffected Siblings of Patients with Schizophrenia. <i>Biological Psychiatry</i> , 2011, 70, 81-87.	1.3	60
889	Reduced Proactive Inhibition in Schizophrenia Is Related to Corticostriatal Dysfunction and Poor Working Memory. <i>Biological Psychiatry</i> , 2011, 70, 1151-1158.	1.3	118
890	Predictors of recovery from psychosis. <i>Schizophrenia Research</i> , 2011, 125, 257-266.	2.0	143
891	Insurance Status and Demographic and Clinical Factors Associated with Pharmacologic Treatment of Depression: Associations in a Cohort in Buenos Aires. <i>Value in Health</i> , 2011, 14, S13-S15.	0.3	5
892	Neuroanatomy in adolescents and young adults with 22q11 Deletion Syndrome: Comparison to an IQ-matched group. <i>NeuroImage</i> , 2011, 55, 491-499.	4.2	23
893	Stability of prepulse inhibition and habituation of the startle reflex in schizophrenia: a 6-year follow-up study of initially antipsychotic-naïve, first-episode schizophrenia patients. <i>International Journal of Neuropsychopharmacology</i> , 2011, 14, 913-925.	2.1	31
894	Early intervention for psychosis. <i>The Cochrane Library</i> , 2011, , CD004718.	2.8	235
895	Validation of Patient Health Questionnaire for depression screening among primary care patients in Taiwan. <i>Comprehensive Psychiatry</i> , 2011, 52, 96-101.	3.1	141
896	Revisiting the suitability of antisaccade performance as an endophenotype in schizophrenia. <i>Brain and Cognition</i> , 2011, 77, 223-230.	1.8	22
897	Are medically unexplained symptoms and functional disorders predictive for the illness course?. <i>Journal of Psychosomatic Research</i> , 2011, 71, 38-44.	2.6	14

#	ARTICLE	IF	CITATIONS
898	Factor structure of the Yaleâ€“Brown Obsessiveâ€“Compulsive Scale (Y-BOCS) in a large sample of patients with schizophrenia or related disorders and comorbid obsessiveâ€“compulsive symptoms. <i>Psychiatry Research</i> , 2011, 186, 409-413.	3.3	35
899	A single high dose of escitalopram disrupts sensory gating and habituation, but not sensorimotor gating in healthy volunteers. <i>Psychiatry Research</i> , 2011, 186, 431-436.	3.3	21
900	The size and burden of mental disorders and other disorders of the brain in Europe 2010. <i>European Neuropsychopharmacology</i> , 2011, 21, 655-679.	0.7	2,930
901	Addressing cannabis use in people with psychosis. , 0, , 225-233.		0
902	Beyond Patient Reported Pain: Perfusion Magnetic Resonance Imaging Demonstrates Reproducible Cerebral Representation of Ongoing Post-Surgical Pain. <i>PLoS ONE</i> , 2011, 6, e17096.	2.5	57
903	Genomewide Association Scan of Suicidal Thoughts and Behaviour in Major Depression. <i>PLoS ONE</i> , 2011, 6, e20690.	2.5	98
904	Escitalopram and Neuroendocrine Response in Healthy First-Degree Relatives to Depressed Patients â€“ A Randomized Placebo-Controlled Trial. <i>PLoS ONE</i> , 2011, 6, e21224.	2.5	12
905	Contribution and legacy of John Wing, 1923â€“2010. <i>British Journal of Psychiatry</i> , 2011, 198, 176-178.	2.8	3
906	Mental Disorders Among Frequent Attenders in Primary Care. <i>Journal of Nervous and Mental Disease</i> , 2011, 199, 744-749.	1.0	45
907	OPCRIT+: an electronic system for psychiatric diagnosis and data collection in clinical and research settings. <i>British Journal of Psychiatry</i> , 2011, 199, 151-155.	2.8	48
909	Cognitive manic symptoms associated with the <i>P2RX7</i> gene in bipolar disorder. <i>Bipolar Disorders</i> , 2011, 13, 500-508.	1.9	43
910	Evidence for the involvement of the glucocorticoid receptor gene in bipolar disorder in an isolated northern Swedish population. <i>Bipolar Disorders</i> , 2011, 13, 614-623.	1.9	16
911	Trends in psychopathology across the adolescent years: What changes when children become adolescents, and when adolescents become adults?. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2011, 52, 1015-1025.	5.2	606
912	No association of Disrupted-in-Schizophrenia-1 variation with prefrontal function in patients with schizophrenia and bipolar disorder. <i>Genes, Brain and Behavior</i> , 2011, 10, 276-285.	2.2	21
913	Polymorphisms associated with normal memory variation also affect memory impairment in schizophrenia. <i>Genes, Brain and Behavior</i> , 2011, 10, 410-417.	2.2	41
914	No effect of 5HTTLPR or BDNF Val66Met polymorphism on hippocampal morphology in major depression. <i>Genes, Brain and Behavior</i> , 2011, 10, 756-764.	2.2	78
915	Neuregulin 3 (NRG3) as a susceptibility gene in a schizophrenia subtype with florid delusions and relatively spared cognition. <i>Molecular Psychiatry</i> , 2011, 16, 860-866.	7.9	65
916	Association between a serotonin transporter promoter polymorphism (5HTTLPR) and personality disorder traits in a community sample. <i>Journal of Psychiatric Research</i> , 2011, 45, 1153-1159.	3.1	33

#	ARTICLE	IF	CITATIONS
917	Cerebellar and lobar blood flow in schizophrenia: A perfusion weighted imaging study. <i>Psychiatry Research - Neuroimaging</i> , 2011, 193, 46-52.	1.8	10
918	Prisoners with psychosis in England and Wales: Diversion to psychiatric inpatient services?. <i>International Journal of Law and Psychiatry</i> , 2011, 34, 99-108.	0.9	18
919	Family history of psychiatric disorders and the outcome of psychiatric patients with DSM-IV major depressive disorder. <i>Journal of Affective Disorders</i> , 2011, 131, 251-259.	4.1	11
920	Clinical manifestations of geriatric depression in a memory clinic: Toward a proposed subtyping of geriatric depression. <i>Journal of Affective Disorders</i> , 2011, 134, 177-187.	4.1	16
922	Genome-wide Association Study Identifies Genetic Variation in Neurocan as a Susceptibility Factor for Bipolar Disorder. <i>American Journal of Human Genetics</i> , 2011, 88, 372-381.	6.2	257
923	The Rotterdam Study: 2012 objectives and design update. <i>European Journal of Epidemiology</i> , 2011, 26, 657-686.	5.7	273
924	Accuracy of the Hospital Anxiety and Depression Scale as a screening tool in cancer patients: a systematic review and meta-analysis. <i>Supportive Care in Cancer</i> , 2011, 19, 1899-1908.	2.2	251
925	John Wing and the perils of nosology. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2011, 46, 443-446.	3.1	5
926	Serotonin2A receptor blockade and clinical effect in first-episode schizophrenia patients treated with quetiapine. <i>Psychopharmacology</i> , 2011, 213, 583-592.	3.1	38
927	Association of the Met-196-Arg Variation of Human Tumor Necrosis Factor Receptor 2 (TNFR2) with Paranoid Schizophrenia. <i>Journal of Molecular Neuroscience</i> , 2011, 43, 358-363.	2.3	12
928	An Update on the Epidemiology of Schizophrenia with a Special Reference to Clinically Important Risk Factors. <i>International Journal of Mental Health and Addiction</i> , 2011, 9, 39-59.	7.4	7
929	Methylenetetrahydrofolate Reductase Gene Variant (MTHFR C677T) and Migraine: A Case Control Study and Meta-analysis. <i>BMC Neurology</i> , 2011, 11, 66.	1.8	45
930	Treatment of alcohol dependence with low-dose topiramate: an open-label controlled study. <i>BMC Psychiatry</i> , 2011, 11, 41.	2.6	52
931	Women in post-trafficking services in moldova: diagnostic interviews over two time periods to assess returning women's mental health. <i>BMC Public Health</i> , 2011, 11, 232.	2.9	48
932	The standardised copy of pentagons test. <i>Annals of General Psychiatry</i> , 2011, 10, 13.	2.7	10
933	A standardized scoring method for the copy of cube test, developed to be suitable for use in psychiatric populations. <i>Annals of General Psychiatry</i> , 2011, 10, 19.	2.7	9
934	The effect of five years versus two years of specialised assertive intervention for first episode psychosis - OPUS II: study protocol for a randomized controlled trial. <i>Trials</i> , 2011, 12, 72.	1.6	35
935	The predictive validity of subjective adherence measures in patients with schizophrenia. <i>International Journal of Methods in Psychiatric Research</i> , 2011, 20, 73-81.	2.1	18

#	ARTICLE	IF	CITATIONS
936	Anxiety disorders and comorbid depression in community dwelling older adults. <i>International Journal of Methods in Psychiatric Research</i> , 2011, 20, 157-168.	2.1	36
937	Inherited balanced translocation t(9;17)(q33.2;q25.3) concomitant with a 16p13.1 duplication in a patient with schizophrenia. , 2011, 156, 204-214.		17
938	Analysis of neurogranin (<i>NRGN</i>) in schizophrenia. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2011, 156, 532-535.	1.7	13
939	Phenotype evaluation and genomewide linkage study of clinical variables in schizophrenia. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2011, 156, 929-940.	1.7	14
940	Empirical Support for a Reclassification of Eating Disorders NOS. <i>European Eating Disorders Review</i> , 2011, 19, 303-315.	4.1	10
941	Postâ€stroke depression: the case for augmented, individually tailored cognitive behavioural therapy. <i>Clinical Psychology and Psychotherapy</i> , 2011, 18, 202-217.	2.7	60
942	Family-Based Analysis of Genetic Variation Underlying Psychosis-Inducing Effects of Cannabis<sub>title>Sibling Analysis and Proband Follow-up</sub><alt-title>Genetic Variation Underlying Cannabis Effects</alt-title>. <i>Archives of General Psychiatry</i> , 2011, 68, 148.	12.3	175
943	A Genome-Wide Significant Linkage for Severe Depression on Chromosome 3: The Depression Network Study. <i>American Journal of Psychiatry</i> , 2011, 168, 840-847.	7.2	51
944	Randomized controlled trial of supported employment in England: 2 year followâ€up of the Supported Work and Needs (SWAN) study. <i>World Psychiatry</i> , 2011, 10, 132-137.	10.4	59
945	Impaired temporoparietal deactivation with working memory load in antipsychotic-naïve patients with first-episode schizophrenia. <i>World Journal of Biological Psychiatry</i> , 2011, 12, 271-281.	2.6	28
946	Bipolar disorder susceptibility region on chromosome 3q29 not confirmed in a caseâ€control association study. <i>World Journal of Biological Psychiatry</i> , 2011, 12, 309-315.	2.6	2
947	The Validity of the DSM-IV Diagnostic Classification System of Non-Affective Psychoses. <i>Australian and New Zealand Journal of Psychiatry</i> , 2011, 45, 1061-1068.	2.3	33
948	In Vivo Imaging of Cerebral Serotonin Transporter and Serotonin2A Receptor Binding in 3,4-Methylenedioxymethamphetamine (MDMA or â€œEcstasyâ€) and Hallucinogen Users. <i>Archives of General Psychiatry</i> , 2011, 68, 562.	12.3	76
949	A randomized trial of the effect of escitalopram versus placebo on cognitive function in healthy first-degree relatives of patients with depression. <i>Therapeutic Advances in Psychopharmacology</i> , 2011, 1, 133-144.	2.7	8
950	Differences in temperament and character dimensions in patients with bipolar I or II or major depressive disorder and general population subjects. <i>Psychological Medicine</i> , 2011, 41, 1579-1591.	4.5	32
951	IQ Trajectory, Cognitive Reserve, and Clinical Outcome Following a First Episode of Psychosis: A 3-Year Longitudinal Study. <i>Schizophrenia Bulletin</i> , 2011, 37, 768-777.	4.3	123
952	Discriminant Analysis of Beck Depression Inventory and Hamilton Rating Scale for Depression in Huntington's Disease. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2011, 23, 399-402.	1.8	22
953	Job Strain and the Risk of Depression: Is Reporting Biased?. <i>American Journal of Epidemiology</i> , 2011, 173, 94-102.	3.4	105

#	ARTICLE	IF	CITATIONS
954	Known Risk Factors for Violence Predict 12-Month-Old Infants's Aggressiveness With Peers. <i>Psychological Science</i> , 2011, 22, 1205-1211.	3.3	57
955	Mental disorders, chronic conditions and psychological factors: A path analysis model for healthcare consumption in general practice. <i>International Review of Psychiatry</i> , 2011, 23, 20-27.	2.8	8
957	AKT1 Moderation of Cannabis-Induced Cognitive Alterations in Psychotic Disorder. <i>Neuropsychopharmacology</i> , 2011, 36, 2529-2537.	5.4	80
958	Progressive striatal and hippocampal volume loss in initially antipsychotic-naïve, first-episode schizophrenia patients treated with quetiapine: relationship to dose and symptoms. <i>International Journal of Neuropsychopharmacology</i> , 2011, 14, 69-82.	2.1	78
959	Evidence That Familial Liability for Psychosis Is Expressed as Differential Sensitivity to Cannabis. <i>Archives of General Psychiatry</i> , 2011, 68, 138.	12.3	106
960	Maternal depression and early childhood growth in developing countries: systematic review and meta-analysis. <i>Bulletin of the World Health Organization</i> , 2011, 89, 608-615E.	3.3	324
961	The Plight of Personality Disorders in the DSM-5. <i>Issues in Mental Health Nursing</i> , 2012, 33, 598-604.	1.2	1
962	Developmental emergence of alcohol use disorder symptoms and their potential as early indicators for progression to alcohol dependence in a high risk sample: A longitudinal study from childhood to early adulthood. <i>Journal of Abnormal Psychology</i> , 2012, 121, 897-908.	1.9	33
963	Dissociation, trauma, and the role of lived experience: Toward a new conceptualization of voice hearing. <i>Psychological Bulletin</i> , 2012, 138, 28-76.	6.1	191
964	Symptoms and treatment of bipolar patients in Sweden. <i>International Journal of Psychiatry in Clinical Practice</i> , 2012, 16, 170-177.	2.4	3
965	Care-Seeking Pattern among Persons with Depression and Anxiety: A Population-Based Study in Sweden. <i>International Journal of Family Medicine</i> , 2012, 2012, 1-9.	1.2	27
966	Psychiatric epidemiology now: some achievements and prospects. <i>Epidemiology and Psychiatric Sciences</i> , 2012, 21, 161-166.	3.9	2
967	Differences in craving for cannabis between schizophrenia patients using risperidone, olanzapine or clozapine. <i>Journal of Psychopharmacology</i> , 2012, 26, 189-195.	4.0	30
968	Consistency and reliability of the auditory vocal hallucination rating scale (AVHRS). <i>Epidemiology and Psychiatric Sciences</i> , 2012, 21, 305-310.	3.9	18
969	Interaction between the BDNF gene Val/66/Met polymorphism and morning cortisol levels as a predictor of depression in adult women. <i>British Journal of Psychiatry</i> , 2012, 201, 313-319.	2.8	27
970	A longitudinal study of processes predicting the specificity of autobiographical memory in the adolescent offspring of depressed parents. <i>Memory</i> , 2012, 20, 518-526.	1.7	10
971	The effect of acute exogenous melatonin on P50 suppression in healthy male volunteers stratified for low and high gating levels. <i>Journal of Psychopharmacology</i> , 2012, 26, 1113-1118.	4.0	7
972	Clinical Manifestations of Self-disorders and the Gestalt of Schizophrenia. <i>Schizophrenia Bulletin</i> , 2012, 38, 657-660.	4.3	68

#	ARTICLE	IF	CITATIONS
973	Evidence of aberrant DNA damage response signalling but normal rates of DNA repair in dividing lymphoblasts from patients with schizophrenia. <i>World Journal of Biological Psychiatry</i> , 2012, 13, 114-125.	2.6	23
974	Ethnicity and baseline symptomatology in patients with an At Risk Mental State for psychosis. <i>Psychological Medicine</i> , 2012, 42, 247-256.	4.5	18
975	Validating two survey methods for identifying cases of autism spectrum disorder among adults in the community. <i>Psychological Medicine</i> , 2012, 42, 647-656.	4.5	64
976	Cannabis and cognitive performance in psychosis: a cross-sectional study in patients with non-affective psychotic illness and their unaffected siblings. <i>Psychological Medicine</i> , 2012, 42, 705-716.	4.5	35
977	Adjustment disorder: implications for ICD-11 and DSM-5. <i>British Journal of Psychiatry</i> , 2012, 201, 90-92.	2.8	29
978	Life-event specificity: bipolar disorder compared with unipolar depression. <i>British Journal of Psychiatry</i> , 2012, 201, 458-465.	2.8	32
979	Sexual dysfunction in people with prodromal or first-episode psychosis. <i>British Journal of Psychiatry</i> , 2012, 201, 131-136.	2.8	46
980	Anxiety: a hidden element in dementia. <i>Advances in Psychiatric Treatment</i> , 2012, 18, 119-128.	0.5	15
981	Examination of Anomalous Self-Experience. <i>Journal of Nervous and Mental Disease</i> , 2012, 200, 577-583.	1.0	87
982	Envy. <i>British Journal of Psychiatry</i> , 2012, 201, 465-465.	2.8	0
983	Cognitive deficits in the remitted state of unipolar depressive disorder.. <i>Neuropsychology</i> , 2012, 26, 642-651.	1.3	83
984	Ethnic density as a buffer for psychotic experiences: findings from a national survey (EMPIRIC). <i>British Journal of Psychiatry</i> , 2012, 201, 282-290.	2.8	88
985	Promoter polymorphisms in two overlapping 6p25 genes implicate mitochondrial proteins in cognitive deficit in schizophrenia. <i>Molecular Psychiatry</i> , 2012, 17, 1328-1339.	7.9	19
986	Decreased levels of brain-derived neurotrophic factor in the remitted state of unipolar depressive disorder. <i>Acta Psychiatrica Scandinavica</i> , 2012, 126, 157-164.	4.5	11
987	Cognitive functioning and age at onset in non-affective psychotic disorder. <i>Acta Psychiatrica Scandinavica</i> , 2012, 126, 274-281.	4.5	23
988	Standardized diagnostic interviews, criteria, and algorithms for mental disorders: garbage in, garbage out. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012, 262, 535-544.	3.2	23
989	The lifetime and past-year prevalence of dual diagnosis in people with schizophrenia across Europe: findings from the European Schizophrenia Cohort (EuroSC). <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012, 262, 607-616.	3.2	59
990	Clinical response to antipsychotic drug treatment: Association study of polymorphisms in six candidate genes. <i>European Neuropsychopharmacology</i> , 2012, 22, 625-631.	0.7	50

#	ARTICLE	IF	CITATIONS
991	The role of loss and danger events in symptom exacerbation in bipolar disorder. <i>Journal of Psychiatric Research</i> , 2012, 46, 1584-1589.	3.1	32
992	A window into the brain: An in vivo study of the retina in schizophrenia using optical coherence tomography. <i>Psychiatry Research - Neuroimaging</i> , 2012, 203, 89-94.	1.8	111
993	The effect of escitalopram versus placebo on perceived stress and salivary cortisol in healthy first-degree relatives of patients with depression—A randomised trial. <i>Psychiatry Research</i> , 2012, 200, 354-360.	3.3	19
994	Association of chronic hepatitis C with recurrent brief depression. <i>Journal of Affective Disorders</i> , 2012, 141, 361-366.	4.1	48
995	Do antidepressants change personality?—A five-year observational study. <i>Journal of Affective Disorders</i> , 2012, 142, 200-207.	4.1	13
996	Interrelationship of depression, stress and inflammation in cancer patients: A preliminary study. <i>Journal of Affective Disorders</i> , 2012, 143, 39-46.	4.1	28
997	Relationship between personality disorder dimensions and verbal memory functioning in a community population. <i>Psychiatry Research</i> , 2012, 196, 109-114.	3.3	5
998	Lack of association between prior depressive episodes and cerebral [11C]PiB binding. <i>Neurobiology of Aging</i> , 2012, 33, 2334-2342.	3.1	60
999	People living with psychotic illness in 2010: The second Australian national survey of psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2012, 46, 735-752.	2.3	405
1000	Error processing-associated event-related potentials in schizophrenia and unaffected siblings. <i>International Journal of Psychophysiology</i> , 2012, 84, 74-79.	1.0	40
1001	Early maladaptive schemas and functional impairment in remitted bipolar disorder patients. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2012, 43, 1104-1108.	1.2	16
1002	A voxel based morphometry study investigating brain structural changes in first episode psychosis. <i>Behavioural Brain Research</i> , 2012, 227, 91-99.	2.2	60
1003	Rare copy number variants in neuropsychiatric disorders: Specific phenotype or not?. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2012, 159B, 812-822.	1.7	34
1004	Dissecting the Genetic Heterogeneity of Depression Through Age at Onset. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2012, 159B, 859-868.	1.7	31
1005	Craving for cannabis in patients with psychotic disorder, their non-affected siblings and healthy controls: psychometric analysis of the obsessive compulsive drug use scale. <i>International Journal of Methods in Psychiatric Research</i> , 2012, 21, 286-300.	2.1	15
1006	Total white matter hyperintensity volume in bipolar disorder patients and their healthy relatives. <i>Bipolar Disorders</i> , 2012, 14, 888-893.	1.9	34
1007	Cortical folding in Broca's area relates to obstetric complications in schizophrenia patients and healthy controls. <i>Psychological Medicine</i> , 2012, 42, 1329-1337.	4.5	45
1008	Linguistic production and syntactic comprehension in schizophrenia and bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2012, 126, 363-376.	4.5	55

#	ARTICLE	IF	CITATIONS
1009	Cerebral Hemodynamics and Incident Depression: The Rotterdam Study. <i>Biological Psychiatry</i> , 2012, 72, 318-323.	1.3	50
1010	Attenuation of long-range temporal correlations in the amplitude dynamics of alpha and beta neuronal oscillations in patients with schizophrenia. <i>NeuroImage</i> , 2012, 61, 162-169.	4.2	106
1011	An MRI study of amygdala in schizophrenia and psychotic bipolar disorder. <i>Schizophrenia Research</i> , 2012, 138, 188-191.	2.0	26
1012	Do parents know best? Parent-reported vs. child-reported depression symptoms as predictors of future child mood disorder in a high-risk sample. <i>Journal of Affective Disorders</i> , 2012, 141, 233-236.	4.1	44
1013	Examining Overgeneral Autobiographical Memory as a Risk Factor for Adolescent Depression. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2012, 51, 518-527.	0.5	70
1014	Effect of Chronic Escitalopram versus Placebo on Personality Traits in Healthy First-Degree Relatives of Patients with Depression: A Randomized Trial. <i>PLoS ONE</i> , 2012, 7, e31980.	2.5	13
1015	Deleterious GRM1 Mutations in Schizophrenia. <i>PLoS ONE</i> , 2012, 7, e32849.	2.5	59
1016	The Relationship of Clinical, Cognitive and Social Measures in Schizophrenia: A Preliminary Finding Combining Measures in Proband and Relatives. <i>Behavioural Neurology</i> , 2012, 25, 137-150.	2.1	11
1017	Ganser syndrome: examining the aetiological debate through a systematic case report review. <i>European Journal of Psychiatry</i> , 2012, 26, 96-106.	1.3	5
1018	Missed opportunities: mental disorder in children of parents with depression. <i>British Journal of General Practice</i> , 2012, 62, e487-e493.	1.4	31
1019	Terapia cognitivo-conductual en las psicosis agudas. <i>Revista De La Asociaci3n Espa±ola De NeuropsiquiatrAa</i> , 2012, 32, 225-245.	0.1	0
1020	Challenges in validating quality of care data in a schizophrenia registry: experience from the Danish National Indicator Project. <i>Clinical Epidemiology</i> , 2012, 4, 201.	3.0	9
1021	White matter abnormalities and illness severity in major depressive disorder. <i>British Journal of Psychiatry</i> , 2012, 201, 33-39.	2.8	126
1022	Genetic Risk and Outcome of Psychosis (GROUP), a multi site longitudinal cohort study focused on geneâ€environment interaction: objectives, sample characteristics, recruitment and assessment methods. <i>International Journal of Methods in Psychiatric Research</i> , 2012, 21, 205-221.	2.1	224
1023	Mutations in <i>NRXN1</i> in a family multiply affected with brain disorders: <i>NRXN1</i> mutations and brain disorders. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2012, 159B, 354-358.	1.7	63
1024	Impact of the Reelin signaling cascade (Ligandsâ€Receptorsâ€Adaptor Complex) on cognition in schizophrenia. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2012, 159B, 392-404.	1.7	29
1025	Identification of a <i>CACNA2D4</i> deletion in late onset bipolar disorder patients and implications for the involvement of voltageâ€dependent calcium channels in psychiatric disorders. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2012, 159B, 465-475.	1.7	27
1026	Subtypes of psychopathy in the British household population: findings from the national household survey of psychiatric morbidity. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012, 47, 879-891.	3.1	35

#	ARTICLE	IF	CITATIONS
1027	Depressive disorder moderates the effect of the FTO gene on body mass index. <i>Molecular Psychiatry</i> , 2012, 17, 604-611.	7.9	72
1028	The effectiveness of antenatal interventions to prevent postnatal depression in high-risk women. <i>Journal of Affective Disorders</i> , 2012, 137, 25-34.	4.1	54
1029	Offspring of parents with recurrent depression: Which features of parent depression index risk for offspring psychopathology?. <i>Journal of Affective Disorders</i> , 2012, 136, 44-53.	4.1	79
1030	The promoter of the serotonin transporter genotype, environment and depression: A hypothesis supported?. <i>Journal of Affective Disorders</i> , 2012, 137, 1-3.	4.1	4
1031	Stressful life events and the serotonin transporter gene (5-HTT) in recurrent clinical depression. <i>Journal of Affective Disorders</i> , 2012, 136, 189-193.	4.1	22
1032	Affective temperaments' relation to functional impairment and affective recurrences in bipolar disorder patients. <i>Journal of Affective Disorders</i> , 2012, 138, 332-336.	4.1	20
1033	Epilepsy and psychiatric comorbidity: A nationally representative population-based study. <i>Epilepsia</i> , 2012, 53, 1095-1103.	5.1	244
1034	A 5-year prospective study of predictors for disability pension among patients with major depressive disorder. <i>Acta Psychiatrica Scandinavica</i> , 2012, 125, 325-334.	4.5	34
1035	Structural changes in the hippocampus and amygdala at first episode of psychosis. <i>Brain Imaging and Behavior</i> , 2012, 6, 49-60.	2.1	38
1036	Genome-wide association analysis of copy number variation in recurrent depressive disorder. <i>Molecular Psychiatry</i> , 2013, 18, 183-189.	7.9	45
1037	SEROTONIN TRANSPORTER LENGTH POLYMORPHISM, CHILDHOOD MALTREATMENT, AND CHRONIC DEPRESSION: A SPECIFIC GENE-ENVIRONMENT INTERACTION. <i>Depression and Anxiety</i> , 2013, 30, 5-13.	4.1	55
1038	Identifying a predictive model for response to atypical antipsychotic monotherapy treatment in south Indian schizophrenia patients. <i>Genomics</i> , 2013, 102, 131-135.	2.9	10
1039	A Direct Method of Assessing Underlying Cognitive Risk for Adolescent Depression. <i>Journal of Abnormal Child Psychology</i> , 2013, 41, 1279-1288.	3.5	15
1040	Asthma, life events and psychiatric disorders: a population-based study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013, 48, 1273-1282.	3.1	15
1041	Family-Based Association Analysis of Serotonin Genes in Pathological Gambling Disorder: Evidence of Vulnerability Risk in the 5HT-2A Receptor Gene. <i>Journal of Molecular Neuroscience</i> , 2013, 49, 550-553.	2.3	29
1042	Temperament, character and personality disorders. <i>European Psychiatry</i> , 2013, 28, 483-491.	0.2	21
1043	Body mass index, but not FTO genotype or major depressive disorder, influences brain structure. <i>Neuroscience</i> , 2013, 252, 109-117.	2.3	40
1044	The cumulative load of depressive illness is associated with cognitive function in the remitted state of unipolar depressive disorder. <i>European Psychiatry</i> , 2013, 28, 349-355.	0.2	56

#	ARTICLE	IF	CITATIONS
1045	Cognition in late onset depression. <i>Psychiatry Research</i> , 2013, 210, 89-94.	3.3	3
1046	Post-Stroke Depression and Depression-Executive Dysfunction Syndrome Are Associated with Recurrence of Ischaemic Stroke. <i>Cerebrovascular Diseases</i> , 2013, 36, 336-343.	1.7	60
1047	A two-year follow-up study of salivary cortisol concentration and the risk of depression. <i>Psychoneuroendocrinology</i> , 2013, 38, 2042-2050.	2.7	38
1048	Self-assessed mental health problems and work capacity as determinants of return to work: a prospective general population-based study of individuals with all-cause sickness absence. <i>BMC Psychiatry</i> , 2013, 13, 259.	2.6	24
1049	No differences between drug naive and drug experienced unipolar depressed patients in terms of neurobiological testing: A cross sectional study. <i>Journal of Psychiatric Research</i> , 2013, 47, 1984-1990.	3.1	6
1050	Are variations in whole blood BDNF level associated with the BDNF Val66Met polymorphism in patients with first episode depression?. <i>Psychiatry Research</i> , 2013, 210, 102-108.	3.3	14
1051	Measurement and assessment of somatic symptoms. <i>International Review of Psychiatry</i> , 2013, 25, 31-40.	2.8	12
1052	Implication of a Rare Deletion at Distal 16p11.2 in Schizophrenia. <i>JAMA Psychiatry</i> , 2013, 70, 253.	11.0	69
1053	The protective effect of the obesity-associated rs9939609 A variant in fat mass- and obesity-associated gene on depression. <i>Molecular Psychiatry</i> , 2013, 18, 1281-1286.	7.9	115
1054	Clonidine Normalizes Sensorimotor Gating Deficits in Patients With Schizophrenia on Stable Medication. <i>Schizophrenia Bulletin</i> , 2013, 39, 684-691.	4.3	39
1055	Morphometry of superior temporal gyrus and planum temporale in schizophrenia and psychotic bipolar disorder. <i>Schizophrenia Research</i> , 2013, 150, 476-483.	2.0	52
1056	The effect of prolonged duration of untreated depression on antidepressant treatment outcome. <i>Journal of Affective Disorders</i> , 2013, 145, 42-48.	4.1	85
1057	A systematic review and meta-analysis of mindfulness-based stress reduction for the fibromyalgia syndrome. <i>Journal of Psychosomatic Research</i> , 2013, 75, 500-510.	2.6	194
1058	Validity of the patient health questionnaire-9 for depression screening and diagnosis in East Africa. <i>Psychiatry Research</i> , 2013, 210, 653-661.	3.3	327
1059	Infants at familial risk for depression show a distinct pattern of cortisol response to experimental challenge. <i>Journal of Affective Disorders</i> , 2013, 150, 955-960.	4.1	14
1060	The Depression Impairment Scale for Parents (DISP): A new scale for the measurement of impairment in depressed parents. <i>Psychiatry Research</i> , 2013, 210, 1184-1190.	3.3	4
1061	A unique emotional processing profile of euthymic bipolar disorder? A critical review. <i>Journal of Affective Disorders</i> , 2013, 146, 295-309.	4.1	46
1062	Interaction between specific forms of childhood maltreatment and the serotonin transporter gene (5-HTT) in recurrent depressive disorder. <i>Journal of Affective Disorders</i> , 2013, 145, 136-141.	4.1	39

#	ARTICLE	IF	CITATIONS
1063	Working Memory and Default Mode Network abnormalities in unaffected siblings of schizophrenia patients. <i>Schizophrenia Research</i> , 2013, 150, 555-562.	2.0	34
1064	Modulation of amygdala response and connectivity in depression by serotonin transporter polymorphism and diagnosis. <i>Journal of Affective Disorders</i> , 2013, 150, 96-103.	4.1	70
1065	P50 Suppression and Its Neural Generators in Antipsychotic-Naïve First-Episode Schizophrenia Before and After 6 Months of Quetiapine Treatment. <i>Schizophrenia Bulletin</i> , 2013, 39, 472-480.	4.3	49
1066	Adjustment disorder considered. <i>Advances in Psychiatric Treatment</i> , 2013, 19, 99-107.	0.5	6
1067	Reproductive outcomes and risk of subsequent illness in women diagnosed with postpartum psychosis. <i>Bipolar Disorders</i> , 2013, 15, 394-404.	1.9	76
1068	Pain and Sacrifice: Experience and Modulation of Pain in a Religious Piercing Ritual. <i>International Journal for the Psychology of Religion, The</i> , 2013, 23, 171-187.	2.1	41
1069	Increased systemic oxidatively generated DNA and RNA damage in schizophrenia. <i>Psychiatry Research</i> , 2013, 209, 417-423.	3.3	75
1070	A two-factor structure of first rank symptoms in patients with a psychotic disorder. <i>Schizophrenia Research</i> , 2013, 147, 269-274.	2.0	12
1071	Association at SYNE1 in both bipolar disorder and recurrent major depression. <i>Molecular Psychiatry</i> , 2013, 18, 614-617.	7.9	80
1072	Replication of bipolar disorder susceptibility alleles and identification of two novel genome-wide significant associations in a new bipolar disorder case-control sample. <i>Molecular Psychiatry</i> , 2013, 18, 1302-1307.	7.9	123
1073	Effects of cognitive remediation on cognitive dysfunction in partially or fully remitted patients with bipolar disorder: study protocol for a randomized controlled trial. <i>Trials</i> , 2013, 14, 378.	1.6	29
1074	Daily electronic self-monitoring of subjective and objective symptoms in bipolar disorder—the MONARCA trial protocol (MONitoring, treAtment and pRediCtion of bipolar disorder episodes): a randomised controlled single-blind trial. <i>BMJ Open</i> , 2013, 3, e003353.	1.9	73
1075	Perinatal Episodes Across the Mood Disorder Spectrum. <i>JAMA Psychiatry</i> , 2013, 70, 168.	11.0	201
1076	Structural brain correlates of sensorimotor gating in antipsychotic-naïve men with first-episode schizophrenia. <i>Journal of Psychiatry and Neuroscience</i> , 2013, 38, 34-42.	2.4	29
1077	Neural markers of negative symptom outcomes in distributed working memory brain activity of antipsychotic-naïve schizophrenia patients. <i>International Journal of Neuropsychopharmacology</i> , 2013, 16, 1195-1204.	2.1	28
1078	Intermediate Phenotype Analysis of Patients, Unaffected Siblings, and Healthy Controls Identifies VMAT2 as a Candidate Gene for Psychotic Disorder and Neurocognition. <i>Schizophrenia Bulletin</i> , 2013, 39, 848-856.	4.3	33
1079	Comparison of Depressive Symptoms in Type 2 Diabetes Using a Two-Stage Survey Design. <i>Psychosomatic Medicine</i> , 2013, 75, 791-797.	2.0	51
1080	The 100 Top-Cited Articles Published in Psychiatric Journals. <i>Journal of Psychiatric Practice</i> , 2013, 19, 327-338.	0.7	25

#	ARTICLE	IF	CITATIONS
1081	Diagnosis and Treatment of Depression Following Traumatic Brain Injury. <i>Brain Impairment</i> , 2013, 14, 63-76.	0.7	10
1082	A gender-specific association of interleukin 1 receptor antagonist polymorphism with schizophrenia susceptibility. <i>Acta Neuropsychiatrica</i> , 2013, 25, 349-355.	2.1	7
1083	Genome-wide association study of co-occurring anxiety in major depression. <i>World Journal of Biological Psychiatry</i> , 2013, 14, 611-621.	2.6	17
1084	Psychosocial interventions for people with both severe mental illness and substance misuse. <i>The Cochrane Library</i> , 2013, , CD001088.	2.8	97
1085	Inefficient cerebral recruitment as a vulnerability marker for schizophrenia. <i>Psychological Medicine</i> , 2013, 43, 169-182.	4.5	16
1086	“The risks of playing it safe™: a prospective longitudinal study of response to reward in the adolescent offspring of depressed parents. <i>Psychological Medicine</i> , 2013, 43, 27-38.	4.5	85
1087	Specialized psychosocial treatment plus treatment as usual (TAU) <i>versus</i> TAU for patients with cannabis use disorder and psychosis: the CapOpus randomized trial. <i>Psychological Medicine</i> , 2013, 43, 1499-1510.	4.5	51
1088	Reflection impulsivity and response inhibition in first-episode psychosis: relationship to cannabis use. <i>Psychological Medicine</i> , 2013, 43, 2097-2107.	4.5	17
1089	Parental Speech at 6 Months Predicts Joint Attention at 12 Months. <i>Infancy</i> , 2013, 18, E1.	1.6	17
1090	DEPRESSION AND SMOKING: A 5-YEAR PROSPECTIVE STUDY OF PATIENTS WITH MAJOR DEPRESSIVE DISORDER. <i>Depression and Anxiety</i> , 2013, 30, 580-588.	4.1	28
1091	Hippocampal Volume Reduction Correlates With Apathy in Traumatic Brain Injury, But Not Schizophrenia. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2013, 25, 292-301.	1.8	21
1092	The relationship between childhood trauma and neuropsychological functioning in first episode psychosis. <i>Psychosis</i> , 2013, 5, 48-59.	0.8	17
1093	Pharmacological interventions for adjustment disorders in adults. <i>The Cochrane Library</i> , 2013, , .	2.8	9
1094	Is a Schizo-Obsessive Subtype Associated With Cognitive Impairment?. <i>Journal of Nervous and Mental Disease</i> , 2013, 201, 30-35.	1.0	19
1095	Diagnostic Validity of the Composite International Diagnostic Interview (CIDI) Depression Module in an East African Population. <i>International Journal of Psychiatry in Medicine</i> , 2013, 46, 387-405.	1.8	32
1096	Risk of psychopathology in adolescent offspring of mothers with psychopathology and recurrent depression. <i>British Journal of Psychiatry</i> , 2013, 202, 108-114.	2.8	44
1097	Ethnic effects “ a view from West London. <i>British Journal of Psychiatry</i> , 2013, 202, 237-237.	2.8	0
1098	Contextual Social Cognition Impairments in Schizophrenia and Bipolar Disorder. <i>PLoS ONE</i> , 2013, 8, e57664.	2.5	101

#	ARTICLE	IF	CITATIONS
1099	Evidence That Transition from Health to Psychotic Disorder Can Be Traced to Semi-Ubiquitous Environmental Effects Operating against Background Genetic Risk. <i>PLoS ONE</i> , 2013, 8, e76690.	2.5	29
1100	Gender Differences in Neuropsychological Performance across Psychotic Disorders – a Multi-Centre Population Based Case-Control Study. <i>PLoS ONE</i> , 2013, 8, e77318.	2.5	19
1101	Dysconnectivity in the Frontoparietal Attention Network in Schizophrenia. <i>Frontiers in Psychiatry</i> , 2013, 4, 176.	2.6	53
1102	Increased Prolactin Levels Are Associated with Impaired Processing Speed in Subjects with Early Psychosis. <i>PLoS ONE</i> , 2014, 9, e89428.	2.5	33
1103	The Concept of Schizophrenia: From Unity to Diversity. <i>Advances in Psychiatry</i> , 2014, 2014, 1-39.	0.4	7
1104	First Rank Symptoms and Neurological Soft Signs in Schizophrenia. <i>Psychiatry Journal</i> , 2014, 2014, 1-11.	1.5	9
1105	Validation of Mood Measures for People with Multiple Sclerosis. <i>International Journal of MS Care</i> , 2014, 16, 105-109.	1.0	76
1106	El término del distrés como prueba de cribado de ansiedad y depresión en pacientes oncológicos recién diagnosticados. <i>Psicooncología</i> , 2014, 11, .	0.3	7
1107	Psychosocial Interventions for People With Both Severe Mental Illness and Substance Misuse. <i>Schizophrenia Bulletin</i> , 2014, 40, 18-20.	4.3	93
1108	Daily electronic monitoring of subjective and objective measures of illness activity in bipolar disorder using smartphones—the MONARCA II trial protocol: a randomized controlled single-blind parallel-group trial. <i>BMC Psychiatry</i> , 2014, 14, 309.	2.6	82
1109	Cognitive subtypes in non-affected siblings of schizophrenia patients: characteristics and profile congruency with affected family members. <i>Psychological Medicine</i> , 2014, 44, 395-405.	4.5	16
1110	The KMO allele encoding Arg452 is associated with psychotic features in bipolar disorder type 1, and with increased CSF KYNA level and reduced KMO expression. <i>Molecular Psychiatry</i> , 2014, 19, 334-341.	7.9	91
1111	The World Health Organization and the contested beginnings of psychiatric epidemiology as an international discipline: one rope, many strands. <i>International Journal of Epidemiology</i> , 2014, 43, i6-i18.	1.9	18
1112	Clonidine Normalizes Levels of P50 Gating in Patients With Schizophrenia on Stable Medication. <i>Schizophrenia Bulletin</i> , 2014, 40, 1022-1029.	4.3	19
1113	Deficits in Agency in Schizophrenia, and Additional Deficits in Body Image, Body Schema, and Internal Timing, in Passivity Symptoms. <i>Frontiers in Psychiatry</i> , 2014, 5, 126.	2.6	48
1114	Prevalence of depression, quality of life and antidepressant treatment in the Danish General Suburban Population Study. <i>Nordic Journal of Psychiatry</i> , 2014, 68, 507-512.	1.3	60
1115	Premorbid adjustment profiles in psychosis and the role of familial factors. <i>Journal of Abnormal Psychology</i> , 2014, 123, 578-587.	1.9	12
1116	Association Between Symptom Dimensions and Categorical Diagnoses of Psychosis: A Cross-sectional and Longitudinal Investigation. <i>Schizophrenia Bulletin</i> , 2014, 40, 111-119.	4.3	60

#	ARTICLE	IF	CITATIONS
1117	Analysis of copy number variations at 15 schizophrenia-associated loci. <i>British Journal of Psychiatry</i> , 2014, 204, 108-114.	2.8	380
1118	Cognitive functioning among patients with schizophrenia in a Nigerian hospital: a comparison with mood disorder. <i>Schizophrenia Research: Cognition</i> , 2014, 1, 155-159.	1.3	0
1119	A longitudinal high-risk study of adolescent anxiety, depression and parent-severity on the developmental course of risk-adjustment. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2014, 55, 1270-1278.	5.2	9
1120	Concurrent functional magnetic resonance imaging and electroencephalography assessment of sensory gating in schizophrenia. <i>Human Brain Mapping</i> , 2014, 35, 3578-3587.	3.6	36
1121	An Inflammatory Biomarker as a Differential Predictor of Outcome of Depression Treatment With Escitalopram and Nortriptyline. <i>American Journal of Psychiatry</i> , 2014, 171, 1278-1286.	7.2	336
1122	Effect of illness expression and liability on familial associations of clinical and subclinical psychosis phenotypes. <i>Acta Psychiatrica Scandinavica</i> , 2014, 129, 44-53.	4.5	7
1123	Maternal depression and co-occurring antisocial behaviour: testing maternal hostility and warmth as mediators of risk for offspring psychopathology. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2014, 55, 112-120.	5.2	48
1124	Effects of Dopamine D2/D3 Blockade on Human Sensory and Sensorimotor Gating in Initially Antipsychotic-Naive, First-Episode Schizophrenia Patients. <i>Neuropsychopharmacology</i> , 2014, 39, 3000-3008.	5.4	44
1125	Investigation of blood mRNA biomarkers for suicidality in an independent sample. <i>Translational Psychiatry</i> , 2014, 4, e474-e474.	4.8	24
1126	Cannabis and schizophrenia. <i>The Cochrane Library</i> , 2014, 2014, CD004837.	2.8	44
1127	Memory and Executive Functions in Patients with Obsessive-Compulsive Disorder. <i>Cognitive and Behavioral Neurology</i> , 2014, 27, 8-16.	0.9	12
1128	CNV analysis in a large schizophrenia sample implicates deletions at 16p12.1 and SLC1A1 and duplications at 1p36.33 and CGNL1. <i>Human Molecular Genetics</i> , 2014, 23, 1669-1676.	2.9	82
1129	A prospective latent analysis study of Axis I psychiatric co-morbidity of DSM-IV major depressive disorder. <i>Psychological Medicine</i> , 2014, 44, 949-959.	4.5	3
1130	Altered reward processing in the orbitofrontal cortex and hippocampus in healthy first-degree relatives of patients with depression. <i>Psychological Medicine</i> , 2014, 44, 1183-1195.	4.5	24
1131	Cognitive functioning associated with stimulant use in patients with non-affective psychosis, their unaffected siblings and healthy controls. <i>Psychological Medicine</i> , 2014, 44, 1901-1911.	4.5	8
1132	Psychosis prevalence and physical, metabolic and cognitive co-morbidity: data from the second Australian national survey of psychosis. <i>Psychological Medicine</i> , 2014, 44, 2163-2176.	4.5	155
1133	Direct comparison of first-contact versus longitudinal register-based case finding in the same population: early evidence that the incidence of schizophrenia may be three times higher than commonly reported. <i>Psychological Medicine</i> , 2014, 44, 3481-3490.	4.5	22
1134	Change in cannabis use, clinical symptoms and social functioning among patients with first-episode psychosis: a 5-year follow-up study of patients in the OPUS trial. <i>Psychological Medicine</i> , 2014, 44, 117-126.	4.5	50

#	ARTICLE	IF	CITATIONS
1135	Psychiatric Disorders From Childhood to Adulthood in 22q11.2 Deletion Syndrome: Results From the International Consortium on Brain and Behavior in 22q11.2 Deletion Syndrome. <i>American Journal of Psychiatry</i> , 2014, 171, 627-639.	7.2	645
1136	De novo CNVs in bipolar affective disorder and schizophrenia. <i>Human Molecular Genetics</i> , 2014, 23, 6677-6683.	2.9	70
1137	Association Between Genetic Polymorphisms in the Serotonergic System and Comorbid Personality Disorders Among Patients with First-Episode Depression. <i>Journal of Personality Disorders</i> , 2014, 28, 365-378.	1.4	3
1138	Gender differences in first-episode psychosis at 5-year follow-up – two different courses of disease? Results from the OPUS study at 5-year follow-up. <i>European Psychiatry</i> , 2014, 29, 44-51.	0.2	102
1139	Geriatric depression and its relation with cognitive impairment and dementia. <i>Archives of Gerontology and Geriatrics</i> , 2014, 59, 450-456.	3.0	25
1140	Smoking and suicidality in patients with a psychotic disorder. <i>Psychiatry Research</i> , 2014, 215, 634-640.	3.3	10
1141	Assessing validity of a depression screening instrument in the absence of a gold standard. <i>Annals of Epidemiology</i> , 2014, 24, 527-531.	1.9	28
1142	Smartphone data as objective measures of bipolar disorder symptoms. <i>Psychiatry Research</i> , 2014, 217, 124-127.	3.3	162
1143	Coronary Plaque Volume and Composition Assessed by Computed Tomography Angiography in Patients With Late-Onset Major Depression. <i>Psychosomatics</i> , 2014, 55, 243-251.	2.5	5
1144	Copy number variant study of bipolar disorder in Canadian and UK populations implicates synaptic genes. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2014, 165, 303-313.	1.7	76
1145	Differences in incidence of suicide attempts between bipolar I and II disorders and major depressive disorder. <i>Bipolar Disorders</i> , 2014, 16, 652-661.	1.9	141
1146	Substance use in clinical high risk for psychosis: a review of the literature. <i>Microbial Biotechnology</i> , 2014, 8, 104-112.	1.7	84
1147	Genome-wide association study of bipolar disorder in Canadian and UK populations corroborates disease loci including SYNE1 and CSMD1. <i>BMC Medical Genetics</i> , 2014, 15, 2.	2.1	106
1148	Anxiety Is Not Associated with the Risk of Dementia or Cognitive Decline: The Rotterdam Study. <i>American Journal of Geriatric Psychiatry</i> , 2014, 22, 1382-1390.	1.2	40
1149	FUNCTIONAL POLYMORPHISM IN THE BRAIN-DERIVED NEUROTROPHIC FACTOR GENE INTERACTS WITH STRESSFUL LIFE EVENTS BUT NOT CHILDHOOD MALTREATMENT IN THE ETIOLOGY OF DEPRESSION. <i>Depression and Anxiety</i> , 2014, 31, 326-334.	4.1	37
1150	Salivary cortisol and depression in public sector employees: Cross-sectional and short term follow-up findings. <i>Psychoneuroendocrinology</i> , 2014, 41, 63-74.	2.7	13
1151	Genome-wide association study reveals two new risk loci for bipolar disorder. <i>Nature Communications</i> , 2014, 5, 3339.	12.8	294
1152	The Phenomenology of Emotion Experience in First-Episode Psychosis. <i>Psychopathology</i> , 2014, 47, 252-260.	1.5	20

#	ARTICLE	IF	CITATIONS
1153	From neural signatures of emotional modulation to social cognition: individual differences in healthy volunteers and psychiatric participants. <i>Social Cognitive and Affective Neuroscience</i> , 2014, 9, 939-950.	3.0	63
1154	Comorbid medical illness in bipolar disorder. <i>British Journal of Psychiatry</i> , 2014, 205, 465-472.	2.8	113
1155	Precursors to aggression are evident by 6 months of age. <i>Developmental Science</i> , 2014, 17, 471-480.	2.4	76
1156	Polygenic dissection of diagnosis and clinical dimensions of bipolar disorder and schizophrenia. <i>Molecular Psychiatry</i> , 2014, 19, 1017-1024.	7.9	333
1157	Psychotic symptoms, cognition and affect as predictors of psychosocial problems and functional change in first-episode psychosis. <i>Schizophrenia Research</i> , 2014, 158, 113-119.	2.0	37
1158	Distinguishing between adjustment disorder and depressive episode in clinical practice: The role of personality disorder. <i>Journal of Affective Disorders</i> , 2014, 168, 78-85.	4.1	24
1159	Depression following adult, non-penetrating traumatic brain injury: A meta-analysis examining methodological variables and sample characteristics. <i>Neuroscience and Biobehavioral Reviews</i> , 2014, 47, 1-15.	6.1	106
1160	Brain-derived neurotrophic factor (BDNF)â€™Epigenetic regulation in unipolar and bipolar affective disorder. <i>Journal of Affective Disorders</i> , 2014, 168, 399-406.	4.1	74
1161	Factors contributing to the duration of untreated psychosis. <i>Schizophrenia Research</i> , 2014, 158, 76-81.	2.0	28
1162	Sexual and physical abuse in childhood is associated with depression and anxiety over the life course: systematic review and meta-analysis. <i>International Journal of Public Health</i> , 2014, 59, 359-372.	2.3	428
1163	Psychological characteristics of religious delusions. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014, 49, 1051-1061.	3.1	18
1164	Childhood maltreatment, adult attachment and psychotic symptomatology: a study in patients, siblings and controls. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014, 49, 1759-1767.	3.1	43
1165	A study of antioxidant activity in patients with schizophrenia taking atypical antipsychotics. <i>Psychopharmacology</i> , 2014, 231, 4703-4710.	3.1	31
1166	Validity and reliability of the Chinese version of the Short Form of Quality of Life Enjoyment and Satisfaction Questionnaire (Q-LES-Q-SF). <i>Quality of Life Research</i> , 2014, 23, 907-916.	3.1	41
1167	Adjustment Disorder: New Developments. <i>Current Psychiatry Reports</i> , 2014, 16, 451.	4.5	69
1168	Genetic relationships between suicide attempts, suicidal ideation and major psychiatric disorders: A genome-wide association and polygenic scoring study. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2014, 165, 428-437.	1.7	99
1169	Prevalence and impact of childhood abuse in people with a psychotic illness. Data from the second Australian national survey of psychosis. <i>Schizophrenia Research</i> , 2014, 159, 20-26.	2.0	32
1170	Improving the psychometric utility of the hypomania checklist (HCL-32): A Rasch analysis approach. <i>Journal of Affective Disorders</i> , 2014, 152-154, 448-453.	4.1	14

#	ARTICLE	IF	CITATIONS
1171	Investigating the genetic variation underlying episodicity in major depressive disorder: Suggestive evidence for a bipolar contribution. <i>Journal of Affective Disorders</i> , 2014, 155, 81-89.	4.1	15
1172	Mood disorders and parity – A clue to the aetiology of the postpartum trigger. <i>Journal of Affective Disorders</i> , 2014, 152-154, 334-339.	4.1	61
1173	Pathological gambling subtypes: A comparison of treatment-seeking and non-treatment-seeking samples from Brazil and Canada. <i>Addictive Behaviors</i> , 2014, 39, 1172-1175.	3.0	20
1174	Further evidence for high rates of schizophrenia in 22q11.2 deletion syndrome. <i>Schizophrenia Research</i> , 2014, 153, 231-236.	2.0	83
1175	The Hypomania Checklist (HCL) – Systematic review of its properties to screen for bipolar disorders. <i>Comprehensive Psychiatry</i> , 2014, 55, 1310-1321.	3.1	35
1176	Unhealthy lifestyle in early psychoses: The role of life stress and the hypothalamic–pituitary–adrenal axis. <i>Psychoneuroendocrinology</i> , 2014, 39, 1-10.	2.7	41
1177	A Genome-wide Association Analysis of a Broad Psychosis Phenotype Identifies Three Loci for Further Investigation. <i>Biological Psychiatry</i> , 2014, 75, 386-397.	1.3	44
1178	Relationship between obesity and the risk of clinically significant depression: Mendelian randomisation study. <i>British Journal of Psychiatry</i> , 2014, 205, 24-28.	2.8	62
1179	Elevated levels of plasma brain derived neurotrophic factor in rapid cycling bipolar disorder patients. <i>Psychoneuroendocrinology</i> , 2014, 47, 199-211.	2.7	45
1180	The reliability of the Standard for Clinicians' Interview in Psychiatry (SCIP): A clinician-administered tool with categorical, dimensional and numeric output. <i>Schizophrenia Research</i> , 2014, 156, 174-183.	2.0	17
1181	Reported child awareness of parental depression. <i>Psychiatric Bulletin</i> (2014), 2014, 38, 122-127.	0.3	0
1182	Detecting recurrent major depressive disorder within primary care rapidly and reliably using short questionnaire measures. <i>British Journal of General Practice</i> , 2014, 64, e31-e37.	1.4	8
1183	Prevention of depression in chronically physically ill adults. <i>The Cochrane Library</i> , 2014, , .	2.8	17
1184	Anticonvulsants for alcohol dependence. <i>The Cochrane Library</i> , 2014, , CD008544.	2.8	40
1185	Familiality and SNP heritability of age at onset and episodicity in major depressive disorder. <i>Psychological Medicine</i> , 2015, 45, 2215-2225.	4.5	21
1186	Validity of the geriatric depression scale and the collateral source version of the geriatric depression scale in nursing homes. <i>International Psychogeriatrics</i> , 2015, 27, 1495-1504.	1.0	33
1187	Does mothers'™ postnatal depression influence the development of imitation?. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2015, 56, 1231-1238.	5.2	17
1189	Copy Number Variations in DISC1 and DISC1-Interacting Partners in Major Mental Illness. <i>Molecular Neuropsychiatry</i> , 2015, 1, 175-190.	2.9	17

#	ARTICLE	IF	CITATIONS
1191	A Clinician's Guide to Working with Problem Gamblers. , 0, , .		4
1192	The prevalence of antinuclear antibodies in patients with schizophrenia spectrum disorders: results from a large cohort study. NPJ Schizophrenia, 2015, 1, 15013.	3.6	11
1194	Daily electronic self-monitoring in bipolar disorder using smartphones â€” the MONARCA I trial: a randomized, placebo-controlled, single-blind, parallel group trial. Psychological Medicine, 2015, 45, 2691-2704.	4.5	152
1195	The association between antibodies to neurotropic pathogens and schizophrenia: a case-control study. NPJ Schizophrenia, 2015, 1, 15041.	3.6	29
1196	The Danish High Risk and Resilience Study â€” VIA 7 - a cohort study of 520 7-year-old children born of parents diagnosed with either schizophrenia, bipolar disorder or neither of these two mental disorders. BMC Psychiatry, 2015, 15, 233.	2.6	67
1197	Individual Placement and Support supplemented with cognitive remediation and work-related social skills training in Denmark: study protocol for a randomized controlled trial. Trials, 2015, 16, 280.	1.6	16
1198	Outcome measures in intervention trials for adults with autism spectrum disorders; a systematic review of assessments of core autism features and associated emotional and behavioural problems. International Journal of Methods in Psychiatric Research, 2015, 24, 99-115.	2.1	66
1199	Smartphone data as an electronic biomarker of illness activity in bipolar disorder. Bipolar Disorders, 2015, 17, 715-728.	1.9	131
1200	Prevention of depression in patients with acute coronary syndrome (<scp>DECARD</scp>) randomized trial: effects on and by self-reported health. Microbial Biotechnology, 2015, 9, 370-377.	1.7	1
1201	Adult Psychotic Symptoms, Their Associated Risk Factors and Changes in Prevalence in Men and Women Over a Decade in a Poor Rural District of Kenya. International Journal of Environmental Research and Public Health, 2015, 12, 5310-5328.	2.6	9
1202	Delays before Diagnosis and Initiation of Treatment in Patients Presenting to Mental Health Services with Bipolar Disorder. PLoS ONE, 2015, 10, e0126530.	2.5	63
1203	The Effect of Recombinant Erythropoietin on Plasma Brain Derived Neurotrophic Factor Levels in Patients with Affective Disorders: A Randomised Controlled Study. PLoS ONE, 2015, 10, e0127629.	2.5	18
1204	Effects of Short-Term Cognitive Remediation on Cognitive Dysfunction in Partially or Fully Remitted Individuals with Bipolar Disorder: Results of a Randomised Controlled Trial. PLoS ONE, 2015, 10, e0127955.	2.5	91
1205	Understanding the Impact of Brain Disorders: Towards a â€”Horizontal Epidemiologyâ€” of Psychosocial Difficulties and Their Determinants. PLoS ONE, 2015, 10, e0136271.	2.5	46
1206	Influence of Sex on Suicidal Phenotypes in Affective Disorder Patients with Traumatic Childhood Experiences. PLoS ONE, 2015, 10, e0137763.	2.5	24
1207	Gender Differences in the Physical and Psychological Manifestation of Childhood Trauma and/or Adversity in People with Psychosis. Frontiers in Psychology, 2015, 6, 1768.	2.1	35
1208	Psychosis, Socioeconomic Disadvantage, and Health Service Use in South Australia: Findings from the Second Australian National Survey of Psychosis. Frontiers in Public Health, 2015, 3, 259.	2.7	23
1209	Thinking Well: A randomised controlled feasibility study of a new CBT therapy targeting reasoning biases in people with distressing persecutory delusional beliefs. Journal of Behavior Therapy and Experimental Psychiatry, 2015, 48, 82-89.	1.2	64

#	ARTICLE	IF	CITATIONS
1210	Asymmetric dimethylarginine in somatically healthy schizophrenia patients treated with atypical antipsychotics: a case-control study. <i>BMC Psychiatry</i> , 2015, 15, 67.	2.6	9
1211	Free thyroxine levels are associated with cognitive abilities in subjects with early psychosis. <i>Schizophrenia Research</i> , 2015, 166, 37-42.	2.0	21
1212	Depression and diabetes: treatment and health-care delivery. <i>Lancet Diabetes and Endocrinology</i> , the, 2015, 3, 472-485.	11.4	156
1213	Validation of a Brief Measure of Opioid Dependence. <i>Journal of Correctional Health Care</i> , 2015, 21, 12-26.	0.5	64
1214	Childhood trauma and childhood urbanicity in relation to psychotic disorder. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015, 50, 1481-1488.	3.1	22
1215	The link between depression and diabetes: the search for shared mechanisms. <i>Lancet Diabetes and Endocrinology</i> , the, 2015, 3, 461-471.	11.4	426
1216	A genetic risk score combining 32 SNPs is associated with body mass index and improves obesity prediction in people with major depressive disorder. <i>BMC Medicine</i> , 2015, 13, 86.	5.5	56
1217	Modulatory effects of brain-derived neurotrophic factor Val66Met polymorphism on prefrontal regions in major depressive disorder. <i>British Journal of Psychiatry</i> , 2015, 206, 379-384.	2.8	56
1218	Computational Objectivity in Depression Assessment for Unstructured Large Datasets. , 2015, , .		1
1220	Heterogeneity of postpartum depression: a latent class analysis. <i>Lancet Psychiatry</i> , the, 2015, 2, 59-67.	7.4	198
1221	Acute and long-term psychiatric side effects of mefloquine: A follow-up on Danish adverse event reports. <i>Travel Medicine and Infectious Disease</i> , 2015, 13, 80-88.	3.0	35
1222	Sick leave and work disability in primary care patients with recent-onset multiple medically unexplained symptoms and persistent somatoform disorders: a 10-year follow-up of the FIP study. <i>General Hospital Psychiatry</i> , 2015, 37, 53-59.	2.4	81
1223	Burden of Disease: The Epidemiological Aspects of Addiction. , 2015, , 65-78.		0
1224	Loneliness mediates the relationship between childhood trauma and adult psychopathology: evidence from the adult psychiatric morbidity survey. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015, 50, 591-601.	3.1	88
1225	Remission criteria and functional outcome in patients with schizophrenia, a longitudinal study. <i>Australian and New Zealand Journal of Psychiatry</i> , 2015, 49, 266-274.	2.3	16
1226	Which instruments to support diagnosis of depression have sufficient accuracy? A systematic review. <i>Nordic Journal of Psychiatry</i> , 2015, 69, 497-508.	1.3	124
1227	Course of cannabis use and clinical outcome in patients with non-affective psychosis: a 3-year follow-up study. <i>Psychological Medicine</i> , 2015, 45, 1977-1988.	4.5	40
1228	Reduced mRNA Expression of PTGDS in Peripheral Blood Mononuclear Cells of Rapid-Cycling Bipolar Disorder Patients Compared with Healthy Control Subjects. <i>International Journal of Neuropsychopharmacology</i> , 2015, 18, pyu101-pyu101.	2.1	22

#	ARTICLE	IF	CITATIONS
1229	The role of specific early trauma in adult depression: A meta-analysis of published literature. Childhood trauma and adult depression. <i>European Psychiatry</i> , 2015, 30, 665-680.	0.2	393
1230	Association of IQ Changes and Progressive Brain Changes in Patients With Schizophrenia. <i>JAMA Psychiatry</i> , 2015, 72, 803.	11.0	80
1231	Longitudinal symptom course in adults with recurrent depression: Impact on impairment and risk of psychopathology in offspring. <i>Journal of Affective Disorders</i> , 2015, 182, 32-38.	4.1	17
1232	The validity of the symptom checklist depression and anxiety subscales: A general population study in Sweden. <i>Journal of Affective Disorders</i> , 2015, 183, 247-252.	4.1	31
1233	Mood instability in bipolar disorder type I versus type II-continuous daily electronic self-monitoring of illness activity using smartphones. <i>Journal of Affective Disorders</i> , 2015, 186, 342-349.	4.1	50
1234	Affective temperaments and concomitant alcohol use disorders in bipolar disorder. <i>Journal of Affective Disorders</i> , 2015, 186, 226-231.	4.1	19
1235	Assessment of subjective and objective cognitive function in bipolar disorder: Correlations, predictors and the relation to psychosocial function. <i>Psychiatry Research</i> , 2015, 229, 565-571.	3.3	67
1236	Childhood abuse and neglect in relation to the presence and persistence of psychotic and depressive symptomatology. <i>Psychological Medicine</i> , 2015, 45, 1363-1377.	4.5	86
1237	Cognition, structural brain changes and complicated grief. A population-based study. <i>Psychological Medicine</i> , 2015, 45, 1389-1399.	4.5	34
1238	Analysis of exome sequence in 604 trios for recessive genotypes in schizophrenia. <i>Translational Psychiatry</i> , 2015, 5, e607-e607.	4.8	35
1239	Bullying victimisation and risk of psychotic phenomena: analyses of British national survey data. <i>Lancet Psychiatry</i> , 2015, 2, 618-624.	7.4	74
1240	Grey matter, an endophenotype for schizophrenia? A voxel-based morphometry study in siblings of patients with schizophrenia. <i>Journal of Psychiatry and Neuroscience</i> , 2015, 40, 207-213.	2.4	9
1241	A national population-based e-cohort of people with psychosis (PsyCymru) linking prospectively ascertained phenotypically rich and genetic data to routinely collected records: Overview, recruitment and linkage. <i>Schizophrenia Research</i> , 2015, 166, 131-136.	2.0	14
1242	Rapid cycling as a feature of bipolar disorder and comorbid migraine. <i>Journal of Affective Disorders</i> , 2015, 175, 320-324.	4.1	26
1243	Morbidity profile of first-degree relatives of probands with schizophrenia: a comparison with mood disorder and healthy control. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015, 50, 389-395.	3.1	4
1244	Depression in patients with alcohol use disorders: Systematic review and meta-analysis of outcomes for independent and substance-induced disorders. <i>Journal of Affective Disorders</i> , 2015, 185, 47-59.	4.1	104
1245	Suicidal risk, affective dysphoric disorders, and quality-of-life perception in patients with focal refractory epilepsy. <i>Epilepsy and Behavior</i> , 2015, 45, 254-260.	1.7	30
1246	Reduced event-related low frequency EEG activity in patients with early onset schizophrenia and their unaffected siblings. <i>Psychiatry Research - Neuroimaging</i> , 2015, 232, 51-57.	1.8	7

#	ARTICLE	IF	CITATIONS
1247	Associations between postnatal maternal depression and psychological outcomes in adolescent offspring: a systematic review. <i>Archives of Women's Mental Health</i> , 2015, 18, 147-162.	2.6	118
1248	Mapping brain volumetric abnormalities in never-treated pathological gamblers. <i>Psychiatry Research - Neuroimaging</i> , 2015, 232, 208-213.	1.8	19
1249	Childhood trauma is associated with a specific admixture of affective, anxiety, and psychosis symptoms cutting across traditional diagnostic boundaries. <i>Psychological Medicine</i> , 2015, 45, 1277-1288.	4.5	131
1250	Low self-compassion in patients with bipolar disorder. <i>Comprehensive Psychiatry</i> , 2015, 60, 53-58.	3.1	27
1251	Reduced fronto-striatal white matter integrity in schizophrenia patients and unaffected siblings: a DTI study. <i>NPJ Schizophrenia</i> , 2015, 1, 15001.	3.6	14
1252	Dietary intake and nutritional risk in Mediterranean adolescents in relation to the severity of the eating disorder. <i>Public Health Nutrition</i> , 2015, 18, 1461-1473.	2.2	11
1253	Schizophrenia-like topological changes in the structural connectome of individuals with subclinical psychotic experiences. <i>Human Brain Mapping</i> , 2015, 36, 2629-2643.	3.6	66
1254	Association Study of CHRNA7 Promoter Variants with Sensory and Sensorimotor Gating in Schizophrenia Patients and Healthy Controls: A Danish Case-Control Study. <i>NeuroMolecular Medicine</i> , 2015, 17, 423-430.	3.4	23
1255	Clinical correlates of obsessive-compulsive symptom dimensions in at-risk mental states and psychotic disorders at early stages. <i>Psychiatry Research</i> , 2015, 228, 363-367.	3.3	10
1256	The Use of Alcohol Use Disorders Identification Test (<sc>AUDIT</sc>) in Detecting Alcohol Use Disorder and Risk Drinking in the General Population: Validation of <sc>AUDIT</sc> Using Schedules for Clinical Assessment in Neuropsychiatry. <i>Alcoholism: Clinical and Experimental Research</i> , 2015, 39, 158-165.	2.4	104
1257	Bipolar disorder, miscarriage, and termination. <i>Bipolar Disorders</i> , 2015, 17, 102-105.	1.9	16
1258	Bipolar Patients' Quality of Life in Mixed States: A Preliminary Qualitative Study. <i>Psychopathology</i> , 2015, 48, 192-201.	1.5	11
1259	A composite peripheral blood gene expression measure as a potential diagnostic biomarker in bipolar disorder. <i>Translational Psychiatry</i> , 2015, 5, e614-e614.	4.8	58
1260	Gambling problems in bipolar disorder in the UK: Prevalence and distribution. <i>British Journal of Psychiatry</i> , 2015, 207, 328-333.	2.8	32
1261	Failure to use corollary discharge to remap visual target locations is associated with psychotic symptom severity in schizophrenia. <i>Journal of Neurophysiology</i> , 2015, 114, 1129-1136.	1.8	28
1262	Elevated levels of urinary markers of oxidatively generated DNA and RNA damage in bipolar disorder. <i>Bipolar Disorders</i> , 2015, 17, 257-268.	1.9	51
1263	Suicidal behaviours in adjustment disorder and depressive episode. <i>Journal of Affective Disorders</i> , 2015, 174, 441-446.	4.1	56
1264	The independence of schizotypy from affective temperaments - A combined confirmatory factor analysis of SPQ and the short TEMPS-A. <i>Psychiatry Research</i> , 2015, 225, 145-156.	3.3	10

#	ARTICLE	IF	CITATIONS
1265	The efficacy of targeted health agents education to reduce the duration of untreated psychosis in a rural population. <i>Schizophrenia Research</i> , 2015, 161, 184-187.	2.0	22
1266	Are there reliable changes in memory and executive functions after cognitive behavioural therapy in patients with obsessive-compulsive disorder?. <i>Cognitive Neuropsychiatry</i> , 2015, 20, 128-143.	1.3	8
1267	Alexithymia influences brain activation during emotion perception but not regulation. <i>Social Cognitive and Affective Neuroscience</i> , 2015, 10, 285-293.	3.0	39
1268	Fronto-striatal Dysfunction During Reward Processing in Unaffected Siblings of Schizophrenia Patients. <i>Schizophrenia Bulletin</i> , 2015, 41, 94-103.	4.3	70
1269	Prevalence of and Potential Influencing Factors for Alcohol Dependence in Europe. <i>European Addiction Research</i> , 2015, 21, 6-18.	2.4	141
1270	Elevated levels of IL-6 and IL-18 in manic and hypomanic states in rapid cycling bipolar disorder patients. <i>Brain, Behavior, and Immunity</i> , 2015, 43, 205-213.	4.1	73
1271	A Prospective Study on Self-Assessed Mental Well-Being and Work Capacity as Determinants of All-Cause Sickness Absence. <i>Journal of Occupational Rehabilitation</i> , 2015, 25, 52-64.	2.2	17
1272	Longitudinal phenotypes for alcoholism: Heterogeneity of course, early identifiers, and life course correlates. <i>Development and Psychopathology</i> , 2016, 28, 1531-1546.	2.3	13
1273	Cognitive Performance and Long-Term Social Functioning in Psychotic Disorder: A Three-Year Follow-Up Study. <i>PLoS ONE</i> , 2016, 11, e0151299.	2.5	24
1274	Glycogen synthase kinase-3 β in patients with bipolar I disorder: results from a prospective study. <i>Bipolar Disorders</i> , 2016, 18, 334-341.	1.9	8
1275	Hypothalamic-pituitary-adrenal axis measures and cognitive abilities in early psychosis: Are there sex differences?. <i>Psychoneuroendocrinology</i> , 2016, 72, 54-62.	2.7	17
1276	Longitudinal association between cognitive performance and obsessive-compulsive symptoms in patients with psychosis and unaffected siblings. <i>Acta Psychiatrica Scandinavica</i> , 2016, 133, 399-409.	4.5	8
1277	The functional and clinical relevance of childhood trauma-related admixture of affective, anxious and psychosis symptoms. <i>Acta Psychiatrica Scandinavica</i> , 2016, 133, 91-101.	4.5	20
1278	How should prevalence of alcohol use disorders be assessed globally?. <i>International Journal of Methods in Psychiatric Research</i> , 2016, 25, 79-85.	2.1	38
1279	High educational performance is a distinctive feature of bipolar disorder: a study on cognition in bipolar disorder, schizophrenia patients, relatives and controls. <i>Psychological Medicine</i> , 2016, 46, 807-818.	4.5	74
1280	Comparing group-based acceptance and commitment therapy (ACT) with enhanced usual care for adolescents with functional somatic syndromes: a study protocol for a randomised trial. <i>BMJ Open</i> , 2016, 6, e012743.	1.9	15
1281	Developmental cascade models of a parenting-focused program for divorced families on mental health problems and substance use in emerging adulthood. <i>Development and Psychopathology</i> , 2016, 28, 869-888.	2.3	19
1282	Increased DNA and RNA damage by oxidation in patients with bipolar I disorder. <i>Translational Psychiatry</i> , 2016, 6, e867-e867.	4.8	42

#	ARTICLE	IF	CITATIONS
1283	Childhood trauma, psychosis liability and social stress reactivity: a virtual reality study. <i>Psychological Medicine</i> , 2016, 46, 3339-3348.	4.5	45
1284	The prevalence of visual hallucinations in non-affective psychosis, and the role of perception and attention. <i>Psychological Medicine</i> , 2016, 46, 1735-1747.	4.5	16
1285	Examining whether offspring psychopathology influences illness course in mothers with recurrent depression using a high-risk longitudinal sample.. <i>Journal of Abnormal Psychology</i> , 2016, 125, 256-266.	1.9	23
1286	Somatic comorbidity among migrants with posttraumatic stress disorder and depression – a prospective cohort study. <i>BMC Psychiatry</i> , 2016, 16, 447.	2.6	19
1287	Glycogen Synthase Kinase-3 β : Variation over Time and the Possible Association with Mood and Cognition in Healthy Individuals. <i>Neuropsychobiology</i> , 2016, 73, 108-115.	1.9	5
1288	Sociodemographic, clinical and childhood correlates of adult violent victimisation in a large, national survey sample of people with psychotic disorders. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016, 51, 269-279.	3.1	22
1289	Environmental Social Stress, Paranoia and Psychosis Liability: A Virtual Reality Study. <i>Schizophrenia Bulletin</i> , 2016, 42, 1363-1371.	4.3	106
1290	A longitudinal investigation of childhood communication ability and adolescent psychotic experiences in a community sample. <i>Schizophrenia Research</i> , 2016, 173, 54-61.	2.0	15
1291	No effect of escitalopram versus placebo on brain-derived neurotrophic factor in healthy individuals: a randomised trial. <i>Acta Neuropsychiatrica</i> , 2016, 28, 101-109.	2.1	6
1292	Increased fractional anisotropy in cerebellum in obsessive-compulsive disorder. <i>Acta Neuropsychiatrica</i> , 2016, 28, 141-148.	2.1	16
1293	Differences in cannabis-related experiences between patients with a first episode of psychosis and controls. <i>Psychological Medicine</i> , 2016, 46, 995-1003.	4.5	27
1294	Rates and predictors of remission, recurrence and conversion to bipolar disorder after the first lifetime episode of depression – a prospective 5-year follow-up study. <i>Psychological Medicine</i> , 2016, 46, 1151-1161.	4.5	43
1295	Metabolic syndrome in people with a psychotic illness: is cannabis protective?. <i>Psychological Medicine</i> , 2016, 46, 1651-1662.	4.5	20
1296	Polygenic interactions with environmental adversity in the aetiology of major depressive disorder. <i>Psychological Medicine</i> , 2016, 46, 759-770.	4.5	176
1297	Insomnia and hallucinations in the general population: Findings from the 2000 and 2007 British Psychiatric Morbidity Surveys. <i>Psychiatry Research</i> , 2016, 241, 141-146.	3.3	54
1298	The validity of dysthymia to predict clinical depressive symptoms as measured by the Hamilton Depression Scale at the 5-year follow-up of patients with first episode depression. <i>Nordic Journal of Psychiatry</i> , 2016, 70, 563-566.	1.3	9
1299	Trajectories of suicidal ideation in patients with first-episode psychosis: secondary analysis of data from the OPUS trial. <i>Lancet Psychiatry</i> , 2016, 3, 443-450.	7.4	48
1300	The effect of flexible cognitive-behavioural therapy and medical treatment, including antidepressants on post-traumatic stress disorder and depression in traumatised refugees: pragmatic randomised controlled clinical trial. <i>British Journal of Psychiatry</i> , 2016, 208, 252-259.	2.8	73

#	ARTICLE	IF	CITATIONS
1301	Predictors and longitudinal course of cognitive functioning in schizophrenia spectrum disorders, 10 years after baseline: The OPUS study. <i>Schizophrenia Research</i> , 2016, 175, 57-63.	2.0	61
1302	A Danish Twin Study of Schizophrenia Liability: Investigation from Interviewed Twins for Genetic Links to Affective Psychoses and for Cross-Cohort Comparisons. <i>Behavior Genetics</i> , 2016, 46, 193-204.	2.1	10
1303	Combining clinical variables to optimize prediction of antidepressant treatment outcomes. <i>Journal of Psychiatric Research</i> , 2016, 78, 94-102.	3.1	149
1304	Overview on Prevalence and Recent Trends in Adolescent Substance Use and Abuse. <i>Child and Adolescent Psychiatric Clinics of North America</i> , 2016, 25, 349-365.	1.9	38
1305	Subclinical psychosis and pain in an English national sample: The role of common mental disorders. <i>Schizophrenia Research</i> , 2016, 175, 209-215.	2.0	12
1306	Systemic oxidative DNA and RNA damage are not increased during early phases of psychosis: A case control study. <i>Psychiatry Research</i> , 2016, 241, 201-206.	3.3	20
1307	Association of CRTCL1 polymorphisms with obesity markers in subjects from the general population with lifetime depression. <i>Journal of Affective Disorders</i> , 2016, 198, 43-49.	4.1	18
1308	Awareness of Pre-diabetes or Diabetes and Associated Factors in People With Psychosis. <i>Schizophrenia Bulletin</i> , 2016, 42, 1280-1289.	4.3	9
1309	Prevalence of anxiety following adult traumatic brain injury: A meta-analysis comparing measures, samples and postinjury intervals. <i>Neuropsychology</i> , 2016, 30, 247-261.	1.3	52
1310	Serotonergic neurotransmission in emotional processing: New evidence from long-term recreational poly-drug ecstasy use. <i>Journal of Psychopharmacology</i> , 2016, 30, 1296-1304.	4.0	6
1311	Unaffected twins discordant for affective disorders show changes in anterior callosal white matter microstructure. <i>Acta Psychiatrica Scandinavica</i> , 2016, 134, 441-451.	4.5	6
1312	Volumetric, relaxometric and diffusometric correlates of psychotic experiences in a non-clinical sample of young adults. <i>NeuroImage: Clinical</i> , 2016, 12, 550-558.	2.7	15
1313	One-year follow-up study of first suicide attempts in first episode psychosis: Personality traits and temporal pattern. <i>Comprehensive Psychiatry</i> , 2016, 71, 121-129.	3.1	17
1314	Five year follow-up of non-psychotic adults with frequent auditory verbal hallucinations: are they still healthy?. <i>Psychological Medicine</i> , 2016, 46, 1897-1907.	4.5	23
1315	Body dysmorphic disorder in different settings: A systematic review and estimated weighted prevalence. <i>Body Image</i> , 2016, 18, 168-186.	4.3	244
1316	<i>Toxoplasma gondii</i> infection in schizophrenia and associated clinical features. <i>Psychiatry Research</i> , 2016, 245, 327-332.	3.3	34
1317	Diagnostic validity of the Patient Health Questionnaire-2 (PHQ-2) among Ethiopian adults. <i>Comprehensive Psychiatry</i> , 2016, 70, 216-221.	3.1	32
1318	Discrete neurocognitive subgroups in fully or partially remitted bipolar disorder: Associations with functional abilities. <i>Journal of Affective Disorders</i> , 2016, 205, 378-386.	4.1	110

#	ARTICLE	IF	CITATIONS
1319	When one's sense of agency goes wrong: Absent modulation of time perception by voluntary actions and reduction of perceived length of intervals in passivity symptoms in schizophrenia. <i>Consciousness and Cognition</i> , 2016, 45, 9-23.	1.5	20
1320	Transitioning from DSM-IV to DSM-5: A systematic review of eating disorder prevalence assessment. <i>International Journal of Eating Disorders</i> , 2016, 49, 975-997.	4.0	38
1321	Body representations in schizophrenia: an alteration of body structural description is common to people with schizophrenia while alterations of body image worsen with passivity symptoms. <i>Cognitive Neuropsychiatry</i> , 2016, 21, 354-368.	1.3	10
1322	Auditory verbal hallucinations (AVHs) and related psychotic phenomena in mood disorders: analysis of the 2010 Survey of High Impact Psychosis (SHIP) data. <i>Psychiatry Research</i> , 2016, 243, 238-245.	3.3	9
1323	Voice analysis as an objective state marker in bipolar disorder. <i>Translational Psychiatry</i> , 2016, 6, e856-e856.	4.8	167
1324	Bipolar affective disorder, pregnancy and childbirth: clinical characteristics and heredity. <i>Biotechnology and Biotechnological Equipment</i> , 2016, 30, 976-983.	1.3	1
1325	Relationship Between Changes in Workplace Bullying Status and the Reporting of Personality Characteristics. <i>Journal of Occupational and Environmental Medicine</i> , 2016, 58, 902-910.	1.7	18
1326	Emotional Demands at Work and the Risk of Clinical Depression. <i>Journal of Occupational and Environmental Medicine</i> , 2016, 58, 994-1001.	1.7	19
1327	Behavioral activities collected through smartphones and the association with illness activity in bipolar disorder. <i>International Journal of Methods in Psychiatric Research</i> , 2016, 25, 309-323.	2.1	113
1328	Early Maladaptive Schemas in Bipolar Disorder Patients With and Without Suicide Attempts. <i>Journal of Nervous and Mental Disease</i> , 2016, 204, 236-239.	1.0	16
1329	Markers of cerebral small vessel disease and severity of depression in the general population. <i>Psychiatry Research - Neuroimaging</i> , 2016, 253, 1-6.	1.8	24
1330	Do better executive functions buffer the effect of current parental depression on adolescent depressive symptoms?. <i>Journal of Affective Disorders</i> , 2016, 199, 54-64.	4.1	40
1331	People living with psychosocial disability: Rehabilitation and recovery-informed service provision within the second Australian national survey of psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2016, 50, 534-547.	2.3	26
1332	Adverse childhood life events and postpartum psychosis in bipolar disorder. <i>Journal of Affective Disorders</i> , 2016, 205, 69-72.	4.1	19
1333	Metabolic syndrome in schizophrenia patients associated with poor premorbid school performance in early adolescence. <i>Acta Psychiatrica Scandinavica</i> , 2016, 133, 289-297.	4.5	12
1334	Copy number variation in bipolar disorder. <i>Molecular Psychiatry</i> , 2016, 21, 89-93.	7.9	147
1335	Striatal Reward Activity and Antipsychotic-Associated Weight Change in Patients With Schizophrenia Undergoing Initial Treatment. <i>JAMA Psychiatry</i> , 2016, 73, 121.	11.0	68
1336	Characteristics, correlates and outcomes of perceived stigmatization in bipolar disorder patients. <i>Journal of Affective Disorders</i> , 2016, 194, 196-201.	4.1	12

#	ARTICLE	IF	CITATIONS
1337	Free thyroxine levels are associated with cognitive changes in individuals with a first episode of psychosis: A prospective 1-year follow-up study. <i>Schizophrenia Research</i> , 2016, 171, 182-186.	2.0	18
1338	Effect of escitalopram versus placebo on GRÎ± messenger RNA expression in peripheral blood cells of healthy individuals with a family history of depression â€“ a secondary outcome analysis from the randomized AGENDA trial. <i>Nordic Journal of Psychiatry</i> , 2016, 70, 297-302.	1.3	4
1339	Prevalence of and Risk Factors for Anxiety and Depressive Disorders after Traumatic Brain Injury: A Systematic Review. <i>Journal of Neurotrauma</i> , 2016, 33, 1969-1994.	3.4	194
1340	Reduced cerebral cortical thickness in Non-cirrhotic patients with hepatitis C. <i>Metabolic Brain Disease</i> , 2016, 31, 311-319.	2.9	18
1341	DRD2 Schizophrenia-Risk Allele Is Associated With Impaired Striatal Functioning in Unaffected Siblings of Schizophrenia Patients. <i>Schizophrenia Bulletin</i> , 2016, 42, 843-850.	4.3	21
1342	Frontal D2/3Receptor Availability in Schizophrenia Patients Before and After Their First Antipsychotic Treatment: Relation to Cognitive Functions and Psychopathology. <i>International Journal of Neuropsychopharmacology</i> , 2016, 19, pyw006.	2.1	17
1343	Seasonal difference in brain serotonin transporter binding predicts symptom severity in patients with seasonal affective disorder. <i>Brain</i> , 2016, 139, 1605-1614.	7.6	60
1344	Prediction of Neurocognitive Deficits by Parkinsonian Motor Impairment in Schizophrenia: A Study in Neuroleptic-NaÃve Subjects, Unaffected First-Degree Relatives and Healthy Controls From an Indigenous Population. <i>Schizophrenia Bulletin</i> , 2016, 42, 1486-1495.	4.3	12
1345	Cytokines, brain-derived neurotrophic factor and C-reactive protein in bipolar I disorder â€“ Results from a prospective study. <i>Journal of Affective Disorders</i> , 2016, 197, 167-174.	4.1	67
1346	Unrecognised bipolar disorder among UK primary care patients prescribed antidepressants: an observational study. <i>British Journal of General Practice</i> , 2016, 66, e71-e77.	1.4	23
1347	A Cognitive Neuroscience View of Voice-Processing Abnormalities in Schizophrenia. <i>Harvard Review of Psychiatry</i> , 2016, 24, 148-163.	2.1	21
1348	State-related differences in the level of psychomotor activity in patients with bipolar disorderâ€“ Continuous heart rate and movement monitoring. <i>Psychiatry Research</i> , 2016, 237, 166-174.	3.3	27
1349	Mental health resilience in the adolescent offspring of parents with depression: a prospective longitudinal study. <i>Lancet Psychiatry</i> , 2016, 3, 49-57.	7.4	112
1350	A meta-analysis of temperament and character dimensions in patients with mood disorders: Comparison to healthy controls and unaffected siblings. <i>Journal of Affective Disorders</i> , 2016, 194, 84-97.	4.1	72
1351	Delineating ADHD and bipolar disorder: A comparison of clinical profiles in adult women. <i>Journal of Affective Disorders</i> , 2016, 192, 125-133.	4.1	12
1352	Exome arrays capture polygenic rare variant contributions to schizophrenia. <i>Human Molecular Genetics</i> , 2016, 25, 1001-1007.	2.9	54
1353	Comparative neurocognitive effects of lithium and anticonvulsants in long-term stable bipolar patients. <i>Journal of Affective Disorders</i> , 2016, 190, 34-40.	4.1	23
1354	Affective instability, childhood trauma and major affective disorders. <i>Journal of Affective Disorders</i> , 2016, 190, 764-771.	4.1	45

#	ARTICLE	IF	CITATIONS
1355	Personality disorders and suicide attempts in unipolar and bipolar mood disorders. <i>Journal of Affective Disorders</i> , 2016, 190, 632-639.	4.1	21
1356	Development and psychometric validation of the verbal affective memory test. <i>Memory</i> , 2016, 24, 1208-1223.	1.7	26
1357	Associations between depression and specific childhood experiences of abuse and neglect: A meta-analysis. <i>Journal of Affective Disorders</i> , 2016, 190, 47-55.	4.1	392
1358	Can memory and executive functions in patients with obsessive-compulsive disorder predict outcome of cognitive behavioural therapy?. <i>Nordic Journal of Psychiatry</i> , 2016, 70, 183-189.	1.3	7
1359	Comparing Pharmacological Modulation of Sensory Gating in Healthy Humans and Rats: The Effects of Reboxetine and Haloperidol. <i>Neuropsychopharmacology</i> , 2016, 41, 638-645.	5.4	11
1360	Health anxiety and hypochondriasis in the light of DSM-5. <i>Anxiety, Stress and Coping</i> , 2016, 29, 219-239.	2.9	86
1361	Psychosocial functioning in first-episode psychosis and associations with neurocognition, social cognition, psychotic and affective symptoms. <i>Microbial Biotechnology</i> , 2017, 11, 23-36.	1.7	46
1362	Diagnostic Stability of Comorbid Personality Disorders Among Patients Fully or Partially Remitted From First-Episode Depression: A 5-Year Follow-Up Study. <i>Journal of Personality Disorders</i> , 2017, 31, 208-220.	1.4	4
1363	7T Proton Magnetic Resonance Spectroscopy of Gamma-Aminobutyric Acid, Glutamate, and Glutamine Reveals Altered Concentrations in Patients With Schizophrenia and Healthy Siblings. <i>Biological Psychiatry</i> , 2017, 81, 525-535.	1.3	78
1364	Higher than recommended dosages of antipsychotics in male patients with schizophrenia are associated with increased depression but no major neurocognitive side effects: Results of a cross-sectional pilot naturalistic study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2017, 75, 113-119.	4.8	3
1365	Stressful life events and catechol-O-methyl-transferase (COMT) gene in bipolar disorder. <i>Depression and Anxiety</i> , 2017, 34, 419-426.	4.1	27
1366	Evidence for genetic heterogeneity between clinical subtypes of bipolar disorder. <i>Translational Psychiatry</i> , 2017, 7, e993-e993.	4.8	162
1367	Parkinsonian motor impairment predicts personality domains related to genetic risk and treatment outcomes in schizophrenia. <i>NPJ Schizophrenia</i> , 2017, 3, 16036.	3.6	1
1368	The longitudinal association between external locus of control, social cognition and adolescent psychopathology. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017, 52, 643-655.	3.1	34
1369	Investigation of correlations between DNA methylation, suicidal behavior and aging. <i>Bipolar Disorders</i> , 2017, 19, 32-40.	1.9	27
1370	Effects of risk for bipolar disorder on brain function: A twin and family study. <i>European Neuropsychopharmacology</i> , 2017, 27, 494-503.	0.7	7
1371	The associations between childhood trauma, neuroticism and comorbid obsessive-compulsive symptoms in patients with psychotic disorders. <i>Psychiatry Research</i> , 2017, 254, 48-53.	3.3	9
1372	Patterns of white matter microstructure in individuals at ultra-high-risk for psychosis: associations to level of functioning and clinical symptoms. <i>Psychological Medicine</i> , 2017, 47, 2689-2707.	4.5	32

#	ARTICLE	IF	CITATIONS
1373	Evidence that polygenic risk for psychotic disorder is expressed in the domain of neurodevelopment, emotion regulation and attribution of salience. <i>Psychological Medicine</i> , 2017, 47, 2421-2437.	4.5	63
1374	Anxiety and depressive disorders in people with epilepsy: A meta-analysis. <i>Epilepsia</i> , 2017, 58, 973-982.	5.1	277
1375	Screening instruments for predicting return to work in long-term sickness absence. <i>Occupational Medicine</i> , 2017, 67, 101-108.	1.4	5
1376	The role of premorbid personality and social cognition in suicidal behaviour in first-episode psychosis: A one-year follow-up study. <i>Psychiatry Research</i> , 2017, 256, 13-20.	3.3	17
1377	Evidence That the Impact of Childhood Trauma on IQ Is Substantial in Controls, Moderate in Siblings, and Absent in Patients With Psychotic Disorder. <i>Schizophrenia Bulletin</i> , 2017, 43, 316-324.	4.3	32
1378	Genetic variation and epigenetic modification of the prodynorphin gene in peripheral blood cells in alcoholism. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2017, 76, 195-203.	4.8	16
1379	Prevalence of pathological gambling in patients with alcohol dependence syndrome attending a tertiary care center in South India. <i>Asian Journal of Psychiatry</i> , 2017, 26, 92-93.	2.0	0
1380	A novel approach to measuring response and remission in schizophrenia in clinical trials. <i>Schizophrenia Research</i> , 2017, 190, 123-128.	2.0	6
1381	Characteristics and health conditions of a group of nursing home patients with mental-physical multimorbidity - the MAPPING study. <i>International Psychogeriatrics</i> , 2017, 29, 1037-1047.	1.0	14
1382	Stability and development of psychotic symptoms and the use of antipsychotic medication - long-term follow-up. <i>Psychological Medicine</i> , 2017, 47, 2118-2129.	4.5	22
1383	Subjective measures of health and all-cause mortality - the Rotterdam Study. <i>Psychological Medicine</i> , 2017, 47, 1971-1980.	4.5	20
1384	Antecedents of New-Onset Major Depressive Disorder in Children and Adolescents at High Familial Risk. <i>JAMA Psychiatry</i> , 2017, 74, 153.	11.0	69
1385	Assessing needs for psychiatric treatment in prisoners: 2. Met and unmet need. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017, 52, 231-240.	3.1	47
1386	Thought disorder. <i>BJ Psych Advances</i> , 2017, 23, 321-323.	0.7	3
1387	Season-independent cognitive deficits in seasonal affective disorder and their relation to depressive symptoms. <i>Psychiatry Research</i> , 2017, 257, 219-226.	3.3	12
1388	Mutation intolerant genes and targets of FMRP are enriched for nonsynonymous alleles in schizophrenia. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2017, 174, 724-731.	1.7	19
1389	Determinants and Predictors of Grief Severity and Persistence: The Rotterdam Study. <i>Journal of Aging and Health</i> , 2017, 29, 1288-1307.	1.7	25
1390	Influence of childhood trauma on diagnosis and substance use in first-episode psychosis. <i>British Journal of Psychiatry</i> , 2017, 211, 151-156.	2.8	23

#	ARTICLE	IF	CITATIONS
1391	Deficient prepulse inhibition of the startle reflex in schizophrenia using a cross-modal paradigm. <i>Biological Psychology</i> , 2017, 128, 112-116.	2.2	19
1392	A visual timeline tool for tracking mood and medication perinatally in affective disorders. <i>Archives of Women's Mental Health</i> , 2017, 20, 709-710.	2.6	0
1393	Dopamine D2-receptor affinity of antipsychotics in relation to subjective well-being in patients with a psychotic disorder. <i>International Clinical Psychopharmacology</i> , 2017, 32, 249-255.	1.7	3
1394	Increased blood BDNF in healthy individuals with a family history of depression. <i>Psychiatry Research</i> , 2017, 256, 176-179.	3.3	16
1395	Interaction between the <i>FTO</i> gene, body mass index and depression: meta-analysis of 13701 individuals. <i>British Journal of Psychiatry</i> , 2017, 211, 70-76.	2.8	49
1396	Agreement between clinical and MINI diagnoses in outpatients with mood and anxiety disorders. <i>Journal of Affective Disorders</i> , 2017, 221, 268-274.	4.1	16
1397	Testing a decades-old assumption: Are individuals with lower sensory gating indeed more easily distracted?. <i>Psychiatry Research</i> , 2017, 255, 387-393.	3.3	9
1398	Long-Term Outcome of Bodily Distress Syndrome in Primary Care: A Follow-Up Study on Health Care Costs, Work Disability, and Self-Rated Health. <i>Psychosomatic Medicine</i> , 2017, 79, 345-357.	2.0	50
1399	Sleep loss as a trigger of mood episodes in bipolar disorder: Individual differences based on diagnostic subtype and gender. <i>British Journal of Psychiatry</i> , 2017, 211, 169-174.	2.8	92
1400	Reducing the rate and duration of Re-ADMISSions among patients with unipolar disorder and bipolar disorder using smartphone-based monitoring and treatment – the RADMIS trials: study protocol for two randomized controlled trials. <i>Trials</i> , 2017, 18, 277.	1.6	23
1401	The Bipolar Illness Onset study: research protocol for the BIO cohort study. <i>BMJ Open</i> , 2017, 7, e015462.	1.9	119
1402	High Incidence and Prevalence of Drug-Related Movement Disorders in Young Patients With Psychotic Disorders. <i>Journal of Clinical Psychopharmacology</i> , 2017, 37, 231-238.	1.4	22
1403	Extrastriatal dopamine D2/3 receptors and cortical grey matter volumes in antipsychotic-naïve schizophrenia patients before and after initial antipsychotic treatment. <i>World Journal of Biological Psychiatry</i> , 2017, 18, 539-549.	2.6	4
1404	The effect of positive symptoms on social cognition in first-episode schizophrenia is modified by the presence of negative symptoms.. <i>Neuropsychology</i> , 2017, 31, 209-219.	1.3	41
1405	Association of the <i>IFN-γ</i> (+874A/T) Genetic Polymorphism with Paranoid Schizophrenia in Tunisian Population. <i>Immunological Investigations</i> , 2017, 46, 159-171.	2.0	12
1406	Mild cognitive impairment and risk of depression and anxiety: A population-based study. <i>Alzheimer's and Dementia</i> , 2017, 13, 130-139.	0.8	72
1407	Using Clinical Characteristics to Identify Which Patients With Major Depressive Disorder Have a Higher Genetic Load for Three Psychiatric Disorders. <i>Biological Psychiatry</i> , 2017, 81, 316-324.	1.3	31
1408	The relationship between self-reported childhood adversities, adulthood psychopathology and psychological stress markers in patients with schizophrenia. <i>Comprehensive Psychiatry</i> , 2017, 72, 48-55.	3.1	16

#	ARTICLE	IF	CITATIONS
1409	Autistic and schizotypal traits and global functioning in bipolar I disorder. <i>Journal of Affective Disorders</i> , 2017, 207, 268-275.	4.1	19
1410	State-related differences in heart rate variability in bipolar disorder. <i>Journal of Psychiatric Research</i> , 2017, 84, 169-173.	3.1	27
1411	Multi-center MRI prediction models: Predicting sex and illness course in first episode psychosis patients. <i>NeuroImage</i> , 2017, 145, 246-253.	4.2	43
1412	Clozapine users in Australia: their characteristics and experiences of care based on data from the 2010 National Survey of High Impact Psychosis. <i>Epidemiology and Psychiatric Sciences</i> , 2017, 26, 325-337.	3.9	23
1413	Assessing needs for psychiatric treatment in prisoners: 1. Prevalence of disorder. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017, 52, 221-229.	3.1	63
1414	Self-reported Cognitive Biases Moderate the Associations Between Social Stress and Paranoid Ideation in a Virtual Reality Experimental Study. <i>Schizophrenia Bulletin</i> , 2017, 44, 749-756.	4.3	11
1415	Investigation of candidate genes reveals significant statistical epistasis between <i>DISC1</i> and <i>TPH2</i> in Bulgarian affective disorder patients. <i>Biotechnology and Biotechnological Equipment</i> , 2017, 31, 1178-1183.	1.3	1
1416	Treatment of sleep disturbances in trauma-affected refugees: Study protocol for a randomised controlled trial. <i>Trials</i> , 2017, 18, 520.	1.6	17
1417	The Structure and Measurement of Unusual Sensory Experiences in Different Modalities: The Multi-Modality Unusual Sensory Experiences Questionnaire (MUSEQ). <i>Frontiers in Psychology</i> , 2017, 8, 1363.	2.1	27
1418	Evidence That the Urban Environment Moderates the Level of Familial Clustering of Positive Psychotic Symptoms. <i>Schizophrenia Bulletin</i> , 2017, 43, 325-331.	4.3	14
1419	Effect of Oxcarbazepine on Serum Brain Derived Neurotrophic Factor in Bipolar Mania: An Exploratory Study. <i>Clinical Psychopharmacology and Neuroscience</i> , 2017, 15, 170-176.	2.0	5
1420	Collaborative care for depression in general practice: study protocol for a randomised controlled trial. <i>Trials</i> , 2017, 18, 344.	1.6	7
1421	Childhood maltreatment and the medical morbidity in bipolar disorder: a case-control study. <i>International Journal of Bipolar Disorders</i> , 2017, 5, 30.	2.2	12
1422	The CapOpus Trial for Cannabis Use Disorders. , 2017, , 1086-1092.		1
1423	Cohort description: The Danish study of Functional Disorders. <i>Clinical Epidemiology</i> , 2017, Volume 9, 127-139.	3.0	77
1424	Lifestyles of Patients with Functional Psychosis Compared to Those of a Sample of the Regional General Population: Findings from a Study in a Community Mental Health Service of the Veneto Region, Italy. <i>Community Mental Health Journal</i> , 2018, 54, 1050-1056.	2.0	1
1425	Pituitary gland shrinkage in bipolar disorder: The role of gender. <i>Comprehensive Psychiatry</i> , 2018, 82, 95-99.	3.1	16
1426	Increased sensitivity to positive social stimuli in monozygotic twins at risk of bipolar vs. unipolar disorder. <i>Journal of Affective Disorders</i> , 2018, 232, 212-218.	4.1	10

#	ARTICLE	IF	CITATIONS
1427	A data-driven investigation of relationships between bipolar psychotic symptoms and schizophrenia genome-wide significant genetic loci. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2018, 177, 468-475.	1.7	9
1428	The relationship between illicit amphetamine use and psychiatric symptom profiles in schizophrenia and affective psychoses. <i>Psychiatry Research</i> , 2018, 265, 19-24.	3.3	52
1429	Immune and metabolic alterations in first episode psychosis (FEP) patients. <i>Brain, Behavior, and Immunity</i> , 2018, 70, 315-324.	4.1	31
1430	Antidepressant drug-specific prediction of depression treatment outcomes from genetic and clinical variables. <i>Scientific Reports</i> , 2018, 8, 5530.	3.3	51
1431	Multiple measures of HPA axis function in ultra high risk and first-episode schizophrenia patients. <i>Psychoneuroendocrinology</i> , 2018, 92, 72-80.	2.7	26
1432	Glycogen synthase kinase-3 β activity and cognitive functioning in patients with bipolar I disorder. <i>European Neuropsychopharmacology</i> , 2018, 28, 361-368.	0.7	4
1433	Virtual-reality-based cognitive behavioural therapy versus waiting list control for paranoid ideation and social avoidance in patients with psychotic disorders: a single-blind randomised controlled trial. <i>Lancet Psychiatry</i> , 2018, 5, 217-226.	7.4	144
1434	Self-perceived personality characteristics in seasonal affective disorder and their implications for severity of depression. <i>Psychiatry Research</i> , 2018, 262, 108-114.	3.3	4
1435	Anxiety Partially Mediates Cybersickness Symptoms in Immersive Virtual Reality Environments. <i>Cyberpsychology, Behavior, and Social Networking</i> , 2018, 21, 187-193.	3.9	44
1436	Risk for affective disorders is associated with greater prefrontal gray matter volumes: A prospective longitudinal study. <i>NeuroImage: Clinical</i> , 2018, 17, 786-793.	2.7	13
1437	Facilitating adherence to endocrine therapy in breast cancer: stability and predictive power of treatment expectations in a 2-year prospective study. <i>Breast Cancer Research and Treatment</i> , 2018, 168, 667-677.	2.5	26
1438	Amygdala response to emotional faces in seasonal affective disorder. <i>Journal of Affective Disorders</i> , 2018, 229, 288-295.	4.1	8
1439	Mental Illness and Social Problems. , 0, , 23-42.		0
1440	Gene-environment interaction between the brain-derived neurotrophic factor <sc>Val66Met</sc> polymorphism, psychosocial stress and dietary intake in early psychosis. <i>Microbial Biotechnology</i> , 2018, 12, 811-820.	1.7	11
1441	Social environments and interpersonal distance regulation in psychosis: A virtual reality study. <i>Schizophrenia Research</i> , 2018, 192, 96-101.	2.0	26
1442	The role of cognitive functioning in the relationship between childhood trauma and a mixed phenotype of affective-anxious-psychotic symptoms in psychotic disorders. <i>Schizophrenia Research</i> , 2018, 192, 262-268.	2.0	10
1443	Self- and other-agency in people with passivity (first rank) symptoms in schizophrenia. <i>Schizophrenia Research</i> , 2018, 192, 75-81.	2.0	30
1444	Obsessive-compulsive symptoms and overall psychopathology in psychotic disorders: longitudinal assessment of patients and siblings. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2018, 268, 279-289.	3.2	18

#	ARTICLE	IF	CITATIONS
1445	The longevity gene Klotho is differentially associated with cognition in subtypes of schizophrenia. <i>Schizophrenia Research</i> , 2018, 193, 348-353.	2.0	12
1446	A diffusion weighted imaging study of basal ganglia in schizophrenia. <i>International Journal of Psychiatry in Clinical Practice</i> , 2018, 22, 6-12.	2.4	7
1447	Seven-year-olds' aggressive choices in a computer game can be predicted in infancy. <i>Developmental Science</i> , 2018, 21, e12576.	2.4	12
1448	Physical health promotion in patients with functional psychoses receiving community psychiatric services: Results of the PHYSICO-DSM-VR study. <i>Schizophrenia Research</i> , 2018, 193, 406-411.	2.0	10
1449	Adjustment disorder: A diagnosis whose time has come. <i>Journal of Affective Disorders</i> , 2018, 227, 243-253.	4.1	96
1450	Paternal and maternal age as risk factors for schizophrenia: a case-control study. <i>International Journal of Psychiatry in Clinical Practice</i> , 2018, 22, 170-176.	2.4	24
1451	Is negative self-referent bias an endophenotype for depression? An fMRI study of emotional self-referent words in twins at high vs. low risk of depression. <i>Journal of Affective Disorders</i> , 2018, 226, 267-273.	4.1	10
1452	A polygenic risk score analysis of psychosis endophenotypes across brain functional, structural, and cognitive domains. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2018, 177, 21-34.	1.7	57
1453	ICD-11 and DSM-5 personality trait domains capture categorical personality disorders: Finding a common ground. <i>Australian and New Zealand Journal of Psychiatry</i> , 2018, 52, 425-434.	2.3	78
1454	Interactions Between Variation in Candidate Genes and Environmental Factors in the Etiology of Schizophrenia and Bipolar Disorder: a Systematic Review. <i>Molecular Neurobiology</i> , 2018, 55, 5075-5100.	4.0	117
1455	Mania triggered by sleep loss and risk of postpartum psychosis in women with bipolar disorder. <i>Journal of Affective Disorders</i> , 2018, 225, 624-629.	4.1	42
1456	Interaction between childhood maltreatment on immunogenetic risk in depression: Discovery and replication in clinical case-control samples. <i>Brain, Behavior, and Immunity</i> , 2018, 67, 203-210.	4.1	31
1457	Associations between psychosis endophenotypes across brain functional, structural, and cognitive domains. <i>Psychological Medicine</i> , 2018, 48, 1325-1340.	4.5	14
1458	Association Between Schizophrenia-Related Polygenic Liability and the Occurrence and Level of Mood-Incongruent Psychotic Symptoms in Bipolar Disorder. <i>JAMA Psychiatry</i> , 2018, 75, 28.	11.0	91
1459	Sex differences in the relationship between prolactin levels and impaired processing speed in early psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2018, 52, 585-595.	2.3	11
1460	Narrative identity in female patients with remitted bipolar disorder: a negative past and a foreshortened future. <i>Memory</i> , 2018, 26, 219-228.	1.7	15
1461	Negative Symptoms and Reward Disturbances in Schizophrenia Before and After Antipsychotic Monotherapy. <i>Clinical EEG and Neuroscience</i> , 2018, 49, 36-45.	1.7	24
1462	White matter maturation during 12 months in individuals at ultra-high-risk for psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2018, 137, 65-78.	4.5	23

#	ARTICLE	IF	CITATIONS
1463	Diffusion imaging study of the Corpus Callosum in bipolar disorder. <i>Psychiatry Research - Neuroimaging</i> , 2018, 271, 75-81.	1.8	20
1464	Unravelling the GSK3 β -related genotypic interaction network influencing hippocampal volume in recurrent major depressive disorder. <i>Psychiatric Genetics</i> , 2018, 28, 77-84.	1.1	27
1465	Cannabis consumption and psychosis or schizophrenia development. <i>International Journal of Social Psychiatry</i> , 2018, 64, 690-704.	3.1	66
1466	Effects of recombinant human erythropoietin on cognition and neural activity in remitted patients with mood disorders and first-degree relatives of patients with psychiatric disorders: a study protocol for a randomized controlled trial. <i>Trials</i> , 2018, 19, 611.	1.6	16
1467	The Danish High Risk and Resilience Study "VIA 11: Study Protocol for the First Follow-Up of the VIA 7 Cohort - 522 Children Born to Parents With Schizophrenia Spectrum Disorders or Bipolar Disorder and Controls Being Re-examined for the First Time at Age 11. <i>Frontiers in Psychiatry</i> , 2018, 9, 661.	2.6	27
1468	Childhood maltreatment and adult medical morbidity in mood disorders: comparison of unipolar depression with bipolar disorder. <i>British Journal of Psychiatry</i> , 2018, 213, 645-653.	2.8	20
1469	Fitness to plead: Development and validation of a standardised assessment instrument. <i>PLoS ONE</i> , 2018, 13, e0194332.	2.5	14
1470	Reward-related brain structures are smaller in patients with schizophrenia and comorbid metabolic syndrome. <i>Acta Psychiatrica Scandinavica</i> , 2018, 138, 581-590.	4.5	6
1471	Examining cognition across the bipolar/schizophrenia diagnostic spectrum. <i>Journal of Psychiatry and Neuroscience</i> , 2018, 43, 245-253.	2.4	49
1472	Religious delusions in older adults: Diagnoses, combinations, and delusional characteristics. <i>International Journal of Geriatric Psychiatry</i> , 2018, 33, 1680-1687.	2.7	9
1473	Clinical Characteristics, Life Adversities and Personality Traits in Monozygotic Twins With, at Risk of and Without Affective Disorders. <i>Frontiers in Psychiatry</i> , 2018, 9, 401.	2.6	11
1474	Genotype-phenotype correlations in Darier disease: A focus on the neuropsychiatric phenotype. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2018, 177, 717-726.	1.7	22
1475	Adjustment disorder diagnosis: Improving clinical utility. <i>World Journal of Biological Psychiatry</i> , 2018, 19, S3-S13.	2.6	28
1476	Associations between polygenic risk scores for four psychiatric illnesses and brain structure using multivariate pattern recognition. <i>NeuroImage: Clinical</i> , 2018, 20, 1026-1036.	2.7	43
1477	The component structure of the scales for the assessment of positive and negative symptoms in first-episode psychosis and its dependence on variations in analytic methods. <i>Psychiatry Research</i> , 2018, 270, 869-879.	3.3	15
1478	Effect of action-based cognitive remediation on cognition and neural activity in bipolar disorder: study protocol for a randomized controlled trial. <i>Trials</i> , 2018, 19, 487.	1.6	18
1479	Psychometric and clinical instruments for assessment of posttraumatic stress disorder and evaluation of treatment effect. <i>Medicina Fluminensis</i> , 2018, 54, 155-165.	0.3	0
1480	The Latent Taxonicity of Schizotypy in Biological Siblings of Proband With Schizophrenia. <i>Schizophrenia Bulletin</i> , 2018, 44, 922-932.	4.3	12

#	ARTICLE	IF	CITATIONS
1481	Longitudinal relationships between personality disorder dimensions and depression in a community sample. <i>Neurology Psychiatry and Brain Research</i> , 2018, 30, 56-61.	2.0	5
1482	The association between problem gambling and psychotic experiences: Findings from the Adult Psychiatric Morbidity Survey 2007. <i>Schizophrenia Research</i> , 2018, 201, 79-84.	2.0	6
1483	Clinical correlates of hypothalamic-pituitary-adrenal axis measures in individuals at risk for psychosis and with first-episode psychosis. <i>Psychiatry Research</i> , 2018, 265, 284-291.	3.3	8
1485	Alterations in the metabolism of tryptophan in patients with chronic hepatitis C six months after pegylated interferon- α 2a treatment. <i>Psychoneuroendocrinology</i> , 2018, 97, 1-7.	2.7	10
1486	Stratification of the risk of bipolar disorder recurrences in pregnancy and postpartum. <i>British Journal of Psychiatry</i> , 2018, 213, 542-547.	2.8	46
1487	The relationship of IQ and emotional processing with insula volume in schizophrenia. <i>Schizophrenia Research</i> , 2018, 202, 141-148.	2.0	16
1488	Glutamate Levels and Resting Cerebral Blood Flow in Anterior Cingulate Cortex Are Associated at Rest and Immediately Following Infusion of S-Ketamine in Healthy Volunteers. <i>Frontiers in Psychiatry</i> , 2018, 9, 22.	2.6	24
1489	Influence of CRHR1 Polymorphisms and Childhood Abuse on Suicide Attempts in Affective Disorders: A GxE Approach. <i>Frontiers in Psychiatry</i> , 2018, 9, 165.	2.6	9
1490	Design of an early intervention for persistent post-concussion symptoms in adolescents and young adults: A feasibility study. <i>NeuroRehabilitation</i> , 2018, 43, 155-167.	1.3	14
1491	Relationship Between Psychiatric Morbidity and Substance Dependence in Patients with Borderline Personality Disorder. <i>Activitas Nervosa Superior</i> , 2018, 60, 59-67.	0.4	1
1492	Towards a biomarker model for cognitive improvement: No change in memory-related prefrontal engagement following a negative cognitive remediation trial in bipolar disorder. <i>Journal of Psychopharmacology</i> , 2018, 32, 1075-1085.	4.0	14
1493	Prevalence of psychotic disorders and its association with methodological issues. A systematic review and meta-analyses. <i>PLoS ONE</i> , 2018, 13, e0195687.	2.5	313
1494	Assessing the dimensionality of the CES-D using multi-dimensional multi-level Rasch models. <i>PLoS ONE</i> , 2018, 13, e0197908.	2.5	7
1495	Stability of personality traits over a five-year period in Swedish patients with schizophrenia spectrum disorder and non-psychotic individuals: a study using the Swedish universities scales of personality. <i>BMC Psychiatry</i> , 2018, 18, 54.	2.6	10
1496	Health-Related Quality of Life in People Living with Psychotic Illness and Factors Associated with Its Variation. <i>Value in Health</i> , 2018, 21, 1002-1009.	0.3	21
1497	Alterations of Intrinsic Connectivity Networks in Antipsychotic-Naïve First-Episode Schizophrenia. <i>Schizophrenia Bulletin</i> , 2018, 44, 1332-1340.	4.3	20
1498	Use of schizophrenia and bipolar disorder polygenic risk scores to identify psychotic disorders. <i>British Journal of Psychiatry</i> , 2018, 213, 535-541.	2.8	37
1499	Post-stroke depression: Prevalence, associated factors and impact on quality of life among outpatients in a Nigerian hospital. <i>South African Journal of Psychiatry</i> , 2018, 24, 1058.	0.4	16

#	ARTICLE	IF	CITATIONS
1500	Startle habituation, sensory, and sensorimotor gating in trauma-affected refugees with posttraumatic stress disorder. <i>Psychological Medicine</i> , 2019, 49, 581-589.	4.5	14
1501	The Relationship Between Smoking and Suicidal Behavior in Psychiatric Patients with Major Depressive Disorder. <i>Archives of Suicide Research</i> , 2019, 23, 590-604.	2.3	4
1502	Suicidal Behavior and Personality Traits Contribute to Disability in First-Épisode Psychosis: A 1-ÉYear Follow-Éup Study. <i>Suicide and Life-Threatening Behavior</i> , 2019, 49, 798-810.	1.9	9
1503	Longitudinal association between motor and obsessive compulsive symptoms in patients with psychosis and their unaffected siblings. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2019, 269, 257-268.	3.2	5
1504	Acceptance and Commitment group Therapy for patients with multiple functional somatic syndromes: a three-armed trial comparing ACT in a brief and extended version with enhanced care. <i>Psychological Medicine</i> , 2019, 49, 1005-1014.	4.5	12
1505	Is aberrant affective cognition an endophenotype for affective disorders? -É A monozygotic twin study. <i>Psychological Medicine</i> , 2019, 49, 987-996.	4.5	12
1506	Exploration of the influence of insecure attachment and parental maltreatment on the incidence and course of adult clinical depression. <i>Psychological Medicine</i> , 2019, 49, 1025-1032.	4.5	8
1508	A randomized placebo-Écontrolled trial examining the effects of escitalopram on neuroticism and state anxiety in a nonclinical sample. <i>Human Psychopharmacology</i> , 2019, 34, e2711.	1.5	1
1509	The Use of Biomarkers and Genetic Screening to Diagnose Frontotemporal Dementia: Evidence and Clinical Implications. <i>Frontiers in Neuroscience</i> , 2019, 13, 757.	2.8	22
1510	The validity of daily patient-reported anxiety measured using smartphones and the association with stress, quality of life and functioning in patients with bipolar disorder. <i>Journal of Affective Disorders</i> , 2019, 257, 100-107.	4.1	9
1511	Relation between functional and cognitive impairments in remitted patients with bipolar disorder and suggestions for trials targeting cognition: An exploratory study. <i>Journal of Affective Disorders</i> , 2019, 257, 382-389.	4.1	10
1512	Cognitive Change in Schizophrenia and Other Psychoses in the Decade Following the First Episode. <i>American Journal of Psychiatry</i> , 2019, 176, 811-819.	7.2	123
1513	Disorders of Perception. , 2019, , 24-41.		0
1514	Diagnostic stability and long-term symptomatic and functional outcomes in first-episode antipsychotic-na-Éve patients with schizophrenia. <i>European Psychiatry</i> , 2019, 62, 130-137.	0.2	8
1515	Classification of Psychiatric Disorders. , 2019, , 1-9.		0
1516	Suicidality in Women with Adjustment Disorder and Depressive Episodes Attending an Irish Perinatal Mental Health Service. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 3970.	2.6	2
1517	Large-scale roll out of electronic longitudinal mood-monitoring for research in affective disorders: Report from the UK bipolar disorder research network. <i>Journal of Affective Disorders</i> , 2019, 246, 789-793.	4.1	13
1518	Objectively measured sedentary time and mental and cognitive health: Cross-sectional and longitudinal associations in The Rotterdam Study. <i>Mental Health and Physical Activity</i> , 2019, 17, 100296.	1.8	8

#	ARTICLE	IF	CITATIONS
1519	Smartphone-based self-monitoring in bipolar disorder: evaluation of usability and feasibility of two systems. <i>International Journal of Bipolar Disorders</i> , 2019, 7, 1.	2.2	35
1520	Differences in mood instability in patients with bipolar disorder type I and II: a smartphone-based study. <i>International Journal of Bipolar Disorders</i> , 2019, 7, 5.	2.2	29
1521	Metabolic profile in patients with newly diagnosed bipolar disorder and their unaffected first-degree relatives. <i>International Journal of Bipolar Disorders</i> , 2019, 7, 8.	2.2	39
1522	The Relationship Between Polygenic Risk Scores and Cognition in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2020, 46, 336-344.	4.3	60
1523	Personality traits, theory of mind and their relationship with multiple suicide attempts in a sample of first episode psychosis patients: One-year follow-up study. <i>Journal of Affective Disorders</i> , 2019, 256, 176-182.	4.1	5
1524	The Role of Religion in Buffering the Impact of Stressful Life Events on Depressive Symptoms in Patients with Depressive Episodes or Adjustment Disorder. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 1238.	2.6	19
1525	Is smartphone-based mood instability associated with stress, quality of life, and functioning in bipolar disorder?. <i>Bipolar Disorders</i> , 2019, 21, 611-620.	1.9	32
1526	Pregnancy in prison, mental health and admission to prison mother and baby units. <i>Journal of Forensic Psychiatry and Psychology</i> , 2019, 30, 448-466.	1.0	5
1527	Agitated depression in bipolar disorder. <i>Bipolar Disorders</i> , 2019, 21, 547-555.	1.9	14
1528	Examining the independent and joint effects of molecular genetic liability and environmental exposures in schizophrenia: results from the EUGEI study. <i>World Psychiatry</i> , 2019, 18, 173-182.	10.4	127
1529	The 11-year functional outcome of bipolar and major depressive disorders in Butajira, Ethiopia. <i>Neurology Psychiatry and Brain Research</i> , 2019, 32, 68-76.	2.0	2
1530	Polygenic risk for circulating reproductive hormone levels and their influence on hippocampal volume and depression susceptibility. <i>Psychoneuroendocrinology</i> , 2019, 106, 284-292.	2.7	18
1531	Mental State Examination and Its Procedures—Narrative Review of Brazilian Descriptive Psychopathology. <i>Frontiers in Psychiatry</i> , 2019, 10, 77.	2.6	7
1533	A case-control study of paternal and maternal age as risk factors in mood disorders. <i>International Journal of Psychiatry in Clinical Practice</i> , 2019, 23, 90-98.	2.4	8
1534	Diagnostic and symptom interviews for adults. , 2019, , 355-393.		2
1535	Effects of clonidine on MMN and P3a amplitude in schizophrenia patients on stable medication. <i>Neuropsychopharmacology</i> , 2019, 44, 1062-1067.	5.4	5
1536	The association between mixed symptoms, irritability and functioning measured using smartphones in bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2019, 139, 443-453.	4.5	12
1537	Genome-wide Burden of Rare Short Deletions Is Enriched in Major Depressive Disorder in Four Cohorts. <i>Biological Psychiatry</i> , 2019, 85, 1065-1073.	1.3	25

#	ARTICLE	IF	CITATIONS
1538	RIFD – A brief clinical research interview for functional somatic disorders and health anxiety. <i>Journal of Psychosomatic Research</i> , 2019, 122, 104-111.	2.6	21
1539	Sleep Disturbance in Adjustment Disorder and Depressive Episode. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 1083.	2.6	2
1540	Hallucinations Research: Into the Future, and Beyond. <i>Schizophrenia Bulletin</i> , 2019, 45, NP-NP.	4.3	0
1541	Hallucinations in Children and Adolescents: An Updated Review and Practical Recommendations for Clinicians. <i>Schizophrenia Bulletin</i> , 2019, 45, S5-S23.	4.3	47
1542	The Questionnaire for Psychotic Experiences: An Examination of the Validity and Reliability. <i>Schizophrenia Bulletin</i> , 2019, 45, S78-S87.	4.3	52
1543	VIA Family – a family-based early intervention versus treatment as usual for familial high-risk children: a study protocol for a randomized clinical trial. <i>Trials</i> , 2019, 20, 112.	1.6	15
1544	Heritability of Cerebral Blood Flow and the Correlation to Schizophrenia Spectrum Disorders: A Pseudo-continuous Arterial Spin Labeling Twin Study. <i>Schizophrenia Bulletin</i> , 2019, 45, 1231-1241.	4.3	16
1545	Depressive symptoms in inflammatory bowel disease: an extraintestinal manifestation of inflammation?. <i>Clinical and Experimental Immunology</i> , 2019, 197, 308-318.	2.6	68
1546	Psychosocial interventions for people with both severe mental illness and substance misuse. <i>The Cochrane Library</i> , 2019, 2019, CD001088.	2.8	40
1547	Understanding, treating, and renaming grandiose delusions: A qualitative study. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2019, 94, 119-140.	2.5	28
1548	Cerebrospinal fluid oxidative stress metabolites in patients with bipolar disorder and healthy controls: a longitudinal case-control study. <i>Translational Psychiatry</i> , 2019, 9, 325.	4.8	31
1549	Postpartum psychosis in bipolar disorder: no evidence of association with personality traits, cognitive style or affective temperaments. <i>BMC Psychiatry</i> , 2019, 19, 395.	2.6	12
1550	Personal Recovery Among Service Users Compared With Siblings and a Control Group: A Critical Note on Recovery Assessment. <i>Psychiatric Services</i> , 2019, 70, 1123-1129.	2.0	7
1551	Emotional Mental Imagery Abnormalities in Monozygotic Twins With, at High-Risk of, and Without Affective Disorders: Present in Affected Twins in Remission but Absent in High-Risk Twins. <i>Frontiers in Psychiatry</i> , 2019, 10, 801.	2.6	5
1552	New drug candidates for depression – a nationwide population-based study. <i>Acta Psychiatrica Scandinavica</i> , 2019, 139, 68-77.	4.5	58
1553	Adolescent and adult differences in major depression symptom profiles. <i>Journal of Affective Disorders</i> , 2019, 243, 175-181.	4.1	169
1554	Accuracy of diagnostic classification algorithms using cognitive-, electrophysiological-, and neuroanatomical data in antipsychotic-naïve schizophrenia patients. <i>Psychological Medicine</i> , 2019, 49, 2754-2763.	4.5	20
1555	Neural response during emotion regulation in monozygotic twins at high familial risk of affective disorders. <i>NeuroImage: Clinical</i> , 2019, 21, 101598.	2.7	34

#	ARTICLE	IF	CITATIONS
1556	Coping styles mediate the association between negative life events and subjective well-being in patients with non-affective psychotic disorders and their siblings. <i>Psychiatry Research</i> , 2019, 272, 296-303.	3.3	12
1557	Structural Thalamofrontal Hypoconnectivity Is Related to Oculomotor Corollary Discharge Dysfunction in Schizophrenia. <i>Journal of Neuroscience</i> , 2019, 39, 2102-2113.	3.6	15
1558	Heritability of cerebral glutamate levels and their association with schizophrenia spectrum disorders: a ¹ [H]-spectroscopy twin study. <i>Neuropsychopharmacology</i> , 2019, 44, 581-589.	5.4	28
1559	A multisystem composite biomarker as a preliminary diagnostic test in bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2019, 139, 227-236.	4.5	23
1560	Objective smartphone data as a potential diagnostic marker of bipolar disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , 2019, 53, 119-128.	2.3	66
1561	Remitted affective disorders and high familial risk of affective disorders associate with aberrant intestinal microbiota. <i>Acta Psychiatrica Scandinavica</i> , 2019, 139, 174-184.	4.5	35
1562	Thirty-year cardiovascular risk score in patients with newly diagnosed bipolar disorder and their unaffected first-degree relatives. <i>Australian and New Zealand Journal of Psychiatry</i> , 2019, 53, 651-662.	2.3	31
1563	Identification of patients with recent-onset psychosis in KwaZulu Natal, South Africa: a pilot study with traditional health practitioners and diagnostic instruments. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2019, 54, 303-312.	3.1	14
1564	Patterns of obsessive-compulsive symptoms and social functioning in schizophrenia; a replication study. <i>Psychiatry Research</i> , 2019, 271, 421-427.	3.3	1
1565	The impact of schizophrenia and intelligence on the relationship between age and brain volume. <i>Schizophrenia Research: Cognition</i> , 2019, 15, 1-6.	1.3	8
1566	Gut microbiota composition in patients with newly diagnosed bipolar disorder and their unaffected first-degree relatives. <i>Brain, Behavior, and Immunity</i> , 2019, 75, 112-118.	4.1	103
1567	Hair cortisol in newly diagnosed bipolar disorder and unaffected first-degree relatives. <i>Psychoneuroendocrinology</i> , 2019, 99, 183-190.	2.7	23
1568	Patterns of Cortical Structures and Cognition in Antipsychotic-Naïve Patients With First-Episode Schizophrenia: A Partial Least Squares Correlation Analysis. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2019, 4, 444-453.	1.5	12
1569	Parental Depressive Symptoms Potentiate the Effect of Youth Negative Mood Symptoms on Gene Expression in Children with Asthma. <i>Journal of Abnormal Child Psychology</i> , 2019, 47, 99-108.	3.5	7
1570	The Longitudinal and Cross-Sectional Associations of Grief and Complicated Grief With Sleep Quality in Older Adults. <i>Behavioral Sleep Medicine</i> , 2019, 17, 31-40.	2.1	24
1571	Self-Disorders in Asperger Syndrome Compared to Schizotypal Disorder: A Clinical Study. <i>Schizophrenia Bulletin</i> , 2020, 46, 121-129.	4.3	17
1572	The effect of smartphone-based monitoring on illness activity in bipolar disorder: the MONARCA II randomized controlled single-blinded trial. <i>Psychological Medicine</i> , 2020, 50, 838-848.	4.5	75
1573	Explaining why childhood abuse is a risk factor for poorer clinical course in bipolar disorder: a path analysis of 923 people with bipolar I disorder. <i>Psychological Medicine</i> , 2020, 50, 2346-2354.	4.5	9

#	ARTICLE	IF	CITATIONS
1574	Aberrant cognition in newly diagnosed patients with bipolar disorder and their unaffected relatives. <i>Psychological Medicine</i> , 2020, 50, 1808-1819.	4.5	22
1575	Treatment response after 6 and 26 weeks is related to baseline glutamate and GABA levels in antipsychotic-naïve patients with psychosis. <i>Psychological Medicine</i> , 2020, 50, 2182-2193.	4.5	49
1576	Hypothalamic-pituitary-adrenal axis function and exposure to stress factors and cannabis use in recent-onset psychosis. <i>World Journal of Biological Psychiatry</i> , 2020, 21, 564-571.	2.6	9
1577	Sexual minority status and symptoms of psychosis: The role of bullying, discrimination, social support, and drug use – Findings from the Adult Psychiatric Morbidity Survey 2007. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2020, 93, 503-519.	2.5	12
1578	The prevalence of Dissociative Disorders and dissociative experiences in college populations: a meta-analysis of 98 studies. <i>Journal of Trauma and Dissociation</i> , 2020, 21, 16-61.	1.9	46
1579	Use of illicit substances and violent behaviour in psychotic disorders: two nationwide case-control studies and meta-analyses. <i>Psychological Medicine</i> , 2020, 50, 2028-2033.	4.5	27
1580	Are remitted affective disorders and familial risk of affective disorders associated with metabolic syndrome, inflammation and oxidative stress? – a monozygotic twin study. <i>Psychological Medicine</i> , 2020, 50, 1736-1745.	4.5	12
1581	Culture and Psychosis in Clinical Practice. , 2020, , 85-112.		5
1582	Burden of Depression in Outpatient HIV-Infected adults in Sub-Saharan Africa; Systematic Review and Meta-analysis. <i>AIDS and Behavior</i> , 2020, 24, 1752-1764.	2.7	46
1583	Association between anti-thyroid antibodies and negative symptoms in early psychosis. <i>Microbial Biotechnology</i> , 2020, 14, 470-475.	1.7	19
1584	Symptom profile of postpartum and non-postpartum manic episodes in bipolar I disorder: a within-subjects study. <i>Psychiatry Research</i> , 2020, 284, 112748.	3.3	14
1585	Measuring movements in adolescents with psychosis using the Microsoft Kinect sensor: a pilot study exploring a new tool for assessing aspects of antipsychotic-induced parkinsonism. <i>Child and Adolescent Mental Health</i> , 2020, 25, 79-94.	3.5	0
1586	Automatically generated smartphone data and subjective stress in healthy individuals – a pilot study. <i>Nordic Journal of Psychiatry</i> , 2020, 74, 293-300.	1.3	2
1587	Adverse childhood experiences and postpartum depression in bipolar disorder. <i>Journal of Affective Disorders</i> , 2020, 263, 661-666.	4.1	11
1588	Comparison of Genetic Liability for Sleep Traits Among Individuals With Bipolar Disorder I or II and Control Participants. <i>JAMA Psychiatry</i> , 2020, 77, 303.	11.0	32
1589	Childhood adversity and clinical and psychosocial outcomes in psychosis. <i>Epidemiology and Psychiatric Sciences</i> , 2020, 29, e78.	3.9	29
1590	DSM-5 Personality Disorders and Traits in Patients With Severe Health Anxiety. <i>Journal of Nervous and Mental Disease</i> , 2020, 208, 108-117.	1.0	7
1591	Social cognitive endophenotypes in schizophrenia: A study comparing first episode schizophrenia patients and, individuals at clinical- and familial- at-risk™ for psychosis. <i>Schizophrenia Research</i> , 2020, 215, 157-166.	2.0	22

#	ARTICLE	IF	CITATIONS
1592	Childhood trauma and coping in patients with psychotic disorders and obsessive-compulsive symptoms and in un-affected siblings. <i>Child Abuse and Neglect</i> , 2020, 99, 104243.	2.6	12
1593	Onset and transition of and recovery from adverse development: Study methodology. <i>Microbial Biotechnology</i> , 2020, 14, 568-576.	1.7	4
1594	Effect of Action-Based Cognitive Remediation on cognitive impairment in patients with remitted bipolar disorder: A randomized controlled trial. <i>Bipolar Disorders</i> , 2021, 23, 487-499.	1.9	31
1595	Antidiabetes Agents and Incident Depression: A Nationwide Population-Based Study. <i>Diabetes Care</i> , 2020, 43, 3050-3060.	8.6	28
1596	Altered thalamocortical structural connectivity in persons with schizophrenia and healthy siblings. <i>NeuroImage: Clinical</i> , 2020, 28, 102370.	2.7	21
1597	Psychopathology among apprentice traditional health practitioners: A quantitative study from rural KwaZulu-Natal, South Africa. <i>Transcultural Psychiatry</i> , 2021, 58, 486-498.	1.6	7
1598	The influence of borderline personality traits on clinical outcomes in bipolar disorder. <i>Bipolar Disorders</i> , 2021, 23, 368-375.	1.9	10
1599	Impact of schizophrenia genetic liability on the association between schizophrenia and physical illness: data-linkage study. <i>BJPsych Open</i> , 2020, 6, e139.	0.7	2
1600	Perceived stress, social functioning and quality of life in first-episode psychosis: A 1-year follow-up study. <i>Microbial Biotechnology</i> , 2020, 15, 1542-1550.	1.7	4
1601	Examining the independent and joint effects of genomic and exposomic liabilities for schizophrenia across the psychosis spectrum. <i>Epidemiology and Psychiatric Sciences</i> , 2020, 29, e182.	3.9	36
1602	Mood, activity, and sleep measured via daily smartphone-based self-monitoring in young patients with newly diagnosed bipolar disorder, their unaffected relatives and healthy control individuals. <i>European Child and Adolescent Psychiatry</i> , 2021, 30, 1209-1221.	4.7	6
1603	Relationship between childhood trauma and social adaptation in a sample of young people attending an early intervention service for psychosis. <i>Revista De Psiquiatria Y Salud Mental (English Edition)</i> , 2020, 13, 131-139.	0.3	1
1604	The serotonin transporter gene polymorphism (SLC6A4) and risk for psychiatric morbidity and comorbidity in the Baltimore ECA follow-up study. <i>Comprehensive Psychiatry</i> , 2020, 102, 152199.	3.1	9
1605	Feasibility of group-based acceptance and commitment therapy for adolescents (AHEAD) with multiple functional somatic syndromes: a pilot study. <i>BMC Psychiatry</i> , 2020, 20, 457.	2.6	14
1606	Antihypertensive Drugs and Risk of Depression. <i>Hypertension</i> , 2020, 76, 1263-1279.	2.7	46
1607	Daily self-reported and automatically generated smartphone-based sleep measurements in patients with newly diagnosed bipolar disorder, unaffected first-degree relatives and healthy control individuals. <i>Evidence-Based Mental Health</i> , 2020, 23, 146-153.	4.5	6
1608	Continuity and change in anger and aggressiveness from infancy to childhood: The protective effects of positive parenting. <i>Development and Psychopathology</i> , 2020, 33, 1-20.	2.3	12
1609	A machine-learning framework for robust and reliable prediction of short- and long-term treatment response in initially antipsychotic-naïve schizophrenia patients based on multimodal neuropsychiatric data. <i>Translational Psychiatry</i> , 2020, 10, 276.	4.8	24

#	ARTICLE	IF	CITATIONS
1610	Pharmacological interventions for adjustment disorders in adults. The Cochrane Library, 2020, , .	2.8	0
1611	The importance of embedding psychopathology and phenomenology in clinical practice and training in psychiatry. <i>BJ Psych Advances</i> , 2020, 26, 287-295.	0.7	4
1612	Mental health recovery and physical health outcomes in psychotic illness: Longitudinal data from the Western Australian survey of high impact psychosis catchments. <i>Australian and New Zealand Journal of Psychiatry</i> , 2020, 55, 000486742095426.	2.3	13
1613	Heritability of specific cognitive functions and associations with schizophrenia spectrum disorders using CANTAB: a nation-wide twin study. <i>Psychological Medicine</i> , 2022, 52, 1101-1114.	4.5	18
1614	Do Suicide Attempts of Mood Disorder Patients Directly Increase the Risk for a Reattempt?. <i>Frontiers in Psychiatry</i> , 2020, 11, 547791.	2.6	5
1615	Psychiatric epidemiology, conceptualisation of mental disorders and psychopathologisation: A critical analysis. <i>Cogent Psychology</i> , 2020, 7, 1847384.	1.3	1
1616	Heritability of Memory Functions and Related Brain Volumes: A Schizophrenia Spectrum Study of 214 Twins. <i>Schizophrenia Bulletin Open</i> , 2020, 1, .	1.7	3
1617	The impact of a new affective episode on psychosocial functioning, quality of life and perceived stress in newly diagnosed patients with bipolar disorder: A prospective one-year case-control study. <i>Journal of Affective Disorders</i> , 2020, 277, 486-494.	4.1	3
1618	Religious Hallucinations and Religious Delusions among Older Adults in Treatment for Psychoses in the Netherlands. <i>Religions</i> , 2020, 11, 522.	0.6	6
1619	Impact of pretreatment interhemispheric hippocampal asymmetry on improvement in verbal learning following erythropoietin treatment in mood disorders: a randomized controlled trial. <i>Journal of Psychiatry and Neuroscience</i> , 2020, 45, 198-205.	2.4	5
1620	Identification of a Serotonin 2A Receptor Subtype of Schizophrenia Spectrum Disorders With Pimavanserin: The Sub-Sero Proof-of-Concept Trial Protocol. <i>Frontiers in Pharmacology</i> , 2020, 11, 591.	3.5	8
1621	Validity and characteristics of patient-evaluated adherence to medication via smartphones in patients with bipolar disorder: exploratory reanalyses on pooled data from the MONARCA I and II trials. <i>Evidence-Based Mental Health</i> , 2020, 23, 2-7.	4.5	4
1622	S100B and brain derived neurotrophic factor in monozygotic twins with, at risk of and without affective disorders. <i>Journal of Affective Disorders</i> , 2020, 274, 726-732.	4.1	4
1623	Glycated Haemoglobin Is Associated With Poorer Cognitive Performance in Patients With Recent-Onset Psychosis. <i>Frontiers in Psychiatry</i> , 2020, 11, 455.	2.6	4
1624	Well-Being and Self-Disorders in Schizotypal Disorder and Asperger Syndrome/Autism Spectrum Disorder. <i>Journal of Nervous and Mental Disease</i> , 2020, 208, 418-423.	1.0	6
1625	Daily estimates of clinical severity of symptoms in bipolar disorder from smartphone-based self-assessments. <i>Translational Psychiatry</i> , 2020, 10, 194.	4.8	11
1626	A Diagnostic-Oriented Screening Scale for Anxiety Disorders: The Center for Epidemiologic Studies Anxiety Scale (CESA). <i>Frontiers in Psychology</i> , 2020, 11, 957.	2.1	1
1627	Reduced frontostriatal response to expected value and reward prediction error in remitted monozygotic twins with mood disorders and their unaffected high-risk co-twins. <i>Psychological Medicine</i> , 2021, 51, 1637-1646.	4.5	9

#	ARTICLE	IF	CITATIONS
1628	Pharmacological interventions for prevention of depression in high risk conditions: Systematic review and meta-analysis.. Journal of Affective Disorders, 2020, 269, 58-69.	4.1	7
1629	Trauma-affected refugees treated with basic body awareness therapy or mixed physical activity as augmentation to treatment as usual? A pragmatic randomised controlled trial. PLoS ONE, 2020, 15, e0230300.	2.5	33
1630	Differential effects of age at illness onset on verbal memory functions in antipsychotic-naïve schizophrenia patients aged 12-43 years. Psychological Medicine, 2021, 51, 1570-1580.	4.5	17
1631	Impacts of migraine on the prevalence and clinical presentation of depression: A population-based study. Journal of Affective Disorders, 2020, 272, 215-222.	4.1	5
1632	The excess economic burden of mental disorders: findings from a cross-sectional prevalence survey in Austria. European Journal of Health Economics, 2020, 21, 1075-1089.	2.8	17
1633	Irritable bowel, chronic widespread pain, chronic fatigue and related syndromes are prevalent and highly overlapping in the general population: DanFunD. Scientific Reports, 2020, 10, 3273.	3.3	58
1634	Hypomania/Mania by DSM-5 definition based on daily smartphone-based patient-reported assessments. Journal of Affective Disorders, 2020, 264, 272-278.	4.1	6
1635	Comorbid alcohol use disorder in psychiatric MDD patients: A five-year prospective study. Journal of Affective Disorders, 2020, 267, 283-288.	4.1	12
1636	Differences in psychomotor activity and heart rate variability in patients with newly diagnosed bipolar disorder, unaffected relatives, and healthy individuals. Journal of Affective Disorders, 2020, 266, 30-36.	4.1	12
1637	Recent physical conditions and health service utilization in people with common mental disorders and severe mental illness in England: Comparative cross-sectional data from a nationally representative sample. European Psychiatry, 2020, 63, e19.	0.2	7
1638	Linking Pain Sensation to the Autonomic Nervous System: The Role of the Anterior Cingulate and Periaqueductal Gray Resting-State Networks. Frontiers in Neuroscience, 2020, 14, 147.	2.8	45
1639	Uncovering Underlying Processes Before Illusion of Control Begins in Gambling Disorder: A Pilot Study. Journal of Gambling Studies, 2020, 36, 829-849.	1.6	0
1640	Patterns and clinical correlates of lifetime alcohol consumption in women and men with bipolar disorder: Findings from the UK Bipolar Disorder Research Network. Bipolar Disorders, 2020, 22, 731-738.	1.9	15
1641	Prospective associations between hsCRP and GlycA inflammatory biomarkers and depression: The Brazilian longitudinal study of adult health (ELSA-Brasil). Journal of Affective Disorders, 2020, 271, 39-48.	4.1	13
1642	Mood instability in patients with newly diagnosed bipolar disorder, unaffected relatives, and healthy control individuals measured daily using smartphones. Journal of Affective Disorders, 2020, 271, 336-344.	4.1	23
1643	Abnormal prefrontal cortex processing of reward prediction errors in recently diagnosed patients with bipolar disorder and their unaffected relatives. Bipolar Disorders, 2020, 22, 849-859.	1.9	4
1644	Autistic traits in psychotic disorders: prevalence, familial risk, and impact on social functioning. Psychological Medicine, 2021, 51, 1704-1713.	4.5	24
1645	Association Between Posterior Segment Eye Diseases, Common Mental Disorders, and Depression: Cross-Sectional and Longitudinal Analyses of Brazilian Longitudinal Study of Adult Health Cohort. Journal of the Academy of Consultation-Liaison Psychiatry, 2021, 62, 70-78.	0.4	5

#	ARTICLE	IF	CITATIONS
1646	Developmental cascade effects of a parenting-focused program for divorced families on competence in emerging adulthood. <i>Development and Psychopathology</i> , 2021, 33, 201-215.	2.3	8
1647	Hippocampal subfield morphology in monozygotic twins discordant for affective disorders. <i>Neuropsychopharmacology</i> , 2021, 46, 561-568.	5.4	4
1648	Associations Between Cognitive Function and Levels of Glutamatergic Metabolites and Gamma-Aminobutyric Acid in Antipsychotic-Naïve Patients With Schizophrenia or Psychosis. <i>Biological Psychiatry</i> , 2021, 89, 278-287.	1.3	36
1649	A Recessively Inherited Risk Locus on Chromosome 13q22-31 Conferring Susceptibility to Schizophrenia. <i>Schizophrenia Bulletin</i> , 2021, 47, 796-802.	4.3	3
1650	Daily mobility patterns in patients with bipolar disorder and healthy individuals. <i>Journal of Affective Disorders</i> , 2021, 278, 413-422.	4.1	16
1651	Current state of hypnotic use disorders: Results of a survey using the Japanese version of Benzodiazepine Dependence Self-Report Questionnaire. <i>Neuropsychopharmacology Reports</i> , 2021, 41, 14-25.	2.3	2
1652	The association between self-reported physical activity and objective measures of physical activity in participants with newly diagnosed bipolar disorder, unaffected relatives, and healthy individuals. <i>Nordic Journal of Psychiatry</i> , 2021, 75, 186-193.	1.3	1
1653	The impact of the trajectory of bipolar disorder on global cognitive function: A one-year clinical prospective case-control study. <i>Journal of Affective Disorders</i> , 2021, 278, 189-198.	4.1	10
1654	Sexual minority status, social adversity and risk for psychotic disorders-results from the GROUP study. <i>Psychological Medicine</i> , 2021, 51, 770-776.	4.5	17
1655	Neurocognitive heterogeneity in patients with bipolar disorder and their unaffected relatives: associations with emotional cognition. <i>Psychological Medicine</i> , 2021, 51, 668-679.	4.5	26
1656	The patient health questionnaire (PHQ). , 2021, , 185-193.		0
1657	Altered effective connectivity within an oculomotor control network in individuals with schizophrenia. <i>NeuroImage: Clinical</i> , 2021, 31, 102764.	2.7	2
1658	Examining the association between exposome score for schizophrenia and functioning in schizophrenia, siblings, and healthy controls: Results from the EUGEI study. <i>European Psychiatry</i> , 2021, 64, e25.	0.2	18
1659	Reducing the rate of psychiatric re-admissions in bipolar disorder using smartphonesâ€”The RADMIS trial. <i>Acta Psychiatrica Scandinavica</i> , 2021, 143, 453-465.	4.5	20
1660	Mobile eHealth Platform for Home Monitoring of Bipolar Disorder. <i>Lecture Notes in Computer Science</i> , 2021, , 330-341.	1.3	4
1662	Is there an association between caregiver antipathy and psychosis? A systematic review. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2021, 94, 798-821.	2.5	2
1663	Imagery rehearsal therapy and/or mianserin in treatment of refugees diagnosed with PTSD: Results from a randomized controlled trial. <i>Journal of Sleep Research</i> , 2021, 30, e13276.	3.2	16
1664	The psychometric validity of the Montgomery-Åsberg Depression Rating Scale (MADRS) in recent onset schizophrenia spectrum disorders. <i>Schizophrenia Research</i> , 2021, 228, 373-381.	2.0	5

#	ARTICLE	IF	CITATIONS
1665	The role of anthranilic acid in the increase of depressive symptoms and major depressive disorder during treatment for hepatitis C with pegylated interferon- α 2a and oral ribavirin. <i>Journal of Psychiatry and Neuroscience</i> , 2021, 46, E166-E175.	2.4	13
1666	Brain-derived neurotrophic factor levels in newly diagnosed patients with bipolar disorder, their unaffected first-degree relatives and healthy controls. <i>BJPsych Open</i> , 2021, 7, e55.	0.7	9
1667	Standardized training in the rating of the six-item Positive And Negative Syndrome Scale (PANSS-6). <i>Schizophrenia Research</i> , 2021, 228, 438-446.	2.0	2
1668	Associations between oxidative stress and perceived stress in patients with bipolar disorder and healthy control individuals. <i>Nordic Journal of Psychiatry</i> , 2021, 75, 532-537.	1.3	3
1669	The effect of smartphone-based monitoring and treatment on the rate and duration of psychiatric readmission in patients with unipolar depressive disorder: The RADMIS randomized controlled trial. <i>Journal of Affective Disorders</i> , 2021, 282, 354-363.	4.1	19
1670	Adapting dialectical behavior therapy in Mandarin-speaking Chinese patients with borderline personality disorder: An open pilot trial in Taiwan. <i>Asia-Pacific Psychiatry</i> , 2022, 14, e12451.	2.2	6
1671	The CHALLENGE Project: Fighting Auditory Hallucinations by using Virtual Reality. , 2021, , .		0
1672	Prevention of depression in adults with long-term physical conditions. <i>The Cochrane Library</i> , 2021, 2021, CD011246.	2.8	9
1673	Affective and non-affective cognition in patients with bipolar disorder type I and type II in full or partial remission: Associations with familial risk. <i>Journal of Affective Disorders</i> , 2021, 283, 207-215.	4.1	4
1674	Associations between the cortisol awakening response and patient-evaluated stress and mood instability in patients with bipolar disorder: an exploratory study. <i>International Journal of Bipolar Disorders</i> , 2021, 9, 8.	2.2	7
1675	Risk Factors, Clinical Features, and Polygenic Risk Scores in Schizophrenia and Schizoaffective Disorder Depressive-Type. <i>Schizophrenia Bulletin</i> , 2021, 47, 1375-1384.	4.3	4
1677	Contemporary management of unipolar depression in the perinatal period. <i>Expert Review of Neurotherapeutics</i> , 2021, 21, 643-656.	2.8	1
1678	Assessment of the neuronal underpinnings of cognitive impairment in bipolar disorder with a picture encoding paradigm and methodological lessons learnt. <i>Journal of Psychopharmacology</i> , 2021, 35, 983-991.	4.0	6
1679	Migraine associated with early onset postpartum depression in women with major depressive disorder. <i>Archives of Women's Mental Health</i> , 2021, 24, 949-955.	2.6	4
1680	Development of a computerized adaptive diagnostic screening tool for psychosis. <i>Schizophrenia Research</i> , 2022, 245, 116-121.	2.0	6
1681	Association between lifetime and recent stressful life events and the early course and psychopathology in patients with newly diagnosed bipolar disorder, first-degree unaffected relatives and healthy controls: Cross-sectional results from a prospective study. <i>Bipolar Disorders</i> , 2022, 24, 59-68.	1.9	2
1682	Affective symptom dimensions in early-onset psychosis over time: a principal component factor analysis of the Young Mania Rating Scale and the Hamilton Depression Rating Scale. <i>European Child and Adolescent Psychiatry</i> , 2022, 31, 1715-1728.	4.7	3
1683	Higher systemic oxidatively generated DNA and RNA damage in patients with newly diagnosed bipolar disorder and their unaffected first-degree relatives. <i>Free Radical Biology and Medicine</i> , 2021, 168, 226-233.	2.9	12

#	ARTICLE	IF	CITATIONS
1684	Predictors of work and education among people with severe mental illness who participated in the Danish individual placement and support study: findings from a randomized clinical trial. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021, 56, 1669-1677.	3.1	6
1685	Prosocial and Aggressive Behavior: A Longitudinal Study. <i>Monographs of the Society for Research in Child Development</i> , 2021, 86, 7-103.	6.8	29
1686	Theory of Mind and Suicidality: A Meta-Analysis. <i>Archives of Suicide Research</i> , 2022, 26, 1666-1687.	2.3	5
1687	Neuronal underpinnings of cognitive impairment in bipolar disorder: A large data-driven functional magnetic resonance imaging study. <i>Bipolar Disorders</i> , 2022, 24, 69-81.	1.9	16
1688	Prevalences of comorbid anxiety disorder and daily smartphone-based self-reported anxiety in patients with newly diagnosed bipolar disorder. <i>Evidence-Based Mental Health</i> , 2021, 24, 137-144.	4.5	2
1689	Neuronal and cognitive predictors of improved executive function following action-based cognitive remediation in patients with bipolar disorder. <i>European Neuropsychopharmacology</i> , 2021, 47, 1-10.	0.7	9
1690	Internet-based cognitive assessment tool: Sensitivity and validity of a new online cognition screening tool for patients with bipolar disorder. <i>Journal of Affective Disorders</i> , 2021, 289, 125-134.	4.1	7
1691	Adolescents with functional somatic syndromes: Symptom profiles, illness perception, illness worry and attachment orientation. <i>Journal of Psychosomatic Research</i> , 2021, 145, 110430.	2.6	5
1692	Associations between cognition and white matter microstructure in first-episode antipsychotic-naïve patients with schizophrenia and healthy controls: A multivariate pattern analysis. <i>Cortex</i> , 2021, 139, 282-297.	2.4	5
1693	Individualized prediction of three- and six-year outcomes of psychosis in a longitudinal multicenter study: a machine learning approach. <i>NPJ Schizophrenia</i> , 2021, 7, 34.	3.6	14
1694	Mood and Activity Measured Using Smartphones in Unipolar Depressive Disorder. <i>Frontiers in Psychiatry</i> , 2021, 12, 701360.	2.6	7
1695	Insomnia and quality of life of prisoners at a Nigerian maximum-security prison. <i>International Journal of Prisoner Health</i> , 2021, 17, 574-585.	0.9	0
1696	Self-harm, suicidal ideation, and the positive symptoms of psychosis: Cross-sectional and prospective data from a national household survey. <i>Schizophrenia Research</i> , 2021, 233, 80-88.	2.0	7
1697	Hallucinations in the general population across the adult lifespan: prevalence and psychopathologic significance. <i>British Journal of Psychiatry</i> , 2021, 219, 652-658.	2.8	12
1698	Structural brain abnormalities associated with cognitive impairments in bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2021, 144, 379-391.	4.5	8
1699	Rare Copy Number Variants Are Associated With Poorer Cognition in Schizophrenia. <i>Biological Psychiatry</i> , 2021, 90, 28-34.	1.3	20
1700	The Community Assessment of Psychic Experiences: Optimal cutoff scores for detecting individuals with a psychotic disorder. <i>International Journal of Methods in Psychiatric Research</i> , 2021, 30, e1893.	2.1	9
1701	The relative and interactive impact of multiple risk factors in schizophrenia spectrum disorders: a combined register-based and clinical twin study. <i>Psychological Medicine</i> , 2023, 53, 1266-1276.	4.5	8

#	ARTICLE	IF	CITATIONS
1702	Affective disorders impact prevalence of Flavonifractor and abundance of Christensenellaceae in gut microbiota. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021, 110, 110300.	4.8	15
1703	Automatically Generated Smartphone Data in Young Patients With Newly Diagnosed Bipolar Disorder and Healthy Controls. <i>Frontiers in Psychiatry</i> , 2021, 12, 559954.	2.6	3
1704	Interrelationships between depressive symptoms and positive and negative symptoms of recent onset schizophrenia spectrum disorders: A network analytical approach. <i>Journal of Psychiatric Research</i> , 2021, 140, 373-380.	3.1	14
1705	Monoamino Oxidase A Gene Single-Nucleotide Polymorphisms and Methylation Status and the Risk of Violent Suicide Attempts in Affective Disorder Patients. <i>Frontiers in Psychiatry</i> , 2021, 12, 667191.	2.6	2
1706	The role of the FTO gene in the relationship between depression and obesity. A systematic review. <i>Neuroscience and Biobehavioral Reviews</i> , 2021, 127, 630-637.	6.1	20
1707	Associations Between Schizophrenia Polygenic Liability, Symptom Dimensions, and Cognitive Ability in Schizophrenia. <i>JAMA Psychiatry</i> , 2021, 78, 1143.	11.0	41
1708	Neural responses during down-regulation of negative emotion in patients with recently diagnosed bipolar disorder and their unaffected relatives. <i>Psychological Medicine</i> , 0, , 1-12.	4.5	1
1709	Altered Effective Connectivity within an Oculomotor Control Network in Unaffected Relatives of Individuals with Schizophrenia. <i>Brain Sciences</i> , 2021, 11, 1228.	2.3	1
1710	Dopaminergic Activity in Antipsychotic-Naïve Patients Assessed With Positron Emission Tomography Before and After Partial Dopamine D2 Receptor Agonist Treatment: Association With Psychotic Symptoms and Treatment Response. <i>Biological Psychiatry</i> , 2022, 91, 236-245.	1.3	14
1711	Immunological investigations of the cerebrospinal fluid in patients with recent onset psychotic disorders: A study protocol. <i>PLoS ONE</i> , 2021, 16, e0257946.	2.5	7
1712	Emotional cognition subgroups in mood disorders: Associations with familial risk. <i>European Neuropsychopharmacology</i> , 2021, 51, 71-83.	0.7	9
1713	Weekend catch-up sleep and depression: results from a nationally representative sample in Korea. <i>Sleep Medicine</i> , 2021, 87, 62-68.	1.6	10
1714	Mood episodes in pregnancy and risk of postpartum recurrence in bipolar disorder: The Bipolar Disorder Research Network Pregnancy Study. <i>Journal of Affective Disorders</i> , 2021, 294, 714-722.	4.1	9
1715	Converting scores between the PANSS and SAPS/SANS beyond the positive/negative dichotomy. <i>Psychiatry Research</i> , 2021, 305, 114199.	3.3	2
1716	Affective episodes in recently diagnosed patients with bipolar disorder associated with altered working memory-related prefrontal cortex activity: A longitudinal fMRI study. <i>Journal of Affective Disorders</i> , 2021, 295, 647-656.	4.1	8
1717	ADHD in adults with recurrent depression. <i>Journal of Affective Disorders</i> , 2021, 295, 1153-1160.	4.1	17
1718	Examining facial emotion recognition as an intermediate phenotype for psychosis: Findings from the EUGEI study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2022, 113, 110440.	4.8	10
1719	OUP accepted manuscript. <i>Schizophrenia Bulletin</i> , 2021, , .	4.3	5

#	ARTICLE	IF	CITATIONS
1720	Assessment scoring tools of depression. , 2021, , 155-164.		1
1721	Anxiety and psychological management of heart disease and heart surgery. Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn, 2021, 177, 393-408.	1.8	2
1722	Cost-effectiveness of Brief Psychodynamic-Interpersonal Therapy in High Utilizers of Psychiatric Services. Archives of General Psychiatry, 1999, 56, 519-526.	12.3	135
1725	The Epidemiological Horizon. , 0, , 203-231.		34
1727	Assessment of Comorbid Psychopathology. , 2011, , 287-293.		16
1728	Differential diagnosis of schizophrenia. , 1992, , 6-22.		4
1729	Perplexity. , 2016, , 245-264.		9
1730	Classification and Epidemiology. , 2015, , 341-360.		4
1731	Molecular Genetics of Schizophrenia. , 1992, , 25-48.		8
1732	The 100-Year Epidemiology of Schizophrenia. , 1999, , 3-19.		2
1733	Depressive Episoden. , 2000, , 281-321.		1
1734	Psychopathologie heute. , 1999, , 3-44.		4
1735	Prinzipien psychiatrischer Epidemiologie. , 1999, , 45-76.		5
1736	Psychiatric Assessment Instruments Developed by the World Health Organization. , 1996, , 153-177.		7
1738	The Benefits of Expert Systems in Health Care. Practical Experiences from CATEG05-ES. Lecture Notes in Medical Informatics, 1989, , 93-97.	0.1	1
1739	Diagnosis and Classification of Mental Disorders in Relation to Molecular Research. , 1990, , 1-11.		3
1740	13 Schizofrenie en verwante psychosen. , 2006, , 247-280.		1
1741	Issues in Mental Health Assessment. Handbooks of Sociology and Social Research, 2013, , 115-141.	0.1	4

#	ARTICLE	IF	CITATIONS
1742	Depression, Anxiety, and Physical Morbidity in Women. <i>Mental Health and Illness Worldwide</i> , 2020, , 259-279.	0.1	2
1744	Associations between P3a and P3b amplitudes and cognition in antipsychotic-naïve first-episode schizophrenia patients. <i>Psychological Medicine</i> , 2019, 49, 868-875.	4.5	18
1746	The Cardiff Sib-Pair Study. <i>Crisis</i> , 2001, 22, 71-73.	1.2	35
1747	The Beck Depression Inventory: Psychometric Characteristics and Usefulness in Nonclinical Adolescents. <i>European Journal of Psychological Assessment</i> , 2001, 17, 63-68.	3.0	35
1748	The WHO Quality of Life Assessment Instrument (WHOQOL-100). <i>European Journal of Psychological Assessment</i> , 2006, 22, 207-215.	3.0	6
1749	Depression and gender: An international review.. <i>American Psychologist</i> , 1997, 52, 25-31.	4.2	131
1750	Pharmacogenetics in the postgenomic era.. , 2003, , 335-361.		7
1754	Evidence for familial cosegregation of major affective disorder and genetic markers flanking the gene for Darier's disease. , 0, .		1
1755	Psychotic disorders in urban areas: an overview of the Study on Low Prevalence Disorders. <i>Australian and New Zealand Journal of Psychiatry</i> , 2000, 34, 221-236.	2.3	39
1756	Characterising psychosis in the Australian National Survey of Mental Health and Wellbeing Study on Low Prevalence (psychotic) Disorders. <i>Australian and New Zealand Journal of Psychiatry</i> , 2000, 34, 792-800.	2.3	4
1757	Assessment of Distress, Disorder, Impairment, and Need in the Population. , 2012, , 60-88.		1
1758	The principles of clinical assessment in general psychiatry. , 2012, , 62-78.		1
1759	Untreated Psychopathology of Candidates to "Normal Volunteers". <i>Journal of Clinical Psychopharmacology</i> , 1997, 17, 238-239.	1.4	4
1760	Prevalence of Psychiatric Disorders in Medical Inpatients. <i>Journal of Nervous and Mental Disease</i> , 1996, 184, 43-51.	1.0	185
1761	Phobic, Panic, and Major Depressive Disorders and the Five-Factor Model of Personality. <i>Journal of Nervous and Mental Disease</i> , 2001, 189, 154-161.	1.0	138
1762	The Depression Interview and Structured Hamilton (DISH): Rationale, Development, Characteristics, and Clinical Validity. <i>Psychosomatic Medicine</i> , 2002, 64, 897-905.	2.0	139
1764	Comparisons of alcohol and other drugs: experience from the WHO collaborative cross-cultural applicability research (CAR) study. <i>Addiction</i> , 1996, 91, 1529-1538.	3.3	16
1765	WHO cross-cultural applicability research on diagnosis and assessment of substance use disorders: an overview of methods and selected results. <i>Addiction</i> , 1996, 91, 199-220.	3.3	99

#	ARTICLE	IF	CITATIONS
1766	Quality of life and psychopathology: investigations into their relationship. Australian and New Zealand Journal of Psychiatry, 2006, 40, 333-340.	2.3	4
1767	Recognition of depression and anxiety in primary care. BMJ: British Medical Journal, 1999, 318, 1558-1558.	2.3	22
1768	Rate of Psychiatric Illness 1 Year After Traumatic Brain Injury. American Journal of Psychiatry, 1999, 156, 374-378.	7.2	312
1769	Depression-Executive Dysfunction Syndrome in Stroke Patients. American Journal of Geriatric Psychiatry, 2005, 13, 99-107.	1.2	64
1770	Bipolar Affective Puerperal Psychosis: Genome-Wide Significant Evidence for Linkage to Chromosome 16. American Journal of Psychiatry, 2007, 164, 1099.	7.2	44
1771	Measuring Empowerment Among People With Psychotic Disorders: A Comparison of Three Instruments. Psychiatric Services, 2008, 59, 1338-1342.	2.0	26
1772	Sleep and physical activity in patients with newly diagnosed bipolar disorder in remission, their first-degree unaffected relatives and healthy controls. International Journal of Bipolar Disorders, 2020, 8, 16.	2.2	10
1773	Smartphone-based activity measurements in patients with newly diagnosed bipolar disorder, unaffected relatives and control individuals. International Journal of Bipolar Disorders, 2020, 8, 32.	2.2	17
1774	IGF-I and IGFBP-3 before and after inpatient alcohol detoxification in alcohol-dependent subjects. Medical Science Monitor, 2011, 17, CR547-CR551.	1.1	1
1775	Population neuroimaging: generation of a comprehensive data resource within the ALSPAC pregnancy and birth cohort. Wellcome Open Research, 2020, 5, 203.	1.8	12
1777	The Effects of Centralised and Specialised Intervention in the Early Course of Severe Unipolar Depressive Disorder: A Randomised Clinical Trial. PLoS ONE, 2012, 7, e32950.	2.5	12
1778	P2RX7: Expression Responds to Sleep Deprivation and Associates with Rapid Cycling in Bipolar Disorder Type 1. PLoS ONE, 2012, 7, e43057.	2.5	35
1779	Genetic Variations of PIP4K2A Confer Vulnerability to Poor Antipsychotic Response in Severely Ill Schizophrenia Patients. PLoS ONE, 2014, 9, e102556.	2.5	15
1780	The Impact of Social Deprivation on Paranoia, Hallucinations, Mania and Depression: The Role of Discrimination Social Support, Stress and Trust. PLoS ONE, 2014, 9, e105140.	2.5	94
1781	Evidence for a Shared Etiological Mechanism of Psychotic Symptoms and Obsessive-Compulsive Symptoms in Patients with Psychotic Disorders and Their Siblings. PLoS ONE, 2015, 10, e0125103.	2.5	8
1782	Further Evidence That Cannabis Moderates Familial Correlation of Psychosis-Related Experiences. PLoS ONE, 2015, 10, e0137625.	2.5	9
1783	The Very Low-Dose Dexamethasone Suppression Test in the General Population: A Cross-Sectional Study. PLoS ONE, 2016, 11, e0164348.	2.5	13
1784	Neural response to emotional faces in monozygotic twins: association with familial risk of affective disorders. Journal of Psychiatry and Neuroscience, 2019, 44, 277-286.	2.4	4

#	ARTICLE	IF	CITATIONS
1785	Preliminary validity and test-retest reliability of two depression questionnaires compared with a diagnostic interview in 99 patients with chronic pain seeking specialist pain treatment. <i>Scandinavian Journal of Pain</i> , 2020, 20, 717-726.	1.3	5
1786	Adjustment Disorder as an Occupational Disease: Our Experience in Italy. <i>International Journal of Occupational and Environmental Medicine</i> , 2016, 7, 52-57.	4.2	17
1787	Psychiatric disorders of convicted DWI offenders: a comparison among Hispanics, American Indians and non-Hispanic whites.. <i>Journal of Studies on Alcohol and Drugs</i> , 2004, 65, 419-427.	2.3	14
1788	Revisi3n cr3tica de las fuentes de variabilidad en la medici3n de la prevalencia de esquizofrenia. <i>Salud Mental</i> , 2014, 37, 127.	0.3	9
1789	Differences Between Early and Late Onset Adult Depression. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2011, 7, 140-147.	1.2	55
1790	The Validity of Daily Self-Assessed Perceived Stress Measured Using Smartphones in Healthy Individuals: Cohort Study. <i>JMIR MHealth and UHealth</i> , 2019, 7, e13418.	3.7	11
1791	Forecasting Mood in Bipolar Disorder From Smartphone Self-assessments: Hierarchical Bayesian Approach. <i>JMIR MHealth and UHealth</i> , 2020, 8, e15028.	3.7	28
1792	Methodological Challenges in Randomized Controlled Trials on Smartphone-Based Treatment in Psychiatry: Systematic Review. <i>Journal of Medical Internet Research</i> , 2019, 21, e15362.	4.3	33
1793	DISCRIMINANT VALIDITY OF THE EATING ATTITUDES TEST ACCORDING TO AMERICAN PSYCHIATRIC ASSOCIATION AND WORLD HEALTH ORGANIZATION CRITERIA OF EATING DISORDERS. <i>Psychological Reports</i> , 2002, 91, 1052.	1.7	4
1794	Sadness as an integral part of depression. <i>Dialogues in Clinical Neuroscience</i> , 2008, 10, 321-327.	3.7	25
1795	Anxiety symptoms in psychotic disorders. <i>Clinical Schizophrenia and Related Psychoses</i> , 2013, , 1-22.	1.4	8
1796	Categorical and Dimensional Stability of Comorbid Personality Disorder Symptoms in DSM-IV Major Depressive Disorder. <i>Journal of Clinical Psychiatry</i> , 2010, 71, 287-295.	2.2	26
1797	Temperament, Character and Suicide Attempts in Unipolar and Bipolar Mood Disorders. <i>Journal of Clinical Psychiatry</i> , 2016, 77, 252-260.	2.2	29
1798	Suicidal Ideation and Attempts Among Psychiatric Patients With Major Depressive Disorder. <i>Journal of Clinical Psychiatry</i> , 2003, 64, 1094-1100.	2.2	282
1799	Psychiatric evaluation in dermatology: An overview. <i>Indian Journal of Dermatology</i> , 2013, 58, 39.	0.3	34
1800	Prevalence of sexual dysfunction in male subjects with alcohol dependence. <i>Indian Journal of Psychiatry</i> , 2007, 49, 109.	0.7	74
1801	Quality of life and associated factors among poststroke clinic attendees at a University Teaching Hospital in Nigeria. <i>Nigerian Medical Journal</i> , 2016, 57, 290.	0.6	8
1802	Study on Standardization of Korean Version of Psychiatric Diagnostic Screening Questionnaire : The Optimal Cutoff Scores. <i>Journal of Korean Neuropsychiatric Association</i> , 2012, 51, 77.	0.5	5

#	ARTICLE	IF	CITATIONS
1803	A two-year follow-up study of risk of depression according to work-unit measures of psychological demands and decision latitude. <i>Scandinavian Journal of Work, Environment and Health</i> , 2012, 38, 527-536.	3.4	21
1804	Post-partum psychosis and its association with bipolar disorder in the UK: a case-control study using polygenic risk scores. <i>Lancet Psychiatry</i> , 2021, 8, 1045-1052.	7.4	12
1805	Precursors and correlates of transient and persistent longitudinal profiles of psychotic experiences from late childhood through early adulthood. <i>British Journal of Psychiatry</i> , 2021, , 1-9.	2.8	5
1806	Self-disorders and psychopathology: a systematic review. <i>Lancet Psychiatry</i> , 2021, 8, 1001-1012.	7.4	52
1807	Symptome schizophrener Störungen. , 2000, , 3-51.		3
1808	Depressive Episodes. , 2001, , 1551-1577.		0
1809	Central Issues in Psychiatric Epidemiology. , 2001, , 29-45.		0
1810	Symptoms of Schizophrenia. , 2001, , 1373-1406.		2
1812	Use of the DSM-IV: Methods and Approaches – Support for Dr Hasin acknowledged from NIAAA grants R01AA08159, K05AA00161, and the New York State Psychiatric Institute. The authors thank Valerie Richmond, MA, for manuscript preparation and editorial assistance.. , 2005, , 1383-1402.		0
1813	Classification of Bipolar Disorders – Implications for Clinical Research. <i>Medical Psychiatry</i> , 2007, , 1-18.	0.2	0
1814	Psychiatrische Epidemiologie. , 2008, , 55-70.		0
1815	Diagnostic Rating Scales and Psychiatric Instruments. , 2008, , 79-90.		0
1816	Standardisierte psychiatrische Befunddiagnostik. , 2008, , 455-481.		0
1817	The concept of psychiatric illness – a core problem in psychiatric epidemiology. <i>Norsk Epidemiologi</i> , 2009, 12, .	0.3	3
1818	Diagnosis and Classification of Substance Use Disorders. , 2010, , 95-113.		1
1819	Psychiatrische Epidemiologie. , 2011, , 109-126.		0
1820	Standardisierte psychiatrische Befunddiagnostik. , 2011, , 545-568.		0
1822	7.3 Diagnostik und Klassifikation. , 2012, , .		0

#	ARTICLE	IF	CITATIONS
1823	Psychiatrische Diagnostik und Klassifikation. , 2012, , 41-62.		1
1824	Diagnostik und Klassifikation. Springer-Lehrbuch, 2012, , 9-17.	0.0	3
1825	Epidemiology of schizophrenia. , 2012, , 540-553.		1
1826	Assessing Somatoform Disorders with the Hispanic Client. , 2013, , 293-307.		0
1829	Concepts of Schizophrenia: Current Developments and Future Perspectives. , 1991, , 4-14.		0
1830	The New Classification Systems in Psychiatry: Overview, Problems, and Consequences. , 1992, , 221-228.		0
1832	Introduction: Rating Scales Versus DSM-III-R and ICD-10. , 1993, , 1-43.		0
1834	The Nosological Views of French-Speaking Psychiatry. , 1994, , 23-32.		1
1835	Pharmacotherapies for Alcoholism: Theoretical and Methodological Perspectives. Handbook of Experimental Pharmacology, 1995, , 513-537.	1.8	2
1836	The Pharmacology of Alcohol Abuse: An Introduction. Handbook of Experimental Pharmacology, 1995, , 1-10.	1.8	1
1837	Sib-pairs with psychosis. Psychiatric Bulletin, 1996, 20, 443-443.	0.3	0
1838	Assessing Somatoform Disorders with the African American Client. , 2015, , 261-273.		0
1839	Two Case Studies Based on Large Unstructured Sets. , 2015, , 111-125.		0
1840	Psychiatric Diagnoses of Patients Presenting with Functional Somatic Symptoms in a Primary Care Clinic at a University Teaching Hospital in Nigeria. Open Journal of Depression, 2015, 04, 31-40.	0.3	0
1841	Standardisierte Befunddiagnostik in der Psychiatrie. , 2015, , 1-25.		0
1842	6 Stemmingsstoornissen. , 2016, , 147-193.		0
1843	Anpassungsstörungen. , 2016, , 1-14.		0
1844	Recent Advances in the Approach to Disorders of Thought. Annals of SBV, 2017, 6, 21-30.	0.1	0

#	ARTICLE	IF	CITATIONS
1845	Anpassungsstörungen. , 2017, , 2041-2054.		0
1846	Standardisierte Befunddiagnostik in der Psychiatrie. , 2017, , 577-600.		0
1848	Depression, Anxiety, and Physical Morbidity in Women. <i>Mental Health and Illness Worldwide</i> , 2019, , 1-21.	0.1	0
1849	Diagnostik und Risikofaktoren der ICD-11 Anpassungsstörung. <i>Trauma Und Gewalt</i> , 2019, 13, 6-18.	0.1	1
1852	Stimmingsstoornissen. , 2020, , 105-147.		1
1854	Response Processes to Looming Appetitive and Aversive Cues in Euthymic Bipolar Patients and Their First-Degree Relatives: An Exploratory Study. <i>Indian Journal of Psychological Medicine</i> , 2021, 43, 209-216.	1.5	0
1855	High-sensitive C-reactive protein and homocysteine levels in patients with newly diagnosed bipolar disorder, their first-degree relatives, and healthy control personsâ€”Results from a clinical study. <i>European Psychiatry</i> , 2020, 63, e103.	0.2	2
1856	Relaci3n entre el maltrato infantil y la adaptaci3n social en una muestra de j3venes atendidos en un servicio de intervenci3n precoz en psicosis. <i>Revista De PsiquiatrÃa Y Salud Mental</i> , 2020, 13, 131-139.	1.8	3
1858	Work-related subjective experiences among community residents with schizophrenia or schizoaffective disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , 2005, 39, 288-299.	2.3	1
1859	PrÃvalenz psychischer StÃrungen in der AllgemeinbevÃlkerung. , 2007, , 29-44.		0
1860	Patient-evaluated cognitive function measured with smartphones and the association with objective cognitive function, perceived stress, quality of life and function capacity in patients with bipolar disorder. <i>International Journal of Bipolar Disorders</i> , 2020, 8, 31.	2.2	5
1861	Burden of Disease: The Epidemiological Aspects of Addiction. , 2021, , 51-64.		0
1862	Pooled genotyping of microsatellite markers in parent-offspring trios. <i>Genome Research</i> , 2000, 10, 105-15.	5.5	38
1863	Recognition of depression and anxiety in primary care. Patients' attributional style is important factor. <i>BMJ: British Medical Journal</i> , 1999, 318, 1558.	2.3	8
1864	Schizophrenia research. Methodology & instrumentation. <i>Journal of Psychiatry and Neuroscience</i> , 1994, 19, 6-12.	2.4	1
1865	Implementation of evidence-based treatment for schizophrenic disorders: two-year outcome of an international field trial of optimal treatment. <i>World Psychiatry</i> , 2004, 3, 104-9.	10.4	49
1866	Posttraumatic stress disorder in primary care with special reference to personality disorder comorbidity. <i>British Journal of General Practice</i> , 2006, 56, 349-54.	1.4	12
1867	Expansion of 50 CAG/CTG repeats excluded in schizophrenia by application of a highly efficient approach using repeat expansion detection and a PCR screening set. <i>American Journal of Human Genetics</i> , 1996, 59, 912-7.	6.2	24

#	ARTICLE	IF	CITATIONS
1868	Do psychiatrists use structured interviews in real clinical settings?. <i>Psychiatry</i> , 2008, 5, 26-7.	0.3	2
1869	The Reliability of Psychiatric Diagnosis Revisited: The Clinician's Guide to Improve the Reliability of Psychiatric Diagnosis. <i>Psychiatry</i> , 2006, 3, 41-50.	0.3	32
1870	The Validity of Psychiatric Diagnosis Revisited: The Clinician's Guide to Improve the Validity of Psychiatric Diagnosis. <i>Psychiatry</i> , 2005, 2, 48-55.	0.3	11
1871	Hyperprolactinemia associated with risperidone: a case report and review of literature. <i>Psychiatry</i> , 2004, 1, 29-31.	0.3	1
1872	Depression and subjective quality of life among outpatients with diabetes mellitus at a teaching hospital in Nigeria. <i>Mental Health in Family Medicine</i> , 2010, 7, 179-83.	0.2	5
1873	How Type of Treatment and Presence of PTSD affect Employment, Self-regulation, and Abstinence. <i>North American Journal of Psychology</i> , 2011, 13, 175-186.	4.0	8
1874	White matter microstructure alterations in bipolar disorder. <i>Functional Neurology</i> , 2012, 27, 29-34.	1.3	14
1875	Complaints, symptoms and the cross-cultural relevance of diagnoses. <i>Shanghai Archives of Psychiatry</i> , 2013, 25, 3-5.	0.7	0
1876	The Standard for Clinicians' Interview in Psychiatry (SCIP): A Clinician-administered Tool with Categorical, Dimensional, and Numeric Output-Conceptual Development, Design, and Description of the SCIP. <i>Innovations in Clinical Neuroscience</i> , 2016, 13, 31-77.	0.1	11
1877	Measurement-based Care in Psychiatry-Past, Present, and Future. <i>Innovations in Clinical Neuroscience</i> , 2018, 15, 13-26.	0.1	38
1878	Classification of alcohol use disorders. <i>Alcohol Research</i> , 2003, 27, 5-17.	1.0	32
1879	mHealth technology to assess, monitor and treat daily functioning difficulties in people with severe mental illness: A systematic review. <i>Journal of Psychiatric Research</i> , 2022, 145, 35-49.	3.1	17
1880	Action-based cognitive remediation in bipolar disorder improved verbal memory but had no effect on the neural response during episodic memory encoding. <i>Psychiatry Research - Neuroimaging</i> , 2022, 319, 111418.	1.8	1
1881	Psychiatric comorbidity in the Baltimore ECA follow-up study: the matrix approach. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021, , 1.	3.1	0
1882	Voice analyses using smartphone-based data in patients with bipolar disorder, unaffected relatives and healthy control individuals, and during different affective states. <i>International Journal of Bipolar Disorders</i> , 2021, 9, 38.	2.2	7
1883	Potential Genetic Overlap Between Insomnia and Sleep Symptoms in Major Depressive Disorder: A Polygenic Risk Score Analysis. <i>Frontiers in Psychiatry</i> , 2021, 12, 734077.	2.6	2
1884	Dynamic and Static Cognitive Deficits in Schizophrenia and Bipolar Disorder After the First Episode. <i>Schizophrenia Bulletin</i> , 2022, 48, 590-598.	4.3	12
1885	Life events and treatment prognosis for depression: A systematic review and individual patient data meta-analysis. <i>Journal of Affective Disorders</i> , 2022, 299, 298-308.	4.1	7

#	ARTICLE	IF	CITATIONS
1886	The specific phenotype of depression in recent onset schizophrenia spectrum disorders: A symptom profile and network comparison to recent onset major depressive disorder without psychotic features. <i>Schizophrenia Research</i> , 2022, 240, 52-60.	2.0	1
1887	Influence of pre-treatment structural brain measures on effects of action-based cognitive remediation on executive function in partially or fully remitted patients with bipolar disorder. <i>European Neuropsychopharmacology</i> , 2022, 56, 50-59.	0.7	5
1888	Long-term follow-up of schizophrenia in 16 countries. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1996, 31, 249-258.	3.1	160
1889	The relationship of social network deficits with deficits in social functioning in long-term psychiatric disorders. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1993, 28, 218-224.	3.1	64
1890	Meeting the needs of people with psychiatric disorders. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1990, 25, 2-8.	3.1	36
1891	Population surveys of psychiatric disorder and the need for treatment. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1990, 25, 33-40.	3.1	47
1892	Chapitre 6. Groupe IV: description de la situation sociale. , 2011, , 115-126.		0
1893	Neuroimmunological investigations of cerebrospinal fluid in patients with recent onset depression – a study protocol. <i>BMC Psychiatry</i> , 2022, 22, 35.	2.6	7
1894	White matter diffusivity and its correlations to state measures of psychopathology in male refugees with posttraumatic stress disorder. <i>NeuroImage: Clinical</i> , 2022, 33, 102929.	2.7	3
1895	The dynamic interplay between sleep and mood: an intensive longitudinal study of individuals with bipolar disorder. <i>Psychological Medicine</i> , 2023, 53, 3345-3354.	4.5	7
1897	In memory of Professor Iain Wilkinson: cognitive and neuroimaging endophenotypes in a consanguineous schizophrenia multiplex family. <i>Psychological Medicine</i> , 2022, , 1-9.	4.5	1
1898	Web-Based Cognitive Testing in Psychiatric Research: Validation and Usability Study. <i>Journal of Medical Internet Research</i> , 2022, 24, e28233.	4.3	7
1899	Identifying victimisation profiles in people with psychosis and a history of childhood trauma: a latent class analysis. <i>Psychosis</i> , 2023, 15, 66-76.	0.8	3
1900	Mental health prior to and during the COVID-19 pandemic in individuals with bipolar disorder: Insights from prospective longitudinal data. <i>Bipolar Disorders</i> , 2022, 24, 658-666.	1.9	5
1901	“My life disappeared in illness”: bipolar disorder and themes in narrative identity. <i>Memory</i> , 2022, , 1-12.	1.7	5
1902	A nation-wide twin study of social cognition in schizophrenia spectrum disorders. <i>NPJ Schizophrenia</i> , 2022, 8, 12.	3.6	2
1903	Religious delusions in Dutch older adults in treatment for psychosis: a follow-up study. <i>International Psychogeriatrics</i> , 2024, 36, 51-63.	1.0	2
1904	The interrelationship of chronic cough and depression: a prospective population-based study. <i>ERJ Open Research</i> , 2022, 8, 00069-2022.	2.6	12

#	ARTICLE	IF	CITATIONS
1905	Differences in mobility patterns according to machine learning models in patients with bipolar disorder and patients with unipolar disorder. <i>Journal of Affective Disorders</i> , 2022, 306, 246-253.	4.1	6
1906	State of the Art of Patient-reported Outcomes in Acromegaly or GH Deficiency: A Systematic Review and Meta-analysis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, 107, 1225-1238.	3.6	9
1907	Discriminating between patients with unipolar disorder, bipolar disorder, and healthy control individuals based on voice features collected from naturalistic smartphone calls. <i>Acta Psychiatrica Scandinavica</i> , 2022, 145, 255-267.	4.5	2
1908	Neuroinflammatory Biomarkers in Cerebrospinal Fluid From 106 Patients With Recent-Onset Depression Compared With 106 Individually Matched Healthy Control Subjects. <i>Biological Psychiatry</i> , 2022, 92, 563-572.	1.3	14
1909	BDNF gene polymorphisms predicting treatment response to CBT-based rehabilitation of depression. <i>European Neuropsychopharmacology</i> , 2022, 58, 103-108.	0.7	4
1923	Instrumental Assessment. , 2022, , 187-214.		1
1924	Age of onset by sex in schizophrenia: Proximal and distal characteristics. <i>Journal of Psychiatric Research</i> , 2022, 151, 454-460.	3.1	7
1925	Lower Vitamin C Levels Are Associated With Less Improvement in Negative Symptoms in Initially Antipsychotic-Naïve Patients With First-Episode Psychosis. <i>International Journal of Neuropsychopharmacology</i> , 2022, 25, 613-618.	2.1	3
1926	Socio-economic status and functioning in patients newly diagnosed with bipolar disorder and their unaffected siblings - Results from a cross-sectional clinical study. <i>Journal of Affective Disorders</i> , 2022, 310, 404-411.	4.1	7
1927	Subjective experience and meaning of delusions in psychosis: a systematic review and qualitative evidence synthesis. <i>Lancet Psychiatry</i> , 2022, 9, 458-476.	7.4	27
1928	Neural underpinnings of emotion regulation subgroups in remitted patients with recently diagnosed bipolar disorder. <i>European Neuropsychopharmacology</i> , 2022, 60, 7-18.	0.7	6
1929	Bridging the Digital Divide in Psychological Therapies: Observational Study of Engagement With the SlowMo Mobile App for Paranoia in Psychosis. <i>JMIR Human Factors</i> , 2022, 9, e29725.	2.0	4
1930	Differential trajectory of cognitive functions in neurocognitive subgroups of newly diagnosed patients with bipolar disorder and their unaffected first-degree relatives – A longitudinal study. <i>Journal of Affective Disorders</i> , 2022, 311, 115-125.	4.1	3
1931	The Pyroptosis-Related Signature Predicts Diagnosis and Indicates Immune Characteristic in Major Depressive Disorder. <i>Frontiers in Pharmacology</i> , 2022, 13, .	3.5	2
1932	Dopamine Synthesis Capacity and GABA and Glutamate Levels Separate Antipsychotic-Naïve Patients With First-Episode Psychosis From Healthy Control Subjects in a Multimodal Prediction Model. <i>Biological Psychiatry Global Open Science</i> , 2023, 3, 500-509.	2.2	5
1934	<i>Toxoplasma gondii</i> Seropositivity Interacts with Catechol-O-methyltransferase Val105/158Met Variation Increasing the Risk of Schizophrenia. <i>Genes</i> , 2022, 13, 1088.	2.4	3
1935	Oxytocin receptor gene methylation as a molecular marker for severity of depressive symptoms in affective disorder patients. <i>BMC Psychiatry</i> , 2022, 22, .	2.6	3
1936	Hallucinations as a risk marker for suicidal behaviour in individuals with a history of sexual assault: a general population study with instant replication. <i>Psychological Medicine</i> , 0, , 1-7.	4.5	0

#	ARTICLE	IF	CITATIONS
1942	Psychosocial markers of age at onset in bipolar disorder: a machine learning approach. <i>BJPsych Open</i> , 2022, 8, .	0.7	1
1943	Trajectory of aberrant reward processing in patients with bipolar disorder – A longitudinal fMRI study. <i>Journal of Affective Disorders</i> , 2022, 312, 235-244.	4.1	4
1944	Associations between oxidative stress markers and patient-reported smartphone-based symptoms in patients newly diagnosed with bipolar disorder: An exploratory study. <i>European Neuropsychopharmacology</i> , 2022, 62, 36-45.	0.7	5
1945	Non-affective psychosis in traditional Andean culture. <i>Transcultural Psychiatry</i> , 0, , 136346152210997.	1.6	0
1946	Personality Pathology and Functional Impairment in Patients With Hypochondriasis. <i>Journal of the Academy of Consultation-Liaison Psychiatry</i> , 2023, 64, 28-34.	0.4	2
1947	Associations between childhood maltreatment and oxidative nucleoside damage in affective disorders. <i>European Psychiatry</i> , 2022, 65, .	0.2	3
1948	Passive social sensing with smartphones: a systematic review. <i>Computing (Vienna/New York)</i> , 2023, 105, 29-51.	4.8	5
1949	Language production impairments in patients with a first episode of psychosis. <i>PLoS ONE</i> , 2022, 17, e0272873.	2.5	0
1950	The longitudinal trajectory of emotion regulation and associated neural activity in patients with bipolar disorder: A prospective <scp>fMRI</scp> study. <i>Acta Psychiatrica Scandinavica</i> , 2022, 146, 568-582.	4.5	10
1952	Sexual Dysfunction in Remitted Female Patients with Depression on SSRIs: Associated Factors and Relation to Marital Satisfaction and Quality of Life. <i>Indian Journal of Psychological Medicine</i> , 0, , 025371762211119.	1.5	1
1953	Associations between levels of oxidative nucleoside damage and cardiovascular risk in patients newly diagnosed with bipolar disorder and their unaffected relatives. <i>Translational Psychiatry</i> , 2022, 12, .	4.8	2
1954	Pre-surgery optimization of patients's™ expectations to improve outcome in heart surgery: Study protocol of the randomized controlled multi-center PSY-HEART-II trial. <i>American Heart Journal</i> , 2022, 254, 1-11.	2.7	4
1956	The association between cannabis use and facial emotion recognition in schizophrenia, siblings, and healthy controls: Results from the EUGEI study. <i>European Neuropsychopharmacology</i> , 2022, 63, 47-59.	0.7	6
1957	Assessment of the validity and feasibility of a novel virtual reality test of emotion regulation in patients with bipolar disorder and their unaffected relatives. <i>Journal of Affective Disorders</i> , 2022, 318, 217-223.	4.1	0
1958	Chronic neuropsychiatric sequelae of SARS-CoV-2: Protocol and methods from the Alzheimer's Association Global Consortium. <i>Alzheimer's and Dementia: Translational Research and Clinical Interventions</i> , 2022, 8, .	3.7	9
1959	The role of cognitive and brain reserve in late-life depressive events: The Rotterdam Study. <i>Journal of Affective Disorders</i> , 2023, 320, 211-217.	4.1	6
1960	Let's talk about grief: Protocol of a study on the recognition and psychoeducation of prolonged grief disorder in outpatients with common mental disorders. <i>Frontiers in Psychiatry</i> , 0, 13, .	2.6	1
1961	Course of psychotic experiences and disorders among apprentice traditional health practitioners in rural South Africa: 3-year follow-up study. <i>Frontiers in Psychiatry</i> , 0, 13, .	2.6	2

#	ARTICLE	IF	CITATIONS
1962	Prevalence of medically unexplained symptoms in adults who are high users of healthcare services and magnitude of associated costs: a systematic review. <i>BMJ Open</i> , 2022, 12, e059971.	1.9	5
1963	Co-occurring psychotic and eating disorders in England: findings from the 2014 Adult Psychiatric Morbidity Survey. <i>Journal of Eating Disorders</i> , 2022, 10, .	2.7	3
1964	Antineuronal Autoantibodies in the Cerebrospinal Fluid and Serum From 106 Patients With Recent-Onset Depression Compared With 106 Individually Matched Healthy Control Subjects. <i>Biological Psychiatry Global Open Science</i> , 2023, 3, 1116-1121.	2.2	3
1965	Psychopathology: Rating Scales for the Assessment of Mental Status. , 2022, , 245-267.		0
1966	Development and Validation of a Self-Administered Screening Test for Betel Quid Use Disorders in Betel Quid Chewers in Hunan, China. <i>International Journal of General Medicine</i> , 0, Volume 15, 8183-8190.	1.8	2
1967	Associations between sleep quality and biomarkers for neurodegeneration - A longitudinal one-year case-control study of patients with bipolar disorder and healthy control individuals. , 2022, , 101011.		0
1970	Persistent increase over time in oxidatively stress generated RNA and DNA damage in patients with newly diagnosed bipolar disorder and their unaffected first-degree relatives – An up to 5-year prospective study. <i>Brain, Behavior, and Immunity</i> , 2023, 108, 269-278.	4.1	2
1971	The trajectory of emotional and non-emotional cognitive function in newly diagnosed patients with bipolar disorder and their unaffected relatives: A 16-month follow-up study. <i>European Neuropsychopharmacology</i> , 2023, 67, 4-21.	0.7	4
1972	Associations between emotional and non-emotional cognition and subsequent mood episodes in recently diagnosed patients with bipolar disorder: A 16-month follow-up study. <i>Journal of Affective Disorders</i> , 2023, 324, 16-23.	4.1	0
1973	Prevalence and characteristics of unipolar mania in a low-income country setting: population-based data from the Butajira cohort, rural Ethiopia. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 0, , .	3.1	1
1974	The association between childhood bullying victimisation and childhood maltreatment with the clinical expression of bipolar disorder. <i>Journal of Psychiatric Research</i> , 2022, , .	3.1	0
1975	Familial load of psychiatric disorders and overall functioning in patients newly diagnosed with bipolar disorder and their unaffected first-degree relatives. <i>International Journal of Bipolar Disorders</i> , 2022, 10, .	2.2	2
1976	The impact of the Mellow Parenting programme on later measures of childhood verbal IQ. , 2014, 31, 30-39.		3
1977	Urbanicity and rates of untreated psychotic disorders in three diverse settings in the Global South. <i>Psychological Medicine</i> , 2023, 53, 6459-6467.	4.5	3
1978	A machine learning approach on whole blood immunomarkers to identify an inflammation-associated psychosis onset subgroup. <i>Molecular Psychiatry</i> , 2023, 28, 1190-1200.	7.9	6
1979	Maladaptive personality traits in patients with recent-onset psychosis: A case-control study using the Personality Inventory for the DSM-5 (PID-5). <i>Schizophrenia Research</i> , 2023, 252, 216-224.	2.0	0
1980	User perspectives on long-term remote active electronic self-monitoring of mood symptoms in bipolar spectrum disorders. <i>Journal of Affective Disorders</i> , 2023, 324, 325-333.	4.1	0
1981	Self-reported reasons for discontinuation or continuation of antipsychotic medication in individuals with first-episode schizophrenia. <i>Microbial Biotechnology</i> , 2023, 17, 974-983.	1.7	3

#	ARTICLE	IF	CITATIONS
1982	DRAGON-Data: a platform and protocol for integrating genomic and phenotypic data across large psychiatric cohorts. <i>BJPsych Open</i> , 2023, 9, .	0.7	1
1983	Long-term stability in obsessive thoughts and compulsive behavior in the general population: a longitudinal study in Sweden. <i>Nordic Journal of Psychiatry</i> , 2023, 77, 574-580.	1.3	0
1984	Personality disorders in patients with newly diagnosed bipolar disorder, their unaffected first-degree relatives and healthy control individuals. <i>Journal of Affective Disorders</i> , 2023, 327, 183-189.	4.1	1
1985	Association of neurocognitive function with psychiatric hospitalization and socio-demographic conditions in individuals with bipolar and major depressive disorders. <i>EClinicalMedicine</i> , 2023, 58, 101927.	7.1	3
1986	Associations between aberrant working memory-related neural activity and cognitive impairments in somatically healthy, remitted patients with mood disorders. <i>Psychological Medicine</i> , 2023, 53, 7203-7213.	4.5	0
1987	Examining the association between exposome score for schizophrenia and cognition in schizophrenia, siblings, and healthy controls: Results from the EUGEI study. <i>Psychiatry Research</i> , 2023, 323, 115184.	3.3	2
1988	The longitudinal trajectory of emotional cognition in subgroups of recently diagnosed patients with bipolar disorder. <i>European Neuropsychopharmacology</i> , 2023, 71, 9-24.	0.7	3
1989	Borderline personality traits are differently associated with postpartum psychosis and postpartum depression episodes in women with bipolar disorder. <i>Journal of Affective Disorders</i> , 2023, 328, 81-86.	4.1	0
1990	Inter-Rater Reliability between Structured and Non-Structured Interviews Is Fair in Schizophrenia and Bipolar Disordersâ€”A Systematic Review and Meta-Analysis. <i>Diagnostics</i> , 2023, 13, 526.	2.6	2
1991	Cerebral blood flow in striatum is increased by partial dopamine agonism in initially antipsychotic-naïve patients with psychosis. <i>Psychological Medicine</i> , 2023, 53, 6691-6701.	4.5	4
1992	Reliability and convergent validity of retrospective reports of childhood maltreatment by individuals with bipolar disorder. <i>Psychiatry Research</i> , 2023, 321, 115105.	3.3	4
1993	Associations between N-Acetylaspartate and white matter integrity in individuals with schizophrenia and unaffected relatives. <i>Psychiatry Research - Neuroimaging</i> , 2023, 330, 111612.	1.8	2
1994	Uncovering psychiatric phenotypes using unsupervised machine learning: A data-driven symptoms approach. <i>European Psychiatry</i> , 2023, 66, .	0.2	2
1995	HTR1A, TPH2, and 5-HTTLPR Polymorphisms and Their Impact on the Severity of Depressive Symptoms and on the Concentration of Tryptophan Catabolites during Hepatitis C Treatment with Pegylated Interferon-Î±2a and Oral Ribavirin (PEG-IFN-Î±2a/RBV). <i>Cells</i> , 2023, 12, 970.	4.1	1
1996	Sleep impairments in refugees diagnosed with post-traumatic stress disorder: a polysomnographic and self-report study. <i>European Journal of Psychotraumatology</i> , 2023, 14, .	2.5	0
1997	Fibre density and fibre-bundle cross-section of the corticospinal tract are distinctly linked to psychosis-specific symptoms in antipsychotic-naïve patients with first-episode schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 0, , .	3.2	0
1998	Comparisons of 25 cerebrospinal fluid cytokines in a caseâ€”control study of 106 patients with recent-onset depression and 106 individually matched healthy subjects. <i>Journal of Neuroinflammation</i> , 2023, 20, .	7.2	3
1999	The Major Depression Inventory for diagnosing according to DSMâ€”5 and ICDâ€”11: Psychometric properties and validity in a Swedish general population. <i>International Journal of Methods in Psychiatric Research</i> , 2023, 32, .	2.1	0

#	ARTICLE	IF	CITATIONS
2001	Irritability in bipolar disorder and unipolar disorder measured daily using smartphone-based data: An exploratory post hoc study. <i>Acta Psychiatrica Scandinavica</i> , 2023, 147, 593-602.	4.5	0
2002	Mood instability and activity/energy instability in patients with bipolar disorder according to day-to-day smartphone-based data – An exploratory post hoc study. <i>Journal of Affective Disorders</i> , 2023, 334, 83-91.	4.1	4
2003	Cerebrospinal fluid erythropoietin, oxidative stress, and cognitive functions in patients with bipolar disorder and healthy control participants: A longitudinal case-control study. <i>Journal of Psychiatric Research</i> , 2023, 163, 240-246.	3.1	1
2004	Estimating the prognostic value of cross-sectional network connectivity for treatment response in depression. <i>Psychological Medicine</i> , 2024, 54, 317-326.	4.5	0
2005	Investigating Specific Associations Between Childhood Victimization Profiles and Positive Psychosis Symptoms: The Mediating Roles of Anxiety, Depression, and Schema. <i>Schizophrenia Bulletin Open</i> , 2023, 4, .	1.7	0
2006	Operational definitions and measurement of externalizing behavior problems: An integrative review including research models and clinical diagnostic systems. <i>World Journal of Psychiatry</i> , 0, 13, 278-297.	2.7	0
2007	Clinical Impact of Systematic Assessment and Psychoeducation in Specialized Treatment of Adolescents with Severe Functional Somatic Disorders: Results from the AHEAD Study. <i>Children</i> , 2023, 10, 1101.	1.5	2
2008	Areca Nut Addiction: Tools to Assess Addiction. <i>Textbooks in Contemporary Dentistry</i> , 2023, , 331-339.	0.4	0
2009	Neurocognitive subgroups among newly diagnosed patients with schizophrenia spectrum or bipolar disorders: A hierarchical cluster analysis. <i>Journal of Psychiatric Research</i> , 2023, 163, 278-287.	3.1	2
2010	Characterising depression trajectories in young people at high familial risk of depression. <i>Journal of Affective Disorders</i> , 2023, 337, 66-74.	4.1	1
2011	Association of childhood trauma with cognitive impairment and structural brain alterations in remitted patients with bipolar disorder. <i>Journal of Affective Disorders</i> , 2023, 337, 75-85.	4.1	0
2012	<i>Psychiatric Epidemiology</i> , 2023, , 1-41.		0
2013	Functional Connectivity Between Auditory and Medial Temporal Lobe Networks in Antipsychotic-Naïve Patients With First-Episode Schizophrenia Predicts the Effects of Dopamine Antagonism on Auditory Verbal Hallucinations. <i>Biological Psychiatry Global Open Science</i> , 2024, 4, 308-316.	2.2	0
2014	Specificity of polygenic signatures across symptom dimensions in bipolar disorder: an analysis of UK Bipolar Disorder Research Network data. <i>Lancet Psychiatry</i> , 2023, 10, 623-631.	7.4	1
2015	Early longitudinal changes in brain structure and cognitive functioning in remitted patients with recently diagnosed bipolar disorder. <i>Journal of Affective Disorders</i> , 2023, 339, 153-161.	4.1	1
2016	Parental bonding style and illness severity in a longitudinal study of individuals with first episode psychosis. <i>Archives of Women's Mental Health</i> , 0, , .	2.6	0
2017	Psychosis Endophenotypes: A Gene-Set-Specific Polygenic Risk Score Analysis. <i>Schizophrenia Bulletin</i> , 0, , .	4.3	0
2018	Association between childhood trauma, cognition, and psychosocial function in a large sample of partially or fully remitted patients with bipolar disorder and healthy participants. <i>International Journal of Bipolar Disorders</i> , 2023, 11, .	2.2	0

#	ARTICLE	IF	CITATIONS
2019	The structure of ICD-11 post traumatic stress disorder in a clinical sample of refugees based on the International Trauma Interview. <i>Acta Psychiatrica Scandinavica</i> , 2023, 148, 302-309.	4.5	0
2020	Aberrant resting-state functional connectivity underlies cognitive and functional impairments in remitted patients with bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2023, 148, 570-582.	4.5	1
2021	Influence of BDNF Val66Met genetic polymorphism in Major Depressive Disorder and Body Mass Index: Evidence from a meta-analysis of 6481 individuals. <i>Journal of Affective Disorders</i> , 2024, 344, 458-465.	4.1	0
2022	Plasma neurofilament light chain in association to late-life depression in the general population. <i>Psychiatry and Clinical Neurosciences</i> , 2024, 78, 97-103.	1.8	1
2023	Validity of the Spanish-Language Patient Health Questionnaires 2 and 9. <i>JAMA Network Open</i> , 2023, 6, e2336529.	5.9	1
2024	The Cross-sectional and Longitudinal Association Between Thyroid Function and Depression: A Population-Based Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 0, , .	3.6	0
2025	Is auditory processing measured by the N100 an endophenotype for psychosis? A family study and a meta-analysis. <i>Psychological Medicine</i> , 0, , 1-14.	4.5	1
2026	Perinatal sleep disruption and postpartum psychosis in bipolar disorder: Findings from the UK BDRN Pregnancy Study. <i>Journal of Affective Disorders</i> , 2024, 346, 21-27.	4.1	0
2027	Childhood abuse <i>v.</i> neglect and risk for major psychiatric disorders. <i>Psychological Medicine</i> , 0, , 1-12.	4.5	0
2028	Impact of psychiatric comorbidity on quality of life and activities of daily living among patients suffering from chronic kidney disease undergoing hemodialysis. <i>Industrial Psychiatry</i> , 2023, 32, S151-S156.	0.8	0
2031	Treatment of schizophrenia evaluated via the pharmacopsychometric triangle—An integrative approach with emphasis on well-being and functioning. , 2023, 9, .		0
2033	Opportunities to engage in positive activities during the COVID-19 pandemic: Perspectives of individuals with mood disorders. <i>Journal of Affective Disorders</i> , 2024, 345, 186-191.	4.1	0
2034	BLUES - stabilizing mood and sleep with blue blocking eyewear in bipolar disorder — a randomized controlled trial study protocol. <i>Annals of Medicine</i> , 2023, 55, .	3.8	0
2035	Predictors of mood and activity instability in participants with newly diagnosed bipolar disorder — exploratory findings from a prospective cohort study. <i>Journal of Affective Disorders Reports</i> , 2023, , 100708.	1.7	0
2036	The Trajectory of Prefrontal GABA levels in Initially Antipsychotic-Naïve Patients with Psychosis during Two Years Treatment and associations with Striatal Cerebral Blood Flow and Outcome. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2023, , .	1.5	0
2037	Trajectory of reward-related abnormalities in unaffected relatives of patients with bipolar disorder — A longitudinal fMRI study. <i>Journal of Psychiatric Research</i> , 2024, 170, 217-224.	3.1	0
2038	Neural correlates of episodic memory decline following electroconvulsive therapy: An exploratory functional magnetic resonance imaging study. <i>Journal of Psychopharmacology</i> , 2024, 38, 168-177.	4.0	0
2039	Classification of Psychiatric Disorders. , 2024, , 1-10.		0

#	ARTICLE	IF	CITATIONS
2040	Effect of immersive virtual reality-based cognitive remediation in patients with mood or psychosis spectrum disorders: study protocol for a randomized, controlled, double-blinded trial. <i>Trials</i> , 2024, 25, .	1.6	0
2041	The association between childhood trauma and tobacco smoking in patients with psychosis, unaffected siblings, and healthy controls. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 0, , .	3.2	0
2042	Disorders of Perception. , 2024, , 24-41.		0
2043	The Severity of Depressive Symptoms as an Independent Predictor of Sustained Virological Response During Treatment of Hepatitis C With Pegylated Interferon- α 2a and Oral Ribavirin. <i>Psychosomatic Medicine</i> , 2024, 86, 124-128.	2.0	0
2044	Biomarkers for neurodegeneration impact cognitive function: a longitudinal 1-year caseâ€“control study of patients with bipolar disorder and healthy control individuals. <i>International Journal of Bipolar Disorders</i> , 2024, 12, .	2.2	1
2045	Interplay between polygenic risk for mood disorders and stressful life events in bipolar disorder. <i>Journal of Affective Disorders</i> , 2024, 350, 565-572.	4.1	0
2046	Differences in clinical presentation between newly diagnosed bipolar I and II disorders: A naturalistic study. <i>Journal of Affective Disorders</i> , 2024, 351, 95-102.	4.1	0
2047	Socio-economic status, functioning and cognition in young versus adult patients newly diagnosed with bipolar disorder and their unaffected relatives; results from a cross-sectional study. <i>Journal of Affective Disorders</i> , 2024, 351, 458-471.	4.1	0
2048	Using digital phenotyping to classify bipolar disorder and unipolar disorder â€“ exploratory findings using machine learning models. <i>European Neuropsychopharmacology</i> , 2024, 81, 12-19.	0.7	0
2049	Hair cortisol and self-perceived stress in adolescents with multi-system functional somatic disorders. <i>BMC Psychiatry</i> , 2024, 24, .	2.6	0
2050	Disorders Specifically Associated with Stress: PTSD, Complex PTSD, Acute Stress Reaction, Adjustment Disorder. , 2023, , 1-53.		0
2051	Two polygenic mouse models of major depressive disorders identify TMEM161B as a potential biomarker of disease in humans. <i>Neuropsychopharmacology</i> , 0, , .	5.4	0
2052	Oxidation of DNA and RNA in young patients with newly diagnosed bipolar disorder and relatives. <i>Translational Psychiatry</i> , 2024, 14, .	4.8	0
2053	Familyâ€“based preventive intervention for children of parents with severe mental illness: A randomized clinical trial. <i>JCPP Advances</i> , 0, , .	2.4	0
2054	Key subphenotypes of bipolar disorder are differentially associated with polygenic liabilities for bipolar disorder, schizophrenia, and major depressive disorder. <i>Molecular Psychiatry</i> , 0, , .	7.9	0
2056	A composite immune and vascular stress marker in patients newly diagnosed with bipolar disorder and their unaffected first-degree relatives. <i>Brain, Behavior, and Immunity</i> , 2024, 118, 449-458.	4.1	0
2057	Effects of erythropoietin on cognitive impairment and prefrontal cortex activity across affective disorders: A randomized, double-blinded, placebo-controlled trial. <i>Journal of Psychopharmacology</i> , 2024, 38, 362-374.	4.0	0