

The t(10;14)(q24;q11) of T-cell acute lymphoblastic leukemia
receptor with TCL3, a conserved and activated locus at 14q11.

Proceedings of the National Academy of Sciences of the United States of America
87, 3161-3165

DOI: 10.1073/pnas.87.8.3161

Citation Report

#	ARTICLE	IF	CITATIONS
1	Molecular characterization of the t(10;14) translocation breakpoints in T-cell acute lymphoblastic leukemia: Further evidence for illegitimate physiological recombination. <i>Genes Chromosomes and Cancer</i> , 1990, 2, 217-222.	1.5	27
2	Report of the committee on the genetic constitution of chromosome 10. <i>Cytogenetic and Genome Research</i> , 1990, 55, 142-152.	0.6	13
4	Chromosome aberrations and cancer. <i>Science</i> , 1991, 254, 1153-1160.	6.0	552
5	Report of the DNA committee and catalogues of cloned and mapped genes, markers formatted for PCR and DNA polymorphisms (Part 27 of 27). <i>Cytogenetic and Genome Research</i> , 1991, 58, 1823-1832.	0.6	0
6	A novel human homeobox gene lies at the chromosome 10 breakpoint in lymphoid neoplasias with chromosomal translocation t(10;14). <i>Blood</i> , 1991, 78, 2996-3003.	0.6	176
7	The tcl-3 proto-oncogene altered by chromosomal translocation in T-cell leukemia codes for a homeobox protein.. <i>EMBO Journal</i> , 1991, 10, 2905-2910.	3.5	130
8	Structural and Functional Chimerism Results from Chromosomal Translocation in Lymphoid Tumors. <i>Advances in Immunology</i> , 1991, 50, 119-146.	1.1	35
9	Antigen receptor genes in hemopoietic malignancies. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 1991, 1072, 177-192.	3.3	2
10	Molecular biology of lymphoid malignancies. <i>Annals of Oncology</i> , 1991, 2, 9-21.	0.6	9
11	Deregulation of a homeobox gene, HOX11, by the t(10;14) in T cell leukemia. <i>Science</i> , 1991, 253, 79-82.	6.0	414
12	HOX11, a homeobox-containing T-cell oncogene on human chromosome 10q24.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1991, 88, 8900-8904.	3.3	248
13	S1 nuclease hypersensitive sites in an oligopurine/oligopyrimidine DNA from the t(10;14) breakpoint cluster region. <i>Nucleic Acids Research</i> , 1992, 20, 263-266.	6.5	14
14	Molecular involvement of the pvt-1 locus in a gamma/delta T-cell leukemia bearing a variant t(8;14)(q24;q11) translocation.. <i>Molecular and Cellular Biology</i> , 1992, 12, 4751-4757.	1.1	28
15	Chromosomal Translocations in Lymphoid Malignancies Reveal Novel Proto-Oncogenes. <i>Annual Review of Immunology</i> , 1992, 10, 785-807.	9.5	252
16	A complex genetic rearrangement in a t(10;14)(q24;q11) associated with T-cell acute lymphoblastic leukemia. <i>Genes Chromosomes and Cancer</i> , 1992, 4, 32-40.	1.5	10
17	Identification of the gene associated with the recurring chromosomal translocations t(3;14)(q27;q32) and t(3;22)(q27;q11) in B-cell lymphomas.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1993, 90, 5262-5266.	3.3	275
18	Advances in the Diagnosis of Acute Leukemia. <i>Hematology/Oncology Clinics of North America</i> , 1993, 7, 1-46.	0.9	12
19	Molecular Biology and Genetic Advances in Childhood Malignancies. <i>Medical Radiology</i> , 1994, , 55-74.	0.0	0

#	ARTICLE	IF	CITATIONS
20	Molecular Mechanism of the t(14;18) Model for Lymphoid-Specific Chromosomal Translocations. <i>Leukemia and Lymphoma</i> , 1994, 14, 197-202.	0.6	24
21	A novel gene, Translin, encodes a recombination hotspot binding protein associated with chromosomal translocations. <i>Nature Genetics</i> , 1995, 10, 167-174.	9.4	190
22	Cytogenetic findings in regressing skin lesions of lymphomatoid papulosis. <i>Cancer Genetics and Cytogenetics</i> , 1995, 80, 13-16.	1.0	22
23	Dysregulation of HOX11 by Chromosome Translocations in T-cell Acute Lymphoblastic Leukemia: A Paradigm for Homeobox Gene Involvement in Human Cancer. <i>Leukemia and Lymphoma</i> , 1995, 16, 209-215.	0.6	26
24	Detection of Chromosomal Translocations :in Leukemia-Lymphoma Cells by Polymerase Chain Reaction. <i>Leukemia and Lymphoma</i> , 1995, 19, 359-380.	0.6	37
25	Multiple negative elements contribute to repression of the HOX11 proto-oncogene. <i>Oncogene</i> , 1998, 17, 1787-1795.	2.6	24
26	A model for spontaneous B-lineage lymphomas in IgH \hat{A} -HOX11 transgenic mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1998, 95, 13853-13858.	3.3	30
27	Optimal Activation of an Endogenous Gene by HOX11 Requires the NH ₂ -Terminal 50 Amino Acids. <i>Molecular and Cellular Biology</i> , 1998, 18, 3502-3508.	1.1	28
28	Frequency and clinical significance of cytogenetic abnormalities in pediatric T-lineage acute lymphoblastic leukemia: a report from the Children's Cancer Group.. <i>Journal of Clinical Oncology</i> , 1998, 16, 1270-1278.	0.8	98
29	Molecular characterization of a complex chromosomal translocation breakpoint t(10;14) including the HOX11 oncogene locus. <i>Leukemia</i> , 1999, 13, 975-979.	3.3	13
30	Sequence of 10q24 locus surrounding the HOX11 oncogene reveals a new gene HUG1 expressed in a T-ALL cell line. <i>Gene</i> , 1999, 234, 169-176.	1.0	3
31	Molecular Diagnosis in Pediatric Acute Leukemias. <i>Clinics in Laboratory Medicine</i> , 2000, 20, 139-182.	0.7	11
32	Lymphoblastic Lymphoma. <i>Hematology/Oncology Clinics of North America</i> , 2001, 15, 51-95.	0.9	44
33	Expression of zTlxA, aHox11-like gene, in early differentiating embryonic neurons and cranial sensory ganglia of the zebrafish embryo. <i>Developmental Dynamics</i> , 2001, 222, 595-610.	0.8	25
34	Detection of translocations involving the HOX11/TCL3-locus in 10q24 by interphase fluorescence in situ hybridization. <i>Cancer Genetics and Cytogenetics</i> , 2001, 129, 80-84.	1.0	12
35	Analysis of the V(D)J Recombination Efficiency at Lymphoid Chromosomal Translocation Breakpoints. <i>Journal of Biological Chemistry</i> , 2001, 276, 29126-29133.	1.6	120
36	A complex containing PBX2 contributes to activation of the proto-oncogene HOX11. <i>Biochemical and Biophysical Research Communications</i> , 2002, 294, 23-34.	1.0	11
37	Enforced expression of HOX11 is associated with an immature phenotype in J2E erythroid cells. <i>British Journal of Haematology</i> , 2002, 118, 909-917.	1.2	14

#	ARTICLE	IF	CITATIONS
38	Expression of HOX11 in childhood T-lineage acute lymphoblastic leukaemia can occur in the absence of cytogenetic aberration at 10q24: a study from the Children's Cancer Group (CCG). <i>Leukemia</i> , 2003, 17, 887-893.	3.3	81
39	Specific alternative HOX11 transcripts are expressed in paediatric neural tumours and T-cell acute lymphoblastic leukaemia. <i>Gene</i> , 2003, 323, 89-99.	1.0	9
40	Complex secondary chromosome abnormalities in advanced stage anaplastic large cell lymphoma of children and adolescents: a report from CCG-E08. <i>Cancer Genetics and Cytogenetics</i> , 2006, 171, 89-96.	1.0	10
41	Deregulation of cyclin D2 by juxtaposition with T-cell receptor alpha/delta locus in t(12;14)(p13;q11)-positive childhood T-cell acute lymphoblastic leukemia. <i>European Journal of Haematology</i> , 2006, 77, 27-34.	1.1	19
42	Chromosome abnormalities in advanced stage lymphoblastic lymphoma of children and adolescents: a report from CCG-E08. <i>Cancer Genetics and Cytogenetics</i> , 2007, 172, 1-11.	1.0	55
43	V(D)J Recombinase Binding and Cleavage of Cryptic Recombination Signal Sequences Identified from Lymphoid Malignancies. <i>Journal of Biological Chemistry</i> , 2008, 283, 6717-6727.	1.6	51
44	V(D)J targeting mistakes occur at low frequency in acute lymphoblastic leukemia. <i>Genes Chromosomes and Cancer</i> , 2009, 48, 725-736.	1.5	9
45	Breakpoint sites disclose the role of the V(D)J recombination machinery in the formation of T-cell receptor (TCR) and non-TCR associated aberrations in T-cell acute lymphoblastic leukemia. <i>Haematologica</i> , 2013, 98, 1173-1184.	1.7	31
46	Cytogenetic Abnormalities and Molecular Markers of Acute Lymphoblastic Leukemia. <i>Hematology/Oncology Clinics of North America</i> , 1990, 4, 795-820.	0.9	8
47	Biology and clinical significance of cytogenetic abnormalities in childhood acute lymphoblastic leukemia. <i>Blood</i> , 1990, 76, 1449-1463.	0.6	131
48	T-cell translocation gene 1 (Ttg-1) encodes a nuclear protein normally expressed in neural lineage cells. <i>Blood</i> , 1991, 77, 599-606.	0.6	28
49	Current status of cytogenetic research in childhood acute lymphoblastic leukemia. <i>Blood</i> , 1993, 81, 2237-2251.	0.6	89
50	The <i>Hox11</i> gene is essential for cell survival during spleen development. <i>Development (Cambridge)</i> , 1995, 121, 2909-2915.	1.2	147
51	Genomic characterization of pediatric T-cell acute lymphoblastic leukemia reveals novel recurrent driver mutations. <i>Oncotarget</i> , 2016, 7, 65485-65503.	0.8	54
52	Oncogenic and tumor suppressor function of MEIS and associated factors. <i>Turkish Journal of Biology</i> , 2020, 44, 328-355.	2.1	13
53	Molecular biology of lymphoid malignancies. , 1991, 2 Suppl 2, 9-21.		5
54	Molecular Involvement of the <i>pvt-1</i> Locus in a $\hat{t}(8;14)(q24;q11)$ T-Cell Leukemia Bearing a Variant t(8;14)(q24;q11) Translocation. <i>Molecular and Cellular Biology</i> , 1992, 12, 4751-4757.	1.1	7
56	Molecular Biology and Genetics. , 2008, , 95-108.		0

#	ARTICLE	IF	CITATIONS
57	The tcl-3 proto-oncogene altered by chromosomal translocation in T-cell leukemia codes for a homeobox protein. EMBO Journal, 1991, 10, 2905-10.	3.5	39