

CITATION REPORT

List of articles citing

EuroQol--a new facility for the measurement of health-related quality of life

DOI: 10.1016/0168-8510(90)90421-9
Health Policy, 1990, 16, 199-208.

Source: <https://exaly.com/paper-pdf/21809162/citation-report.pdf>

Version: 2024-04-25

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2283	.		
2282	.		
2281	Dementia of different etiologies: vasoactive intestinal polypeptide in CSF. 1985 , 35, 592-5		35
2280	Acquired dysarthria in childhood: an analysis of dysarthric features in relation to neurologic deficits. 1987 , 37, 296-9		10
2279	Economic evaluation studies in respiratory medicine. 1991 , 85 Suppl B, 43-6; discussion 57-8		5
2278	EuroQol: health-related quality of life measurement. Valuations of health states by the general public in Norway. <i>Health Policy</i> , 1991 , 18, 25-36	3.2	127
2277	EuroQol: health-related quality of life measurement. Results of the Swedish questionnaire exercise. <i>Health Policy</i> , 1991 , 18, 37-48	3.2	156
2276	The economic evaluation of cancer treatments and programmes. 1991 , 27, 1191-6		9
2275	The comprehensive Quality of Life scale [Intellectual disability: An instrument under development. 1991 , 17, 259-264		27
2274	Head injury follow-up: is the Sickness Impact Profile a useful clinical tool?. 1992 , 6, 31-39		5
2273	An alternative to QALYs: the saved young life equivalent (SAVE). 1992 , 305, 875-7		63
2272	Pharmacoeconomic evaluation of risk factors for cardiovascular disease: an epidemiological perspective. 1992 , 1, 33-44		15
2271	Preference based outcome measures for economic evaluation of drug interventions: quality adjusted life years (QALYs) versus healthy years equivalents (HYEs). 1992 , 1, 338-45		29
2270	Health related quality of life measurement--Euro style. <i>Health Policy</i> , 1992 , 20, 321-8; discussion 329-32	3.2	54
2269	EuroQol' [A reply and reminder. <i>Health Policy</i> , 1992 , 20, 329-332	3.2	18
2268	Discussion of the Paper by Thunhurst and Macfarlane. 1992 , 155, 338-352		2
2267	Methods for quality adjustment of life years. 1992 , 34, 559-69		221

2266	High cost technology in health care: a benefit or a burden?. 1992 , 35, 567-77		12
2265	Review Article. 1992 , 1, 255-258		6
2264	Assessing the severity of depressive illness. 1992 , 48, 455-62		3
2263	Generalizability of valuations on health states collected with the EuroQolc-questionnaire. 1993 , 2, 237-46		122
2262	Critical review of the international assessments of health-related quality of life. 1993 , 2, 369-95		236
2261	Methods for assessing relative importance in preference based outcome measures. 1993 , 2, 467-75		98
2260	The 'states versus weights' dilemma in quality of life measurement. 1993 , 2, 167-8		29
2259	Testing the validity of the Euroqol and comparing it with the SF-36 health survey questionnaire. 1993 , 2, 169-80		547
2258	Safety Investment and the Value of Life and Injury. 1993 , 13, 365-370		13
2257	An economic evaluation of transcervical endometrial resection versus abdominal hysterectomy for the treatment of menorrhagia. 1993 , 100, 244-52		106
2256	Economic aspects of cancer care. 1993 , 29A Suppl 7, S6-9		5
2255	Developing the QALY concept: exploring the problems of data acquisition. 1993 , 4, 240-6		3
2254	Unjustified use of the Quality of Well-Being Scale in priority setting in Oregon. <i>Health Policy</i> , 1993 , 24, 45-53	3.2	39
2253	Searching for a common currency: critical appraisal of the scientific basis underlying European harmonization of the measurement of health related quality of life (EuroQol). <i>Health Policy</i> , 1993 , 23, 219-28	3.2	16
2252	Quality assurance from the perspective of health economics. 1993 , 101, 105-114		
2251	The measurement of patient outcomes. 1993 , 101, 55-75		
2250	Social evaluation of health care versus personal evaluation of health states. Evidence on the validity of four health-state scaling instruments using Norwegian and Australian surveys. 1993 , 9, 463-78		78
2249	A Japanese version of the questionnaire for quality of life measurement. 1994 , 3, 45-53,7		5

2248	Quality of Life Assessment: International Perspectives. 1994,	114
2247	Measuring health status in the community: a comparison of methods. 1994, 48, 86-91	34
2246	Measuring the quality of life before and after bilateral lung transplantation in patients with cystic fibrosis. 1994, 105, 911-7	86
2245	Approaches to health status assessment in hiv disease overview of the conference. 1994, 9, 1-18	8
2244	Patient defined outcomes. 1994, 3 Suppl, 6-9	12
2243	Measurement of Health-Related Quality of Life in the Economic Evaluation of Medicines. 1994, 28, 45-53	3
2242	Quality of life assessments in the evaluation of magnetic resonance imaging. 1994, 3, 29-37	14
2241	The role of quality of life measures in psychopharmacology. 1994, 9, 211-214	2
2240	Quality of life in primary care. 1994, 9, S25-S29	
2239	Cost-effectiveness analysis of day care for patients with dementia disorders. 1994, 3, 395-404	25
2238	Test-retest reliability of health state valuations collected with the EuroQol questionnaire. 1994, 39, 1537-44	285
2237	Assessing the benefits of transplant services. 1994, 8, 411-23	16
2236	La evaluaci3n econ3mica de las nuevas tecnolog3as: aplicaciones a la radiocirug3a. 1994, 5, 367-382	1
2235	Outcome Measurement in Acid-Related Diseases. 1994, 5, 17-26	40
2234	Quality-of-life assessment of adults with growth hormone deficiency. Implications for drug therapy. 1994, 6, 434-41	17
2233	The SF-36 Health Survey: Development and Use in Mental Health Research and the IQOLA Project. 1994, 23, 49-73	386
2232	An Introduction to Utility Measurement in Health Care. 1995, 16, 240-247	21
2231	Chemotherapy in gastric cancer: an economic evaluation of the FAM (5-fluorouracil, adriamycin, mitomycin C) versus ELF (etoposide, leucovorin, 5-fluorouracil) regimens. 1995, 7, 455-9	11

2230	Cost-utility analysis of assistive technologies in the European Commission's TIDE Program. Technology Initiative for Disabled and Elderly People. 1995 , 11, 276-83	8
2229	Evaluating translations of health status questionnaires. Methods from the IQOLA project. International Quality of Life Assessment. 1995 , 11, 525-51	256
2228	Normative developmental behavior with implications for health and health promotion among adolescents: a Swedish cross-sectional survey. 1995 , 84, 278-88	35
2227	A commentary: Measuring the health economics of depression. 1995 , 10, 33-37	1
2226	Measuring changes in quality of life following magnetic resonance imaging of the knee: SF-36, EuroQol or Rosser index?. 1995 , 4, 325-34	55
2225	The validity of using health state indexes in measuring the consequences of traffic injury for public health. 1995 , 40, 1385-98	20
2224	Preferences for outcomes in economic evaluation: an economic approach to addressing economic problems. 1995 , 40, 767-76	42
2223	Developing outcome measures for ambulatory care--an application to asthma and diabetes. 1995 , 41, 1339-48	23
2222	The use of condition specific outcome measures in economic appraisal. 1995 , 4, 255-64	41
2221	Cochlear Implantation: Demand, Costs, and Utility. 1995 , 104, 245-248	15
2220	Modelling cost-effectiveness issues in the treatment of clinical depression. 1995 , 12, 369-85	5
2219	Assessing the benefits of health care: how far should we go?. 1995 , 4, 207-13	36
2218	The person-trade-off approach to valuing health care programs. 1995 , 15, 201-8	172
2217	La valutazione dei costi del trattamento farmacologico nella depressione. Una revisione critica della letteratura. 1995 , 4, 51-66	3
2216	Multi-attribute preference functions. Health Utilities Index. 1995 , 7, 503-20	387
2215	The Short-Form 36 (SF-36) Health Survey and its use in pharmacoeconomic evaluation. 1995 , 7, 403-15	35
2214	Multi-attribute health status classification systems. Health Utilities Index. 1995 , 7, 490-502	586
2213	Eliciting EuroQol descriptive data and utility scale values from inpatients. A feasibility study. 1995 , 8, 147-58	29

2212	Measuring patient benefit in mental illness. 1996 , 11, 155-8		3
2211	Reliability and validity of a comprehensive health status measure in a heterogeneous population of children admitted to intensive care. 1996 , 49, 327-33		74
2210	The effect of experience of illness on health state valuations. 1996 , 49, 551-64		84
2209	Treatment costs in Hodgkin's disease: a cost-utility analysis. 1996 , 32A, 1510-7		38
2208	Valuing health states: a comparison of methods. 1996 , 15, 209-31		233
2207	EuroQol: the current state of play. <i>Health Policy</i> , 1996 , 37, 53-72	3.2	4166
2206	Economic evaluation of the management of pain in osteoarthritis. 1996 , 52 Suppl 3, 48-58		5
2205	Canadian guidelines for economic evaluation of pharmaceuticals. Canadian Collaborative Workshop for Pharmacoeconomics. 1996 , 9, 535-59		80
2204	A review of the progress towards developing health-related quality-of-life instruments for international clinical studies and outcomes research. 1996 , 10, 336-55		73
2203	Health status index models for use in resource allocation decisions. A critical review in the light of observed preferences for social choice. 1996 , 12, 31-44		38
2202	A cost-utility analysis of laser-assisted angioplasty for peripheral arterial occlusions. 1996 , 12, 104-25		26
2201	Quality of life (QoL) measurement in economical analysis in cancer. 1996 , 3, 787-91		4
2200	Inconsistency and health state valuations. 1996 , 42, 609-15		58
2199	Evaluation of quality of life for diverse patient populations. 1996 , 40, 87-104		10
2198	Psychological distress in survivors of Hodgkin's disease. 1996 , 4, 191-5		19
2197	Measuring health and health state preferences among critically ill patients. 1996 , 22, 1379-84		53
2196	Monitoring outcomes in routine practice: defining appropriate measurement criteria. 1996 , 2, 71-8		38
2195	Design and conduct of clinical trials in patients with osteoarthritis: recommendations from a task force of the Osteoarthritis Research Society. Results from a workshop. 1996 , 4, 217-43		446

2194	Quality of life following percutaneous transluminal angioplasty for claudication. 1996 , 11, 191-4	43
2193	Cost-utility analysis of home parenteral nutrition. 1996 , 83, 1226-9	13
2192	Using the SF-36 and Euroqol on an elderly population. 1996 , 5, 195-204	224
2191	Health state valuations from the general public using the visual analogue scale. 1996 , 5, 521-31	195
2190	Randomised trial comparing hysterectomy and transcervical endometrial resection: effect on health related quality of life and costs two years after surgery. 1996 , 103, 142-9	131
2189	A comparison of three measures of perceived distress: results from a study of angina patients in general practice in Northern Ireland. 1996 , 50, 202-6	2
2188	On the equivalence of collectively and individually collected responses: standard-gamble and time-tradeoff judgments of health states. 1996 , 16, 120-32	32
2187	Prioritising elective care: a cost utility analysis of orthopaedics in the north west of England. 1996 , 50, 182-9	31
2186	The SF-36 health survey: a valid measure of changes in health status after injury. 1996 , 2, 135-9	54
2185	Margaret Holroyd Prize Essay. A patient-centred approach to evaluation and treatment in rheumatoid arthritis: the development of a clinical tool to measure patient-perceived handicap. 1996 , 35, 921-32	70
2184	Quality of life measures. 1996 , 35, 275-81	73
2183	Problem-solving therapy in palliative care. 1997 , 11, 49-54	31
2182	The reliability and construct validity of the RAQoL: a rheumatoid arthritis-specific quality of life instrument. 1997 , 36, 878-83	151
2181	The United Kingdom pacing and cardiovascular events (UKPACE) trial. United Kingdom Pacing and Cardiovascular Events. 1997 , 78, 221-3	43
2180	Opiate and sedative dependence predicts a poor outcome for patients receiving home parenteral nutrition. 1997 , 21, 336-8	45
2179	Assessing the quality of life of patients with intestinal failure on home parenteral nutrition. 1997 , 40, 218-22	90
2178	Are methods for estimating QALYs in cost-effectiveness analyses improving?. 1997 , 17, 402-8	61
2177	The Nottingham Health Profile as a measure of disease activity and outcome in rheumatoid arthritis. 1997 , 36, 69-73	52

2176	Measuring health-related quality of life in rheumatoid arthritis: validity, responsiveness and reliability of EuroQol (EQ-5D). 1997 , 36, 551-9	561
2175	Comparison of outcome measures for patients with chronic obstructive pulmonary disease (COPD) in an outpatient setting. 1997 , 52, 879-87	175
2174	An Alternative Approach to Drug Policy Outcome Measurement. 1997 , 5, 487-506	1
2173	Measurement of the quality of life in rheumatic disorders using the EuroQol. 1997 , 36, 786-93	109
2172	Quality of life in rheumatoid arthritis. 1997 , 36, 884-8	125
2171	Influence of Personality on Quality of Life Measurement. 1997 , 9, 11-20	2
2170	Assessment of disease consequences in rheumatoid arthritis: a survey of methods classified according to the International Classification of Impairments, Disabilities, and Handicaps. 1997 , 10, 135-50	13
2169	Adjuvant chemotherapy (5-fluorouracil and levamisole) in Dukes' B and C colorectal carcinoma. A cost-effectiveness analysis. 1997 , 8, 65-70	38
2168	A randomised controlled trial and cost analysis of problem-solving treatment for emotional disorders given by community nurses in primary care. 1997 , 170, 113-9	133
2167	Quality-of-life measures as providers of information on value-for-money of health interventions. Comparison and recommendations for practice. 1997 , 11, 19-31	8
2166	Cost-utility analysis of melphalan plus prednisone with or without interferon-alpha 2b in newly diagnosed multiple myeloma. Results from a randomised controlled trial. 1997 , 12, 89-103	25
2165	Economics of home parenteral nutrition. 1997 , 12, 327-38	10
2164	Measuring patient benefit from botulinum toxin in the treatment of dystonia. Feasibility of cost-utility analysis. 1997 , 12, 675-84	9
2163	The International Continence Society Benign Prostatic Hyperplasia Study: The Bothersomeness of Urinary Symptoms. 1997 , 157, 885-889	261
2162	Evaluaci3n socioecon3mica de la pr3ctica cl3nica cardiol3gica. 1997 , 50, 428-443	1
2161	Economic considerations and outcome measurement in urge incontinence. 1997 , 50, 100-7; discussion 108-10	106
2160	Measuring health-related quality of life in rhinitis. 1997 , 99, S742-9	163
2159	Sociocultural and economic aspects of quality of life measurement. 1997 , 12, 210-5	7

2158	Outcomes research in pediatric cardiology: an overview. 1997 , 7, 63-65	1
2157	Pharmacoeconomics: state of the art in 1997. 1997 , 18, 529-48	15
2156	Evidence-based medicine: an incomplete method for informing treatment choices. 1997 , 349, 126-8	159
2155	Health economics in mental health. 2: Economic evaluation. 1997 , 21, 687-691	
2154	Aggregating Health State Valuations. 1997 , 2, 160-165	15
2153	Generic health measurement: past accomplishments and a measurement paradigm for the 21st century. 1997 , 127, 743-50	157
2152	Assessing Health-Related Quality of Life in Asthma. 1997 , 4, 145-151	1
2151	Quality of life in cystic fibrosis. 1997 , 90 Suppl 31, 37-42	27
2150	Quality of life in adults and children with asthma and rhinitis. 1997 , 52, 971-7	124
2149	Mapping visual analogue scale health state valuations onto standard gamble and time trade-off values. 1997 , 44, 1519-30	89
2148	Economic evaluation of medical technologies: from theory to practice--the German perspective. 1997 , 45, 621-33	9
2147	Mutual influences of health and poverty. Evidence from German panel data. 1997 , 45, 867-77	14
2146	Valuing health status using VAS and TTO: what lies behind the numbers?. 1997 , 45, 1289-97	122
2145	The comparability and reliability of five health-state valuation methods. 1997 , 45, 1641-52	108
2144	Health economics in rheumatology. 1997 , 11, 145-56	4
2143	Quality of life assessment in vascular disease: towards a consensus. 1997 , 13, 9-13	72
2142	Quality of life analysis in patients with lower limb ischaemia: suggestions for European standardisation. 1997 , 13, 597-604	118
2141	The problem of quality of life. 1997 , 6, 205-12	146

2140	'Equivalence' and the translation and adaptation of health-related quality of life questionnaires. 1997, 6, 237-47	248
2139	The effect of mode of administration on medical outcomes study health ratings and EuroQol scores in AIDS. 1997, 6, 3-10	64
2138	Constructing health state preference values from descriptive quality of life outcomes: mission impossible?. 1997, 6, 159-68	27
2137	Lumpectomy or mastectomy? Is breast conserving surgery too expensive?. 1997, 45, 7-14	33
2136	Use of the EuroQoL among elderly acute care patients. 1998, 7, 1-10	66
2135	Relationship between health status and utility measures in older claudicants. 1998, 7, 67-73	36
2134	[Economic aspects in treatment of cystic fibrosis with chronic pulmonary pseudomonas infection. Ambulatory intravenous therapy in comparison with inpatient treatment]. 1997, 92, 626-9	10
2133	QALYs and mental health care. 1997, 32, 68-75	76
2132	Quality of life after cardiopulmonary resuscitation. 1997, 35, 231-6	18
2131	The outcome of bacterial arthritis: a prospective community-based study. 1997, 40, 884-92	184
2130	Comparison of the EQ-5D and SF-12 in an adult US sample. 1998, 7, 155-66	241
2129	Canadian-French, German and UK versions of the Child Health Questionnaire: methodology and preliminary item scaling results. 1998, 7, 433-45	284
2128	Health-related quality of life varies with personality types: a comparison among cancer patients, non-cancer patients and healthy individuals in a Japanese population. 1998, 7, 535-44	59
2127	How should we evaluate health status? A comparison of three methods in patients presenting with obstructive sleep apnoea. 1998, 7, 95-100	62
2126	Health-related quality of life following liver transplantation. 1998, 7, 115-20	64
2125	Evaluation of life quality: a literature review. 1998, 8, 494-6	1
2124	Is disability pension related to quality of life?. 1998, 7, 300-309	13
2123	Commission on Outcome Measurement in Epilepsy, 1994-1997: final report. 1998, 39, 213-31	120

2122	Psychosocial Aspects of Measurement. 1998 , 84, 435-438	6
2121	Percutaneous transluminal angioplasty for intermittent claudication: evidence on which to base the medicine. 1998 , 16, 477-84	45
2120	Economic issues in nutrition research. 1998 , 14, 248-50	1
2119	The economics of home parenteral nutrition. 1998 , 14, 809-12	26
2118	Intensive after care after intensive care. 1998 , 9, 134-139	9
2117	Economic evaluation in schistosomiasis: valuation of health states preferences. A research note. 1998 , 7, 551-6	13
2116	Cost-effectiveness of new treatments for overactive bladder: the example of tolterodine, a new muscarinic agent: a Markov model. 1998 , 17, 599-611	40
2115	The health burdens of Parkinson's disease. 1998 , 13, 406-13	94
2114	Effect of dystonia and botulinum toxin treatment on health-related quality of life. 1998 , 13, 941-6	54
2113	Economic evaluation of rehabilitation: The quality of life approach using EuroQol. 1998 , 4, 192-201	2
2112	[Outcome of intensive care]. 1998 , 93, 91-8	6
2111	Die deutsche Version des EuroQol-Fragebogens. 1998 , 6, 3-20	89
2110	A survey of women's preferences regarding alternative surgical treatments for menorrhagia. 1998 , 1, 96-105	14
2109	Quality of life in epilepsy: comparison of four preference measures. 1998 , 29, 201-9	45
2108	Economic evaluation of end stage renal disease treatment. <i>Health Policy</i> , 1998 , 44, 215-32	3.2 161
2107	Proxy use of the Canadian SF-36 in rating health status of the disabled elderly. 1998 , 51, 983-90	52
2106	Deriving a preference-based single index from the UK SF-36 Health Survey. 1998 , 51, 1115-28	501
2105	Differential item functioning in the Danish translation of the SF-36. 1998 , 51, 1189-202	162

2104	A model of cost-outcome analysis for assistive technology. 1998 , 20, 1-24	24
2103	Development of a questionnaire for measurement of vision-related quality of life. 1998 , 5, 185-210	130
2102	Common errors and controversies in pharmacoeconomic analyses. 1998 , 13, 659-66	19
2101	A review of quality of life in Alzheimer's disease. Part 1: Issues in assessing disease impact. 1998 , 14, 499-530	46
2100	Impact of weight loss, appetite, and the inflammatory response on quality of life in gastrointestinal cancer patients. 1998 , 32, 76-80	104
2099	Impact of upper respiratory allergic diseases on quality of life. 1998 , 101, S386-91	62
2098	Review of available instruments and methods for assessing quality of life in anti-anginal trials. 1998 , 13, 311-20	7
2097	Economic Evaluation of Occupational Therapy: Where are We at?. 1998 , 65, 160-167	6
2096	Using outcomes to improve quality of research and quality of care. 1998 , 11, 465-73	20
2095	Quality of life in older people. 1998 , 2, 20-23	20
2094	Variations in population health status: results from a United Kingdom national questionnaire survey. 1998 , 316, 736-41	773
2093	SF-36 Health Profiles of Recently Discharged Hospital Patients in Australia. 1998 , 3, 551-63	1
2092	A systematic review of compression therapy for venous leg ulcers. 1998 , 3, 301-13	45
2091	THE POLITICS OF EVIDENCE-BASED MEDICINE IN THE UNITED KINGDOM. 1998 , 26, 15-31	108
2090	Life Expectancy and Cost Utility After Total Hip Replacement. 1998 , 346, 141???151	52
2089	Cost effectiveness of community leg ulcer clinics: randomised controlled trial. 1998 , 316, 1487-91	125
2088	Health-related quality of life outcomes in stroke. 1998 , 17, 116-20	29
2087	Empirical criteria for the selection of quality-of-life instruments for the evaluation of peripheral blood progenitor cell transplantation. 1998 , 14, 419-30	3

2086	Technology assessment of the Dutch Lung Transplantation Program. 1998 , 14, 344-56	32
2085	Outcome measures for low back pain research. A proposal for standardized use. 1998 , 23, 2003-13	924
2084	Domiciliary liquid oxygen versus concentrator treatment in chronic hypoxaemia: a cost-utility analysis. 1998 , 12, 1284-9	26
2083	Measuring quality of life: impact of chemotherapy for advanced colorectal cancer. Experience from two recent large phase III trials. 1998 , 77 Suppl 2, 9-14	16
2082	Specific or general health outcome measures in the evaluation of total hip replacement. 1998 , 80-B, 600-606	12
2081	Use of medical resources and quality of life of patients with chronic heart failure: a prospective survey in a large Italian community hospital. 1999 , 1, 411-7	22
2080	A review of the use of health status measures in economic evaluation. 1999 , 4, 174-84	108
2079	Impact of inflammatory bowel disease on health-related quality of life. 1999 , 17, 208-18	80
2078	The psychometric properties of clinical rating scales used in multiple sclerosis. 1999 , 122 (Pt 1), 141-59	191
2077	Phenotypic analysis of autosomal dominant hereditary spastic paraplegia linked to chromosome 8q. 1999 , 53, 44-50	54
2076	A comparison of preference assessment instruments used in a clinical trial: responses to the visual analog scale from the EuroQol EQ-5D and the Health Utilities Index. 1999 , 19, 265-75	38
2075	Using Conjoint Analysis to Evaluate Health State Preferences. 1999 , 33, 849-858	38
2074	High-dose methotrexate-doxycycline interaction. 1999 , 33, 804-8	14
2073	Self-Rated Health and Mortality Over Three Decades: Results from a Time-Dependent Covariate Analysis. 1999 , 21, 402-416	105
2072	Generic and condition-specific outcome measures for people with osteoarthritis of the knee. 1999 , 38, 870-7	270
2071	Validation of the spanish version of the inflammatory bowel disease questionnaire on ulcerative colitis and Crohn's disease. 1999 , 60, 274-80	84
2070	A cardiovascular extension of the Health Measurement Questionnaire. 1999 , 53, 548-57	14
2069	Measuring oral health: does your treatment really make a difference. 1999 , 187, 481-4	32

2068	Long-term survival after out-of-hospital cardiac arrest: an 8-year follow-up. 1999 , 41, 25-31	61
2067	Quality of life pre and post epilepsy surgery. 2000 , 38, 67-74	60
2066	Health-economic issues in nocturia. 1999 , 84 Suppl 1, 29-32	2
2065	An evaluation of patients' quality of life before, 6 weeks and 6 months after total hip replacement surgery. 1999 , 30, 1349-59	44
2064	Principles of economic evaluation for interventions of chronic musculoskeletal pain. 1999 , 3, 343-353	21
2063	A prospective randomized study of megestrol acetate and ibuprofen in gastrointestinal cancer patients with weight loss. 1999 , 79, 495-500	128
2062	Estimation of expected utility gained from the helmet law in Taiwan by quality-adjusted survival time. 1999 , 31, 253-63	16
2061	Culture, self-rated health and resource allocation decision-making. 1999 , 7, 207-23	13
2060	Quality of life and neurological illness: a review of the literature. 1999 , 9, 209-29	37
2059	The Assessment of Quality of Life (AQoL) instrument: a psychometric measure of health-related quality of life. 1999 , 8, 209-24	517
2058	Measuring health-related quality of life in patients with venous leg ulcers. 1999 , 8, 327-36	86
2057	Measuring Quality of Live in Disorders of Sleep and Breathing. 1999 , 3, 139-146	4
2056	Towards a composite scoring solution for the Neurobehavioral Functioning Inventory. 1999 , 8, 17-24	3
2055	Comparison of Euroqol EQ-5D and SF-36 in patients with chronic fatigue syndrome. 1999 , 8, 9-16	67
2054	Reliability, validity and responsiveness of two multiattribute utility measures in patients with chronic obstructive pulmonary disease. 1999 , 8, 45-54	118
2053	The development of an individualized questionnaire measure of perceived impact of diabetes on quality of life: the ADDQoL. 1999 , 8, 79-91	412
2052	Die psychometrischen Eigenschaften des Euro-Qol bei Rehabilitanden mit Erkrankungen des Stütz- und Bewegungsapparates. 1999 , 7, 210-232	
2051	Does angioplasty improve the quality of life for claudicants?: A prospective study. 1999 , 13, 93-103	24

2050	Beyond disability: measuring the social and personal consequences of osteoarthritis. 1999 , 7, 230-8	78
2049	Cost-utility analysis of pacemakers for the treatment of vasovagal syncope. 1999 , 84, 1356-9, A8	10
2048	Inconsistent responses in three preference-elicitation methods for health states. 1999 , 49, 943-50	48
2047	Internal consistency and validity of an observational method for assessing disability in mobility in patients with osteoarthritis. 1999 , 12, 19-25	22
2046	Economic consequences of the progression of rheumatoid arthritis in Sweden. 1999 , 42, 347-56	139
2045	A checklist for judging preference-based measures of health related quality of life: learning from psychometrics. 1999 , 8, 41-51	125
2044	Modelling the EuroQol data: a comparison of discrete choice conjoint and conditional preference modelling. 1999 , 8, 103-16	53
2043	The weighting exercise for the Swedish version of the EuroQol. 1999 , 8, 117-26	63
2042	Quality of life after infrainguinal bypass grafting surgery. Dutch Bypass Oral Anticoagulants or Aspirin (BOA) Study Group. 1999 , 29, 913-9	53
2041	Health-related quality of life in economic evaluations for osteoporosis: whose values should we use?. 1999 , 19, 141-8	114
2040	Evaluating Health-related quality-of-life outcomes in patients with congestive heart failure. A review of recent randomised controlled trials. 1999 , 15, 19-46	36
2039	Methodological hurdles in conducting pharmacoeconomic analyses. 1999 , 15, 339-55	15
2038	Measuring the Effect of Treatment on Quality of Life in Patients with Schizophrenia. 1999 , 12, 49-64	6
2037	Techniques for health status measurement in the management of rheumatoid arthritis. 1999 , 11, 21-30	1
2036	Willingness to pay: a feasible method for assessing treatment benefits in epilepsy?. 1999 , 8, 14-9	16
2035	Adjunctive therapy in epilepsy: a cost-effectiveness comparison of two AEDs. 1999 , 8, 8-13	31
2034	What has been learned from measuring health-related quality of life in clinical oncology. 1999 , 35, 1565-70	79
2033	Quality of life instruments in oncology. 1999 , 35, 1571-80	98

2032	Measuring the health outcomes of general ICU patients: a systematic review of methods and findings. 1999 , 12, 132-40	24
2031	The value of clinical data scoring systems: are traditional hip scoring systems adequate to use in evaluation after total hip surgery?. 1999 , 14, 1024-9	18
2030	Correlation between early, measurable improvement in quality of life and speed of visual rehabilitation after phacoemulsification. 1999 , 25, 1135-9	15
2029	The effect of adding a cognitive dimension to the EuroQol multiattribute health-status classification system. 1999 , 52, 293-301	169
2028	Assessing quality of life in clinical research: from where have we come and where are we going?. 1999 , 52, 355-63	173
2027	Statistical issues encountered in the comparison of health-related quality of life in diseased patients to published general population norms: problems and solutions. 1999 , 52, 405-12	95
2026	Cross-cultural adaptation of a psychometric instrument: two methods compared. 1999 , 52, 1037-46	109
2025	Estimating parametric relationships between health description and health valuation with an application to the EuroQol EQ-5D. 1999 , 18, 551-71	55
2024	Medical Outcomes Study Short Form 36: a possible source of utilities?. 1999 , 21, 2016-26; discussion 215	14
2023	The REMATCH trial: rationale, design, and end points. Randomized Evaluation of Mechanical Assistance for the Treatment of Congestive Heart Failure. 1999 , 67, 723-30	281
2022	Incorporating patient preferences and utilities in the assessment of diagnostic technology: response. 1999 , 6 Suppl 1, S109-12	
2021	The use of a transscrotal testosterone delivery system in the treatment of patients with weight loss related to human immunodeficiency virus infection. 1999 , 107, 126-32	54
2020	Economics notes: measuring outcomes in economic evaluations. 1999 , 318, 1413	25
2019	Randomised controlled trial of follow up care in general practice of patients with myocardial infarction and angina: final results of the Southampton heart integrated care project (SHIP). The SHIP Collaborative Group. 1999 , 318, 706-11	162
2018	Population based cost utility study of interferon beta-1b in secondary progressive multiple sclerosis. 1999 , 319, 1529-33	59
2017	Death by questionnaire: quality of life measurement could seriously damage your health. 1999 , 4, 129-30	4
2016	Endometrial resection and ablation versus hysterectomy for heavy menstrual bleeding. 2000 , CD000329	39
2015	Measuring Quality of Life. 1999 , 5, 69-77	3

2014	Measuring oral health: does your treatment really make a difference. 1999 , 187, 481-484	5
2013	A New Instrument in Quality-of-Life Assessment. 1999 , 28, 77-82	19
2012	Item responsiveness of a rhinitis and asthma symptom score during a pollen season. 1999 , 36, 459-65	12
2011	Grundlagen der sozioökonomischen Evaluation in der Physikalischen und Rehabilitativen Medizin. 1999 , 09, 163-171	
2010	How do scores on the EuroQol relate to scores on the SF-36 after stroke?. 1999 , 30, 2146-51	62
2009	The challenge of outcome measures in chronic wounds. 1999 , 8, 306-8	12
2008	Systematic overview of cost-utility assessments in oncology. 2000 , 18, 3302-17	253
2007	Randomised controlled trial of non-directive counselling, cognitive-behaviour therapy, and usual general practitioner care for patients with depression. II: cost effectiveness. 2000 , 321, 1389-92	63
2006	Psychological functioning and quality of life in lung transplant candidates and recipients. 2000 , 118, 408-16	131
2005	Recovery from surgery: grappling with an elusive concept. 2000 , 61, 189-92	4
2004	Quality-of-life assessment in acute, chronic, and cancer pain: a pharmacist's guide. 2000 , 40, 402-16	14
2003	Response to Lenert and Kaplan: What Do Utilities Measure?. 2000 , 38, II-160-II-164	28
2002	Preference-based health outcome measures in low back pain. 2000 , 25, 3161-6	29
2001	Sensitivity and perspective in the valuation of health status: whose values count?. 2000 , 9, 109-26	149
2000	Health economics: an evolving paradigm. 2000 , 9, 183-90	17
1999	How does Parkinson's disease affect quality of life? A comparison with quality of life in the general population. 2000 , 15, 1112-8	377
1998	The measurement of symptoms, quality of life and sexual function. 2000 , 85 Suppl 1, 10-9	25
1997	The Prostate Trials Office research protocols. 2000 , 85 Suppl 1, 58-65	6

1996	Quality of life assessment of treatment with dental appliance or UPPP in patients with mild to moderate obstructive sleep apnoea. A prospective randomized 1-year follow-up study. 2000 , 9, 303-8	63
1995	The accountability of clinical education: its definition and assessment. 2000 , 34, 871-9	60
1994	Development of a condition-specific quality of life measure for patients with dentofacial deformity: I. Reliability of the instrument. 2000 , 28, 195-201	165
1993	Assessing the relative costs of standard open surgery and laparoscopic surgery in colorectal cancer in a randomised controlled trial in the United Kingdom. 2000 , 33, 99-103	38
1992	A randomised comparison and economic evaluation of laparoscopic-assisted hysterectomy and abdominal hysterectomy. 2000 , 107, 1386-91	88
1991	Outcome assessment methodology in peripheral arterial disease. 2000 , 19, S30-S39	4
1990	Health-related quality of life in chronic refractory reflex sympathetic dystrophy (complex regional pain syndrome type I). 2000 , 20, 68-76	51
1989	Using discrete choice modelling in priority setting: an application to clinical service developments. 2000 , 50, 63-75	88
1988	A customisable framework for the assessment of therapies in the solution of therapy decision tasks. 2000 , 18, 57-82	4
1987	Health-related quality of life of ICU survivors: review of the literature. 2000 , 16, 88-97	39
1986	Integrating the patient's views into the measurement of quality of life: Examples from the peri- and post-menopausal periods. 2000 , 9, 775-784	3
1985	Datenmonitoring in Echtzeit mit WAP-Technologie. 2000 , 8, 131-141	
1984	Measuring population health: correlates of the Health Utilities Index among English and French Canadians. 2000 , 91, 465-70	32
1983	What contributes to quality of life in patients with Parkinson's disease?. 2000 , 69, 308-12	903
1982	Preference-based measures in economic evaluation in health care. 2000 , 21, 587-611	205
1981	Clinical meaning of the Stroke-Adapted Sickness Impact Profile-30 and the Sickness Impact Profile-136. 2000 , 31, 2610-5	37
1980	A comparison of HUI2 and HUI3 utility scores in Alzheimer's disease. 2000 , 20, 413-22	84
1979	Observational study of home visits in Slovene general practice: patient characteristics, practice characteristics and health care utilization. 2000 , 17, 389-93	7

1978	Evaluation of measures used to assess quality of life after stroke. 2000 , 31, 2004-10	139
1977	Health-related quality of life in lung transplant candidates and recipients. 2000 , 67, 159-65	67
1976	Health-related quality of life (HR-QOL) in nursing home residents with dementia: Stability and relationships among measures. 2000 , 14, 669-679	10
1975	Randomized controlled trial of integrated (managed) care pathway for stroke rehabilitation. 2000 , 31, 1929-34	103
1974	Quality-Days Incrementally Gained: A New Approach for Short-Term Evaluations Based on the Extended Q-TWiST Method Illustrated in a Clinical Study of Reflux Disease Patients. 2000 , 34, 469-481	1
1973	Long term health impact of playing professional football in the United Kingdom. 2000 , 34, 332-6	109
1972	The losartan renal protection study--rationale, study design and baseline characteristics of RENAAL (Reduction of Endpoints in NIDDM with the Angiotensin II Antagonist Losartan). 2000 , 1, 328-35	103
1971	The EQ-5D--a generic quality of life measure-is a useful instrument to measure quality of life in patients with Parkinson's disease. 2000 , 69, 67-73	219
1970	Quality of life measurement in gastrointestinal and liver disorders. 2000 , 47, 444-54	140
1969	Are the modified "simple questions" a valid and reliable measure of health related quality of life after stroke? United Kingdom Collaborators in the International Stroke Trial. 2000 , 69, 487-93	49
1968	The relationship between health-related quality of life and frequency of spells in patients with syncope. 2000 , 53, 1209-16	142
1967	Health-related quality of life outcomes measures. 2000 , 81, S30-45	149
1966	Summary measures and statistics in the analysis of quality of life data: an example from an EORTC-NCIC-SAKK locally advanced breast cancer study. 2000 , 36, 834-44	46
1965	Spinal cord stimulation in patients with chronic reflex sympathetic dystrophy. 2000 , 343, 618-24	645
1964	Cost Estimates for Chronic Diseases. 2000 , 8, 29-41	6
1963	Quality-of-Care Indicators for HIV/AIDS. 2000 , 7, 315-330	7
1962	RE: INCORPORATION OF PATIENT PREFERENCES IN THE TREATMENT OF UPPER URINARY TRACT CALCULI: A DECISION ANALYTICAL VIEW. 2000 , 164, 460-460	
1961	A comparative review of generic quality-of-life instruments. 2000 , 17, 13-35	511

1960	Long-term treatment of multiple sclerosis with interferon-beta may be cost effective. 2000 , 18, 45-53		31
1959	Using health-related quality of life measures in minority ethnic groups An approach to translating measures into Bengali (Sylheti). 2000 , 6, 130-134		3
1958	Bridging decision analytic modelling with a cross-sectional study. Application to Parkinson's disease. 2000 , 17, 227-36		8
1957	Outcome assessment methodology in peripheral arterial disease. 2000 , 31, S35-S44		2
1956	Clinical trials of pacing mode selection. 2000 , 18, 1-23, vii		18
1955	Eficacia y eficiencia de una Unidad de Medicina Intensiva polivalente. 2000 , 24, 211-219		3
1954	Instruments for quality of life assessment in patients with inflammatory bowel disease. 2000 , 32, 682-8		23
1953	Psychosocial and economic impact of chronic pelvic pain. 2000 , 14, 415-31		42
1952	Quality Control and Scientific Rigor. 2001 , 122-127		2
1951	Patients' health-related quality of life and utilities associated with different stages of amyotrophic lateral sclerosis. 2001 , 191, 87-93		53
1950	[Mortality and quality of life of patients beyond 65 years one year after ICU discharge]. 2001 , 116, 521-5		13
1949	Nephrostomy tube or 'JJ' ureteric stent in ureteric obstruction: assessment of patient perspectives using quality-of-life survey and utility analysis. 2001 , 39, 695-701		65
1948	Economics of lower urinary tract symptoms (LUTS) in older people. 2001 , 18, 213-23		11
1947	Quality of life after solid organ transplantation. 2001 , 15, 156-164		3
1946	Rhinitis and quality of life. 2001 , 41, 111-115		0
1945	Health-related quality of life by disease and socio-economic group in the general population in Sweden. <i>Health Policy</i> , 2001 , 55, 51-69	3.2	182
1944	Determinants of customer satisfaction with the health care system, with the possibility to choose a personal physician and with a family doctor in a transition country. <i>Health Policy</i> , 2001 , 57, 155-64	3.2	29
1943	Quality of life in obstructive sleep apnea: a systematic review of the literature. 2001 , 2, 477-91		151

1942	Importance of differentiating health status from quality of life. 2001 , 357, 7-8	173
1941	Pre-eclampsia trio. 2001 , 357, 8	1
1940	Quality of life and cost-effectiveness of levonorgestrel-releasing intrauterine system versus hysterectomy for treatment of menorrhagia: a randomised trial. 2001 , 357, 273-7	236
1939	Cognitive behaviour therapy for chronic fatigue syndrome: a multicentre randomised controlled trial. 2001 , 357, 841-7	401
1938	[EuroQol-5D: a simple alternative for measuring health-related quality of life in primary care]. 2001 , 28, 425-30	185
1937	EQ-5D: a measure of health status from the EuroQol Group. 2001 , 33, 337-43	3193
1936	Using humanistic health outcomes data in asthma. 2001 , 19 Suppl 2, 13-9	20
1935	Changing therapeutic regimens in benign prostatic hyperplasia. Clinical and economic considerations. 2001 , 19, 131-53	20
1934	A review of health-related quality-of-life measures in stroke. 2001 , 19, 155-85	35
1933	Cost-effectiveness analysis of inhaled zanamivir in the treatment of influenza A and B in high-risk patients. 2001 , 19, 293-301	22
1932	Quality of life and utility in patients with non-small cell lung cancer. Quality-of-life Study Group of the Master 2 Project in Pharmacoeconomics. 2001 , 19, 855-63	80
1931	Assessing quality of life in dementia: Preliminary psychometric testing of the Quality of Life Assessment Schedule (QOLAS). 2001 , 11, 219-243	77
1930	The 15D instrument of health-related quality of life: properties and applications. 2001 , 33, 328-36	805
1929	Indwelling ureteral stents: evaluation of quality of life to aid outcome analysis. 2001 , 15, 151-4	106
1928	A comparison of the Assessment of Quality of Life (AQoL) with four other generic utility instruments. 2001 , 33, 358-70	344
1927	Quality of Life: Assessment in Health Settings. 2001 , 12628-12631	2
1926	A Comparison of Quality of Life of Patients on Automated and Continuous Ambulatory Peritoneal Dialysis. 2001 , 21, 306-312	52
1925	Measuring Surgical Outcomes. 2001 , 101-113	

1924	Importance of mental health assessment in HIV-infected outpatients. 2001 , 28, 240-9	36
1923	Can utility-weighted health-related quality-of-life estimates capture health effects of quality improvement for depression?. 2001 , 39, 1246-59	36
1922	Responsiveness of generic and specific measures of health outcome in low back pain. 2001 , 26, 71-7; discussion 77	72
1921	Can the health utilities index measure change?. 2001 , 39, 562-74	21
1920	Laparoscopic cholecystectomy versus mini-laparotomy cholecystectomy: a prospective, randomized, single-blind study. 2001 , 234, 741-9	106
1919	Assessment of Quality of Life in Adolescent Patients With Orthopaedic Problems: Are Adult Measures Appropriate?. 2001 , 21, 622-628	37
1918	Comparison of the standard gamble, rating scale, AQLQ and SF-36 for measuring quality of life in asthma. 2001 , 18, 38-44	59
1917	Randomised controlled trial of an interactive multimedia decision aid on benign prostatic hypertrophy in primary care. 2001 , 323, 493-6	135
1916	Randomised controlled trial of an interactive multimedia decision aid on hormone replacement therapy in primary care. 2001 , 323, 490-3	110
1915	. 2001 , 21, 622-628	51
1914	Impact of hip and vertebral fractures on quality-adjusted life years. 2001 , 12, 1042-9	173
1913	Postal administration compared with nurse-supported administration of the QUALEFFO-41 in a population sample: comparison of results and assessment of psychometric properties. 2001 , 12, 672-9	18
1912	Initial treatment of early Parkinson's disease: a review of recent, randomized controlled trials. 2001 , 1, 329-36	3
1911	The General Function Score: a useful tool for measurement of physical disability. Validity and reliability. 2001 , 10, 203-10	46
1910	Quality of life in patients after meningioma resection. 2001 , 143, 547-53	41
1909	Costs and quality of life in multiple sclerosis. 2001 , 2, 60-68	46
1908	Are needs and satisfaction of care associated with quality of life? An epidemiological survey among the severely mentally ill in the Netherlands. 2001 , 251, 239-46	78
1907	Properties of the 15D and EQ-5D utility measures in a community sample of people with epilepsy. 2001 , 44, 179-89	51

1906	Interpretation and validity of changes in scores on the Graves' ophthalmopathy quality of life questionnaire (GO-QOL) after different treatments. 2001 , 54, 391-8	119
1905	Patient quality of life after successful restorative proctocolectomy is normal. 2001 , 3, 223-6	44
1904	Review. Quality-of-life aspects of the overactive bladder and the effect of treatment with tolterodine. 1999 , 83, 583-90	101
1903	Prevalence of lower urinary tract symptoms and self-reported diagnosed 'benign prostatic hyperplasia', and their effect on quality of life in a community-based survey of men in the UK. 1999 , 83, 410-5	130
1902	Costs, quality of life and disease severity in multiple sclerosis: a cross-sectional study in Sweden. 2001 , 8, 27-35	137
1901	Investigating women's preferences for intrapartum care: home versus hospital births. 2001 , 9, 404-13	51
1900	The desirability of a condition versus the well being and worth of a person. 2001 , 10, 579-81	20
1899	Quantifying social consequences of occupational injuries and illnesses: state of the art and research agenda. 2001 , 40, 438-51	18
1898	A comparison of scoring weights for the EuroQol derived from patients and the general public. 2001 , 10, 27-37	41
1897	A review of the health-related quality of life literature in bipolar disorder. 2001 , 10, 105-15	68
1896	Swedish population health-related quality of life results using the EQ-5D. 2001 , 10, 621-35	454
1895	Pain and health-related quality of life in a geographically defined population of men with prostate cancer. 2001 , 85, 497-503	33
1894	The effect of medical care by a helicopter trauma team on the probability of survival and the quality of life of hospitalised victims. 2001 , 33, 129-38	62
1893	The effects of cardiac events on quality of life and indirect costs. 2001 , 15 Suppl 1, S91-3	4
1892	Economic aspects of caesarean section and alternative modes of delivery. 2001 , 15, 145-63	31
1891	Quality of life in patients with intermittent claudication using the World Health Organisation (WHO) questionnaire. 2001 , 21, 118-22	51
1890	Long saphenous vein stripping and quality of life--a randomised trial. 2001 , 21, 545-9	64
1889	Estimating time preferences for health using discrete choice experiments. 2001 , 52, 1459-70	69

1888	Autologous blood transfusion in total knee replacement surgery. 2001 , 86, 669-73	87
1887	Effect of experience of severe stroke on subjective valuations of quality of life after stroke. 2001 , 70, 679-81	19
1886	Health related quality of life is improved by botulinum neurotoxin type A in long term treated patients with focal dystonia. 2001 , 71, 193-9	60
1885	Assessment of quality of life in lung transplantation using a simple generic tool. 2001 , 56, 218-22	64
1884	Early outcome after off-pump versus on-pump coronary bypass surgery: results from a randomized study. 2001 , 104, 1761-6	393
1883	Factors determining participation in young adults with a physical disability: a pilot study. 2001 , 15, 552-61	31
1882	Prospective study of selective peripheral denervation for botulinum-toxin resistant patients with cervical dystonia. 2001 , 124, 769-83	66
1881	Radiography of the lumbar spine in primary care patients with low back pain: randomised controlled trial. 2001 , 322, 400-5	173
1880	Cluster randomised controlled trial to compare three methods of promoting secondary prevention of coronary heart disease in primary care. 2001 , 322, 1338	117
1879	Quality of life and its importance in orthodontics. 2001 , 28, 152-8	163
1878	Health-related quality of life in Parkinson's disease: outcomes of the therapeutic interventions. 2001 , 1, 99-108	7
1877	Interferon-beta1b in the treatment of secondary progressive MS: impact on quality of life. 2001 , 57, 1870-5	59
1876	Rethinking Human Security. 2001 , 116, 585-610	175
1875	Measuring the value of program outcomes: a review of multiattribute utility measures. 2001 , 1, 215-28	33
1874	The validity of the Rheumatoid Arthritis Quality of Life (RAQoL) questionnaire. 2001 , 40, 1112-9	59
1873	Assessing the Outcomes of Equipment and Adaptations: Issues and Approaches. 2001 , 64, 346-356	22
1872	Antibiotic prophylaxis for haematogenous bacterial arthritis in patients with joint disease: a cost effectiveness analysis. 2001 , 60, 359-66	15
1871	Evidence for inadequate construct validity of the Disease Repercussions Profile in people with rheumatoid arthritis. 2001 , 40, 757-62	5

1870	Self-report outcome measures for adult hearing aid services: some uses, users, and options. 2001 , 5, 91-110	14
1869	The Parkinson's Disease Activities of Daily Living Scale: a new simple and brief subjective measure of disability in Parkinson's disease. 2001 , 15, 241-6	72
1868	How disturbing is it to be approached for a genetic cascade screening programme for familial hypercholesterolaemia? Psychological impact and screenees' views. 2001 , 4, 244-52	27
1867	[Measuring quality of life in gastroenterology--concepts, instruments and problems]. 2001 , 39, 475-81	11
1866	United Kingdom Alcohol Treatment Trial (UKATT): hypotheses, design and methods. 2001 , 36, 11-21	68
1865	Some Experiences with Hearing Disability/ Handicap and Quality of Life Measures: Algunas experiencias con discapacidad/desventaja auditiva y medidas de calidad de vida. 2001 , 40, 208-214	13
1864	A comparison of the validity of self-report measures amongst people with acquired brain injury: A preliminary study of the usefulness of EuroQol-5D. 2001 , 11, 529-537	5
1863	The short form 36 (SF36) in a specialist tinnitus clinic. 2002 , 41, 216-20	10
1862	Development and preliminary evaluation of a clinical guidance programme for the decision about prophylactic oophorectomy in women undergoing a hysterectomy. 2002 , 11, 32-8; discussion 38-9	30
1861	Economic evaluation of spinal cord stimulation for chronic reflex sympathetic dystrophy. 2002 , 59, 1203-9	134
1860	Health utilities in evaluating intervention in the sleep apnoea/hypopnoea syndrome. 2002 , 20, 1233-8	53
1859	Update on the use of osteoarthritis-specific outcome measures. 2002 , 2, 337-46	
1858	Inhaled iloprost for severe pulmonary hypertension. 2002 , 347, 322-9	1308
1857	Assessing the quality of life of household members of patients with inflammatory bowel disease: development and validation of a specific questionnaire. 2002 , 97, 1429-37	16
1856	Linking health-status measurements to the international classification of functioning, disability and health. 2002 , 34, 205-10	525
1855	Generic measures of health-related quality of life in ankylosing spondylitis: reliability, validity and responsiveness. 2002 , 41, 1380-7	57
1854	Total costs and predictors of costs in individuals with early inflammatory polyarthritis: a community-based prospective study. 2002 , 41, 767-74	21
1853	Quality of life measurement: bibliographic study of patient assessed health outcome measures. 2002 , 324, 1417	750

1852	Disease-specific, patient-assessed measures of health outcome in ankylosing spondylitis: reliability, validity and responsiveness. 2002 , 41, 1295-302	63
1851	Integrated care pathways and quality of life on a stroke rehabilitation unit. 2002 , 33, 1600-4	59
1850	Functional benefits and cost/benefit analysis of continuous intrathecal baclofen infusion for the management of severe spasticity. 2002 , 96, 1052-7	75
1849	Understanding costs and cost-effectiveness in critical care: report from the second American Thoracic Society workshop on outcomes research. 2002 , 165, 540-50	141
1848	Quality-of-life assessment in oncology. Achievements and challenges. 2002 , 41, 229-37	104
1847	Preference-based quality-of-life in patients with Parkinson's disease. 2002 , 59, 103-8	72
1846	A nurse-delivered advice intervention can reduce chronic non-steroidal anti-inflammatory drug use in general practice: a randomized controlled trial. 2002 , 41, 14-21	27
1845	Length of life and quality of life on home parenteral nutrition. 2002 , 26, S55-9	16
1844	Commentary. 2002 , 11, 38-39	1
1843	Handicap and Quality of Life After Stroke. 2002 ,	
1842	Effectiveness and cost-effectiveness analysis of neuroreflexotherapy for subacute and chronic low back pain in routine general practice: a cluster randomized, controlled trial. 2002 , 27, 1149-59	47
1841	Validation of the spanish version of the Roland-Morris questionnaire. 2002 , 27, 538-42	156
1840	Design of the Spine Patient outcomes Research Trial (SPORT). 2002 , 27, 1361-72	169
1839	Validation of the EuroQol questionnaire in patients with inflammatory bowel disease. 2002 , 14, 1205-15	92
1838	Quality of life after lung transplantation. 2002 , 7, 260-264	1
1837	Cost-effectiveness of lumbar spine radiography in primary care patients with low back pain. 2002 , 27, 2291-7	42
1836	Measure-dependent variation in burden of disease estimates: implications for policy. 2002 , 40, 260-6	38
1835	Proxy reporting of quality of life using the EQ-5D. 2002 , 40, 1186-95	64

1834	A pragmatic randomised controlled trial of an asthma nurse in general practice. 2002 , 11, 6-8	7
1833	Musculo-Skeletal Physician Care Among Orthopaedic Outpatients Unlikely to Require Surgery: The Omens Trial [An Opportunistic Evaluation.. 2002 , 24, 6-12	
1832	The development and use of quality-of-life measures to evaluate health outcomes in Japan. 2002 , 20 Suppl 2, 17-23	10
1831	The economic evaluation of health programmes: why discount health consequences more than monetary consequences?. 2002 , 34, 339-350	11
1830	Health-related quality of life and cost impact of irritable bowel syndrome in a UK primary care setting. 2002 , 20, 455-62	143
1829	A randomized, placebo-controlled trial of zoledronic acid in patients with hormone-refractory metastatic prostate carcinoma. 2002 , 94, 1458-68	1348
1828	Quality of life and cost of multiple sclerosis. 2002 , 104, 272-5	41
1827	Cost-effectiveness of cognitive-behavioral therapy for depression: current evidence and future research priorities. 2002 , 2, 457-65	5
1826	Reporting standards for endovascular aortic aneurysm repair. 2002 , 35, 1048-60	1338
1825	Can the standard gamble and rating scale be used to measure quality of life in rhinoconjunctivitis? Comparison with the RQLQ and SF-36. 2002 , 57, 201-6	51
1824	HALYS and QALYS and DALYS, Oh My: similarities and differences in summary measures of population Health. 2002 , 23, 115-34	384
1823	Transurethral Prostate Resection, Noncontact Laser Therapy or Conservative Management in Men With Symptoms of Benign Prostatic Enlargement? An Economic Evaluation. 2002 , 168, 2476-2482	13
1822	Health utility estimation. 2002 , 2, 99-108	76
1821	Quality-of-life assessment in osteoporosis: health-status and preference-based measures. 2002 , 20, 289-303	63
1820	Differing effects of low-dose estrogen/progestin therapy and pravastatin in postmenopausal hypercholesterolemic women. 2002 , 5, 341-350	12
1819	International Subarachnoid Aneurysm Trial (ISAT) of neurosurgical clipping versus endovascular coiling in 2143 patients with ruptured intracranial aneurysms: a randomised trial. 2002 , 360, 1267-74	2808
1818	Team approach versus ad hoc health services for young people with physical disabilities: a retrospective cohort study. 2002 , 360, 1280-6	93
1817	Herpes encephalitis. 2002 , 360, 1286	1

1816	Telephone assessment of functioning and well-being following stroke: is it feasible?. 2002 , 11, 80-7	6
1815	International Subarachnoid Aneurysm Trial (ISAT) of neurosurgical clipping versus endovascular coiling in 2143 patients with ruptured intracranial aneurysms: a randomized trial. 2002 , 11, 304-14	212
1814	Quantifying the harmful effect of psoriasis on health-related quality of life. 2002 , 47, 512-8	207
1813	The role of health care providers and significant others in evaluating the quality of life of patients with chronic disease. 2002 , 55, 1130-43	315
1812	Cost-effectiveness of cataract surgery. Method to assess cost-effectiveness using registry data. 2002 , 28, 1742-9	44
1811	Linking clinical variables to health-related quality of life in Parkinson's disease. 2002 , 8, 199-209	55
1810	Cost-effectiveness analysis of colorectal cancer treatments. 2002 , 38, 953-63	22
1809	[Measure of quality of life in patients with metastatic colorectal cancer: techniques and main results]. 2002 , 23, 703-16	9
1808	A comparison of the discounted utility model and hyperbolic discounting models in the case of social and private intertemporal preferences for health. 2002 , 49, 79-96	41
1807	Assessment of the QoL in Italian menopausal women: comparison between HRT users and non-users. 2002 , 42, 267-80	46
1806	Calidad de vida (I). Generalidades. 2002 , 93, 421-431	2
1805	Calidad de vida y reinserci3n laboral al a3n de la cirug3a card3aca. 2002 , 26, 1-6	1
1804	Health-adjusted Life Expectancy (HALE). 235-246	
1803	Brief comprehensive quality of life assessment after stroke: the assessment of quality of life instrument in the north East melbourne stroke incidence study (NEMESIS). 2002 , 33, 2888-94	68
1802	Association of willingness to pay with severity of chronic obstructive pulmonary disease, health status and other preference measures. 2002 , 6, 542-9	7
1801	The effect of phytosterols on quality of life in the treatment of benign prostatic hyperplasia. 2002 , 22, 1426-32	6
1800	An economic evaluation of lung transplantation. 2002 , 123, 411-8; discussion 418-20	47
1799	The impact of lower leg compartment syndrome on health related quality of life. 2002 , 33, 117-21	69

1798	Measuring the cost-effectiveness of lipid-lowering drugs in the elderly: the outcomes research and economic analysis components of the PROSPER trial. 2002 , 23, 757-73	7
1797	Ambulatory endoscopic treatment of symptomatic benign endometrial polyps: a feasibility study. 2002 , 11, 91-97	45
1796	Quality of life outcomes following surgical treatment of Parkinson's disease. 2002 , 17, 68-75	28
1795	The European Study of the Epidemiology of Mental Disorders (ESEMEd/MHEDEA 2000) project: rationale and methods. 2002 , 11, 55-67	72
1794	Modeling the progression of rheumatoid arthritis: a two-country model to estimate costs and consequences of rheumatoid arthritis. 2002 , 46, 2310-9	89
1793	Cost effectiveness of combined spa-exercise therapy in ankylosing spondylitis: a randomized controlled trial. 2002 , 47, 459-67	89
1792	Assessment of fatigue in patients with ankylosing spondylitis: a psychometric analysis. 2002 , 47, 8-16	117
1791	Vertical and horizontal aspects of socio-economic inequity in general practitioner contacts in Scotland. 2002 , 11, 537-49	33
1790	Is EQ-5D a valid measure of HRQoL in patients with movement disorders? A comparison with SF-36 and FIM questionnaires. 2002 , 3, 125-30	16
1789	Modelling the costs and effects of leflunomide in rheumatoid arthritis. 2002 , 3, 180-7	12
1788	Development of a condition-specific quality of life measure for patients with dentofacial deformity: II. Validity and responsiveness testing. 2002 , 30, 81-90	131
1787	Asthma nurse practice improves outcomes and reduces costs in primary health care. 2002 , 16, 73-8	37
1786	Can quality of life be quantified?. 2002 , 2, 57-60	6
1785	Automated current health time-trade-off assessments in women's health. 2002 , 5, 98-105	11
1784	Health-related quality of life and gastrointestinal disease. 2002 , 17 Suppl, S72-84	44
1783	Quality of life 6-months after cardiac arrest. 2002 , 55, 37-44	48
1782	Quality of life after intensive care--evaluation with EQ-5D questionnaire. 2002 , 28, 898-907	102
1781	Does rehabilitation meet the needs of care and improve the quality of life of patients with schizophrenia or other chronic mental disorders?. 2002 , 38, 61-70	20

1780	New trends on health related quality of life assessment in end-stage renal disease patients. 2002 , 33, 195-202	16
1779	Assessment of health-related quality-of-life in males with Anderson Fabry Disease before therapeutic intervention. 2002 , 11, 127-33	53
1778	Validity and responsiveness of the euroqol as a measure of health-related quality of life in people enrolled in an AIDS clinical trial. 2002 , 11, 273-82	84
1777	Response shift in the measurement of quality of life in hearing impaired adults after hearing aid fitting. 2002 , 11, 299-307	49
1776	Reliability and validity of the COOP/WONCA health status measure in patients with chronic obstructive pulmonary disease. 2002 , 11, 527-33	16
1775	Validating the Functional Capacity Index as a measure of outcome following blunt multiple trauma. 2002 , 11, 797-808	38
1774	Assessing health-related quality of life pre- and post-liver transplantation: a prospective multicenter study. 2002 , 8, 263-70	109
1773	Health economics and genetic service development: a familial cancer genetic example. 2004 , 3, 61-7	10
1772	The effect of prandial glucose regulation with repaglinide on treatment satisfaction, wellbeing and health status in patients with pharmacotherapy naïve Type 2 diabetes: a placebo-controlled, multicentre study. 2003 , 12, 413-25	36
1771	A comparison of the responsiveness of different generic health status measures in patients with asthma. 2003 , 12, 555-63	25
1770	Patients' health-related quality-of-life and health state values for motor neurone disease/amyotrophic lateral sclerosis. 2003 , 12, 565-74	29
1769	Understanding differences between self-ratings and population ratings for health in the EuroQOL. 2003 , 12, 611-9	42
1768	Surviving intensive care: a report from the 2002 Brussels Roundtable. 2003 , 29, 368-77	399
1767	De tweede Nationale Studie naar ziekten en verrichtingen in de huisartsenpraktijk: aanleiding en methoden. 2003 , 46, 956-962	25
1766	Quality of life in acute respiratory distress syndrome survivors may be no worst than in other ICU survivors. 2003 , 29, 1744-50	31
1765	Long-term outcome in ICU patients: what about quality of life?. 2003 , 29, 1286-93	105
1764	[Measuring patient's quality of life in ophthalmology]. 2003 , 100, 1091-7	20
1763	The effects of frequency in pallidal deep brain stimulation for primary dystonia. 2003 , 250, 1201-5	68

1762	A single European currency for EQ-5D health states. Results from a six-country study. 2003 , 4, 222-31	320
1761	The effect of peripheral percutaneous transluminal angioplasty on quality of life in patients with intermittent claudication. 2003 , 26, 130-6	23
1760	Reliability of health utility measures and a test of values clarification. 2003 , 56, 1531-41	13
1759	Proceedings of the National Institute of Diabetes and Digestive and Kidney Diseases International Symposium on Epidemiologic Issues in Urinary Incontinence in Women. 2003 , 188, S77-88	94
1758	UK Back pain Exercise And Manipulation (UK BEAM) trial--national randomised trial of physical treatments for back pain in primary care: objectives, design and interventions [ISRCTN32683578]. 2003 , 3, 16	32
1757	Surgical Treatments Outcomes Project for Dysfunctional Uterine Bleeding (STOP-DUB): design and methods. 2003 , 24, 591-609	22
1756	Adherence to Physiotherapy and Quality of Life for Adults and Adolescents with Cystic Fibrosis. 2003 , 89, 397-407	7
1755	The correlation between patient characteristics and expectations of benefit from Phase I clinical trials. 2003 , 98, 166-75	90
1754	The value of the change in health in Sweden 1980/81 to 1996/97. 2003 , 12, 637-54	27
1753	The missing link: on the line between C and E. 2003 , 12, 629-36	20
1752	Methodological issues raised by preference-based approaches to measuring the health status of children. 2003 , 12, 697-702	105
1751	Patients', doctors', and caregivers' assessment of disability using the UPDRS-ADL section: are these ratings interchangeable?. 2003 , 18, 985-92	39
1750	Direct economic impact of Parkinson's disease: a research survey in the United Kingdom. 2003 , 18, 1139-45	166
1749	Young- versus older-onset Parkinson's disease: impact of disease and psychosocial consequences. 2003 , 18, 1250-6	192
1748	Randomized, double-blind, 3-month parallel study of the effects of pramipexole, pergolide, and placebo on Parkinsonian tremor. 2003 , 18, 1324-31	40
1747	Health-related quality of life in patients with progressive supranuclear palsy. 2003 , 18, 1464-9	53
1746	Sweating dysfunction in Parkinson's disease. 2003 , 18, 1459-63	124
1745	Cost-utility analysis comparing free and pedicled TRAM flap for breast reconstruction. 2003 , 23, 287-95	72

1744	Measuring well-being rather than the absence of distress symptoms: a comparison of the SF-36 Mental Health subscale and the WHO-Five Well-Being Scale. 2003 , 12, 85-91	562
1743	Improved quality of life after XeCl excimer transmyocardial laser revascularization: results of a randomized trial. 2003 , 33, 1-7	9
1742	Direct medical costs and their predictors in patients with rheumatoid arthritis: a three-year study of 7,527 patients. 2003 , 48, 2750-62	206
1741	Recommended guidelines for uniform reporting of data from drowning: the "Utstein style". 2003 , 59, 45-57	123
1740	The European Schizophrenia Outpatient Health Outcomes Study: baseline findings across country and treatment. 2003 , 107, 7-15	39
1739	The European Schizophrenia Outpatient Health Outcomes (SOHO) study: rationale, methods and recruitment. 2003 , 107, 222-32	87
1738	On what basis should the effectiveness of decision aids be judged?. 2003 , 6, 255-68	46
1737	Cross-national agreement on disability weights: the European Disability Weights Project. 2003 , 1, 9	51
1736	Health-related quality of life as outcome parameter in haemophilia treatment. 2003 , 9 Suppl 1, 75-81; discussion 82	51
1735	Preference-based approaches to measuring the benefits of perinatal care. 2003 , 30, 217-26	26
1734	Cost-effectiveness of automated external defibrillator deployment in selected public locations. 2003 , 18, 745-54	51
1733	Physical performance measures in the clinical setting. 2003 , 51, 314-22	921
1732	Productivity, vitality and utility in a group of healthy professionally active individuals with nocturia. 2003 , 91, 190-5	122
1731	A randomised controlled trial comparing the Cavaterm endometrial ablation system with the Nd:YAG laser for the treatment of dysfunctional uterine bleeding. 2003 , 110, 350-357	39
1730	Health-related quality of life assessment in adult haemophilia patients: a systematic review and evaluation of instruments. 2003 , 9, 678-87	40
1729	Safety, efficacy and costs of pharmacotherapy for functional gastrointestinal disorders: the case of alosetron and its implications. 2003 , 17, 1021-30	25
1728	A randomized controlled trial of an enhanced balance training program to improve mobility and reduce falls in elderly patients. 2003 , 51, 847-52	134
1727	The effect of stability of oral anticoagulant therapy upon patient-perceived health status and quality of life. 2003 , 51, 885-7	5

1726	Efficacy of antithrombotic therapy for atrial fibrillation in the oldest old. 2003 , 51, 887-9	
1725	The above letter was referred to the authors of the original paper and their reply follows. 2003 , 51, 889-889	2
1724	Long-term effects of exercise training on physical activity level and quality of life in elderly coronary patients--a three- to six-year follow-up. 2003 , 8, 13-22	25
1723	Preventive home visits for community-dwelling frail elderly people based on Minimum Data Set-Home Care: Randomized controlled trial. 2003 , 3, 236-242	18
1722	The cost effectiveness of lung transplantation compared with that of heart and liver transplantation in the Netherlands. 2003 , 16, 123-127	27
1721	The development and preliminary validation of a Preference-Based Stroke Index (PBSI). 2003 , 1, 43	26
1720	Development and validation of a patient-based health-related quality of life questionnaire in schizophrenia: the S-QoL. 2003 , 63, 137-49	114
1719	The cost-effectiveness of infliximab (Remicade) in the treatment of rheumatoid arthritis in Sweden and the United Kingdom based on the ATTRACT study. 2003 , 42, 326-35	131
1718	Benign prostatic hyperplasia. 2003 , 361, 1359-67	205
1717	Health care economic analyses and value-based medicine. 2003 , 48, 204-23	197
1716	Assessing outcome after hand surgery: the current state. 2003 , 28, 289-94	53
1715	Zoledronic acid: a new parenteral bisphosphonate. 2003 , 25, 2669-708	87
1714	The treatment of complex regional pain syndrome type I with free radical scavengers: a randomized controlled study. 2003 , 102, 297-307	181
1713	The effect of cytomegalovirus retinitis on the quality of life of patients with AIDS in the era of highly active antiretroviral therapy. 2003 , 110, 987-95	21
1712	Clinician ratings vs. global ratings of symptom severity: a comparison of symptom measures in the bipolar disorder module, phase II, Texas Medication Algorithm Project. 2003 , 117, 167-75	5
1711	Recommended guidelines for uniform reporting of data from drowning: the "Utstein style". 2003 , 108, 2565-74	139
1710	Quality of life in sleep disorders. 2003 , 7, 335-49	161
1709	Health related quality of life in individuals with asthma related symptoms. 2003 , 97, 1211-8	35

1708	Cost-utility analysis of vagus nerve stimulators for adults with medically refractory epilepsy. 2003 , 12, 249-56	28
1707	A comparative review of four preference-weighted measures of health-related quality of life. 2003 , 56, 317-25	167
1706	Economic burden and quality of life impairment increase with severity of PD. 2003 , 9, 163-8	106
1705	Indwelling ureteral stents: evaluation of symptoms, quality of life and utility. 2003 , 169, 1065-9; discussion 1069	337
1704	Ureteral stent symptom questionnaire: development and validation of a multidimensional quality of life measure. 2003 , 169, 1060-4	261
1703	Societal effects of hearing aid fitting among the moderately hearing impaired. 2003 , 42, 152-60	49
1702	Acupuncture for people with chronic illness: combining qualitative and quantitative outcome assessment. 2003 , 9, 671-81	84
1701	Pharmaceutical care programmes for the elderly: economic issues. 2003 , 21, 455-65	11
1700	Heartburn in patients with gastro-oesophageal reflux disease in Germany and Sweden: a study on patients' burden of disease. 2003 , 21, 1091-102	15
1699	Quality of life in children and adolescents with cystic fibrosis: implications for optimizing treatments and clinical trial design. 2003 , 5, 41-56	26
1698	Cost-effectiveness of brief cognitive behaviour therapy versus treatment as usual in recurrent deliberate self-harm: a decision-making approach. 2003 , 33, 977-86	58
1697	Randomized controlled trial of brief cognitive behaviour therapy versus treatment as usual in recurrent deliberate self-harm: the POPMACT study. 2003 , 33, 969-76	149
1696	Duration of condition is unrelated to health-state valuation on the EuroQoL. 2003 , 17, 209-15	17
1695	Randomized comparison between stenting and off-pump bypass surgery in patients referred for angioplasty. 2003 , 108, 2870-6	65
1694	Patient's view of heart failure: from the understanding to the quality of life. 2003 , 2, 275-81	45
1693	CHOP compared with CHOP plus granulocyte colony-stimulating factor in elderly patients with aggressive non-Hodgkin's lymphoma. 2003 , 21, 3041-50	139
1692	Income related inequalities in self assessed health in Britain: 1979-1995. 2003 , 57, 125-9	38
1691	Developing a community paramedic practitioner intermediate care support scheme for older people with minor conditions. 2003 , 20, 196-8	46

1690	Chapter 19 Quality of Life and Psychosocial Aspects of Care of Patients with Amyotrophic Lateral Sclerosis. 2003 , 465-484	
1689	Functional outcomes and quality of life in peripheral arterial disease: current status. 2003 , 8, 115-26	89
1688	The cost-effectiveness of nCPAP treatment in patients with moderate-to-severe obstructive sleep apnoea. 2003 , 21, 515-22	81
1687	Therapy-based rehabilitation services for stroke patients at home. 2003 , CD002925	52
1686	Service variation in baseline variables and prediction of risk in a randomised controlled trial of psychological treatment in repeated parasuicide: the POPMACT Study. 2003 , 49, 58-69	25
1685	Single- versus multiple-fraction radiotherapy in patients with painful bone metastases: cost-utility analysis based on a randomized trial. 2003 , 95, 222-9	174
1684	Inflammatory Bowel Disease Principles and Practice. 2003 , 20, 339-382	
1683	Costs of ankylosing spondylitis in three European countries: the patient's perspective. 2003 , 62, 741-7	51
1682	Continuing inequality: gender and social class influences on self perceived health after a heart attack. 2003 , 57, 622-7	65
1681	Quality of life in a family based genetic cascade screening programme for familial hypercholesterolaemia: a longitudinal study among participants. 2003 , 40, e3	31
1680	Perceptions of patients and physicians regarding phase I cancer clinical trials: implications for physician-patient communication. 2003 , 21, 2589-96	189
1679	Applying a risk-adjustment framework to primary care: can we improve on existing measures?. 2003 , 1, 44-51	44
1678	Infliximab in moderately severe glucocorticoid resistant ulcerative colitis: a randomised controlled trial. 2003 , 52, 998-1002	241
1677	Assessment of disability with the World Health Organisation Disability Assessment Schedule II in patients with ankylosing spondylitis. 2003 , 62, 140-5	65
1676	Quality of life in patients with newly diagnosed chronic phase chronic myeloid leukemia on imatinib versus interferon alfa plus low-dose cytarabine: results from the IRIS Study. 2003 , 21, 2138-46	153
1675	Prevention of severe hypoglycaemia in type I diabetes: a randomised controlled population study. 2003 , 88, 240-5	29
1674	The impact of cancer on sexual function: a controlled study. 2003 , 17, 202-5	59
1673	Use of visual analog scales in economic evaluation. 2003 , 3, 293-302	33

1672	Economic evaluation of breast cancer treatment: considering the value of patient choice. 2003 , 21, 1139-46	32
1671	Dimension-specific burden of caregiving among partners of rheumatoid arthritis patients. 2003 , 42, 1226-33	62
1670	The assessment of health status among patients with COPD. 2003 , 41, 36s-45s	95
1669	A clinical trial to evaluate the measurement properties of 2 direct preference instruments administered with and without hypothetical marker states. 2003 , 23, 140-9	38
1668	Measuring the public health impact of injuries. 2003 , 25, 3-19	128
1667	Stepping down inhaled corticosteroids in asthma: randomised controlled trial. 2003 , 326, 1115	83
1666	Treatment of pulmonary arterial hypertension: a preliminary decision analysis. 2003 , 124, 2087-92	41
1665	A comparison of on-pump and off-pump coronary bypass surgery in low-risk patients. 2003 , 348, 394-402	341
1664	Entscheidungsanalysen in der Gesundheitsökonomie - am Beispiel der Parkinson-Krankheit. 2003 , 30, 249-259	0
1663	Health status in COPD: current data and future trends. 2003 , 3, 57-65	
1662	Health-related quality of life with chronic leg ulceration. 2003 , 3, 611-22	12
1661	Quality of life assessment for chronic stable angina. 2003 , 3, 637-50	2
1660	. 2003 , 41, 218-231	18
1659	M ⁿ n ^r trier's disease: case study in the quality of life. 2003 , 26, 3-6	
1658	Whose quality of life is it anyway? The validity and reliability of the Quality of Life-Alzheimer's Disease (QoL-AD) scale. 2003 , 17, 201-8	290
1657	Quality of life in dementia: ten years later. 2003 , 17, 199-200	26
1656	. 2003 , 41, 208-217	7
1655	From the generic to the condition-specific?: Instrument order effects in Quality of Life Assessment. 2003 , 41, 777-90	39

1654	Comparing the sensitivity of generic effectiveness measures with symptom improvement in persons with schizophrenia. 2003 , 41, 208-17	40
1653	Measuring Outcomes in Aesthetic Surgery: A Comprehensive Review of the Literature. 2003 , 111, 469-480	119
1652	Measuring population health: a comparison of three generic health status measures. 2003 , 41, 218-31	98
1651	Health professionals' perceptions of health status after renal transplantation: a comparison with transplantation candidates' expectations. 2003 , 76, 176-82	21
1650	Psychological interventions for multiple sclerosis. 2003 ,	5
1649	Quality of life in venous disease. 2003 , 90, 27-35	80
1648	The roles for preference-based measures in support of cancer research and policy. 2004 , 69-92	0
1647	Treatment for colorectal cancer: impact on health-related quality of life. 2004 , 178-200	1
1646	Short-term outcomes of chemoprevention, genetic susceptibility testing, and screening interventions: What are they? How are they measured? When should they be measured?. 2004 , 216-240	1
1645	The intercontinental schizophrenia outpatient health outcomes (IC-SOHO) study: baseline clinical and functional characteristics and antipsychotic use patterns in the North Africa and Middle Eastern (AMEA) region: original article. 2004 , 7, 27	
1644	The burden of ankylosing spondylitis and the cost-effectiveness of treatment with infliximab (Remicade). 2004 , 43, 1158-66	76
1643	Physical decline and quality of life in amyotrophic lateral sclerosis. 2004 , 5, 230-4	17
1642	Evaluation of quality of life following treatment with etoricoxib in patients with arthritis or low-back pain: an open label, uncontrolled pilot study in Mexico. 2004 , 20, 691-8	9
1641	Post-traumatic stress associated with low self-rated well-being in primary care attenders. 2004 , 58, 261-6	17
1640	Training care givers of stroke patients: economic evaluation. 2004 , 328, 1102	91
1639	Determinants of direct costs in Dutch rheumatoid arthritis patients. 2004 , 63, 817-24	36
1638	End points in pulmonary arterial hypertension: the way forward. 2004 , 23, 947-53	48
1637	Cost-utility analysis of preoperative radiotherapy in patients with rectal cancer undergoing total mesorectal excision: a study of the Dutch Colorectal Cancer Group. 2004 , 22, 244-53	75

1636	A comparison of 3 valuation methods for temporary health states in patients treated with oral anticoagulants. 2004 , 24, 625-33	19
1635	Do rheumatology cost-effectiveness analyses make sense?. 2004 , 43, 4-6	19
1634	Impact of musculoskeletal co-morbidity of neck and upper extremities on healthcare utilisation and sickness absence for low back pain. 2004 , 61, 806-10	57
1633	The systemic lupus erythematosus Tri-nation Study: absence of a link between health resource use and health outcome. 2004 , 43, 1016-24	51
1632	Quality of life assessment in gastro-oesophageal reflux disease. 2004 , 53 Suppl 4, iv35-9	29
1631	Cost effectiveness of foldable multifocal intraocular lenses compared to foldable monofocal intraocular lenses for cataract surgery. 2004 , 88, 1163-8	8
1630	The estimated economic value of the welfare loss due to prostate cancer pain in a defined population. 2004 , 43, 290-6	9
1629	Influence of modified work on return to work for employees on sick leave due to musculoskeletal complaints. 2005 , 37, 172-9	48
1628	Avoiding pitfalls of correlation coefficients in the assessment of measurement instruments in rehabilitation research. 2004 , 18, 186-94	3
1627	Quality of life measures for the palliative care of people severely affected by multiple sclerosis: a systematic review. 2004 , 10, 690-704	64
1626	Roughly right or precisely wrong? Systematic review of quality-of-life weights elicited with the time trade-off method. 2004 , 9, 43-50	43
1625	Quality of life and illness costs in irritable bowel syndrome. 2004 , 69, 254-61	28
1624	TNF inhibitors in the treatment of rheumatoid arthritis in clinical practice: costs and outcomes in a follow up study of patients with RA treated with etanercept or infliximab in southern Sweden. 2004 , 63, 4-10	90
1623	Sooner and healthier: a randomised controlled trial and interview study of an early discharge rehabilitation service for older people. 2004 , 33, 246-52	63
1622	Spinal cord stimulation in complex regional pain syndrome: cervical and lumbar devices are comparably effective. 2004 , 92, 348-53	69
1621	Standardization of infrared imaging. 2004 , 2004, 1183-5	13
1620	EUROACTION: A European Society of Cardiology demonstration project in preventive cardiology.: A cluster randomised controlled trial of a multi-disciplinary preventive cardiology programme for coronary patients, asymptomatic high risk individuals and their families. Summary of design, methodology and outcomes. 2004 , 6, j3-j15	23
1619	United Kingdom back pain exercise and manipulation (UK BEAM) randomised trial: effectiveness of physical treatments for back pain in primary care. 2004 , 329, 1377	299

1618	Patient reported outcomes as endpoints in medical research. 2004 , 13, 115-38	93
1617	Short-term impact of cancer prevention and screening activities on quality of life. 2004 , 22, 943-52	62
1616	Estimating the survival benefits gained from providing national cancer genetic services to women with a family history of breast cancer. 2004 , 90, 1912-9	11
1615	Clinical patterns over time in irritable bowel syndrome: symptom instability and severity variability. 2004 , 99, 113-21	81
1614	Cancer genetics services: a systematic review of the economic evidence and issues. 2004 , 90, 1697-703	24
1613	A population-based study of pain and quality of life during the year before death in men with prostate cancer. 2004 , 90, 1163-8	42
1612	Psychological morbidity after myocardial infarction in an area of deprivation in the UK: evaluation of a self-help package. 2004 , 3, 219-24	24
1611	Health related quality of life in multiple musculoskeletal diseases: SF-36 and EQ-5D in the DMC3 study. 2004 , 63, 723-9	229
1610	Training carers of stroke patients: randomised controlled trial. 2004 , 328, 1099	272
1609	Identifying the concepts contained in outcome measures of clinical trials on stroke using the International Classification of Functioning, Disability and Health as a reference. 2004 , 56-62	65
1608	Quality of life of individuals with spinal cord injury: a review of conceptualization, measurement, and research findings. 2005 , 42, 87-110	170
1607	Large differences in cost of illness and wellbeing between patients with fibromyalgia, chronic low back pain, or ankylosing spondylitis. 2005 , 64, 396-402	117
1606	Prospective, comparative cohort studies and their contribution to the benefit assessments of therapeutic options: heart failure treatment with and without Hawthorn special extract WS 1442. 2004 , 11 Suppl 1, 36-9	9
1605	Specialist nurse intervention to reduce unscheduled asthma care in a deprived multiethnic area: the east London randomised controlled trial for high risk asthma (ELECTRA). 2004 , 328, 144	63
1604	Alternative strategies for stroke care: cost-effectiveness and cost-utility analyses from a prospective randomized controlled trial. 2004 , 35, 196-203	75
1603	ICF Core Sets for low back pain. 2004 , 69-74	153
1602	The impact of discharge to a care home on longer term stroke outcomes. 2004 , 18, 924-8	19
1601	The cost of feedback microwave thermotherapy compared with transurethral resection of the prostate for treating benign prostatic hyperplasia. 2004 , 93, 543-8	19

1600	Re: post-prandial hypoglycaemia due to insulin lispro or insulin aspart. 2004 , 21, 1373	
1599	The cost-effectiveness of continuous subcutaneous insulin infusion compared with multiple daily injections for the management of diabetes: response to Scuffham [corrected] and Carr. 2004 , 21, 1372; author reply 1372-3	2
1598	Reply. 2004 , 21, 1372-1373	1
1597	Women's experience of endometriosis. 2004 , 46, 641-8	119
1596	Long-term outcomes in survivors from critical illness. 2004 , 59, 1049-52	17
1595	The impact of a two-compound product containing calcipotriol and betamethasone dipropionate (Daivobet/ Dovobet) on the quality of life in patients with psoriasis vulgaris: a randomized controlled trial. 2004 , 151, 663-8	48
1594	The value of education and self-monitoring in the management of warfarin therapy in older patients with unstable control of anticoagulation. 2004 , 126, 557-64	111
1593	Fabry disease: overall effects of agalsidase alfa treatment. 2004 , 34, 838-44	172
1592	The construct and concurrent validity of the EQ-5D in a renal transplant population. 2004 , 7, 499-509	39
1591	Making Memories: pilot evaluation of a new program for people with dementia and their caregivers. 2004 , 23, 144-146	6
1590	Sampling and methods of the European Study of the Epidemiology of Mental Disorders (ESEMeD) project. 2004 , 109, 8-20	110
1589	Patient, carer and health service outcomes of nurse-led early discharge after breast cancer surgery: a randomised controlled trial. 2004 , 91, 651-8	37
1588	The inflammatory bowel disease questionnaire: a review of its national validation studies. 2004 , 10, 261-9	59
1587	Cost-effectiveness of lung transplantation in relation to type of end-stage pulmonary disease. 2004 , 4, 1155-62	31
1586	Quality of life in bridge-to-transplant patients with chronic heart failure after implantation of an axial flow ventricular assist device. 2004 , 10, 226-9	12
1585	Cardiac denervation after clinical transmyocardial laser revascularization: short-term and long-term iodine 123-labeled meta-iodobenzylguanide scintigraphic evidence. 2004 , 127, 517-24	17
1584	Conservative treatment in patients with an acute lumbosacral radicular syndrome: design of a randomised clinical trial [ISRCTN68857256]. 2004 , 5, 39	11
1583	Pharmaceutical care for elderly patients shared between community pharmacists and general practitioners: a randomised evaluation. RESPECT (Randomised Evaluation of Shared Prescribing for Elderly people in the Community over Time) [ISRCTN16932128]. 2004 , 4, 11	9

1582	The UK Endovascular Aneurysm Repair (EVAR) trials: design, methodology and progress. 2004 , 27, 372-81	111
1581	Medicine or Surgery (Ms): a randomized clinical trial comparing hysterectomy and medical treatment in premenopausal women with abnormal uterine bleeding. 2004 , 25, 104-18	22
1580	[The role of utilities in economic evaluations of healthcare interventions-an introduction]. 2004 , 63, 380-4	1
1579	Health-related quality of life measurement in pharmaceutical care. Targeting an outcome that matters. 2004 , 26, 125-8	20
1578	Estimation and comparison of derived preference scores from the SF-36 in lung transplant patients. 2004 , 13, 377-88	14
1577	Assessment of post-stroke quality of life in cost-effectiveness studies: the usefulness of the Barthel Index and the EuroQoL-5D. 2004 , 13, 427-33	60
1576	Feasibility and reliability of health-related quality of life measurements among tuberculosis patients. 2004 , 13, 653-65	46
1575	Seeking the patient's perspective: a qualitative assessment of EuroQoL, COOP-WONCA charts and MYMOP. 2004 , 13, 871-81	71
1574	Quantitative assessment of changes in patients' constructs of quality of life: an application of multilevel models. 2004 , 13, 1177-85	14
1573	Association of five quantitative ultrasound devices and bone densitometry with osteoporotic vertebral fractures in a population-based sample: the OPUS Study. 2004 , 19, 782-93	197
1572	Evaluation of quality of life after laparoscopic surgery: evidence-based guidelines of the European Association for Endoscopic Surgery. 2004 , 18, 879-97	186
1571	Condition-specific outcome measures for low back pain. Part I: validation. 2004 , 13, 301-13	49
1570	Condition-specific outcome measures for low back pain. Part II: scale construction. 2004 , 13, 314-24	22
1569	[Health care costs of multiple sclerosis in Austria. Cross-sectional study including consideration of quality of life]. 2004 , 75, 1000-6	8
1568	A model to estimate the lifetime health outcomes of patients with type 2 diabetes: the United Kingdom Prospective Diabetes Study (UKPDS) Outcomes Model (UKPDS no. 68). 2004 , 47, 1747-59	425
1567	Prophylactic factor replacement in hemophilia. 2004 , 18, 101-13	42
1566	Psychometric refinement of an outpatient, visit-specific satisfaction with doctor questionnaire. 2004 , 13, 223-34	37
1565	Development and validation of the health assessment questionnaire II: a revised version of the health assessment questionnaire. 2004 , 50, 3296-305	202

1564	Randomized, double-blind, placebo-controlled glucosamine discontinuation trial in knee osteoarthritis. 2004 , 51, 738-45	109
1563	Measuring the consequences of osteoarthritis and joint pain in population-based studies: can existing health measurement instruments capture levels of participation?. 2004 , 51, 755-62	12
1562	The effect of spinal cord stimulation in patients with chronic reflex sympathetic dystrophy: two years' follow-up of the randomized controlled trial. 2004 , 55, 13-8	222
1561	Depression in frail elders: impact on family caregivers. 2004 , 19, 655-65	40
1560	Should the consumption of survivors be included as a cost in cost-utility analysis?. 2004 , 13, 417-27	81
1559	A comparison of the EQ-5D and SF-6D across seven patient groups. 2004 , 13, 873-84	584
1558	Parkinson's prevalence estimated by a state registry. 2004 , 19, 318-23	68
1557	Gestes antagonistes in psychogenic dystonia. 2004 , 19, 331-2	27
1556	Psychogenic palatal tremor. 2004 , 19, 333-5	30
1555	Cardiovascular effects of methamphetamine in Parkinson's disease patients. 2004 , 19, 298-303	10
1554	Reversal of hypertonic co-contraction after bilateral pallidal stimulation in generalised dystonia: a clinical and electromyogram case study. 2004 , 19, 336-40	13
1553	Health-related quality of life evaluation by proxy in Parkinson's disease: approach using PDQ-8 and EuroQoL-5D. 2004 , 19, 312-8	44
1552	Long-term follow-up of cervical dystonia patients treated with botulinum toxin A. 2004 , 19, 303-8	77
1551	Myoclonus and generalized digestive dysmotility in triple A syndrome with AAAS gene mutation. 2004 , 19, 344-6	8
1550	Gliomatosis cerebri may present as an atypical parkinsonian syndrome. 2004 , 19, 341-4	15
1549	Asymmetrical awake bruxism associated with multiple system atrophy. 2004 , 19, 352-5	8
1548	Gaze-evoked brainstem myoclonus. 2004 , 19, 346-9	4
1547	Autosomal recessive juvenile parkinsonism Cys212Tyr mutation in parkin renders lymphocytes susceptible to dopamine- and iron-mediated apoptosis. 2004 , 19, 324-30	23

1546	Assessing quality of life in Parkinson's disease: can a short-form questionnaire be useful?. 2004 , 19, 308-12	35
1545	Chorea and contraceptives: case report with pet study and review of the literature. 2004 , 19, 349-52	13
1544	An introduction to medical statistics for health care professionals: describing and presenting data. 2004 , 2, 218-28	7
1543	The influence of diabetic retinopathy on quality of life: interviews to guide the design of a condition-specific, individualised questionnaire: the RetDQoL. 2004 , 53, 365-83	55
1542	Physician-patient relationship and medication compliance: a primary care investigation. 2004 , 2, 455-61	219
1541	The generation gap: differences between children and adults pertinent to economic evaluations of health interventions. 2004 , 22, 71-81	29
1540	Psychometric and utility-based measures of health status of asthmatic patients with different disease control level. 2004 , 22, 537-47	67
1539	Quality of life and tinnitus. 2004 , 2, 29-40	29
1538	Religion, spirituality, and health status in geriatric outpatients. 2004 , 2, 49-53	77
1537	Quality of life of survivors from severe sepsis and septic shock may be similar to that of others who survive critical illness. 2004 , 8, R91-8	77
1536	[Quality of life and economic cost of multiple sclerosis]. 2004 , 160, 23-34	3
1535	Assessing quality of life in primary biliary cirrhosis. 2004 , 2, 164-74	26
1534	Quality of life after lung transplantation. 2004 , 14, 385-407	13
1533	Symptom severity and QOL scales for urinary incontinence. 2004 , 126, S114-23	53
1532	End points and clinical trial designs in pulmonary arterial hypertension: clinical and regulatory perspectives. 2004 , 43, 48S-55S	109
1531	A cost-utility analysis of adjunctive treatment with newer antiepileptic drugs in the UK. 2004 , 7, 29-40	4
1530	Benefits and risks of pharmacological agents used for the treatment of menorrhagia. 2004 , 27, 75-90	46
1529	Evidence from cost-effectiveness research. 2004 , 1, 348-55	15

1528	Usefulness of EQ-5D in assessing health status in primary care patients with major depressive disorder. 2004 , 2, 20		108
1527	An instrument for measuring health-related quality of life in patients with Deep Venous Thrombosis (DVT): development and validation of Deep Venous Thrombosis Quality of Life (DVTQOL) questionnaire. 2004 , 2, 30		25
1526	Alternative methods of titrating continuous positive airway pressure: a large multicenter study. 2004 , 170, 1218-24		259
1525	Patient-reported outcomes and their role in the assessment of rheumatoid arthritis. 2004 , 22, 27-38		98
1524	[Quality of life, time commitment and burden perceived by the principal informal caregiver of Alzheimer's patients]. 2004 , 34, 170-7		31
1523	Cost-utility analysis of imatinib mesylate for the treatment of chronic myelogenous leukemia in the chronic phase. 2004 , 26, 1924-33		24
1522	Auditing morbidity and mortality in gynaecological surgery. 2004 , 14, 426-433		2
1521	The desire for support and respite care: preferences of Dutch informal caregivers. <i>Health Policy</i> , 2004 , 68, 309-20	3.2	48
1520	A cost-utility analysis comparing intensive chemotherapy alone to intensive chemotherapy followed by myeloablative chemotherapy with autologous stem-cell rescue in newly diagnosed patients with stage II/III multiple myeloma; a prospective randomised phase III study. 2004 , 40, 1159-69		40
1519	Spinal cord stimulation for patients with failed back surgery syndrome or complex regional pain syndrome: a systematic review of effectiveness and complications. 2004 , 108, 137-47		358
1518	Quality of life and pain in Parkinson's disease: a controlled cross-sectional study. 2004 , 10, 129-36		115
1517	Toward cost-effectiveness analysis in the diagnosis and treatment of insomnia. 2004 , 8, 63-72		56
1516	Response shift influenced estimates of change in health-related quality of life poststroke. 2004 , 57, 561-70		81
1515	A new and more robust test of QALYs. 2004 , 23, 353-67		23
1514	Waiting for total hip arthroplasty: avoidable loss in quality time and preventable deterioration. 2004 , 19, 302-9		82
1513	Transmyocardial revascularization using an XeCl excimer laser: results of a randomized trial. 2004 , 78, 875-81; discussion 881-2		31
1512	Outpatient thermal balloon ablation of the endometrium. 2004 , 82, 1395-401		42
1511	Assessment of outcome in psoriatic arthritis. 2004 , 16, 350-6		13

1510	Early intervention for the management of acute low back pain: a single-blind randomized controlled trial of biopsychosocial education, manual therapy, and exercise. 2004 , 29, 2350-6	104
1509	Comparison of the deep inferior epigastric perforator flap and free transverse rectus abdominis myocutaneous flap in postmastectomy reconstruction: a cost-effectiveness analysis. 2004 , 113, 1650-61	83
1508	Biopsychosocial predictors of health-related quality of life in patients with chronic hepatitis C. 2004 , 66, 954-8	63
1507	Correlation between pain, disability, and quality of life in patients with common low back pain. 2004 , 29, 206-10	153
1506	Life after death: posttraumatic stress disorder in survivors of cardiac arrest--prevalence, associated factors, and the influence of sedation and analgesia. 2004 , 32, 378-83	100
1505	Distribution and determinants of health and work status in a comprehensive population of injury patients. 2004 , 56, 150-61	103
1504	Failure of a trial evaluating the effect of venous surgery on healing and recurrence rates in venous ulcers? The USABLE trial: rationale, design and methodology, and reasons for failure. 2004 , 19, 137-142	10
1503	Évaluation médico-économique en psychiatrie. 2004 , 1, 1-12	
1502	Interrelationships between pain, disability, general health, and quality of life and associations with work-related and individual factors: a study among workers on sickness absence for 2 to 6 weeks for musculoskeletal complaints. 2004 , 29, 2178-83	13
1501	Efficacy of selected treatments of HIV wasting: a systematic review and meta-analysis. 2004 , 37 Suppl 5, S262-76	15
1500	A randomized multicenter trial to evaluate simple utility elicitation techniques in patients with gastroesophageal reflux disease. 2004 , 42, 1132-42	28
1499	Reliability and validity of the Turkish version of Multidimensional Quality of Life Scale--Cancer Version 2 in patients with cancer. 2004 , 27, 252-7	6
1498	Self-valuation and societal valuations of health state differ with disease severity in chronic and disabling conditions. 2004 , 42, 1143-51	30
1497	Prolotherapy injections for chronic low-back pain. 2004 , CD004059	13
1496	Economic evaluation of a comprehensive self-management programme in patients with moderate to severe chronic obstructive pulmonary disease. 2004 , 1, 7-16	35
1495	Timing of quality of life assessment in cancer clinical trials: fine tuning remains a challenge. 2005 , 16, 523-4	2
1494	Pharmacological treatment and other predictors of treatment outcomes in previously untreated patients with schizophrenia: results from the European Schizophrenia Outpatient Health Outcomes (SOHO) study. 2005 , 20, 199-205	41
1493	Health-related quality of life following single or bilateral lung transplantation: a 7-year comparison to functional outcome. 2005 , 128, 1371-8	84

1492	Decompressive hemicraniectomy for poor-grade aneurysmal subarachnoid hemorrhage patients with associated intracerebral hemorrhage: clinical outcome and quality of life assessment. 2005 , 56, 12-9; discussion 19-20	87
1491	Presidential guest address: the Swedish Hip Registry: increasing the sensitivity by patient outcome data. 2005 , 441, 19-29	78
1490	The transition from acute to subacute and chronic low back pain: a study based on determinants of quality of life and prediction of chronic disability. 2005 , 30, 1786-92	112
1489	Joint recovery programme versus usual care: an economic evaluation of a clinical pathway for joint replacement surgery. 2005 , 43, 1018-26	79
1488	A national catalog of preference-based scores for chronic conditions in the United States. 2005 , 43, 736-49	300
1487	Prevalence and determinants of disabilities and return to work after major trauma. 2005 , 58, 126-35	155
1486	Prevalence and correlates of self-reported pretransplant nonadherence with medication in heart, liver, and lung transplant candidates. 2005 , 79, 1588-95	54
1485	Health status, its perceptions, and effect on return to work and recurrent sick leave. 2005 , 30, 1086-92	28
1484	Measurement in stroke: activity and quality of life. 2005 , 135-160	8
1483	Patient education and health-related quality of life: surgical hospital patients as a case in point. 2005 , 20, 307-16; quiz 317-8	64
1482	US valuation of the EQ-5D health states: development and testing of the D1 valuation model. 2005 , 43, 203-20	991
1481	Health-related quality of life in diabetic patients with foot ulcers: literature review. 2005 , 32, 368-77	101
1480	Quality of life after spinal cord injury. 2005 , 29, 139-46	105
1479	Recommended guidelines for reviewing, reporting, and conducting research on post-resuscitation care: the Utstein style. 2005 , 66, 271-83	202
1478	De invloed van vroege werkhervatting met aangepast werk op de verzuimduur en de gezondheid van werknemers met klachten aan het bewegingsapparaat. 2005 , 13, 434-441	
1477	Predictors of quality of life among spouses of stroke patients during the first year after the stroke event. 2005 , 19, 439-45	24
1476	Quality-adjusted life years: how useful in medico economic studies. 2005 , 19, 603-7	4
1475	Development of a common outcome data set for fall injury prevention trials: the Prevention of Falls Network Europe consensus. 2005 , 53, 1618-22	1314

1474	The role of lumbar spine radiography in the outcomes of patients with simple acute low back pain. 2005 , 8, 45-50	9
1473	The routine collation of health outcomes data from hospital treated subjects in the Health Outcomes Data Repository (HODaR): descriptive analysis from the first 20,000 subjects. 2005 , 8, 581-90	72
1472	An assessment of the impact of informative dropout and nonresponse in measuring health-related quality of life using the EuroQol (EQ-5D) descriptive system. 2005 , 8, 53-8	11
1471	Comparing the discriminative validity of two generic and one disease-specific health-related quality of life measures in a sample of patients with dry eye. 2005 , 8, 168-74	81
1470	Impact of faecal incontinence severity on health domains. 2005 , 7, 263-9	54
1469	Acute urinary retention: what is the impact on patients' quality of life?. 2005 , 95, 72-6	47
1468	Individualized care, quality of life and satisfaction with nursing care. 2005 , 50, 283-92	60
1467	The impact of a nurse-led support and education programme for spouses of stroke patients: a randomized controlled trial. 2005 , 14, 995-1003	54
1466	Physical and psychosocial burden due to lymphatic filariasis as perceived by patients and medical experts. 2005 , 10, 567-73	75
1465	The effect of treatment on health-related quality of life in patients with hypertension and renal artery stenosis. 2005 , 19, 467-70	13
1464	The silver-releasing foam dressing, Contreet Foam, promotes faster healing of critically colonised venous leg ulcers: a randomised, controlled trial. 2005 , 2, 64-73	100
1463	Is promotion of physical activity a wise use of societal resources? Issues of cost-effectiveness and equity in health. 2005 , 15, 304-12	21
1462	Effectiveness of antipsychotic treatment for schizophrenia: 6-month results of the Pan-European Schizophrenia Outpatient Health Outcomes (SOHO) study. 2005 , 111, 220-31	77
1461	Improved physical activity in patients treated for chronic pain by spinal cord stimulation. 2005 , 8, 40-8	22
1460	Does the size of ureteral stent impact urinary symptoms and quality of life? A prospective randomized study. 2005 , 48, 673-8	82
1459	A systematic review of utility measurements in the surgical literature. 2005 , 200, 954-64	12
1458	Health related quality of life in patients with multiple myeloma undergoing a double transplantation. 2005 , 74, 136-43	38
1457	Self-reported quality of life in elderly patients with aggressive non-Hodgkin's lymphoma treated with CHOP chemotherapy. 2005 , 75, 116-23	42

1456	A comparison of generic, indirect utility measures (the HUI2, HUI3, SF-6D, and the EQ-5D) and disease-specific instruments (the RAQoL and the HAQ) in rheumatoid arthritis. 2005 , 60, 1571-82	301
1455	Expectations regarding length and health related quality of life: some empirical findings. 2005 , 61, 1083-94	38
1454	Economic valuation of informal care: the conjoint measurement method applied to informal caregiving. 2005 , 61, 1342-55	58
1453	PAIS: paracetamol (acetaminophen) in stroke; protocol for a randomized, double blind clinical trial [ISRCTN 74418480]. 2005 , 5, 24	23
1452	Case management for the treatment of patients with major depression in general practices--rationale, design and conduct of a cluster randomized controlled trial--PRoMPT (PRimary care Monitoring for depressive Patient's Trial) [ISRCTN66386086]--study protocol. 2005 , 5, 101	28
1451	TOIB Study. Are topical or oral ibuprofen equally effective for the treatment of chronic knee pain presenting in primary care: a randomised controlled trial with patient preference study. [ISRCTN79353052]. 2005 , 6, 55	8
1450	[Laparoscopic versus mini-laparotomy cholecystectomy]. 2005 , 77, 332-6	1
1449	Quality of life in dementia--a one-year follow-up study. 2005 , 20, 232-7	121
1448	White matter hyperintensities and depression--preliminary results from the LADIS study. 2005 , 20, 674-9	49
1447	What constitutes health-related quality of life in dementia? Development of a conceptual framework for people with dementia and their carers. 2005 , 20, 889-95	77
1446	An investigation into the empirical validity of the EQ-5D and SF-6D based on hypothetical preferences in a general population. 2005 , 14, 1169-89	146
1445	Economic valuation of informal care: the contingent valuation method applied to informal caregiving. 2005 , 14, 169-83	98
1444	Increasing socio-economic inequalities in life expectancy and QALYs in Sweden 1980-1997. 2005 , 14, 831-50	47
1443	Understanding of an aggregate probability statement by patients who are offered participation in Phase I clinical trials. 2005 , 103, 140-7	31
1442	Cost-utility and cost-effectiveness analyses of a long-term, high-intensity exercise program compared with conventional physical therapy in patients with rheumatoid arthritis. 2005 , 53, 39-47	49
1441	A 48-week, randomized, double-blind, double-observer, placebo-controlled multicenter trial of combination methotrexate and intramuscular gold therapy in rheumatoid arthritis: results of the METGO study. 2005 , 52, 1360-70	79
1440	Impact of the motor complications of Parkinson's disease on the quality of life. 2005 , 20, 224-30	387
1439	Alpha-crystallin: an ATP-independent complete molecular chaperone toward sorbitol dehydrogenase. 2005 , 62, 599-605	13

1438	Quality of life in adult survivors of critical illness: a systematic review of the literature. 2005 , 31, 611-20	363
1437	Association of low general health status, measured prospectively by Euroqol EQ5D, with osteoporosis, independent of a history of prior fracture. 2005 , 16, 483-9	39
1436	Selecting an outcome measure for evaluating treatment in fecal incontinence. 2005 , 48, 2294-301	31
1435	Health-related quality of life assessment by the EuroQol-5D can provide cost-utility data in the field of low-back surgery. 2005 , 14, 1000-7	137
1434	Quality of life in children with sickle cell hemoglobinopathy. 2005 , 72, 567-71	13
1433	Psychometric properties of the Spanish version of two mental health outcome measures: World Health Organization Disability Assessment Schedule II and Lehman's Quality Of Life Interview. 2005 , 7, 145-59	14
1432	Variation in Chinese population health related quality of life: results from a EuroQol study in Beijing, China. 2005 , 14, 119-32	119
1431	Validation of the EQ-5D quality of life instrument in patients after myocardial infarction. 2005 , 14, 95-105	75
1430	The quality of life impact of acute exacerbations of chronic bronchitis (AECB): a literature review. 2005 , 14, 329-47	39
1429	Changes in quality of life in chronic psychiatric patients: a comparison between EuroQol (EQ-5D) and WHOQoL. 2005 , 14, 441-51	67
1428	Change in perceived health and functioning over time in patients with type I diabetes mellitus. 2005 , 14, 1-10	16
1427	The health status of the Dutch population as assessed by the EQ-6D. 2005 , 14, 655-63	136
1426	Comparison of preference-based utilities of the 15D, EQ-5D and SF-6D in patients with HIV/AIDS. 2005 , 14, 971-80	81
1425	Content comparison of health-related quality of life (HRQOL) instruments based on the international classification of functioning, disability and health (ICF). 2005 , 14, 1225-37	233
1424	Quality of life of caregivers in Parkinson's disease. 2005 , 14, 463-72	99
1423	Developing a questionnaire to measure the psychosocial impact of an abnormal cervical smear result and its subsequent management: the TOMBOLA (Trial of Management of Borderline and Other Low-grade Abnormal Smears) trial. 2005 , 14, 1553-62	32
1422	Quality of life in older people: a structured review of generic self-assessed health instruments. 2005 , 14, 1651-68	277
1421	General practitioner attitudes to the care of people with epilepsy: an examination of clustering within practices and prediction of patient-rated quality of care. 2005 , 6, 9	16

1420	Protocol for Project FACT: a randomised controlled trial on the effect of a walking program and vitamin B supplementation on the rate of cognitive decline and psychosocial wellbeing in older adults with mild cognitive impairment [ISRCTN19227688]. 2005 , 5, 18	14
1419	Positive and negative affect after diagnosis of advanced cancer. 2005 , 14, 262-73	86
1418	Income related inequality in prescription drugs in Denmark. 2005 , 14, 307-17	12
1417	Quality of Life in Radiation Oncology of Lung Cancer. 2005 , 395-409	
1416	Quality of Life. 2005 , 1-12	
1415	Cost-Effectiveness Analysis. 2005 , 1-12	
1414	Utility in Health Studies. 2005 ,	
1413	Cost-Effectiveness in Clinical Trials. 2005 ,	
1412	Quality of Life. 2005 ,	
1411	Values for Health States in QALYs and DALYs: Desirability versus Well-Being and Worth. 2005 , 125-141	
1410	Measuring quality of life in inflammatory bowel disease. 2003 , 481-494	
1409	Impact of Gender on General Health-Related Quality of Life in Patients with Chronic Sinusitis. 2005 , 19, 282-287	23
1408	[A new test (VITTORIO Test) for functional fitness assessment in rehabilitation after cardiac surgery]. 2005 , 64, 8-18	
1407	Modelling the effect of function and disease activity on costs and quality of life in rheumatoid arthritis. 2005 , 44, 1169-75	81
1406	Randomised controlled trial of cardiac rehabilitation in elderly patients with heart failure. 2005 , 7, 411-7	144
1405	Health state utilities for childhood attention-deficit/hyperactivity disorder based on parent preferences in the United kingdom. 2005 , 25, 56-70	49
1404	The systemic lupus erythematosus tri-nation study: longitudinal changes in physical and mental well-being. 2005 , 44, 751-5	42
1403	Prevalence and prognostic factors of disability after childhood injury. 2005 , 116, e810-7	63

1402	Conversion of knee fusion to total arthroplasty. 2005 , 76, 370-374	16
1401	Magnitude and patterns of decline in health and function in 1 year affect subsequent 5-year survival. 2005 , 60, 894-900	79
1400	A randomised controlled trial assessing the efficacy and safety of repeated tegaserod therapy in women with irritable bowel syndrome with constipation. 2005 , 54, 1707-13	119
1399	Therapy and support services for people with long-term stroke and aphasia and their relatives: a six-month follow-up study. 2005 , 19, 372-80	94
1398	Cost effectiveness of etanercept (Enbrel) in combination with methotrexate in the treatment of active rheumatoid arthritis based on the TEMPO trial. 2005 , 64, 1174-9	73
1397	Economic analysis of an early discharge rehabilitation service for older people. 2005 , 34, 274-80	26
1396	Willingness to pay per quality-adjusted life year in a study of knee osteoarthritis. 2005 , 25, 655-66	52
1395	Older adults' attitudes to death, palliative treatment and hospice care. 2005 , 19, 402-10	47
1394	[Instruments for patient-reported outcomes and predictors in German-speaking rehabilitation research--current developments within the "Rehabilitation Sciences" research funding programme]. 2005 , 44, 307-15	5
1393	Prospect theory in the valuation of health. 2005 , 5, 499-505	4
1392	Applicability of discrete-choice methods to economic evaluations of complementary and alternative medicine. 2005 , 5, 479-87	2
1391	The short form-12 and the measurement of health status in patients with cerebral aneurysms: performance, validity, and reliability. 2005 , 102, 489-94	32
1390	Quality of life and costs for different treatment strategies for rheumatoid arthritis. 2005 , 5, 395-410	3
1389	[Measuring preferences for depressive health states]. 2005 , 32, 122-31	4
1388	Characterisation and comparison of health-related quality of life for patients with renal failure. 2005 , 21, 1777-83	83
1387	ICF-basiertes Assessment in der rehabilitativen Therapie - dargestellt anhand des ICF-Modellblatts am Beispiel Kniegelenkarthrose. 2005 , 15, 210-215	4
1386	Cost minimization of on-demand maintenance therapy with proton pump inhibitors in nonerosive gastroesophageal reflux disease. 2005 , 5, 29-38	2
1385	Development of a questionnaire to assess the quality of care in Dutch dialysis centers from the patient's perspective. 2005 , 5, 255-65	1

1384	Determinants of caregiving burden and quality of life in caregivers of stroke patients. 2005 , 36, 2181-6	287
1383	Atypical Parkinsonian Disorders. 2005 ,	10
1382	Tegaserod for the treatment of chronic constipation: a randomized, double-blind, placebo-controlled multinational study. 2005 , 100, 362-72	161
1381	Modeling Health Outcomes for Economic Analysis. 2005 , 255-274	
1380	Willingness of patients with ankylosing spondylitis to pay for inpatient treatment is influenced by the treatment environment and expectations of improvement. 2005 , 64, 1650-2	5
1379	Willingness to pay for a quality-adjusted life year: implications for societal health care resource allocation. 2005 , 25, 667-77	174
1378	Measuring a Dimension of Spirituality for Health Research: Validity of the Spirituality Index of Well-Being. 2005 , 27, 556-577	62
1377	Health-related quality of life and hearing aids: a tutorial. 2005 , 9, 99-109	29
1376	Quality of life assessment of growth hormone deficiency in adults (QoL-AGHDA): comparison of normative reference data for the general population of England and Wales with results for adult hypopituitary patients with growth hormone deficiency. 2005 , 64, 46-54	22
1375	Depression and health-related quality of life in patients with rheumatoid arthritis. 2005 , 5, 645-53	13
1374	Differential recruitment in a cluster randomized trial in primary care: the experience of the UK back pain, exercise, active management and manipulation (UK BEAM) feasibility study. 2005 , 2, 119-24	50
1373	The WHO-DAS II: measuring outcomes of hearing aid intervention for adults. 2005 , 9, 127-43	53
1372	EuroQol is a useful instrument for assessing the health-related quality of life of the patients with systemic lupus erythematosus. 2005 , 14, 334-5	7
1371	The WHO-DAS II: psychometric properties in the measurement of functional health status in adults with acquired hearing loss. 2005 , 9, 111-26	96
1370	Surgical stabilisation of the spine compared with a programme of intensive rehabilitation for the management of patients with chronic low back pain: cost utility analysis based on a randomised controlled trial. 2005 , 330, 1239	115
1369	The significance of skeletal-related events for the health-related quality of life of patients with metastatic prostate cancer. 2005 , 16, 579-84	265
1368	Cost-effectiveness analysis of thrombolytic treatment for stroke. 2005 , 20, 193-200	54
1367	Effect of spinal cord stimulation on spontaneous and stress-induced angina and 'ischemia-like' ST-segment depression in patients with cardiac syndrome X. 2005 , 26, 983-9	51

1366	Perceived work performance of patients who experienced an acute coronary syndrome event. 2005 , 104, 120-6	10
1365	Effect of multivitamin and multimineral supplements on morbidity from infections in older people (MAVIS trial): pragmatic, randomised, double blind, placebo controlled trial. 2005 , 331, 324-9	64
1364	Acute peripheral joint injury: cost and effectiveness of low-field-strength MR imaging--results of randomized controlled trial. 2005 , 236, 958-67	38
1363	Monitoring health inequalities through general practice: the Second Dutch National Survey of General Practice. 2005 , 15, 59-65	232
1362	Waiting for orthopaedic surgery: factors associated with waiting times and patients' opinion. 2005 , 17, 133-40	70
1361	Cost-effectiveness of integrated stroke services. 2005 , 98, 415-25	42
1360	Oral vitamin D3 and calcium for secondary prevention of low-trauma fractures in elderly people (Randomised Evaluation of Calcium Or vitamin D, RECORD): a randomised placebo-controlled trial. 2005 , 365, 1621-8	733
1359	Endovascular aneurysm repair versus open repair in patients with abdominal aortic aneurysm (EVAR trial 1): randomised controlled trial. 2005 , 365, 2179-86	1204
1358	Bypass versus angioplasty in severe ischaemia of the leg (BASIL): multicentre, randomised controlled trial. 2005 , 366, 1925-34	1423
1357	Health-related quality of life in survivors of locally advanced breast cancer: an international randomised controlled phase III trial. 2005 , 6, 287-94	38
1356	Urinary incontinence and quality of life. 2005 , 2, 1-3	1
1355	[Effectiveness of biological agents in ankylosing spondylitis]. 2005 , 1 Suppl 2, S24-41	2
1354	[Effect on quality of life of nCPAP treatment in patients with obstructive sleep apnea]. 2005 , 125, 611-5	7
1353	Randomized trial of the efficacy of tamsulosin, nifedipine and phloroglucinol in medical expulsive therapy for distal ureteral calculi. 2005 , 174, 167-72	204
1352	The price of palliative care: toward a complete accounting of costs and benefits. 2005 , 21, 147-63, ix	12
1351	Évaluation et soins palliatifs. Première partie : les questionnaires de qualité de vie en fin de vie. 2005 , 4, 101-107	2
1350	An evaluation of the assessment of quality of life utility instrument as a measure of the impact of injury on health-related quality of life. 2005 , 12, 227-39	15
1349	Validation of the EQ-5D in patients with a history of acute coronary syndrome. 2005 , 21, 1209-16	69

1348	Nutrient intake is unrelated to nutrient status in patients with chronic fatigue syndrome. 2005 , 15, 177-189	4
1347	Interdisciplinary collaboration between primary care, social insurance and social services in the rehabilitation of people with musculoskeletal disorder: effects on self-rated health and physical performance. 2005 , 19, 115-24	21
1346	Evaluation of the cost effectiveness of escitalopram versus venlafaxine XR in major depressive disorder. 2005 , 23, 155-67	39
1345	Parent-proxy EQ-5D ratings of children with attention-deficit hyperactivity disorder in the US and the UK. 2005 , 23, 777-90	45
1344	Societal discounting of health effects in cost-effectiveness analyses: the influence of life expectancy. 2005 , 23, 791-802	10
1343	Measuring health-related quality of life in older patient populations: a review of current approaches. 2005 , 23, 971-93	151
1342	Economic analysis of on-demand maintenance therapy with proton pump inhibitors in patients with non-erosive reflux disease. 2005 , 23, 1031-41	17
1341	Health-related quality of life in patients before and after surgery for a herniated lumbar disc. 2005 , 87, 959-64	74
1340	Issues for selection of outcome measures in stroke rehabilitation: ICF Participation. 2005 , 27, 507-28	148
1339	A randomized trial comparing a group exercise programme for back pain patients with individual physiotherapy in a severely deprived area. 2005 , 27, 929-37	56
1338	Patients' recollections of experiences in the intensive care unit may affect their quality of life. 2005 , 9, R96-109	162
1337	Health problems lead to considerable productivity loss at work among workers with high physical load jobs. 2005 , 58, 517-23	164
1336	Factors that predicted change in health-related quality of life were identified in a cohort of diabetes mellitus type 1 patients. 2005 , 58, 1158-64	21
1335	Depressive symptoms and treatment after acute coronary syndrome. 2005 , 99, 443-7	26
1334	Microwave endometrial ablation for menorrhagia in patients with systemic disorders. 2005 , 91, 32-5	2
1333	Medical decision-making for seriously ill non-elderly and elderly patients. <i>Health Policy</i> , 2005 , 75, 40-8	3,2 8
1332	A cost-effectiveness analysis of fluvastatin in patients with diabetes after successful percutaneous coronary intervention. 2005 , 27, 1467-77	11
1331	Comparison of traditional Chinese acupuncture, minimal acupuncture at non-acupoints and conventional treatment for chronic sinusitis. 2005 , 13, 4-10	27

1330	Iontophoretic administration of S(+)-ketamine in patients with intractable central pain: a placebo-controlled trial. 2005 , 118, 224-31	35
1329	Measuring the effects of COPD on the patient. 2005 , 99 Suppl B, S11-8	50
1328	The effect of a scheduled telephone intervention on outcome after moderate to severe traumatic brain injury: a randomized trial. 2005 , 86, 851-6	136
1327	A randomised trial of early warning signs relapse prevention training in the treatment of alcohol dependence. 2005 , 30, 1111-24	23
1326	The Women's Recovery from Sternotomy (WREST) study: design of a randomized trial of a novel undergarment for early use after sternotomy. 2005 , 149, 761-7	5
1325	Gender and perceived severity of cardiac disease: evidence that women are "tougher". 2005 , 118, 1256-61	33
1324	[Assessment of disability and quality of life in patients with cognitive disorders]. 2005 , 48, 376-91	7
1323	Prolonged conservative treatment or 'early' surgery in sciatica caused by a lumbar disc herniation: rationale and design of a randomized trial [ISRCT 26872154]. 2005 , 6, 8	38
1322	The Visual Analog rating Scale of health-related quality of life: an examination of end-digit preferences. 2005 , 3, 71	18
1321	Recherche ^ valiative en chirurgie esth^ tique maxillofaciale. 2005 , 2, 686-693	
1320	Modelling cost effectiveness and cost utility of sequential DMARD therapy including leflunomide for rheumatoid arthritis in Germany: II. The contribution of leflunomide to efficiency. 2005 , 23, 395-420	14
1319	Impact of age-related cerebral white matter changes on the transition to disability -- the LADIS study: rationale, design and methodology. 2005 , 24, 51-62	345
1318	Cost-effectiveness of intensity-modulated radiation therapy. 2005 , 5, 137-40	7
1317	Methodologic issues in the comparison of microsurgical flaps/techniques in head and neck reconstruction. 2005 , 32, 347-59, vi	8
1316	A review of work-participation, cost-of-illness and cost-effectiveness studies in ankylosing spondylitis. 2006 , 2, 546-53	70
1315	A review of the health-related quality of life and economic impact of Parkinson's disease. 2006 , 23, 693-721	131
1314	Anaesthesia, Pain, Intensive Care and Emergency A.P.I.C.E.. 2006 ,	1
1313	Usefulness of the Audit of Diabetes-Dependent Quality-of-Life (ADDQoL) questionnaire in patients with diabetes in a multi-ethnic Asian country. 2006 , 24, 673-82	71

1312	[Assessment of quality of life among medics and paramedics in dermatology and medical intensive care]. 2006 , 133, 707-8	1
1311	Psychological interventions for multiple sclerosis. 2006 , CD004431	115
1310	A randomized controlled trial to evaluate intensity of community-based rehabilitation provision following stroke or hip fracture in old age. 2006 , 20, 123-31	67
1309	Amantadine for treatment of fatigue in Guillain-Barre syndrome: a randomised, double blind, placebo controlled, crossover trial. 2006 , 77, 61-5	38
1308	Economic evaluation of rivastigmine in patients with Parkinson's disease dementia. 2006 , 24, 93-106	12
1307	Productivity costs in health-state valuations : does explicit instruction matter?. 2006 , 24, 401-14	23
1306	Disability and quality of life in post-traumatic stress disorder: impact of drug treatment. 2006 , 24, 989-98	20
1305	The initial validation of a Markov model for the economic evaluation of (new) treatments for rheumatoid arthritis. 2006 , 24, 1011-20	17
1304	Methodological aspects in the assessment of treatment effects in observational health outcomes studies. 2006 , 5, 11-25	33
1303	Uterine fibroids: a review of health-related quality of life assessment. 2006 , 15, 818-29	44
1302	Multivariate models of health-related utility and the fear of hypoglycaemia in people with diabetes. 2006 , 22, 1523-34	213
1301	The effectiveness of cognitive behavior therapy for borderline personality disorder: results from the borderline personality disorder study of cognitive therapy (BOSCOT) trial. 2006 , 20, 450-65	236
1300	Implicazioni economiche del trattamento dei pazienti emofilici con inibitori: una revisione sistematica della letteratura. 2006 , 8, 33-44	1
1299	Health status of lymphatic filariasis assessed from patients using seven domains five levels (7D5L) instrument. 2006 , 99, 137-43	16
1298	[Treating immune-mediated diseases]. 2006 , 35, 707-8	0
1297	Psychological Correlates of Outcome after Coronary Artery Bypass Graft. 2006 , 62, 220-3	10
1296	Venous and Lymphatic Diseases. 2006 ,	3
1295	State-of-the-art treatment of chronic leg ulcers: A randomized controlled trial comparing vacuum-assisted closure (V.A.C.) with modern wound dressings. 2006 , 44, 1029-37; discussion 1038	268

1294	[Cross-cultural adaptation and validation of a Spanish version of a specific instrument to measure health-related quality of life in patients with ankylosing spondylitis]. 2006 , 2, 64-9	7
1293	BPH: Social Impact and Patient's Perspective. 2006 , 5, 991-996	5
1292	Cost of depression: effect of adherence and treatment response. 2006 , 21, 349-54	33
1291	The use of patient-centered outcome measures in radiology: a systematic review. 2006 , 13, 1394-404	13
1290	Costs and quality of life of patients with multiple sclerosis in Europe. 2006 , 77, 918-26	264
1289	White matter hyperintensities rather than lacunar infarcts are associated with depressive symptoms in older people: the LADIS study. 2006 , 14, 834-41	123
1288	Home parenteral nutrition: survival, cost, and quality of life. 2006 , 130, S52-9	104
1287	Medici3n de la calidad de vida e importancia de la atenci3n a las necesidades autopercibidas en pacientes drogodependientes. 2006 , 8, 212-221	6
1286	Treatment of stress urinary incontinence with non-animal stabilised hyaluronic acid/dextranomer (NASHA/Dx) gel : An analysis of utility and cost. 2006 , 26, 583-91	7
1285	Assessment of health-related quality of life in arthritis: conceptualization and development of five item banks using item response theory. 2006 , 4, 33	31
1284	Measuring the impact and distress of health problems from the individual's perspective: development of the Perceived Impact of Problem Profile (PIPP). 2006 , 4, 36	35
1283	The validity and responsiveness of three quality of life measures in the assessment of psoriasis patients: results of a phase II study. 2006 , 4, 71	143
1282	Improving the use of research evidence in guideline development: 10. Integrating values and consumer involvement. 2006 , 4, 22	112
1281	Racial and ethnic differences in preference-based health status measure. 2006 , 22, 2439-48	48
1280	Patient perspectives on the management of atopic dermatitis. 2006 , 118, 226-32	207
1279	Quality of life and depression in Parkinson's disease. 2006 , 248, 151-7	271
1278	Validity of the Assessment of Quality of Life (AQoL) utility instrument in patients with operable and inoperable lung cancer. 2006 , 53, 217-29	32
1277	Effect of hearing aids on hearing disability and quality of life in the elderly. 2006 , 45, 400-5	53

1276	Study protocol: The Improving Care of Acute Lung Injury Patients (ICAP) study. 2006 , 10, R9	71
1275	Long-term outcome and quality of life of patients treated in surgical intensive care: a comparison between sepsis and trauma. 2006 , 10, R134	70
1274	Generic health-related quality-of-life assessment in children and adolescents: methodological considerations. 2006 , 24, 1199-220	227
1273	Balance self-efficacy and its relevance to physical function and perceived health status after stroke. 2006 , 87, 364-70	101
1272	Psychometric evaluation of the original and Canadian French version of the activities-specific balance confidence scale among people with stroke. 2006 , 87, 1597-604	77
1271	Trial of management of borderline and other low-grade abnormal smears (TOMBOLA): Trial design. 2006 , 27, 449-71	45
1270	Health-related quality of life, work productivity, and health care resource utilization of subjects with irritable bowel syndrome: baseline results from LOGIC (Longitudinal Outcomes Study of Gastrointestinal Symptoms in Canada), a naturalistic study. 2006 , 28, 1726-35; discussion 1710-1	137
1269	[Levonorgestrel-releasing intrauterine system in the treatment of dysfunctional uterine bleeding: A French multicenter study]. 2006 , 34, 906-13	2
1268	A comparison of individual and social time trade-off values for health states in the general population. <i>Health Policy</i> , 2006 , 76, 359-70	3.2 95
1267	Validity of the EQ-5D as a generic health outcome instrument in a heroin-dependent population. 2006 , 82, 111-8	53
1266	Effects of day hospital rehabilitation after stroke. 2006 , 15, 106-13	8
1265	Hormone therapies in women aged 40 and older: prevalence and correlates of use. 2006 , 53, 65-76	8
1264	A meta-analysis demonstrates no significant differences between patient and population preferences. 2006 , 59, 653-64	43
1263	Asking older people about fear of falling did not have a negative effect. 2006 , 59, 629-34	6
1262	Quality of life and peripheral arterial disease. 2006 , 136, 294-301	44
1261	The burden of obstructive lung disease in the Nordic countries. 2006 , 100, S2-S9	3
1260	Differential association of general and health self-efficacy with disability, health-related quality of life and psychological distress from musculoskeletal pain in a cross-sectional general adult population survey. 2006 , 125, 225-232	18
1259	131st ENMC international workshop: selection of outcome measures for peripheral neuropathy clinical trials 10-12 December 2004, Naarden, The Netherlands. 2006 , 16, 149-56	68

1258	RITG (Registro Italiano dei Traumi Gravi): multiregional Italian Register of Acute Traumas. 2006 , 2, 23	0
1257	Association between habitual naps and sleep apnea. 2006 , 29, 1463-8	48
1256	Personal assistance for children and adolescents (0-18) with physical impairments. 2006 ,	
1255	Use of the SF-8 to assess Health-Related Quality of Life (HRQOL) in Elderly Patients with SMON (Subacute Myelo-Optico-Neuropathy). 2006 , 43, 762-766	5
1254	Alan Williams (1927-2005) and his contribution to health technology assessment. 2006 , 22, 271-272	
1253	Prognostic factors for duration of sickness absence due to musculoskeletal disorders. 2006 , 22, 212-21	130
1252	Manual therapy, physical therapy, or continued care by the general practitioner for patients with neck pain: long-term results from a pragmatic randomized clinical trial. 2006 , 22, 370-7	106
1251	Responsiveness of objective, disease-specific, and generic outcome measures in patients with chronic low back pain: an assessment for improving, stable, and deteriorating patients. 2006 , 31, 815-22	37
1250	A cost-utility analysis of chronic spinal pain treatment outcomes: converting SF-36 data into quality-adjusted life years. 2006 , 22, 700-11	13
1249	Pelvic girdle pain and lumbar pain in pregnancy: a cohort study of the consequences in terms of health and functioning. 2006 , 31, E149-55	131
1248	The first Italian trauma registry of national relevance: methodology and initial results. 2006 , 13, 197-203	15
1247	A 5-year follow-up evaluation of the health and economic consequences of an early cognitive behavioral intervention for back pain: a randomized, controlled trial. 2006 , 31, 853-8	86
1246	Patient- and proxy-reported utility in Alzheimer disease using the EuroQoL. 2006 , 20, 49-55	109
1245	Sensitivity to change and internal consistency of the Northwick Park Neck Pain Questionnaire and derivation of a minimal clinically important difference. 2006 , 22, 820-6	52
1244	A systematic review of the nonacoustic benefits of bone-anchored hearing AIDS. 2006 , 27, 703-13	9
1243	Cost-utility analysis of physiotherapy treatment compared with physiotherapy advice in low back pain. 2006 , 31, 1381-7	52
1242	Short-stay intensive care after coronary artery bypass surgery: randomized clinical trial on safety and cost-effectiveness. 2006 , 34, 65-75	55
1241	Cost-effectiveness and cost-utility of tricyclic antidepressants, selective serotonin reuptake inhibitors and lofepramine: randomised controlled trial. 2006 , 188, 337-45	32

1240	Does quality of life of COPD patients as measured by the generic EuroQol five-dimension questionnaire differentiate between COPD severity stages?. 2006 , 130, 1117-28	153
1239	Oral health status and health-related quality of life: a systematic review. 2006 , 48, 1-7	144
1238	The effect of Tai Chi Chuan in reducing falls among elderly people: design of a randomized clinical trial in the Netherlands [ISRCTN98840266]. 2006 , 6, 6	24
1237	Smoking, respiratory symptoms and likely asthma in young people: evidence from postal questionnaire surveys in the Wythenshawe Community Asthma Project (WYCAP). 2006 , 6, 10	19
1236	Methodology for the Randomised Injecting Opioid Treatment Trial (RIOTT): evaluating injectable methadone and injectable heroin treatment versus optimised oral methadone treatment in the UK. 2006 , 3, 28	38
1235	Multifactorial approach and superior treatment efficacy in renal patients with the aid of nurse practitioners. Design of The MASTERPLAN Study [ISRCTN73187232]. 2006 , 7, 8	12
1234	A pattern-mixture model for the analysis of censored quality-of-life data. 2006 , 25, 1533-46	3
1233	The impact of the overactive bladder on health-related utility and quality of life. 2006 , 97, 1267-72	43
1232	Characterization and comparison of health-related utility in people with diabetes with various single and multiple vascular complications. 2006 , 23, 1100-5	27
1231	Preferences for oral health states in a US community-dwelling functionally impaired older adult population: 2000-2001. 2006 , 66, 248-54	3
1230	Measurement of HRQL using EQ-5D in patients with type 2 diabetes mellitus in Japan. 2006 , 9, 47-53	80
1229	Comparing the EQ-5D and the SF-6D descriptive systems to assess their ceiling effects in the US general population. 2006 , 9, 262-71	138
1228	Trends in the measurement of health utilities in published cost-utility analyses. 2006 , 9, 213-8	102
1227	Development of a Smiling Touchscreen multimedia program for HRQoL assessment in subjects with varying levels of literacy. 2006 , 9, 312-9	12
1226	Economic evaluation of alternative management methods of first-trimester miscarriage based on results from the MIST trial. 2006 , 113, 879-89	57
1225	Cost-effectiveness of a disease management program for major depression in elderly primary care patients. 2006 , 21, 1020-6	26
1224	Pregabalin for peripheral neuropathic pain: results of a multicenter, non-comparative, open-label study in Indian patients. 2006 , 60, 1060-7	6
1223	Assessment of health-related quality of life in patients with lymphedema of the lower limb. 2006 , 14, 110-8	60

1222	Patient self-management of anticoagulation therapy: a trial-based cost-effectiveness analysis. 2006 , 134, 632-9	44
1221	The ATTEMPT cohort: a multi-national longitudinal study of predictors, patterns and consequences of smoking cessation; introduction and evaluation of internet recruitment and data collection methods. 2006 , 101, 1352-61	51
1220	Long-term prognosis in Crohn's disease: factors that affect quality of life. 2006 , 23, 377-85	68
1219	Predictive factors of irritable bowel syndrome improvement: 1-year prospective evaluation in 400 patients. 2006 , 23, 815-26	23
1218	Quality of life is associated to the orthopaedic status in haemophilic patients with inhibitors. 2006 , 12, 154-62	124
1217	The burden of neuropathic pain: results from a cross-sectional survey. 2006 , 10, 127-35	270
1216	The role of external beam radiotherapy in the management of bone metastases. 2006 , 18, 747-60	118
1215	Using decision analysis to determine the cost-effectiveness of intensity-modulated radiation therapy in the treatment of intermediate risk prostate cancer. 2006 , 66, 408-15	62
1214	Cost-effectiveness and budget impact of obesity surgery in patients with type-2 diabetes in three European countries. 2006 , 16, 1488-503	74
1213	Do clinical marker states improve responsiveness and construct validity of the standard gamble and feeling thermometer: a randomized multi-center trial in patients with chronic respiratory disease. 2006 , 15, 1-14	14
1212	Gender differences in effects of physical activity on quality of life and resource utilization. 2006 , 15, 537-46	49
1211	The Cambridge Pulmonary Hypertension Outcome Review (CAMPHOR): a measure of health-related quality of life and quality of life for patients with pulmonary hypertension. 2006 , 15, 103-15	204
1210	The CarerQol instrument: a new instrument to measure care-related quality of life of informal caregivers for use in economic evaluations. 2006 , 15, 1005-21	228
1209	Validation of the Dutch version of the CDC core healthy days measures in a community sample. 2006 , 15, 179-84	22
1208	The impact of 29 chronic conditions on health-related quality of life: a general population survey in Finland using 15D and EQ-5D. 2006 , 15, 1403-14	280
1207	Using GI-specific patient outcome measures in renal transplant patients: validation of the GSRS and GIQLI. 2006 , 15, 1223-32	40
1206	Measuring health-related quality of life in bipolar disorder: relationship of the EuroQol (EQ-5D) to condition-specific measures. 2006 , 15, 1271-80	41
1205	Health economic evaluation in lumbar spinal fusion: a systematic literature review anno 2005. 2006 , 15, 1165-73	29

1204	Health related quality of life outcome instruments. 2006 , 15 Suppl 1, S44-51	65
1203	Back related outcome assessment instruments. 2006 , 15 Suppl 1, S25-31	32
1202	Outcome assessment: recommendations for daily practice. 2006 , 15 Suppl 1, S118-23	10
1201	[Chronic pain patient's acceptance and satisfaction with their analgesic medication. Development and validation of the QAMPAS questionnaire]. 2006 , 20, 69-78	0
1200	Counselling of hearing aid users is highly cost-effective. 2006 , 263, 988-95	38
1199	Nerve conduction studies in relation to residual fatigue in Guillain-Barré syndrome. 2006 , 253, 851-6	15
1198	Utility of surgery for ruptured abdominal aortic aneurysm. 2006 , 20, 42-8	15
1197	Test-retest reliability of willingness to pay. 2006 , 7, 176-81	5
1196	A decomposition of income-related health inequality applied to EQ-5D. 2006 , 7, 231-7	16
1195	Costs and quality of life in multiple sclerosis in Europe: method of assessment and analysis. 2006 , 7 Suppl 2, S5-13	62
1194	Costs and quality of life for patients with multiple sclerosis in Belgium. 2006 , 7 Suppl 2, S24-33	39
1193	Costs and quality of life in multiple sclerosis in The Netherlands. 2006 , 7 Suppl 2, S55-64	48
1192	Costs and quality of life of multiple sclerosis in Sweden. 2006 , 7 Suppl 2, S75-85	60
1191	Costs and quality of life of multiple sclerosis in the United Kingdom. 2006 , 7 Suppl 2, S96-104	69
1190	Costs and quality of life of multiple sclerosis in Spain. 2006 , 7 Suppl 2, S65-74	47
1189	Costs and quality of life of multiple sclerosis in Austria. 2006 , 7 Suppl 2, S14-23	26
1188	Costs and quality of life of multiple sclerosis in Switzerland. 2006 , 7 Suppl 2, S86-95	32
1187	Costs and quality of life of multiple sclerosis in Germany. 2006 , 7 Suppl 2, S34-44	61

1186	Costs and quality of life of multiple sclerosis in Italy. 2006 , 7 Suppl 2, S45-54	50
1185	Prise en compte simultan ^e e de la qualit ^e de vie et de la quantit ^e de vie: application ^a la canc ^e rologie. 2006 , 8, 483-488	1
1184	Quality of life after acute respiratory distress syndrome: a meta-analysis. 2006 , 32, 1115-24	261
1183	Predictors of early recovery of health status after intensive care. 2006 , 32, 1832-8	23
1182	[Health economics of psychological diseases]. 2006 , 49, 46-56	8
1181	The health-related utility and health-related quality of life of hospital-treated subjects with type 1 or type 2 diabetes with particular reference to differing severity of peripheral neuropathy. 2006 , 49, 2272-80	80
1180	Validity of the Brief Patient Health Questionnaire Mood Scale (PHQ-9) in the general population. 2006 , 28, 71-7	796
1179	Turning theory into practice: rationale, feasibility and external validity of an exploratory randomized controlled trial of training family practitioners in reattribution to manage patients with medically unexplained symptoms (the MUST). 2006 , 28, 343-51	40
1178	Panic episodes among patients with diabetes. 2006 , 28, 475-81	28
1177	Treatment adequacy of anxiety and depressive disorders: primary versus specialised care in Spain. 2006 , 96, 9-20	46
1176	Comparison of the effectiveness of a behavioural graded activity program and manual therapy in patients with sub-acute neck pain: design of a randomized clinical trial. 2006 , 11, 297-305	28
1175	Economic evaluation in critical care medicine. 2006 , 21, 117-24	15
1174	Painful diabetic neuropathy: a cross-sectional survey of health state impairment and treatment patterns. 2006 , 20, 26-33	139
1173	Design and conduct of clinical trials in patients with osteoarthritis of the hand: recommendations from a task force of the Osteoarthritis Research Society International. 2006 , 14, 303-22	106
1172	UVB phototherapy in an outpatient setting or at home: a pragmatic randomised single-blind trial designed to settle the discussion. The PLUTO study. 2006 , 6, 39	12
1171	ALIFE@Work: a randomised controlled trial of a distance counselling lifestyle programme for weight control among an overweight working population [ISRCTN04265725]. 2006 , 6, 140	27
1170	Rationale and design of The Delphi Trial--I(RCT)2: international randomized clinical trial of rheumatoid craniocervical treatment, an intervention-prognostic trial comparing 'early' surgery with conservative treatment [ISRCTN65076841]. 2006 , 7, 14	13
1169	A Markov computer simulation model of the economics of neuromuscular blockade in patients with acute respiratory distress syndrome. 2006 , 6, 15	6

1168	The DAMASK trial protocol: a pragmatic randomised trial to evaluate whether GPs should have direct access to MRI for patients with suspected internal derangement of the knee. 2006 , 6, 133	18
1167	CESAR: conventional ventilatory support vs extracorporeal membrane oxygenation for severe adult respiratory failure. 2006 , 6, 163	164
1166	Fatigue Intervention by Nurses Evaluation--the FINE Trial. A randomised controlled trial of nurse led self-help treatment for patients in primary care with chronic fatigue syndrome: study protocol. [ISRCTN74156610]. 2006 , 4, 9	34
1165	Randomized clinical trial examining psychosocial and quality of life benefits of bilateral breast reduction surgery. 2006 , 93, 291-4	47
1164	Randomized clinical trial comparing multiple stab incision phlebectomy and transilluminated powered phlebectomy for varicose veins. 2006 , 93, 169-74	30
1163	Assessing utility values in rheumatoid arthritis: a comparison between time trade-off and the EuroQol. 2006 , 55, 751-6	37
1162	Patient-reported outcomes and health-related quality of life in effectiveness studies: pros and cons. 2006 , 67, 193-201	32
1161	Determinants of costs of care for patients with Alzheimer's disease. 2006 , 21, 449-59	169
1160	Relationship between periventricular and deep white matter lesions and depressive symptoms in older people. The LADIS Study. 2006 , 21, 983-9	86
1159	Patient versus informant reported quality of life in the earliest phases of Alzheimer's disease. 2006 , 21, 1132-8	108
1158	Measuring the effects of work loss on productivity with team production. 2006 , 15, 111-23	117
1157	Measurement of informal care: an empirical study into the valid measurement of time spent on informal caregiving. 2006 , 15, 447-60	136
1156	Towards a better QALY model. 2006 , 15, 665-76	37
1155	Long-term effects of bilateral subthalamic nucleus stimulation on health-related quality of life in advanced Parkinson's disease. 2006 , 21, 746-53	48
1154	Health-related quality of life in multiple system atrophy. 2006 , 21, 809-15	83
1153	Coordinating outcomes measurement in ataxia research: do some widely used generic rating scales tick the boxes?. 2006 , 21, 1396-403	20
1152	Outcome revealed by preference in schizophrenia (OPS): development of a new class of outcome measurements. 2006 , 15, 139-45	4
1151	Patient-reported outcome I: measuring what matters in musculoskeletal care. 2006 , 4, 187-203	26

1150	An open label, single-centre, randomized trial of spinal cord stimulation vs. percutaneous myocardial laser revascularization in patients with refractory angina pectoris: the SPiRiT trial. 2006 , 27, 1048-53	83
1149	Dehydroepiandrosterone improves psychological well-being in male and female hypopituitary patients on maintenance growth hormone replacement. 2006 , 91, 3773-9	51
1148	The cost-effectiveness of cognitive behavior therapy for borderline personality disorder: results from the BOScot trial. 2006 , 20, 466-81	51
1147	Economic evaluation. Part 1: Introduction to the concepts of economic evaluation in health care. 2006 , 32, 107-12	10
1146	Cost-effectiveness of high-dose atorvastatin compared with regular dose simvastatin. 2007 , 28, 1448-53	45
1145	ICF-basiertes Assessment in der rehabilitativen Therapie - dargestellt anhand des ICF-Modellblatts am Beispiel Kniegelenksarthrose. 2006 , 10, 31-37	
1144	Cost-effectiveness of referral for generic care or problem-solving treatment from community mental health nurses, compared with usual general practitioner care for common mental disorders: Randomised controlled trial. 2006 , 189, 50-9	45
1143	[Discriminative ability, construct validity and sensitivity to change of the EQ-5D quality of life questionnaire in paranoid schizophrenia]. 2006 , 33, 330-6	4
1142	The burden of upper gastrointestinal endoscopy in patients with Barrett's esophagus. 2006 , 38, 873-8	43
1141	Pretreatment endoscopy--pro & contra: endoscopy is needed before treatment in all patients with gastroesophageal reflux disease. 2006 , 38, 271-5	6
1140	[The Quality of Life Questionnaire EQ-5D: modelling and norm values for the general population]. 2006 , 56, 42-8	79
1139	Costs and quality of life in multiple sclerosis: a cross-sectional study in the United States. 2006 , 66, 1696-702	210
1138	Quality of life assessment in patients undergoing nucleoplasty-based percutaneous discectomy. 2006 , 4, 36-42	36
1137	Quality of life in patients with oesophageal and gastric cancer: an overview. 2006 , 70, 391-402	58
1136	Cost-effectiveness of self-managed versus physician-managed oral anticoagulation therapy. 2006 , 174, 1847-52	60
1135	A randomised controlled trial of a home based exercise programme to reduce the risk of falling among people with Parkinson's disease. 2007 , 78, 678-84	231
1134	Measuring quality of life in PSP: the PSP-QoL. 2006 , 67, 39-44	53
1133	Moving evidence-based interventions to populations: a case study using social workers in primary care. 2006 , 25, 95-113	4

1132 THEME 1 Research to Improve Standards of Care. **2006**, 7, 71-81

1131	Estimating needs in life threatening illness: a feasibility study to assess the views of patients and doctors. 2006 , 20, 205-10	21
1130	Evaluation of a regional disease management programme for patients with asthma or chronic obstructive pulmonary disease. 2006 , 18, 429-36	39
1129	Use of questionnaire-based outcomes for the measurement of activities and participation in the physiotherapy management of hip osteoarthritis: a review. 2006 , 11, 273-288	1
1128	Mapping the EQ-5D index from the SF-12: US general population preferences in a nationally representative sample. 2006 , 26, 401-9	134
1127	Quality of life and pain in advanced stage prostate cancer: results of a Southwest Oncology Group randomized trial comparing docetaxel and estramustine to mitoxantrone and prednisone. 2006 , 24, 2828-35	73
1126	Development and testing of a questionnaire to measure patient satisfaction with intermediate care. 2006 , 15, 314-9	20
1125	Expanding the evidence base for the cost-effectiveness of long-term psychoanalytic treatment. 2006 , 54, 1313-9	10
1124	Quality of life in systemic lupus erythematosus. 2006 , 13, 321-4	32
1123	Using preference-based measures to assess quality of life in stuttering. 2006 , 49, 381-94	24
1122	Volunteering for early phase gene transfer research in Parkinson disease. 2006 , 66, 1010-5	21
1121	The cost effectiveness of behavioural graded activity in patients with osteoarthritis of hip and/or knee. 2007 , 66, 215-21	37
1120	Methylenetetrahydrofolate reductase (MTHFR) genetic polymorphisms and psychiatric disorders: a HuGE review. 2007 , 165, 1-13	247
1119	Comparative pilot study of symptoms and quality of life in cancer patients and patients with end stage renal disease. 2006 , 20, 631-6	106
1118	The relationship of medical, demographic and psychosocial factors to direct and indirect health utility instruments in rheumatoid arthritis. 2006 , 45, 975-81	27
1117	Long-term outcome after stroke: evaluating health-related quality of life using utility measurements. 2006 , 37, 193-8	201
1116	Association of Cardiac Drugs with Depression after Acute Coronary Syndrome. 2006 , 22, 319-325	
1115	Self-reported medication treatment adherence among veterans with bipolar disorder. 2006 , 57, 56-62	62

1114	Retrospective cost-effectiveness analysis of screening mammography. 2006 , 98, 774-82	167
1113	Infliximab for the treatment of pyoderma gangrenosum: a randomised, double blind, placebo controlled trial. 2006 , 55, 505-9	380
1112	Assessing the impact of visual acuity on quality of life in individuals with type 2 diabetes using the short form-36. 2006 , 29, 1506-11	30
1111	A randomized controlled trial of cognitive behavior therapy for borderline personality disorder: rationale for trial, method, and description of sample. 2006 , 20, 431-49	35
1110	Randomized comparison of reduction and fixation, bipolar hemiarthroplasty, and total hip arthroplasty. Treatment of displaced intracapsular hip fractures in healthy older patients. 2006 , 88, 249-60	246
1109	A randomized controlled trial to evaluate intensity of community-based rehabilitation provision following stroke or hip fracture in old age: Results at 12-month followup. 2006 , 5,	4
1108	Markov model into the cost-utility over five years of etanercept and infliximab compared with usual care in patients with active ankylosing spondylitis. 2006 , 65, 201-8	31
1107	The use of standardized outcome measures in rehabilitation centres in the UK. 2006 , 20, 609-15	50
1106	Safety and patient satisfaction of infliximab administration in an extramural setting supervised by a rheumatology specialist nurse. 2006 , 65, 276	6
1105	Phase III trial comparing supportive care alone with supportive care with oral topotecan in patients with relapsed small-cell lung cancer. 2006 , 24, 5441-7	434
1104	Health state classification systems: how comparable are our cost-effectiveness ratios?. 2006 , 26, 223-5	5
1103	Influence of socioeconomic status on clinical outcomes and quality of life after percutaneous coronary intervention. 2006 , 60, 1085-8	37
1102	Randomized trial of two physiotherapy interventions for primary care neck and back pain patients: 'McKenzie' vs brief physiotherapy pain management. 2006 , 45, 1514-21	66
1101	General health and well-being in outpatients with depressive and bipolar disorders. 2006 , 60, 150-6	11
1100	Cost-utility analysis of short- versus long-course palliative radiotherapy in patients with non-small-cell lung cancer. 2006 , 98, 1786-94	52
1099	Body image in men with HIV. 2006 , 20, 668-77	38
1098	Screening for prevention of optic nerve damage due to chronic open angle glaucoma. 2006 , CD006129	23
1097	Health-related quality of life in a population-based sample of people with multiple sclerosis in Stockholm County. 2006 , 12, 605-12	50

1096	Quality of life in older people: a structured review of self-assessed health instruments. 2006 , 6, 181-94	18
1095	Exploring outcomes associated with acupuncture. 2006 , 12, 247-54	28
1094	Estimating the association between SF-12 responses and EQ-5D utility values by response mapping. 2006 , 26, 18-29	162
1093	Validation of the EuroQol questionnaire in cardiac rehabilitation. 2006 , 92, 62-7	115
1092	Cost and outcome analysis of two alcohol detoxification services. 2006 , 41, 84-91	10
1091	EQ-5D Value Sets. 2007 ,	261
1090	Health-related quality of life and economic burden in patients with restless legs syndrome. 2007 , 7, 503-21	21
1089	Diffusion tensor imaging detects clinically important axonal damage after mild traumatic brain injury: a pilot study. 2007 , 24, 1447-59	382
1088	Social outcomes in schizophrenia. 2007 , 50, s15-20	100
1087	Effectiveness of emergency care practitioners working within existing emergency service models of care. 2007 , 24, 239-43	46
1086	Effectiveness of liaison psychiatric nursing in older medical inpatients with depression: a randomised controlled trial. 2007 , 36, 436-42	16
1085	Health-related quality of life--an economist's perspective. 2007 , 3, 786-7	
1084	Comparing contents of functional outcome measures in stroke rehabilitation using the International Classification of Functioning, Disability and Health. 2007 , 29, 221-30	83
1083	Do baseline characteristics predict response to treatment for low back pain? Secondary analysis of the UK BEAM dataset [ISRCTN32683578]. 2007 , 46, 1297-302	79
1082	Rationale and design of a randomised, controlled, multicenter trial investigating the effects of selective serotonin re-uptake inhibition on morbidity, mortality and mood in depressed heart failure patients (MOOD-HF). 2007 , 9, 1212-22	66
1081	Associations of depression and anxiety with gender, age, health-related quality of life and symptoms in primary care COPD patients. 2007 , 24, 217-23	118
1080	SLE patients with renal damage incur higher health care costs. 2008 , 47, 329-33	57
1079	The overall status in rheumatoid arthritis (OSRA) measure--further evidence to support its use in clinical practice. 2007 , 46, 849-55	6

1078	Cluster randomised controlled trial of training practices in reattribution for medically unexplained symptoms. 2007 , 191, 536-42	78
1077	How do the EQ-5D, SF-6D and the well-being rating scale compare in patients with ankylosing spondylitis?. 2007 , 66, 771-7	29
1076	Percutaneous screw fixation for sacral insufficiency fractures: a review of three cases. 2007 , 89, 1650-3	31
1075	A prospective double blind placebo-controlled randomized trial of ultrasound in the physiotherapy treatment of shoulder pain. 2007 , 46, 815-20	34
1074	Renal artery stenosis: cost-effectiveness of diagnosis and treatment. 2007 , 244, 505-13	15
1073	The Interventional Management of Stroke (IMS) II Study. 2007 , 38, 2127-35	523
1072	Successive switching of antiretroviral therapy is associated with high psychological and physical burden. 2007 , 18, 700-4	27
1071	Umsetzung der ICF und der ICF-Core-Sets für lumbale Rückenschmerzen in der Rehabilitation. 2007 , 11, 101-109	1
1070	[The burden of depressive disorders in Germany - results from the European Study of the Epidemiology of Mental Disorders (ESEMeD)]. 2007 , 34, 292-301	13
1069	Umsetzung der ICF und der ICF Core Sets für lumbale Rückenschmerzen in der Rehabilitation. 2007 , 11, 188-195	1
1068	Förderung der Tabakabstinenz in der hausärztlichen Praxis: Die aktuelle Situation in Deutschland. 2007 , 8, 141-147	1
1067	Wodurch wird die Kosteneffektivität physiotherapeutischer Maßnahmen bei Patienten mit lumbalen Rückenschmerzen beeinflusst?. 2007 , 11, 125-135	
1066	Generic tools for measuring health-related quality of life in coronary artery disease. 2007 , 7, 171-6	1
1065	Impact of psychiatric disorders on health-related quality of life: general population survey. 2007 , 190, 326-32	253
1064	Posttraumatic hypopituitarism is associated with an unfavorable body composition and lipid profile, and decreased quality of life 12 months after injury. 2007 , 92, 3861-8	66
1063	A systematic review of health-related quality of life and hearing aids: final report of the American Academy of Audiology Task Force On the Health-Related Quality of Life Benefits of Amplification in Adults. 2007 , 18, 151-83	270
1062	Home-based medication review in a high risk elderly population in primary care--the POLYMED randomised controlled trial. 2007 , 36, 292-7	99
1061	Quality of Life Impairment in Schizophrenia, Mood and Anxiety Disorders. 2007 ,	13

1060	Is proton beam therapy cost effective in the treatment of adenocarcinoma of the prostate?. 2007 , 25, 3603-8	123
1059	Burden of illness, visual impairment and health resource utilisation of patients with neovascular age-related macular degeneration: results from the UK cohort of a five-country cross-sectional study. 2007 , 91, 1303-7	77
1058	Quality of life during 18 months after coronary artery bypass grafting. 2007 , 32, 77-82	27
1057	Thoughts on health economics in rheumatoid arthritis. 2007 , 66 Suppl 3, iii35-9	10
1056	Impact of self monitoring of blood glucose in the management of patients with non-insulin treated diabetes: open parallel group randomised trial. 2007 , 335, 132	291
1055	Quantifying improvement in symptoms, functioning, and quality of life after peripheral endovascular revascularization. 2007 , 115, 569-75	46
1054	Cervical spine magnetic resonance imaging in primary care consultants with shoulder pain: a case control study. 2007 , 66, 1363-8	6
1053	Long-term follow-up of patients with cardiac syndrome X treated by spinal cord stimulation. 2007 , 93, 591-7	39
1052	Living with thalidomide: health status and quality of life at 40 years. 2007 , 31, 147-56	14
1051	An economic evaluation of three physiotherapy treatments for non-specific neck disorders alongside a randomized trial. 2007 , 46, 1701-8	28
1050	The use of the Oxford hip and knee scores. 2007 , 89, 1010-4	813
1049	Clinical vs. structured interview on anxiety and affective disorders by primary care physicians. understanding diagnostic discordance. 2007 , 16, 144-51	13
1048	Safety and tolerability of bosentan in idiopathic pulmonary fibrosis: an open label study. 2007 , 29, 713-9	59
1047	Process evaluation of a nurse-led telemonitoring programme for patients with asthma. 2007 , 13, 310-7	12
1046	Hemiarthroplasty or internal fixation for intracapsular displaced femoral neck fractures: randomised controlled trial. 2007 , 335, 1251-4	175
1045	Impact on patients' health status following early identification of a COPD exacerbation. 2007 , 30, 907-13	84
1044	Is shared care with annual hospital review better value for money than predominantly hospital-based care in patients with established stable rheumatoid arthritis?. 2007 , 66, 658-63	9
1043	The value of an outdoor powered wheelchair with regard to the quality of life of persons with stroke: a follow-up study. 2007 , 19, 143-53	46

1042	PsoReg--the Swedish registry for systemic psoriasis treatment. The registry's design and objectives. 2007 , 214, 112-7	40
1041	A pan-European housing and health survey: description and evaluation of methods and approaches. 2007 , 30, 363	17
1040	Developing a preference-based Glaucoma Utility Index using a discrete choice experiment. 2007 , 84, 797-808	72
1039	The Importance of Aphasia Group Treatment for Rebuilding Community and Health. 2007 , 27, 300-308	38
1038	Functional outcome at 2.5, 5, 9, and 24 months after injury in the Netherlands. 2007 , 62, 133-41	139
1037	Patients with dementia with lewy bodies have more impaired quality of life than patients with Alzheimer disease. 2007 , 21, 150-4	96
1036	Postherpetic neuralgia in older adults: culture, quality of life, and the use of alternative/complementary therapies. 2007 , 21, 124-34	7
1035	Measuring quality of life in cosmetic and reconstructive breast surgery: a systematic review of patient-reported outcomes instruments. 2007 , 120, 823-837	202
1034	Determinants of long-term functional consequences after major trauma. 2007 , 62, 919-27	151
1033	Evaluation of reliability and validity of Spanish version of the end-stage renal disease symptom checklist-transplantation module. 2007 , 84, 1428-35	9
1032	Foraminal stenosis and single-level degenerative disc disease: a randomized controlled trial comparing decompression with decompression and instrumented fusion. 2007 , 32, 1375-80	49
1031	Active exercise, education, and cognitive behavioral therapy for persistent disabling low back pain: a randomized controlled trial. 2007 , 32, 1578-85	141
1030	Idiopathic scoliosis treated with Cotrel-Dubousset instrumentation: evaluation 10 years after surgery. 2007 , 32, 2103-10	54
1029	Depression-free day to utility-weighted score: is it valid?. 2007 , 45, 357-62	22
1028	Effectiveness of a back pain prevention program: a cluster randomized controlled trial in an occupational setting. 2007 , 32, 711-9	29
1027	Circumferential fusion is dominant over posterolateral fusion in a long-term perspective: cost-utility evaluation of a randomized controlled trial in severe, chronic low back pain. 2007 , 32, 2405-14	58
1026	Comparison of the cost-effectiveness of infliximab in the treatment of ankylosing spondylitis in the United Kingdom based on two different clinical trials. 2007 , 23, 368-75	15
1025	Cost-effectiveness of interpersonal psychotherapy for elderly primary care patients with major depression. 2007 , 23, 480-7	13

1024	Cost-utility of a disease management program for patients with asthma. 2007 , 23, 184-91	25
1023	Gender differences in response to antipsychotic treatment in outpatients with schizophrenia. 2007 , 153, 225-31	87
1022	Implications of chronic obstructive pulmonary disease (COPD) on patients' health status: a western view. 2007 , 101, 661-9	27
1021	Health-related quality of life in patients with narcolepsy. 2007 , 8, 733-41	119
1020	The impact of seizures and adverse effects on global health ratings. 2007 , 11, 179-84	27
1019	Pulsed radiofrequency adjacent to the cervical dorsal root ganglion in chronic cervical radicular pain: a double blind sham controlled randomized clinical trial. 2007 , 127, 173-82	178
1018	Assessing health-related quality of life in patients with Parkinson's disease in a prospective longitudinal study. 2007 , 13, 108-14	76
1017	Testing the validity of the PDQ-39 in patients with MSA. 2007 , 13, 152-6	5
1016	Longitudinal study of the ocular complications of AIDS: 1. Ocular diagnoses at enrollment. 2007 , 114, 780-6	115
1015	Health-related quality of life in older adults at risk for disability. 2007 , 33, 214-8	104
1014	The EQ-5D in alcohol dependent patients: relationships among health-related quality of life, psychopathology and social functioning. 2007 , 86, 253-64	41
1013	Quality-of-life in elderly patients with cancer: a short review. 2007 , 43, 2203-10	130
1012	A randomized trial of PET scanning to improve diagnostic yield of direct laryngoscopy in patients with suspicion of recurrent laryngeal carcinoma after radiotherapy. 2007 , 28, 705-12	16
1011	Functional and cognitive capacity and health-related quality of life 2 years after day hospital rehabilitation for stroke: a prospective study. 2007 , 16, 208-15	19
1010	Racial/ethnic differences in preferences for the EQ-5D health states: results from the U.S. valuation study. 2007 , 60, 479-90	33
1009	The health-related quality-of-life impact of chronic conditions varied with age in general population. 2007 , 60, 1288-97	57
1008	Home-based cardiac rehabilitation versus hospital-based rehabilitation: a cost effectiveness analysis. 2007 , 119, 196-201	83
1007	Unemployment and deprivation are associated with a poorer outcome following percutaneous coronary angioplasty. 2007 , 122, 168-9	12

1006	Validity of the EQ-5D in assessing and valuing health status in patients with schizophrenic, schizotypal or delusional disorders. 2007 , 22, 177-87	60
1005	Economic consequences of alternative medication strategies in first episode non-affective psychosis. 2007 , 22, 347-53	11
1004	A multicentre, randomized, naturalistic, open-label study between aripiprazole and standard of care in the management of community-treated schizophrenic patients Schizophrenia Trial of Aripiprazole: (STAR) study. 2007 , 22, 433-43	83
1003	Evaluation of Quality of Life and Quality of Sleep in Clinical Practice. 2007 , 6, 576-584	11
1002	Effect of early versus delayed interferon beta-1b treatment on disability after a first clinical event suggestive of multiple sclerosis: a 3-year follow-up analysis of the BENEFIT study. 2007 , 370, 389-97	417
1001	A Saturday physiotherapy service may decrease length of stay in patients undergoing rehabilitation in hospital: a randomised controlled trial. 2007 , 53, 75-81	51
1000	White matter changes and late-life depressive symptoms: longitudinal study. 2007 , 191, 212-7	122
999	Pain regulation and health-related quality of life after thoracolumbar fractures of the spine. 2007 , 16, 1925-33	32
998	Long-Term Cost-utility Analysis of a Multidisciplinary Primary Care Diabetes Management Program in Ontario. 2007 , 31, 205-214	20
997	Investing in new medical technologies: A decision framework. 2007 , 13, 263-271	53
996	Disease burden of overactive bladder: quality-of-life data assessed using ICI-recommended instruments. 2007 , 25, 129-42	20
995	Cost effectiveness of an adherence-improving programme in hypertensive patients. 2007 , 25, 239-51	23
994	Referral of patients with neuromuscular disease to occupational therapy, physical therapy and speech therapy: usual practice versus multidisciplinary advice. 2007 , 29, 717-26	33
993	Scales to measure parkinsonism. 2007 , 83, 289-327	9
992	Quality of life assessment in heart failure interventions: a 10-year (1996-2005) review. 2007 , 14, 589-607	29
991	Prolotherapy injections for chronic low-back pain. 2007 , CD004059	38
990	Clinical review: beyond immediate survival from resuscitation-long-term outcome considerations after cardiac arrest. 2007 , 11, 235	16
989	Adalimumab treatment is associated with improvement in health-related quality of life in psoriasis: patient-reported outcomes from a phase II randomized controlled trial. 2007 , 18, 25-31	64

988	Gastrointestinal symptoms in 342 patients with Fabry disease: prevalence and response to enzyme replacement therapy. 2007 , 5, 1447-53	103
987	Decision analysis and Markov modeling in urology. 2007 , 178, 1867-74	14
986	[How does intensive therapy of cardiovascular risk factors affect health-related quality of life in diabetic patients?]. 2007 , 39, 227-33	12
985	Withdrawal of inhaled corticosteroids in people with COPD in primary care: a randomised controlled trial. 2007 , 8, 93	60
984	Theoretical framework and methodological development of common subjective health outcome measures in osteoarthritis: a critical review. 2007 , 5, 14	20
983	Which health-related quality of life score? A comparison of alternative utility measures in patients with Type 2 diabetes in the ADVANCE trial. 2007 , 5, 21	77
982	Performance of the EQ-5D and the EQ-5D+C in elderly patients with cognitive impairments. 2007 , 5, 33	83
981	Validation of two generic patient-reported outcome measures in patients with type 2 diabetes. 2007 , 5, 47	47
980	Validity of SF-12 summary scores in a Greek general population. 2007 , 5, 55	135
979	Measuring the effect of intimate partner violence on health-related quality of life: a qualitative focus group study. 2007 , 5, 67	20
978	Artritis reumatoide: ¿cuál cara es?. 2007 , 8, 15-27	
977	Patients with Barrett's esophagus perceive their risk of developing esophageal adenocarcinoma as low. 2007 , 65, 26-30	24
976	Asthma control, severity, and quality of life: quantifying the effect of uncontrolled disease. 2007 , 120, 396-402	153
975	Summary health status measures in advanced heart failure: relationship to clinical variables and outcome. 2007 , 13, 560-8	40
974	Implementing mental health economic evaluation evidence: Building a bridge between theory and practice. 2007 , 16, 223-241	21
973	Addition of biphasic, prandial, or basal insulin to oral therapy in type 2 diabetes. 2007 , 357, 1716-30	574
972	WITHDRAWN: Low level laser therapy for nonspecific low-back pain. 2007 , CD005107	2
971	Impact of rate-modulated pacing on quality of life and exercise capacity--evidence from the Advanced Elements of Pacing Randomized Controlled Trial (ADEPT). 2007 , 4, 1125-32	71

970	Psychosocial, health and demographic characteristics of quality of life among patients with acute myeloid leukemia and malignant lymphoma who underwent autologous hematopoietic stem cell transplantation. 2007 , 125, 359-61	7
969	Trends in cost effectiveness analyses in orthopaedic surgery. 2007 , 457, 42-8	50
968	TOPICAL NEGATIVE PRESSURE TECHNIQUES IN CHRONIC LEG ULCERS. 2007 , 307-326	
967	Measuring quality of life. 2007 , 94, 923-4	62
966	Cost-utility analysis of a multidisciplinary job retention vocational rehabilitation program in patients with chronic arthritis at risk of job loss. 2007 , 57, 778-86	10
965	Clinical effectiveness of a rehabilitation program integrating exercise, self-management, and active coping strategies for chronic knee pain: a cluster randomized trial. 2007 , 57, 1211-9	173
964	Economic evaluation of a rehabilitation program integrating exercise, self-management, and active coping strategies for chronic knee pain. 2007 , 57, 1220-9	70
963	Quality of life in focal, segmental, and generalized dystonia. 2007 , 22, 341-7	67
962	Caregiver burden in Parkinson's disease. 2007 , 22, 924-31; quiz 1060	159
961	The suitability of patient-based measures in the field of Parkinson's disease: a systematic review. 2007 , 22, 1390-1401	38
960	Measuring health-related quality of life in MSA: the MSA-QoL. 2007 , 22, 2332-8	34
959	Patient-reported outcome II: selecting appropriate measures for musculoskeletal care. 2007 , 5, 72-90	16
958	Willingness to pay for road safety and estimates of the risk of death: evidence from a Swedish contingent valuation study. 2007 , 39, 853-65	48
957	Quality of life in patients with multiple myeloma and malignant lymphoma undergoing autologous progenitor stem cell transplantation: The effect of selected psychosocial and health aspects on quality of life: A retrospective analysis. 2007 , 12, 101-108	5
956	Health-related quality of life in acute myeloid leukaemia and multiple myeloma survivors undergoing autologous progenitor stem cell transplantation: a retrospective analysis. 2007 , 12, 231-238	4
955	Quality of life after stay in surgical intensive care unit. 2007 , 7, 8	13
954	Cognitive Behavioral Therapy versus Short Psychodynamic Supportive Psychotherapy in the outpatient treatment of depression: a randomized controlled trial. 2007 , 7, 58	23
953	Can asthma control be improved by understanding the patient's perspective?. 2007 , 7, 8	131

952	The Women's international study of long-duration oestrogen after menopause (WISDOM): a randomised controlled trial. 2007 , 7, 2	31
951	Current assessment of risk-benefit by regulators: is it time to introduce decision analyses?. 2007 , 82, 123-7	29
950	Critical review of generic and dermatology-specific health-related quality of life instruments. 2007 , 127, 2726-39	192
949	NPY5R antagonism does not augment the weight loss efficacy of orlistat or sibutramine. 2007 , 15, 2027-42	32
948	Impact of cardiometabolic risk factor clusters on health-related quality of life in the U.S. 2007 , 15, 511-21	73
947	Effect of NPY5R antagonist MK-0557 on weight regain after very-low-calorie diet-induced weight loss. 2007 , 15, 895-905	48
946	Developing core sets for persons with bipolar disorder based on the International Classification of Functioning, Disability and Health. 2007 , 9, 16-24	37
945	Diabetes mellitus, hypertension and medial temporal lobe atrophy: the LADIS study. 2007 , 24, 166-71	80
944	The Pharmacy Diabetes Care Program: assessment of a community pharmacy diabetes service model in Australia. 2007 , 24, 677-83	135
943	Assessment of impairment in health-related quality of life in patients with difficult asthma: psychometric performance of the Asthma Quality of Life Questionnaire. 2007 , 12, 227-33	13
942	Caring for ventilated patients in the community: a pilot study examining costs, quality of life and preferences. 2007 , 4, 330-337	5
941	Impact of adalimumab treatment on health-related quality of life and other patient-reported outcomes: results from a 16-week randomized controlled trial in patients with moderate to severe plaque psoriasis. 2008 , 158, 549-57	115
940	An evaluation of the relationship between adult height and health-related quality of life in the general UK population. 2007 , 67, 407-12	69
939	Methodological issues related to assessing and measuring quality of life in patients with cancer: implications for patient care. 2008 , 17, 56-64	11
938	Predictors of psychological health in spouses of persons affected by stroke. 2007 , 16, 885-91	35
937	An evaluation of an insulin transfer programme delivered in a group setting. 2007 , 16, 152-8	14
936	A systematic review of empirical studies between 1966 and 2005 of patient outcomes of total hip arthroplasty and related factors. 2008 , 17, 40-5	50
935	The epidemiologic, health-related quality of life, and economic burden of gastrointestinal stromal tumours. 2007 , 32, 557-65	24

934	Cost effectiveness of adult intensive care in the UK. 2007 , 62, 547-54	40
933	Duloxetine for the management of diabetic peripheral neuropathic pain: evaluation of functional outcomes. 2007 , 8, 410-8	28
932	Assessing the impact of pharmacologic intervention on the quality of life in diabetic peripheral neuropathic pain and fibromyalgia. 2007 , 8 Suppl 2, S33-42	10
931	Using Item Response Theory (IRT) for Developing and Evaluating the Pain Impact Questionnaire (PIQ-6). 2007 , 8, S129-S144	32
930	Improvement in usual gait speed predicts better survival in older adults. 2007 , 55, 1727-34	407
929	Addressing ceiling effects in health status measures: a comparison of techniques applied to measures for people with HIV disease. 2008 , 43, 327-39	81
928	Using EQ-5D to derive general population-based utilities for the quality of life assessment of growth hormone deficiency in adults (QoL-AGHDA). 2007 , 10, 73-81	26
927	Health-related quality of life measured with EQ-5D in patients treated for depression in primary care. 2007 , 10, 153-60	108
926	Mapping from disease-specific measures to utility: an analysis of the relationships between the Inflammatory Bowel Disease Questionnaire and Crohn's Disease Activity Index in Crohn's disease and measures of utility. 2007 , 10, 214-20	63
925	Quality of life among adolescents with cerebral palsy: what does the literature tell us?. 2007 , 49, 225-31	120
924	Cost-effectiveness of psoriasis therapy with etanercept in Germany. 2007 , 5, 762-8	26
923	Kosteneffektivität der Psoriasisbehandlung mit Etanercept in Deutschland. 2007 , 5, no-no	
922	Five-year outcome after mild head injury: a prospective controlled study. 2007 , 115, 398-402	44
921	Escitalopram in the treatment of major depressive disorder: clinical efficacy, tolerability and cost-effectiveness vs. venlafaxine extended-release formulation. 2007 , 61, 702-10	25
920	Health status impairment and costs associated with COPD exacerbation managed in hospital. 2007 , 61, 1112-20	41
919	Accounting for the effect of GERD symptoms on patients' health-related quality of life: supporting optimal disease management by primary care physicians. 2007 , 61, 2071-8	20
918	Leg ulceration in Portugal: quality of life. 2008 , 5, 34-9	15
917	Home-based exercise rehabilitation in addition to specialist heart failure nurse care: design, rationale and recruitment to the Birmingham Rehabilitation Uptake Maximisation study for patients with congestive heart failure (BRUM-CHF): a randomised controlled trial. 2007 , 7, 9	15

916	Improving the quality and efficiency of follow-up after curative treatment for breast cancer--rationale and study design of the MaCare trial. 2007, 7, 1	51
915	Introduction of a breast cancer care programme including ultra short hospital stay in 4 early adopter centres: framework for an implementation study. 2007, 7, 117	13
914	Highly active antiretroviral treatment and health related quality of life in South African adults with human immunodeficiency virus infection: A cross-sectional analytical study. 2007, 7, 244	54
913	Prevalence of self-reported diagnosis of diabetes mellitus and associated risk factors in a national survey in the US population: SHIELD (Study to Help Improve Early evaluation and management of risk factors Leading to Diabetes). 2007, 7, 277	59
912	The DYD-RCT protocol: an on-line randomised controlled trial of an interactive computer-based intervention compared with a standard information website to reduce alcohol consumption among hazardous drinkers. 2007, 7, 306	30
911	Efficacy of confrontational counselling for smoking cessation in smokers with previously undiagnosed mild to moderate airflow limitation: study protocol of a randomized controlled trial. 2007, 7, 332	23
910	The effectiveness of adding cognitive behavioural therapy aimed at changing lifestyle to managed diabetes care for patients with type 2 diabetes: design of a randomised controlled trial. 2007, 7, 74	30
909	Musculoskeletal impairment survey in Rwanda: design of survey tool, survey methodology, and results of the pilot study (a cross sectional survey). 2007, 8, 30	29
908	Chiropractic and exercise for seniors with low back pain or neck pain: the design of two randomized clinical trials. 2007, 8, 94	24
907	Effect of corticosteroid injection for trochanter pain syndrome: design of a randomised clinical trial in general practice. 2007, 8, 95	20
906	Outcome related to impact on daily living: preliminary validation of the ORIDL instrument. 2007, 7, 139	36
905	Measuring disability and quality of life in established rheumatoid arthritis. 2007, 21, 827-40	69
904	Are pre-hospital time and emergency department disposition time useful process indicators for trauma care in Italy?. 2007, 38, 305-11	34
903	Cancer wasting and quality of life react to early individualized nutritional counselling!. 2007, 26, 7-15	74
902	Health-related quality of life and cost-effectiveness components of the Action to Control Cardiovascular Risk in Diabetes (ACCORD) trial: rationale and design. 2007, 99, 90i-102i	22
901	The burden of testosterone deficiency syndrome in adult men: economic and quality-of-life impact. 2007, 4, 1056-69	80
900	Quality of life after solid organ transplantation. 2007, 21, 155-170	7
899	Family satisfaction in the intensive care unit: cross-cultural adaptation of a questionnaire. 2007, 22, 204-11	43

898	Management of bisphosphonate treatment in clinical practice. 2007 , 34, S28-32	5
897	Rating scales as outcome measures for clinical trials in neurology: problems, solutions, and recommendations. 2007 , 6, 1094-105	343
896	Eradication of <i>Helicobacter pylori</i> does not reduce the incidence of gastroduodenal ulcers in patients on long-term NSAID treatment: double-blind, randomized, placebo-controlled trial. 2007 , 12, 477-85	43
895	Symptomatic remission in previously untreated patients with schizophrenia: 2-year results from the SOHO study. 2007 , 191, 1015-22	31
894	Questionnaires for women with pelvic floor disorders. 2007 , 18, 461-5	55
893	Criterion validity of the BBUSQ-22: a questionnaire assessing bowel and urinary tract symptoms in women. 2007 , 18, 1133-7	5
892	Historical height loss, vertebral deformity, and health-related quality of life in Hiroshima cohort study. 2007 , 18, 1493-9	26
891	Cost-Effectiveness of Recombinant Activated Factor VII as Adjunctive Therapy for Bleeding Control in Severely Injured Trauma Patients in Germany. 2007 , 33, 528-38	3
890	Coaxil (tianeptine) in the treatment of depression in Parkinson's disease. 2007 , 37, 419-24	13
889	The Heart in Haart: Quality of Life of Patients Enrolled in the Public Sector Antiretroviral Treatment Programme in the Free State Province of South Africa. 2007 , 81, 283-329	23
888	The development of a new measure of quality of life in the management of gastro-oesophageal reflux disease: the Reflux questionnaire. 2007 , 16, 331-43	19
887	Responsiveness of disease-specific and generic utility instruments in prostate cancer patients. 2007 , 16, 509-22	68
886	Methodological issues for building item banks and computerized adaptive scales. 2007 , 16 Suppl 1, 109-19	50
885	Content comparison of health-related quality of life measures used in stroke based on the international classification of functioning, disability and health (ICF): a systematic review. 2007 , 16, 833-51	116
884	Health related quality of life in different states of breast cancer. 2007 , 16, 1073-81	150
883	US and UK versions of the EQ-5D preference weights: does choice of preference weights make a difference?. 2007 , 16, 1065-72	37
882	Utilities and disutilities for type 2 diabetes treatment-related attributes. 2007 , 16, 1251-65	89
881	Choosing between measures: comparison of EQ-5D, HUI2 and HUI3 in persons with hearing complaints. 2007 , 16, 1439-49	60

880	Different perceptions of the burden of upper GI endoscopy: an empirical study in three patient groups. 2007 , 16, 1309-18	28
879	Perception of own death risk. 2007 , 34, 67-84	43
878	Inaccuracy in self-report of fractures may underestimate association with health outcomes when compared with medical record based fracture registry. 2007 , 22, 631-9	53
877	Utility loss and indirect costs following cardiovascular events in hypertensive patients: the ASCOT health economic substudy. 2007 , 8, 25-30	24
876	Low back pain in general practice: cost-effectiveness of a minimal psychosocial intervention versus usual care. 2007 , 16, 1812-21	30
875	Comparative studies on hearing aid selection and fitting procedures: a review of the literature. 2008 , 265, 21-9	4
874	Mental status and health-related quality of life in an elderly population 15 years after limited cerebral ischaemia. 2007 , 254, 1018-25	11
873	Assessment of quality of life in severe heart failure. 2007 , 4, 170-7	17
872	Quality of life issues in caregivers of youngsters with thalassemia. 2007 , 74, 275-8	11
871	Psychological problems and quality of life in children with thalassemia. 2007 , 74, 727-30	63
870	Can patients' preferences for involvement in decision-making regarding the use of medicines be predicted?. 2007 , 66, 361-7	50
869	Prognostic factors for the effects of two interventions for work-related neck-shoulder complaints: myofeedback training and ergonomic counselling. 2008 , 39, 743-53	10
868	Rationale, design and baseline data from the Pre-diabetes Risk Education and Physical Activity Recommendation and Encouragement (PREPARE) programme study: a randomized controlled trial. 2008 , 73, 264-71	42
867	Measuring health-related quality of life in drug clinical trials: is it given due importance?. 2008 , 30, 154-60	17
866	Health-related quality of life of day-case surgery patients: a pre/posttest survey using the EuroQoL-5D. 2008 , 17, 169-77	20
865	The validity of generic and condition-specific preference-based instruments: the ability to discriminate asthma control status. 2008 , 17, 453-62	58
864	EuroQol EQ-5D and condition-specific measures of health outcome in women with urinary incontinence: reliability, validity and responsiveness. 2008 , 17, 475-83	40
863	Comparing preference-based quality-of-life measures: results from rehabilitation patients with musculoskeletal, cardiovascular, or psychosomatic disorders. 2008 , 17, 485-95	120

862	Identifying response shift statistically at the individual level. 2008 , 17, 627-39	36
861	The disutility of chronic gout. 2008 , 17, 815-22	34
860	Psychological factors associated with emotional responses to receiving genetic risk information. 2008 , 17, 234-41	40
859	Het beloop en de prognose van schouderklachten: verschillen tussen acute en chronische klachten. 2008 , 51, 542-548	1
858	Oefentherapie is effectief bij een lumbosacraal radiculair syndroom. 2008 , 51, 549-554	
857	Utilisation d'un index de qualité pour la prise en charge du reflux gastro-œsophagien et la valuation des effets thérapeutiques. 2008 , 38, 229-241	
856	Association between height loss and bone loss, cumulative incidence of vertebral fractures and future quality of life: the Miyama study. 2008 , 19, 21-8	24
855	Fracture incidence and changes in quality of life in women with an inadequate clinical outcome from osteoporosis therapy: the Observational Study of Severe Osteoporosis (OSSO). 2008 , 19, 493-501	39
854	Quality of life in postoperative Japanese hip fracture patients: a hospital-based prospective study. 2008 , 3, 7-15	5
853	A comprehensive evaluation of elderly people discharged from an Emergency Department. 2008 , 3, 245-9	28
852	Quality of life after TKA for patients with juvenile rheumatoid arthritis. 2008 , 466, 167-78	15
851	Cross-cultural adaptation and validation of the Portuguese version of the Knee Outcome Survey-Activities of Daily Living Scale (KOS-ADLS). 2008 , 27, 1445-9	17
850	The PRIAMO study: background, methods and recruitment. 2008 , 29, 61-5	24
849	Physical therapy plus general practitioners' care versus general practitioners' care alone for sciatica: a randomised clinical trial with a 12-month follow-up. 2008 , 17, 509-17	67
848	The burden of rheumatoid arthritis and access to treatment: outcome and cost-utility of treatments. 2008 , 8 Suppl 2, 95-106	27
847	Hysterectomy and women satisfaction: total versus subtotal technique. 2008 , 278, 405-10	40
846	Depression in focal, segmental and generalized dystonia. 2008 , 255, 1750-5	55
845	Impact of skeletal complications on patients' quality of life, mobility, and functional independence. 2008 , 16, 879-89	148

844	Laparoscopic ileocolic resection versus infliximab treatment of distal ileitis in Crohn's disease: a randomized multicenter trial (LIR!C-trial). 2008 , 8, 15	22
843	Primary prevention of diabetes mellitus type 2 and cardiovascular diseases using a cognitive behavior program aimed at lifestyle changes in people at risk: Design of a randomized controlled trial. 2008 , 8, 6	33
842	The impact of individualised cardiovascular disease (CVD) risk estimates and lifestyle advice on physical activity in individuals at high risk of CVD: a pilot 2 x 2 factorial understanding risk trial. 2008 , 7, 21	14
841	Evaluation of the cost effectiveness of exenatide versus insulin glargine in patients with sub-optimally controlled type 2 diabetes in the United Kingdom. 2008 , 7, 24	31
840	Disability adjusted life years and minimal disease: application of a preference-based relevance criterion to rank enteric pathogens. 2008 , 6, 7	31
839	Efficacy of tibolone and raloxifene for the maintenance of skeletal muscle strength, bone mineral density, balance, body composition, cognitive function, mood/depression, anxiety and quality of life/well-being in late postmenopausal women ≥ 70 years: study design of a randomized, double-blind, placebo-controlled, parallel-group trial. 2008 , 9, 36	7
838	Magnet therapy for the relief of pain and inflammation in rheumatoid arthritis (CAMBRA): a randomised placebo-controlled crossover trial. 2008 , 9, 53	17
837	Study design and methods of the BoTULS trial: a randomised controlled trial to evaluate the clinical effect and cost effectiveness of treating upper limb spasticity due to stroke with botulinum toxin type A. 2008 , 9, 59	12
836	Burden, perceived health status, and mood among caregivers of Parkinson's disease patients. 2008 , 23, 1673-80	136
835	SCOPA-sleep and PDSS: two scales for assessment of sleep disorder in Parkinson's disease. 2008 , 23, 1681-8	65
834	Cross-cultural analysis of quality of life and mental health. 2008 , 15, 139-41	
833	Quality of life of patients with ulcerative colitis: past, present, and future. 2008 , 14, 554-65	96
832	Ginkgo biloba for mild to moderate dementia in a community setting: a pragmatic, randomised, parallel-group, double-blind, placebo-controlled trial. 2008 , 23, 1222-30	60
831	Social capital and its relationship with measures of health status: evidence from the Health Survey for England 2003. 2008 , 17, 127-43	67
830	Randomized clinical trial of honey-impregnated dressings for venous leg ulcers. 2008 , 95, 175-82	129
829	Designing patient-related interventions in COPD care: empirical test of a theoretical model. 2008 , 72, 223-31	30
828	Actualit� sur la maladie, co�ts et qualit� de vie des patients atteints de polyarthrite rhumato�de en France: �tude ECO-PR. 2008 , 75, 804-812	4
827	Social capital externalities and mortality in Sweden. 2008 , 6, 19-42	48

826	Quality of life after stereotactic body radiation therapy for primary and metastatic liver tumors. 2008 , 70, 1447-52	60
825	Characterization of patients in the European Forsteo Observational Study (EFOS): postmenopausal women entering teriparatide treatment in a community setting. 2008 , 24, 377-84	40
824	Design of the economic evaluation for the Interventional Management of Stroke (IMS) trial. 2008 , 3, 138-44	15
823	The mission is remission: health economic consequences of achieving full remission with antidepressant treatment for depression. 2006 , 60, 791-8	58
822	A systematic review of psychometric evidence and expert opinion regarding the assessment of faecal incontinence in older community-dwelling adults. 2008 , 6, 225-59	5
821	Quality of life in atrial fibrillation: measurement tools and impact of interventions. 2008 , 19, 762-8	75
820	Q-TWiST analysis of lapatinib combined with capecitabine for the treatment of metastatic breast cancer. 2008 , 99, 711-5	30
819	The effect of early versus delayed postcaesarean feeding on women's satisfaction: a randomised controlled trial. 2008 , 115, 332-8	18
818	Are family physicians good for you? Endogenous doctor supply and individual health. 2008 , 43, 1128-44	23
817	Valuation of the SF-6D Health States Is Feasible, Acceptable, Reliable, and Valid in a Chinese Population. 2008 , 11, 295-303	93
816	The burden of ankylosing spondylitis in Spain. 2008 , 11, 408-15	34
815	Development of EMPRO: a tool for the standardized assessment of patient-reported outcome measures. 2008 , 11, 700-8	136
814	Estimating quality weights for EQ-5D health states with the time trade-off method in South Korea. 2008 , 11, 1186-9	54
813	Sociodemographic and clinical correlates of utility scores in Alzheimer's disease. 2008 , 11, 1120-30	6
812	Deriving an algorithm to convert the eight mean SF-36 dimension scores into a mean EQ-5D preference-based score from published studies (where patient level data are not available). 2008 , 11, 1131-43	133
811	Validity of the EuroQoL (EQ-5D) instrument in a Greek general population. 2008 , 11, 1162-9	92
810	Applying the Expectancy-Value Model to understand health values. 2008 , 11 Suppl 1, S61-8	7
809	Consequences of antiepileptic drug withdrawal: a randomized, double-blind study (Akershus Study). 2008 , 49, 455-63	131

808	Outcome measures in immune-mediated neuropathies: the need to standardize their use and to understand the clinimetric essentials. 2008 , 13, 136-47	36
807	Using topiramate or naltrexone for the treatment of alcohol-dependent patients. 2008 , 32, 1251-9	54
806	Patients on the waiting list for total hip replacement: a 1-year follow-up study. 2008 , 22, 536-42	22
805	Burden of neuropathic pain in Indian patients attending urban, specialty clinics: results from a cross sectional study. 2008 , 8, 362-78	12
804	Bosentan therapy in patients with pulmonary arterial hypertension: the relationship between improvements in 6 minute walk distance and quality of life. 2008 , 13, 674-82	26
803	Hypoglycaemia in patients with type 2 diabetes treated with a combination of metformin and sulphonylurea therapy in France. 2008 , 10 Suppl 1, 16-24	81
802	Quality of life in rhinoconjunctivitis assessed with generic and disease-specific questionnaires. 2008 , 63, 284-91	36
801	Chronic rhinosinusitis and nasal polyps: the role of generic and specific questionnaires on assessing its impact on patient's quality of life. 2008 , 63, 1267-79	62
800	Proactive interventions for smoking cessation in general medical practice: a quasi-randomized controlled trial to examine the efficacy of computer-tailored letters and physician-delivered brief advice. 2008 , 103, 294-304	60
799	Preference-weighted health-related quality of life measures and substance use disorder severity. 2008 , 103, 1320-9; discussion 1330-2	24
798	Systematic review: health-related quality of life (HRQOL) questionnaires in gastro-oesophageal reflux disease. 2008 , 27, 1053-70	28
797	Growth hormone (GH) replacement in hypopituitary adults with GH deficiency evaluated by a utility-weighted quality of life index: a precursor to cost-utility analysis. 2008 , 68, 122-9	18
796	Quality of life in haemophilia. 2008 , 14 Suppl 3, 19-25	26
795	Quality of private personal care for elderly people with a disability living at home: correlates and potential outcomes. 2008 , 16, 354-62	16
794	Prevalence of epilepsy in Rwanda: a national cross-sectional survey. 2008 , 13, 1047-53	28
793	Application of BMP-7 to tibial non-unions: a 3-year multicenter experience. 2008 , 39 Suppl 2, S83-90	124
792	Health-related quality of life after myocardial infarction is associated with level of left ventricular ejection fraction. 2008 , 8, 28	26
791	Motives for (not) participating in a lifestyle intervention trial. 2008 , 8, 17	76

790	Reasons for not using smoking cessation aids. 2008 , 8, 129	27
789	Growing old at home - a randomized controlled trial to investigate the effectiveness and cost-effectiveness of preventive home visits to reduce nursing home admissions: study protocol [NCT00644826]. 2008 , 8, 185	11
788	(Cost)effectiveness of life review for older adults: design of a randomized controlled trial. 2008 , 8, 211	9
787	Clinical and cost-effectiveness of computerised cognitive behavioural therapy for depression in primary care: design of a randomised trial. 2008 , 8, 224	27
786	The 'Walking for Wellbeing in the West' randomised controlled trial of a pedometer-based walking programme in combination with physical activity consultation with 12 month follow-up: rationale and study design. 2008 , 8, 259	32
785	Sickness absence and self-reported health a population-based study of 43,600 individuals in central Sweden. 2008 , 8, 426	40
784	Tai Chi for treating knee osteoarthritis: designing a long-term follow up randomized controlled trial. 2008 , 9, 108	35
783	Transcutaneous vagus nerve stimulation in erosive hand osteoarthritis: protocol for the randomised, double-blind, sham-controlled ESTIVAL trial.. 2022 , 12, e056169	
782	A composite clinical motor score as a comprehensive and sensitive outcome measure for Parkinson's disease.. 2022 ,	
781	Postoperative outcomes after degenerative lumbar spine surgery in rheumatoid arthritis patients -a propensity score-matched analysis.. 2022 , 23, 380	0
780	Role of frailty in functional recovery after hip fracture, the variable impact in restoring autonomy.. 2022 , 92, e2021387	
779	Health-Related Quality of Life, Psychosocial Distress and Unmet Needs in Older Patients With Head and Neck Cancer.. 2022 , 12, 834068	0
778	Economic evaluation of fractional flow reserve-guided versus angiography-guided multivessel revascularisation in ST-segment elevation myocardial infarction patients in the FLOWER-MI randomised trial.. 2022 ,	0
777	Relieving the Burden of Family Members of Patients with Obsessive-Compulsive Disorder.. 2019 , 16, 47-52	
776	Comparison of Outcomes of Lumbar Interbody Fusion and Full-endoscopic Laminectomy for L5 Radiculopathy Caused by Lumbar Foraminal Stenosis.. 2022 ,	
775	Major Metrics, Concerns, and Assessment Strategy for Mobility Assistive Devices. 2022 , 725-751	
774	The impact of a digital joint school educational programme on post-operative outcomes following lower limb arthroplasty: a retrospective comparative cohort study.. 2022 , 22, 580	
773	Validity of balance measures in cerebellar ataxia: A prospective study with 12-month follow-up.. 2022 ,	0

- 772 Safety and Reoperation Rates in Non-instrumented Lumbar Fusion Surgery: Secondary Report From a Randomized Controlled Trial of ABM/P-15 vs Allograft With Minimum 5 years Follow-Up.. **2022**, 21925682221090924
- 771 The EMDR Recent Traumatic Episode Protocol With an Intensive Care Survivor: A Case Study. **2022**, 16, 50-60 1
- 770 The association between patients' illness perceptions and longitudinal clinical outcome in patients with low back pain.. **2022**, 7, e1004 1
- 769 Comparison of employment among people with Multiple Sclerosis across Europe.. **2022**, 8, 20552173221090653
- 768 Role of neuroticism and perceived stress on quality of life among patients with dry eye disease.. **2022**, 12, 7079 0
- 767 Individualized Home-based rehabilitation after stroke in France: a pragmatic study of a Community Stroke Rehabilitation Team.. **2022**, 1-17
- 766 Prevalence of polypharmacy in community-dwelling older adults from seven centres in five European countries: a cross-sectional study of DO-HEALTH.. **2022**, 12, e051881 1
- 765 A randomised placebo-controlled, double-blind phase II study to explore the safety, efficacy, and pharmacokinetics of sonlicromanol in children with genetically confirmed mitochondrial disease and motor symptoms ("KHENERGYC").. **2022**, 22, 158 1
- 764 Impact of myalgic encephalomyelitis/chronic fatigue syndrome (ME/CFS) on the quality of life of people with ME/CFS and their partners and family members: an online cross-sectional survey.. **2022**, 12, e058128 1
- 763 Heavy Menstrual Bleeding-Visual Analog Scale, an Easy-to-Use Tool for Excessive Menstrual Blood Loss That Interferes with Quality-of-Life Screening in Clinical Practice. **2022**, 3, 483-490
- 762 COVID-19-Related Burden and Risk Perception in Individuals with Chronic Inflammatory Demyelinating Polyneuropathy and Multifocal Motor Neuropathy: A Cross-Sectional Study.. **2022**, 1 0
- 761 Predictive factors and clinical effects of diabetic hand: a prospective study with 1-year follow-up. **2022**,
- 760 Long-Term Outcome and Quality of Life in Patients With Stroke Presenting With Extensive Early Infarction. **2022**, 2, 0
- 759 Pain management and strength gains compared between pneumatic partial weight support treadmill and underwater treadmill in overweight patients with knee osteoarthritis: A randomized controlled trial.. **2022**, 2692155221097032
- 758 Long-term effect of a care manager on work ability for patients with depression -the PRIM-CARE RCT.. **2022**,
- 757 Long-term use of glucocorticoids for polymyalgia rheumatica: follow-up of the PMR Cohort Study.. **2022**, 6, rkac034
- 756 Additional operations after surgery for lumbar disc prolapse : indications, type of surgery, and long-term follow-up of primary operations performed from 2007 to 2008.. **2022**, 104-B, 627-632 3
- 755 Non-operative treatment or volar locking plate fixation for dorsally displaced distal radius fractures in patients over 70 years - a three year follow-up of a randomized controlled trial.. **2022**, 23, 447 0

754	Stay short or go long in revision THA with Paprosky type II femoral defects: A comparative study with the use of an uncemented distal fixating modular stem and a primary monobloc conical stems with 5 years follow-up.. 2022,	○
753	ASSERT (Acute Sacral insufficiency fracture augmentation): randomised controlled, feasibility trial in older people.. 2022, 12, e050535	○
752	The EORTC QLU-C10D discrete choice experiment for cancer patients: a first step towards patient utility weights.. 2022, 6, 42	
751	Effect of self-managed lifestyle treatment on glycemic control in patients with type 2 diabetes.. 2022, 5, 60	○
750	Trends in Influenza Vaccination Rates in Participants With Airflow Limitation: The Korea National Health and Nutrition Examination Survey 2007-2018.. 2022, 9, 870617	○
749	Rating Spine Surgeons: Physician Review Websites Versus a Patient-reported Outcomes-derived Ranking.. 2022,	
748	Health and social outcomes in the Housing First model: Testing the theory of change.. 2022, 47, 101387	1
747	Genetic associations with healthy ageing among Chinese adults. 2022, 8,	
746	Survivorship and Clinical Outcomes of Total Elbow Arthroplasty Using the Zimmer Nexel Elbow System. 2022,	
745	Intraoperative pressure sensors improve soft-tissue balance but not clinical outcomes in total knee arthroplasty: a multicentre randomized controlled trial.. 2022, 104-B, 604-612	○
744	Long-term clinical performance of an uncemented, mobile bearing, anterior stabilized knee system and the impact of previous knee surgery.. 2022,	○
743	Prioritisation of patients awaiting hip and knee arthroplasty: Lower pre-operative EQ-5D is associated with greater improvement in quality of life and joint function.. 2022,	1
742	Association of golimumab trough concentrations during maintenance with clinical, biological, endoscopic and histologic remission in patients with ulcerative colitis.. 2022,	1
741	Development of the SF-6Dv2 health utility survey: comprehensibility and patient preference.. 2022, 6, 47	○
740	Radiographic and clinical outcome of tibial plateau fractures treated with bone allograft.. 2022, 1	○
739	Quality of life and other patient-reported outcomes across the lifespan among people with Fontan palliation.. 2022,	○
738	Quality of Life in Craniopharyngioma: A Systematic Review.. 2022,	○
737	Erenumab Impact on Sleep Assessed With Questionnaires and Home-Polysomnography in Patients With Migraine: The ERESO Study. 2022, 13,	○

- 736 Health effects of loneliness and social isolation in older adults living in congregate long term care settings: A systematic review of quantitative and qualitative evidence. **2022**, 104728 1
- 735 Cost-Effectiveness of Comprehensive Geriatric Assessment Adapted to Primary Care.. **2022**,
- 734 The Montreal Cognitive Assessment (MoCA) in Neuro-Oncology: A Pilot Study of Feasibility and Utility in Telehealth and In-Person Clinical Assessments. 0
- 733 Kwaliteit van leven bij patiënten met de ziekte van Parkinson: Een kritische evaluatie. **2006**, 34, 164-173
- 732 Generic preference-based measures: how economists measure health benefit.
- 731 Art of the Clinical Trial. **2017**, 1867-1871.e1
- 730 Pharmacoeconomics. **2013**, 757-765.e1
- 729 Effectiveness Evaluation of the Shoulder. **2017**, 169-181.e3
- 728 Using routine healthcare data to evaluate the impact of the Medicines at Transitions Intervention (MaTI) on clinical outcomes of patients hospitalised with heart failure: protocol for the Improving the Safety and Continuity Of Medicines management at Transitions of care (ISCOMAT) cluster randomised controlled trial with embedded process evaluation, health economics evaluation and internal pilot. **2022**, 12, e054274 0
- 727 Evaluation of the Effect of Patient Education and Strengthening Exercise Therapy Using a Mobile Messaging App on Work Productivity in Japanese Patients With Chronic Low Back Pain: Open-Label, Randomized, Parallel-Group Trial.. **2022**, 10, e35867 0
- 726 High rates of impaired quality of life and social and economic problems at 6 months after COVID-19-related ARDS. **2022**, 2, 1
- 725 Reduced anticoagulation targets in extracorporeal life support (RATE): study protocol for a randomized controlled trial.. **2022**, 23, 405 0
- 724 Effect of goal-directed mobilisation intervention compared with standard care on physical activity among medical inpatients: protocol for the GoMob-in randomised controlled trial.. **2022**, 12, e058509
- 723 "A fog that impacts everything": a qualitative study of health-related quality of life in people living with HIV who have cognitive impairment.. **2022**, 2
- 722 Evaluation of the Effect of Patient Education and Strengthening Exercise Therapy Using a Mobile Messaging App on Work Productivity in Japanese Patients With Chronic Low Back Pain: Open-Label, Randomized, Parallel-Group Trial (Preprint).
- 721 Dressings and topical agents for the management of open wounds after surgical treatment for sacrococcygeal pilonidal sinus.. **2022**, 5, CD013439 0
- 720 Biologic vs Synthetic Mesh for Parastomal Hernia Repair: Post Hoc Analysis of a Multicenter Randomized Controlled Trial.. **2022**, 0
- 719 Development and validation of the symptom burden questionnaire for long covid (SBQ-LC): Rasch analysis.. **2022**, 377, e070230 4

718	Effect, economic and process-evaluation of a generic function focused care program for long-term care; study protocol of a multicenter cluster-randomized trial.. 2022 , 21, 121	
717	Urinary Kallidinogenase plus rt-PA Intravenous Thrombolysis for Acute Ischemic Stroke: A Systematic Review and Meta-Analysis of Randomized Controlled Trials. 2022 , 2022, 1-10	
716	The Trial to Assess Chelation Therapy 2 (TACT2): Rationale and Design. 2022 ,	0
715	Do seasons matter? Exploring the dynamic link between blue-green space and mental restoration. 2022 , 73, 127612	0
714	Do we agree or disagree? A systematic review of the application of preference-based instruments in self and proxy reporting of quality of life in older people. 2022 , 305, 115046	2
713	Quality of life tools for spinal cord injured people. 2022 , 173-189	
712	Response Format. 2022 , 1-3	
711	Still Wanting to Win: Reward System Stability in Healthy Aging. 14,	
710	Connecting real-world digital mobility assessment to clinical outcomes for regulatory and clinical endorsement in the Mobilise-D study protocol.	
709	Patient-reported Outcomes from JAVELIN Bladder 100: Avelumab First-line Maintenance Plus Best Supportive Care Versus Best Supportive Care Alone for Advanced Urothelial Carcinoma. 2022 ,	0
708	Behavioural activation for co-morbid depression in people with non-communicable disease in India: Protocol for a randomised controlled feasibility trial (BEACON).	
707	Health-Related Quality of Life in Spanish Schoolchildren and Its Association with the Fitness Status and Adherence to the Mediterranean Diet. 2022 , 14, 2322	3
706	Classification of painful or painless diabetic peripheral neuropathy and identification of the most powerful predictors using machine learning models in large cross-sectional cohorts. 2022 , 22,	2
705	Self-selection vs Randomized Assignment of Treatment for Appendicitis.	0
704	Atypical Treatment Switches in Schizophrenia Patients: Drivers and Associated Outcomes. Volume 18, 1057-1067	
703	Discrete choice experiment with duration versus time trade-off: a comparison of test-retest reliability of health utility elicitation approaches in SF-6Dv2 valuation.	0
702	Factors associated with change over time in quality of life of people with dementia: longitudinal analyses from the MODEM cohort study. 2022 , 22,	0
701	Quality of Life in Teenagers and Adults With Coeliac Disease: From Newly Spanish Coeliac Disease Questionnaire Validation to Assessment in a Population-Based Study. 2022 , 9,	

- 700 Midline and off-midline wound closure methods after surgical treatment for pilonidal sinus. **2022**, 2022, 0
- 699 Randomised controlled trial of a behaviour change physiotherapy intervention to increase physical activity following hip and knee replacement: the PEP-TALK trial. **2022**, 12, e061373 0
- 698 Hand Grip Strength and Likelihood of Moderate-to-Severe Airflow Limitation in the General Population. Volume 17, 1237-1245 1
- 697 Disability specific equivalence scales: a case-control approach applied to the cost of acquired brain injuries. 0
- 696 Physical Condition and Risk of Hospitalization and Polypharmacy in Older Adults.
- 695 Opioid agonist treatment improves progression through the HIV cascade of care among people living with HIV who use unregulated opioids. **24**, Publish Ahead of Print,
- 694 A Telehealth and Telepsychiatry Economic Cost Analysis Framework: Scoping Review. 2
- 693 Long-term open-label safety study of galcanezumab in patients with episodic or chronic cluster headache. 033310242211035 0
- 692 Development and validation of a disease-specific quality of life questionnaire for patients with peripheral artery disease (QOLPAD). **2022**, 6,
- 691 Public versus patient health preferences: protocol for a study to elicit EQ-5D-5L health state valuations for patients who have survived a stay in intensive care. **2022**, 12, e058500
- 690 Anticipatory care planning for community-dwelling older adults at risk of functional decline: a feasibility cluster randomized controlled trial. **2022**, 22, 0
- 689 Long-term Toxicity, Swallow Function, and Quality of Life on MC1273, a Phase II Study of Dose De-escalation for Adjuvant Chemoradiation in HPV-Positive Oropharyngeal Cancer (HPV-OPC). **2022**,
- 688 Early patient-reported outcomes from primary hip and knee arthroplasty have improved over the past seven years. **2022**, 104-B, 687-695 2
- 687 Single-stage repair of displaced bucket-handle meniscal tears with anterior cruciate ligament reconstruction leads to good meniscal survivorship. **2022**, 104-B, 680-686 0
- 686 Acceptance and Commitment Therapy for inpatients with psychosis: An acceptability and feasibility single case AB designed study. **2022**, 0
- 685 Care burden and related factors among informal caregivers of patients with amyotrophic lateral sclerosis. 1-8 0
- 684 Zum Verhältnis von Gesundheitskompetenz, Selbstwirksamkeit und gesundheitlichen Outcomes. **2022**, 30, 138-141
- 683 Neuropathy and pain after breast cancer treatment: a prospective observational study. **2022**, 0

682	Efficacy and safety of Gyejibokryeong-hwan (GBH) in major depressive disorder: study protocol for multicentre randomised controlled trial. 2022 , 23,	
681	Adaptation and validation of a German version of the Multimorbidity Treatment Burden Questionnaire. 2022 , 20,	0
680	Comparison of day-case versus inpatient uni-compartmental knee replacement.	0
679	Long-term effectiveness of Self-Help Plus in refugees and asylum seekers resettled in Western Europe: 12-month outcomes of a randomised controlled trial. 2022 , 31,	
678	Patient-reported outcome measures in MS: Do development processes and patient involvement support valid quantification of clinically important variables?. 2022 , 8, 205521732211056	
677	EQ-5D-5L: a value set for Romania.	1
676	Alpha-2-adrenergic receptor agonists for the prevention of delirium and cognitive decline after open heart surgery (ALPHA2PREVENT): protocol for a multicentre randomised controlled trial. 2022 , 12, e057460	0
675	Comparison of the measurement properties of SF-6Dv2 and EQ-5D-5L in a Chinese population health survey. 2022 , 20,	1
674	Burden of schizophrenia among Japanese patients: a cross-sectional National Health and Wellness Survey. 2022 , 22,	1
673	The Contribution of Oral and Inhaled Glucocorticoids to Adrenal Insufficiency in Asthma. 2022 ,	1
672	The Role of Comorbid Mood Disorders in Cognitive Behavioral Therapy for Childhood Social Anxiety.	
671	Using the EQ-5D to measure caregiver health-related quality of life in rare pediatric disease: a study in aromatic L-amino acid decarboxylase deficiency. 2022 , 17,	
670	Sacroiliac Screw Placement with Ease: CT-Guided Pelvic Fracture Osteosynthesis in the Elderly. 2022 , 58, 809	
669	Use of a Non-parametric Bayesian Method to Model Health State Preferences: An Application to Polish and Irish EQ-5D-5L Valuations. 10,	
668	Robotic-assisted surgery and kinematic alignment in total knee arthroplasty (RASKAL study): a protocol of a national registry-nested, multicentre, 2x2 factorial randomised trial assessing clinical, intraoperative, functional, radiographic and survivorship outcomes. 2022 , 12, e051088	1
667	Correlates to psychological distress in frail older community-dwellers undergoing lockdown during the COVID-19 pandemic. 2022 , 22,	
666	On the effectiveness of interventions in hearing-impaired elders: a review of findings for psychosocial wellness and quality of life. 1-8	
665	Factors Associated with Health-Related Quality of Life among Older Adults in Rural South Korea Based on Ecological Model. 2022 , 19, 7021	

- 664 The Efficacy of Three-Dimensional Sweeping Mode Extracorporeal Shockwave Treatment for Plantar Fasciitis. **2022**, 26, 84-87
- 663 Quality of life and persistent symptoms after hospitalization for COVID-19. A prospective observational study comparing ICU with non-ICU patients. **2022**,
- 662 Exercise in patients with acetabular retroversion and excessive anterior pelvic tilt: A feasibility and intervention study. **2022**, 102613
- 661 Cost-effectiveness of three internet-based interventions for eating disorders: A randomized controlled trial. 1
- 660 STARZ-DRP: An Advance Nursing Approach for Palliative Home Care Services.
- 659 Effect of Psychiatric Advance Directives Facilitated by Peer Workers on Compulsory Admission Among People With Mental Illness. 0
- 658 Machine Learning Patient-Specific Prediction of Heart Failure Hospitalization Using Cardiac MRI-Based Phenotype and Electronic Health Information. 9,
- 657 Guided, internet based, cognitive behavioural therapy for post-traumatic stress disorder: pragmatic, multicentre, randomised controlled non-inferiority trial (RAPID). e069405 1
- 656 Gait Speed and Sleep Duration Is Associated with Increased Risk of MCI in Older Community-Dwelling Adults. **2022**, 19, 7625
- 655 Factors Associated with Lower Preoperative Quality of Life in Patients with Chronic Limb Threatening Ischemia in the BEST-CLI Trial. **2022**, 0
- 654 A longitudinal validation of the EQ-5D-5L and EQ-VAS stand-alone component utilising the Oxford Hip Score in the Australian hip arthroplasty population. **2022**, 6,
- 653 Object handling for people with dementia: A scoping review and the development of intervention guidance.
- 652 Cost-effectiveness of screening tools for identifying depression in early pregnancy: a decision tree model. **2022**, 22,
- 651 Residual Disease in Patients with Axial Spondyloarthritis: A Post-Hoc Analysis of the QUASAR Study. **2022**, 11, 3553
- 650 Impact of PD1 and PDL1 immunotherapy on non-small cell lung cancer outcomes: a systematic review. thoraxjnl-2020-215614 0
- 649 Fast and sustained Improvement of Patient-reported outcomes in psoriatic patients treated with secukinumab in a daily practice setting.
- 648 Cerebrospinal fluid biomarkers of white matter injury and astrogliosis are associated with the severity and surgical outcome of degenerative cervical spondylotic myelopathy. **2022**,
- 647 Health state utility instruments in patients with keratinocyte cancer and actinic keratosis: a cross-sectional study. 1

- 646 Factors influencing health-related quality of life in people with chronic kidney disease: A structural equation modelling approach. ○
- 645 Dynamics of Life Quality in Patients with Myocardial Infarction in Combination with Critical Ischemia of the Lower Extremities under the Influence of Complex Treatment Using Arginine-carnitine Mixture and Standard Protocol Treatment. **2022**, 1-2, 8-13
- 644 Impact of sarcopenia on intertrochanteric femoral fracture in the elderly. 10, e13445 ○
- 643 Cohort Profile: Longitudinal population-based study of COVID-19 in UK adults (COVIDENCE UK). ○
- 642 Computable Phenotype of a Crohn’s Disease Natural History Model. 0272989X2211035
- 641 Psychotherapy for advanced cancer patients: A meta-analysis of the quality of life and survival assessments. 1-7 ○
- 640 Trochleoplasty for severe trochlear dysplasia significantly improves the quality of life of patients with symptomatic patellar instability. **2022**, 37, 95-102 ○
- 639 Patient reported outcomes (PROs): Considerations for implementation in your ERAS program. **2022**, 193-215
- 638 Economics and Precision Medicine. **2022**,
- 637 Patient Reported Outcomes in Spine Surgery. **2022**, 541-548
- 636 Translation, Cross-Cultural Adaptation, and Psychometric Testing of Yoruba Version of the EQ-5D Questionnaire in Patients With Musculoskeletal Disorders. 10,
- 635 Peer Interventions in Severe Mental Illnesses: A Systematic Review and its Relation to Occupational Therapy. 1-38 1
- 634 Needs, benefits, and issues related to home adaptation: a user-centered case series applying a mixed-methods design. **2022**, 22, ○
- 633 The short external rotators in the anterior approach hip arthroplasty: do the tendons heal or not? A prospective MRI study. 112070002211075
- 632 Is Problematic Internet and Smartphone Use Related to Poorer Quality of Life? A Systematic Review of Available Evidence and Assessment Strategies. 2
- 631 Relationship among health-related quality of life and global ancestry, clinical and socioeconomic factors in type 1 diabetes in an admixed Brazilian population. **2022**, 12,
- 630 Safety of disinvestment in mid- to late-term follow-up post primary hip and knee replacement: the UK SAFE evidence synthesis and recommendations. **2022**, 10, 1-172 2
- 629 Factors associated with women’s preferences for labor epidural analgesia in Singapore: a survey approach. **2022**, 12,

- 628 Paediatric health-related quality of life in congenital cytomegalovirus. archdischild-2022-324007 0
- 627 Nivolumab + low-dose ipilimumab in previously treated patients with microsatellite instability-high/mismatch repair-deficient metastatic colorectal cancer: 4-year follow-up from CheckMate 142. **2022**, 3
- 626 Distress among cancer patients: some considerations in identification and treatment. 008124632211062
- 625 Influence of Genetics, Immunity and the Microbiome on the Prognosis of Inflammatory Bowel Disease (IBD Prognosis Study): the protocol for a Copenhagen IBD Inception Cohort Study. **2022**, 12, e055779
- 624 Effect of Perceived Stress on Health-Related Quality of Life among Primary Caregiving Spouses of Patients with Severe Dementia: The Mediating Role of Depression and Sleep Quality. **2022**, 19, 7962
- 623 The implementation of a noninvasive lymph node staging (NILS) preoperative prediction model is cost effective in primary breast cancer. **2022**, 194, 577-586 0
- 622 Long-term effects of Coronavirus 2 infection after intensive care: a prospective study.
- 621 Protocol for a randomized study of the efficacy of ibandronic acid plus eldecacitol in patients with gastric cancer after gastrectomy: A comparative study of different routes of administration of ibandronic acid. 11, 796
- 620 The minimal important change for the EQ VAS based on the SF-36 health transition item: observations from 25772 spine surgery procedures. 0
- 619 Post-Pulmonary Embolism Syndrome and Functional Outcomes after Acute Pulmonary Embolism. 0
- 618 A Randomized Trial of Telephone-Based Smoking Cessation Treatment in the Lung Cancer Screening Setting. 0
- 617 The incidence of adverse local tissue reaction due to head taper corrosion after total hip arthroplasty using V40 taper and 36 mm CoCr head. **2022**, 104-B, 852-858
- 616 Neutralizing COVID-19 Convalescent Plasma in Adults Hospitalized with COVID-19: A Blinded Randomized Placebo-Controlled Trial. **2022**, 2
- 615 Amitriptyline at low-dose and titrated for irritable bowel syndrome as second-line treatment (The ATLANTIS trial): protocol for a randomised double-blind placebo-controlled trial in primary care. **2022**, 23,
- 614 Psychometric evaluation of the German version of the Recovering Quality of Life (ReQoL) measures in patients with affective disorders. 0
- 613 Effect of Physical Therapy vs Arthroscopic Partial Meniscectomy in People With Degenerative Meniscal Tears. **2022**, 5, e2220394 0
- 612 Validation of the Glasgow Antipsychotic Side-Effect Scale (GASS) in an Italian Sample of Patients with Stable Schizophrenia and Bipolar Spectrum Disorders. **2022**, 12, 891
- 611 Health-related Quality of Life Analysis from KEYNOTE-426: Pembrolizumab plus Axitinib Versus Sunitinib for Advanced Renal Cell Carcinoma. **2022**, 3

- 610 China Health Related Outcomes Measures (CHROME): Development of a New Generic Preference-Based Measure for the Chinese Population.
- 609 Preemptive Living-Related Kidney Transplantation Is a Cost-Saving Strategy Compared With Post-dialysis Kidney Transplantation in Thailand. 9, ○
- 608 Differences in self-reported health between cardiac arrest survivors with good cerebral performance and survivors with moderate cerebral disability: a nationwide register study. **2022**, 12, e058945 ○
- 607 Routine fixation of humeral shaft fractures is cost-effective. **2022**, 3, 566-572
- 606 Formal and Informal Costs of Care for People With Dementia Who Experience a Transition to Hospital at the End of Life: A Secondary Data Analysis. **2022**, ○
- 605 Measuring Quality of Life in Chronic Limb-threatening Ischemia Patients and Informal Carers: A Scoping Review. Publish Ahead of Print, 1
- 604 Incompleteness of Health-Related Quality of Life Assessments Before Left Ventricular Assist Device Implant: A Novel Quality Metric. **2022**, ○
- 603 Quality of Life instruments and their psychometric properties for use in parents during pregnancy and the postpartum period: a systematic scoping review. **2022**, 20, ○
- 602 Assessments of ReDo buccal mucosal urethroplasty in terms of functional outcomes.
- 601 Cohort profile: the Halland osteoarthritis (HALLOA) cohort from knee pain to osteoarthritis: a longitudinal observational study in Sweden. **2022**, 12, e057086 ○
- 600 Early rehabilitation treatment in hospitalized patients with severe COVID-19: Effects on autonomy and quality of life. **2022**, 1-7
- 599 Ward based goal directed fluid therapy (GDFT) in acute pancreatitis (GAP) trial: A feasibility randomised controlled trial. **2022**, 106737
- 598 Long-term outcome of patients with adolescent idiopathic scoliosis seeking nonoperative treatment after a mean follow-up of 42 years. 1
- 597 Extending the use of the Endoscopic Endonasal Sinus and Skull Base Surgery Questionnaire (EES-Q) in a cross-sectional study: patients with chronic rhinosinusitis versus healthy controls.
- 596 Hand and Wrist Trauma: Antimicrobials and Infection (HAWAII). **2022**, 3, 529-535
- 595 SF-36 physical function and general health domains are independent predictors of acute hospital length of stay after hip fracture surgery. ○
- 594 Health literacy and recovery following a non-catastrophic road traffic injury. **2022**, 22, ○
- 593 Cardiovascular Disease Risk in Rural Adults. Publish Ahead of Print,

- 592 Psychometric properties of the Slovenian version of the Cancer Survivors Unmet Needs (CaSUN-SL) measure in post-treatment cancer survivors. **2022**, 10, 0
- 591 Using the sanitation safety planning tool to improve the occupational health and safety of de-sludging operators in Uganda: a protocol for a controlled before and after study. 0
- 590 Health-Related Quality of Life and Perceived Burden of Informal Caregivers of Patients with Rare Diseases in Selected European Countries. **2022**, 19, 8208 0
- 589 The effect of a trAnSitional Pharmacist Intervention in geriatric inpatients on hospital visits after discharge (ASPIRE): Protocol for a randomized controlled trial. **2022**, 119, 106853 0
- 588 Good Quality Quality? Some Methodological Issues. **1993**, 86, 440-443 5
- 587 Early and Supported Hospital Discharge: The Hospital and Community Interface. **1994**, 87, 348-351 1
- 586 Chronic wounds. **2022**, 8, 6
- 585 Determination of patient acceptable symptom state for the Oswestry Disability Index Score in patients underwent minimally invasive discectomy for lumbar disc herniation: 2-year follow-up data from a randomized controlled trial. **2022**, 0
- 584 Systematic voiding programme in adults with urinary incontinence following acute stroke: the ICONS-II RCT. **2022**, 26, 1-88 0
- 583 SALUS non-inferiority trial to compare self-tonometry in glaucoma patients with regular inpatient intraocular pressure controls: study design and set-up. 0
- 582 The influence of adverse drug effects on health-related quality of life in chronic obstructive pulmonary disease patients. 0
- 581 Reliability, validity, and responsiveness of the Thai version of the Dry Eye-Related Quality-of-Life Score questionnaire. **2022**, 17, e0271228 0
- 580 Vaginal hysterectomy versus vaginal assisted NOTES hysterectomy (VANH): a protocol for a randomised controlled trial. **2022**, 12, e060030 0
- 579 Development and validation of a quality of life measurement scale specific to hereditary hemorrhagic telangiectasia: the QoL-HHT. **2022**, 17, 0
- 578 Translation and validation of 17-item Wound-QoL questionnaire in a Chinese population. 1
- 577 It's about time Associations between working time dimensions and well-being of physicians. 1-9 0
- 576 The critical role of mixed methods research in developing valid and reliable patient-reported outcome measures. **2022**, 205, 213-219 0
- 575 Patient-reported outcomes in the aging population of adults with congenital heart disease: results from APPROACH-IS. 0

- 574 Brain infarction following meningioma surgery: Incidence, risk factors, and impact on function, seizure risk, and patient-reported quality of life. ○
- 573 Wirkung der multimodalen rheumatologischen Komplexbehandlung bei Patienten mit axialer Spondyloarthritis. ○
- 572 Protocol for the Tessa Jowell BRAIN MATRIX Platform Study.
- 571 Incidence of Revision Surgery After Decompression With vs Without Fusion Among Patients With Degenerative Lumbar Spinal Stenosis. **2022**, 5, e2223803 ○
- 570 Listening to the Patient Voice Adds Value to Cancer Clinical Trials. ○
- 569 Medidas de Calidad de Vida en Personas con Afasia. Revisión Sistemática. **2022**, 12, e79102
- 568 Thyroid antibodies and levothyroxine effects in subclinical hypothyroidism: A pooled analysis of two randomized controlled trials. 1
- 567 Effectiveness of Golimumab as Second Anti-TNF Drug in Patients with Rheumatoid Arthritis, Psoriatic Arthritis and Axial Spondyloarthritis in Italy: GO-BEYOND, a Prospective Real-World Observational Study. **2022**, 11, 4178 ○
- 566 Effects of whole body vibration in postmenopausal osteopenic women on bone mineral density, muscle strength, postural control and quality of life: the T-bone randomized trial. ○
- 565 Quality of life, respiratory symptoms, and health care utilization 1 year following outpatient management of COVID-19: a prospective cohort study. **2022**, 12, ○
- 564 Comparison Between Continuous Versus Flash Glucose Monitoring in Children, Adolescents, and Young Adults with Type 1 Diabetes: An 8-Week Prospective Randomized Trial. **2022**, 13, 1671-1681
- 563 The Vision Correction Questionnaire (VCQ): An electronic patient reported outcome measure for refractive surgery. **2022**, Publish Ahead of Print,
- 562 Fatigue and quality of life in patients with neuroendocrine neoplasia. 1-9
- 561 Magnetic Resonance Imaging Proxies for Segmental Instability in Degenerative Lumbar Spondylolisthesis Patients. Publish Ahead of Print, ○
- 560 Effectiveness and active ingredients of social prescribing interventions targeting mental health: a systematic review. **2022**, 12, e060214 3
- 559 Definition and clinical validation of Pain Patient States from high-dimensional mobile data: application to a chronic pain cohort. **2022**,
- 558 Outcomes Following Direct versus Indirect Decompression Techniques for Lumbar Spondylolisthesis: A Propensity-Matched Analysis. Publish Ahead of Print,
- 557 Structural equation model of the relationship between functional ability, mental health, and quality of life in older adults living alone. **2022**, 17, e0269003 ○

- 556 Effects of Pelargonium sidoides extract EPs 7630 on acute cough and quality of life: a meta-analysis of randomized, placebo-controlled trials. 17,
- 555 Health-related quality of life decreases in young people with asthma during the transition from adolescence to young adulthood: a birth cohort study.
- 554 Measurement properties of the EQ-5D in populations with a mean age of 75 years: a systematic review.
- 553 Prevalence, characteristics, and risk of exacerbation in young patients with chronic obstructive pulmonary disease. 2022, 23, ○
- 552 Protocol for a feasibility randomised controlled study of a multicomponent intervention to promote a sustainable return to work of workers on long-term sick leave (PROWORK: PROMoting a Sustainable and Healthy Return to WORK). 2022, 8, ○
- 551 Severity of functional impairments by race and sex in older patients hospitalized with acute decompensated heart failure. ○
- 550 Self-reported cannabis use is not associated with greater opioid use in elective hand surgery patients. ○
- 549 Effects of a cognitive rehabilitation program based on mnemonic skills and memory compensatory strategies for older adults: A pilot study. 2022, 101, e29581
- 548 Depressive and Anxiety Symptoms in Severe COVID-19 Survivors: A Prospective Cohort Study. 2
- 547 Factors associated with long term work incapacity following a non-catastrophic road traffic injury: analysis of a two-year prospective cohort study. 2022, 22,
- 546 One session treatment (OST) is equivalent to multi-session cognitive behavioral therapy (CBT) in children with specific phobias (ASPECT): results from a national non-inferiority randomized controlled trial. 1
- 545 Long-term cost-effectiveness of quality of diabetes care; experiences from private and public diabetes centers in Iran. 2022, 12,
- 544 The Effect of Guselkumab on Work Productivity in Biologic-Naïve Patients with Active Psoriatic Arthritis Through Week 52 of the Phase 3, Randomized, Placebo-Controlled DISCOVER-2 Trial. ○
- 543 Associations between visual impairment, incident falls and fall frequency among older asians: longitudinal findings from the Singapore Epidemiology of Eye Diseases study. [bjophthalmol-2021-320873](#)
- 542 The Effect of Guselkumab on General Health State in Biologic-Naïve Patients with Active Psoriatic Arthritis Through Week 52 of the Phase 3, Randomized, Placebo-Controlled DISCOVER-2 Trial. ○
- 541 Preferences for attributes of long-term care in dementia: a scoping review of multi-criteria decision analyses.
- 540 Quality of life and sexual function in patients aged 45 years undergoing hysterectomy for benign gynecological conditions: a prospective cohort study. ○
- 539 Diabetes: a superadded effect contributing to worse total primary hip replacement operative outcomes for patients with diabetes and obesity. ○

- 538 Effectiveness of an intervention for reducing sitting time and improving health in office workers: three arm cluster randomised controlled trial. e069288 0
- 537 Factors predictive of functional outcomes in patients with fragility hip fracture.
- 536 Effectiveness and implementation success of a co-produced physical activity referral scheme in Germany: study protocol of a pragmatic cluster randomised trial. **2022**, 22,
- 535 Changes in Sleep Pattern During the COVID-19 Lockdown in Patients With Narcolepsy, Idiopathic Hypersomnia, and Restless Legs Syndrome. 10.1212/WNL.0000000000200907 1
- 534 The longitudinal trajectory of emotion regulation and associated neural activity in patients with bipolar disorder: a prospective fMRI study. 0
- 533 Cost-utility analysis of shockwave lithotripsy vs ureteroscopic stone treatment in adults. 0
- 532 Prevalence of psychological distress among cancer patients in Southeast Asian countries: A systematic review. 2
- 531 Effectiveness of promotion and support for physical activity maintenance post total hip arthroplasty—study protocol for a pragmatic, assessor-blinded, randomized controlled trial (the PANORAMA trial). **2022**, 23,
- 530 Family Spillover Effects: Are Economic Evaluations Misrepresenting the Value of Healthcare Interventions to Society?. 0
- 529 Lower limb post-traumatic osteomyelitis: a systematic review of clinical outcomes.
- 528 Preventing frailty with the support of a home-monitoring and communication platform among older adults—study protocol for a randomised-controlled pilot study in Sweden. **2022**, 8,
- 527 Multiple mediating effects of self-efficacy and physical activity on the relationship between frailty and health-related quality of life in adults with cardiovascular disease.
- 526 Predicting the presence of depressive symptoms in the HIV-HCV co-infected population in Canada using supervised machine learning. **2022**, 22, 0
- 525 Evaluation of the hospital care quality perceived by patients with immune-mediated inflammatory diseases from the pharmacy service. SACVINFA study.
- 524 Translation into Spanish and validation of a short questionnaire to measure the control of inflammatory bowel disease from the patient's perspective: IBD-Control, EII-Control. **2022**, 45, 524-534
- 523 Valuing Health Gain from Composite Response Endpoints for Multisystem Diseases. **2022**,
- 522 Anxiety-depressive spectrum disorders in cervical dystonia. **2022**, 14, 38-43
- 521 Characteristics of migraine in patients with headache disorders: A clinic-based study from Central American and Caribbean countries.

520	The safety and efficacy of the anterior approach total hip arthroplasty as per body mass index. 2022,	0
519	Factors and Predictors of Health Related Quality of Life of the General Population of Pakistan. 10,	
518	Mixed methods evaluation to explore participant experiences of a pilot randomized trial to facilitate self-management of people living with stroke: Inspiring virtual enabled resources following vascular events (iVERVE).	1
517	Effect of Aspirin vs Enoxaparin on Symptomatic Venous Thromboembolism in Patients Undergoing Hip or Knee Arthroplasty. 2022, 328, 719	7
516	Quality-adjusted life years among people who inject drugs in a needle syringe program in Sweden.	
515	Clinical effectiveness of care managers in collaborative primary health care for patients with depression: 12- and 24-month follow-up of a pragmatic cluster randomized controlled trial. 2022, 23,	
514	Long-term results after isolated iliac wing fractures. 2022,	
513	Riociguat in pulmonary hypertension and heart failure with preserved ejection fraction: the haemoDYNAMIC trial.	1
512	Prevalence of sarcopenia among Saudis and its association with lifestyle behaviors: Protocol for cross-sectional study. 2022, 17, e0271672	
511	Stoma Versus Anastomosis After Sphincter-Sparing Rectal Cancer Resection; the Impact on Health-Related Quality of Life.	
510	Patient-reported outcomes of arthroscopic resection of the distal clavicle with concomitant ASD at two-years follow-up: a prospective study of 131 consecutive patients. 2022,	
509	Quality of life after fracture-related infection of the foot. 2022,	
508	Unraveling Parkinson's disease heterogeneity using subtypes based on multimodal data. 2022, 102, 19-29	0
507	Gesundheit und berufliche Zufriedenheit von freiberuflichen und angestellten Hebammen: Ergebnisse einer Hebammenbefragung in Baden-Württemberg.	0
506	A drug free solution for improving the quality of life of fibromyalgia patients (Fibrepik): study protocol of a multicenter, randomized, controlled effectiveness trial. 2022, 23,	0
505	Gedanken an Gesundheit bei Diabetes: Ergebnisse der DiaDec-Studie. 2022, 30, 207-210	0
504	The Core Rehabilitation Outcome Set for Single-Sided Deafness (CROSSSD) study: International consensus on outcome measures for trials of interventions for adults with single-sided deafness. 2022, 23,	0
503	Effect of therapeutic exercise on the balance of patients with progressive supranuclear palsy: A pilot study. 13,	0

502	The effect of attachment style on long-term outcomes in psychogenic nonepileptic seizures: Results from a prospective study. 2022 , 135, 108890	0
501	Developing a New Region-Specific Preference-Based Measure in East and Southeast Asia. 2022 , 32, 62-69	0
500	Heterogeneity of quality of life in young people attending primary mental health services. 2022 , 31,	1
499	Use of the Xiaomi Mi Band for sleep monitoring and its influence on the daily life of older people living in a nursing home. 2022 , 8, 205520762211211	0
498	A randomized controlled trial of a multicomponent online stress reduction intervention in inflammatory bowel disease. 2022 , 15, 175628482211272	0
497	The impact of polymyalgia rheumatica on intimate sexual relationships: findings from the PMR Cohort Study. 2022 , 6,	0
496	Criteria for determining if a treatment for pain works. 2022 , 1, 100125	0
495	Outcome Assessment of Non-Arthroplasty Hip Disease. 2022 , 207-230	0
494	Cost-utility of a web-based intervention to promote maternal mental health among postpartum women presenting low risk for postpartum depression. 2022 , 38,	0
493	Quality of Life, Living Arrangements, and Care Support for the Older Population. 2022 , 71-85	0
492	A Digital Health Intervention for Stress and Anxiety Relief in Perioperative Care: Protocol for a Feasibility Trial (Preprint).	1
491	Validity of the Health-Related Quality of Life Instrument with 8 Items (HINT-8) in the Korean Elderly: A Cross-Sectional Study. 2022 , 24, 248-256	0
490	Perceived stress in patients with inflammatory and non-inflammatory skin conditions. An observational controlled study among 255 Norwegian dermatological outpatients.	0
489	Development and evaluation of interventions in social work practice research. 1-12	0
488	Generic Health-Related Quality-of-Life changes after Rhinoplasty A prospective study with long-term results.	0
487	Leucine and perindopril to improve physical performance in people over 70 years with sarcopenia: the LACE factorial RCT. 2022 , 9, 1-82	0
486	Evaluation of the key geriatric assessment constructs in primary brain tumor population - a descriptive study. 2022 ,	0
485	Sex differences in quality of life of patients following percutaneous coronary intervention in Vietnam.	0

- 484 Intestinal Permeability and Depression in Patients with Inflammatory Bowel Disease. **2022**, 11, 5121 1
- 483 Factors associated with health-related quality of life in long-stay inpatients with chronic schizophrenia. **2022**, 1, 0
- 482 Impact of Early Dorsal Venous Complex Ligation on Urinary Continence Recovery after Robot-assisted Radical Prostatectomy: Results from a Phase 3 Randomized Controlled Trial. **2022**, 0
- 481 Evaluating the Impact of Acromegaly on Quality of Life. **2022**, 0
- 480 Using a discrete choice experiment to develop a decision aid tool to inform the management of persistent pain in pharmacy: a protocol for a randomised feasibility study. **2022**, 12, e066379 0
- 479 Long term follow up after bronchoscopic lung volume reduction valve treatment for emphysema. 00235-2022 0
- 478 Influence of psychiatric co-morbidity on health-related quality of life among major trauma patients. 0
- 477 Correlation of the Modified Japanese Orthopedic Association With Functional and Quality-of-Life Outcomes After Surgery for Degenerative Cervical Myelopathy: A Quality Outcomes Database Study. **2022**, Publish Ahead of Print, 0
- 476 Reducing short term suicide risk after hospitalization: A randomized controlled trial of the Collaborative Assessment and Management of Suicidality. **2022**, 0
- 475 Exploring visual pain trajectories in neck pain patients, using clinical course, SMS-based patterns, and patient characteristics: a cohort study. **2022**, 30, 0
- 474 Quality of Life after Stereotactic Body Radiation Therapy or Surgery for Early-Stage Non-Small Cell Lung Cancer: A Systematic Review. **2022**, 100417 0
- 473 Home nocturnal infrared video to record non-rapid eye movement sleep parasomnias. 1
- 472 Beyond viral suppression ¶The impact of cumulative violence on health-related quality of life among a cohort of virally suppressed patients. **2022**, Publish Ahead of Print, 0
- 471 Patients¶Preference for Participation in Medical Decision-Making: Secondary Analysis of the BEDSIDE-OUTSIDE Trial. 0
- 470 A randomized controlled trial Comparing Effectiveness, tolerability, and Acceptability of Heated Tobacco Products vs. refillable Electronic cigarettes For cigaREttes substitution: CEASEFIRE study. (Preprint). 0
- 469 A realist evaluation of the feasibility of a digital music and movement intervention for older people living in care homes. 0
- 468 Meaningful values of the EQ-5D-3L in patients undergoing primary knee arthroplasty. **2022**, 11, 619-628 4
- 467 Machine learning prediction of atrial fibrillation in cardiovascular patients using cardiac magnetic resonance and electronic health information. 9, 0

- 466 A study protocol for a double-blind randomised placebo-controlled trial evaluating the efficacy of carrageenan nasal and throat spray for COVID-19 prophylaxis **ICE-COVID. 2022, 23,** ○
- 465 Gender differences in health-related quality of life and psychological distress among coronary patients: Does comorbidity matter? Results from the ESC EORP EUROASPIRE V registry. **2022,** ○
- 464 Treatment of Periprosthetic Joint Infection and Fracture-Related Infection With a Temporary Arthrodesis Made by PMMA-Coated Intramedullary Nails [Evaluation of Technique and Quality of Life in Implant-Free Interval. 9, ○
- 463 Effect of intensive care unit-specific virtual reality (ICU-VR) to improve psychological well-being in ICU survivors: study protocol for an international, multicentre, randomised controlled trial **the HORIZON-IC study. 2022, 12, e061876** ○
- 462 Factors influencing the quality of life of bedridden older adult patients in China: A 3-month prospective multi-center study. ○
- 461 Comparison of the Outcomes of Microendoscopic Discectomy Versus Full-Endoscopic Discectomy for the Treatment of L4/5 Lumbar Disc Herniation. 219256822211279 ○
- 460 Does gender influence outcome measures similarly in patients with spondyloarthritis? Results from the ASAS-perSpA study. **2022, 8, e002514** ○
- 459 Stoma versus anastomosis after sphincter-sparing rectal cancer resection; the impact on health-related quality of life. ○
- 458 Efficacy of mHealth and education-led peer counselling of patients with hypertension and coronary artery disease in Pakistan: Study protocol for a double-blinded pragmatic randomized-controlled trial with factorial design. ○
- 457 Long-term outcomes of lower limb post-traumatic osteomyelitis. ○
- 456 A longitudinal study on quality of life along the spectrum of Alzheimer's disease. **2022, 14,** ○
- 455 Traumatic brain injury epidemiology and rehabilitation in Ireland: a protocol paper. 4, 66 ○
- 454 The Fatigue-Related Symptoms Post-Acute SARS-CoV-2: A Preliminary Comparative Study. **2022, 19, 11662** ○
- 453 Postdischarge pain, fatigue severity and quality of life in COVID-19 survivors. 1-9 ○
- 452 Refractory Inflammatory Arthritis definition and model generated through patient and multi-disciplinary professional modified Delphi process. ○
- 451 Cutaneous Body Image (CBI) in patients with hidradenitis suppurativa (HS): a hospital-based cross-sectional study. ○
- 450 Ergonomic interventions for treating work-related complaints of the arm, neck or shoulder in adults. **2022, 2022,** ○
- 449 A Randomized Trial of PHOTodynamic Surgery in Non-Muscle-Invasive Bladder Cancer. **2022, 1,** 3

- 448 Long-Term Effects of Hospitalization for COVID-19 on Frailty and Quality of Life in Older Adults 80 Years. **2022**, 11, 5787 0
- 447 The disease burden and quality of life of chronic cough patients in South Korea and Taiwan. **2022**, 15, 100681 0
- 446 The Effect of Paraspinal Fatty Muscle Infiltration and Cumulative Lumbar Spine Degeneration on the Outcome of Patients with Lumbar Spinal Canal Stenosis: Analysis of the Lumbar Stenosis Outcome Study (LSOS) Data. Publish Ahead of Print, 0
- 445 Measuring Quality of Life in Hidradenitis Suppurativa: Development and Validation of a Disease-specific Patient-reported Outcome Measure for Practice and Research. 0
- 444 Correction and Maintenance of Cervical Alignment. Publish Ahead of Print, 0
- 443 Arthroscopic rotator cuff repair: patients with physically demanding work have significantly worse time to return to work, level of employment, and job loss. 0
- 442 Optimizing Health Coaching for Patients With Type 2 Diabetes Using Machine Learning: Model Development and Validation Study. **2022**, 6, e37838 0
- 441 Use of primary health care services among older patients with and without diabetes. **2022**, 23, 0
- 440 Novel Hardening Bone Putty Enhances Sternal Closure and Accelerates Post-Operative Recovery. **2022**, 0
- 439 Adjuvant Therapy of Nivolumab Combined With Ipilimumab Versus Nivolumab Alone in Patients With Resected Stage IIIB-D or Stage IV Melanoma (CheckMate 915). 2
- 438 Protocol for the Tessa Jowell BRAIN MATRIX Platform Study. **2022**, 12, e067123 0
- 437 What is the feasibility and patient acceptability of a digital system for arm and hand rehabilitation after stroke? A mixed-methods, single-arm feasibility study of the OnTrack Intervention for hospital and home use. **2022**, 12, e062042 0
- 436 The Australian New Zealand Spontaneous Coronary Artery Dissection (ANZ-SCAD) Registry: A Multi-Centre Cohort Study: Protocol, Background and Significance. **2022**, 0
- 435 Cohort Profile: Longitudinal population-based study of COVID-19 in UK adults (COVIDENCE UK). 0
- 434 The relationship between anthropometric indicators and health-related quality of life in a community-based adult population: A cross-sectional study in Southern China. 10, 0
- 433 Outcomes of Revision Hip Replacement After Resection Arthroplasty With a Non-Free Muscle Flap Transfer for Difficult-To-Treat Periprosthetic Infection. **2022**, 28, 5-15 0
- 432 Long-term quality of life, work limitation, physical activity, economic cost and disease burden following ACL and meniscal injury: a systematic review and meta-analysis for the OPTIKNEE consensus. bjsports-2022-105626 1
- 431 ICF-based prediction of return to work after trauma rehabilitation: Results of the icfPROreha study in patients with severe musculoskeletal injuries. 3, 0

430	Factors Associated with Nutritional Status in Geriatric Outpatients. 2022 , 10, 276-282	0
429	Cost-effectiveness of palbociclib in early breast cancer patients with a high risk of relapse: Results from the PENELOPE-B trial. 12,	0
428	Feasibility of dance therapy using telerehabilitation on trunk control and balance training in patients with stroke: A pilot study. 2022 , 101, e30286	0
427	Benefits of sustained physical activity from middle age to early old age on quality of life in early old age. 2022 , 12,	0
426	Cognitive rehabilitation in post-COVID-19 condition: A study protocol for a randomized controlled trial. 2022 , 106955	0
425	Assessing the wellbeing of family caregivers of multimorbid and homebound older adults—scoping literature review.	0
424	Factors associated with a high level of unmet needs and their prevalence in the breast cancer survivors 18 years after post local treatment and (neo)adjuvant chemotherapy during the COVID-19: A cross-sectional study. 13,	0
423	Inefficient diastolic filling in dual-chamber pacemaker recipients: impact of atrio-ventricular interval shortening (AVI-SHORT study).	0
422	Translation of Collaborative Dementia Care Management into Different Healthcare Settings: Study Protocol for a Multicenter Implementation Trial (DCM:IMPact). 1-10	0
421	Quality of life of older Australians receiving home nursing services for complex care needs.	1
420	The impact of prehabilitation interventions on affective and functional outcomes for young to midlife adult cancer patients: A systematic review.	0
419	Connecting real-world digital mobility assessment to clinical outcomes for regulatory and clinical endorsement—the Mobilise-D study protocol. 2022 , 17, e0269615	1
418	Effect of pelvic floor muscle training using mobile health applications for stress urinary incontinence in women: a systematic review. 2022 , 22,	0
417	The multimorbidity collaborative medication review and decision making (MyComrade) study: a pilot cluster randomised trial in two healthcare systems. 2022 , 8,	0
416	Assessing The Insurance Deductible Effect On Outcomes Following Elective Spinal Surgery. 2022 ,	0
415	Possible metabolic interplay between quality of life and fecal microbiota in a presenior population—preliminary results. 2022 , 103-104, 111841	0
414	Resilience to suicidal behavior in young adults: a cross-sectional study. 2022 , 12,	0
413	Social Support and Technology Use and Their Association with Mental and Physical Health During the COVID-19 Pandemic Among Asian Americans: The COMPASS Cross-Sectional Study (Preprint).	0

- 412 Percutaneous Coronary Intervention. **2022**, 233-248 ○
- 411 Quality of Life and Patient Reported Outcome Measures Following Carotid Artery Intervention. **2022**, 249-265 ○
- 410 Quality of Life and Subjective Health: Strengthening the Subjective Perspective in Cardiology. **2022**, 1341-1362○
- 409 Are psychosocial variables, sleep characteristics or central pain processing prognostic factors for outcome following rotator cuff repair? A protocol for a prospective longitudinal cohort study. **2022**, 12, e058803 ○
- 408 Exploring the Relationships of Financial Literacy and Financial Behaviour with Health-Related Quality of Life (HRQOL) among the Low-Income Working Population in Malaysia during the COVID-19 Pandemic. **2022**, 19, 12520 1
- 407 Critical COVID-19 disease: Clinical course and rehabilitation of neurological deficits. 13, ○
- 406 Antidepressant Effects of a Multimodal Group Therapy Program for Mild Dementia: A Retrospective Evaluation of Clinical Routine Data. **2022**, 1-13 ○
- 405 Decrease in health-related quality of life and post-COVID-19 syndrome in healthcare workers after SARS-CoV-2 infection: A cohort study. Publish Ahead of Print, ○
- 404 Health-related quality of life among spondyloarthritis and chronic low back pain patients: results from a nationwide population-based survey. ○
- 403 Economic evaluation of dyslexia intervention. ○
- 402 Efficacy of individualized homeopathic medicines in irritable bowel syndrome: A double-blind randomized, placebo-controlled trial. **2022**, ○
- 401 Impact of Obstructive Sleep Apnea Syndrome on Ventricular Remodeling after Acute Myocardial Infarction: A Proof-of-Concept Study. **2022**, 11, 6341 ○
- 400 Long-Term Survival and Quality of Life in Non-Surgical Adult Patients Supported with Veno-Arterial Extracorporeal Oxygenation. **2022**, 11, 6452 ○
- 399 Correlation between the number of patient-reported adverse events, adverse drug events, and quality of life in older patients: an observational study. ○
- 398 One-session treatment compared with multisession CBT in children aged 7-16 years with specific phobias: the ASPECT non-inferiority RCT. **2022**, 26, 1-174 ○
- 397 The Swedish version of the Anterior Cruciate Ligament Quality Of Life measure (ACL-QOL): translation and measurement properties. ○
- 396 A quantitative, multicentre, longitudinal study of patient experiences after gynaecological day surgery. ○
- 395 Health-related quality of life and treatment satisfaction of patients with cardiovascular disease in Ethiopia. 10, ○

394	The correlation between illness perception, pain intensity and quality of life in elderly with low back pain in Denmark: a cross-sectional study. 10, e14129	0
393	Quality of life in older adults with chronic kidney disease and transient changes in renal function: Findings from the Oxford Renal cohort. 2022, 17, e0275572	0
392	Design of an RCT on cost-effectiveness of group schema therapy versus individual schema therapy for patients with Cluster-C personality disorder: the QUEST-CLC study protocol. 2022, 22,	0
391	Two-Year Longitudinal Evaluation of Community Aphasia Center Participation on Linguistic, Functional Communication, and Quality of Life Measures Across People With a Range of Aphasia Presentations. 2022, 31, 2378-2394	1
390	Optimizing Recovery Following Critical Illness: A Systematic Review of Home-Based Interventions. 1084822322d1274	
389	Clustering of trauma patients based on longitudinal data and the application of machine learning to predict recovery. 2022, 12,	0
388	Statistical analysis plan for the stepped wedge clinical trial Healing Right WayEnhancing rehabilitation services for Aboriginal Australians after brain injury. 2022, 23,	0
387	Mental health, sleep and pain in elite Para athletes and the association with injury and illness - a prospective study.	0
386	Propensity-matched Comparison between Chronic non-specific Low Back Pain and Axial Spondyloarthritis: Impact on patient-perceived Quality of Life. Publish Ahead of Print,	0
385	Health-related quality of life in persons post-COVID-19 infection in comparison to normative controls and chronic pain patients. 10,	0
384	What quality of life domains are most important to older adults in residential care?. 1-22	0
383	Capsaicin 8% patch as therapy for neuropathic chronic postsurgical pain after melanoma excision surgery: A single center case series. 2022,	0
382	Mapping between headache specific and generic preference-based health-related quality of life measures. 2022, 22,	0
381	Changes in activity of daily living performance and quality of life 3 months after hip fracture surgery may predict 1-year surgical outcomes in Taiwanese older adults: A prospective cohort study.	0
380	A systematic review and meta-analysis of reablement interventions for people in permanent residential aged care homes. 2022, 51,	0
379	The Significance of Pets for Vulnerable Older Adults during the COVID-19 Pandemic: An Explorative Qualitative Study. 2022, 12, 2752	0
378	Quality of life and home parenteral nutrition: a survey of UK healthcare professionals' knowledge, practice and opinions.	0
377	Haemoglobin transfusion threshold in traumatic brain injury optimisation (HEMOTION): a multicentre, randomised, clinical trial protocol. 2022, 12, e067117	0

376	Quarantining: a mentally distressful but physically comfortable experience in South Korea. 2022 , 20,	0
375	Patient-Reported Quality of Life After Intravenous Alteplase for Stroke in the WAKE-UP Trial. 10.1212/WNL.00600000	0
374	Comparative Analysis of Quality of Life of Patients with Dermatological Problems: Tele dermatology Versus Face-to-Face Dermatology. 2022 , 10, 2172	1
373	Evaluation design of the patient-centred pathways of early palliative care, supportive ecosystems and appraisal standard (InAdvance): a randomised controlled trial. 2022 , 22,	0
372	Optimizing Prescribing in Older Adults with Multimorbidity and Polypharmacy in Primary Care: A Cluster Randomized Clinical Trial (OPTICA Trial).	0
371	Breaking bad news in the era of artificial intelligence and algorithmic medicine: an exploration of disclosure and its ethical justification using the hedonic calculus.	4
370	TIMolol Nasal Spray as a Treatment for Epistaxis in Hereditary Hemorrhagic Telangiectasia (TIM-HHT) A Prospective, Randomized, Double-Blind, Controlled, Cross-Over Trial. 2022 , 14, 2335	1
369	Clinical Outcomes of 3D-Printed Bioresorbable Scaffolds for Bone Tissue Engineering A Pilot Study on 126 Patients for Burrhole Covers in Subdural Hematoma. 2022 , 10, 2702	1
368	Therapeutic alliance impact on analgesic outcomes in a real-world clinical setting: An observational study. 2022 , 72, 529-545	0
367	Patients and caregivers experiences with atopic dermatitis-related burden, medical care, and treatments in 8 countries. 2022 ,	1
366	Multilayered Biomimetic Scaffolds for Cartilage Repair of the Talus. A Systematic Review of the Literature. 2022 ,	0
365	Music-oriented parent counseling to promote improvement in level of parental stress, quality of life and the use of music in everyday life among parents of children with autism: A mixed-methods randomized controlled study. 1-26	0
364	An EQ-5D-Y-3L Value Set for Belgium.	0
363	Resurgence of Autologous Fascial Slings in a Challenging Climate for Sling Surgery: A 20-Year Review of Comparative Data. 2022 , 77, 696-706	0
362	Effectiveness and cost effectiveness of digital hearing aids in patients with tinnitus and hearing loss: a randomised feasibility trial (THE HUSH Trial). 2022 , 8,	0
361	Formulation of a Mapping Formula to Estimate Well-Being Utility from Clinical Subjective Well-Being Scales. Volume 15, 3233-3241	0
360	Normative data for the LPFS-BF 2.0 derived from the Danish general population and relationship with psychosocial impairment.	0
359	Correlation between clinical scoring systems and quantitative MRI parameters in degenerative lumbar spinal stenosis. 2022 , 35, 102050	0

- 358 Characterizing palliative care needs in people with or at risk of developing diabetic foot ulcers. **2022**, 13, 204201882211367
- 357 Relationship between RANO-PRO Working Group standardised priority constructs and disease progression among malignant glioma patients: A retrospective cohort study. **2023**, 55, 101718
- 356 Concomitant coracoid base fracture and acromioclavicular joint disruption: A series of patients treated with a clavicle hook plate and review of the literature. **2022**, 30, 102255362211398
- 355 The therapeutic effect of the multidisciplinary inpatient pain management program for chronic musculoskeletal pain classified by ICD-11. **2022**, 37, 141-148
- 354 Development and external validation of multivariable risk models to predict incident and resolved neuropathic pain: a DOLORisk Dundee study.
- 353 Venetoclax combined with low dose cytarabine compared to standard of care intensive chemotherapy for the treatment of favourable risk adult acute myeloid leukaemia (VICTOR): Study protocol for an international, open-label, multicentre, molecularly-guided randomised, phase II trial. **2022**, 17, e0273290
- 352 Effects of a cognitive-based intervention program using social robot PIO on cognitive function, depression, loneliness, and quality of life of older adults living alone: A Quasi-experimental design (Preprint).
- 351 Disability weights for castration-resistant prostate cancer: an empirical investigation. **2022**, 9, 146-154
- 350 To what extent does the use of crosswalks instead of EQ-5D value sets impact reimbursement decisions?: a simulation study.
- 349 Validity of the modified Rankin Scale in patients with aneurysmal subarachnoid hemorrhage: a randomized study.
- 348 mHealth intervention to improve quality of life in patients with chronic diseases during the COVID-19 crisis in Paraguay: A study protocol for a randomized controlled trial. **2022**, 17, e0273290
- 347 Outcomes of Biologic Use in Asian Compared with Non-Hispanic White Adult Psoriasis Patients from the CorEvitas Psoriasis Registry.
- 346 Shared decision-making interventions for people with mental health conditions. **2022**, 2022,
- 345 Protocol for the ORION trial (RadiO fRequency ablatION for haemorrhoids): a randomised controlled trial.
- 344 Association of smoking with poor health-related quality of life among health-profession students in China: A 31-university multilevel, multivariable analysis. **2022**, 20, 1-12
- 343 The IBER study: a feasibility randomised controlled trial of Imagery Based Emotion Regulation for the treatment of anxiety in bipolar disorder.
- 342 Long-Term Outcome of Severe Metabolic Acidemia in ICU Patients, a BICAR-ICU Trial Post Hoc Analysis. Publish Ahead of Print,
- 341 Visualization of pain using cerebral 18F-FDG PET/CT following surgical treatment of lumbar disc herniation.

- 340 Vitamin B12 supplementation for growth, development, and cognition in children. **2022**, 2022, ○
- 339 Disease burden of ageing, sex and regional disparities and health resources allocation: a longitudinal analysis of 31 provinces in Mainland China. **2022**, 12, e064641 ○
- 338 Assessment of health-related quality of life in individuals with depressive symptoms: validity and responsiveness of the EQ-5D-3L and the SF-6D. ○
- 337 Long-term functional outcome and quality of life following surgical evacuation of spontaneous supratentorial intracerebral hemorrhage. Results from a Swedish nationwide cohort. **2022**, ○
- 336 Efficacy and safety of fermented *Prunus mume* vinegar on fatigue improvement in adults with unexplained fatigue: A randomized controlled trial. 9, ○
- 335 Sensory Symptoms and effects on Health-related Quality of Life of Patients Undergoing Lumbar Spine Surgery. **2022**, ○
- 334 Effects of a cognitive-based intervention program using social robot PIO on cognitive function, depression, loneliness, and quality of life of older adults living alone: A Quasi-experimental design (Preprint). ○
- 333 Short-term Clinical and Radiographic Outcomes in Patients Treated with a Modern Intramedullary Nailing System for 2-Part Proximal Humerus Fractures. **2022**, ○
- 332 Effects of internet-delivered cognitive behavioral therapy on use of child sexual abuse material: A randomized placebo-controlled trial on the Darknet. **2022**, 100590 ○
- 331 Effect of comprehensive geriatric assessment for frail elderly patients operated for colorectal cancerThe colorectal cancer frailty study: study protocol for a randomized, controlled, multicentre trial. **2022**, 23, ○
- 330 EQ-5D-3L Norms for the European Older Population: Country-Specific Norms for 15 European Countries Based on the Survey of Health, Aging, and Retirement in Europe. **2022**, ○
- 329 Myelodysplastic syndromes. **2022**, 8, ○
- 328 Delayed sleep-wake rhythm is associated with cognitive dysfunction, social dysfunction, and deteriorated quality of life in patients with major depressive disorder. 13, ○
- 327 Relative Handgrip Strength Mediates the Relationship between Hemoglobin and Health-Related Quality of Life in Older Korean Adults. **2022**, 10, 2215 ○
- 326 Factors Associated with Health-Related Quality of Life in Older Persons Residing in Nursing Homes. Volume 15, 2615-2622 ○
- 325 Impact of Energy and Protein Delivery to Critically Ill Patients: A Systematic Review and Meta-Analysis of Randomized Controlled Trials. **2022**, 14, 4849 ○
- 324 Surgical plating versus closed reduction for fractures in the distal radius in older patients: a cost-effectiveness analysis from the hospital perspective. ○
- 323 Cost-effectiveness of a community-based integrated care model compared with usual care for older adults with complex needs: a stepped-wedge cluster-randomised trial. **2022**, 4, e000137 ○

322	Convergent validity of EQ-5D with core outcomes in dementia: a systematic review. 2022 , 20,	○
321	Physiotherapy post Vertebral Fragility Fracture: A Scoping Review. 2022 ,	○
320	Effects of add-on Celecoxib treatment on patients with schizophrenia spectrum disorders and inflammatory cytokine profile trial (TargetFlame): study design and methodology of a multicentre randomized, placebo-controlled trial.	○
319	Long-term cardiovascular health status and physical functioning of nonhospitalized patients with COVID-19 compared with non-COVID-19 controls. 2023 , 324, H47-H56	1
318	Fatigue During Cancer-Related Radiotherapy and Associations with Activities, Work Ability and Quality of Life: Paying Attention to Subgroups more Likely to Experience Fatigue. 2022 , 21, 153473542211385 [○]	○
317	Engagement in volunteering activities by persons with multiple sclerosis in Switzerland. 2023 , 69, 104427	1
316	Validation of the Recovering Quality of Life (ReQoL) questionnaires for patients with anxiety, obsessive-compulsive, stress-related, somatoform and personality disorders in Germany. 2023 , 157, 202-211	○
315	Assessing Clinical Outcome Measures in Chiari I Malformation. 2023 , 34, 167-174	○
314	BIO-WELL: The development and validation of a human wellbeing scale that measures responses to biodiversity. 2023 , 85, 101921	○
313	Validating the predictive precision of the dialogue support tool on Danish patient cohorts. 2023 , 13, 100188	○
312	Quality of life, patient preferences, and implant survival and success of tapered implant-retained mandibular overdentures as a function of the attachment system. 52,	○
311	Alpha-Stim AID Cranial Electrotherapy Stimulation (CES) for Anxiety Treatment: Outcomes in a Community Healthcare Service. 2022 , 11, 80-92	○
310	Health-Related Quality of Life Among Patients Recovered From COVID-19. 2022 , 59, 004695802211436	○
309	The effects of Tyrosine Kinase Inhibitors (TKIs) in monotherapy and with add-on treatments on Health-related Quality of Life of People with Chronic Myeloid Leukemia: a systematic review of Randomized-Controlled Trials.. 2021 , 17,	○
308	Treating common mental disorder including psychotic experiences in the primary care improving access to psychological therapies programme (the TYPPEX study): protocol for a stepped wedge cluster randomised controlled trial with nested economic and process evaluation of a training package for therapists. 2022 , 12, e056355	○
307	The healthcare trajectories of older people in foster families: protocol for an Observational Study (Preprint).	○
306	Wellbeing Assessment of a Museum Experience in Virtual Reality through UCL Measurement Tool Kit and Heart Rate Measurement: a Pilot Study. 2022 ,	○
305	Mediating Effects of Rehabilitation Motivation between Social Support and Health-Related Quality of Life among Patients with Stroke. 2022 , 19, 15274	○

- 304 A multicomponent structured health behaviour intervention to improve physical activity in long-distance HGV drivers: the SHIFT cluster RCT. **2022**, 10, 1-174 ○
- 303 Determining Current Medications Usage within a Cohort of Patients in the UK: A Descriptive Retrospective Study. **2022**, 10, 2421 ○
- 302 Antipsychotic dose reduction compared to dose continuation for people with schizophrenia. **2022**, 2022, ○
- 301 A head-to-head comparison of Well-being of Older People (WOOP) and EQ-5D-5L in patients, carers and general public in China. ○
- 300 Blended care to discontinue BZRA use in patients with chronic insomnia disorder: a pragmatic cluster randomized controlled trial in primary care. ○
- 299 A Patient-Specific Fracture Risk Assessment Tool for Femoral Bone Metastases: Using the Bone Strength (BOS) Score in Clinical Practice. **2022**, 14, 5904 ○
- 298 Einsatz einer stützenden Herrenunterhose bei elektiven skrotalen Eingriffen. ○
- 297 Evaluating the implementation of a multidisciplinary lifestyle intervention for people with severe mental illness in sheltered housing: effectiveness-implementation hybrid randomised controlled trial. **2022**, 8, ○
- 296 Outcomes of Patients Undergoing Closed Traction Coronary Artery Endarterectomy: A Long-Term Single Center Study. **2022**, 11, 7026 1
- 295 Handgrip strength effectiveness and optimal measurement timing for predicting functional outcomes of a geriatric hip fracture. **2022**, 12, ○
- 294 Health-related quality of life after severe trauma and available PROMS: an updated review (part I). ○
- 293 Effect of Regular, Low-Dose, Extended-release Morphine on Chronic Breathlessness in Chronic Obstructive Pulmonary Disease. **2022**, 328, 2022 1
- 292 Brain Lesions Associated with Communication-Related Quality of Life Following Surgical Removal of Primary Left-Hemisphere Tumours. 1-21 ○
- 291 Effectiveness of a community-integrated intermediary care (CIIC) service model to enhance family-based long-term care for Thai older adults in Chiang Mai, Thailand: a cluster-randomized controlled trial TCTR20190412004. **2022**, 20, ○
- 290 Construction and Validation of the 17-Item Stroke-Specific Quality of Life Scale (SS-QOL-17): A Comprehensive Short Scale to Assess the Functional, Psychosocial, and Therapeutic Factors of QOL among Stroke Survivors. **2022**, 19, 15668 1
- 289 Protocol for a pre-post, mixed-methods feasibility study of the Brain Bootcamp behaviour change intervention to promote healthy brain ageing in older adults. **2022**, 17, e0272517 ○
- 288 A comprehensive transfer program from pediatrics to adult care for parents of adolescents with chronic illness (ParTNeRSTEPS): study protocol for a randomized controlled trial. **2022**, 23, ○
- 287 Effectiveness of Guselkumab Therapy among Patients with Plaque Psoriasis with Baseline IGA Score 2 in the CorEvitas Psoriasis Registry. ○

286	Predictors of Patient-Reported Fatigue Symptom Severity in a Nationwide Multiple Sclerosis Cohort. 2022 , 104481	○
285	Promoting Activity, Independence and Stability in early dementia and mild cognitive impairment (PrAISED): A randomised controlled trial.	○
284	A Technology-Based Intervention to Support Older Adults in Living Independently: Protocol for a Cross-National Feasibility Pilot. 2022 , 19, 16604	○
283	Caregiving for older people living with chronic pain: analysis of the English longitudinal study of ageing and health survey for England. 204946372211442	○
282	The effect of motor interference therapy on traumatic memories: A randomized, double blind, controlled study.	○
281	Quality of life for men with metastatic castrate-resistant prostate cancer participating in an aerobic and resistance exercise pilot intervention. 2022 ,	○
280	What is the impact of post-COVID-19 syndrome on health-related quality of life and associated factors: a cross-sectional analysis.	○
279	Health-Related Quality of Life (HRQOL) Instruments and Mobility: A Systematic Review. 2022 , 19, 16493	○
278	EQ-5D full health state after therapy heralds reduced hazard to accrue subsequent organ damage in systemic lupus erythematosus. 9,	○
277	Prescribing tailored home exercise program to older adults in the community using a tailored self-modeled video: A pre-post study. 10,	○
276	Longitudinal Associations of Work Stress with Changes in Quality of Life among Patients after Acute Coronary Syndrome: A Hospital-Based Study. 2022 , 19, 17018	○
275	Protocol for a multi-site randomized controlled trial of a stepped-care intervention for emergency department patients with panic-related anxiety. 2022 , 22,	○
274	Validation of the German version of the subarachnoid haemorrhage outcome tool (SAHOT). 239698732211448○	
273	Long-term (180-Day) Outcomes in Critically Ill Patients With COVID-19 in the REMAP-CAP Randomized Clinical Trial.	1
272	Clinical and functional characteristics of individuals with alpha-1 antitrypsin deficiency: EARCO international registry. 2022 , 23,	○
271	Decisional Conflict in Patients With Head and Neck Cancer.	○
270	Health-related quality-of-life analyses from a multicenter, randomized, double-blind phase 2 study of patients with differentiated thyroid cancer treated with lenvatinib 18 or 24 mg/day.	○
269	Health-Related Quality of Life of Patients with Metastatic Pancreatic Cancer: A Systematic Literature Review. Volume 14, 3383-3403	○

- 268 Patients Perspective in Hereditary Ataxia. ○
- 267 Impact of video-assisted thoracoscopic lobectomy versus open lobectomy for lung cancer on recovery assessed using self-reported physical function: VIOLET RCT. **2022**, 26, 1-162 1
- 266 Factors associated with health-related quality of life among home-dwelling older adults aged 75 or older in Switzerland: a cross-sectional study. **2022**, 20, ○
- 265 Neurological consultations via telemedicine for specialized outpatient palliative care (SOPC) at home and in hospice (TANNE project): study protocol for a randomized controlled trial. **2022**, 21, ○
- 264 Effect of a Biopsychosocial Intervention or Postural Therapy on Disability and Health Care Spending Among Patients With Acute and Subacute Spine Pain. **2022**, 328, 2334 ○
- 263 Special orthopaedic geriatrics (SOG) - a new multiprofessional care model for elderly patients in elective orthopaedic surgery: a study protocol for a prospective randomized controlled trial of a multimodal intervention in frail patients with hip and knee replacement. **2022**, 23, ○
- 262 Whole-Exome Sequencing Study of Consanguineous Parkinson Disease Families and Related Phenotypes: Report of Twelve Novel Variants. ○
- 261 Raising the standards of patient-centered outcomes research in myelodysplastic syndromes: Clinical utility and validation of the subscales of the QUALMS from the MDS-RIGHT project. ○
- 260 Economic evaluation of shortened, bedaquiline-containing treatment regimens for rifampicin-resistant tuberculosis (STREAM stage 2): a within-trial analysis of a randomised controlled trial. **2022**, ○
- 259 Factors associated with impaired physical function in elderly rheumatoid arthritis patients who had achieved low disease activity. ○
- 258 Reliability and construct validity of the new region-specific PBM AP-7D developed in East and Southeast Asia. ○
- 257 Health related quality of life, service utilization and costs for patients with Huntington disease in Norway. **2022**, 22, ○
- 256 Impact of Patient and Physician Disconnect on Satisfaction with Treatment for Atopic Dermatitis in Japan. ○
- 255 Determinants of health-related quality of life across the spectrum of connective tissue diseases using latent profile analysis: results from the LEAP cohort. ○
- 254 Associations of Physical Activity and Handgrip Strength with Health-Related Quality of Life in Older Korean Cancer Survivors. **2022**, 14, 6067 ○
- 253 Time without transfusion reliance: a novel patient-centric metric for new therapies in myelodysplastic syndromes. ○
- 252 Effect of Sarcopenia on Survival and Health-Related Quality of Life in Patients with Hepatocellular Carcinoma after Hepatectomy. **2022**, 14, 6144 ○
- 251 Long-Term Telerehabilitation or Unsupervised Training at Home for Patients with Chronic Obstructive Pulmonary Disease: A Randomized Controlled Trial. ○

250	Personalised app-based relapse prevention of depressive and anxiety disorders in remitted adolescents and young adults: a protocol of the StayFine RCT. 2022 , 12, e058560	0
249	A randomised, double-blind, dose-finding, phase II multicentre study of ODX in the treatment of patients with castration-resistant prostate cancer (CRPC) and skeletal metastases. 2022 ,	0
248	The effect of therapeutic drug monitoring of risperidone and aripiprazole on weight gain in children and adolescents: the SPACe 2: STAR (trial) protocol of an international multicentre randomised controlled trial. 2022 , 22,	1
247	Factors associated with lower disease-specific and generic health-related quality of life in Rome IV irritable bowel syndrome.	0
246	Anxiety, Depression and Quality of Life After Achievement of Inactive/Low Disease Activity in Axial-Spondyloarthritis.	0
245	Results of primary radial corrective osteotomy in Madelung's deformity.	0
244	Cost-Effectiveness of Video-Assisted Thoracoscopic Surgery Compared to Open Lobectomy in Patients with Early-Stage Lung Cancer: Findings from the VIOLET Randomised Controlled Trial. 2022 ,	0
243	Reducing Shoulder Complaints in Employees with High Occupational Shoulder Exposures: A Cluster-Randomised Controlled Study (The Shoulder-Caf ^e Study).	0
242	Clinically meaningful MR endpoints sensitive to preataxic SCA1 and SCA3.	0
241	COVID-19 and the forgone health benefits of elective operations. 2022 , 22,	0
240	Including a Three-Party Meeting Using the Demand and Ability Protocol in an Interdisciplinary Pain Rehabilitation Programme for a Successful Return to Work Process. 2022 , 19, 16614	0
239	YouXin: A digital system to facilitate self-management in people with psychosis in China: protocol for a non-randomised validity and feasibility study with a mixed-methods design (Preprint).	0
238	A health promotion program for older adults (KABAN!): effects on health literacy, quality of life, and emotions. 1-18	0
237	Cross-sectional study examining psychometric properties of the Slovenian version of the 14-item Resilience Scale (RS-14-SL).	0
236	Prevalence and Impact of Mental and Physical Comorbidity in the Adult Singapore Population. 2012 , 41, 105-114	8
235	Disentangling the Association Between Neurologic Deficits, Patient-Reported Impairments, and Quality of Life After Ischemic Stroke. 10.1212/WNL.0000000000206747	0
234	From Sarcopenia to Depressive Symptoms in Elderly: A Path Analysis. 2023 , 20, 972	0
233	Health-Related Quality of Life (HRQoL) in Tuberculosis Patients: a Cross-Sectional Study Using the EuroQoL EQ-5D-3L Scale. 2023 , 5,	0

232	Cognitive and physical age-gaps in relation to mild cognitive impairment and behavioral phenotypes.	0
231	Goals of older hospitalized patients with multimorbidity.	0
230	Clinical effectiveness of the Ganga Hospital Open Injury Severity Score for limb salvage versus amputation in patients with complex limb injuries. 2023 , 105-B, 21-28	0
229	Paracetamol versus paracetamol/tramadol in postoperative intertrochanteric fracture: A noninferiority, randomized, controlled, double-blind study. 2023 , 31, 102255362311513	0
228	Global variation in tests of cognitive and physical function: analysis of six international randomized controlled trials.	0
227	Health-Related Quality of Life Following Robotic-Assisted or Video-Assisted Lobectomy in Patients with Non-Small-Cell Lung Cancer: Results from The RVlob Randomized Clinical Trial. 2023 ,	0
226	Understanding the relationship between sleep and quality of life in type 2 diabetes: A systematic review of the literature. 135910532211408	0
225	Protein restriction for diabetic kidney disease. 2023 , 2023,	0
224	Sick leave and predictive factors for sick leave at 12 months after breast cancer surgery in the randomized controlled physical activity trial (PhysSURG-B). 2023 ,	0
223	The prevalence and risk factors of burnout and its association with mental issues and quality of life among hungarian postal workers: a cross-sectional study. 2023 , 23,	0
222	Outcomes Following Adalimumab Bio-originator to Biosimilar Switch: A Comparison Using Real-world Patient- and Physician-Reported Data in European Countries.	0
221	The Rossy Progressive Supranuclear Palsy Centre: creation and initial experience. 1-28	0
220	Physical exercise for people with Parkinson's disease: a systematic review and network meta-analysis. 2023 , 2023,	1
219	Long-term Results of a Randomized Trial of Stenting of the Superficial Femoral Artery for Intermittent Claudication.. 2023 ,	0
218	Socio-demographic indicators of self-reported health based on EQ-5D-3L: A cross-country analysis of population surveys from 18 countries. 10,	0
217	Recommendations from the ISPO lower-limb COMPASS: Patient-reported and performance-based outcome measures. 2023 , Publish Ahead of Print,	0
216	Ultrasound quadriceps muscle thickness is variably associated with frailty in haemodialysis recipients. 2023 , 24,	1
215	Association between Malnutrition Risk Factors and Physical Function in Community-Dwelling Adults 80 Years. 2023 , 3, 33-45	1

- 214 Toward the Definition of Patient-Reported Outcome Measurements in Hereditary Spastic Paraplegia. **2023**, 9, e200052 ○
- 213 Device assessed activity behaviours in patients with indwelling pleural catheter: A sub-study of the Australasian Malignant PLeural Effusion (AMPLE)-2 randomized trial. ○
- 212 The relationship between psychological distress and the health-related quality of life of middle-aged Korean females: A serial mediation model. ○
- 211 A Mixed-Methods Study to Better Measure Patient-Reported Pain and Fatigue in Soft Tissue Sarcoma. ○
- 210 Impacts of the preceding cancer-specific health-related quality of life instruments on the responses to the subsequent EQ-5D-5L. **2023**, 21, ○
- 209 Feasibility of Mobile App-based Coping Skills Training for Cardiorespiratory Failure Survivors: The Blueprint Pilot Randomized Controlled Trial. ○
- 208 Implementing electronic patient reported outcomes in inflammatory bowel disease: patient participation, score reliability and validity. **2023**, 21, ○
- 207 Comparing health status after major trauma across different levels of trauma care. **2023**, ○
- 206 Evaluation of a city-wide physical activity pathway for people affected by cancer: the Active Everyday service. **2023**, 31, ○
- 205 Trajectories of Psychological Distress during the COVID-19 Pandemic among Community-Dwelling Older Adults in Quebec: A Longitudinal Study. ○
- 204 Corticosteroid implants for chronic non-infectious uveitis. **2023**, 2023, ○
- 203 Impact of Belimumab on Patient-Reported Outcomes in Systemic Lupus Erythematosus: Insights from Clinical Trials and Real-World Evidence. Volume 14, 1-13 ○
- 202 Supporting GPs and people with hypertension to maximise medication use to control blood pressure: Protocol for a pilot cluster RCT of the MIAMI intervention. 6, 6 ○
- 201 Determination of the Factors Related to Neuropsychological Competence in People with Multiple Sclerosis. **2023**, 2, 68-73 ○
- 200 Subjective Ratings of Mental and Physical Health Correlate With EQ-5D-5L Index Values in Survivors of Critical Illness: A Construct Validity Study. Publish Ahead of Print, ○
- 199 Complexity and interplay of faced adversities and perceived health and well-being in highly vulnerable pregnant womenThe Mothers of Rotterdam program. **2023**, 23, ○
- 198 Characterizing the individual course of health-related quality of life after subarachnoid haemorrhage: Latent growth mixture modelling. **2023**, 32, 106913 ○
- 197 The impact of treatment-resistant depression on the lives of carers: A mixed-methods study. **2023**, 325, 194-205 ○

- 196 Sleep Variability in UK Long Distance Heavy Goods Vehicle Drivers. **2023**, 65, 67-73 ○
- 195 Five-year patient reported outcomes in NRG Oncology RTOG 0938, evaluating two ultrahypofractionated regimens for prostate cancer. **2022**, ○
- 194 Effectiveness of the Internet Attachment-Based Compassion Therapy (iABCT) to improve the quality of life and well-being in a population with chronic medical illness: A study protocol of a randomized controlled trial (SPIRIT compliant). **2022**, 17, e0278462 ○
- 193 Study protocol for connective tissue disease-associated interstitial lung disease trial (TEL-CTD-ILD): A randomized controlled trial of a home-based telemonitoring of treatment effects. **2022**, 17, e0278601 ○
- 192 Long-term health-related quality of life and independence among older survivors of serious injury. Publish Ahead of Print, ○
- 191 Real-World Effectiveness of 912 Months of Guselkumab Therapy among Patients with Moderate-to-Severe Plaque Psoriasis in the CorEvitas Psoriasis Registry. ○
- 190 Health-related quality-of-life during rehabilitation in patients with critical illness neuropathy/myopathy after severe coronavirus disease 2019. **2023**, 46, 53-60 ○
- 189 Pain interferes with daily activities, emotions and sleep in adults with severe, moderate and mild haemophilia: A national cross-sectional survey. ○
- 188 Patient-reported outcome for 17,648 patients in 5 different Swedish orthopaedic quality registers before and 1 year after surgery: an observational study. 94, 1-7 ○
- 187 Comorbidity data collection across different spine registries: an evidence map. ○
- 186 Anticholinergic burden measures, symptoms, and fall-associated risk in older adults with polypharmacy: Development and validation of a prognostic model. **2023**, 18, e0280907 ○
- 185 Evolution of Clinical Outcome Measures and Biomarkers in Sporadic Adult-Onset Degenerative Ataxia. ○
- 184 Factors associated with health-related quality of life in patients with Crohn's disease in Iran: A prospective observational study. 9, ○
- 183 Determining functional outcomes after resection and reconstruction of primary soft tissue sarcoma in the lower extremity: A review of current subjective and objective measurement systems. ○
- 182 Associations of the COVID-19 pandemic with quality of life: A cross-sectional study of older-age people with and without HIV in rural Uganda. 13, ○
- 181 The trend in quality of life of Chinese population: analysis based on population health surveys from 2008 to 2020. **2023**, 23, ○
- 180 Comparative performance and mapping algorithms between EQ-5D-5L and SF-6Dv2 among the Chinese general population. ○
- 179 The phenotype and prediction of long-term physical, mental and cognitive COVID-19 sequelae 20 months after recovery, a community-based cohort study in China. ○

178	Risk factors for poorer quality of life in patients with neovascular age-related macular degeneration: a longitudinal clinic-based study.	○
177	The effectiveness and cost-effectiveness of Acceptance and Commitment Therapy as a transdiagnostic intervention for transitional-age youth: study protocol of a randomized controlled trial. 2023 , 23,	○
176	Health-related quality of life decreases in young people with asthma during the transition from adolescence to young adulthood: a birth cohort study. 2023 , 23,	○
175	Impact of episodic and chronic vestibular disorders on health-related quality of life and functioningResults from the DizzyReg patient registry.	○
174	Characteristics, clinical outcomes and patient-reported outcomes of patients with ulcerative colitis receiving tofacitinib: a real-world survey in the United States and five European countries. 2023 , 23,	○
173	DBS in tremor with dystonia: VIM, GPi or both? A review of the literature and considerations from a single-center experience.	○
172	The impact of disease activity on health-related quality of life in patients with systemic lupus erythematosus. 2023 ,	○
171	How mild is mild haemophilia?.	○
170	A multicenter randomized trial for quality of life evaluation by non-invasive intelligent tools during post-curative treatment follow-up for head and neck cancer: Clinical study protocol. 13,	○
169	Psychometric properties of Persian version of wound-QOL questionnaire among older adults suffering from chronic wounds. 13,	○
168	Multidimensional evaluation of the pain profile as prognostic factor in individuals with hip or knee osteoarthritis receiving total joint replacement: protocol of a 2-year longitudinal prognostic cohort study. 2023 , 13, e066745	○
167	Association between continuity of care and treatment outcomes in psychiatric patients in Germany: a prospective cohort study. 2023 , 23,	○
166	Subjective outcomes 12 years after transvaginal mesh versus native tissue repair in women with recurrent pelvic organ prolapse; a randomized controlled trial.	○
165	Effect of robot-assisted gait training on quality of life and depression in neurological impairment: A systematic review and meta-analysis. 026921552311525	○
164	Cognitive stimulation to improve cognitive functioning in people with dementia. 2023 , 2023,	1
163	Cultural participation and extra disability and health costs of Syrian migrants in Turkey.	○
162	Reliability and Validity of the German Version of the AO Spine Patient Reported Outcome Spine Trauma Questionnaire. 219256822311561	○
161	X-reality for phantom limb management for amputees: A systematic review and meta-analysis. 2023 , 4, 134-151	○

- 160 Clinical evaluation of hip joint diseases: total hip arthroplasty to support patients' quality of life. **2023**, 1, 18-25 ○
- 159 The dilemma between milestones of progression versus clinical scales in Parkinson's disease. **2023**, 169-185 ○
- 158 Gesundheitsökonomische Evaluation präventiver und gesundheitsfördernder Interventionen. **2023**, 1-19 ○
- 157 Patient-Reported Outcomes in Colorectal Surgery. ○
- 156 Efficacy of mindfulness and goal setting interventions for increasing resilience and reducing smoking in lower socio-economic groups: randomised controlled trial protocol. **2023**, 18, ○
- 155 Effects of a cognitive-based intervention program using social robot PIO on cognitive function, depression, loneliness, and quality of life of older adults living alone. 11, ○
- 154 Comparison of the quality of life of patients with liver cirrhosis before and during the COVID-19 lockdown in Slovakia. **2023**, 13, ○
- 153 Novel Symptom Subgroups in Individuals With Irritable Bowel Syndrome Predict Disease Impact and Burden. **2023**, ○
- 152 Is Outcome of Total Hip Arthroplasty for Hip Fracture Inferior to That of Arthritis in a Contemporary Arthroplasty Practice?. **2023**, ○
- 151 Smartphone-assisted training with education for patients with hip and/or knee osteoarthritis (SmArt-E): study protocol for a multicentre pragmatic randomized controlled trial. **2023**, 24, ○
- 150 Clinicians' Perceptions and practices of diagnostic assessment in psychiatric services. **2023**, 23, ○
- 149 Mental well-being as a predictor of quality of life in elderly agricultural workers. **2023**, 14, ○
- 148 Risk factors of poor sleep quality in older adults: an analysis based on comprehensive geriatric assessment. 1-6 ○
- 147 Translation and validation of the Pancreatic Cancer Disease Impact score for Chinese patients with pancreatic cancer: A methodological and cross-sectional study. **2023**, 10, 100209 ○
- 146 Pain Fluctuations of Women with Subacute Herpetic Neuralgia During Local Methylcobalamin in Combination with Lidocaine Treatment: A Single-Blinded Randomized Controlled Trial. Volume 16, 1267-1284 ○
- 145 Validity and reliability of the Apple Health app on iPhone for measuring gait parameters in children, adults, and seniors. **2023**, 13, ○
- 144 Glycemic status and health-related quality of life (HRQOL) in populations at risk of diabetes in two Latin American cities. ○
- 143 Clostridioides difficile infection in frail older patients, quality in treatment and care: the CLODIFRAIL study protocol for a multicentre randomised controlled trial. ○

- 142 Association between low back pain and psychological stress response in a Japanese population-based study. **2023**, ○
- 141 Factors predicting the transition from acute to persistent pain in people with sciatica—the FORECAST longitudinal prognostic factor cohort study protocol. **2023**, 13, e072832 ○
- 140 Analysis of patient-reported outcomes in the approval of novel oncology drugs in the United States, 2017–2022. **2023**, 59, 101953 ○
- 139 Health state utility values in patients undergoing chest masculinization surgery. **2023**, 81, 26-33 ○
- 138 Reconsidering injury severity: Looking beyond the maximum abbreviated injury score. **2023**, 186, 107045 ○
- 137 Cognitive behavior therapy for adult depressive disorders in routine clinical care: A systematic review and meta-analysis. **2023**, 331, 322-333 ○
- 136 A head-to-head comparison of well-being of older people (WOOP) and EQ-5D-5L in patients, carers and general public in China. **2023**, 13, ○
- 135 Cohort profile: Netherlands Longitudinal Study on Hearing (NL-SH). **2023**, 13, e070180 ○
- 134 Quality of life and mortality in older adults with sepsis after one-year follow up: A prospective cohort study demonstrating the significant impact of frailty. **2023**, 60, 74-80 ○
- 133 Quality of Life in Diabetic Macular Edema. **2022**, 209-212 ○
- 132 Dance on: a mixed-method study into the feasibility and effectiveness of a dance programme to increase physical activity levels and wellbeing in adults and older adults. **2023**, 23, ○
- 131 Previous Trauma Exposure and Its Associations with Fear of Childbirth and Quality of Life among Pregnant Lesbian, Bisexual, Transgender, and Queer People and Their Partners. **2023**, 19, 175-185 ○
- 130 The Effect of Cognitive Programs on Cognitive Functions of the Elderly with Normal Cognitive Functions in the Community: Based on the Program 'Connect Memories'. **2023**, 41, 11-17 ○
- 129 Local corticosteroid injection versus placebo for carpal tunnel syndrome. **2023**, 2023, ○
- 128 Retrospective analysis of mortality and quality of life after hip disarticulation or hemipelvectomy: a report on 15 patients. ○
- 127 Evaluating the impact of patient-reported outcome measures on depression and anxiety levels in people with multiple sclerosis: a study protocol for a randomized controlled trial. **2023**, 23, ○
- 126 Cardiopulmonary, Functional, Cognitive and Mental Health Outcomes Post-COVID-19, Across the Range of Severity of Acute Illness, in a Physically Active, Working-Age Population. **2023**, 9, 1
- 125 Quality of life in ICU survivors from 1991 to 2022: a bibliometric analysis based on CiteSpace. ○

- 124 Comparing Effectiveness, tolerability, and Acceptability of Heated Tobacco Products vs. refillable Electronic cigarettes For cigarEttEs substitution: CEASEFIRE randomized controlled trial (Preprint). ○
- 123 Single-dose psilocybin for a treatment-resistant episode of major depression: Impact on patient-reported depression severity, anxiety, function, and quality of life. **2023**, 327, 120-127 ○
- 122 Fulfilment of patients' mandatory expectations are crucial for satisfaction: a study amongst 352 patients after total knee arthroplasty (TKA). ○
- 121 Outcome measures for Alzheimer's disease: A global inter-societal Delphi consensus. ○
- 120 Health-related quality of life and long-term symptoms among patients with non-severe covid-19: a prospective cohort study. **2023**, 55, 272-281 ○
- 119 Mapping Oswestry Disability Index Responses to EQ-5D-3L Utility Values: Are Cost-Utility Results Valid?. **2023**, ○
- 118 Exercise tolerance, fatigue, mental health, and employment status at 5 and 12 months following COVID-19 illness in a physically trained population. **2023**, 134, 622-637 ○
- 117 Effects of a Rehabilitation Program Combined with Pain Management That Targets Pain Perception and Activity Avoidance in Older Patients with Acute Vertebral Compression Fracture: a Randomised Controlled Trial. **2023**, 2023, 1-11 ○
- 116 OVERTURE: A Worldwide, Prospective, Observational Study of Disease Characteristics in Patients With ADPKD. **2023**, ○
- 115 Temporary treatment cessation versus continuation of first-line tyrosine kinase inhibitor in patients with advanced clear cell renal cell carcinoma (STAR): an open-label, non-inferiority, randomised, controlled, phase 2/3 trial. **2023**, 24, 213-227 ○
- 114 Outcomes of periodontal therapy: Strengthening the relevance of research to patients. A co-created review. ○
- 113 Impact of minimally invasive glaucoma surgery on the ocular surface and quality of life in patients with glaucoma. **2023**, 15, 251584142311527 ○
- 112 Measurement Properties of Self-Report Questionnaires for Amyotrophic Lateral Sclerosis: A Systematic Review and Meta-Analysis of Commonly Used Instruments. **2023**, 20, 3310 ○
- 111 The effect of combining therapeutic drug monitoring of antihypertensive drugs with personalised feedback on adherence and resistant hypertension: the (RHYME-RCT) trial protocol of a multi-centre randomised controlled trial. **2023**, 23, ○
- 110 Predictive Factors for Nasogastric Tube Removal in Post-Stroke Patients. **2023**, 59, 368 ○
- 109 Effectiveness of Internet-based cognitive-behavioural therapy for obsessive-compulsive disorder (OCD-NET) and body dysmorphic disorder (BDD-NET) in the Swedish public health system using the RE-AIM implementation framework. **2023**, 31, 100608 ○
- 108 Clinical Management of Drug-Induced Dyskinesia in Parkinson's Disease: Why Current Approaches May Need to Be Changed to Optimise Quality of Life. 62-69 ○
- 107 No difference in quality of life between persons with severe haemophilia A and B. ○

- 106 Baseline Clinical and Blood Biomarker in Patients With Preataxic and Early-Stage Disease Spinocerebellar Ataxia 1 and 3. **2023**, 100, e1836-e1848 ○
- 105 The influencing factors of health-related quality of life of the general population of Iran during the COVID-19 Pandemic. 10, ○
- 104 Study protocol for neuromuscular stimulation for rehabilitation after general and vascular surgery: a pilot randomised clinical study. **2023**, 13, e061800 ○
- 103 Factors predictive of functional outcomes and quality of life in patients with fragility hip fracture: A retrospective cohort study. **2023**, 102, e32909 ○
- 102 Prognostic relevance of mitral and tricuspid regurgitation after transcatheter aortic valve implantation: Impact of follow-up time point for decision-making. 10, ○
- 101 Short-term difference only in reported outcomes (PROMs) after anterior or posterior approach to total hip arthroplasty: a 4-year prospective multi-centre observational study. **2023**, 18, ○
- 100 A head-to-head comparison of the EQ-5D-5L and 15D descriptive systems and index values in a general population sample. **2023**, 21, ○
- 99 Physiotherapy with integrated virtual reality for patients with complex chronic low back pain: protocol for a pragmatic cluster randomized controlled trial (VARIETY study). **2023**, 24, ○
- 98 Improved health-related quality of life after hepatitis C viraemic clearance among people who inject drugs may not be durable. ○
- 97 Quantifying the Burden of Survivorship Associated with Infra-renal Abdominal Aortic Aneurysms. **2023**, ○
- 96 Prevalence of Lumbosacral Transitional Vertebral Anomalies Among Healthy Volunteers and Patients with Hip Pathology. **2023**, 8, ○
- 95 Complementary Therapy Learning in the Setting of Lung Transplantation: A Single-Center Observational Study of Appropriation and Efficacy. **2023**, 12, 1722 ○
- 94 Global retrospective analysis of clinician- and patient-reported clinical characteristics and humanistic burden of patients with gastroesophageal cancers on first-line treatment. **2023**, 23, ○
- 93 Localization diagnosis of low back pain in a population-based study of a Japanese mountain village. **2023**, 18, e0282115 ○
- 92 Favorable long-term health-related quality of life after surgery for lumbar disc herniation in young adult patients. **2023**, 165, 797-805 ○
- 91 The Acute Optic Neuritis Network (ACON): Study protocol of a non-interventional prospective multicenter study on diagnosis and treatment of acute optic neuritis. 14, ○
- 90 Validity of the short musculoskeletal function assessment questionnaire in patients with a spine fracture. **2023**, 32, 1471-1479 ○
- 89 Home calligraphic exercises as manual dexterity training in patients with Parkinson's disease: a pilot feasibility study. 1-5 ○

- 88 A Matching-adjusted Indirect Comparison of Nivolumab Plus Cabozantinib Versus Pembrolizumab Plus Axitinib in Patients with Advanced Renal Cell Carcinoma. **2023**, ○
- 87 Effect of direct endovascular treatment versus standard bridging therapy in large artery anterior circulation stroke (DEVT): 18-month follow-up of a randomized controlled trial. **2023**, 23, ○
- 86 Proactive and Integrated Management and Empowerment in Parkinson's Disease protocol for a randomised controlled trial (PRIME-UK) to evaluate a new model of care. **2023**, 24, ○
- 85 Cross-cultural adaptation and validation of Diabetes Quality of Life Brief Clinical Inventory in Turkish patients with type 2 diabetes mellitus. 1-10 ○
- 84 Functional Outcomes of Emergency Surgery for Perforated Diverticulitis, Hinchey Grade III. ○
- 83 Pain intensity and psychological distress show different associations with interference and lack of life control: A clinical registry-based cohort study of >40,000 chronic pain patients from SQRP. 4, ○
- 82 Test-retest reliability of a simple bedside-quantitative sensory testing battery for chronic neuropathic pain. **2023**, 8, e1049 ○
- 81 Psychometric Validation of the Hepatitis C Symptom and Impact Questionnaire (HCV-SIQv4) in a Diverse Sample of Adults with Chronic Hepatitis C Virus Infection Treated with an Interferon-free Simeprevir-containing Regimen. 1-19 ○
- 80 Association Between Myasthenia Gravis Activities of Daily Living (MG-ADL) and EQ-5D-5L Utility Values: The Additional Effect of Efgartigimod on Utilities. **2023**, 40, 1818-1829 ○
- 79 A realist evaluation of the feasibility of a randomised controlled trial of a digital music and movement intervention for older people living in care homes. **2023**, 23, ○
- 78 Incidental dural tears do not affect the overall patients' reported outcome of spine surgery at long-term follow-up: results of a systematic review. ○
- 77 Disutility Study for Adult Patients with Moderate to Severe Crohn's Disease. 47-60 ○
- 76 Responsiveness and minimal clinically important difference of EQ-5D-5L in patients with coronary heart disease after percutaneous coronary intervention: A longitudinal study. 10, ○
- 75 Scandinavian trial of Uncomplicated Aortic Dissection Therapy: study protocol for a randomized controlled trial. ○
- 74 Natural language processing of referral letters improves machine learning based triaging of patients with low back pain to the most appropriate intervention. (Preprint). ○
- 73 Pharmacological interventions for persistent postural-perceptual dizziness (PPPD). **2023**, 2023, ○
- 72 Adjunct tele-yoga on clinical status at 14 days in hospitalized patients with mild and moderate COVID-19: A randomized control trial. 11, ○
- 71 Real-life ankle submovements and computer mouse use reflect patient-reported function in adult ataxias. **2023**, 5, ○

70	Non-pharmacological interventions for persistent postural-perceptual dizziness (PPPD). 2023 , 2023,	○
69	Remote digital monitoring for selected chronic diseases in primary health care. 2023 , 2023,	○
68	Patient Education Improves Pain and Health-Related Quality of Life in Patients with Established Spinal Osteoporosis in Primary Care A Pilot Study of Short- and Long-Term Effects. 2023 , 20, 4933	○
67	Long-term outcomes after severe acute kidney injury in critically ill patients: the SALTO study. 2023 , 13,	○
66	Prevalence and impact of faecal incontinence among individuals with Rome IV irritable bowel syndrome.	○
65	Quality of total hip arthroplasty health care based on four years of patient-reported outcomes in the Netherlands. 2023 , 21,	○
64	Impact of major age-related eye disorders on health-related quality of life assessed by EQ-5D: a systematic review and meta-analysis.	○
63	Interdisciplinary Multimodal Pain Rehabilitation in Patients with Chronic Musculoskeletal Pain in Primary Care A Cohort Study from the Swedish Quality Registry for Pain Rehabilitation (SQRP). 2023 , 20, 5051	○
62	The COSI trial: a study protocol for a multi-centre, randomised controlled trial to explore the clinical and cost-effectiveness of the Circle of Security-Parenting Intervention in community perinatal mental health services in England. 2023 , 24,	○
61	Botulinum Toxin A in the treatment of frostbite sequelae Results from a blinded, early-phase, comparative trial. 2023 , 82,	○
60	Impact of the number of previous lumbar operations on patient-reported outcomes after surgery for lumbar spinal stenosis or lumbar disc herniation. 2023 , 105-B, 422-430	○
59	Common health assets protocol: a mixed-methods, realist evaluation and economic appraisal of how community-led organisations (CLOs) impact on the health and well-being of people living in deprived areas. 2023 , 13, e069979	○
58	Use of cast immobilization versus removable brace in adults with an ankle fracture: two-year follow-up of a multicentre randomized controlled trial. 2023 , 105-B, 382-388	○
57	Primary knee arthroplasty for osteoarthritis restores patients health-related quality of life to normal population levels. 2023 , 105-B, 365-372	1
56	The Effectiveness of Guselkumab by BMI Category Among Patients with Moderate-to-Severe Plaque Psoriasis in the CorEvitas Psoriasis Registry.	○
55	Construct validity of the PROMIS PF-10 in patients with inflammatory rheumatic diseases and severe limitations in physical functioning. 1-9	○
54	The Influence of Multilevel Spinal Deformity Surgery on the EuroQol 5 Dimensions (EQ-5D) Questionnaire and Residential Status in the Elderly: A Prospective, Observational, Multicenter Study. 219256822311625	○
53	Impact of Number and Position of Tooth Loss in Quality of Life: The Chilean National Health Survey 2016- 2017.	○

- 52 Effect of Intravenous Ferric Carboxymaltose on Exercise Capacity After Kidney Transplantation (EFFECT-KTx): rationale and study protocol for a double-blind, randomised, placebo-controlled trial. **2023**, 13, e065423 ○
- 51 Health-related quality of life among transthyretin amyloid cardiomyopathy patients. ○
- 50 Scandinavian trial of uncomplicated aortic dissection therapy: study protocol for a randomized controlled trial. **2023**, 24, ○
- 49 Effectiveness of Blended Cognitive Behavioral Therapy Versus Treatment as Usual for Depression in Routine Specialized Mental Healthcare: E-COMPARED Trial in the Netherlands. ○
- 48 Comparação entre tratamento cirúrgico e conservador para fraturas toracolombares AOSpine tipo A3 e A4 sem déficite neurológico: Estudo de coorte prospectivo observacional. **2023**, 58, 042-047 ○
- 47 What is the impact of post-COVID-19 syndrome on health-related quality of life and associated factors: a cross-sectional analysis. **2023**, 21, ○
- 46 Examining the relationship between the Short Warwick-Edinburgh Mental Well-being Scale (SWEMWBS) and EQ-5D-5L and comparing their psychometric properties. **2023**, 21, ○
- 45 The Burden of Migraine on Quality of Life in Chronic Rhinosinusitis. ○
- 44 Western Ontario Osteoarthritis of the Shoulder Index (WOOS) - A validation for use in proximal humerus fractures treated with arthroplasty. ○
- 43 The impact of BMI on psychological health in oldest old individuals: Are there differences between women and men?. **2023**, 18, e0283089 ○
- 42 Cognitive and mental fatigue in chronic pain: cognitive functions, emotional aspects, biomarkers and neuronal correlates: protocol for a descriptive cross-sectional study. **2023**, 13, e068011 ○
- 41 Epidemiology of hospitalisations due to chickenpox and quality of life lost in community and hospital settings: protocol for a prospective cohort study across two countries. **2023**, 13, e068611 ○
- 40 Health-Related Quality of Life Impairment Among Patients with Severe Chronic Rhinosinusitis with Nasal Polyps in the SINUS-24 Trial. Volume 16, 323-332 ○
- 39 A multi-disciplinary program for opioid sparse arthroplasty results in reduced long-term opioid consumption: a four year prospective study. **2023**, 23, ○
- 38 Avaliação da qualidade de vida relacionada à saúde em um programa de reabilitação para pessoas com deficiência visual. **2023**, 82, ○
- 37 I-SOCIALISE: Results from a cluster randomised controlled trial investigating the social competence and isolation of children with autism taking part in LEGO® based therapy (Play Brick Therapy) clubs in school environments. 136236132311596 ○
- 36 Digital Outcome Measurement to Improve Care for Patients With Immune-Mediated Inflammatory Diseases: Protocol for the IMID Registry (Preprint). ○
- 35 Digital Outcome Measurement to Improve Care for Patients With Immune-Mediated Inflammatory Diseases: Protocol for the IMID Registry. 12, e43230 ○

- 34 Clinical Scales for Headache and Migraine. **2023**, 23-43 ○
- 33 Predictors of quality of life in patients within the first year of commencing haemodialysis based on baseline data from the PIVOTAL trial and associations with the study outcomes. ○
- 32 Major Depressive Disorder. **2023**, 123-130 ○
- 31 Effect of Disulfiram and Copper Plus Chemotherapy vs Chemotherapy Alone on Survival in Patients With Recurrent Glioblastoma. **2023**, 6, e234149 ○
- 30 Depressive Episode Due to Another Medical Condition. **2023**, 131-141 ○
- 29 PROMIS[®] Physical, Mental and Social Health Outcomes Improve from Before to Early After LVAD Implant: Findings from the Mechanical Circulatory Support: Measures of Adjustment and Quality of Life (MCS A-QOL) Study. **2023**, ○
- 28 Radiofrequency Ablation Provides Rapid and Durable Pain Relief for the Palliative Treatment of Lytic Bone Metastases Independent of Radiation Therapy: Final Results from the OsteoCool Tumor Ablation Post-Market Study. ○
- 27 The results of clinician-focused implementation strategies on uptake and outcomes of Measurement-Based Care (MBC) in general mental health care. **2023**, 23, ○
- 26 Content validation and psychometric evaluation of the Angioedema Quality of Life Questionnaire for hereditary angioedema. **2023**, 7, ○
- 25 A Path Analysis for Health-related Quality of Life in Long-term Care Insurance In-home Service Users. 34, 1 ○
- 24 Measures for the Core Outcome Set for Research Evaluating Interventions to Prevent and/or Treat Delirium in Critically Ill Adults: An International Consensus Study (Del-COrS). **2023**, 5, e0884 ○
- 23 Dementia Quality of Life Instrument. **2021**, 1-6 ○
- 22 The HAVEN studyHydroxychloroquine in ANCA vasculitis evaluation[†] multicentre, randomised, double-blind, placebo-controlled trial: study protocol and statistical analysis plan. **2023**, 24, ○
- 21 PROTOCOL: The effectiveness of sensory interventions targeted at improving occupational outcomes, quality of life, well-being and behavioural and psychological symptoms for older adults living with dementia: A systematic review and meta-analysis. **2023**, 19, ○
- 20 Health-related quality of life and medication use among individuals with Angelman syndrome. ○
- 19 Development of a Quality-of-Life Instrument to Measure Current Health Outcomes: Health-Related Quality of Life with Six Domains (HRQ-6D). **2023**, 12, 2816 ○
- 18 Incidence, Risk Factors, and Consequences of Post-Traumatic Stress Disorder Symptoms in Survivors of COVID-19-Related ARDS. **2023**, 20, 5504 ○
- 17 Methadone rotation versus other opioid rotation for refractory cancer induced bone pain: protocol of an exploratory randomised controlled open-label study. **2023**, 22, ○

- 16 Validation of patient- and GP-reported core sets of quality indicators for older adults with multimorbidity in primary care: results of the cross-sectional observational MULTIqual validation study. **2023**, 21, ○
- 15 Decision Making About Disease-Modifying Treatments for Relapsing-Remitting Multiple Sclerosis: Stated Preferences and Real-World Choices. ○
- 14 Relationship Between the Response to Antibody Therapy and Symptoms of Depression and Anxiety Disorders in Patients with Severe Asthma. Volume 16, 421-431 ○
- 13 Illness Perceptions and Health-Related Quality of Life in Women and Men With Atrial Fibrillation. Publish Ahead of Print, ○
- 12 Assessing the impact of digital patient monitoring on health outcomes and healthcare resource usage in addition to the feasibility of its combination with at-home treatment, in participants receiving systemic anticancer treatment in clinical practice: protocol for an interventional, open-label, multicountry platform study (ORIGAMA). **2023**, 13, e063242 ○
- 11 Genomics of severe and treatment-resistant obsessive-compulsive disorder treated with deep brain stimulation: a preliminary investigation. ○
- 10 I knew who I was this morning, but I've changed a few times since then—A study combining register and self-reported QoL data in assessing how response shift may occur in an injury population. **2023**, 115916 ○
- 9 Subjective expectation of reaching age 85: agreement with population statistics and association with behavioral and psychological factors. **2023**, 23, ○
- 8 Tibial plateau fractures in older adults are associated with a clinically significant deterioration in health-related quality of life. **2023**, 4, 273-282 ○
- 7 A Randomised Control Trial to Explore the Impact and Efficacy of the Healum Collaborative Care Planning Software and App on Condition Management in the Type 2 Diabetes Mellitus Population in NHS Primary Care. ○
- 6 Caregivers Burden in Parkinson Disease: a study on related features and attachment styles. ○
- 5 Cost-effectiveness analysis. **2023**, 215-220 ○
- 4 Psychometric evaluation and Rasch analyses of the German Overall Anxiety Severity and Impairment Scale (OASIS-D). **2023**, 13, ○
- 3 Effects of interdisciplinary pain rehabilitation programs on neuropathic and non-neuropathic chronic pain conditions—a registry-based cohort study from Swedish Quality Registry for Pain Rehabilitation (SQRP). **2023**, 24, ○
- 2 Measuring the Indirect Cost of Illness Using EQ-5D-5L While Accounting for Job Characteristics. ○
- 1 Cutaneous body image in patients with hidradenitis suppurativa: a hospital-based cross-sectional study. **2023**, 13, ○