

# CITATION REPORT

List of articles citing

Rheumatoid arthritis. Pathophysiology and implications for therapy

DOI: 10.1056/nejm199005033221805

New England Journal of Medicine, 1990, 322, 1277-89.

**Source:** <https://exaly.com/paper-pdf/21833998/citation-report.pdf>

**Version:** 2024-04-23

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1504	Oncogenes control stromelysin and collagenase gene expression. <b>1994</b> , 107, 101-7		8
1503	Rheumatoid arthritis. <i>New England Journal of Medicine</i> , <b>1990</b> , 323, 994-6	59.2	
1502	Mechanisms of immune injury in rheumatoid arthritis: evidence for the involvement of T cells and heat-shock protein. <b>1990</b> , 118, 233-55		46
1501	Disease-modifying antirheumatic and immunoregulatory agents. <b>1990</b> , 4, 405-32		2
1500	Abstracts. <b>1990</b> , 28,		
1499	Approaches to the therapy of rheumatoid arthritis. <b>1990</b> , 10, 143-148		
1498	Rheumatoid arthritis. <b>1990</b> , 10, 127-128		
1497	Rheumatoid arthritis: A case of progressive disease. <b>1990</b> , 10, 143		
1496	Lymphocyte migration in health and inflammatory rheumatic disease. <b>1991</b> , 20, 339-352		14
1495	Is schizophrenia caused by excessive production of interleukin-2 and interleukin-2 receptors by gastrointestinal lymphocytes?. <b>1991</b> , 34, 225-9		39
1494	Reactive oxygen species, lipid peroxides and essential fatty acids in patients with rheumatoid arthritis and systemic lupus erythematosus. <b>1991</b> , 43, 251-5		43
1493	Cytoprotection against neutrophil-delivered oxidant attack by antibiotics. <b>1991</b> , 42, 2317-21		15
1492	Photopheresis for rheumatoid arthritis. <b>1991</b> , 636, 217-26		20
1491	Hand splinting in rheumatoid arthritis. A perspective on current knowledge and directions for research. <b>1991</b> , 4, 81-6		11
1490	Interaction(s) between essential fatty acids, eicosanoids, cytokines, growth factors and free radicals: relevance to new therapeutic strategies in rheumatoid arthritis and other collagen vascular diseases. <b>1991</b> , 44, 201-10		66
1489	Histological findings in renal involvement of microscopic form of panarteritis. <b>1991</b> , 94, 115-22		
1488	Combination of disease-modifying antirheumatic drugs in the treatment of rheumatoid arthritis. A survey of Alabama rheumatologists. <b>1991</b> , 4, 48-51		1

1487 Rheumatoid arthritis. New developments in treatment. **1991**, 89, 75-7, 81-2, 87-90

1486 Rheumatoid arthritis in the elderly. **1991**, 39, 284-94

24

1485 Imbalanced cytokine production by macrophages from autoimmune-prone mice. **1991**, 30, 183-92

26

1484 Osteoporosis associated with rheumatoid arthritis: pathogenesis and management. **1991**, 20, 256-72

80

1483 Selenium in rheumatic diseases. **1991**, 20, 305-16

23

1482 Worldwide trends in the socioeconomic impact and long-term prognosis of rheumatoid arthritis. **1991**, 21, 4-12

72

1481 Therapy for rheumatoid arthritis: combinations of disease-modifying drugs and new paradigms of treatment. **1991**, 21, 21-34

30

1480 Prognostic staging for therapy of rheumatoid arthritis. **1991**, 21, 40-3

10

1479 Restricted expression of T cell receptor V beta but not V alpha genes in rheumatoid arthritis. **1991**, 21, 461-6

187

1478 Treatment of rheumatoid arthritis by extracorporeal photochemotherapy. A pilot study. **1991**, 34, 646-54

81

1477 The clinical and health status of patients with recent-onset rheumatoid arthritis. **1991**, 34, 761-5

47

1476 The present and future adequacy of rheumatology manpower. A study of health care needs and physician supply. **1991**, 34, 1209-17

60

1475 Expression and functions of very late antigen 1 in inflammatory joint diseases. **1991**, 11, 29-38

32

1474 Activated, cytotoxic lymphocytes in systemic vasculitis. **1991**, 11, 69-72

9

1473 MRI of knee arthritis in rheumatoid arthritis and spondylarthropathies. **1991**, 11, 183-6

11

1472 Combination chemotherapy in rheumatoid arthritis. **1991**, 50, 507-9

5

1471 Rheumatology. **1991**, 67, 114-39

1470 Assays for Rheumatoid Factor: A Review of Their Utility and Limitations in Clinical Practice. **1992**, 23, 15-18

6

1469	Slow drugs: slow progress? Use of slow acting antirheumatic drugs (SAARDs) in rheumatoid arthritis. <b>1992</b> , 51, 424-9	15
1468	The influence of HLA-DRB1 genes on disease severity in rheumatoid arthritis. <b>1992</b> , 117, 801-6	346
1467	Anti-Proteus antibodies in rheumatoid arthritis same-sexed sibships. <b>1992</b> , 31, 241-5	32
1466	The Autoimmune Diseases. <b>1992</b> , 268, 2882	31
1465	Seeing the forest despite the trees. The benefit of exploratory data analysis to program evaluation research. <b>1992</b> , 15, 131-46	3
1464	Genetic analysis of self-associating immunoglobulin G rheumatoid factors from two rheumatoid synovia implicates an antigen-driven response. <b>1992</b> , 175, 831-42	99
1463	Bone resorption by cells isolated from rheumatoid synovium. <b>1992</b> , 51, 1223-9	40
1462	Local immune responses in certain extra-articular manifestations of rheumatoid arthritis. <b>1992</b> , 51, 698-701	10
1461	Engagement of major histocompatibility complex class II molecules by superantigen induces inflammatory cytokine gene expression in human rheumatoid fibroblast-like synoviocytes. <b>1992</b> , 175, 613-6	90
1460	How Useful Is the Rheumatoid Factor?. <b>1992</b> , 152, 2417	40
1459	Human cyclooxygenase-2 cDNA. <b>1992</b> , 89, 7384-8	1361
1458	Management of chronic asthma. <b>1992</b> , 39, 1293-310	7
1457	Anti-inflammatory drugs in the treatment of allergic disease. <b>1992</b> , 76, 953-75	15
1456	Perforin and granzyme A expression identifying cytolytic lymphocytes in rheumatoid arthritis. <b>1992</b> , 89, 549-53	69
1455	Tetracycline inhibition identifies the cellular origin of interstitial collagenases in human periodontal diseases in vivo. <b>1992</b> , 7, 121-3	32
1454	Calcium-dependent cysteine proteinase (calpain) in human arthritic synovial joints. <b>1992</b> , 35, 1309-17	44
1453	Free Radicals, Lipid Peroxidation and Essential Fatty Acids in Patients with Pneumonia, Septicemia and Collagen Vascular Diseases. <b>1992</b> , 3, 117-127	12
1452	Paracentral rheumatoid corneal ulceration. Clinical features and cyclosporine therapy. <b>1992</b> , 99, 80-8	74

1451	The case for early intervention in rheumatoid arthritis. <b>1992</b> , 5 Suppl A, 209-26	19
1450	CD5 negative IGM rheumatoid factor B cells in B-chronic lymphocytic leukemia and benign mixed cryoglobulinemia. <b>1992</b> , 7, 55-62	14
1449	T cell receptor beta gene polymorphism and rheumatoid arthritis. <b>1992</b> , 12, 75-7	8
1448	Pathways of coagulation activation in situ in rheumatoid synovial tissue. <b>1992</b> , 63, 155-62	43
1447	Markers of inflammatory activation: upregulation of complement receptors CR1 and CR3 on synovial fluid neutrophils from patients with inflammatory joint disease. <b>1992</b> , 65, 135-42	22
1446	Expression of interleukin-1 and interleukin-1 receptor antagonist by human rheumatoid synovial tissue macrophages. <b>1992</b> , 65, 23-9	57
1445	Detection of IgM rheumatoid factor in canine serum using a standardized enzyme-linked immunosorbent assay. <b>1992</b> , 34, 139-47	4
1444	Palindromic rheumatism: part of or apart from the spectrum of rheumatoid arthritis. <b>1992</b> , 93, 451-60	64
1443	Genetic determination of susceptibility and severity in rheumatoid arthritis. <b>1992</b> , 117, 869-71	6
1442	Production of interleukin 8 by cultured synovial cells in response to interleukin 1 and tumor necrosis factor. <b>1992</b> , 12, 13-6	17
1441	The dynamics of aging: Measurement and intervention issues for health and function. <b>1992</b> , 7, 185-201	2
1440	Use of monoclonal antibodies in vivo as a therapeutic strategy for alloimmune or autoimmune reactivity: the Besançon experience. <b>1992</b> , 129, 31-55	20
1439	Articular chondrocytes secrete IL-1, express membrane IL-1, and have IL-1 inhibitory activity. <b>1992</b> , 140, 1-20	39
1438	The matrix metalloproteinases and their natural inhibitors: prospects for treating degenerative tissue diseases. <b>1992</b> , 10, 200-7	178
1437	Cyclosporine in rheumatoid arthritis. <b>1992</b> , 22, 30-6	25
1436	Contribution of synovial mesenchymal cells to the pathogenesis of rheumatoid arthritis. <b>1992</b> , 21, 267-73	22
1435	Serum N terminal procollagen III fragment: a predictive marker of joint destruction in rheumatoid arthritis?. <b>1992</b> , 11, 502-7	7
1434	Cytokine abnormalities in inflammatory arthritis. <b>1992</b> , 6, 373-92	14

1433	The role of cytokines and their inhibitors in arthritis. <b>1992</b> , 6, 485-516	56
1432	Rheumatoid arthritis in south-east Europe. <b>1992</b> , 6, 221-33	6
1431	Oncogene activation in rheumatoid synovium. <b>1992</b> , 100, 861-75	34
1430	Inhibition of the production of proinflammatory cytokines and immunoglobulins by interleukin-4 in an ex vivo model of rheumatoid synovitis. <b>1992</b> , 35, 874-83	145
1429	The immunoglobulin kappa light chain repertoire expressed in the synovium of a patient with rheumatoid arthritis. <b>1992</b> , 35, 905-13	56
1428	Evidence for the presence of androgen receptors in the synovial tissue of rheumatoid arthritis patients and healthy controls. <b>1992</b> , 35, 1007-15	52
1427	Expression of human tenascin in synovitis and its regulation by interleukin-1. <b>1992</b> , 35, 1185-96	63
1426	The intrinsic migratory capacity of memory T cells contributes to their accumulation in rheumatoid synovium. <b>1992</b> , 35, 1434-44	62
1425	Rheumatoid synovium is enriched in CD45RBdim mature memory T cells that are potent helpers for B cell differentiation. <b>1992</b> , 35, 1455-65	81
1424	Characterization of specific proteases associated with the surface of human skin fibroblasts, and their modulation in pathology. <b>1992</b> , 151, 378-85	34
1423	Molecular analysis of the V kappa III-J kappa junctional diversity of polyclonal rheumatoid factors during rheumatoid arthritis frequently reveals N addition. <b>1992</b> , 22, 1773-9	37
1422	Nicotinic receptors of rat lymphocytes during adjuvant polyarthritis. <b>1992</b> , 31, 336-40	19
1421	Peptidomimetics for Receptor Ligands Discovery, Development, and Medical Perspectives. <b>1993</b> , 32, 1244-1267	687
1420	Production of monocyte chemotactic protein-1 in human type B synoviocytes. Synergistic effect of tumor necrosis factor alpha and interferon-gamma. <b>1993</b> , 36, 26-34	61
1419	Use of a chimeric monoclonal anti-CD4 antibody in patients with refractory rheumatoid arthritis. <b>1993</b> , 36, 307-18	122
1418	Inflammation-induced cartilage degradation in female rodents. Protective role of sex hormones. <b>1993</b> , 36, 1007-13	73
1417	The repertoire of rheumatoid factor-producing B cells in normal subjects and patients with rheumatoid arthritis. <b>1993</b> , 36, 1061-9	22
1416	Presence of estrogen-binding sites on macrophage-like synoviocytes and CD8+, CD29+, CD45RO+ T lymphocytes in normal and rheumatoid synovium. <b>1993</b> , 36, 1087-97	79

1415	Synergistic effect of interleukin-1 beta and tumor necrosis factor alpha on interleukin-8 gene expression in synovial fibroblasts. Evidence that interleukin-8 is the major neutrophil-activating chemokine released in response to monokine activation. <b>1993</b> , 36, 1295-304	53
1414	Up-regulation by tumor necrosis factor alpha of intercellular adhesion molecule 1 expression and function in synovial fibroblasts and its inhibition by glucocorticoids. <b>1993</b> , 36, 1528-39	38
1413	Peptidmimetica ff Rezeptorliganden lEntdeckung, Entwicklung und medizinische Perspektiven. <b>1993</b> , 105, 1303-1326	130
1412	Leukaemia inhibitory factor stimulates proteoglycan resorption in porcine articular cartilage. <b>1993</b> , 13, 5-8	29
1411	Functions of polymorphonuclear leukocytes in early rheumatoid arthritis. <b>1993</b> , 17, 427-42	35
1410	Inverting the therapeutic pyramid: observations and recommendations on new directions in rheumatoid arthritis therapy based on the author's experience. <b>1993</b> , 23, 11-8	25
1409	Early, aggressive therapy for rheumatoid arthritis: concerns, descriptions, and estimate of outcome. <b>1993</b> , 23, 26-41	28
1408	T cell repertoire and autoimmune diseases. <b>1993</b> , 12, 149-67	15
1407	Cytokine expression in synovial membranes of patients with rheumatoid arthritis and osteoarthritis. <b>1993</b> , 52, 870-5	239
1406	Phospholipase A2 and arthritis. <b>1993</b> , 36, 190-8	67
1405	Mechanisms of action of cyclosporin a in animal models of rheumatoid arthritis. <b>1993</b> , 2, 177-195	4
1404	The absence of antibodies to malaria and human immunodeficiency virus, and the presence of hepatitis B surface antigen as diagnostic markers of rheumatoid arthritis. <b>1993</b> , 12, 467-70	4
1403	The role of adhesion molecules in the pathogenesis of rheumatoid arthritis. <b>1993</b> , 16, 69-76	27
1402	Maternal-fetal disparity in HLA class II alloantigens and the pregnancy-induced amelioration of rheumatoid arthritis. <i>New England Journal of Medicine</i> , <b>1993</b> , 329, 466-71	59.2 308
1401	Cyclosporin. A review of its pharmacodynamic and pharmacokinetic properties, and therapeutic use in immunoregulatory disorders. <b>1993</b> , 45, 953-1040	392
1400	Pathogenesis of rheumatoid arthritis. <b>1993</b> , 341, 283-6	109
1399	Clinical management of rheumatoid arthritis. <b>1993</b> , 341, 286-90	42
1398	Tumour necrosis factor: a specific trigger in arthritis. <b>1993</b> , 144, 342-7	5

1397	The acute phase reactant serum amyloid A (SAA3) is a novel substrate for degradation by the metalloproteinases collagenase and stromelysin. <b>1993</b> , 1156, 245-54	46
1396	Pharmacokinetics of cyclosporine and steady-state aspirin during coadministration. <b>1993</b> , 33, 513-21	6
1395	Can immunisation trigger rheumatoid arthritis?. <b>1993</b> , 52, 843-4	32
1394	Intraarticular alpha 2-macroglobulin complexes and proteolytic activity in children with juvenile rheumatoid arthritis. <b>1993</b> , 34, 204-7	9
1393	Prospect for an additional laboratory criterion for rheumatoid arthritis. <b>1993</b> , 22, 267-72	35
1392	Molecular and cellular mechanisms of joint destruction in rheumatoid arthritis: two cellular mechanisms explain joint destruction?. <b>1993</b> , 52 Suppl 1, S39-47	197
1391	Beta 1 integrin-mediated interaction with extracellular matrix proteins regulates cytokine gene expression in synovial fluid cells of rheumatoid arthritis patients. <b>1993</b> , 177, 863-8	55
1390	Clonal V alpha 12.1+ T cell expansions in the peripheral blood of rheumatoid arthritis patients. <b>1993</b> , 177, 1623-31	115
1389	Characterization of the functional domain of tissue inhibitor of metalloproteinases-2 (TIMP-2). <b>1993</b> , 289 ( Pt 1), 65-9	57
1388	Rheumatoid arthritis. <b>1993</b> , 94, 165-180	1
1387	Tetracycline inhibition and the cellular source of collagenase in gingival crevicular fluid in different periodontal diseases. A review article. <b>1993</b> , 64, 82-8	88
1386	CYTOKINES IN BONE. <b>1993</b> , 375-412	10
1385	The cytokeratin filament-aggregating protein filaggrin is the target of the so-called "antikeratin antibodies," autoantibodies specific for rheumatoid arthritis. <b>1993</b> , 92, 1387-93	187
1384	Rehabilitation of the Rheumatoid Hand. <b>1994</b> , 5, 729-746	
1383	Treatment of Rheumatoid Arthritis Using Biological Intervention. <b>1994</b> , 3, 973-977	
1382	The effect of azathioprine on serum levels of interleukin 6 and soluble interleukin 2 receptor. <b>1994</b> , 23, 87-91	11
1381	Methotrexate. <b>1994</b> , 1, 217-244	13
1380	Human rheumatoid factors with restrictive specificity for rabbit immunoglobulin G: auto- and multi-reactivity, diverse VH gene segment usage and preferential usage of V lambda IIIb. <b>1994</b> , 179, 1445-56	34



1379	Intramuscular gold decreases cytokine expression and macrophage numbers in the rheumatoid synovial membrane. <b>1994</b> , 53, 315-22	74
1378	Synovial tissue macrophages and joint erosion in rheumatoid arthritis. <b>1994</b> , 53, 39-44	139
1377	Immunological Aspects of Rheumatic Diseases. <b>1994</b> , 1, 209-216	1
1376	Migratory activity of blood polymorphonuclear leukocytes during juvenile rheumatoid arthritis, demonstrated with a new whole-blood membrane filter assay. <b>1994</b> , 18, 427-41	21
1375	Clinical use of immunosuppressants in autoimmune diseases. <b>1994</b> , 2, 25-30	2
1374	How could infectious agents hide in synovial cells? Possible mechanisms of persistent viral infection in a model for the etiopathogenesis of chronic arthritis. <b>1994</b> , 14, 71-5	12
1373	The effectiveness of topically applied capsaicin. A meta-analysis. <b>1994</b> , 46, 517-22	177
1372	Serum IgM rheumatoid factor by enzyme-linked immunosorbent assay (ELISA) delineates a subset of patients with deforming joint disease in seronegative juvenile rheumatoid arthritis. <b>1994</b> , 14, 135-8	11
1371	Joint-derived T cells in rheumatoid arthritis react with self-immunoglobulin heavy chains or immunoglobulin-binding proteins that copurify with immunoglobulin. <b>1994</b> , 24, 93-8	30
1370	Virus or a hapten-carrier complex can activate autoreactive B cells by providing linked T help. <b>1994</b> , 24, 773-6	33
1369	Interleukin-4 but not interleukin-10 inhibits the production of leukemia inhibitory factor by rheumatoid synovium and synoviocytes. <b>1994</b> , 24, 3222-8	49
1368	Mechanisms of methotrexate action in rheumatoid arthritis. Selective decrease in synovial collagenase gene expression. <b>1994</b> , 37, 193-200	83
1367	Pannus and pannocytes. Alternative models of joint destruction in rheumatoid arthritis. <b>1994</b> , 37, 783-9	197
1366	The lag time between onset of symptoms and diagnosis of rheumatoid arthritis. <b>1994</b> , 37, 814-20	111
1365	Treatment of refractory rheumatoid arthritis with a monoclonal antibody to intercellular adhesion molecule 1. <b>1994</b> , 37, 992-9	243
1364	Using inhibitors of metalloproteinases to treat arthritis. Easier said than done?. <b>1994</b> , 37, 1115-26	165
1363	Type VI collagen-specific messenger RNA is expressed constitutively by cultured human synovial fibroblasts and is suppressed by interleukin-1. <b>1994</b> , 37, 1350-6	19
1362	Increased usage of V beta 2 and V beta 6 in rheumatoid synovial fluid T cells. <b>1994</b> , 37, 1627-36	30

1361	Interleukin-4 inhibits bone resorption through an effect on osteoclasts and proinflammatory cytokines in an ex vivo model of bone resorption in rheumatoid arthritis. <b>1994</b> , 37, 1715-22	86
1360	Inhibition of lymphocyte proliferation by the anti-arthritic drug sinomenine. <b>1994</b> , 16, 685-91	69
1359	Topical capsaicin as an adjuvant analgesic. <b>1994</b> , 9, 425-33	69
1358	Early synovitis--synoviocytes and mononuclear cells. <b>1994</b> , 23, 11-6	36
1357	The future of biologics in the treatment of rheumatoid arthritis. <b>1994</b> , 23, 50-8	11
1356	Marker antibodies of rheumatoid arthritis: diagnostic and pathogenetic implications. <b>1994</b> , 23, 379-87	51
1355	Structure and mechanism of interleukin-1 beta converting enzyme. <b>1994</b> , 370, 270-5	782
1354	Increased expression of VLA-5 adhesion molecules on synovial fluid T lymphocytes in chronic polyarthritis: a consequence of T-cell activation. <b>1994</b> , 39, 189-94	5
1353	Sustained and distinctive patterns of gene activation in synovial fibroblasts and whole synovial tissue obtained from inflammatory synovitis. <b>1994</b> , 40, 292-8	48
1352	Frequency of HLA-DPB1 alleles in a Spanish population: their contribution to rheumatoid arthritis susceptibility. <b>1994</b> , 21, 91-8	5
1351	Characterization of the immunophenotype and functional properties of fibroblast-like synoviocytes in comparison to skin fibroblasts and umbilical vein endothelial cells. <b>1994</b> , 190, 67-92	52
1350	High incidence of spontaneous autoimmune encephalomyelitis in immunodeficient anti-myelin basic protein T cell receptor transgenic mice. <b>1994</b> , 78, 399-408	476
1349	Beneficial effect of eicosapentaenoic and docosahexaenoic acids in the management of systemic lupus erythematosus and its relationship to the cytokine network. <b>1994</b> , 51, 207-13	70
1348	Inhibition of collagenase gene expression in synovial fibroblasts by all-trans and 9-cis retinoic acid. <b>1994</b> , 732, 335-47	6
1347	Age and sex associations of 40 autoimmune diseases. <b>1994</b> , 96, 457-62	272
1346	Monocyte chemoattractant protein 1 and interleukin 8 production by rheumatoid synoviocytes. Effects of anti-rheumatic drugs. <b>1994</b> , 6, 162-70	94
1345	Screening for neuroblastoma. <b>1994</b> , 344, 1157-8	15
1344	Interactions between lymphocytes and type A synoviocytes in rheumatoid synovium. <b>1994</b> , 344, 1158	3

1343	Assessment of coagulation and fibrinolysis in synovial fluid of rheumatoid arthritis patients. <b>1994</b> , 8, 162-171	8
1342	Natural micronutrients as controlling factors in Western diseases--a lesson in nature-programming. <b>1994</b> , 42, 149-58	1
1341	Are Organophosphate Pesticides Involved in the Causation of Bovine Spongiform Encephalopathy (BSE)? Hypothesis Based upon a Literature Review and Limited Trials on BSE Cattle. <b>1994</b> , 4, 43-81	25
1340	Do Disease-Modifying Antirheumatic Drugs Actually Modify Disease Course in Rheumatoid Arthritis?. <b>1994</b> , 1, 319-322	4
1339	Tenidap: a novel cytokine-modulating antirheumatic drug for the treatment of rheumatoid arthritis. <b>1994</b> , 100, 31-44	21
1338	Transcriptional regulation of plasminogen activator inhibitor-1 expression in human synovial fibroblasts by prostaglandin E2: mediation by protein kinase A and role of interleukin-1. <b>1994</b> , 103, 139-48	12
1337	Immunoregulatory role of interleukin 10 in rheumatoid arthritis. <b>1994</b> , 179, 1517-27	456
1336	CMNSG Guest Lecture. Interleukin-1, interleukin-1 receptor, and interleukin-1 receptor antagonist. <b>1994</b> , 53, 393-400	5
1335	Interferons alpha and beta down-regulate the expression of basic fibroblast growth factor in human carcinomas. <b>1995</b> , 92, 4562-6	383
1334	Cytokine autoantibodies in rheumatoid arthritis. <b>1995</b> , 24, 197-203	20
1333	Innovative treatment approaches for rheumatoid arthritis. Combination therapy. <b>1995</b> , 9, 689-710	13
1332	Advances and issues in the pharmacotherapy of rheumatoid arthritis. <b>1995</b> , 20, 131-47	2
1331	cDNA Sequence and mRNA Tissue Distribution of a Novel Human Matrix Metalloproteinase with a Potential Transmembrane Segment. <b>1995</b> , 231, 602-608	6
1330	CD28 expression on T cell subsets in vivo and CD28-mediated T cell response in vitro in patients with rheumatoid arthritis. <b>1995</b> , 38, 649-54	29
1329	A randomized, double-blind, placebo-controlled study of CD4 monoclonal antibody therapy in early rheumatoid arthritis. <b>1995</b> , 38, 1097-106	135
1328	Interleukin-2 diphtheria fusion protein (DAB486IL-2) in refractory rheumatoid arthritis. A double-blind, placebo-controlled trial with open-label extension. <b>1995</b> , 38, 1177-86	56
1327	Treatment of active refractory rheumatoid arthritis with humanized monoclonal antibody CAMPATH-1H administered by daily subcutaneous injection. <b>1995</b> , 38, 1187-93	59
1326	Emergence of oligoclonal T cell populations following therapeutic T cell depletion in rheumatoid arthritis. <b>1995</b> , 38, 1242-51	83

1325	Progressive joint destruction in a human immunodeficiency virus-infected patient with rheumatoid arthritis. <b>1995</b> , 38, 1328-32	30
1324	Tenidap in rheumatoid arthritis. A 24-week double-blind comparison with hydroxychloroquine-plus-piroxicam, and piroxicam alone. <b>1995</b> , 38, 1447-56	32
1323	Terminal differentiation of spontaneous rheumatoid factor-secreting B cells from rheumatoid arthritis patients depends on endogenous interleukin-10. <b>1995</b> , 38, 1771-6	39
1322	Interleukin-10 differentially regulates cytokine inhibitor and chemokine release from blood mononuclear cells and fibroblasts. <b>1995</b> , 25, 1129-32	100
1321	Expression and functional significance of an activation-dependent epitope of the beta 1 integrins in chronic inflammatory diseases. <b>1995</b> , 25, 1720-8	27
1320	The type I interleukin-1 receptor acts in series with tumor necrosis factor (TNF) to induce arthritis in TNF-transgenic mice. <b>1995</b> , 25, 1794-7	147
1319	Cell-type specific, coordinate expression of two ADP-glucose pyrophosphorylase genes in relation to starch biosynthesis during seed development of <i>Vicia faba</i> L. <b>1995</b> , 195, 352-61	77
1318	Genetic background and environment contribute synergistically to the onset of autoimmune diseases. <b>1995</b> , 73, 381-93	37
1317	Positive selection in autoimmunity: abnormal immune responses to a bacterial dnaJ antigenic determinant in patients with early rheumatoid arthritis. <b>1995</b> , 1, 448-52	153
1316	Rapid quantitative determination of a collagenase inhibitor and its major metabolite by on-line liquid chromatography with ionspray tandem mass spectrometric detection. <b>1995</b> , 673, 213-22	11
1315	Cytokine-modulating activity of tepoxalin, a new potential antirheumatic. <b>1995</b> , 17, 805-12	17
1314	Molecular/cell engineering approach to autocrine ligand control of cell function. <b>1995</b> , 23, 208-15	13
1313	Cartilage and bone metabolism in rheumatoid arthritis. Differences between rapid and slow progression of disease identified by serum markers of cartilage metabolism. <b>1995</b> , 95, 1071-7	189
1312	Influence of sensitization and allergen provocation procedures on the development of allergen-induced bronchial hyperreactivity in conscious, unrestrained guinea-pigs. <b>1995</b> , 4, 149-56	2
1311	Androgen metabolism and inhibition of interleukin-1 synthesis in primary cultured human synovial macrophages. <b>1995</b> , 4, 138-43	25
1310	A review on the strategies for the development and application of new anti-arthritic agents. <b>1995</b> , 17, 607-63	5
1309	IgH and L chain variable region gene sequence analyses of twelve synovial tissue-derived B cell lines producing IgA, IgG, and IgM rheumatoid factors structure/function comparisons of antigenic specificity, V gene sequence, and Ig isotype. <b>1995</b> , 22, 229-43	5
1308	Long term treatment of rheumatoid arthritis with high doses of intravenous immunoglobulins: effects on disease activity and serum cytokines. <b>1995</b> , 54, 382-5	32

1307 Rheumatology. **1995**, 273, 1721-3

1306 The detection of raised levels of IgM to *Proteus mirabilis* in sera from patients with rheumatoid arthritis. **1995**, 43, 176-84 25

1305 Immunolocalisation studies on six matrix metalloproteinases and their inhibitors, TIMP-1 and TIMP-2, in synovia from patients with osteo- and rheumatoid arthritis. **1995**, 54, 25-32 127

1304 Beta-endorphin and the immune system--possible role in autoimmune diseases. **1995**, 21, 161-71 22

1303 sIL-2R levels in rheumatoid arthritis: poor correlation with clinical activity is due in part to disease duration. **1995**, 34, 1037-40 4

1302 Aqueous humor cytokine profile in patients with chronic uveitis. **1995**, 3, 203-8 10

1301 Expression of ectopeptidases in scleroderma. **1995**, 54, 111-6 16

1300 T-cell receptor use in early rheumatoid arthritis. **1995**, 756, 147-58 3

1299 Joint-derived T cells in rheumatoid arthritis proliferate to antigens present in autologous synovial fluid. **1995**, 101, 169-77 18

1298 Sulfasalazine. A review of its pharmacological properties and therapeutic efficacy in the treatment of rheumatoid arthritis. **1995**, 50, 137-56 71

1297 Tenidap. **1995**, 346, 481-5 17

1296 Scleritis associated with systemic vasculitic diseases. **1995**, 102, 687-92 116

1295 Psychiatric aspects of rheumatology. **1996**, 19, 575-87 7

1294 VCAM-1/alpha 4-integrin adhesion pathway: therapeutic target for allergic inflammatory disorders. **1996**, 98, S270-7 82

1293 Immunomodulatory mechanisms mediated by sex hormones in rheumatoid arthritis. **1996**, 784, 237-51 12

1292 Primary cultures of human synovial macrophages metabolize androgens. **1996**, 784, 534-41 17

1291 Rheumatoid arthritis: pathogenesis and early recognition. **1996**, 100, 3S-9S 39

1290 Management of osteoarthritis and rheumatoid arthritis: prospects and possibilities. **1996**, 100, 24S-30S 20

1289	Suppressor macrophages mediate depressed lymphoproliferation in chickens infected with avian reovirus. <b>1996</b> , 53, 129-45	29
1288	Establishment and application of a novel T cell clonality analysis using single-strand conformation polymorphism of T cell receptor messenger signals. <b>1996</b> , 48, 23-31	29
1287	Characterization of Chemokine Function in Animal Models of Diseases. <b>1996</b> , 10, 158-65	9
1286	Oncostatin M (OSM) stimulates resorption and inhibits synthesis of proteoglycan in porcine articular cartilage explants. <b>1996</b> , 8, 495-500	40
1285	Alternative pathways of inflammation in rheumatoid arthritis. <b>1996</b> , 16, 57-62	
1284	Application of murine T-T hybridoma cells to in vitro potency assay of human synthetic peptide vaccines. <b>1996</b> , 14, 1313-21	1
1283	Expression of TNF alpha in arthritis caused by caprine arthritis encephalitis virus. <b>1996</b> , 54, 281-9	12
1282	Monthly Update Pulmonary-Allergy, Dermatological, Gastrointestinal & Arthritis: Current perspectives on disease activity markers for rheumatoid arthritis. <b>1996</b> , 5, 1399-1406	
1281	Increased expression of blood mononuclear cell nitric oxide synthase type 2 in rheumatoid arthritis patients. <b>1996</b> , 184, 1173-8	144
1280	[Autoimmune diseases of the peripheral cornea. Immunopathology, clinical aspects and therapy]. <b>1996</b> , 208, 73-81	23
1279	Chemiluminescence responses and chemotaxis of monocytes from patients with early rheumatoid arthritis. <b>1996</b> , 25, 92-6	2
1278	Neurophysiologic changes in lumbar nerve root inflammation in the rat after treatment with cytokine inhibitors. Evidence for a role of interleukin-1. <b>1996</b> , 21, 931-5	19
1277	Chapter 5 Rheumatoid arthritis and serum IgG. <b>1996</b> , 30, 277-289	2
1276	Markedly elevated serum MMP-9 (gelatinase B) levels in rheumatoid arthritis: a potentially useful laboratory marker. <b>1996</b> , 78, 161-71	116
1275	An in vitro Model for Studying Mechanisms Underlying Synoviocyte-Mediated Cartilage Invasion in Rheumatoid Arthritis. <b>1996</b> , 2, 157-166	7
1274	Management of rheumatic diseases in children. <b>1996</b> , 63, 305-21	0
1273	Articular cartilage destruction in experimental inflammatory arthritis: insulin-like growth factor-1 regulation of proteoglycan metabolism in chondrocytes. <b>1996</b> , 28, 835-57	35
1272	Effect of IL-10 on collagen-induced arthritis in mice. <b>1996</b> , 45, 283-8	72

1271	A factor derived from polymorphonuclear leukocytes enhances interleukin-1-induced synovial cell collagenase and prostaglandin E2 production in rats. <b>1996</b> , 236, 517-22	5
1270	Adhesion molecules in autoimmune disease. <b>1996</b> , 25, 215-33	172
1269	Immunohistochemical characterization of the cellular infiltrates in Sjögren's syndrome, rheumatoid arthritis and osteoarthritis with special reference to calprotectin-producing cells. <b>1996</b> , 104, 881-90	7
1268	XVII References. <b>1996</b> , 104, 23-33	1
1267	Selective inhibition of interleukin-1 beta gene expression in activated RAW 264.7 macrophages by interferon-gamma. <b>1996</b> , 26, 1253-9	19
1266	Opposite effects of interleukin-13 and interleukin-12 on the release of inflammatory cytokines, cytokine inhibitors and prostaglandin E from synovial fibroblasts and blood mononuclear cells. <b>1996</b> , 26, 2198-2202	23
1265	Induction of interleukin-6 by interferon alfa and its abrogation by a serine protease inhibitor in patients with chronic hepatitis C. <b>1996</b> , 23, 669-675	21
1264	Engineering dynamics of growth factors and other therapeutic ligands. <b>1996</b> , 52, 61-80	11
1263	Modulation of the catabolic effects of interleukin-1 beta on human articular chondrocytes by transforming growth factor-beta. <b>1996</b> , 166, 351-9	51
1262	Synovial tissue macrophage populations and articular damage in rheumatoid arthritis. <b>1996</b> , 39, 115-24	408
1261	Presentation of self peptides by dendritic cells: possible implications for the pathogenesis of rheumatoid arthritis. <b>1996</b> , 39, 183-90	91
1260	Early undifferentiated connective tissue disease. IV. Musculoskeletal manifestations in a large cohort of patients with undifferentiated connective tissue diseases compared with cohorts of patients with well-established connective tissue diseases: followup analyses in patients with undifferentiated connective tissue diseases with rheumatoid arthritis. <b>1996</b> , 39, 103-14	37
1259	High frequencies of identical T cell clonotypes in synovial tissues of rheumatoid arthritis patients suggest the occurrence of common antigen-driven immune responses. <b>1996</b> , 39, 446-53	59
1258	Guidelines for the management of rheumatoid arthritis. <b>1996</b> , 39, 713-722	276
1257	Enrichment of differentiated CD45RBdim,CD27- memory T cells in the peripheral blood, synovial fluid, and synovial tissue of patients with rheumatoid arthritis. <b>1996</b> , 39, 844-54	102
1256	Oligoclonal T cell proliferation in patients with rheumatoid arthritis and their unaffected siblings. <b>1996</b> , 39, 904-13	116
1255	Expression and functional expansion of fibroblast growth factor receptor T cells in rheumatoid synovium and peripheral blood of patients with rheumatoid arthritis. <b>1996</b> , 39, 914-22	27
1254	HLA-DRB1 genes and disease severity in rheumatoid arthritis. The MIRA Trial Group. Minocycline in Rheumatoid Arthritis. <b>1996</b> , 39, 1802-7	43

1253	A multistep molecular mimicry hypothesis for the pathogenesis of rheumatoid arthritis. <b>1996</b> , 17, 466-70	90
1252	Successful induction of severe destructive arthritis by the transfer of in vitro-activated synovial fluid T cells from patients with rheumatoid arthritis (RA) in severe combined immunodeficient (SCID) mice. <b>1996</b> , 104, 247-54	15
1251	Analysis of V kappa genes in rheumatoid arthritis (RA) synovial B lymphocytes provides evidence for both polyclonal activation and antigen-driven selection. <b>1996</b> , 105, 89-98	8
1250	Evidence for a selected humoral immune response encoded by VH4 family genes in the synovial membrane of a patient with rheumatoid arthritis (RA). <b>1996</b> , 106, 5-12	13
1249	Blood monocyte activation in rheumatoid arthritis: increased monocyte adhesiveness, integrin expression, and cytokine release. <b>1996</b> , 106, 13-9	93
1248	Mac-1 (CD11b/CD18) is the predominant beta 2 (CD18) integrin mediating human neutrophil migration through synovial and dermal fibroblast barriers. <b>1996</b> , 88, 463-70	35
1247	Treatment of established adjuvant arthritis in rats with monoclonal antibody to CD18 and very late activation antigen-4 integrins suppresses neutrophil and T-lymphocyte migration to the joints and improves clinical disease. <b>1996</b> , 88, 569-76	61
1246	Lessons for stock assessment from the northern cod collapse. <b>1996</b> , 6, 125	204
1245	Role of enteric bacteria in the pathogenesis of rheumatoid arthritis: evidence for antibodies to enterobacterial common antigens in rheumatoid sera and synovial fluids. <b>1996</b> , 55, 363-9	34
1244	Immunohistochemical detection of lymphocyte subpopulations in the tarsal joints of chickens with experimental viral arthritis. <b>1996</b> , 33, 303-10	8
1243	Characterization of the 46-kDa intermediates of matrix metalloproteinase 3 (stromelysin 1) obtained by site-directed mutation of phenylalanine 83. <b>1996</b> , 271, 10715-22	25
1242	Cloning and developmental expression of a membrane-type matrix metalloproteinase from chicken. <b>1996</b> , 271, 25548-54	31
1241	Increased serum and synovial fluid antibodies to immunoselected peptides in patients with rheumatoid arthritis. <b>1996</b> , 55, 437-41	8
1240	Parathyroid hormone-related peptide in synovial fluid and disease activity of rheumatoid arthritis. <b>1996</b> , 35, 1056-62	23
1239	T cell response to Epstein-Barr virus transactivators in chronic rheumatoid arthritis. <b>1996</b> , 184, 1791-800	150
1238	Clinical trial to assess the safety, feasibility, and efficacy of transferring a potentially anti-arthritic cytokine gene to human joints with rheumatoid arthritis. <b>1996</b> , 7, 1261-80	217
1237	Cellular and molecular analysis of lymphoid development using Rag-deficient mice. <b>1996</b> , 13, 257-88	19
1236	Clinical improvement and radiological deterioration in rheumatoid arthritis: evidence that the pathogenesis of synovial inflammation and articular erosion may differ. <b>1996</b> , 35, 1263-8	188



1235	New Targets in Inflammation. <b>1996,</b>	4
1234	Animal models of rheumatoid arthritis. <b>1996, 35, 1041-2</b>	3
1233	Detection of joint pathology by magnetic resonance imaging in patients with early rheumatoid arthritis. <b>1997, 36, 683-8</b>	41
1232	Combination of sulphasalazine and methotrexate versus the single components in early rheumatoid arthritis: a randomized, controlled, double-blind, 52 week clinical trial. <b>1997, 36, 1082-8</b>	154
1231	Patients who develop inflammatory polyarthritis (IP) after immunization are clinically indistinguishable from other patients with IP. <b>1997, 36, 366-9</b>	18
1230	Tissue-derived macromolecules and markers of inflammation in serum in early rheumatoid arthritis: relationship to development of joint destruction in hands and feet. <b>1997, 36, 1161-5</b>	38
1229	T cell receptor (V beta) bias in the response of rheumatoid arthritis synovial fluid T cells to connective tissue antigens. <b>1997, 26, 166-73</b>	18
1228	Cartilage and bone macromolecules in knee joint synovial fluid in rheumatoid arthritis: relation to development of knee or hip joint destruction. <b>1997, 56, 91-6</b>	23
1227	Induction of chronic polyarthritis in rabbits by hyperimmunization with Escherichia coli II. Immunohistologic findings in established arthritis. <b>1997, 7, 23-34</b>	
1226	Relationship between urinary excretion of modified nucleosides and rheumatoid arthritis process. <b>1997, 36, 990-5</b>	11
1225	Role of matrix metalloproteinases and their inhibitors in pancreatic cancer. <b>1997, 58, 520-8</b>	25
1224	[Production of tumor necrosis factor alpha and interleukin-6 by alveolar macrophages from patients with rheumatoid arthritis and interstitial pulmonary disease]. <b>1997, 33, 335-40</b>	3
1223	Rheumatologic view of the rheumatoid foot. <b>1997, 7-17</b>	27
1222	Discovery and analysis of inflammatory disease-related genes using cDNA microarrays. <b>1997, 94, 2150-5</b>	658
1221	Rheumatoid arthritis: current clinical and research directions. <b>1997, 6, 627-38</b>	30
1220	Pathogenesis of rheumatoid arthritis. <b>1997, 81, 29-55</b>	83
1219	Methotrexate use in rheumatoid arthritis. <b>1997, 23, 779-96</b>	53
1218	Establishing a research agenda for investigating alternative medical interventions for chronic pain. <b>1997, 24, 743-58</b>	16

1217	Peptidomimetics in Drug Design. <b>1997</b> , 29, 1-78	50
1216	[Not Available]. <b>1997</b> , 7, 119-33	4
1215	Vaccination against rheumatoid arthritis: concepts and progress. <b>1997</b> , 8, 87-95	2
1214	Selection of self-reactive peptides within human aggrecan by use of a HLA-DRB1*0401 peptide binding motif. <b>1997</b> , 10, 569-78	14
1213	Office evaluation of the patient with musculoskeletal complaints. <b>1997</b> , 102, 3S-10S	6
1212	Emerging treatments for rheumatoid arthritis. <b>1997</b> , 102, 11S-15S	26
1211	T-cells in the pathogenesis of rheumatoid arthritis villains or accomplices?. <b>1997</b> , 1360, 109-41	46
1210	The immediate-early gene product MAD-3/EDG-3/IkappaB alpha is an endogenous modulator of fibroblast growth factor-1 (FGF-1) dependent human endothelial cell growth. <b>1997</b> , 414, 419-24	5
1209	TCRB clonotypes are present in CD4+ T cell populations prepared directly from rheumatoid synovium. <b>1997</b> , 55, 11-21	14
1208	Oligoclonal CD4+CD57+ T-Cell Expansions Contribute to the Imbalanced T-Cell Receptor Repertoire of Rheumatoid Arthritis Patients. <b>1997</b> , 89, 2822-2832	46
1207	The use of biologics in the treatment of rheumatoid arthritis (RA)--the good news and the bad news. <b>1997</b> , 27, 175-84	5
1206	Somatic mutation and CDR3 length of immunoglobulin lambda variable region genes in the synovium of patients with rheumatoid arthritis. <b>1997</b> , 815, 319-23	2
1205	Anti-CD2 (OX34) MoAb treatment of adjuvant arthritic rats: attenuation of established arthritis, selective depletion of CD4+ T cells, and CD2 down-modulation. <b>1997</b> , 110, 63-71	9
1204	Progress in development of herpes simplex virus gene vectors for treatment of rheumatoid arthritis. <b>1997</b> , 27, 41-57	22
1203	New insights into the pathogenesis and treatment of rheumatoid arthritis. <b>1997</b> , 83, 103-16	42
1202	Low-level production of interleukin-13 in synovial fluid and tissue from patients with arthritis. <b>1997</b> , 85, 210-20	18
1201	Induction of chronic polyarthritis in rabbits by hyperimmunization with Escherichia coli II. Immunohistologic findings in established arthritis. <b>1997</b> , 7, 23-34	2
1200	Effect of steroid treatment on the migration behaviour of neutrophils in patients with early rheumatoid arthritis. <b>1997</b> , 17, 137-40	5

1199	IgG rheumatoid factors isolated by the surface-displaying phage library technique. <b>1997</b> , 45, 301-10	9
1198	Effect of curcumin and capsaicin on arachidonic acid metabolism and lysosomal enzyme secretion by rat peritoneal macrophages. <b>1997</b> , 32, 1173-80	57
1197	Matrix metalloproteinases. <b>1997</b> , 84, 160-166	34
1196	Inhibitory effects of interleukin-10 on synovial cells of rheumatoid arthritis. <b>1997</b> , 91, 252-9	29
1195	HLA markers and prediction of clinical course and outcome in rheumatoid arthritis. <b>1997</b> , 40, 341-51	121
1194	Rheumatoid arthritis synovial fibroblast and U937 macrophage/monocyte cell line interaction in cartilage degradation. <b>1997</b> , 40, 490-8	61
1193	Elevated cytokine messenger RNA levels in the peripheral blood of patients with rheumatoid arthritis suggest different degrees of myeloid cell activation. <b>1997</b> , 40, 639-47	39
1192	Human cartilage glycoprotein-39 as a candidate autoantigen in rheumatoid arthritis. <b>1997</b> , 40, 1115-25	173
1191	Effects of pulse methylprednisolone on inflammatory mediators in peripheral blood, synovial fluid, and synovial membrane in rheumatoid arthritis. <b>1997</b> , 40, 1400-8	104
1190	Collagenase-3 (matrix metalloprotease 13) is preferentially localized in the deep layer of human arthritic cartilage in situ: in vitro mimicking effect by transforming growth factor beta. <b>1997</b> , 40, 1653-61	154
1189	Blood transfusion, smoking, and obesity as risk factors for the development of rheumatoid arthritis: results from a primary care-based incident case-control study in Norfolk, England. <b>1997</b> , 40, 1955-61	300
1188	Modulation of synovial cell function by somatostatin in patients with rheumatoid arthritis. <b>1997</b> , 40, 2128-38	46
1187	Cell-type specific regulation of human interstitial collagenase-1 gene expression by interleukin-1 $\beta$ (IL-1 $\beta$ ) in human fibroblasts and BC-8701 breast cancer cells. <b>1997</b> , 66, 322-336	114
1186	Detection of TNF alpha and Fas ligand mRNA within synovial mononuclear cells by fluorescence in-cell labeling PCR (FICL-PCR). <b>1998</b> , 25, 217-24	5
1185	High levels of soluble IFN gamma receptor alpha chain in the plasma of rheumatoid arthritis patients. <b>1998</b> , 11, 53-7	7
1184	TNF-alpha, not CD154 (CD40L), plays a major role in SEB-dependent, CD4(+) T cell-induced endothelial cell activation in vitro. <b>1998</b> , 190, 12-22	8
1183	Involvement of interleukin-8 in dialysis-related arthritis. <b>1998</b> , 53, 1007-13	11
1182	Induction of apoptosis in the rheumatoid synovium by Fas ligand gene transfer. <b>1998</b> , 5, 331-8	88

1181	Gelatinase (MMP-2 and -9) expression in gastrointestinal malignancy. <b>1998</b> , 78, 1495-502	101
1180	Apoptosis in rheumatoid arthritis: a novel pathway in the regulation of synovial tissue. <b>1998</b> , 41, 1-9	86
1179	Evidence for autoantigens of Env/Tax proteins in human T cell leukemia virus type I Env-pX transgenic mice. <b>1998</b> , 41, 101-9	8
1178	Recognition of rheumatoid arthritis synovial antigen by CD4+,CD8- T cell clones established from rheumatoid arthritis joints. <b>1998</b> , 41, 92-100	7
1177	Possible correction of abnormal rheumatoid arthritis synovial cell function by jun D transfection in vitro. <b>1998</b> , 41, 470-81	24
1176	Increased serum levels of cartilage oligomeric matrix protein in chronic erosive arthritis in rats. <b>1998</b> , 41, 544-50	44
1175	Quantitative microscopic analysis of inflammation in rheumatoid arthritis synovial membrane samples selected at arthroscopy compared with samples obtained blindly by needle biopsy. <b>1998</b> , 41, 663-9	99
1174	Inhibition of activator protein 1 activity by paclitaxel suppresses interleukin-1-induced collagenase and stromelysin expression by bovine chondrocytes. <b>1998</b> , 41, 869-76	44
1173	Leukotriene A4 hydrolase and leukotriene C4 synthase activities in human chondrocytes: transcellular biosynthesis of Leukotrienes during granulocyte-chondrocyte interaction. <b>1998</b> , 41, 1645-51	23
1172	T cell receptor peptide vaccination in rheumatoid arthritis: a placebo-controlled trial using a combination of Vbeta3, Vbeta14, and Vbeta17 peptides. <b>1998</b> , 41, 1919-29	65
1171	Monoclonal expansion of synoviocytes in rheumatoid arthritis. <b>1998</b> , 41, 1979-86	55
1170	Pristane-induced arthritis in mice. V. Susceptibility to pristane-induced arthritis is determined by the genetic regulation of the T cell repertoire. <b>1998</b> , 41, 2022-31	18
1169	Enhanced and coordinated in vivo expression of inflammatory cytokines and nitric oxide synthase by chondrocytes from patients with osteoarthritis. <b>1998</b> , 41, 2165-74	212
1168	Treatment of rheumatoid arthritis with recombinant human interleukin-1 receptor antagonist. <b>1998</b> , 41, 2196-204	799
1167	Functional analysis of rheumatoid factor-producing B cells from the synovial fluid of rheumatoid arthritis patients. <b>1998</b> , 41, 2211-20	51
1166	CD28 co-stimulation is intact and contributes to prolonged ex vivo survival of hyporesponsive synovial fluid T cells in rheumatoid arthritis. <b>1998</b> , 28, 1554-62	13
1165	Contribution of CD11a/CD18, CD11b/CD18, ICAM-1 (CD54) and -2 (CD102) to human monocyte migration through endothelium and connective tissue fibroblast barriers. <b>1998</b> , 28, 1970-9	71
1164	Synovial fluid and serum levels of soluble interleukin-6 receptor in patients with rheumatoid arthritis. <b>1998</b> , 8, 27-36	

1163	Chemokines in rheumatoid arthritis. <b>1998</b> , 20, 115-32	79
1162	Immunohistology of the early course of lentivirus-induced arthritis. <b>1998</b> , 111, 384-90	11
1161	Tenidap decreases IL-8 and monocyte chemotactic peptide-1 (MCP-1) mRNA expression in the synovial tissue of rabbits with antigen arthritis and in cultured synovial cells. <b>1998</b> , 111, 588-96	19
1160	Modulation by proinflammatory cytokines of Fas/Fas ligand-mediated apoptotic cell death of synovial cells in patients with rheumatoid arthritis (RA). <b>1998</b> , 114, 119-28	39
1159	The role of Chlamydia in connective tissue diseases. <b>1998</b> , 17, 9-15	
1158	Nitric Oxide as an Inflammatory Mediator in Autoimmune MRL-lpr/lpr Mice. <b>1998</b> , 106, 1131	12
1157	Minocycline for the treatment of rheumatoid arthritis. <b>1998</b> , 24, 489-99	10
1156	T-cell receptor peptide vaccination in the treatment of rheumatoid arthritis. <b>1998</b> , 24, 641-50	10
1155	Interleukin-1 receptor antagonist. <b>1998</b> , 24, 615-28	47
1154	Tyrosine phosphorylated proteins in synovial cells of rheumatoid arthritis. <b>1998</b> , 17, 365-81	15
1153	Biological agents in rheumatoid arthritis: which ones could be used in combination?. <b>1998</b> , 9, 303-24	3
1152	Anti-tumor necrosis factor-alpha monoclonal antibody therapy for rheumatoid arthritis. <b>1998</b> , 24, 593-614	54
1151	Cytokines in rheumatoid arthritis. Potential targets for pharmacological intervention. <b>1998</b> , 12, 377-90	48
1150	Relations between steroid hormones and cytokines in rheumatoid arthritis and systemic lupus erythematosus. <b>1998</b> , 57, 573-7	47
1149	Synovial fluid and serum levels of soluble interleukin-6 receptor in patients with rheumatoid arthritis. <b>1998</b> , 8, 27-36	2
1148	Transgenic mice expressing a truncated Peromyscus leucopus TNF-alpha gene manifest an arthritis resembling ankylosing spondylitis. <b>1998</b> , 18, 219-25	39
1147	Involvement of simultaneous multiple transcription factor expression, including cAMP responsive element binding protein and OCT-1, for synovial cell outgrowth in patients with rheumatoid arthritis. <b>1998</b> , 57, 487-94	19
1146	Transcriptional roles of CCAAT/enhancer binding protein-beta, nuclear factor-kappaB, and C-promoter binding factor 1 in interleukin (IL)-1beta-induced IL-6 synthesis by human rheumatoid fibroblast-like synoviocytes. <b>1998</b> , 273, 7620-7	63

1145	Matrix metalloproteinases 2 and 9 in canine rheumatoid arthritis. <b>1998</b> , 143, 219-23	37
1144	Therapeutic Applications of Ribozymes. <b>1998</b> ,	8
1143	Rheumatoid arthritis. <b>1998</b> , 69, 6-13	4
1142	Arthritis of the Forefoot. <b>1998</b> , 349, 20-27	1
1141	The role of nutrition and diet in rheumatoid arthritis. <b>1998</b> , 57, 231-4	39
1140	Invariant NKT cells produce IL-17 through IL-23-dependent and -independent pathways with potential modulation of Th17 response in collagen-induced arthritis. <b>1998</b> , 22, 369	11
1139	Frequent N Addition and Clonal Relatedness among Immunoglobulin Lambda Light Chains Expressed in Rheumatoid Arthritis Synovia and PBL, and the Influence of V <sub>H</sub> Gene Segment Utilization on CDR3 Length. <b>1998</b> , 4, 525-553	22
1138	Salicylates Inhibit Adhesion and Transmigration of T Lymphocytes by Preventing Integrin Activation Induced by Contact With Endothelial Cells. <b>1998</b> , 92, 2389-2398	34
1137	Nitric oxide as an inflammatory mediator in autoimmune MRL-lpr/lpr mice. <b>1998</b> , 106 Suppl 5, 1131-7	11
1136	New treatments for rheumatoid arthritis. Available and upcoming slow-acting antirheumatic drugs. <b>1999</b> , 106, 82-5, 88-90, 92	10
1135	Antibiotics for rheumatoid arthritis? Minocycline shows promise in some patients. <b>1999</b> , 105, 95-8	3
1134	Tumor Necrosis Factor in Rheumatoid Arthritis and SLE. <b>1999</b> , 323-332	
1133	Tachykinin receptor modulators: novel therapeutics for rheumatoid arthritis. <b>1999</b> , 8, 1873-1891	6
1132	Rheumatoid Arthritis: Pathophysiology. <b>1999</b> , 12, 282-292	0
1131	Establishment of nurse-like stromal cells from bone marrow of patients with rheumatoid arthritis: indication of characteristic bone marrow microenvironment in patients with rheumatoid arthritis. <b>1999</b> , 38, 854-63	29
1130	Treatment of rheumatoid arthritis with interleukin 1 receptor antagonist. <b>1999</b> , 58 Suppl 1, 196-8	26
1129	Macrophage inflammatory protein 1 alpha expression by synovial fluid neutrophils in rheumatoid arthritis. <b>1999</b> , 58, 297-302	36
1128	Increased c-Fos/activator protein-1 confers resistance against anergy induction on antigen-specific T cell. <b>1999</b> , 11, 1873-80	7

1127	p53 down-regulates human matrix metalloproteinase-1 (Collagenase-1) gene expression. <b>1999</b> , 274, 11535-40	105
1126	The proinflammatory and chondral activities of leukemia inhibitory factor in goat joints are partially a function of interleukin-1. <b>1999</b> , 19, 197-208	2
1125	Rheumatoid arthritis and enteric bacteria. <b>1999</b> , 9, 325-352	1
1124	Synovial fluid neutrophil expression of interleukin-8 in rheumatoid arthritis. <b>1999</b> , 9, 175-187	2
1123	Presence of rheumatoid arthritis (RA) synovial autoantigen recognized by T cells in RA joints. <b>1999</b> , 9, 313-324	
1122	Magnetic resonance imaging of the wrist in early rheumatoid arthritis reveals progression of erosions despite clinical improvement. <b>1999</b> , 58, 156-63	222
1121	Activation of gammadelta T cells by mycobacterial antigens in rheumatoid arthritis. <b>1999</b> , 1, 197-202	13
1120	Evidence that patients with rheumatoid arthritis have asymptomatic 'non-significant' <i>Proteus mirabilis</i> bacteriuria more frequently than healthy controls. <b>1999</b> , 38, 99-106	45
1119	Effects of mitogen-activated protein kinase inhibitors or phosphodiesterase inhibitors on interleukin-1-induced cytokines production in synovium-derived cells. <b>1999</b> , 68, 275-9	22
1118	Peripheral blood mononuclear cells from patients with rheumatoid arthritis spontaneously secrete vascular endothelial growth factor (VEGF): specific up-regulation by tumour necrosis factor-alpha (TNF-alpha) in synovial fluid. <b>1999</b> , 117, 171-6	68
1117	Thalidomide analogue CC1069 inhibits development of rat adjuvant arthritis. <b>1999</b> , 118, 315-21	19
1116	Elevated levels of beta-chemokines in bronchoalveolar lavage fluid (BALF) of individuals infected with human T lymphotropic virus type-1 (HTLV-1). <b>1999</b> , 118, 417-22	15
1115	CACP, encoding a secreted proteoglycan, is mutated in camptodactyly-arthropathy-coxa vara-pericarditis syndrome. <b>1999</b> , 23, 319-22	230
1114	Blood levels of CD11b+ memory T lymphocytes are selectively upregulated in patients with active rheumatoid arthritis. <b>1999</b> , 107, 1124-30	8
1113	New therapeutic targets for rheumatoid arthritis. <b>1999</b> , 21, 49-59	10
1112	Synovial fluid neutrophil expression of interleukin-8 in rheumatoid arthritis. <b>1999</b> , 9, 175-187	1
1111	Presence of rheumatoid arthritis (RA) synovial autoantigen recognized by T cells in RA joints. <b>1999</b> , 9, 313-324	
1110	Rheumatoid arthritis and enteric bacteria. <b>1999</b> , 9, 325-352	1

- 1109 Self-locking tension band technique. A new perspective in tension band wiring. **1999**, 119, 432-4 15
- 1108 Inhibitory effect of a new anti-rheumatic drug T-614 on costimulatory molecule expression, cytokine production, and antigen presentation by synovial cells. **1999**, 133, 566-74 43
- 1107 Auranofin inhibits interleukin-1beta-induced transcript of cyclooxygenase-2 on cultured human synoviocytes. **1999**, 385, 71-9 24
- 1106 Pathogenesis of joint damage in rheumatoid arthritis: evidence of a dominant role for interleukin-1. **1999**, 13, 577-97 49
- 1105 Biphasic regulation of the development of murine type II collagen-induced arthritis by interleukin-12: possible involvement of endogenous interleukin-10 and tumor necrosis factor alpha. **1999**, 42, 100-9 27
- 1104 Tumor necrosis factor alpha regulation of the FAS-mediated apoptosis-signaling pathway in synovial cells. **1999**, 42, 519-26 63
- 1103 Human interleukin-17: A T cell-derived proinflammatory cytokine produced by the rheumatoid synovium. **1999**, 42, 963-70 796
- 1102 Leukocytapheresis and rheumatoid arthritis: comment on the article by Hidaka et al. **1999**, 42, 2255-6
- 1101 Reply. **1999**, 42, 2255-2256
- 1100 Association between the inflammatory response and the risk of developing irreversible cranial ischemic complications: comment on the article by Cid et al and the letter by Neshar and Sonnenblick. **1999**, 42, 2256-8 5
- 1099 Reply. **1999**, 42, 2257-2258
- 1098 Reply. **1999**, 42, 2258-2258
- 1097 Giant cell arteritis disease patterns: comment on the article by Brack et al. **1999**, 42, 2258-9
- 1096 Reply. **1999**, 42, 2258-2259
- 1095 Ovarian failure with thalidomide treatment in complex aphthosis: comment on the concise communication by Ordi et al. **1999**, 42, 2259-60 61
- 1094 Reply. **1999**, 42, 2260-2260
- 1093 Evidence for neural regulation of inflammatory synovial cell functions by secreting calcitonin gene-related peptide and vasoactive intestinal peptide in patients with rheumatoid arthritis. **1999**, 42, 2418-29 43
- 1092 Suppressed severity of collagen-induced arthritis by in vivo transfection of nuclear factor kappaB decoy oligodeoxynucleotides as a gene therapy. **1999**, 42, 2532-42 206



1091	Oncostatin M induces leukocyte infiltration and cartilage proteoglycan degradation in vivo in goat joints. <b>1999</b> , 42, 2543-51		14
1090	Involvement of autoimmunity against type II collagen in the development of arthritis in mice transgenic for the human T cell leukemia virus type I tax gene. <b>1999</b> , 29, 54-64		13
1089	Frequent enrichment for CD8 T cells reactive against common herpes viruses in chronic inflammatory lesions: towards a reassessment of the physiopathological significance of T cell clonal expansions found in autoimmune inflammatory processes. <b>1999</b> , 29, 973-85		115
1088	Etanercept therapy in rheumatoid arthritis. A randomized, controlled trial. <b>1999</b> , 130, 478-86		959
1087	Ferritin correlates with C-reactive protein and acute phase serum amyloid A in synovial fluid, but not in serum. <b>1999</b> , 6, 130-5		21
1086	Atherosclerosis--an inflammatory disease. <i>New England Journal of Medicine</i> , <b>1999</b> , 340, 115-26	59.2	17316
1085	Rheumatoid arthritis: a review and suggested dental care considerations. <b>1999</b> , 130, 689-98		21
1084	Pain in the rheumatic diseases. Practical aspects of diagnosis and treatment. <b>1999</b> , 25, 15-30		9
1083	IL-6 synthesis by rheumatoid synoviocytes is autonomously upregulated at the transcriptional level. <b>1999</b> , 103, S437-44		19
1082	The therapeutic potential of PDE4 inhibitors. <b>1999</b> , 8, 1301-25		35
1081	Expression of receptor tyrosine kinase Axl and its ligand Gas6 in rheumatoid arthritis: evidence for a novel endothelial cell survival pathway. <b>1999</b> , 154, 1171-80		113
1080	Intracytoplasmic Th1 and Th2 cytokines in rheumatoid arthritis blood and synovial tissue. <b>1999</b> , 13, 415-22		5
1079	Dominant and shared T cell receptor beta chain variable regions of T cells inducing synovial hyperplasia in rheumatoid arthritis. <b>1999</b> , 263, 172-80		16
1078	Non-steroidal anti-inflammatory drugs inhibit the expression of cytokines and induce HSP70 in human monocytes. <b>1999</b> , 11, 347-58		114
1077	The participation of IL-8 in the synovial lesions at an early stage of rheumatoid arthritis. <b>1999</b> , 188, 75-87		16
1076	The B lymphocyte in rheumatoid arthritis: recirculation of B lymphocytes between different joints and blood. <b>1999</b> , 31, 25-34		22
1075	Drug treatment for rheumatoid arthritis. <b>1999</b> , 22-30		9
1074	Anti-CD4 monoclonal antibody therapy in human autoimmune diseases. <b>2000</b> , 2, 24-49		25

1073	Biologics in the treatment of rheumatoid arthritis: mechanisms of action. <b>2001</b> , 3, 240-73	1
1072	Factors predicting response to treatment in rheumatoid arthritis: the importance of disease duration. <b>2000</b> , 43, 22-9	360
1071	Differential regulation of Fas-mediated apoptosis of rheumatoid synoviocytes by tumor necrosis factor alpha and basic fibroblast growth factor is associated with the expression of apoptosis-related molecules. <b>2000</b> , 43, 1106-14	53
1070	Novel in vitro effects of bucillamine: inhibitory effects on proinflammatory cytokine production and transendothelial migration of T cells. <b>2000</b> , 43, 1616-23	15
1069	Medical resource use and costs among rheumatoid arthritis patients receiving disease-modifying antirheumatic drug therapy. <b>2000</b> , 13, 213-26	7
1068	Efficacy and safety of alendronate for the treatment of osteoporosis in diffuse connective tissue diseases in children: a prospective multicenter study. <b>2000</b> , 43, 1960-6	158
1067	Suppression of streptococcal cell wall-induced arthritis by human chorionic gonadotropin. <b>2000</b> , 43, 2064-72	25
1066	beta2-microglobulin induces MMP-1 but not TIMP-1 expression in human synovial fibroblasts. <b>2000</b> , 57, 2023-34	30
1065	Expression and production of the long pentraxin PTX3 in rheumatoid arthritis (RA). <b>2000</b> , 119, 196-202	146
1064	In the rheumatoid pannus, anti-filaggrin autoantibodies are produced by local plasma cells and constitute a higher proportion of IgG than in synovial fluid and serum. <b>2000</b> , 119, 544-52	146
1063	Methotrexate suppresses the interleukin-6 induced generation of reactive oxygen species in the synoviocytes of rheumatoid arthritis. <b>2000</b> , 47, 35-44	83
1062	Novel gene therapy for rheumatoid arthritis by FADD gene transfer: induction of apoptosis of rheumatoid synoviocytes but not chondrocytes. <b>2000</b> , 7, 527-33	50
1061	Adeno-associated virus-mediated delivery of IL-4 prevents collagen-induced arthritis. <b>2000</b> , 7, 1930-9	83
1060	Production and characterization of monoclonal IgM autoantibodies specific for the T-cell receptor. <b>2000</b> , 19, 9-21	16
1059	Genetic diversity in <i>Proteus mirabilis</i> isolates found in the urinary tract of rheumatoid arthritis patients. <b>2000</b> , 41, 245-8	2
1058	Nitric oxide synthase 2 and cyclooxygenase 2 interactions in inflammation. <b>2000</b> , 22, 319-41	84
1057	Influence of cyclosporin A on radiological progression in early rheumatoid arthritis patients: a 42-month prospective study. <b>2000</b> , 19, 113-8	20
1056	Immune chemokines and their receptors: the key elements in the genesis, homeostasis and function of the immune system. <b>2000</b> , 22, 371-91	24

1055	TNF-Receptors as Recombinant Proteins in Treatment of Rheumatoid Arthritis. <b>2000</b> , 147-153	
1054	Immunoglobulin heavy chain variable region gene replacement As a mechanism for receptor revision in rheumatoid arthritis synovial tissue B lymphocytes. <b>2000</b> , 192, 1151-64	94
1053	An essential role of the nuclear factor of activated T cells in the regulation of the expression of the cyclooxygenase-2 gene in human T lymphocytes. <b>2000</b> , 275, 23627-35	180
1052	Vascular endothelial growth factor expression and regulation of murine collagen-induced arthritis. <b>2000</b> , 164, 5922-7	124
1051	A targeted DNA vaccine augments the natural immune response to self TNF-alpha and suppresses ongoing adjuvant arthritis. <b>2000</b> , 165, 5860-6	49
1050	Rheumatoid arthritis synovial stromal cells inhibit apoptosis and up-regulate Bcl-xL expression by B cells in a CD49/CD29-CD106-dependent mechanism. <b>2000</b> , 164, 1110-6	70
1049	Reduction of inflammatory cytokines and prostaglandin E2 by IL-13 gene therapy in rheumatoid arthritis synovium. <b>2000</b> , 165, 2755-63	46
1048	Transforming growth factor-beta 1 inhibition of macrophage activation is mediated via Smad3. <b>2000</b> , 275, 36653-8	127
1047	Biological agents: a novel approach to the therapy of rheumatoid arthritis. <b>2000</b> , 9, 1479-90	7
1046	Microemulsion formulation of cyclosporin (Sandimmun Neoral) vs Sandimmun: comparative safety, tolerability and efficacy in severe active rheumatoid arthritis. On behalf of the OLR 302 Study Group. <b>2000</b> , 39, 156-64	9
1045	Transcription factor decoy for NFkappaB inhibits cytokine and adhesion molecule expressions in synovial cells derived from rheumatoid arthritis. <b>2000</b> , 39, 749-57	83
1044	Identification of structural elements important for matrix metalloproteinase type V collagenolytic activity as revealed by chimeric enzymes. Role of fibronectin-like domain and active site of gelatinase B. <b>2000</b> , 275, 27964-72	43
1043	A new era in rheumatoid arthritis treatment-time to introduce a modified treatment pyramid. <b>2000</b> , 93, 757-60	2
1042	Infrequency of detection of particle-associated MSR/HERV-W RNA in the synovial fluid of patients with rheumatoid arthritis. <b>2000</b> , 39, 950-4	20
1041	Interleukin-4 inhibits interleukin-11 production by rheumatoid synovial cells. <b>2000</b> , 39, 728-31	14
1040	Spontaneous and cytokine regulated c-fos gene expression in rheumatoid synovial cells: resistance to cytokine stimulation when the c-fos gene is overexpressed. <b>2000</b> , 59, 636-40	5
1039	Treatment options for rheumatoid arthritis: celecoxib, leflunomide, etanercept, and infliximab. <b>2000</b> , 34, 743-60	26
1038	A 55-year-old woman with rheumatoid arthritis. <b>2000</b> , 283, 524-31	4

1037	Fas-associated death domain protein is a Fas-mediated apoptosis modulator in synoviocytes. <b>2000</b> , 39, 471-80	27
1036	Labour force participation among patients with rheumatoid arthritis. <b>2000</b> , 59, 549-54	42
1035	Alterations in insulin-like growth factor binding protein-3 proteolysis and complex formation in the arthritic joint. <b>2000</b> , 165, 545-56	29
1034	Regulation of rheumatoid synovial cell growth by ceramide. <b>2000</b> , 269, 70-5	18
1033	Differential gene expression in synovium of rheumatoid arthritis and osteoarthritis. <b>2000</b> , 3, 165-72	52
1032	Angiogenèse: de la physiologie à la thérapeutique. <b>2000</b> , 9, 534-544	2
1031	Postural sway characteristics in women with lower extremity arthritis before and after an aquatic exercise intervention. <b>2000</b> , 81, 780-5	52
1030	Oxidant stress and essential fatty acids in patients with risk and established ARDS. <b>2000</b> , 298, 111-20	48
1029	Acute-phase serum amyloid A production by rheumatoid arthritis synovial tissue. <b>2000</b> , 2, 142-4	107
1028	Clonal expansion is a characteristic feature of the B-cell repertoire of patients with rheumatoid arthritis. <b>2000</b> , 2, 50-8	38
1027	Inflammatory Joint Diseases. <b>2000</b> , 441-455	
1026	Mortality after total knee arthroplasty in patients with osteoarthrosis and rheumatoid arthritis. <b>2000</b> , 120, 75-8	22
1025	Tetracyclines for the treatment of rheumatoid arthritis. <b>2000</b> , 9, 1491-8	16
1024	Postural sway characteristics in women with lower extremity arthritis before and after an aquatic exercise intervention. <b>2000</b> , 81, 780-785	49
1023	Pathogenesis of rheumatoid arthritis: the role of synoviocytes. <b>2001</b> , 27, 355-71	112
1022	Rheumatoid synovial CD4+ T cells exhibit a reduced capacity to differentiate into IL-4-producing T-helper-2 effector cells. <b>2001</b> , 3, 54-64	33
1021	Biochemical markers to survey bone turnover. <b>2001</b> , 27, 49-80	11
1020	Effects of peroxisome proliferator-activated receptor-gamma (PPAR-gamma) on the expression of inflammatory cytokines and apoptosis induction in rheumatoid synovial fibroblasts and monocytes. <b>2001</b> , 17, 215-21	64

1019	A role for parathyroid hormone-related protein in the pathogenesis of inflammatory/autoimmune diseases. <b>2001</b> , 1, 1101-21	31
1018	Effects of ovariectomy and estrogen replacement therapy on arthritis and bone mineral density in rats with collagen-induced arthritis. <b>2001</b> , 28, 634-40	37
1017	Metalloproteinase activity in growth plate chondrocyte cultures is regulated by 1,25-(OH)(2)D(3) and 24,25-(OH)(2)D(3) and mediated through protein kinase C. <b>2001</b> , 20, 87-97	23
1016	Potential biologic agents for treating rheumatoid arthritis. <b>2001</b> , 27, 445-91	15
1015	The possible role of c-fos expression in rheumatoid joint destruction. <b>2001</b> , 11, 17-22	1
1014	Treatment of rheumatoid arthritis in the third millennium. <b>2001</b> , 30, 249-54	7
1013	Hematopoietic stem cell transplantation for the treatment of autoimmune diseases. <b>2001</b> , 11, 91-102	1
1012	Enhancing effect of IL-1, IL-17, and TNF-alpha on macrophage inflammatory protein-3alpha production in rheumatoid arthritis: regulation by soluble receptors and Th2 cytokines. <b>2001</b> , 167, 6015-20	201
1011	Therapeutic efficacy in experimental polyarthritis of viral-driven enkephalin overproduction in sensory neurons. <b>2001</b> , 21, 7881-8	132
1010	Identification of the beta form of preprotachykinin-A mRNA in synovial fibroblasts isolated from patients with rheumatoid arthritis. <b>2001</b> , 77, 203-207	
1009	Adjuvant-induced arthritis: IL-1 beta, IL-6 and TNF-alpha are up-regulated in the spinal cord. <b>2001</b> , 12, 3905-8	59
1008	An investigation of cell proliferation and soluble mediators induced by interleukin 1beta in human synovial fibroblasts: comparative response in osteoarthritis and rheumatoid arthritis. <b>2001</b> , 50, 65-72	52
1007	Increased levels of somatostatin in rat ankles with adjuvant arthritis. <b>2001</b> , 20, 186-91	3
1006	The role of the synovium and cartilage in the pathogenesis of beta(2)-microglobulin amyloidosis. <b>2001</b> , 14, 127-30	13
1005	Patterns of disease-modifying antirheumatic drug use, medical resource consumption, and cost among rheumatoid arthritis patients. <b>2001</b> , 5, 92-104	10
1004	Characterization of a human synovial cell antigen: VCAM-1 and inflammatory arthritis. <b>2001</b> , 79, 419-28	4
1003	Nitrobenzene compounds inhibit expression of VCAM-1. <b>2001</b> , 11, 1823-7	6
1002	Synergistic activity of interleukin-4 and interleukin-10 in suppression of inflammation and joint destruction in rheumatoid arthritis. <b>2001</b> , 44, 3-12	110

1001	Involvement of ErbB-2 in rheumatoid synovial cell growth. <b>2001</b> , 44, 260-5	44
1000	Overexpression of transcription factor Ets-1 in rheumatoid arthritis synovial membrane: regulation of expression and activation by interleukin-1 and tumor necrosis factor alpha. <b>2001</b> , 44, 266-74	55
999	Expression of angiogenic factors in juvenile rheumatoid arthritis: correlation with revascularization of human synovium engrafted into SCID mice. <b>2001</b> , 44, 794-801	34
998	Vascular cell adhesion molecule 1 (CD106): a multifaceted regulator of joint inflammation. <b>2001</b> , 44, 985-94	86
997	Induction of an invasive phenotype by human parvovirus B19 in normal human synovial fibroblasts. <b>2001</b> , 44, 1582-6	53
996	Early joint erosions and serum levels of matrix metalloproteinase 1, matrix metalloproteinase 3, and tissue inhibitor of metalloproteinases 1 in rheumatoid arthritis. <b>2001</b> , 44, 2263-74	111
995	Vascular endothelial growth factor expression by activated synovial leukocytes in rheumatoid arthritis: critical involvement of the interaction with synovial fibroblasts. <b>2001</b> , 44, 2512-24	55
994	Age-related decrease in susceptibility of human articular cartilage to matrix metalloproteinase-mediated degradation: the role of advanced glycation end products. <b>2001</b> , 44, 2562-71	106
993	TCR peptide therapy in human autoimmune diseases. <b>2001</b> , 26, 713-30	37
992	A phase II trial of marimastat in advanced pancreatic cancer. <b>2001</b> , 85, 1865-70	80
991	IL-1beta-induced expression of matrix metalloproteinases and gliostatin/platelet-derived endothelial cell growth factor (GLS/PD-ECGF) in a chondrosarcoma cell line (OUMS-27). <b>2001</b> , 21, 45-52	8
990	[Clinical quality management in rheumatoid arthritis]. <b>2001</b> , 60, 333-41	8
989	Étude prospective du squelette de la main par densitométrie par rayons X et par ultrasons, chez les sujets atteints de polyarthrite rhumatoïde récente. <b>2001</b> , 68, 40-48	
988	Intracerebroventricular administration of somatostatin prevents and attenuates adjuvant arthritis. <b>2001</b> , 116, 15-20	8
987	The autoimmune pathogenesis of rheumatoid arthritis: role of autoreactive T cells and new immunotherapies. <b>2001</b> , 31, 160-75	61
986	The balance of Th1/Th2 cytokines in rheumatoid arthritis. <b>2001</b> , 15, 677-91	180
985	Prospective X-ray densitometry and ultrasonography study of the hand bones of patients with rheumatoid arthritis of recent onset. <b>2001</b> , 68, 34-42	21
984	The effects of treatment with interleukin-1 receptor antagonist on the inflamed synovial membrane in rheumatoid arthritis. <b>2001</b> , 40, 62-9	93

983	NFkappaB2 (p52) promoter activation via Notch signaling pathway in rheumatoid synoviocytes. <b>2001</b> , 7, 31-5	20
982	Spectrum of matrix metalloproteinase expression in primary and metastatic colon cancer: relationship to the tissue inhibitors of metalloproteinases and membrane type-1-matrix metalloproteinase. <b>2001</b> , 84, 1664-70	43
981	Lymphoid chemokine B cell-attracting chemokine-1 (CXCL13) is expressed in germinal center of ectopic lymphoid follicles within the synovium of chronic arthritis patients. <b>2001</b> , 166, 650-5	225
980	NF-kappa B regulation by I kappa B kinase-2 in rheumatoid arthritis synoviocytes. <b>2001</b> , 166, 2705-11	111
979	Chemokines in immunity. <b>2001</b> , 78, 57-110	347
978	Expression of chemokines and matrix metalloproteinases in early rheumatoid arthritis. <b>2001</b> , 40, 988-94	54
977	Urinary excretion of glucosyl-galactosyl pyridinoline: a specific biochemical marker of synovium degradation. <b>2001</b> , 40, 315-23	50
976	Soluble HLA class I antigens in serum and synovial fluid from patients with rheumatoid arthritis and other arthropathies. <b>2001</b> , 40, 1365-9	6
975	Biochemische Marker des Knochenstoffwechsels bei sekundären Osteopathien. <b>2001</b> , 26, 115-128	
974	[New strategies in the immunotherapy of autoimmune diseases]. <b>2001</b> , 126, 1023-8	0
973	Activation of nuclear orphan receptor NURR1 transcription by NF-kappa B and cyclic adenosine 5'-monophosphate response element-binding protein in rheumatoid arthritis synovial tissue. <b>2002</b> , 168, 2979-87	92
972	Cytokine inhibitors in the treatment of rheumatoid arthritis. <b>2002</b> , 2, 135-49	35
971	Basic calcium phosphate crystals induce matrix metalloproteinase-1 through the Ras/mitogen-activated protein kinase/c-Fos/AP-1/metalloproteinase 1 pathway. Involvement of transcription factor binding sites AP-1 and PEA-3. <b>2002</b> , 277, 1544-52	65
970	Targeting the function of IFN-gamma-inducible protein 10 suppresses ongoing adjuvant arthritis. <b>2002</b> , 169, 2685-93	119
969	Endostatin gene transfer inhibits joint angiogenesis and pannus formation in inflammatory arthritis. <b>2002</b> , 5, 547-54	105
968	Classification of Ocular Surface Disease. <b>2002</b> , 16-36	2
967	The Rheumatoid Hand. <b>2002</b> ,	3
966	Power Doppler sonography in the assessment of synovial tissue of the knee joint in rheumatoid arthritis: a preliminary experience. <b>2002</b> , 61, 877-82	92

965	Active site residues of cyclophilin A are crucial for its signaling activity via CD147. <b>2002</b> , 277, 22959-65	245
964	The role of matrix metalloproteinases in vascular disease. <b>2002</b> , 7, 117-33	32
963	Magnetresonanztomographie (MRT) zur Frühdiagnostik und Verlaufskontrolle bei Rheumatoider Arthritis. <b>2002</b> , 27, 311-316	2
962	Fibroblast growth factor-2 determines severity of joint disease in adjuvant-induced arthritis in rats. <b>2002</b> , 168, 450-7	96
961	Synovial fluid from patients with rheumatoid arthritis inhibits neutrophil apoptosis: role of adenosine and proinflammatory cytokines. <b>2002</b> , 41, 1249-60	62
960	Unexpected crucial role of residue 272 in substrate specificity of fibroblast collagenase. <b>2002</b> , 277, 27378-84	26
959	IgG plasma cells display a unique spectrum of leukocyte adhesion and homing molecules. <b>2002</b> , 99, 2905-12	63
958	Erythropoietin and interleukin-1beta modulate nitrite production in a Swiss 3T3 cell model of rheumatoid synovial fibroblasts. <b>2002</b> , 30, 883-6	6
957	New Developments in Laboratory Tests and Therapy for Rheumatoid Arthritis. <b>2002</b> , 33, 543-550	
956	Homing chemokines in rheumatoid arthritis. <b>2002</b> , 4, 233-6	246
955	Retroviral gene therapy of collagen-induced arthritis by local delivery of IL-4. <b>2002</b> , 105, 304-14	41
954	Limited and complete fusion of the rheumatoid wrist. <b>2002</b> , 2, 21-32	9
953	Newer immunosuppressive drugs: their potential role in rheumatoid arthritis therapy. <b>2002</b> , 62, 891-907	31
952	Interferon-beta for treatment of rheumatoid arthritis?. <b>2002</b> , 4, 346-52	46
951	VLA-4-dependent and -independent pathways in cell contact-induced proinflammatory cytokine production by synovial nurse-like cells from rheumatoid arthritis patients. <b>2002</b> , 4, R10	11
950	Nuclear factor- $\kappa$ B regulates RANTES chemokine expression in response to tumor necrosis factor- $\alpha$ in fibroblast-like synoviocytes. <b>2002</b> , 12, 37-43	3
949	Streptococcal cell wall arthritis: kinetics of immune cell activation in inflammatory arthritis. <b>2002</b> , 105, 351-62	8
948	What can we learn from the synovium in early rheumatoid arthritis?. <b>2002</b> , 51, 170-5	7



947	Involvement of receptor activator of NFkappaB ligand and tumor necrosis factor-alpha in bone destruction in rheumatoid arthritis. <b>2002</b> , 30, 340-6	351
946	Cirug� de la artritis reumatoide. <b>2002</b> , 35, 1-21	
945	Comparative study of azathioprine and cyclosporin in rheumatoid arthritis � sixteen weeks follow-up study. <b>2002</b> , 11, 153	
944	Effects of Antioxidant on the Hypoxia-induced Expression of ICAM-1 in Cultured Human Synovial Fibroblasts. <b>2002</b> , 2, 25	
943	Near-infrared diffuse optical tomography. <b>2002</b> , 18, 313-37	116
942	Induction of cyclooxygenase-2 by mechanical stress through a nitric oxide-regulated pathway. <b>2002</b> , 10, 792-8	82
941	Interleukin-1beta stimulates interleukin-8 production and gene expression in synovial cells from human temporomandibular joint. <b>2002</b> , 60, 741-7	20
940	Beneficial effects of GW274150, a novel, potent and selective inhibitor of iNOS activity, in a rodent model of collagen-induced arthritis. <b>2002</b> , 453, 119-29	54
939	Angiogenesis and chemokines in rheumatoid arthritis and other systemic inflammatory rheumatic diseases. <b>2002</b> , 6, 357-76	90
938	Guidelines for the management of rheumatoid arthritis: 2002 Update. <b>2002</b> , 46, 328-46	1135
937	Assessment of proximal finger joint inflammation in patients with rheumatoid arthritis, using a novel laser-based imaging technique. <b>2002</b> , 46, 1177-84	41
936	Association of baseline levels of markers of bone and cartilage degradation with long-term progression of joint damage in patients with early rheumatoid arthritis: the COBRA study. <b>2002</b> , 46, 2847-56	141
935	Efficacy of anakinra in bone: comparison to other biologics. <b>2002</b> , 19, 27-39	6
934	Pathophysiology and imaging in inflammatory and blastomatous synovial diseases. <b>2002</b> , 31, 313-33	23
933	Eradication of Helicobacter pylori may reduce disease severity in rheumatoid arthritis. <b>2002</b> , 16, 1291-9	46
932	Matrix metalloproteinases and atherosclerotic plaque instability. <b>2002</b> , 89, 680-94	86
931	Simultaneous analysis of T cell clonality and cytokine production in rheumatoid arthritis using three-colour flow cytometry. <b>2002</b> , 129, 370-8	7
930	Evidence of clonotypic pattern of T-cell repertoire in synovial fluid of children with juvenile rheumatoid arthritis at the onset of the disease. <b>2002</b> , 56, 512-7	11

929	Development of anti-TNF therapy for rheumatoid arthritis. <b>2002</b> , 2, 364-71	524
928	Heat shock proteins (HSP) for immunotherapy of rheumatoid arthritis (RA). <b>2003</b> , 52, 443-51	17
927	[Classification of ocular surface disease. Part 1]. <b>2003</b> , 100, 899-915	5
926	Orthopaedic surgery in the elderly. <b>2003</b> , 17, 235-44	11
925	Radiography in the assessment of musculoskeletal conditions. <b>2003</b> , 17, 495-512	26
924	VLA-4 antagonists: potent inhibitors of lymphocyte migration. <b>2003</b> , 23, 369-92	68
923	Anakinra, a recombinant human interleukin-1 receptor antagonist (r-metHuIL-1ra), in patients with rheumatoid arthritis: A large, international, multicenter, placebo-controlled trial. <b>2003</b> , 48, 927-34	297
922	Screening the genome for rheumatoid arthritis susceptibility genes: a replication study and combined analysis of 512 multicase families. <b>2003</b> , 48, 906-16	200
921	Expression of activation-induced, T cell-derived, and chemokine-related cytokine/lymphotactin and its functional role in rheumatoid arthritis. <b>2003</b> , 48, 1858-72	42
920	Suppression of osteoclastogenesis in rheumatoid arthritis by induction of apoptosis in activated CD4+ T cells. <b>2003</b> , 48, 3350-8	24
919	Turnover of type II collagen and aggrecan in cartilage matrix at the onset of inflammatory arthritis in humans: relationship to mediators of systemic and local inflammation. <b>2003</b> , 48, 3085-95	95
918	Reduction in the evolution of murine type II collagen-induced arthritis by treatment with rosiglitazone, a ligand of the peroxisome proliferator-activated receptor gamma. <b>2003</b> , 48, 3544-56	128
917	Rheumatoid arthritis therapy after tumor necrosis factor and interleukin-1 blockade. <b>2003</b> , 48, 3308-19	77
916	Young women with chronic disease: a female perspective on the impact and management of rheumatoid arthritis. <b>2003</b> , 49, 846-52	8
915	Regulation of GRB2 and FLICE2 expression by TNF-alpha in rheumatoid synovium. <b>2003</b> , 90, 93-6	5
914	Up-regulation of matrix metalloproteinase-1 expression in U937 cells by low-density lipoprotein-containing immune complexes requires the activator protein-1 and the Ets motifs in the distal and the proximal promoter regions. <b>2003</b> , 109, 572-9	8
913	T cell activation by soluble C1q-bearing immune complexes: implications for the pathogenesis of rheumatoid arthritis. <b>2003</b> , 131, 61-7	24
912	Elevated angiogenin levels in synovial fluid from patients with inflammatory arthritis and secretion of angiogenin by cultured synovial fibroblasts. <b>2003</b> , 132, 163-8	40

911	Release of endogenous anti-inflammatory complement regulators FHL-1 and factor H protects synovial fibroblasts during rheumatoid arthritis. <b>2003</b> , 132, 485-95	25
910	[When do we use which drugs? Procedures for the treatment of rheumatoid arthritis]. <b>2003</b> , 32, 405-12	
909	A correlation between knee cartilage degradation observed by arthroscopy and synovial proteinases activities. <b>2003</b> , 36, 295-304	32
908	Lead discovery of alpha,beta-unsaturated sulfones from a combinatorial library as inhibitors of inducible VCAM-1 expression. <b>2003</b> , 13, 745-8	40
907	Arthritis and related diseases of the foot and ankle: rehabilitation and biomechanical considerations. <b>2003</b> , 20, 469-85, ix	7
906	Modulation of inflammatory mediators by ibuprofen and curcumin treatment during chronic inflammation in rat. <b>2003</b> , 25, 213-24	80
905	Methotrexate intolerance in elderly patients with rheumatoid arthritis: what are the alternatives?. <b>2003</b> , 20, 723-36	28
904	Actinomycin D renders cultured synovial fibroblasts susceptible to tumour necrosis factor related apoptosis-inducing ligand (TRAIL)-induced apoptosis. <b>2003</b> , 32, 356-63	15
903	Serum MMP-1 and TIMP-1 levels are increased in patients with psoriatic arthritis and their siblings. <b>2004</b> , 43, 272-6	19
902	Salivary gland involvement in rheumatoid arthritis and its relationship to induced oxidative stress. <b>2003</b> , 42, 1234-41	37
901	Addressing the safety of anakinra in patients with rheumatoid arthritis. <b>2003</b> , 42 Suppl 2, ii29-35	18
900	Interpreting radiographic data in rheumatoid arthritis. <b>2003</b> , 62, 597-604	49
899	Synoviolin/Hrd1, an E3 ubiquitin ligase, as a novel pathogenic factor for arthropathy. <b>2003</b> , 17, 2436-49	151
898	The pivotal role of interleukin-1 in the clinical manifestations of rheumatoid arthritis. <b>2003</b> , 42 Suppl 2, ii3-10	113
897	Activated leucocytes express and secrete macrophage inflammatory protein-1alpha upon interaction with synovial fibroblasts of rheumatoid arthritis via a beta2-integrin/ICAM-1 mechanism. <b>2003</b> , 42, 1390-7	21
896	Assessment of finger joint inflammation by diffuse optical tomography. <b>2003</b> , 5138, 46	1
895	Nitric oxide level and superoxide dismutase activity in serum of patients with rheumatoid arthritis. <b>2003</b> , 15, 429-434	6
894	Trace elements and disease activity score in patients with rheumatoid arthritis. <b>2003</b> , 15, 435-439	8

893	Disability in rheumatoid arthritis after monotherapy with DMARDs. <b>2003</b> , 26, 207-12	3
892	Diversification of the Ig Variable Region Gene Repertoire of Synovial B Lymphocytes by Nucleotide Insertion and Deletion. <b>2003</b> , 9, 166-174	17
891	Disability in rheumatoid arthritis after monotherapy with DMARDs. <b>2003</b> , 26, 207-212	2
890	The induction of apoptosis by methotrexate in activated lymphocytes as indicated by fluorescence hyperpolarization: a possible model for predicting methotrexate therapy for rheumatoid arthritis patients. <b>2003</b> , 28, 113-22	18
889	Quantitative Analysis of Micro-CT Imaging and Histopathological Signatures of Experimental Arthritis in Rats. <b>2004</b> , 3, 153535002004041	3
888	Calorie restricted diet and urinary pentosidine in patients with rheumatoid arthritis. <b>2004</b> , 23, 19-24	29
887	Sagittal laser optical tomography for imaging of rheumatoid finger joints. <b>2004</b> , 49, 1147-63	107
886	Imaging of the Shoulder. <b>2004</b> ,	0
885	Chondrogenesis of expanded adult human articular chondrocytes is enhanced by specific prostaglandins. <b>2004</b> , 43, 852-7	47
884	Central role of mitochondria and p53 in Fas-mediated apoptosis of rheumatoid synovial fibroblasts. <b>2004</b> , 43, 277-85	37
883	A teenager with mixed connective tissue disease presenting with an acute coronary syndrome. <b>2004</b> , 9, 31-4	2
882	Presence of secretory group IIa and V phospholipase A2 and cytosolic group IValpha phospholipase A2 in chondrocytes from patients with rheumatoid arthritis. <b>2004</b> , 42, 602-10	13
881	Relationship between inflammation and joint destruction in early rheumatoid arthritis: a mathematical description. <b>2004</b> , 63, 848-52	28
880	Liposomal targeting of glucocorticoids to synovial lining cells strongly increases therapeutic benefit in collagen type II arthritis. <b>2004</b> , 63, 348-53	122
879	Regulation of c-Jun N-terminal kinase by MEKK-2 and mitogen-activated protein kinase kinases in rheumatoid arthritis. <b>2004</b> , 172, 1612-8	62
878	Dual biological functions of an interleukin-1 receptor antagonist-interleukin-10 fusion protein and its suppressive effects on joint inflammation. <b>2004</b> , 112, 643-50	6
877	Expression levels for many genes in human peripheral blood cells are highly sensitive to ex vivo incubation. <b>2004</b> , 5, 347-53	125
876	Tumour necrosis factor-alpha mediates neutrophil migration to the knee synovial cavity during immune inflammation. <b>2004</b> , 496, 197-204	35

875	Blockade of leukotriene B4 prevents articular incapacitation in rat zymosan-induced arthritis. <b>2004</b> , 497, 81-6	20
874	Matrix metalloproteinases and the immune response. <b>2004</b> , 4, 295-319	32
873	Effect of phosphodiesterase 4 inhibitors on NFAT-dependent cyclooxygenase-2 expression in human T lymphocytes. <b>2004</b> , 16, 1363-73	26
872	Aspirin-induced mucosal cell death in human gastric cells: evidence supporting an apoptotic mechanism. <b>2004</b> , 49, 1518-25	19
871	Contrast-enhanced power Doppler sonography of knee synovitis in rheumatoid arthritis: assessment of therapeutic response. <b>2004</b> , 23, 285-90	44
870	Bone problems in rheumatic diseases during childhood and adolescence. <b>2004</b> , 2, 63-75	3
869	Combination therapy with etanercept and anakinra in the treatment of patients with rheumatoid arthritis who have been treated unsuccessfully with methotrexate. <b>2004</b> , 50, 1412-9	395
868	Markers for type II collagen breakdown predict the effect of disease-modifying treatment on long-term radiographic progression in patients with rheumatoid arthritis. <b>2004</b> , 50, 1390-9	71
867	The safety of anakinra in high-risk patients with active rheumatoid arthritis: six-month observations of patients with comorbid conditions. <b>2004</b> , 50, 1752-60	72
866	Treatment of rheumatoid arthritis with humanized anti-interleukin-6 receptor antibody: a multicenter, double-blind, placebo-controlled trial. <b>2004</b> , 50, 1761-9	665
865	Assessment of the efficacy of different statins in murine collagen-induced arthritis. <b>2004</b> , 50, 4051-9	65
864	New drug targets in rheumatoid arthritis: focus on chemokines. <b>2004</b> , 18, 181-7	14
863	Gene therapy of collagen-induced arthritis by electrotransfer of human tumor necrosis factor-alpha soluble receptor I variants. <b>2004</b> , 15, 189-201	60
862	Inhibition of cytokine production by hymenialdisine derivatives. <b>2004</b> , 47, 3700-3	66
861	The use of anakinra, an interleukin-1 receptor antagonist, in the treatment of rheumatoid arthritis. <b>2004</b> , 30, 365-80, vii	56
860	Patient-reported outcomes and their role in the assessment of rheumatoid arthritis. <b>2004</b> , 22, 27-38	98
859	Phenotypic and functional characterisation of CCR7+ and CCR7- CD4+ memory T cells homing to the joints in juvenile idiopathic arthritis. <b>2005</b> , 7, R256-67	41
858	Osteopontin as a positive regulator in the osteoclastogenesis of arthritis. <b>2004</b> , 316, 809-15	37

857	Spice phenolics inhibit human PMNL 5-lipoxygenase. <b>2004</b> , 70, 521-8	82
856	Expression and activation of mitogen-activated protein kinase kinases-3 and -6 in rheumatoid arthritis. <b>2004</b> , 164, 177-84	42
855	TGF-beta1 polymorphism determines the progression of joint damage in rheumatoid arthritis. <b>2004</b> , 33, 389-94	30
854	Semi-automatic computerized approach to radiological quantification in rheumatoid arthritis. <b>2004</b> , 5371, 110	
853	The role of biomechanics and inflammation in cartilage injury and repair. <b>2004</b> , 17-26	221
852	Sex steroid receptors in rheumatoid arthritis. <b>2004</b> , 106, 293-300	56
851	Hyaluronate inhibits the interleukin-1beta-induced expression of matrix metalloproteinase (MMP)-1 and MMP-3 in human synovial cells. <b>2004</b> , 204, 99-107	34
850	Disseminated Tuberculosis and Lung Cancer Associated With Infliximab Treatment of Rheumatoid Arthritis. <b>2005</b> , 12, 115-120	
849	Utilisation de l'imagerie par r�sonance magn�tique pour l'�valuation quantitative des synovites des mains chez les patients atteints de polyarthrite rhumato�de trait�s par infliximab. <b>2005</b> , 72, 1314-1319	
848	Clinical studies in patients with Castleman's disease, Crohn's disease, and rheumatoid arthritis in Japan. <b>2005</b> , 28, 221-30	24
847	[Echocardiographic functional analysis of patients with rheumatoid arthritis and collagen diseases]. <b>2005</b> , 64, 239-48	1
846	Rheumatic diseases: the effects of inflammation on bone. <b>2005</b> , 208, 228-51	301
845	Magnetic resonance imaging quantification of hand synovitis in patients with rheumatoid arthritis treated with infliximab. <b>2005</b> , 72, 557-61	22
844	A rigorous method for multigenic families' functional annotation: the peptidyl arginine deiminase (PADs) proteins family example. <b>2005</b> , 6, 153	28
843	Activation of invariant NK T cells protects against experimental rheumatoid arthritis by an IL-10-dependent pathway. <b>2005</b> , 35, 3704-13	44
842	Erythropoietin reduces the degree of arthritis caused by type II collagen in the mouse. <b>2005</b> , 52, 940-50	47
841	An open, randomized comparison study of cyclosporine A, cyclosporine A + methotrexate and cyclosporine A + hydroxychloroquine in the treatment of early severe rheumatoid arthritis. <b>2005</b> , 25, 15-22	29
840	Somatostatin analogue treatment attenuates histological findings of inflammation and increases mRNA expression of interleukin-1 beta in the articular tissues of rats with ongoing adjuvant-induced arthritis. <b>2005</b> , 25, 350-6	12

839	Trisomy 7 in synovial fluid cells of patients with rheumatoid arthritis. <b>2005</b> , 25, 571-5	5
838	No relationship of -627 interleukin-10 promoter polymorphism in Chinese patients with rheumatoid arthritis. <b>2005</b> , 25, 576-9	2
837	Pedobarography and its relation to radiologic erosion scores in rheumatoid arthritis. <b>2005</b> , 26, 42-7	36
836	Biological basis for the use of botanicals in osteoarthritis and rheumatoid arthritis: a review. <b>2005</b> , 2, 301-8	146
835	Estudo por imagem da artrite reumatóide no quadril. <b>2005</b> , 45, 206	
834	Potential relationship between herpes viruses and rheumatoid arthritis: analysis with quantitative real time polymerase chain reaction. <b>2005</b> , 64, 1357-9	56
833	Proton-sensing G protein-coupled receptor mobilizes calcium in human synovial cells. <b>2005</b> , 289, C601-8	18
832	Anästhesiologisches Management bei rheumatischen Erkrankungen. <b>2005</b> , 30, 290-295	
831	Cytokine signal regulation and autoimmune disorders. <b>2005</b> , 38, 359-67	24
830	Treatment of experimental arthritis with poly(D, L-lactic/glycolic acid) nanoparticles encapsulating betamethasone sodium phosphate. <b>2005</b> , 64, 1132-6	103
829	Artemether: a new therapeutic strategy in experimental rheumatoid arthritis. <b>2005</b> , 27, 615-30	29
828	Animal models of rheumatoid arthritis and their relevance to human disease. <b>2005</b> , 12, 167-81	162
827	Clinical pharmacokinetics of etanercept: a fully humanized soluble recombinant tumor necrosis factor receptor fusion protein. <b>2005</b> , 45, 490-7	81
826	Role of mitochondria in aspirin-induced apoptosis in human gastric epithelial cells. <b>2005</b> , 289, G731-8	27
825	FK506 ameliorates spontaneous locomotor activity in collagen-induced arthritis: implication of distinct effect from suppression of inflammation. <b>2005</b> , 5, 503-10	17
824	Immunogenetics and rheumatoid arthritis: A review for orthopaedic nurses. <b>2005</b> , 9, 64-76	
823	Rehabilitation of orthopedic and rheumatologic disorders. 4. Rheumatoid arthritis and calcium pyrophosphate deposition disease. <b>2005</b> , 86, S61-8	3
822	Infliximab therapy in established rheumatoid arthritis: an observational study. <b>2005</b> , 118, 515-20	48

821	FK506 inhibits prostaglandin E2 production from synovial cells by suppressing peripheral blood mononuclear cells. <b>2005</b> , 5, 1291-7	8
820	Chemokines in rheumatoid arthritis. <b>2005</b> , 2, 377-382	2
819	Shock, inflammation and PARP. <b>2005</b> , 52, 72-82	72
818	Partial arthrodesis for the rheumatoid wrist. <b>2005</b> , 21, 545-52	17
817	Elimination of rheumatoid synovium in situ using a Fas ligand 'gene scalpel'. <b>2005</b> , 7, R1235-43	15
816	Anti-Sa antibodies and antibodies against cyclic citrullinated peptide are not equivalent as predictors of severe outcomes in patients with recent-onset polyarthritis. <b>2005</b> , 7, R592-603	52
815	Increased interleukin-17 production via a phosphoinositide 3-kinase/Akt and nuclear factor kappaB-dependent pathway in patients with rheumatoid arthritis. <b>2005</b> , 7, R139-48	80
814	Rheumatoid Arthritis and other Inflammatory Joint Pathologies. <b>2006</b> , 843-869	1
813	Anakinra in the treatment of rheumatic disease. <b>2006</b> , 2, 331-40	13
812	Cyclooxygenase gene expression in inflammation and angiogenesis. <b>1993</b> , 696, 197-204	130
811	Matrix metalloproteinase-1 takes advantage of the induced fit mechanism to cleave the triple-helical type I collagen molecule. <b>2006</b> , 45, 15411-8	24
810	Up-regulation of protease-activated receptor-2 by bFGF in cultured human synovial fibroblasts. <b>2006</b> , 79, 898-904	15
809	Differential expression of U2AF35 in the arthritic joint of avian reovirus-infected chicks. <b>2006</b> , 114, 49-60	2
808	Evidence for cyclooxygenase-2 association with caveolin-3 in primary cultured rat chondrocytes. <b>2006</b> , 21, 100-6	7
807	Role of Th1 and Th2 Cells in Autoimmunity. <b>2006</b> , 83-101	1
806	Application of Surface Roughness Analysis on MicroComputed Tomographic Images of Bone Erosion: Examples Using a Rodent Model of Rheumatoid Arthritis. <b>2006</b> , 5, 7290.2006.00025	8
805	Chirurgie de la polyarthrite rhumatoïde. <b>2006</b> , 1, 1-19	
804	Interleukin-6 in rheumatoid arthritis. <b>2006</b> , 18, 277-81	131



803	Neuroendocrine modulation induced by selective blockade of TNF-alpha in rheumatoid arthritis. <b>2006</b> , 1069, 428-37	31
802	Nerve growth factor and brain-derived neurotrophic factor levels in patients with rheumatoid arthritis treated with TNF-alpha blockers. <b>2006</b> , 1069, 438-43	19
801	Diastolic function abnormalities in active rheumatoid arthritis evaluation by conventional Doppler and tissue Doppler: relation with duration of disease. <b>2006</b> , 25, 294-9	37
800	[Differential diagnosis of rheumatoid granuloma]. <b>2006</b> , 27, 409-15	2
799	Use of tissue Doppler and its comparison with other conventional Doppler techniques in the assessment of diastolic functions in patients with active rheumatoid arthritis. <b>2006</b> , 26, 229-33	6
798	In vivo expression of inflammatory cytokine receptors in the joint compartments of patients with arthritis. <b>2006</b> , 26, 360-8	14
797	Association of TNF-alpha -308 G/A polymorphism with responsiveness to TNF-alpha-blockers in rheumatoid arthritis: a meta-analysis. <b>2006</b> , 27, 157-61	114
796	Thioredoxin protects against joint destruction in a murine arthritis model. <b>2006</b> , 40, 1721-31	28
795	Glycogen synthase kinase-3beta inhibition attenuates the degree of arthritis caused by type II collagen in the mouse. <b>2006</b> , 120, 57-67	76
794	Anti-nociceptive effect of thalidomide on zymosan-induced experimental articular incapacitation. <b>2006</b> , 536, 309-17	19
793	Rheumatoid pleural effusion. <b>2006</b> , 35, 368-78	105
792	Hypernociception elicited by tibio-tarsal joint flexion in mice: a novel experimental arthritis model for pharmacological screening. <b>2006</b> , 84, 244-51	58
791	Investigation of protein oxidation and lipid peroxidation in patients with rheumatoid arthritis. <b>2006</b> , 24, 307-11	65
790	Association of early radiographic damage with impaired physical function in rheumatoid arthritis: a ten-year, longitudinal observational study in 238 patients. <b>2006</b> , 54, 68-75	119
789	PhiC31 integrase mediates integration in cultured synovial cells and enhances gene expression in rabbit joints. <b>2006</b> , 8, 1008-17	36
788	Persistent clinical response of infliximab therapy in patients with refractory rheumatoid arthritis, over a 3-year period. <b>2006</b> , 1, 103-8	1
787	Dynamic contrast-enhanced MRI quantification of synovium microcirculation in experimental arthritis. <b>2006</b> , 186, 1165-71	15
786	Limited VH gene usage in B-cell clones established with nurse-like cells from patients with rheumatoid arthritis. <b>2006</b> , 45, 549-57	4

785	CD64-directed immunotoxin inhibits arthritis in a novel CD64 transgenic rat model. <b>2006</b> , 176, 5833-8	43
784	Genome scan meta-analysis of rheumatoid arthritis. <b>2006</b> , 45, 166-70	128
783	Novel therapies for rheumatoid arthritis. <b>2006</b> , 15, 1427-41	15
782	Study of active controlled monotherapy used for rheumatoid arthritis, an IL-6 inhibitor (SAMURAI): evidence of clinical and radiographic benefit from an x ray reader-blinded randomised controlled trial of tocilizumab. <b>2007</b> , 66, 1162-7	562
781	The arthritis severity quantitative trait loci Cia4 and Cia6 regulate neutrophil migration into inflammatory sites and levels of TNF-alpha and nitric oxide. <b>2007</b> , 178, 2344-51	15
780	Overcoming drug resistance induced by P-glycoprotein on lymphocytes in patients with refractory rheumatoid arthritis. <b>2008</b> , 67, 380-8	71
779	Up-regulation of IL-23p19 expression in rheumatoid arthritis synovial fibroblasts by IL-17 through PI3-kinase-, NF-kappaB- and p38 MAPK-dependent signalling pathways. <b>2007</b> , 46, 57-64	138
778	Efficacy and safety of hydroxychloroquine sulphate in rheumatoid arthritis: a randomized, double-blind, placebo controlled clinical trial--an Indian experience. <b>2007</b> , 23, 2227-34	14
777	Expression of BAFF and BAFF-R in the synovial tissue of patients with rheumatoid arthritis. <b>2007</b> , 36, 365-72	40
776	Dynamic optical imaging of vascular and metabolic reactivity in rheumatoid joints. <b>2007</b> , 12, 052001	22
775	Decrease of RA-related orthopaedic surgery of the upper limbs between 1998 and 2004: data from 54,579 Swedish RA inpatients. <b>2008</b> , 47, 491-4	65
774	Blockade of chemokine receptor CXCR3 inhibits T cell recruitment to inflamed joints and decreases the severity of adjuvant arthritis. <b>2007</b> , 179, 8463-9	76
773	The complexity of care for patients with rheumatoid arthritis: metrics for better understanding chronic disease care. <b>2007</b> , 45, 55-65	20
772	Bucillamine mechanism inhibiting IL-1beta-induced VEGF production from fibroblast-like synoviocytes. <b>2007</b> , 7, 1569-76	15
771	Decreased induction of IL-1beta in fibroblast-like synoviocytes: a possible regulatory mechanism maintaining joint homeostasis. <b>2007</b> , 44, 3147-54	10
770	[Adult onset Still's disease: review of 26 cases]. <b>2007</b> , 129, 258-61	3
769	Arthritis Research. <b>2007</b> ,	
768	Taurine chloramine differentially inhibits matrix metalloproteinase 1 and 13 synthesis in interleukin-1beta stimulated fibroblast-like synoviocytes. <b>2007</b> , 9, R80	40

767	Identification of an altered peptide ligand based on the endogenously presented, rheumatoid arthritis-associated, human cartilage glycoprotein-39(263-275) epitope: an MHC anchor variant peptide for immune modulation. <b>2007</b> , 9, R71	11
766	The chemokine receptor CCR5 genetic polymorphism and expression in rheumatoid arthritis patients. <b>2007</b> , 36, 359-64	24
765	The anti-inflammatory effect of A3 adenosine receptor agonists: a novel targeted therapy for rheumatoid arthritis. <b>2007</b> , 16, 1601-13	70
764	Comparison of single nucleotide polymorphisms in the human interleukin-10 gene promoter between rheumatoid arthritis patients and normal subjects in Malaysia. <b>2007</b> , 17, 429-435	24
763	Effects of clarithromycin in patients with active rheumatoid arthritis. <b>2007</b> , 23, 515-22	37
762	Role of Txk, a member of the Tec family of tyrosine kinases, in immune-inflammatory diseases. <b>2007</b> , 26, 333-48	7
761	Gender differences in skin: a review of the literature. <b>2007</b> , 4, 308-28	123
760	Early changes in serum type II collagen biomarkers predict radiographic progression at one year in inflammatory arthritis patients after biologic therapy. <b>2007</b> , 56, 2919-28	42
759	Beneficial effect of galectin 9 on rheumatoid arthritis by induction of apoptosis of synovial fibroblasts. <b>2007</b> , 56, 3968-76	88
758	Human rheumatoid synovial fibroblasts promote osteoclastogenic activity by activating RANKL via TLR-2 and TLR-4 activation. <b>2007</b> , 110, 54-64	113
757	The arthritis severity quantitative trait locus Cia7 regulates neutrophil migration into inflammatory sites. <b>2007</b> , 8, 147-53	6
756	Increased expression of soluble form of vascular cell adhesion molecule-1 aggravates autoimmune arthritis in MRL-Fas(lpr) mice. <b>2007</b> , 57, 734-40	1
755	Rheumatoid synovial fluid T cells are sensitive to APO2L/TRAIL. <b>2007</b> , 122, 28-40	36
754	Cell surface CCR5 density determines the intensity of T cell migration towards rheumatoid arthritis synoviocytes. <b>2007</b> , 123, 148-54	16
753	Study on the effects of mechanical pressure to the ultrastructure and secretion ability of mandibular condylar chondrocytes. <b>2007</b> , 52, 173-81	16
752	Automated segmentation and quantification of inflammatory tissue of the hand in rheumatoid arthritis patients using magnetic resonance imaging data. <b>2007</b> , 40, 65-85	11
751	Interleukin-18 gene polymorphism, but not interleukin-2 gene polymorphism, is associated with rheumatoid arthritis. <b>2007</b> , 59, 433-9	15
750	Cathepsin G: the significance in rheumatoid arthritis as a monocyte chemoattractant. <b>2007</b> , 27, 375-82	37

749	PADI4 polymorphisms and rheumatoid arthritis susceptibility: a meta-analysis. <b>2007</b> , 27, 827-33	114
748	Local delivery of indomethacin to arthritis-bearing rats through polymeric micelles based on amphiphilic polyphosphazenes. <b>2007</b> , 24, 1944-53	47
747	Aspirin-induced apoptosis in human gastric cancer epithelial cells: relationship with protein kinase C signaling. <b>2007</b> , 52, 810-6	13
746	Synovial proliferation differentially affects hypoxia in the joint cavities of rheumatoid arthritis and osteoarthritis patients. <b>2007</b> , 26, 2023-2029	48
745	Replication of reported genetic associations of PADI4, FCRL3, SLC22A4 and RUNX1 genes with rheumatoid arthritis: results of an independent Japanese population and evidence from meta-analysis of East Asian studies. <b>2008</b> , 53, 163-173	56
744	Histological analysis of synovium in cases of effect attenuation associated with infliximab therapy in rheumatoid arthritis. <b>2008</b> , 27, 777-81	10
743	A human ferritin iron oxide nano-composite magnetic resonance contrast agent. <b>2008</b> , 60, 1073-81	122
742	Physicochemical characterization, in vitro, and in vivo evaluation of indomethacin-loaded nanocarriers self-assembled by amphiphilic polyphosphazene. <b>2008</b> , 86, 914-25	20
741	CXCR2-specific chemokines mediate leukotriene B4-dependent recruitment of neutrophils to inflamed joints in mice with antigen-induced arthritis. <b>2008</b> , 58, 2030-40	85
740	Coculture of osteoclast precursors with rheumatoid synovial fibroblasts induces osteoclastogenesis via transforming growth factor beta-mediated down-regulation of osteoprotegerin. <b>2008</b> , 58, 3356-65	20
739	Acupuncture for pain relief in patients with rheumatoid arthritis: a systematic review. <b>2008</b> , 59, 1249-56	53
738	Colocalization of C4d deposits/CD68+ macrophages in rheumatoid nodule and granuloma annulare: immunohistochemical evidence of a complement-mediated mechanism in fibrinoid necrosis. <b>2008</b> , 204, 373-8	9
737	Characteristics of rheumatoid arthritis patients with self-reported sicca symptoms: evaluation of medical, salivary and oral parameters. <b>1997</b> , 3, 254-61	26
736	FLIP and MAPK play crucial roles in the MLN51-mediated hyperproliferation of fibroblast-like synoviocytes in the pathogenesis of rheumatoid arthritis. <b>2008</b> , 275, 3546-55	9
735	Increased levels of serum matrix metalloproteinase-3 in haemodialysis patients with dialysis-related amyloidosis. <b>2008</b> , 13, 104-8	8
734	IL-2 enhances polyclonal IgM but not IgM-rheumatoid factor synthesis by activated human peripheral blood B cells. <b>1993</b> , 93, 212-7	6
733	Expression and functional role of 1F7 (CD26) antigen on peripheral blood and synovial fluid T cells in rheumatoid arthritis patients. <b>1994</b> , 98, 252-6	53
732	High levels of the soluble form of CD30 molecule in rheumatoid arthritis (RA) are expression of CD30+ T cell involvement in the inflamed joints. <b>1995</b> , 102, 547-50	50

731	Expression of endogenous retroviruses, ERV3 and lambda 4-1, in synovial tissues from patients with rheumatoid arthritis. <b>1995</b> , 99, 338-44	27
730	Early effects of tocilizumab on bone and bone marrow lesions in a collagen-induced arthritis monkey model. <b>2008</b> , 84, 262-70	27
729	Galectin-9 suppresses the generation of Th17, promotes the induction of regulatory T cells, and regulates experimental autoimmune arthritis. <b>2008</b> , 127, 78-88	331
728	Sulfated glucosamine inhibits oxidation of biomolecules in cells via a mechanism involving intracellular free radical scavenging. <b>2008</b> , 579, 74-85	29
727	Rheumatoid arthritis. <b>2008</b> , 767-787	1
726	[Efficacy and security of tumor necrosis factor antagonists in the treatment of rheumatoid arthritis]. <b>2008</b> , 130, 179-87	2
725	Emerging drugs for rheumatoid arthritis. <b>2008</b> , 13, 175-96	18
724	Relationship of serum TWEAK level to cytokine level, disease activity, and response to anti-TNF treatment in patients with rheumatoid arthritis. <b>2008</b> , 37, 173-8	51
723	Activation of peroxisome proliferator-activated receptor gamma inhibits TNF-alpha-mediated osteoclast differentiation in human peripheral monocytes in part via suppression of monocyte chemoattractant protein-1 expression. <b>2008</b> , 42, 765-74	61
722	Impaired coronary microvascular function and increased intima-media thickness in rheumatoid arthritis. <b>2008</b> , 198, 332-7	59
721	Effects of alpha-glucosylhesperidin, a bioactive food material, on collagen-induced arthritis in mice and rheumatoid arthritis in humans. <b>2008</b> , 30, 117-34	38
720	Associations between FCGR3A polymorphisms and susceptibility to rheumatoid arthritis: a metaanalysis. <b>2008</b> , 35, 2129-35	34
719	Involvement of LTB4 in zymosan-induced joint nociception in mice: participation of neutrophils and PGE2. <b>2008</b> , 83, 122-30	80
718	Effect of sildenafil citrate on interleukin-1beta-induced nitric oxide synthesis and iNOS expression in SW982 cells. <b>2008</b> , 40, 286-93	20
717	Positional cloning of the Igl genes controlling rheumatoid factor production and allergic bronchitis in rats. <b>2008</b> , 105, 14005-10	16
716	How to cope with pathogenic long-lived plasma cells in autoimmune diseases. <b>2008</b> , 67 Suppl 3, iii87-9	20
715	Enhancement of lymphocyte migration and cytokine production by ephrinB1 system in rheumatoid arthritis. <b>2008</b> , 294, C189-96	44
714	Tight control and intensified COBRA combination treatment in early rheumatoid arthritis: 90% remission in a pilot trial. <b>2008</b> , 67, 1574-7	52

713	Effects of low-dose corticosteroids on the bone mineral density of patients with rheumatoid arthritis: a meta-analysis. <b>2008</b> , 56, 1011-8	12
712	Effect of estrogen replacement therapy on arthritis and bone mineral density in estrogen-replete rats with collagen-induced arthritis. <b>2008</b> , 18, 23-28	5
711	Thrombin-stimulated proliferation of cultured human synovial fibroblasts through proteolytic activation of proteinase-activated receptor-1. <b>2008</b> , 108, 104-11	19
710	Análise de metaloproteases de matriz extracelular como indicador prognóstico nos gliomas malignos. <b>2008</b> , 27, 37-41	
709	Involvement of the p38 MAPK-NF-kappaB signal transduction pathway and COX-2 in the pathobiology of meniscus degeneration in humans. <b>2008</b> , 14, 160-6	25
708	Treatment of experimental arthritis with stealth-type polymeric nanoparticles encapsulating betamethasone phosphate. <b>2009</b> , 329, 412-7	79
707	Reactivation of hepatitis B viral infection in inactive HBsAg carriers following anti-tumor necrosis factor-alpha therapy. <b>2009</b> , 36, 2416-20	99
706	Study of active controlled tocilizumab monotherapy for rheumatoid arthritis patients with an inadequate response to methotrexate (SATORI): significant reduction in disease activity and serum vascular endothelial growth factor by IL-6 receptor inhibition therapy. <b>2009</b> , 19, 12-19	286
705	Long-term safety and efficacy of tocilizumab, an anti-IL-6 receptor monoclonal antibody, in monotherapy, in patients with rheumatoid arthritis (the STREAM study): evidence of safety and efficacy in a 5-year extension study. <b>2009</b> , 68, 1580-4	246
704	Lowering interleukin-1 activity with anakinra improves myocardial deformation in rheumatoid arthritis. <b>2009</b> , 95, 1502-7	60
703	Antiarthritis Activity of Aristolochia Bracteata Extract in Experimental Animals. <b>2009</b> , 2, 6-15	16
702	PI3Kgamma regulates cartilage damage in chronic inflammatory arthritis. <b>2009</b> , 23, 4288-98	54
701	Inflammatory cytokines and hypoxia contribute to 18F-FDG uptake by cells involved in pannus formation in rheumatoid arthritis. <b>2009</b> , 50, 920-6	88
700	Role of osteopontin in induction of monocyte chemoattractant protein 1 and macrophage inflammatory protein 1beta through the NF-kappaB and MAPK pathways in rheumatoid arthritis. <b>2009</b> , 60, 1957-65	64
699	Depression, inflammation, and pain in patients with rheumatoid arthritis. <b>2009</b> , 61, 1018-24	145
698	Does practice mirror the evidence base in the treatment of rheumatoid arthritis?. <b>2009</b> , 28, 961-70	1
697	Aspirin-induced mucosal cell death in human gastric cells: role of a caspase-independent mechanism. <b>2009</b> , 54, 28-35	10
696	TLR-3 enhances osteoclastogenesis through upregulation of RANKL expression from fibroblast-like synoviocytes in patients with rheumatoid arthritis. <b>2009</b> , 124, 9-17	37

695	Plasma 3-nitrotyrosine is a biomarker in animal models of arthritis: Pharmacological dissection of iNOS' role in disease. <b>2009</b> , 20, 150-6	37
694	A review of the current use of rituximab in autoimmune diseases. <b>2009</b> , 9, 10-25	247
693	Extract of the Chinese herbal formula Huo Luo Xiao Ling Dan inhibited adjuvant arthritis in rats. <b>2009</b> , 121, 366-71	65
692	Susceptibility of rheumatoid arthritis synovial fibroblasts to FasL- and TRAIL-induced apoptosis is cell cycle-dependent. <b>2009</b> , 11, R16	37
691	Trends in RA patients' adherence to subcutaneous anti-TNF therapies and costs. <b>2009</b> , 25, 1365-77	75
690	Histological analysis of synovium by treatment of etanercept for rheumatoid arthritis. <b>2009</b> , 12, 7-13	4
689	Pan-metatarsophalangeal joint arthrodesis for the severe rheumatoid forefoot deformity. <b>2009</b> , 26, 149-57	9
688	Biologics for rheumatoid arthritis: an overview of Cochrane reviews. <b>2009</b> ,	60
687	Cartilage Oligomeric Matrix Protein (COMP): A Biomarker of Arthritis. <b>2009</b> , 4, 33-44	103
686	Biological Evidence for the Benefit of Green Tea and EGCG in Arthritis. <b>2009</b> , 5, 259-265	1
685	Adverse effects of biologics: a network meta-analysis and Cochrane overview. <b>2010</b> ,	26
684	Inhibition of tumor progression locus 2 protein kinase decreases lipopolysaccharide-induced tumor necrosis factor alpha production due to the inhibition of the tip-associated protein induction in RAW264.7 cells. <b>2010</b> , 33, 1233-7	4
683	Inhibition of tumor progression locus 2 protein kinase suppresses receptor activator of nuclear factor-kappaB ligand-induced osteoclastogenesis through down-regulation of the c-Fos and nuclear factor of activated T cells c1 genes. <b>2010</b> , 33, 133-7	16
682	Therapeutic index of methotrexate depends on circadian cycling of tumour necrosis factor- $\alpha$ collagen-induced arthritic rats and mice. <b>2010</b> , 61, 1333-1338	19
681	Genetic polymorphisms of the DNA repair gene MPG may be associated with susceptibility to rheumatoid arthritis. <b>2010</b> , 51, 519-21	6
680	Association between the rs7574865 polymorphism of STAT4 and rheumatoid arthritis: a meta-analysis. <b>2010</b> , 30, 661-6	28
679	Fc receptor-like 3 -169 C/T polymorphism and RA susceptibility: a meta-analysis. <b>2010</b> , 30, 947-53	19
678	IL-17 mediates articular hypernociception in antigen-induced arthritis in mice. <b>2010</b> , 148, 247-256	123

677	The involvement of heat-shock proteins in the pathogenesis of autoimmune arthritis: a critical appraisal. <b>2010</b> , 40, 164-75	30
676	Genetic heterogeneity in rheumatoid arthritis mouse models induced by extrinsic and intrinsic factors. <b>2010</b> , 60, 430-7	
675	Evaluation of antiarthritic activity of <i>Strychnos potatorum</i> Linn seeds in Freund's adjuvant induced arthritic rat model. <b>2010</b> , 10, 56	53
674	Exercise prevents the effects of experimental arthritis on the metabolism and function of immune cells. <b>2010</b> , 28, 266-73	9
673	Cathepsin B in synovial cells at the site of joint destruction in rheumatoid arthritis. <b>1991</b> , 34, 1444-51	115
672	Rapid and sustained improvement in bone and cartilage turnover markers with the anti-interleukin-6 receptor inhibitor tocilizumab plus methotrexate in rheumatoid arthritis patients with an inadequate response to methotrexate: results from a substudy of the multicenter	147
671	The selective estrogen receptor alpha agonist Org 37663 induces estrogenic effects but lacks antirheumatic activity: a phase IIa trial investigating efficacy and safety of Org 37663 in postmenopausal female rheumatoid arthritis patients receiving stable background methotrexate or sulfasalazine. <b>2010</b> , 62, 351-8	18
670	PI3K inhibition in inflammation: Toward tailored therapies for specific diseases. <b>2010</b> , 32, 185-196	95
669	IL-10 suppresses Th17 cells and promotes regulatory T cells in the CD4+ T cell population of rheumatoid arthritis patients. <b>2010</b> , 127, 150-6	103
668	IL-23 induces receptor activator of NF-kappaB ligand expression in fibroblast-like synoviocytes via STAT3 and NF-kappaB signal pathways. <b>2010</b> , 127, 100-7	39
667	Effect of taurine chloramine on the production of matrix metalloproteinases (MMPs) in adiponectin- or IL-1beta-stimulated fibroblast-like synoviocytes. <b>2010</b> , 17 Suppl 1, S27	16
666	Effect of Low-Level Laser Irradiation on CXCL13 Gene Expression in Rheumatoid Arthritis Rat Joints. <b>2010</b> , 19, 89-94	3
665	Salivary antioxidants and metalloproteinases in juvenile idiopathic arthritis. <b>2010</b> , 16, 122-8	21
664	Interobserver reliability of ultrasonography in the assessment of cartilage damage in rheumatoid arthritis. <b>2010</b> , 69, 1845-8	38
663	Effect of tumor necrosis factor-related apoptosis-inducing ligand on the reduction of joint inflammation in experimental rheumatoid arthritis. <b>2010</b> , 332, 858-65	21
662	Adherence to disease-modifying antirheumatic drugs in patients with rheumatoid arthritis: a narrative review of the literature. <b>2010</b> , 29, 260-75	71
661	Relationship of Cellular Oxidant and Antioxidant Status with Disease Activity in Patients with Rheumatoid Arthritis. <b>2010</b> , 25, 141-146	4
660	Synovial tissue hypoxia and inflammation in vivo. <b>2010</b> , 69, 1389-95	148



659	A proof-of-concept and drug-drug interaction study of pamapimod, a novel p38 MAP kinase inhibitor, with methotrexate in patients with rheumatoid arthritis. <b>2010</b> , 50, 1031-8	5
658	Safety and efficacy profiles of tocilizumab monotherapy in Japanese patients with rheumatoid arthritis: meta-analysis of six initial trials and five long-term extensions. <b>2010</b> , 20, 222-232	119
657	Associations between tumor necrosis factor-alpha (TNF-alpha) -308 and -238 G/A polymorphisms and shared epitope status and responsiveness to TNF-alpha blockers in rheumatoid arthritis: a metaanalysis update. <b>2010</b> , 37, 740-6	48
656	Assessment of cartilage loss at the wrist in rheumatoid arthritis using a new MRI scoring system. <b>2010</b> , 69, 1971-5	50
655	Baseline RANKL:OPG ratio and markers of bone and cartilage degradation predict annual radiological progression over 11 years in rheumatoid arthritis. <b>2010</b> , 69, 1623-8	81
654	Liver X receptor agonist prevents the evolution of collagen-induced arthritis in mice. <b>2010</b> , 49, 882-90	56
653	Influence of rheumatoid arthritis on employment, function, and productivity in a nationally representative sample in the United States. <b>2010</b> , 37, 544-9	29
652	Golimumab for rheumatoid arthritis. <b>2010</b> , CD008341	27
651	The surgical reconstruction of the rheumatoid forefoot. <b>2010</b> , 27, 243-59	2
650	Emerging roles of SUMO modification in arthritis. <b>2010</b> , 466, 1-15	18
649	Immigration check for neutrophils in RA lining: laminin alpha5 low expression regions act as exit points. <b>2010</b> , 39, 132-40	5
648	Tacrolimus for the treatment of active rheumatoid arthritis: a systematic review and meta-analysis of randomized controlled trials. <b>2010</b> , 39, 271-8	23
647	Impact of biologics on the prevalence of orthopedic surgery in the National Database of Rheumatic Diseases in Japan. <b>2010</b> , 20, 233-237	14
646	A cytokine-centric view of the pathogenesis and treatment of autoimmune arthritis. <b>2011</b> , 31, 927-40	71
645	Prevalence of reactivation of hepatitis B virus replication in rheumatoid arthritis patients. <b>2011</b> , 21, 16-23	94
644	The usefulness of the Simplified Erosion Narrowing Score (SENS) in clinical practice for estimating joint damage in early rheumatoid arthritis. <b>2011</b> , 40, 497-8	3
643	Oral GABA treatment downregulates inflammatory responses in a mouse model of rheumatoid arthritis. <b>2011</b> , 44, 465-70	67
642	[Annual trends in knee and hip arthroplasty in rheumatoid arthritis 1998-2007]. <b>2011</b> , 7, 380-4	2

- 641 Annual Trends in Knee and Hip Arthroplasty in Rheumatoid Arthritis 1998-2007. **2011**, 7, 380-384
- 640 Temporomandibular joint involvement in rheumatoid arthritis, systemic lupus erythematosus and systemic sclerosis. **2011**, 40, 704-9 61
- 639 The Th1 life cycle: molecular control of IFN- $\gamma$  to IL-10 switching. **2011**, 32, 278-86 166
- 638 Extracts of *Arisaema rhizomatum* C.E.C. Fischer attenuate inflammatory response on collagen-induced arthritis in BALB/c mice. **2011**, 133, 573-82 29
- 637 Lysosomal membrane stabilization and anti-inflammatory activity of *Clerodendrum phlomidis* L.f., a traditional medicinal plant. **2011**, 135, 779-85 16
- 636 An aqueous birch leaf extract of *Betula pendula* inhibits the growth and cell division of inflammatory lymphocytes. **2011**, 136, 444-51 16
- 635 Osteoclast precursor differentiation by MCP-1 via oxidative stress, endoplasmic reticulum stress, and autophagy. **2011**, 3, 360-8 87
- 634 Adverse effects of biologics: a network meta-analysis and Cochrane overview. **2011**, CD008794 353
- 633 Selective IgA deficiency in autoimmune diseases. **2011**, 17, 1383-96 132
- 632 Involvements of mitogen-activated protein kinase cascades in osteoclastogenesis. **2011**, 31, 425-430
- 631 Prevalence of Reactivation of Hepatitis B Virus DNA Replication in Rheumatoid Arthritis Patients. **2011**,
- 630 Targeted delivery of anti-inflammatory therapy to rheumatoid tissue by fusion proteins containing an IL-4-linked synovial targeting peptide. **2011**,
- 629 Biological Agents in the Treatment of Rheumatoid Arthritis. **2011**, 29, 27-31
- 628 DcR3-TL1A signalling inhibits cytokine-induced proliferation of rheumatoid synovial fibroblasts. **2011**, 28, 423-7 13
- 627 Dosing time-dependency of the arthritis-inhibiting effect of tacrolimus in mice. **2011**, 116, 264-73 10
- 626 Activation of natural killer T cells by  $\alpha$ -GalCer (RCA1-56), a novel synthetic glycolipid ligand, suppresses murine collagen-induced arthritis. **2011**, 164, 236-47 21
- 625 FDG PET for rheumatoid arthritis: basic considerations and whole-body PET/CT. **2011**, 1228, 29-38 52
- 624 Use of biologics in rheumatoid arthritis: current and emerging paradigms of care. **2011**, 33, 679-707 185

623	Receptor Activator for Nuclear Factor kappa B Ligand (RANKL) as an osteoimmune key regulator in bone physiology and pathology. <b>2011</b> , 113, 73-81	14
622	Associations between vitamin D receptor polymorphisms and susceptibility to rheumatoid arthritis and systemic lupus erythematosus: a meta-analysis. <b>2011</b> , 38, 3643-51	132
621	Detection of new epitopes of antibodies to filaggrin in filaggrin protein molecule. <b>2011</b> , 151, 615-8	3
620	The PADI4 gene does not contribute to genetic susceptibility to rheumatoid arthritis in Chinese Han population. <b>2011</b> , 31, 1631-4	17
619	The efficacy and safety of rituximab for the treatment of active rheumatoid arthritis: a systematic review and meta-analysis of randomized controlled trials. <b>2011</b> , 31, 1493-9	50
618	Anti-arthritic effect of GN1, a novel synthetic analog of glucosamine, in the collagen-induced arthritis model in rats. <b>2011</b> , 60, 1113-20	12
617	Deforming arthropathy in a patient with IgG4-related systemic disease: comment on the article by Stone et al. <b>2011</b> , 63, 172	15
616	Oleuropein aglycone, an olive oil compound, ameliorates development of arthritis caused by injection of collagen type II in mice. <b>2011</b> , 339, 859-69	70
615	Aryl hydrocarbon receptor deficiency in T cells suppresses the development of collagen-induced arthritis. <b>2011</b> , 108, 14222-7	97
614	Complete control of disease activity and remission induced by treatment with etanercept in juvenile idiopathic arthritis. <b>2011</b> , 50, 214-21	61
613	A case report of a patient with rheumatoid arthritis complicated with Mycobacterium avium during tocilizumab treatment. <b>2011</b> , 21, 655-659	11
612	Multiple ulcers in the small and large intestines occurred during tocilizumab therapy for rheumatoid arthritis. <b>2011</b> , 43, 70-2	15
611	CGS 21680, an agonist of the adenosine (A <sub>2A</sub> ) receptor, reduces progression of murine type II collagen-induced arthritis. <b>2011</b> , 38, 2119-29	53
610	Suppression of ongoing experimental arthritis by a chinese herbal formula (huo-luo-xiao-ling dan) involves changes in antigen-induced immunological and biochemical mediators of inflammation. <b>2011</b> , 2011, 642027	23
609	Inhibitory Effect of Curcumol on Jak2-STAT Signal Pathway Molecules of Fibroblast-Like Synoviocytes in Patients with Rheumatoid Arthritis. <b>2012</b> , 2012, 746426	6
608	Bridging Clinical Outcomes of Canakinumab Treatment in Patients With Rheumatoid Arthritis With a Population Model of IL-1 Kinetics. <b>2012</b> , 1, e5	20
607	TRAF family member-associated NF- $\kappa$ B activator (TANK) is a negative regulator of osteoclastogenesis and bone formation. <b>2012</b> , 287, 29114-24	34
606	Chronopharmacology of mizoribine in collagen-induced arthritis rats. <b>2012</b> , 120, 112-20	7

605	[Pharmacological properties and clinical efficacy of the synthetic anti-rheumatic drug, iguratimod (Kolbet /Careram)]. <b>2012</b> , 140, 285-92	0
604	1.6 Inflammatory and crystal-induced arthritis: pathogenesis and animal models. <b>2012</b> , 15, 29-32	
603	Logistic regression analysis of damp-heat and cold-damp impeding syndrome of rheumatoid arthritis: a perspective in Chinese medicine. <b>2012</b> , 18, 575-81	12
602	Association between vitamin D intake and the risk of rheumatoid arthritis: a meta-analysis. <b>2012</b> , 31, 1733-9	120
601	Biologic registries in rheumatology: lessons learned and expectations for the future. <b>2012</b> , 12, 329-36	18
600	Assembled nanomedicines as efficient and safe therapeutics for articular inflammation. <b>2012</b> , 439, 307-16	15
599	Future direction of pathogenesis and treatment for rheumatic disorders. <b>2012</b> , 14,	78
598	From rheumatic diseases to cancer - role of autoantibodies as diagnostic biomarkers. <b>2012</b> , 14,	2
597	Etiology and molecular pathogenesis of RA; how can we best use European initiatives to advance our knowledge?. <b>2012</b> , 14,	78
596	Clinically isolated syndrome in collagen diseases; approaches and treatments. <b>2012</b> , 14,	78
595	Research platform for fibromyalgia in Japan. <b>2012</b> , 14,	3
594	Recent advances in understanding of various chronic pain mechanisms through lysophosphatidic acid (LPA) receptor signaling. <b>2012</b> , 14,	1
593	The role of mRNA degradation in immunity and inflammation. <b>2012</b> , 14,	78
592	Death receptor-induced apoptosis signalling - essential guardian against autoimmune disease. <b>2012</b> , 14,	78
591	Cancer immunotherapy; integration of T cell biology with nanogel- and vector-technology in translational research. <b>2012</b> , 14,	78
590	Autoimmune arthritis caused by altered thymic T-cell selection due to a mutation of the ZAP-70 gene. <b>2012</b> , 14,	78
589	Anti-Fas IgM monoclonal antibody (anti-Fas mAb) effect on haemophilic arthropathy (HA) synoviocytes. <b>2012</b> , 14,	78
588	Overview of osteoimmunology: What's happened? And what's going on?. <b>2012</b> , 14,	78

587	Regulation of bone mass at unloaded condition by osteocyte network. <b>2012, 14,</b>	78
586	Assessment of histological alterations in cartilage and extracellular matrix driven by collagen-induced arthritis in <i>Macaca fascicularis</i> . <b>2012, 14,</b>	78
585	Evidence for synovial fibroblasts spreading rheumatoid arthritis. <b>2012, 14,</b>	78
584	Skeletal involvement in the pathogenesis and outcomes of rheumatoid arthritis and osteoarthritis. <b>2012, 14,</b>	78
583	Fcγ receptor targeting in RA. <b>2012, 14,</b>	2
582	Therapeutic targets for rheumatoid arthritis: lessons from animal models. <b>2012, 14,</b>	78
581	Abnormal osteogenesis in osteoarthritis: gone with the Wnt?. <b>2012, 14,</b>	1
580	Understanding the role of Fas-Fas ligand system in bone. <b>2012, 14,</b>	1
579	Regulation of inflammatory immune responses leading to the development of bone destructive autoimmune disease rheumatoid arthritis by IL-27. <b>2012, 14,</b>	2
578	Postnatal Syk deletion in mice clarifies the function of Syk in an anti-collagen antibody-induced arthritis model. <b>2012, 14,</b>	78
577	Synoviolin meets metabolic disorders. <b>2012, 14,</b>	78
576	IL-17, synoviolin and rheumatoid arthritis chronicity. <b>2012, 14,</b>	78
575	Implication of microRNA-140 in osteoarthritis. <b>2012, 14,</b>	1
574	Osteoclastic bone resorption directly activates osteoblast function. <b>2012, 14,</b>	1
573	Directed induction of chondrogenic cells from mouse dermal fibroblast culture. <b>2012, 14,</b>	78
572	A systems approach reveals that the musculoskeletal tissues development and homeostasis network. <b>2012, 14,</b>	78
571	Angiogenesis in rheumatoid arthritis: the role of fut 1. <b>2012, 14,</b>	78
570	Citrullination of fibrinogen: generation of neoepitopes and enhancement of immunostimulatory properties. <b>2012, 14,</b>	4

569	Novel regulatory T cells controlling antibody production and systemic autoimmunity. <b>2012</b> , 14,	78
568	Innate and adaptive immune responses to dead and dying cells. <b>2012</b> , 14,	78
567	From discovery of RANKL to clinical application of anti-human RANKL antibody. <b>2012</b> , 14,	78
566	Microparticles as antigenic targets in human and murine SLE. <b>2012</b> , 14,	78
565	New mechanisms of action and signaling by TNF- $\alpha$ <b>2012</b> , 14,	78
564	Synovial fibroblasts display an uncontrolled inflammatory and tissue destructive response to TNF- $\alpha$ <b>2012</b> , 14,	1
563	Interleukin-6 as a therapeutic target in locomotor disorders. <b>2012</b> , 14,	78
562	Signal transduction inhibitors for the treatment of rheumatoid arthritis. <b>2012</b> , 14,	78
561	Adult stem cell-based therapy for degenerative joint diseases. <b>2012</b> , 14,	78
560	Peptide therapy in sepsis and inflammation: a novel strategy to suppress inflammation. <b>2012</b> , 14,	78
559	Overview of biotherapy in rheumatoid arthritis (RA). <b>2012</b> , 14,	1
558	Anti-TNF antibody therapy induces IL-17 suppressing regulatory T cells in patients with rheumatoid arthritis. <b>2012</b> , 14,	78
557	Combined effects of the hedgehog pathway inhibitor LDE225 and nilotinib in a random mutagenesis screen. <b>2012</b> , 14,	78
556	Molecular mechanism of unloading-mediated muscle atrophy and development of its countermeasures. <b>2012</b> , 14,	78
555	Regulation of immune cell responses by semaphorins and their receptors. <b>2012</b> , 14,	1
554	A novel NEDD8-binding protein modulates NF- $\kappa$ B signaling pathway. <b>2012</b> , 14,	78
553	Reconstruction of injured spinal cord by epigenetic regulation of transplanted neural stem cells. <b>2012</b> , 14,	78
552	Fukushima Brain Bank (FBB) -Based in a private geriatric hospital-. <b>2012</b> , 14,	78

551	IL-17-producing $\gamma$ $\delta$ cells are important for the development of arthritis in a rheumatoid arthritis model. <b>2012</b> , 14,	1
550	Osteoporosis in Iraqi patients with thalassemia. <b>2012</b> , 14,	1
549	A novel role for monosodium urate monohydrate crystals and gouty synovial fluids in monocyte migration in gout. <b>2012</b> , 14,	78
548	Intermittent cold stress-induced experimental fibromyalgia model in mice - pharmacology and neurobiology. <b>2012</b> , 14,	78
547	Frequency of appearance of anemias at rheumatoid arthritis - a disease of autoimmune genesis (on the data of retrospective study). <b>2012</b> , 14,	78
546	The bacterial effector protein YopM reduces rheumatoid arthritis (RA) outcome by inhibiting inflammation and bone destruction. <b>2012</b> , 14,	78
545	PTEN in antigen presenting cells is a master regulator for Th17-mediated autoimmune pathology. <b>2012</b> , 14,	1
544	Acute Serum Amyloid A induces cell migration cytoskeletal rearrangement and Notch signalling in rheumatoid arthritis. <b>2012</b> , 14,	78
543	Cigarette smoke downregulates HDAC2 in rheumatoid arthritis synovial fibroblasts. <b>2012</b> , 14,	78
542	Egr-1 mediates the suppressive effect of IL-1 on PPAR $\gamma$ expression in human OA chondrocytes. <b>2012</b> , 14,	78
541	Prevalence of interstitial lung disease among patients with systemic sclerosis in Iraqi Kurdistan. <b>2012</b> , 14,	78
540	MiRs in RA: possible biomarkers and therapeutic targets. <b>2012</b> , 14,	1
539	Immune cell - derived microparticles contribute to the resistance of rheumatoid arthritis synovial fibroblasts to death receptor-mediated apoptosis. <b>2012</b> , 14,	78
538	GCIP, Id like HLH protein, negatively regulates cell proliferation of rheumatoid synovial cells via interaction with CBP. <b>2012</b> , 14,	78
537	Balb/c FasKO mice develop allergic blepharitis associated with hyper-production of IgE. <b>2012</b> , 14,	78
536	T-regs/Th17 function defect in systemic autoimmunity as a result of "recent thymic emigrants" maturation defect. <b>2012</b> , 14,	78
535	Dendritic cell immunoreceptor (DCIR) is associated with anti-cyclic citrullinated peptides (anti-CCP) antibody - negative rheumatoid arthritis in Chinese Han population. <b>2012</b> , 14,	78
534	Association between serum level of Vitamin D with autoantibodies expression, disease activity (SLEDAI) and bone mineral density (BMD) in patients with Systemic Lupus Erythematosus (SLE). <b>2012</b> , 14,	2

533	Uncoupling protein 3 attenuates generation of reactive oxygen species by interacting with thioredoxin 2 in the mitochondrial intermembrane space. <b>2012, 14,</b>	78
532	Conditional inactivation of the ectodomain shedding of pro-TNF $\alpha$ in monocytes prevents lethality from LPS-induced septic shock. <b>2012, 14,</b>	78
531	Community-based epidemiological study on hyperuricemia and gout over 5 years in Huang-pu district, Shanghai. <b>2012, 14,</b>	78
530	Adrenal function in rheumatoid arthritis: a correlation with disease activity. <b>2012, 14,</b>	2
529	Rheumatoid arthritis fibroblast-like synoviocytes show the upregulation of myeloid cell specific transcription factor PU.1 and B cell specific transcriptional co-activator OBF-1, and express functional BCMA. <b>2012, 14,</b>	1
528	Methyl glyoxal increase apoptosis (CASPASE-3 expression) in pre-osteoblast MC3T3E1 cell line via SOD activity. <b>2012, 14,</b>	2
527	Discrepancy between patient and physician in assessment of global severity in early rheumatoid arthritis. <b>2012, 14,</b>	78
526	Cartilage-specific deletion of prar-gamma in mice results in early endochondral ossification defects and accelerated aging-dependent development of osteoarthritis. <b>2012, 14,</b>	78
525	Average findings of uric acid in blood in patients with gout with different categories of hyperglycemia. <b>2012, 14,</b>	78
524	Effect of B cell depletion using peptide tetramers in collagen-induced arthritis. <b>2012, 14,</b>	78
523	Peripheral tolerance induced by apoptotic cells and PD-1+ CD8 T cells. <b>2012, 14,</b>	78
522	Decreased plating efficiency, proliferation and osteogenic differentiation of synovial fluid mesenchymal progenitors as a marker of severity of juvenile idiopathic arthritis. <b>2012, 14,</b>	78
521	LC-MS/MS-based shotgun proteomics identified the targets of arthritis-related microRNA. <b>2012, 14,</b>	1
520	T cell receptor rearrangement excision circles (TREC) study as an approach to "in vivo" thymus gland function investigation. <b>2012, 14,</b>	78
519	Fas deficiency attenuates bone loss during antigen induced arthritis in mice. <b>2012, 14,</b>	78
518	Abnormal expressions of immune response-related genes in RA bone marrow cells. <b>2012, 14,</b>	78
517	Risk factors for latent tuberculosis infection in RA patients treated with anti-tumor necrosis factor. <b>2012, 14,</b>	78
516	TGF- $\beta$ signaling induces SnoN to suppress BMP-induced hypertrophic maturation of chondrocytes. <b>2012, 14,</b>	78



515	Activation of TRPV4 promotes osteoclasts differentiation. <b>2012, 14,</b>	78
514	STAT3 is critical to promote inflammatory cytokines and RANKL expression in inflammatory arthritis. <b>2012, 14,</b>	4
513	Combined depletion of interleukin-1 and interleukin-6 does not exceed single depletion of interleukin -1 in TNF-mediated arthritis. <b>2012, 14,</b>	78
512	The functions of the post-translational modifications in rheumatoid arthritis. <b>2012, 14,</b>	78
511	Neutrophils are the source of IL-17 and RANKL in zymosan induced arthritis. <b>2012, 14,</b>	78
510	Role of HLA-antigens class 1 in the development of rheumatoid arthritis in Uzbek women. <b>2012, 14,</b>	78
509	SNP algorithms for prediction of efficacy and adverse events of abatacept (ABT). <b>2012, 14,</b>	78
508	Maintenance of mitochondrial DNA copy number is essential for osteoclast survival. <b>2012, 14,</b>	2
507	Over expression of toll-like receptors in peripheral blood and synovial fluid monocytes of enthesitis related arthritis category of juvenile idiopathic arthritis (JIA-ERA) patients contributes to secretion of inflammatory mediators. <b>2012, 14,</b>	78
506	Pilocarpine suppresses hyperalgesia induced by intermittent cold stress (ICS) as an experimental fibromyalgia model in mice. <b>2012, 14,</b>	78
505	Application of tetraspanin CD81 RNAi for diagnosis and therapy of rheumatoid arthritis (RA). <b>2012, 14,</b>	4
504	Active repression by Blimp1 play an important role in osteoclast differentiation. <b>2012, 14,</b>	0
503	Smoking induces expression of ligands of the immune receptor NKG2D. <b>2012, 14,</b>	78
502	Methotrexate alone and methotrexate combined with etanercept in treatment of rheumatoid arthritis. <b>2012, 14,</b>	1
501	SPACIA1/SAAL1: a newly identified gene associated with aberrant proliferation of synovial fibroblasts. <b>2012, 14,</b>	78
500	Two cases of multiple-drug-resistant adult-onset Still's disease treated successfully with tocilizumab - the relationship between interleukin 6 and 18. <b>2012, 14,</b>	1
499	GI-REASONS: a novel 6-month, prospective, randomized, open-label, blinded end point (PROBE) trial. <b>2012, 14,</b>	1
498	Inhibition of Syndecan-4 by therapeutic antibodies reduces TNF $\alpha$ dependent joint destruction in mice. <b>2012, 14,</b>	78

497	Clinical-experimental assessment of simvastatin efficiency in the treatment of rheumatoid arthritis. <b>2012, 14,</b>	78
496	Metabolic syndrome in Indian patients with rheumatoid arthritis and its correlation with disease activity. <b>2012, 14,</b>	2
495	Osteoprotegerin induction in response to microbial infection. <b>2012, 14,</b>	1
494	Expression patterns and function of chromatin protein HMGB2 during mesenchymal stem cell differentiation. <b>2012, 14,</b>	78
493	Age features of metabolic syndrome and cardiovascular disorders in gout. <b>2012, 14,</b>	78
492	Unfolded protein response mediator, the IRE1/XBP1 pathway is involved in osteoblast differentiation. <b>2012, 14,</b>	1
491	Resistance to morphine analgesia and its underlying mechanisms in an experimental mouse model of fibromyalgia. <b>2012, 14,</b>	78
490	Pathogenic protease expression in murine OA is critically dependent upon mechanical joint loading. <b>2012, 14,</b>	1
489	Helicobacter pylori infection in rheumatic diseases. <b>2012, 14,</b>	5
488	Importance of E3 ubiquitin ligase Synoviolin in fibrogenesis. <b>2012, 14,</b>	78
487	Human retrovirus promotes the plasticity of regulatory T cells into T helper type 1-like cells through the T-bet transcriptional activation in neuroinflammatory disease. <b>2012, 14,</b>	78
486	AJAK inhibitor, tofacitinib reduces IL-6 and matrix metalloproteinase-3 production in rheumatoid arthritis with suppressed cartilage destruction. <b>2012, 14,</b>	1
485	Regulation of macrophage-mediated chronic inflammation by JAK inhibitors. <b>2012, 14,</b>	78
484	Th17 is involved in the pathogenesis of Bechet's disease via CCL20-CCR6 axis. <b>2012, 14,</b>	0
483	The association of autoantibodies expression, Th1/Th2 cytokines balance and IFNG polymorphism with histological phenotype of lupus nephritis. <b>2012, 14,</b>	78
482	Tks5-dependent formation of circumferential podosomes mediates cell-cell fusion. <b>2012, 14,</b>	78
481	An essential role of IRF1 in the transcriptional program in Th17 development. <b>2012, 14,</b>	78
480	Features of rheumatic fever in adult patients in modern Kyrgyzstan. <b>2012, 14,</b>	78

479	Hepatic vitamin A preloading reduces colorectal cancer metastatic multiplicity in a mouse xenograft model. <b>2012</b> , 64, 732-40	9
478	Associations between the p53 codon 72 polymorphisms and susceptibility to systemic lupus erythematosus and rheumatoid arthritis: a meta-analysis. <b>2012</b> , 21, 430-7	21
477	Increased concentration of serum soluble LAG3 in systemic lupus erythematosus. <b>2012</b> , 14,	1
476	Unc93 homolog B1 restricts systemic lethal inflammation by orchestrating TLR7 and TLR9 response. <b>2012</b> , 14,	78
475	Stimulation of bone formation in cortical bone of the mice treated with a novel bone anabolic peptide with osteoclastogenesis inhibitory activity. <b>2012</b> , 14,	78
474	The crucial role of osteocyte-derived RANKL in bone homeostasis. <b>2012</b> , 14,	1
473	Association of microRNA-221/222 and -323-3p with rheumatoid arthritis via predictions using the human TNF transgenic mouse model. <b>2012</b> , 14,	1
472	Brain perfusion in fibromyalgia patients and its differences between responders and poor responders to gabapentin. <b>2012</b> , 14,	78
471	Selective activation of adenosine A2A receptors on immune cells by a CD73-dependent prodrug suppresses joint inflammation in experimental rheumatoid arthritis. <b>2012</b> , 4, 146ra108	96
470	The protein LJM 111 from <i>Lutzomyia longipalpis</i> salivary gland extract (SGE) accounts for the SGE-inhibitory effects upon inflammatory parameters in experimental arthritis model. <b>2012</b> , 12, 603-10	12
469	Evaluation of antiarthritic activity of isoeugenol in adjuvant induced arthritis in murine model. <b>2012</b> , 50, 2689-95	19
468	Targeting TNF superfamily members for therapeutic intervention in rheumatoid arthritis. <b>2012</b> , 57, 305-12	25
467	Genome-wide pathway analysis of genome-wide association studies on systemic lupus erythematosus and rheumatoid arthritis. <b>2012</b> , 39, 10627-35	79
466	Recombinant mycobacterial HSP65 in combination with incomplete Freund's adjuvant induced rat arthritis comparable with that induced by complete Freund's adjuvant. <b>2012</b> , 386, 78-84	4
465	Genetic polymorphisms of the DNA repair gene UNG are associated with the susceptibility of rheumatoid arthritis. <b>2012</b> , 32, 3723-7	12
464	Phosphoinositides I: Enzymes of Synthesis and Degradation. <b>2012</b> ,	6
463	Associations between interleukin-23 receptor polymorphisms and susceptibility to rheumatoid arthritis: a meta-analysis. <b>2012</b> , 39, 10655-63	20
462	The glutathione S-transferase M1 and P1 polymorphisms and rheumatoid arthritis: a meta-analysis. <b>2012</b> , 39, 10739-45	8

461	Nerve-Driven Immunity. <b>2012</b> ,	15
460	Role of macrophage CCAAT/enhancer binding protein delta in the pathogenesis of rheumatoid arthritis in collagen-induced arthritic mice. <b>2012</b> , 7, e45378	33
459	Oleuropein an Olive Oil Compound in Acute and Chronic Inflammation Models: Facts and Perspectives. <b>2012</b> ,	1
458	Interleukin-22 promotes osteoclastogenesis in rheumatoid arthritis through induction of RANKL in human synovial fibroblasts. <b>2012</b> , 64, 1015-23	137
457	Acute-phase serum amyloid A regulates tumor necrosis factor $\alpha$ and matrix turnover and predicts disease progression in patients with inflammatory arthritis before and after biologic therapy. <b>2012</b> , 64, 1035-45	73
456	Association between the CTLA-4 +49 A/G polymorphism and susceptibility to rheumatoid arthritis: a meta-analysis. <b>2012</b> , 39, 5599-605	16
455	Association of the C-285T and A5954G polymorphisms in the DNA repair gene OGG1 with the susceptibility of rheumatoid arthritis. <b>2012</b> , 32, 1165-9	11
454	Receptor activator of nuclear factor kappa B ligand serum and synovial fluid level. A comparative study between rheumatoid arthritis and osteoarthritis. <b>2012</b> , 32, 1589-96	11
453	Different apoptotic responses of RA synoviocytes depending on different genotypes of the mdm2 SNP T309G. <b>2012</b> , 17, 424-7	3
452	Pharmacological and therapeutic effects of A3 adenosine receptor agonists. <b>2012</b> , 17, 359-66	165
451	Anti-inflammatory effect of low intensity ultrasound (LIUS) on complete Freund's adjuvant-induced arthritis synovium. <b>2012</b> , 20, 314-22	62
450	[Radiological differential diagnosis of rheumatoid arthritis]. <b>2012</b> , 52, 116-23	4
449	MBD4 gene is associated with rheumatoid arthritis in Chinese patients in Taiwan. <b>2012</b> , 32, 117-22	2
448	Associations between interleukin-10 polymorphisms and susceptibility to rheumatoid arthritis: a meta-analysis. <b>2012</b> , 39, 81-7	33
447	The association between the PTPN22 C1858T polymorphism and rheumatoid arthritis: a meta-analysis update. <b>2012</b> , 39, 3453-60	15
446	Association of the CTLA-4 +49A/G polymorphism with rheumatoid arthritis in Chinese Han population. <b>2013</b> , 40, 2627-31	18
445	p53 contributes to quercetin-induced apoptosis in human rheumatoid arthritis fibroblast-like synoviocytes. <b>2013</b> , 36, 272-8	9
444	The importance of rheumatology biologic registries in Latin America. <b>2013</b> , 33, 827-35	10

443	IL-32 aggravates synovial inflammation and bone destruction and increases synovial natural killer cells in experimental arthritis models. <b>2013</b> , 33, 671-9	14
442	Synergistic effects of interleukin-1 $\beta$ and interleukin-17A antibodies on collagen-induced arthritis mouse model. <b>2013</b> , 15, 199-205	39
441	Evidence that TNF- $\alpha$ (lymphotoxin $\beta$ ) can activate the inflammatory environment in human chondrocytes. <b>2013</b> , 15, R202	30
440	Association between tumor necrosis factor- $\alpha$ (TNF- $\alpha$ ) promoter B08 G/A and response to TNF- $\alpha$ blockers in rheumatoid arthritis: a meta-analysis. <b>2013</b> , 23, 489-495	24
439	Effects of Ureaplasma urealyticum lipid-associated membrane proteins on rheumatoid arthritis synovial fibroblasts. <b>2013</b> , 41, 1655-70	1
438	7,3'-dimethoxy hesperetin inhibits inflammation by inducing synovial apoptosis in rats with adjuvant-induced arthritis. <b>2013</b> , 35, 139-46	23
437	Lactoferrin activates BMP7 gene expression through the mitogen-activated protein kinase ERK pathway in articular cartilage. <b>2013</b> , 431, 31-5	10
436	Artritis reumatoide en el anciano. Revisi3n narrativa. <b>2013</b> , 20, 91-101	4
435	The dual roles of inflammatory cytokines and chemokines in the regulation of autoimmune diseases and their clinical implications. <b>2013</b> , 93, 51-61	97
434	Contribution of Bioactive Foods and Their Emerging Role in Immunomodulation, Inflammation, and Arthritis. <b>2013</b> , 43-65	2
433	Effect of body-weight loading onto the articular cartilage on the occurrence of quinolone-induced chondrotoxicity in juvenile rats. <b>2013</b> , 216, 124-9	5
432	Periarticular bone gain at proximal interphalangeal joints and changes in bone turnover markers in response to tumor necrosis factor inhibitors in rheumatoid and psoriatic arthritis. <b>2013</b> , 40, 653-62	21
431	Calpain-1 inhibitors for selective treatment of rheumatoid arthritis: what is the future?. <b>2013</b> , 5, 2057-74	8
430	Aryl hydrocarbon receptor and experimental autoimmune arthritis. <b>2013</b> , 35, 637-44	42
429	The roles of IFN- $\gamma$ versus IL-17 in pathogenic effects of human Th17 cells on synovial fibroblasts. <b>2013</b> , 23, 1140-1150	20
428	Hypoxia-induced endogenous prostaglandin E2 negatively regulates hypoxia-enhanced aberrant overgrowth of rheumatoid synovial tissue. <b>2013</b> , 23, 1069-1075	
427	Protective efficacy of N-(2-hydroxyphenyl) acetamide against adjuvant-induced arthritis in rats. <b>2013</b> , 2013, 635143	7
426	In vivo imaging of cell proliferation enables the detection of the extent of experimental rheumatoid arthritis by 3'-deoxy-3'-18f-fluorothymidine and small-animal PET. <b>2013</b> , 54, 151-8	20

425	Tocilizumab in rheumatoid arthritis: efficacy, safety and its place in therapy. <b>2013</b> , 4, 15-21	30
424	Orthopedic surgery in rheumatoid arthritis in the era of biologic therapy. <b>2013</b> , 40, 1850-5	16
423	PADI4 polymorphisms and susceptibility to rheumatoid arthritis: a meta-analysis. <b>2013</b> , 23, 50-60	19
422	Improvement of health status evaluated by Arthritis Impact Measurement Scale 2 (AIMS-2) and Short Form-36 (SF-36) in patients with rheumatoid arthritis treated with tocilizumab. <b>2013</b> , 23, 276-283	6
421	Comparative evaluation of the effects of treatment with tocilizumab and TNF- $\alpha$ inhibitors on serum hepcidin, anemia response and disease activity in rheumatoid arthritis patients. <b>2013</b> , 15, R141	83
420	Isolation, characterization, and molecular modeling of a rheumatoid factor from a Hepatitis C virus infected patient with Sjögren's syndrome. <b>2013</b> , 2013, 516516	6
419	Extracts of <i>Tripterygium wilfordii</i> Hook F in the Treatment of Rheumatoid Arthritis: A Systemic Review and Meta-Analysis of Randomised Controlled Trials. <b>2013</b> , 2013, 410793	33
418	Could tofacitinib, the first oral small-molecule inhibitor proven for use in active rheumatoid arthritis (RA) patients with insufficient response to methotrexate, be the breakthrough drug for RA?. <b>2014</b> , 29, 577-9	1
417	The status of rheumatoid factor and anti-cyclic citrullinated peptide antibody are not associated with the effect of anti-TNF- $\alpha$ agent treatment in patients with rheumatoid arthritis: a meta-analysis. <b>2014</b> , 9, e89442	56
416	Interleukins and interleukin receptors in rheumatoid arthritis: Research, diagnostics and clinical implications. <b>2014</b> , 5, 516-36	50
415	Anti-arthritic Effect of Indian Red Scorpion ( <i>Mesobuthus tamulus</i> ) Venom in Freund's Complete Adjuvant and Collagen Type II Induced Arthritis. <b>2014</b> , 04,	1
414	Association of interleukin-18 (-137G/C) polymorphism with rheumatoid arthritis and systemic lupus erythematosus: a meta-analysis. <b>2014</b> , 33, 34-44	17
413	Hypochlorite-induced structural modifications enhance the chaperone activity of human $\alpha$ -macroglobulin. <b>2014</b> , 111, E2081-90	49
412	Traditional Chinese medicine: potential for clinical treatment of rheumatoid arthritis. <b>2014</b> , 10, 819-22	39
411	Lymphocyte glucose and glutamine metabolism as targets of the anti-inflammatory and immunomodulatory effects of exercise. <b>2014</b> , 2014, 326803	18
410	Optimized "in vitro" culture conditions for human rheumatoid arthritis synovial fibroblasts. <b>2014</b> , 2014, 702057	14
409	Antibiotic therapy in autoimmune disorders. <b>2014</b> , 11, 91-103	6
408	The 'Switch' study protocol: a randomised-controlled trial of switching to an alternative tumour-necrosis factor (TNF)-inhibitor drug or abatacept or rituximab in patients with rheumatoid arthritis who have failed an initial TNF-inhibitor drug. <b>2014</b> , 15, 452	19

407	Arthritides. <b>2014</b> , 476-624	2
406	CCR5 small interfering RNA ameliorated joint inflammation in rats with adjuvant-induced arthritis. <b>2014</b> , 162, 258-63	12
405	ANALYSIS OF GENE EXPRESSION IN BLOOD AS AN ADDITIONAL TOOL TO MONITOR METHOTREXATE THERAPY IN PATIENTS WITH RHEUMATOID ARTHRITIS. <b>2014</b> , 51, 654	1
404	Cytokine-mediated bone destruction in rheumatoid arthritis. <b>2014</b> , 2014, 263625	94
403	Meta-analysis of gene expression profiles to predict response to biologic agents in rheumatoid arthritis. <b>2014</b> , 33, 775-82	3
402	Gene-environmental interaction between smoking and shared epitope on the development of anti-cyclic citrullinated peptide antibodies in rheumatoid arthritis: a meta-analysis. <b>2014</b> , 17, 528-35	16
401	Protective effect of low-level laser therapy (LLLT) on acute zymosan-induced arthritis. <b>2014</b> , 29, 757-63	19
400	Association between TNF- $\beta$ promoter -308 A/G polymorphism and rheumatoid arthritis: a meta-analysis. <b>2014</b> , 34, 465-71	18
399	Reciprocal activation of CD4+ T cells and synovial fibroblasts by stromal cell-derived factor 1 promotes RANKL expression and osteoclastogenesis in rheumatoid arthritis. <b>2014</b> , 66, 538-48	44
398	Low-avidity anticitrullinated protein antibodies (ACPA) are associated with a higher rate of joint destruction in rheumatoid arthritis. <b>2014</b> , 73, 270-6	33
397	An immunological biomarker to predict MTX response in early RA. <b>2014</b> , 73, 2047-53	40
396	FDG-PET/CT in Infectious and Inflammatory Diseases. <b>2014</b> , 9, 497-519, vi-vii	45
395	Mechanism of the 24-hour rhythm of tumor necrosis factor-alpha formed by onset of rheumatoid arthritis. <b>2014</b> , 31, 564-71	2
394	Clinical characteristics of rheumatoid arthritis patients undergoing cervical spine surgery: an analysis of National Database of Rheumatic Diseases in Japan. <b>2014</b> , 15, 203	13
393	Functional FCGR3A 158 V/F and IL-6 -174 C/G polymorphisms predict response to biologic therapy in patients with rheumatoid arthritis: a meta-analysis. <b>2014</b> , 34, 1409-15	27
392	Coffee or tea consumption and the risk of rheumatoid arthritis: a meta-analysis. <b>2014</b> , 33, 1575-83	49
391	N-(2-hydroxy phenyl) acetamide produces profound inhibition of c-Fos protein and mRNA expression in the brain of adjuvant-induced arthritic rats. <b>2014</b> , 387, 81-90	8
390	Anti-rheumatoid and anti-oxidant activity of homeopathic Guaiacum officinale in an animal model. <b>2014</b> , 103, 133-8	5

389	Interaction of mesenchymal stem cells with fibroblast-like synoviocytes via cadherin-11 promotes angiogenesis by enhanced secretion of placental growth factor. <b>2014</b> , 192, 3003-10	26
388	Chronological reading of radiographs in rheumatoid arthritis increases efficiency and does not lead to bias. <b>2014</b> , 73, 391-5	33
387	Gallium nitrate ameliorates type II collagen-induced arthritis in mice. <b>2014</b> , 20, 269-75	10
386	Anti-arthritic activity of Xanthium strumarium L. extract on complete Freund's adjuvant induced arthritis in rats. <b>2014</b> , 155, 248-55	66
385	Liposomal corticosteroids for the treatment of inflammatory disorders and cancer. <b>2014</b> , 190, 624-36	60
384	You're the flight surgeon: ankylosing spondylitis. <b>2014</b> , 85, 199-201	
383	Role of basophils in rheumatoid arthritis (Review). <b>2015</b> , 9, 1567-1571	4
382	Vaccinations in Rheumatoid Arthritis. <b>2015</b> , 233-246	2
381	Interleukin-18, interleukin-12B and interferon- $\gamma$ gene polymorphisms in Brazilian patients with rheumatoid arthritis: a pilot study. <b>2015</b> , 86, 276-8	14
380	Identification of $\alpha$ -Antitrypsin as a Potential Candidate for Internal Control for Human Synovial Fluid in Western Blot. <b>2015</b> , Suppl 6, 006	4
379	Aryl hydrocarbon receptor antagonism and its role in rheumatoid arthritis. <b>2015</b> , 7, 29-35	28
378	Associations between TNF- $\beta$ polymorphisms and susceptibility to rheumatoid arthritis and vitiligo: a meta-analysis. <b>2015</b> , 14, 5548-59	14
377	The effect of vascular endothelial growth factor on osteoclastogenesis in rheumatoid arthritis. <b>2015</b> , 10, e0124909	28
376	Low baseline interleukin-17A levels are associated with better treatment response at 12 weeks to tocilizumab therapy in rheumatoid arthritis patients. <b>2015</b> , 2015, 487230	7
375	. <b>2015</b> ,	2
374	Serum Copper as a Marker of Disease Activity in Rheumatoid Arthritis. <b>2015</b> , 9, BC09-11	3
373	Comparative efficacy and safety of tofacitinib, with or without methotrexate, in patients with active rheumatoid arthritis: a Bayesian network meta-analysis of randomized controlled trials. <b>2015</b> , 35, 1965-74	15
372	Safety of biologics in rheumatoid arthritis: data from randomized controlled trials and registries. <b>2015</b> , 9, 1-6	19



371	Celastrol, a Chinese herbal compound, controls autoimmune inflammation by altering the balance of pathogenic and regulatory T cells in the target organ. <b>2015</b> , 157, 228-38	79
370	The immune suppressive function of transforming growth factor- $\beta$ in human diseases. <b>2015</b> , 33, 92-101	49
369	IL-33 and soluble ST2 levels as novel predictors for remission and progression of carotid plaque in early rheumatoid arthritis: A prospective study. <b>2015</b> , 45, 18-27	29
368	Intra-thoracic rheumatoid arthritis: Imaging spectrum of typical findings and treatment related complications. <b>2015</b> , 84, 1981-91	18
367	Suppression of RANKL-induced osteoclast differentiation by cilostazol via SIRT1-induced RANK inhibition. <b>2015</b> , 1852, 2137-44	12
366	Simultaneous determination of seven coumarins by UPLC-MS/MS: Application to a comparative pharmacokinetic study in normal and arthritic rats after oral administration of Huo Luo Xiao Ling Dan or single-herb extract. <b>2015</b> , 991, 108-17	15
365	Polymorphisms of MMP-1 and MMP-3 and susceptibility to rheumatoid arthritis. A meta-analysis. <b>2015</b> , 74, 258-62	14
364	Association between the CTLA-4, CD226, FAS polymorphisms and rheumatoid arthritis susceptibility: a meta-analysis. <b>2015</b> , 76, 83-9	15
363	CCR2 Expression in Neutrophils Plays a Critical Role in Their Migration Into the Joints in Rheumatoid Arthritis. <b>2015</b> , 67, 1751-9	59
362	T-bet regulates differentiation of forkhead box protein 3+ regulatory T cells in programmed cell death-1-deficient mice. <b>2015</b> , 179, 197-209	3
361	Gait characteristics associated with the foot and ankle in inflammatory arthritis: a systematic review and meta-analysis. <b>2015</b> , 16, 134	37
360	Anti-inflammatory and anti-arthritic effects of Guge Fengtong Formula: in vitro and in vivo studies. <b>2015</b> , 13, 842-853	16
359	Resurfacing shoulder arthroplasty for the treatment of severe rheumatoid arthritis: outcome in 167 patients from the Danish Shoulder Registry. <b>2015</b> , 86, 293-7	20
358	Cytotoxic T lymphocyte associated antigen-4 (CTLA-4) +49 A>G gene polymorphism in Egyptian cases with rheumatoid arthritis. <b>2015</b> , 558, 103-7	17
357	Tocilizumab for treating rheumatoid arthritis: an evaluation of pharmacokinetics/pharmacodynamics and clinical efficacy. <b>2015</b> , 11, 307-16	23
356	Development and optimization of a high-throughput micro-computed tomography imaging method incorporating a novel analysis technique to evaluate bone mineral density of arthritic joints in a rodent model of collagen induced arthritis. <b>2015</b> , 73, 32-41	19
355	Therapeutic effect of dimethyl dimethoxy biphenyl dicarboxylate on collagen-induced arthritis in rats. <b>2015</b> , 21, 846-54	5
354	The -308 G/A polymorphism in the tumor necrosis factor- $\beta$ gene is not associated with development and progression of rheumatoid arthritis in Argentinean patients. <b>2016</b> , 19, 476-81	5

353	Management of Osteoarthritis and Rheumatoid Arthritis. <b>2016</b> , 1072-1100	1
352	Repeated Electroacupuncture Persistently Elevates Adenosine and Ameliorates Collagen-Induced Arthritis in Rats. <b>2016</b> , 2016, 3632168	6
351	Chronotherapy for rheumatoid arthritis: current perspectives. <b>2016</b> , Volume 6, 47-53	2
350	Overexpression of P-glycoprotein on fibroblast-like synoviocytes in refractory rheumatoid arthritis patients: a potential mechanism for multidrug resistance in rheumatoid arthritis treatment. <b>2016</b> , 15,	7
349	Association of IL-18 polymorphisms with rheumatoid arthritis: a meta-analysis. <b>2016</b> , 15,	4
348	Role of Tissue Doppler Echocardiography in the Diagnosis of Early Left Ventricular Dysfunction in Rheumatoid Arthritis. <b>2016</b> , 01, 017-021	
347	Dysbiosis Contributes to Arthritis Development via Activation of Autoreactive T Cells in the Intestine. <b>2016</b> , 68, 2646-2661	303
346	Comparative efficacy and safety of tocilizumab, rituximab, abatacept and tofacitinib in patients with active rheumatoid arthritis that inadequately responds to tumor necrosis factor inhibitors: a Bayesian network meta-analysis of randomized controlled trials. <b>2016</b> , 19, 1103-1111	27
345	Role of CX3CL1 in Diseases. <b>2016</b> , 64, 371-83	51
344	Effects of cranberry components on IL-1 $\beta$ -stimulated production of IL-6, IL-8 and VEGF by human TMJ synovial fibroblasts. <b>2016</b> , 68, 88-96	14
343	Anti-TNF- $\alpha$ and anti-arthritic effect of patuletin: A rare flavonoid from <i>Tagetes patula</i> . <b>2016</b> , 36, 232-240	20
342	Associations between PTPRC rs10919563 A/G and FCGR2A R131H polymorphisms and responsiveness to TNF blockers in rheumatoid arthritis: a meta-analysis. <b>2016</b> , 36, 837-44	18
341	TCR-CD3 $\zeta$ gene polymorphisms and expression profile in rheumatoid arthritis. <b>2016</b> , 49, 466-471	9
340	Metabolic control of immune tolerance in health and autoimmunity. <b>2016</b> , 28, 491-504	28
339	Parasitic infection as a potential therapeutic tool against rheumatoid arthritis. <b>2016</b> , 12, 2359-2366	2
338	Anti-angiogenic effect of total saponins of <i>Rhizoma</i> on collagen induced-arthritis in rats. <b>2016</b> , 12, 2155-2160	9
337	Concentration of antibodies against <i>Porphyromonas gingivalis</i> is increased before the onset of symptoms of rheumatoid arthritis. <b>2016</b> , 18, 201	42
336	Understanding the Regulatory Roles of Natural Killer T Cells in Rheumatoid Arthritis: T Helper Cell Differentiation Dependent or Independent?. <b>2016</b> , 84, 197-203	13

335	Elevated autoantibodies against interleukin-17F correlate with disease activity in patients with early rheumatoid arthritis. <b>2016</b> , 19, 644-50	2
334	Broad Infiltration of Macrophages Leads to a Proinflammatory State in Streptozotocin-Induced Hyperglycemic Mice. <b>2016</b> , 197, 3293-3301	24
333	Expression of tyrosine hydroxylase in CD4 T cells contributes to alleviation of Th17/Treg imbalance in collagen-induced arthritis. <b>2016</b> , 241, 2094-2103	8
332	The CB receptor and its role as a regulator of inflammation. <b>2016</b> , 73, 4449-4470	229
331	Control of autoimmune inflammation by celastrol, a natural triterpenoid. <b>2016</b> , 74,	76
330	Chemically Modified Interleukin-6 Aptamer Inhibits Development of Collagen-Induced Arthritis in Cynomolgus Monkeys. <b>2016</b> , 26, 10-9	25
329	Circulating leptin level in rheumatoid arthritis and its correlation with disease activity: a meta-analysis. <b>2016</b> , 75, 1021-1027	26
328	Prevalence of total knee arthroplasty and its predictive factors in Japanese patients with rheumatoid arthritis: Analysis using the NinJa cohort. <b>2016</b> , 26, 36-9	3
327	Differential expression of antimicrobial peptides in psoriasis and psoriatic arthritis as a novel contributory mechanism for skin and joint disease heterogeneity. <b>2016</b> , 45, 188-96	15
326	Evaluation of anti-inflammatory potential of the ethanolic extract of the Saussurea lappa root (costus) on adjuvant-induced monoarthritis in rats. <b>2016</b> , 27, 71-8	14
325	CD147 promotes IKK/ $\text{I}\mathbf{B}$ / $\text{NF-}\mathbf{B}$ pathway to resist TNF-induced apoptosis in rheumatoid arthritis synovial fibroblasts. <b>2016</b> , 94, 71-82	29
324	Association of the ABCB1 C3435T polymorphism with responsiveness to and toxicity of DMARDs in rheumatoid arthritis : A meta-analysis. <b>2016</b> , 75, 707-15	16
323	How kinematic disturbance in the deformed rheumatoid thumb impacts on hand function: a biomechanical and functional perspective. <b>2017</b> , 39, 338-345	8
322	Efficacy and safety of methotrexate plus certolizumab pegol or placebo in active rheumatoid arthritis : Meta-analysis of randomized controlled trials. <b>2017</b> , 76, 528-534	3
321	Evaluating the autoinduction expression system and one-step purification for high-level expression and purification of gallbladder-derived rhIL-1Ra. <b>2017</b> , 64, 20-26	
320	Associations between circulating IL-17 levels and rheumatoid arthritis and between IL-17 gene polymorphisms and disease susceptibility: a meta-analysis. <b>2017</b> , 93, 465-471	26
319	Nutrition and fasting mimicking diets in the prevention and treatment of autoimmune diseases and immunosenescence. <b>2017</b> , 455, 4-12	60
318	The $\alpha$ GalT1 affects the fibroblast-like synoviocytes invasion in rheumatoid arthritis by modifying N-linked glycosylation of CXCR3. <b>2017</b> , 96, 172-181	4

317	Anti-arthritic property of crude extracts of <i>Piptadeniastrum africanum</i> (Mimosaceae) in complete Freund's adjuvant-induced arthritis in rats. <b>2017</b> , 17, 111	32
316	Effect of new polyherbal formulations DF1911, DF2112 and DF2813 on CFA induced inflammation in rat model. <b>2017</b> , 17, 194	2
315	Calprotectin levels in rheumatoid arthritis and their correlation with disease activity: a meta-analysis. <b>2017</b> , 129, 531-537	19
314	Clinical Value of FDG-PET/CT for the Evaluation of Rheumatic Diseases: Rheumatoid Arthritis, Polymyalgia Rheumatica, and Relapsing Polychondritis. <b>2017</b> , 47, 408-424	45
313	Human Leukocyte Antigen Shared Epitope and Inflammation, Cardiovascular Disease, Cancer, and Mortality Among Postmenopausal Women in the Women's Health Initiative Rheumatoid Arthritis Study. <b>2017</b> , 186, 245-254	2
312	Synthesis of polyphosphazenes with different side groups and various tactics for drug delivery. <b>2017</b> , 7, 23363-23391	28
311	Immunomodulation of autoimmune arthritis by pro-inflammatory cytokines. <b>2017</b> , 98, 87-96	85
310	Identifying key genes in rheumatoid arthritis by weighted gene co-expression network analysis. <b>2017</b> , 20, 971-979	30
309	Survey on attitudes regarding EULAR recommendations for the role of nurses involved in medical care of patients with chronic inflammatory arthritis in Japan. <b>2017</b> , 27, 886-893	4
308	Cellular and molecular perspectives in rheumatoid arthritis. <b>2017</b> , 39, 343-354	64
307	Modulatory effect of standardised amentoflavone isolated from <i>Juniperus communis</i> L. against Freund's adjuvant induced arthritis in rats (histopathological and X Ray analysis). <b>2017</b> , 86, 381-392	15
306	The paired receptors TIGIT and DNAM-1 as targets for therapeutic antibodies. <b>2017</b> , 25, 111-119	19
305	Induction of proliferation and pro-inflammatory cytokine production in rheumatoid arthritis peripheral blood mononuclear cells by a 65 KDa chondrocyte membrane-specific, constitutive target autoantigen (CH65). <b>2017</b> , 20, 1132-1141	1
304	Comparison of peripheral quantitative computed tomography forearm bone density versus DXA in rheumatoid arthritis patients and controls. <b>2017</b> , 28, 1271-1277	7
303	Comparison of physical function in early rheumatoid arthritis patients treated with biologics for 1 year who achieved clinical remission or low disease activity. <b>2017</b> , 36, 2607-2612	2
302	Drug nanocarriers to treat autoimmunity and chronic inflammatory diseases. <b>2017</b> , 34, 61-67	48
301	Non-invasive In Vivo Fluorescence Optical Imaging of Inflammatory MMP Activity Using an Activatable Fluorescent Imaging Agent. <b>2017</b> ,	3
300	Increased baseline RUNX2, caspase 3 and p21 gene expressions in the peripheral blood of disease-modifying anti-rheumatic drug-naïve rheumatoid arthritis patients are associated with improved clinical response to methotrexate therapy. <b>2017</b> , 20, 1468-1480	6

299	Treatment of Rheumatoid Arthritis by Hemoperfusion. <b>2017</b> , 765-780	
298	Relationship between roentgenographic joint destruction in the hands and functional disorders among patients with rheumatoid arthritis. <b>2017</b> , 27, 828-832	1
297	In vivo antiarthritic activity of the ethanol extracts of stem bark and seeds of <i>Calophyllum inophyllum</i> in Freund's complete adjuvant induced arthritis. <b>2017</b> , 55, 1330-1336	16
296	Synoviolin is a Novel Pathogenic Factor of Arthropathy and Chronic Inflammation. <b>2017</b> ,	
295	Meta-analysis of the association between PADI4 -92C/G polymorphism and rheumatoid arthritis in the Chinese population. <b>2017</b> , 50, e6115	2
294	PADI4 Epigenetically Suppresses p21 Transcription and Inhibits Cell Apoptosis in Fibroblast-like Synoviocytes from Rheumatoid Arthritis Patients. <b>2017</b> , 13, 358-366	13
293	The journey of rheumatoid arthritis patients: a review of reported lag times from the onset of symptoms. <b>2017</b> , 9, 139-150	28
292	Role of Gut Microbiota in Rheumatoid Arthritis. <b>2017</b> , 6,	107
291	Delayed anti-TNF therapy increases the risk of total knee replacement in patients with severe rheumatoid arthritis. <b>2017</b> , 18, 326	2
290	A novel scoring system based on common laboratory tests predicts the efficacy of TNF-inhibitor and IL-6 targeted therapy in patients with rheumatoid arthritis: a retrospective, multicenter observational study. <b>2017</b> , 19, 185	9
289	Histamine and Histamine H4 Receptor Promotes Osteoclastogenesis in Rheumatoid Arthritis. <b>2017</b> , 7, 1197	18
288	Pro-inflammatory Cytokine Production in Co-culture of Human Monocytes and Synovial Fibroblasts from the Human Temporomandibular Joint . <b>2017</b> , 15, 107-113	3
287	Inhibitory effects of ubiquitination of synoviolin by PADI4. <b>2017</b> , 16, 9203-9209	3
286	Comparative efficacy and safety of biosimilar-infliximab and originator-infliximab in combination with methotrexate in patients with active rheumatoid arthritis: a meta-analysis of randomized controlled trials. <b>2018</b> , 21, 922-929	6
285	Loss of A20 in BM-MSCs regulates the Th17/Treg balance in Rheumatoid Arthritis. <b>2018</b> , 8, 427	17
284	Retrospective cohort study on risk of hearing loss in patients with rheumatoid arthritis using claims data. <b>2018</b> , 8, e018134	10
283	Association between shortened telomere length and rheumatoid arthritis : A meta-analysis. <b>2018</b> , 77, 160-167	15
282	Correlation between circulating VEGF levels and disease activity in rheumatoid arthritis: a meta-analysis. <b>2018</b> , 77, 240-248	16

281	Circulating adiponectin and visfatin levels in rheumatoid arthritis and their correlation with disease activity: A meta-analysis. <b>2018</b> , 21, 664-672	38
280	Comparative efficacy and tolerability of sarilumab 150 and 200 mg in patients with active rheumatoid arthritis : A Bayesian network meta-analysis of randomized controlled trials. <b>2018</b> , 77, 421-428	8
279	Association between anti-Porphyromonas gingivalis antibody, anti-citrullinated protein antibodies, and rheumatoid arthritis : A meta-analysis. <b>2018</b> , 77, 522-532	14
278	Relevance of P-glycoprotein on CXCR4 B cells to organ manifestation in highly active rheumatoid arthritis. <b>2018</b> , 28, 276-286	10
277	Association of Asthma with Rheumatoid Arthritis: A Population-Based Case-Control Study. <b>2018</b> , 6, 219-226	25
276	Associations between circulating macrophage migration inhibitory factor (MIF) levels and rheumatoid arthritis, and between gene polymorphisms and disease susceptibility: a meta-analysis. <b>2018</b> , 94, 109-115	11
275	Secretory sphingomyelinase (S-SMase) activity is elevated in patients with rheumatoid arthritis. <b>2018</b> , 37, 1395-1399	4
274	Folk Medicine in the Therapeutics of Rheumatoid Arthritis. <b>2018</b> , 07,	
273	Genetic and pharmacological validation of TAK1 inhibition in macrophages as a therapeutic strategy to effectively inhibit TNF secretion. <b>2018</b> , 8, 17058	16
272	Correlation of interleukin 6 and transforming growth factor $\beta$ with peripheral blood regulatory T cells in rheumatoid arthritis patients: a potential biomarker. <b>2018</b> , 43, 281-288	6
271	WITHDRAWN: T cell receptor revision and immune repertoire changes in autoimmune diseases. <b>2018</b> ,	1
270	SPACIA1/SAAL1 Deletion Results in a Moderate Delay in Collagen-Induced Arthritis Activity, along with mRNA Decay of Gene. <b>2018</b> , 19,	2
269	Polymorphism of Foxp3 gene affects the frequency of regulatory T cells and disease activity in patients with rheumatoid arthritis in Iranian population. <b>2018</b> , 204, 16-22	17
268	Genetic variant in IL-32 is associated with the ex vivo cytokine production of anti-TNF treated PBMCs from rheumatoid arthritis patients. <b>2018</b> , 8, 14050	8
267	Association between the Neutrophil-to-lymphocyte Ratio, and Platelet-to-lymphocyte Ratio and Rheumatoid Arthritis and their Correlations with the Disease Activity: A Meta-analysis. <b>2018</b> , 25, 169	18
266	Natural Products for the Treatment of Autoimmune Arthritis: Their Mechanisms of Action, Targeted Delivery, and Interplay with the Host Microbiome. <b>2018</b> , 19,	62
265	Acacetin regulated the reciprocal differentiation of Th17 cells and Treg cells and mitigated the symptoms of collagen-induced arthritis in mice. <b>2018</b> , 88, e12712	10
264	Clindamycin Administration Increases the Incidence of Collagen-Induced Arthritis in Mice Through the Prolonged Impact of Gut Immunity. <b>2018</b> , 41, 1900-1911	2

263	Peptide-directed liposomal delivery improves the therapeutic index of an immunomodulatory cytokine in controlling autoimmune arthritis. <b>2018</b> , 286, 279-288	31
262	Attenuation of Rheumatoid Inflammation by Sodium Butyrate Through Reciprocal Targeting of HDAC2 in Osteoclasts and HDAC8 in T Cells. <b>2018</b> , 9, 1525	37
261	Superb microvascular imaging (SMI) for evaluating hand joint lesions in patients with rheumatoid arthritis in clinical remission. <b>2018</b> , 38, 1885-1890	21
260	MiR-146a levels in rheumatoid arthritis and their correlation with disease activity: a meta-analysis. <b>2018</b> , 21, 1335-1342	27
259	The Effect of Triptolide in Rheumatoid Arthritis: From Basic Research towards Clinical Translation. <b>2018</b> , 19,	47
258	Regulation of T-Cell Signaling by Post-Translational Modifications in Autoimmune Disease. <b>2018</b> , 19,	10
257	Hospital Anxiety and Depression Scale Score Is an Independent Factor Associated With the EuroQoL 5-Dimensional Descriptive System in Patients With Rheumatoid Arthritis. <b>2018</b> , 24, 308-312	6
256	Ethnopharmacological profile of anti-arthritic plants of Asia-a systematic review. <b>2018</b> , 13, 8-25	5
255	The Micro-RNA Expression Profiles of Autoimmune Arthritis Reveal Novel Biomarkers of the Disease and Therapeutic Response. <b>2018</b> , 19,	21
254	Assessment of anti-arthritic potential of ethanolic extract and its fractions of aerial parts of Alhagi pseudalhagi (Bieb.) Desv. in animal models. <b>2018</b> , 18, 199-208	1
253	Imaging Anatomy: Magnetic Resonance Imaging, Computed Tomography, Positron Emission Tomography and Other Novel Imaging Techniques. <b>2018</b> , 65-83	
252	Role of Anti-Fractalkine Antibody in Suppression of Joint Destruction by Inhibiting Migration of Osteoclast Precursors to the Synovium in Experimental Arthritis. <b>2019</b> , 71, 222-231	18
251	Impact of Hemodialysis on Surgical Outcomes and Mortality Rate after Lumbar Spine Surgery: A Matched Cohort Study. <b>2019</b> , 3, 151-156	4
250	Rheumatoid Arthritis. <b>2019</b> , 705-721.e1	3
249	CXCR3 antagonist AMG487 suppresses rheumatoid arthritis pathogenesis and progression by shifting the Th17/Treg cell balance. <b>2019</b> , 64, 109395	30
248	The roles of synovial hyperplasia, angiogenesis and osteoclastogenesis in the protective effect of apigenin on collagen-induced arthritis. <b>2019</b> , 73, 362-369	25
247	The immunoreceptor CD300a controls the intensity of inflammation and dysfunction in a model of Ag-induced arthritis in mice. <b>2019</b> , 106, 957-966	6
246	The role of protein SUMOylation in rheumatoid arthritis. <b>2019</b> , 102, 1-7	6

245	Toll-like receptor 7 regulates osteoclastogenesis in rheumatoid arthritis. <b>2019</b> , 166, 259-270	8
244	Associations between paraoxonase 1 (PON1) polymorphisms and susceptibility and PON1 activity in rheumatoid arthritis patients, and comparison of PON1 activity in patients and controls: a meta-analysis. <b>2019</b> , 38, 2141-2149	8
243	Evolving Use of Molecular Imaging in Research and in Practice. <b>2019</b> , 71, 1207-1210	2
242	Correlation between systemic osteoporosis and local bone erosion with rheumatoid arthritis patients in Chinese population. <b>2019</b> ,	7
241	Regulation of neutrophil pro-inflammatory functions sheds new light on the pathogenesis of rheumatoid arthritis. <b>2019</b> , 165, 170-180	9
240	Tocilizumab Patterns of Use, Effectiveness, and Safety in Patients with Rheumatoid Arthritis: Final Results from a Set of Multi-National Non-Interventional Studies. <b>2019</b> , 6, 231-243	5
239	Peptide-targeted liposomal delivery of dexamethasone for arthritis therapy. <b>2019</b> , 14, 1455-1469	18
238	Comparative Evaluation of Ga-Citrate PET/CT and F-FDG PET/CT in the Diagnosis of Type II Collagen-Induced Arthritis in Rats. <b>2019</b> , 2019, 2353658	2
237	Development and Validation of an F-Fluorodeoxyglucose-Positron Emission Tomography With Computed Tomography-Based Tool for the Evaluation of Joint Counts and Disease Activity in Patients With Rheumatoid Arthritis. <b>2019</b> , 71, 1232-1240	16
236	Effect of patient education on medication adherence of patients with rheumatoid arthritis: a randomized controlled trial. <b>2019</b> , 13, 119-129	27
235	Pannus and rheumatoid arthritis: Historic and pathophysiological evolution. <b>2019</b> , 26, 118-128	0
234	Pharmacological inhibition of TAK1, with the selective inhibitor takinib, alleviates clinical manifestation of arthritis in CIA mice. <b>2019</b> , 21, 292	17
233	Comparative anti-arthritic investigation of iridoid glycosides and crocetin derivatives from <i>Gardenia jasminoides</i> Ellis in Freund's complete adjuvant-induced arthritis in rats. <b>2019</b> , 53, 223-233	19
232	Quercetin, a Plant Polyphenol, Has Potential for the Prevention of Bone Destruction in Rheumatoid Arthritis. <b>2019</b> , 22, 152-161	27
231	Poly(ADP-Ribose) Polymerases in Host-Pathogen Interactions, Inflammation, and Immunity. <b>2019</b> , 83,	21
230	Pannus y artritis reumatoide: evoluci3n hist3rica y fisiopatol3gica. <b>2019</b> , 26, 118-128	0
229	Route to Rheumatoid Arthritis by Macrophage-Derived Microvesicle-Coated Nanoparticles. <b>2019</b> , 19, 124-134	104
228	Importance of Measuring Hand and Foot Function Over the Disease Course in Rheumatoid Arthritis: An Eight-Year Follow-Up Study. <b>2019</b> , 71, 166-172	4



227	Effects of amygdalin on type II collagen-induced arthritis in rats. <b>2020</b> , 75, 423-430	1
226	Time of day effect on balance performance, functional capacities and risk of fall in women with rheumatoid arthritis. <b>2020</b> , 37, 227-235	1
225	D-Lactate Increases Cytokine Production in Bovine Fibroblast-Like Synoviocytes via MCT1 Uptake and the MAPK, PI3K/Akt, and NFB Pathways. <b>2020</b> , 10,	4
224	Delay in seeking medical help in patients with rheumatoid arthritis in India: A qualitative study. <b>2020</b> , 23, 1707-1718	2
223	Cost-Effectiveness of Tofacitinib for Patients with Moderate-to-Severe Rheumatoid Arthritis in China. <b>2020</b> , 38, 1345-1358	7
222	Differentially Expressed Genes of Natural Killer Cells Can Distinguish Rheumatoid Arthritis Patients from Healthy Controls. <b>2020</b> , 11,	10
221	Periarticular osteophyte formation protects against total knee arthroplasty in rheumatoid arthritis patients with advanced joint damage. <b>2020</b> , 39, 3331-3339	3
220	Celastrol attenuates collagen-induced arthritis via inhibiting oxidative stress in rats. <b>2020</b> , 84, 106527	10
219	Is pentraxin 3 level an effective biomarker in disease activity in patients with rheumatoid arthritis?. <b>2020</b> , 16, 81-86	4
218	Increased serum soluble programmed death ligand 1(sPD-L1) is associated with the presence of interstitial lung disease in rheumatoid arthritis: A monocentric cross-sectional study. <b>2020</b> , 166, 105948	6
217	Ethyl acetate extract of Tibetan medicine Rhamnella gilgitica ameliorated type II collagen-induced arthritis in rats via regulating JAK-STAT signaling pathway. <b>2021</b> , 267, 113514	4
216	Cy3-tilmanocept labeling of macrophages in joints of mice with antibody-induced arthritis and synovium of human patients with rheumatoid arthritis. <b>2021</b> , 39, 821-830	1
215	Ideal food pyramid for patients with rheumatoid arthritis: A narrative review. <b>2021</b> , 40, 661-689	11
214	Multiplex analysis of laboratory biomarkers in assessing effectiveness of tocilizumab in treatment of rheumatoid arthritis. <b>2021</b> , 16-20	
213	Identification of hub genes and therapeutic drugs in rheumatoid arthritis patients. <b>2021</b> , 40, 3299-3309	2
212	The Association Between , and Gene Polymorphisms and Rheumatoid Arthritis: An Original Study and Meta-Analysis. <b>2021</b> , 8, 598076	5
211	Tocotrienol regulates osteoclastogenesis in rheumatoid arthritis. <b>2021</b> , 36, S273-S282	3
210	Evaluation Method of Rheumatoid Arthritis by the X-ray Photograph using Deep Learning. <b>2021</b> ,	1

209	The positive effect of pregnancy in rheumatoid arthritis and the use of medications for the management of rheumatoid arthritis during pregnancy. <b>2021</b> , 29, 987-1000	3
208	Retention rate of a second line with a biologic DMARD after failure of a first-line therapy with abatacept, tocilizumab, or rituximab: results from the Italian GISEA registry. <b>2021</b> , 40, 4039-4047	0
207	Development of Meloxicam-chitosan magnetic nanoconjugates for targeting rheumatoid arthritis joints: Pharmaceutical characterization and preclinical assessment on murine models. <b>2021</b> , 523, 167571	3
206	Time-of-day effects on the postural control and symptoms in women with rheumatoid arthritis. <b>2021</b> , 38, 1290-1298	0
205	Prevalence and predictive factors of difficult-to-treat rheumatoid arthritis: the KURAMA cohort. <b>2021</b> , 1-10	5
204	Prevalence and risk factors for bone loss in rheumatoid arthritis patients from South China: modeled by three methods. <b>2021</b> , 22, 534	2
203	Association between a low baseline level of gene expression of energy metabolism in the blood and the development of clinical remission in response to tofacitinib therapy in patients with rheumatoid arthritis. <b>2021</b> , 15, 20-26	
202	T cell receptor revision and immune repertoire changes in autoimmune diseases. <b>2021</b> , 1-17	0
201	Inflammation in the Pathogenesis of Rheumatoid Arthritis and in Experimental Arthritis: Evaluation of Combinations of Carnosic Acid and Extract of <i>Rhodiola rosea</i> L. with Methotrexate.	
200	Myrtenal and Earyophyllene oxide screened from <i>Liquidambaris Fructus</i> suppress NLRP3 inflammasome components in rheumatoid arthritis. <b>2021</b> , 21, 242	0
199	Radiographic changes in the temporomandibular joint related to medication in rheumatic diseases. <b>2021</b> , 50, 20200557	
198	Polyelectrolyte multifaceted magnetic microcapsules for magnetic drug targeting at rheumatoid arthritic joints. <b>2021</b> , 545-581	
197	Angiotensin-(1-7) attenuates collagen-induced arthritis via inhibiting oxidative stress in rats. <b>2021</b> , 53, 171-181	2
196	Matrix metalloproteinases. <b>1997</b> , 84, 160-166	263
195	Immunomodulatory Effects of Curcumin in Rheumatoid Arthritis: Evidence from Molecular Mechanisms to Clinical Outcomes. <b>2021</b> , 179, 1-29	5
194	Arthritis. <b>2006</b> , 223-234	1
193	Rheumatic Disorders. <b>1992</b> , 1533-1553	0
192	Cytokines in the pathogenesis of rheumatoid arthritis and collagen-induced arthritis. <b>2003</b> , 520, 194-202	58

191	Omega-3s and Immune/Inflammatory Responses. <b>1995</b> , 187-248	2
190	The immunopathology of chemotactic cytokines. <b>1993</b> , 351, 19-28	14
189	Juvenile Rheumatoid Arthritis. <b>1993</b> , 231-359	6
188	Early Response Genes in Endothelial Cells. <b>1994</b> , 67-72	1
187	The Chemokine System and Arthritis. <b>2007</b> , 155-198	1
186	Analysis of leukocyte recruitment in synovial microcirculation by intravital microscopy. <b>2007</b> , 135, 333-41	2
185	The role of vascular cell integrins alpha v beta 3 and alpha v beta 5 in angiogenesis. <b>1997</b> , 79, 361-90	43
184	Chronische Gelenkentzündungen. <b>2000</b> , 307-416	2
183	Gelenke, Sehnen und Sehnengleitgewebe, Bursen, Faszien. <b>1997</b> , 383-482	9
182	Lymphatic System. <b>1991</b> , 171-190	3
181	The Effects of Somatostatin on Immune Cells, Functions and Diseases. <b>2012</b> , 203-225	1
180	Apoptosis Is a Novel Therapeutic Strategy for RA: Investigations Using an Experimental Arthritis Animal Model. <b>1999</b> , 215-226	3
179	Phosphoinositide 3-kinases in health and disease. <b>2012</b> , 58, 183-213	17
178	The Mononuclear Phagocyte and Rheumatoid Arthritis. <b>1994</b> , 43-73	1
177	Effect of estrogen replacement therapy on arthritis and bone mineral density in estrogen-replete rats with collagen-induced arthritis. <b>2008</b> , 18, 23-8	3
176	Comparison of single nucleotide polymorphisms in the human interleukin-10 gene promoter between rheumatoid arthritis patients and normal subjects in Malaysia. <b>2007</b> , 17, 429-35	8
175	Study of active controlled tocilizumab monotherapy for rheumatoid arthritis patients with an inadequate response to methotrexate (SATORI): significant reduction in disease activity and serum vascular endothelial growth factor by IL-6 receptor inhibition therapy. <b>2009</b> , 19, 12-9	166
174	Impact of biologics on the prevalence of orthopedic surgery in the National Database of Rheumatic Diseases in Japan. <b>2010</b> , 20, 233-7	9

173	Safety and efficacy profiles of tocilizumab monotherapy in Japanese patients with rheumatoid arthritis: meta-analysis of six initial trials and five long-term extensions. <b>2010</b> , 20, 222-32	84
172	Prevalence of reactivation of hepatitis B virus replication in rheumatoid arthritis patients. <b>2011</b> , 21, 16-23	63
171	A case report of a patient with rheumatoid arthritis complicated with Mycobacterium avium during tocilizumab treatment. <b>2011</b> , 21, 655-9	8
170	PADI4 polymorphisms and susceptibility to rheumatoid arthritis: a meta-analysis. <b>2013</b> , 23, 50-60	11
169	The roles of IFN- $\gamma$ versus IL-17 in pathogenic effects of human Th17 cells on synovial fibroblasts. <b>2013</b> , 23, 1140-50	15
168	Role of Tumor Necrosis Factor $\beta$ in Acute and Chronic Inflammatory Responses: Novel Therapeutic Approaches. <b>1994</b> , 97-147	2
167	Immunogenetics of Animal Models of Rheumatoid Arthritis. <b>1995</b> , 373-387	4
166	Do Platelets have a Role as Inflammatory Cells?. <b>1995</b> , 1-20	7
165	NK cells in autoimmune diseases: Linking innate and adaptive immune responses. <b>2018</b> , 17, 142-154	76
164	Induction of chemokine gene expression by major histocompatibility complex class II ligands in human fibroblast-like synoviocytes. Differential regulation by interleukin-4 and dexamethasone.. <b>1994</b> , 269, 32063-32069	24
163	ROLE OF ADHESION MOLECULES IN THE PATHOGENESIS OF RHEUMATOID ARTHRITIS. <b>1995</b> , 21, 715-740	25
162	cDNA sequence and mRNA tissue distribution of a novel human matrix metalloproteinase with a potential transmembrane segment. <b>1995</b> , 231, 602-8	262
161	Daily oral administration of low-dose methotrexate has greater antirheumatic effects in collagen-induced arthritis rats. <b>2017</b> , 69, 1145-1154	13
160	Increase of CD26/dipeptidyl peptidase IV expression on human gingival fibroblasts upon stimulation with cytokines and bacterial components. <b>1999</b> , 67, 6225-33	30
159	Cross-reactivity between the rheumatoid arthritis-associated motif EQKRAA and structurally related sequences found in Proteus mirabilis. <b>1999</b> , 67, 2769-75	33
158	Increased binding of synovial T lymphocytes from rheumatoid arthritis to endothelial-leukocyte adhesion molecule-1 (ELAM-1) and vascular cell adhesion molecule-1 (VCAM-1). <b>1992</b> , 89, 1445-52	80
157	Homozygosity for the HLA-DRB1 allele selects for extraarticular manifestations in rheumatoid arthritis. <b>1992</b> , 89, 2033-9	170
156	Purification and partial sequencing of the nuclear autoantigen RA33 shows that it is indistinguishable from the A2 protein of the heterogeneous nuclear ribonucleoprotein complex. <b>1992</b> , 90, 1061-6	76

155	Cultured human synovial fibroblasts rapidly metabolize kinins and neuropeptides. <b>1992</b> , 90, 981-91	40
154	Interferon-alpha and interleukin 2 synergistically enhance basic fibroblast growth factor synthesis and induce release, promoting endothelial cell growth. <b>1993</b> , 91, 2504-12	67
153	Adenoviral-mediated gene transfer to rabbit synovium in vivo. <b>1993</b> , 92, 1085-92	150
152	Evidence of antigen receptor-influenced oligoclonal B lymphocyte expansion in the synovium of a patient with longstanding rheumatoid arthritis. <b>1994</b> , 93, 361-70	42
151	Expression and functional significance of alternatively spliced CS1 fibronectin in rheumatoid arthritis microvasculature. <b>1994</b> , 93, 405-16	116
150	Cyclooxygenase-1 and -2 expression in rheumatoid synovial tissues. Effects of interleukin-1 beta, phorbol ester, and corticosteroids. <b>1994</b> , 93, 1095-101	514
149	Defining the genetic origins of three rheumatoid synovium-derived IgG rheumatoid factors. <b>1994</b> , 93, 2545-53	22
148	Dominant clonotypes in the repertoire of peripheral CD4+ T cells in rheumatoid arthritis. <b>1994</b> , 94, 2068-76	120
147	The ability of synoviocytes to support terminal differentiation of activated B cells may explain plasma cell accumulation in rheumatoid synovium. <b>1995</b> , 95, 456-63	99
146	Interleukin-10 expression and chemokine regulation during the evolution of murine type II collagen-induced arthritis. <b>1995</b> , 95, 2868-76	209
145	Somatic mutation and CDR3 lengths of immunoglobulin kappa light chains expressed in patients with rheumatoid arthritis and in normal individuals. <b>1995</b> , 96, 831-41	57
144	Transfer of rheumatoid arthritis into severe combined immunodeficient mice. The pathogenetic implications of T cell populations oligoclonally expanding in the rheumatoid joints. <b>1995</b> , 96, 1746-58	44
143	Identification of clonally expanded T cells in rheumatoid arthritis using a sequence enrichment nuclease assay. <b>1996</b> , 97, 1335-43	32
142	CD4+ CD7- CD28- T cells are expanded in rheumatoid arthritis and are characterized by autoreactivity. <b>1996</b> , 97, 2027-37	370
141	Therapeutic effect of the anti-Fas antibody on arthritis in HTLV-1 tax transgenic mice. <b>1996</b> , 98, 271-8	99
140	Studies on the contribution of c-fos/AP-1 to arthritic joint destruction. <b>1997</b> , 99, 1210-6	76
139	Genetic bias in immune responses to a cassette shared by different microorganisms in patients with rheumatoid arthritis. <b>1997</b> , 100, 658-63	56
138	Synovium as a source of increased amino-terminal parathyroid hormone-related protein expression in rheumatoid arthritis. A possible role for locally produced parathyroid hormone-related protein in the pathogenesis of rheumatoid arthritis. <b>1998</b> , 101, 1362-71	20

137	C-C chemokine-encoding DNA vaccines enhance breakdown of tolerance to their gene products and treat ongoing adjuvant arthritis. <b>2000</b> , 106, 361-71	83
136	Adeno-Associated Virus and AAV Vectors for Gene Delivery. <b>2008</b> ,	1
135	The Effect of Herbal Medicine on Rheumatoid Arthritis Animal Model: A systematic Review of Animal Experiment Studies Published in Korea and Overseas. <b>2020</b> , 30, 103-116	2
134	Evaluation of the association of and with rheumatoid arthritis and disease activity and severity in Han Chinese. <b>2017</b> , 8, 103385-103392	6
133	Diversification of the Ig variable region gene repertoire of synovial B lymphocytes by nucleotide insertion and deletion. <b>2003</b> , 9, 166-74	13
132	Role of synoviolin in rheumatoid arthritis: possible clinical relevance. <b>2006</b> , 1, 31-36	2
131	Clinical utility of eco-color-power Doppler ultrasonography and contrast enhanced magnetic resonance imaging for interpretation and quantification of joint synovitis: a review. <b>2018</b> , 89, 48-77	7
130	Frailty syndrome in rheumatoid arthritis and symptomatic osteoarthritis: an emerging concept in rheumatology. <b>2020</b> , 91, 274-296	8
129	Differential release of molecular markers in joint disease. <b>1995</b> , 66, 80-83	8
128	Alternative tumour necrosis factor inhibitors (TNFi) or abatacept or rituximab following failure of initial TNFi in rheumatoid arthritis: the SWITCH RCT. <b>2018</b> , 22, 1-280	7
127	Efficacy and safety of tofacitinib for active rheumatoid arthritis with an inadequate response to methotrexate or disease-modifying antirheumatic drugs: a meta-analysis of randomized controlled trials. <b>2014</b> , 29, 656-63	21
126	N-acetyl-l-cysteine controls osteoclastogenesis through regulating Th17 differentiation and RANKL production in rheumatoid arthritis. <b>2019</b> , 34, 210-219	15
125	Seroprevalence of Helicobacter pylori in Juvenile Rheumatoid Arthritis And its Relation to Disease Severity. <b>2007</b> , 7, 716-723	2
124	Strategies for the management of rheumatoid arthritis. <b>2012</b> , 35, 125-30	13
123	Infliximab, an anti-TNF-alpha agent, improves left atrial abnormalities in patients with rheumatoid arthritis: preliminary results. <b>2014</b> , 25, 168-75	18
122	Diagnosis and Differential Diagnosis. <b>2021</b> , 111-121	
121	Decision tree analysis for evaluating disease activity in patients with rheumatoid arthritis. <b>2021</b> , 49, 3000605211053232	
120	Amelioration of complete Freund's adjuvant-induced arthritis by Calotropis procera latex in rats. <b>2021</b> , 7,	0

- 119 NMR-Based Metabolomics Revealed the Underlying Inflammatory Pathology in Reactive Arthritis Synovial Joints. **2021**, 20, 5088-5102 0
- 118 Methotrexate in rheumatoid arthritis. **2000**, 83-108
- 117 MR IMAGING OF ARTHRITIDES OF THE CERVICAL SPINE. **2000**, 8, 491-512 8
- 116 Omega-3 Polyunsaturated Fatty Acids and Rheumatoid Arthritis. **2000**,
- 115 Rheumatoid Arthritis, Juvenile Rheumatoid Arthritis, and Related Conditions. **2001**, 1-46
- 114 Osteoporosis Associated with Rheumatologic Disorders. **2001**, 351-362 1
- 113 Rheumatic Diseases. **2001**, 271-311
- 112 History, Epidemiology and Clinical Evaluation of Rheumatoid Arthritis. **2002**, 1-8
- 111 Vasculitis. **2002**, 237-288
- 110 ??????????. **2002**, 48, 192-196
- 109 Zytokinantagonisten in der Therapie der rheumatoiden Arthritis. **2002**, 19-26
- 108 Saggital optical tomography for the diagnosis of rheumatoid arthritis in finger joints. **2002**,
- 107 Bone joint characterization using diffuse optical tomography. **2003**,
- 106 Molekulare Marker des Knochen- und Knorpelstoffwechsels. **2003**, 105-122
- 105 Heat shock proteins for immunotherapy of rheumatoid arthritis. **2003**, 139-158
- 104 Clinical Evaluation of an Optical Tomographic Finger Joint Imaging Systems. **2004**,
- 103 Heme Oxygenase-1 (HO-1) -like Immunoreactivity in Synovial Tissue of a Mouse Model of Rheumatoid Arthritis. **2004**, 16, 39-45
- 102 Is IL-6 a therapeutic target?. **2004**, 89-106

- 101 Correlation between levels of lipoprotein (a) and disease activity score in patients with rheumatoid arthritis. **2004**, 16, 53-58 1
- 100 Avoiding Antibodies Interferences on Serum IgA Detection in Rheumatoid Arthritis. **2004**, 4, 294-299
- 99 Levels of interleukin-2 and interleukin-6 in serum and synovial fluid of patients with rheumatoid arthritis. **2005**, 17, 265-268 0
- 98 Omega-3 Fatty Acids, Mediterranean Diet, Probiotics, Vitamin D, and Exercise in the Treatment of Rheumatoid Arthritis. **2006**, 223-245
- 97 Angiogenesis in Inflammatory Arthritis. **2007**, 403-440
- 96 Osteoporosis Associated with Rheumatologic Disorders. **2008**, 1387-1398 1
- 95 Noninfectious Keratitis. **2009**, 289-298
- 94 Servizio interno di Psicologia Clinica in un contesto ospedaliero ortopedico. **2010**, 169-176
- 93 Bone and joints. **2011**, 2013-2104 2
- 92 Potential Health Benefits of n-3 and -6 Fatty Acids in Selected Plant Seed Oils in Rheumatoid Arthritis. **2011**, 385-401
- 91 Rheumatoid arthritis. **2013**, 621-636
- 90 Cytological examination of synovial fluid assessed in the diagnosis of rheumatoid arthritis and other related joint diseases. **2013**, 52, 287-294 1
- 89 Multisystem Disorders. 351-385
- 88 Research Progress on the Anti-Rheumatoid Arthritis Drugs. **2014**, 883-892
- 87 Current Status of the Medical Treatment of Children with Juvenile Rheumatoid Arthritis. **1991**, 17, 871-889 3
- 86 Angiogenesis: Its Regulation in Health and Disease. **1993**, 1-17
- 85 THE NEED FOR AGGRESSIVE THERAPY OF RHEUMATOID ARTHRITIS. **1993**, 19, 153-161 10
- 84 DIAGNOSIS AND TREATMENT OF RHEUMATOID ARTHRITIS. **1993**, 20, 827-837 1



- 83 Transgenic Animals in Rheumatoid Arthritis Research. **1995**, 507-525 1
- 82 Immunoglobulin gene expression in rheumatoid arthritis. **1995**, 47, 23-35 1
- 81 Role of the Early Response Gene Cyclooxygenase (Cox)-2 in Angiogenesis. **1996**, 191-198
- 80 Adhesion molecules as targets for therapy in rheumatoid arthritis. **1996**, 139-144
- 79 Treatment of Rheumatoid Arthritis with a Monoclonal Antibody to Intercellular Adhesion Molecule-1. **1996**, 179-196
- 78 T-Cell-Receptor Peptide Vaccination Studies in Rheumatoid Arthritis. **1996**, 215-226
- 77 Use of Intravenous Immunoglobulin in Therapy of Rheumatoid Arthritis. **1997**, 423-428
- 76 Cartilage protective agent (CPA) Ro 32-3555, a new matrix metalloproteinase inhibitor for the treatment of rheumatoid arthritis. **1998**, 49, 49-55 5
- 75 Entzündliche Gelenkerkrankungen. **1998**, 441-455
- 74 Bone Disease in Rheumatological Disorders. **1998**, 621-635
- 73 Salicylates Inhibit Adhesion and Transmigration of T Lymphocytes by Preventing Integrin Activation Induced by Contact With Endothelial Cells. **1998**, 92, 2389-2398
- 72 Metalloproteinases and Stromal Biology in Cancer. **1999**, 281-297
- 71 Adeno-Associated Virus and AAV Vectors for Gene Delivery. **2015**, 85-132
- 70 Effect of MPG gene rs2858056 polymorphism, copy number variation, and level of serum MPG protein on the risk for rheumatoid arthritis. **2015**, 10, e0120699 3
- 69 Chronische Gelenkentzündungen. **2016**, 933-975
- 68 Comparison of Disease Activity Score in 28 joints with ESR (DAS28), Clinical Disease Activity Index (CDAI), Health Assessment Questionnaire Disability Index (HAQ-DI) & Routine Assessment of Patient Index Data with 3 measures (RAPID3) for assessing disease activity in patients with rheumatoid arthritis at initial presentation. **2017**, 146, S57-S62 5
- 67 Gastrointestinal bleeding secondary to use of high-dose methotrexate: A case report. 4
- 66 Risk factors for venous thromboses in patients with rheumatoid arthritis. **2019**, 56, 692-696 2

65	Serum cytokine profile in early and established rheumatoid arthritis. <b>2019</b> , 47, 393-399	0
64	Histopathology Evaluation of Cartilage Disease and Repair. <b>2020</b> , 371-388	1
63	Articular Cartilage: Homeostasis, Aging and Degeneration. <b>2020</b> , 99-122	1
62	Symptomization of Rheumatoid Arthritis in Patients on Pathological Examination: A Case Study. <b>2020</b> ,	0
61	Autoimmune Diseases Affecting the Ocular Surface. <b>2002</b> , 113-127	1
60	Entzündliche Gelenkerkrankungen. <b>2005</b> , 467-484	
59	Klinische Grundlagen der Arthritiden. <b>2005</b> , 21-54	
58	Improvement of health status evaluated by Arthritis Impact Measurement Scale 2 (AIMS-2) and Short Form-36 (SF-36) in patients with rheumatoid arthritis treated with tocilizumab. <b>2013</b> , 23, 276-83	3
57	Hypoxia-induced endogenous prostaglandin E2 negatively regulates hypoxia-enhanced aberrant overgrowth of rheumatoid synovial tissue. <b>2013</b> , 23, 1069-75	
56	Transgenic mice expressing human tumour necrosis factor: a predictive genetic model of arthritis. <b>1991</b> , 10, 4025-31	527
55	Synovial fibroblasts as accessory cells for staphylococcal enterotoxin-mediated T-cell activation. <b>1995</b> , 85, 461-6	21
54	Antigen-presenting capacity of rheumatoid synovial fibroblasts. <b>1994</b> , 82, 268-74	58
53	Reproductive failure and the major histocompatibility complex. <b>1995</b> , 56, 1456-67	36
52	Pannocytes: distinctive cells found in rheumatoid arthritis articular cartilage erosions. <b>1997</b> , 150, 1125-38	40
51	Constitutive transcription of the human interleukin-6 gene by rheumatoid synoviocytes: spontaneous activation of NF-kappaB and CBF1. <b>1998</b> , 152, 793-803	72
50	Immunopathology of chronic lentivirus-induced arthritis. <b>1995</b> , 146, 1433-43	33
49	Stromelysin and tissue inhibitor of metalloproteinases gene expression in rheumatoid arthritis synovium. <b>1992</b> , 140, 1309-14	72
48	Rabbit models of arthritis: immunolocalization of matrix metalloproteinases and tissue inhibitor of metalloproteinase in synovium and cartilage. <b>1993</b> , 143, 628-42	22

47	Organ site-dependent expression of basic fibroblast growth factor in human renal cell carcinoma cells. <b>1994</b> , 145, 365-74	89
46	Genetic variability in the tumor necrosis factor-lymphotoxin region influences susceptibility to rheumatoid arthritis. <b>1996</b> , 59, 676-83	116
45	A locum experience in rural Alberta. <b>1992</b> , 38, 1762-5	
44	Osler-as much heart as head: The importance of compassion. <b>1992</b> , 38, 1617-21	
43	[Not Available]. <b>1992</b> , 38, 1476-82	
42	Pathogenesis of rheumatoid arthritis: its relevance to therapy in the '90s. <b>1991</b> , 102, 260-8; discussion 268-70	6
41	The role of osteoprotegerin (OPG) and estrogen receptor (ER) gene polymorphisms in rheumatoid arthritis. <b>2007</b> , 4, 156-60	5
40	Immunolocalization of MMP-2 and MMP-9 in human rheumatoid synovium. <b>2014</b> , 7, 3048-56	23
39	Flavonoids: Classification, Function, and Molecular Mechanisms Involved in Bone Remodelling. <b>2021</b> , 12, 779638	11
38	Reappraisal of bone scintigraphy as a new tool for the evaluation of disease activity in patients with rheumatoid arthritis. <b>2021</b> , 11, 21809	0
37	Hypothyroidism risk associated with rheumatoid arthritis: A population-based retrospective cohort study.. <b>2022</b> , 101, e28487	
36	Perillyl alcohol attenuates rheumatoid arthritis via regulating TLR4/NF- $\kappa$ B and Keap1/Nrf2 signaling pathways: A comprehensive study on in-vitro and in-vivo experimental models.. <b>2022</b> , 97, 153926	3
35	Improving dexamethasone drug loading and efficacy in treating arthritis through a lipophilic prodrug entrapped into PLGA-PEG nanoparticles.. <b>2022</b> , 12, 1270	5
34	Nanotechnology-based strategies for effective delivery of phytoconstituents for the management of rheumatoid arthritis. <b>2022</b> , 2, 100061	1
33	Rheumatoid arthritis: immunogenetic factors and immune therapies. <b>2022</b> , 279-307	
32	Predicting the effectiveness of methotrexate therapy based on basal expression of the AMP-activated protein kinase gene in the blood of patients with rheumatoid arthritis. <b>2022</b> , 16, 46-51	
31	Miscellaneous: SPECT and SPECT/CT for Brain and Inflammation Imaging and Radiation Planning. <b>2022</b> , 305-320	
30	The Ameliorative Effect of Dexamethasone on the Development of Autoimmune Lung Injury and Mediastinal Fat-Associated Lymphoid Clusters in an Autoimmune Disease Mouse Model.. <b>2022</b> , 23,	0

29	Diseases of joints. 313-344	
28	Bone Problems in Rheumatic Diseases During Childhood and Adolescence. <b>2004</b> , 2, 63-76	
27	image_1.jpeg. <b>2018</b> ,	
26	image_2.jpeg. <b>2018</b> ,	
25	Survey of the association between polymorphisms of CTLA-4 exon 1 49 A/G genes with rheumatoid arthritis in Iran. 1-13	
24	Role of Cytokines as Immunomodulators. <b>2022</b> , 371-414	0
23	Assessment of IL-1, IL-6, TNF- $\alpha$ , IL-8, and CCL 5 levels in newly diagnosed Saudi patients with rheumatoid arthritis.	1
22	Association between vitamin D level in rheumatoid arthritis in males and females. <b>2022</b> , 8, 17-21	
21	REVIEW OF RHEUMATOID ARTHRITIS. <b>1993</b> , 13, 273-289	2
20	MAGNETIC RESONANCE IMAGING OF RHEUMATOID ARTHRITIS. <b>1996</b> , 34, 243-258	10
19	Healing Effect of Cordyceps Militaris Extract Complex on Collagen II-Induced Arthritis Rats. <b>2022</b> , 32, 1-11	1
18	MECHANISMS OF LOW-TEMPERATURE REHABILITATION TECHNOLOGIES. LOCAL DEEP HYPOTHERMIA IN PATIENTS WITH ARTHRITIS.	
17	Bone marrow CD34+ progenitor cells stimulated with stem cell factor and GM-CSF have the capacity to activate IgD <sup>+</sup> B cells through direct cellular interaction. <b>2002</b> , 71, 987-995	2
16	The role of resveratrol on rheumatoid arthritis: From bench to bedside. 13,	1
15	[18F]FDG PET/CT in rheumatoid arthritis. <b>2022</b> , 66,	0
14	Targeting Oxidative Stress Markers, Xanthine Oxidase, TNFRSF11A and Cathepsin L in Curcumin-Treated Collagen-Induced Arthritis: A Physiological and COSMO-RS Study.	0
13	Boswellia serrata normalizes altered haematological indices, attenuates pain and inflammation associated with adjuvant induced arthritis in rats. <b>2022</b> , 90, 678-682	0
12	Dysbiotic but nonpathogenic shift in the fecal mycobiota of patients with rheumatoid arthritis. <b>2022</b> , 14,	0

11	The effect of targeted rheumatoid arthritis therapeutics on systemic inflammation and anemia: analysis of data from the CorEvitas RA registry. <b>2022</b> , 24,	0
10	Adhesion Molecule Mechanisms Mediating Monocyte Migration Through Synovial Fibroblast and Endothelium Barriers: Role for CD11/CD18, Very Late Antigen-4 (CD49d/CD29), Very Late Antigen-5 (CD49e/CD29), and Vascular Cell Adhesion Molecule-1 (CD106). <b>1998</b> , 160, 467-474	7
9	Enhancing Effect of IL-17 on IL-1-Induced IL-6 and Leukemia Inhibitory Factor Production by Rheumatoid Arthritis Synoviocytes and Its Regulation by Th2 Cytokines. <b>1998</b> , 161, 409-414	50
8	Selective Accumulation of Related CD4+ T Cell Clones in the Synovial Fluid of Patients with Rheumatoid Arthritis. <b>1998</b> , 161, 4428-4436	16
7	The Role of an Epithelial Neutrophil-Activating Peptide-78-Like Protein in Rat Adjuvant-Induced Arthritis. <b>1999</b> , 162, 7492-7500	14
6	rC5a Directs the In Vitro Migration of Human Memory and Naive Tonsillar B Lymphocytes: Implications for B Cell Trafficking in Secondary Lymphoid Tissues. <b>1999</b> , 162, 6510-6517	14
5	Induction of Cyclooxygenase-2 on Activated T Lymphocytes: Regulation of T Cell Activation by Cyclooxygenase-2 Inhibitors. <b>1999</b> , 163, 111-119	27
4	Efficacy of magnetic resonance imaging texture features of the lateral pterygoid muscle in distinguishing rheumatoid arthritis and osteoarthritis of the temporomandibular joint.	0
3	Chemokine Regulation in Temporomandibular Joint Disease: A Comprehensive Review. <b>2023</b> , 14, 408	0
2	Interplay between gut microbiota in immune homeostasis and inflammatory diseases. <b>2023</b> , 143-154	0
1	Effect of Different Nuts Oil Consumption on Morphological Features and Some Biomarkers of Inflammation in Adjuvant-Induced Arthritis (AIA) Rat Model. <b>2023</b> , 13, 3318	0