

Calbindin D-28k and parvalbumin in the rat nervous system

Neuroscience

35, 375-475

DOI: [10.1016/0306-4522\(90\)90091-h](https://doi.org/10.1016/0306-4522(90)90091-h)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Calbindin D-28k Protein and mRNA Localization in the Rat Brain. <i>European Journal of Neuroscience</i> , 1990, 2, 1118-1126.	1.2	90
2	Appearance of parvalbumin-specific immunoreactivity in the cerebral cortex and hippocampus of the developing rat and gerbil brain. <i>Histochemistry</i> , 1990, 94, 579-89.	1.9	61
3	Distribution of parvalbumin immunoreactivity in the visual cortex of Old World monkeys and humans. <i>Journal of Comparative Neurology</i> , 1990, 301, 417-432.	0.9	161
4	Parvalbumin in rat superior colliculus. <i>Neuroscience Letters</i> , 1990, 120, 197-200.	1.0	40
5	The control of neuronal Ca ²⁺ homeostasis. <i>Progress in Neurobiology</i> , 1991, 37, 255-285.	2.8	418
6	Distribution of the calcium-binding proteins parvalbumin and calbindin-D28k in the sensorimotor cortex of the rat. <i>Neuroscience</i> , 1991, 44, 157-171.	1.1	174
7	Calbindin-D-28k-like immunoreactive structures in the olfactory bulb and anterior olfactory nucleus of the human adult: Distribution and cell typology—partial complementarity with parvalbumin. <i>Neuroscience</i> , 1991, 42, 823-840.	1.1	52
8	Parvalbumin-positive neurons in rat dorsal hippocampus contain muscarinic acetylcholine receptors. <i>Brain Research Bulletin</i> , 1991, 27, 697-700.	1.4	22
9	Expression of calmodulin mRNA in rat olfactory neuroepithelium. <i>Molecular Brain Research</i> , 1991, 10, 13-21.	2.5	21
10	Intracellular calcium-binding proteins: more sites than insights. <i>Trends in Biochemical Sciences</i> , 1991, 16, 98-103.	3.7	435
11	Radioimmunoassay of calretinin in the rat brain. <i>Neurochemistry International</i> , 1991, 19, 517-522.	1.9	32
12	Vitamin D (Soltrio) receptors in the choroid plexus and ependyma: Their species-specific presence. <i>Molecular and Cellular Neurosciences</i> , 1991, 2, 145-156.	1.0	20
13	N-methyl-d-aspartate evokes the release of somatostatin from striatal interneurons in primary culture. <i>Neuroscience</i> , 1991, 43, 437-444.	1.1	19
14	Thalamic afferents of the rat infralimbic and lateral agranular cortices. <i>Brain Research Bulletin</i> , 1991, 26, 957-964.	1.4	21
15	Neocortical neuronal subpopulations labeled by a monoclonal antibody to calbindin exhibit differential vulnerability in Alzheimer's disease. <i>Experimental Neurology</i> , 1991, 111, 293-301.	2.0	184
16	Parvalbumin- and calbindin-containing neurons in the monkey medial geniculate complex: differential distribution and cortical layer specific projections. <i>Brain Research</i> , 1991, 544, 335-341.	1.1	122
17	Characterization of <i>Vicia villosa</i> agglutinin-labeled GABAergic interneurons in the hippocampal formation and in acutely dissociated hippocampus. <i>Brain Research</i> , 1991, 554, 176-185.	1.1	33
18	Parvalbumin in the monkey striate cortex: a quantitative immunoelectron-microscopy study. <i>Brain Research</i> , 1991, 554, 237-243.	1.1	58

#	ARTICLE	IF	CITATIONS
19	Calcium binding protein immunoreactivity in a reptilian thalamic reticular nucleus. Brain Research, 1991, 554, 325-328.	1.1	23
20	Relationship of calbindin D-28k and cholinergic neurons in the nucleus basalis of Meynert of the monkey and the rat. Brain Research, 1991, 549, 141-145.	1.1	32
21	Parvalbumin-immunoreactive neurons in the cerebral cortex of the lizard Podarcis hispanica. Brain Research, 1991, 547, 339-343.	1.1	24
22	Identification and ultrastructural localization of a calretinin-like calcium-binding protein (protein) Tj ETQq1 1 0.784314 rgBT /Overlock 110	1.1	110
23	Postnatal development of calbindin and parvalbumin immunoreactivity in the thalamus of the rat. Developmental Brain Research, 1991, 58, 243-249.	2.1	80
24	Parvalbumin immunoreactive neurons in normal human temporal neocortex and in patients with Alzheimer's disease. Journal of the Neurological Sciences, 1991, 106, 135-141.	0.3	68
25	The immunocytochemical distribution of calbindin-D28k and parvalbumin in identified neurons of the pulvinar-lateralis posterior complex of the cat. Neuroscience Letters, 1991, 130, 203-207.	1.0	21
26	The Lurcher cerebellar mutant phenotype is not expressed on a staggerer mutant background. Journal of Neuroscience, 1991, 11, 2295-2302.	1.7	34
27	Parvalbumin Neurons in the Hippocampus in Senile Dementia of the Alzheimer Type, Parkinson's Disease and Multi-Infarct Dementia (Part 2 of 2). Dementia and Geriatric Cognitive Disorders, 1991, 2, 306-313.	0.7	0
28	Parvalbumin-Immunoreactive Neurons in the Normal Human Hippocampus. Dementia and Geriatric Cognitive Disorders, 1991, 2, 243-258.	0.7	3
29	CALBINDIN-D28K-LIKE IMMUNOREACTIVITY IN SPINAL AND DORSAL VAGAL COMPLEX PROJECTIONS IN RAT., 1991, , 615-616.		0
30	Proliferative and degenerative changes in striatal spiny neurons in Huntington's disease: a combined study using the section-Golgi method and calbindin D28k immunocytochemistry. Journal of Neuroscience, 1991, 11, 3877-3887.	1.7	262
31	The properties of intracellular calcium stores in cultured rat cerebellar neurons. Journal of Neuroscience, 1991, 11, 4024-4043.	1.7	104
32	A study of the organellar Ca ²⁺ -transport ATPase isozymes in pig cerebellar Purkinje neurons. Journal of Neuroscience, 1991, 11, 650-656.	1.7	60
33	Parvalbumin-immunoreactive structures in the hippocampus of the human adult. Cell and Tissue Research, 1991, 264, 33-48.	1.5	91
34	The efferent connections of the lateral septal nucleus in the guinea pig: intrinsic connectivity of the septum and projections to other telencephalic areas. Cell and Tissue Research, 1991, 264, 415-426.	1.5	63
35	An Organotypic Spinal Cord-Dorsal Root Ganglion-Skeletal Muscle Coculture of Embryonic Rat. I. The Morphological Correlates of the Spinal Reflex Arc. European Journal of Neuroscience, 1991, 3, 1037-1053.	1.2	62
36	Complementary Distribution of Calbindin D-28k and Parvalbumin in the Basal Forebrain and Midbrain of the Squirrel Monkey. European Journal of Neuroscience, 1991, 3, 1316-1329.	1.2	87

#	ARTICLE	IF	CITATIONS
37	Loss of Calbindin-28K Immunoreactivity in Hippocampal Slices from Aged Rats: a Role for Calcium?. European Journal of Neuroscience, 1991, 3, 839-849.	1.2	50
38	In Vitro Development of Rat Cerebellar Neurons of Early Embryonic Origin. An Anatomical and Electrophysiological Study. European Journal of Neuroscience, 1991, 3, 855-865.	1.2	6
39	The calcium binding protein calbindin-D 28K reveals subpopulations of projection and interneurons in the cat superior colliculus. Journal of Comparative Neurology, 1991, 307, 417-436.	0.9	64
40	Development of the calcium-binding proteins parvalbumin and calbindin in monkey striate cortex. Journal of Comparative Neurology, 1991, 307, 626-646.	0.9	141
41	Reinnervation of cerebellar Purkinje cells by climbing fibres surviving a subtotal lesion of the inferior olive in the adult rat. I. Development of new collateral branches and terminal plexuses. Journal of Comparative Neurology, 1991, 308, 513-535.	0.9	209
42	Neuropeptide Y (NPY)-immunoreactive neurons in the primate fascia dentata; occasional coexistence with calcium-binding proteins: A light and electron microscopic study. Journal of Comparative Neurology, 1991, 309, 430-444.	0.9	27
43	Immunohistochemical localization of calretinin in the rat hindbrain. Journal of Comparative Neurology, 1991, 310, 21-44.	0.9	209
44	Differential effect of functional olfactory bulb deafferentation on tyrosine hydroxylase and glutamic acid decarboxylase messenger RNA levels in rodent juxtglomerular neurons. Journal of Comparative Neurology, 1991, 311, 223-233.	0.9	77
45	Calbindin-like immunoreactivity in the central auditory system of the mustached bat, Pteronotus parnellii. Journal of Comparative Neurology, 1991, 313, 1-16.	0.9	71
46	Morphological taxonomy of the neurons of the primate striatum. Journal of Comparative Neurology, 1991, 313, 273-294.	0.9	97
47	GABAergic interneurons containing calbindin D28K or somatostatin are major targets of GABAergic basal forebrain afferents in the rat neocortex. Journal of Comparative Neurology, 1991, 314, 187-199.	0.9	142
48	Calmodulin and calbindin localization in retina from six vertebrate species. Journal of Comparative Neurology, 1991, 314, 750-762.	0.9	104
49	Glial cell differentiation in neuron-free and neuron-rich regions. Anatomy and Embryology, 1991, 184, 559-569.	1.5	25
50	Ontogeny of the calcium binding protein parvalbumin in the rat nervous system. Anatomy and Embryology, 1991, 184, 103-124.	1.5	248
51	Calcium-binding proteins are concentrated in the CA2 field of the monkey hippocampus: a possible key to this region's resistance to epileptic damage. Experimental Brain Research, 1991, 85, 129-36.	0.7	116
52	Damage of substantia nigra pars reticulata during pilocarpine-induced status epilepticus in the rat: immunohistochemical study of neurons, astrocytes and serum-protein extravasation. Experimental Brain Research, 1991, 86, 125-40.	0.7	31
53	Calbindin-D28K (CaBP) levels and calcium currents in acutely dissociated epileptic neurons. Experimental Brain Research, 1991, 85, 543-51.	0.7	111
54	Parvalbumin-immunoreactive neurons in the human central nervous system are decreased in Alzheimer's disease. Acta Neuropathologica, 1991, 81, 388-395.	3.9	83

#	ARTICLE	IF	CITATIONS
55	Parvalbumin immunoreactivity of the lateral geniculate nucleus in adult rhesus monkeys after monocular eye enucleation. <i>Visual Neuroscience</i> , 1991, 6, 375-382.	0.5	46
56	Chapter 4 The specificity of the nonspecific thalamus: The midline nuclei. <i>Progress in Brain Research</i> , 1991, 87, 53-80.	0.9	92
57	Chapter 8: Regulation of gene expression in the olfactory neuroepithelium: a neurogenetic matrix. <i>Progress in Brain Research</i> , 1991, 89, 97-122.	0.9	47
58	Endogenous intracellular calcium buffering and the activation/inactivation of HVA calcium currents in rat dentate gyrus granule cells.. <i>Journal of General Physiology</i> , 1991, 98, 941-967.	0.9	82
59	Regional Distribution of Neurofilament and Calcium-binding Proteins in the Cingulate Cortex of the Macaque Monkey. <i>Cerebral Cortex</i> , 1992, 2, 456-467.	1.6	84
60	A Comparative Study of Avidin-Biotin-Peroxidase Complexes for the Immunohistochemical Detection of Antigens in Neural Tissue. <i>Biotechnic and Histochemistry</i> , 1992, 67, 367-371.	0.7	17
61	Visual deprivation fails to reduce calbindin 28kD or GABA immunoreactivity in the <i>Rhesus</i> monkey superior colliculus. <i>Visual Neuroscience</i> , 1992, 9, 157-168.	0.5	36
62	Chapter 11 The organization of GABAergic neurons in the mammalian superior colliculus. <i>Progress in Brain Research</i> , 1992, 90, 219-248.	0.9	156
63	Calbindin and parvalbumin cells in monkey VPL thalamic nucleus: distribution, laminar cortical projections, and relations to spinothalamic terminations. <i>Journal of Neuroscience</i> , 1992, 12, 4088-4111.	1.7	165
64	Chapter 37: Choroid plexus, ependyma and arachnoidea express receptors for vitamin D: differences between "seasonal" and "non-seasonal" breeders. <i>Progress in Brain Research</i> , 1992, 91, 279-283.	0.9	6
65	Chapter 14 GABAergic neurons and circuits in the pretectal nuclei and the accessory optic system of mammals. <i>Progress in Brain Research</i> , 1992, 90, 283-305.	0.9	27
66	Parvalbumin-like immunoreactivity in the human central auditory system.. <i>Acta Histochemica Et Cytochemica</i> , 1992, 25, 153-159.	0.8	9
67	Connections of the thalamic reticular nucleus with the contralateral thalamus in the rat. <i>Neuroscience Letters</i> , 1992, 147, 85-88.	1.0	29
68	Calretinin in rat brain: An immunohistochemical study. <i>Neuroscience</i> , 1992, 46, 101-134.	1.1	468
69	Cell death and removal in the cerebral cortex during development. <i>Progress in Neurobiology</i> , 1992, 39, 1-43.	2.8	196
70	Late appearance of parvalbumin-immunoreactive neurons in the rodent cerebral cortex does not follow an "inside-out" sequence. <i>Neuroscience Letters</i> , 1992, 142, 147-150.	1.0	36
71	Calbindin D28k-containing nonpyramidal cells in the rat hippocampus: Their immunoreactivity for GABA and projection to the medial septum. <i>Neuroscience</i> , 1992, 49, 793-805.	1.1	240
72	Localization of gene expression of calbindin in the brain of adult rats. <i>Neuroscience Letters</i> , 1992, 138, 211-215.	1.0	34

#	ARTICLE	IF	CITATIONS
73	The calcium binding proteins parvalbumin and calbindin-D 28K form complementary patterns in the cat superior colliculus. <i>Journal of Comparative Neurology</i> , 1992, 320, 243-256.	0.9	70
74	Calcium-binding proteins in the nervous system. <i>Trends in Neurosciences</i> , 1992, 15, 303-308.	4.2	1,213
75	Calretinin is present in non-pyramidal cells of the rat hippocampus. A new type of neuron specifically associated with the mossy fibre system. <i>Neuroscience</i> , 1992, 48, 1-27.	1.1	247
76	Cellular localization of a metabotropic glutamate receptor in rat brain. <i>Neuron</i> , 1992, 9, 259-270.	3.8	567
77	The relationship of calbindin-containing neurons with substance P, Leu-enkephalin and cholecystokinin fibres: An immunohistochemical study in the rat thalamus. <i>Journal of Chemical Neuroanatomy</i> , 1992, 5, 453-464.	1.0	24
78	Differential effects of peripheral damage on vibrissa-related patterns in trigeminal nucleus principalis, subnucleus interpolaris, and subnucleus caudalis. <i>Neuroscience</i> , 1992, 49, 141-156.	1.1	37
79	A comparison of the electrophysiological properties of morphologically identified cells in layers 5B and 6 of the rat neocortex. <i>Neuroscience</i> , 1992, 50, 315-337.	1.1	48
80	The endoplasmic reticulum of purkinje neuron body and dendrites: Molecular identity and specializations for Ca ²⁺ transport. <i>Neuroscience</i> , 1992, 49, 467-477.	1.1	61
81	Pyramidal neurons are immunoreactive for calbindin D28k in the CA1 subfield of the human hippocampus. <i>Neuroscience Letters</i> , 1992, 138, 257-260.	1.0	31
82	Calretinin and calbindin-D28k in rat brain: Patterns of partial co-localization. <i>Neuroscience</i> , 1992, 51, 843-865.	1.1	238
83	Stable transfection of calbindin-D28k into the GH3 cell line alters calcium currents and intracellular calcium homeostasis. <i>Neuron</i> , 1992, 9, 943-954.	3.8	182
84	Calretinin distribution in the thalamus of the rat: Immunohistochemical and in situ hybridization histochemical analyses. <i>Neuroscience</i> , 1992, 50, 181-196.	1.1	84
85	Gene expression in cells of the central nervous system. <i>Progress in Neurobiology</i> , 1992, 38, 523-569.	2.8	35
86	Localization of gene expression of calreticulin in the brain of adult mouse. <i>Molecular Brain Research</i> , 1992, 14, 337-343.	2.5	12
87	Characteristics of labeling of the cerebellar Purkinje neuron by L7 antiserum. <i>Journal of Chemical Neuroanatomy</i> , 1992, 5, 235-243.	1.0	19
88	Parvalbumin immunoreactivity: A reliable marker for the effects of monocular deprivation in the rat visual cortex. <i>Neuroscience</i> , 1992, 51, 749-753.	1.1	67
89	Prenatal development of calbindin immunoreactivity in the dorsal thalamus of the rat. <i>Neuroscience</i> , 1992, 46, 135-147.	1.1	65
90	Distribution of calbindin D-28K and parvalbumin immunoreactivities in the nucleus olfactorius anterior of the rat. <i>Brain Research Bulletin</i> , 1992, 29, 783-793.	1.4	9

#	ARTICLE	IF	CITATIONS
91	Presence of calbindin and lack of parvalbumin in progesterone receptor-containing neurons of the monkey mediobasal hypothalamus. <i>Neuroscience</i> , 1992, 50, 309-314.	1.1	3
92	Distribution of somatostatin immunoreactivity in the forebrain of the squirrel monkey: Basal ganglia and amygdala. <i>Neuroscience</i> , 1992, 47, 115-133.	1.1	30
93	Calretinin is present in non-pyramidal cells of the rat hippocampus. II. Co-existence with other calcium binding proteins and gaba. <i>Neuroscience</i> , 1992, 48, 29-43.	1.1	215
94	Calbindin D-28K- and parvalbumin-reacting neurons in the hypothalamic magnocellular neurosecretory nuclei of the rat. <i>Brain Research Bulletin</i> , 1992, 28, 39-46.	1.4	21
95	Midbrain Dopaminergic Cell Loss in Parkinson's Disease and MPTP-Induced Parkinsonism: Sparing of Calbindin-D25k-Containing Cells. <i>Annals of the New York Academy of Sciences</i> , 1992, 648, 42-62.	1.8	308
96	Ontogeny of calretinin in chick dorsal root ganglion neurons. <i>Developmental Brain Research</i> , 1992, 70, 149-152.	2.1	20
97	Age-related morphological and morphometrical changes in parvalbumin- and calbindin-immunoreactive neurons in the rat hippocampal formation. <i>Mechanisms of Ageing and Development</i> , 1992, 66, 195-211.	2.2	24
98	Calbindin D-28k-immunoreactivity in rat muscle spindle; a light and electron microscopic study. <i>Brain Research</i> , 1992, 579, 327-332.	1.1	22
99	Identification of neuron subpopulations in the rat vestibular ganglion by calbindin-D 28K, calretinin and neurofilament proteins immunoreactivity. <i>Brain Research</i> , 1992, 582, 168-172.	1.1	52
100	Calbindin immunoreactivity in normal human temporal neocortex. <i>Brain Research</i> , 1992, 572, 33-41.	1.1	53
101	Calbindin-like immunoreactivity in two peripheral chemosensory tissues of the rat: taste buds and the vomeronasal organ. <i>Brain Research</i> , 1992, 572, 319-324.	1.1	40
102	Somatotopic maps within the zona incerta relay parallel GABAergic somatosensory pathways to the neocortex, superior colliculus, and brainstem. <i>Brain Research</i> , 1992, 577, 134-141.	1.1	148
103	Interneurons in the rat striatum: relationships between parvalbumin neurons and cholinergic neurons. <i>Brain Research</i> , 1992, 574, 307-311.	1.1	85
104	Cortical input to parvalbumin-immunoreactive neurones in the putamen of the squirrel monkey. <i>Brain Research</i> , 1992, 580, 215-224.	1.1	117
105	Immunohistochemical markers in rat brain: colocalization of calretinin and calbindin-D28k with tyrosine hydroxylase. <i>Brain Research</i> , 1992, 587, 203-210.	1.1	140
106	Calretinin-immunoreactive neurons in the primary visual cortex of dolphin and human brains. <i>Brain Research</i> , 1992, 595, 181-188.	1.1	103
107	Convergence and segregation of septal and median raphe inputs onto different subsets of hippocampal inhibitory interneurons. <i>Brain Research</i> , 1992, 594, 263-272.	1.1	67
108	Parvalbumin and calbindin D-28K in the human entorhinal cortex. An immunohistochemical study. <i>Brain Research</i> , 1992, 589, 24-32.	1.1	55

#	ARTICLE	IF	CITATIONS
109	Calbindin D-28k and choline acetyltransferase are expressed by different neuronal populations in pedunculopontine nucleus but not in nucleus basalis in squirrel monkeys. <i>Brain Research</i> , 1992, 593, 245-252.	1.1	40
110	Immunohistochemical markers in rat cortex: co-localization of calretinin and calbindin-D28k with neuropeptides and GABA. <i>Brain Research</i> , 1992, 587, 147-157.	1.1	171
111	Immunohistochemical localization of calretinin in the rat lateral geniculate nucleus and its retino-geniculate projection. <i>Brain Research</i> , 1992, 596, 215-222.	1.1	32
112	Expression of the calcium binding protein calretinin in WiDr cells and its correlation to their cell cycle. <i>Experimental Cell Research</i> , 1992, 202, 292-302.	1.2	64
113	Immunohistochemical changes of neuronal calcium-binding proteins parvalbumin and calbindin-D-28k following unilateral deafferentation in the rat visual system. <i>Experimental Neurology</i> , 1992, 117, 230-246.	2.0	67
114	The inferior colliculus: Calbindin and parvalbumin immunoreactivity in neural grafts. <i>Experimental Neurology</i> , 1992, 115, 142-145.	2.0	6
115	Distribution of calbindin D28k-like immunoreactivity (LI) in the monkey ventral horn: do Renshaw cells contain calbindin D28k-LI?. <i>Journal of Neuroscience</i> , 1992, 12, 718-728.	1.7	40
116	Chronic deafferentation in monkeys differentially affects nociceptive and nonnociceptive pathways distinguished by specific calcium-binding proteins and down-regulates gamma-aminobutyric acid type A receptors at thalamic levels.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> . 1992, 89, 2571-2575.	3.3	126
117	Development of parvalbumin immunoreactive neurons in normal and intracranially transplanted retinas in the rat. <i>Experimental Brain Research</i> , 1992, 90, 359-68.	0.7	14
118	Differential effects of long-term transplantation on the growth of cortical neurons containing parvalbumin or calbindin. <i>Experimental Brain Research</i> , 1992, 91, 477-83.	0.7	7
119	Calcium binding protein (calbindin D28k) immunoreactivity in the hamster superior colliculus: ultrastructure and lack of co-localization with GABA. <i>Experimental Brain Research</i> , 1992, 89, 115-24.	0.7	38
120	Postnatal X-ray irradiation effects on glomerular layer of rat olfactory bulb: quantitative and immunocytochemical analysis. <i>Experimental Brain Research</i> , 1992, 90, 103-15.	0.7	13
121	Quantitative analysis of neurons and glial cells in the rat somatosensory cortex, with special reference to GABAergic neurons and parvalbumin-containing neurons. <i>Experimental Brain Research</i> , 1992, 92, 1-14.	0.7	127
122	Abnormal local-circuit neurons in epilepsy partialis continua associated with focal cortical dysplasia. <i>Acta Neuropathologica</i> , 1992, 83, 647-652.	3.9	124
123	Differential Ca ²⁺ binding properties in the human cerebellar cortex: distribution of parvalbumin and calbindin D-28k immunoreactivity. <i>Anatomy and Embryology</i> , 1992, 185, 163-7.	1.5	31
124	Parvalbumin immunoreactive neurons and fibres in the teleost cerebellum. <i>Anatomy and Embryology</i> , 1992, 185, 355-61.	1.5	32
125	Distribution of calbindin and parvalbumin in the developing somatosensory cortex and its primordium in the rat: an immunocytochemical study. <i>Journal of Neurocytology</i> , 1992, 21, 717-736.	1.6	80
126	Calbindin immunoreactivity in a subset of cat thalamic reticular neurons. <i>Journal of Neurocytology</i> , 1992, 21, 495-505.	1.6	30

#	ARTICLE	IF	CITATIONS
127	Soybean lectin binding neurons in the visual cortex of the rat contain parvalbumin and are covered by glial nets. <i>Journal of Neurocytology</i> , 1992, 21, 211-221.	1.6	58
128	Calbindin D-28k-immunoreactivity in rat muscle spindles during postnatal maturation and after denervation. <i>The Histochemical Journal</i> , 1992, 24, 673-678.	0.6	9
129	Calbindin-D28K (CaBP28k)-like Immunoreactivity in Ascending Projections. <i>European Journal of Neuroscience</i> , 1992, 4, 61-69.	1.2	56
130	Survival of Purkinje Cells in Cerebellar Cultures is Increased by Insulin-like Growth Factor I. <i>European Journal of Neuroscience</i> , 1992, 4, 864-869.	1.2	103
131	Calbindin D-28k-positive neurons in the rat olfactory bulb. <i>Cell and Tissue Research</i> , 1992, 269, 289-297.	1.5	62
132	Calretinin in rat ovary: an in situ hybridization and immunohistochemical study. <i>BBA - Proteins and Proteomics</i> , 1992, 1160, 87-94.	2.1	31
133	Mechanisms of neuronal death in brain aging and alzheimer's disease: Role of endocrine-mediated calcium dyshomeostasis. <i>Journal of Neurobiology</i> , 1992, 23, 1247-1260.	3.7	111
134	Parvalbumin-containing nonpyramidal neurons in intracortical transplants of rat hippocampal and neocortical tissue: A light and electron microscopic immunocytochemical study. <i>Journal of Comparative Neurology</i> , 1992, 319, 319-336.	0.9	9
135	Patterns of antigenic expression in the thalamic reticular nucleus of developing rats. <i>Journal of Comparative Neurology</i> , 1992, 320, 161-181.	0.9	66
136	Differential calbindin-like immunoreactivity in the brain stem auditory system of the chinchilla. <i>Journal of Comparative Neurology</i> , 1992, 320, 196-212.	0.9	44
137	Parvalbumin and calbindin immunocytochemistry reveal functionally distinct cell groups and vibrissa-related patterns in the trigeminal brainstem complex of the adult rat. <i>Journal of Comparative Neurology</i> , 1992, 320, 323-338.	0.9	73
138	The synaptology of parvalbumin-immunoreactive neurons in the primate prefrontal cortex. <i>Journal of Comparative Neurology</i> , 1992, 320, 353-369.	0.9	141
139	Ventral pallido-striatal pathway in the rat brain: A light and electron microscopic study. <i>Journal of Comparative Neurology</i> , 1992, 321, 626-636.	0.9	51
140	Cytoarchitectonic heterogeneities in the thalamic reticular nucleus of cats and ferrets. <i>Journal of Comparative Neurology</i> , 1992, 322, 167-180.	0.9	81
141	Distribution of GABAergic interneurons immunoreactive for calretinin, calbindin D28K, and parvalbumin in the cerebral cortex of the lizard <i>Podarcis hispanica</i> . <i>Journal of Comparative Neurology</i> , 1992, 322, 449-460.	0.9	49
142	Fine structure of rat septohippocampal neurons: I. Identification of septohippocampal projection neurons by retrograde tracing combined with electron microscopic immunocytochemistry and intracellular staining. <i>Journal of Comparative Neurology</i> , 1992, 325, 207-218.	0.9	66
143	Development of GABA-immunoreactivity in the neocortex of the mouse. <i>Journal of Comparative Neurology</i> , 1992, 326, 501-526.	0.9	134
144	Electron microscopy of Golgi-impregnated interneurons: Notes on the intrinsic connectivity of the cerebral cortex. <i>Microscopy Research and Technique</i> , 1992, 23, 289-305.	1.2	5

#	ARTICLE	IF	CITATIONS
145	Calbindin-D28K in the basal ganglia of patients with parkinsonism. <i>Annals of Neurology</i> , 1992, 32, 543-550.	2.8	66
146	Parvalbumin-immunoreactive structures of the adult human entorhinal and transentorhinal region. <i>Hippocampus</i> , 1993, 3, 459-470.	0.9	31
147	Acetylcholinesterase staining differentiates functionally distinct auditory pathways in the barn owl. <i>Journal of Comparative Neurology</i> , 1993, 329, 365-377.	0.9	29
148	Distribution of parvalbumin-immunoreactive cells and fibers in the monkey temporal lobe: The amygdaloid complex. <i>Journal of Comparative Neurology</i> , 1993, 331, 14-36.	0.9	72
149	Distribution of parvalbumin-immunoreactive cells and fibers in the monkey temporal lobe: The hippocampal formation. <i>Journal of Comparative Neurology</i> , 1993, 331, 37-74.	0.9	74
150	Distribution of calbindin-D28k immunoreactivity in the monkey temporal lobe: The amygdaloid complex. <i>Journal of Comparative Neurology</i> , 1993, 331, 199-224.	0.9	54
151	Crosstalk between the two sides of the thalamus through the reticular nucleus: A retrograde and anterograde tracing study in the rat. <i>Journal of Comparative Neurology</i> , 1993, 332, 145-154.	0.9	67
152	Immunocytochemical staining of All-amacrine cells in the rat retina with antibodies against parvalbumin. <i>Journal of Comparative Neurology</i> , 1993, 332, 407-420.	0.9	186
153	Spatial distributions of chemically identified intrinsic neurons in relation to patch and matrix compartments of rat neostriatum. <i>Journal of Comparative Neurology</i> , 1993, 332, 499-513.	0.9	102
154	Immunochemical heterogeneity in the tecto-LP pathway of the rat. <i>Journal of Comparative Neurology</i> , 1993, 333, 210-222.	0.9	31
155	Transient appearance of calbindin-D28k-positive neurons in the superior olivary complex of developing rats. <i>Journal of Comparative Neurology</i> , 1993, 334, 59-74.	0.9	79
156	Calbindin D-28k- and substance P-immunoreactive primary sensory neurons: Peripheral projections in chick hindlimbs. <i>Journal of Comparative Neurology</i> , 1993, 334, 151-158.	0.9	23
157	Chemoarchitectonic subdivisions of the visual pulvinar in monkeys and their connective relations with the middle temporal and rostral dorsolateral visual areas, MT and DLr. <i>Journal of Comparative Neurology</i> , 1993, 336, 1-30.	0.9	120
158	Parvalbumin-containing neurons in the cerebral cortex of the lizard <i>Podarcis hispanica</i> : Morphology, ultrastructure, and coexistence with GABA, somatostatin, and neuropeptide Y. <i>Journal of Comparative Neurology</i> , 1993, 336, 447-467.	0.9	26
159	Chandelier cells in the hippocampal formation of the rat: The entorhinal area and subicular complex. <i>Journal of Comparative Neurology</i> , 1993, 337, 151-167.	0.9	32
160	Distribution, morphological features, and synaptic connections of parvalbumin- and calbindin D28k-immunoreactive neurons in the human hippocampal formation. <i>Journal of Comparative Neurology</i> , 1993, 337, 208-230.	0.9	121
161	Distribution of the inositol 1,4,5-trisphosphate receptor, P400, in adult rat brain. <i>Journal of Comparative Neurology</i> , 1993, 337, 493-517.	0.9	28
162	Parvalbumin and calretinin in the avian thymus. <i>Anatomy and Embryology</i> , 1993, 188, 339-44.	1.5	23

#	ARTICLE	IF	CITATIONS
163	Postnatal development of parvalbumin and calbindin D28K immunoreactivities in the cerebral cortex of the rat. <i>Anatomy and Embryology</i> , 1993, 188, 63-73.	1.5	146
164	Cerebellar degeneration in the Niemann-Pick type C mouse. <i>Acta Neuropathologica</i> , 1993, 85, 175-84.	3.9	197
165	Structure and pathogenesis of cortical nodules induced by prenatal X-irradiation in the rat. <i>Acta Neuropathologica</i> , 1993, 85, 205-12.	3.9	16
166	Axons and axon terminals of cerebellar Purkinje cells and basket cells have higher levels of parvalbumin immunoreactivity than somata and dendrites: quantitative analysis by immunogold labeling. <i>Experimental Brain Research</i> , 1993, 93, 483-91.	0.7	82
167	Experimentally induced laminar necrosis, status verrucosus, focal cortical dysplasia reminiscent of microgyria, and porencephaly in the rat. <i>Experimental Brain Research</i> , 1993, 94, 261-9.	0.7	36
168	Experimentally induced cortical malformations in rats. <i>Child's Nervous System</i> , 1993, 9, 403-407.	0.6	25
169	Inhibition of axonal growth by SNAP-25 antisense oligonucleotides in vitro and in vivo. <i>Nature</i> , 1993, 364, 445-448.	13.7	430
170	CBP-18, a Ca ²⁺ -Binding Protein in Rat Brain: Tissue Distribution and Localization. <i>Journal of Neurochemistry</i> , 1993, 60, 1639-1649.	2.1	6
171	Complete Axon Arborization of a Single CA3 Pyramidal Cell in the Rat Hippocampus, and its Relationship With Postsynaptic Parvalbumin-containing Interneurons. <i>European Journal of Neuroscience</i> , 1993, 5, 1719-1728.	1.2	121
172	The Mode of Activation of a Barrel Column: Response Properties of Single Units in the Somatosensory Cortex of the Mouse upon Whisker Deflection. <i>European Journal of Neuroscience</i> , 1993, 5, 691-712.	1.2	69
173	A four-layered "lissencephalic" cortex induced by prenatal X-irradiation in the rat. <i>Neuropathology and Applied Neurobiology</i> , 1993, 19, 74-81.	1.8	13
174	Parvalbumin and calbindin D28k in the human motor system and in motor neuron disease. <i>Neuropathology and Applied Neurobiology</i> , 1993, 19, 291-299.	1.8	251
175	Calcium binding by chick calretinin and rat calbindin D28k synthesised in bacteria. <i>FEBS Journal</i> , 1993, 215, 401-410.	0.2	45
176	Effects of NBM lesions with two neurotoxins on spatial memory and autoshaping. <i>Pharmacology Biochemistry and Behavior</i> , 1993, 44, 877-889.	1.3	32
177	Calcium clamp in single nerve cells. <i>Cell Calcium</i> , 1993, 14, 419-425.	1.1	9
178	Calbindin D28K expression in transfected mouse NIH3T3 cells. <i>Cell Calcium</i> , 1993, 14, 349-358.	1.1	19
179	Cellular distribution of parvalbumin immunoreactivity in the peripheral vestibular system of three rodents. <i>Cell and Tissue Research</i> , 1993, 274, 487-492.	1.5	38
180	Calcium-binding proteins: selective markers of nerve cells. <i>Cell and Tissue Research</i> , 1993, 271, 181-208.	1.5	668

#	ARTICLE	IF	CITATIONS
181	Developmental pattern and subcellular localization of parvalbumin in the rat tooth germ. <i>Archives of Oral Biology</i> , 1993, 38, 707-715.	0.8	17
182	Survival and neurite formation of mesencephalic trigeminal neurones of the rat in vitro. <i>Archives of Oral Biology</i> , 1993, 38, 547-557.	0.8	12
183	The Leydig cell of the human testis – A new member of the diffuse neuroendocrine system. <i>Cell and Tissue Research</i> , 1993, 271, 429-439.	1.5	99
184	Neuronal ectopic masses induced by prenatal irradiation in the rat. <i>Virchows Archiv A, Pathological Anatomy and Histopathology</i> , 1993, 422, 1-6.	1.4	15
185	Comparative distribution of calbindin and Met-enkephalin immunoreactivities in the guinea-pig lateral septum, with reference to electrophysiologically characterized neurons in the mediolateral part. <i>Brain Research</i> , 1993, 615, 335-341.	1.1	15
186	Distribution of calretinin mRNA in rat spinal cord and dorsal root ganglia: a study using non-radioactive in situ hybridization histochemistry. <i>Brain Research</i> , 1993, 624, 312-316.	1.1	17
187	Co-occurrence of \hat{I}^3 -aminobutyric acid, parvalbumin and the neurotensin-related neuropeptide LANT6 in pallidal, nigral and striatal neurons in pigeons and monkeys. <i>Brain Research</i> , 1993, 624, 317-325.	1.1	55
188	Distribution of parvalbumin immunoreactivity in the vertebrate retina. <i>Brain Research</i> , 1993, 600, 141-150.	1.1	64
189	GABA interneurons in the rat medial frontal cortex: characterization by quantitative in situ hybridization of the glutamic acid decarboxylase (GAD67) mRNA. <i>Brain Research</i> , 1993, 611, 187-196.	1.1	20
190	Appearance of calretinin-immunoreactive neurons in the upper layers of the rat superior colliculus after eye enucleation. <i>Brain Research</i> , 1993, 613, 341-346.	1.1	23
191	Cholinergic neurons contain Calbindin-D28k in the monkey medial septal nucleus and nucleus of the diagonal band: an immunocytochemical study. <i>Brain Research</i> , 1993, 625, 328-332.	1.1	11
192	Colocalization of calbindin-D28k with vasopressin in hypothalamic cells of the rat: a double-labeling immunofluorescence study. <i>Brain Research</i> , 1993, 632, 342-345.	1.1	14
193	Distribution of parvalbumin-containing neurons and lectin-binding perineuronal nets in the rat basal forebrain. <i>Brain Research</i> , 1993, 631, 167-170.	1.1	71
194	Immunohistochemical localization of calretinin-, calbindin-D28k- and parvalbumin-containing cells in the hypothalamic paraventricular and supraoptic nuclei of the rat. <i>Brain Research</i> , 1993, 618, 323-327.	1.1	22
195	Calbindin D-28K in the dopaminergic mesocortical projection of a monkey (<i>Aotus trivirgatus</i>). <i>Brain Research</i> , 1993, 603, 166-172.	1.1	25
196	Calretinin-immunoreactivity in trigeminal neurons innervating the nasal mucosa of the rat. <i>Brain Research</i> , 1993, 629, 231-238.	1.1	22
197	Calcium homeostasis in rat septal neurons in tissue culture. <i>Brain Research</i> , 1993, 600, 257-267.	1.1	67
198	Intracellular concentration of parvalbumin in nerve cells. <i>Brain Research</i> , 1993, 600, 273-279.	1.1	48

#	ARTICLE	IF	CITATIONS
199	Co-localization of two calcium binding proteins in GABA cells of rat piriform cortex. Brain Research, 1993, 600, 339-344.	1.1	53
200	Compartmentalization of parvalbumin immunoreactivity in the human striatum. Brain Research, 1993, 610, 311-316.	1.1	48
201	Calretinin, calbindin-D28k and parvalbumin-like immunoreactivity in mouse chemoreceptor neurons. Brain Research, 1993, 610, 325-329.	1.1	39
202	Immunohistochemical localization of the inositol 1,4,5-triphosphate receptor in the human nervous system. Brain Research, 1993, 601, 193-202.	1.1	13
203	Calcium-binding proteins in the chick Edinger Westphal nucleus. Brain Research, 1993, 605, 200-206.	1.1	14
204	Neocortical Neuronal Diversity: Chemical Heterogeneity Revealed by Colocalization Studies of Classic Neurotransmitters, Neuropeptides, Calcium-binding Proteins, and Cell Surface Molecules. Cerebral Cortex, 1993, 3, 273-289.	1.6	332
205	Calretinin immunoreactivity in the monkey hippocampal formation. Light and electron microscopic characteristics and co-localization with other calcium-binding proteins. Neuroscience, 1993, 55, 775-796.	1.1	101
206	Glutamate, GABA, calbindin-D28k and parvalbumin immunoreactivity in the pulvinar-lateralis posterior complex of the cat: relation to the projection to the Clare-Bishop area. Neuroscience Letters, 1993, 160, 89-92.	1.0	29
207	Differential localization of nadph-diaphorase and calbindin-D28k within the cholinergic neurons of the basal forebrain, striatum and brainstem in the rat, monkey, baboon and human. Neuroscience, 1993, 54, 461-476.	1.1	167
208	Distribution of parvalbumin immunoreactivity in the cat brain stem. Brain Research Bulletin, 1993, 32, 639-646.	1.4	6
209	Selective neuronal death in the contralateral hippocampus following unilateral kainate injections into the CA3 subfield. Neuroscience, 1993, 56, 317-335.	1.1	153
210	Morphological and functional correlates of borders in the entorhinal cortex and hippocampus. Hippocampus, 1993, 3, 303-311.	0.9	39
211	Degeneration of purkinje cells in parasagittal zones of the cerebellar vermis after treatment with ibogaine or harmaline. Neuroscience, 1993, 55, 303-310.	1.1	205
212	Distribution of calcium binding protein mRNAs in rat cerebellar cortex. Neuroscience Letters, 1993, 153, 80-84.	1.0	31
213	Expression of 7-aminobutyric acid and calcium binding protein-parvalbumin by chick motoneurons. Brain Research Bulletin, 1993, 30, 325-328.	1.4	6
214	Calretinin immunoreactivity in the magnocellular neurosecretory nuclei of the rat hypothalamus. Acta Histochemica, 1993, 95, 177-184.	0.9	5
215	Parvalbumin immunoreactivity in the hippocampus of the gerbil after transient forebrain ischaemia: A qualitative and quantitative sequential study. Neuroscience, 1993, 55, 33-43.	1.1	85
216	Perineuronal nets around cortical interneurons expressing parvalbumin are rich in tenascin. Neuroscience Letters, 1993, 162, 137-140.	1.0	62

#	ARTICLE	IF	CITATIONS
217	Parvalbumin as an anatomical marker for discrete subregions of the ambiguous complex in the rat. <i>Neuroscience Letters</i> , 1993, 160, 101-105.	1.0	77
218	Early degeneration of calretinin-containing neurons in the rat hippocampus after ischemia. <i>Neuroscience</i> , 1993, 56, 581-596.	1.1	88
219	Neocortical, hippocampal and septal parvalbumin- and somatostatin-containing neurons in young and aged rats: Correlation with passive avoidance and water maze performance. <i>Neuroscience</i> , 1993, 53, 367-378.	1.1	96
220	Calretinin is present in non-pyramidal cells of the rat hippocampus. Their inputs from the median raphe and medial septal nuclei. <i>Neuroscience</i> , 1993, 52, 829-841.	1.1	115
221	Parvalbumin and calbindin in the rat claustrum: An immunocytochemical study combined with retrograde tracing from frontoparietal cortex. <i>Journal of Chemical Neuroanatomy</i> , 1993, 6, 399-406.	1.0	62
222	Neurocalcin immunoreactivity in rat olfactory bulb. <i>Neuroscience Letters</i> , 1993, 161, 165-168.	1.0	31
223	Emerging relationships between cytochemical properties and sensory modality transmission in primary sensory neurons. <i>Brain Research Bulletin</i> , 1993, 30, 209-219.	1.4	50
224	Chandelier cell axons identified by parvalbumin-immunoreactivity in the normal human temporal cortex and in Alzheimer's disease. <i>Neuroscience</i> , 1993, 55, 1107-1116.	1.1	80
225	Calretinin-immunoreactive neocortical interneurons are unaffected in Alzheimer's disease. <i>Neuroscience Letters</i> , 1993, 152, 145-149.	1.0	164
226	Calretinin immunoreactivity in the monkey hippocampal formation. Intrinsic gabaergic and hypothalamic non-gabaergic systems: An experimental tracing and co-existence study. <i>Neuroscience</i> , 1993, 55, 797-812.	1.1	82
227	Calbindin D-28K and NADPH-diaphorase activity are localized in different populations of periglomerular cells in the rat olfactory bulb. <i>Journal of Chemical Neuroanatomy</i> , 1993, 6, 1-6.	1.0	51
228	Neuronal localization in the rat brain of the messenger RNA encoding calyphosine, a new calcium-binding protein. <i>Neuroscience Letters</i> , 1993, 153, 125-130.	1.0	7
229	Transient expression of calbindin-D28k immunoreactivity in layer V pyramidal neurons during postnatal development of kitten cortical areas. <i>Developmental Brain Research</i> , 1993, 74, 177-192.	2.1	35
230	Cerebrospinal fluid 28-kDa calbindin-D as a possible marker for Purkinje cell damage. <i>Journal of the Neurological Sciences</i> , 1993, 118, 29-33.	0.3	14
231	Infrequent cellular coexistence of NADPH-diaphorase and calretinin in the neurosecretory nuclei and adjacent areas of the rat hypothalamus. <i>Journal of Chemical Neuroanatomy</i> , 1993, 6, 335-341.	1.0	30
232	Calbindin D-28k and parvalbumin immunoreactivity in the frontal cortex in patients with frontal lobe dementia of non-Alzheimer type associated with amyotrophic lateral sclerosis. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1993, 56, 257-261.	0.9	45
233	Calcium clamp in isolated neurones of the snail <i>Helix pomatia</i> . <i>Journal of Physiology</i> , 1993, 462, 47-58.	1.3	25
234	R2D5 antigen: a calcium-binding phosphoprotein predominantly expressed in olfactory receptor neurons. <i>Journal of Cell Biology</i> , 1993, 123, 963-976.	2.3	22

#	ARTICLE	IF	CITATIONS
235	Parvalbumin-Immunoreactive Neurons in the Subcortical Auditory Pathway of the Mongolian Gerbil (<i>Meriones Unguiculatus</i>).. <i>Acta Histochemica Et Cytochemica</i> , 1993, 26, 543-554.	0.8	16
236	Calcium-Dependent Regulation of Genetically Determined Spike and Waves by the Reticular Thalamic Nucleus of Rats. <i>Epilepsia</i> , 1993, 34, 1-7.	2.6	110
237	Different Calcium ²⁺ Binding Proteins Identify Subpopulations of Vestibular Ganglion Neurons in the Rat. <i>Acta Oto-Laryngologica</i> , 1993, 113, 114-118.	0.3	31
238	Presumptive Renshaw cells contain decreased calbindin during recovery from sciatic nerve lesions.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1993, 90, 3048-3052.	3.3	36
239	Perineuronal nets of extracellular matrix around parvalbumin ⁺ containing neurons of the hippocampus. <i>Hippocampus</i> , 1993, 3, 55-60.	0.9	74
240	Calcium buffering properties of calbindin D28k and parvalbumin in rat sensory neurones.. <i>Journal of Physiology</i> , 1993, 472, 341-357.	1.3	326
241	Correlation of physiological subgroupings of nonpyramidal cells with parvalbumin- and calbindinD28k-immunoreactive neurons in layer V of rat frontal cortex. <i>Journal of Neurophysiology</i> , 1993, 70, 387-396.	0.9	511
242	Neurotransmitter profile of saccadic omnipause neurons in nucleus raphe interpositus. <i>Journal of Neuroscience</i> , 1994, 14, 2032-2046.	1.7	126
243	Discrete reduction patterns of parvalbumin and calbindin D-28k immunoreactivity in the dorsal lateral geniculate nucleus and the striate cortex of adult macaque monkeys after monocular enucleation. <i>Visual Neuroscience</i> , 1994, 11, 1-11.	0.5	61
244	Heterogeneity in calbindin-D28k expression in oxytocin-containing magnocellular neurons of the rat hypothalamus. <i>Histochemistry</i> , 1994, 101, 9-12.	1.9	13
245	Postnatal development of parvalbumin immunoreactivity in striated muscles of the rat. <i>Anatomy and Embryology</i> , 1994, 190, 301-5.	1.5	4
246	Calcium-binding protein parvalbumin-immunoreactive neurons in the rat olfactory bulb. <i>Experimental Brain Research</i> , 1994, 99, 191-204.	0.7	74
247	A subset of calretinin-positive neurons are abnormal in Alzheimer's disease. <i>Acta Neuropathologica</i> , 1994, 88, 33-43.	3.9	59
248	Poor correlation between delayed neuronal death induced by transient forebrain ischemia, and immunoreactivity for parvalbumin and calbindin D-28k in developing gerbil hippocampus. <i>Acta Neuropathologica</i> , 1994, 88, 67-74.	3.9	26
249	Identification and characterization of striatal cell subtypes using in vivo intracellular recording in rats. I. Basic physiology and response to corticostriatal fiber stimulation. <i>Synapse</i> , 1994, 16, 161-180.	0.6	27
250	Identification and characterization of striatal cell subtypes using in vivo intracellular recording and dye-labeling in rats. III. Morphological correlates and compartmental localization. <i>Synapse</i> , 1994, 16, 231-254.	0.6	29
251	Re-expression of glia-derived nexin/protease nexin 1 depends on mode of lesion-induction or terminal degeneration: Observations after excitotoxin or 6-hydroxydopamine lesions of rat substantia nigra. <i>Journal of Neuroscience Research</i> , 1994, 37, 155-168.	1.3	37
252	Cellular distribution of calbindin D28K mRNAs in the adult mouse brain. <i>Journal of Neuroscience Research</i> , 1994, 37, 287-302.	1.3	33

#	ARTICLE	IF	CITATIONS
253	Deafferentation removes calretinin immunopositive terminals, but does not induce degeneration of calbindin D-28k and parvalbumin expressing neurons in the hippocampus of adult rats. <i>Journal of Neuroscience Research</i> , 1994, 39, 298-304.	1.3	8
254	Immunohistochemical distribution of calbindin D-28k and parvalbumin in the head of the caudate nucleus and substantia nigra of the cat. <i>Journal of Morphology</i> , 1994, 221, 291-307.	0.6	15
255	Colocalization of excitatory and inhibitory neurotransmitter markers in striatal projection neurons in the rat. <i>Journal of Comparative Neurology</i> , 1994, 339, 328-340.	0.9	40
256	Distribution of cytochrome oxidase and parvalbumin in the primary visual cortex of the adult and neonate monkey, <i>Callithrix jacchus</i> . <i>Journal of Comparative Neurology</i> , 1994, 339, 519-534.	0.9	48
257	Local circuit neurons immunoreactive for calretinin, calbindin D-28k or parvalbumin in monkey prefrontal cortex: Distribution and morphology. <i>Journal of Comparative Neurology</i> , 1994, 341, 95-116.	0.9	461
258	Neurons of the medial cortex outer plexiform layer of the lizard <i>Podarcis hispanica</i> : Golgi and immunocytochemical studies. <i>Journal of Comparative Neurology</i> , 1994, 341, 184-203.	0.9	33
259	Parvalbumin, calbindin D-28k, and calretinin immunoreactivity in the ascending auditory pathway of horseshoe bats. <i>Journal of Comparative Neurology</i> , 1994, 341, 534-558.	0.9	81
260	Organization of the embryonic and early postnatal murine hippocampus. I. Immunocytochemical characterization of neuronal populations in the subplate and marginal zone. <i>Journal of Comparative Neurology</i> , 1994, 342, 571-595.	0.9	147
261	Neurochemical compartmentalization of the globus pallidus in the rat: An immunocytochemical study of calcium-binding proteins. <i>Journal of Comparative Neurology</i> , 1994, 346, 337-348.	0.9	44
262	Development of calretinin immunoreactivity in the mouse inner ear. <i>Journal of Comparative Neurology</i> , 1994, 346, 517-529.	0.9	113
263	Localisation of parvalbumin-immunoreactive structures in primate caudate-putamen. <i>Journal of Comparative Neurology</i> , 1994, 347, 340-356.	0.9	45
264	Postnatal development of parvalbumin immunoreactivity in the cerebral cortex of the cat. <i>Journal of Comparative Neurology</i> , 1994, 348, 133-149.	0.9	36
265	Termination pattern of medial hyperstriatum ventrale efferents in the archistriatum of the domestic chick. <i>Journal of Comparative Neurology</i> , 1994, 348, 394-402.	0.9	40
266	GABAergic projection from the basal forebrain to the visual sector of the thalamic reticular nucleus in the cat. <i>Journal of Comparative Neurology</i> , 1994, 348, 481-510.	0.9	66
267	Parvalbumin immunoreactivity in the thalamus of guinea pig: Light and electron microscopic correlation with gamma-aminobutyric acid immunoreactivity. <i>Journal of Comparative Neurology</i> , 1994, 348, 556-569.	0.9	38
268	Distribution of calcium-binding protein calbindin-D28k in the auditory system of adult and developing rats. <i>Journal of Comparative Neurology</i> , 1994, 349, 193-211.	0.9	87
269	A quantitative analysis of parvalbumin neurons in rabbit auditory neocortex. <i>Journal of Comparative Neurology</i> , 1994, 349, 493-511.	0.9	35
270	Cytochemical characteristics of neurons in the trigeminal mesencephalic nucleus of hatchling chicks. <i>Journal of Comparative Neurology</i> , 1994, 350, 302-310.	0.9	9

#	ARTICLE	IF	CITATIONS
271	Parvalbumin-containing GABAergic neurons in the basal ganglia output system of the rat. <i>Journal of Comparative Neurology</i> , 1994, 350, 324-336.	0.9	69
272	Transient decrease in calbindin immunoreactivity of the rat fascia dentata granule cells after repeated electroconvulsive shocks. <i>Hippocampus</i> , 1994, 4, 79-83.	0.9	23
273	Neurochemical development of the hippocampal region in the fetal rhesus monkey. II. Immunocytochemistry of peptides, calcium-binding proteins, DARPP-32, and monoamine innervation in the entorhinal cortex by the end of gestation. <i>Hippocampus</i> , 1994, 4, 85-114.	0.9	39
274	Calmodulin immunoreactivity in the chicken pineal gland: Comparison with calbindin-D28k, calretinin, and S100. <i>The Anatomical Record</i> , 1994, 238, 207-212.	2.3	11
275	The role of calcium-binding proteins in selective motoneuron vulnerability in amyotrophic lateral sclerosis. <i>Annals of Neurology</i> , 1994, 36, 846-858.	2.8	328
276	Effects of microwave pretreatment on immunocytochemical staining of vibratome sections and tissue blocks of human cerebral cortex stored in formaldehyde fixative for long periods. <i>Journal of Neuroscience Methods</i> , 1994, 55, 163-172.	1.3	51
277	Immunohistochemical demonstration of calbindin-containing nerve endings in the rat esophagus. <i>Cell and Tissue Research</i> , 1994, 278, 57-64.	1.5	28
278	Sensitization in Helix snail: Morphofunctional correlates in command neurons of withdrawal behavior. <i>Neurophysiology</i> , 1994, 25, 132-138.	0.2	0
279	Parvalbumin-like immunoreactivity in nerve fibres within human molar tooth pulps. <i>Archives of Oral Biology</i> , 1994, 39, 685-688.	0.8	3
280	Infrequent co-localization of nitric oxide synthase and calcium binding proteins immunoreactivity in rat neocortical neurons. <i>Brain Research</i> , 1994, 666, 289-294.	1.1	27
281	Parvalbumin-immunopositive neurons in rat globus pallidus: a light and electron microscopic study. <i>Brain Research</i> , 1994, 657, 31-41.	1.1	126
282	Loss of calbindin-immunoreactivity in CA1 hippocampal stratum radiatum and stratum lacunosum-moleculare interneurons in the aged rat. <i>Brain Research</i> , 1994, 661, 181-188.	1.1	45
283	Depletion and recovery of the calcium-binding proteins calbindin and parvalbumin in the pigeon optic tectum following retinal lesions. <i>Brain Research</i> , 1994, 661, 289-292.	1.1	16
284	Parvalbumin expression reveals a vibrissa-related pattern in rabbit SI cortex. <i>Brain Research</i> , 1994, 660, 225-231.	1.1	14
285	Calbindin-D28k immunoreactive neurons form two populations in the rat nucleus accumbens: a compartmental study. <i>Brain Research</i> , 1994, 656, 191-198.	1.1	12
286	Calbindin-D28k, calretinin, and recovering immunoreactivities in developing chick pineal gland. <i>Journal of Pineal Research</i> , 1994, 17, 103-111.	3.4	18
287	Axotomy-induced Changes in Ca ²⁺ Homeostasis in Rat Sympathetic Ganglion Cells. <i>European Journal of Neuroscience</i> , 1994, 6, 9-17.	1.2	26
288	Neurotrophin-4/5 Promotes Survival and Differentiation of Rat Striatal Neurons Developing in Culture. <i>European Journal of Neuroscience</i> , 1994, 6, 1669-1679.	1.2	91

#	ARTICLE	IF	CITATIONS
289	Cytosolic Ca ²⁺ -Binding Proteins during Rat Brain Ageing: Loss of Calbindin and Calretinin in the Hippocampus, with no Change in the Cerebellum. <i>European Journal of Neuroscience</i> , 1994, 6, 1491-1499.	1.2	90
290	The Purkinje cell in olivopontocerebellar atrophy. A Golgi and immunocytochemical study. <i>Neuropathology and Applied Neurobiology</i> , 1994, 20, 38-46.	1.8	41
291	Is Purkinje cell loss in Leigh's disease an excitotoxic event secondary to damage to inferior olivary nuclei?. <i>Neuropathology and Applied Neurobiology</i> , 1994, 20, 599-603.	1.8	11
292	Kindling Induces Transient Changes in Neuronal Expression of Somatostatin, Neuropeptide Y, and Calbindin in Adult Rat Hippocampus and Fascia Dentata. <i>Epilepsia</i> , 1994, 35, 1299-1308.	2.6	53
293	Cortical areas are revealed by distribution patterns of proteoglycan components and parvalbumin in the Mongolian gerbil and rat. <i>Brain Research</i> , 1994, 658, 67-86.	1.1	124
294	Induction of enhanced postnatal expression of immunoreactive calbindin-D28k in rat forebrain by the calcium antagonist nimodipine. <i>Developmental Brain Research</i> , 1994, 79, 10-18.	2.1	14
295	Expression of calcium-binding proteins in the neurotrophin-3-dependent subpopulation of rat embryonic dorsal root ganglion cells in culture. <i>Developmental Brain Research</i> , 1994, 81, 57-65.	2.1	38
296	Stimulation of GABAergic neuron differentiation by NT-4/5 in cultures of rat cerebral cortex. <i>Developmental Brain Research</i> , 1994, 80, 279-284.	2.1	57
297	The development of parvalbumin and calbindin-D28k immunoreactive interneurons in kitten visual cortical areas. <i>Developmental Brain Research</i> , 1994, 77, 1-21.	2.1	40
298	The development of parvalbumin-immunoreactivity in the neocortex of the mouse. <i>Developmental Brain Research</i> , 1994, 81, 247-259.	2.1	163
299	Postsynaptic integration of glutamatergic and dopaminergic signals in the striatum. <i>Progress in Neurobiology</i> , 1994, 44, 163-196.	2.8	189
300	Human striatum: Chemoarchitecture of the caudate nucleus, putamen and ventral striatum in health and Alzheimer's disease. <i>Neuroscience</i> , 1994, 60, 621-636.	1.1	97
301	Calbindin D-28k immunoreactivity in the rat cerebellar cortex: age-related changes. <i>Neuroscience Letters</i> , 1994, 178, 131-134.	1.0	24
302	AF64A affects septal choline acetyltransferase but not parvalbumin immunoreactive cells. <i>Brain Research Bulletin</i> , 1994, 35, 217-220.	1.4	12
303	Effects of chronic monocular enucleation on calcium binding proteins calbindin-D28k and parvalbumin in the lateral geniculate nucleus of adult rhesus monkeys. <i>Brain Research</i> , 1994, 651, 300-310.	1.1	26
304	Interaction between 5-HT _{1A} and nicotinic cholinergic receptors in the regulation of water maze navigation behavior. <i>Brain Research</i> , 1994, 649, 174-180.	1.1	26
305	Neural parvalbumin and calretinin in the tooth pulp. <i>Brain Research</i> , 1994, 647, 124-130.	1.1	42
306	Immunohistochemical localization of hyaluronic acid in rat and human brain. <i>Brain Research</i> , 1994, 635, 269-282.	1.1	71

#	ARTICLE	IF	CITATIONS
307	Combination of alkaline phosphatase in situ hybridization with immunohistochemistry: colocalization of calretinin-mRNA with calbindin and tyrosine hydroxylase immunoreactivity in rat substantia nigra neurons. <i>Brain Research</i> , 1994, 635, 293-299.	1.1	19
308	Calbindin D-28k as a marker for the associative cortical territory of the striatum in macaque. <i>Brain Research</i> , 1994, 633, 331-336.	1.1	49
309	Parvalbumin, calretinin and carbonic anhydrase in the trigeminal and spinal primary neurons of the rat. <i>Brain Research</i> , 1994, 655, 241-245.	1.1	94
310	Relationship of calbindin D-28k with afferent neurons to the rostral ventrolateral medulla in the rat. <i>Brain Research</i> , 1994, 645, 265-277.	1.1	15
311	Synaptic contacts between mitral/tufted cells and GABAergic neurons containing calcium-binding protein parvalbumin in the rat olfactory bulb, with special reference to reciprocal synapses between them. <i>Brain Research</i> , 1994, 650, 347-352.	1.1	58
312	Brainstem dopaminergic, cholinergic and serotonergic afferents to the pallidum in the squirrel monkey. <i>Brain Research</i> , 1994, 640, 155-170.	1.1	74
313	Subcellular localization of the inositol 1,4,5-triphosphate receptor, P400, in the vestibular complex and dorsal cochlear nucleus of the rat. <i>Brain Research</i> , 1994, 634, 191-202.	1.1	9
314	A comparative study of the calcium-binding proteins calbindin-D28K, calretinin, calmodulin and parvalbumin in the rat spinal cord. <i>Brain Research Reviews</i> , 1994, 19, 163-179.	9.1	172
315	Effect of treatment with the dihydropyridine-type calcium antagonist darodipine (PY 108-068) on the expression of neurofilament protein immunoreactivity in the cerebellar cortex of aged rats. <i>Mechanisms of Ageing and Development</i> , 1994, 75, 169-177.	2.2	4
316	Targeted disruption of the BDNF gene perturbs brain and sensory neuron development but not motor neuron development. <i>Cell</i> , 1994, 76, 989-999.	13.5	1,005
317	Perineuronal nets "a specialized form of extracellular matrix in the adult nervous system. <i>Brain Research Reviews</i> , 1994, 19, 128-145.	9.1	342
318	Inositol 1,4,5-Trisphosphate receptor causes formation of ER cisternal stacks in transfected fibroblasts and in cerebellar purkinje cells. <i>Neuron</i> , 1994, 12, 327-342.	3.8	146
319	Distribution of calretinin, calbindin-D28k, and parvalbumin in the rat thalamus. <i>Brain Research Bulletin</i> , 1994, 33, 595-614.	1.4	127
320	Purkinje-like cells in rat cochlear nucleus. <i>Hearing Research</i> , 1994, 72, 143-158.	0.9	18
321	Immunohistochemical localization of calbindin-D28K in telencephalic regions of microencephalic rats. <i>Neuroscience Letters</i> , 1994, 171, 41-44.	1.0	7
322	Long-lasting effects of chronic neonatal blockade of N-methyl-d-aspartate receptor through the competitive antagonist CGP 39551 in rats. <i>Neuroscience</i> , 1994, 60, 343-353.	1.1	29
323	Synaptic input and output of parvalbumin-immunoreactive neurons in the neostriatum of the rat. <i>Neuroscience</i> , 1994, 62, 707-719.	1.1	237
324	Differences in Ca ²⁺ permeability of AMPA-type glutamate receptor channels in neocortical neurons caused by differential GluR-B subunit expression. <i>Neuron</i> , 1994, 12, 1281-1289.	3.8	635

#	ARTICLE	IF	CITATIONS
325	Mapping of perineuronal nets in the rat brain stained by colloidal iron hydroxide histochemistry and lectin cytochemistry. <i>Neuroscience</i> , 1994, 58, 371-388.	1.1	135
326	Immunohistochemical localization of calcium-binding proteins in the human cutaneous sensory corpuscles. <i>Neuroscience Letters</i> , 1994, 168, 247-250.	1.0	16
327	Cortical neurons containing calretinin are selectively resistant to calcium overload and excitotoxicity in vitro. <i>Neuroscience</i> , 1994, 61, 307-316.	1.1	153
328	Parvalbumin Immunoreactivity and Cytochrome Oxidase Activity in the Brain of the Mongolian Gerbil.. <i>Acta Histochemica Et Cytochemica</i> , 1994, 27, 309-321.	0.8	10
329	Calcium-Binding Proteins in the Central Nervous System.. <i>Acta Histochemica Et Cytochemica</i> , 1994, 27, 93-106.	0.8	39
330	Calbindin D-28k and parvalbumin expression in mitotic cells of rat primary cortical cultures. <i>NeuroReport</i> , 1995, 6, 1137-1140.	0.6	1
331	Calbindinâ€D28k: role in determining intrinsically generated firing patterns in rat supraoptic neurones.. <i>Journal of Physiology</i> , 1995, 488, 601-608.	1.3	101
332	Regulation of calcium homoeostasis in neurons: the role of calcium-binding proteins. <i>Biochemical Society Transactions</i> , 1995, 23, 629-632.	1.6	47
333	Calbindin-D28K Localization in the Primate Inner Ear. <i>Orl</i> , 1995, 57, 94-99.	0.6	24
334	Alteration in Levels of Expression of Brain Calbindin D-28k and Calretinin mRNA in Genetically Epilepsy-Prone Rats. <i>Epilepsia</i> , 1995, 36, 911-921.	2.6	24
335	Interaction of Polyamines with the Ca ²⁺ -binding Protein Parvalbumin. <i>FEBS Journal</i> , 1995, 230, 498-502.	0.2	2
336	Insulin-like growth factor I is an afferent trophic signal that modulates calbindin-28kD in adult Purkinje cells. <i>Journal of Neuroscience Research</i> , 1995, 42, 371-376.	1.3	32
337	Calcium-binding Proteins in Avian Herbst and Grandry sensory corpuscles. <i>The Anatomical Record</i> , 1995, 243, 272-281.	2.3	7
338	Correlation of anoxic neuronal responses and calbindin-D28k localization in stratum pyramidale of rat hippocampus. <i>Hippocampus</i> , 1995, 5, 25-39.	0.9	19
339	Connection matrix of the hippocampal formation: I. The dentate gyrus. <i>Hippocampus</i> , 1995, 5, 245-286.	0.9	119
340	Co-localization of somatostatin mRNA and parvalbumin in the dorsal rat hippocampus after cerebral ischemia. <i>Hippocampus</i> , 1995, 5, 341-348.	0.9	14
341	NADPH-diaphorase active and calbindin D-28k-immunoreactive neurons and fibers in the olfactory bulb of the hedgehog (<i>Erinaceus europaeus</i>). <i>Journal of Comparative Neurology</i> , 1995, 351, 307-327.	0.9	45
342	Evidence for a high density of secretoneurin-like immunoreactivit in the extended amygdala of the rat. <i>Journal of Comparative Neurology</i> , 1995, 353, 275-290.	0.9	18

#	ARTICLE	IF	CITATIONS
343	Spindle neurons of the human anterior cingul. Ate cortex. Journal of Comparative Neurology, 1995, 355, 27-37.	0.9	226
344	All amacrine cell population in the rabbit retina: Identification by parvalbumin immunoreactivity. Journal of Comparative Neurology, 1995, 356, 132-142.	0.9	73
345	Distribution of calcium-binding proteins within the parallel visual pathways of a primate (Galago) Tj ETQq0 0 0 rgBT/Overlock 10 Tf 50 6	0.9	84
346	Cerebellar Purkinje cells from the Lurcher mutant and wild-type mouse grown in vitro: A light and electron microscope study. Journal of Comparative Neurology, 1995, 357, 161-179.	0.9	8
347	Different climbing fibres innervate separate dendritic regions of the same purkinje cell in hypogranular cerebellum. Journal of Comparative Neurology, 1995, 357, 395-407.	0.9	69
348	Human orbitofrontal cortex: Cytoarchitecture and quantitative immunohistochemical parcellation. Journal of Comparative Neurology, 1995, 359, 48-68.	0.9	153
349	Histological identification of premotor neurons for horizontal saccades in monkey and man by parvalbumin immunostaining. Journal of Comparative Neurology, 1995, 359, 350-363.	0.9	86
350	Complementary expression of parvalbumin and calbindin D-28k delineates subdivisions of the rabbit medial geniculate body. Journal of Comparative Neurology, 1995, 359, 595-612.	0.9	53
351	Distribution of parvalbumin-immunoreactive cells and fibers in the human amygdaloid complex. Journal of Comparative Neurology, 1995, 360, 185-212.	0.9	111
352	Calretinin immunoreactive structures in the human hippocampal formation. Journal of Comparative Neurology, 1995, 360, 475-487.	0.9	57
353	Development of calretinin immunoreactivity in the neocortex of the rat. Journal of Comparative Neurology, 1995, 361, 177-192.	0.9	103
354	Developmental changes in calretinin expression in GABAergic and nonGABAergic neurons in monkey striate cortex. Journal of Comparative Neurology, 1995, 363, 78-92.	0.9	44
355	Neurochemical subdivisions of the inferior pulvinar in macaque monkeys. Journal of Comparative Neurology, 1995, 363, 545-562.	0.9	105
356	Intracerebroventricular kainic acid administration in adult rat alters hippocampal calbindin and non-phosphorylated neurofilament expression. Journal of Comparative Neurology, 1995, 363, 581-599.	0.9	46
357	Electron microscopic imaging of multiple markers in glutaraldehyde fixed CNS tissue of Macaca fascicularis: maximizing information from a single experimental animal. Journal of Neuroscience Methods, 1995, 56, 145-154.	1.3	2
358	Preservation of the structural integrity of a freshly lesioned or transplanted mouse neocortex and the immunoreactivity of cell-specific marker proteins in demineralized histological material. Journal of Neuroscience Methods, 1995, 62, 55-63.	1.3	1
359	Transient co-localization of calretinin, parvalbumin, and calbindin-D28k in developing visual cortex of monkey. Journal of Neurocytology, 1995, 24, 825-837.	1.6	65
360	Parvalbumin-immunoreactive neurons in the entorhinal cortex of the rat: localization, morphology, connectivity and ultrastructure. Journal of Neurocytology, 1995, 24, 135-153.	1.6	115

#	ARTICLE	IF	CITATIONS
361	Postnatal development of calbindin-D28k immunoreactivity in the cerebral cortex of the cat. <i>Anatomy and Embryology</i> , 1995, 192, 369-384.	1.5	17
362	Distribution pattern of three neural calcium-binding proteins (NCS-1, VILIP and recoverin) in chicken, bovine and rat retina. <i>The Histochemical Journal</i> , 1995, 27, 524-535.	0.6	36
363	Development of calretinin-immunoreactive unipolar brush-like cells and an afferent pathway to the embryonic and early postnatal mouse cerebellum. <i>Anatomy and Embryology</i> , 1995, 191, 541-59.	1.5	55
364	The colocalization of parvalbumin and calbindin-D28k with GABA in the subnucleus caudalis of the rat spinal trigeminal nucleus. <i>Experimental Brain Research</i> , 1995, 103, 402-8.	0.7	27
365	Axonal swellings in cerebellar white matter of groggy mutant rat. <i>Acta Neuropathologica</i> , 1995, 90, 486-492.	3.9	3
366	Distribution of OMP-, PGP 9.5- and CaBP-like immunoreactive chemoreceptor neurons in the developing human olfactory epithelium. <i>Anatomy and Embryology</i> , 1995, 191, 311-317.	1.5	23
367	Antibodies to calcium channels from ALS patients passively transferred to mice selectively increase intracellular calcium and induce ultrastructural changes in motoneurons. <i>Synapse</i> , 1995, 20, 185-199.	0.6	81
368	Postnatal Development of GABA Neurons in the Rat Somatosensory Barrel Cortex: A Quantitative Study. <i>European Journal of Neuroscience</i> , 1995, 7, 419-430.	1.2	66
369	Immunohistochemical Localization of Five Members of the KV1 Channel Subunits: Contrasting Subcellular Locations and Neuron-specific Co-localizations in Rat Brain. <i>European Journal of Neuroscience</i> , 1995, 7, 2189-2205.	1.2	310
370	Calcium Deposit Formation and Glial Reaction in Rat Brain after Ibotenic Acid-induced Basal Forebrain Lesion. <i>European Journal of Neuroscience</i> , 1995, 7, 1569-1578.	1.2	34
371	Up-regulation of calretinin in the supraoptic nucleus of the rat after chronic salt loading. <i>Brain Research</i> , 1995, 673, 339-343.	1.1	7
372	Parvalbumin and calbindin D-28k in vagal and glossopharyngeal sensory neurons of the rat. <i>Brain Research</i> , 1995, 675, 337-341.	1.1	33
373	Distribution of calbindin-D28K in the brain of the fetal sheep in late gestation. <i>Brain Research</i> , 1995, 675, 303-315.	1.1	8
374	Calretinin-immunoreactive neurons in the human striatum. <i>Brain Research</i> , 1995, 674, 347-351.	1.1	41
375	The thalamic reticular nucleus does not send commissural projection to the contralateral parafascicular nucleus in the rat. <i>Brain Research</i> , 1995, 679, 123-134.	1.1	12
376	Parvalbumin- and calretinin-immunoreactive trigeminal neurons innervating the rat molar tooth pulp. <i>Brain Research</i> , 1995, 679, 205-211.	1.1	47
377	Immunohistochemical localization of neurocalcin in the rat inner ear. <i>Brain Research</i> , 1995, 680, 128-134.	1.1	22
378	The AMPA antagonist NBQX protects thalamic reticular neurons from degeneration following cardiac arrest in rats. <i>Brain Research</i> , 1995, 683, 117-128.	1.1	12

#	ARTICLE	IF	CITATIONS
379	Calbindin D-28k immunoreactivity in the rat accessory olfactory bulb. <i>Brain Research</i> , 1995, 689, 93-100.	1.1	12
380	Calretinin-immunoreactive neurons in the normal human temporal cortex and in Alzheimer's disease. <i>Brain Research</i> , 1995, 691, 83-91.	1.1	81
381	Regional and cellular expression sites of the $\alpha 1$ subunit of GABAA receptors in the rat basal forebrain: a cytochemical study with glutamic acid decarboxylase, choline acetyltransferase, calcium-binding proteins and nitric oxide synthase as second markers. <i>Brain Research</i> , 1995, 692, 215-226.	1.1	37
382	Moderate elevation of extracellular potassium transiently inhibits regeneration of sensory axons in cultured adult sciatic nerves. <i>Brain Research</i> , 1995, 693, 148-154.	1.1	2
383	S-100 β has a neuronal localisation in the rat hindbrain revealed by an antigen retrieval method. <i>Brain Research</i> , 1995, 696, 49-61.	1.1	80
384	Region-specific alterations of calbindin-D28k immunoreactivity in the rat hippocampus following adrenalectomy and corticosterone treatment. <i>Brain Research</i> , 1995, 696, 89-96.	1.1	23
385	Heterogeneous distribution of neurons containing calbindin D-28k and/or parvalbumin in the rat red nucleus. <i>Brain Research</i> , 1995, 696, 121-126.	1.1	16
386	β -Amyloid(1-42) affects cholinergic but not parvalbumin-containing neurons in the septal complex of the rat. <i>Brain Research</i> , 1995, 698, 270-274.	1.1	62
387	Embryonic cortical neurons differentiate into various types of interneurons when heterotopically transplanted into the adult rat brain. <i>Brain Research</i> , 1995, 704, 210-217.	1.1	3
388	Two different types of thalamic fibers innervate the rat striatum. <i>Brain Research</i> , 1995, 701, 288-292.	1.1	53
389	Calbindin-D28K Localization in the Primate Inner Ear. , 1995, , 94-99.		2
390	Repeated treatment with haloperidol and clozapine exerts differential effects on dye coupling between neurons in subregions of striatum and nucleus accumbens. <i>Journal of Neuroscience</i> , 1995, 15, 7024-7036.	1.7	43
391	The potassium channel subunit KV3.1b is localized to somatic and axonal membranes of specific populations of CNS neurons. <i>Journal of Neuroscience</i> , 1995, 15, 4298-4314.	1.7	217
392	Bulbar Morphology and Expression of Bulbar Dopamine and Parvalbumin in Experimentally-induced Anosmic Rats. <i>Acta Oto-Laryngologica</i> , 1995, 115, 539-542.	0.3	5
393	The Morphologic and Neurochemical Basis of Dementia: Aging, Hierarchical Patterns of Lesion Distribution and Vulnerable Neuronal Phenotype. <i>Reviews in the Neurosciences</i> , 1995, 6, 97-124.	1.4	28
394	Igf1 gene disruption results in reduced brain size, CNS hypomyelination, and loss of hippocampal granule and striatal parvalbumin-containing neurons. <i>Neuron</i> , 1995, 14, 717-730.	3.8	601
395	Tonic inhibition originates from synapses close to the soma. <i>Neuron</i> , 1995, 14, 1273-1283.	3.8	207
396	Calbindin D28k mRNA in hippocampus, superior temporal gyrus and cerebellum: comparison between control and Alzheimer disease subjects. <i>Molecular Brain Research</i> , 1995, 30, 362-366.	2.5	25

#	ARTICLE	IF	CITATIONS
397	Developmental expression of parvalbumin mRNA in the cerebral cortex and hippocampus of the rat. <i>Molecular Brain Research</i> , 1995, 32, 1-13.	2.5	115
398	Quantitative measurement of neuronal calbindin-D28k by radioimmunocytochemistry. <i>Molecular Brain Research</i> , 1995, 32, 82-86.	2.5	5
399	Molecular cloning and expression of $\hat{\pm}$ parvalbumin in the guinea pig cochlea. <i>Molecular Brain Research</i> , 1995, 34, 337-342.	2.5	18
400	Chemical anatomy of primate basal ganglia. <i>Progress in Neurobiology</i> , 1995, 46, 131-197.	2.8	134
401	Distribution of parvalbumin-containing interneurons in the hippocampus of the gerbil "a qualitative and quantitative statistical analysis. <i>Journal of Chemical Neuroanatomy</i> , 1995, 9, 135-147.	1.0	18
402	Effect of treatment with the dihydropyridine-type calcium antagonist darodipine (PY 108-068) on the expression of calbindin d-28k immunoreactivity in the cerebellar cortex of aged rats. <i>Mechanisms of Ageing and Development</i> , 1995, 77, 149-157.	2.2	10
403	Ultrastructural differences of hippocampal lipofuscin in human development. <i>Mechanisms of Ageing and Development</i> , 1995, 79, 59-70.	2.2	5
404	Brainstem motoneuron pools that are selectively resistant in amyotrophic lateral sclerosis are preferentially enriched in parvalbumin: Evidence from monkey brainstem for a calcium-mediated mechanism in sporadic ALS. <i>Experimental Neurology</i> , 1995, 131, 239-250.	2.0	105
405	Cholinergic and gabaergic neurons in the nucleus basalis region of young and aged rats. <i>Neuroscience</i> , 1995, 67, 679-688.	1.1	91
406	Calbindin-D 28k immunoreactivity in the cerebellum of spinocerebellar degeneration. <i>Journal of the Neurological Sciences</i> , 1995, 129, 179-185.	0.3	40
407	Distribution of calretinin mRNA in the vestibular nuclei of rat and guinea pig and the effects of unilateral labyrinthectomy: a non-radioactive in situ hybridization study. <i>Molecular Brain Research</i> , 1995, 28, 1-11.	2.5	23
408	Age-related changes in parvalbumin- and GABA-immunoreactive cells in the rat septum. <i>Neurobiology of Aging</i> , 1995, 16, 29-40.	1.5	45
409	Quinolinic acid-induced increases in calbindin D28k immunoreactivity in rat striatal neurons in vivo and in vitro mimic the pattern seen in Huntington's disease. <i>Neuroscience</i> , 1995, 65, 397-407.	1.1	68
410	Development of direct GABAergic projections from the zona incerta to the somatosensory cortex of the rat. <i>Neuroscience</i> , 1995, 65, 609-631.	1.1	70
411	Selective quantitative analysis of the intensity of immunohistochemical reactions. <i>Acta Histochemica</i> , 1995, 97, 203-211.	0.9	10
412	Distribution of parvalbumin immunoreactivity in the cat diencephalon. <i>Brain Research Bulletin</i> , 1995, 36, 393-398.	1.4	12
413	Calcium-binding proteins in the spiral ganglion of the monkey, <i>Callithrix jacchus</i> . <i>Hearing Research</i> , 1995, 86, 89-99.	0.9	17
414	Localization of neurocalcin-like immunoreactivity in rat cranial motoneurons and spinal cord interneurons. <i>Neuroscience Letters</i> , 1995, 183, 100-103.	1.0	17

#	ARTICLE	IF	CITATIONS
415	Ageing affects cytosolic Ca ²⁺ binding proteins and synaptic markers in the retina but not in cerebral cortex neurons of the rat. <i>Neuroscience Letters</i> , 1995, 186, 65-68.	1.0	26
416	Differential distribution of calbindin-D28k and parvalbumin in somatic and visceral sensory neurons. <i>Neuroscience</i> , 1995, 68, 883-892.	1.1	75
417	Calbindin D28k-containing neurons are restricted to the medial substantia nigra in humans. <i>Neuroscience</i> , 1995, 65, 87-91.	1.1	53
418	Distribution of calbindin D-28k immunoreactivity in the cochlear nucleus of the young adult chinchilla. <i>Hearing Research</i> , 1995, 85, 53-68.	0.9	29
419	Repeated asphyxia causes loss of striatal projection neurons in the fetal sheep brain. <i>Neuroscience</i> , 1995, 65, 827-836.	1.1	82
420	Distribution of limbic system-associated membrane protein immunoreactivity in primate basal ganglia. <i>Neuroscience</i> , 1995, 69, 71-81.	1.1	42
421	Chemically defined neuron groups and their subpopulations in the glomerular layer of the rat main olfactory bulb. <i>Neuroscience Research</i> , 1995, 23, 73-88.	1.0	169
422	Innervation of burst firing spiny interneurons by pyramidal cells in deep layers of rat somatomotor cortex: Paired intracellular recordings with biocytin filling. <i>Neuroscience</i> , 1995, 69, 739-755.	1.1	83
423	Extrinsic and intrinsic substance P innervation of the rat lateral septal area calbindin cells. <i>Neuroscience</i> , 1995, 69, 1205-1221.	1.1	26
424	Distribution of the calcium binding proteins, calbindin D-28K and parvalbumin, in the subicular complex of the adult mouse. <i>Neuroscience Research</i> , 1995, 22, 89-107.	1.0	25
425	The effects of antipsychotic drugs on fos protein expression in the prefrontal cortex: Cellular localization and pharmacological characterization. <i>Neuroscience</i> , 1996, 70, 377-389.	1.1	138
426	Neural dynamics in cortex-striatum co-cultures. <i>Anatomy and electrophysiology of neuronal cell types</i> . <i>Neuroscience</i> , 1996, 70, 861-891.	1.1	72
427	The distribution of two calcium binding proteins, calbindin D-28K and parvalbumin, in the entorhinal cortex of the adult mouse. <i>Neuroscience Research</i> , 1996, 24, 329-343.	1.0	47
428	Calcium-binding proteins in primate basal ganglia. <i>Neuroscience Research</i> , 1996, 25, 309-334.	1.0	116
429	Age-related loss of calcium binding proteins in rabbit hippocampus. <i>Neurobiology of Aging</i> , 1996, 17, 459-465.	1.5	65
430	Distribution of parvalbumin immunoreactivity in the neocortex of hypothyroid adult rats. <i>Neuroscience Letters</i> , 1996, 204, 65-68.	1.0	67
431	Development of GABA and calcium binding proteins immunoreactivity in the rat hippocampus following neonatal anoxia. <i>Neuroscience Letters</i> , 1996, 211, 93-96.	1.0	39
432	Calbindin D28k-like immunoreactivity in the gustatory epithelium in the rat. <i>Neuroscience Letters</i> , 1996, 214, 29-32.	1.0	9

#	ARTICLE	IF	CITATIONS
433	Electron microscopic serial-sectioning/reconstruction study of parvalbumin-containing neurons in the external plexiform layer of the rat olfactory bulb. <i>Neuroscience</i> , 1996, 72, 449-466.	1.1	72
434	Neurotrophin-4/5 selectively protects nigral calbindin-containing neurons in rats with medial forebrain bundle transections. <i>Neuroscience</i> , 1996, 72, 911-921.	1.1	26
435	Correlated morphological and neurochemical features identify different subsets of vasoactive intestinal polypeptide-immunoreactive interneurons in rat hippocampus. <i>Neuroscience</i> , 1996, 73, 299-315.	1.1	176
436	Differential distribution of calcium-binding proteins in the dorsal column nuclei of rats: a combined immunohistochemical and retrograde tract tracing study. <i>Neuroscience</i> , 1996, 73, 497-508.	1.1	19
437	Midbrain dopaminergic neurons in the mouse: co-localization with Calbindin-D28k and calretinin. <i>Neuroscience</i> , 1996, 75, 523-533.	1.1	89
438	Calbindin-D28k-immunoreactive cells and fibres in the human amygdaloid complex. <i>Neuroscience</i> , 1996, 75, 421-443.	1.1	46
439	THE PROTEOGLYCAN DSDA α 1 α CPG OCCURS IN PERINEURONAL NETS AROUND PARVALBUMIN α IMMUNOREACTIVE INTERNEURONS OF THE RAT CEREBRAL CORTEX. <i>International Journal of Developmental Neuroscience</i> , 1996, 14, 249-255.	0.7	42
440	Calretinin immunoreactivity in the thalamus of the squirrel monkey. <i>Journal of Chemical Neuroanatomy</i> , 1996, 10, 101-117.	1.0	26
441	Distribution of neurofilament protein and calcium-binding proteins parvalbumin, calbindin, and calretinin in the canine hippocampus. <i>Journal of Chemical Neuroanatomy</i> , 1996, 11, 1-12.	1.0	46
442	Calreticulin expression in spinal motoneurons of the rat. <i>Journal of Chemical Neuroanatomy</i> , 1996, 11, 57-65.	1.0	10
443	Distribution of neuronal populations containing neurofilament protein and calcium-binding proteins in the canine neocortex: regional analysis and cell typology. <i>Journal of Chemical Neuroanatomy</i> , 1996, 11, 81-98.	1.0	47
444	Distribution of NADPHdiaphorase and calbindin-D28k neurons in the lateral septal area of the guinea pig, with special reference to the enkephalinergic hypothalamo-septal tract. <i>Journal of Chemical Neuroanatomy</i> , 1996, 11, 199-207.	1.0	6
445	The neurotoxin MPTP increases calbindin-D28k levels in mouse midbrain dopaminergic neurons. <i>Molecular Brain Research</i> , 1996, 36, 329-336.	2.5	27
446	Expression of the calcium-binding protein, parvalbumin, in cultured cortical neurons using a HSV-1 vector system enhances NMDA neurotoxicity. <i>Molecular Brain Research</i> , 1996, 40, 285-296.	2.5	21
447	Purkinje neurons express the SERCA3 isoform of the organellar type Ca ²⁺ -transport ATPase. <i>Molecular Brain Research</i> , 1996, 41, 169-174.	2.5	35
448	Hypoxia and brain development. <i>Progress in Neurobiology</i> , 1996, 49, 1-51.	2.8	229
449	Synaptic mechanisms and calcium binding proteins in the aged rat brain. <i>Life Sciences</i> , 1996, 59, 421-428.	2.0	28
450	Parvalbumin-Immunoreactive Neurons Are Not Affected by Trimethyltin-Induced Neurodegeneration in the Rat Hippocampus. <i>Experimental Neurology</i> , 1996, 139, 269-277.	2.0	46

#	ARTICLE	IF	CITATIONS
451	Synaptic Distribution of the AMPA-GluR2 Subunit and Its Colocalization with Calcium-Binding Proteins in Rat Cerebral Cortex: An Immunohistochemical Study Using a GluR2-Specific Monoclonal Antibody. <i>Experimental Neurology</i> , 1996, 142, 296-312.	2.0	114
452	Substantia Nigra Pars Reticulata Neurons in Parkinson's Disease. <i>Experimental Neurology</i> , 1996, 5, 49-55.	1.7	56
453	Distribution of calcium-binding protein immunoreactivities in the guinea pig auditory brainstem. <i>Anatomy and Embryology</i> , 1996, 194, 465-87.	1.5	61
454	Calretinin immunoreactivity in human sympathetic ganglia. <i>Anatomy and Embryology</i> , 1996, 194, 373-8.	1.5	7
455	Cytosolic Ca ²⁺ buffering, a cell property that in some neurons markedly decreases during aging, has a protective effect against nmda/nitric oxide-induced excitotoxicity. <i>Life Sciences</i> , 1996, 59, 389-397.	2.0	16
456	Compartmentalization of calbindin and parvalbumin in different parts of rat rubrospinal neurons. <i>Neuroscience</i> , 1996, 74, 427-434.	1.1	26
457	The chemical heterogeneity of cortical interneurons: Nitric oxide synthase vs. calbindin and parvalbumin immunoreactivity in the rat. <i>Brain Research Bulletin</i> , 1996, 39, 261-266.	1.4	29
458	Calbindin-D28k mRNA expression in magnocellular hypothalamic neurons of female rats during parturition, lactation and following dehydration. <i>Molecular Brain Research</i> , 1996, 42, 279-286.	2.5	5
459	Glutamine synthetase and glutamate metabolism in the guinea pig cochlea. <i>Hearing Research</i> , 1996, 101, 93-101.	0.9	37
460	Turned on by Ca ²⁺ ! The physiology and pathology of Ca ²⁺ -binding proteins in the retina. <i>Trends in Neurosciences</i> , 1996, 19, 547-554.	4.2	287
461	Dopaminergic and gabaergic interneurons of the olfactory bulb are derived from the neonatal subventricular zone. <i>International Journal of Developmental Neuroscience</i> , 1996, 14, 921-930.	0.7	143
462	Chapter 3 Neurochemical microcircuitry underlying visual and oculomotor function in the cat superior colliculus. <i>Progress in Brain Research</i> , 1996, 112, 35-55.	0.9	45
463	Ultrastructural localization of β -parvalbumin in the epiphyseal plate cartilage and bone of growing rats. <i>Bone</i> , 1996, 19, 245-253.	1.4	2
464	Fibroblast growth factor-2 protects entorhinal layer II glutamatergic neurons from axotomy-induced death. <i>Journal of Neuroscience</i> , 1996, 16, 886-898.	1.7	95
465	Upregulation of BDNF mRNA Expression in the Barrel Cortex of Adult Mice after Sensory Stimulation. <i>Journal of Neuroscience</i> , 1996, 16, 4411-4419.	1.7	163
466	Expression of NGF and NT3 mRNAs in Hippocampal Interneurons Innervated by the GABAergic Septohippocampal Pathway. <i>Journal of Neuroscience</i> , 1996, 16, 3991-4004.	1.7	80
467	Contingent Vulnerability of Entorhinal Parvalbumin-Containing Neurons in Alzheimer's Disease. <i>Journal of Neuroscience</i> , 1996, 16, 3311-3321.	1.7	79
468	Persistent dentate granule cell hyperexcitability after neonatal infection with lymphocytic choriomeningitis virus. <i>Journal of Neuroscience</i> , 1996, 16, 220-228.	1.7	46

#	ARTICLE	IF	CITATIONS
469	Interneurons Containing Calretinin Are Specialized to Control Other Interneurons in the Rat Hippocampus. <i>Journal of Neuroscience</i> , 1996, 16, 3397-3411.	1.7	460
470	Progressive loss of glutamic acid decarboxylase, parvalbumin, and calbindin D28K immunoreactive neurons in the cerebral cortex and hippocampus of adult rat with experimental hydrocephalus. <i>Neurosurgical Focus</i> , 1996, 1, E5.	1.0	0
471	GERIATRIC BIOSCIENCE: Hippocampal and Neocortical Involvement in Normal Brain Aging and Dementia: Morphological and Neurochemical Profile of the Vulnerable Circuits. <i>Journal of the American Geriatrics Society</i> , 1996, 44, 857-864.	1.3	19
472	Chapter III The olfactory system. <i>Handbook of Chemical Neuroanatomy</i> , 1996, , 469-573.	0.3	11
473	Chapter 22 Pre- and postnatal expression of amino acid neurotransmitters, calcium binding proteins, and nitric oxide synthase in the developing superior colliculus. <i>Progress in Brain Research</i> , 1996, 108, 313-332.	0.9	15
474	Calbindin and parvalbumin immunoreactivity in the developing and adult human retina. <i>Developmental Brain Research</i> , 1996, 93, 23-32.	2.1	28
475	Dimorphic expression of calbindin-D28K in the medial basal hypothalamus from perinatal male and female rats. <i>Developmental Brain Research</i> , 1996, 96, 281-284.	2.1	32
476	The Ca ²⁺ -binding proteins parvalbumin and oncomodulin and their genes: new structural and functional findings. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 1996, 1306, 39-54.	2.4	121
477	Coexistence of parvalbumin and GABA in nonpyramidal neurons of the rat entorhinal cortex. <i>Brain Research</i> , 1996, 706, 113-122.	1.1	49
478	Synaptophysin immunoreactivity and distributions of calcium-binding proteins highlight the functional organization of the rat's dorsal column nuclei. <i>Brain Research</i> , 1996, 707, 31-46.	1.1	18
479	Partial coexistence of neuropeptide Y and calbindin D28k in the trigeminal ganglion following peripheral axotomy of the inferior alveolar nerve in the rat. <i>Brain Research</i> , 1996, 707, 228-234.	1.1	14
480	Corticostriatal projections from layer V cells in rat are collaterals of long-range corticofugal axons. <i>Brain Research</i> , 1996, 709, 311-315.	1.1	150
481	Calbindin-containing non-specific thalamocortical projecting neurons in the rat. <i>Brain Research</i> , 1996, 711, 50-55.	1.1	11
482	Calretinin is largely localized to a unique population of striatal interneurons in rats. <i>Brain Research</i> , 1996, 709, 145-150.	1.1	52
483	Parvalbumin-like immunoreactivity of layer V pyramidal cells in the motor and somatosensory cortex of adult primates. <i>Brain Research</i> , 1996, 712, 353-357.	1.1	50
484	Calbindin-28k-immunoreactivity in the trigeminal ganglion neurons and molar tooth pulp of the rat. <i>Brain Research</i> , 1996, 715, 71-78.	1.1	34
485	Prolonged induction of c-fos in neuropeptide Y-and somatostatin-immunoreactive neurons of the rat dentate gyrus after electroconvulsive stimulation. <i>Brain Research</i> , 1996, 720, 111-119.	1.1	71
486	Neurocalcin immunoreactivity in the rat accessory olfactory bulb. <i>Brain Research</i> , 1996, 729, 82-89.	1.1	12

#	ARTICLE	IF	CITATIONS
487	Calretinin is differentially localized in magnocellular oxytocin neurons of the rat hypothalamus. A double-labeling immunofluorescence study. <i>Brain Research</i> , 1996, 735, 154-158.	1.1	0
488	Prolonged subordination stress increases Calbindin-D28k immunoreactivity in the rat hippocampal CA1 area. <i>Brain Research</i> , 1996, 729, 289-293.	1.1	24
489	The effects of peripheral nerve injury of the masseteric nerve on the levels of calcium binding proteins and neuropeptide Y, and their correlation in the mesencephalic trigeminal nucleus of the rat. <i>Brain Research</i> , 1996, 735, 249-256.	1.1	13
490	Chronic morphine decreases calbindin D28k immunoreactivity in a subset of cerebellar Purkinje neurons of rat brain. <i>Brain Research</i> , 1996, 734, 123-134.	1.1	19
491	Coexistence of calbindin D-28k and NADPH-diaphorase in vagal and glossopharyngeal sensory neurons of the rat. <i>Brain Research</i> , 1996, 735, 325-329.	1.1	29
492	Trends in the anatomical organization and functional significance of the mammalian thalamus. <i>Italian Journal of Neurological Sciences</i> , 1996, 17, 105-129.	0.1	18
493	The regional distribution of neuronal glycogen in the opossum brain, with special reference to hypothalamic systems. <i>Journal of Neurocytology</i> , 1996, 25, 455-463.	1.6	8
494	Parvalbumin and calbindin D28 k immunoreactivity in dorsal root ganglia in acquired immunodeficiency syndrome. <i>Neuropathology and Applied Neurobiology</i> , 1996, 22, 293-301.	1.8	11
495	Differentiation of Purkinje cells in cerebellar slice cultures: an immunocytochemical and Golgi EM study. <i>Neuropathology and Applied Neurobiology</i> , 1996, 22, 361-369.	1.8	43
496	Parvalbumin-immunoreactive nerve endings in the periodontal ligaments of rat teeth. <i>Archives of Oral Biology</i> , 1996, 41, 1087-1090.	0.8	18
497	Fos induction in subtypes of cerebrocortical neurons following single picrotoxin-induced seizures. <i>Brain Research</i> , 1996, 738, 301-312.	1.1	19
498	Differential age-dependent effects of retinal deafferentation upon calbindin and parvalbumin-immunoreactive neurons in the superficial layers of the rat's superior colliculus. <i>Brain Research</i> , 1996, 740, 208-214.	1.1	21
499	Calretinin mRNA and immunoreactivity in the medullary reticular formation of the rat: colocalization with glutamate receptors. <i>Brain Research</i> , 1996, 741, 123-133.	1.1	35
500	Striatal interneurons in Huntington's disease: Selective increase in the density of calretinin-immunoreactive medium-sized neurons. <i>Movement Disorders</i> , 1996, 11, 619-626.	2.2	72
501	Cytoarchitectural distribution of calcium binding proteins in midbrain dopaminergic regions of rats and humans. , 1996, 364, 121-150.		164
502	Glutamatergic inputs from the pedunculopontine nucleus to midbrain dopaminergic neurons in primates:Phaseolus vulgaris-leucoagglutinin anterograde labeling combined with postembedding glutamate and GABA immunohistochemistry. , 1996, 364, 254-266.		234
503	Local circuit neurons in the medial prefrontal cortex (areas 24a,b,c, 25 and 32) in the monkey: I. Cell morphology and morphometrics. <i>Journal of Comparative Neurology</i> , 1996, 364, 567-608.	0.9	161
504	Pattern of selected calcium-binding proteins in the vestibular nuclear complex of two rodent species. <i>Journal of Comparative Neurology</i> , 1996, 365, 575-584.	0.9	36

#	ARTICLE	IF	CITATIONS
505	Shell and core in monkey and human nucleus accumbens identified with antibodies to calbindin-D28k. , 1996, 365, 628-639.		165
506	Heterogeneous axonal arborizations of rat thalamic reticular neurons in the ventrobasal nucleus. , 1996, 366, 416-430.		110
507	Neurochemical development of the hippocampal region in the fetal rhesus monkey. III: Calbindin-D28K, calretinin and parvalbumin with special mention of cajal-retzius cells and the retrosplenial cortex. , 1996, 366, 674-699.		36
508	Distribution of the calcium-binding proteins parvalbumin and calretinin in the auditory brainstem of adult and developing rats. , 1996, 367, 90-109.		200
509	Reticular thalamic region in the rabbit: Organisation of efferents to the superior colliculus. , 1996, 369, 209-219.		10
510	Colocalization of calbindin D-28k, calretinin, and GABA immunoreactivities in neurons of the human temporal cortex. , 1996, 369, 472-482.		89
511	Evolution of morphological and histochemical changes in the adult cat cuneate nucleus following forelimb denervation. , 1996, 370, 479-490.		8
512	Subventricular zone-olfactory bulb migratory pathway in the adult mouse: Cellular composition and specificity as determined by heterochronic and heterotopic transplantation. Journal of Comparative Neurology, 1996, 371, 376-396.	0.9	248
513	Quantitative immunocytochemical analysis of the spinal cord in G86R superoxide dismutase transgenic mice: Neurochemical correlates of selective vulnerability. , 1996, 373, 619-631.		83
514	Synaptic organization of the human striatum: A postmortem ultrastructural study. Journal of Comparative Neurology, 1996, 374, 523-534.	0.9	29
515	Corticostriatal innervation of the patch and matrix in the rat neostriatum. Journal of Comparative Neurology, 1996, 374, 578-592.	0.9	205
516	Spatiotemporal pattern of ontogenetic expression of calbindin-28/kD in the retinorecipient layers of rat superior colliculus. Journal of Comparative Neurology, 1996, 376, 223-240.	0.9	17
517	Expression of a novel murine homeobox gene in the developing cerebellar external granular layer during its proliferation. , 1996, 205, 410-420.		41
518	Presence of calbindin D28K and GAD67 mRNAs in both orthotopic and ectopic purkinje cells of Staggerer mice suggests that Staggerer acts after the onset of cytodifferentiation. Journal of Neuroscience Research, 1996, 44, 255-262.	1.3	8
519	Coculture of rat embryonic proprioceptive sensory neurons and myotubes. , 1996, 19, 1401-1412.		6
520	Functional organization of olfactory system. Journal of Neurobiology, 1996, 30, 123-176.	3.7	512
521	Parvalbumin, calbindin, and calretinin mark distinct pathways during development of monkey dorsal lateral geniculate nucleus. Journal of Neurobiology, 1996, 31, 189-209.	3.7	43
522	Localization of pleiotrophin and its mRNA in subpopulations of neurons and their corresponding axonal tracts suggests important roles in neural-glial interactions during development and in maturity. , 1996, 31, 283-296.		66

#	ARTICLE	IF	CITATIONS
523	Genetic variation in the morphology of the septo-hippocampal cholinergic and GABAergic system in mice. I. Cholinergic and GABAergic markers. <i>Hippocampus</i> , 1996, 6, 136-148.	0.9	24
524	Synaptic target selectivity and input of GABAergic basket and bistratified interneurons in the CA1 area of the rat hippocampus. , 1996, 6, 306-329.		139
525	Pyramidal cell dendrites are the primary targets of calbindin D28k-immunoreactive interneurons in the hippocampus. , 1996, 6, 525-534.		85
526	Rat brain oligodendrocytes do not interact selectively with axons expressing different calcium-binding proteins. <i>Glia</i> , 1996, 16, 117-128.	2.5	13
527	Triple immunofluorescence labelling of parvalbumin, calbindin-D28k and calretinin in rat and monkey brain. <i>Journal of Neuroscience Methods</i> , 1996, 67, 89-95.	1.3	26
528	Distribution of calretinin immunoreactivity in the mouse dentate gyrus. <i>Experimental Brain Research</i> , 1996, 108, 389-403.	0.7	158
529	Localization of dopamine D4 receptors in GABAergic neurons of the primate brain. <i>Nature</i> , 1996, 381, 245-248.	13.7	497
530	Differentiation of adult hippocampus-derived progenitors into olfactory neurons in vivo. <i>Nature</i> , 1996, 383, 624-627.	13.7	599
531	Distribution of GABAergic Elements Postsynaptic to Ventroposteromedial Thalamic Projections in Layer IV of Rat Barrel Cortex. <i>European Journal of Neuroscience</i> , 1996, 8, 2273-2285.	1.2	96
532	A Single-cell Study of the Axonal Projections Arising from the Posterior Intralaminar Thalamic Nuclei in the Rat. <i>European Journal of Neuroscience</i> , 1996, 8, 329-343.	1.2	173
533	Transient Colocalization of Parvalbumin and Calbindin D28k in the Postnatal Cerebral Cortex: Evidence for a Phenotypic Shift in Developing Nonpyramidal Neurons. <i>European Journal of Neuroscience</i> , 1996, 8, 1329-1339.	1.2	86
534	Target Selectivity and Neurochemical Characteristics of VIP-immunoreactive Interneurons in the Rat Dentate Gyrus. <i>European Journal of Neuroscience</i> , 1996, 8, 1415-1431.	1.2	86
535	Thalamic and Basal Forebrain Afferents Modulate the Development of Parvalbumin and Calbindin D28k Immunoreactivity in the Barrel Cortex of the Rat. <i>European Journal of Neuroscience</i> , 1996, 8, 1522-1534.	1.2	42
536	TrkB and TrkC neurotrophin receptors cooperate in promoting survival of hippocampal and cerebellar granule neurons.. <i>Genes and Development</i> , 1996, 10, 2849-2858.	2.7	212
537	Striatal efferent involvement and its correlation to levodopa efficacy in patients with multiple system atrophy. <i>Neurology</i> , 1996, 47, 1291-1299.	1.5	60
538	Axonal Arborizations of Corticostriatal and Corticothalamic Fibers Arising from the Second Somatosensory Area in the Rat. <i>Cerebral Cortex</i> , 1996, 6, 759-770.	1.6	93
539	Prenatal Development of Parvalbumin Immunoreactivity in the Human Striate Cortex. <i>Cerebral Cortex</i> , 1996, 6, 620-630.	1.6	35
540	Progressive loss of glutamic acid decarboxylase, parvalbumin, and calbindin D28K immunoreactive neurons in the cerebral cortex and hippocampus of adult rat with experimental hydrocephalus. <i>Journal of Neurosurgery</i> , 1997, 86, 263-271.	0.9	25

#	ARTICLE	IF	CITATIONS
541	Architectonic subdivisions of the inferior pulvinar in New World and Old World monkeys. <i>Visual Neuroscience</i> , 1997, 14, 1043-1060.	0.5	85
542	Three distinct families of GABAergic neurons in rat visual cortex. <i>Cerebral Cortex</i> , 1997, 7, 347-358.	1.6	443
543	Projection status of calbindin- and parvalbumin-immunoreactive neurons in the superficial layers of the rat's superior colliculus. <i>Visual Neuroscience</i> , 1997, 14, 277-286.	0.5	35
544	Chapter V The cholinergic system in the primate brain: basal forebrain and pontine-tegmental cell groups. <i>Handbook of Chemical Neuroanatomy</i> , 1997, , 217-262.	0.3	12
545	Ataxia and altered dendritic calcium signaling in mice carrying a targeted null mutation of the calbindin D28k gene. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1997, 94, 1488-1493.	3.3	370
546	Chapter VII Chemical neuroanatomy of the primate insula cortex: Relationship to cytoarchitectonics, connectivity, function and neurodegeneration. <i>Handbook of Chemical Neuroanatomy</i> , 1997, , 377-454.	0.3	8
547	The brain in evolution and involution. <i>Biochemistry and Cell Biology</i> , 1997, 75, 651-667.	0.9	10
548	Developmental expression of calretinin in the medial basal hypothalamus and amygdala from male and female rats. <i>Neuroscience Research</i> , 1997, 28, 269-273.	1.0	11
549	Differentiation of chemically defined neuronal populations in the transplanted olfactory bulb without olfactory receptor innervation. <i>Neuroscience Research</i> , 1997, 28, 11-19.	1.0	7
550	Conformational Effects of Calcium Release from Parvalbumin: A Comparison of Computational Simulations with Spectroscopic Investigations. <i>Biochemistry</i> , 1997, 36, 5363-5371.	1.2	29
551	Progressive Supranuclear Palsy Affects both the Substantia Nigra Pars Compacta and Reticulata. <i>Experimental Neurology</i> , 1997, 144, 183-192.	2.0	58
552	Calcium-Binding Protein Phenotype Defines Metabolically Distinct Groups of Neurons in Barrel Cortex of Behaving Hamsters. <i>Experimental Neurology</i> , 1997, 145, 71-80.	2.0	17
553	Parvalbumin- and Calbindin D-28k-Immunoreactive Innervation of Orofacial Tissues in the Rat. <i>Experimental Neurology</i> , 1997, 146, 414-418.	2.0	33
554	Development of the tecto-thalamic projection neurons and the differential expressions of calcium-binding proteins in the rat. <i>International Journal of Developmental Neuroscience</i> , 1997, 15, 813-822.	0.7	9
555	Colocalization of parvalbumin and calbindin D-28k in neurons including chandelier cells of the human temporal neocortex. <i>Journal of Chemical Neuroanatomy</i> , 1997, 12, 165-173.	1.0	62
556	Calretinin- and parvalbumin-immunoreactive neurons in the rat main olfactory bulb do not express NADPH-diaphorase activity. <i>Journal of Chemical Neuroanatomy</i> , 1997, 13, 253-264.	1.0	26
557	Distribution of calretinin, calbindin-D28k and parvalbumin in the hypothalamus of the squirrel monkey. <i>Journal of Chemical Neuroanatomy</i> , 1997, 14, 51-61.	1.0	24
558	Types of neurons, synaptic connections and chemical characteristics of cells immunoreactive for calbindin-D28K, parvalbumin and calretinin in the neocortex. <i>Journal of Chemical Neuroanatomy</i> , 1997, 14, 1-19.	1.0	497

#	ARTICLE	IF	CITATIONS
559	Cajal-Retzius Cells Regulate the Radial Glia Phenotype in the Adult and Developing Cerebellum and Alter Granule Cell Migration. <i>Neuron</i> , 1997, 18, 563-577.	3.8	129
560	IB4-Binding DRG Neurons Switch from NGF to GDNF Dependence in Early Postnatal Life. <i>Neuron</i> , 1997, 19, 849-861.	3.8	662
561	Introduction of a Neurotrophin-3 Transgene into Muscle Selectively Rescues Proprioceptive Neurons in Mice Lacking Endogenous Neurotrophin-3. <i>Neuron</i> , 1997, 19, 503-517.	3.8	115
562	Neuropathology of the cerebellum in schizophrenia—An update: 1996 and future directions. <i>Biological Psychiatry</i> , 1997, 42, 213-224.	0.7	89
563	Chemoarchitecture of the rat lateral septal nucleus 1Published on the World Wide Web on 2 June 1997. 1. <i>Brain Research Reviews</i> , 1997, 24, 91-113.	9.1	220
564	Early induction of mRNA for calbindin-D28k and BDNF but not NT-3 in rat hippocampus after kainic acid treatment. <i>Molecular Brain Research</i> , 1997, 47, 183-194.	2.5	45
565	NEUROCHEMISTRY OF THE NODOSE GANGLION. <i>Progress in Neurobiology</i> , 1997, 52, 79-107.	2.8	177
566	THE PHARMACOLOGY OF AMINO-ACID RESPONSES IN SEPTAL NEURONS. <i>Progress in Neurobiology</i> , 1997, 52, 197-259.	2.8	22
567	Immunohistochemical localization of calbindin D28k in the periodontal Ruffini endings of rat incisors. <i>Neuroscience Letters</i> , 1997, 228, 195-198.	1.0	17
568	Activation of interneurons at the stratum oriens/alveus border suppresses excitatory transmission to apical dendrites in the CA1 area of the mouse hippocampus. <i>Neuroscience</i> , 1997, 77, 87-96.	1.1	53
569	Retrograde degeneration and colchicine protection of basal forebrain cholinergic neurons following hippocampal injections of an immunotoxin against the p75 nerve growth factor receptor. <i>Neuroscience</i> , 1997, 78, 123-133.	1.1	40
570	Abnormalities in the cerebellum and brainstem in homozygous lurcher mice. <i>Neuroscience</i> , 1997, 80, 175-190.	1.1	35
571	Plasmalemmal ATPase calcium pump localizes to inner and outer hair bundles. <i>Neuroscience</i> , 1997, 79, 1145-1151.	1.1	28
572	Cortical input to the basal forebrain. <i>Neuroscience</i> , 1997, 79, 1051-1078.	1.1	200
573	Parvalbumin-immunoreactive neurons in the hippocampal formation of Alzheimer's diseased brain. <i>Neuroscience</i> , 1997, 80, 1113-1125.	1.1	105
574	Nitric oxide synthase-expressing neurons are area-specifically distributed within the cerebral cortex of the rat. <i>Neuroscience</i> , 1997, 81, 321-330.	1.1	44
575	Calbindin-D28k in nerve cell nuclei. <i>Neuroscience</i> , 1997, 81, 735-743.	1.1	48
576	Distribution of calretinin immunoreactivity in the mouse dentate gyrus: II. Mossy cells, with special reference to their dorsoventral difference in calretinin immunoreactivity. <i>Neuroscience</i> , 1997, 82, 181-200.	1.1	122

#	ARTICLE	IF	CITATIONS
577	Distinct interneuron types express m2 muscarinic receptor immunoreactivity on their dendrites or axon terminals in the hippocampus. <i>Neuroscience</i> , 1997, 82, 355-376.	1.1	190
578	The anti-apoptosis bcl-2 proto-oncogene is preferentially expressed in limbic structures of the primate brain. <i>Neuroscience</i> , 1997, 82, 635-640.	1.1	29
579	Protective effects of neurotrophin-4/5 and transforming growth factor- β on striatal neuronal phenotypic degeneration after excitotoxic lesioning with quinolinic acid. <i>Neuroscience</i> , 1997, 78, 73-86.	1.1	48
580	Calbindin Immunoreactivity Delineates the Circadian Visual Centers of the Brain of the Common Marmoset (<i>Callithrix jacchus</i>). <i>Brain Research Bulletin</i> , 1997, 43, 369-373.	1.4	21
581	Delayed Decrease of Calbindin Immunoreactivity in the Granule Cell-Mossy Fibers after Kainic Acid-Induced Seizures. <i>Brain Research Bulletin</i> , 1997, 43, 551-559.	1.4	23
582	Effects of Combined Ventral Forebrain Grafts to Neocortex and Amygdala on Behavior of Rats with Damage to the Nucleus Basalis Magnocellularis. <i>Brain Research Bulletin</i> , 1997, 43, 381-392.	1.4	6
583	Oncomodulin is abundant in the organ of Corti. <i>Hearing Research</i> , 1997, 106, 105-111.	0.9	34
584	Differences between guinea pig and rat in the dorsal cochlear nucleus: expression of calcium-binding proteins by cartwheel and Purkinje-like cells. <i>Hearing Research</i> , 1997, 107, 136-146.	0.9	18
585	Calbindin D-28k immunoreactivity in the medial nucleus of the trapezoid body declines with age in C57BL/6, but not CBA/Ca, mice. <i>Hearing Research</i> , 1997, 112, 158-166.	0.9	51
586	Combinations of AMPA Receptor Subunit Expression in Individual Cortical Neurons Correlate with Expression of Specific Calcium-Binding Proteins. <i>Journal of Neuroscience</i> , 1997, 17, 1570-1581.	1.7	105
587	TrkB Signaling Is Required for Postnatal Survival of CNS Neurons and Protects Hippocampal and Motor Neurons from Axotomy-Induced Cell Death. <i>Journal of Neuroscience</i> , 1997, 17, 3623-3633.	1.7	182
588	Distribution of calcium-binding proteins in the chick visual system. <i>Brazilian Journal of Medical and Biological Research</i> , 1997, 30, 1315-1318.	0.7	20
589	Functional Properties of AMPA and NMDA Receptors Expressed in Identified Types of Basal Ganglia Neurons. <i>Journal of Neuroscience</i> , 1997, 17, 204-215.	1.7	177
590	Purkinje Cell Survival and Axonal Regeneration Are Age Dependent: An <i>In Vitro</i> Study. <i>Journal of Neuroscience</i> , 1997, 17, 3710-3726.	1.7	171
591	Molecular and Physiological Diversity of Cortical Nonpyramidal Cells. <i>Journal of Neuroscience</i> , 1997, 17, 3894-3906.	1.7	636
592	Vulnerability of Midbrain Dopaminergic Neurons in Calbindin-D28k-deficient Mice: Lack of Evidence for a Neuroprotective Role of Endogenous Calbindin in MPTPtreated and Weaver Mice. <i>European Journal of Neuroscience</i> , 1997, 9, 120-127.	1.2	80
593	Interneurons Immunoreactive for Vasoactive Intestinal Polypeptide (VIP) are Extensively Innervated by Parvalbumin-Containing Boutons in Rat Primary Somatosensory Cortex. <i>European Journal of Neuroscience</i> , 1997, 9, 2259-2268.	1.2	39
594	A role for the Ras signalling pathway in synaptic transmission and long-term memory. <i>Nature</i> , 1997, 390, 281-286.	13.7	449

#	ARTICLE	IF	CITATIONS
595	Calbindin D28K-like immunoreactive nerve fibres in the predentine of rat molar teeth. Archives of Oral Biology, 1997, 42, 773-777.	0.8	5
596	Localization of calcium receptor mRNA in the adult rat central nervous system by in situ hybridization. Brain Research, 1997, 744, 47-56.	1.1	107
597	Calcium-binding proteins in the periglomerular region of typical and atypical olfactory glomeruli. Brain Research, 1997, 745, 293-302.	1.1	35
598	Immunolocalization of the plasma membrane Ca ²⁺ pump isoforms in the rat brain. Brain Research, 1997, 748, 21-29.	1.1	81
599	Parvalbumin-containing neurons in the basal forebrain receive direct input from the substantia nigra-ventral tegmental area. Brain Research, 1997, 747, 173-179.	1.1	31
600	S100 protein-immunoreactive primary sensory neurons in the trigeminal and dorsal root ganglia of the rat. Brain Research, 1997, 748, 253-257.	1.1	56
601	Distribution of nonprincipal neurons in the rat hippocampus, with special reference to their dorsoventral difference. Brain Research, 1997, 751, 64-80.	1.1	50
602	Parvalbumin- and calbindin-containing neurons express c-fos protein in primary and secondary (mirror) epileptic foci of the rat neocortex. Dedicated to the memory of Prof. Ferenc Joo. The results were presented in preliminary form of a congress abstract at the LXI Cold Spring Harbor Symposium on Quantitative Biology, 29 May-5 June 1996. Brain Research, 1997, 761, 135-145.	1.1	23
603	Calretinin in neurochemically well-defined cell populations of rabbit retina. Brain Research, 1997, 763, 79-86.	1.1	55
604	Subcellular localization of the K ⁺ channel subunit Kv3.1b in selected rat CNS neurons. Brain Research, 1997, 766, 173-187.	1.1	113
605	Coexistence of calcium-binding proteins in vagal and glossopharyngeal sensory neurons of the rat. Brain Research, 1997, 768, 349-353.	1.1	12
606	Coexpression of calretinin and parvalbumin in Ruffini-like endings in the rat incisor periodontal ligament. Brain Research, 1997, 770, 294-297.	1.1	49
607	Differential co-localization of nicotinic acetylcholine receptor subunits with calcium-binding proteins in retinal ganglion cells. Brain Research, 1997, 774, 250-255.	1.1	11
608	Calbindin-D28k is regulated by adrenal steroids in hypothalamic tissue during prenatal development. Developmental Brain Research, 1997, 100, 117-120.	2.1	23
609	Differential expression of calretinin, calbindin D28K and parvalbumin in the developing human cerebellum. Developmental Brain Research, 1997, 103, 37-45.	2.1	42
610	The differential in vitro stimulation of 5 α -cyclic nucleotide phosphodiesterase by calcium binding proteins. IUBMB Life, 1997, 43, 1195-1205.	1.5	0
611	Identification of parvalbumin alpha in bovine hypothalamus: a partial primary structure. Neurochemical Research, 1997, 22, 799-803.	1.6	2
612	Cyclophosphamide cystitis as a model of visceral pain in rats: minor effects at mesodiencephalic levels as revealed by the expression of c-fos, with a note on Krox-24. Experimental Brain Research, 1997, 113, 249-264.	0.7	32

#	ARTICLE	IF	CITATIONS
613	Zinc-containing neurons are distinct from GABAergic neurons in the telencephalon of the rat. <i>Anatomy and Embryology</i> , 1997, 195, 165-174.	1.5	15
614	Expression of a low-molecular-weight (10 kDa) calcium binding protein in glial cells of the brain of the trout (Teleostei). <i>Anatomy and Embryology</i> , 1997, 196, 403-416.	1.5	39
615	Neuropeptide Y, somatostatin, and cholecystokinin of the anterior piriform cortex. <i>Cell and Tissue Research</i> , 1997, 289, 39-51.	1.5	13
616	Heterogeneous distribution of neurocalcin-immunoreactive nerve terminals in the mouse adrenal medulla. <i>Cell and Tissue Research</i> , 1997, 289, 439-444.	1.5	10
617	Calbindin D28k-like immunoreactivity in the developing and regenerating circumvallate papilla of the rat. <i>Cell and Tissue Research</i> , 1997, 291, 81-90.	1.5	10
618	GABAergic neuroaxonal dystrophy and other cytopathological alterations in feline Niemann-Pick disease type C. <i>Acta Neuropathologica</i> , 1997, 94, 164-172.	3.9	89
619	Localization of calbindin-D28k in normal and incised mouse skin: immunohistochemical and immunoblot analysis. <i>Archives of Dermatological Research</i> , 1997, 289, 578-584.	1.1	3
620	Glutamate, aspartate and co-localization with calbindin in the medial thalamus An immunohistochemical study in the rat. <i>Experimental Brain Research</i> , 1997, 115, 95-104.	0.7	50
621	Ectopic expression of the calcium-binding protein parvalbumin in mouse liver endothelial cells. <i>Hepatology</i> , 1997, 25, 1154-1159.	3.6	6
622	Calretinin in the thalamic reticular nucleus of the rat: Distribution and relationship with ipsilateral and contralateral efferents. , 1997, 377, 217-233.		22
623	Prenatal development of calbindin D-28K and parvalbumin immunoreactivities in the human retina. , 1997, 377, 565-576.		14
624	Temporary sensory deprivation changes calcium-binding proteins levels in the auditory brainstem. , 1997, 378, 1-15.		73
625	Immunostaining for substance P receptor labels GABAergic cells with distinct termination patterns in the hippocampus. <i>Journal of Comparative Neurology</i> , 1997, 378, 320-336.	0.9	60
626	Distribution of calretinin-immunoreactivity in the rat entorhinal cortex: Coexistence with GABA. <i>Journal of Comparative Neurology</i> , 1997, 378, 363-378.	0.9	48
627	Comparison of the distribution of parvalbumin-immunoreactive and other synapses onto the somata of callosal projection neurons in mouse visual and somatosensory cortex. <i>Journal of Comparative Neurology</i> , 1997, 379, 198-210.	0.9	27
628	Calretinin expression in the chick brainstem auditory nuclei develops and is maintained independently of cochlear nerve input. <i>Journal of Comparative Neurology</i> , 1997, 383, 112-121.	0.9	51
629	Calbindin-D28k immunoreactivity in the rat amygdala. <i>Journal of Comparative Neurology</i> , 1997, 383, 231-244.	0.9	47
630	Pattern of expression of the serotonin2C receptor messenger RNA in the basal ganglia of adult rats. <i>Journal of Comparative Neurology</i> , 1997, 384, 233-247.	0.9	225

#	ARTICLE	IF	CITATIONS
631	Diverse effects of Purkinje cell loss on deep cerebellar and vestibular nuclei neurons in Purkinje cell degeneration mutant mice: A possible compensatory mechanism. <i>Journal of Comparative Neurology</i> , 1997, 384, 580-596.	0.9	56
632	Neurofilament and calcium-binding proteins in the human cingulate cortex. , 1997, 384, 597-620.		75
633	Comprehensive immunofluorescence and lectin binding analysis of vibrissal follicle sinus complex innervation in the mystacial pad of the rat. , 1997, 385, 149-184.		139
634	Age-related changes in calbindin D-28k and calretinin immunoreactivity in the inferior colliculus of CBA/CaJ and C57Bl/6 mice. , 1997, 386, 92-110.		81
635	Use of calcium-binding proteins to map inputs in vestibular nuclei of the gerbil. <i>Journal of Comparative Neurology</i> , 1997, 386, 317-327.	0.9	31
636	Activity-dependent regulation of calcium-binding proteins in the developing rat olfactory bulb. <i>Journal of Comparative Neurology</i> , 1997, 387, 12-26.	0.9	79
637	Neurogenesis in the mammalian neostriatum and nucleus accumbens: Parvalbumin-immunoreactive GABAergic interneurons. <i>Journal of Comparative Neurology</i> , 1997, 389, 193-211.	0.9	42
638	Abnormalities of cortical inhibitory neurons in amyotrophic lateral sclerosis. <i>Muscle and Nerve</i> , 1997, 20, 65-71.	1.0	61
639	Glial-derived neurotrophic factor rescues calbindin-D28k-immunoreactive neurons in alcohol-treated cerebellar explant cultures. , 1997, 33, 835-847.		53
640	Distribution, ultrastructure, and connectivity of calretinin-immunoreactive mossy cells of the mouse dentate gyrus. , 1997, 7, 307-320.		147
641	Loss of perikaryal parvalbumin immunoreactivity from surviving GABAergic neurons in the CA1 field of epileptic gerbils. , 1997, 7, 524-535.		37
642	Immunohistochemical changes in the anterior olfactory nucleus of the developing rat. <i>Developmental Psychobiology</i> , 1997, 31, 181-192.	0.9	5
643	Parvalbumin and calbindin D-28k in the entopeduncular nucleus, subthalamic nucleus, and substantia nigra of the rat as revealed by double-immunohistochemical methods. <i>Synapse</i> , 1997, 25, 359-367.	0.6	43
644	Neurochemical compartments in the human forebrain: Evidence for a high density of secretoneurin-like immunoreactivity in the extended amygdala. , 1997, 26, 114-130.		15
645	Impaired cerebral cortex development and blood pressure regulation in FGF-2-deficient mice. <i>EMBO Journal</i> , 1998, 17, 4213-4225.	3.5	369
646	Sensory ataxia and muscle spindle agenesis in mice lacking the transcription factor Egr3. <i>Nature Genetics</i> , 1998, 20, 87-91.	9.4	270
647	Calbindin D immunoreactivity and chronic lesions of rat cerebella in methylmercury chloride intoxication. <i>Neuropathology</i> , 1998, 18, 402-407.	0.7	1
648	Neurocalcin-immunopositive neurons in the rat sensory ganglia. <i>Brain Research</i> , 1998, 781, 236-243.	1.1	25

#	ARTICLE	IF	CITATIONS
649	Calretinin-immunoreactive elements in the retina and optic tectum of the frog, <i>Rana esculenta</i> . <i>Brain Research</i> , 1998, 782, 53-62.	1.1	40
650	Neurochemical organization of paratrigeminal nucleus projections to the dorsal vagal complex in the rat. <i>Brain Research</i> , 1998, 785, 49-57.	1.1	23
651	Composition of ibotenic acid-induced calcifications in rat substantia nigra. <i>Brain Research</i> , 1998, 786, 205-214.	1.1	18
652	Calretinin immunoreactivity in the anterior olfactory nucleus of the rat. <i>Brain Research</i> , 1998, 789, 101-110.	1.1	10
653	Axonal expression sites of tyrosine hydroxylase, calretinin- and calbindin-immunoreactivity in striato-pallidal and septal nuclei of the rat brain: a double-immunolabelling study. <i>Brain Research</i> , 1998, 795, 227-246.	1.1	33
654	Neurocalcin immunoreactivity in the rat main olfactory bulb. <i>Brain Research</i> , 1998, 795, 204-214.	1.1	13
655	Identification of somatostatin sst2(a) receptor expressing neurones in central regions involved in nociception. <i>Brain Research</i> , 1998, 798, 25-35.	1.1	58
656	Enhanced expression of full-length TrkB receptors in young rat brain with hypoxic/ischemic injury. <i>Brain Research</i> , 1998, 797, 278-286.	1.1	37
657	Modulating calbindin and parvalbumin immunoreactivity in the cochlear nucleus by moderate noise exposure in mice.. <i>Brain Research</i> , 1998, 800, 86-96.	1.1	35
658	Neurocalcin-immunopositive nerve terminals in the muscle spindle, Golgi tendon organ and motor endplate. <i>Brain Research</i> , 1998, 808, 294-299.	1.1	19
659	Quantitative analysis of GABAergic neurons in the mouse hippocampus, with optical disector using confocal laser scanning microscope. <i>Brain Research</i> , 1998, 814, 55-70.	1.1	104
660	Phenotypic characterization of septal neurons in culture: immunohistochemistry of GABA, calbindin D-28k and choline acetyltransferase, and histochemistry of acetylcholinesterase. <i>Developmental Brain Research</i> , 1998, 105, 1-8.	2.1	5
661	Calbindin-D28k- and astroglial protein-immunoreactivities, and ultrastructural differentiation in the prenatal rat cerebral cortex and hippocampus are affected by maternal adrenalectomy. <i>Developmental Brain Research</i> , 1998, 108, 161-177.	2.1	8
662	Parvalbumin immunoreactivity during the development of the cerebellum of the rainbow trout. <i>Developmental Brain Research</i> , 1998, 109, 221-227.	2.1	22
663	Postnatal expression pattern of calcium-binding proteins in organotypic thalamic cultures and in the dorsal thalamus in vivo. <i>Developmental Brain Research</i> , 1998, 110, 83-95.	2.1	16
664	Postnatal development of parvalbumin immunoreactive amacrine cells in the rabbit retina. <i>Developmental Brain Research</i> , 1998, 111, 107-117.	2.1	25
665	Localization of parvalbumin, calretinin, and calbindin D-28k in identified extraocular motoneurons and internuclear neurons of the cat. , 1998, 390, 377-391.		41
666	Morphological features of neurons containing calcium-binding proteins in the human striatum. <i>Journal of Comparative Neurology</i> , 1998, 390, 552-563.	0.9	37

#	ARTICLE	IF	CITATIONS
667	Cat intraamygdaloid inhibitory network: Ultrastructural organization of parvalbumin-immunoreactive elements. , 1998, 391, 164-179.		84
668	Chemically defined neuron groups and their subpopulations in the glomerular layer of the rat main olfactory bulb: III. Structural features of calbindin D28K-immunoreactive neurons. , 1998, 392, 179-198.		71
669	Immunocytochemical and ultrastructural study of the rat perireticular thalamic nucleus during postnatal development. Journal of Comparative Neurology, 1998, 392, 390-401.	0.9	16
670	Premotor neurons for vertical eye movements in the rostral mesencephalon of monkey and human: Histologic identification by parvalbumin immunostaining. Journal of Comparative Neurology, 1998, 392, 413-427.	0.9	116
671	Organizing principles of cortical integration in the rat neostriatum: Corticostriate map of the body surface is an ordered lattice of curved laminae and radial points. Journal of Comparative Neurology, 1998, 392, 468-488.	0.9	114
672	Dependence of parvalbumin expression on Purkinje cell input in the deep cerebellar nuclei. , 1998, 392, 499-514.		18
673	Spatiotemporal patterns of ontogenetic expression of parvalbumin in the superior colliculi of rats and rabbits. , 1998, 393, 210-230.		13
674	Morphological and electrophysiological characteristics of noncholinergic basal forebrain neurons. , 1998, 394, 186-204.		37
675	CalbindinD28k- and parvalbumin-immunoreactive neurons form complementary sublaminae in the rat superior colliculus. , 1998, 394, 205-217.		44
676	Hippocampal interneurons expressing glutamic acid decarboxylase and calcium-binding proteins decrease with aging in Fischer 344 rats. Journal of Comparative Neurology, 1998, 394, 252-269.	0.9	132
677	Cytological compartmentalization in the staggerer cerebellum, as revealed by calbindin immunohistochemistry for Purkinje cells. , 1998, 395, 112-120.		66
678	Expression of nerve growth factor and neurotrophin-3 mRNAs in hippocampal interneurons: Morphological characterization, levels of expression, and colocalization of nerve growth factor and neurotrophin-3. , 1998, 395, 73-90.		22
679	Thalamic connections of the dorsomedial visual area in primates. , 1998, 396, 381-398.		38
680	Developmental changes in human cerebellum: Expression of intracellular calcium receptors, calcium-binding proteins, and phosphorylated and nonphosphorylated neurofilament protein. Journal of Comparative Neurology, 1998, 396, 442-460.	0.9	46
681	Distribution of Striatin, a newly identified calmodulin-binding protein in the rat brain: An in situ hybridization and immunocytochemical study. , 1998, 397, 41-59.		25
682	GABAA receptors in the primate basal ganglia: An autoradiographic and a light and electron microscopic immunohistochemical study of the $\alpha 1$ and $\alpha 2,3$ subunits in the baboon brain. , 1998, 397, 297-325.		42
683	Morphological organization of the globus pallidus-subthalamic nucleus system studied in organotypic cultures. , 1998, 397, 437-457.		27
684	Vagal and spinal afferent innervation of the rat esophagus: A combined retrograde tracing and immunocytochemical study with special emphasis on calcium-binding proteins. Journal of Comparative Neurology, 1998, 398, 289-307.	0.9	95

#	ARTICLE	IF	CITATIONS
685	Characterization of atypical cells in the juvenile rat organ of corti after aminoglycoside ototoxicity. , 1998, 401, 145-162.		32
686	CaBPs and other immunohistochemical markers of the human vomeronasal system: A comparison with other mammals. , 1998, 41, 530-541.		16
687	Interneurons of the hippocampus. Hippocampus, 1998, 6, 347-470.	0.9	2,892
688	Neurocalcin-immunoreactive cells in the rat hippocampus are GABAergic interneurons. , 1998, 8, 2-23.		11
689	Chemical phenotype of calretinin interneurons in the human striatum. Synapse, 1998, 30, 284-297.	0.6	48
690	Localization of the neuronal antigen recognized by anti-Tr antibodies from patients with paraneoplastic cerebellar degeneration and Hodgkin's disease in the rat nervous system. Acta Neuropathologica, 1998, 96, 1-7.	3.9	58
691	Neurovirulent simian immunodeficiency virus induces calbindin-D-28K in astrocytes. Molecular and Chemical Neuropathology, 1998, 34, 25-38.	1.0	5
692	Calbindin D28K and parvalbumin gene expression in rat embryonic ventral forebrain grafts. Experimental Brain Research, 1998, 118, 551-563.	0.7	1
693	Comparison of the rat dorsal and ventral striatopallidal system. Experimental Brain Research, 1998, 121, 215-221.	0.7	17
694	Co-localization of corticotropin-releasing hormone with glutamate decarboxylase and calcium-binding proteins in infant rat neocortical interneurons. Experimental Brain Research, 1998, 123, 334-340.	0.7	38
695	Enkephalin-containing interneurons are specialized to innervate other interneurons in the hippocampal CA1 region of the rat and guinea-pig. European Journal of Neuroscience, 1998, 10, 1784-1795.	1.2	52
696	A simplified procedure for the physical development of the sulphide silver method to reveal synaptic zinc in combination with immunocytochemistry at light and electron microscopy. Journal of Neuroscience Methods, 1998, 79, 87-96.	1.3	21
697	Structural and functional evolution of the basal ganglia in vertebrates. Brain Research Reviews, 1998, 28, 235-285.	9.1	351
698	Androgen-dependent modulation of calbindin-D28K in hypothalamic tissue during prenatal development. Neuroscience Research, 1998, 32, 97-101.	1.0	20
699	Calbindin-D28k buffers intracellular calcium and promotes resistance to degeneration in PC12 cells. Molecular Brain Research, 1998, 54, 56-63.	2.5	82
700	Calretinin gene expression in the human thalamus. Molecular Brain Research, 1998, 54, 1-12.	2.5	12
701	Age-related Changes of Calbindin-D28k, Calretinin, and Parvalbumin mRNAs in the Hamster Brain. Neurobiology of Aging, 1998, 19, 77-82.	1.5	68
702	Calcium-binding protein immunoreactivity in the piriform cortex of the guinea-pig: Selective staining of subsets of non-gabaergic neurons by calretinin. Neuroscience, 1998, 83, 229-237.	1.1	24

#	ARTICLE	IF	CITATIONS
703	PEP-19 immunoreactivity in the cochlear nucleus and superior olive of the cat. <i>Neuroscience</i> , 1998, 83, 535-554.	1.1	20
704	Calretinin immunoreactivity in the developing thalamus of the rat: a marker of early generated thalamic cells. <i>Neuroscience</i> , 1998, 83, 1203-1214.	1.1	38
705	Calretinin-immunoreactive neurons in the human thalamus. <i>Neuroscience</i> , 1998, 84, 537-548.	1.1	40
706	Viewpoint: the core and matrix of thalamic organization. <i>Neuroscience</i> , 1998, 85, 331-345.	1.1	437
707	Cytoarchitecture of the tectum opticum in the Japanese quail. <i>Neuroscience</i> , 1998, 86, 663-678.	1.1	17
708	Distribution of calbindin D-28k and parvalbumin neurons and fibers in the rat basal ganglia. <i>Brain Research Bulletin</i> , 1998, 47, 107-116.	1.4	54
709	The midbrain dopaminergic cell groups in the baboon <i>papio ursinus</i> . <i>Brain Research Bulletin</i> , 1998, 47, 611-623.	1.4	16
710	Comparative analysis of calcium-binding protein-immunoreactive neuronal populations in the auditory and visual systems of the bottlenose dolphin (<i>Tursiops truncatus</i>) and the macaque monkey (<i>Macaca fascicularis</i>). <i>Journal of Chemical Neuroanatomy</i> , 1998, 15, 203-237.	1.0	95
711	Chemoarchitecture of the primate dorsal raphe nucleus. <i>Journal of Chemical Neuroanatomy</i> , 1998, 15, 111-127.	1.0	77
712	Low expression of extracellular matrix components in rat brain stem regions containing modulatory aminergic neurons. <i>Journal of Chemical Neuroanatomy</i> , 1998, 15, 135-142.	1.0	41
713	Schizophrenia and anteroventral thalamic nucleus: selective decrease of parvalbumin-immunoreactive thalamocortical projection neurons. <i>Psychiatry Research - Neuroimaging</i> , 1998, 82, 1-10.	0.9	137
714	Early Activation of inhibitory neurons in the thalamic reticular nucleus during focal neocortical seizures. <i>Acta Histochemica</i> , 1998, 100, 383-393.	0.9	9
715	Ablation of Cerebellar Golgi Cells Disrupts Synaptic Integration Involving GABA Inhibition and NMDA Receptor Activation in Motor Coordination. <i>Cell</i> , 1998, 95, 17-27.	13.5	210
716	Developmental Expression of Calcium-Binding Protein-Containing Neurons in Neocortical Transplants. <i>Cell Transplantation</i> , 1998, 7, 121-129.	1.2	4
717	Calcium-Binding Proteins in the Mesencephalic Trigeminal Nucleus of the Cat. <i>Archives of Physiology and Biochemistry</i> , 1998, 106, 370-377.	1.0	8
718	Characterization of the Circadian System in a Brazilian Species of Monkey (<i>Callithrix jacchus</i>): Immunohistochemical Analysis and Retinal Projections. <i>Biological Rhythm Research</i> , 1998, 29, 510-520.	0.4	18
719	Interconversion of the Ligand Arrays in the CD and EF Sites of Oncomodulin. Influence on Ca ²⁺ -Binding Affinity. <i>Biochemistry</i> , 1998, 37, 9101-9111.	1.2	27
720	Relative Resistance of Striatal Neurons Containing Calbindin or Parvalbumin to Quinolinic Acid-Mediated Excitotoxicity Compared to Other Striatal Neuron Types. <i>Experimental Neurology</i> , 1998, 149, 356-372.	2.0	98

#	ARTICLE	IF	CITATIONS
721	Laminar Distribution of Fos/Calcium-Binding Protein and Fos/Neurofilament Protein-Labeled Neurons in Rat Motor and Sensory Cortex after Picrotoxin-Induced Seizures. <i>Experimental Neurology</i> , 1998, 149, 373-383.	2.0	11
722	Calcium-binding proteins in primate cerebellum. <i>Neuroscience Research</i> , 1998, 30, 155-168.	1.0	71
723	How simple is the organization of the olfactory glomerulus?: the heterogeneity of so-called periglomerular cells. <i>Neuroscience Research</i> , 1998, 30, 101-110.	1.0	186
724	Sustained Long Term Potentiation and Anxiety in Mice Lacking the Mas Protooncogene. <i>Journal of Biological Chemistry</i> , 1998, 273, 11867-11873.	1.6	185
725	Notes on Techniques. , 1998, , 327-355.		1
726	A Rap guanine nucleotide exchange factor enriched highly in the basal ganglia. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1998, 95, 13278-13283.	3.3	323
727	Parvalbumin Immunoreactive Neurons in the Main Olfactory Bulb of the House Musk Shrew, <i>Suncus murinus</i> . <i>Brain, Behavior and Evolution</i> , 1998, 52, 285-291.	0.9	12
728	Organization of the Caudal Rhombencephalic Alar Plate of the Ribbed Newt <i>Pleurodeles waltl</i> : Evidence for the Presence of Dorsal Column and Lateral Cervical Nuclei. <i>Brain, Behavior and Evolution</i> , 1998, 51, 162-182.	0.9	8
729	S100 protein-immunoreactive trigeminal neurons innervating the rat molar tooth pulp. <i>Somatosensory & Motor Research</i> , 1998, 15, 128-133.	0.4	6
730	Chicken (<i>Gallus domesticus</i>) inner ear afferents. Primary Sensory Neuron: the International Interdisciplinary Journal Reporting Basic and Clinical Research on Sensory Receptors and Primary Afferent Neurons, 1998, 2, 253-274.	0.3	1
731	A comparison of the cholinergic properties of the leopard frog vestibular organs. Primary Sensory Neuron: the International Interdisciplinary Journal Reporting Basic and Clinical Research on Sensory Receptors and Primary Afferent Neurons, 1998, 2, 275-282.	0.3	7
732	Insulin-like growth factor I restores motor coordination in a rat model of cerebellar ataxia. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1998, 95, 1253-1258.	3.3	161
734	Essential Role of the <i>fos</i> B Gene in Molecular, Cellular, and Behavioral Actions of Chronic Electroconvulsive Seizures. <i>Journal of Neuroscience</i> , 1998, 18, 6952-6962.	1.7	115
735	Physiological Properties of Neurons in the Optic Layer of the Rat's Superior Colliculus. <i>Journal of Neurophysiology</i> , 1998, 80, 331-343.	0.9	54
736	Developmental Switch in the Short-Term Modification of Unitary EPSPs Evoked in Layer 2/3 and Layer 5 Pyramidal Neurons of Rat Neocortex. <i>Journal of Neuroscience</i> , 1999, 19, 3827-3835.	1.7	275
737	Dopamine Affects Parvalbumin Expression during Cortical Development <i>In Vitro</i> . <i>Journal of Neuroscience</i> , 1999, 19, 8990-9003.	1.7	58
738	Insulin-Like Growth Factors as Mediators of Functional Plasticity in the Adult Brain. <i>Hormone and Metabolic Research</i> , 1999, 31, 114-119.	0.7	112
739	Calcium Binding Protein Immunoreactivity in Nucleus Rotundus in a Reptile, <i>Caiman crocodilus</i> . <i>Brain, Behavior and Evolution</i> , 1999, 53, 277-287.	0.9	26

#	ARTICLE	IF	CITATIONS
740	Calbindin Immunoreactivity in the Auricular Lobe and Interauricular Granular Band of the Cerebellum in Bullfrogs. <i>Brain, Behavior and Evolution</i> , 1999, 53, 10-19.	0.9	17
741	Calbindin-D28k Controls [Ca ²⁺] and Insulin Release. <i>Journal of Biological Chemistry</i> , 1999, 274, 34343-34349.	1.6	115
742	Chapter 2.1.2 Neurophysiology of magnocellular neuroendocrine cells: Recent advances. <i>Progress in Brain Research</i> , 1999, 119, 77-99.	0.9	35
743	Do superior colliculus projection zones in the inferior pulvinar project to MT in primates?. <i>European Journal of Neuroscience</i> , 1999, 11, 469-480.	1.2	123
744	Expression of TrkB and TrkC but not BDNF mRNA in neurochemically identified interneurons in rat visual cortex <i>in vivo</i> and in organotypic cultures. <i>European Journal of Neuroscience</i> , 1999, 11, 1179-1190.	1.2	108
745	Neurochemical gradients along monkey sensory cortical pathways: calbindin-immunoreactive pyramidal neurons in layers II and III. <i>European Journal of Neuroscience</i> , 1999, 11, 4197-4203.	1.2	58
746	Expression of the cannabinoid receptor CB1 in distinct neuronal subpopulations in the adult mouse forebrain. <i>European Journal of Neuroscience</i> , 1999, 11, 4213-4225.	1.2	792
747	The Concepts of the Ventral Striatopallidal System and Extended Amygdala. <i>Annals of the New York Academy of Sciences</i> , 1999, 877, 1-32.	1.8	287
748	Distribution of unipolar brush cells and other calretinin immunoreactive components in the mammalian cerebellar cortex. <i>Journal of Neurocytology</i> , 1999, 28, 99-123.	1.6	120
749	Calbindin D28k and calretinin in oxytocin and vasopressin neurons of the rat supraoptic nucleus. <i>Cell and Tissue Research</i> , 1999, 298, 11-19.	1.5	12
750	Preferential neurodegeneration in the cervical spinal cord of progressive supranuclear palsy. <i>Acta Neuropathologica</i> , 1999, 97, 577-584.	3.9	22
751	Development of glomerular synaptic complexes and immunohistochemical differentiation in the superficial dorsal horn of the embryonic primate spinal cord. <i>Anatomy and Embryology</i> , 1999, 199, 125-148.	1.5	14
752	Distribution of various neurochemicals within the zona incerta: an immunocytochemical and histochemical study. <i>Anatomy and Embryology</i> , 1999, 199, 265-280.	1.5	80
753	Immunohistochemical localization of calbindin D28k during root formation of rat molar teeth. <i>Cell and Tissue Research</i> , 1999, 297, 503-512.	1.5	13
754	Cocaine adversely affects development of cortical embryonic neurons <i>in vitro</i> : immunocytochemical study of calcium-binding proteins. <i>Brain Research</i> , 1999, 815, 389-399.	1.1	4
755	Peptide 19 in the dorsal root ganglion and the mesencephalic trigeminal tract nucleus of the adult rat. <i>Brain Research</i> , 1999, 821, 231-235.	1.1	28
756	Phosphacan immunoreactivity is associated with perineuronal nets around parvalbumin-expressing neurones. <i>Brain Research</i> , 1999, 834, 219-222.	1.1	44
757	Osteocalcin-immunoreactive primary sensory neurons in the rat spinal and trigeminal nervous systems. <i>Brain Research</i> , 1999, 838, 205-209.	1.1	30

#	ARTICLE	IF	CITATIONS
758	Local circuit neurons showing calbindin D28k-immunoreactivity in the substantia gelatinosa of the medullary dorsal horn of the rat. An immunohistochemical study combined with intracellular staining in slice preparation. <i>Brain Research</i> , 1999, 840, 179-183.	1.1	17
759	Calbindin 28kD and parvalbumin immunoreactive neurons receive different patterns of synaptic input in the cat superior colliculus. <i>Brain Research</i> , 1999, 843, 25-35.	1.1	20
760	GABA immunoreactivity in mouse barrel field after aversive and appetitive classical conditioning training involving facial vibrissae. <i>Brain Research</i> , 1999, 843, 62-70.	1.1	37
761	Calbindin-D 28kD immunofluorescence in ventral mesencephalic neurons labeled following injections of Fluoro-Gold in nucleus accumbens subterritories: inverse relationship relative to known neurotoxin vulnerabilities. <i>Brain Research</i> , 1999, 844, 67-77.	1.1	26
762	Calretinin and calbindin-D28k in dopaminergic neurons of the rat midbrain: a triple-labeling immunohistochemical study. <i>Brain Research</i> , 1999, 846, 129-136.	1.1	46
763	Peptide 19-immunoreactive primary sensory neurons in the rat trigeminal ganglion. <i>Brain Research</i> , 1999, 846, 274-279.	1.1	13
764	The external globus pallidus in patients with Parkinson's disease and progressive supranuclear palsy. <i>Movement Disorders</i> , 1999, 14, 626-633.	2.2	35
765	Calcium-binding proteins: Differential expression in the rat olfactory cortex after neonatal olfactory bulbectomy. , 1999, 39, 207-217.		10
766	Glutamatergic synaptic responses and long-term potentiation are impaired in the CA1 hippocampal area of calbindin D28k-deficient mice. , 1999, 33, 172-180.		47
767	Projections from the lateral, basal, and accessory basal nuclei of the amygdala to the hippocampal formation in rat. , 1999, 403, 229-260.		351
768	Distribution of a specific calcium-binding protein of the S100 protein family, S100A6 (calcyclin), in subpopulations of neurons and glial cells of the adult rat nervous system. , 1999, 404, 235-257.		60
769	Calcium-binding proteins in the dorsal ventricular ridge of the lizard <i>Psammmodromus algericus</i> . , 1999, 405, 32-44.		14
770	Calbindin-D28k in cortical regions of the lizard <i>Psammmodromus algericus</i> . , 1999, 405, 61-74.		18
771	Coexpression of neurocalcin with other calcium-binding proteins in the rat main olfactory bulb. , 1999, 407, 404-414.		40
772	Laminar boundaries persist in the hippocampal dentate molecular layer of the mutant Shaking Rat Kawasaki despite aberrant granule cell migration. , 1999, 409, 57-70.		12
773	Neurochemical organization of inferior pulvinar complex in squirrel monkeys and macaques revealed by acetylcholinesterase histochemistry, calbindin and Cat-301 immunostaining, and <i>Wisteria floribunda</i> agglutinin binding. , 1999, 409, 452-468.		49
774	Diversity of the calretinin immunoreactivity in the dentate gyrus of gerbils, hamsters, guinea pigs, and laboratory shrews. <i>Journal of Comparative Neurology</i> , 1999, 411, 413-430.	0.9	29
775	Early development and composition of the human primordial plexiform layer: An immunohistochemical study. <i>Journal of Comparative Neurology</i> , 1999, 412, 241-254.	0.9	76

#	ARTICLE	IF	CITATIONS
776	Distribution of parvalbumin immunoreactivity in the brain of the tench (<i>Tinca tinca</i> L., 1758)., 1999, 413, 549-571.		31
777	Chemical heterogeneity of the striosomal compartment in the human striatum. <i>Journal of Comparative Neurology</i> , 1999, 413, 603-618.	0.9	79
778	Development of calretinin immunoreactivity in the brainstem auditory nuclei of the barn owl (<i>Tyto</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50		42
779	Regional and cellular localisation of GABAA receptor subunits in the human basal ganglia: An autoradiographic and immunohistochemical study. , 1999, 415, 313-340.		86
780	Differential expression of calbindin and calretinin in the human fetal amygdala. , 1999, 46, 1-17.		23
781	Cellular Reactivity to Mechanical Axonal Injury in an Organotypic in Vitro Model of Neurotrauma. <i>Journal of Neurotrauma</i> , 1999, 16, 1197-1213.	1.7	21
782	Illusive transience of parvalbumin expression during embryonic development of the primate spinal cord. <i>International Journal of Developmental Neuroscience</i> , 1999, 17, 79-97.	0.7	5
783	Developmental expression of calretinin-immunoreactivity in the thalamic eminence of the fetal mouse. <i>International Journal of Developmental Neuroscience</i> , 1999, 17, 331-345.	0.7	34
784	Cellular distribution of the calcium-binding proteins parvalbumin, calbindin, and calretinin in the neocortex of mammals: phylogenetic and developmental patterns. <i>Journal of Chemical Neuroanatomy</i> , 1999, 16, 77-116.	1.0	381
785	Distribution of calretinin-like immunoreactivity in the brain of <i>Rana esculenta</i> . <i>Journal of Chemical Neuroanatomy</i> , 1999, 16, 233-243.	1.0	16
786	Calbindin immunoreactivity in the developing and adult human cerebellum. <i>Journal of Chemical Neuroanatomy</i> , 1999, 17, 1-12.	1.0	17
787	Thalamic reticular nucleus parcellation delineated by VIP and TRH gene expression in the rat. <i>Journal of Chemical Neuroanatomy</i> , 1999, 17, 147-152.	1.0	16
788	Corticotropin-Releasing Factor Plays a Permissive Role in Cerebellar Long-Term Depression. <i>Neuron</i> , 1999, 22, 763-775.	3.8	122
789	Relationship of calcium-binding protein containing neurons and projection neurons in the rat basolateral amygdala. <i>Neuroscience Letters</i> , 1999, 259, 91-94.	1.0	22
790	Sound stimulation increases calcium-binding protein immunoreactivity in the inferior colliculus in mice. <i>Neuroscience Letters</i> , 1999, 259, 49-52.	1.0	29
791	Calretinin-immunoreactive neurons in primate pedunculo-pontine and laterodorsal tegmental nuclei. <i>Neuroscience</i> , 1999, 88, 535-547.	1.1	19
792	Localization of calcium-binding proteins and GABA transporter (GAT-1) messenger RNA in the human subthalamic nucleus. <i>Neuroscience</i> , 1999, 88, 521-534.	1.1	39
793	Thalamic inputs to striatal interneurons in monkeys: synaptic organization and co-localization of calcium binding proteins. <i>Neuroscience</i> , 1999, 89, 1189-1208.	1.1	142

#	ARTICLE	IF	CITATIONS
794	Electrophysiological and morphological characterization of cytochemically-defined neurons in the caudal nucleus of tractus solitarius of the rat. <i>Neuroscience</i> , 1999, 89, 1347-1355.	1.1	50
795	Calcium-binding protein immunoreactivity delineates the intralaminar nuclei of the thalamus in the human brain. <i>Neuroscience</i> , 1999, 90, 485-491.	1.1	37
796	Vermectomy enhances parvalbumin expression and improves motor performance in Weaver mutant mice: an animal model for cerebellar ataxia. <i>Neuroscience</i> , 1999, 91, 315-326.	1.1	22
797	Developmental expression of calretinin immunoreactivity in the human retina and a comparison with two other EF-hand calcium-binding proteins. <i>Neuroscience</i> , 1999, 91, 41-50.	1.1	65
798	Administration of recombinant human activin-A has powerful neurotrophic effects on select striatal phenotypes in the quinolinic acid lesion model of Huntington's disease. <i>Neuroscience</i> , 1999, 92, 197-209.	1.1	84
799	Parvalbumin-immunoreactive, fast-spiking neurons in the medial septum/diagonal band complex of the rat: intracellular recordings in vitro. <i>Neuroscience</i> , 1999, 92, 589-600.	1.1	70
800	Somatostatin receptor subtype 2A expression in the rat retina. <i>Neuroscience</i> , 1999, 94, 675-683.	1.1	42
801	Learning-related Fos-like immunoreactivity in the chick brain: time-course and co-localization with GABA and parvalbumin. <i>Neuroscience</i> , 1999, 93, 1515-1524.	1.1	31
802	Adrenergic α_2 -receptors reside in rat striatal GABAergic projection neurons: comparison of radioligand binding and immunohistochemistry. <i>Neuroscience</i> , 1999, 93, 1323-1333.	1.1	58
803	Evidence for a deficit in cholinergic interneurons in the striatum in schizophrenia. <i>Neuroscience</i> , 1999, 94, 21-31.	1.1	135
804	Amyotrophic lateral sclerosis associated with mutations in superoxide dismutase: a putative mechanism of degeneration. <i>Brain Research Reviews</i> , 1999, 29, 121-135.	9.1	78
805	Calbindin immunoreactivity in the hippocampal formation and neocortex of schizophrenics. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 1999, 23, 409-421.	2.5	31
806	Muscarinic acetylcholine receptors in the hippocampus, neocortex and amygdala: a review of immunocytochemical localization in relation to learning and memory. <i>Progress in Neurobiology</i> , 1999, 58, 409-471.	2.8	234
807	Brain-derived neurotrophic factor, nerve growth factor and neurotrophin-3 in selected regions of the rat brain following kainic acid-induced seizure activity. <i>Neuroscience Research</i> , 1999, 35, 19-29.	1.0	56
808	Calcium-binding protein-immunoreactive projection neurons in the caudal subnucleus of the spinal trigeminal nucleus of the rat. <i>Neuroscience Research</i> , 1999, 35, 225-240.	1.0	23
809	Expression of calbindin-D28k in C6 glial cells stabilizes intracellular calcium levels and protects against apoptosis induced by calcium ionophore and amyloid β -peptide. <i>Molecular Brain Research</i> , 1999, 64, 69-79.	2.5	74
810	Dimorphic expression of medial basal hypothalamic preoptic area calbindin-D28K mRNA during perinatal development and adult distribution of calbindin-D28K mRNA in Sprague-Dawley rats. <i>Molecular Brain Research</i> , 1999, 73, 60-67.	2.5	19
811	The Ruffini Ending as the Primary Mechanoreceptor in the Periodontal Ligament: Its Morphology, Cytochemical Features, Regeneration, and Development. <i>Critical Reviews in Oral Biology and Medicine</i> , 1999, 10, 307-327.	4.4	100

#	ARTICLE	IF	CITATIONS
812	The Internal Globus Pallidus Is Affected in Progressive Supranuclear Palsy and Parkinson's Disease. <i>Experimental Neurology</i> , 1999, 158, 135-142.	2.0	38
813	The IGF-I Amino-Terminal Tripeptide Glycine-Proline-Glutamate (GPE) Is Neuroprotective to Striatum in the Quinolinic Acid Lesion Animal Model of Huntington's Disease. <i>Experimental Neurology</i> , 1999, 159, 84-97.	2.0	45
814	GDNF Increases the Density of Cells Containing Calbindin but Not of Cells Containing Calretinin in Cultured Rat and Human Fetal Nigral Tissue. <i>Cell Transplantation</i> , 1999, 8, 25-36.	1.2	36
815	Variation in the spatial relationship between parvalbumin immunoreactive interneurons and pyramidal neurons in rat somatosensory cortex. <i>NeuroReport</i> , 1999, 10, 2975-2979.	0.6	18
816	Cellular calcium handling in brain slices from calbindin D28k-deficient mice. <i>NeuroReport</i> , 1999, 10, 2367-2372.	0.6	14
817	Alteration in the Expression Level of Calbindin D28k in the Periodontal Ligament of the Rat Molar during Experimental Tooth Movement.. <i>Archives of Histology and Cytology</i> , 1999, 62, 139-147.	0.2	3
818	Morphological and Cytochemical Characteristics of Periodontal Ruffini Ending under Normal and Regeneration Processes.. <i>Archives of Histology and Cytology</i> , 2000, 63, 91-113.	0.2	34
819	Unipolar brush cells in marmoset cerebellum and cochlear nuclei express calbindin. <i>NeuroReport</i> , 2000, 11, 1-4.	0.6	155
820	Calcium binding proteins in motoneurons at low and high risk for degeneration in ALS. <i>NeuroReport</i> , 2000, 11, 3305-3308.	0.6	34
821	Projections of the superior colliculus to subdivisions of the inferior pulvinar in New World and Old World monkeys. <i>Visual Neuroscience</i> , 2000, 17, 529-549.	0.5	110
822	Neurophysiological evaluation of cortical function in the early diagnosis of ALS. <i>Amyotrophic Lateral Sclerosis and Other Motor Neuron Disorders: Official Publication of the World Federation of Neurology, Research Group on Motor Neuron Diseases</i> , 2000, 1, S47-S51.	1.4	17
823	Differential vulnerability of oculomotor, facial, and hypoglossal nuclei in G86R superoxide dismutase transgenic mice. , 2000, 416, 112-125.		105
824	Does the visual system of the flying fox resemble that of primates? The distribution of calcium-binding proteins in the primary visual pathway of <i>Pteropus poliocephalus</i> . , 2000, 417, 73-87.		21
825	Neurons in the adult rat anterior medullary velum. , 2000, 419, 122-134.		6
826	Patterns of calretinin, calbindin, and tyrosine-hydroxylase expression are consistent with the prosomeric map of the frog diencephalon. , 2000, 419, 96-121.		82
827	Development of inhibitory circuitry in visual and auditory cortex of postnatal ferrets: Immunocytochemical localization of calbindin- and parvalbumin-containing neurons. , 2000, 422, 140-157.		68
828	Maternal morphine alters parvalbumin immunoreactivity patterns in neonatal mouse brain. , 2000, 35, 265-271.		10
829	Expression of complexin I and II mRNAs and their regulation by antipsychotic drugs in the rat forebrain. , 2000, 36, 167-177.		45

#	ARTICLE	IF	CITATIONS
830	Olfactory bulb and retrobulbar regions in the hedgehog tenrec: Organization and interconnections. <i>Journal of Comparative Neurology</i> , 2000, 423, 687-705.	0.9	39
831	Basal telencephalic regions connected with the olfactory bulb in a Madagascan hedgehog tenrec. <i>Journal of Comparative Neurology</i> , 2000, 423, 706-726.	0.9	15
832	Mitotically active cells that generate neurons and astrocytes are present in multiple regions of the adult mouse hippocampus. <i>Journal of Comparative Neurology</i> , 2000, 424, 397-408.	0.9	158
833	Calbindin-immunoreactive neurons in the reticular formation of the rat brainstem: Catecholamine content and spinal projections. <i>Journal of Comparative Neurology</i> , 2000, 424, 547-562.	0.9	35
834	Focal denervation alters cellular phenotypes and survival in the rat olfactory bulb: A developmental analysis. <i>Journal of Comparative Neurology</i> , 2000, 425, 409-421.	0.9	11
835	Calretinin expression in specific neuronal systems in the brain of an advanced teleost, the grey mullet (<i>Chelon labrosus</i>). <i>Journal of Comparative Neurology</i> , 2000, 426, 81-105.	0.9	79
836	Distribution of parvalbumin, calretinin, and calbindin-D28k immunoreactivity in the rat amygdaloid complex and colocalization with γ -aminobutyric acid. <i>Journal of Comparative Neurology</i> , 2000, 426, 441-467.	0.9	194
837	Expression of calcium-binding proteins in the diencephalon of the lizard <i>Psammmodromus algerius</i> . <i>Journal of Comparative Neurology</i> , 2000, 427, 67-92.	0.9	105
838	Response of abducens internuclear neurons to axotomy in the adult cat. <i>Journal of Comparative Neurology</i> , 2000, 427, 370-390.	0.9	29
839	Colocalization of parvalbumin and somatostatin-like immunoreactivity in the mouse hippocampus: Quantitative analysis with optical disector. <i>Journal of Comparative Neurology</i> , 2000, 428, 377-388.	0.9	64
840	Somatostatin and somatostatin subtype 2A expression in the mammalian retina. <i>Microscopy Research and Technique</i> , 2000, 50, 103-111.	1.2	30
841	Plasticity of the superior olivary complex. <i>Microscopy Research and Technique</i> , 2000, 51, 364-381.	1.2	31
842	Calbindin D28k and parvalbumin immunoreactivity in the rabbit superior colliculus: An anatomical study. <i>The Anatomical Record</i> , 2000, 259, 334-346.	2.3	23
843	Neurocalcin-immunoreactive neurons in the mammalian dorsal root ganglia, including humans. <i>The Anatomical Record</i> , 2000, 259, 347-352.	2.3	2
844	Maternal adrenalectomy at the early onset of gestation impairs the postnatal development of the rat hippocampal formation: Effects on cell numbers and differentiation, connectivity and calbindin-D28k immunoreactivity. <i>Journal of Neuroscience Research</i> , 2000, 62, 644-667.	1.3	26
845	Early loss of interneurons and delayed subunit-specific changes in GABAA-receptor expression in a mouse model of mesial temporal lobe epilepsy. <i>Hippocampus</i> , 2000, 10, 305-324.	0.9	178
846	Afferents from the auditory thalamus synapse on inhibitory interneurons in the lateral nucleus of the amygdala. <i>Synapse</i> , 2000, 38, 124-137.	0.6	55
847	Q- and L-type calcium channels control the development of calbindin phenotype in hippocampal pyramidal neurons in vitro. <i>European Journal of Neuroscience</i> , 2000, 12, 2068-2078.	1.2	21

#	ARTICLE	IF	CITATIONS
848	Functional organization of auditory cortex in the Mongolian gerbil (<i>Meriones unguiculatus</i>). IV. Connections with anatomically characterized subcortical structures. <i>European Journal of Neuroscience</i> , 2000, 12, 2452-2474.	1.2	117
849	A high GluR1â€ƒ:â€ƒGluR2 expression ratio is correlated with expression of Ca ²⁺ -binding proteins in rat forebrain neurons. <i>European Journal of Neuroscience</i> , 2000, 12, 2812-2822.	1.2	48
850	Expression of c-Met in developing rat hippocampus: evidence for HGF as a neurotrophic factor for calbindin D-expressing neurons. <i>European Journal of Neuroscience</i> , 2000, 12, 3453-3461.	1.2	58
851	Alterations in Purkinje cell spines of calbindin D-28â€ƒk and parvalbumin knock-out mice. <i>European Journal of Neuroscience</i> , 2000, 12, 945-954.	1.2	97
852	Altered expression level of calbindin D28k in the periodontal ligament of rat molar in response to changes in occlusal force. <i>Journal of Periodontal Research</i> , 2000, 35, 301-309.	1.4	6
853	Double immunofluorescence, peroxidase labelling and ultrastructural analysis of interneurons following prolonged electrophysiological recordings in vitro. <i>Journal of Neuroscience Methods</i> , 2000, 101, 107-116.	1.3	35
854	Characterization of Neuronal Migration Disorders in Neocortical Structures: Loss or Preservation of Inhibitory Interneurons?. <i>Epilepsia</i> , 2000, 41, 781-787.	2.6	32
855	Kinetics of Ca ²⁺ binding to parvalbumin in bovine chromaffin cells: implications for [Ca ²⁺] transients of neuronal dendrites. <i>Journal of Physiology</i> , 2000, 525, 419-432.	1.3	157
856	Effects of unilateral deprivation in postnatal development of the olfactory bulb in an altricial rodent, the gerbil (<i>Meriones unguiculatus</i>). <i>Developmental Brain Research</i> , 2000, 122, 35-46.	2.1	5
857	The coreâ€ƒshell dichotomy of nucleus accumbens in the rhesus monkey as revealed by double-immunofluorescence and morphology of cholinergic interneurons. <i>Brain Research</i> , 2000, 858, 151-162.	1.1	47
858	Osteopontin-immunoreactive primary sensory neurons in the rat spinal and trigeminal nervous systems. <i>Brain Research</i> , 2000, 863, 276-281.	1.1	29
859	Neurotransmitters, neuropeptides and calcium binding proteins in developing human cerebellum: a review. <i>The Histochemical Journal</i> , 2000, 32, 521-534.	0.6	46
860	Calbindin-D28k and calretinin in the rat posterior pituitary; light and electron microscopic localization and upregulation with dehydration. <i>Journal of Neurocytology</i> , 2000, 29, 5-17.	1.6	18
861	Neural circuits and functional organization of the striatum. <i>Journal of Neurology</i> , 2000, 247, V1-V15.	1.8	207
862	Immunohistochemical studies of the structural bases of inhibition in the central cerebellar nuclei in mice. <i>Neuroscience and Behavioral Physiology</i> , 2000, 30, 201-206.	0.2	2
863	The transentorhinal cortex of the African green monkey: a combined light- and electron-microscopic study of calcium-binding protein containing neurons. <i>Anatomy and Embryology</i> , 2000, 202, 143-158.	1.5	4
864	Morphological study of the tegmental pedunculopontine nucleus, substantia nigra and subthalamic nucleus, and their interconnections in rat organotypic culture. <i>Anatomy and Embryology</i> , 2000, 201, 435-453.	1.5	23
865	Calbindin 28kDa is specifically associated with extranuclear constituents of the dense particulate fraction. <i>Cell and Tissue Research</i> , 2000, 302, 171-180.	1.5	16

#	ARTICLE	IF	CITATIONS
866	Altered calcium homeostasis in spinal motoneurons but not in oculomotor neurons of SOD-1 knockout mice. <i>Acta Neuropathologica</i> , 2000, 99, 517-524.	3.9	18
867	EEG Correlation of the Discharge Properties of Identified Neurons in the Basal Forebrain. <i>Journal of Neurophysiology</i> , 2000, 84, 1627-1635.	0.9	169
868	Cerebellar Defects in Ca ²⁺ /Calmodulin Kinase IV-Deficient Mice. <i>Journal of Neuroscience</i> , 2000, 20, RC107-RC107.	1.7	163
869	Adult Spinal Cord Stem Cells Generate Neurons after Transplantation in the Adult Dentate Gyrus. <i>Journal of Neuroscience</i> , 2000, 20, 8727-8735.	1.7	670
870	Role of the calcium-binding protein parvalbumin in short-term synaptic plasticity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000, 97, 13372-13377.	3.3	355
871	Distribution of the Receptor-anchoring Protein Gephyrin in the Rat Dentate Gyrus and Changes Following Entorhinal Cortex Lesion. <i>Cerebral Cortex</i> , 2000, 10, 422-432.	1.6	14
872	Lack of Calbindin-D28k Does Not Affect Hearing Level or Survival of Hair Cells in Acoustic Trauma. <i>Orl</i> , 2000, 62, 9-12.	0.6	16
873	Nonviral Glial Cell-Derived Neurotrophic Factor Gene Transfer Enhances Survival of Cultured Dopaminergic Neurons and Improves Their Function after Transplantation in a Rat Model of Parkinson's Disease. <i>Human Gene Therapy</i> , 2000, 11, 1529-1541.	1.4	24
874	Synaptic Pathology in Borna Disease Virus Persistent Infection. <i>Journal of Virology</i> , 2000, 74, 3441-3448.	1.5	68
875	Taking the Measure of Diversity: Comparative Alternatives to the Model-Animal Paradigm in Cortical Neuroscience. <i>Brain, Behavior and Evolution</i> , 2000, 55, 287-299.	0.9	122
876	Differential Vulnerability of Hippocampus, Basal Ganglia, and Prefrontal Cortex to Long-Term NMDA Excitotoxicity. <i>Experimental Neurology</i> , 2000, 161, 686-695.	2.0	42
877	Glial Cell Line-Derived Neurotrophic Factor Stimulates the Morphological Differentiation of Cultured Ventral Mesencephalic Calbindin- and Calretinin-Expressing Neurons. <i>Experimental Neurology</i> , 2000, 164, 71-81.	2.0	46
878	Distribution of Calbindin, Parvalbumin, and Calretinin Immunoreactivity in the Reticular Thalamic Nucleus of the Marmoset: Evidence for a Medial Leaflet of Incertal Neurons. <i>Experimental Neurology</i> , 2000, 164, 371-383.	2.0	13
879	Plasticity in the Rat Spinal Cord Seen in Response to Lesions to the Motor Cortex during Development but Not to Lesions in Maturity. <i>Experimental Neurology</i> , 2000, 166, 422-434.	2.0	41
880	Transient Global Ischemia in Rats Yields Striatal Projection Neuron and Interneuron Loss Resembling That in Huntington's Disease. <i>Experimental Neurology</i> , 2000, 166, 307-323.	2.0	51
881	Extra Axonal Neurofilaments Do Not Exacerbate Disease Caused by Mutant Cu,Zn Superoxide Dismutase. <i>Neurobiology of Disease</i> , 2000, 7, 462-470.	2.1	19
882	Binding Kinetics of Calbindin-D28k Determined by Flash Photolysis of Caged Ca ²⁺ . <i>Biophysical Journal</i> , 2000, 79, 3009-3018.	0.2	176
883	Immunolocalization of calbindin D28k and calretinin in the dog cochlea during postnatal development. <i>Hearing Research</i> , 2000, 145, 101-110.	0.9	13

#	ARTICLE	IF	CITATIONS
884	Calcification processes in the chick otoconia and calcium binding proteins: patterns of tetracycline incorporation and calbindin-D28K distribution. <i>Hearing Research</i> , 2000, 148, 1-8.	0.9	23
885	Deafferentation-induced changes in protein kinase C expression in the rat cochlear nucleus. <i>Hearing Research</i> , 2000, 147, 113-124.	0.9	23
886	Neurodegenerative and morphogenic changes in a mouse model of temporal lobe epilepsy do not depend on the expression of the calcium-binding proteins parvalbumin, calbindin, or calretinin. <i>Neuroscience</i> , 2000, 97, 47-58.	1.1	103
887	Species-specific expression of parvalbumin in the entorhinal cortex of the Mongolian gerbil: dependence on local activity but not extrinsic afferents. <i>Neuroscience</i> , 2000, 99, 423-431.	1.1	17
888	Calbindin and Fos within the suprachiasmatic nucleus and the adjacent hypothalamus of <i>Arvicanthis niloticus</i> and <i>Rattus norvegicus</i> . <i>Neuroscience</i> , 2000, 99, 565-575.	1.1	31
889	Calbindin-D28k immunoreactivity in the suprachiasmatic nucleus and the circadian response to constant light in the rat. <i>Neuroscience</i> , 2000, 99, 397-401.	1.1	33
890	Localization of glutamatergic/aspartatergic neurons projecting to the hypothalamic paraventricular nucleus studied by retrograde transport of [3H]d-aspartate autoradiography. <i>Neuroscience</i> , 2000, 101, 637-655.	1.1	154
891	Vanilloid receptor 1-like receptor-immunoreactive primary sensory neurons in the rat trigeminal nervous system. <i>Neuroscience</i> , 2000, 101, 719-725.	1.1	85
892	Atm-deficient mice Purkinje cells show age-dependent defects in calcium spike bursts and calcium currents. <i>Neuroscience</i> , 2000, 96, 575-583.	1.1	53
893	Brain-derived neurotrophic factor modulates dendritic morphology of cerebellar basket and stellate cells: an in vitro study. <i>Neuroscience</i> , 2000, 97, 303-310.	1.1	59
894	Distribution of neurons immunoreactive for calcium-binding proteins varies across areas of cat primary somatosensory cortex. <i>Brain Research Bulletin</i> , 2000, 51, 379-385.	1.4	8
895	Chemical anatomy of striatal interneurons in normal individuals and in patients with Huntington's disease. <i>Brain Research Reviews</i> , 2000, 34, 80-101.	9.1	180
896	Multiple output pathways of the basal forebrain: organization, chemical heterogeneity, and roles in vigilance. <i>Behavioural Brain Research</i> , 2000, 115, 117-141.	1.2	239
897	Local synaptic connections of basal forebrain neurons. <i>Behavioural Brain Research</i> , 2000, 115, 143-158.	1.2	125
898	Serotonergic innervation of mesencephalic trigeminal nucleus neurons: a light and electron microscopic study in the rat. <i>Neuroscience Research</i> , 2000, 37, 127-140.	1.0	31
899	Co-existence of calcium-binding proteins in neurons of the medullary dorsal horn of the rat. <i>Neuroscience Letters</i> , 2000, 286, 103-106.	1.0	20
900	The supramammillo-hippocampal and supramammillo-septal glutamatergic/aspartatergic projections in the rat: a combined [3H]d-aspartate autoradiographic and immunohistochemical study. <i>Neuroscience</i> , 2000, 97, 657-669.	1.1	81
901	Distribution of the calcium-binding proteins parvalbumin, calbindin D-28k and calretinin in the retina of two teleosts. <i>Journal of Chemical Neuroanatomy</i> , 2000, 19, 1-15.	1.0	42

#	ARTICLE	IF	CITATIONS
902	Postnatal development of parvalbumin and calbindin D-28k immunoreactivities in the canine hippocampus. <i>Journal of Chemical Neuroanatomy</i> , 2000, 19, 143-154.	1.0	18
903	The distribution of calbindin, calretinin and parvalbumin immunoreactivity in the human thalamus. <i>Journal of Chemical Neuroanatomy</i> , 2000, 19, 155-173.	1.0	111
904	Dopaminergic innervation of human basal ganglia. <i>Journal of Chemical Neuroanatomy</i> , 2000, 20, 207-213.	1.0	107
905	Neuropilin-2 Regulates the Development of Select Cranial and Sensory Nerves and Hippocampal Mossy Fiber Projections. <i>Neuron</i> , 2000, 25, 43-56.	3.8	349
906	Expression of calbindin-D28k and parvalbumin during development of rat's basolateral amygdaloid complex. <i>International Journal of Developmental Neuroscience</i> , 2000, 18, 501-513.	0.7	58
907	Embryonic stem cell derived neurones express a maturation dependent pattern of voltage-gated calcium channels and calcium-binding proteins. <i>International Journal of Developmental Neuroscience</i> , 2000, 18, 201-212.	0.7	36
908	The Mesencephalic Trigeminal Nucleus in the Cat. <i>Advances in Anatomy, Embryology and Cell Biology</i> , 2000, 153, iii-xiv, 1-103.	1.0	23
909	Characteristics of GABAergic neurons and their synaptic relationships with intrinsic axons in the cat motor cortex. <i>Somatosensory & Motor Research</i> , 2000, 17, 67-80.	0.4	11
910	Relationship between ataxin-1 nuclear inclusions and Purkinje cell specific proteins in SCA-1 transgenic mice. <i>Journal of the Neurological Sciences</i> , 2000, 174, 100-110.	0.3	35
911	The thalamus of the Amazon spiny rat <i>Proechimys guyannensis</i> , an animal model of resistance to epilepsy, and pilocarpine-induced long-term changes of protein expression. <i>Thalamus & Related Systems</i> , 2001, 1, 117-133.	0.5	2
912	Overexpression of Calbindin-D28K Induces Neurite Outgrowth in Dopaminergic Neuronal Cells via Activation of p38 MAPK. <i>Biochemical and Biophysical Research Communications</i> , 2001, 287, 656-661.	1.0	26
913	Comparison of Calcium-Binding Proteins Expressed in Cultured hNT Neurons and hNT Neurons Transplanted into the Rat Striatum. <i>Experimental Neurology</i> , 2001, 167, 252-259.	2.0	19
914	Dopamine Cell Degeneration Induced by Intraventricular Administration of 6-Hydroxydopamine in the Rat: Similarities with Cell Loss in Parkinson's Disease. <i>Experimental Neurology</i> , 2001, 169, 163-181.	2.0	102
915	Parvalbumin-containing neurons in the rat basolateral amygdala: morphology and co-localization of Calbindin-D28k. <i>Neuroscience</i> , 2001, 102, 413-425.	1.1	164
916	GABA promotes survival but not proliferation of parvalbumin-immunoreactive interneurons in rodent neostriatum: an in vivo study with stereology. <i>Neuroscience</i> , 2001, 104, 93-103.	1.1	106
917	Immunohistochemical profiles of spinal lamina I neurones retrogradely labelled from the nucleus tractus solitarius in rat suggest excitatory projections. <i>Neuroscience</i> , 2001, 104, 523-538.	1.1	54
918	The spiny rat <i>Proechimys guyannensis</i> as model of resistance to epilepsy: chemical characterization of hippocampal cell populations and pilocarpine-induced changes. <i>Neuroscience</i> , 2001, 104, 979-1002.	1.1	25
919	When a rat smells a cat™: the distribution of Fos immunoreactivity in rat brain following exposure to a predatory odor. <i>Neuroscience</i> , 2001, 104, 1085-1097.	1.1	433

#	ARTICLE	IF	CITATIONS
920	Parvalbumin and calbindin are differentially distributed within primary and secondary subregions of the mouse auditory forebrain. <i>Neuroscience</i> , 2001, 105, 553-569.	1.1	107
921	Differential expression of AMPA receptor subunits in dopamine neurons of the rat brain: a double immunocytochemical study. <i>Neuroscience</i> , 2001, 106, 149-160.	1.1	26
922	Prenatal cocaine exposure produces consistent developmental alterations in dopamine-rich regions of the cerebral cortex. <i>Neuroscience</i> , 2001, 106, 5-14.	1.1	91
923	Additive effect of glial cell line-derived neurotrophic factor and neurotrophin-4/5 on rat fetal nigral explant cultures. <i>Neuroscience</i> , 2001, 108, 273-284.	1.1	37
924	Neurochemical correlates of cortical GABAergic deficits in schizophrenia: selective losses of calcium binding protein immunoreactivity. <i>Brain Research Bulletin</i> , 2001, 55, 579-584.	1.4	136
925	Calcium homeostasis and spinocerebellar ataxia-1 (SCA-1). <i>Brain Research Bulletin</i> , 2001, 56, 221-225.	1.4	36
926	Mutant mice as a model for cerebellar ataxia. <i>Progress in Neurobiology</i> , 2001, 63, 489-540.	2.8	105
927	The Neuronal Calcium Sensor Protein VILIP-1 Is Associated with Amyloid Plaques and Extracellular Tangles in Alzheimer's Disease and Promotes Cell Death and Tau Phosphorylation in Vitro: A Link between Calcium Sensors and Alzheimer's Disease?. <i>Neurobiology of Disease</i> , 2001, 8, 900-909.	2.1	67
928	Onset of calbindinâ€”28K and parvalbumin expression in the lateral geniculate complex and olivary pretectal nucleus during postnatal development of the rat. <i>International Journal of Developmental Neuroscience</i> , 2001, 19, 655-661.	0.7	13
929	Distribution of calbindin, parvalbumin and calretinin in the lateral geniculate nucleus and superior colliculus in <i>Cebus apella</i> monkeys. <i>Journal of Chemical Neuroanatomy</i> , 2001, 22, 139-146.	1.0	41
930	Calcium: the Darth Vader of ALS. <i>Amyotrophic Lateral Sclerosis and Other Motor Neuron Disorders: Official Publication of the World Federation of Neurology, Research Group on Motor Neuron Diseases</i> , 2001, 2, 47-54.	1.4	39
931	Regional and Laminar Patterns of Selective Neuronal Vulnerability in Alzheimer's Disease. , 2001, , 95-109.		1
932	RNA-Binding Protein Musashi2: Developmentally Regulated Expression in Neural Precursor Cells and Subpopulations of Neurons in Mammalian CNS. <i>Journal of Neuroscience</i> , 2001, 21, 8091-8107.	1.7	233
933	The thalamus of the Amazon spiny rat <i>Proechimys guyannensis</i> , an animal model of resistance to epilepsy, and pilocarpine-induced long-term changes of protein expression. <i>Thalamus & Related Systems</i> , 2001, 1, 117.	0.5	1
934	Target Specific Organization and Neuron Types of the Dog Pelvic Ganglia: A Retrograde-Tracing and Immunohistochemical Study.. <i>Archives of Histology and Cytology</i> , 2001, 64, 267-280.	0.2	19
935	Circulating Insulin-Like Growth Factor I Mediates the Protective Effects of Physical Exercise against Brain Insults of Different Etiology and Anatomy. <i>Journal of Neuroscience</i> , 2001, 21, 5678-5684.	1.7	527
936	The discovery of cerebral diversity: an unwelcome scientific revolution. , 2001, , 138-164.		44
937	Distribution of the calcium-binding proteins calbindin D-28K and parvalbumin in the superior colliculus of adult and neonatal cat and rhesus monkey. <i>Experimental Brain Research</i> , 2001, 141, 460-470.	0.7	21

#	ARTICLE	IF	CITATIONS
938	Parvalbumin and calbindin D-28K immunoreactive neurons in area MT of rhesus monkey. <i>Experimental Brain Research</i> , 2001, 137, 141-149.	0.7	17
939	Stereological cell counts of GABAergic neurons in rat dentate hilus following transient cerebral ischemia. <i>Experimental Brain Research</i> , 2001, 141, 380-388.	0.7	25
940	Abnormalities of cerebellar foliation in rats prenatally exposed to ethanol. <i>Acta Neuropathologica</i> , 2001, 102, 36-40.	3.9	36
941	Parvalbumin and GABA in the developing somatosensory thalamus of the rat: an immunocytochemical ultrastructural correlation. <i>Anatomy and Embryology</i> , 2001, 203, 109-119.	1.5	24
942	Differential expression of calcium-binding proteins in the red nucleus of the developing and adult human brain. <i>Anatomy and Embryology</i> , 2001, 203, 95-108.	1.5	28
943	Calbindin immunoreactivity of enteric neurons in the guinea-pig ileum. <i>Cell and Tissue Research</i> , 2001, 305, 3-9.	1.5	42
944	Chondroitin sulfate proteoglycans in the rat thalamus: expression during postnatal development and correlation with calcium-binding proteins in adults. <i>Cell and Tissue Research</i> , 2001, 306, 15-26.	1.5	17
945	Localization and Coexistence of Calcium-Binding Proteins and Neuropeptides in the Vagal Ganglia of the Goat. <i>Journal of Veterinary Medicine Series C: Anatomia Histologia Embryologia</i> , 2001, 30, 281-288.	0.3	7
946	Calbindin-D28k Immunoreactivity is a Marker for a Subdivision of the Sexually Dimorphic Nucleus of the Preoptic Area of the Rat: Developmental Profile and Gonadal Steroid Modulation. <i>Journal of Neuroendocrinology</i> , 2001, 12, 397-402.	1.2	95
947	Immunohistochemical Localization of Calbindin D-28k in the Migratory Pathway from the Rat Olfactory Placode. <i>Journal of Neuroendocrinology</i> , 2001, 13, 683-694.	1.2	17
948	Neurogenesis of heterotopic gray matter in the brain of the microcephalic mouse. <i>Journal of Neuroscience Research</i> , 2001, 66, 1083-1093.	1.3	14
949	Nitric oxide synthase-positive neurons in the rat superior colliculus: Colocalization of NOS with NMDAR1 glutamate receptor, GABA, and parvalbumin. <i>Journal of Neuroscience Research</i> , 2001, 64, 501-507.	1.3	32
950	Calretinin-, neurocalcin-, and parvalbumin-immunoreactive elements in the olfactory bulb of the hedgehog (<i>Erinaceus europaeus</i>). <i>Journal of Comparative Neurology</i> , 2001, 429, 554-570.	0.9	26
951	Calbindin immunoreactivity in the geniculo-extrastriate system of the macaque: Implications for heterogeneity in the koniocellular pathway and recovery from cortical damage. <i>Journal of Comparative Neurology</i> , 2001, 431, 168-181.	0.9	51
952	Chemical organization of the macaque monkey olfactory bulb: II. Calretinin, calbindin D-28k, parvalbumin, and neurocalcin immunoreactivity. <i>Journal of Comparative Neurology</i> , 2001, 432, 389-407.	0.9	33
953	Guanine nucleotide exchange factors CalDAG-GEFI and CalDAG-GEFII are colocalized in striatal projection neurons. <i>Journal of Comparative Neurology</i> , 2001, 437, 398-407.	0.9	32
954	Selective Purkinje cell ectopia in the cerebellum of the Weaver mouse. <i>Journal of Comparative Neurology</i> , 2001, 439, 151-161.	0.9	34
955	Entorhinal cortex of the mouse: Cytoarchitectonical organization. <i>Hippocampus</i> , 2001, 11, 397-407.	0.9	47

#	ARTICLE	IF	CITATIONS
956	Serotonin 5-HT1A receptor expression is selectively enhanced in the striosomal compartment of chronic parkinsonian monkeys. <i>Synapse</i> , 2001, 39, 288-296.	0.6	94
957	Tenascin-R associates extracellularly with parvalbumin immunoreactive neurones but is synthesised by another neuronal population in the adult rat cerebral cortex. <i>Journal of Neurocytology</i> , 2001, 30, 293-301.	1.6	8
958	Neurochemistry of superficial spinal neurones projecting to nucleus of the solitary tract that express c-fos on chemical somatic and visceral nociceptive input in the rat. <i>Metabolic Brain Disease</i> , 2001, 16, 151-164.	1.4	36
959	Expression of calbindin D-28k and parvalbumin in cerebral cortical dysgenesis induced by administration of ethylnitrosourea to rats at the stage of neurogenesis. <i>Acta Neuropathologica</i> , 2001, 101, 375-382.	3.9	4
960	Steroid hormone influence on brain calbindin-D28K in male prepubertal and ovariectomized rats. <i>Developmental Brain Research</i> , 2001, 129, 125-133.	2.1	20
961	Calbindin-D28k and calretinin immunoreactive neurons in the olfactory bulb of the musk shrew, <i>Suncus murinus</i> . <i>Developmental Brain Research</i> , 2001, 129, 11-25.	2.1	18
962	Parvalbumin-positive projection neurons characterise the vocal premotor pathway in male, but not female, zebra finches. <i>Brain Research</i> , 2001, 917, 235-252.	1.1	43
963	Tonotopic and Somatotopic Representation in the Nucleus basalis of the Barn Owl, <i>Tyto alba</i> . <i>Brain, Behavior and Evolution</i> , 2001, 57, 39-62.	0.9	39
964	Acute Hypoxia-Induced Alterations of Calbindin-D _{28k} Immunoreactivity in Cerebellar purkinje Cells of the Guinea pig Fetus at Term. <i>Journal of Neuropathology and Experimental Neurology</i> , 2001, 60, 470-482.	0.9	25
965	Quantitative Architecture Distinguishes Prefrontal Cortical Systems in the Rhesus Monkey. <i>Cerebral Cortex</i> , 2001, 11, 975-988.	1.6	225
966	Altered Interneuron Development in the Cerebral Cortex of the Flathead Mutant. <i>Cerebral Cortex</i> , 2001, 11, 734-743.	1.6	43
967	Cerebral Expression and Serum Detectability of Secretagogen, a Recently Cloned EF-hand Ca ²⁺ -binding Protein. <i>Cerebral Cortex</i> , 2001, 11, 1161-1169.	1.6	75
968	Gap junction proteins in inhibitory neurons of the adult barrel neocortex. <i>Somatosensory & Motor Research</i> , 2001, 18, 245-252.	0.4	16
969	Abnormal Localization of Two Neuronal Calcium Sensor Proteins, Visinin-Like Proteins (VILIPs)-1 and -3, in Neocortical Brain Areas of Alzheimer Disease Patients. <i>Dementia and Geriatric Cognitive Disorders</i> , 2001, 12, 110-116.	0.7	65
970	Functional Recovery of Cholinergic Basal Forebrain Neurons under Disease Conditions: Old Problems, New Solutions?. <i>Reviews in the Neurosciences</i> , 2002, 13, 95-165.	1.4	45
971	Expression from a Dlx Gene Enhancer Marks Adult Mouse Cortical GABAergic Neurons. <i>Cerebral Cortex</i> , 2002, 12, 75-85.	1.6	172
972	Application of Bicuculline to the Gerbil Somatosensory Cortex Induces Repetitive Ear Movements Accompanied by Induction of c-Fos Immunoreactivity in the Thalamus.. <i>Acta Histochemica Et Cytochemica</i> , 2002, 35, 323-329.	0.8	1
973	Hippocampal expression of the calcium sensor protein visinin-like protein-1 in schizophrenia. <i>NeuroReport</i> , 2002, 13, 393-396.	0.6	42

#	ARTICLE	IF	CITATIONS
974	Neuromelanin in the Human Brain: A Review and Atlas of Pigmented Cells in the Substantia Nigra. Archives of Physiology and Biochemistry, 2002, 110, 257-369.	1.0	24
975	Changes in the Expression of Parvalbumin Immunoreactivity in the Lumbar Spinal Cord of the Rat following Neonatal Nerve Injury. Developmental Neuroscience, 2002, 24, 283-293.	1.0	15
976	Changes in Immunoreactivity to Calcium-Binding Proteins in the Anterior Olfactory Nucleus of the Rat after Neonatal Olfactory Deprivation. Experimental Neurology, 2002, 177, 133-150.	2.0	21
977	Selective deficits in prefrontal cortical GABAergic neurons in schizophrenia defined by the presence of calcium-binding proteins. Biological Psychiatry, 2002, 52, 708-715.	0.7	348
978	Organotypic rat cerebellar slice culture as a model to analyze the molecular pharmacology of GABAA receptors. European Neuropsychopharmacology, 2002, 12, 201-208.	0.3	10
980	Calcium-Binding Proteins in the Human Developing Brain. Advances in Anatomy, Embryology and Cell Biology, 2002, , .	1.0	24
981	Decrease in calbindin content significantly alters LTP but not NMDA receptor and calcium channel properties. Neuropharmacology, 2002, 42, 444-458.	2.0	32
982	Glutamate and GABA content of calbindin-immunoreactive nerve terminals in the rat intermediolateral cell column. Autonomic Neuroscience: Basic and Clinical, 2002, 98, 7-11.	1.4	8
983	Postnatal development of neurons expressing NADPH-diaphorase and parvalbumin in the parietal cortex of male and female rats. Acta Histochemica, 2002, 104, 23-28.	0.9	4
984	Immunocytochemical evidence for the striatal nature of the rat lateral part of interstitial nucleus of the posterior limb of the anterior commissure (IPAC). Journal of Chemical Neuroanatomy, 2002, 24, 117-125.	1.0	12
985	Immunocytochemical localization of calretinin in the superficial layers of the cat superior colliculus. Neuroscience Research, 2002, 44, 325-335.	1.0	19
986	Single-cell RT-PCR detects shifts in mRNA expression profiles of basal forebrain neurons during aging. Molecular Brain Research, 2002, 98, 67-80.	2.5	21
987	Different regulatory sequences are required for parvalbumin gene expression in skeletal muscles and neuronal cells of transgenic mice. Molecular Brain Research, 2002, 100, 53-66.	2.5	4
988	The decreases in calcium binding proteins and neurofilament immunoreactivities in the Purkinje cell of the Seizure Sensitive Gerbils. Neurochemistry International, 2002, 40, 115-122.	1.9	23
989	Excitatory and inhibitory neurons express c-Fos in barrel-related columns after exploration of a novel environment. Neuroscience, 2002, 109, 687-699.	1.1	88
990	Possible glutamatergic/aspartatergic projections to the supramammillary nucleus and their origins in the rat studied by selective [3H]D-aspartate labelling and immunocytochemistry. Neuroscience, 2002, 111, 671-691.	1.1	74
991	Effect of Brn-3a deficiency on parvalbumin-, calbindin D-28k-, calretinin- and calcitonin gene-related peptide-immunoreactive primary sensory neurons in the trigeminal ganglion. Neuroscience, 2002, 113, 537-546.	1.1	24
992	Synaptic reorganization of calbindin-positive neurons in the human hippocampal CA1 region in temporal lobe epilepsy. Neuroscience, 2002, 115, 961-978.	1.1	99

#	ARTICLE	IF	CITATIONS
993	Time course and manner of Purkinje neuron death following a single ethanol exposure on postnatal day 4 in the developing rat. <i>Neuroscience</i> , 2002, 114, 327-337.	1.1	118
994	Fos induction in cortical interneurons during spontaneous wakefulness of rats in a familiar or enriched environment. <i>Brain Research Bulletin</i> , 2002, 57, 631-638.	1.4	14
995	Decreased gene expression of calretinin and ryanodine receptor type 1 in tottering mice. <i>Brain Research Bulletin</i> , 2002, 59, 53-58.	1.4	26
996	Changes in calcium-binding protein expression in the auditory brainstem nuclei of the jaundiced Gunn rat. <i>Hearing Research</i> , 2002, 171, 129-141.	0.9	46
997	Immunohistochemical localization of calcium-binding proteins in the brainstem vestibular nuclei of the jaundiced Gunn rat. <i>Hearing Research</i> , 2002, 173, 82-90.	0.9	33
998	Comparative analysis of the chemical neuroanatomy of the mammalian trigeminal ganglion and mesencephalic trigeminal nucleus. <i>Progress in Neurobiology</i> , 2002, 66, 19-59.	2.8	242
999	Long-term changes in calbindin D28K immunoreactivity in the rat hippocampus after cardiac arrest. <i>Neuroscience Letters</i> , 2002, 321, 90-94.	1.0	13
1000	Chapter 17 Cortical interneurons: from Cajal to 2001. <i>Progress in Brain Research</i> , 2002, 136, 215-238.	0.9	168
1001	Calcium-binding proteins map the postnatal development of rat vestibular nuclei and their vestibular and cerebellar projections. <i>Journal of Comparative Neurology</i> , 2002, 451, 374-391.	0.9	18
1002	Specification of Cerebellar Progenitors After Heterotopic "Heterochronic Transplantation to the Embryonic CNS <i>In Vivo</i> and <i>In Vitro</i> . <i>Journal of Neuroscience</i> , 2002, 22, 7132-7146.	1.7	72
1003	Inhibition of Protein Kinase C Prevents Purkinje Cell Death But Does Not Affect Axonal Regeneration. <i>Journal of Neuroscience</i> , 2002, 22, 3531-3542.	1.7	69
1004	<i>In Vivo</i> Labeling of Parvalbumin-Positive Interneurons and Analysis of Electrical Coupling in Identified Neurons. <i>Journal of Neuroscience</i> , 2002, 22, 7055-7064.	1.7	282
1005	Behavior of human neural progenitor cells transplanted to rat brain. <i>Developmental Brain Research</i> , 2002, 134, 143-148.	2.1	30
1006	The thalamic reticular and perireticular nuclei in developing rabbits: patterns of parvalbumin expression. <i>Developmental Brain Research</i> , 2002, 136, 123-133.	2.1	6
1007	Co-expression of VRL-1 and calbindin D-28k in the rat sensory ganglia. <i>Brain Research</i> , 2002, 924, 109-112.	1.1	19
1008	Calbindin D-28k positive projection neurones and calretinin positive interneurons of the rat globus pallidus. <i>Brain Research</i> , 2002, 929, 243-251.	1.1	25
1009	The co-expression of ASIC3 with calcitonin gene-related peptide and parvalbumin in the rat trigeminal ganglion. <i>Brain Research</i> , 2002, 943, 287-291.	1.1	50
1010	Muscle-derived neurotrophin-3 reduces injury-induced proprioceptive degeneration in neonatal mice. <i>Journal of Neurobiology</i> , 2002, 50, 198-208.	3.7	14

#	ARTICLE	IF	CITATIONS
1011	Neurochemical organization of the human basal ganglia: Anatomofunctional territories defined by the distributions of calcium-binding proteins and SMI-32. <i>Journal of Comparative Neurology</i> , 2002, 443, 86-103.	0.9	69
1012	Firing properties of axotomized central nervous system neurons recover after graft reinnervation. <i>Journal of Comparative Neurology</i> , 2002, 444, 324-344.	0.9	9
1013	Comparison of the basal ganglia in rats, marmosets, macaques, baboons, and humans: Volume and neuronal number for the output, internal relay, and striatal modulating nuclei. <i>Journal of Comparative Neurology</i> , 2002, 445, 238-255.	0.9	223
1014	Patterns of expression of calcium binding proteins and neuronal nitric oxide synthase in different populations of hippocampal GABAergic neurons in mice. <i>Journal of Comparative Neurology</i> , 2002, 449, 1-25.	0.9	86
1015	Distribution of calbindin D-28k in the entorhinal, perirhinal, and parahippocampal cortices of the macaque monkey. <i>Journal of Comparative Neurology</i> , 2002, 451, 392-412.	0.9	285
1016	Synaptic vesicle protein synaptoporin is differently expressed by subpopulations of mouse hippocampal neurons. <i>Journal of Comparative Neurology</i> , 2002, 452, 139-153.	0.9	53
1017	Estrogen receptor-beta colocalizes extensively with parvalbumin-labeled inhibitory neurons in the cortex, amygdala, basal forebrain, and hippocampal formation of intact and ovariectomized adult rats. <i>Journal of Comparative Neurology</i> , 2002, 452, 276-287.	0.9	133
1018	Conditional inactivation of the calbindin D-28k (Calb1) gene by Cre/loxP-mediated recombination. <i>Genesis</i> , 2002, 32, 165-168.	0.8	16
1019	Parvalbumin-containing neurons mediate the feedforward inhibition of rat rubrospinal neurons. <i>Anatomy and Embryology</i> , 2002, 205, 245-254.	1.5	7
1020	The effects of iron deficiency and iron and zinc supplementation on rat hippocampus ferritin. <i>Journal of Neural Transmission</i> , 2002, 109, 1241-1256.	1.4	31
1021	Neuronal migration disturbance and consequent cytoarchitecture in the cerebral cortex following transplacental administration of methylmercury. <i>Acta Neuropathologica</i> , 2002, 104, 409-417.	3.9	28
1022	Contribution of amygdala neurons containing peptides and calcium-binding proteins to fear-potentiated startle and exploration-related anxiety in inbred Roman high- and low-avoidance rats. <i>European Journal of Neuroscience</i> , 2002, 15, 1206-1218.	1.2	76
1023	Cysteine-string protein in inner hair cells of the organ of Corti: synaptic expression and upregulation at the onset of hearing. <i>European Journal of Neuroscience</i> , 2002, 15, 1409-1420.	1.2	30
1024	Localization of putative glutamatergic/aspartatergic neurons projecting to the supraoptic nucleus area of the rat hypothalamus. <i>European Journal of Neuroscience</i> , 2002, 16, 55-68.	1.2	39
1025	Cellular architecture of the nucleus reuniens thalami and its putative aspartatergic/glutamatergic projection to the hippocampus and medial septum in the rat. <i>European Journal of Neuroscience</i> , 2002, 16, 1227-1239.	1.2	86
1026	Calbindin neurons in the hamster suprachiasmatic nucleus do not exhibit a circadian variation in spontaneous firing rate. <i>European Journal of Neuroscience</i> , 2002, 16, 2469-2474.	1.2	70
1027	Distribution of Calretinin, Calbindin D28k, and Parvalbumin in Subcellular Fractions of Rat Cerebellum: Effects of Calcium. <i>Journal of Neurochemistry</i> , 1995, 65, 381-388.	2.1	71
1028	Antibody Recognition of Calcium-binding Proteins Depends on Their Calcium-binding Status. <i>Journal of Neurochemistry</i> , 1996, 66, 764-771.	2.1	62

#	ARTICLE	IF	CITATIONS
1029	Increased Expression of Calbindin D _{28k} via Herpes Simplex Virus Amplicon Vector Decreases Calcium Ion Mobilization and Enhances Neuronal Survival After Hypoglycemic Challenge. Journal of Neurochemistry, 1997, 69, 1039-1047.	2.1	62
1030	Acute and delayed effects of phencyclidine upon mRNA levels of markers of glutamatergic and GABAergic neurotransmitter function in the rat brain. Synapse, 2002, 46, 206-214.	0.6	84
1031	Runx3 controls the axonal projection of proprioceptive dorsal root ganglion neurons. Nature Neuroscience, 2002, 5, 946-954.	7.1	279
1032	Acute Exposure to Methylmercury Opens the Mitochondrial Permeability Transition Pore in Rat Cerebellar Granule Cells. Toxicology and Applied Pharmacology, 2002, 178, 52-61.	1.3	85
1033	The histophysiology of neocortical basket cells. Neuroscience and Behavioral Physiology, 2002, 32, 455-470.	0.2	9
1034	Parvalbumin in respiratory neurons of the ventrolateral medulla of the adult rat. Journal of Neurocytology, 2002, 31, 693-717.	1.6	80
1035	'New' functions for 'old' proteins: The role of the calcium-binding proteins calbindin D-28k, calretinin and parvalbumin, in cerebellar physiology. Studies with knockout mice. Cerebellum, 2002, 1, 241-258.	1.4	339
1036	Distribution of calcium-binding proteins in the cerebellum. Cerebellum, 2003, 2, 242-262.	1.4	222
1037	Cyto- and chemoarchitecture of the hypothalamus of a wallaby (Macropus eugenii) with special emphasis on oxytocin and vasopressinergic neurons. Anatomy and Embryology, 2003, 207, 233-253.	1.5	5
1038	Cerebral alterations in a MPTP-mouse model of Parkinson's disease ? an immunocytochemical study. Journal of Neural Transmission, 2003, 110, 1129-1144.	1.4	58
1039	Abnormal Neuronal Expression of the Calcium-binding Proteins, Parvalbumin and Calbindin D-28k, in Aged Dogs. Journal of Comparative Pathology, 2003, 128, 9-14.	0.1	15
1040	Distribution of the AMPA2 glutamate receptor subunit in adult cat visual cortex. Brain Research, 2003, 960, 1-8.	1.1	12
1041	Organization of the circadian system in the subterranean mole rat, Cryptomys hottentotus (Bathyergidae). Brain Research, 2003, 967, 48-62.	1.1	31
1042	Calcium-binding protein-immunoreactive innervation of the rat vibrissa. Brain Research, 2003, 970, 226-231.	1.1	12
1043	Antigenic compartmentation of the cerebellar cortex in the syrian hamster Mesocricetus auratus. Brain Research, 2003, 974, 176-183.	1.1	26
1044	Kv1.2-immunoreactive primary sensory neurons in the rat trigeminal ganglion. Brain Research, 2003, 974, 222-227.	1.1	7
1045	Immunohistochemical characterization of cholecystokinin containing neurons in the rat basolateral amygdala. Brain Research, 2003, 976, 171-184.	1.1	137
1046	Calbindin D28K immunoreactive neurons in vomeronasal organ and their projections to the accessory olfactory bulb in the rat. Brain Research, 2003, 977, 261-269.	1.1	18

#	ARTICLE	IF	CITATIONS
1047	Impaired development of the cerebellum in transgenic mice expressing the immediate-early protein IE180 of pseudorabies virus. <i>Virology</i> , 2003, 307, 243-254.	1.1	17
1048	Neurochemical heterogeneity of the thalamic reticular and perireticular nuclei in developing rabbits: patterns of calbindin expression. <i>Developmental Brain Research</i> , 2003, 144, 211-221.	2.1	5
1049	Suramin inhibits I^{2} -bungarotoxin-induced activation of N-methyl-d-aspartate receptors and cytotoxicity in primary neurons. <i>Toxicology and Applied Pharmacology</i> , 2003, 189, 45-55.	1.3	3
1050	Synaptic connections of distinct interneuronal subpopulations in the rat basolateral amygdalar nucleus. <i>Journal of Comparative Neurology</i> , 2003, 456, 217-236.	0.9	97
1051	Somatosensory input to the ventrolateral thalamic region in the macaque monkey: A potential substrate for parkinsonian tremor. <i>Journal of Comparative Neurology</i> , 2003, 455, 378-395.	0.9	68
1052	Parvalbumin, calbindin, or calretinin in cortically projecting and GABAergic, cholinergic, or glutamatergic basal forebrain neurons of the rat. <i>Journal of Comparative Neurology</i> , 2003, 458, 11-31.	0.9	172
1053	Cortical and brainstem neurons containing calcium-binding proteins in a murine model of Duchenne's muscular dystrophy: Selective changes in the sensorimotor cortex. <i>Journal of Comparative Neurology</i> , 2003, 456, 48-59.	0.9	27
1054	Morphologic and cytochemical criteria for the identification and delineation of individual subnuclei within the lateral habenular complex of the rat. <i>Journal of Comparative Neurology</i> , 2003, 458, 78-97.	0.9	112
1055	Compartmentation of the mouse cerebellar cortex by neuronal calcium sensor-1. <i>Journal of Comparative Neurology</i> , 2003, 458, 412-424.	0.9	17
1056	Chemical anatomy of the human ventral striatum and adjacent basal forebrain structures. <i>Journal of Comparative Neurology</i> , 2003, 460, 345-367.	0.9	67
1057	Glutamate receptor subunit 3 (GluR3) immunoreactivity delineates a subpopulation of parvalbumin-containing interneurons in the rat hippocampus. <i>Journal of Comparative Neurology</i> , 2003, 462, 15-28.	0.9	33
1058	Differential distribution of calbindin D28k and parvalbumin among functionally distinctive sets of structures in the macaque brainstem. <i>Journal of Comparative Neurology</i> , 2003, 462, 153-167.	0.9	18
1059	Morphological analysis of disabled-1-immunoreactive amacrine cells in the guinea pig retina. <i>Journal of Comparative Neurology</i> , 2003, 466, 240-250.	0.9	9
1060	Distribution and development of calretinin-like immunoreactivity in the telencephalon of the brown trout, <i>Salmo trutta fario</i> . <i>Journal of Comparative Neurology</i> , 2003, 467, 254-269.	0.9	39
1061	The visual pulvinar in tree shrews I. Multiple subdivisions revealed through acetylcholinesterase and Cat-301 chemoarchitecture. <i>Journal of Comparative Neurology</i> , 2003, 467, 593-606.	0.9	32
1062	Postnatal dendritic morphogenesis of cerebellar basket and stellate cells in vitro. <i>Journal of Neuroscience Research</i> , 2003, 72, 317-326.	1.3	15
1063	Regeneration of periodontal Ruffini endings in adults and neonates. <i>Microscopy Research and Technique</i> , 2003, 60, 516-527.	1.2	7
1064	Immunohistochemical Localization of Substance P, Calcitonin Gene-related Peptide, Galanin and Calcium-Binding Proteins in Trigeminal Ganglia of Goat (<i>Capra hircus</i>). <i>Journal of Veterinary Medicine Series C: Anatomia Histologia Embryologia</i> , 2003, 32, 310-315.	0.3	4

#	ARTICLE	IF	CITATIONS
1065	Interneurons are the local targets of hippocampal inhibitory cells which project to the medial septum. <i>European Journal of Neuroscience</i> , 2003, 17, 1861-1872.	1.2	157
1066	Role for calbindin-D28K in in vitro classical conditioning of abducens nerve responses in turtles. <i>Synapse</i> , 2003, 49, 106-115.	0.6	11
1067	Methylmercury Differentially Affects GABA A Receptor-Mediated Spontaneous IPSCs in Purkinje and Granule Cells of Rat Cerebellar Slices. <i>Journal of Physiology</i> , 2003, 550, 191-204.	1.3	38
1068	Developmental Decrease in Synaptic Facilitation at the Mouse Hippocampal Mossy Fibre Synapse. <i>Journal of Physiology</i> , 2003, 553, 37-48.	1.3	47
1069	Differential effects of aging on the distribution of calcium-binding proteins in a pretectal nucleus of the chicken brain. <i>Journal of Chemical Neuroanatomy</i> , 2003, 26, 195-208.	1.0	8
1070	Structure and function of the vomeronasal system: an update. <i>Progress in Neurobiology</i> , 2003, 70, 245-318.	2.8	587
1071	Distribution of NADPH-diaphorase in the superior colliculus of Cebus monkeys, and co-localization with calcium-binding proteins. <i>Neuroscience Research</i> , 2003, 46, 475-483.	1.0	15
1072	Regional and cellular distribution of DREAM in adult rat brain consistent with multiple sensory processing roles. <i>Molecular Brain Research</i> , 2003, 111, 104-110.	2.5	19
1073	Morphological development and neurochemical differentiation of cerebellar inhibitory interneurons in microexplant cultures. <i>Neuroscience</i> , 2003, 116, 973-984.	1.1	17
1074	The cyclin-dependent kinase 5 activator, p39, is expressed in stripes in the mouse cerebellum. <i>Neuroscience</i> , 2003, 118, 323-334.	1.1	23
1075	Light microscopic study of glur1 and calbindin expression in interneurons of neocortical microgyral malformations. <i>Neuroscience</i> , 2003, 120, 207-218.	1.1	26
1076	Ultrastructural study of gap junctions between dendrites of parvalbumin-containing GABAergic neurons in various neocortical areas of the adult rat. <i>Neuroscience</i> , 2003, 120, 5-20.	1.1	114
1077	The somatostatin SST2A receptor in the rat trigeminal ganglion. <i>Neuroscience</i> , 2003, 120, 807-813.	1.1	17
1078	The effect on motor cortical neuronal development of focal lesions to the subcortical white matter in the neonatal rat: a model for periventricular leukomalacia. <i>International Journal of Developmental Neuroscience</i> , 2003, 21, 171-182.	0.7	12
1079	Expression of calcium-binding proteins in the mouse claustrum. <i>Journal of Chemical Neuroanatomy</i> , 2003, 25, 151-160.	1.0	60
1080	A cytoarchitectonic study of the hippocampal formation of the tree shrew (<i>Tupaia belangeri</i>). <i>Journal of Chemical Neuroanatomy</i> , 2003, 26, 1-15.	1.0	31
1081	Ca ²⁺ Buffer Saturation Underlies Paired Pulse Facilitation in Calbindin-D28k-Containing Terminals. <i>Neuron</i> , 2003, 38, 79-88.	3.8	239
1082	Hypercapnia-induced activation of brainstem GABAergic neurons during early development. <i>Respiratory Physiology and Neurobiology</i> , 2003, 136, 25-37.	0.7	21

#	ARTICLE	IF	CITATIONS
1083	Neuronal depletion of calcium-dependent proteins in the dentate gyrus is tightly linked to Alzheimer's disease-related cognitive deficits. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 9572-9577.	3.3	363
1084	Parvalbumin-Deficiency Facilitates Repetitive IPSCs and Gamma Oscillations in the Hippocampus. <i>Journal of Neurophysiology</i> , 2003, 89, 1414-1422.	0.9	201
1085	Chapter 10 Excitotoxicity and Oxidative Stress in Pathogenesis of Amyotrophic Lateral Sclerosis/Motor Neuron Disease. <i>Blue Books of Practical Neurology</i> , 2003, 28, 259-cp1.	0.1	1
1086	Receptive Field Properties and Laminar Organization of Lateral Geniculate Nucleus in the Gray Squirrel (<i>Sciurus carolinensis</i>). <i>Journal of Neurophysiology</i> , 2003, 90, 3398-3418.	0.9	58
1087	Honeycomb-Like Mosaic at the Border of Layers 1 and 2 in the Cerebral Cortex. <i>Journal of Neuroscience</i> , 2003, 23, 1372-1382.	1.7	57
1088	Reversible Suppression of Glutamatergic Neurotransmission of Cerebellar Granule Cells <i>In Vivo</i> by Genetically Manipulated Expression of Tetanus Neurotoxin Light Chain. <i>Journal of Neuroscience</i> , 2003, 23, 6759-6767.	1.7	133
1089	The Developmental Loss of the Ability of Purkinje Cells to Regenerate Their Axons Occurs in the Absence of Myelin: An <i>In Vitro</i> Model to Prevent Myelination. <i>Journal of Neuroscience</i> , 2003, 23, 8318-8329.	1.7	53
1090	Calbindin in Cerebellar Purkinje Cells Is a Critical Determinant of the Precision of Motor Coordination. <i>Journal of Neuroscience</i> , 2003, 23, 3469-3477.	1.7	158
1091	Visual System. , 2004, , 1083-1165.		23
1092	Efecto de la infecci3n por el virus de la rabia sobre la expresi3n de parvalb3mina, calbindina y calretinina en la corteza cerebral de ratones.. <i>Biomedica</i> , 2004, 24, 63.	0.3	11
1093	The Septal Region. , 2004, , 605-632.		28
1094	Converging Functional and Anatomical Evidence for Novel Brainstem Respiratory Compartments in the Rat. <i>Advances in Experimental Medicine and Biology</i> , 2004, 551, 101-105.	0.8	7
1095	Hippocampal Formation. , 2004, , 635-704.		191
1096	A Moderate and Transient Deficiency of Maternal Thyroid Function at the Beginning of Fetal Neocortico genesis Alters Neuronal Migration. <i>Endocrinology</i> , 2004, 145, 4037-4047.	1.4	392
1097	Functional Organization of Dorsal Horn Interneurons. , 2004, , 271-560.		4
1098	The Distribution of Immunoreactivity for Intracellular Androgen Receptors in the Cerebral Cortex of Hormonally Intact Adult Male and Female Rats: Localization in Pyramidal Neurons Making Corticocortical Connections. <i>Cerebral Cortex</i> , 2004, 14, 268-280.	1.6	71
1099	The Claustrum Is Not Missing from All Monotreme Brains. <i>Brain, Behavior and Evolution</i> , 2004, 64, 223-241.	0.9	47
1100	Olivopontocerebellar Atrophy in Two Adult Cats, Sporadic Cases or New Genetic Entity. <i>Veterinary Pathology</i> , 2004, 41, 20-29.	0.8	8

#	ARTICLE	IF	CITATIONS
1101	Cortical Orofacial Motor Representation in Old World Monkeys, Great Apes, and Humans. <i>Brain, Behavior and Evolution</i> , 2004, 63, 82-106.	0.9	61
1102	Immunohistochemical Characterization of the Orphan Nuclear Receptor ROR α in the Mouse Nervous System. <i>Journal of Histochemistry and Cytochemistry</i> , 2004, 52, 311-323.	1.3	88
1103	Neuroprotective effect of the angiotensin-converting enzyme inhibitor perindopril in MPTP-treated mice. <i>Neurological Research</i> , 2004, 26, 644-657.	0.6	13
1104	Cortical selective vulnerability in motor neuron disease: a morphometric study. <i>Brain</i> , 2004, 127, 1237-1251.	3.7	139
1105	Activation of the cGMP Pathway in Dopaminergic Structures Reduces Cocaine-Induced EGR-1 Expression and Locomotor Activity. <i>Journal of Neuroscience</i> , 2004, 24, 10716-10725.	1.7	43
1106	Spinal cord plasticity in response to unilateral inhibition of the rat motor cortex during development: changes to gene expression, muscle afferents and the ipsilateral corticospinal projection. <i>European Journal of Neuroscience</i> , 2004, 20, 2555-2566.	1.2	30
1107	Transient Ca ²⁺ -permeable AMPA receptors in postnatal rat primary auditory neurons. <i>European Journal of Neuroscience</i> , 2004, 20, 2981-2989.	1.2	58
1108	Changes of Calbindin D-28k Immunoreactivity in the Hippocampus after Adrenalectomy in the Seizure Sensitive Gerbil. <i>Journal of Veterinary Medicine Series C: Anatomia Histologia Embryologia</i> , 2004, 33, 299-303.	0.3	3
1109	Characterization of subpopulations of neurons producing melanin-concentrating hormone in the rat ventral diencephalon. <i>Journal of Neurochemistry</i> , 2004, 91, 911-919.	2.1	70
1110	Role of the Otx1 gene in cell differentiation of mammalian cortex. <i>European Journal of Neuroscience</i> , 2004, 19, 2893-2902.	1.2	27
1111	Allele-dependent changes of olivocerebellar circuit properties in the absence of the voltage-gated potassium channels Kv3.1 and Kv3.3. <i>European Journal of Neuroscience</i> , 2004, 19, 3317-3327.	1.2	63
1112	A parvalbumin-containing, axosomatic synaptic network in the rat medial septum: relevance to rhythmogenesis*. <i>European Journal of Neuroscience</i> , 2004, 19, 2753-2768.	1.2	34
1113	Developmental expression of the Ca ²⁺ -binding proteins calretinin and parvalbumin at the calyx of Held of rats and mice. <i>European Journal of Neuroscience</i> , 2004, 20, 1473-1482.	1.2	108
1114	Effect of Brn-3a deficiency on parvalbumin-immunoreactive primary sensory neurons in the dorsal root ganglion. <i>Developmental Brain Research</i> , 2004, 150, 41-45.	2.1	21
1115	Evidence of newly generated neurons in the human olfactory bulb. <i>Developmental Brain Research</i> , 2004, 151, 159-168.	2.1	268
1116	Altered hippocampal expression of calbindin-D-28k and calretinin in GABAB(1)-deficient mice. <i>Biochemical Pharmacology</i> , 2004, 68, 1613-1620.	2.0	20
1117	The epithalamus of the developing and adult frog: calretinin expression and habenular asymmetry in <i>Rana esculenta</i> . <i>Brain Research</i> , 2004, 999, 9-19.	1.1	16
1118	Spatial analysis reveals alterations of parvalbumin- and calbindin-positive local circuit neurons in the cerebral cortex of mutant mdx mice. <i>Brain Research</i> , 2004, 1016, 1-11.	1.1	29

#	ARTICLE	IF	CITATIONS
1119	Expression of glutamate receptors and calcium-binding proteins in the retina of streptozotocin-induced diabetic rats. <i>Brain Research</i> , 2004, 1018, 66-72.	1.1	109
1120	Expression and possible role of neuronal calcium sensor-1 in the cerebellum. <i>Cerebellum</i> , 2004, 3, 83-88.	1.4	7
1121	Engraftment and differentiation of neocortical progenitor cells transplanted to the embryonic brain in utero. <i>Journal of Neurocytology</i> , 2004, 33, 309-319.	1.6	17
1122	The hippocampal continuation (indusium griseum): its connectivity in the hedgehog tenrec and its status within the hippocampal formation of higher vertebrates. <i>Anatomy and Embryology</i> , 2004, 208, 183-213.	1.5	30
1123	Brainstem motor nuclei respond differentially to degenerative disease in the mutant mouse wobbler. <i>Neuropathology and Applied Neurobiology</i> , 2004, 30, 148-160.	1.8	3
1124	Chemical anatomy of the human paraventricular thalamic nucleus. <i>Synapse</i> , 2004, 51, 173-185.	0.6	20
1125	Fos induction and persistence, neurodegeneration, and interneuron activation in the hippocampus of epilepsy-resistant versus epilepsy-prone rats after pilocarpine-induced seizures. <i>Hippocampus</i> , 2004, 14, 895-907.	0.9	28
1126	Calbindin-containing interneurons are a target for VIP-immunoreactive synapses in rat primary somatosensory cortex. <i>Journal of Comparative Neurology</i> , 2004, 468, 179-189.	0.9	43
1127	Neurogenesis and stereological morphometry of calretinin-immunoreactive GABAergic interneurons of the neostriatum. <i>Journal of Comparative Neurology</i> , 2004, 469, 325-339.	0.9	149
1128	An immunohistochemical and pathway tracing study of the striatopallidal organization of area X in the male zebra finch. <i>Journal of Comparative Neurology</i> , 2004, 469, 239-261.	0.9	103
1129	Organization of the main olfactory bulbs of some mammals: Musk shrews, moles, hedgehogs, tree shrews, bats, mice, and rats. <i>Journal of Comparative Neurology</i> , 2004, 472, 1-12.	0.9	18
1130	Parvalbumin-containing interneurons in the basolateral amygdala express high levels of the $\gamma 1$ subunit of the GABAA receptor. <i>Journal of Comparative Neurology</i> , 2004, 473, 137-146.	0.9	55
1131	Cyto- and chemoarchitecture of the cerebral cortex of the Australian echidna (<i>Tachyglossus</i>). <i>Journal of Comparative Neurology</i> , 2004, 473, 147-162.	0.9	45
1132	ERp29, a general endoplasmic reticulum marker, is highly expressed throughout the brain. <i>Journal of Comparative Neurology</i> , 2004, 477, 29-42.	0.9	25
1133	Somatomotor system of the adult amphioxus (<i>Branchiostoma lanceolatum</i>) revealed by an anticalretinin antiserum: An immunocytochemical study. <i>Journal of Comparative Neurology</i> , 2004, 477, 161-171.	0.9	11
1134	Parvalbumin is expressed in glutamatergic and GABAergic corticostriatal pathway in mice. <i>Journal of Comparative Neurology</i> , 2004, 477, 188-201.	0.9	75
1135	Cell types, lineage, and architecture of the germinal zone in the adult dentate gyrus. <i>Journal of Comparative Neurology</i> , 2004, 478, 359-378.	0.9	552
1136	Calbindin D28k, parvalbumin, and calretinin immunoreactivity in the main and accessory olfactory bulbs of the gray short-tailed opossum, <i>Monodelphis domestica</i> . <i>Journal of Morphology</i> , 2004, 259, 271-280.	0.6	25

#	ARTICLE	IF	CITATIONS
1137	Expression of γ and δ parvalbumin is differentially regulated in the rat organ of corti during development. <i>Journal of Neurobiology</i> , 2004, 58, 479-492.	3.7	36
1138	Changes in structure and stability of calbindin-D28K upon calcium binding. <i>Analytical Biochemistry</i> , 2004, 334, 97-105.	1.1	20
1139	Protective effects of neuronal nitric oxide synthase inhibitor in mouse brain against MPTP neurotoxicity: an immunohistological study. <i>European Neuropsychopharmacology</i> , 2004, 14, 93-104.	0.3	62
1140	Detection of Purkinje cell loss following drug exposures to developing rat pups using reverse transcriptase-polymerase chain reaction (RT-PCR) analysis for calbindin-D28k mRNA expression. <i>Toxicology Letters</i> , 2004, 150, 325-334.	0.4	4
1141	Olfactory System. , 2004, , 923-964.		42
1142	Ectopic parvalbumin expression in mouse forebrain neurons increases excitotoxic injury provoked by ibotenic acid injection into the striatum. <i>Experimental Neurology</i> , 2004, 186, 78-88.	2.0	30
1143	Progression of temporal lobe epilepsy in the rat is associated with immunocytochemical changes in inhibitory interneurons in specific regions of the hippocampal formation. <i>Experimental Neurology</i> , 2004, 187, 367-379.	2.0	103
1144	Cancer-related diseases of the eye: the role of calcium and calcium-binding proteins. <i>Biochemical and Biophysical Research Communications</i> , 2004, 322, 1153-1165.	1.0	36
1145	Biochemical and anatomical subdivision of the dorsal lateral geniculate nucleus in normal mice and in mice lacking the $\beta 2$ subunit of the nicotinic acetylcholine receptor. <i>Vision Research</i> , 2004, 44, 3365-3376.	0.7	37
1146	Long-term behavioral and morphological consequences of nonconvulsive status epilepticus in rats. <i>Epilepsy and Behavior</i> , 2004, 5, 180-191.	0.9	66
1147	Cellular and molecular control of dendritic growth and development of cerebellar Purkinje cells. <i>Progress in Histochemistry and Cytochemistry</i> , 2004, 39, 131-182.	5.1	113
1148	Over-expression of parvalbumin in transgenic mice rescues motoneurons from injury-induced cell death. <i>Neuroscience</i> , 2004, 123, 459-466.	1.1	50
1149	Differential distribution of parvalbumin immunoreactive neurons in the striatum of cocaine sensitized rats. <i>Neuroscience</i> , 2004, 127, 35-42.	1.1	32
1150	Ontogeny of two calcium-binding proteins (calbindin D-28K and parvalbumin) in the human inferior olivary complex and their distribution in the adults. <i>Journal of Chemical Neuroanatomy</i> , 2004, 27, 183-192.	1.0	6
1151	Repeated 4-aminopyridine seizures reduce parvalbumin content in the medial mammillary nucleus of the rat brain. <i>Molecular Brain Research</i> , 2004, 131, 110-118.	2.5	9
1152	Expression and changes of calbindin D-28k immunoreactivity in the ventral horn after transient spinal cord ischemia in rabbits. <i>Neuroscience Letters</i> , 2004, 369, 145-149.	1.0	10
1153	The GABAergic septohippocampal pathway in control and reeler mice: target specificity and termination onto reelin-expressing interneurons. <i>Molecular and Cellular Neurosciences</i> , 2004, 25, 679-691.	1.0	30
1154	Parvalbumin-like immunostaining in the cat inferior colliculus. Light and electron microscopic investigation. <i>Acta Histochemica</i> , 2004, 106, 219-234.	0.9	11

#	ARTICLE	IF	CITATIONS
1155	Effect of pulmonary edema on changes in lung mechanics in rats. <i>Acta Physiologica Hungarica</i> , 2004, 91, 269-273.	0.9	0
1157	Cerebellar Slice Cultures. , 2005, 1, 74-81.		5
1158	An immunocytochemical study of calbindin-D28K in laminae I and II of the dorsal horn and spinal ganglia in the chicken with special reference to the relation to substance P-containing primary afferent neurons. <i>Archives of Histology and Cytology</i> , 2005, 68, 57-70.	0.2	21
1159	Reduction in parvalbumin expression in the zona incerta after 6OHDA lesion in rats. <i>Journal of Neurocytology</i> , 2005, 34, 421-434.	1.6	33
1160	Mono- and dual-frequency fast cerebellar oscillation in mice lacking parvalbumin and/or calbindin D-28k. <i>European Journal of Neuroscience</i> , 2005, 22, 861-870.	1.2	70
1161	Selective rather than inductive mechanisms favour specific replacement of Purkinje cells by embryonic cerebellar cells transplanted to the cerebellum of adult Purkinje cell degeneration (pcd) mutant mice. <i>European Journal of Neuroscience</i> , 2005, 22, 1001-1012.	1.2	24
1162	An investigation into the potential for activity-dependent regeneration of the rubrospinal tract after spinal cord injury. <i>European Journal of Neuroscience</i> , 2005, 22, 3025-3035.	1.2	18
1163	Synaptic organization of the glomerulus in the main olfactory bulb: Compartments of the glomerulus and heterogeneity of the periglomerular cells. <i>Kaibogaku Zasshi Journal of Anatomy</i> , 2005, 80, 80-90.	1.2	119
1164	Role of Parvalbumin in Estrogen Protection From Ethanol Withdrawal Syndrome. <i>Alcoholism: Clinical and Experimental Research</i> , 2005, 29, 1837-1844.	1.4	19
1165	Somato-dendritic nicotinic receptor responses recorded in vitro from the medial septal diagonal band complex of the rodent. <i>Journal of Physiology</i> , 2005, 562, 165-182.	1.3	25
1166	Simultaneous glutamate and GABAA receptor agonist administration increases calbindin levels and prevents hippocampal damage induced by either agent alone in a model of perinatal brain injury. <i>Developmental Brain Research</i> , 2005, 159, 99-111.	2.1	11
1167	Decreased expression of calretinin in the cerebral cortex and hippocampus of SOD1G93A transgenic mice. <i>Brain Research</i> , 2005, 1035, 105-109.	1.1	14
1168	Effect of GDNF on differentiation of cultured ventral mesencephalic dopaminergic and non-dopaminergic calretinin-expressing neurons. <i>Brain Research</i> , 2005, 1036, 163-172.	1.1	30
1169	Peptide 19 in the rat vagal and glossopharyngeal sensory ganglia. <i>Brain Research</i> , 2005, 1038, 107-112.	1.1	4
1170	Calbindin D28k-containing neurons in the paratrigeminal nucleus receive convergent nociceptive information and project to nucleus of the solitary tract in rat. <i>Brain Research</i> , 2005, 1038, 132-140.	1.1	12
1171	Presence and distribution of three calcium binding proteins in projection neurons of the adult rat cochlear nucleus. <i>Brain Research</i> , 2005, 1039, 63-74.	1.1	30
1172	Brn-3a is required for the generation of proprioceptors in the mesencephalic trigeminal tract nucleus. <i>Brain Research</i> , 2005, 1053, 203-206.	1.1	14
1173	Calretinin-containing neurons which co-express parvalbumin and calbindin D-28k in the rat spinal and cranial sensory ganglia; triple immunofluorescence study. <i>Brain Research</i> , 2005, 1061, 118-123.	1.1	16

#	ARTICLE	IF	CITATIONS
1174	A field guide to the anterior olfactory nucleus (cortex). <i>Brain Research Reviews</i> , 2005, 50, 305-335.	9.1	177
1175	Comparative sensitivity of rat cerebellar neurons to dysregulation of divalent cation homeostasis and cytotoxicity caused by methylmercury. <i>Toxicology and Applied Pharmacology</i> , 2005, 208, 222-232.	1.3	31
1176	Constitutive nuclear localization of activated caspase 3 in subpopulations of the astroglial family of cells. <i>Glia</i> , 2005, 49, 588-593.	2.5	23
1177	Embryonic and postnatal development of GABA, calbindin, calretinin, and parvalbumin in the mouse claustral complex. <i>Journal of Comparative Neurology</i> , 2005, 481, 42-57.	0.9	41
1178	Neurochemical organization of chimpanzee inferior pulvinar complex. <i>Journal of Comparative Neurology</i> , 2005, 484, 299-312.	0.9	15
1179	Effects of GABAergic transmissions on the immunoreactivities of calcium binding proteins in the gerbil hippocampus. <i>Journal of Comparative Neurology</i> , 2005, 485, 153-164.	0.9	27
1180	Double bouquet cell in the human cerebral cortex and a comparison with other mammals. <i>Journal of Comparative Neurology</i> , 2005, 486, 344-360.	0.9	115
1181	Development of neurons and fibers containing calcium binding proteins in the pallial amygdala of mouse, with special emphasis on those of the basolateral amygdalar complex. <i>Journal of Comparative Neurology</i> , 2005, 488, 492-513.	0.9	42
1182	Differential distribution of voltage-gated calcium channel alpha-2 delta ($\alpha_2\delta$) subunit mRNA-containing cells in the rat central nervous system and the dorsal root ganglia. <i>Journal of Comparative Neurology</i> , 2005, 491, 246-269.	0.9	200
1183	Oxaliplatin causes selective atrophy of a subpopulation of dorsal root ganglion neurons without inducing cell loss. <i>Cancer Chemotherapy and Pharmacology</i> , 2005, 56, 391-399.	1.1	105
1184	Immunoreactivity for calcium-binding proteins defines subregions of the vestibular nuclear complex of the cat. <i>Experimental Brain Research</i> , 2005, 164, 78-91.	0.7	31
1185	Cerebellopontine calcification: a new entity of idiopathic intracranial calcification?. <i>Acta Neuropathologica</i> , 2005, 110, 77-83.	3.9	6
1186	Characterisation of transverse slice culture preparations of postnatal rat spinal cord: preservation of defined neuronal populations. <i>Histochemistry and Cell Biology</i> , 2005, 123, 377-392.	0.8	25
1187	Lack of TrkB and TrkC signaling alters the synaptogenesis and maturation of mossy fiber terminals in the hippocampus. <i>Cell and Tissue Research</i> , 2005, 319, 349-358.	1.5	46
1188	5-HT1A receptor expression in pyramidal neurons of cortical and limbic brain regions. <i>Cell and Tissue Research</i> , 2005, 321, 159-172.	1.5	64
1189	Gaba- and Serotonin-Immunoreactive Structures and Ca ²⁺ -Binding Protein in the Neocortex of the Reeler Mouse Mutant. <i>Neuroscience and Behavioral Physiology</i> , 2005, 35, 887-890.	0.2	3
1190	Calcium binding proteins in selective vulnerability of motor neurons. , 2005, , 65-79.		2
1191	Feedforward Inhibitory Control of Sensory Information in Higher-Order Thalamic Nuclei. <i>Journal of Neuroscience</i> , 2005, 25, 7489-7498.	1.7	168

#	ARTICLE	IF	CITATIONS
1192	Cerebellum- and forebrain-derived stem cells possess intrinsic regional character. <i>Development (Cambridge)</i> , 2005, 132, 4497-4508.	1.2	116
1193	Horizontal cells in the retina of a diurnal rodent, the agouti (<i>Dasyprocta aguti</i>). <i>Visual Neuroscience</i> , 2005, 22, 707-720.	0.5	8
1194	Postnatal maturational properties of rat parafascicular thalamic neurons recorded in vitro. <i>Thalamus & Related Systems</i> , 2005, 3, 89.	0.5	14
1195	Calbindin, Calretinin and Parvalbumin Immunoreactivity in the Retina of the Chameleon (<i>Chamaeleo</i>) Tj ETQq1 1.0,784314 rgBT / Overlock 10	0.9	16
1196	Nerve Growth Factor Rapidly Increases Muscarinic Tone in Mouse Medial Septum/Diagonal Band of Broca. <i>Journal of Neuroscience</i> , 2005, 25, 4232-4242.	1.7	31
1197	Altered parvalbumin-positive neuron distribution in basal ganglia of individuals with Tourette syndrome. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 13307-13312.	3.3	476
1198	CALBINDIN DISTRIBUTION IN CORTICAL AND SUBCORTICAL BRAIN STRUCTURES OF NORMAL AND RABIES-INFECTED MICE. <i>International Journal of Neuroscience</i> , 2005, 115, 1375-1382.	0.8	16
1199	Effect of angiotensin-converting enzyme inhibitor perindopril on interneurons in MPTP-treated mice. <i>European Neuropsychopharmacology</i> , 2005, 15, 57-67.	0.3	46
1200	Increased calbindin-D28k immunoreactivity in striatal projection neurons of R6/2 Huntington's disease transgenic mice. <i>Neurobiology of Disease</i> , 2005, 20, 907-917.	2.1	10
1201	5-HT1A receptor mRNA and immunoreactivity in the rat medial septum/diagonal band of Broca relationships to GABAergic and cholinergic neurons. <i>Journal of Chemical Neuroanatomy</i> , 2005, 29, 93-111.	1.0	52
1202	GABAergic parvalbumin-immunoreactive large calyciform presynaptic complexes in the reticular nucleus of the rat thalamus. <i>Journal of Chemical Neuroanatomy</i> , 2005, 30, 17-26.	1.0	21
1203	Cyto- and chemoarchitecture of the amygdala of a monotreme, <i>Tachyglossus aculeatus</i> (the) Tj ETQq1 1 0.784314 rgBT / Overlock 10	1.0	11
1204	The turtle thalamic anterior entopeduncular nucleus shares connectional and neurochemical characteristics with the mammalian thalamic reticular nucleus. <i>Journal of Chemical Neuroanatomy</i> , 2005, 30, 129-143.	1.0	24
1205	Cyto- and chemoarchitecture of the dorsal thalamus of the monotreme <i>Tachyglossus aculeatus</i> , the short beaked echidna. <i>Journal of Chemical Neuroanatomy</i> , 2005, 30, 161-183.	1.0	11
1206	Differential effects of ocular BDNF-injections onto the development of tectal cells characterized by calcium-binding proteins in pigeons. <i>Brain Research Bulletin</i> , 2005, 66, 475-478.	1.4	15
1207	Remodeling of hippocampal GABAergic system in adult offspring after maternal hypoxia and magnesium sulfate load: Immunohistochemical study. <i>Experimental Neurology</i> , 2005, 196, 18-29.	2.0	29
1208	Developmental Abnormalities of Neuronal Structure and Function in Prenatal Mice Lacking the Prader-Willi Syndrome Gene <i>Necdin</i> . <i>American Journal of Pathology</i> , 2005, 167, 175-191.	1.9	86
1209	Dynamic developmental regulation of the large non-coding RNA associated with the mouse 7C imprinted chromosomal region. <i>Developmental Biology</i> , 2005, 286, 587-600.	0.9	67

#	ARTICLE	IF	CITATIONS
1210	Morphogenetic and Cellular Movements that Shape the Mouse Cerebellum. <i>Neuron</i> , 2005, 45, 27-40.	3.8	167
1211	Selective GABAergic Control of Higher-Order Thalamic Relays. <i>Neuron</i> , 2005, 45, 929-940.	3.8	157
1212	Circadian and light regulation of oxytocin and parvalbumin protein levels in the ciliated ependymal layer of the third ventricle in the C57 mouse. <i>Neuroscience</i> , 2005, 134, 539-547.	1.1	19
1213	Spectral integration in primary auditory cortex: Laminar processing of afferent input, in vivo and in vitro. <i>Neuroscience</i> , 2005, 134, 1033-1045.	1.1	107
1214	Sex-specific effects of chronic anabolic androgenic steroid treatment on GABAA receptor expression and function in adolescent mice. <i>Neuroscience</i> , 2005, 135, 533-543.	1.1	24
1215	Redistribution of CB1 cannabinoid receptors during evolution of cholinergic basal forebrain territories and their cortical projection areas: A comparison between the gray mouse lemur (<i>Microcebus murinus</i> , primates) and rat. <i>Neuroscience</i> , 2005, 135, 595-609.	1.1	24
1216	Excitotoxicity and Amyotrophic Lateral Sclerosis. <i>Neurodegenerative Diseases</i> , 2005, 2, 147-159.	0.8	132
1217	Chapter I The organization and circuits of mesencephalic dopaminergic neurons and the distribution of dopamine receptors in the brain. <i>Handbook of Chemical Neuroanatomy</i> , 2005, , 1-107.	0.3	59
1218	Functional cell classes and functional architecture in the early visual system of a highly visual rodent. <i>Progress in Brain Research</i> , 2005, 149, 127-145.	0.9	24
1219	ASIC3, an Acid-Sensing Ion Channel, is Expressed in Metaboreceptive Sensory Neurons. <i>Molecular Pain</i> , 2005, 1, 1744-8069-1-35.	1.0	201
1220	Double-bouquet cells in the monkey and human cerebral cortex with special reference to areas 17 and 18. <i>Progress in Brain Research</i> , 2006, 154, 15-32.	0.9	47
1221	Estradiol-induced modulation of estrogen receptor- β and GABA within the adult neocortex: A potential transsynaptic mechanism for estrogen modulation of BDNF. <i>Journal of Comparative Neurology</i> , 2006, 499, 603-612.	0.9	48
1222	Brain-derived neurotrophic factor induces post-lesion transcommissural growth of olivary axons that develop normal climbing fibers on mature Purkinje cells. <i>Experimental Neurology</i> , 2006, 202, 44-56.	2.0	31
1223	Development of the human nucleus of the solitary tract: A cyto- and chemoarchitectural study. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2006, 128, 76-95.	1.4	6
1224	The role of excitotoxicity in the pathogenesis of amyotrophic lateral sclerosis. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2006, 1762, 1068-1082.	1.8	385
1225	Calbindin-D28k and calretinin immunoreactivity in the spinal cord of the lizard <i>Gekko gekko</i> : Colocalization with choline acetyltransferase and nitric oxide synthase. <i>Brain Research Bulletin</i> , 2006, 69, 519-534.	1.4	19
1226	Drug resistance and hippocampal damage after delayed treatment of pilocarpine-induced epilepsy in the rat. <i>Brain Research Bulletin</i> , 2006, 71, 127-138.	1.4	37
1227	Cyto- and chemoarchitecture of the sensory trigeminal nuclei of the echidna, platypus and rat. <i>Journal of Chemical Neuroanatomy</i> , 2006, 31, 81-107.	1.0	12

#	ARTICLE	IF	CITATIONS
1228	Calbindin is predominantly expressed in nitrergic neurons in rat esophagus. <i>Neuroscience Letters</i> , 2006, 401, 174-177.	1.0	3
1229	Bilirubin potentiates inhibitory synaptic transmission in lateral superior olive neurons of the rat. <i>Neuroscience Research</i> , 2006, 55, 161-170.	1.0	25
1230	Glutamate transporters GLAST and EAAT4 regulate postischemic Purkinje cell death: An in vivo study using a cardiac arrest model in mice lacking GLAST or EAAT4. <i>Neuroscience Research</i> , 2006, 55, 264-270.	1.0	49
1231	Presbycusis and calcium-binding protein immunoreactivity in the cochlear nucleus of BALB/c mice. <i>Hearing Research</i> , 2006, 216-217, 198-206.	0.9	29
1232	Reduced calcium binding protein immunoreactivity induced by electroconvulsive shock indicates neuronal hyperactivity, not neuronal death or deactivation. <i>Neuroscience</i> , 2006, 137, 317-326.	1.1	19
1233	Subcellular localization of type 1 cannabinoid receptors in the rat basal ganglia. <i>Neuroscience</i> , 2006, 137, 337-361.	1.1	161
1234	A direct projection from superior colliculus to substantia nigra pars compacta in the cat. <i>Neuroscience</i> , 2006, 138, 221-234.	1.1	69
1235	Short-term sensory learning does not alter parvalbumin neurons in the barrel cortex of adult mice: A double-labeling study. <i>Neuroscience</i> , 2006, 138, 715-724.	1.1	16
1236	Mk801-induced caspase-3 in the postnatal brain: Inverse relationship with calcium binding proteins. <i>Neuroscience</i> , 2006, 141, 1351-1363.	1.1	34
1237	Synaptic organization in cochlear inner hair cells deficient for the CaV1.3 (β 1D) subunit of L-type Ca ²⁺ channels. <i>Neuroscience</i> , 2006, 141, 1849-1860.	1.1	66
1238	Deficiency in parvalbumin, but not in calbindin D-28k upregulates mitochondrial volume and decreases smooth endoplasmic reticulum surface selectively in a peripheral, subplasmalemmal region in the soma of Purkinje cells. <i>Neuroscience</i> , 2006, 142, 97-105.	1.1	43
1239	The thalamic connections of motor, premotor, and prefrontal areas of cortex in a prosimian primate (<i>Otolemur garnetti</i>). <i>Neuroscience</i> , 2006, 143, 987-1020.	1.1	49
1240	Morphological Classification of Parvalbumin-Containing Retinal Ganglion Cells in Mouse: Single-Cell Injection after Immunocytochemistry. , 2006, 47, 2757.		49
1241	Calcium-binding proteins in GABAergic calyciform synapses of the reticular nucleus. <i>NeuroReport</i> , 2006, 17, 575-578.	0.6	2
1242	Layer-specific short-term dynamics in network activity in the cerebral cortex. <i>NeuroReport</i> , 2006, 17, 1107-1110.	0.6	2
1243	Ionotropic Glutamate Receptor GluR1 in the Visual Cortex of Hamster: Distribution and Co-Localization with Calcium-Binding Proteins and GABA. <i>Acta Histochemica Et Cytochemica</i> , 2006, 39, 47-54.	0.8	3
1244	Calcium-binding Protein Calretinin Immunoreactivity in the Dog Superior Colliculus. <i>Acta Histochemica Et Cytochemica</i> , 2006, 39, 125-138.	0.8	22
1245	Parvalbumin deficiency in fast-twitch muscles leads to increased 'slow-twitch type' mitochondria, but does not affect the expression of fiber specific proteins. <i>FEBS Journal</i> , 2006, 273, 96-108.	2.2	58

#	ARTICLE	IF	CITATIONS
1246	Epileptogenesis in the Parahippocampal Region: Parallels with the Dentate Gyrus. <i>Annals of the New York Academy of Sciences</i> , 2000, 911, 305-327.	1.8	33
1247	BrdU assay for neurogenesis in rodents. <i>Nature Protocols</i> , 2006, 1, 1399-1405.	5.5	304
1248	The development and characterisation of complex ovine neuron cultures from fresh and frozen foetal neurons. <i>Journal of Neuroscience Methods</i> , 2006, 155, 98-108.	1.3	13
1249	Distribution of calbindin-D28k, neuronal nitric oxide synthase, and nicotinamide adenine dinucleotide phosphate diaphorase (NADPH-d) in the lateral nucleus of the sheep amygdaloid complex. <i>Anatomy and Embryology</i> , 2006, 211, 707-720.	1.5	10
1250	Pannexin expression in the cerebellum. <i>Cerebellum</i> , 2006, 5, 189-192.	1.4	65
1251	Immunoreactivity for calretinin and calbindin in the vestibular nuclear complex of the monkey. <i>Experimental Brain Research</i> , 2006, 172, 103-113.	0.7	22
1252	Calbindin-D28k decreases L-type calcium channel activity and modulates intracellular calcium homeostasis in response to K ⁺ depolarization in a rat beta cell line RINr1046-38. <i>Cell Calcium</i> , 2006, 39, 475-485.	1.1	45
1253	A species-specific difference in the effects of harmaline on the rodent olivocerebellar system. <i>Brain Research</i> , 2006, 1068, 94-101.	1.1	34
1254	Aspartate-immunoreactive primary sensory neurons in the mouse trigeminal ganglion. <i>Brain Research</i> , 2006, 1082, 67-72.	1.1	10
1255	Parvalbumin and calbindin D-28k immunoreactivity in transgenic mice with a G93A mutant SOD1 gene. <i>Brain Research</i> , 2006, 1083, 196-203.	1.1	32
1256	Distribution of calbindin-28kD and parvalbumin in V1 in normal adult <i>Cebus apella</i> monkeys and in monkeys with retinal lesions. <i>Brain Research</i> , 2006, 1117, 1-11.	1.1	9
1257	Assessment of calcium-binding proteins (Parvalbumin and Calbindin D-28K) and perineuronal nets in normal and scrapie-affected adult sheep brains. <i>Journal of Virological Methods</i> , 2006, 136, 137-146.	1.0	22
1258	Brain-derived neurotrophic factor selectively regulates dendritogenesis of parvalbumin-containing interneurons in the main olfactory bulb through the PLC β 3 pathway. <i>Journal of Neurobiology</i> , 2006, 66, 1437-1451.	3.7	44
1259	Calretinin immunoreactivity in the brain of the zebrafish, <i>Danio rerio</i> : Distribution and comparison with some neuropeptides and neurotransmitter-synthesizing enzymes. I. Olfactory organ and forebrain. <i>Journal of Comparative Neurology</i> , 2006, 494, 435-459.	0.9	108
1260	Immunohistochemical localization of calbindin-D28k and calretinin in the spinal cord of <i>Xenopus laevis</i> . <i>Journal of Comparative Neurology</i> , 2006, 494, 763-783.	0.9	29
1261	Calretinin immunoreactivity in the brain of the zebrafish, <i>Danio rerio</i> : Distribution and comparison with some neuropeptides and neurotransmitter-synthesizing enzymes. II. Midbrain, hindbrain, and rostral spinal cord. <i>Journal of Comparative Neurology</i> , 2006, 494, 792-814.	0.9	72
1262	Branching of calyceal afferents during postnatal development in the rat auditory brainstem. <i>Journal of Comparative Neurology</i> , 2006, 496, 214-228.	0.9	45
1263	Subpopulations of neurons expressing parvalbumin in the human amygdala. <i>Journal of Comparative Neurology</i> , 2006, 496, 706-722.	0.9	41

#	ARTICLE	IF	CITATIONS
1264	Calcium-binding proteins, neuronal nitric oxide synthase, and GABA help to distinguish different pallial areas in the developing and adult chicken. I. Hippocampal formation and hyperpallium. <i>Journal of Comparative Neurology</i> , 2006, 497, 751-771.	0.9	51
1265	Characterization of neurons in the rat central nucleus of the amygdala: Cellular physiology, morphology, and opioid sensitivity. <i>Journal of Comparative Neurology</i> , 2006, 497, 910-927.	0.9	110
1266	Axotomy induces contrasting changes in calcium and calcium-binding proteins in oculomotor and hypoglossal nuclei of Balb/c mice. <i>Journal of Comparative Neurology</i> , 2006, 499, 17-32.	0.9	38
1267	Co-occurrence of calcium-binding proteins and calcium-permeable glutamate receptors in the primary gustatory nucleus of goldfish. <i>Journal of Comparative Neurology</i> , 2006, 499, 90-105.	0.9	24
1268	FoxG1 haploinsufficiency results in impaired neurogenesis in the postnatal hippocampus and contextual memory deficits. <i>Hippocampus</i> , 2006, 16, 875-890.	0.9	102
1269	Purkinje Cell Vulnerability to Mild and Severe Forebrain Head Trauma. <i>Journal of Neuropathology and Experimental Neurology</i> , 2006, 65, 226-234.	0.9	49
1270	Chapter 17 Crossmodal audio-visual interactions in the primary visual cortex of the visually deprived cat: a physiological and anatomical study. <i>Progress in Brain Research</i> , 2006, 155, 287-311.	0.9	22
1271	Fluoxetine and Cocaine Induce the Epigenetic Factors MeCP2 and MBD1 in Adult Rat Brain. <i>Molecular Pharmacology</i> , 2006, 70, 487-492.	1.0	174
1272	Nuclear Factor κ B Deficiency Is Associated with Auditory Nerve Degeneration and Increased Noise-Induced Hearing Loss. <i>Journal of Neuroscience</i> , 2006, 26, 3541-3550.	1.7	97
1273	Different Types of Cerebellar GABAergic Interneurons Originate from a Common Pool of Multipotent Progenitor Cells. <i>Journal of Neuroscience</i> , 2006, 26, 11682-11694.	1.7	151
1274	Glutamatergic Control of Microvascular Tone by Distinct GABA Neurons in the Cerebellum. <i>Journal of Neuroscience</i> , 2006, 26, 6997-7006.	1.7	119
1275	Chemoarchitecture of the Monotreme Olfactory Bulb. <i>Brain, Behavior and Evolution</i> , 2006, 67, 69-84.	0.9	24
1276	Cyto- and Chemoarchitecture of the Monotreme Olfactory Tubercle. <i>Brain, Behavior and Evolution</i> , 2006, 67, 85-102.	0.9	8
1277	The Anterior Olfactory Nucleus and Piriform Cortex of the Echidna and Platypus. <i>Brain, Behavior and Evolution</i> , 2006, 67, 203-227.	0.9	11
1278	Renal expression of parvalbumin is critical for NaCl handling and response to diuretics. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 14849-14854.	3.3	84
1279	Reinnervation of Late Postnatal Purkinje Cells by Climbing Fibers: Neosynaptogenesis without Transient Multi-Innervation. <i>Journal of Neuroscience</i> , 2007, 27, 5373-5383.	1.7	20
1280	Prolonged Glial Expression of Sox4 in the CNS Leads to Architectural Cerebellar Defects and Ataxia. <i>Journal of Neuroscience</i> , 2007, 27, 5495-5505.	1.7	45
1281	Parvalbumin Is a Mobile Presynaptic Ca ²⁺ Buffer in the Calyx of Held that Accelerates the Decay of Ca ²⁺ and Short-Term Facilitation. <i>Journal of Neuroscience</i> , 2007, 27, 2261-2271.	1.7	142

#	ARTICLE	IF	CITATIONS
1282	Proprioceptive Sensory Neuropathy in Mice with a Mutation in the Cytoplasmic Dynein Heavy Chain 1 Gene. <i>Journal of Neuroscience</i> , 2007, 27, 14515-14524.	1.7	149
1283	Distribution of Neurocalcin-Containing Neurons Reveals Sexual Dimorphism in the Mouse Olfactory Bulb. <i>Chemical Senses</i> , 2007, 32, 673-680.	1.1	9
1284	Dipyridamole Promotes Changes in Calbindin-D28k and Tyrosine Hydroxylase Expression in Neonatal Rats. <i>Neonatology</i> , 2007, 91, 222-232.	0.9	0
1285	Cyto- and Chemoarchitecture of the Cerebellum of the Short-Beaked Echidna <i><i>(Tachyglossus) Tj ETQq1 1 0.784314 rgBT /Oyerlock 10</i>	0.9	10
1286	Morphogenesis of otoliths during larval development in brook lamprey, <i>Lampetra planeri</i> . <i>Italian Journal of Zoology</i> , 2007, 74, 247-258.	0.6	6
1287	Naturally Occurring Parvovirus-associated Feline Hypogranular Cerebellar Hypoplasia—A Comparison to Experimentally-induced Lesions Using Immunohistology. <i>Veterinary Pathology</i> , 2007, 44, 831-841.	0.8	19
1288	The monolayer formation of Bergmann glial cells is regulated by Notch/RBP-J signaling. <i>Developmental Biology</i> , 2007, 311, 238-250.	0.9	48
1289	Effects of different types of physical exercise on the staining of parvalbumin-positive neurons in the hippocampal formation of rats with epilepsy. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2007, 31, 814-822.	2.5	73
1290	Phospho-Dependent Functional Modulation of GABAB Receptors by the Metabolic Sensor AMP-Dependent Protein Kinase. <i>Neuron</i> , 2007, 53, 233-247.	3.8	167
1291	Recruitment of Parvalbumin-Positive Interneurons Determines Hippocampal Function and Associated Behavior. <i>Neuron</i> , 2007, 53, 591-604.	3.8	462
1292	Distribution of inositol-1,4,5-trisphosphate receptor isoforms and ryanodine receptor isoforms during maturation of the rat hippocampus. <i>Neuroscience</i> , 2007, 150, 625-638.	1.1	124
1293	Parvalbumin in the cat claustrum: Ultrastructure, distribution and functional implications. <i>Acta Histochemica</i> , 2007, 109, 61-77.	0.9	30
1294	Differences in locomotor behavior revealed in mice deficient for the calcium-binding proteins parvalbumin, calbindin D-28k or both. <i>Behavioural Brain Research</i> , 2007, 178, 250-261.	1.2	45
1295	Expression patterns of calretinin, calbindin and parvalbumin and their colocalization in neurons during development of Macaca monkey retina. <i>Experimental Eye Research</i> , 2007, 85, 587-601.	1.2	30
1296	Immediate early gene expression invoked by electrical intracochlear stimulation in some but not all types of neurons in the rat auditory brainstem. <i>Experimental Neurology</i> , 2007, 208, 193-206.	2.0	32
1297	New insights into the function and regulation of vitamin D target proteins. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2007, 103, 405-410.	1.2	31
1298	Differential localization of the GluR1 and GluR2 subunits of the AMPA-type glutamate receptor among striatal neuron types in rats. <i>Journal of Chemical Neuroanatomy</i> , 2007, 33, 167-192.	1.0	44
1299	Localization of calcium-binding protein (calretinin, 29kD) in the brain and pituitary gland of teleost fish: An immunohistochemical study. <i>Neuroscience Research</i> , 2007, 59, 265-276.	1.0	18

#	ARTICLE	IF	CITATIONS
1300	Postnatal development of GABA and calbindin cells and fibers in the prefrontal cortex and basolateral amygdala of gerbils (<i>Meriones unguiculatus</i>). <i>International Journal of Developmental Neuroscience</i> , 2007, 25, 191-200.	0.7	14
1301	Ontogeny of cocaine- and amphetamine-regulated transcript (CART) peptide and calbindin immunoreactivity in granule cells of the dentate gyrus in the rat. <i>International Journal of Developmental Neuroscience</i> , 2007, 25, 265-274.	0.7	30
1302	Role of tissue transglutaminase type 2 in calbindin-D28k interaction with ataxin-1. <i>Neuroscience Letters</i> , 2007, 420, 53-57.	1.0	12
1303	Organization of Calbindin D28K-Immunoreactive Neurons in the Dog Superior Colliculus. <i>Zoological Science</i> , 2007, 24, 1103-1114.	0.3	7
1304	Neurochemistry of the Main Olfactory System. , 2007, , 137-204.		35
1305	Glutamate excitotoxicity and therapeutic targets for amyotrophic lateral sclerosis. <i>Expert Opinion on Therapeutic Targets</i> , 2007, 11, 1415-1428.	1.5	79
1306	Expression of embryonic tau protein isoforms persist during adult neurogenesis in the hippocampus. <i>Hippocampus</i> , 2007, 17, 98-102.	0.9	51
1307	Restoration of calbindin after fetal hippocampal CA3 cell grafting into the injured hippocampus in a rat model of temporal lobe epilepsy. <i>Hippocampus</i> , 2007, 17, 943-956.	0.9	38
1308	Heterogeneity of glycinergic and gabaergic interneurons in the granule cell layer of mouse cerebellum. <i>Journal of Comparative Neurology</i> , 2007, 500, 71-83.	0.9	138
1309	Quantitative analysis of neuronal diversity in the mouse olfactory bulb. <i>Journal of Comparative Neurology</i> , 2007, 501, 825-836.	0.9	311
1310	Selective loss of dentate hilar interneurons contributes to reduced synaptic inhibition of granule cells in an electrical stimulation-based animal model of temporal lobe epilepsy. <i>Journal of Comparative Neurology</i> , 2007, 500, 876-893.	0.9	111
1311	Comparative analysis of the subcellular and subsynaptic localization of mGluR1a and mGluR5 metabotropic glutamate receptors in the shell and core of the nucleus accumbens in rat and monkey. <i>Journal of Comparative Neurology</i> , 2007, 500, 788-806.	0.9	69
1312	Metabotropic glutamate receptor 4-immunopositive terminals of medium-sized spiny neurons selectively form synapses with cholinergic interneurons in the rat neostriatum. <i>Journal of Comparative Neurology</i> , 2007, 500, 908-922.	0.9	12
1313	Morphological and physiological properties of parvalbumin- and calretinin-containing $\hat{1}^3$ -aminobutyric acidergic neurons in the substantia nigra. <i>Journal of Comparative Neurology</i> , 2007, 500, 958-972.	0.9	54
1314	Purkinje cell compartmentation as revealed by Zebrin II expression in the cerebellar cortex of pigeons (<i>Columba livia</i>). <i>Journal of Comparative Neurology</i> , 2007, 501, 619-630.	0.9	57
1315	Vestibular neurons in the rat contain imidazoleacetic acid-ribotide, a putative neurotransmitter involved in blood pressure regulation. <i>Journal of Comparative Neurology</i> , 2007, 501, 568-581.	0.9	11
1316	Cellular and subcellular localization of Huntington aggregates in the brain of a rat transgenic for Huntington disease. <i>Journal of Comparative Neurology</i> , 2007, 501, 716-730.	0.9	77
1317	Chemical organization of the macaque monkey olfactory bulb: III. Distribution of cholinergic markers. <i>Journal of Comparative Neurology</i> , 2007, 501, 854-865.	0.9	8

#	ARTICLE	IF	CITATIONS
1318	Distribution of Kv3.3 potassium channel subunits in distinct neuronal populations of mouse brain. <i>Journal of Comparative Neurology</i> , 2007, 502, 953-972.	0.9	91
1319	GABAergic phenotype of periglomerular cells in the rodent olfactory bulb. <i>Journal of Comparative Neurology</i> , 2007, 502, 990-1002.	0.9	91
1320	The excitatory thalamo-cortical projection within the song control system of zebra finches is formed by calbindin-expressing neurons. <i>Journal of Comparative Neurology</i> , 2007, 504, 601-618.	0.9	19
1321	R6/2 neurons with intranuclear inclusions survive for prolonged periods in the brains of chimeric mice. <i>Journal of Comparative Neurology</i> , 2007, 505, 603-629.	0.9	34
1322	Immunohistochemical and hodological characterization of calbindin-D28k-containing neurons in the spinal cord of the turtle, <i>Pseudemys scripta elegans</i> . <i>Microscopy Research and Technique</i> , 2007, 70, 101-118.	1.2	14
1323	Molecular cloning, expression and phylogenetic analyses of parvalbumin in tilapia, <i>Oreochromis mossambicus</i> . <i>Journal of Experimental Zoology</i> , 2007, 307A, 51-61.	1.2	12
1324	Cerebellum morphogenesis: the foliation pattern is orchestrated by multi-cellular anchoring centers. <i>Neural Development</i> , 2007, 2, 26.	1.1	206
1325	Production of dissociated sensory neuron cultures and considerations for their use in studying neuronal function and plasticity. <i>Nature Protocols</i> , 2007, 2, 152-160.	5.5	364
1326	Sex differences in adult cell proliferation within the zebrafish (<i>Danio rerio</i>) cerebellum. <i>European Journal of Neuroscience</i> , 2007, 25, 1030-1040.	1.2	49
1327	GABAergic synaptogenesis marks the onset of differentiation of basket and stellate cells in mouse cerebellum. <i>European Journal of Neuroscience</i> , 2007, 26, 2239-2256.	1.2	45
1328	Parvalbumin is freely mobile in axons, somata and nuclei of cerebellar Purkinje neurones. <i>Journal of Neurochemistry</i> , 2007, 100, 727-735.	2.1	41
1329	Loss of calcium and increased apoptosis within the same neuron. <i>Brain Research</i> , 2007, 1128, 50-60.	1.1	34
1330	The human lateral tuberal nucleus: Immunohistochemical characterization and analogy to the rodent PV1-nucleus. <i>Brain Research</i> , 2007, 1139, 110-116.	1.1	20
1331	Fibroblast growth factor promotes the development of deep cerebellar nuclear neurons in dissociated mouse cerebellar cultures. <i>Brain Research</i> , 2007, 1141, 25-36.	1.1	10
1332	The reduction of proprioceptors in the mesencephalic trigeminal tract nucleus after neonatal masseteric nerve transection; effect of brain-derived neurotrophic factor. <i>Brain Research</i> , 2007, 1153, 98-102.	1.1	6
1333	Neurochemically defined cell types in the claustrum of the cat. <i>Brain Research</i> , 2007, 1159, 94-111.	1.1	63
1334	Comparative analysis of calbindin D-28K and calretinin in the retina of anuran and urodele amphibians: Colocalization with choline acetyltransferase and tyrosine hydroxylase. <i>Brain Research</i> , 2007, 1182, 34-49.	1.1	21
1335	Neurochemical organization of the nucleus paramedianus dorsalis in the human. <i>Brain Research</i> , 2007, 1176, 45-52.	1.1	23

#	ARTICLE	IF	CITATIONS
1336	Functional maturation of developing interneurons in the molecular layer of mouse dentate gyrus. <i>Brain Research</i> , 2007, 1186, 56-64.	1.1	19
1337	Neurobiology of orofacial proprioception. <i>Brain Research Reviews</i> , 2007, 56, 362-383.	9.1	67
1338	Prenatal exposure to an NMDA receptor antagonist, MK-801 reduces density of parvalbumin-immunoreactive GABAergic neurons in the medial prefrontal cortex and enhances phencyclidine-induced hyperlocomotion but not behavioral sensitization to methamphetamine in postpubertal rats. <i>Psychopharmacology</i> , 2007, 192, 303-316.	1.5	101
1339	Structural and functional alterations of cerebellum following fluid percussion injury in rats. <i>Experimental Brain Research</i> , 2007, 177, 95-112.	0.7	15
1340	The Distribution of Primary Nitric Oxide Synthase- and Parvalbumin- Immunoreactive Afferents in the Dorsal Funiculus of the Lumbosacral Spinal Cord in a Dog. <i>Cellular and Molecular Neurobiology</i> , 2007, 27, 475-504.	1.7	13
1341	Chemical parcellation of the anterior thalamic nuclei in the human brain. <i>Journal of Neural Transmission</i> , 2007, 114, 969-981.	1.4	18
1342	Precerebellar and vestibular nuclei of the short-beaked echidna (<i>Tachyglossus aculeatus</i>). <i>Brain Structure and Function</i> , 2007, 212, 209-221.	1.2	8
1343	The pretectal nuclei in two monotremes: the short-beaked echidna (<i>Tachyglossus aculeatus</i>) and the platypus (<i>Ornithorhynchus anatinus</i>). <i>Brain Structure and Function</i> , 2007, 212, 359-369.	1.2	0
1344	Moderate loss of cerebellar Purkinje cells after chronic bilateral common carotid artery occlusion in rats. <i>Acta Neuropathologica</i> , 2007, 113, 549-558.	3.9	16
1345	Age-related changes of NGF, BDNF, parvalbumin and neuronal nitric oxide synthase immunoreactivity in the mouse hippocampal CA1 sector. <i>Metabolic Brain Disease</i> , 2008, 23, 199-211.	1.4	8
1346	Parvalbumin Immunoreactivity and Protein Level are Altered in the Gerbil Hippocampus During Normal Aging. <i>Neurochemical Research</i> , 2008, 33, 2222-2228.	1.6	6
1347	Development of Cerebellar GABAergic Interneurons: Origin and Shaping of the "Minibrain" Local Connections. <i>Cerebellum</i> , 2008, 7, 523-529.	1.4	21
1348	Newly identified patterns of Pax2 expression in the developing mouse forebrain. <i>BMC Developmental Biology</i> , 2008, 8, 79.	2.1	20
1349	Opposite Regulation of Calbindin and Calretinin Expression by Brain-Derived Neurotrophic Factor in Cortical Neurons. <i>Journal of Neurochemistry</i> , 2008, 74, 1870-1877.	2.1	45
1350	Parvalbumin overexpression alters immune-mediated increases in intracellular calcium, and delays disease onset in a transgenic model of familial amyotrophic lateral sclerosis. <i>Journal of Neurochemistry</i> , 2008, 79, 499-509.	2.1	129
1351	Evidence for the Colocalization of Parvalbumin and Glutamate, but Not GABA, in the Perforant Path of the Gerbil Hippocampal Formation: A Combined Immunocytochemical and Microquantitative Analysis. <i>Journal of Neurochemistry</i> , 1994, 62, 1276-1284.	2.1	13
1352	Sall3 is required for the terminal maturation of olfactory glomerular interneurons. <i>Journal of Comparative Neurology</i> , 2008, 507, 1780-1794.	0.9	32
1353	Neuronal and glial localization of β -adrenergic receptors in the adult zebrafish (<i>Danio rerio</i>). <i>Journal of Neurochemistry</i> , 2009, 109, 1431-1441.	0.9	25

#	ARTICLE	IF	CITATIONS
1354	Activation of phenotypically distinct neuronal subpopulations in the anterior subdivision of the rat basolateral amygdala following acute and repeated stress. <i>Journal of Comparative Neurology</i> , 2008, 508, 458-472.	0.9	59
1355	Immunolocalization of NMDA receptor subunit NR3B in selected structures in the rat forebrain, cerebellum, and lumbar spinal cord. <i>Journal of Comparative Neurology</i> , 2008, 509, 118-135.	0.9	67
1356	Adrenergic receptors are differentially expressed in distinct interneuron subtypes in the rat hippocampus. <i>Journal of Comparative Neurology</i> , 2008, 509, 551-565.	0.9	47
1357	Calbindin D_{28k} and calretinin expression in the forebrain of anuran and urodele amphibians: Further support for newly identified subdivisions. <i>Journal of Comparative Neurology</i> , 2008, 511, 187-220.	0.9	67
1358	Decline in age-dependent, MK801-induced injury coincides with developmental switch in parvalbumin expression: Somatosensory and motor cortex. <i>Developmental Psychobiology</i> , 2008, 50, 665-679.	0.9	18
1359	Expression of SV2 in the Developing Chick Cerebellum: Comparison with Calbindin and AMPA Glutamate Receptors 2/3. <i>Anatomical Record</i> , 2008, 291, 538-546.	0.8	4
1360	Altered spatial distribution of PV cortical cells and dysmorphic neurons in the somatosensory cortex of BCNU-treated rat model of cortical dysplasia. <i>Epilepsia</i> , 2008, 49, 872-887.	2.6	30
1361	Changes in density of calcium-binding protein-immunoreactive GABAergic neurons in prefrontal cortex in schizophrenia and bipolar disorder. <i>Neuropathology</i> , 2008, 28, 143-150.	0.7	104
1362	Synaptic organization of the olfactory bulb based on chemical coding of neurons. <i>Anatomical Science International</i> , 2008, 83, 207-217.	0.5	10
1363	Calbindin D_{28k} , Parvalbumin and Calcitonin Gene-Related Peptide Immunoreactivity in the Canine Spinal Cord. <i>Journal of Veterinary Medicine Series C: Anatomia Histologia Embryologia</i> , 2008, 37, 446-451.	0.3	10
1364	Calbindin D-28K and parvalbumin expression in embryonic chick hippocampus is enhanced by prenatal auditory stimulation. <i>Brain Research</i> , 2008, 1191, 96-106.	1.1	34
1365	The number of nociceptors in the trigeminal ganglion but not proprioceptors in the mesencephalic trigeminal tract nucleus is reduced in dystonia deficient dystonia musculorum mice. <i>Brain Research</i> , 2008, 1226, 33-38.	1.1	5
1366	Changes in parvalbumin immunoreactivity with aging in the central auditory system of the rat. <i>Experimental Gerontology</i> , 2008, 43, 782-789.	1.2	82
1367	Development of the human dorsal nucleus of the vagus. <i>Early Human Development</i> , 2008, 84, 15-27.	0.8	3
1368	Location and connectivity determine GABAergic interneuron survival in the brains of South Hampshire sheep with CLN6 neuronal ceroid lipofuscinosis. <i>Neurobiology of Disease</i> , 2008, 32, 50-65.	2.1	46
1369	Expression of cocaine- and amphetamine-regulated transcript (CART) peptides at climbing fibre-Purkinje cell synapses in the rat vestibular cerebellum. <i>Neuropeptides</i> , 2008, 42, 39-46.	0.9	6
1370	Physical Activity and Epilepsy. <i>Sports Medicine</i> , 2008, 38, 607-615.	3.1	104
1371	Excitation and Inhibition Jointly Regulate Cortical Reorganization in Adult Rats. <i>Journal of Neuroscience</i> , 2008, 28, 12284-12293.	1.7	52

#	ARTICLE	IF	CITATIONS
1372	Gentamicin ototoxicity in the saccule of the lizard <i>Podarcis Sicula</i> induces hair cell recovery and regeneration. <i>Hearing Research</i> , 2008, 235, 15-22.	0.9	13
1373	Three-dimensional imaging of the intact mouse cochlea by fluorescent laser scanning confocal microscopy. <i>Hearing Research</i> , 2008, 243, 1-10.	0.9	60
1374	Engrailed-2 regulates genes related to vesicle formation and transport in cerebellar Purkinje cells. <i>Molecular and Cellular Neurosciences</i> , 2008, 38, 495-504.	1.0	17
1375	Progenitors from the postnatal forebrain subventricular zone differentiate into cerebellar-like interneurons and cerebellar-specific astrocytes upon transplantation. <i>Molecular and Cellular Neurosciences</i> , 2008, 39, 324-334.	1.0	16
1376	Sustained expression of parvalbumin immunoreactivity in the hippocampal CA1 region and dentate gyrus during aging in dogs. <i>Neuroscience Letters</i> , 2008, 434, 99-103.	1.0	6
1377	Voltage-gated Na ⁺ channel II immunoreactivity is selectively up-regulated in hippocampal interneurons of seizure sensitive gerbils. <i>Neuroscience Letters</i> , 2008, 438, 295-299.	1.0	2
1378	Effect of hindlimb unloading on resting intracellular calcium in intrafusal fibers and ramp-and-hold stretches evoked responsiveness of soleus muscle spindles in conscious rats. <i>Neuroscience Letters</i> , 2008, 442, 169-173.	1.0	9
1379	Heterogeneity of parvalbumin-containing neurons in the mouse main olfactory bulb, with special reference to short-axon cells and I ² IV-spectrin positive dendritic segments. <i>Neuroscience Research</i> , 2008, 60, 56-72.	1.0	39
1380	Dynamic patterns of colocalization of calbindin, parvalbumin and GABA in subpopulations of mouse basolateral amygdalar cells during development. <i>Journal of Chemical Neuroanatomy</i> , 2008, 35, 67-76.	1.0	30
1381	Characterization of cochlear nucleus principal cells of <i>Meriones unguiculatus</i> and <i>Monodelphis domestica</i> by use of calcium-binding protein immunolabeling. <i>Journal of Chemical Neuroanatomy</i> , 2008, 35, 158-174.	1.0	36
1382	Calcium-binding proteins in the cerebellar cortex of the bottlenose dolphin and harbour porpoise. <i>Journal of Chemical Neuroanatomy</i> , 2008, 35, 364-370.	1.0	10
1383	Thalamic nuclei in the opossum <i>Monodelphis domestica</i> . <i>Journal of Chemical Neuroanatomy</i> , 2008, 36, 85-97.	1.0	9
1384	Expression of the neuronal calcium sensor visinin-like protein-1 in the rat hippocampus. <i>Neuroscience</i> , 2008, 153, 1202-1212.	1.1	20
1385	Imbalance of immunohistochemically characterized interneuron populations in the adolescent and adult rodent medial prefrontal cortex after repeated exposure to neonatal separation stress. <i>Neuroscience</i> , 2008, 152, 18-28.	1.1	69
1386	Different protein profiles in inferior colliculus and cerebellum: A comparative proteomic study. <i>Neuroscience</i> , 2008, 154, 233-244.	1.1	13
1387	Subcellular and subsynaptic localization of group I metabotropic glutamate receptors in the nucleus accumbens of cocaine-treated rats. <i>Neuroscience</i> , 2008, 154, 653-666.	1.1	31
1388	Expression of X-chromosome linked inhibitor of apoptosis protein in mature purkinje cells and in retinal bipolar cells in transgenic mice induces neurodegeneration. <i>Neuroscience</i> , 2008, 156, 515-526.	1.1	3
1389	Graded expression of netrin-1 by specific neuronal subtypes in the adult mammalian striatum. <i>Neuroscience</i> , 2008, 157, 621-636.	1.1	23

#	ARTICLE	IF	CITATIONS
1390	Calcium-binding proteins label functional streams of the visual system in a songbird. <i>Brain Research Bulletin</i> , 2008, 75, 348-355.	1.4	27
1391	Calcium-binding proteins in the circadian centers of the common marmoset (<i>Callithrix jacchus</i>) and the rock cavy (<i>Kerodon rupestris</i>) brains. <i>Brain Research Bulletin</i> , 2008, 76, 354-360.	1.4	14
1392	Calbindin-D28K prevents drug-induced dopaminergic neuronal death by inhibiting caspase and calpain activity. <i>Biochemical and Biophysical Research Communications</i> , 2008, 371, 127-131.	1.0	46
1393	Cortical Cyto- and Chemoarchitecture in Three Small Australian Marsupial Carnivores: <i>Sminthopsis macroura</i> , <i>Antechinus stuartii</i> and <i>Phascogale calura</i> . <i>Brain, Behavior and Evolution</i> , 2008, 72, 215-232.	0.9	13
1394	Cytosolic PLA2 $\hat{\pm}$ activation in Purkinje neurons and its role in AMPA-receptor trafficking. <i>Journal of Cell Science</i> , 2008, 121, 3015-3024.	1.2	12
1395	Topography and chemoarchitecture of the striatum and pallidum in a monotreme, the short-beaked echidna (<i>Tachyglossus aculeatus</i>). <i>Somatosensory & Motor Research</i> , 2008, 25, 171-187.	0.4	1
1396	Sensory Deafferentation Transsynaptically Alters Neuronal GluR1 Expression in the External Plexiform Layer of the Adult Mouse Main Olfactory Bulb. <i>Chemical Senses</i> , 2008, 33, 201-210.	1.1	8
1397	Expression of calcium-binding proteins in pathways from the nucleus of the basal optic root to the cerebellum in pigeons. <i>Visual Neuroscience</i> , 2008, 25, 701-707.	0.5	8
1398	Ocular motor anatomy in a case of interrupted saccades. <i>Progress in Brain Research</i> , 2008, 171, 563-566.	0.9	4
1399	A New Antigen Retrieval Technique for Human Brain Tissue. <i>PLoS ONE</i> , 2008, 3, e3378.	1.1	20
1400	Molecular Aspects of Memory Dysfunction in Alzheimer's Disease. , 2008, , 245-293.		4
1401	Dendritic Spike Saturation of Endogenous Calcium Buffer and Induction of Postsynaptic Cerebellar LTP. <i>PLoS ONE</i> , 2008, 3, e4011.	1.1	39
1402	Dendritic spike induction of postsynaptic cerebellar LTP. <i>Nature Precedings</i> , 2008, , .	0.1	0
1403	Temporal Changes of the Calcium-binding Proteins in the Medial Vestibular Nucleus following Unilateral Labyrinthectomy in Rats. <i>Korean Journal of Physiology and Pharmacology</i> , 2008, 12, 95.	0.6	1
1404	The pilocarpine model of epilepsy: what have we learned?. <i>Anais Da Academia Brasileira De Ciencias</i> , 2009, 81, 345-365.	0.3	144
1405	Visual and motor connectivity and the distribution of calcium-binding proteins in macaque frontal eye field: Implications for saccade target selection. <i>Frontiers in Neuroanatomy</i> , 2009, 3, 2.	0.9	103
1406	Laminar Fate and Phenotype Specification of Cerebellar GABAergic Interneurons. <i>Journal of Neuroscience</i> , 2009, 29, 7079-7091.	1.7	102
1407	Classification of NPY-Expressing Neocortical Interneurons. <i>Journal of Neuroscience</i> , 2009, 29, 3642-3659.	1.7	212

#	ARTICLE	IF	CITATIONS
1408	Expression of calcium-binding proteins in cerebellar- and inferior olivary-projecting neurons in the nucleus lentiformis mesencephali of pigeons. <i>Visual Neuroscience</i> , 2009, 26, 341-347.	0.5	19
1409	K ⁺ -dependent Na ⁺ /Ca ²⁺ exchanger 3 is involved in renal active calcium transport and is differentially expressed in the mouse kidney. <i>American Journal of Physiology - Renal Physiology</i> , 2009, 297, F371-F379.	1.3	11
1410	Changes in calbindin-D28k and parvalbumin expression in the superior olivary complex following unilateral cochlear ablation in neonatal rats. <i>Acta Oto-Laryngologica</i> , 2009, 129, 839-845.	0.3	11
1411	Secretagogin is a Ca ²⁺ -binding protein specifying subpopulations of telencephalic neurons. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 22492-22497.	3.3	69
1412	Thalamocortical Connections of Parietal Somatosensory Cortical Fields in Macaque Monkeys are Highly Divergent and Convergent. <i>Cerebral Cortex</i> , 2009, 19, 2038-2064.	1.6	82
1413	Purkinje-like cells of the rat cochlear nucleus: A combined functional and morphological study. <i>Brain Research</i> , 2009, 1297, 57-69.	1.1	5
1414	Deletion of the citron kinase gene selectively affects the number and distribution of interneurons in barrelfield cortex. <i>Journal of Comparative Neurology</i> , 2009, 513, 249-264.	0.9	7
1415	Immunohistochemical localization of calbindin-D28k and calretinin in the brainstem of anuran and urodele amphibians. <i>Journal of Comparative Neurology</i> , 2009, 515, 503-537.	0.9	60
1416	Evolutionary significance of delayed neurogenesis in the core versus shell auditory areas of <i>Mus musculus</i> . <i>Journal of Comparative Neurology</i> , 2009, 515, 600-613.	0.9	16
1417	Ultrastructural relationships between cortical, thalamic, and amygdala glutamatergic inputs and group I metabotropic glutamate receptors in the rat accumbens. <i>Journal of Comparative Neurology</i> , 2010, 518, 1315-1329.	0.9	23
1418	Differential expression of TrkB isoforms switches climbing fiber-Purkinje cell synaptogenesis to selective synapse elimination. <i>Developmental Neurobiology</i> , 2009, 69, 647-662.	1.5	33
1420	Calbindin-D9k and calbindin-D28k expression in rat mineralized tissues in vivo. <i>Journal of Bone and Mineral Research</i> , 1996, 11, 768-779.	3.1	40
1421	Cyclophilin D is expressed predominantly in mitochondria of γ -aminobutyric acidergic interneurons. <i>Journal of Neuroscience Research</i> , 2009, 87, 1250-1259.	1.3	30
1422	Neocortical neuron types in Xenarthra and Afrotheria: implications for brain evolution in mammals. <i>Brain Structure and Function</i> , 2009, 213, 301-328.	1.2	41
1423	Local circuits targeting parvalbumin-containing interneurons in layer IV of rat barrel cortex. <i>Brain Structure and Function</i> , 2009, 214, 1-13.	1.2	43
1424	Parvalbumin-positive GABAergic interneurons are increased in the dorsal hippocampus of the dystrophic mdx mouse. <i>Acta Neuropathologica</i> , 2009, 118, 803-812.	3.9	21
1425	Calbindin D-28k Immunoreactivity and Its Protein Level in Hippocampal Subregions During Normal Aging in Gerbils. <i>Cellular and Molecular Neurobiology</i> , 2009, 29, 665-672.	1.7	9
1426	Physiological Purkinje Cell Death Is Spatiotemporally Organized in the Developing Mouse Cerebellum. <i>Cerebellum</i> , 2009, 8, 277-290.	1.4	34

#	ARTICLE	IF	CITATIONS
1427	Neuronal subtype identity in the rat auditory brainstem as defined by molecular profile and axonal projection. <i>Experimental Brain Research</i> , 2009, 195, 241-260.	0.7	64
1428	Experimental models for the study of neurodegeneration in amyotrophic lateral sclerosis. <i>Molecular Neurodegeneration</i> , 2009, 4, 31.	4.4	44
1429	Microcalcification after excitotoxicity is enhanced in transgenic mice expressing parvalbumin in all neurones, may commence in neuronal mitochondria and undergoes structural modifications over time. <i>Neuropathology and Applied Neurobiology</i> , 2009, 35, 165-177.	1.8	21
1430	Developmental alterations in the functional properties of excitatory neocortical synapses. <i>Journal of Physiology</i> , 2009, 587, 1889-1896.	1.3	56
1431	Phosphodiesterase type IV inhibition prevents sequestration of CREB binding protein, protects striatal parvalbumin interneurons and rescues motor deficits in the R6/2 mouse model of Huntington's disease. <i>European Journal of Neuroscience</i> , 2009, 29, 902-910.	1.2	77
1432	Overexpression of GAP43 modifies the distribution of the receptors for myelin-associated growth-inhibitory proteins in injured Purkinje axons. <i>European Journal of Neuroscience</i> , 2009, 30, 1837-1848.	1.2	16
1433	Dynamics of Trace Element Concentration During Development and Excitotoxic Cell Death in the Cerebellum of Lurcher Mutant Mice. <i>Brain Pathology</i> , 2009, 19, 586-595.	2.1	4
1434	Different patterns of neuronal activation and neurodegeneration in the thalamus and cortex of epilepsy-resistant <i>Proechimys</i> rats versus Wistar rats after pilocarpine-induced protracted seizures. <i>Epilepsia</i> , 2009, 50, 832-848.	2.6	10
1435	Is physical activity beneficial for recovery in temporal lobe epilepsy? Evidences from animal studies. <i>Neuroscience and Biobehavioral Reviews</i> , 2009, 33, 422-431.	2.9	55
1436	Voronoi-based spatial analysis reveals selective interneuron changes in the cortex of FALS mice. <i>Experimental Neurology</i> , 2009, 215, 77-86.	2.0	27
1437	Origins and control of the differentiation of inhibitory interneurons and glia in the cerebellum. <i>Developmental Biology</i> , 2009, 328, 422-433.	0.9	101
1438	Anatomy of zebrafish cerebellum and screen for mutations affecting its development. <i>Developmental Biology</i> , 2009, 330, 406-426.	0.9	264
1439	Ontogeny of calbindin immunoreactivity in the human hippocampal formation with a special emphasis on granule cells of the dentate gyrus. <i>International Journal of Developmental Neuroscience</i> , 2009, 27, 115-127.	0.7	56
1440	Regional and laminar distribution of the vesicular glutamate transporter, VGLUT2, in the macaque monkey auditory cortex. <i>Journal of Chemical Neuroanatomy</i> , 2009, 38, 106-116.	1.0	38
1441	Effects of typical (haloperidol) and atypical (risperidone) antipsychotic agents on protein expression in rat neural stem cells. <i>Neurochemistry International</i> , 2009, 55, 558-565.	1.9	16
1442	Parvalbumin neurons in the forebrain as revealed by parvalbumin-Cre transgenic mice. <i>Neuroscience Research</i> , 2009, 63, 213-223.	1.0	101
1443	Glutamatergic Nonpyramidal Neurons From Neocortical Layer VI and Their Comparison With Pyramidal and Spiny Stellate Neurons. <i>Journal of Neurophysiology</i> , 2009, 101, 641-654.	0.9	61
1444	An Immunohistochemical Approach to Lungfish Telencephalic Organization. <i>Brain, Behavior and Evolution</i> , 2009, 74, 43-55.	0.9	60

#	ARTICLE	IF	CITATIONS
1445	Cerebellar Slice Cultures. Springer Protocols, 2009, , 285-298.	0.1	3
1446	Oxaliplatin-Induced Loss of Phosphorylated Heavy Neurofilament Subunit Neuronal Immunoreactivity in Rat Drg Tissue. Molecular Pain, 2009, 5, 1744-8069-5-66.	1.0	27
1447	Simultaneous immunohistochemical detection of gangliosides and neuronal markers in paraformaldehyde-fixed nervous tissues by acetone etching. Archives of Histology and Cytology, 2009, 72, 77-90.	0.2	5
1448	Reduction of Calbindin D-28k-Immunoreactive Neurons in the Dog Dentate Gyrus. Journal of Veterinary Medical Science, 2009, 71, 1125-1128.	0.3	4
1449	Sublethal Total Body Irradiation Leads to Early Cerebellar Damage and Oxidative Stress. Current Neurovascular Research, 2010, 7, 125-135.	0.4	23
1450	Subtype-Specific Dendritic Ca ²⁺ Dynamics of Inhibitory Interneurons in the Rat Visual Cortex. Journal of Neurophysiology, 2010, 104, 840-853.	0.9	20
1451	Calbindin-D28K acts as a calcium-dependent chaperone suppressing α -synuclein fibrillation in vitro. Open Life Sciences, 2010, 5, 11-20.	0.6	2
1452	Age-related Changes in Calbindin-D28k, Parvalbumin, and Calretinin Immunoreactivity in the Dog Main Olfactory Bulb. Cellular and Molecular Neurobiology, 2010, 30, 1-12.	1.7	19
1453	Age-Dependent Changes in Calretinin Immunoreactivity and its Protein Level in the Gerbil Hippocampus. Neurochemical Research, 2010, 35, 122-129.	1.6	12
1454	Effects of creatine and β -guanidinopropionic acid and alterations in creatine transporter and creatine kinases expression in acute seizure and chronic epilepsy models. BMC Neuroscience, 2010, 11, 141.	0.8	8
1455	Physical exercise during the adolescent period of life increases hippocampal parvalbumin expression. Brain and Development, 2010, 32, 137-142.	0.6	47
1456	A morphologically distinct granule cell type in the dentate gyrus of the red fox correlates with adult hippocampal neurogenesis. Brain Research, 2010, 1328, 12-24.	1.1	42
1457	Core-and-belt organisation of the mesencephalic and forebrain auditory centres in turtles: Expression of calcium-binding proteins and metabolic activity. Brain Research, 2010, 1345, 84-102.	1.1	13
1458	Characterization of CGRP protein expression in α -satellite-like-cells and dendritic arbours of the mouse olfactory bulb. Journal of Comparative Neurology, 2010, 518, 770-784.	0.9	15
1459	Expression of calcium-binding proteins and nNOS in the human vestibular and precerebellar brainstem. Journal of Comparative Neurology, 2010, 518, 872-895.	0.9	24
1460	Regional distribution and cellular localization of β -adrenoceptors in the adult zebrafish brain (<i>Danio rerio</i>). Journal of Comparative Neurology, 2010, 518, 1418-1441.	0.9	34
1461	Neuroglobin expression in the rat suprachiasmatic nucleus: Colocalization, innervation, and response to light. Journal of Comparative Neurology, 2010, 518, 1556-1569.	0.9	29
1462	Guinea pig horizontal cells express GABA, the GABA-synthesizing enzyme GAD ₆₅ , and the GABA vesicular transporter. Journal of Comparative Neurology, 2010, 518, 1647-1669.	0.9	40

#	ARTICLE	IF	CITATIONS
1463	Hypoglossal motor neurons display a reduced calcium increase after axotomy in mice with upregulated parvalbumin. <i>Journal of Comparative Neurology</i> , 2010, 518, 1946-1961.	0.9	11
1464	Oncomodulin identifies different hair cell types in the mammalian inner ear. <i>Journal of Comparative Neurology</i> , 2010, 518, 3785-3802.	0.9	98
1465	Calcium-binding protein immunoreactivity characterizes the auditory system of <i>Gekko gecko</i> . <i>Journal of Comparative Neurology</i> , 2010, 518, 3409-3426.	0.9	29
1466	Parvalbumin-, calbindin-, and calretinin-immunoreactive hippocampal interneuron density in autism. <i>Acta Neurologica Scandinavica</i> , 2010, 121, 99-108.	1.0	141
1467	Secretagogin is a Ca ²⁺ -binding protein identifying prospective extended amygdala neurons in the developing mammalian telencephalon. <i>European Journal of Neuroscience</i> , 2010, 31, 2166-2177.	1.2	34
1468	Continuous and intermittent transcranial magnetic theta burst stimulation modify tactile learning performance and cortical protein expression in the rat differently. <i>European Journal of Neuroscience</i> , 2010, 32, 1575-1586.	1.2	59
1469	Quantitative Organization of GABAergic Synapses in the Molecular Layer of the Mouse Cerebellar Cortex. <i>PLoS ONE</i> , 2010, 5, e12119.	1.1	45
1470	Immunohistochemical study on the expression of calcium binding proteins (calbindin-D28k, calretinin,) Tj ETQq1 1 0.784314 rgBT / Over 64.	0.5	7
1471	Visualizing Viral Dissemination in the Mouse Nervous System, Using a Green Fluorescent Protein-Expressing Borna Disease Virus Vector. <i>Journal of Virology</i> , 2010, 84, 5438-5442.	1.5	22
1472	Functional Identification of a Pulvinar Path from Superior Colliculus to Cortical Area MT. <i>Journal of Neuroscience</i> , 2010, 30, 6342-6354.	1.7	161
1473	The Substructure of the Suprachiasmatic Nucleus: Similarities between Nocturnal and Diurnal Spiny Mice. <i>Brain, Behavior and Evolution</i> , 2010, 75, 9-22.	0.9	28
1474	Amyotrophic Lateral Sclerosis and Excitotoxicity: From Pathological Mechanism to Therapeutic Target. <i>CNS and Neurological Disorders - Drug Targets</i> , 2010, 9, 297-304.	0.8	71
1475	Compensatory Regulation of Ca _v 2.1 Ca ²⁺ Channels in Cerebellar Purkinje Neurons Lacking Parvalbumin and Calbindin D-28k. <i>Journal of Neurophysiology</i> , 2010, 103, 371-381.	0.9	24
1476	Roles of KChIP1 in the regulation of GABA-mediated transmission and behavioral anxiety. <i>Molecular Brain</i> , 2010, 3, 23.	1.3	17
1477	Types and density of calretinin-containing retinal ganglion cells in mouse. <i>Neuroscience Research</i> , 2010, 66, 141-150.	1.0	36
1478	Heterogeneity of calbindin-containing neurons in the mouse main olfactory bulb: I. General description. <i>Neuroscience Research</i> , 2010, 67, 275-292.	1.0	27
1479	Upregulated expression of oncomodulin, the beta isoform of parvalbumin, in perikarya and axons in the diencephalon of parvalbumin knockout mice. <i>Neuroscience</i> , 2010, 165, 749-757.	1.1	12
1480	Dual chemoarchitectonic lamination of the visual sector of the thalamic reticular nucleus. <i>Neuroscience</i> , 2010, 165, 801-818.	1.1	9

#	ARTICLE	IF	CITATIONS
1481	Anatomical changes in the primary visual cortex of the congenitally blind <i>Crx</i> ^{+/+} mouse. <i>Neuroscience</i> , 2010, 166, 886-898.	1.1	8
1482	Distribution and role of Kv3.1b in neurons in the medial septum diagonal band complex. <i>Neuroscience</i> , 2010, 166, 952-969.	1.1	35
1483	Organization and neurochemical properties of intersegmental interneurons in the lumbar enlargement of the adult rat. <i>Neuroscience</i> , 2010, 171, 461-484.	1.1	19
1484	5-Lipoxygenase in mouse cerebellar Purkinje cells. <i>Neuroscience</i> , 2010, 171, 383-389.	1.1	5
1485	Altered expression of parvalbumin and calbindin in interneurons within the primary visual cortex of neonatal enucleated hamsters. <i>Neuroscience</i> , 2010, 171, 1326-1340.	1.1	17
1486	Seizures during pregnancy modify the development of hippocampal interneurons of the offspring. <i>Epilepsy and Behavior</i> , 2010, 19, 20-25.	0.9	41
1487	Modulation of cell-cycle dynamics is required to regulate the number of cerebellar GABAergic interneurons and their rhythm of maturation. <i>Development (Cambridge)</i> , 2011, 138, 3463-3472.	1.2	28
1488	Subsets of spiny striosomal striatal neurons revealed in the <i>Gad1</i> -GFP BAC transgenic mouse. <i>Basal Ganglia</i> , 2011, 1, 201-211.	0.3	5
1489	Chapter 11. Metal Toxicity and Metallostasis in Amyotrophic Lateral Sclerosis. <i>RSC Drug Discovery Series</i> , 2011, , 226-248.	0.2	1
1490	Unilateral lesion of the nigrostriatal pathway decreases the response of fast-spiking interneurons in the medial prefrontal cortex to 5-HT1A receptor agonist and expression of the receptor in parvalbumin-positive neurons in the rat. <i>Neurochemistry International</i> , 2011, 59, 618-627.	1.9	15
1491	RBP-J promotes the maturation of neuronal progenitors. <i>Developmental Biology</i> , 2011, 354, 44-54.	0.9	9
1492	Heterogeneity of parvalbumin expression in the avian cerebellar cortex and comparisons with zebrin II. <i>Neuroscience</i> , 2011, 185, 73-84.	1.1	11
1493	Vitamin-D-Free Regimen Intensifies the Spatial Learning Deficit in Alzheimer's Disease. <i>International Journal of Neuroscience</i> , 2011, 121, 16-24.	0.8	29
1494	The Calbindin-D28k binding site on inositol monophosphatase may allow inhibition independent of the lithium site of action. <i>Nature Precedings</i> , 2011, , .	0.1	0
1495	Digital Atlas of Anatomical Subdivisions and Boundaries of the Rat Hippocampal Region. <i>Frontiers in Neuroinformatics</i> , 2011, 5, 2.	1.3	60
1496	Embryonic Stem Cell-Derived L1 Overexpressing Neural Aggregates Enhance Recovery after Spinal Cord Injury in Mice. <i>PLoS ONE</i> , 2011, 6, e17126.	1.1	58
1497	Removal of GABAA Receptor $\beta 2$ Subunits from Parvalbumin Neurons Causes Wide-Ranging Behavioral Alterations. <i>PLoS ONE</i> , 2011, 6, e24159.	1.1	33
1498	Gene expression analysis in the parvalbumin-immunoreactive PV1 nucleus of the mouse lateral hypothalamus. <i>European Journal of Neuroscience</i> , 2011, 34, 1934-1943.	1.2	35

#	ARTICLE	IF	CITATIONS
1499	Distinct mechanisms regulate GABA _A receptor and gephyrin clustering at perisomatic and axo-axonic synapses on CA1 pyramidal cells. <i>Journal of Physiology</i> , 2011, 589, 4959-4980.	1.3	125
1500	High frequency stimulation of the subthalamic nucleus increases c-fos immunoreactivity in the dorsal raphe nucleus and afferent brain regions. <i>Journal of Psychiatric Research</i> , 2011, 45, 1307-1315.	1.5	34
1501	Immunohistochemical localization of calbindin D28k and calretinin in the retina of two lungfishes, <i>Protopterus dolloi</i> and <i>Neoceratodus forsteri</i> : Colocalization with choline acetyltransferase and tyrosine hydroxylase. <i>Brain Research</i> , 2011, 1368, 28-43.	1.1	18
1502	The impact of short-lasting repeated vibrations on retrograde axonal transport, the expression of CGRP and parvalbumin in lower lumbar dorsal root ganglia. <i>Brain Research</i> , 2011, 1396, 1-10.	1.1	5
1503	Degree and pattern of calbindin immunoreactivity in granule cells of the dentate gyrus differ in mesial temporal sclerosis, cortical malformation- and tumor-related epilepsies. <i>Brain Research</i> , 2011, 1399, 66-78.	1.1	33
1504	Hydrogen Sulfide-, Parvalbumin-, and GABA-Producing Systems in the Masu Salmon Brain. <i>Neurophysiology</i> , 2011, 43, 90-102.	0.2	6
1505	Hippocampal pyramidal cells: the reemergence of cortical lamination. <i>Brain Structure and Function</i> , 2011, 216, 301-317.	1.2	116
1506	Expression of parvalbumin and glutamic acid decarboxylase-67 after acute administration of MK-801. Implications for the NMDA hypofunction model of schizophrenia. <i>Psychopharmacology</i> , 2011, 217, 231-238.	1.5	30
1507	Developmental GABAergic deficit enhances methamphetamine-induced apoptosis. <i>Psychopharmacology</i> , 2011, 215, 413-427.	1.5	14
1508	c-Jun is essential for the induction of <i>Il-1β</i> gene expression in <i>in vitro</i> activated Bergmann glial cells. <i>Glia</i> , 2011, 59, 1879-1890.	2.5	12
1509	Characterization of NPY Y2 receptor protein expression in the mouse brain. II. Coexistence with NPY, the Y1 receptor, and other neurotransmitter-related molecules. <i>Journal of Comparative Neurology</i> , 2011, 519, 1219-1257.	0.9	62
1510	Neurochemical and Structural Organization of the Principal Nucleus of the Inferior Olive in the Human. <i>Anatomical Record</i> , 2011, 294, 1198-1216.	0.8	18
1511	Nucleus incertus: An emerging modulatory role in arousal, stress and memory. <i>Neuroscience and Biobehavioral Reviews</i> , 2011, 35, 1326-1341.	2.9	88
1512	Sex Differences in the Cerebellum and Frontal Cortex: Roles of Estrogen Receptor Alpha and Sex Chromosome Genes. <i>Neuroendocrinology</i> , 2011, 93, 230-240.	1.2	55
1513	Localization of Calbindin-D28k and Calretinin in the Brain of <i>Dermophis Mexicanus</i> (Amphibia: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 18). <i>Brain, Behavior and Evolution</i> , 2011, 77, 231-269.	0.9	14
1514	Ascl1 Genetics Reveals Insights into Cerebellum Local Circuit Assembly. <i>Journal of Neuroscience</i> , 2011, 31, 11055-11069.	1.7	150
1515	Plasticity of TRPV1-Expressing Sensory Neurons Mediating Autonomic Dysreflexia Following Spinal Cord Injury. <i>Frontiers in Physiology</i> , 2012, 3, 257.	1.3	51
1516	Calcium Signaling in Cerebral Vasoregulation. <i>Advances in Experimental Medicine and Biology</i> , 2012, 740, 833-858.	0.8	2

#	ARTICLE	IF	CITATIONS
1517	Oxidative Stress in the Hypothalamus: the Importance of Calcium Signaling and Mitochondrial ROS in Body Weight Regulation. <i>Current Neuropharmacology</i> , 2012, 10, 344-353.	1.4	38
1518	Pioneer glutamatergic cells develop into a morpho-functionally distinct population in the juvenile CA3 hippocampus. <i>Nature Communications</i> , 2012, 3, 1316.	5.8	52
1519	Early Postnatal Migration and Development of Layer II Pyramidal Neurons in the Rodent Cingulate/Retrosplenial Cortex. <i>Cerebral Cortex</i> , 2012, 22, 144-157.	1.6	17
1520	Immunocytochemical profiles of inferior colliculus neurons in the rat and their changes with aging. <i>Frontiers in Neural Circuits</i> , 2012, 6, 68.	1.4	37
1521	Cerebellar Amyloid- β Plaques: Disturbed Cortical Circuitry in A β PP/PS1 Transgenic Mice as a Model of Familial Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2012, 31, 285-300.	1.2	23
1522	A Cre-Dependent GCaMP3 Reporter Mouse for Neuronal Imaging <i>In Vivo</i> . <i>Journal of Neuroscience</i> , 2012, 32, 3131-3141.	1.7	341
1523	Distribution of the Cocaine and Amphetamine - Regulated Transcript (Cart) and Calcium Binding Proteins Immunoreactivity in the Preoptic Area of the Ram. <i>Bulletin of the Veterinary Institute in Pulawy = Biuletyn Instytutu Weterynarii W Pulawach</i> , 2012, 56, 355-360.	0.4	6
1524	Parvalbumin: calcium and magnesium buffering in the distal nephron. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 3988-3994.	0.4	31
1525	Nanodomain coupling between Ca ²⁺ channels and sensors of exocytosis at fast mammalian synapses. <i>Nature Reviews Neuroscience</i> , 2012, 13, 7-21.	4.9	418
1526	Cell proliferation pattern in adult zebrafish forebrain is sexually dimorphic. <i>Neuroscience</i> , 2012, 226, 367-381.	1.1	32
1527	Unilateral lesion of the nigrostriatal pathway decreases the response of GABA interneurons in the dorsal raphe nucleus to 5-HT _{1A} receptor stimulation in the rat. <i>Neurochemistry International</i> , 2012, 61, 1344-1356.	1.9	16
1528	Subpopulations of neurokinin 1 receptor-expressing neurons in the rat lateral amygdala display a differential pattern of innervation from distinct glutamatergic afferents. <i>Neuroscience</i> , 2012, 203, 59-77.	1.1	23
1529	Peptide 19-containing neurons in the medullary dorsal horn, subnuclei interparialis and oralis, and nucleus principalis of the rat. <i>Annals of Anatomy</i> , 2012, 194, 321-328.	1.0	0
1530	Calcium-binding proteins and GFAP immunoreactivity alterations in murine hippocampus after 1 month of exposure to 835MHz radiofrequency at SAR values of 1.6 and 4.0W/kg. <i>Neuroscience Letters</i> , 2012, 506, 292-296.	1.0	17
1531	Ischemic injury decreases parvalbumin expression in a middle cerebral artery occlusion animal model and glutamate-exposed HT22 cells. <i>Neuroscience Letters</i> , 2012, 512, 17-21.	1.0	13
1532	Ferulic acid attenuates the focal cerebral ischemic injury-induced decrease in parvalbumin expression. <i>Neuroscience Letters</i> , 2012, 516, 146-150.	1.0	13
1533	Glutamatergic projection from the nucleus incertus to the septohippocampal system. <i>Neuroscience Letters</i> , 2012, 517, 71-76.	1.0	26
1534	The spinal precerebellar nuclei: Calcium binding proteins and gene expression profile in the mouse. <i>Neuroscience Letters</i> , 2012, 518, 161-166.	1.0	15

#	ARTICLE	IF	CITATIONS
1535	The use of transgenic mouse models to reveal the functions of Ca ²⁺ buffer proteins in excitable cells. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2012, 1820, 1294-1303.	1.1	70
1536	Development of primary sensory neurons in the trigeminal nervous system; dependency on neurotrophins and other substances. <i>Japanese Dental Science Review</i> , 2012, 48, 48-52.	2.0	1
1537	Differences in parvalbumin and calbindin chemospecificity in the centers of the turtle ascending auditory pathway revealed by double immunofluorescence labeling. <i>Brain Research</i> , 2012, 1473, 87-103.	1.1	9
1538	Motor Cortex. , 2012, , 528-538.		7
1539	The Basal Forebrain Cholinergic Projection System in Mice. , 2012, , 684-718.		121
1540	Secretagogin is Expressed in Sensory CGRP Neurons and in Spinal Cord of Mouse and Complements other Calcium-Binding Proteins, with a Note on Rat and Human. <i>Molecular Pain</i> , 2012, 8, 1744-8069-8-80.	1.0	34
1541	Calcium-binding proteins and metabolic activity in thalamotelencephalic parts of the turtle visual system. <i>Journal of Evolutionary Biochemistry and Physiology</i> , 2012, 48, 322-334.	0.2	1
1542	Calbindin-D32k Is Localized to a Subpopulation of Neurons in the Nervous System of the Sea Cucumber <i>Holothuria glaberrima</i> (Echinodermata). <i>PLoS ONE</i> , 2012, 7, e32689.	1.1	8
1543	Light-evoked Somatosensory Perception of Transgenic Rats That Express Channelrhodopsin-2 in Dorsal Root Ganglion Cells. <i>PLoS ONE</i> , 2012, 7, e32699.	1.1	62
1544	Molecular compartmentalization of lateral geniculate nucleus in the gray squirrel (<i>Sciurus Tj</i> ETQq1 1 0.784314 rgBT/Overlock 10 Tf 50	0.9	12
1545	From behavioral context to receptors: serotonergic modulatory pathways in the IC. <i>Frontiers in Neural Circuits</i> , 2012, 6, 58.	1.4	47
1546	Immunohistochemical localization of calbindin-D28k in the kidney and cerebellum of the porcupines (<i>Hystrix cristata</i>). <i>Veterinari Medicina</i> , 2003, 48, 369-372.	0.2	2
1547	Role of Mitochondrial Dysfunction in Motor Neuron Degeneration in ALS. , 0, , .		6
1548	Heterochronic Protein Expression Patterns in the Developing Embryonic Chick Cerebellum. <i>Anatomical Record</i> , 2012, 295, 1669-1682.	0.8	3
1549	Immunohistochemical study of the distribution of calcium binding proteins in the brain of a chondrosteian (<i>Acipenser baeri</i>). <i>Journal of Comparative Neurology</i> , 2012, 520, 2086-2122.	0.9	21
1550	Cellular signatures in the primary visual cortex of phylogeny and placentation. <i>Brain Structure and Function</i> , 2012, 217, 531-547.	1.2	4
1551	Subpopulations of cholinergic, GABAergic and glutamatergic neurons in the pedunculopontine nucleus contain calcium-binding proteins and are heterogeneously distributed. <i>European Journal of Neuroscience</i> , 2012, 35, 723-734.	1.2	47
1552	The renaissance of Ca ²⁺ -binding proteins in the nervous system: secretagogin takes center stage. <i>Cellular Signalling</i> , 2012, 24, 378-387.	1.7	59

#	ARTICLE	IF	CITATIONS
1553	Age-related changes in calbindin and calretinin immunoreactivity in the central auditory system of the rat. <i>Experimental Gerontology</i> , 2012, 47, 497-506.	1.2	35
1554	Changes in the distribution of calbindin D28-k, parvalbumin, and calretinin in the hippocampus of the circling mouse. <i>Brain Research</i> , 2012, 1437, 58-68.	1.1	6
1555	Development and evolution of cerebellar neural circuits. <i>Development Growth and Differentiation</i> , 2012, 54, 373-389.	0.6	120
1556	The lateral hypothalamic parvalbumin-immunoreactive (PV1) nucleus in rodents. <i>Journal of Comparative Neurology</i> , 2012, 520, 798-815.	0.9	57
1557	The absence of the calcium-buffering protein calbindin is associated with faster age-related decline in hippocampal metabolism. <i>Hippocampus</i> , 2012, 22, 1107-1120.	0.9	32
1558	Loss of GABAergic neurons in the hippocampus and cerebral cortex of Engrailed-2 null mutant mice: Implications for autism spectrum disorders. <i>Experimental Neurology</i> , 2013, 247, 496-505.	2.0	83
1559	Regional distribution of calretinin and calbindin-D28k expression in the brain of the urodele amphibian <i>Pleurodeles waltl</i> during embryonic and larval development. <i>Brain Structure and Function</i> , 2013, 218, 969-1003.	1.2	9
1561	Inhibition of inositol monophosphatase (IMPase) at the calbindin-D28k binding site: Molecular and behavioral aspects. <i>European Neuropsychopharmacology</i> , 2013, 23, 1806-1815.	0.3	9
1562	The parvalbumin-positive interneurons in the mouse dentate gyrus express GABAA receptor subunits alpha1, beta2, and delta along their extrasynaptic cell membrane. <i>Neuroscience</i> , 2013, 254, 80-96.	1.1	51
1563	Qualitative and Quantitative Aspects of the Microanatomy of the African Elephant Cerebellar Cortex. <i>Brain, Behavior and Evolution</i> , 2013, 81, 40-55.	0.9	19
1564	A multifunctional neurotrophin with reduced affinity to p75NTR enhances transplanted Schwann cell survival and axon growth after spinal cord injury. <i>Experimental Neurology</i> , 2013, 248, 170-182.	2.0	53
1565	The percentage of interneurons in the dorsal striatum of the rat, cat, monkey and human: A critique of the evidence. <i>Basal Ganglia</i> , 2013, 3, 19-24.	0.3	30
1566	Effects of maternal exposure to 2,3,7,8-tetrachlorodibenzo-p-dioxin on parvalbumin- and calbindin-immunoreactive neurons in the limbic system and superior colliculus in rat offspring. <i>Toxicology</i> , 2013, 314, 125-134.	2.0	29
1567	Vestibular nuclei characterized by calcium-binding protein immunoreactivity and tract tracing in <i>Gekko gecko</i> . <i>Hearing Research</i> , 2013, 296, 1-12.	0.9	3
1568	Calcium-binding proteins and cytochrome oxidase activity in the turtle optic tectum with special reference to the tectofugal visual pathway. <i>Journal of Evolutionary Biochemistry and Physiology</i> , 2013, 49, 519-540.	0.2	1
1569	Pattern of calbindin-D28k and calretinin immunoreactivity in the brain of <i>Xenopus laevis</i> during embryonic and larval development. <i>Journal of Comparative Neurology</i> , 2013, 521, 79-108.	0.9	13
1570	Morphological and neurochemical comparisons between pulvinar and V1 projections to V2. <i>Journal of Comparative Neurology</i> , 2013, 521, 813-832.	0.9	30
1571	Males but not females show differences in calbindin immunoreactivity in the dorsal thalamus of the mouse model of fragile X syndrome. <i>Journal of Comparative Neurology</i> , 2013, 521, 894-911.	0.9	10

#	ARTICLE	IF	CITATIONS
1572	Heterogeneity of calretinin expression in the avian cerebellar cortex of pigeons and relationship with zebrin II. <i>Journal of Chemical Neuroanatomy</i> , 2013, 52, 95-103.	1.0	7
1573	The effect of parvalbumin deficiency on the acoustic startle response and prepulse inhibition in mice. <i>Neuroscience Letters</i> , 2013, 553, 216-220.	1.0	12
1574	Visual thalamocortical circuits in parvalbumin-deficient mice. <i>Brain Research</i> , 2013, 1536, 107-118.	1.1	10
1575	Quantitative analysis of locomotor defects in neonatal mice lacking proprioceptive feedback. <i>Physiology and Behavior</i> , 2013, 120, 97-105.	1.0	8
1576	Distribution of parvalbumin, calbindin and calretinin containing neurons and terminal networks in relation to sleep associated nuclei in the brain of the giant Zambian mole-rat (<i>Fukomys mechowii</i>). <i>Journal of Chemical Neuroanatomy</i> , 2013, 52, 69-79.	1.0	25
1577	Temporal changes of calbindin expression in the nodulus following unilateral labyrinthectomy in rats. <i>Neuroscience Letters</i> , 2013, 555, 47-50.	1.0	4
1578	Region-specific diversity of striosomes in the mouse striatum revealed by the differential immunoreactivities for mu-opioid receptor, substance P, and enkephalin. <i>Neuroscience</i> , 2013, 241, 215-228.	1.1	22
1579	Embryonic and postnatal development of calcium-binding proteins immunoreactivity in the anterior thalamus of the guinea pig. <i>Journal of Chemical Neuroanatomy</i> , 2013, 53, 25-32.	1.0	10
1580	Prolonged protein deprivation, but not food restriction, affects parvalbumin-containing interneurons in the dentate gyrus of adult rats. <i>Brain Research</i> , 2013, 1522, 22-30.	1.1	8
1581	Prolonged protein deprivation differentially affects calretinin- and parvalbumin-containing interneurons in the hippocampal dentate gyrus of adult rats. <i>Neuroscience Letters</i> , 2013, 555, 154-158.	1.0	19
1582	Differential distribution of parvalbumin- and calbindin-D28K-immunoreactive neurons in the rat periaqueductal gray matter and their colocalization with enzymes producing nitric oxide. <i>Brain Research Bulletin</i> , 2013, 99, 48-62.	1.4	4
1583	Effect of low-intensity treadmill exercise on behavioural measures and hippocampal parvalbumin immunoreactivity in the rat. <i>Behavioural Brain Research</i> , 2013, 256, 598-601.	1.2	14
1584	Secretagogin-containing neurons in the mouse main olfactory bulb. <i>Neuroscience Research</i> , 2013, 77, 16-32.	1.0	18
1585	Expression of c-fos in hilar mossy cells of the dentate gyrus <i>in vivo</i> . <i>Hippocampus</i> , 2013, 23, 649-655.	0.9	41
1586	A neuroanatomical and neurochemical study of the indusium griseum and anterior hippocampal continuation: Comparison with dentate gyrus. <i>Journal of Chemical Neuroanatomy</i> , 2013, 50-51, 39-47.	1.0	16
1587	Stress differentially alters mu opioid receptor density and trafficking in parvalbumin-containing interneurons in the female and male rat hippocampus. <i>Synapse</i> , 2013, 67, 757-772.	0.6	54
1588	Neuroprotective Effect of Ginseng against Alteration of Calcium Binding Proteins Immunoreactivity in the Mice Hippocampus after Radiofrequency Exposure. <i>BioMed Research International</i> , 2013, 2013, 1-12.	0.9	9
1589	Nav1.1 haploinsufficiency in excitatory neurons ameliorates seizure-associated sudden death in a mouse model of Dravet syndrome. <i>Human Molecular Genetics</i> , 2013, 22, 4784-4804.	1.4	150

#	ARTICLE	IF	CITATIONS
1590	Cellular and Axonal Diversity in Molecular Layer Heterotopia of the Rat Cerebellar Vermis. <i>BioMed Research International</i> , 2013, 2013, 1-12.	0.9	5
1591	Immunohistochemical distribution of calretinin and calbindin (Dâ€28k) in the brain of the cladistian <i>Polypterus senegalus</i> . <i>Journal of Comparative Neurology</i> , 2013, 521, 2454-2485.	0.9	16
1592	Differential dendritic targeting of AMPA receptor subunit mRNAs in adult rat hippocampal principal neurons and interneurons. <i>Journal of Comparative Neurology</i> , 2013, 521, 1954-2007.	0.9	17
1593	Efferent connections of the parvalbuminâ€positive (PV1) nucleus in the lateral hypothalamus of rodents. <i>Journal of Comparative Neurology</i> , 2013, 521, 3133-3153.	0.9	30
1594	The calcium-binding protein parvalbumin modulates the firing 1 properties of the reticular thalamic nucleus bursting neurons. <i>Journal of Neurophysiology</i> , 2013, 109, 2827-2841.	0.9	41
1595	Striatal parvalbuminergic neurons are lost in Huntington's disease: implications for dystonia. <i>Movement Disorders</i> , 2013, 28, 1691-1699.	2.2	85
1596	Nicotinamide Restores the Reduction of Parvalbumin in Cerebral Ischemic Injury. <i>Journal of Veterinary Medical Science</i> , 2013, 75, 225-229.	0.3	2
1597	Immunohistochemical localization of the GM1, GD1a, GD1b and GQ1b gangliosides in the neuronal endings of rat muscle spindles. <i>Archives of Histology and Cytology</i> , 2013, 74, 31-40.	0.2	2
1598	Brain Region Specific Pre-Synaptic and Post-Synaptic Degeneration Are Early Components of Neuropathology in Prion Disease. <i>PLoS ONE</i> , 2013, 8, e55004.	1.1	24
1599	Characterization of GABAergic Neurons in the Mouse Lateral Septum: A Double Fluorescence In Situ Hybridization and Immunohistochemical Study Using Tyramide Signal Amplification. <i>PLoS ONE</i> , 2013, 8, e73750.	1.1	79
1600	Time-dependent changes of calbindin D-28K and parvalbumin immunoreactivity in the hippocampus of rats with streptozotocin-induced type 1 diabetes. <i>Journal of Veterinary Science</i> , 2013, 14, 373.	0.5	12
1601	Parvalbumin increases in the medial and lateral geniculate nuclei of aged rhesus macaques. <i>Frontiers in Aging Neuroscience</i> , 2013, 5, 69.	1.7	20
1602	Postnatal development of cerebellar zones revealed by neurofilament heavy chain protein expression. <i>Frontiers in Neuroanatomy</i> , 2013, 7, 9.	0.9	41
1603	Pathophysiology of Amyotrophic Lateral Sclerosis. , 0, , .		2
1604	Characterization of Aromatase Expression in the Adult Male and Female Mouse Brain. I. Coexistence with Oestrogen Receptors $\text{ER}\alpha$ and $\text{ER}\beta$, and Androgen Receptors. <i>PLoS ONE</i> , 2014, 9, e90451.	1.1	92
1605	Motor Axon Synapses on Renshaw Cells Contain Higher Levels of Aspartate than Glutamate. <i>PLoS ONE</i> , 2014, 9, e97240.	1.1	15
1606	Dual Transgene Expression in Murine Cerebellar Purkinje Neurons by Viral Transduction In Vivo. <i>PLoS ONE</i> , 2014, 9, e104062.	1.1	14
1607	Localization of peroxisome proliferator-activated receptor alpha (PPAR α) and N-acyl phosphatidylethanolamine phospholipase D (NAPE-PLD) in cells expressing the Ca ²⁺ -binding proteins calbindin, calretinin, and parvalbumin in the adult rat hippocampus. <i>Frontiers in Neuroanatomy</i> , 2014, 8, 12.	0.9	16

#	ARTICLE	IF	CITATIONS
1608	Three axonal projection routes of individual pyramidal cells in the ventral CA1 hippocampus. <i>Frontiers in Neuroanatomy</i> , 2014, 8, 53.	0.9	58
1609	Localization of the cannabinoid CB1 receptor and the 2-AG synthesizing (DAGL α) and degrading (MAGL) in the adult rat hippocampus. <i>Frontiers in Neuroanatomy</i> , 2014, 8, 56.	0.9	27
1610	Motor dysfunction in cerebellar Purkinje cell-specific vesicular GABA transporter knockout mice. <i>Frontiers in Cellular Neuroscience</i> , 2013, 7, 286.	1.8	31
1611	Altered GABAergic markers, increased binocularity and reduced plasticity in the visual cortex of <i>Engrailed-2</i> knockout mice. <i>Frontiers in Cellular Neuroscience</i> , 2014, 8, 163.	1.8	28
1612	Expression of calcium-binding proteins and selected neuropeptides in the human, chimpanzee, and crab-eating macaque claustrum. <i>Frontiers in Systems Neuroscience</i> , 2014, 8, 99.	1.2	20
1613	Calbindin-D28K Prevents Staurosporin-induced Bax Cleavage and Membrane Permeabilization. <i>Experimental Neurobiology</i> , 2014, 23, 173-177.	0.7	4
1614	Influence of feeding and UVB exposition on the absorption mechanisms of calcium in the gastrointestinal tract of veiled chameleons (<i>Chamaeleo calytratus</i>). <i>Journal of Animal Physiology and Animal Nutrition</i> , 2014, 98, 1021-1030.	1.0	9
1615	Neuronal calcium-binding proteins 1/2 localize to dorsal root ganglia and excitatory spinal neurons and are regulated by nerve injury. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, E1149-58.	3.3	47
1616	Cerebellar Zonal Patterning Relies on Purkinje Cell Neurotransmission. <i>Journal of Neuroscience</i> , 2014, 34, 8231-8245.	1.7	90
1617	The Structure and Connections of the Claustrum. , 2014, , 29-84.		27
1618	The Neurochemical Organization of the Claustrum. , 2014, , 85-118.		10
1619	Laminar and Neurochemical Organization of the Dorsal Cochlear Nucleus of the Human, Monkey, Cat, and Rodents. <i>Anatomical Record</i> , 2014, 297, 1865-1884.	0.8	12
1620	A subset of thalamocortical projections to the retrosplenial cortex possesses two vesicular glutamate transporter isoforms, VGLUT1 and VGLUT2, in axon terminals and somata. <i>Journal of Comparative Neurology</i> , 2014, 522, 2089-2106.	0.9	12
1621	Calbindin-D28K Immunoreactivity in the Human Cerebellar Cortex. <i>Anatomical Record</i> , 2014, 297, 1306-1315.	0.8	18
1622	The theta-related firing activity of parvalbumin-positive neurons in the medial septum-diagonal band of Broca complex and their response to 5-HT _{1A} Receptor stimulation in a rat model of Parkinson's disease. <i>Hippocampus</i> , 2014, 24, 326-340.	0.9	11
1623	Revival of Calcium-Binding Proteins for Neuromorphology: Secretagogin Typifies Distinct Cell Populations in the Avian Brain. <i>Brain, Behavior and Evolution</i> , 2014, 83, 82-92.	0.9	13
1624	Colocalization pattern of calbindin and cocaine- and amphetamine-regulated transcript in the mammillary body-anterior thalamic nuclei axis of the guinea pig. <i>Neuroscience</i> , 2014, 260, 98-105.	1.1	12
1625	Computational modeling of spike generation in serotonergic neurons of the dorsal raphe nucleus. <i>Progress in Neurobiology</i> , 2014, 118, 59-101.	2.8	15

#	ARTICLE	IF	CITATIONS
1626	Coaxiality of Foxb1- and parvalbumin-expressing neurons in the lateral hypothalamic PV1-nucleus. <i>Neuroscience Letters</i> , 2014, 566, 111-114.	1.0	15
1627	Intrinsic organization of the suprachiasmatic nucleus in the capuchin monkey. <i>Brain Research</i> , 2014, 1543, 65-72.	1.1	15
1628	Estradiol ameliorates the reduction in parvalbumin expression induced by ischemic brain injury. <i>Neuroscience Letters</i> , 2014, 574, 36-40.	1.0	15
1629	Paternal deprivation affects the functional maturation of corticotropin-releasing hormone (CRH)- and calbindin-D28k-expressing neurons in the bed nucleus of the stria terminalis (BNST) of the biparental <i>Octodon degus</i> . <i>Brain Structure and Function</i> , 2014, 219, 1983-1990.	1.2	12
1630	Parvalbumin-immunoreactive neurons in the human claustrum. <i>Brain Structure and Function</i> , 2014, 219, 1813-1830.	1.2	33
1631	Cell type-specific expression of Eps8 in the mouse hippocampus. <i>BMC Neuroscience</i> , 2014, 15, 26.	0.8	6
1632	The aging human cochlear nucleus: Changes in the glial fibrillary acidic protein, intracellular calcium regulatory proteins, GABA neurotransmitter and cholinergic receptor. <i>Journal of Chemical Neuroanatomy</i> , 2014, 56, 1-12.	1.0	23
1633	A protocol for concurrent high-quality immunohistochemical and biochemical analyses in adult mouse central nervous system. <i>European Journal of Neuroscience</i> , 2014, 39, 165-175.	1.2	59
1634	Parvalbumin-Immunoreactive Cells in the Superior Colliculus in Dog: Distribution, Colocalization with GABA, and Effect of Monocular Enucleation. <i>Zoological Science</i> , 2014, 31, 748-757.	0.3	6
1635	Deletion of KCC3 in parvalbumin neurons leads to locomotor deficit in a conditional mouse model of peripheral neuropathy associated with agenesis of the corpus callosum. <i>Behavioural Brain Research</i> , 2014, 274, 128-136.	1.2	24
1636	Thrombospondin 4 deficiency in mouse impairs neuronal migration in the early postnatal and adult brain. <i>Molecular and Cellular Neurosciences</i> , 2014, 61, 176-186.	1.0	27
1637	Expression and colocalization patterns of calbindin-D28k, calretinin and parvalbumin in the rat hypothalamic arcuate nucleus. <i>Journal of Chemical Neuroanatomy</i> , 2014, 61-62, 20-32.	1.0	16
1638	A fourth generation of neuroanatomical tracing techniques: Exploiting the offspring of genetic engineering. <i>Journal of Neuroscience Methods</i> , 2014, 235, 331-348.	1.3	48
1639	Heterogeneous Calretinin Expression in the Avian Cochlear Nucleus Angularis. <i>JARO - Journal of the Association for Research in Otolaryngology</i> , 2014, 15, 603-620.	0.9	8
1640	Distribution of TRPVs, P2X3, and Parvalbumin in the Human Nodose Ganglion. <i>Cellular and Molecular Neurobiology</i> , 2014, 34, 851-858.	1.7	18
1641	Mice lacking TrkB in parvalbumin-positive cells exhibit sexually dimorphic behavioral phenotypes. <i>Behavioural Brain Research</i> , 2014, 274, 219-225.	1.2	38
1642	Calcium-binding proteins in the laterodorsal thalamic nucleus during development of the guinea pig. <i>Journal of Chemical Neuroanatomy</i> , 2014, 61-62, 88-93.	1.0	4
1643	Sex differences in the adolescent developmental trajectory of parvalbumin interneurons in the hippocampus: A role for estradiol. <i>Psychoneuroendocrinology</i> , 2014, 45, 167-178.	1.3	66

#	ARTICLE	IF	CITATIONS
1644	Repeated Baclofen treatment ameliorates motor dysfunction, suppresses reflex activity and decreases the expression of signaling proteins in reticular nuclei and lumbar motoneurons after spinal trauma in rats. <i>Acta Histochemica</i> , 2014, 116, 344-353.	0.9	8
1645	The cocaine- and amphetamine-regulated transcript, calbindin, calretinin and parvalbumin immunoreactivity in the medial geniculate body of the guinea pig. <i>Journal of Chemical Neuroanatomy</i> , 2014, 59-60, 17-28.	1.0	8
1646	Morphological properties of tectal neurons that project to the nucleus geniculatus lateralis, pars ventralis (GLv) and the surrounding ventral thalamus in chicks. <i>Tissue and Cell</i> , 2014, 46, 103-111.	1.0	0
1647	Discharge properties of neurons recorded in the parvalbumin-positive (PV1) nucleus of the rat lateral hypothalamus. <i>Neuroscience Letters</i> , 2014, 571, 29-33.	1.0	5
1648	Morphological, biophysical and synaptic properties of glutamatergic neurons of the mouse spinal dorsal horn. <i>Journal of Physiology</i> , 2014, 592, 759-776.	1.3	124
1649	Phencyclidine Inhibits the Activity of Thalamic Reticular Gamma-Aminobutyric Acidergic Neurons in Rat Brain. <i>Biological Psychiatry</i> , 2014, 76, 937-945.	0.7	40
1650	Characterization of human auditory brainstem circuits by calcium-binding protein immunohistochemistry. <i>Neuroscience</i> , 2014, 258, 318-331.	1.1	28
1651	Immunocytochemical Localization of Calbindin D28K, Calretinin, and Parvalbumin in Bat Superior Colliculus. <i>Acta Histochemica Et Cytochemica</i> , 2014, 47, 113-123.	0.8	10
1652	Localization of Nitric Oxide Synthase-containing Neurons in the Bat Visual Cortex and Co-localization with Calcium-binding Proteins. <i>Acta Histochemica Et Cytochemica</i> , 2015, 48, 125-133.	0.8	3
1653	The Role of Visinin-Like Protein-1 in the Pathophysiology of Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2015, 47, 17-32.	1.2	36
1654	Neuron Types in the Presumptive Primary Somatosensory Cortex of the Florida Manatee (<i>Trichechus</i>) Tj ETQq0 0 0 rBT /Overlock 10 Tf	0.9	8
1655	Neurons of visual thalamic nuclei projecting to telencephalon express different types of calcium-binding proteins: A combined immunocytochemical and tracer study. <i>Journal of Evolutionary Biochemistry and Physiology</i> , 2015, 51, 505-516.	0.2	1
1656	Effects of peripheral nerve injury on parvalbumin expression in adult rat dorsal root ganglion neurons. <i>BMC Neuroscience</i> , 2015, 16, 93.	0.8	23
1657	Distribution of the creatine transporter throughout the human brain reveals a spectrum of creatine transporter immunoreactivity. <i>Journal of Comparative Neurology</i> , 2015, 523, 699-725.	0.9	37
1658	Characterization of Fetal Antigen 1/Delta-Like 1 Homologue Expressing Cells in the Rat Nigrostriatal System: Effects of a Unilateral 6-Hydroxydopamine Lesion. <i>PLoS ONE</i> , 2015, 10, e0116088.	1.1	4
1659	Neurotoxic Effects of Platinum Compounds: Studies in vivo on Intracellular Calcium Homeostasis in the Immature Central Nervous System. <i>Toxics</i> , 2015, 3, 224-248.	1.6	7
1660	Calcium-binding protein immunoreactivity in Gudden's tegmental nuclei and the hippocampal formation: differential co-localization in neurons projecting to the mammillary bodies. <i>Frontiers in Neuroanatomy</i> , 2015, 9, 103.	0.9	13
1661	Cerebellar transcriptional alterations with Purkinje cell dysfunction and loss in mice lacking PGC-1 α . <i>Frontiers in Cellular Neuroscience</i> , 2014, 8, 441.	1.8	39

#	ARTICLE	IF	CITATIONS
1662	Seeking homeostasis: temporal trends in respiration, oxidation, and calcium in SOD1 G93A Amyotrophic Lateral Sclerosis mice. <i>Frontiers in Cellular Neuroscience</i> , 2015, 9, 248.	1.8	41
1663	Distinct synaptic and neurochemical changes to the granule cell-CA3 projection in Bassoon mutant mice. <i>Frontiers in Synaptic Neuroscience</i> , 2015, 7, 18.	1.3	5
1664	Schizophrenia: from neurophysiological abnormalities to clinical symptoms. <i>Frontiers in Psychology</i> , 2015, 6, 478.	1.1	12
1665	ERBB3-mediated regulation of Bergmann glia proliferation in cerebellar lamination. <i>Development (Cambridge)</i> , 2015, 142, 522-32.	1.2	16
1666	Nucleus pedunculopontinus tegmentiâ€™de nÃ¶rokimyasal Ã¶zelliklerin geliÅŸimsel olarak incelenmesi. <i>Marmara Medical Journal</i> , 2015, 27, 171.	0.2	0
1667	The indusium griseum and the longitudinal striae of the corpus callosum. <i>Cortex</i> , 2015, 62, 34-40.	1.1	25
1668	Limbic thalamus and state-dependent behavior: The paraventricular nucleus of the thalamic midline as a node in circadian timing and sleep/wake-regulatory networks. <i>Neuroscience and Biobehavioral Reviews</i> , 2015, 54, 3-17.	2.9	76
1669	In vitro models for neurotoxicology research. <i>Toxicology Research</i> , 2015, 4, 801-842.	0.9	36
1670	Age-related changes in the central auditory system. <i>Cell and Tissue Research</i> , 2015, 361, 337-358.	1.5	118
1671	Long lasting cerebellar alterations after perinatal asphyxia in rats. <i>Brain Research Bulletin</i> , 2015, 116, 57-66.	1.4	10
1672	Parvalbumin expression in the claustrum of the adult dog. An immunohistochemical and topographical study with comparative notes on the structure of the nucleus. <i>Journal of Chemical Neuroanatomy</i> , 2015, 64-65, 33-42.	1.0	23
1673	Ascending Projections of the RAS. , 2015, , 107-128.		0
1674	NKCC1 Activation Is Required for Myelinated Sensory Neurons Regeneration through JNK-Dependent Pathway. <i>Journal of Neuroscience</i> , 2015, 35, 7414-7427.	1.7	18
1675	The EF-hand Ca ²⁺ -binding protein super-family: A genome-wide analysis of gene expression patterns in the adult mouse brain. <i>Neuroscience</i> , 2015, 294, 116-155.	1.1	46
1676	Maternal Immune Activation Produces Cerebellar Hyperplasia and Alterations in Motor and Social Behaviors in Male and Female Mice. <i>Cerebellum</i> , 2015, 14, 491-505.	1.4	60
1677	Placing the paraventricular nucleus of the thalamus within the brain circuits that control behavior. <i>Neuroscience and Biobehavioral Reviews</i> , 2015, 56, 315-329.	2.9	278
1678	Amplified Mechanically Gated Currents in Distinct Subsets of Myelinated Sensory Neurons following In Vivo Inflammation of Skin and Muscle. <i>Journal of Neuroscience</i> , 2015, 35, 9456-9462.	1.7	12
1679	Loss of calbindin-D 28K is associated with the full range of tangle pathology within basal forebrain cholinergic neurons in Alzheimer's disease. <i>Neurobiology of Aging</i> , 2015, 36, 3163-3170.	1.5	30

#	ARTICLE	IF	CITATIONS
1680	Developmental alterations of the septohippocampal cholinergic projection in a lissencephalic mouse model. <i>Experimental Neurology</i> , 2015, 271, 215-227.	2.0	5
1681	Temporal changes in calcium-binding proteins in the medial geniculate nucleus of the monkey <i>Sapajus apella</i> . <i>Journal of Chemical Neuroanatomy</i> , 2015, 68, 45-54.	1.0	6
1682	<i>De novo</i> expression of parvalbumin in ependymal cells in response to brain injury promotes ependymal remodeling and wound repair. <i>Glia</i> , 2015, 63, 567-594.	2.5	15
1683	Parvalbumin expression and distribution in the hippocampal formation of <i>Cebus apella</i> . <i>American Journal of Primatology</i> , 2015, 77, 449-461.	0.8	1
1684	Chronic stress reduces the number of GABAergic interneurons in the adult rat hippocampus, dorsal-ventral and region-specific differences. <i>Hippocampus</i> , 2015, 25, 393-405.	0.9	115
1685	Reorganization of Synaptic Connections and Perineuronal Nets in the Deep Cerebellar Nuclei of <i>Purkinje Cell Degeneration</i> Mutant Mice. <i>Neural Plasticity</i> , 2016, 2016, 1-17.	1.0	18
1686	Caught in the Net: Perineuronal Nets and Addiction. <i>Neural Plasticity</i> , 2016, 2016, 1-8.	1.0	32
1687	Distribution of 28 kDa Calbindin-Immunopositive Neurons in the Cat Spinal Cord. <i>Frontiers in Neuroanatomy</i> , 2016, 9, 166.	0.9	20
1688	Organization of the Zone of Transition between the Pretectum and the Thalamus, with Emphasis on the Pretectothalamic Lamina. <i>Frontiers in Neuroanatomy</i> , 2016, 10, 82.	0.9	16
1689	Impaired Autophagy and Defective Mitochondrial Function: Converging Paths on the Road to Motor Neuron Degeneration. <i>Frontiers in Cellular Neuroscience</i> , 2016, 10, 44.	1.8	50
1690	In vitro Magnetic Stimulation: A Simple Stimulation Device to Deliver Defined Low Intensity Electromagnetic Fields. <i>Frontiers in Neural Circuits</i> , 2016, 10, 85.	1.4	25
1691	Prenatal Valproate Exposure Differentially Affects Parvalbumin-Expressing Neurons and Related Circuits in the Cortex and Striatum of Mice. <i>Frontiers in Molecular Neuroscience</i> , 2016, 9, 150.	1.4	71
1692	The <i>Foxb1</i> expressing neurons of the ventrolateral hypothalamic parvafox nucleus project to defensive circuits. <i>Journal of Comparative Neurology</i> , 2016, 524, 2955-2981.	0.9	28
1693	The ventrolateral hypothalamic area and the parvafox nucleus: Role in the expression of (positive) emotions?. <i>Journal of Comparative Neurology</i> , 2016, 524, 1616-1623.	0.9	13
1694	Requirement for Dicer in Maintenance of Monosynaptic Sensory-Motor Circuits in the Spinal Cord. <i>Cell Reports</i> , 2016, 17, 2163-2172.	2.9	8
1695	Cocaine- and amphetamine-regulated transcript and calcium binding proteins immunoreactivity in the subicular complex of the guinea pig. <i>Annals of Anatomy</i> , 2016, 204, 51-62.	1.0	7
1696	Calbindin D28k distribution in neurons and reactive gliosis in cerebellar cortex of natural Rabies virus infected cattle. <i>Journal of Veterinary Diagnostic Investigation</i> , 2016, 28, 361-368.	0.5	5
1697	Chronic maternal morphine alters calbindin D28k expression pattern in postnatal mouse brain. <i>Synapse</i> , 2016, 70, 15-23.	0.6	9

#	ARTICLE	IF	CITATIONS
1698	<i>mito</i> -QC illuminates mitophagy and mitochondrial architecture in vivo. <i>Journal of Cell Biology</i> , 2016, 214, 333-345.	2.3	362
1699	Abolished perineuronal nets and altered parvalbumin-immunoreactivity in the nucleus reticularis thalami of wildtype and 3xTg mice after experimental stroke. <i>Neuroscience</i> , 2016, 337, 66-87.	1.1	9
1700	Immunohistochemical evaluation of the GABAergic neuronal system in the prefrontal cortex of a DISC1 knockout mouse model of schizophrenia. <i>Synapse</i> , 2016, 70, 508-518.	0.6	16
1701	Midline thalamic neurons are differentially engaged during hippocampus network oscillations. <i>Scientific Reports</i> , 2016, 6, 29807.	1.6	25
1702	Distribution of calcium-binding proteins parvalbumin and calbindin in the thalamic auditory center in pigeons. <i>Journal of Evolutionary Biochemistry and Physiology</i> , 2016, 52, 482-489.	0.2	2
1703	Neuroprotective Effect of the Novel Compound ITH33/IQM9.21 Against Oxidative Stress and Na ⁺ and Ca ²⁺ Overload in Motor Neuron-like NSC-34 Cells. <i>Neurotoxicity Research</i> , 2016, 30, 380-391.	1.3	9
1704	Distribution of calcium-binding proteins in the pigeon visual thalamic centers and related pretectal and mesencephalic nuclei. Phylogenetic and functional determinants. <i>Brain Research</i> , 2016, 1631, 165-193.	1.1	8
1705	Chronic stress, hippocampus and parvalbumin-positive interneurons: what do we know so far?. <i>Reviews in the Neurosciences</i> , 2016, 27, 397-409.	1.4	49
1706	Calbindin Knockout Alters Sex-Specific Regulation of Behavior and Gene Expression in Amygdala and Prefrontal Cortex. <i>Endocrinology</i> , 2016, 157, 1967-1979.	1.4	19
1707	Birthdate of parvalbumin-neurons in the Parvafox-nucleus of the lateral hypothalamus. <i>Brain Research</i> , 2016, 1633, 111-114.	1.1	2
1709	Comparative anatomical distribution of neuronal calcium-binding protein (NECAB) 1 and -2 in rodent and human spinal cord. <i>Brain Structure and Function</i> , 2016, 221, 3803-3823.	1.2	14
1710	Types and density of calbindin D28k-immunoreactive ganglion cells in mouse retina. <i>Experimental Eye Research</i> , 2016, 145, 327-336.	1.2	7
1711	Nucleobindin 1 (NUCB1) is a Golgi-resident marker of neurons. <i>Neuroscience</i> , 2016, 314, 179-188.	1.1	22
1712	Somatosensory neuron types identified by high-coverage single-cell RNA-sequencing and functional heterogeneity. <i>Cell Research</i> , 2016, 26, 83-102.	5.7	348
1713	The calcium sensor synaptotagmin 7 is required for synaptic facilitation. <i>Nature</i> , 2016, 529, 88-91.	13.7	256
1714	Reduction in 50-kHz call-numbers and suppression of tickling-associated positive affective behaviour after lesioning of the lateral hypothalamic parvafox nucleus in rats. <i>Behavioural Brain Research</i> , 2016, 298, 167-180.	1.2	18
1715	Changes in parvalbumin immunoreactive retinal ganglion cells and amacrine cells after optic nerve injury. <i>Experimental Eye Research</i> , 2016, 145, 363-372.	1.2	9
1716	Transgenic labeling of parvalbumin-expressing neurons with tdTomato. <i>Neuroscience</i> , 2016, 321, 236-245.	1.1	43

#	ARTICLE	IF	CITATIONS
1717	High expression of cytochrome b 5 reductase isoform 3/cytochrome b 5 system in the cerebellum and pyramidal neurons of adult rat brain. <i>Brain Structure and Function</i> , 2016, 221, 2147-2162.	1.2	5
1718	A premammillary lateral hypothalamic nuclear complex responds to hedonic but not aversive tastes in the male rat. <i>Brain Structure and Function</i> , 2016, 221, 2183-2208.	1.2	27
1719	The Characterization of AT1 Expression in the Dorsal Root Ganglia After Chronic Constriction Injury. <i>Cellular and Molecular Neurobiology</i> , 2017, 37, 545-554.	1.7	5
1720	Interhemispheric connections between the infralimbic and entorhinal cortices: The endopiriform nucleus has limbic connections that parallel the sensory and motor connections of the claustrum. <i>Journal of Comparative Neurology</i> , 2017, 525, 1363-1380.	0.9	29
1721	Morphological, structural, and functional alterations of the prefrontal cortex and the basolateral amygdala after early lesion of the rat mediodorsal thalamus. <i>Brain Structure and Function</i> , 2017, 222, 2527-2545.	1.2	17
1722	Auditory hindbrain atrophy and anomalous calcium binding protein expression after neonatal exposure to monosodium glutamate. <i>Neuroscience</i> , 2017, 344, 406-417.	1.1	21
1723	Parasubthalamic and calbindin nuclei in the posterior lateral hypothalamus are the major hypothalamic targets for projections from the central and anterior basomedial nuclei of the amygdala. <i>Brain Structure and Function</i> , 2017, 222, 2961-2991.	1.2	22
1724	Acute restraint stress decreases c-fos immunoreactivity in hilar mossy cells of the adult dentate gyrus. <i>Brain Structure and Function</i> , 2017, 222, 2405-2419.	1.2	22
1725	Morphologic Change of Parvalbumin-positive Myelinated Axons in the Human Dental Pulp. <i>Journal of Endodontics</i> , 2017, 43, 977-981.	1.4	10
1726	Neuroanatomical demonstration of calbindin 2a and calbindin 2b like calcium binding proteins in the early embryonic development of zebrafish: mRNA study. <i>International Journal of Developmental Neuroscience</i> , 2017, 60, 26-33.	0.7	6
1727	Sensory Neurons in the Human Geniculate Ganglion. <i>Cells Tissues Organs</i> , 2017, 204, 49-58.	1.3	4
1728	Neurochemical correlates of functional plasticity in the mature cortex of the brain of rodents. <i>Behavioural Brain Research</i> , 2017, 331, 102-114.	1.2	2
1729	A TRPV1 secretagogue regulatory axis controls pancreatic β cell survival by modulating protein turnover. <i>EMBO Journal</i> , 2017, 36, 2107-2125.	3.5	52
1730	Metabolomics and neuroanatomical evaluation of post-mortem changes in the hippocampus. <i>Brain Structure and Function</i> , 2017, 222, 2831-2853.	1.2	55
1731	The related neuronal endosomal proteins NEEP21 (Nsg1) and P19 (Nsg2) have divergent expression profiles in vivo. <i>Journal of Comparative Neurology</i> , 2017, 525, 1861-1878.	0.9	14
1732	Three Types of A11 Neurons Project to the Rat Spinal Cord. <i>Neurochemical Research</i> , 2017, 42, 2142-2153.	1.6	13
1733	Suppressed Calbindin Levels in Hippocampal Excitatory Neurons Mediate Stress-Induced Memory Loss. <i>Cell Reports</i> , 2017, 21, 891-900.	2.9	52
1734	Nerve Injury Increases the Expression of Alpha-2/Delta-1 Subunit of L-Type Calcium Channel in Sensory Neurons of Rat Spinal and Trigeminal Nerves. <i>Annals of Neurosciences</i> , 2017, 24, 191-200.	0.9	8

#	ARTICLE	IF	CITATIONS
1735	The role of Celsr3 in the development of central somatosensory projections from dorsal root ganglia. <i>Neuroscience</i> , 2017, 359, 267-276.	1.1	7
1736	Distribution and immunohistochemical characteristics of cocaine- and amphetamineregulated transcript-positive nerve elements in the pelvic ganglia of the female pig. <i>Polish Journal of Veterinary Sciences</i> , 2017, 20, 173-183.	0.2	2
1737	Immunohistochemical Localization of Calbindin D28k, Parvalbumin, and Calretinin in the Superior Olivary Complex of Circling Mice. <i>Cells Tissues Organs</i> , 2017, 204, 304-313.	1.3	1
1738	Differential role of GABAA receptors and neuroligin 2 for perisomatic GABAergic synapse formation in the hippocampus. <i>Brain Structure and Function</i> , 2017, 222, 4149-4161.	1.2	29
1739	The ontogenetic development of neurons containing calcium-binding proteins in the septum of the guinea pig: Late onset of parvalbumin immunoreactivity versus calbindin and calretinin. <i>Journal of Chemical Neuroanatomy</i> , 2017, 79, 22-31.	1.0	6
1740	Neurochemistry of the Anterior Thalamic Nuclei. <i>Molecular Neurobiology</i> , 2017, 54, 5248-5263.	1.9	13
1741	Calcium in the pathomechanism of amyotrophic lateral sclerosis â€“ Taking center stage?. <i>Biochemical and Biophysical Research Communications</i> , 2017, 483, 1031-1039.	1.0	16
1742	Selective Sparing of Striatal Interneurons after Poly (ADP-Ribose) Polymerase 1 Inhibition in the R6/2 Mouse Model of Huntingtonâ€™s Disease. <i>Frontiers in Neuroanatomy</i> , 2017, 11, 61.	0.9	28
1743	Temporal Expression of Wnt1 Defines the Competency State and Terminal Identity of Progenitors in the Developing Cochlear Nucleus and Inferior Colliculus. <i>Frontiers in Neuroanatomy</i> , 2017, 11, 67.	0.9	2
1744	p47Phox/CDK5/DRP1-Mediated Mitochondrial Fission Evokes PV Cell Degeneration in the Rat Dentate Gyrus Following Status Epilepticus. <i>Frontiers in Cellular Neuroscience</i> , 2017, 11, 267.	1.8	29
1745	Parvalbumin-Neurons of the Ventrolateral Hypothalamic Parvafox Nucleus Receive a Glycinergic Input: A Gene-Microarray Study. <i>Frontiers in Molecular Neuroscience</i> , 2017, 10, 8.	1.4	11
1746	Developmental and adult characterization of secretagogin expressing amacrine cells in zebrafish retina. <i>PLoS ONE</i> , 2017, 12, e0185107.	1.1	6
1747	The distribution of calbindin-D28k, parvalbumin, and calretinin immunoreactivity in the inferior colliculus of circling mouse. <i>Anatomy and Cell Biology</i> , 2017, 50, 230.	0.5	1
1748	Changes in the cerebellar cytoarchitecture of hibernating hedgehog <i>Erinaceus europaeus</i> L. (Mammalia): an immunocytochemical approach. , 2017, 84, 496-511.		4
1749	Molecular Mechanisms of Synaptic Plasticity and Memory and Their Dysfunction in Alzheimer's Disease â†. , 2017, , 65-135.		1
1750	Complementary expression of calcium binding proteins delineates the functional organization of the locomotor network. <i>Brain Structure and Function</i> , 2018, 223, 2181-2196.	1.2	24
1751	Regional chemoarchitecture of the brain of lungfishes based on calbindin Dâ€28K and calretinin immunohistochemistry. <i>Journal of Comparative Neurology</i> , 2018, 526, 1457-1497.	0.9	6
1752	Expression of the ADHD candidate gene <i>Diras2</i> in the brain. <i>Journal of Neural Transmission</i> , 2018, 125, 913-923.	1.4	13

#	ARTICLE	IF	CITATIONS
1753	Maternal thyroid hormone is required for parvalbumin neurone development in the anterior hypothalamic area. <i>Journal of Neuroendocrinology</i> , 2018, 30, e12573.	1.2	27
1754	Cocaine- and amphetamine-regulated transcript peptide and calcium binding proteins immunoreactivity in the deep layers of the superior colliculus of the guinea pig: Implications for multisensory and visuomotor processing. <i>Journal of Chemical Neuroanatomy</i> , 2018, 88, 55-69.	1.0	0
1755	Neurochemical characteristics of calbindin-like immunoreactive coeliac-cranial mesenteric ganglion complex (CCMG) neurons supplying the pre-pyloric region of the porcine stomach. <i>Tissue and Cell</i> , 2018, 50, 8-14.	1.0	6
1756	Tyrosine hydroxylase afferents to the interstitial nucleus of the posterior limb of the anterior commissure are neurochemically distinct from those projecting to neighboring nuclei. <i>Journal of Chemical Neuroanatomy</i> , 2018, 90, 98-107.	1.0	5
1757	Effect of treadmill exercise on spatial navigation impairment associated with cerebellar Purkinje cell loss following chronic cerebral hypoperfusion. <i>Molecular Medicine Reports</i> , 2018, 17, 8121-8128.	1.1	11
1758	GABA _A and GABA _B receptor subunit localization on neurochemically identified neurons of the human subthalamic nucleus. <i>Journal of Comparative Neurology</i> , 2018, 526, 803-823.	0.9	15
1759	Hemispheric differences in the number of parvalbumin-positive neurons in subdivisions of the rat basolateral amygdala complex. <i>Brain Research</i> , 2018, 1678, 214-219.	1.1	15
1760	The tree shrew cerebellum atlas: Systematic nomenclature, neurochemical characterization, and afferent projections. <i>Journal of Comparative Neurology</i> , 2018, 526, 2744-2775.	0.9	11
1761	Ontogeny of neurons containing calcium binding proteins in the preoptic area of the guinea pig: sexually dimorphic development of calbindin. <i>Developmental Neurobiology</i> , 2018, 79, 175-201.	1.5	4
1762	Towards a Circuit-Level Understanding of Hippocampal CA1 Dysfunction in Alzheimer's Disease Across Anatomical Axes. , 2018, 08, .		29
1763	Sex Differences in the Rat Hippocampal Opioid System After Oxycodone Conditioned Place Preference. <i>Neuroscience</i> , 2018, 393, 236-257.	1.1	24
1764	A Single-Cell Transcriptional Atlas of the Developing Murine Cerebellum. <i>Current Biology</i> , 2018, 28, 2910-2920.e2.	1.8	158
1765	Proteolytic Remodeling of Perineuronal Nets: Effects on Synaptic Plasticity and Neuronal Population Dynamics. <i>Neural Plasticity</i> , 2018, 2018, 1-13.	1.0	64
1766	Elimination of all redundant climbing fiber synapses requires granule cells in the postnatal cerebellum. <i>Scientific Reports</i> , 2018, 8, 10017.	1.6	9
1767	Eliminating the VGlut2-Dependent Glutamatergic Transmission of Parvalbumin-Expressing Neurons Leads to Deficits in Locomotion and Vocalization, Decreased Pain Sensitivity, and Increased Dominance. <i>Frontiers in Behavioral Neuroscience</i> , 2018, 12, 146.	1.0	22
1768	Crossmodal Connections of Primary Sensory Cortices Largely Vanish During Normal Aging. <i>Frontiers in Aging Neuroscience</i> , 2018, 10, 52.	1.7	11
1769	The histology, physiology, neurochemistry and circuitry of the substantia gelatinosa Rolandi (lamina) Tj ETQq0 0 0 rBT /Overlock 10 Tf	2.8	33
1770	Alterations in hippocampal and cortical densities of functionally different interneurons in rat models of absence epilepsy. <i>Epilepsy Research</i> , 2018, 145, 40-50.	0.8	18

#	ARTICLE	IF	CITATIONS
1771	Electrophysiological properties and projections of lateral hypothalamic parvalbumin positive neurons. <i>PLoS ONE</i> , 2018, 13, e0198991.	1.1	10
1772	Current concepts in the neuropathogenesis of mucopolidosis type <sc>IV</sc>. <i>Journal of Neurochemistry</i> , 2019, 148, 669-689.	2.1	36
1773	Neuronal chemoarchitecture of the entorhinal cortex: A comparative review. <i>European Journal of Neuroscience</i> , 2019, 50, 3627-3662.	1.2	28
1774	Muscle spindle reinnervation using transplanted embryonic dorsal root ganglion cells after peripheral nerve transection in rats. <i>Cell Proliferation</i> , 2019, 52, e12660.	2.4	10
1775	Enhanced and unified anatomical labeling for a common mouse brain atlas. <i>Nature Communications</i> , 2019, 10, 5067.	5.8	85
1776	̳-Aminobutyric acid in adult brain: an update. <i>Behavioural Brain Research</i> , 2019, 376, 112224.	1.2	23
1777	Elemental characterisation of the pyramidal neuron layer within the rat and mouse hippocampus. <i>Metallomics</i> , 2019, 11, 151-165.	1.0	19
1778	Cartography of hevin-expressing cells in the adult brain reveals prominent expression in astrocytes and parvalbumin neurons. <i>Brain Structure and Function</i> , 2019, 224, 1219-1244.	1.2	20
1779	Secretagogin expression in the vertebrate brainstem with focus on the noradrenergic system and implications for Alzheimer's disease. <i>Brain Structure and Function</i> , 2019, 224, 2061-2078.	1.2	14
1780	Distribution of GABAergic Neurons and VGluT1 and VGAT Immunoreactive Boutons in the Ferret (<i>Mustela putorius</i>) Piriform Cortex and Endopiriform Nucleus. Comparison With Visual Areas 17, 18 and 19. <i>Frontiers in Neuroanatomy</i> , 2019, 13, 54.	0.9	3
1781	Embryonic and postnatal development of mouse olfactory tubercle. <i>Molecular and Cellular Neurosciences</i> , 2019, 98, 82-96.	1.0	11
1782	Calcium-Binding Proteins as Determinants of Central Nervous System Neuronal Vulnerability to Disease. <i>International Journal of Molecular Sciences</i> , 2019, 20, 2146.	1.8	72
1783	Mice lacking EFA6C/Psd2, a guanine nucleotide exchange factor for Arf6, exhibit lower Purkinje cell synaptic density but normal cerebellar motor functions. <i>PLoS ONE</i> , 2019, 14, e0216960.	1.1	1
1784	Interleukin-18-deficient mice develop hippocampal abnormalities related to possible depressive-like behaviors. <i>Neuroscience</i> , 2019, 408, 147-160.	1.1	21
1785	A developmental redox dysregulation leads to spatio-temporal deficit of parvalbumin neuron circuitry in a schizophrenia mouse model. <i>Schizophrenia Research</i> , 2019, 213, 96-106.	1.1	40
1786	Pathological changes in mice with long term cuprizone administration. <i>Neurochemistry International</i> , 2019, 126, 229-238.	1.9	8
1787	Experiments in macaque monkeys provide critical insights into age-associated changes in cognitive and sensory function. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 26247-26254.	3.3	38
1788	Diverse Neuron Properties and Complex Network Dynamics in the Cerebellar Cortical Inhibitory Circuit. <i>Frontiers in Molecular Neuroscience</i> , 2019, 12, 267.	1.4	31

#	ARTICLE	IF	CITATIONS
1789	Neurons in the Nucleus papilio contribute to the control of eye movements during REM sleep. <i>Nature Communications</i> , 2019, 10, 5225.	5.8	14
1790	The relationship between the claustrum and endopiriform nucleus: A perspective towards consensus on cross-species homology. <i>Journal of Comparative Neurology</i> , 2019, 527, 476-499.	0.9	77
1791	Ontogeny of calcium-binding proteins in the cingulate cortex of the guinea pig: The same onset but different developmental patterns. <i>Annals of Anatomy</i> , 2019, 222, 103-113.	1.0	0
1792	Chronic immobilization stress primes the hippocampal opioid system for oxycodone-associated learning in female but not male rats. <i>Synapse</i> , 2019, 73, e22088.	0.6	11
1793	The orbitofrontal cortex projects to the paravox nucleus of the ventrolateral hypothalamus and to its targets in the ventromedial periaqueductal grey matter. <i>Brain Structure and Function</i> , 2019, 224, 293-314.	1.2	17
1794	Myocyte Enhancer Factor 2c Regulates Dendritic Complexity and Connectivity of Cerebellar Purkinje Cells. <i>Molecular Neurobiology</i> , 2019, 56, 4102-4119.	1.9	20
1795	GABAergic modulation of serotonergic neurons in the dorsal raphe nucleus. <i>Reviews in the Neurosciences</i> , 2019, 30, 289-303.	1.4	39
1796	A role for KCC3 in maintaining cell volume of peripheral nerve fibers. <i>Neurochemistry International</i> , 2019, 123, 114-124.	1.9	22
1797	Amyloid pathology-produced unexpected modifications of calcium homeostasis in hippocampal subicular dendrites. <i>Alzheimer's and Dementia</i> , 2020, 16, 251-261.	0.4	9
1798	The Claustrum in the Squirrel Monkey. <i>Anatomical Record</i> , 2020, 303, 1439-1454.	0.8	5
1799	Centrifugal projections to the main olfactory bulb revealed by transsynaptic retrograde tracing in mice. <i>Journal of Comparative Neurology</i> , 2020, 528, 1805-1819.	0.9	17
1800	Sociability development in mice with cell-specific deletion of the NMDA receptor NR1 subunit gene. <i>Genes, Brain and Behavior</i> , 2020, 19, e12624.	1.1	11
1801	Cross-modal reaction of auditory and visual cortices after long-term bilateral hearing deprivation in the rat. <i>Brain Structure and Function</i> , 2020, 225, 129-148.	1.2	8
1802	Hyper-Formation of GABA and Glycine Co-Releasing Terminals in the Mouse Cerebellar Nuclei after Deprivation of GABAergic Inputs from Purkinje Cells. <i>Neuroscience</i> , 2020, 426, 88-100.	1.1	3
1803	Dark exposure affects plasticity-related molecules and interneurons throughout the visual system during adulthood. <i>Journal of Comparative Neurology</i> , 2020, 528, 1349-1366.	0.9	2
1804	Neonatal and Juvenile Ocular Development in Göttingen Minipigs and Domestic Pigs: A Histomorphological and Immunohistochemical Study. <i>Veterinary Pathology</i> , 2020, 57, 889-914.	0.8	6
1805	Calretinin and calbindin architecture of the midline thalamus associated with prefrontal-hippocampal circuitry. <i>Hippocampus</i> , 2021, 31, 770-789.	0.9	13
1806	Characteristics of the Neurochemical State of Neurons in the Mesencephalic Nucleus of the Trigeminal Nerve in Cats. <i>Neuroscience and Behavioral Physiology</i> , 2020, 50, 511-515.	0.2	4

#	ARTICLE	IF	CITATIONS
1807	Parvalbumin-Containing Enteric Metasympathetic Neurons in Postnatal Ontogeny. <i>Neuroscience and Behavioral Physiology</i> , 2020, 50, 1079-1082.	0.2	0
1808	A novel giant non-cholinergic striatal interneuron restricted to the ventrolateral striatum coexpresses Kv3.3 potassium channel, parvalbumin, and the vesicular GABA transporter. <i>Molecular Psychiatry</i> , 2020, , .	4.1	1
1809	Cerebellar degeneration-related protein 1 expression in fibroblasts of patients affected by down syndrome. <i>International Journal of Transgender Health</i> , 2020, 13, 548-555.	1.1	0
1810	Parvalbumin-Deficiency Accelerates the Age-Dependent ROS Production in Pvalb Neurons in vivo: Link to Neurodevelopmental Disorders. <i>Frontiers in Cellular Neuroscience</i> , 2020, 14, 571216.	1.8	13
1811	An updated investigation on the dromedary camel cerebellum (<i>Camelus dromedarius</i>) with special insight into the distribution of calcium-binding proteins. <i>Scientific Reports</i> , 2020, 10, 21157.	1.6	10
1812	The Parvalbumin Hypothesis of Autism Spectrum Disorder. <i>Frontiers in Cellular Neuroscience</i> , 2020, 14, 577525.	1.8	48
1813	Downregulation of parvalbumin expression in the prefrontal cortex during adolescence causes enduring prefrontal disinhibition in adulthood. <i>Neuropsychopharmacology</i> , 2020, 45, 1527-1535.	2.8	48
1814	The Allen Mouse Brain Common Coordinate Framework: A 3D Reference Atlas. <i>Cell</i> , 2020, 181, 936-953.e20.	13.5	597
1815	Gene expression analysis in the mouse brainstem identifies Cart and Nesfatin as neuropeptides coexpressed in the Calbindin-positive neurons of the <i>Nucleus papilio</i> . <i>Sleep</i> , 2020, 43, .	0.6	1
1816	Functional and Molecular Analysis of Proprioceptive Sensory Neuron Excitability in Mice. <i>Frontiers in Molecular Neuroscience</i> , 2020, 13, 36.	1.4	7
1817	Functionally matched domains in parietal-frontal cortex of monkeys project to overlapping regions of the striatum. <i>Progress in Neurobiology</i> , 2020, 195, 101864.	2.8	5
1818	Absence of parvalbumin increases mitochondria volume and branching of dendrites in inhibitory Pvalb neurons in vivo: a point of convergence of autism spectrum disorder (ASD) risk gene phenotypes. <i>Molecular Autism</i> , 2020, 11, 47.	2.6	18
1819	Conditional GSK3 β deletion in parvalbumin-expressing interneurons potentiates excitatory synaptic function and learning in adult mice. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2020, 100, 109901.	2.5	6
1820	Cortical distribution of GABAergic interneurons is determined by migration time and brain size. <i>Development (Cambridge)</i> , 2020, 147, .	1.2	10
1821	Calbindin immunostaining in the CA1 hippocampal pyramidal cell layer of the human and mouse: A comparative study. <i>Journal of Chemical Neuroanatomy</i> , 2020, 104, 101745.	1.0	7
1822	Circuits and functions of the lateral habenula in health and in disease. <i>Nature Reviews Neuroscience</i> , 2020, 21, 277-295.	4.9	269
1823	Deep hypothermia prevents striatal alterations produced by perinatal asphyxia: Implications for the prevention of dyskinesia and psychosis. <i>Journal of Comparative Neurology</i> , 2020, 528, 2679-2694.	0.9	1
1824	Sensory neurons in the human jugular ganglion. <i>Tissue and Cell</i> , 2020, 64, 101344.	1.0	12

#	ARTICLE	IF	CITATIONS
1825	Enriched environment and exercise effects on parvalbumin expression and distribution in the hippocampal formation of developing rats. <i>Brain Research Bulletin</i> , 2020, 160, 85-90.	1.4	3
1826	Glutamatergic fast-spiking parvalbumin neurons in the lateral hypothalamus: Electrophysiological properties to behavior. <i>Physiology and Behavior</i> , 2020, 221, 112912.	1.0	7
1827	Expression of the cold thermoreceptor TRPM8 in rodent brain thermoregulatory circuits. <i>Journal of Comparative Neurology</i> , 2021, 529, 234-256.	0.9	39
1828	Cocaine memory reactivation induces functional adaptations within parvalbumin interneurons in the rat medial prefrontal cortex. <i>Addiction Biology</i> , 2021, 26, e12947.	1.4	10
1829	Expression of calbindin and calretinin in the dorsomedial and ventromedial hypothalamic nuclei during aging. <i>Anatomical Record</i> , 2021, 304, 1094-1104.	0.8	11
1830	Detailed neuronal distribution of GPR3 and its co-expression with EF-hand calcium-binding proteins in the mouse central nervous system. <i>Brain Research</i> , 2021, 1750, 147166.	1.1	7
1831	Alternate thermal stimulation ameliorates thermal sensitivity and modulates calbindinâ€ 28K expression in lamina I and II and dorsal root ganglia in a mouse spinal cord contusion injury model. <i>FASEB Journal</i> , 2021, 35, e21173.	0.2	5
1832	Oxycodone injections not paired with conditioned place preference have little effect on the hippocampal opioid system in female and male rats. <i>Synapse</i> , 2021, 75, e22182.	0.6	3
1833	Progression of basal ganglia pathology in heterozygous <scp>Q175</scp> knockâ€™in Huntington's disease mice. <i>Journal of Comparative Neurology</i> , 2021, 529, 1327-1371.	0.9	17
1834	The claustrum of the sheep and its connections to the visual cortex. <i>Journal of Anatomy</i> , 2021, 238, 1-12.	0.9	7
1835	Calbindin-Positive Neurons Co-express Functional Markers in a Location-Dependent Manner Within the A11 Region of the Rat Brain. <i>Neurochemical Research</i> , 2021, 46, 853-865.	1.6	4
1836	Postnatal Developmental Expression Profile Classifies the Indusium Griseum as a Distinct Subfield of the Hippocampal Formation. <i>Frontiers in Cell and Developmental Biology</i> , 2020, 8, 615571.	1.8	8
1839	Diurnal changes in perineuronal nets and parvalbumin neurons in the rat medial prefrontal cortex. <i>Brain Structure and Function</i> , 2021, 226, 1135-1153.	1.2	24
1840	Quercetin attenuates the reduction of parvalbumin in middle cerebral artery occlusion animal model. <i>Laboratory Animal Research</i> , 2021, 37, 9.	1.1	10
1841	Involvement of Parvalbumin-Positive Neurons in the Development of Hyperalgesia in a Mouse Model of Fibromyalgia. <i>Frontiers in Pain Research</i> , 2021, 2, 627860.	0.9	2
1842	Time to put the mammillothalamic pathway into context. <i>Neuroscience and Biobehavioral Reviews</i> , 2021, 121, 60-74.	2.9	20
1843	Distribution and morphology of calbindin neurons in the Amygdaloid Complex of the marmoset monkey (<i>callithrix jacchus</i>). <i>Journal of Chemical Neuroanatomy</i> , 2021, 112, 101914.	1.0	3
1844	Anoctamin 2-chloride channels reduce simple spike activity and mediate inhibition at elevated calcium concentration in cerebellar Purkinje cells. <i>PLoS ONE</i> , 2021, 16, e0247801.	1.1	4

#	ARTICLE	IF	CITATIONS
1845	Enriched environment ameliorates chronic temporal lobe epilepsy-induced behavioral hyperexcitability and restores synaptic plasticity in CA3-CA1 synapses in male Wistar rats. <i>Journal of Neuroscience Research</i> , 2021, 99, 1646-1665.	1.3	9
1846	Early NMDA Receptor Ablation in Interneurons Causes an Activity-Dependent E/I Imbalance in vivo in Prefrontal Cortex Pyramidal Neurons of a Mouse Model Useful for the Study of Schizophrenia. <i>Schizophrenia Bulletin</i> , 2021, 47, 1300-1309.	2.3	13
1847	Global Neurotoxicity: Quantitative Analysis of Rat Brain Toxicity Following Exposure to Trimethyltin. <i>International Journal of Toxicology</i> , 2021, 40, 367-379.	0.6	3
1848	CUBIC-Cloud provides an integrative computational framework toward community-driven whole-mouse-brain mapping. <i>Cell Reports Methods</i> , 2021, 1, 100038.	1.4	12
1849	Maternal Deprivation in Rats Decreases the Expression of Interneuron Markers in the Neocortex and Hippocampus. <i>Frontiers in Neuroanatomy</i> , 2021, 15, 670766.	0.9	10
1850	Calbindin regulates Kv4.1 trafficking and excitability in dentate granule cells via CaMKII-dependent phosphorylation. <i>Experimental and Molecular Medicine</i> , 2021, 53, 1134-1147.	3.2	2
1851	Diversity of inhibitory and excitatory parvalbumin interneuron circuits in the dorsal horn. <i>Pain</i> , 2022, 163, e432-e452.	2.0	22
1852	Age-Related Changes in the Primary Motor Cortex of Newborn to Adult Domestic Pig <i>Sus scrofa domestica</i> . <i>Animals</i> , 2021, 11, 2019.	1.0	2
1853	Basal forebrain cholinergic system in the dementias: Vulnerability, resilience, and resistance. <i>Journal of Neurochemistry</i> , 2021, 158, 1394-1411.	2.1	42
1854	Acute Delta 9-tetrahydrocannabinol administration differentially alters the hippocampal opioid system in adult female and male rats. <i>Synapse</i> , 2021, 75, e22218.	0.6	2
1856	Parvalbumin subtypes of cerebellar Purkinje cells contribute to differential intrinsic firing properties. <i>Molecular and Cellular Neurosciences</i> , 2021, 115, 103650.	1.0	9
1857	Sensory ataxia and muscle spindle agenesis in mice lacking the transcription factor <i>Egr3</i> . <i>Nature Genetics</i> , 1998, 20, 87-91.	9.4	168
1858	Emerging Functions of the Ca^{2+} Buffers: Parvalbumin, Calbindin D-28k and Calretinin in the Brain. , 2007, , 197-221.		11
1859	Thalamocortical Relations. , 2011, , 75-97.		6
1860	Enhanced Processing of Temporal Features of Sounds in Background Noise by Cochlear Nucleus Single Neurons. , 1997, , 109-125.		5
1861	Perspectives on the Functional Organization of the Mammalian Auditory System: Why Bats Are Good Models. <i>Springer Handbook of Auditory Research</i> , 1995, , 481-498.	0.3	7
1862	The Auditory Thalamus in Bats. <i>Springer Handbook of Auditory Research</i> , 1995, , 368-415.	0.3	11
1863	Localisation of Calcium Binding Proteins in the Neostriatum. <i>Advances in Behavioral Biology</i> , 1994, , 21-34.	0.2	9

#	ARTICLE	IF	CITATIONS
1865	Local Circuit Neurons in the Frontal Cortico-Striatum System. , 2003, , 125-148.		4
1866	Cytoarchitecture and Chemistry of Midbrain Dopaminergic Cell Groups. Advances in Behavioral Biology, 1995, , 115-127.	0.2	1
1867	Morphological and Histochemical Features of Odontocete Visual Neocortex: Immunocytochemical Analysis of Pyramidal and Non-Pyramidal Populations of Neurons. , 1992, , 1-38.		9
1868	Mechanisms of Neuroendocrine Cell Excitability. Advances in Experimental Medicine and Biology, 1998, 449, 79-95.	0.8	22
1869	Cortical Neuropathology in Aging and Dementing Disorders. Cerebral Cortex, 1999, , 175-311.	0.6	25
1870	Calcium-Binding Protein (Calbindin D-28k) Immunoreactive Neurons in the Basal Forebrain of the Monkey and the Rat: Relationship with the Cholinergic Neurons. Advances in Experimental Medicine and Biology, 1991, 295, 119-126.	0.8	6
1871	From the Cochlea to the Cortex and Back. Springer Handbook of Auditory Research, 2002, , 6-71.	0.3	22
1872	Viral Mechanisms of Schizophrenia. Neurobiological Foundation of Aberrant Behaviors, 2000, , 79-102.	0.2	3
1873	Comparative Aspects of Barrel Structure and Development. Cerebral Cortex, 1995, , 1-75.	0.6	47
1874	Somatosensory Thalamus of the Rat. Cerebral Cortex, 1995, , 189-219.	0.6	57
1875	Synaptic Organization of the Barrel Cortex. Cerebral Cortex, 1995, , 221-262.	0.6	43
1876	Two Pathways Between the Cortex and the Basal Ganglia Output Nuclei and the Globus Pallidus. Advances in Behavioral Biology, 1996, , 77-94.	0.2	7
1877	Calcium-Binding Proteins Define Subpopulations of Interneurons in Cingulate Cortex. , 1993, , 181-205.		15
1878	Localization of EF-Hand Ca ²⁺ -Binding Proteins in the CNS. Neuroscience Intelligence Unit, 1995, , 47-72.	0.5	4
1879	Development of Glutamatergic and GABAergic Synapses. , 2013, , 237-255.		1
1880	Activation of Programmed Cell Death by Calcium: Protection against Cell Death by the Calcium Binding Protein, Calbindin-D28k. , 2000, , 259-275.		7
1881	Distribution pattern of three neural calcium-binding proteins (NCS-1, VILIP and recoverin) in chicken, bovine and rat retina. The Histochemical Journal, 1995, 27, 524-535.	0.6	19
1882	Calcium-Binding Proteins in the Retina. Methods in Neurosciences, 1993, , 248-260.	0.5	12

#	ARTICLE	IF	CITATIONS
1883	Amygdala. , 2004, , 739-868.		35
1884	Roles of GABAA receptor $\alpha 5$ subunit on locomotion and working memory in transient forebrain ischemia in mice. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2020, 102, 109962.	2.5	6
1885	Calretinin is differentially localized in magnocellular oxytocin neurons of the rat hypothalamus. A double-labeling immunofluorescence study. <i>Brain Research</i> , 1996, 735, 154-158.	1.1	16
1886	Neurocalcin: a novel calcium-binding protein from bovine brain.. <i>Journal of Biological Chemistry</i> , 1992, 267, 19596-19599.	1.6	66
1889	Interaction of Polyamines with the Ca ²⁺ -binding Protein Parvalbumin. <i>FEBS Journal</i> , 1995, 230, 498-502.	0.2	5
1890	Subtle Neuronal Death in Striatum After Short Forebrain Ischemia in Rats Detected by In Situ End-Labeling for DNA Damage. <i>Stroke</i> , 1997, 28, 163-170.	1.0	43
1891	Distinct Modes of Neuritic Growth in Purkinje Neurons at Different Developmental Stages: Axonal Morphogenesis and Cellular Regulatory Mechanisms. <i>PLoS ONE</i> , 2009, 4, e6848.	1.1	16
1892	Subdivisions of the Auditory Midbrain (N. Mesencephalicus Lateralis, pars dorsalis) in Zebra Finches Using Calcium-Binding Protein Immunocytochemistry. <i>PLoS ONE</i> , 2011, 6, e20686.	1.1	23
1893	Synaptic Competition Sculpts the Development of GABAergic Axo-Dendritic but Not Perisomatic Synapses. <i>PLoS ONE</i> , 2013, 8, e56311.	1.1	15
1894	The Role of Muscle microRNAs in Repairing the Neuromuscular Junction. <i>PLoS ONE</i> , 2014, 9, e93140.	1.1	60
1895	Identification of Calretinin-immunoreactive All Amacrine Cells in the Brazilian Opossum (<i>Monodelphis</i>) Tj ETQq0 0 0 rgBT /Overlock 10 T	0.8	1
1896	Boosting of Thalamic D2 Dopaminergic Transmission: A Potential Strategy for Drug-Seeking Attenuation. <i>ENeuro</i> , 2017, 4, ENEURO.0378-17.2017.	0.9	9
1897	Physiological, morphological, and histochemical characterization of three classes of interneurons in rat neostriatum. <i>Journal of Neuroscience</i> , 1993, 13, 4908-4923.	1.7	700
1898	Expression of the onconeural protein CDR1 in cerebellum and ovarian cancer. <i>Oncotarget</i> , 2018, 9, 23975-23986.	0.8	4
1899	Oxidative Stress in the Hypothalamus: the Importance of Calcium Signaling and Mitochondrial ROS in Body Weight Regulation. <i>Current Neuropharmacology</i> , 2012, 10, 344-353.	1.4	21
1900	Effects of Monocular Enucleation on Calbindin-D 28k and c-Fos Expression in the Lateral Geniculate Nucleus in Rats. <i>Okajimas Folia Anatomica Japonica</i> , 2005, 82, 9-18.	1.2	13
1901	Parvalbumin and calbindin D-28K immunoreactivity in central ganglioglioma and dysplastic gangliocytoma of the cerebellum. <i>Journal of Neurosurgery</i> , 1993, 78, 133-137.	0.9	11
1902	Atypical Mouse Cerebellar Development Is Caused by Ectopic Expression of the Forkhead Box Transcription Factor HNF-3 β . <i>Gene Expression</i> , 2001, 9, 217-236.	0.5	13

#	ARTICLE	IF	CITATIONS
1903	Protective effects of calbindinâ€D28K on the UVB radiationâ€induced apoptosis of human lens epithelial cells. <i>International Journal of Molecular Medicine</i> , 2020, 45, 1793-1802.	1.8	1
1904	Effect of hyperthermia on calbindin-D 28k immunoreactivity in the hippocampal formation following transient global cerebral ischemia in gerbils. <i>Neural Regeneration Research</i> , 2017, 12, 1458.	1.6	6
1905	Modulation of Dopaminergic Neuronal Excitability by Zinc through the Regulation of Calcium-related Channels. <i>Experimental Neurobiology</i> , 2019, 28, 578-592.	0.7	5
1906	Vitamin D deficiency impairs spatial learning in adult rats. <i>Iranian Biomedical Journal</i> , 2013, 17, 42-8.	0.4	21
1907	NINscope, a versatile miniscope for multi-region circuit investigations. <i>ELife</i> , 2020, 9, .	2.8	107
1908	Individual variability in the size and organization of the human arcuate nucleus of the medulla. <i>Brain Structure and Function</i> , 2022, 227, 159-176.	1.2	5
1909	The Role of Intracellular Calcium Signaling in Motoneuron Function and Disease. , 2000, , 625-637.		1
1912	Morphological and Electrophysiological Studies of Substantia Nigra, Tegmental Pedunclopontine Nucleus, and Subthalamus in Organotypic Co-Culture. <i>Advances in Behavioral Biology</i> , 2002, , 437-454.	0.2	0
1913	The Cel Lineage of Neuronal Subtypes in the Mammalian Cerebral Cortex. <i>Novartis Foundation Symposium</i> , 1995, 193, 41-70.	1.2	5
1914	Retrograde Tracer Studies of Tecto-Reticulospinal Pathway and Dorsal Lateral Geniculate Nucleus on GluR1- and GluR4-Immunoreactive Neurons in the Hamster Superior Colliculus. <i>Journal of Life Science</i> , 2010, 20, 1-8.	0.2	0
1915	Physical Exercise as a Strategy to Reduce Seizure Susceptibility. , 2013, , 307-320.		1
1916	Immunolocalization of Ephexin-1 in the Developing Canine Cerebellum. <i>Neuroscience and Medicine</i> , 2014, 05, 9-14.	0.2	0
1917	Changes in Parvalbumin and Calbindin D28K Immunoreactivity in Rat Brain Following Pilocarpine-Induced Seizures. , 1991, , 131-135.		0
1918	Neuronal Plasticity: A Potential Role in Spiny Striatal Neuron Degeneration in Huntington's Disease. , 1994, , 465-477.		1
1919	Non-NMDA Glutamate Receptors in the Regulation of Neuronal Ca ²⁺ and Excitotoxicity. , 1994, , 147-157.		0
1921	Calcium Binding Proteins Differentiate Midbrain Dopaminergic Systems in Humans. <i>Advances in Behavioral Biology</i> , 1995, , 303-306.	0.2	0
1922	Calcium Binding Proteins in the Septo-Hippocampal System of the Aged Rat. <i>Advances in Behavioral Biology</i> , 1995, , 297-302.	0.2	0
1923	AMPA Receptor-Induced Dopaminergic Cell Death: A Model for the Pathogenesis of Hypofrontality and Negative Symptoms in Schizophrenia. , 1995, , 139-150.		0

#	ARTICLE	IF	CITATIONS
1924	Calcium Homeostasis, Nimodipine, and Stroke. , 1997, , 67-99.		2
1925	Calcium-binding proteins in the spinal cord: physiological significance. , 1998, , 27-54.		0
1926	Recent Neuropathological Approaches in Schizophrenia Research: Analysis of Entorhinal and Thalamic Architecture. , 1999, , 235-250.		0
1927	S1 Laminar Specialization. , 2016, , 505-531.		2
1928	Development of Physiological Activity in the Cerebellum. , 2019, , 1-30.		1
1929	Development of Physiological Activity in the Cerebellum. , 2019, , 1-30.		0
1930	Development of Glutamatergic and GABAergic Synapses. , 2019, , 1-20.		0
1931	Morphological and neurochemical plasticity of rat mesencephalic trigeminal neurons. Biomedical Reviews, 2020, 30, 63.	0.6	0
1936	Functional and Neuropathological Evidence for a Role of the Brainstem in Autism. Frontiers in Integrative Neuroscience, 2021, 15, 748977.	1.0	7
1938	Calbindin D28k in the olivocerebellar projection. A light and electron microscope study. Journal of Anatomy, 1995, 187 (Pt 3), 649-59.	0.9	5
1939	Parvalbumin and calbindin immunoreactivity in the cerebral cortex of the hedgehog (Erinaceus) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 34	0.9	2
1940	Large nerve cells with long axons in the granular layer and white matter of the murine cerebellum. Journal of Anatomy, 1994, 184 (Pt 2), 419-23.	0.9	4
1941	Subependymal astrocytic hamartomas in the Eker rat model of tuberous sclerosis. American Journal of Pathology, 1997, 151, 1477-86.	1.9	75
1942	Subcellular compartmentalization of two calcium binding proteins, calretinin and calbindin-28 kDa, in ganglion and amacrine cells of the rat retina. Molecular Vision, 2008, 14, 1600-13.	1.1	37
1943	Ocular expression of avian thymic hormone: changes during the recovery from induced myopia. Molecular Vision, 2009, 15, 778-92.	1.1	21
1946	Towards a circuit-level understanding of hippocampal CA1 dysfunction in Alzheimer's disease across anatomical axes. , 2018, 8, .		14
1947	Development of Physiological Activity in the Cerebellum. , 2022, , 379-407.		0
1948	Rapid 3D-STORM Imaging of Diverse Molecular Targets in Tissue. SSRN Electronic Journal, 0, , .	0.4	0

#	ARTICLE	IF	CITATIONS
1949	Periapical Disease and the Prefrontal Cortex. Is there a Relationship between Calcium-Binding Protein and Neurodegenerative Diseases?. Archives of Health Investigation, 2022, 11, 141-152.	0.0	0
1950	Behavioral and Neuroanatomical Consequences of Cell-Type Specific Loss of Dopamine D2 Receptors in the Mouse Cerebral Cortex. Frontiers in Behavioral Neuroscience, 2021, 15, 815713.	1.0	0
1951	Compromised mammillary body connectivity and psychotic symptoms in mice with di- and mesencephalic ablation of ST8SIA2. Translational Psychiatry, 2022, 12, 51.	2.4	7
1952	Sex and chronic stress alter the distribution of glutamate receptors within rat hippocampal CA3 pyramidal cells following oxycodone conditioned place preference. Neurobiology of Stress, 2022, 17, 100431.	1.9	2
1953	Animal Model of Neonatal Immune Challenge by Lipopolysaccharide: A Study of Sex Influence in Behavioral and Immune/Neurotrophic Alterations in Juvenile Mice. NeuroImmunoModulation, 2022, 29, 391-401.	0.9	5
1954	Postnatal development of thalamic reticular nucleus projections to the anterior thalamic nuclei in rats. European Journal of Histochemistry, 2022, 66, .	0.6	2
1955	Congenital Hypothyroidism and Brain Development: Association With Other Psychiatric Disorders. Frontiers in Neuroscience, 2021, 15, 772382.	1.4	8
1956	Development of Glutamatergic and GABAergic Synapses. , 2022, , 265-284.		0
1970	The PV2 cluster of parvalbumin neurons in the murine periaqueductal gray: connections and gene expression. Brain Structure and Function, 2022, , .	1.2	1
1971	Electrophysiological Characteristics of Dorsal Raphe Nucleus in Tail Suspension Test. Frontiers in Behavioral Neuroscience, 0, 16, .	1.0	3
1973	Time course of dorsolateral geniculate nucleus plasticity in adult monkeys with laser-induced retinal lesions. Journal of Comparative Neurology, 2022, 530, 2385-2401.	0.9	0
1981	Calcium-binding proteins typify the dopaminergic neuronal subtypes in the ventral tegmental area of zebra finch, <i>Taeniopygia guttata</i> . Journal of Comparative Neurology, 0, , .	0.9	0
1982	Rapid 3D-STORM imaging of diverse molecular targets in tissue. Cell Reports Methods, 2022, 2, 100253.	1.4	3
1983	Olfactory placode generates a diverse population of neurons expressing GnRH, somatostatin mRNA, neuropeptide Y, or calbindin in the chick forebrain. Journal of Comparative Neurology, 2022, 530, 2977-2993.	0.9	5
1985	Supraspinal melatonin MT ₂ receptor agonism alleviates pain via a neural circuit that recruits mu opioid receptors. Journal of Pineal Research, 2022, 73, .	3.4	6
1986	Regulação negativa de Calbindina-D28k durante o envelhecimento neural animal. Revista Neurociencias, 0, 30, 1-36.	0.0	0
1987	Transient receptor potential melastatin-7 in the rat dorsal root ganglion. Journal of Chemical Neuroanatomy, 2022, 125, 102163.	1.0	0
1988	Temporal origin of mouse claustrum and development of its cortical projections. Cerebral Cortex, 2023, 33, 3944-3959.	1.6	4

#	ARTICLE	IF	CITATIONS
1991	Fate mapping reveals mixed embryonic origin and unique developmental codes of mouse forebrain septal neurons. <i>Communications Biology</i> , 2022, 5, .	2.0	5
1992	Identification of some calcium binding proteins and neural cell markers in rat testis and epididymis during postnatal development. <i>Andrologia</i> , 0, , .	1.0	0
1995	Potential Neuroprotective Role of Calretinin-N18 and Calbindin-D28k in the Retina of Adult Zebrafish Exposed to Different Wavelength Lights. <i>International Journal of Molecular Sciences</i> , 2023, 24, 1087.	1.8	2
1996	Ventral pallidal regulation of motivated behaviors and reinforcement. <i>Frontiers in Neural Circuits</i> , 0, 17, .	1.4	9
1997	Calsequestrin in Purkinje cells of mammalian cerebellum. <i>Acta Histochemica</i> , 2023, 125, 152001.	0.9	1
1998	Commissural dentate granule cell projections and their rapid formation in the adult brain. , 2023, 2, .		2
1999	DARPP32 cells and neuropil define striosomal system and isolated matrix cells in human striatum. <i>Journal of Comparative Neurology</i> , 2023, 531, 888-920.	0.9	0
2006	Neurochemistry of the mammillary body. <i>Brain Structure and Function</i> , 2023, 228, 1379-1398.	1.2	2