

[1] Getting started with yeast

Methods in Enzymology

194, 3-21

DOI: [10.1016/0076-6879\(91\)94004-v](https://doi.org/10.1016/0076-6879(91)94004-v)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Extragenic suppressors of a translation initiation defect in the <i>cyc1</i> gene of <i>Saccharomyces cerevisiae</i> . <i>Biochimie</i> , 1991, 73, 1445-1455.	1.3	32
2	The CDC20 gene product of <i>Saccharomyces cerevisiae</i> , a beta-transducin homolog, is required for a subset of microtubule-dependent cellular processes.. <i>Molecular and Cellular Biology</i> , 1991, 11, 5592-5602.	1.1	105
3	Isolation of peroxisome assembly mutants from <i>Saccharomyces cerevisiae</i> with different morphologies using a novel positive selection procedure.. <i>Journal of Cell Biology</i> , 1992, 119, 153-162.	2.3	134
4	A new method for the isolation of recombinant baculovirus. <i>Nucleic Acids Research</i> , 1992, 20, 97-104.	6.5	69
5	The yeast UME6 gene product is required for transcriptional repression mediated by the CAR1 URS1 repressor binding site. <i>Nucleic Acids Research</i> , 1992, 20, 1909-1915.	6.5	94
6	Selection-induced mutations occur in yeast.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1992, 89, 4300-4303.	3.3	114
7	Involvement of the SIN4 global transcriptional regulator in the chromatin structure of <i>Saccharomyces cerevisiae</i> .. <i>Molecular and Cellular Biology</i> , 1992, 12, 4503-4514.	1.1	170
8	The yeast EUG1 gene encodes an endoplasmic reticulum protein that is functionally related to protein disulfide isomerase.. <i>Molecular and Cellular Biology</i> , 1992, 12, 4601-4611.	1.1	151
9	RPC53 encodes a subunit of <i>Saccharomyces cerevisiae</i> RNA polymerase C (III) whose inactivation leads to a predominantly G1 arrest.. <i>Molecular and Cellular Biology</i> , 1992, 12, 4314-4326.	1.1	49
10	RPC82 encodes the highly conserved, third-largest subunit of RNA polymerase C (III) from <i>Saccharomyces cerevisiae</i> .. <i>Molecular and Cellular Biology</i> , 1992, 12, 4433-4440.	1.1	29
11	The N-terminal 96 residues of MCM1, a regulator of cell type-specific genes in <i>Saccharomyces cerevisiae</i> , are sufficient for DNA binding, transcription activation, and interaction with alpha 1.. <i>Molecular and Cellular Biology</i> , 1992, 12, 3563-3572.	1.1	51
12	COT1, a gene involved in cobalt accumulation in <i>Saccharomyces cerevisiae</i> .. <i>Molecular and Cellular Biology</i> , 1992, 12, 3678-3688.	1.1	197
13	NIP1, a gene required for nuclear transport in yeast.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1992, 89, 10355-10359.	3.3	29
14	High-level production of a peroxisomal enzyme: <i>Aspergillus flavus</i> uricase accumulates intracellularly and is active in <i>Saccharomyces cerevisiae</i> . <i>Gene</i> , 1992, 122, 139-145.	1.0	41
15	The yeast SUA7 gene encodes a homolog of human transcription factor TFIIB and is required for normal start site selection in vivo. <i>Cell</i> , 1992, 68, 977-988.	13.5	216
16	Human p68 kinase exhibits growth suppression in yeast and homology to the translational regulator GCN2.. <i>EMBO Journal</i> , 1992, 11, 1553-1562.	3.5	300
17	Parameters affecting the frequencies of transformation and co-transformation with synthetic oligonucleotides in yeast. <i>Yeast</i> , 1992, 8, 935-948.	0.8	71
18	SEC21 is a gene required for ER to Golgi protein transport that encodes a subunit of a yeast coatmer. <i>Nature</i> , 1992, 360, 603-605.	13.7	196

#	ARTICLE	IF	CITATIONS
19	Autoactivation of proteinase A initiates activation of yeast vacuolar zymogens. <i>FEBS Journal</i> , 1992, 207, 277-283.	0.2	68
20	Microencapsulation selection for isolation of yeast mutants with increased secretion of <i>Aspergillus awamori</i> glucoamylase. <i>Biotechnology and Bioengineering</i> , 1993, 42, 351-356.	1.7	3
21	Phorbol ester activation of functional rat protein kinase C $\hat{1}$ -1 causes phenotype in yeast. <i>Journal of Cellular Biochemistry</i> , 1993, 52, 320-329.	1.2	20
22	Consequences of unique double-stranded breaks in yeast chromosomes: death or homozygosis. <i>Molecular Genetics and Genomics</i> , 1993, 240, 170-180.	2.4	50
23	The yeast gene MSH3 defines a new class of eukaryotic MutS homologues. <i>Molecular Genetics and Genomics</i> , 1993, 239, 97-108.	2.4	130
24	A general suppressor of RNA polymerase I, II and III mutations in <i>Saccharomyces cerevisiae</i> . <i>Molecular Genetics and Genomics</i> , 1993, 239, 169-176.	2.4	94
25	Dual regulation by heat and nutrient stress of the yeast HSP150 gene encoding a secretory glycoprotein. <i>Molecular Genetics and Genomics</i> , 1993, 239, 273-280.	2.4	45
26	Genetic and molecular analysis of REC114, an early meiotic recombination gene in yeast. <i>Current Genetics</i> , 1993, 23, 295-304.	0.8	34
27	Phenotypic identification of amplifications of the ADH4 and CUP1 genes of <i>Saccharomyces cerevisiae</i> . <i>Current Genetics</i> , 1993, 23, 392-396.	0.8	11
28	Time-dependent mitotic recombination in <i>Saccharomyces cerevisiae</i> . <i>Current Genetics</i> , 1993, 23, 423-429.	0.8	6
29	The STA2 and MEL1 genes of <i>Saccharomyces cerevisiae</i> are idiomorphic. <i>Current Genetics</i> , 1993, 23, 92-94.	0.8	10
30	A yeast antiviral protein, SKI8, shares a repeated amino acid sequence pattern with $\hat{1}$ -subunits of G proteins and several other proteins. <i>Yeast</i> , 1993, 9, 43-51.	0.8	36
31	Nuclear pore complex antigens delineate nuclear envelope dynamics in vegetative and conjugating <i>Saccharomyces cerevisiae</i> . <i>Yeast</i> , 1993, 9, 235-249.	0.8	24
32	Nucleotide sequence analysis of the 5 \hat{A} -8S rDNA and adjacent ITS2 region of <i>Candida albicans</i> and related species. <i>Yeast</i> , 1993, 9, 1199-1206.	0.8	111
33	Genetic basis of sodium exclusion and sodium tolerance in yeast. A model for plants. <i>Physiologia Plantarum</i> , 1993, 89, 868-874.	2.6	73
34	Target of rapamycin in yeast, TOR2, is an essential phosphatidylinositol kinase homolog required for G1 progression. <i>Cell</i> , 1993, 73, 585-596.	13.5	819
35	The essential function of yeast protein disulfide isomerase does not reside in its isomerase activity. <i>Cell</i> , 1993, 74, 899-908.	13.5	221
36	Transcriptional induction of genes encoding endoplasmic reticulum resident proteins requires a transmembrane protein kinase. <i>Cell</i> , 1993, 73, 1197-1206.	13.5	1,101

#	ARTICLE	IF	CITATIONS
37	Nuclear RNase MRP is required for correct processing of pre-5.8S rRNA in <i>Saccharomyces cerevisiae</i> .. <i>Molecular and Cellular Biology</i> , 1993, 13, 7935-7941.	1.1	260
38	A yeast expression system for human galactose-1-phosphate uridylyltransferase.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1993, 90, 398-402.	3.3	76
39	The SLT2 (MPK1) MAP kinase homolog is involved in polarized cell growth in <i>Saccharomyces cerevisiae</i> .. <i>Journal of Cell Biology</i> , 1993, 123, 1821-1833.	2.3	210
40	The <i>Kluyveromyces</i> gene encoding the general transcription factor IIB: structural analysis and expression in <i>Saccharomyces cerevisiae</i> . <i>Nucleic Acids Research</i> , 1993, 21, 3413-3417.	6.5	19
41	Ixr1, a yeast protein that binds to platinated DNA and confers sensitivity to cisplatin. <i>Science</i> , 1993, 261, 603-605.	6.0	188
42	Anticodon bases C34 and C35 are major, positive, identity elements in <i>Saccharomyces cerevisiae</i> tRNATrp. <i>Nucleic Acids Research</i> , 1993, 21, 5079-5084.	6.5	16
43	Yeast actin with a mutation in the "hydrophobic plug" between subdomains 3 and 4 (L266D) displays a cold-sensitive polymerization defect.. <i>Journal of Cell Biology</i> , 1993, 123, 1185-1195.	2.3	104
44	Variations in the number of ribosomal DNA units in morphological mutants and normal strains of <i>Candida albicans</i> and in normal strains of <i>Saccharomyces cerevisiae</i> . <i>Journal of Bacteriology</i> , 1993, 175, 7189-7199.	1.0	130
45	Substrate length requirements for efficient mitotic recombination in <i>Saccharomyces cerevisiae</i> .. <i>Molecular and Cellular Biology</i> , 1993, 13, 3937-3950.	1.1	180
46	The immunosuppressant FK506 inhibits amino acid import in <i>Saccharomyces cerevisiae</i> .. <i>Molecular and Cellular Biology</i> , 1993, 13, 5010-5019.	1.1	91
47	Mutations that alter the third cytoplasmic loop of the α -factor receptor lead to a constitutive and hypersensitive phenotype.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1993, 90, 9921-9925.	3.3	61
48	The <i>Arabidopsis</i> endoplasmic reticulum retention receptor functions in yeast. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1993, 90, 11433-11437.	3.3	109
49	PAS10 is a tetratricopeptide-repeat protein that is essential for the import of most matrix proteins into peroxisomes of <i>Saccharomyces cerevisiae</i> .. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1993, 90, 11782-11786.	3.3	237
50	Transcription of α -specific genes in <i>Saccharomyces cerevisiae</i> : DNA sequence requirements for activity of the coregulator α 1.. <i>Molecular and Cellular Biology</i> , 1993, 13, 6866-6875.	1.1	31
51	AFR1 acts in conjunction with the α -factor receptor to promote morphogenesis and adaptation.. <i>Molecular and Cellular Biology</i> , 1993, 13, 6876-6888.	1.1	43
52	Genetic evidence for the roles of the bud-site-selection genes BUD5 and BUD2 in control of the Rsr1p (Bud1p) GTPase in yeast.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1993, 90, 9926-9929.	3.3	69
53	Transcriptional repression in <i>Saccharomyces cerevisiae</i> by a SIN3-LexA fusion protein.. <i>Molecular and Cellular Biology</i> , 1993, 13, 1805-1814.	1.1	117
54	The COT2 gene is required for glucose-dependent divalent cation transport in <i>Saccharomyces cerevisiae</i> .. <i>Molecular and Cellular Biology</i> , 1993, 13, 2041-2049.	1.1	44

#	ARTICLE	IF	CITATIONS
55	The type 1 human immunodeficiency virus Tat binding protein is a transcriptional activator belonging to an additional family of evolutionarily conserved genes.. Proceedings of the National Academy of Sciences of the United States of America, 1993, 90, 138-142.	3.3	139
56	NPK1, a tobacco gene that encodes a protein with a domain homologous to yeast BCK1, STE11, and Byr2 protein kinases.. Molecular and Cellular Biology, 1993, 13, 4745-4752.	1.1	141
57	Suppression of c-Src activity by C-terminal Src kinase involves the c-Src SH2 and SH3 domains: analysis with <i>Saccharomyces cerevisiae</i> .. Molecular and Cellular Biology, 1993, 13, 5290-5300.	1.1	132
58	Purification of NSP1 reveals complex formation with $\hat{\epsilon}$ -GLFG $\hat{\epsilon}$ TM nucleoporins and a novel nuclear pore protein NIC96.. EMBO Journal, 1993, 12, 3061-3071.	3.5	168
59	Mutational and functional analysis of dominant SPT2 (SIN1) suppressor alleles in <i>Saccharomyces cerevisiae</i> .. Molecular and Cellular Biology, 1993, 13, 5393-5407.	1.1	21
60	Physical mapping of stable RNA genes in <i>Bacillus subtilis</i> using polymerase chain reaction amplification from a yeast artificial chromosome library. Journal of Bacteriology, 1993, 175, 4290-4297.	1.0	10
61	Genetic and biochemical characterization of ISP6, a small mitochondrial outer membrane protein associated with the protein translocation complex.. EMBO Journal, 1993, 12, 3023-3034.	3.5	118
62	The Dbf2 and Dbf20 protein kinases of budding yeast are activated after the metaphase to anaphase cell cycle transition.. EMBO Journal, 1994, 13, 1103-1113.	3.5	120
63	Expression of high-affinity glucose transport protein Hxt2p of <i>Saccharomyces cerevisiae</i> is both repressed and induced by glucose and appears to be regulated posttranslationally. Journal of Bacteriology, 1994, 176, 3730-3737.	1.0	56
64	Immunophilins interact with calcineurin in the absence of exogenous immunosuppressive ligands.. EMBO Journal, 1994, 13, 5944-5957.	3.5	143
65	A zinc finger protein, essential for chromosome segregation, constitutes a putative DNA binding subunit of the <i>Saccharomyces cerevisiae</i> kinetochore complex, Cbf3.. EMBO Journal, 1994, 13, 5203-5211.	3.5	75
66	Isolation of the hemF operon containing the gene for the <i>Escherichia coli</i> aerobic coproporphyrinogen III oxidase by in vivo complementation of a yeast HEM13 mutant. Journal of Bacteriology, 1994, 176, 673-680.	1.0	75
67	The cdc7 protein kinase is a dosage dependent regulator of septum formation in fission yeast.. EMBO Journal, 1994, 13, 3011-3019.	3.5	141
68	A novel nuclear pore protein Nup133p with distinct roles in poly(A)+ RNA transport and nuclear pore distribution.. EMBO Journal, 1994, 13, 6062-6075.	3.5	218
69	Yeast mitochondria contain ATP-sensitive, reversible actin-binding activity.. Molecular Biology of the Cell, 1994, 5, 807-818.	0.9	106
70	Symmetric cell division in pseudohyphae of the yeast <i>Saccharomyces cerevisiae</i> .. Molecular Biology of the Cell, 1994, 5, 1003-1022.	0.9	261
71	Characterization of tobacco protein kinase NPK5, a homolog of <i>Saccharomyces cerevisiae</i> SNF1 that constitutively activates expression of the glucose-repressible SUC2 gene for a secreted invertase of <i>S. cerevisiae</i> .. Molecular and Cellular Biology, 1994, 14, 2958-2965.	1.1	114
72	An internal region of the peroxisomal membrane protein PMP47 is essential for sorting to peroxisomes. Journal of Cell Biology, 1994, 124, 915-925.	2.3	84

#	ARTICLE	IF	CITATIONS
73	STU1, a suppressor of a beta-tubulin mutation, encodes a novel and essential component of the yeast mitotic spindle.. Journal of Cell Biology, 1994, 127, 1973-1984.	2.3	71
74	Systematic mutational analysis of the yeast beta-tubulin gene.. Molecular Biology of the Cell, 1994, 5, 29-43.	0.9	108
75	The budding yeast U5 snRNP Prp8 is a highly conserved protein which links RNA splicing with cell cycle progression. Nucleic Acids Research, 1994, 22, 5555-5564.	6.5	51
76	Clathrin-dependent localization of alpha 1,3 mannosyltransferase to the Golgi complex of Saccharomyces cerevisiae.. Journal of Cell Biology, 1994, 127, 667-678.	2.3	98
77	TOR1 and TOR2 are structurally and functionally similar but not identical phosphatidylinositol kinase homologues in yeast.. Molecular Biology of the Cell, 1994, 5, 105-118.	0.9	365
78	MCM1 point mutants deficient in expression of alpha-specific genes: residues important for interaction with alpha 1.. Molecular and Cellular Biology, 1994, 14, 2534-2544.	1.1	57
79	Optimization of amino acid supplements for heterologous protein secretion in Saccharomyces cerevisiae. Biotechnology Letters, 1994, 8, 161-166.	0.5	48
80	Increases in cell size at START caused by hyperactivation of the cAMP pathway in Saccharomyces cerevisiae. Molecular Genetics and Genomics, 1994, 243, 158-165.	2.4	20
81	The hypo-osmolarity-sensitive phenotype of the Saccharomyces cerevisiae hpo2 mutant is due to a mutation in PKC1, which regulates expression of β -glucanase. Molecular Genetics and Genomics, 1994, 242, 641-648.	2.4	63
82	The Saccharomyces cerevisiae SGE1 gene product: a novel drug-resistance protein within the major facilitator superfamily. Molecular Genetics and Genomics, 1994, 244, 287-294.	2.4	47
83	Interactions between gene products involved in divalent cation transport in Saccharomyces cerevisiae. Molecular Genetics and Genomics, 1994, 244, 303-311.	2.4	64
84	IX. Yeast sequencing reports. Cloning and sequence of REV7, a gene whose function is required for DNA damage-induced mutagenesis in Saccharomyces cerevisiae. Yeast, 1994, 10, 1503-1509.	0.8	31
85	DNA recombination induced by aflatoxin B1 activated by cytochrome P450 1A enzymes. Molecular Carcinogenesis, 1994, 11, 227-235.	1.3	33
86	Reciprocal mitotic recombination is the predominant mechanism for the loss of a heterozygous gene in Saccharomyces cerevisiae. Environmental and Molecular Mutagenesis, 1994, 24, 307-316.	0.9	12
87	IME1 gene encodes a transcription factor which is required to induce meiosis in Saccharomyces cerevisiae. Genesis, 1994, 15, 139-147.	3.1	51
88	[URE3] as an altered URE2 protein: evidence for a prion analog in Saccharomyces cerevisiae. Science, 1994, 264, 566-569.	6.0	1,232
89	Saccharomyces cerevisiae mutants sensitive to the antimalarial and antiarrhythmic drug, quinidine. FEMS Microbiology Letters, 1994, 119, 221-227.	0.7	6
90	Disruption of two genes for chitin synthase in the phytopathogenic fungus Ustilago maydis. Molecular Microbiology, 1994, 11, 897-902.	1.2	51

#	ARTICLE	IF	CITATIONS
91	A novel, small endoglucanase gene, <i>egl5</i> , from <i>Trichoderma reesei</i> isolated by expression in yeast. <i>Molecular Microbiology</i> , 1994, 13, 219-228.	1.2	154
92	pH-dependent processing of yeast procarboxypeptidase Y by proteinase A in vivo and in vitro. <i>FEBS Journal</i> , 1994, 220, 19-27.	0.2	47
93	Human beta1,4 galactosyltransferase and alpha2,6 sialyltransferase expressed in <i>Saccharomyces cerevisiae</i> are retained as active enzymes in the endoplasmic reticulum. <i>FEBS Journal</i> , 1994, 220, 809-817.	0.2	24
94	ATPase kinetics for wild-type <i>Saccharomyces cerevisiae</i> F1-ATPase and F1-ATPase with the beta-subunit Thr197Ser mutation. <i>FEBS Journal</i> , 1994, 222, 991-999.	0.2	13
95	Molecular cloning and expression of a cDNA encoding human electron transfer flavoprotein-ubiquinone oxidoreductase. <i>FEBS Journal</i> , 1994, 219, 277-286.	0.2	38
96	Coatomer is essential for retrieval of dilysine-tagged proteins to the endoplasmic reticulum. <i>Cell</i> , 1994, 79, 1199-1207.	13.5	761
97	Meiosis-specific formation of joint DNA molecules containing sequences from homologous chromosomes. <i>Cell</i> , 1994, 76, 65-75.	13.5	116
98	Molecular characterization of a copper transport protein in <i>S. cerevisiae</i> : An unexpected role for copper in iron transport. <i>Cell</i> , 1994, 76, 393-402.	13.5	654
99	Yeast <i>Saccharomyces cerevisiae</i> as a model system to study the cytotoxic activity of the antitumor drug camptothecin. <i>Cancer Chemotherapy and Pharmacology</i> , 1994, 34, S1-S5.	1.1	27
100	Expression of the human D2 dopamine receptor in the yeasts <i>Saccharomyces cerevisiae</i> and <i>Schizosaccharomyces pombe</i> : A comparative study. <i>FEBS Letters</i> , 1994, 344, 41-46.	1.3	56
101	Expression of functional <i>Raphanus sativus</i> antifungal protein in yeast. <i>FEBS Letters</i> , 1994, 348, 228-232.	1.3	28
102	Cloning vectors for the synthesis of epitope-tagged, truncated and chimeric proteins in <i>Saccharomyces cerevisiae</i> . <i>Gene</i> , 1994, 144, 63-68.	1.0	59
103	XDJ1, a gene encoding a novel non-essential DnaJ homologue from <i>Saccharomyces cerevisiae</i> . <i>Gene</i> , 1994, 145, 121-124.	1.0	17
104	High-level expression of the phenylalanine ammonia lyase-encoding gene from <i>Rhodospiridium toruloides</i> in <i>Saccharomyces cerevisiae</i> and <i>Escherichia coli</i> using a bifunctional expression system. <i>Gene</i> , 1994, 143, 13-20.	1.0	29
105	Copper Amine Oxidase: Heterologous Expression, Purification, and Characterization of An Active Enzyme in <i>Saccharomyces cerevisiae</i> . <i>Biochemistry</i> , 1994, 33, 7647-7653.	1.2	113
106	In vivo phosphorylation site of hexokinase 2 in <i>Saccharomyces cerevisiae</i> . <i>Biochemistry</i> , 1994, 33, 148-152.	1.2	62
107	Suppression of yeast RNA polymerase III mutations by FHL1, a gene coding for a fork head protein involved in rRNA processing.. <i>Molecular and Cellular Biology</i> , 1994, 14, 2905-2913.	1.1	100
108	The <i>sua8</i> suppressors of <i>Saccharomyces cerevisiae</i> encode replacements of conserved residues within the largest subunit of RNA polymerase II and affect transcription start site selection similarly to <i>sua7</i> (TFIIB) mutations.. <i>Molecular and Cellular Biology</i> , 1994, 14, 226-237.	1.1	87

#	ARTICLE	IF	CITATIONS
109	Cloning and analysis of the <i>Saccharomyces cerevisiae</i> MNN9 and MNN1 genes required for complex glycosylation of secreted proteins.. Proceedings of the National Academy of Sciences of the United States of America, 1994, 91, 2723-2727.	3.3	130
110	Protein synthesis in long-term stationary-phase cultures of <i>Saccharomyces cerevisiae</i> . Journal of Bacteriology, 1994, 176, 5802-5813.	1.0	156
111	MIP1, a new yeast gene homologous to the rat mitochondrial intermediate peptidase gene, is required for oxidative metabolism in <i>Saccharomyces cerevisiae</i> .. Molecular and Cellular Biology, 1994, 14, 5603-5616.	1.1	75
112	G1 cyclin degradation: the PEST motif of yeast Cln2 is necessary, but not sufficient, for rapid protein turnover.. Molecular and Cellular Biology, 1994, 14, 7953-7966.	1.1	105
113	Chromosomal DNA replication initiates at the same origins in meiosis and mitosis.. Molecular and Cellular Biology, 1994, 14, 3524-3534.	1.1	69
114	Two yeast genes with similarity to TCP-1 are required for microtubule and actin function in vivo.. Proceedings of the National Academy of Sciences of the United States of America, 1994, 91, 9111-9115.	3.3	131
115	Phytochrome assembly in living cells of the yeast <i>Saccharomyces cerevisiae</i> .. Proceedings of the National Academy of Sciences of the United States of America, 1994, 91, 12535-12539.	3.3	36
116	Biochemical and genetic analysis of dominant-negative mutations affecting a yeast G-protein gamma subunit.. Molecular and Cellular Biology, 1994, 14, 4571-4578.	1.1	32
117	Two FK506 resistance-conferring genes in <i>Saccharomyces cerevisiae</i> , TAT1 and TAT2, encode amino acid permeases mediating tyrosine and tryptophan uptake.. Molecular and Cellular Biology, 1994, 14, 6597-6606.	1.1	161
118	<i>KIN28</i> Encodes a C-Terminal Domain Kinase That Controls mRNA Transcription in <i>Saccharomyces cerevisiae</i> but Lacks Cyclin-Dependent Kinase-Activating Kinase (CAK) Activity. Molecular and Cellular Biology, 1995, 15, 2983-2992.	1.1	209
119	An Arabidopsis syntaxin homologue isolated by functional complementation of a yeast pep12 mutant.. Proceedings of the National Academy of Sciences of the United States of America, 1995, 92, 7262-7266.	3.3	99
120	Crossover and noncrossover recombination during meiosis: timing and pathway relationships.. Proceedings of the National Academy of Sciences of the United States of America, 1995, 92, 8512-8516.	3.3	96
121	Functional complementation of the <i>ste6</i> gene of <i>Saccharomyces cerevisiae</i> with the <i>pfmdr1</i> gene of <i>Plasmodium falciparum</i> .. Proceedings of the National Academy of Sciences of the United States of America, 1995, 92, 8921-8925.	3.3	86
122	Pheromone Signalling in <i>Saccharomyces cerevisiae</i> Requires the Small GTP-Binding Protein Cdc42p and Its Activator <i>CDC24</i> . Molecular and Cellular Biology, 1995, 15, 5246-5257.	1.1	201
123	<i>AFR1</i> Promotes Polarized Apical Morphogenesis in <i>Saccharomyces cerevisiae</i> . Molecular and Cellular Biology, 1995, 15, 723-730.	1.1	46
124	A Mutation in the Gene Encoding the <i>Saccharomyces cerevisiae</i> Single-Stranded DNA-Binding Protein Rfa1 Stimulates a <i>RAD52</i> -Independent Pathway for Direct-Repeat Recombination. Molecular and Cellular Biology, 1995, 15, 1632-1641.	1.1	110
125	Characterization of a regulated form of phospholipase D in the yeast <i>Saccharomyces cerevisiae</i> . Biochemical Journal, 1995, 307, 799-805.	1.7	51
126	Mutations Altering the Mitochondrial-Cytoplasmic Distribution of Mod5p Implicate the Actin Cytoskeleton and mRNA 3' Ends and/or Protein Synthesis in Mitochondrial Delivery. Molecular and Cellular Biology, 1995, 15, 6884-6894.	1.1	79

#	ARTICLE	IF	CITATIONS
127	Four Subunits That Are Shared by the Three Classes of RNA Polymerase Are Functionally Interchangeable between <i>Homo sapiens</i> and <i>Saccharomyces cerevisiae</i> . <i>Molecular and Cellular Biology</i> , 1995, 15, 4702-4710.	1.1	111
128	Kinetics of spindle pole body separation in budding yeast.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1995, 92, 9707-9711.	3.3	142
129	A Novel Allele of <i>Saccharomyces cerevisiae</i> RFA1 That Is Deficient in Recombination and Repair and Suppressible by <i>RAD52</i> . <i>Molecular and Cellular Biology</i> , 1995, 15, 1620-1631.	1.1	144
130	A <i>Saccharomyces cerevisiae</i> Mitochondrial Transcription Factor, sc-mtTFB, Shares Features with Sigma Factors but Is Functionally Distinct. <i>Molecular and Cellular Biology</i> , 1995, 15, 2101-2108.	1.1	78
131	<i>FAR1</i> and the G ₁ Phase Specificity of Cell Cycle Arrest by Mating Factor in <i>Saccharomyces cerevisiae</i> . <i>Molecular and Cellular Biology</i> , 1995, 15, 2509-2516.	1.1	61
132	Inter-Species DNA Polymerase delta Chimeras are Functional in <i>Saccharomyces Cerevisiae</i> . <i>FEBS Journal</i> , 1995, 231, 45-49.	0.2	3
133	Biogenesis of the Yeast Vacuole (lysosome). The Use of Active-Site Mutants of Proteinase yscA to Determine the Necessity of the Enzyme for Vacuolar Proteinase Maturation and Proteinase yscB Stability. <i>FEBS Journal</i> , 1995, 231, 115-125.	0.2	0
134	CapIII, a new brain-enriched member of the GTPase-activating protein family. <i>Journal of Neuroscience Research</i> , 1995, 41, 846-858.	1.3	51
135	Positive and negative feedback loops affect the transcription of <i>IME1</i> , a positive regulator of meiosis in <i>Saccharomyces cerevisiae</i> . <i>Genesis</i> , 1995, 16, 219-228.	3.1	28
136	High-level expression of endogenous acid phosphatase inhibits growth and vectorial secretion in <i>Saccharomyces cerevisiae</i> . <i>Journal of Cellular Biochemistry</i> , 1995, 57, 238-250.	1.2	5
137	The role of <i>Saccharomyces cerevisiae</i> Cdc40p in DNA replication and mitotic spindle formation and/or maintenance. <i>Molecular Genetics and Genomics</i> , 1995, 247, 123-136.	2.4	46
138	Evidence for the thiamine biosynthetic pathway in higher-plant plastids and its developmental regulation. <i>Plant Molecular Biology</i> , 1995, 29, 809-821.	2.0	106
139	A mutant allele of the SUP45 (SAL4) gene of <i>Saccharomyces cerevisiae</i> shows temperature-dependent allosuppressor and omnipotent suppressor phenotypes. <i>Current Genetics</i> , 1995, 27, 417-426.	0.8	75
140	Expression cloning, purification and characterization of a β -1,4-galactanase from <i>Aspergillus aculeatus</i> . <i>Current Genetics</i> , 1995, 27, 135-141.	0.8	57
141	Evidence for a branched pathway in the polarized cell division of <i>Saccharomyces cerevisiae</i> . <i>Current Genetics</i> , 1995, 27, 213-216.	0.8	42
142	Cloning and characterization of seven cDNAs for hyperosmolarity-responsive (HOR) genes of <i>Saccharomyces cerevisiae</i> . <i>Molecular Genetics and Genomics</i> , 1995, 249, 127-138.	2.4	103
143	Enhanced stability in vivo of a thermodynamically stable mutant form of yeast iso-1-cytochrome c. <i>Molecular Genetics and Genomics</i> , 1995, 249, 155-161.	2.4	7
144	Isolation of a cDNA from <i>Saccharomyces cerevisiae</i> that encodes a high affinity sulphate transporter at the plasma membrane. <i>Molecular Genetics and Genomics</i> , 1995, 247, 709-715.	2.4	136

#	ARTICLE	IF	CITATIONS
145	Genetic evidence for the interaction of the yeast transcriptional co-activator proteins GCN5 and ADA2. <i>Molecular Genetics and Genomics</i> , 1995, 246, 723-728.	2.4	65
146	Suppressors of thermosensitive mutations in the DNA polymerase $\hat{\tau}$ gene of <i>Saccharomyces cerevisiae</i> . <i>Molecular Genetics and Genomics</i> , 1995, 246, 212-222.	2.4	28
147	Studies on the transformation of intact yeast cells by the LiAc/SS-DNA/PEG procedure. <i>Yeast</i> , 1995, 11, 355-360.	0.8	1,939
148	The <i>Saccharomyces cerevisiae</i> FLO1 flocculation gene encodes for a cell surface protein. <i>Yeast</i> , 1995, 11, 809-822.	0.8	75
149	Targeting of heterologous membrane proteins into proliferated internal membranes in <i>Saccharomyces cerevisiae</i> . <i>Yeast</i> , 1995, 11, 913-928.	0.8	3
150	GSG1, a yeast gene required for sporulation. <i>Yeast</i> , 1995, 11, 1147-1155.	0.8	13
151	Cold-shock induction of a family of TIP1-related proteins associated with the membrane in <i>Saccharomyces cerevisiae</i> . <i>Molecular Microbiology</i> , 1995, 15, 341-353.	1.2	87
152	Identification of novel HXT genes in <i>Saccharomyces cerevisiae</i> reveals the impact of individual hexose transporters on glycolytic flux. <i>Molecular Microbiology</i> , 1995, 16, 157-167.	1.2	266
153	Rapid transfer of low copy-number episomal plasmids from <i>Saccharomyces cerevisiae</i> to <i>Escherichia coli</i> by electroporation. <i>Molecular Biotechnology</i> , 1995, 3, 79-84.	1.3	15
154	Functional interaction of Nic96p with a core nucleoporin complex consisting of Nsp1p, Nup49p and a novel protein Nup57p. <i>EMBO Journal</i> , 1995, 14, 76-87.	3.5	151
155	Targets of immunophilin-immunosuppressant complexes are distinct highly conserved regions of calcineurin A. <i>EMBO Journal</i> , 1995, 14, 2772-2783.	3.5	102
156	Nin1p, a regulatory subunit of the 26S proteasome, is necessary for activation of Cdc28p kinase of <i>Saccharomyces cerevisiae</i> . <i>EMBO Journal</i> , 1995, 14, 3105-3115.	3.5	88
157	Translation and M1 double-stranded RNA propagation: MAK18 = RPL41B and cycloheximide curing. <i>Journal of Bacteriology</i> , 1995, 177, 2887-2891.	1.0	38
158	The products of the SUP45 (eRF1) and SUP35 genes interact to mediate translation termination in <i>Saccharomyces cerevisiae</i> . <i>EMBO Journal</i> , 1995, 14, 4365-4373.	3.5	429
159	Myristoylation of Calcineurin B Is Not Required for Function or Interaction with Immunophilin-Immunosuppressant Complexes in the Yeast <i>Saccharomyces cerevisiae</i> . <i>Journal of Biological Chemistry</i> , 1995, 270, 24831-24838.	1.6	39
160	A potassium transporter of the yeast <i>Schwanniomyces occidentalis</i> homologous to the Kup system of <i>Escherichia coli</i> has a high concentrative capacity. <i>EMBO Journal</i> , 1995, 14, 3021-3027.	3.5	132
161	Functional Expression of Fused Enzymes Between Human Cytochrome P4501A1 and Human NADPH-Cytochrome P450 Oxidoreductase in <i>Saccharomyces cerevisiae</i> . <i>DNA and Cell Biology</i> , 1995, 14, 273-283.	0.9	20
162	Identification of the aminocatechol A-3253 as an in vitro poison of DNA topoisomerase I from <i>Candida albicans</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 1995, 39, 586-592.	1.4	36

#	ARTICLE	IF	CITATIONS
163	Actin-dependent mitochondrial motility in mitotic yeast and cell-free systems: identification of a motor activity on the mitochondrial surface.. <i>Journal of Cell Biology</i> , 1995, 130, 345-354.	2.3	186
164	Interaction of the Ribosomal Protein, L5, with Protein Phosphatase Type 1. <i>Journal of Biological Chemistry</i> , 1995, 270, 19786-19790.	1.6	54
165	Phosphatidylserine Decarboxylase 2 of <i>Saccharomyces cerevisiae</i> . <i>Journal of Biological Chemistry</i> , 1995, 270, 6071-6080.	1.6	151
166	Three-dimensional ultrastructural analysis of the <i>Saccharomyces cerevisiae</i> mitotic spindle.. <i>Journal of Cell Biology</i> , 1995, 129, 1601-1615.	2.3	449
167	Mutant farnesyltransferase beta subunit of <i>Saccharomyces cerevisiae</i> that can substitute for geranylgeranyltransferase type I beta subunit.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1995, 92, 1704-1708.	3.3	32
168	Interactions between the Subunits of Casein Kinase II. <i>Journal of Biological Chemistry</i> , 1995, 270, 13017-13021.	1.6	131
169	Isolation of <i>Schizosaccharomyces pombe</i> Isopentenyl Diphosphate Isomerase cDNA Clones by Complementation and Synthesis of the Enzyme in <i>Escherichia coli</i> . <i>Journal of Biological Chemistry</i> , 1995, 270, 11298-11303.	1.6	36
170	High Level Expression, Partial Purification, and Functional Reconstitution of the Human AE1 Anion Exchanger in <i>Saccharomyces cerevisiae</i> . <i>Journal of Biological Chemistry</i> , 1995, 270, 21028-21034.	1.6	35
171	Random Substitution of Large Parts of the Propeptide of Yeast Proteinase A. <i>Journal of Biological Chemistry</i> , 1995, 270, 8602-8609.	1.6	28
172	Patterns of bud-site selection in the yeast <i>Saccharomyces cerevisiae</i> .. <i>Journal of Cell Biology</i> , 1995, 129, 751-765.	2.3	281
173	The essential OST2 gene encodes the 16-kD subunit of the yeast oligosaccharyltransferase, a highly conserved protein expressed in diverse eukaryotic organisms.. <i>Journal of Cell Biology</i> , 1995, 131, 371-383.	2.3	113
174	Manganese effectively supports yeast cell-cycle progression in place of calcium.. <i>Journal of Cell Biology</i> , 1995, 131, 1025-1037.	2.3	65
175	Mutations That Perturb Cyclophilin A Ligand Binding Pocket Confer Cyclosporin A Resistance in <i>Saccharomyces cerevisiae</i> . <i>Journal of Biological Chemistry</i> , 1995, 270, 20997-21002.	1.6	29
176	A Mutation in an ATP-binding Loop of <i>Saccharomyces cerevisiae</i> Actin (S14A) Causes a Temperature-sensitive Phenotype in Vivo and in Vitro. <i>Journal of Biological Chemistry</i> , 1995, 270, 11406-11414.	1.6	42
177	Nuclear pore complex clustering and nuclear accumulation of poly(A) ⁺ RNA associated with mutation of the <i>Saccharomyces cerevisiae</i> RAT2/NUP120 gene.. <i>Journal of Cell Biology</i> , 1995, 131, 1677-1697.	2.3	135
178	Functional characterization of Ost3p. Loss of the 34-kD subunit of the <i>Saccharomyces cerevisiae</i> oligosaccharyltransferase results in biased underglycosylation of acceptor substrates.. <i>Journal of Cell Biology</i> , 1995, 130, 567-577.	2.3	74
179	Sorting of yeast alpha 1,3 mannosyltransferase is mediated by a luminal domain interaction, and a transmembrane domain signal that can confer clathrin-dependent Golgi localization to a secreted protein.. <i>Molecular Biology of the Cell</i> , 1995, 6, 809-824.	0.9	59
180	The rho-GAP encoded by BEM2 regulates cytoskeletal structure in budding yeast.. <i>Molecular Biology of the Cell</i> , 1995, 6, 1011-1024.	0.9	69

#	ARTICLE	IF	CITATIONS
181	Identification of a Non-mitochondrial Phosphatidylserine Decarboxylase Activity (PSD2) in the Yeast <i>Saccharomyces cerevisiae</i> . <i>Journal of Biological Chemistry</i> , 1995, 270, 6062-6070.	1.6	231
182	TOR Mutations Confer Rapamycin Resistance by Preventing Interaction with FKBP12-Rapamycin. <i>Journal of Biological Chemistry</i> , 1995, 270, 27531-27537.	1.6	201
183	Mutation or deletion of the <i>Saccharomyces cerevisiae</i> RAT3/NUP133 gene causes temperature-dependent nuclear accumulation of poly(A) ⁺ RNA and constitutive clustering of nuclear pore complexes.. <i>Molecular Biology of the Cell</i> , 1995, 6, 401-417.	0.9	98
184	The Menkes/Wilson disease gene homologue in yeast provides copper to a ceruloplasmin-like oxidase required for iron uptake.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1995, 92, 2632-2636.	3.3	423
185	Cytokinins affect spore formation but not cell division in the yeast <i>Saccharomyces cerevisiae</i> . <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 1995, 1266, 45-49.	1.9	9
186	Vectors with the gus reporter gene for identifying and quantitating promoter regions in <i>Saccharomyces cerevisiae</i> . <i>Gene</i> , 1995, 154, 105-107.	1.0	17
187	Sgs1: A eukaryotic homolog of <i>E. coli</i> RecQ that interacts with topoisomerase II in vivo and is required for faithful chromosome segregation. <i>Cell</i> , 1995, 81, 253-260.	13.5	416
188	In Vivo Characterization of Phytochrome-Phycocyanobilin Adducts in Yeast. <i>Journal of Biological Chemistry</i> , 1995, 270, 20193-20200.	1.6	33
189	Expression of human P450C17 as an export protein in <i>Saccharomyces cerevisiae</i> . <i>Endocrine Research</i> , 1995, 21, 289-295.	0.6	7
190	Association of increased spontaneous mutation rates with high levels of transcription in yeast. <i>Science</i> , 1995, 268, 1616-1619.	6.0	251
191	Activation of an MAP kinase cascade leads to Sir3p hyperphosphorylation and strengthens transcriptional silencing.. <i>Journal of Cell Biology</i> , 1996, 135, 571-583.	2.3	79
192	A novel cross-phylum family of proteins comprises a KRR1 (YCL059c) gene which is essential for viability of <i>Saccharomyces cerevisiae</i> cells. <i>Gene</i> , 1996, 171, 27-32.	1.0	13
193	Probing the limits of expression levels by varying promoter strength and plasmid copy number in <i>Saccharomyces cerevisiae</i> . <i>Gene</i> , 1996, 175, 253-260.	1.0	49
194	Multiple transduction pathways regulate the sodium-extrusion gene PMR2/ENA1 during salt stress in yeast. <i>FEBS Letters</i> , 1996, 382, 89-92.	1.3	131
195	Secretion of an enzymatically active <i>Trichoderma harzianum</i> endochitinase by <i>Saccharomyces cerevisiae</i> . <i>Current Genetics</i> , 1996, 29, 404-409.	0.8	31
196	Allele-specific suppression of temperature-sensitive mutations of the <i>Saccharomyces cerevisiae</i> RAD52 gene. <i>Current Genetics</i> , 1996, 29, 203-210.	0.8	16
197	Site-Specific Ribose Methylation of Preribosomal RNA: A Novel Function for Small Nucleolar RNAs. <i>Cell</i> , 1996, 85, 1077-1088.	13.5	777
198	A Novel Mechanism for Regulating Activity of a Transcription Factor That Controls the Unfolded Protein Response. <i>Cell</i> , 1996, 87, 391-404.	13.5	923

#	ARTICLE	IF	CITATIONS
199	Regulation of PHO4 Nuclear Localization by the PHO80-PHO85 Cyclin-CDK Complex. <i>Science</i> , 1996, 271, 209-212.	6.0	303
200	Linkage of Replication to Start by the Cdk Inhibitor Sic1. <i>Science</i> , 1996, 272, 560-562.	6.0	233
201	DNA Replication Fork Pause Sites Dependent on Transcription. <i>Science</i> , 1996, 272, 1030-1033.	6.0	337
202	Analysis of interactions between the subunits of protein kinase CK2. <i>Biochemistry and Cell Biology</i> , 1996, 74, 541-547.	0.9	19
203	A yeast manganese transporter related to the macrophage protein involved in conferring resistance to mycobacteria.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1996, 93, 5105-5110.	3.3	333
204	Molecular cloning and characterization of <i>Saccharomyces cerevisiae</i> RAD28, the yeast homolog of the human Cockayne syndrome A (CSA) gene. <i>Journal of Bacteriology</i> , 1996, 178, 5977-5988.	1.0	52
205	Nuclear pore proteins are involved in the biogenesis of functional tRNA.. <i>EMBO Journal</i> , 1996, 15, 2270-2284.	3.5	160
206	Dominant negative rat DNA polymerase beta mutants interfere with base excision repair in <i>Saccharomyces cerevisiae</i> . <i>Journal of Bacteriology</i> , 1996, 178, 656-661.	1.0	28
207	Correlation between rhodamine 123 accumulation and azole sensitivity in <i>Candida</i> species: possible role for drug efflux in drug resistance. <i>Antimicrobial Agents and Chemotherapy</i> , 1996, 40, 419-425.	1.4	105
208	The PMT gene family: protein O-glycosylation in <i>Saccharomyces cerevisiae</i> is vital.. <i>EMBO Journal</i> , 1996, 15, 5752-5759.	3.5	221
209	Competition between folding and glycosylation in the endoplasmic reticulum.. <i>EMBO Journal</i> , 1996, 15, 3538-3546.	3.5	85
210	The yeast protein Arc1p binds to tRNA and functions as a cofactor for the methionyl- and glutamyl-tRNA synthetases.. <i>EMBO Journal</i> , 1996, 15, 5437-5448.	3.5	207
211	The Yeast Homolog of Mammalian Ribosomal Protein S30 Is Expressed from a Duplicated Gene without a Ubiquitin-like Protein Fusion Sequence. <i>Journal of Biological Chemistry</i> , 1996, 271, 13549-13555.	1.6	41
212	Mutational Analysis of the Vacuolar Sorting Signal of Procarboxypeptidase Y in Yeast Shows a Low Requirement for Sequence Conservation. <i>Journal of Biological Chemistry</i> , 1996, 271, 841-846.	1.6	18
213	Role of Negative Regulation in Promoter Specificity of the Homologous Transcriptional Activators Ace2p and Swi5p. <i>Molecular and Cellular Biology</i> , 1996, 16, 1746-1758.	1.1	75
214	<i>SIN3</i> -Dependent Transcriptional Repression by Interaction with the Mad1 DNA-Binding Protein. <i>Molecular and Cellular Biology</i> , 1996, 16, 4215-4221.	1.1	59
215	Pectin methyl esterase from <i>Aspergillus aculeatus</i> : expression cloning in yeast and characterization of the recombinant enzyme. <i>Biochemical Journal</i> , 1996, 319, 705-712.	1.7	98
216	Synthetic Enhancement of a TFIIB Defect by a Mutation in <i>SSU72</i> , an Essential Yeast Gene Encoding a Novel Protein That Affects Transcription Start Site Selection In Vivo. <i>Molecular and Cellular Biology</i> , 1996, 16, 1557-1566.	1.1	92

#	ARTICLE	IF	CITATIONS
217	Paf1p, an RNA Polymerase II-Associated Factor in <i>Saccharomyces cerevisiae</i> , May Have both Positive and Negative Roles in Transcription. <i>Molecular and Cellular Biology</i> , 1996, 16, 669-676.	1.1	136
218	Induction of Meiosis in <i>Saccharomyces cerevisiae</i> Depends on Conversion of the Transcriptional Repressor Ume6 to a Positive Regulator by Its Regulated Association with the Transcriptional Activator Ime1. <i>Molecular and Cellular Biology</i> , 1996, 16, 2518-2526.	1.1	136
219	Yeast RSP5 and Its Human Homolog hRPF1 Potentiate Hormone-Dependent Activation of Transcription by Human Progesterone and Glucocorticoid Receptors. <i>Molecular and Cellular Biology</i> , 1996, 16, 2594-2605.	1.1	158
220	Yeast alpha mating factor structure-activity relationship derived from genetically selected peptide agonists and antagonists of Ste2p. <i>Molecular and Cellular Biology</i> , 1996, 16, 4700-4709.	1.1	52
221	Mutations in the Homologous <i>ZDS1</i> and <i>ZDS2</i> Genes Affect Cell Cycle Progression. <i>Molecular and Cellular Biology</i> , 1996, 16, 5254-5263.	1.1	60
222	<i>AKR1</i> Encodes a Candidate Effector of the G β γ Complex in the <i>Saccharomyces cerevisiae</i> Pheromone Response Pathway and Contributes to Control of both Cell Shape and Signal Transduction. <i>Molecular and Cellular Biology</i> , 1996, 16, 2614-2626.	1.1	64
223	Regulation of the G-Protein-Coupled β -Factor Pheromone Receptor by Phosphorylation. <i>Molecular and Cellular Biology</i> , 1996, 16, 247-257.	1.1	77
224	Analysis of Functional Domain Organization in DNA Topoisomerase II from Humans and <i>Saccharomyces cerevisiae</i> . <i>Molecular and Cellular Biology</i> , 1996, 16, 3866-3877.	1.1	48
225	Multilamellar endosome-like compartment accumulates in the yeast vps28 vacuolar protein sorting mutant.. <i>Molecular Biology of the Cell</i> , 1996, 7, 985-999.	0.9	263
226	Mitotic Crossovers between Diverged Sequences Are Regulated by Mismatch Repair Proteins in <i>Saccharomyces cerevisiae</i> . <i>Molecular and Cellular Biology</i> , 1996, 16, 1085-1093.	1.1	221
227	The CCAAT box-binding factor stimulates ammonium assimilation in <i>Saccharomyces cerevisiae</i> , defining a new cross-pathway regulation between nitrogen and carbon metabolisms. <i>Journal of Bacteriology</i> , 1996, 178, 1842-1849.	1.0	59
228	A gene encoding a mitogen-activated protein kinase kinase kinase is induced simultaneously with genes for a mitogen-activated protein kinase and an S6 ribosomal protein kinase by touch, cold, and water stress in <i>Arabidopsis thaliana</i> .. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1996, 93, 765-769.	3.3	483
229	Erv25p, a Component of COPII-coated Vesicles, Forms a Complex with Emp24p That Is Required for Efficient Endoplasmic Reticulum to Golgi Transport. <i>Journal of Biological Chemistry</i> , 1996, 271, 26939-26946.	1.6	187
230	A stationary-phase gene in <i>Saccharomyces cerevisiae</i> is a member of a novel, highly conserved gene family. <i>Journal of Bacteriology</i> , 1996, 178, 6865-6872.	1.0	79
231	Aerobic isolation of an ERG24 null mutant of <i>Saccharomyces cerevisiae</i> . <i>Journal of Bacteriology</i> , 1996, 178, 2991-2993.	1.0	22
232	Characterization of <i>Saccharomyces cerevisiae</i> deficient in expression of phospholipase D. <i>Biochemical Journal</i> , 1996, 314, 15-19.	1.7	78
233	Mutation of Pro-258 in transmembrane domain 6 constitutively activates the G protein-coupled alpha-factor receptor.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1996, 93, 6764-6769.	3.3	111
234	Functional cell surface expression of the anion transport domain of human red cell band 3 (AE1) in the yeast <i>Saccharomyces cerevisiae</i> .. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1996, 93, 12245-12250.	3.3	38

#	ARTICLE	IF	CITATIONS
235	A positive genetic selection for disrupting protein-protein interactions: Identification of CREB mutations that prevent association with the coactivator CBP. Proceedings of the National Academy of Sciences of the United States of America, 1996, 93, 13896-13901.	3.3	93
236	Msn2p, a zinc finger DNA-binding protein, is the transcriptional activator of the multistress response in <i>Saccharomyces cerevisiae</i> . Proceedings of the National Academy of Sciences of the United States of America, 1996, 93, 5777-5782.	3.3	440
237	Translational control of endogenous and recoded nuclear genes in yeast mitochondria: Regulation and membrane targeting. <i>Experientia</i> , 1996, 52, 1130-1135.	1.2	79
238	Patterns of meiotic double-strand breakage on native and artificial yeast chromosomes. <i>Chromosoma</i> , 1996, 105, 276-284.	1.0	52
239	Transcription of <i>mutS</i> and <i>mutL</i> -homologous genes in <i>Saccharomyces cerevisiae</i> during the cell cycle. <i>Molecular Genetics and Genomics</i> , 1996, 252, 275-283.	2.4	22
240	Yeast killer plasmid pGKL2: molecular analysis of UCS5, a cytoplasmic promoter element essential for ORF5 gene function. <i>Molecular Genetics and Genomics</i> , 1996, 250, 286-294.	2.4	21
241	Exchange of Regions of the Carboxypeptidase Y Propeptide. Sequence Specificity and Function in Folding in Vivo. <i>FEBS Journal</i> , 1996, 242, 29-35.	0.2	9
242	Three β -Galactosidase Genes of <i>Trichoderma reesei</i> Cloned by Expression in Yeast. <i>FEBS Journal</i> , 1996, 240, 104-111.	0.2	87
243	Recombinant Soluble beta-1,4-Galactosyltransferases Expressed in <i>Saccharomyces cerevisiae</i> . Purification, Characterization and Comparison with Human Enzyme. <i>FEBS Journal</i> , 1996, 239, 340-348.	0.2	47
244	cDNA Cloning and Functional Analysis of the p97 Subunit of the 26S Proteasome, a Polypeptide Identical to the Type-1 Tumor-Necrosis-Factor-Receptor-Associated Protein-2/55.11. <i>FEBS Journal</i> , 1996, 239, 912-921.	0.2	54
245	<i>Saccharomyces cerevisiae</i> Mutants Defective in Heme Biosynthesis as a Tool for Studying the Mechanism of Phototoxicity of Porphyrins. <i>Photochemistry and Photobiology</i> , 1996, 64, 957-962.	1.3	12
246	Human Ste20 homologue hPAK1 links GTPases to the JNK MAP kinase pathway. <i>Current Biology</i> , 1996, 6, 598-605.	1.8	251
247	ERG1, encoding squalene epoxidase, is located on the right arm of chromosome VII of <i>Saccharomyces cerevisiae</i> . <i>Yeast</i> , 1996, 12, 609-613.	0.8	40
248	The <i>S. cerevisiae</i> nitrogen starvation-induced Yvh1p and Ptp2p phosphatases play a role in control of sporulation. , 1996, 12, 1135-1151.		24
249	RNA-dependent RNA polymerase activity related to the 20S RNA replicon of <i>Saccharomyces cerevisiae</i> . , 1996, 12, 1219-1228.		2
250	Metabolism of promutagens catalyzed by <i>Drosophila melanogaster</i> CYP6A2 enzyme in <i>Saccharomyces cerevisiae</i> . <i>Environmental and Molecular Mutagenesis</i> , 1996, 27, 46-58.	0.9	100
251	Purification and characterization of a tRNA nucleotidyltransferase from <i>Lupinus albus</i> and functional complementation of a yeast mutation by the corresponding cDNA. <i>Plant Molecular Biology</i> , 1996, 30, 281-295.	2.0	16
252	Cloning of <i>Brassica napus</i> CTP:phosphocholine cytidyltransferase cDNAs by complementation in a yeast <i>cct</i> mutant. <i>Plant Molecular Biology</i> , 1996, 31, 205-211.	2.0	35

#	ARTICLE	IF	CITATIONS
253	Comparison of responses of DNA topoisomerase I from <i>Candida albicans</i> and human cells to four new agents which stimulate topoisomerase-dependent DNA nicking. <i>FEMS Microbiology Letters</i> , 1996, 138, 105-111.	0.7	20
254	Identification of the gene encoding DNA topoisomerase I from <i>Candida albicans</i> . <i>FEMS Microbiology Letters</i> , 1996, 138, 113-121.	0.7	18
255	mRNA sequences influencing translation and the selection of AUG initiator codons in the yeast <i>Saccharomyces cerevisiae</i> . <i>Molecular Microbiology</i> , 1996, 19, 1225-1239.	1.2	59
256	Inactivation of MET10 in brewer's yeast specifically increases SO ₂ formation during beer production. <i>Nature Biotechnology</i> , 1996, 14, 1587-1591.	9.4	71
257	Double-strand breaks on YACs during yeast meiosis may reflect meiotic recombination in the human genome. <i>Nature Genetics</i> , 1996, 13, 481-484.	9.4	29
258	Differential trafficking and timed localization of two chitin synthase proteins, Chs2p and Chs3p [published erratum appears in <i>J Cell Biol</i> 1996 Dec;135(6 Pt 2):1925]. <i>Journal of Cell Biology</i> , 1996, 135, 597-610.	2.3	215
259	Requirement for the Carboxyl-terminal Domain of <i>Saccharomyces cerevisiae</i> Carbamoyl-phosphate Synthetase. <i>Journal of Biological Chemistry</i> , 1996, 271, 11400-11409.	1.6	12
260	The CDS1 Gene Encoding CDP-diacylglycerol Synthase In <i>Saccharomyces cerevisiae</i> Is Essential for Cell Growth. <i>Journal of Biological Chemistry</i> , 1996, 271, 789-795.	1.6	142
261	A Novel RING Finger Protein, Vps8p, Functionally Interacts with the Small GTPase, Vps21p, to Facilitate Soluble Vacuolar Protein Localization. <i>Journal of Biological Chemistry</i> , 1996, 271, 33607-33615.	1.6	73
262	Assembly of the ER to Golgi SNARE complex requires Uso1p.. <i>Journal of Cell Biology</i> , 1996, 132, 755-767.	2.3	193
263	Emopamil-binding Protein, a Mammalian Protein That Binds a Series of Structurally Diverse Neuroprotective Agents, Exhibits 8- ¹⁷ Sterol Isomerase Activity in Yeast. <i>Journal of Biological Chemistry</i> , 1996, 271, 22434-22440.	1.6	114
264	The Yeast VRG4 Gene Is Required for Normal Golgi Functions and Defines a New Family of Related Genes. <i>Journal of Biological Chemistry</i> , 1996, 271, 3837-3845.	1.6	63
265	The Significance of Valine 33 as a Ligand-specific Epitope of Transforming Growth Factor β . <i>Journal of Biological Chemistry</i> , 1996, 271, 15367-15372.	1.6	13
266	Pat1: a topoisomerase II-associated protein required for faithful chromosome transmission in <i>Saccharomyces cerevisiae</i> . <i>Nucleic Acids Research</i> , 1996, 24, 4791-4797.	6.5	54
267	High resolution restriction mapping of YACs using chromosome fragmentation. <i>Nucleic Acids Research</i> , 1996, 24, 1585-1586.	6.5	4
268	CDNA cloning of p112, the largest regulatory subunit of the human 26s proteasome, and functional analysis of its yeast homologue, sen3p.. <i>Molecular Biology of the Cell</i> , 1996, 7, 853-870.	0.9	50
269	Interactions of the yeast centromere and promoter Factor, Cpf1p, with the cytochrome c1 upstream region and Functional Implications on Regulated Gene Expression. <i>Nucleic Acids Research</i> , 1996, 24, 2395-2403.	6.5	12
270	The product of the <i>Saccharomyces cerevisiae</i> RSS1 gene, identified as a high-copy suppressor of the rat7-1 temperature-sensitive allele of the RAT7/NUP159 nucleoporin, is required for efficient mRNA export.. <i>Molecular Biology of the Cell</i> , 1996, 7, 1601-1621.	0.9	58

#	ARTICLE	IF	CITATIONS
271	A <i>Saccharomyces cerevisiae</i> phleomycin-sensitive mutant, phl40, is defective in the <i>RAD6</i> DNA repair gene. Canadian Journal of Microbiology, 1996, 42, 1263-1266.	0.8	16
272	In vivo nuclear transport kinetics in <i>Saccharomyces cerevisiae</i> : a role for heat shock protein 70 during targeting and translocation.. Journal of Cell Biology, 1996, 135, 329-339.	2.3	210
273	Mitochondrial and Cytosolic Branched-chain Amino Acid Transaminases from Yeast, Homologs of the myc Oncogene-regulated Eca39 Protein. Journal of Biological Chemistry, 1996, 271, 24458-24464.	1.6	146
274	The OST4 Gene of <i>Saccharomyces cerevisiae</i> Encodes an Unusually Small Protein Required for Normal Levels of Oligosaccharyltransferase Activity. Journal of Biological Chemistry, 1996, 271, 3132-3140.	1.6	61
275	Mechanisms Leading to and the Consequences of Altering the Normal Distribution of ATP(CTP):tRNA Nucleotidyltransferase in Yeast. Journal of Biological Chemistry, 1996, 271, 4679-4686.	1.6	56
276	Mitotic chromosome condensation in the rDNA requires TRF4 and DNA topoisomerase I in <i>Saccharomyces cerevisiae</i> .. Genes and Development, 1996, 10, 2564-2576.	2.7	110
277	Cloning and Characterization of PET100, a Gene Required for the Assembly of Yeast Cytochrome c Oxidase. Journal of Biological Chemistry, 1996, 271, 18499-18507.	1.6	39
278	The Interaction of an Epidermal Growth Factor/Transforming Growth Factor β Tail Chimera with the Human Epidermal Growth Factor Receptor Reveals Unexpected Complexities. Journal of Biological Chemistry, 1996, 271, 30392-30397.	1.6	82
279	Function and Expression of Flavohemoglobin in <i>Saccharomyces cerevisiae</i> . Journal of Biological Chemistry, 1996, 271, 25131-25138.	1.6	73
280	Multiple Pathways for Vacuolar Sorting of Yeast Proteinase A. Journal of Biological Chemistry, 1996, 271, 11865-11870.	1.6	59
281	Active Site Mutations in Yeast Protein Disulfide Isomerase Cause Dithiothreitol Sensitivity and a Reduced Rate of Protein Folding in the Endoplasmic Reticulum. Journal of Cell Biology, 1997, 138, 1229-1238.	2.3	76
282	The unique hetero-oligomeric nature of the subunits in the catalytic cooperativity of the yeast Cct chaperonin complex. Proceedings of the National Academy of Sciences of the United States of America, 1997, 94, 10780-10785.	3.3	70
283	Beryllium Fluoride and Phalloidin Restore Polymerizability of a Mutant Yeast Actin (V266G,L267G) with Severely Decreased Hydrophobicity in a Subdomain 3/4 Loop. Journal of Biological Chemistry, 1997, 272, 1237-1247.	1.6	45
284	A <i>Candida albicans</i> RAS-related gene (CaRSRI) is involved in budding, cell morphogenesis and hypha development. Microbiology (United Kingdom), 1997, 143, 3033-3044.	0.7	74
285	Interactions of Nucleotide Release Factor Dss4p with Sec4p in the Post-Golgi Secretory Pathway of Yeast. Journal of Biological Chemistry, 1997, 272, 18281-18289.	1.6	43
286	Three-dimensional analysis and ultrastructural design of mitotic spindles from the <i>cdc20</i> mutant of <i>Saccharomyces cerevisiae</i> .. Molecular Biology of the Cell, 1997, 8, 1-11.	0.9	62
287	Yeast Cycloheximide-resistant <i>crl</i> Mutants Are Proteasome Mutants Defective in Protein Degradation. Molecular Biology of the Cell, 1997, 8, 2487-2499.	0.9	62
288	<i>Cryptococcus neoformans</i> mating and virulence are regulated by the G-protein β subunit GPA1 and cAMP. Genes and Development, 1997, 11, 3206-3217.	2.7	385

#	ARTICLE	IF	CITATIONS
289	AP1-mediated Multidrug Resistance in <i>Saccharomyces cerevisiae</i> Requires FLR1 Encoding a Transporter of the Major Facilitator Superfamily. <i>Journal of Biological Chemistry</i> , 1997, 272, 19304-19313.	1.6	188
290	Glucose-6-P Control of Glycogen Synthase Phosphorylation in Yeast. <i>Journal of Biological Chemistry</i> , 1997, 272, 22495-22501.	1.6	36
291	The Activity of Cdc14p, an Oligomeric Dual Specificity Protein Phosphatase from <i>Saccharomyces cerevisiae</i> , Is Required for Cell Cycle Progression. <i>Journal of Biological Chemistry</i> , 1997, 272, 24054-24063.	1.6	106
292	Pep7p provides a novel protein that functions in vesicle-mediated transport between the yeast Golgi and endosome.. <i>Molecular Biology of the Cell</i> , 1997, 8, 871-895.	0.9	54
293	Functional analysis of the interaction between Afr1p and the Cdc12p septin, two proteins involved in pheromone-induced morphogenesis.. <i>Molecular Biology of the Cell</i> , 1997, 8, 987-998.	0.9	46
294	Homocitrate Synthase Is Located in the Nucleus in the Yeast <i>Saccharomyces cerevisiae</i> . <i>Journal of Biological Chemistry</i> , 1997, 272, 10839-10846.	1.6	43
295	A 2â€²-Phosphotransferase Implicated in tRNA Splicing Is Essential in <i>Saccharomyces cerevisiae</i> . <i>Journal of Biological Chemistry</i> , 1997, 272, 13203-13210.	1.6	91
296	Effect of Metal on 2,4,5-Trihydroxyphenylalanine (Topa) Quinone Biogenesis in the <i>Hansenula polymorpha</i> Copper Amine Oxidase. <i>Journal of Biological Chemistry</i> , 1997, 272, 19277-19281.	1.6	30
297	STT4 Is an Essential Phosphatidylinositol 4-Kinase That Is a Target of Wortmannin in <i>Saccharomyces cerevisiae</i> . <i>Journal of Biological Chemistry</i> , 1997, 272, 27671-27677.	1.6	78
298	Molecular and functional characterization of a novel low-affinity cation transporter (LCT1) in higher plants. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1997, 94, 11079-11084.	3.3	177
299	Yeast counterparts of subunits S5a and p58 (S3) of the human 26S proteasome are encoded by two multicopy suppressors of nin1-1.. <i>Molecular Biology of the Cell</i> , 1997, 8, 171-187.	0.9	98
300	Stu2p: A Microtubule-Binding Protein that Is an Essential Component of the Yeast Spindle Pole Body. <i>Journal of Cell Biology</i> , 1997, 139, 1271-1280.	2.3	160
301	Amino Acid Substitutions That Convert the Protein Substrate Specificity of Farnesyltransferase to That of Geranylgeranyltransferase Type I. <i>Journal of Biological Chemistry</i> , 1997, 272, 680-687.	1.6	56
302	Heterologous Expression of Human Cholecystokinin in <i>Saccharomyces cerevisiae</i> . <i>Journal of Biological Chemistry</i> , 1997, 272, 9720-9727.	1.6	23
303	Three Amino Acid Substitutions Selectively Disrupt the Activation but Not the Repression Function of the Glucocorticoid Receptor N Terminus. <i>Journal of Biological Chemistry</i> , 1997, 272, 4149-4156.	1.6	114
304	The Transcriptional Activators BAS1, BAS2, and ABF1 Bind Positive Regulatory Sites as the Critical Elements for Adenine Regulation of ADE5,7. <i>Journal of Biological Chemistry</i> , 1997, 272, 13343-13354.	1.6	32
305	The unfolded protein response coordinates the production of endoplasmic reticulum protein and endoplasmic reticulum membrane.. <i>Molecular Biology of the Cell</i> , 1997, 8, 1805-1814.	0.9	357
306	Cytoskeletal Protein ABP-280 Directs the Intracellular Trafficking of Furin and Modulates Proprotein Processing in the Endocytic Pathway. <i>Journal of Cell Biology</i> , 1997, 139, 1719-1733.	2.3	132

#	ARTICLE	IF	CITATIONS
307	Dynamics of Nuclear Pore Distribution in Nucleoporin Mutant Yeast Cells. <i>Journal of Cell Biology</i> , 1997, 136, 747-759.	2.3	134
308	Nuclear Pore Complex Number and Distribution throughout the <i>Saccharomyces cerevisiae</i> Cell Cycle by Three-Dimensional Reconstruction from Electron Micrographs of Nuclear Envelopes. <i>Molecular Biology of the Cell</i> , 1997, 8, 2119-2132.	0.9	205
309	Expression of an ortholog of replication protein A1 (RPA1) is induced by gibberellin in deepwater rice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1997, 94, 9979-9983.	3.3	60
310	Cdc73p and Paf1p Are Found in a Novel RNA Polymerase II-Containing Complex Distinct from the Srbp-Containing Holoenzyme. <i>Molecular and Cellular Biology</i> , 1997, 17, 1160-1169.	1.1	142
311	Template Topology and Transcription: Chromatin Templates Relaxed by Localized Linearization Are Transcriptionally Active in Yeast. <i>Molecular and Cellular Biology</i> , 1997, 17, 2825-2834.	1.1	17
312	Nop2p Is Required for Pre-rRNA Processing and 60S Ribosome Subunit Synthesis in Yeast. <i>Molecular and Cellular Biology</i> , 1997, 17, 378-388.	1.1	142
313	Mutational Analysis of the D1/E1 Core Helices and the Conserved N-Terminal Region of Yeast Transcription Factor IIB (TFIIB): Identification of an N-terminal Mutant That Stabilizes TATA-Binding Protein-TFIIB-DNA Complexes. <i>Molecular and Cellular Biology</i> , 1997, 17, 6784-6793.	1.1	51
314	The <i>Saccharomyces cerevisiae</i> Hap5p Homolog from Fission Yeast Reveals Two Conserved Domains That Are Essential for Assembly of Heterotetrameric CCAAT-Binding Factor. <i>Molecular and Cellular Biology</i> , 1997, 17, 7008-7018.	1.1	76
315	<i>Saccharomyces cerevisiae</i> Nip7p Is Required for Efficient 60S Ribosome Subunit Biogenesis. <i>Molecular and Cellular Biology</i> , 1997, 17, 5001-5015.	1.1	98
316	A Large Protein Complex Containing the Yeast Sin3p and Rpd3p Transcriptional Regulators. <i>Molecular and Cellular Biology</i> , 1997, 17, 4852-4858.	1.1	136
317	FKBP12 Physically and Functionally Interacts with Aspartokinase in <i>Saccharomyces cerevisiae</i> . <i>Molecular and Cellular Biology</i> , 1997, 17, 5968-5975.	1.1	39
318	C-Terminal Truncations of the Yeast Nucleoporin Nup145p Produce a Rapid Temperature-Conditional mRNA Export Defect and Alterations to Nuclear Structure. <i>Molecular and Cellular Biology</i> , 1997, 17, 906-920.	1.1	46
319	Frameshift Intermediates in Homopolymer Runs Are Removed Efficiently by Yeast Mismatch Repair Proteins. <i>Molecular and Cellular Biology</i> , 1997, 17, 2844-2850.	1.1	115
320	The Branchpoint Residue Is Recognized during Commitment Complex Formation before Being Bulged out of the U2 snRNA-pre-mRNA Duplex. <i>Molecular and Cellular Biology</i> , 1997, 17, 3469-3476.	1.1	26
321	Rnr4p, a novel ribonucleotide reductase small-subunit protein. <i>Molecular and Cellular Biology</i> , 1997, 17, 6114-6121.	1.1	110
322	Mechanism and ion-dependence of <i>in vitro</i> autoactivation of yeast proteinase A: possible implications for compartmentalized activation <i>in vivo</i> . <i>Biochemical Journal</i> , 1997, 326, 339-344.	1.7	19
323	Stress proteins on the yeast cell surface determine resistance to osmotin, a plant antifungal protein. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1997, 94, 7082-7087.	3.3	139
324	Identification of Three Additional Genes Contiguous to the Glucocerebrosidase Locus on Chromosome 1q21: Implications for Gaucher's Disease. <i>Genome Research</i> , 1997, 7, 1020-1026.	2.4	99

#	ARTICLE	IF	CITATIONS
325	Use of ¹³ C nuclear magnetic resonance to evaluate metabolic flux through folate one-carbon pools in <i>Saccharomyces cerevisiae</i> . <i>Methods in Enzymology</i> , 1997, 281, 218-231.	0.4	5
326	Cloning cell cycle regulatory genes by transcomplementation in yeast. <i>Methods in Enzymology</i> , 1997, 283, 44-59.	0.4	39
327	Regulation of sulfur assimilation in higher plants: A sulfate transporter induced in sulfate-starved roots plays a central role in <i>Arabidopsis thaliana</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1997, 94, 11102-11107.	3.3	330
328	Thiamine Increases Expression of Yeast Gene. <i>Bioscience, Biotechnology and Biochemistry</i> , 1997, 61, 1221-1224.	0.6	8
329	Sec61p mediates export of a misfolded secretory protein from the endoplasmic reticulum to the cytosol for degradation. <i>EMBO Journal</i> , 1997, 16, 4540-4548.	3.5	366
330	Critical Roles for Arginine 1061/1060 and Tyrosine 1057 in <i>Saccharomyces cerevisiae</i> Arginine-Specific Carbamoyl-Phosphate Synthetase. <i>Archives of Biochemistry and Biophysics</i> , 1997, 339, 344-352.	1.4	5
331	Characterization of a Sphingomyelinase Activity in <i>Saccharomyces cerevisiae</i> . <i>Archives of Biochemistry and Biophysics</i> , 1997, 340, 101-110.	1.4	31
332	A Method for Genome Comparisons and Hybridization Studies Using Known Megabase-Scale DNA Sequences as a Reference. <i>Genomics</i> , 1997, 43, 307-315.	1.3	2
333	Yeast Chromatin Reconstitution System Using Purified Yeast Core Histones and Yeast Nucleosome Assembly Protein-1. <i>Protein Expression and Purification</i> , 1997, 10, 132-140.	0.6	20
334	Overexpression and Purification of Elongation Factor 3 from <i>Saccharomyces cerevisiae</i> . <i>Protein Expression and Purification</i> , 1997, 10, 209-213.	0.6	9
335	A reporter gene assay for fungal sterol biosynthesis inhibitors. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 1997, 62, 165-171.	1.2	17
336	The Yeast La Protein Is Required for the 3' Endonucleolytic Cleavage That Matures tRNA Precursors. <i>Cell</i> , 1997, 89, 393-402.	13.5	250
337	Site-Specific Pseudouridine Formation in Preribosomal RNA Is Guided by Small Nucleolar RNAs. <i>Cell</i> , 1997, 89, 799-809.	13.5	581
338	Regulation of cellular Mg ²⁺ by <i>Saccharomyces cerevisiae</i> . <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 1997, 1323, 310-318.	1.4	41
339	Overexpression of the sodium ATPase of <i>Saccharomyces cerevisiae</i> : conditions for phosphorylation from ATP and Pi. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 1997, 1328, 214-225.	1.4	42
340	Use of <i>cdc13-1</i> -induced DNA damage to study effects of checkpoint genes on DNA damage processing. <i>Methods in Enzymology</i> , 1997, 283, 410-424.	0.4	21
341	Selective Targeting and Inhibition of Yeast RNA Polymerase II by RNA Aptamers. <i>Journal of Biological Chemistry</i> , 1997, 272, 27980-27986.	1.6	74
342	Expression of the release factor eRF1 (Sup45p) gene of higher eukaryotes in yeast and mammalian tissues. <i>Biochimie</i> , 1997, 79, 27-36.	1.3	23

#	ARTICLE	IF	CITATIONS
343	ENP1, an essential gene encoding a nuclear protein that is highly conserved from yeast to humans. <i>Gene</i> , 1997, 185, 137-146.	1.0	23
344	Cloning and expression of squalene epoxidase from the pathogenic yeast <i>Candida albicans</i> . <i>Gene</i> , 1997, 189, 119-126.	1.0	44
345	Identification and characterization of the thiamine transporter gene of <i>Saccharomyces cerevisiae</i> . <i>Gene</i> , 1997, 199, 111-121.	1.0	56
346	cDNA cloning and functional analysis of p44.5 and p55, two regulatory subunits of the 26S proteasome. <i>Gene</i> , 1997, 203, 241-250.	1.0	26
347	All cyclophilins and FK506 binding proteins are, individually and collectively, dispensable for viability in <i>Saccharomyces cerevisiae</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1997, 94, 13093-13098.	3.3	268
348	Stn1, a new <i>Saccharomyces cerevisiae</i> protein, is implicated in telomere size regulation in association with Cdc13.. <i>Genes and Development</i> , 1997, 11, 512-527.	2.7	254
349	The <i>Candida albicans</i> CDR3 gene codes for an opaque-phase ABC transporter. <i>Journal of Bacteriology</i> , 1997, 179, 7210-7218.	1.0	107
350	Characterization of a glucose-repressed pyruvate kinase (Pyk2p) in <i>Saccharomyces cerevisiae</i> that is catalytically insensitive to fructose-1,6-bisphosphate. <i>Journal of Bacteriology</i> , 1997, 179, 2987-2993.	1.0	113
351	Dual roles for DNA sequence identity and the mismatch repair system in the regulation of mitotic crossing-over in yeast. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1997, 94, 9757-9762.	3.3	233
352	The Dr1/DRAP1 heterodimer is a global repressor of transcription in vivo. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1997, 94, 820-825.	3.3	92
353	Effects of 60 Hz AC magnetic fields on gene expression following exposure over multiple cell generations using <i>Saccharomyces cerevisiae</i> . <i>Bioelectrochemistry</i> , 1997, 43, 83-89.	1.0	18
354	Holt-Oram syndrome is caused by mutations in TBX5, a member of the Brachyury (T) gene family. <i>Nature Genetics</i> , 1997, 15, 21-29.	9.4	859
355	Evidence for Channeling of Intermediates in the Oxidative Pentose Phosphate Pathway by Soybean and Pea Nodule Extracts, Yeast Extracts, and Purified Yeast Enzymes. <i>FEBS Journal</i> , 1997, 246, 283-290.	0.2	37
356	Purification and Nucleic-Acid-Binding Properties of a <i>Saccharomyces Cerevisiae</i> Protein Involved in the Control of Ploidy. <i>FEBS Journal</i> , 1997, 249, 309-317.	0.2	34
357	cDNA Cloning of a <i>Trichoderma reesei</i> Cellulase and Demonstration of Endoglucanase Activity by Expression in Yeast. <i>FEBS Journal</i> , 1997, 249, 584-591.	0.2	159
358	The Wheat Poly (A)-Binding Protein Functionally Complements Pab1 in Yeast. <i>FEBS Journal</i> , 1997, 243, 350-357.	0.2	28
359	The BH3 Domain of Bax is Sufficient for Interaction of Bax with itself and with other Family Members and it is Required for Induction of Apoptosis. <i>FEBS Journal</i> , 1997, 249, 85-91.	0.2	51
360	Identification of critical amino acid residues of <i>Saccharomyces cerevisiae</i> carbamoyl-phosphate synthetase: definition of the ATP site involved in carboxy-phosphate formation. <i>BBA - Proteins and Proteomics</i> , 1997, 1341, 35-48.	2.1	3

#	ARTICLE	IF	CITATIONS
361	Protein-protein interaction between the RVS161 and RVS167 gene products of <i>Saccharomyces cerevisiae</i> . <i>BBA - Proteins and Proteomics</i> , 1997, 1343, 187-192.	2.1	49
362	Calcineurin is required for virulence of <i>Cryptococcus neoformans</i> . <i>EMBO Journal</i> , 1997, 16, 2576-2589.	3.5	458
363	Tetramerization of the AKT1 plant potassium channel involves its C-terminal cytoplasmic domain. <i>EMBO Journal</i> , 1997, 16, 3455-3463.	3.5	122
364	StuAp is a sequence-specific transcription factor that regulates developmental complexity in <i>Aspergillus nidulans</i> . <i>EMBO Journal</i> , 1997, 16, 5710-5721.	3.5	147
365	Dual role of the C34 subunit of RNA polymerase III in transcription initiation. <i>EMBO Journal</i> , 1997, 16, 5730-5741.	3.5	100
366	Pop3p is essential for the activity of the RNase MRP and RNase P ribonucleoproteins <i>in vivo</i> . <i>EMBO Journal</i> , 1997, 16, 417-429.	3.5	77
367	Interplay of yeast global transcriptional regulators Ssn6p-Tup1p and Swi-Snf and their effect on chromatin structure. <i>EMBO Journal</i> , 1997, 16, 6263-6271.	3.5	76
368	Yeast pseudohyphal growth is regulated by GPA2, a G protein alpha homolog. <i>EMBO Journal</i> , 1997, 16, 7008-7018.	3.5	293
369	Lithium toxicity in yeast is due to the inhibition of RNA processing enzymes. <i>EMBO Journal</i> , 1997, 16, 7184-7195.	3.5	233
370	Rapid Amplification of Uncharacterized Transposon-tagged DNA Sequences from Genomic DNA. <i>Yeast</i> , 1997, 13, 233-240.	0.8	96
371	BTN1, a Yeast Gene Corresponding to the Human Gene Responsible for Batten's Disease, is Not Essential for Viability, Mitochondrial Function, or Degradation of Mitochondrial ATP Synthase. , 1997, 13, 691-697.		53
372	The Effect of a Suppressed rad52 Mutation on the Suppression of rad6 by srs2. , 1997, 13, 1059-1064.		6
373	Vacuole Segregation in the <i>Saccharomyces cerevisiae</i> vac2-1 Mutant: Structural and Biochemical Quantification of the Segregation Defect and Formation of New Vacuoles. , 1997, 13, 999-1008.		10
374	A Review of Phenotypes in <i>Saccharomyces cerevisiae</i> . , 1997, 13, 1099-1133.		259
375	Identification of the gene encoding scHell, a DNA helicase from <i>Saccharomyces cerevisiae</i> . , 1997, 13, 1465-1475.		4
376	Extremely high frequency electromagnetic fields at low power density do not affect the division of exponential phase <i>Saccharomyces cerevisiae</i> cells. <i>Bioelectromagnetics</i> , 1997, 18, 142-155.	0.9	47
377	Mitochondrial inheritance: Cell cycle and actin cable dependence of polarized mitochondrial movements in <i>Saccharomyces cerevisiae</i> . , 1997, 37, 199-210.		129
378	Receptors determine the cellular localization of a β -tubulin complex and thereby the site of microtubule formation. <i>EMBO Journal</i> , 1998, 17, 3952-3967.	3.5	162

#	ARTICLE	IF	CITATIONS
379	Regulation of the Cln3-Cdc28 kinase by cAMP in <i>Saccharomyces cerevisiae</i> . <i>EMBO Journal</i> , 1998, 17, 4370-4378.	3.5	112
380	Nup116p and Nup100p are interchangeable through a conserved motif which constitutes a docking site for the mRNA transport factor Gle2p. <i>EMBO Journal</i> , 1998, 17, 1107-1119.	3.5	127
381	epsilon -COP is a structural component of coatomer that functions to stabilize alpha -COP. <i>EMBO Journal</i> , 1998, 17, 985-995.	3.5	77
382	The Polo-like kinase Cdc5p and the WD-repeat protein Cdc20p/fizzy are regulators and substrates of the anaphase promoting complex in <i>Saccharomyces cerevisiae</i> . <i>EMBO Journal</i> , 1998, 17, 1336-1349.	3.5	450
383	AcMNPV Late Expression Factor-5 Interacts with Itself and Contains a Zinc Ribbon Domain That Is Required for Maximal Late Transcription Activity and Is Homologous to Elongation Factor TFIIS. <i>Virology</i> , 1998, 250, 118-134.	1.1	39
384	Correction of disease-causing CBS mutations in yeast. <i>Nature Genetics</i> , 1998, 19, 91-93.	9.4	118
385	The RAG3 gene of <i>Kluyveromyces lactis</i> is involved in the transcriptional regulation of genes coding for enzymes implicated in pyruvate utilization and genes of the biosynthesis of thiamine pyrophosphate. <i>FEMS Microbiology Letters</i> , 1998, 168, 25-30.	0.7	7
386	Utilization of microhomologous recombination in yeast to generate targeting constructs for mammalian genes. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 1998, 401, 11-25.	0.4	6
387	In vitro assay for cyclin-dependent kinase activity in yeast. <i>Technical Tips Online</i> , 1998, 3, 5-8.	0.2	3
388	Development of the methylotrophic yeast <i>Pichia methanolica</i> for the expression of the 65 kilodalton isoform of human glutamate decarboxylase. , 1998, 14, 11-23.		70
389	Distribution of the flocculation protein, Flop, at the cell surface during yeast growth: The availability of Flop determines the flocculation level. , 1998, 14, 25-35.		64
390	The Sge1 protein of <i>Saccharomyces cerevisiae</i> is a membrane-associated multidrug transporter. , 1998, 14, 49-65.		27
391	Mam33p, an oligomeric, acidic protein in the mitochondrial matrix of <i>Saccharomyces cerevisiae</i> is related to the human complement receptor gC1q-R. , 1998, 14, 303-310.		55
392	Genomic disruption of six budding yeast genes gives one drastic example of phenotype strain-dependence. , 1998, 14, 655-664.		9
393	The HIS4 gene from the yeast <i>Kluyveromyces lactis</i> . , 1998, 14, 687-691.		5
394	New constructs and strategies for efficient PCR-based gene manipulations in yeast. <i>Yeast</i> , 1998, 14, 1139-1146.	0.8	86
395	Cloning and sequence analysis of the gene encoding invertase (INV1) from the yeast <i>Candida utilis</i> . <i>Yeast</i> , 1998, 14, 1223-1232.	0.8	25
396	Comparison of expression systems in the yeasts <i>Saccharomyces cerevisiae</i> , <i>Hansenula polymorpha</i> , <i>Kluyveromyces lactis</i> , <i>Schizosaccharomyces pombe</i> and <i>Yarrowia lipolytica</i> . Cloning of two novel promoters from <i>Yarrowia lipolytica</i> . <i>Yeast</i> , 1998, 14, 1267-1283.	0.8	223

#	ARTICLE	IF	CITATIONS
397	D-Erythroascorbic acid is an important antioxidant molecule in <i>Saccharomyces cerevisiae</i> . <i>Molecular Microbiology</i> , 1998, 30, 895-903.	1.2	105
398	A high-copy-number ADE2-bearing plasmid for transformation of <i>Candida glabrata</i> . <i>Gene</i> , 1998, 211, 395-400.	1.0	14
399	cDNA cloning and functional analysis of p28 (Nas6p) and p40.5 (Nas7p), two novel regulatory subunits of the 26S proteasome. <i>Gene</i> , 1998, 216, 113-122.	1.0	83
400	Ero1p: A Novel and Ubiquitous Protein with an Essential Role in Oxidative Protein Folding in the Endoplasmic Reticulum. <i>Molecular Cell</i> , 1998, 1, 171-182.	4.5	424
401	Genetic analysis of iron uptake in the yeast <i>Saccharomyces cerevisiae</i> . <i>Journal of Pediatrics</i> , 1998, 132, S24-S29.	0.9	44
402	A Critical Role for Amino-Terminal Glutamine/Asparagine Repeats in the Formation and Propagation of a Yeast Prion. <i>Cell</i> , 1998, 93, 1241-1252.	13.5	365
403	Human lamin B receptor exhibits sterol C14-reductase activity in <i>Saccharomyces cerevisiae</i> . <i>Lipids and Lipid Metabolism</i> , 1998, 1392, 233-244.	2.6	118
404	Yeast RNase H(35) is the counterpart of the mammalian RNase HI, and is evolutionarily related to prokaryotic RNase HIII. <i>FEBS Letters</i> , 1998, 421, 23-26.	1.3	52
405	Son1p is a component of the 26S proteasome of the yeast <i>Saccharomyces cerevisiae</i> . <i>FEBS Letters</i> , 1998, 423, 149-154.	1.3	56
406	Transactivation potential of the C-terminus of human Nm23-H1. <i>FEBS Letters</i> , 1998, 423, 235-238.	1.3	13
407	Mcx1p, a ClpX homologue in mitochondria of <i>Saccharomyces cerevisiae</i> . <i>FEBS Letters</i> , 1998, 438, 250-254.	1.3	47
408	Recombinant Baker's Yeast as a Whole-Cell Catalyst for Asymmetric Baeyer-Villiger Oxidations. <i>Journal of the American Chemical Society</i> , 1998, 120, 3541-3548.	6.6	134
409	Secretion Efficiency in <i>Saccharomyces cerevisiae</i> of Bovine Pancreatic Trypsin Inhibitor Mutants Lacking Disulfide Bonds Is Correlated with Thermodynamic Stability. <i>Biochemistry</i> , 1998, 37, 1264-1273.	1.2	78
410	Secretion of Recombinant Pro- and Mature Fungal Î±-Sarcin Ribotoxin by the Methylophilic Yeast <i>Pichia pastoris</i> : The Lys-Arg Motif Is Required for Maturation. <i>Protein Expression and Purification</i> , 1998, 12, 315-322.	0.6	32
411	Degradation of Yeast Cytochromes c Dependent and Independent on Its Physiological Partners. <i>Archives of Biochemistry and Biophysics</i> , 1998, 352, 85-96.	1.4	4
412	The Nonactive Site Cysteine Residues of Yeast Protein Disulfide Isomerase Are Not Required for Cell Viability. <i>Biochemical and Biophysical Research Communications</i> , 1998, 248, 621-627.	1.0	9
413	Mutagenesis of Human Mel1a Melatonin Receptor Expressed in Yeast Reveals Domains Important for Receptor Function. <i>Biochemical and Biophysical Research Communications</i> , 1998, 249, 531-536.	1.0	49
414	The Subcellular Location of the Yeast <i>Saccharomyces cerevisiae</i> Homologue of the Protein Defective in the Juvenile Form of Batten Disease. <i>Biochemical and Biophysical Research Communications</i> , 1998, 250, 335-341.	1.0	45

#	ARTICLE	IF	CITATIONS
415	Growth-Dependent Change of the 26S Proteasome in Budding Yeast. <i>Biochemical and Biophysical Research Communications</i> , 1998, 251, 818-823.	1.0	29
416	cDNA Cloning and Characterization of a Human Proteasomal Modulator Subunit, p27 (PSMD9). <i>Genomics</i> , 1998, 50, 241-250.	1.3	48
417	Highly conserved charge-pair networks in the mitochondrial carrier family. <i>Journal of Molecular Biology</i> , 1998, 277, 285-308.	2.0	189
418	Structural and functional heterogeneity of rap1p complexes with telomeric and UASrpg-like DNA sequences. <i>Journal of Molecular Biology</i> , 1998, 284, 925-935.	2.0	25
419	Yeast Model System for Study of Mammalian Phosphodiesterases. <i>Methods</i> , 1998, 14, 35-42.	1.9	17
420	A role for the yeast La protein in U6 snRNP assembly: evidence that the La protein is a molecular chaperone for RNA polymerase III transcripts. <i>EMBO Journal</i> , 1998, 17, 7442-7453.	3.5	180
421	The MEP2 ammonium permease regulates pseudohyphal differentiation in <i>Saccharomyces cerevisiae</i> . <i>EMBO Journal</i> , 1998, 17, 1236-1247.	3.5	370
422	Preparation of Yeast Cells for Confocal Microscopy. , 1999, 122, 131-140.		7
423	The High Osmolarity Glycerol Response (HOG) MAP Kinase Pathway Controls Localization of a Yeast Golgi Glycosyltransferase. <i>Journal of Cell Biology</i> , 1998, 143, 935-946.	2.3	40
424	Regulation of chitin synthesis during dimorphic growth of <i>Candida albicans</i> . <i>Microbiology (United Kingdom)</i> 143: 93-103. doi:10.1099/09502688-143-0093	0.7	93
425	Membrane recruitment of the kinase cascade scaffold protein Ste5 by the G1213 complex underlies activation of the yeast pheromone response pathway. <i>Genes and Development</i> , 1998, 12, 2684-2697.	2.7	230
426	Der3p/Hrd1p Is Required for Endoplasmic Reticulum-associated Degradation of Misfolded Luminal and Integral Membrane Proteins. <i>Molecular Biology of the Cell</i> , 1998, 9, 209-222.	0.9	332
427	Transport of Axl2p Depends on Erv14p, an ER Vesicle Protein Related to the <i>Drosophila</i> cornichon Gene Product. <i>Journal of Cell Biology</i> , 1998, 142, 1209-1222.	2.3	129
428	Isolation and Characterization of the Gene (CLS1) Encoding Cardiolipin Synthase in <i>Saccharomyces cerevisiae</i> . <i>Journal of Biological Chemistry</i> , 1998, 273, 14933-14941.	1.6	193
429	The ATP-dependent PIM1 protease is required for the expression of intron-containing genes in mitochondria. <i>Genes and Development</i> , 1998, 12, 1515-1524.	2.7	88
430	The HOXC11 Homeodomain Protein Interacts with the Lactase-Phlorizin Hydrolase Promoter and Stimulates HNF1 α -dependent Transcription. <i>Journal of Biological Chemistry</i> , 1998, 273, 13297-13306.	1.6	40
431	Heterologous complementation reveals that mutant alleles of QSR1 render 60S ribosomal subunits unstable and translationally inactive. <i>Nucleic Acids Research</i> , 1998, 26, 2442-2448.	6.5	23
432	Interaction between Mitochondria and the Actin Cytoskeleton in Budding Yeast Requires Two Integral Mitochondrial Outer Membrane Proteins, Mmm1p and Mdm10p. <i>Journal of Cell Biology</i> , 1998, 141, 1371-1381.	2.3	177

#	ARTICLE	IF	CITATIONS
433	Classical Genetic Manipulation. , 1998, 103, 17-26.		25
434	Mutations in the Double-stranded RNA-activated Protein Kinase Insert Region That Uncouple Catalysis from eIF2 β Binding. Journal of Biological Chemistry, 1998, 273, 11274-11280.	1.6	29
435	Tropomyosin-containing Actin Cables Direct the Myo2p-dependent Polarized Delivery of Secretory Vesicles in Budding Yeast. Journal of Cell Biology, 1998, 143, 1931-1945.	2.3	310
436	AtKUP1: An Arabidopsis Gene Encoding High-Affinity Potassium Transport Activity. Plant Cell, 1998, 10, 51-62.	3.1	314
437	Dual Localization of Squalene Epoxidase, Erg1p, in Yeast Reflects a Relationship between the Endoplasmic Reticulum and Lipid Particles. Molecular Biology of the Cell, 1998, 9, 375-386.	0.9	177
438	A Genetic Screen for Aminophospholipid Transport Mutants Identifies the Phosphatidylinositol 4-Kinase, Stt4p, as an Essential Component in Phosphatidylserine Metabolism. Journal of Biological Chemistry, 1998, 273, 13189-13196.	1.6	105
439	Novel role of phosphorylation in Fe-S cluster stability revealed by phosphomimetic mutations at Ser-138 of iron regulatory protein 1. Proceedings of the National Academy of Sciences of the United States of America, 1998, 95, 15235-15240.	3.3	83
440	Identification of a Novel AMP-activated Protein Kinase β Subunit Isoform That Is Highly Expressed in Skeletal Muscle. Journal of Biological Chemistry, 1998, 273, 12443-12450.	1.6	206
441	Nip1p Associates with 40 S Ribosomes and the Prt1p Subunit of Eukaryotic Initiation Factor 3 and Is Required for Efficient Translation Initiation. Journal of Biological Chemistry, 1998, 273, 23485-23494.	1.6	22
442	Protein Folding Stability Can Determine the Efficiency of Escape from Endoplasmic Reticulum Quality Control. Journal of Biological Chemistry, 1998, 273, 19453-19458.	1.6	110
443	The Gcn5 β -Ada Complex Potentiates the Histone Acetyltransferase Activity of Gcn5. Journal of Biological Chemistry, 1998, 273, 24414-24419.	1.6	29
444	Structure-Function Analysis of FLT3 Ligand-FLT3 Receptor Interactions Using a Rapid Functional Screen. Journal of Biological Chemistry, 1998, 273, 17626-17633.	1.6	26
445	The Yeast Spindle Pole Body Component Spc72p Interacts with Stu2p and Is Required for Proper Microtubule Assembly. Journal of Cell Biology, 1998, 141, 1169-1179.	2.3	104
446	Overexpression of the Saccharomyces cerevisiae Magnesium Transport System Confers Resistance to Aluminum Ion. Journal of Biological Chemistry, 1998, 273, 1727-1732.	1.6	179
447	The role of mismatch repair in the prevention of base pair mutations in Saccharomyces cerevisiae. Proceedings of the National Academy of Sciences of the United States of America, 1998, 95, 15487-15491.	3.3	87
448	The PEL1 Gene (Renamed PGS1) Encodes the Phosphatidylglycero-phosphate Synthase of Saccharomyces cerevisiae. Journal of Biological Chemistry, 1998, 273, 9829-9836.	1.6	191
449	Cell integrity and morphogenesis in a budding yeast septin mutant. Microbiology (United Kingdom), 1998, 144, 3463-3474.	0.7	39
450	Characterization of Yeast Protein Deg1 as Pseudouridine Synthase (Pus3) Catalyzing the Formation of ψ ³⁸ and ψ ³⁹ in tRNA Anticodon Loop. Journal of Biological Chemistry, 1998, 273, 1316-1323.	1.6	124

#	ARTICLE	IF	CITATIONS
451	Spc98p Directs the Yeast $\hat{1}^3$ -Tubulin Complex into the Nucleus and Is Subject to Cell Cycle-dependent Phosphorylation on the Nuclear Side of the Spindle Pole Body. <i>Molecular Biology of the Cell</i> , 1998, 9, 775-793.	0.9	86
452	Sec61p Serves Multiple Roles in Secretory Precursor Binding and Translocation into the Endoplasmic Reticulum Membrane. <i>Molecular Biology of the Cell</i> , 1998, 9, 3455-3473.	0.9	58
453	Phosphorylation regulates association of the transcription factor Pho4 with its import receptor Pse1/Kap121. <i>Genes and Development</i> , 1998, 12, 2673-2683.	2.7	218
454	Mutations in the Yeast Proteasome $\hat{1}^2$ -Type Subunit Pre3 Uncover Position-dependent Effects on Proteasomal Peptidase Activity and in Vivo Function. <i>Journal of Biological Chemistry</i> , 1998, 273, 19443-19452.	1.6	22
455	Characterization of a p53-related Activation Domain in Adr1p That Is Sufficient for ADR1-dependent Gene Expression. <i>Journal of Biological Chemistry</i> , 1998, 273, 32080-32087.	1.6	21
456	ARF Is Required for Maintenance of Yeast Golgi and Endosome Structure and Function. <i>Molecular Biology of the Cell</i> , 1998, 9, 653-670.	0.9	127
457	<i><i>NDT80</i></i> and the Meiotic Recombination Checkpoint Regulate Expression of Middle Sporulation-Specific Genes in <i><i>Saccharomyces cerevisiae</i></i> . <i>Molecular and Cellular Biology</i> , 1998, 18, 5750-5761.	1.1	153
458	CUS2, a Yeast Homolog of Human Tat-SF1, Rescues Function of Misfolded U2 through an Unusual RNA Recognition Motif. <i>Molecular and Cellular Biology</i> , 1998, 18, 5000-5009.	1.1	75
459	7 Ty Mutagenesis. <i>Methods in Microbiology</i> , 1998, , 101-117.	0.4	0
460	Appendix IV: Nomenclature for Yeast Genes and Proteins. <i>Methods in Microbiology</i> , 1998, 26, 485-489.	0.4	1
461	A genetic system based on split-ubiquitin for the analysis of interactions between membrane proteins in vivo. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1998, 95, 5187-5192.	3.3	567
462	Mutations in RNA Polymerase II and Elongation Factor SII Severely Reduce mRNA Levels in <i><i>Saccharomyces cerevisiae</i></i> . <i>Molecular and Cellular Biology</i> , 1998, 18, 5771-5779.	1.1	46
463	Identification of a Polar Region in Transmembrane Domain 6 That Regulates the Function of the G Protein-Coupled $\hat{1}^{\pm}$ -Factor Receptor. <i>Molecular and Cellular Biology</i> , 1998, 18, 7205-7215.	1.1	50
464	Analysis of Damage Tolerance Pathways in <i><i>Saccharomyces cerevisiae</i></i> : a Requirement for Rev3 DNA Polymerase in Translesion Synthesis. <i>Molecular and Cellular Biology</i> , 1998, 18, 960-966.	1.1	73
465	Molecular analysis of CaMnt1p, a mannosyl transferase important for adhesion and virulence of <i>Candida albicans</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1998, 95, 7670-7675.	3.3	131
466	<i><i>CNS1</i></i> Encodes an Essential p60/Sti1 Homolog in <i><i>Saccharomyces cerevisiae</i></i> That Suppresses Cyclophilin 40 Mutations and Interacts with Hsp90. <i>Molecular and Cellular Biology</i> , 1998, 18, 7344-7352.	1.1	88
467	$\hat{1},91$, an Essential Subunit of Yeast Transcription Factor IIIc, Cooperates with $\hat{1},138$ in DNA Binding. <i>Molecular and Cellular Biology</i> , 1998, 18, 1-9.	1.1	57
468	Residues in the Swi5 Zinc Finger Protein That Mediate Cooperative DNA Binding with the Pho2 Homeodomain Protein. <i>Molecular and Cellular Biology</i> , 1998, 18, 6436-6446.	1.1	25

#	ARTICLE	IF	CITATIONS
469	Multiple and Distinct Activation and Repression Sequences Mediate the Regulated Transcription of <i>IME1</i> , a Transcriptional Activator of Meiosis-Specific Genes in <i>Saccharomyces cerevisiae</i> . <i>Molecular and Cellular Biology</i> , 1998, 18, 1985-1995.	1.1	75
470	Genetic and Biochemical Analysis of p23 and Ansamycin Antibiotics in the Function of Hsp90-Dependent Signaling Proteins. <i>Molecular and Cellular Biology</i> , 1998, 18, 3330-3339.	1.1	107
471	Studies of the Interaction between Rad52 Protein and the Yeast Single-Stranded DNA Binding Protein RPA. <i>Molecular and Cellular Biology</i> , 1998, 18, 4400-4406.	1.1	138
472	Interactions within the Yeast Sm Core Complex: from Proteins to Amino Acids. <i>Molecular and Cellular Biology</i> , 1998, 18, 1956-1966.	1.1	41
473	Dominant-Negative Mutations in the G-Protein-Coupled β -Factor Receptor Map to the Extracellular Ends of the Transmembrane Segments. <i>Molecular and Cellular Biology</i> , 1998, 18, 5981-5991.	1.1	59
474	Yeast Los1p Has Properties of an Exportin-Like Nucleocytoplasmic Transport Factor for tRNA. <i>Molecular and Cellular Biology</i> , 1998, 18, 6374-6386.	1.1	226
475	Requirement for End-Joining and Checkpoint Functions, but Not <i>RAD52</i> -Mediated Recombination, after <i>Eco</i> RI Endonuclease Cleavage of <i>Saccharomyces cerevisiae</i> DNA. <i>Molecular and Cellular Biology</i> , 1998, 18, 1891-1902.	1.1	72
476	20 MAP Kinase-Mediated Signal Transduction Pathways. <i>Methods in Microbiology</i> , 1998, , 375-393.	0.4	10
477	The yeast CLC chloride channel functions in cation homeostasis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1998, 95, 4046-4050.	3.3	170
478	[30] Mutational analysis of P-glycoprotein in yeast <i>Saccharomyces cerevisiae</i> . <i>Methods in Enzymology</i> , 1998, 292, 414-427.	0.4	2
479	Isolation and characterization of the yeast <i>las21</i> mutants, which are sensitive to a local anesthetic, tetracaine.. <i>Genes and Genetic Systems</i> , 1998, 73, 365-375.	0.2	10
480	Monosomy of a specific chromosome determines L-sorbose utilization: A novel regulatory mechanism in <i>Candida albicans</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1998, 95, 5150-5155.	3.3	189
481	Decreased Accumulation or Increased Isoleucyl-tRNA Synthetase Activity Confers Resistance to the Cyclic β -Amino Acid BAY 10-8888 in <i>Candida albicans</i> and <i>Candida tropicalis</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 1998, 42, 1581-1586.	1.4	30
482	Identification and Characterization of <i>MAE1</i> , the <i>Saccharomyces cerevisiae</i> Structural Gene Encoding Mitochondrial Malic Enzyme. <i>Journal of Bacteriology</i> , 1998, 180, 2875-2882.	1.0	150
483	Identification of <i>Saccharomyces cerevisiae</i> Genes Conferring Resistance to Quinoline Ring-Containing Antimalarial Drugs. <i>Antimicrobial Agents and Chemotherapy</i> , 1998, 42, 1034-1041.	1.4	40
484	A Novel Asn344 Deletion in the Core Domain of Coagulation Factor XIII A Subunit: Its Effects on Protein Structure and Function. <i>Blood</i> , 1998, 92, 481-487.	0.6	17
485	The Val34Leu Polymorphism in the A Subunit of Coagulation Factor XIII Contributes to the Large Normal Range in Activity and Demonstrates That the Activation Peptide Plays a Role in Catalytic Activity. <i>Blood</i> , 1998, 92, 2766-2770.	0.6	114
486	A yeast model for the study of Batten disease. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1998, 95, 6915-6918.	3.3	82

#	ARTICLE	IF	CITATIONS
487	Molecular Mode of Action of the Antifungal \hat{I}^2 -Amino Acid BAY 10-8888. <i>Antimicrobial Agents and Chemotherapy</i> , 1998, 42, 2197-2205.	1.4	53
488	Identification and mutagenesis of a highly conserved domain in troponin T responsible for troponin I binding: Potential role for coiled coil interaction. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1998, 95, 957-962.	3.3	66
489	Cellular transcriptome analysis using a kinetic PCR assay. , 1999, , 429-444.		2
490	Rho3 of <i>Saccharomyces cerevisiae</i> , Which Regulates the Actin Cytoskeleton and Exocytosis, Is a GTPase Which Interacts with Myo2 and Exo70. <i>Molecular and Cellular Biology</i> , 1999, 19, 3580-3587.	1.1	182
491	The DNA Helicase Activity of BLM Is Necessary for the Correction of the Genomic Instability of Bloom Syndrome Cells. <i>Molecular Biology of the Cell</i> , 1999, 10, 665-676.	0.9	132
492	The Human WASP-interacting Protein, WIP, Activates the Cell Polarity Pathway in Yeast. <i>Journal of Biological Chemistry</i> , 1999, 274, 17103-17108.	1.6	67
493	Relationship between DNA Methylation and Mutational Patterns Induced by a Sequence Selective Minor Groove Methylating Agent. <i>Journal of Biological Chemistry</i> , 1999, 274, 18327-18334.	1.6	39
494	RNA Polymerase-specific Nucleosome Disruption by Transcription in Vivo. <i>Journal of Biological Chemistry</i> , 1999, 274, 16431-16436.	1.6	22
495	A Nuclear Export Signal Prevents <i>Saccharomyces cerevisiae</i> Hsp70 Ssb1p from Stimulating Nuclear Localization Signal-directed Nuclear Transport. <i>Journal of Biological Chemistry</i> , 1999, 274, 16501-16507.	1.6	58
496	Cloning Two Genes for Nicotianamine Aminotransferase, a Critical Enzyme in Iron Acquisition (Strategy II) in Gramineous Plants. <i>Plant Physiology</i> , 1999, 121, 947-956.	2.3	235
497	The LPP1 and DPP1 Gene Products Account for Most of the Isoprenoid Phosphate Phosphatase Activities in <i>Saccharomyces cerevisiae</i> . <i>Journal of Biological Chemistry</i> , 1999, 274, 14831-14837.	1.6	126
498	Interaction between Yeast RNA Polymerase III and Transcription Factor TFIIC via ABC10 \hat{I}^{\pm} and \hat{I}_{131} Subunits. <i>Journal of Biological Chemistry</i> , 1999, 274, 33462-33468.	1.6	33
499	Mgm101p Is a Novel Component of the Mitochondrial Nucleoid That Binds DNA and Is Required for the Repair of Oxidatively Damaged Mitochondrial DNA. <i>Journal of Cell Biology</i> , 1999, 145, 291-304.	2.3	98
500	TAF25p, a Non-histone-like Subunit of TFIID and SAGA Complexes, Is Essential for Total mRNA Gene Transcription in Vivo. <i>Journal of Biological Chemistry</i> , 1999, 274, 18847-18850.	1.6	53
501	Protein Kinase Activity and Identification of a Toxic Effector Domain of the Target of Rapamycin TOR Proteins in Yeast. <i>Molecular Biology of the Cell</i> , 1999, 10, 2531-2546.	0.9	74
502	The CooH-Terminal Domain of Myo2p, a Yeast Myosin V, Has a Direct Role in Secretory Vesicle Targeting. <i>Journal of Cell Biology</i> , 1999, 147, 791-808.	2.3	228
503	PDR16 and PDR17, Two Homologous Genes of <i>Saccharomyces cerevisiae</i> , Affect Lipid Biosynthesis and Resistance to Multiple Drugs. <i>Journal of Biological Chemistry</i> , 1999, 274, 1934-1941.	1.6	142
504	Pak-Family Kinases Regulate Cell and Actin Polarization Throughout the Cell Cycle of <i>Saccharomyces cerevisiae</i> . <i>Journal of Cell Biology</i> , 1999, 147, 845-856.	2.3	96

#	ARTICLE	IF	CITATIONS
505	Two Endoplasmic Reticulum (ER) Membrane Proteins That Facilitate ER-to-Golgi Transport of Glycosylphosphatidylinositol-anchored Proteins. <i>Molecular Biology of the Cell</i> , 1999, 10, 1043-1059.	0.9	98
506	Budding Yeast Bub2 Is Localized at Spindle Pole Bodies and Activates the Mitotic Checkpoint via a Different Pathway from Mad2. <i>Journal of Cell Biology</i> , 1999, 145, 979-991.	2.3	159
507	The [URE3] prion is an aggregated form of Ure2p that can be cured by overexpression of Ure2p fragments. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999, 96, 1498-1503.	3.3	193
508	SEC14-dependent Secretion in <i>Saccharomyces cerevisiae</i> . <i>Journal of Biological Chemistry</i> , 1999, 274, 12979-12983.	1.6	48
509	Identification of the Yeast Mitochondrial Transporter for Oxaloacetate and Sulfate. <i>Journal of Biological Chemistry</i> , 1999, 274, 22184-22190.	1.6	99
510	Characterization of the Gene Encoding Serine Acetyltransferase, a Regulated Enzyme of Cysteine Biosynthesis from the Protist Parasites <i>Entamoeba histolytica</i> and <i>Entamoeba dispar</i> . <i>Journal of Biological Chemistry</i> , 1999, 274, 32445-32452.	1.6	124
511	Regulation of Ribosome Biogenesis by the Rapamycin-sensitive TOR-signaling Pathway in <i>Saccharomyces cerevisiae</i> . <i>Molecular Biology of the Cell</i> , 1999, 10, 987-1000.	0.9	364
512	Role for Drs2p, a P-Type Atpase and Potential Aminophospholipid Translocase, in Yeast Late Golgi Function. <i>Journal of Cell Biology</i> , 1999, 147, 1223-1236.	2.3	241
513	Histone modification governs the cell cycle regulation of a replication-independent chromatin assembly pathway in <i>Saccharomyces cerevisiae</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999, 96, 1345-1350.	3.3	28
514	Interaction in Vivo and in Vitro between the Yeast Fimbrin, SAC6P, and a Polymerization-defective Yeast Actin (V266G and L267G). <i>Journal of Biological Chemistry</i> , 1999, 274, 35873-35880.	1.6	19
515	A Yeast Golgi E-type ATPase with an Unusual Membrane Topology. <i>Journal of Biological Chemistry</i> , 1999, 274, 32704-32711.	1.6	32
516	A Mutant Form of Human Protein Farnesyltransferase Exhibits Increased Resistance to Farnesyltransferase Inhibitors. <i>Journal of Biological Chemistry</i> , 1999, 274, 27010-27017.	1.6	40
517	Export of a Cysteine-Free Misfolded Secretory Protein from the Endoplasmic Reticulum for Degradation Requires Interaction with Protein Disulfide Isomerase. <i>Journal of Cell Biology</i> , 1999, 147, 1443-1456.	2.3	168
518	An internal targeting signal directing proteins into the mitochondrial intermembrane space. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999, 96, 11752-11757.	3.3	120
519	Nup192p Is a Conserved Nucleoporin with a Preferential Location at the Inner Site of the Nuclear Membrane. <i>Journal of Biological Chemistry</i> , 1999, 274, 22646-22651.	1.6	44
520	A protein-protein interaction map of yeast RNA polymerase III. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999, 96, 7815-7820.	3.3	137
521	Translational Regulation of Ribonucleotide Reductase by Eukaryotic Initiation Factor 4E Links Protein Synthesis to the Control of DNA Replication. <i>Journal of Biological Chemistry</i> , 1999, 274, 35991-35998.	1.6	43
522	Structure/Function of the $\hat{1}^2$ -Barrel Domain of F1-ATPase in the Yeast <i>Saccharomyces cerevisiae</i> . <i>Journal of Biological Chemistry</i> , 1999, 274, 16363-16369.	1.6	14

#	ARTICLE	IF	CITATIONS
523	Post-translational Regulation of Adr1 Activity Is Mediated by Its DNA Binding Domain. <i>Journal of Biological Chemistry</i> , 1999, 274, 37575-37582.	1.6	29
524	A highly conserved kinase is an essential component for stress tolerance in yeast and plant cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999, 96, 5873-5877.	3.3	76
525	Genetic Selection of Mutations in the High Affinity K ⁺ Transporter HKT1 That Define Functions of a Loop Site for Reduced Na ⁺ Permeability and Increased Na ⁺ Tolerance. <i>Journal of Biological Chemistry</i> , 1999, 274, 6839-6847.	1.6	113
526	The <i>Schizosaccharomyces pombe</i> <i>hst4</i> ⁺ Gene Is a SIR2 Homologue with Silencing and Centromeric Functions. <i>Molecular Biology of the Cell</i> , 1999, 10, 3171-3186.	0.9	68
527	Bivalent Inhibitor of the N-end Rule Pathway. <i>Journal of Biological Chemistry</i> , 1999, 274, 18135-18139.	1.6	34
528	Yeast flavin-containing monooxygenase generates oxidizing equivalents that control protein folding in the endoplasmic reticulum. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999, 96, 2687-2691.	3.3	79
529	Identification of a Compound Origin of Replication at the HMR-E Locus in <i>Saccharomyces cerevisiae</i> . <i>Journal of Biological Chemistry</i> , 1999, 274, 4155-4159.	1.6	22
530	Starvation Induces Vacuolar Targeting and Degradation of the Tryptophan Permease in Yeast. <i>Journal of Cell Biology</i> , 1999, 146, 1227-1238.	2.3	279
531	Identification and characterization of two missense mutations causing factor XIII A deficiency. <i>British Journal of Haematology</i> , 1999, 104, 37-43.	1.2	18
532	The C-terminus of eRF1 defines a functionally important domain for translation termination in <i>Saccharomyces cerevisiae</i> . <i>Molecular Microbiology</i> , 1999, 32, 485-496.	1.2	80
533	Contribution of N- and C-terminal domains to the function of Hsp90 in <i>Saccharomyces cerevisiae</i> . <i>Molecular Microbiology</i> , 1999, 34, 701-713.	1.2	15
534	The TOR signalling pathway controls nuclear localization of nutrient-regulated transcription factors. <i>Nature</i> , 1999, 402, 689-692.	13.7	883
535	Activation of Ste20 by Nef from Human Immunodeficiency Virus Induces Cytoskeletal Rearrangements and Downstream Effector Functions in <i>Saccharomyces cerevisiae</i> . <i>Virology</i> , 1999, 258, 271-281.	1.1	8
536	The wheat LEA protein Em functions as an osmoprotective molecule in <i>Saccharomyces cerevisiae</i> . , 1999, 39, 117-128.		119
537	Elements essential for accumulation and function of small nucleolar RNAs directing site-specific pseudouridylation of ribosomal RNAs. <i>EMBO Journal</i> , 1999, 18, 457-469.	3.5	106
538	Cloning and sequencing of a rice (<i>Oryza sativa</i> L.) RAPB cDNA using yeast one-hybrid system. <i>Science in China Series C: Life Sciences</i> , 1999, 42, 354-361.	1.3	1
539	Comparison of spontaneous and adaptive mutation spectra in yeast. <i>Journal of Genetics</i> , 1999, 78, 51-55.	0.4	9
540	Unfolded protein response-induced BiP/Kar2p production protects cell growth against accumulation of misfolded protein aggregates in the yeast endoplasmic reticulum. <i>European Journal of Cell Biology</i> , 1999, 78, 726-738.	1.6	19

#	ARTICLE	IF	CITATIONS
541	The open reading frame YAL048c affects the secretion of proteinase A in <i>S. cerevisiae</i> . <i>Yeast</i> , 1999, 15, 427-434.	0.8	12
542	Combining mutations in the incoming and outgoing pheromone signal pathways causes a synergistic mating defect in <i>Saccharomyces cerevisiae</i> . , 1999, 15, 765-780.		8
543	A fast method to diagnose chromosome and plasmid loss in <i>Saccharomyces cerevisiae</i> strains. , 1999, 15, 1009-1019.		19
544	Epitope tagging of yeast genes using a PCR-based strategy: more tags and improved practical routines. , 1999, 15, 963-972.		946
545	Designer deletion and prototrophic strains derived from <i>Saccharomyces cerevisiae</i> strain W303-1a. <i>Yeast</i> , 1999, 15, 1141-1149.	0.8	26
546	Systematic analysis of <i>S. cerevisiae</i> chromosome VIII genes. <i>Yeast</i> , 1999, 15, 1775-1796.	0.8	42
547	Ploidy Regulation of Gene Expression. <i>Science</i> , 1999, 285, 251-254.	6.0	608
548	A Biochemical Genomics Approach for Identifying Genes by the Activity of Their Products. <i>Science</i> , 1999, 286, 1153-1155.	6.0	408
549	An allele of the yeast RPB7 gene, encoding an essential subunit of RNA polymerase II, reduces cellular resistance to the antitumor drug bleomycin. <i>Biochemistry and Cell Biology</i> , 1999, 77, 375-382.	0.9	9
550	A yeast strain defective in oleic acid utilization has a mutation in the RML2 gene. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 1999, 1438, 223-238.	1.2	10
551	Elongator, a Multisubunit Component of a Novel RNA Polymerase II Holoenzyme for Transcriptional Elongation. <i>Molecular Cell</i> , 1999, 3, 109-118.	4.5	713
552	The Engagement of Sec61p in the ER Dislocation Process. <i>Molecular Cell</i> , 1999, 4, 925-934.	4.5	112
553	lbd1p, a possible spindle pole body associated protein, regulates nuclear division and bud separation in <i>Saccharomyces cerevisiae</i> . <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 1999, 1449, 239-253.	1.9	15
554	Cloning, characterisation, and functional expression of the <i>Mus musculus</i> SKD1 gene in yeast demonstrates that the mouse SKD1 and the yeast VPS4 genes are orthologues and involved in intracellular protein trafficking. <i>Gene</i> , 1999, 234, 149-159.	1.0	27
555	Monitoring dynamics of gene expression in yeast during stationary phase. <i>Gene</i> , 1999, 236, 33-42.	1.0	17
556	Re-entering the translocon from the luminal side of the endoplasmic reticulum. Studies on mutated carboxypeptidase yscY species. <i>FEBS Letters</i> , 1999, 443, 241-245.	1.3	46
557	Purification of <i>Saccharomyces cerevisiae</i> RNase H(70) and identification of the corresponding gene. <i>FEBS Letters</i> , 1999, 450, 251-256.	1.3	27
558	Enlargement of the endoplasmic reticulum membrane in <i>Saccharomyces cerevisiae</i> is not necessarily linked to the unfolded protein response via Ire1p. <i>FEBS Letters</i> , 1999, 453, 210-214.	1.3	24

#	ARTICLE	IF	CITATIONS
559	Polypeptide release factor eRF1 from <i>Tetrahymena thermophila</i> : cDNA cloning, purification and complex formation with yeast eRF3. <i>FEBS Letters</i> , 1999, 457, 483-488.	1.3	21
560	Interactions between the full complement of human RNA polymerase II subunits. <i>FEBS Letters</i> , 1999, 461, 253-257.	1.3	8
561	Concurrent knock-out of at least 20 transporter genes is required to block uptake of hexoses in <i>Saccharomyces cerevisiae</i> . <i>FEBS Letters</i> , 1999, 464, 123-128.	1.3	552
562	Endogenous mutations in human uncoupling protein 3 alter its functional properties. <i>FEBS Letters</i> , 1999, 464, 189-193.	1.3	19
563	Glucose Uptake Kinetics and Transcription of HXT Genes in Chemostat Cultures of <i>Saccharomyces cerevisiae</i> . <i>Journal of Biological Chemistry</i> , 1999, 274, 15350-15359.	1.6	197
564	Epistatic interactions of deletion mutants in the genes encoding the F1-ATPase in yeast <i>Saccharomyces cerevisiae</i> . <i>EMBO Journal</i> , 1999, 18, 58-64.	3.5	60
565	Ligand Recognition in Multiallelic Pheromone Receptors from the Basidiomycete <i>Schizophyllum commune</i> Studied in Yeast. <i>Fungal Genetics and Biology</i> , 1999, 26, 190-197.	0.9	29
566	Molecular Analysis of the <i>Cryptococcus neoformans</i> ADE2 Gene, a Selectable Marker for Transformation and Gene Disruption. <i>Fungal Genetics and Biology</i> , 1999, 27, 36-48.	0.9	40
567	Functional properties of the two redox-active sites in yeast protein disulphide isomerase in Vitro and in Vivo 1 Edited by G. Von Heijne. <i>Journal of Molecular Biology</i> , 1999, 286, 1229-1239.	2.0	29
568	Mutagenesis of yeast TFIIIB70 reveals C-terminal residues critical for interaction with TBP and C34 1 Edited by M. Yaniv. <i>Journal of Molecular Biology</i> , 1999, 288, 511-520.	2.0	49
569	Targeted Linearization of DNA in Vivo. <i>Methods</i> , 1999, 17, 95-103.	1.9	1
570	Genetic Approaches to the Study of Protein-Protein Interactions. <i>Methods</i> , 1999, 19, 338-349.	1.9	17
571	Investigation of Batten Disease with the Yeast <i>Saccharomyces cerevisiae</i> . <i>Molecular Genetics and Metabolism</i> , 1999, 66, 314-319.	0.5	11
572	Las21 participates in extracellular/cell surface phenomena in <i>Saccharomyces cerevisiae</i> . <i>Genes and Genetic Systems</i> , 1999, 74, 241-256.	0.2	16
573	Functional expression, quantification and cellular localization of the Hxt2 hexose transporter of <i>Saccharomyces cerevisiae</i> tagged with the green fluorescent protein. <i>Biochemical Journal</i> , 1999, 339, 299-307.	1.7	70
574	Functional divergence between the half-sites of the DNA-binding sequence for the yeast transcriptional regulator Rap1p. <i>Biochemical Journal</i> , 1999, 341, 477-482.	1.7	19
575	Negative regulation of male development in <i>Caenorhabditis elegans</i> by a protein-protein interaction between TRA-2A and FEM-3. <i>Genes and Development</i> , 1999, 13, 1453-1463.	2.7	100
576	[10] Use of yeast sec6 mutant for purification of vesicles containing recombinant membrane proteins. <i>Methods in Enzymology</i> , 1999, 306, 169-186.	0.4	5

#	ARTICLE	IF	CITATIONS
577	Rpn9 Is Required for Efficient Assembly of the Yeast 26S Proteasome. <i>Molecular and Cellular Biology</i> , 1999, 19, 6575-6584.	1.1	63
578	In Vivo Analysis of Functional Regions within Yeast Rap1p. <i>Molecular and Cellular Biology</i> , 1999, 19, 7481-7490.	1.1	47
579	Nip7p Interacts with Nop8p, an Essential Nucleolar Protein Required for 60S Ribosome Biogenesis, and the Exosome Subunit Rrp43p. <i>Molecular and Cellular Biology</i> , 1999, 19, 1518-1525.	1.1	87
580	Mutagenesis of <i>SNM1</i> , Which Encodes a Protein Component of the Yeast RNase MRP, Reveals a Role for This Ribonucleoprotein Endoribonuclease in Plasmid Segregation. <i>Molecular and Cellular Biology</i> , 1999, 19, 7857-7869.	1.1	41
581	Functional Analysis of the Yeast Glc7-Binding Protein Reg1 Identifies a Protein Phosphatase Type 1-Binding Motif as Essential for Repression of <i>ADH2</i> Expression. <i>Molecular and Cellular Biology</i> , 1999, 19, 6029-6040.	1.1	55
582	Genetic and Physical Interactions Involving the Yeast Nuclear Cap-Binding Complex. <i>Molecular and Cellular Biology</i> , 1999, 19, 6543-6553.	1.1	78
583	<i>RPH1</i> and <i>GIS1</i> Are Damage-Responsive Repressors of <i>PHR1</i> . <i>Molecular and Cellular Biology</i> , 1999, 19, 7630-7638.	1.1	62
584	Rpb7 Can Interact with RNA Polymerase II and Support Transcription during Some Stresses Independently of Rpb4. <i>Molecular and Cellular Biology</i> , 1999, 19, 2672-2680.	1.1	62
585	Overlapping Specificities of Base Excision Repair, Nucleotide Excision Repair, Recombination, and Translesion Synthesis Pathways for DNA Base Damage in <i>Saccharomyces cerevisiae</i> . <i>Molecular and Cellular Biology</i> , 1999, 19, 2929-2935.	1.1	205
586	Rapamycin Antifungal Action Is Mediated via Conserved Complexes with FKBP12 and TOR Kinase Homologs in <i>Cryptococcus neoformans</i> . <i>Molecular and Cellular Biology</i> , 1999, 19, 4101-4112.	1.1	159
587	Removal of Frameshift Intermediates by Mismatch Repair Proteins in <i>Saccharomyces cerevisiae</i> . <i>Molecular and Cellular Biology</i> , 1999, 19, 4766-4773.	1.1	56
588	Bni1p Regulates Microtubule-Dependent Nuclear Migration through the Actin Cytoskeleton in <i>Saccharomyces cerevisiae</i> . <i>Molecular and Cellular Biology</i> , 1999, 19, 8016-8027.	1.1	43
589	Two Prion-Inducing Regions of Ure2p Are Nonoverlapping. <i>Molecular and Cellular Biology</i> , 1999, 19, 4516-4524.	1.1	104
590	Cyclic AMP-Dependent Protein Kinase Regulates Pseudohyphal Differentiation in <i>Saccharomyces cerevisiae</i> . <i>Molecular and Cellular Biology</i> , 1999, 19, 4874-4887.	1.1	337
591	The TOR signaling cascade regulates gene expression in response to nutrients. <i>Genes and Development</i> , 1999, 13, 3271-3279.	2.7	531
592	Analysis of Ceramides Present in Glycosylphosphatidylinositol Anchored Proteins of <i>Saccharomyces cerevisiae</i> . <i>Methods in Enzymology</i> , 2000, 312, 506-515.	0.4	24
593	Assays for Studying Bax-Induced Lethality in the Yeast <i>Saccharomyces cerevisiae</i> . <i>Methods in Enzymology</i> , 2000, 322, 283-296.	0.4	13
594	[8] Use of fusions to human thymidine kinase as reporters of gene expression and protein stability in <i>Saccharomyces cerevisiae</i> . <i>Methods in Enzymology</i> , 2000, 326, 120-133.	0.4	1

#	ARTICLE	IF	CITATIONS
595	[10] The yeast split-hybrid system. <i>Methods in Enzymology</i> , 2000, 328, 128-137.	0.4	2
596	<i>Saccharomyces cerevisiae</i> Yak1p protein kinase autophosphorylates on tyrosine residues and phosphorylates myelin basic protein on a C-terminal serine residue. <i>Biochemical Journal</i> , 2000, 348, 263-272.	1.7	49
597	Disruption and overexpression of the <i>Schizosaccharomyces pombe</i> aph1 gene and the effects on intracellular diadenosine 5'-P ₁ ,P ₄ -tetraphosphate (Ap ₄ A), ATP and ADP concentrations. <i>Biochemical Journal</i> , 2000, 350, 663-669.	1.7	17
598	Photoaffinity labelling with P ₃ -(4-azidoanilido)uridine 5'-triphosphate identifies Gpi3p as the UDP-GlcNAc-binding subunit of the enzyme that catalyses formation of GlcNAc-phosphatidylinositol, the first glycolipid intermediate in glycosylphosphatidylinositol synthesis. <i>Biochemical Journal</i> , 2000, 350, 815-822.	1.7	39
599	Expression and purification of Rho/RhoGDI complexes. <i>Methods in Enzymology</i> , 2000, 325, 15-25.	0.4	12
600	[7] Use of imidazoleglycerolphosphate dehydratase (His3) as a biological reporter in yeast. <i>Methods in Enzymology</i> , 2000, 326, 107-119.	0.4	11
601	The products of YCF1 and YLL015w (BPT1) cooperate for the ATP-dependent vacuolar transport of unconjugated bilirubin in <i>Saccharomyces cerevisiae</i> . <i>Yeast</i> , 2000, 16, 561-571.	0.8	68
602	Isolation and nucleotide sequence of a gene encoding tRNA nucleotidyltransferase from <i>Kluyveromyces lactis</i> . <i>Yeast</i> , 2000, 16, 945-952.	0.8	5
603	Isolation of <i>Pichia pastoris</i> genes involved in ER-to-Golgi transport. <i>Yeast</i> , 2000, 16, 979-993.	0.8	29
604	A network of proteins around Rvs167p and Rvs161p, two proteins related to the yeast actin cytoskeleton. <i>Yeast</i> , 2000, 16, 1229-1241.	0.8	39
605	Isolation and characterization of <i>Saccharomyces cerevisiae</i> mutants with derepressed thiamine gene expression. <i>Yeast</i> , 2000, 16, 1497-1508.	0.8	12
606	No mutagenic or recombinogenic effects of mobile phone fields at 900 MHz detected in the yeast <i>Saccharomyces cerevisiae</i> . <i>Bioelectromagnetics</i> , 2000, 21, 515-523.	0.9	30
607	Induction of neutral trehalase Nth1 by heat and osmotic stress is controlled by STRE elements and Msn2/Msn4 transcription factors: variations of PKA effect during stress and growth. <i>Molecular Microbiology</i> , 2000, 35, 397-406.	1.2	101
608	Rad6p represses yeast-hypha morphogenesis in the human fungal pathogen <i>Candida albicans</i> . <i>Molecular Microbiology</i> , 2000, 35, 1264-1275.	1.2	42
609	A large-scale study of Yap1p-dependent genes in normal aerobic and H ₂ O ₂ -stress conditions: the role of Yap1p in cell proliferation control in yeast. <i>Molecular Microbiology</i> , 2000, 36, 830-845.	1.2	42
610	RAS1 regulates filamentation, mating and growth at high temperature of <i>Cryptococcus neoformans</i> . <i>Molecular Microbiology</i> , 2000, 36, 352-365.	1.2	211
611	FAP1, a homologue of human transcription factor NF-X1, competes with rapamycin for binding to FKBP12 in yeast. <i>Molecular Microbiology</i> , 2000, 37, 1480-1493.	1.2	20
612	Complementation of deletion mutants in the genes encoding the F ₁ -ATPase by expression of the corresponding bovine subunits in yeast <i>S. cerevisiae</i> . <i>FEBS Journal</i> , 2000, 267, 2409-2418.	0.2	23

#	ARTICLE	IF	CITATIONS
613	Characterization of human HtrA2, a novel serine protease involved in the mammalian cellular stress response. <i>FEBS Journal</i> , 2000, 267, 5699-5710.	0.2	227
614	Use of gene shuffles to study the cytoplasmic transcription system operating on <i>Kluyveromyces lactis</i> linear DNA plasmids. <i>Enzyme and Microbial Technology</i> , 2000, 26, 664-670.	1.6	11
615	Mutations in GAL2 or GAL4 alleviate catabolite repression produced by galactose in <i>Saccharomyces cerevisiae</i> . <i>Enzyme and Microbial Technology</i> , 2000, 26, 748-755.	1.6	8
616	Cloning of <i>Arabidopsis</i> and barley cDNAs encoding HAK potassium transporters in root and shoot cells. <i>Physiologia Plantarum</i> , 2000, 109, 34-43.	2.6	225
617	A Novel Pathway for Transport and Metabolism of a Fluorescent Phosphatidic Acid Analog in Yeast. <i>Traffic</i> , 2000, 1, 425-434.	1.3	11
618	Large-scale identification of secreted and membrane-associated gene products using DNA microarrays. <i>Nature Genetics</i> , 2000, 25, 58-62.	9.4	241
619	The auxilin-like phosphoprotein Swa2p is required for clathrin function in yeast. <i>Current Biology</i> , 2000, 10, 1349-1358.	1.8	96
620	Further characterization of the actin-related protein Act3p/Arp4 of <i>S. cerevisiae</i> through mutational analysis. , 2000, 27, 35-43.		4
621	Identification and characterization of a highly conserved calcineurin binding protein, CBP1/calciressin, in <i>Cryptococcus neoformans</i> . <i>EMBO Journal</i> , 2000, 19, 3618-3629.	3.5	158
622	Monoubiquitin carries a novel internalization signal that is appended to activated receptors. <i>EMBO Journal</i> , 2000, 19, 187-198.	3.5	264
623	Nud1p links astral microtubule organization and the control of exit from mitosis. <i>EMBO Journal</i> , 2000, 19, 6475-6488.	3.5	132
624	U snRNP assembly in yeast involves the La protein. <i>EMBO Journal</i> , 2000, 19, 1650-1660.	3.5	77
625	The respiratory complex I in yeast: Isolation of a gene NUO51 coding for the nucleotide-binding subunit of NADH: Ubiquinone oxidoreductase from the obligately aerobic yeast <i>Yarrowia lipolytica</i> . <i>Folia Microbiologica</i> , 2000, 45, 429-433.	1.1	4
626	Architectural Transcription Factors and the SAGA Complex Function in Parallel Pathways To Activate Transcription. <i>Molecular and Cellular Biology</i> , 2000, 20, 2350-2357.	1.1	68
627	Mutants Affecting the Structure of the Cortical Endoplasmic Reticulum in <i>Saccharomyces cerevisiae</i> . <i>Journal of Cell Biology</i> , 2000, 150, 461-474.	2.3	263
628	The <i>Saccharomyces cerevisiae</i> RNA-binding Protein Rbp29 Functions in Cytoplasmic mRNA Metabolism. <i>Journal of Biological Chemistry</i> , 2000, 275, 21817-21826.	1.6	33
629	Yeast Lacking Cu-Zn Superoxide Dismutase Show Altered Iron Homeostasis. <i>Journal of Biological Chemistry</i> , 2000, 275, 11645-11649.	1.6	82
630	The <i>Saccharomyces cerevisiae</i> Rheb G-protein Is Involved in Regulating Canavanine Resistance and Arginine Uptake. <i>Journal of Biological Chemistry</i> , 2000, 275, 11198-11206.	1.6	119

#	ARTICLE	IF	CITATIONS
631	The spliceosomal snRNP core complex of <i>Trypanosoma brucei</i> : Cloning and functional analysis reveals seven Sm protein constituents. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000, 97, 8967-8972.	3.3	59
632	Desferrioxamine-mediated Iron Uptake in <i>Saccharomyces cerevisiae</i> . <i>Journal of Biological Chemistry</i> , 2000, 275, 10709-10715.	1.6	166
633	Increased Rates of Genomic Deletions Generated by Mutations in the Yeast Gene Encoding DNA Polymerase δ or by Decreases in the Cellular Levels of DNA Polymerase δ . <i>Molecular and Cellular Biology</i> , 2000, 20, 7490-7504.	1.1	87
634	Rsp5, a Ubiquitin-Protein Ligase, Is Involved in Degradation of the Single-Stranded-DNA Binding Protein Rfa1 in <i>Saccharomyces cerevisiae</i> . <i>Molecular and Cellular Biology</i> , 2000, 20, 224-232.	1.1	16
635	Siderophore-Iron Uptake in <i>Saccharomyces cerevisiae</i> . <i>Journal of Biological Chemistry</i> , 2000, 275, 16354-16359.	1.6	145
636	A protein required for prion generation: [URE3] induction requires the Ras-regulated Mks1 protein. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000, 97, 6625-6629.	3.3	45
637	PNG1, a Yeast Gene Encoding a Highly Conserved Peptide:N-Glycanase. <i>Journal of Cell Biology</i> , 2000, 149, 1039-1052.	2.3	211
638	Genetic Interactions between TFIIIS and the Swi-Snf Chromatin-Remodeling Complex. <i>Molecular and Cellular Biology</i> , 2000, 20, 5960-5973.	1.1	69
639	Structural Basis of BFL-1 for Its Interaction with BAX and Its Anti-apoptotic Action in Mammalian and Yeast Cells. <i>Journal of Biological Chemistry</i> , 2000, 275, 11092-11099.	1.6	64
640	Distinct Protein Domains of the Yeast Golgi GDP-mannose Transporter Mediate Oligomer Assembly and Export from the Endoplasmic Reticulum. <i>Journal of Biological Chemistry</i> , 2000, 275, 17718-17727.	1.6	75
641	Hexokinase Regulates Kinetics of Glucose Transport and Expression of Genes Encoding Hexose Transporters in <i>Saccharomyces cerevisiae</i> . <i>Journal of Bacteriology</i> , 2000, 182, 6815-6818.	1.0	44
642	Evidence for Overlapping and Distinct Functions in Protein Transport of Coat Protein Sec24p Family Members. <i>Journal of Biological Chemistry</i> , 2000, 275, 11521-11528.	1.6	91
643	The protein translocation channel mediates glycopeptide export across the endoplasmic reticulum membrane. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000, 97, 4609-4614.	3.3	37
644	Partial Uncoupling of the Mitochondrial Membrane by a Heterozygous Null Mutation in the Gene Encoding the δ^3 - or δ -Subunit of the Yeast Mitochondrial ATPase. <i>Journal of Biological Chemistry</i> , 2000, 275, 6963-6968.	1.6	21
645	Isla1p Is a Component of the Mitochondrial Machinery for Maturation of Cellular Iron-Sulfur Proteins and Requires Conserved Cysteine Residues for Function. <i>Journal of Biological Chemistry</i> , 2000, 275, 15955-15961.	1.6	111
646	The C Terminus of the <i>Saccharomyces cerevisiae</i> δ -Factor Receptor Contributes to the Formation of Preactivation Complexes with Its Cognate G Protein. <i>Molecular and Cellular Biology</i> , 2000, 20, 5321-5329.	1.1	65
647	Yeast Nucleoporins Involved in Passive Nuclear Envelope Permeability. <i>Journal of Cell Biology</i> , 2000, 149, 1027-1038.	2.3	104
648	A role of transcriptional activators as antirepressors for the autoinhibitory activity of TATA box binding of transcription factor IID. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000, 97, 7178-7183.	3.3	45

#	ARTICLE	IF	CITATIONS
649	Genome-wide analysis of vaccinia virus protein-protein interactions. Proceedings of the National Academy of Sciences of the United States of America, 2000, 97, 4879-4884.	3.3	282
650	Transcript quantitation in total yeast cellular RNA using kinetic PCR. Nucleic Acids Research, 2000, 28, 2e-2.	6.5	37
651	[32] Use of dimethyl sulfate to probe RNA structure in vivo. Methods in Enzymology, 2000, 318, 479-493.	0.4	123
652	Dual Lipid Modification Motifs in G α and G β Subunits Are Required for Full Activity of the Pheromone Response Pathway in <i>Saccharomyces cerevisiae</i> . Molecular Biology of the Cell, 2000, 11, 957-968.	0.9	58
653	Functional Characterization of Nuclear Localization Signals in Yeast Sm Proteins. Molecular and Cellular Biology, 2000, 20, 7943-7954.	1.1	39
654	A sequence resembling a peroxisomal targeting sequence directs the interaction between the tetratricopeptide repeats of Ssn6 and the homeodomain of alpha 2. Proceedings of the National Academy of Sciences of the United States of America, 2000, 97, 3901-3906.	3.3	19
655	Protein Expression Strategies for Identification of Novel Target Proteins. Journal of Biomolecular Screening, 2000, 5, 89-97.	2.6	24
656	Signal transduction by a nondissociable heterotrimeric yeast G protein. Proceedings of the National Academy of Sciences of the United States of America, 2000, 97, 3219-3223.	3.3	83
657	Yeast flavin-containing monooxygenase is induced by the unfolded protein response. Proceedings of the National Academy of Sciences of the United States of America, 2000, 97, 121-126.	3.3	35
658	Placental cell fates are regulated in vivo by HIF-mediated hypoxia responses. Genes and Development, 2000, 14, 3191-3203.	2.7	349
659	[URE3] Prion Propagation in <i>Saccharomyces cerevisiae</i> : Requirement for Chaperone Hsp104 and Curing by Overexpressed Chaperone Ydj1p. Molecular and Cellular Biology, 2000, 20, 8916-8922.	1.1	270
660	Regulatory Mechanisms for Modulation of Signaling through the Cell Integrity Slt2-mediated Pathway in <i>Saccharomyces cerevisiae</i> . Journal of Biological Chemistry, 2000, 275, 1511-1519.	1.6	316
661	Lst1p and Sec24p Cooperate in Sorting of the Plasma Membrane Atpase into Copii Vesicles in <i>Saccharomyces cerevisiae</i> . Journal of Cell Biology, 2000, 151, 973-984.	2.3	133
662	Glycosylphosphatidylinositol Biosynthesis Defects in Gpi11p- and Gpi13p-deficient Yeast Suggest a Branched Pathway and Implicate Gpi13p in Phosphoethanolamine Transfer to the Third Mannose. Molecular Biology of the Cell, 2000, 11, 1611-1630.	0.9	62
663	Stimulation of Mitotic Recombination Events by High Levels of RNA Polymerase II Transcription in Yeast. Molecular and Cellular Biology, 2000, 20, 5404-5414.	1.1	45
664	Undecylenic Acid Inhibits Morphogenesis of <i>Candida albicans</i> . Antimicrobial Agents and Chemotherapy, 2000, 44, 2873-2875.	1.4	67
665	Sec24p and Iss1p Function Interchangeably in Transport Vesicle Formation from the Endoplasmic Reticulum in <i>Saccharomyces cerevisiae</i> . Molecular Biology of the Cell, 2000, 11, 983-998.	0.9	70
666	Interaction between Transmembrane Domains Five and Six of the β -Factor Receptor. Journal of Biological Chemistry, 2000, 275, 26492-26499.	1.6	41

#	ARTICLE	IF	CITATIONS
667	The Role of Nuclear Cap Binding Protein Cbc1p of Yeast in mRNA Termination and Degradation. <i>Molecular and Cellular Biology</i> , 2000, 20, 2827-2838.	1.1	66
668	Sok2 Regulates Yeast Pseudohyphal Differentiation via a Transcription Factor Cascade That Regulates Cell-Cell Adhesion. <i>Molecular and Cellular Biology</i> , 2000, 20, 8364-8372.	1.1	119
669	Functional Interaction between Ssu72 and the Rpb2 Subunit of RNA Polymerase II in <i>Saccharomyces cerevisiae</i> . <i>Molecular and Cellular Biology</i> , 2000, 20, 8343-8351.	1.1	60
670	A mitochondrial ferredoxin is essential for biogenesis of cellular iron-sulfur proteins. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000, 97, 1050-1055.	3.3	271
671	Mlp2p, A Component of Nuclear Pore Attached Intranuclear Filaments, Associates with Nic96p. <i>Journal of Biological Chemistry</i> , 2000, 275, 343-350.	1.6	81
672	Geranylgeranyltransferase I of <i>Candida albicans</i> : Null Mutants or Enzyme Inhibitors Produce Unexpected Phenotypes. <i>Journal of Bacteriology</i> , 2000, 182, 704-713.	1.0	40
673	Genetic Analysis of the Ydr1-Bur6 Repressor Complex Reveals an Intricate Balance among Transcriptional Regulatory Proteins in Yeast. <i>Molecular and Cellular Biology</i> , 2000, 20, 2455-2465.	1.1	21
674	Lipid rafts function in biosynthetic delivery of proteins to the cell surface in yeast. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000, 97, 3254-3259.	3.3	515
675	Cytochrome c Methyltransferase, Ctm1p, of Yeast. <i>Journal of Biological Chemistry</i> , 2000, 275, 20508-20513.	1.6	44
676	Mechanism of Metabolic Control. <i>Journal of Cell Biology</i> , 2000, 151, 863-878.	2.3	196
677	DNA-Directed Expression of Functional Flock House Virus RNA1 Derivatives in <i>Saccharomyces cerevisiae</i> , Heterologous Gene Expression, and Selective Effects on Subgenomic mRNA Synthesis. <i>Journal of Virology</i> , 2000, 74, 11724-11733.	1.5	70
678	The Effects of RAD52 Epistasis Group Genes on Various Types of Spontaneous Mitotic Recombination in <i>Saccharomyces cerevisiae</i> . <i>Biochemical and Biophysical Research Communications</i> , 2000, 270, 112-118.	1.0	2
679	Rapid Isolation and Characterization of the Yeast Proteasome Regulatory Complex. <i>Biochemical and Biophysical Research Communications</i> , 2000, 273, 509-515.	1.0	44
680	Filamentous Growth of <i>Saccharomyces cerevisiae</i> Is Regulated by Manganese. <i>Fungal Genetics and Biology</i> , 2000, 30, 155-162.	0.9	6
681	Analysis of Phosphoinositides in Protein Trafficking. <i>Methods</i> , 2000, 20, 465-473.	1.9	42
682	Mutagenesis Assays in Yeast. <i>Methods</i> , 2000, 22, 116-119.	1.9	12
683	Analysis of Multiple Mutations in the hALG6 Gene in a Patient with Congenital Disorder of Glycosylation Ic. <i>Molecular Genetics and Metabolism</i> , 2000, 70, 219-223.	0.5	33
684	Reduced Heparan Sulfate Accumulation in Enterocytes Contributes to Protein-Losing Enteropathy in a Congenital Disorder of Glycosylation. <i>American Journal of Pathology</i> , 2000, 157, 1917-1925.	1.9	92

#	ARTICLE	IF	CITATIONS
685	Cloning of a human tRNA isopentenyl transferase. <i>Gene</i> , 2000, 258, 85-93.	1.0	61
686	The growth of <i>mdp1/rsp5</i> mutants of <i>Saccharomyces cerevisiae</i> is affected by mutations in the ATP-binding domain of the plasma membrane H ⁺ -ATPase. <i>Gene</i> , 2000, 242, 133-140.	1.0	14
687	Nob1p, a new essential protein, associates with the 26S proteasome of growing <i>Saccharomyces cerevisiae</i> cells. <i>Gene</i> , 2000, 243, 37-45.	1.0	47
688	Degradation of Proteins from the ER of <i>S. cerevisiae</i> Requires an Intact Unfolded Protein Response Pathway. <i>Molecular Cell</i> , 2000, 5, 729-735.	4.5	171
689	The Activation Loop of Phosphatidylinositol Phosphate Kinases Determines Signaling Specificity. <i>Molecular Cell</i> , 2000, 5, 1-11.	4.5	214
690	Mitotic Phosphorylation of Histone H3 Is Governed by Ipl1/aurora Kinase and Glc7/PP1 Phosphatase in Budding Yeast and Nematodes. <i>Cell</i> , 2000, 102, 279-291.	13.5	800
691	Functional and Genomic Analyses Reveal an Essential Coordination between the Unfolded Protein Response and ER-Associated Degradation. <i>Cell</i> , 2000, 101, 249-258.	13.5	1,777
692	Functional conservation between yeast and plant endosomal Na ⁺ /H ⁺ antiporters1. <i>FEBS Letters</i> , 2000, 471, 224-228.	1.3	160
693	Mitochondrial Isa2p plays a crucial role in the maturation of cellular iron-sulfur proteins. <i>FEBS Letters</i> , 2000, 476, 134-139.	1.3	73
694	Srb7p is essential for the activation of a subset of genes. <i>FEBS Letters</i> , 2000, 484, 48-54.	1.3	13
695	Gene Disruption by Biolistic Transformation in Serotype D Strains of <i>Cryptococcus neoformans</i> . <i>Fungal Genetics and Biology</i> , 2000, 29, 38-48.	0.9	175
696	Branched-Chain-Amino-Acid Transaminases of Yeast <i>Saccharomyces cerevisiae</i> . <i>Methods in Enzymology</i> , 2000, 324, 365-375.	0.4	24
697	Introduction of Kex2 cleavage sites in fusion proteins for monitoring localization and transport in yeast secretory pathway. <i>Methods in Enzymology</i> , 2000, 327, 107-118.	0.4	4
698	Anaerobic Xylose Fermentation by Recombinant <i>Saccharomyces cerevisiae</i> Carrying XYL1, XYL2, and XKS1 in Mineral Medium Chemostat Cultures. <i>Applied and Environmental Microbiology</i> , 2000, 66, 3381-3386.	1.4	355
699	Protein expression in yeast; comparison of two expression strategies regarding protein maturation. <i>Journal of Biotechnology</i> , 2000, 84, 237-248.	1.9	22
700	Overview of Subcellular Fractionation Procedures for the Yeast <i>Saccharomyces cerevisiae</i> . <i>Current Protocols in Cell Biology</i> , 2000, 7, Unit 3.7.	2.3	15
701	Chapter 2 Isolation and subfractionation of mitochondria from the yeast <i>Saccharomyces cerevisiae</i> . <i>Methods in Cell Biology</i> , 2001, 65, 37-51.	0.5	153
702	Purification and Characterization of Hexahistidine-Tagged Cyclohexanone Monooxygenase Expressed in <i>Saccharomyces cerevisiae</i> and <i>Escherichia coli</i> . <i>Protein Expression and Purification</i> , 2001, 21, 81-86.	0.6	31

#	ARTICLE	IF	CITATIONS
703	Supporting the structural basis of prion strains: induction and identification of [PSI] variants11Edited by F. E. Cohen. <i>Journal of Molecular Biology</i> , 2001, 307, 1247-1260.	2.0	113
704	Rad54 protein stimulates heteroduplex DNA formation in the synaptic phase of DNA strand exchange via specific interactions with the presynaptic Rad51 nucleoprotein filament11Edited by M. Belfort. <i>Journal of Molecular Biology</i> , 2001, 307, 1207-1221.	2.0	115
705	Mammalian Cells Express Two VPS4 Proteins Both of Which are Involved in Intracellular Protein Trafficking. <i>Journal of Molecular Biology</i> , 2001, 312, 469-480.	2.0	88
706	A Mutation in the Yeast Mitochondrial Ribosomal Protein Rml2p Is Associated with a Defect in Catalase Gene Expression. <i>Molecular Cell Biology Research Communications: MCBRC: Part B of Biochemical and Biophysical Research Communications</i> , 2001, 4, 299-306.	1.7	7
707	Functional Analysis of Novel Mutations in a Congenital Disorder of Glycosylation Ia Patient with Mixed Asian Ancestry. <i>Molecular Genetics and Metabolism</i> , 2001, 73, 71-76.	0.5	20
708	Tryptophan Fluorescence of Yeast Actin Resolved via Conserved Mutations. <i>Biophysical Journal</i> , 2001, 80, 427-434.	0.2	33
709	Mitochondrial NADH-cytochrome b5 reductase plays a crucial role in the reduction of d-erythroascorbyl free radical in <i>Saccharomyces cerevisiae</i> . <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2001, 1527, 31-38.	1.1	33
710	Subtle alterations in growth medium composition can dramatically alter the percentage of unsaturated fatty acids in the yeast <i>Saccharomyces cerevisiae</i> . <i>Yeast</i> , 2001, 18, 81-88.	0.8	12
711	The role of the mitochondrion in cellular iron homeostasis. <i>Mitochondrion</i> , 2001, 1, 51-60.	1.6	29
712	Evolutionarily Conserved Interaction between CstF-64 and PC4 Links Transcription, Polyadenylation, and Termination. <i>Molecular Cell</i> , 2001, 7, 1013-1023.	4.5	125
713	Multiple Gln/Asn-Rich Prion Domains Confer Susceptibility to Induction of the Yeast [PSI ⁺] Prion. <i>Cell</i> , 2001, 106, 183-194.	13.5	303
714	Development of a <i>Saccharomyces cerevisiae</i> Strain with Enhanced Resistance to Phenolic Fermentation Inhibitors in Lignocellulose Hydrolysates by Heterologous Expression of Laccase. <i>Applied and Environmental Microbiology</i> , 2001, 67, 1163-1170.	1.4	268
715	Comparative denaturing gradient gel electrophoresis analysis of fungal communities associated with whole plant corn silage. <i>Canadian Journal of Microbiology</i> , 2001, 47, 829-841.	0.8	233
716	Multiple Yap1p-binding Sites Mediate Induction of the Yeast Major Facilitator FLR1 Gene in Response to Drugs, Oxidants, and Alkylating Agents. <i>Journal of Biological Chemistry</i> , 2001, 276, 1138-1145.	1.6	93
717	Regulation of an IMP Dehydrogenase Gene and Its Overexpression in Drug-sensitive Transcription Elongation Mutants of Yeast. <i>Journal of Biological Chemistry</i> , 2001, 276, 32905-32916.	1.6	56
718	Identification and Characterization of GONST1, a Golgi-Localized GDP-Mannose Transporter in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2001, 13, 2283-2295.	3.1	142
719	Impact of mitochondrial activity on the cell wall composition and on the resistance to tannic acid in <i>Saccharomyces cerevisiae</i> .. <i>Journal of General and Applied Microbiology</i> , 2001, 47, 21-26.	0.4	7
720	Diagnostic assays for defects in mitochondrial DNA replication and transcription in yeast and human cells. <i>Methods in Cell Biology</i> , 2001, 65, 413-427.	0.5	0

#	ARTICLE	IF	CITATIONS
721	Characterization of the gene family encoding alternative oxidase from <i>Candida albicans</i> . <i>Biochemical Journal</i> , 2001, 356, 595.	1.7	55
722	Assembly of protein kinase CK2: investigation of complex formation between catalytic and regulatory subunits using a zinc-finger-deficient mutant of CK2 β . <i>Biochemical Journal</i> , 2001, 358, 87.	1.7	31
723	RGS18 is a myeloerythroid lineage-specific regulator of G-protein-signalling molecule highly expressed in megakaryocytes. <i>Biochemical Journal</i> , 2001, 359, 109.	1.7	36
724	Molecular dissection of yeast spindle pole bodies by two hybrid, in vitro binding, and co-purification. <i>Methods in Cell Biology</i> , 2001, 67, 71-94.	0.5	10
725	Defects in glycosylphosphatidylinositol (GPI) anchor synthesis activate Hog1 kinase and confer copper-resistance in <i>Saccharomyces cerevisiae</i> . <i>Genes and Genetic Systems</i> , 2001, 76, 393-410.	0.2	17
726	Isolation of effector-selective ras mutants by yeast two-hybrid screening. <i>Methods in Enzymology</i> , 2001, 332, 270-277.	0.4	2
727	Phosphatidylethanolamine Has an Essential Role in <i>Saccharomyces cerevisiae</i> That Is Independent of Its Ability to Form Hexagonal Phase Structures. <i>Journal of Biological Chemistry</i> , 2001, 276, 48539-48548.	1.6	115
728	A novel sequence element is involved in the transcriptional regulation of expression of the <i>ERG1</i> (squalene epoxidase) gene in <i>Saccharomyces cerevisiae</i> . <i>FEBS Journal</i> , 2001, 268, 914-924.	0.2	46
729	Role of thioredoxin reductase in the Yap1p-dependent response to oxidative stress in <i>Saccharomyces cerevisiae</i> . <i>Molecular Microbiology</i> , 2001, 39, 595-605.	1.2	107
730	RNA polymerase II and TBP occupy the repressed <i>CYC1</i> promoter. <i>Molecular Microbiology</i> , 2001, 40, 1009-1019.	1.2	31
731	Cas1p is a membrane protein necessary for the O-acetylation of the <i>Cryptococcus neoformans</i> capsular polysaccharide. <i>Molecular Microbiology</i> , 2001, 42, 453-467.	1.2	150
732	<i>Kluyveromyces lactis</i> zymocin mode of action is linked to RNA polymerase II function via Elongator. <i>Molecular Microbiology</i> , 2001, 42, 1095-1105.	1.2	73
733	Transcript profiling in <i>Candida albicans</i> reveals new cellular functions for the transcriptional repressors CaTup1, CaMig1 and CaNrg1. <i>Molecular Microbiology</i> , 2001, 42, 981-993.	1.2	207
734	The xylose reductase/xylofuranose dehydrogenase/xylofuranose kinase ratio affects product formation in recombinant xylose-utilising <i>Saccharomyces cerevisiae</i> . <i>Enzyme and Microbial Technology</i> , 2001, 29, 288-297.	1.6	82
735	Hut1 proteins identified in <i>Saccharomyces cerevisiae</i> and <i>Schizosaccharomyces pombe</i> are functional homologues involved in the protein-folding process at the endoplasmic reticulum. <i>Yeast</i> , 2001, 18, 543-554.	0.8	51
736	Cassettes for PCR-mediated construction of green, yellow, and cyan fluorescent protein fusions in <i>Candida albicans</i> . <i>Yeast</i> , 2001, 18, 859-864.	0.8	189
737	Molecular cloning of the <i>RPS0</i> gene from <i>Candida tropicalis</i> . <i>Yeast</i> , 2001, 18, 971-980.	0.8	3
738	An SSB encoded by and operating on linear killer plasmids from <i>Kluyveromyces lactis</i> . <i>Yeast</i> , 2001, 18, 1239-1247.	0.8	24

#	ARTICLE	IF	CITATIONS
739	Saccharomyces cerevisiae cell wall chitin, the Kluyveromyces lactis zymocin receptor. Yeast, 2001, 18, 1285-1299.	0.8	71
740	Functional analysis of the hexose transporter homologue HXT5 in Saccharomyces cerevisiae. Yeast, 2001, 18, 1515-1524.	0.8	69
741	Ynl038wp (Gpi15p) is the Saccharomyces cerevisiae homologue of human Pig-Hp and participates in the first step in glycosylphosphatidylinositol assembly. Yeast, 2001, 18, 1383-1389.	0.8	37
742	The KLCYC1 gene, a downstream region for two differentially regulated transcripts. Yeast, 2001, 18, 1347-1355.	0.8	12
743	Amino acid residues important for substrate specificity of the amino acid permeases Can1p and Gnp1p in Saccharomyces cerevisiae. Yeast, 2001, 18, 1429-1440.	0.8	16
744	Disruption and functional analysis of six ORFs of chromosome IV: YDL103c (QR11), YDL105w (QR12), YDL112w (TRM3), YDL113c, YDL116w (NUP84) and YDL167c (NRP1). Yeast, 2001, 18, 273-282.	0.8	10
745	High-Performance Liquid Chromatography Analysis of Molecular Species of Sphingolipid-Related Long Chain Bases and Long Chain Base Phosphates in Saccharomyces cerevisiae after Derivatization with 6-Aminoquinolyl-N-hydroxysuccinimidyl Carbamate. Analytical Biochemistry, 2001, 298, 283-292.	1.1	46
746	Monitoring of endocrine disruptors in surface waters by the yeast recombinant assay. Environmental Toxicology and Chemistry, 2001, 20, 1152-1158.	2.2	137
747	A Family of Yeast Proteins Mediating Bidirectional Vacuolar Amino Acid Transport. Journal of Biological Chemistry, 2001, 276, 23849-23857.	1.6	146
748	Functional studies of yeast actin mutants corresponding to human cardiomyopathy mutations. Journal of Muscle Research and Cell Motility, 2001, 22, 665-674.	0.9	21
749	Tobacco and Arabidopsis SLT1 mediate salt tolerance of yeast. Plant Molecular Biology, 2001, 45, 489-500.	2.0	19
750	NRG1 represses yeast-hypha morphogenesis and hypha-specific gene expression in Candida albicans. EMBO Journal, 2001, 20, 4742-4752.	3.5	394
751	A novel active site-directed probe specific for deubiquitylating enzymes reveals proteasome association of USP14. EMBO Journal, 2001, 20, 5187-5196.	3.5	469
752	Bub3 interaction with Mad2, Mad3 and Cdc20 is mediated by WD40 repeats and does not require intact kinetochores. EMBO Journal, 2001, 20, 6648-6659.	3.5	167
753	The budding yeast proteins Spc24p and Spc25p interact with Ndc80p and Nuf2p at the kinetochore and are important for kinetochore clustering and checkpoint control. EMBO Journal, 2001, 20, 777-791.	3.5	167
754	Saccharomyces cerevisiae Elongator mutations confer resistance to the Kluyveromyces lactis zymocin. EMBO Journal, 2001, 20, 1993-2003.	3.5	242
755	Vacuolar H ⁺ -ATPase, but not mitochondrial F1FO-ATPase, is required for aluminum resistance in Saccharomyces cerevisiae. FEMS Microbiology Letters, 2001, 205, 231-236.	0.7	23
756	Phospholipase D1 is required for efficient mating projection formation in Saccharomyces cerevisiae. FEMS Yeast Research, 2001, 1, 225-232.	1.1	10

#	ARTICLE	IF	CITATIONS
757	The glyoxylate cycle is required for fungal virulence. <i>Nature</i> , 2001, 412, 83-86.	13.7	685
758	A bifunctional dihydrofolate synthetase- <i>folylpolyglutamate synthetase</i> in <i>Plasmodium falciparum</i> identified by functional complementation in yeast and bacteria. <i>Molecular and Biochemical Parasitology</i> , 2001, 112, 239-252.	0.5	41
759	Adaptive reversions of a frameshift mutation in arrested <i>Saccharomyces cerevisiae</i> cells by simple deletions in mononucleotide repeats. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2001, 473, 101-107.	0.4	24
760	The Wheat cDNA LCT1 Generates Hypersensitivity to Sodium in a Salt-Sensitive Yeast Strain. <i>Plant Physiology</i> , 2001, 126, 1061-1071.	2.3	97
761	Arp2/3 complex and actin dynamics are required for actin-based mitochondrial motility in yeast. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001, 98, 3162-3167.	3.3	180
762	SQV-7, a protein involved in <i>Caenorhabditis elegans</i> epithelial invagination and early embryogenesis, transports UDP-glucuronic acid, UDP-N- acetylgalactosamine, and UDP-galactose. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001, 98, 3738-3743.	3.3	122
763	The role of haustoria in sugar supply during infection of broad bean by the rust fungus <i>Uromyces fabae</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001, 98, 8133-8138.	3.3	322
764	The yeast mutant <i>vps5</i> affected in the recycling of Golgi membrane proteins displays an enhanced vacuolar Mg ²⁺ /H ⁺ exchange activity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001, 98, 9660-9665.	3.3	21
765	Nam1p, a Protein Involved in RNA Processing and Translation, Is Coupled to Transcription through an Interaction with Yeast Mitochondrial RNA Polymerase. <i>Journal of Biological Chemistry</i> , 2001, 276, 8616-8622.	1.6	86
766	The Yeast ALG11 Gene Specifies Addition of the Terminal $\hat{1}\pm$ 1,2-Man to the Man5GlcNAc2-PP-dolicholN-Glycosylation Intermediate Formed on the Cytosolic Side of the Endoplasmic Reticulum. <i>Journal of Biological Chemistry</i> , 2001, 276, 21828-21840.	1.6	64
767	NatC N $\hat{1}\pm$ -terminal Acetyltransferase of Yeast Contains Three Subunits, Mak3p, Mak10p, and Mak31p. <i>Journal of Biological Chemistry</i> , 2001, 276, 20154-20159.	1.6	93
768	The Essential Smp3 Protein Is Required for Addition of the Side-branching Fourth Mannose during Assembly of Yeast Glycosylphosphatidylinositols. <i>Journal of Biological Chemistry</i> , 2001, 276, 27731-27739.	1.6	67
769	The Nck-interacting Kinase (NIK) Phosphorylates the Na ⁺ -H ⁺ Exchanger NHE1 and Regulates NHE1 Activation by Platelet-derived Growth Factor. <i>Journal of Biological Chemistry</i> , 2001, 276, 31349-31356.	1.6	88
770	The Yeast SEC20 Gene Is Required for N- and O-Glycosylation in the Golgi. <i>Journal of Biological Chemistry</i> , 2001, 276, 28751-28758.	1.6	7
771	Multiple Roles for Rsp5p-dependent Ubiquitination at the Internalization Step of Endocytosis. <i>Journal of Biological Chemistry</i> , 2001, 276, 25974-25981.	1.6	127
772	Activation of the Ras-cAMP Signal Transduction Pathway Inhibits the Proteasome-independent Degradation of Misfolded Protein Aggregates in the Endoplasmic Reticulum Lumen. <i>Journal of Biological Chemistry</i> , 2001, 276, 41444-41454.	1.6	15
773	Comparative Functional Features of Plant Potassium HvHAK1 and HvHAK2 Transporters. <i>Journal of Biological Chemistry</i> , 2001, 276, 44563-44569.	1.6	86
774	Deletion of Yeast p24 Genes Activates the Unfolded Protein Response. <i>Molecular Biology of the Cell</i> , 2001, 12, 957-969.	0.9	85

#	ARTICLE	IF	CITATIONS
775	Distinct Roles for the Cytoplasmic Tail Sequences of Emp24p and Erv25p in Transport between the Endoplasmic Reticulum and Golgi Complex. <i>Journal of Biological Chemistry</i> , 2001, 276, 43040-43048.	1.6	70
776	<i>O</i> -Mannosylation Protects Mutant Alpha-Factor Precursor from Endoplasmic Reticulum-associated Degradation. <i>Molecular Biology of the Cell</i> , 2001, 12, 1093-1101.	0.9	76
777	The TOR Signal Transduction Cascade Controls Cellular Differentiation in Response to Nutrients. <i>Molecular Biology of the Cell</i> , 2001, 12, 4103-4113.	0.9	153
778	Erv41p and Erv46p. <i>Journal of Cell Biology</i> , 2001, 152, 503-518.	2.3	135
779	Yeast Erv2p Is the First Microsomal FAD-linked Sulfhydryl Oxidase of the Erv1p/Alrp Protein Family. <i>Journal of Biological Chemistry</i> , 2001, 276, 23486-23491.	1.6	92
780	<i>Candida albicans</i> Int1p Interacts with the Septin Ring in Yeast and Hyphal Cells. <i>Molecular Biology of the Cell</i> , 2001, 12, 3538-3549.	0.9	76
781	Promoter-Specific Shifts in Transcription Initiation Conferred by Yeast TFIIIB Mutations Are Determined by the Sequence in the Immediate Vicinity of the Start Sites. <i>Molecular and Cellular Biology</i> , 2001, 21, 4427-4440.	1.1	50
782	Functional Analysis of the Cyclin-Dependent Kinase Inhibitor Pho81 Identifies a Novel Inhibitory Domain. <i>Molecular and Cellular Biology</i> , 2001, 21, 6695-6705.	1.1	44
783	Functional Differences in Yeast Protein Disulfide Isomerases. <i>Journal of Cell Biology</i> , 2001, 152, 553-562.	2.3	118
784	Temperature sensitive <i>nop2</i> alleles defective in synthesis of 25S rRNA and large ribosomal subunits in <i>Saccharomyces cerevisiae</i> . <i>Nucleic Acids Research</i> , 2001, 29, 2927-2937.	6.5	26
785	Construction and Analysis of Mouse Strains Lacking the Ubiquitin Ligase UBR1 (E3) of the N-End Rule Pathway. <i>Molecular and Cellular Biology</i> , 2001, 21, 8007-8021.	1.1	127
786	A Novel Family of Magnesium Transport Genes in Arabidopsis. <i>Plant Cell</i> , 2001, 13, 2761-2775.	3.1	261
787	The GATA Transcription Factors GLN3 and GAT1 Link TOR to Salt Stress in <i>Saccharomyces cerevisiae</i> . <i>Journal of Biological Chemistry</i> , 2001, 276, 34441-34444.	1.6	84
788	Circular Minichromosomes Become Highly Recombinogenic in Topoisomerase-deficient Yeast Cells. <i>Journal of Biological Chemistry</i> , 2001, 276, 2243-2248.	1.6	14
789	Mutations in the TATA-binding Protein, Affecting Transcriptional Activation, Show Synthetic Lethality with the TAF145 Gene Lacking the TAF N-terminal Domain in <i>Saccharomyces cerevisiae</i> . <i>Journal of Biological Chemistry</i> , 2001, 276, 395-405.	1.6	29
790	<i>Saccharomyces cerevisiae</i> Is Capable of de Novo Pantothenic Acid Biosynthesis Involving a Novel Pathway of β -Alanine Production from Spermine. <i>Journal of Biological Chemistry</i> , 2001, 276, 10794-10800.	1.6	135
791	Quantitation of the RNA Polymerase II Transcription Machinery in Yeast. <i>Journal of Biological Chemistry</i> , 2001, 276, 47150-47153.	1.6	62
792	Characterization of Transsulfuration and Cysteine Biosynthetic Pathways in the Protozoan Hemoflagellate, <i>Trypanosoma cruzi</i> . <i>Journal of Biological Chemistry</i> , 2001, 276, 6516-6523.	1.6	98

#	ARTICLE	IF	CITATIONS
793	Inactivation of the endoplasmic reticulum protein translocation factor, Sec61p, or its homolog, Ssh1p, does not affect peroxisome biogenesis. Proceedings of the National Academy of Sciences of the United States of America, 2001, 98, 12027-12031.	3.3	58
794	Role of Arg-166 in Yeast Cytochrome c1. Journal of Biological Chemistry, 2001, 276, 18450-18456.	1.6	5
795	Manganese Superoxide Dismutase in <i>Saccharomyces cerevisiae</i> Acquires Its Metal Co-factor through a Pathway Involving the Nramp Metal Transporter, Smf2p. Journal of Biological Chemistry, 2001, 276, 47556-47562.	1.6	129
796	Lack of Mitochondrial Anionic Phospholipids Causes an Inhibition of Translation of Protein Components of the Electron Transport Chain. Journal of Biological Chemistry, 2001, 276, 25262-25272.	1.6	160
797	The Role of the FRE Family of Plasma Membrane Reductases in the Uptake of Siderophore-Iron in <i>Saccharomyces cerevisiae</i> . Journal of Biological Chemistry, 2001, 276, 10218-10223.	1.6	143
798	Three Cell Wall Mannoproteins Facilitate the Uptake of Iron in <i>Saccharomyces cerevisiae</i> . Journal of Biological Chemistry, 2001, 276, 49244-49250.	1.6	154
799	Analysis of Gene Induction and Arrest Site Transcription in Yeast with Mutations in the Transcription Elongation Machinery. Journal of Biological Chemistry, 2001, 276, 11531-11538.	1.6	13
800	Yeast Rab GTPase-activating Protein Gyp1p Localizes to the Golgi Apparatus and Is a Negative Regulator of Ypt1p. Molecular Biology of the Cell, 2001, 12, 1215-1226.	0.9	70
801	Biochemical Studies of Zmpste24-deficient Mice. Journal of Biological Chemistry, 2001, 276, 29051-29058.	1.6	82
802	Negative regulation of Gcn4 and Msn2 transcription factors by Srb10 cyclin-dependent kinase. Genes and Development, 2001, 15, 1078-1092.	2.7	272
803	Meiotic recombination frequencies are affected by nutritional states in <i>Saccharomyces cerevisiae</i> . Proceedings of the National Academy of Sciences of the United States of America, 2001, 98, 14524-14529.	3.3	89
804	Vps10p Transport from the <i>trans</i> -Golgi Network to the Endosome Is Mediated by Clathrin-coated Vesicles. Molecular Biology of the Cell, 2001, 12, 475-485.	0.9	53
805	Characterization of Rny1, the <i>Saccharomyces cerevisiae</i> member of the T2 RNase family of RNases: Unexpected functions for ancient enzymes?. Proceedings of the National Academy of Sciences of the United States of America, 2001, 98, 1018-1023.	3.3	79
806	Control of Microtubule Dynamics by Stu2p Is Essential for Spindle Orientation and Metaphase Chromosome Alignment in Yeast. Molecular Biology of the Cell, 2001, 12, 2870-2880.	0.9	146
807	Yeast V-ATPase Complexes Containing Different Isoforms of the 100-kDa α -subunit Differ in Coupling Efficiency and in Vivo Dissociation. Journal of Biological Chemistry, 2001, 276, 17941-17948.	1.6	138
808	Pir1p Mediates Translocation of the Yeast Apn1p Endonuclease into the Mitochondria To Maintain Genomic Stability. Molecular and Cellular Biology, 2001, 21, 1647-1655.	1.1	91
809	Rad23 Provides a Link between the Png1 Deglycosylating Enzyme and the 26 S Proteasome in Yeast. Journal of Biological Chemistry, 2001, 276, 21601-21607.	1.6	108
810	A Cdc28 Mutant Uncouples G1 Cyclin Phosphorylation and Ubiquitination from G1 Cyclin Proteolysis. Journal of Biological Chemistry, 2001, 276, 41725-41732.	1.6	4

#	ARTICLE	IF	CITATIONS
811	Ras Regulates the Polarity of the Yeast Actin Cytoskeleton through the Stress Response Pathway. <i>Molecular Biology of the Cell</i> , 2001, 12, 1541-1555.	0.9	67
812	Domains of the Rsp5 Ubiquitin-Protein Ligase Required for Receptor-mediated and Fluid-Phase Endocytosis. <i>Molecular Biology of the Cell</i> , 2001, 12, 421-435.	0.9	133
813	The Swi5 activator recruits the Mediator complex to the HO promoter without RNA polymerase II. <i>Genes and Development</i> , 2001, 15, 2457-2469.	2.7	116
814	Identification of a Conserved Motif in the Yeast Golgi GDP-mannose Transporter Required for Binding to Nucleotide Sugar. <i>Journal of Biological Chemistry</i> , 2001, 276, 4424-4432.	1.6	41
815	A novel Rtg2p activity regulates nitrogen catabolism in yeast. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001, 98, 13213-13218.	3.3	23
816	Deficiency of d-Erythroascorbic Acid Attenuates Hyphal Growth and Virulence of <i>Candida albicans</i> . <i>Infection and Immunity</i> , 2001, 69, 3939-3946.	1.0	41
817	Requirement for Yeast TAF145 Function in Transcriptional Activation of the RPS5 Promoter That Depends on Both Core Promoter Structure and Upstream Activating Sequences. <i>Journal of Biological Chemistry</i> , 2001, 276, 25715-25726.	1.6	19
818	The Yeast Plasma Membrane Protein Alr1 Controls Mg ²⁺ Homeostasis and Is Subject to Mg ²⁺ -dependent Control of Its Synthesis and Degradation. <i>Journal of Biological Chemistry</i> , 2001, 276, 16216-16222.	1.6	111
819	Assembly of Scaffold-mediated Complexes Containing Cdc42p, the Exchange Factor Cdc24p, and the Effector Cla4p Required for Cell Cycle-regulated Phosphorylation of Cdc24p. <i>Journal of Biological Chemistry</i> , 2001, 276, 7176-7186.	1.6	186
820	A Positive Regulator of Mitosis, Sok2, Functions as a Negative Regulator of Meiosis in <i>Saccharomyces cerevisiae</i> . <i>Molecular and Cellular Biology</i> , 2001, 21, 1603-1612.	1.1	66
821	Distinct Functional Surface Regions on Ubiquitin. <i>Journal of Biological Chemistry</i> , 2001, 276, 30483-30489.	1.6	217
822	Functional significance of PMM2 mutations in mildly affected patients with congenital disorders of glycosylation Ia. <i>Genetics in Medicine</i> , 2001, 3, 393-398.	1.1	48
823	Trehalose is required for the acquisition of tolerance to a variety of stresses in the filamentous fungus <i>Aspergillus nidulans</i> The GenBank accession number for the sequence reported in this paper is AF043230.. <i>Microbiology (United Kingdom)</i> , 2001, 147, 1851-1862.	0.7	187
824	Differential Expression of Two Cytochrome P450s Involved in the Biosynthesis of Flavones and Anthocyanins in Chemo-Varietal Forms of <i>Perilla frutescens</i> . <i>Plant and Cell Physiology</i> , 2001, 42, 1338-1344.	1.5	78
825	Identification in <i>Saccharomyces cerevisiae</i> of Two Isoforms of a Novel Mitochondrial Transporter for 2-Oxadipate and 2-Oxoglutarate. <i>Journal of Biological Chemistry</i> , 2001, 276, 1916-1922.	1.6	105
826	Phosphite disrupts the acclimation of <i>Saccharomyces cerevisiae</i> to phosphate starvation. <i>Canadian Journal of Microbiology</i> , 2001, 47, 969-978.	0.8	38
827	Arg-735 of the 100-kDa subunit a of the yeast V-ATPase is essential for proton translocation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001, 98, 12397-12402.	3.3	127
828	Nob1p is required for biogenesis of the 26S proteasome and degraded upon its maturation in <i>Saccharomyces cerevisiae</i> . <i>Genes and Development</i> , 2002, 16, 3142-3157.	2.7	80

#	ARTICLE	IF	CITATIONS
829	Gluing the Respiratory Chain Together. <i>Journal of Biological Chemistry</i> , 2002, 277, 43553-43556.	1.6	552
830	Septin Function in <i>Candida albicans</i> Morphogenesis. <i>Molecular Biology of the Cell</i> , 2002, 13, 2732-2746.	0.9	166
831	Protein Kinase A Operates a Molecular Switch That Governs Yeast Pseudohyphal Differentiation. <i>Molecular and Cellular Biology</i> , 2002, 22, 3981-3993.	1.1	172
832	Omnipotent decoding potential resides in eukaryotic translation termination factor eRF1 of variant-code organisms and is modulated by the interactions of amino acid sequences within domain 1. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 8494-8499.	3.3	77
833	Analysis of RGS Proteins in <i>Saccharomyces cerevisiae</i> . <i>Methods in Enzymology</i> , 2002, 344, 617-631.	0.4	73
834	Genomic Analyses of Anaerobically Induced Genes in <i>Saccharomyces cerevisiae</i> : Functional Roles of Rox1 and Other Factors in Mediating the Anoxic Response. <i>Journal of Bacteriology</i> , 2002, 184, 250-265.	1.0	218
835	Genetic Variation at the O-Antigen Biosynthetic Locus in <i>Pseudomonas aeruginosa</i> . <i>Journal of Bacteriology</i> , 2002, 184, 3614-3622.	1.0	132
836	Regulation of the Bfa1p-Bub2p complex at spindle pole bodies by the cell cycle phosphatase Cdc14p. <i>Journal of Cell Biology</i> , 2002, 157, 367-379.	2.3	123
837	Detection of a [3Fe-4S] Cluster Intermediate of Cytosolic Aconitase in Yeast Expressing Iron Regulatory Protein 1. <i>Journal of Biological Chemistry</i> , 2002, 277, 7246-7254.	1.6	60
838	An Osmotically Induced Cytosolic Ca ²⁺ Transient Activates Calcineurin Signaling to Mediate Ion Homeostasis and Salt Tolerance of <i>Saccharomyces cerevisiae</i> . <i>Journal of Biological Chemistry</i> , 2002, 277, 33075-33080.	1.6	133
839	Zinc Cluster Protein Rdr1p Is a Transcriptional Repressor of the PDR5 Gene Encoding a Multidrug Transporter. <i>Journal of Biological Chemistry</i> , 2002, 277, 17671-17676.	1.6	49
840	Functional Mapping of Bas2. <i>Journal of Biological Chemistry</i> , 2002, 277, 34003-34009.	1.6	8
841	The TOR-controlled transcription activators GLN3, RTG1, and RTG3 are regulated in response to intracellular levels of glutamine. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 6784-6789.	3.3	287
842	The Yeast Homolog of Human PinX1 Is Involved in rRNA and Small Nucleolar RNA Maturation, Not in Telomere Elongation Inhibition. <i>Journal of Biological Chemistry</i> , 2002, 277, 35712-35719.	1.6	74
843	Gankyrin Is an Ankyrin-repeat Oncoprotein That Interacts with CDK4 Kinase and the S6 ATPase of the 26 S Proteasome. <i>Journal of Biological Chemistry</i> , 2002, 277, 10893-10902.	1.6	112
844	Nuclear DNA endoreduplication during petal development in cabbage: relationship between ploidy levels and cell size. <i>Journal of Experimental Botany</i> , 2002, 53, 1017-1023.	2.4	55
845	A genome-wide screen for methyl methanesulfonate-sensitive mutants reveals genes required for S phase progression in the presence of DNA damage. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 16934-16939.	3.3	258
846	Vps10p Cycles between the TGN and the Late Endosome via the Plasma Membrane in Clathrin Mutants. <i>Molecular Biology of the Cell</i> , 2002, 13, 4296-4307.	0.9	22

#	ARTICLE	IF	CITATIONS
847	[12] Role of yeast flavin-containing monooxygenase in maintenance of thiol-disulfide redox potential. <i>Methods in Enzymology</i> , 2002, 348, 113-121.	0.4	8
848	Auxotrophic Yeast Strains in Fundamental and Applied Research. <i>Applied and Environmental Microbiology</i> , 2002, 68, 2095-2100.	1.4	240
849	Inventory and Functional Characterization of the HAK Potassium Transporters of Rice. <i>Plant Physiology</i> , 2002, 130, 784-795.	2.3	299
850	Endoplasmic Reticulum Dynamics, Inheritance, and Cytoskeletal Interactions in Budding Yeast. <i>Molecular Biology of the Cell</i> , 2002, 13, 854-865.	0.9	83
851	MEC3, MEC1, and DDC2 Are Essential Components of a Telomere Checkpoint Pathway Required for Cell Cycle Arrest during Senescence in <i>Saccharomyces cerevisiae</i> . <i>Molecular Biology of the Cell</i> , 2002, 13, 2626-2638.	0.9	119
852	Conservation of a portion of the <i>S. cerevisiae</i> Ure2p prion domain that interacts with the full-length protein. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 16384-16391.	3.3	81
853	<i>Saccharomyces cerevisiae</i> RNA Polymerase II Is Affected by <i>Kluyveromyces lactis</i> Zymocin. <i>Journal of Biological Chemistry</i> , 2002, 277, 26276-26280.	1.6	15
854	Coupling of Termination, 3' Processing, and mRNA Export. <i>Molecular and Cellular Biology</i> , 2002, 22, 6441-6457.	1.1	123
855	Multiple Roles of the γ ,131 Subunit of Yeast Transcription Factor IIIC (TFIIIC) in TFIIIB Assembly. <i>Molecular and Cellular Biology</i> , 2002, 22, 298-308.	1.1	27
856	Dissection of a Complex Phenotype by Functional Genomics Reveals Roles for the Yeast Cyclin-Dependent Protein Kinase Pho85 in Stress Adaptation and Cell Integrity. <i>Molecular and Cellular Biology</i> , 2002, 22, 5076-5088.	1.1	85
857	Cloning and Characterization of Methenyltetrahydrofolate Synthetase from <i>Saccharomyces cerevisiae</i> . <i>Journal of Biological Chemistry</i> , 2002, 277, 20205-20213.	1.6	37
858	Failure to Relax Negative Supercoiling of DNA Is a Primary Cause of Mitotic Hyper-recombination in Topoisomerase-deficient Yeast Cells. <i>Journal of Biological Chemistry</i> , 2002, 277, 37207-37211.	1.6	28
859	Ntg2p, a <i>Saccharomyces cerevisiae</i> DNAN-Glycosylase/Apurinic or Apyrimidinic Lyase Involved in Base Excision Repair of Oxidative DNA Damage, Interacts with the DNA Mismatch Repair Protein Mlh1p. <i>Journal of Biological Chemistry</i> , 2002, 277, 29963-29972.	1.6	32
860	Repair of topoisomerase I covalent complexes in the absence of the tyrosyl-DNA phosphodiesterase Tdp1. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 14970-14975.	3.3	155
861	The Human Homolog of the Rat Inositol Phosphate Multikinase Is an Inositol 1,3,4,6-Tetrakisphosphate 5-Kinase. <i>Journal of Biological Chemistry</i> , 2002, 277, 43836-43843.	1.6	65
862	Rsp5p, a New Link between the Actin Cytoskeleton and Endocytosis in the Yeast <i>Saccharomyces cerevisiae</i> . <i>Molecular and Cellular Biology</i> , 2002, 22, 6946-6948.	1.1	50
863	An Essential Subfamily of Drs2p-related P-Type ATPases Is Required for Protein Trafficking between Golgi Complex and Endosomal/Vacuolar System. <i>Molecular Biology of the Cell</i> , 2002, 13, 3162-3177.	0.9	238
864	Linker-Mediated Recombinational Subcloning of Large DNA Fragments Using Yeast. <i>Genome Research</i> , 2002, 12, 190-197.	2.4	62

#	ARTICLE	IF	CITATIONS
865	Mitochondrial Dysfunction Due to Oxidative Mitochondrial DNA Damage Is Reduced through Cooperative Actions of Diverse Proteins. <i>Molecular and Cellular Biology</i> , 2002, 22, 4086-4093.	1.1	114
866	Molecular and Phenotypic Analysis of CaVRG4, Encoding an Essential Golgi Apparatus GDP-Mannose Transporter. <i>Journal of Bacteriology</i> , 2002, 184, 29-42.	1.0	63
867	Yeast Protein Kinases and the RHO1 Exchange Factor TUS1 Are Novel Components of the Cell Integrity Pathway in Yeast. <i>Molecular and Cellular Biology</i> , 2002, 22, 1329-1339.	1.1	127
868	Cyclophilin A Peptidyl-Prolyl Isomerase Activity Promotes Zpr1 Nuclear Export. <i>Molecular and Cellular Biology</i> , 2002, 22, 6993-7003.	1.1	58
869	Interactions among the protein and RNA subunits of <i>Saccharomyces cerevisiae</i> nuclear RNase P. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 2684-2689.	3.3	70
870	Characterization of Iron-Sulfur Protein Assembly in Isolated Mitochondria. <i>Journal of Biological Chemistry</i> , 2002, 277, 29810-29816.	1.6	122
871	A Forkhead Transcription Factor Is Important for True Hyphal as well as Yeast Morphogenesis in <i>Candida albicans</i> . <i>Eukaryotic Cell</i> , 2002, 1, 787-798.	3.4	114
872	Base Composition of Mononucleotide Runs Affects DNA Polymerase Slippage and Removal of Frameshift Intermediates by Mismatch Repair in <i>Saccharomyces cerevisiae</i> . <i>Molecular and Cellular Biology</i> , 2002, 22, 8756-8762.	1.1	82
873	Erv14p Directs a Transmembrane Secretory Protein into COPII-coated Transport Vesicles. <i>Molecular Biology of the Cell</i> , 2002, 13, 880-891.	0.9	109
874	<i>Saccharomyces cerevisiae</i> URH1 (Encoding Uridine-Cytidine N-Ribohydrolase): Functional Complementation by a Nucleoside Hydrolase from a Protozoan Parasite and by a Mammalian Uridine Phosphorylase. <i>Applied and Environmental Microbiology</i> , 2002, 68, 1336-1343.	1.4	37
875	Snf1 Protein Kinase Regulates Adr1 Binding to Chromatin but Not Transcription Activation. <i>Journal of Biological Chemistry</i> , 2002, 277, 38095-38103.	1.6	78
876	Maturation of Cytosolic Iron-Sulfur Proteins Requires Glutathione. <i>Journal of Biological Chemistry</i> , 2002, 277, 26944-26949.	1.6	190
877	Identification of histone H4-like TAF in <i>Schizosaccharomyces pombe</i> as a protein that interacts with WD repeat-containing TAF. <i>Nucleic Acids Research</i> , 2002, 30, 1952-1958.	6.5	17
878	Hyphal Tip-Associated Localization of Cdc42 Is F-Actin Dependent in <i>Candida albicans</i> . <i>Eukaryotic Cell</i> , 2002, 1, 856-864.	3.4	70
879	A Novel Connection between the Yeast Cdc42 GTPase and the Slt2-mediated Cell Integrity Pathway Identified through the Effect of Secreted <i>Salmonella</i> GTPase Modulators. <i>Journal of Biological Chemistry</i> , 2002, 277, 27094-27102.	1.6	26
880	Adenylyl Cyclase Functions Downstream of the G β Protein Gpa1 and Controls Mating and Pathogenicity of <i>Cryptococcus neoformans</i> . <i>Eukaryotic Cell</i> , 2002, 1, 75-84.	3.4	196
881	Expression of Mangrove Allene Oxide Cyclase Enhances Salt Tolerance in <i>Escherichia coli</i> , Yeast, and Tobacco Cells. <i>Plant and Cell Physiology</i> , 2002, 43, 903-910.	1.5	87
882	The conserved Pkh β -Ypk kinase cascade is required for endocytosis in yeast. <i>Journal of Cell Biology</i> , 2002, 156, 241-248.	2.3	104

#	ARTICLE	IF	CITATIONS
883	Stu1p Is Physically Associated with β -Tubulin and Is Required for Structural Integrity of the Mitotic Spindle. <i>Molecular Biology of the Cell</i> , 2002, 13, 1881-1892.	0.9	44
884	Two proteins that form a complex are required for 7-methylguanosine modification of yeast tRNA. <i>Rna</i> , 2002, 8, 1253-1266.	1.6	252
885	Evidence that there are two copies of subunit ϵ^3 in VO complexes in the vacuolar H ⁺ -ATPase. <i>Biochemical Journal</i> , 2002, 366, 911-919.	1.7	21
886	Promoter-specific inhibition of transcription by daunorubicin in <i>Saccharomyces cerevisiae</i> . <i>Biochemical Journal</i> , 2002, 368, 131-136.	1.7	12
887	Genetic characterization of genes encoding enzymes catalyzing addition of phospho-ethanolamine to the glycosylphosphatidylinositol anchor in <i>Saccharomyces cerevisiae</i> .. <i>Genes and Genetic Systems</i> , 2002, 77, 309-322.	0.2	15
888	Functional Assays for Mammalian G-Protein-Coupled Receptors in Yeast. <i>Methods in Enzymology</i> , 2002, 344, 92-111.	0.4	16
889	Transcription Activation by Ultrabithorax Ib Protein Requires a Predicted α -Helical Region. <i>Biochemistry</i> , 2002, 41, 2774-2785.	1.2	21
890	Molecular Characterization of a Heteromeric ATP-Citrate Lyase That Generates Cytosolic Acetyl-Coenzyme A in <i>Arabidopsis</i> .. <i>Plant Physiology</i> , 2002, 130, 740-756.	2.3	183
891	Characteristic genome rearrangements in experimental evolution of <i>Saccharomyces cerevisiae</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 16144-16149.	3.3	514
892	Cellular resistance to bleomycin in <i>Saccharomyces cerevisiae</i> is not affected by changes in bleomycin hydrolase levels. <i>Biochemistry and Cell Biology</i> , 2002, 80, 789-796.	0.9	21
893	Transformation of yeast by lithium acetate/single-stranded carrier DNA/polyethylene glycol method. <i>Methods in Enzymology</i> , 2002, 350, 87-96.	0.4	2,406
894	Prions as Protein-Based Genetic Elements. <i>Annual Review of Microbiology</i> , 2002, 56, 703-741.	2.9	233
895	Getting started with yeast. <i>Methods in Enzymology</i> , 2002, 350, 3-41.	0.4	1,896
896	Yeast mitochondrial oxodicarboxylate transporters are important for growth on oleic acid. <i>Archives of Biochemistry and Biophysics</i> , 2002, 406, 96-104.	1.4	21
897	Low-affinity potassium uptake by <i>Saccharomyces cerevisiae</i> is mediated by NSC1, a calcium-blocked non-specific cation channel. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2002, 1558, 109-118.	1.4	57
898	Molecular analysis of the mechanism of potassium uptake through the TRK1 transporter of <i>Saccharomyces cerevisiae</i> . <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2002, 1564, 114-122.	1.4	60
899	Lcb4p sphingoid base kinase localizes to the Golgi and late endosomes. <i>FEBS Letters</i> , 2002, 532, 97-102.	1.3	23
900	Effect of live yeast incorporation in compound diet on digestive enzyme activity in sea bass (<i>Dicentrarchus labrax</i>) larvae. <i>Aquaculture</i> , 2002, 204, 113-123.	1.7	213

#	ARTICLE	IF	CITATIONS
901	Comparative analysis of global gene expression in lager and laboratory yeast strains grown in wort. Proceedings of the IEEE, 2002, 90, 1887-1899.	16.4	14
902	Expression of mammalian Rab Escort Protein-1 and -2 in yeast <i>Saccharomyces cerevisiae</i> . Protein Expression and Purification, 2002, 26, 50-58.	0.6	10
903	S-Adenosylhomocysteine, but not homocysteine, is toxic to yeast lacking cystathionine β -synthase. Molecular Genetics and Metabolism, 2002, 75, 335-343.	0.5	30
904	The G β Protein Gpa2 Controls Yeast Differentiation by Interacting with Kelch Repeat Proteins that Mimic G β Subunits. Molecular Cell, 2002, 10, 163-173.	4.5	143
905	Two TOR Complexes, Only One of which Is Rapamycin Sensitive, Have Distinct Roles in Cell Growth Control. Molecular Cell, 2002, 10, 457-468.	4.5	1,685
906	The FAD- and O ₂ -Dependent Reaction Cycle of Ero1-Mediated Oxidative Protein Folding in the Endoplasmic Reticulum. Molecular Cell, 2002, 10, 983-994.	4.5	374
907	The <i>S. cerevisiae</i> Mag1 3-methyladenine DNA glycosylase modulates susceptibility to homologous recombination. DNA Repair, 2002, 1, 645-659.	1.3	28
908	Effects of hexavalent chromium on the survival and cell cycle distribution of DNA repair-deficient <i>S. cerevisiae</i> . DNA Repair, 2002, 1, 617-627.	1.3	43
909	Copper homeostasis and aging in the fungal model system <i>Podospora anserina</i> : differential expression of PaCtr3 encoding a copper transporter. International Journal of Biochemistry and Cell Biology, 2002, 34, 1355-1371.	1.2	63
910	Ime2, a Meiosis-Specific Kinase in Yeast, Is Required for Destabilization of Its Transcriptional Activator, Ime1. Molecular and Cellular Biology, 2002, 22, 2047-2056.	1.1	71
911	Multiple telophase arrest bypassed (tab) mutants alleviate the essential requirement for Cdc15 in exit from mitosis in <i>S. cerevisiae</i> . BMC Genetics, 2002, 3, 4.	2.7	36
912	The yeast gene COQ5 is differentially regulated by Mig1p, Rtg3p and Hap2p. Biochimica Et Biophysica Acta Gene Regulatory Mechanisms, 2002, 1578, 51-58.	2.4	15
913	Inhibition of somatostatin receptor 5-signaling by mammalian regulators of G-protein signaling (RGS) in yeast. Biochimica Et Biophysica Acta - Molecular Cell Research, 2002, 1542, 95-105.	1.9	21
914	Characterisation of two 14-3-3 genes from <i>Trichoderma reesei</i> : interactions with yeast secretory pathway components. Biochimica Et Biophysica Acta - Molecular Cell Research, 2002, 1590, 27-40.	1.9	20
915	Mks1 in Concert with TOR Signaling Negatively Regulates RTG Target Gene Expression in <i>S. cerevisiae</i> . Current Biology, 2002, 12, 389-395.	1.8	108
916	A GyrB-GyrA fusion protein expressed in yeast cells is able to remove DNA supercoils but cannot substitute eukaryotic topoisomerase II. Genes To Cells, 2002, 7, 249-257.	0.5	17
917	The yeast kinetochore protein Slk19 is required to prevent aberrant chromosome segregation in meiosis and mitosis. Genes To Cells, 2002, 7, 1033-1042.	0.5	5
918	<i>Saccharomyces cerevisiae</i> PAU genes are induced by anaerobiosis. Molecular Microbiology, 2002, 35, 1421-1430.	1.2	83

#	ARTICLE	IF	CITATIONS
919	Upstream nucleosomes and Rgr1p are required for nucleosomal repression of transcription. <i>Molecular Microbiology</i> , 2002, 36, 1293-1305.	1.2	3
920	Interactions of the <i>Trichoderma reesei</i> rho3 with the secretory pathway in yeast and <i>T. reesei</i> . <i>Molecular Microbiology</i> , 2002, 42, 1349-1361.	1.2	19
921	Molecular analysis of KTI12/TOT4, a <i>Saccharomyces cerevisiae</i> gene required for <i>Kluyveromyces lactis</i> zymocin action. <i>Molecular Microbiology</i> , 2002, 43, 783-791.	1.2	65
922	Control of 26S proteasome expression by transcription factors regulating multidrug resistance in <i>Saccharomyces cerevisiae</i> . <i>Molecular Microbiology</i> , 2002, 43, 1295-1308.	1.2	105
923	Protein interactions within <i>Saccharomyces cerevisiae</i> Elongator, a complex essential for <i>Kluyveromyces lactis</i> zymocin action. <i>Molecular Microbiology</i> , 2002, 45, 817-826.	1.2	41
924	Isolation and characterization of capsule structure mutant strains of <i>Cryptococcus neoformans</i> . <i>Molecular Microbiology</i> , 2002, 45, 837-849.	1.2	99
925	Control of dinucleoside polyphosphates by the FHIT-homologous HNT2 gene, adenine biosynthesis and heat shock in <i>Saccharomyces cerevisiae</i> . <i>BMC Molecular Biology</i> , 2002, 3, 7.	3.0	8
926	A role for nuclear localised proteasomes in mediating auxin action. <i>Plant Journal</i> , 2002, 30, 691-698.	2.8	3
927	The plant disease resistance gene Asc-1 prevents disruption of sphingolipid metabolism during AAL-toxin-induced programmed cell death. <i>Plant Journal</i> , 2002, 32, 561-572.	2.8	176
928	Swollenin, a <i>Trichoderma reesei</i> protein with sequence similarity to the plant expansins, exhibits disruption activity on cellulosic materials. <i>FEBS Journal</i> , 2002, 269, 4202-4211.	0.2	369
929	Disruption of six <i>Saccharomyces cerevisiae</i> ORFs on chromosome XII results in three lethal disruptants. <i>Yeast</i> , 2002, 19, 79-86.	0.8	1
930	Identification and functional analysis of the <i>Saccharomyces cerevisiae</i> nicotinamidase gene, PNC1. <i>Yeast</i> , 2002, 19, 215-224.	0.8	114
931	Identification of a <i>Candida glabrata</i> homologue of the <i>S. cerevisiae</i> VRG4 gene, encoding the Golgi GDP-mannose transporter. <i>Yeast</i> , 2002, 19, 691-698.	0.8	21
932	Dehydroepiandrosterone (DHEA) metabolism in <i>Saccharomyces cerevisiae</i> expressing mammalian steroid hydroxylase CYP7B: Ayr1p and Fox2p display 17 β -hydroxysteroid dehydrogenase activity. <i>Yeast</i> , 2002, 19, 873-886.	0.8	36
933	Characterization of a gene encoding tRNA nucleotidyltransferase from <i>Candida glabrata</i> . <i>Yeast</i> , 2002, 19, 1399-1411.	0.8	6
934	<i>Arabidopsis</i> boron transporter for xylem loading. <i>Nature</i> , 2002, 420, 337-340.	13.7	582
935	Translocation of lipid-linked oligosaccharides across the ER membrane requires Rft1 protein. <i>Nature</i> , 2002, 415, 447-450.	13.7	240
936	De novo formation of transitional ER sites and Golgi structures in <i>Pichia pastoris</i> . <i>Nature Cell Biology</i> , 2002, 4, 750-756.	4.6	231

#	ARTICLE	IF	CITATIONS
937	Vacuolar H ⁺ -ATPase, but not mitochondrial F1FO-ATPase, is required for NaCl tolerance in <i>Saccharomyces cerevisiae</i> . <i>FEMS Microbiology Letters</i> , 2002, 208, 227-232.	0.7	27
938	Differential transcriptional regulation of sulfur assimilation gene homologues in the <i>Saccharomyces carlsbergensis</i> yeast species hybrid. <i>FEMS Yeast Research</i> , 2002, 1, 315-322.	1.1	10
939	The level of MXR1 gene expression in brewing yeast during beer fermentation is a major determinant for the concentration of dimethyl sulfide in beer. <i>FEMS Yeast Research</i> , 2002, 2, 137-149.	1.1	24
940	A novel mitochondrial DEAD box protein (Mrh4) required for maintenance of mtDNA in <i>Saccharomyces cerevisiae</i> . <i>FEMS Yeast Research</i> , 2002, 2, 267-276.	1.1	11
941	A method for plasmid purification directly from yeast. <i>Analytical Biochemistry</i> , 2002, 307, 13-17.	1.1	56
942	Does any yeast mitochondrial carrier have a native uncoupling protein function?. <i>Journal of Bioenergetics and Biomembranes</i> , 2002, 34, 165-176.	1.0	31
943	Mammalian and yeast U3 snoRNPs are matured in specific and related nuclear compartments. <i>EMBO Journal</i> , 2002, 21, 2736-2745.	3.5	167
944	Identification and reconstitution of the yeast mitochondrial transporter for thiamine pyrophosphate. <i>EMBO Journal</i> , 2002, 21, 5653-5661.	3.5	88
945	The Erv41p-Erv46p complex: multiple export signals are required in trans for COPII-dependent transport from the ER. <i>EMBO Journal</i> , 2002, 21, 6095-6104.	3.5	88
946	Yeast Cdk1 translocates to the plus end of cytoplasmic microtubules to regulate bud cortex interactions. <i>EMBO Journal</i> , 2003, 22, 438-449.	3.5	144
947	Ssu72 is a phosphatase essential for transcription termination of snoRNAs and specific mRNAs in yeast. <i>EMBO Journal</i> , 2003, 22, 1588-1598.	3.5	114
948	Elg1 forms an alternative RFC complex important for DNA replication and genome integrity. <i>EMBO Journal</i> , 2003, 22, 4304-4313.	3.5	148
949	Components involved in assembly and dislocation of iron-sulfur clusters on the scaffold protein Isu1p. <i>EMBO Journal</i> , 2003, 22, 4815-4825.	3.5	344
950	A novel eukaryotic factor for cytosolic Fe-S cluster assembly. <i>EMBO Journal</i> , 2003, 22, 4826-4835.	3.5	150
951	The XMAP215 homologue Stu2 at yeast spindle pole bodies regulates microtubule dynamics and anchorage. <i>EMBO Journal</i> , 2003, 22, 4779-4793.	3.5	71
952	Identification and functional reconstitution of yeast mitochondrial carrier for S-adenosylmethionine. <i>EMBO Journal</i> , 2003, 22, 5975-5982.	3.5	106
953	Heterologous expression and characterization of <i>Schizosaccharomyces pombe</i> vacuolar carboxypeptidase Y in <i>Saccharomyces cerevisiae</i> . <i>Current Genetics</i> , 2003, 42, 252-259.	0.8	11
954	cDNA encoding protein O-mannosyltransferase from the filamentous fungus <i>Trichoderma reesei</i> ; functional equivalence to <i>Saccharomyces cerevisiae</i> PMT2. <i>Current Genetics</i> , 2003, 43, 11-16.	0.8	17

#	ARTICLE	IF	CITATIONS
955	Rsf1p, a protein required for respiratory growth of <i>Saccharomyces cerevisiae</i> . <i>Current Genetics</i> , 2003, 43, 263-272.	0.8	24
956	Cloning of a gene encoding thermostable cellobiohydrolase from <i>Thermoascus aurantiacus</i> and its expression in yeast. <i>Applied Microbiology and Biotechnology</i> , 2003, 63, 42-50.	1.7	65
957	Cloning of two contrasting high-affinity sulfate transporters from tomato induced by low sulfate and infection by the vascular pathogen <i>Verticillium dahliae</i> . <i>Planta</i> , 2003, 218, 58-64.	1.6	73
958	Mutant casein kinase I (Hrr25p/Kti14p) abrogates the G1 cell cycle arrest induced by <i>Kluyveromyces lactis</i> zymocin in budding yeast. <i>Molecular Genetics and Genomics</i> , 2003, 269, 188-196.	1.0	37
959	Disruption of the <i>Saccharomyces cerevisiae</i> cell-wall pathway gene SLG1 causes hypersensitivity to the antitumor drug bleomycin. <i>Molecular Genetics and Genomics</i> , 2003, 269, 78-89.	1.0	30
960	Genetic evidence for a role of phospholipase C at the budding yeast kinetochore. <i>Molecular Genetics and Genomics</i> , 2003, 269, 261-270.	1.0	19
961	Deletion of the Hsp70 chaperone gene SSB causes hypersensitivity to guanidine toxicity and curing of the [PSI ⁺] prion by increasing guanidine uptake in yeast. <i>Molecular Genetics and Genomics</i> , 2003, 269, 304-311.	1.0	16
962	The PmSOD1 gene of the protistan parasite <i>Perkinsus marinus</i> complements the <i>sod2^Δ</i> mutant of <i>Saccharomyces cerevisiae</i> , and directs an iron superoxide dismutase to mitochondria. <i>Molecular and Biochemical Parasitology</i> , 2003, 126, 81-92.	0.5	35
963	Chitin synthase III activity, but not the chitin ring, is required for remedial septa formation in budding yeast. <i>FEMS Microbiology Letters</i> , 2003, 224, 299-305.	0.7	42
964	Characterization of a <i>Candida albicans</i> gene encoding a putative transcriptional factor required for cell wall integrity. <i>FEMS Microbiology Letters</i> , 2003, 226, 159-167.	0.7	20
965	Characterization of <i>fgdp1+</i> as encoding a GDPase in the fission yeast <i>Schizosaccharomyces pombe</i> . <i>FEMS Microbiology Letters</i> , 2003, 228, 33-38.	0.7	7
966	Comparative genotyping of the laboratory strains S288C and CEN.PK113-7D using oligonucleotide microarrays. <i>FEMS Yeast Research</i> , 2003, 4, 259-269.	1.1	50
967	Further development of the cassette-based pYC plasmid system by incorporation of the dominant , and gene markers and the reporter system. <i>FEMS Yeast Research</i> , 2003, 4, 323-327.	1.1	20
968	Elongator's toxin-target (TOT) function is nuclear localization sequence dependent and suppressed by post-translational modification. <i>Molecular Microbiology</i> , 2003, 49, 1297-1307.	1.2	90
969	Tetracycline-aptamer-mediated translational regulation in yeast. <i>Molecular Microbiology</i> , 2003, 49, 1627-1637.	1.2	100
970	Cell cycle- and age-dependent activation of Sod1p drives the formation of stress resistant cell subpopulations within clonal yeast cultures. <i>Molecular Microbiology</i> , 2003, 50, 857-870.	1.2	44
971	Identification and metabolic role of the mitochondrial aspartate-glutamate transporter in <i>Saccharomyces cerevisiae</i> . <i>Molecular Microbiology</i> , 2003, 50, 1257-1269.	1.2	87
972	Functional characterization and expression analysis of a glutathione transporter, BjGT1, from <i>Brassica juncea</i> : evidence for regulation by heavy metal exposure. <i>Plant, Cell and Environment</i> , 2003, 26, 1703-1711.	2.8	68

#	ARTICLE	IF	CITATIONS
973	Sodium transport and HKT transporters: the rice model. <i>Plant Journal</i> , 2003, 34, 788-801.	2.8	378
974	Molecular cloning and characterization of a sodium-pump ATPase of the moss <i>Physcomitrella patens</i> . <i>Plant Journal</i> , 2003, 36, 382-389.	2.8	95
975	Comparative importance in vivo of conserved glutamate residues in the EX7E motif retaining glycosyltransferase Gpi3p, the UDP-GlcNAc-binding subunit of the first enzyme in glycosylphosphatidylinositol assembly. <i>FEBS Journal</i> , 2003, 270, 4507-4514.	0.2	19
976	Transcription profile of brewery yeast under fermentation conditions. <i>Journal of Applied Microbiology</i> , 2003, 94, 432-448.	1.4	103
977	Characterization of potassium transport in wild-type and isogenic yeast strains carrying all combinations of <i>trk1</i> , <i>trk2</i> and <i>tok1</i> null mutations. <i>Molecular Microbiology</i> , 2003, 47, 767-780.	1.2	95
978	Activation mechanisms of the HAcI-mediated unfolded protein response in filamentous fungi. <i>Molecular Microbiology</i> , 2003, 47, 1149-1161.	1.2	132
979	The <i>Cryptococcus neoformans</i> MAP kinase Mpk1 regulates cell integrity in response to antifungal drugs and loss of calcineurin function. <i>Molecular Microbiology</i> , 2003, 48, 1377-1387.	1.2	190
980	Functional inactivation of the conserved Sem1p in yeast by intrabodies. <i>Yeast</i> , 2003, 20, 1071-1084.	0.8	13
981	Gene regulation in response to protein disulphide isomerase deficiency. <i>Yeast</i> , 2003, 20, 645-652.	0.8	6
982	Construction of a set of <i>Saccharomyces cerevisiae</i> vectors designed for recombinational cloning. <i>Yeast</i> , 2003, 20, 739-746.	0.8	51
983	A ubiquitin-binding motif required for intramolecular monoubiquitylation, the CUE domain. <i>EMBO Journal</i> , 2003, 22, 1273-1281.	3.5	260
984	A La protein requirement for efficient pre-tRNA folding. <i>EMBO Journal</i> , 2003, 22, 6562-6572.	3.5	99
985	Effects of Inactivation and Constitutive Expression of the Unfolded-Protein Response Pathway on Protein Production in the Yeast <i>Saccharomyces cerevisiae</i> . <i>Applied and Environmental Microbiology</i> , 2003, 69, 2065-2072.	1.4	175
986	The Sir4 C-terminal Coiled Coil is Required for Telomeric and Mating Type Silencing in <i>Saccharomyces cerevisiae</i> . <i>Journal of Molecular Biology</i> , 2003, 334, 769-780.	2.0	29
987	Functional expression and processing of rat choline dehydrogenase precursor. <i>Biochemical and Biophysical Research Communications</i> , 2003, 309, 344-350.	1.0	18
988	Terbinafine resistance in a pleiotropic yeast mutant is caused by a single point mutation in the <i>ERG1</i> gene. <i>Biochemical and Biophysical Research Communications</i> , 2003, 309, 666-671.	1.0	43
989	A Sensitive and Inexpensive Yeast Bioassay for the Mycotoxin Zearalenone and Other Compounds with Estrogenic Activity. <i>Applied and Environmental Microbiology</i> , 2003, 69, 805-811.	1.4	39
990	Photoconversion of matrix targeted GFP enables analysis of continuity and intermixing of the mitochondrial lumen. <i>FEBS Letters</i> , 2003, 554, 194-200.	1.3	40

#	ARTICLE	IF	CITATIONS
991	N-Terminal modifications of the 19S regulatory particle subunits of the yeast proteasome. <i>Archives of Biochemistry and Biophysics</i> , 2003, 409, 341-348.	1.4	86
992	Functional analysis of the M2D helix of the TRK1 potassium transporter of <i>Saccharomyces cerevisiae</i> . <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2003, 1613, 1-6.	1.4	42
993	Why the Phosphotransferase System of <i>Escherichia coli</i> Escapes Diffusion Limitation. <i>Biophysical Journal</i> , 2003, 85, 612-622.	0.2	39
994	Multiple Roles of Tap42 in Mediating Rapamycin-Induced Transcriptional Changes in Yeast. <i>Molecular Cell</i> , 2003, 11, 1467-1478.	4.5	148
995	The CCT Chaperonin Promotes Activation of the Anaphase-Promoting Complex through the Generation of Functional Cdc20. <i>Molecular Cell</i> , 2003, 12, 87-100.	4.5	170
996	The Spoilage Yeast <i>Zygosaccharomyces bailii</i> Forms Mitotic Spores: a Screening Method for Haploidization. <i>Applied and Environmental Microbiology</i> , 2003, 69, 649-653.	1.4	25
997	A Protein Complex Containing Mdm10p, Mdm12p, and Mmm1p Links Mitochondrial Membranes and DNA to the Cytoskeleton-based Segregation Machinery. <i>Molecular Biology of the Cell</i> , 2003, 14, 4618-4627.	0.9	242
998	Subunit Communications Crucial for the Functional Integrity of the Yeast RNA Polymerase II Elongator (β^3 -Toxin Target (TOT)) Complex. <i>Journal of Biological Chemistry</i> , 2003, 278, 956-961.	1.6	42
999	Ribosomal proteins Rps0 and Rps21 of <i>Saccharomyces cerevisiae</i> have overlapping functions in the maturation of the 3' end of 18S rRNA. <i>Nucleic Acids Research</i> , 2003, 31, 6798-6805.	6.5	35
1000	Heritable activity: a prion that propagates by covalent autoactivation. <i>Genes and Development</i> , 2003, 17, 2083-2087.	2.7	123
1001	Analysis of Vir protein translocation from <i>Agrobacterium tumefaciens</i> using <i>Saccharomyces cerevisiae</i> as a model: evidence for transport of a novel effector protein VirE3. <i>Nucleic Acids Research</i> , 2003, 31, 860-868.	6.5	119
1002	Regulation of the Yeast Amphiphysin Homologue Rvs167p by Phosphorylation. <i>Molecular Biology of the Cell</i> , 2003, 14, 3027-3040.	0.9	33
1003	Regulation of Intracellular Heme Levels by HMX1, a Homologue of Heme Oxygenase, in <i>Saccharomyces cerevisiae</i> . <i>Journal of Biological Chemistry</i> , 2003, 278, 36582-36587.	1.6	81
1004	Suppression of Coatomer Mutants by a New Protein Family with COPI and COPII Binding Motifs in <i>Saccharomyces cerevisiae</i> . <i>Molecular Biology of the Cell</i> , 2003, 14, 3097-3113.	0.9	35
1005	Development of a Yeast Bioassay to Characterize G Protein-coupled Receptor Kinases. <i>Journal of Biological Chemistry</i> , 2003, 278, 47466-47476.	1.6	49
1006	Constriction and Dnm1p Recruitment Are Distinct Processes in Mitochondrial Fission. <i>Molecular Biology of the Cell</i> , 2003, 14, 1953-1963.	0.9	168
1007	Interactions among COX1, COX2, and COX3 mRNA-specific Translational Activator Proteins on the Inner Surface of the Mitochondrial Inner Membrane of <i>Saccharomyces cerevisiae</i> . <i>Molecular Biology of the Cell</i> , 2003, 14, 324-333.	0.9	140
1008	Gts1p Activates SNF1-dependent Derepression of HSP104 and TPS1 in the Stationary Phase of Yeast Growth. <i>Journal of Biological Chemistry</i> , 2003, 278, 29760-29768.	1.6	12

#	ARTICLE	IF	CITATIONS
1009	Receptor Internalization in Yeast Requires the Tor2-Rho1 Signaling Pathway. <i>Molecular Biology of the Cell</i> , 2003, 14, 4676-4684.	0.9	60
1010	The Unique Hexokinase of <i>Kluyveromyces lactis</i> . <i>Journal of Biological Chemistry</i> , 2003, 278, 39280-39286.	1.6	14
1011	Supplying Copper to the Cuproenzyme Peptidylglycine $\hat{\text{I}}\pm$ -Amidating Monooxygenase. <i>Journal of Biological Chemistry</i> , 2003, 278, 12278-12284.	1.6	72
1012	A role for Yip1p in COPII vesicle biogenesis. <i>Journal of Cell Biology</i> , 2003, 163, 57-69.	2.3	73
1013	Molecular Mechanism of Terbinafine Resistance in <i>Saccharomyces cerevisiae</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2003, 47, 3890-3900.	1.4	62
1014	She4p/Dim1p Interacts with the Motor Domain of Unconventional Myosins in the Budding Yeast, <i>Saccharomyces cerevisiae</i> . <i>Molecular Biology of the Cell</i> , 2003, 14, 2237-2249.	0.9	65
1015	Rpb7 subunit of RNA polymerase II interacts with an RNA-binding protein involved in processing of transcripts. <i>Nucleic Acids Research</i> , 2003, 31, 4696-4701.	6.5	46
1016	Functional Similarities and Differences between <i>Candida albicans</i> Cdr1p and Cdr2p Transporters. <i>Antimicrobial Agents and Chemotherapy</i> , 2003, 47, 1543-1554.	1.4	50
1017	Plant RelA/SpoT Homolog Confers Salt Tolerance in <i>Escherichia coli</i> and <i>Saccharomyces cerevisiae</i> . <i>Plant and Cell Physiology</i> , 2003, 44, 3-9.	1.5	45
1018	Budding Yeast CTDK-I Is Required for DNA Damage-Induced Transcription. <i>Eukaryotic Cell</i> , 2003, 2, 274-283.	3.4	44
1019	Application of a <i>Saccharomyces cerevisiae</i> Model To Study Requirements for Trafficking of <i>Yersinia pestis</i> YopM in Eucaryotic Cells. <i>Infection and Immunity</i> , 2003, 71, 937-947.	1.0	39
1020	Regulation of TATA-Binding Protein Binding by the SAGA Complex and the Nhp6 High-Mobility Group Protein. <i>Molecular and Cellular Biology</i> , 2003, 23, 1910-1921.	1.1	45
1021	POS5 Gene of <i>Saccharomyces cerevisiae</i> Encodes a Mitochondrial NADH Kinase Required for Stability of Mitochondrial DNA. <i>Eukaryotic Cell</i> , 2003, 2, 809-820.	3.4	98
1022	Random Mutagenesis of the M3 Muscarinic Acetylcholine Receptor Expressed in Yeast. <i>Journal of Biological Chemistry</i> , 2003, 278, 30248-30260.	1.6	42
1023	Cytoplasmic N-Terminal Protein Acetylation Is Required for Efficient Photosynthesis in <i>Arabidopsis</i> [W]. <i>Plant Cell</i> , 2003, 15, 1817-1832.	3.1	107
1024	The Transcriptome and Its Translation during Recovery from Cell Cycle Arrest in <i>Saccharomyces cerevisiae</i> . <i>Molecular and Cellular Proteomics</i> , 2003, 2, 191-204.	2.5	48
1025	<i>Candida albicans</i> Septin Mutants Are Defective for Invasive Growth and Virulence. <i>Infection and Immunity</i> , 2003, 71, 4045-4051.	1.0	85
1026	A <i>Saccharomyces cerevisiae</i> mutant with increased virulence. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 2766-2770.	3.3	100

#	ARTICLE	IF	CITATIONS
1027	Spatial and temporal dynamics of budding yeast mitochondria lacking the division component Fis1p. <i>Journal of Cell Science</i> , 2003, 116, 2005-2014.	1.2	113
1028	Glucose Regulation of <i>Saccharomyces cerevisiae</i> Cell Cycle Genes. <i>Eukaryotic Cell</i> , 2003, 2, 143-149.	3.4	66
1029	Genetic, biochemical, and morphological evidence for the involvement of N-glycosylation in biosynthesis of the cell wall α 1,6-glucan of <i>Saccharomyces cerevisiae</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 15381-15386.	3.3	28
1030	Multiple Interactions Involving the Amino-terminal Domain of Yeast mtRNA Polymerase Determine the Efficiency of Mitochondrial Protein Synthesis. <i>Journal of Biological Chemistry</i> , 2003, 278, 18695-18701.	1.6	65
1031	Insight into Functional Aspects of Stt3p, a Subunit of the Oligosaccharyl Transferase. <i>Journal of Biological Chemistry</i> , 2003, 278, 51441-51447.	1.6	21
1032	The essential transcription factor Reb1p interacts with the CLB2 UAS outside of the G2/M control region. <i>Nucleic Acids Research</i> , 2003, 31, 4597-4607.	6.5	12
1033	Parallel competition analysis of <i>Saccharomyces cerevisiae</i> strains differing by a single base using polymerase colonies. <i>Nucleic Acids Research</i> , 2003, 31, 84e-84.	6.5	17
1034	Piecemeal Microautophagy of Nucleus in <i>Saccharomyces cerevisiae</i> . <i>Molecular Biology of the Cell</i> , 2003, 14, 129-141.	0.9	399
1035	NAD ⁺ -Dependent Deacetylase Hst1p Controls Biosynthesis and Cellular NAD ⁺ Levels in <i>Saccharomyces cerevisiae</i> . <i>Molecular and Cellular Biology</i> , 2003, 23, 7044-7054.	1.1	119
1036	Sec3p Is Needed for the Spatial Regulation of Secretion and for the Inheritance of the Cortical Endoplasmic Reticulum. <i>Molecular Biology of the Cell</i> , 2003, 14, 4770-4782.	0.9	104
1037	Identification and study of a <i>Candida albicans</i> protein homologous to <i>Saccharomyces cerevisiae</i> Ssr1p, an internal cell-wall protein. <i>Microbiology (United Kingdom)</i> , 2003, 149, 2137-2145.	0.7	18
1038	Quantitative Analysis of GAL Genetic Switch of <i>Saccharomyces cerevisiae</i> Reveals That Nucleocytoplasmic Shuttling of Gal80p Results in a Highly Sensitive Response to Galactose. <i>Journal of Biological Chemistry</i> , 2003, 278, 48764-48769.	1.6	56
1039	A Specific Role of the Yeast Mitochondrial Carriers Mrs3/4p in Mitochondrial Iron Acquisition under Iron-limiting Conditions. <i>Journal of Biological Chemistry</i> , 2003, 278, 40612-40620.	1.6	173
1040	Tor Kinases Are in Distinct Membrane-associated Protein Complexes in <i>Saccharomyces cerevisiae</i> . <i>Molecular Biology of the Cell</i> , 2003, 14, 1204-1220.	0.9	222
1041	New Findings on Interactions among the Yeast Oligosaccharyl Transferase Subunits Using a Chemical Cross-linker. <i>Journal of Biological Chemistry</i> , 2003, 278, 33078-33087.	1.6	29
1042	Cdc24, the GDP-GTP Exchange Factor for Cdc42, Is Required for Invasive Hyphal Growth of <i>Candida albicans</i> . <i>Eukaryotic Cell</i> , 2003, 2, 9-18.	3.4	108
1043	Interactions between Centromere Complexes in <i>Saccharomyces cerevisiae</i> . <i>Molecular Biology of the Cell</i> , 2003, 14, 4931-4946.	0.9	84
1044	Functional Distinctions between IMP Dehydrogenase Genes in Providing Mycophenolate Resistance and Guanine Prototrophy to Yeast. <i>Journal of Biological Chemistry</i> , 2003, 278, 28470-28478.	1.6	68

#	ARTICLE	IF	CITATIONS
1045	The mechanism of ferrichrome transport through Arn1p and its metabolism in <i>Saccharomyces cerevisiae</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 5664-5669.	3.3	42
1046	Coordination of N-Glycosylation and Protein Translocation across the Endoplasmic Reticulum Membrane by Sss1 Protein. <i>Journal of Biological Chemistry</i> , 2003, 278, 37998-38003.	1.6	38
1047	Binding Dynamics of Structural Nucleoporins Govern Nuclear Pore Complex Permeability and May Mediate Channel Gating. <i>Molecular and Cellular Biology</i> , 2003, 23, 534-542.	1.1	120
1048	Calcineurin Is Essential for <i>Candida albicans</i> Survival in Serum and Virulence. <i>Eukaryotic Cell</i> , 2003, 2, 422-430.	3.4	177
1049	Toxicity of Metal Ions Used in Dental Alloys: A Study in the Yeast <i>Saccharomyces cerevisiae</i> . <i>Drug and Chemical Toxicology</i> , 2003, 26, 75-85.	1.2	28
1050	A Novel Zinc Finger Is Required for Mcm10 Homocomplex Assembly. <i>Journal of Biological Chemistry</i> , 2003, 278, 36051-36058.	1.6	33
1051	Phloem-Localizing Sulfate Transporter, Sultr1;3, Mediates Re-Distribution of Sulfur from Source to Sink Organs in <i>Arabidopsis</i> . <i>Plant Physiology</i> , 2003, 131, 1511-1517.	2.3	195
1052	Methylthioadenosine Phosphorylase Regulates Ornithine Decarboxylase by Production of Downstream Metabolites. <i>Journal of Biological Chemistry</i> , 2003, 278, 49868-49873.	1.6	76
1053	Cell size as a link between noncoding DNA and metabolic rate scaling. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 14080-14085.	3.3	298
1054	Novel Developmental Genes, fruCD, of <i>Myxococcus xanthus</i> : Involvement of a Cell Division Protein in Multicellular Development. <i>Journal of Bacteriology</i> , 2003, 185, 3317-3324.	1.0	12
1055	Yaf9, a Novel NuA4 Histone Acetyltransferase Subunit, Is Required for the Cellular Response to Spindle Stress in Yeast. <i>Molecular and Cellular Biology</i> , 2003, 23, 6086-6102.	1.1	92
1056	The Rho Guanine Nucleotide Exchange Factor Lsc Homo-oligomerizes and Is Negatively Regulated through Domains in Its Carboxyl Terminus That Are Absent in Novel Splenic Isoforms. <i>Journal of Biological Chemistry</i> , 2003, 278, 30975-30984.	1.6	25
1057	Asynchronous Cell Cycle and Asymmetric Vacuolar Inheritance in True Hyphae of <i>Candida albicans</i> . <i>Eukaryotic Cell</i> , 2003, 2, 398-410.	3.4	75
1058	Temperature-sensitive mutation in yeast mitochondrial ribosome recycling factor (RRF). <i>Nucleic Acids Research</i> , 2003, 31, 4218-4226.	6.5	27
1059	Perturbation of transcription elongation influences the fidelity of internal exon inclusion in <i>Saccharomyces cerevisiae</i> . <i>Rna</i> , 2003, 9, 993-1006.	1.6	146
1060	A Novel Golgi Membrane Protein Is a Partner of the ARF Exchange Factors Gea1p and Gea2p. <i>Molecular Biology of the Cell</i> , 2003, 14, 2357-2371.	0.9	50
1061	Functional dissection of the C-terminal domain of type II DNA topoisomerase from the kinetoplastid hemoflagellate <i>Leishmania donovani</i> . <i>Nucleic Acids Research</i> , 2003, 31, 5305-5316.	6.5	27
1062	Budding yeast PAK kinases regulate mitotic exit by two different mechanisms. <i>Journal of Cell Biology</i> , 2003, 160, 857-874.	2.3	27

#	ARTICLE	IF	CITATIONS
1063	Ergosterol is required for targeting of tryptophan permease to the yeast plasma membrane. <i>Journal of Cell Biology</i> , 2003, 161, 1117-1131.	2.3	206
1064	Use of RNA Yeast Polymerase II Mutants in Studying Transcription Elongation. <i>Methods in Enzymology</i> , 2003, 371, 284-292.	0.4	15
1065	Negative regulation of calcineurin signaling by Hrr25p, a yeast homolog of casein kinase I. <i>Genes and Development</i> , 2003, 17, 2698-2708.	2.7	74
1066	Kinetic analysis of ribozyme-substrate complex formation in yeast. <i>Rna</i> , 2004, 10, 863-879.	1.6	13
1067	Epitope Tagging of the Yeast K ⁺ Carrier Trk2p Demonstrates Folding That Is Consistent with a Channel-like Structure. <i>Journal of Biological Chemistry</i> , 2004, 279, 3003-3013.	1.6	29
1068	Pn-AMP1, a Plant Defense Protein, Induces Actin Depolarization in Yeasts. <i>Plant and Cell Physiology</i> , 2004, 45, 1669-1680.	1.5	54
1069	Hph1p and Hph2p, Novel Components of Calcineurin-Mediated Stress Responses in <i>Saccharomyces cerevisiae</i> . <i>Eukaryotic Cell</i> , 2004, 3, 695-704.	3.4	71
1070	The Role and Regulation of the preRC Component Cdc6 in the Initiation of Premeiotic DNA Replication. <i>Molecular Biology of the Cell</i> , 2004, 15, 2230-2242.	0.9	20
1071	GPI7 Involved in Glycosylphosphatidylinositol Biosynthesis Is Essential for Yeast Cell Separation. <i>Journal of Biological Chemistry</i> , 2004, 279, 51869-51879.	1.6	40
1072	Genome-wide prediction of stop codon readthrough during translation in the yeast <i>Saccharomyces cerevisiae</i> . <i>Nucleic Acids Research</i> , 2004, 32, 6605-6616.	6.5	74
1073	TOR Complex 1 Includes a Novel Component, Tco89p (YPL180w), and Cooperates with Ssd1p to Maintain Cellular Integrity in <i>Saccharomyces cerevisiae</i> . <i>Journal of Biological Chemistry</i> , 2004, 279, 14752-14762.	1.6	218
1074	Functional Interaction between TFIIB and the Rpb2 Subunit of RNA Polymerase II: Implications for the Mechanism of Transcription Initiation. <i>Molecular and Cellular Biology</i> , 2004, 24, 3983-3991.	1.1	44
1075	Functional Characterization of Dma1 and Dma2, the Budding Yeast Homologues of <i>Schizosaccharomyces pombe</i> Dma1 and Human Chfr. <i>Molecular Biology of the Cell</i> , 2004, 15, 3796-3810.	0.9	53
1076	Characterization of Secretory Genes <i>ypt1 / yptA</i> and <i>nsf1 / nsfA</i> from Two Filamentous Fungi: Induction of Secretory Pathway Genes of <i>Trichoderma reesei</i> under Secretion Stress Conditions. <i>Applied and Environmental Microbiology</i> , 2004, 70, 459-467.	1.4	31
1077	U17/snR30 Is a Ubiquitous snoRNA with Two Conserved Sequence Motifs Essential for 18S rRNA Production. <i>Molecular and Cellular Biology</i> , 2004, 24, 1769-1778.	1.1	84
1078	Deficiencies in the Endoplasmic Reticulum (ER)-Membrane Protein Gab1p Perturb Transfer of Glycosylphosphatidylinositol to Proteins and Cause Perinuclear ER-associated Actin Bar Formation. <i>Molecular Biology of the Cell</i> , 2004, 15, 2758-2770.	0.9	29
1079	Novel regulation of mitotic exit by the Cdc42 effectors Gic1 and Gic2. <i>Journal of Cell Biology</i> , 2004, 164, 219-231.	2.3	41
1080	Human Smp3p Adds a Fourth Mannose to Yeast and Human Glycosylphosphatidylinositol Precursors in Vivo. <i>Journal of Biological Chemistry</i> , 2004, 279, 36083-36092.	1.6	69

#	ARTICLE	IF	CITATIONS
1081	The Rsp5 Ubiquitin Ligase Binds to and Ubiquitinates Members of the Yeast CIN85-Endophilin Complex, Sla1-Rvs167. <i>Journal of Biological Chemistry</i> , 2004, 279, 16017-16025.	1.6	73
1082	Specific Residues of the GDP/GTP Exchange Factor Bud5p Are Involved in Establishment of the Cell Type-specific Budding Pattern in Yeast. <i>Journal of Biological Chemistry</i> , 2004, 279, 27980-27985.	1.6	17
1083	Potent inhibition of huntingtin aggregation and cytotoxicity by a disulfide bond-free single-domain intracellular antibody. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 17616-17621.	3.3	173
1084	Cdk1-Clb4 controls the interaction of astral microtubule plus ends with subdomains of the daughter cell cortex. <i>Genes and Development</i> , 2004, 18, 1709-1724.	2.7	62
1085	A Microdomain Formed by the Extracellular Ends of the Transmembrane Domains Promotes Activation of the G Protein-Coupled β -Factor Receptor. <i>Molecular and Cellular Biology</i> , 2004, 24, 2041-2051.	1.1	28
1086	Population Genetics of the Wild Yeast <i>Saccharomyces paradoxus</i> . <i>Genetics</i> , 2004, 166, 43-52.	1.2	143
1087	Cyclic AMP-Dependent Protein Kinase Catalytic Subunits Have Divergent Roles in Virulence Factor Production in Two Varieties of the Fungal Pathogen <i>Cryptococcus neoformans</i> . <i>Eukaryotic Cell</i> , 2004, 3, 14-26.	3.4	92
1088	Impact of a Disruption of a Pathway Delivering Copper to Mitochondria on <i>Podospora anserina</i> Metabolism and Life Span. <i>Eukaryotic Cell</i> , 2004, 3, 200-211.	3.4	69
1089	Genetic Instability of Heterozygous, Hybrid, Natural Wine Yeasts. <i>Applied and Environmental Microbiology</i> , 2004, 70, 4686-4691.	1.4	40
1090	Cas3p Belongs to a Seven-Member Family of Capsule Structure Designer Proteins. <i>Eukaryotic Cell</i> , 2004, 3, 1513-1524.	3.4	59
1091	NPR1 Kinase and RSP5-BUL1/2 Ubiquitin Ligase Control GLN3-dependent Transcription in <i>Saccharomyces cerevisiae</i> . <i>Journal of Biological Chemistry</i> , 2004, 279, 37512-37517.	1.6	46
1092	Role of Vma21p in Assembly and Transport of the Yeast Vacuolar ATPase. <i>Molecular Biology of the Cell</i> , 2004, 15, 5075-5091.	0.9	81
1093	ATP-binding Cassette (ABC) Transporters Mediate Nonvesicular, Raft-modulated Sterol Movement from the Plasma Membrane to the Endoplasmic Reticulum. <i>Journal of Biological Chemistry</i> , 2004, 279, 45226-45234.	1.6	124
1094	Transcriptional Response of <i>Candida albicans</i> upon Internalization by Macrophages. <i>Eukaryotic Cell</i> , 2004, 3, 1076-1087.	3.4	672
1095	Identification, Mutational Analysis, and Coactivator Requirements of Two Distinct Transcriptional Activation Domains of the <i>Saccharomyces cerevisiae</i> Hap4 Protein. <i>Eukaryotic Cell</i> , 2004, 3, 339-347.	3.4	21
1096	Propagation of <i>Saccharomyces cerevisiae</i> [PSI ⁺] Prion Is Impaired by Factors That Regulate Hsp70 Substrate Binding. <i>Molecular and Cellular Biology</i> , 2004, 24, 3928-3937.	1.1	114
1097	The C2 domain of the Rsp5 ubiquitin ligase binds membrane phosphoinositides and directs ubiquitination of endosomal cargo. <i>Journal of Cell Biology</i> , 2004, 165, 135-144.	2.3	137
1098	Integration of Stress Responses: Modulation of Calcineurin Signaling in <i>Saccharomyces cerevisiae</i> by Protein Kinase A. <i>Eukaryotic Cell</i> , 2004, 3, 1147-1153.	3.4	79

#	ARTICLE	IF	CITATIONS
1099	TOR Controls Transcriptional and Translational Programs via Sap-Sit4 Protein Phosphatase Signaling Effectors. <i>Molecular and Cellular Biology</i> , 2004, 24, 8332-8341.	1.1	74
1100	Yeast Chromatin Assembly Complex 1 Protein Excludes Nonacetylatable Forms of Histone H4 from Chromatin and the Nucleus. <i>Molecular and Cellular Biology</i> , 2004, 24, 10180-10192.	1.1	38
1101	A Conserved Stress-activated Protein Kinase Regulates a Core Stress Response in the Human Pathogen <i>Candida albicans</i> . <i>Molecular Biology of the Cell</i> , 2004, 15, 4179-4190.	0.9	241
1102	Arf1p Provides an Unexpected Link between COPI Vesicles and mRNA in <i>Saccharomyces cerevisiae</i> . <i>Molecular Biology of the Cell</i> , 2004, 15, 5021-5037.	0.9	44
1103	Gpr1, a Putative G-Protein-Coupled Receptor, Regulates Morphogenesis and Hypha Formation in the Pathogenic Fungus <i>Candida albicans</i> . <i>Eukaryotic Cell</i> , 2004, 3, 919-931.	3.4	121
1104	UGD1, Encoding the <i>Cryptococcus neoformans</i> UDP-Glucose Dehydrogenase, Is Essential for Growth at 37°C and for Capsule Biosynthesis. <i>Eukaryotic Cell</i> , 2004, 3, 1601-1608.	3.4	78
1105	Functional expression in frog oocytes of human $\alpha 1$ receptors produced in <i>Saccharomyces cerevisiae</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 682-686.	3.3	10
1106	Detection of the mycophenolate-inhibited form of IMP dehydrogenase in vivo. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 12171-12176.	3.3	36
1107	Reciprocal Regulation between Slt2 MAPK and Isoforms of Msg5 Dual-specificity Protein Phosphatase Modulates the Yeast Cell Integrity Pathway. <i>Journal of Biological Chemistry</i> , 2004, 279, 11027-11034.	1.6	68
1108	Sem1p Is a Novel Subunit of the 26 S Proteasome from <i>Saccharomyces cerevisiae</i> . <i>Journal of Biological Chemistry</i> , 2004, 279, 28807-28816.	1.6	120
1109	The Heme Synthesis Defect of Mutants Impaired in Mitochondrial Iron-Sulfur Protein Biogenesis Is Caused by Reversible Inhibition of Ferrochelatase. <i>Journal of Biological Chemistry</i> , 2004, 279, 29101-29108.	1.6	54
1110	Functional Characterization of the Eukaryotic Cysteine Desulfurase Nfs1p from <i>Saccharomyces cerevisiae</i> . <i>Journal of Biological Chemistry</i> , 2004, 279, 36906-36915.	1.6	119
1111	Dissection and Design of Yeast Prions. <i>PLoS Biology</i> , 2004, 2, e86.	2.6	175
1112	Characterization of the <i>Saccharomyces cerevisiae</i> Fol1 Protein: Starvation for C1 Carrier Induces Pseudohyphal Growth. <i>Molecular Biology of the Cell</i> , 2004, 15, 3811-3828.	0.9	39
1113	A Role for <i>Saccharomyces cerevisiae</i> Chk1p in the Response to Replication Blocks. <i>Molecular Biology of the Cell</i> , 2004, 15, 4051-4063.	0.9	22
1114	Septin Ring Assembly Requires Concerted Action of Polarisome Components, a PAK Kinase Cla4p, and the Actin Cytoskeleton in <i>Saccharomyces cerevisiae</i> . <i>Molecular Biology of the Cell</i> , 2004, 15, 5329-5345.	0.9	94
1115	The <i>Schizosaccharomyces pombe</i> Corepressor Tup11 Interacts with the Iron-responsive Transcription Factor Fep1. <i>Journal of Biological Chemistry</i> , 2004, 279, 9462-9474.	1.6	47
1116	Msn2- and Msn4-Like Transcription Factors Play No Obvious Roles in the Stress Responses of the Fungal Pathogen <i>Candida albicans</i> . <i>Eukaryotic Cell</i> , 2004, 3, 1111-1123.	3.4	132

#	ARTICLE	IF	CITATIONS
1117	DNA Damage-induced Def1-RNA Polymerase II Interaction and Def1 Requirement for Polymerase Ubiquitylation in Vitro. <i>Journal of Biological Chemistry</i> , 2004, 279, 29875-29878.	1.6	46
1118	The Reg1-interacting Proteins, Bmh1, Bmh2, Ssb1, and Ssb2, Have Roles in Maintaining Glucose Repression in <i>Saccharomyces cerevisiae</i> . <i>Journal of Biological Chemistry</i> , 2004, 279, 39165-39174.	1.6	66
1119	SHIP Family Inositol Phosphatases Interact with and Negatively Regulate the Tec Tyrosine Kinase. <i>Journal of Biological Chemistry</i> , 2004, 279, 55089-55096.	1.6	49
1120	The ATC1 Gene Encodes a Cell Wall-linked Acid Trehalase Required for Growth on Trehalose in <i>Candida albicans</i> . <i>Journal of Biological Chemistry</i> , 2004, 279, 40852-40860.	1.6	40
1121	Telomere Cap Components Influence the Rate of Senescence in Telomerase-Deficient Yeast Cells. <i>Molecular and Cellular Biology</i> , 2004, 24, 837-845.	1.1	33
1122	The In Vivo Activity of Ime1, the Key Transcriptional Activator of Meiosis-Specific Genes in <i>Saccharomyces cerevisiae</i> , Is Inhibited by the Cyclic AMP/Protein Kinase A Signal Pathway through the Glycogen Synthase Kinase 3- β Homolog Rim11. <i>Molecular and Cellular Biology</i> , 2004, 24, 6967-6979.	1.1	38
1123	Nvj1p is the outer-nuclear-membrane receptor for oxysterol-binding protein homolog Osh1p in <i>Saccharomyces cerevisiae</i> . <i>Journal of Cell Science</i> , 2004, 117, 4959-4968.	1.2	121
1124	Hemoglobin Regulates Expression of an Activator of Mating-Type Locus $\hat{\pm}$ Genes in <i>Candida albicans</i> . <i>Eukaryotic Cell</i> , 2004, 3, 764-775.	3.4	38
1125	The Yeast Scaffold Proteins Isu1p and Isu2p Are Required inside Mitochondria for Maturation of Cytosolic Fe/S Proteins. <i>Molecular and Cellular Biology</i> , 2004, 24, 4848-4857.	1.1	111
1126	Role for Nhp6, Gcn5, and the Swi/Snf Complex in Stimulating Formation of the TATA-Binding Protein-TFIIA-DNA Complex. <i>Molecular and Cellular Biology</i> , 2004, 24, 8312-8321.	1.1	34
1127	AtOPT6 Transports Glutathione Derivatives and Is Induced by Primisulfuron. <i>Plant Physiology</i> , 2004, 135, 1378-1387.	2.3	106
1128	The RAM1 gene encoding a protein-farnesyltransferase β -subunit homologue is essential in <i>Cryptococcus neoformans</i> . <i>Microbiology (United Kingdom)</i> , 2004, 150, 1925-1935.	0.7	48
1129	Scrambled Prion Domains Form Prions and Amyloid. <i>Molecular and Cellular Biology</i> , 2004, 24, 7206-7213.	1.1	171
1130	Activation of the RAS/Cyclic AMP Pathway Suppresses a TOR Deficiency in Yeast. <i>Molecular and Cellular Biology</i> , 2004, 24, 338-351.	1.1	239
1131	Determinants of Function and Substrate Specificity in Human UDP-galactose 4- ϵ -Epimerase. <i>Journal of Biological Chemistry</i> , 2004, 279, 32796-32803.	1.6	60
1132	Budding Yeast Silencing Complexes and Regulation of Sir2 Activity by Protein-Protein Interactions. <i>Molecular and Cellular Biology</i> , 2004, 24, 6931-6946.	1.1	73
1133	Intracellular Phosphate Serves as a Signal for the Regulation of the PHO Pathway in <i>Saccharomyces cerevisiae</i> . <i>Journal of Biological Chemistry</i> , 2004, 279, 17289-17294.	1.6	129
1134	On the Mechanism of Constitutive Pdr1 Activator-mediated PDR5 Transcription in <i>Saccharomyces cerevisiae</i> . <i>Journal of Biological Chemistry</i> , 2004, 279, 42677-42686.	1.6	34

#	ARTICLE	IF	CITATIONS
1135	Role of ATP Hydrolysis in the Antirecombinase Function of <i>Saccharomyces cerevisiae</i> Srs2 Protein. <i>Journal of Biological Chemistry</i> , 2004, 279, 23193-23199.	1.6	65
1136	<i>Saccharomyces cerevisiae</i> Glutaredoxin 5-deficient Cells Subjected to Continuous Oxidizing Conditions Are Affected in the Expression of Specific Sets of Genes. <i>Journal of Biological Chemistry</i> , 2004, 279, 12386-12395.	1.6	60
1137	Glucose and Nitrogen Regulate the Switch from Histone Deacetylation to Acetylation for Expression of Early Meiosis-Specific Genes in Budding Yeast. <i>Molecular and Cellular Biology</i> , 2004, 24, 5197-5208.	1.1	43
1138	Transcriptional Remodeling in Response to Iron Deprivation in <i>Saccharomyces cerevisiae</i> . <i>Molecular Biology of the Cell</i> , 2004, 15, 1233-1243.	0.9	191
1139	A Novel Membrane Protein Capable of Binding the Na ⁺ /H ⁺ Antiporter (Nha1p) Enhances the Salinity-resistant Cell Growth of <i>Saccharomyces cerevisiae</i> . <i>Journal of Biological Chemistry</i> , 2004, 279, 12438-12447.	1.6	19
1140	Tyrosol is a quorum-sensing molecule in <i>Candida albicans</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 5048-5052.	3.3	447
1141	TATA-Binding Protein Mutants That Are Lethal in the Absence of the Nhp6 High-Mobility-Group Protein. <i>Molecular and Cellular Biology</i> , 2004, 24, 6419-6429.	1.1	34
1142	Examination of the Roles of Sgs1 and Srs2 Helicases in the Enforcement of Recombination Fidelity in <i>Saccharomyces cerevisiae</i> . <i>Genetics</i> , 2004, 168, 1855-1865.	1.2	79
1143	The Yeast Elongator Histone Acetylase Requires Sit4-dependent Dephosphorylation for Toxin-Target Capacity. <i>Molecular Biology of the Cell</i> , 2004, 15, 1459-1469.	0.9	57
1144	PAK Kinases Ste20 and Pak1 Govern Cell Polarity at Different Stages of Mating in <i>Cryptococcus neoformans</i> . <i>Molecular Biology of the Cell</i> , 2004, 15, 4476-4489.	0.9	83
1145	IRE1-Independent Gain Control of the Unfolded Protein Response. <i>PLoS Biology</i> , 2004, 2, e235.	2.6	67
1146	After chitin docking, toxicity of <i>Kluyveromyces lactis</i> zymocin requires <i>Saccharomyces cerevisiae</i> plasma membrane H ⁺ -ATPase. <i>Cellular Microbiology</i> , 2004, 6, 569-580.	1.1	26
1147	The Yak1p kinase controls expression of adhesins and biofilm formation in <i>Candida glabrata</i> in a Sir4p-dependent pathway. <i>Molecular Microbiology</i> , 2004, 55, 1259-1271.	1.2	119
1148	Yeast cells harboring human α -1,3-fucosyltransferase at the cell surface engineered using Pir, a cell wall-anchored protein. <i>FEMS Yeast Research</i> , 2004, 4, 417-425.	1.1	25
1149	A tethered catalysis, two-hybrid system to identify protein-protein interactions requiring post-translational modifications. <i>Nature Biotechnology</i> , 2004, 22, 888-892.	9.4	62
1150	The hydrogenase-like Nar1p is essential for maturation of cytosolic and nuclear iron-sulphur proteins. <i>EMBO Journal</i> , 2004, 23, 2105-2115.	3.5	196
1151	Protein-only transmission of three yeast prion strains. <i>Nature</i> , 2004, 428, 319-323.	13.7	448
1152	Isolation and characterization of <i>Arabidopsis thaliana</i> ISU1 gene. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 2004, 1680, 171-175.	2.4	18

#	ARTICLE	IF	CITATIONS
1153	Expression of GAL genes in a mutant strain of <i>Saccharomyces cerevisiae</i> lacking GAL80: quantitative model and experimental verification. <i>Biotechnology and Applied Biochemistry</i> , 2004, 39, 89.	1.4	14
1154	Chs1 of <i>Candida albicans</i> is an essential chitin synthase required for synthesis of the septum and for cell integrity. <i>Molecular Microbiology</i> , 2004, 39, 1414-1426.	1.2	130
1155	Molecular Genetics Approaches in Yeast to Study Amyloid Diseases. <i>Journal of Molecular Neuroscience</i> , 2004, 23, 049-060.	1.1	38
1156	ESTROGENIC POTENTIAL OF HALOGENATED DERIVATIVES OF NONYLPHENOL ETHOXYLATES AND CARBOXYLATES. <i>Environmental Toxicology and Chemistry</i> , 2004, 23, 705.	2.2	32
1157	Reverse genetic analysis of the glutathione metabolic pathway suggests a novel role of PHGPX and URE2 genes in aluminum resistance in <i>Saccharomyces cerevisiae</i> . <i>Molecular Genetics and Genomics</i> , 2004, 271, 627-637.	1.0	31
1158	The <i>ire1</i> and <i>ptc2</i> genes involved in the unfolded protein response pathway in the filamentous fungus <i>Trichoderma reesei</i> . <i>Molecular Genetics and Genomics</i> , 2004, 272, 443-451.	1.0	35
1159	<i>Arabidopsis thaliana</i> expresses multiple Golgi-localised nucleotide-sugar transporters related to GONST1. <i>Molecular Genetics and Genomics</i> , 2004, 272, 397-410.	1.0	67
1160	Cloning and functional characterization of the high-affinity K ⁺ transporter HAK1 of pepper. <i>Plant Molecular Biology</i> , 2004, 56, 413-421.	2.0	83
1161	Isolation and characterization of <i>Saccharomyces cerevisiae</i> mutants with enhanced resistance to the anticancer drug bleomycin. <i>Current Genetics</i> , 2004, 45, 265-272.	0.8	9
1162	Investigation of the basis of virulence in serotype A strains of <i>Cryptococcus neoformans</i> from apparently immunocompetent individuals. <i>Current Genetics</i> , 2004, 46, 92-102.	0.8	28
1163	The yeast phosphotyrosyl phosphatase activator protein, <i>yPtpa1/Rrd1</i> , interacts with <i>Sit4</i> phosphatase to mediate resistance to 4-nitroquinoline-1-oxide and UVA. <i>Current Genetics</i> , 2004, 46, 72-81.	0.8	19
1164	Chloride Channel Function in the Yeast TRK-Potassium Transporters. <i>Journal of Membrane Biology</i> , 2004, 198, 177-192.	1.0	42
1165	Treatment of the yeast <i>Rhodotorula glutinis</i> with AlCl ₃ leads to adaptive acquirement of heritable aluminum resistance. <i>Applied Microbiology and Biotechnology</i> , 2004, 65, 344-8.	1.7	11
1166	Proteomic response to amino acid starvation in <i>Candida albicans</i> and <i>Saccharomyces cerevisiae</i> . <i>Proteomics</i> , 2004, 4, 2425-2436.	1.3	95
1167	Four permeases import proline and the toxic proline analogue azetidine-2-carboxylate into yeast. <i>Yeast</i> , 2004, 21, 193-199.	0.8	60
1168	[URE3] prion propagation is abolished by a mutation of the primary cytosolic Hsp70 of budding yeast. <i>Yeast</i> , 2004, 21, 107-117.	0.8	66
1169	Cassettes for the PCR-mediated construction of regulatable alleles in <i>Candida albicans</i> . <i>Yeast</i> , 2004, 21, 429-436.	0.8	57
1170	Isolation of an acetyl-CoA synthetase gene (<i>ZbACS2</i>) from <i>Zygosaccharomyces bailii</i> . <i>Yeast</i> , 2004, 21, 325-331.	0.8	13

#	ARTICLE	IF	CITATIONS
1171	GFP as a quantitative reporter of gene regulation in <i>Candida albicans</i> . <i>Yeast</i> , 2004, 21, 333-340.	0.8	113
1172	Characterization of a gene similar to <i>BIK1</i> in the yeast <i>Kluyveromyces lactis</i> . <i>Yeast</i> , 2004, 21, 1067-1075.	0.8	2
1173	A versatile toolbox for PCR-based tagging of yeast genes: new fluorescent proteins, more markers and promoter substitution cassettes. <i>Yeast</i> , 2004, 21, 947-962.	0.8	1,837
1174	Prions of yeast fail to elicit a transcriptional response. <i>Yeast</i> , 2004, 21, 963-972.	0.8	8
1175	Developing methods and strains for genetic studies in the <i>Saccharomyces bayanus</i> var. <i>uvarum</i> species. <i>Yeast</i> , 2004, 21, 1195-1203.	0.8	13
1176	An ER packaging chaperone determines the amino acid uptake capacity and virulence of <i>Candida albicans</i> . <i>Molecular Microbiology</i> , 2004, 51, 371-384.	1.2	52
1177	Chloride transport in the vegetative mycelia of filamentous fungus <i>Trichoderma viride</i> . <i>Journal of Basic Microbiology</i> , 2004, 44, 122-128.	1.8	2
1178	An examination of quinone toxicity using the yeast <i>Saccharomyces cerevisiae</i> model system. <i>Toxicology</i> , 2004, 201, 185-196.	2.0	89
1179	Ca ²⁺ transport in mitochondria from yeast expressing recombinant aequorin. <i>Analytical Biochemistry</i> , 2004, 324, 258-268.	1.1	16
1180	Molecular Cloning and Expression in <i>Saccharomyces cerevisiae</i> of a Laccase Gene from the Ascomycete <i>Melanocarpus albomyces</i> . <i>Applied and Environmental Microbiology</i> , 2004, 70, 137-144.	1.4	80
1181	TOR Regulates Ribosomal Protein Gene Expression via PKA and the Forkhead Transcription Factor FHL1. <i>Cell</i> , 2004, 119, 969-979.	13.5	418
1182	The role of TDP1 from budding yeast in the repair of DNA damage. <i>DNA Repair</i> , 2004, 3, 593-601.	1.3	39
1183	Effects of mismatch repair and Hpr1 on transcription-stimulated mitotic recombination in the yeast <i>Saccharomyces cerevisiae</i> . <i>DNA Repair</i> , 2004, 3, 1437-1446.	1.3	5
1184	Complementation of <i>Saccharomyces cerevisiae</i> <i>ccc2</i> mutant by a putative P1B -ATPase from <i>Brassica napus</i> supports a copper-transporting function. <i>FEBS Letters</i> , 2004, 566, 218-222.	1.3	13
1185	Five hydrophobin genes in <i>Fusarium verticillioides</i> include two required for microconidial chain formation. <i>Fungal Genetics and Biology</i> , 2004, 41, 852-864.	0.9	65
1186	Ni-chelate-affinity purification and crystallization of the yeast mitochondrial F1-ATPase. <i>Protein Expression and Purification</i> , 2004, 37, 479-485.	0.6	24
1187	A Distal, High-affinity Binding Site on the Cyclin-CDK Substrate Pho4 is Important for its Phosphorylation and Regulation. <i>Journal of Molecular Biology</i> , 2004, 335, 57-70.	2.0	15
1188	Model for the Yeast Cofactor α -Tubulin Complex Based on Computational Docking and Mutagenesis. <i>Journal of Molecular Biology</i> , 2004, 341, 1343-1354.	2.0	14

#	ARTICLE	IF	CITATIONS
1189	Role of the Putative Structural Protein Sed1p in Mitochondrial Genome Maintenance. <i>Journal of Molecular Biology</i> , 2004, 342, 1115-1129.	2.0	15
1190	The Transitional ER Localization Mechanism of <i>Pichia pastoris</i> Sec12. <i>Developmental Cell</i> , 2004, 6, 649-659.	3.1	53
1191	A Novel Family of Transporters Mediating the Transport of Glutathione Derivatives in Plants. <i>Plant Physiology</i> , 2004, 134, 482-491.	2.3	96
1192	Novel P-Type ATPases Mediate High-Affinity Potassium or Sodium Uptake in Fungi. <i>Eukaryotic Cell</i> , 2004, 3, 359-368.	3.4	70
1193	An Lsm2-Lsm7 Complex in <i>Saccharomyces cerevisiae</i> Associates with the Small Nucleolar RNA snR5. <i>Molecular Biology of the Cell</i> , 2004, 15, 2842-2852.	0.9	41
1194	Starvation for an essential amino acid induces apoptosis and oxidative stress in yeast. <i>Experimental Cell Research</i> , 2004, 300, 345-353.	1.2	67
1195	Intracellularly inducible, ubiquitin hydrolase-insensitive tandem ubiquitins inhibit the 26S proteasome activity and cell division. <i>Genes and Genetic Systems</i> , 2004, 79, 77-86.	0.2	13
1196	Characterization of a novel NADP ⁺ -dependent D-arabitol dehydrogenase from the plant pathogen <i>Uromyces fabae</i> . <i>Biochemical Journal</i> , 2005, 389, 289-295.	1.7	54
1197	Nar1p, a conserved eukaryotic protein with similarity to Fe-only hydrogenases, functions in cytosolic iron-sulphur protein biogenesis. <i>Biochemical Society Transactions</i> , 2005, 33, 86-89.	1.6	32
1198	Is the regulation of galactose 1-phosphate tuned against gene expression noise?. <i>Biochemical Journal</i> , 2005, 387, 77-84.	1.7	9
1199	Interaction of Pik1p and Sjl proteins in membrane trafficking. <i>FEMS Yeast Research</i> , 2005, 5, 363-371.	1.1	12
1200	Increased nuclear envelope permeability and Pep4p-dependent degradation of nucleoporins during hydrogen peroxide-induced cell death. <i>FEMS Yeast Research</i> , 2005, 5, 1237-1251.	1.1	49
1201	DETECTION AND EVALUATION OF ENDOCRINE-DISRUPTION ACTIVITY IN WATER SAMPLES FROM PORTUGUESE RIVERS. <i>Environmental Toxicology and Chemistry</i> , 2005, 24, 389.	2.2	71
1202	Glucose-dependent cell size is regulated by a G protein-coupled receptor system in yeast <i>Saccharomyces cerevisiae</i> . <i>Genes To Cells</i> , 2005, 10, 193-206.	0.5	24
1203	Biogenesis of cytosolic ribosomes requires the essential iron-sulphur protein Rli1p and mitochondria. <i>EMBO Journal</i> , 2005, 24, 589-598.	3.5	226
1204	RM11/NCE4, a suppressor of genome instability, encodes a member of the RecQ helicase/Topo III complex. <i>EMBO Journal</i> , 2005, 24, 2024-2033.	3.5	150
1205	<i>Saccharomyces cerevisiae</i> Ybr004c and its human homologue are required for addition of the second mannose during glycosylphosphatidylinositol precursor assembly. <i>FEBS Journal</i> , 2005, 272, 1160-1168.	2.2	21
1206	ERS1 encodes a functional homologue of the human lysosomal cystine transporter. <i>FEBS Journal</i> , 2005, 272, 2497-2511.	2.2	45

#	ARTICLE	IF	CITATIONS
1207	Parallel analysis of mutant human glucose 6-phosphate dehydrogenase in yeast using PCR colonies. <i>Biotechnology and Bioengineering</i> , 2005, 92, 519-531.	1.7	12
1208	A novel link between a Rab GTPase and Rvs proteins: the yeast amphiphysin homologues. <i>Cell Biochemistry and Function</i> , 2005, 23, 253-266.	1.4	9
1209	Heterologous Expression of Glycerol 3-Phosphate Dehydrogenase Gene [DhGPD1] from the Osmotolerant Yeast <i>Debaryomyces hansenii</i> in <i>Saccharomyces cerevisiae</i> . <i>Current Microbiology</i> , 2005, 51, 87-90.	1.0	7
1210	Analysis of the functional domains of the mismatch repair homologue Msh1p and its role in mitochondrial genome maintenance. <i>Current Genetics</i> , 2005, 47, 84-99.	0.8	27
1211	The YJR127C/ZMS1 gene product is involved in glycerol-based respiratory growth of the yeast <i>Saccharomyces cerevisiae</i> . <i>Current Genetics</i> , 2005, 48, 235-246.	0.8	25
1212	Expression of the UGA4 gene encoding the $\hat{1}$ -aminolevulinic and $\hat{3}$ -aminobutyric acids permease in <i>Saccharomyces cerevisiae</i> is controlled by amino acid-sensing systems. <i>Archives of Microbiology</i> , 2005, 184, 137-140.	1.0	13
1213	The Telomere-Binding Protein Taz1p as a Target for Modification by a SUMO-1 Homologue in Fission Yeast. <i>Biochemical Genetics</i> , 2005, 43, 103-117.	0.8	9
1214	Exogenous manganous ion at millimolar levels rescues all known dioxygen-sensitive phenotypes of yeast lacking CuZnSOD. <i>Journal of Biological Inorganic Chemistry</i> , 2005, 10, 913-923.	1.1	53
1215	Signaling of the human P2Y1 receptor measured by a yeast growth assay with comparisons to assays of phospholipase C and calcium mobilization in 1321N1 human astrocytoma cells. <i>Purinergic Signalling</i> , 2005, 1, 241-247.	1.1	11
1216	Differential impact of ionic and coordinate covalent chromium (Cr)-DNA binding on DNA replication. <i>Molecular and Cellular Biochemistry</i> , 2005, 279, 149-155.	1.4	4
1217	SKG1, a suppressor gene of synthetic lethality of <i>kex2?gas1?</i> mutations, encodes a novel membrane protein that affects cell wall composition. <i>Yeast</i> , 2005, 22, 141-155.	0.8	9
1218	The nuclear actin-related protein Act3p/Arp4p is involved in the dynamics of chromatin-modulating complexes. <i>Yeast</i> , 2005, 22, 753-768.	0.8	37
1219	Characterization of GPI14/YJR013w mutation that induces the cell wall integrity signalling pathway and results in increased protein production in <i>Saccharomyces cerevisiae</i> . <i>Yeast</i> , 2005, 22, 993-1009.	0.8	16
1220	Dissection of the molecular basis of mycophenolate resistance in <i>Saccharomyces cerevisiae</i> . <i>Yeast</i> , 2005, 22, 1181-1190.	0.8	22
1221	Rapid asymmetrical evolution of <i>Saccharomyces cerevisiae</i> wine yeasts. <i>Yeast</i> , 2005, 22, 1299-1306.	0.8	17
1222	Yos1p Is a Novel Subunit of the Yip1p-Yif1p Complex and Is Required for Transport between the Endoplasmic Reticulum and the Golgi Complex. <i>Molecular Biology of the Cell</i> , 2005, 16, 1673-1683.	0.9	51
1223	The Mitotic Cyclins Clb2p and Clb4p Affect Morphogenesis in <i>Candida albicans</i> . <i>Molecular Biology of the Cell</i> , 2005, 16, 3387-3400.	0.9	90
1224	Pde1 Phosphodiesterase Modulates Cyclic AMP Levels through a Protein Kinase A-Mediated Negative Feedback Loop in <i>Cryptococcus neoformans</i> . <i>Eukaryotic Cell</i> , 2005, 4, 1971-1981.	3.4	71

#	ARTICLE	IF	CITATIONS
1225	Novel PMS1 Alleles Preferentially Affect the Repair of Primer Strand Loops during DNA Replication. <i>Molecular and Cellular Biology</i> , 2005, 25, 9221-9231.	1.1	17
1226	tRNA m7G methyltransferase Trm8p/Trm82p: Evidence linking activity to a growth phenotype and implicating Trm82p in maintaining levels of active Trm8p. <i>Rna</i> , 2005, 11, 821-830.	1.6	96
1227	The Ess1 prolyl isomerase is dispensable for growth but required for virulence in <i>Cryptococcus neoformans</i> . <i>Microbiology (United Kingdom)</i> , 2005, 151, 1593-1605.	0.7	19
1228	Molecular Interactions Position Mso1p, a Novel PTB Domain Homologue, in the Interface of the Exocyst Complex and the Exocytic SNARE Machinery in Yeast. <i>Molecular Biology of the Cell</i> , 2005, 16, 4543-4556.	0.9	30
1229	Constitutive Signal Transduction by Mutant Ssy5p and Ptr3p Components of the SPS Amino Acid Sensor System in <i>Saccharomyces cerevisiae</i> . <i>Eukaryotic Cell</i> , 2005, 4, 1116-1124.	3.4	13
1230	Roles of C-Terminal Processing, and Involvement in Transacylation Reaction of Human Group IVC Phospholipase A2 (cPLA2 β). <i>Journal of Biochemistry</i> , 2005, 137, 557-567.	0.9	32
1231	Inhibition of Target of Rapamycin Signaling by Rapamycin in the Unicellular Green Alga <i>Chlamydomonas reinhardtii</i> . <i>Plant Physiology</i> , 2005, 139, 1736-1749.	2.3	152
1232	Global Roles of Ssn6 in Tup1- and Nrg1-dependent Gene Regulation in the Fungal Pathogen, <i>Candida albicans</i> . <i>Molecular Biology of the Cell</i> , 2005, 16, 2913-2925.	0.9	110
1233	The Ccr4-Not Complex Independently Controls both Msn2-Dependent Transcriptional Activation via a Newly Identified Glc7/Bud14 Type I Protein Phosphatase Module and TFIIID Promoter Distribution. <i>Molecular and Cellular Biology</i> , 2005, 25, 488-498.	1.1	61
1234	Involvement of Sir2/4 in Silencing of DNA Breakage and Recombination on Mouse YACs during Yeast Meiosis. <i>Molecular Biology of the Cell</i> , 2005, 16, 1449-1455.	0.9	5
1235	Global Role of the Protein Kinase Gcn2 in the Human Pathogen <i>Candida albicans</i> . <i>Eukaryotic Cell</i> , 2005, 4, 1687-1696.	3.4	58
1236	The Yeast FACT Complex Has a Role in Transcriptional Initiation. <i>Molecular and Cellular Biology</i> , 2005, 25, 5812-5822.	1.1	82
1237	Microtubules in <i>Candida albicans</i> Hyphae Drive Nuclear Dynamics and Connect Cell Cycle Progression to Morphogenesis. <i>Eukaryotic Cell</i> , 2005, 4, 1697-1711.	3.4	58
1238	Components of the ESCRT Pathway, DFG16, and YGR122w Are Required for Rim101 To Act as a Corepressor with Nrg1 at the Negative Regulatory Element of the DIT1 Gene of <i>Saccharomyces cerevisiae</i> . <i>Molecular and Cellular Biology</i> , 2005, 25, 6772-6788.	1.1	70
1239	<i>Cryptococcus neoformans</i> Mitochondrial Superoxide Dismutase: an Essential Link between Antioxidant Function and High-Temperature Growth. <i>Eukaryotic Cell</i> , 2005, 4, 46-54.	3.4	95
1240	A Novel Endoplasmic Reticulum Membrane Protein Rcr1 Regulates Chitin Deposition in the Cell Wall of <i>Saccharomyces cerevisiae</i> . <i>Journal of Biological Chemistry</i> , 2005, 280, 8275-8284.	1.6	45
1241	Cell Cycle Dynamics and Quorum Sensing in <i>Candida albicans</i> Chlamydospores Are Distinct from Budding and Hyphal Growth. <i>Eukaryotic Cell</i> , 2005, 4, 1191-1202.	3.4	55
1242	Methionine Sulfoximine Treatment and Carbon Starvation Elicit Snf1-independent Phosphorylation of the Transcription Activator Gln3 in <i>Saccharomyces cerevisiae</i> . <i>Journal of Biological Chemistry</i> , 2005, 280, 27195-27204.	1.6	38

#	ARTICLE	IF	CITATIONS
1243	Disruption of Histone Deacetylase Gene RPD3 Accelerates PHO5 Activation Kinetics through Inappropriate Pho84p Recycling. <i>Eukaryotic Cell</i> , 2005, 4, 1387-1395.	3.4	13
1244	The 9-1-1 Checkpoint Clamp Physically Interacts with Pol η and Is Partially Required for Spontaneous Pol η -dependent Mutagenesis in <i>Saccharomyces cerevisiae</i> . <i>Journal of Biological Chemistry</i> , 2005, 280, 38657-38665.	1.6	104
1245	Amino Acid Substitution in <i>Trichophyton rubrum</i> Squalene Epoxidase Associated with Resistance to Terbinafine. <i>Antimicrobial Agents and Chemotherapy</i> , 2005, 49, 2840-2844.	1.4	119
1246	ACE2 , CBK1 , and BUD4 in Budding and Cell Separation. <i>Eukaryotic Cell</i> , 2005, 4, 1018-1028.	3.4	70
1247	Interaction of Fcp1 Phosphatase with Elongating RNA Polymerase II Holoenzyme, Enzymatic Mechanism of Action, and Genetic Interaction with Elongator. <i>Journal of Biological Chemistry</i> , 2005, 280, 4299-4306.	1.6	36
1248	Random Mutagenesis of the M3 Muscarinic Acetylcholine Receptor Expressed in Yeast. <i>Journal of Biological Chemistry</i> , 2005, 280, 5664-5675.	1.6	31
1249	Genome-Wide Screen Identifies Genes Whose Inactivation Confer Resistance to Cisplatin in <i>Saccharomyces cerevisiae</i> . <i>Cancer Research</i> , 2005, 65, 5890-5897.	0.4	54
1250	Hyphal Guidance and Invasive Growth in <i>Candida albicans</i> Require the Ras-Like GTPase Rsr1p and Its GTPase-Activating Protein Bud2p. <i>Eukaryotic Cell</i> , 2005, 4, 1273-1286.	3.4	72
1251	Transcriptional Network of Multiple Capsule and Melanin Genes Governed by the <i>Cryptococcus neoformans</i> Cyclic AMP Cascade. <i>Eukaryotic Cell</i> , 2005, 4, 190-201.	3.4	159
1252	Roles of RAD6 Epistasis Group Members in Spontaneous Pol η -Dependent Translesion Synthesis in <i>Saccharomyces cerevisiae</i> . <i>Genetics</i> , 2005, 169, 1939-1955.	1.2	54
1253	A Rac Homolog Functions Downstream of Ras1 To Control Hyphal Differentiation and High-Temperature Growth in the Pathogenic Fungus <i>Cryptococcus neoformans</i> . <i>Eukaryotic Cell</i> , 2005, 4, 1066-1078.	3.4	60
1254	Yeast Mon2p is a highly conserved protein that functions in the cytoplasm-to-vacuole transport pathway and is required for Golgi homeostasis. <i>Journal of Cell Science</i> , 2005, 118, 4751-4764.	1.2	35
1255	Possible Roles for Mannitol and Mannitol Dehydrogenase in the Biotrophic Plant Pathogen <i>Uromyces fabae</i> . <i>Plant Physiology</i> , 2005, 137, 190-198.	2.3	141
1256	Cloning of cDNAs Encoding Isopropylmalate Dehydrogenase from <i>Arabidopsis thaliana</i> and Accumulation Patterns of Their Transcripts. <i>Bioscience, Biotechnology and Biochemistry</i> , 2005, 69, 806-810.	0.6	13
1257	Synthetic Lethal Interaction of the Mitochondrial Phosphatidylethanolamine and Cardiolipin Biosynthetic Pathways in <i>Saccharomyces cerevisiae</i> . <i>Journal of Biological Chemistry</i> , 2005, 280, 35410-35416.	1.6	132
1258	Subunit a of the Yeast V-ATPase Participates in Binding of Bafilomycin. <i>Journal of Biological Chemistry</i> , 2005, 280, 40481-40488.	1.6	68
1259	Excretion of Putrescine and Spermidine by the Protein Encoded by YKL174c (TPO5) in <i>Saccharomyces cerevisiae</i> . <i>Journal of Biological Chemistry</i> , 2005, 280, 12637-12642.	1.6	44
1260	Primary sequence independence for prion formation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 12825-12830.	3.3	203

#	ARTICLE	IF	CITATIONS
1261	The Solution Structure of the FATC Domain of the Protein Kinase Target of Rapamycin Suggests a Role for Redox-dependent Structural and Cellular Stability. <i>Journal of Biological Chemistry</i> , 2005, 280, 20558-20564.	1.6	111
1262	Plc1p, Arg82p, and Kcs1p, Enzymes Involved in Inositol Pyrophosphate Synthesis, Are Essential for Phosphate Regulation and Polyphosphate Accumulation in <i>Saccharomyces cerevisiae</i> . <i>Journal of Biological Chemistry</i> , 2005, 280, 25127-25133.	1.6	101
1263	Characteristics of the Polyamine Transporter TPO1 and Regulation of Its Activity and Cellular Localization by Phosphorylation. <i>Journal of Biological Chemistry</i> , 2005, 280, 9646-9652.	1.6	69
1264	Expression of Bovine F1-ATPase with Functional Complementation in Yeast <i>Saccharomyces cerevisiae</i> . <i>Journal of Biological Chemistry</i> , 2005, 280, 22418-22424.	1.6	8
1265	Molecular Organization of Target of Rapamycin Complex 2. <i>Journal of Biological Chemistry</i> , 2005, 280, 30697-30704.	1.6	197
1266	Divergence of Stp1 and Stp2 Transcription Factors in <i>Candida albicans</i> Places Virulence Factors Required for Proper Nutrient Acquisition under Amino Acid Control. <i>Molecular and Cellular Biology</i> , 2005, 25, 9435-9446.	1.1	105
1267	G α Subunit Gpa2 Recruits Kelch Repeat Subunits That Inhibit Receptor-G Protein Coupling during cAMP-induced Dimorphic Transitions in <i>Saccharomyces cerevisiae</i> . <i>Molecular Biology of the Cell</i> , 2005, 16, 4557-4571.	0.9	67
1268	The Structural and Functional Role of Med5 in the Yeast Mediator Tail Module. <i>Journal of Biological Chemistry</i> , 2005, 280, 41366-41372.	1.6	50
1269	Yeast prions [URE3] and [PSI ⁺] are diseases. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 10575-10580.	3.3	243
1270	Mannosyl-Diinositolphospho-Ceramide, the Major Yeast Plasma Membrane Sphingolipid, Governs Toxicity of <i>Kluyveromyces lactis</i> Zymocin. <i>Eukaryotic Cell</i> , 2005, 4, 879-889.	3.4	28
1271	Oxidative DNA Damage Causes Mitochondrial Genomic Instability in <i>Saccharomyces cerevisiae</i> . <i>Molecular and Cellular Biology</i> , 2005, 25, 5196-5204.	1.1	134
1272	An intracellular phosphate buffer filters transient fluctuations in extracellular phosphate levels. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 9565-9570.	3.3	85
1273	Association between Archaeal Prolyl- and Leucyl-tRNA Synthetases Enhances tRNA ^{Pro} Aminoacylation. <i>Journal of Biological Chemistry</i> , 2005, 280, 26099-26104.	1.6	19
1274	Atg19p Ubiquitination and the Cytoplasm to Vacuole Trafficking Pathway in Yeast. <i>Journal of Biological Chemistry</i> , 2005, 280, 39067-39076.	1.6	51
1275	AGP2 Encodes the Major Permease for High Affinity Polyamine Import in <i>Saccharomyces cerevisiae</i> . <i>Journal of Biological Chemistry</i> , 2005, 280, 24267-24276.	1.6	71
1276	IMPACT, a Protein Preferentially Expressed in the Mouse Brain, Binds GCN1 and Inhibits GCN2 Activation. <i>Journal of Biological Chemistry</i> , 2005, 280, 28316-28323.	1.6	69
1277	HKT1 Mediates Sodium Uniport in Roots. Pitfalls in the Expression of HKT1 in Yeast. <i>Plant Physiology</i> , 2005, 139, 1495-1506.	2.3	153
1278	The VAB-1 Eph receptor tyrosine kinase and SAX-3/Robo neuronal receptors function together during <i>C. elegans</i> embryonic morphogenesis. <i>Development (Cambridge)</i> , 2005, 132, 3679-3690.	1.2	43

#	ARTICLE	IF	CITATIONS
1279	Histone H3 Ser10 Phosphorylation-Independent Function of Snf1 and Reg1 Proteins Rescues a <i>gcn5^Δ</i> Mutant in HIS3 Expression. <i>Molecular and Cellular Biology</i> , 2005, 25, 10566-10579.	1.1	27
1280	The Essential WD40 Protein Cia1 Is Involved in a Late Step of Cytosolic and Nuclear Iron-Sulfur Protein Assembly. <i>Molecular and Cellular Biology</i> , 2005, 25, 10833-10841.	1.1	118
1281	TFIID and Spt-Ada-Gcn5-Acetyltransferase Functions Probed by Genome-wide Synthetic Genetic Array Analysis Using a <i>Saccharomyces cerevisiae taf9-ts</i> Allele. <i>Genetics</i> , 2005, 171, 959-973.	1.2	18
1282	Evidence for Diversifying Selection at the Pyoverdine Locus of <i>Pseudomonas aeruginosa</i> . <i>Journal of Bacteriology</i> , 2005, 187, 2138-2147.	1.0	164
1283	Mcm10 Is Required for the Maintenance of Transcriptional Silencing in <i>Saccharomyces cerevisiae</i> . <i>Genetics</i> , 2005, 171, 503-515.	1.2	23
1284	Receptor for Retrograde Transport in the Apicomplexan Parasite <i>Toxoplasma gondii</i> . <i>Eukaryotic Cell</i> , 2005, 4, 432-442.	3.4	33
1285	Energy Constraints on the Evolution of Gene Expression. <i>Molecular Biology and Evolution</i> , 2005, 22, 1365-1374.	3.5	421
1286	Role of Essential Genes in Mitochondrial Morphogenesis in <i>Saccharomyces cerevisiae</i> . <i>Molecular Biology of the Cell</i> , 2005, 16, 5410-5417.	0.9	151
1287	The eukaryotic P loop NTPase Nbp35: An essential component of the cytosolic and nuclear iron-sulfur protein assembly machinery. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 3266-3271.	3.3	156
1288	Binding and Functions of ADP-ribosylation Factor on Mammalian and Yeast Peroxisomes. <i>Journal of Biological Chemistry</i> , 2005, 280, 34489-34499.	1.6	30
1289	Independent Regulation of Hsp70 and Hsp90 Chaperones by Hsp70/Hsp90-organizing Protein Sti1 (Hop1). <i>Journal of Biological Chemistry</i> , 2005, 280, 34178-34185.	1.6	100
1290	Higher Plant Plastids and Cyanobacteria Have Folate Carriers Related to Those of Trypanosomatids. <i>Journal of Biological Chemistry</i> , 2005, 280, 38457-38463.	1.6	83
1291	Alg14 Recruits Alg13 to the Cytoplasmic Face of the Endoplasmic Reticulum to Form a Novel Bipartite UDP-N-acetylglucosamine Transferase Required for the Second Step of N-Linked Glycosylation. <i>Journal of Biological Chemistry</i> , 2005, 280, 36254-36262.	1.6	102
1292	Comparison of Cell Wall Localization among Pir Family Proteins and Functional Dissection of the Region Required for Cell Wall Binding and Bud Scar Recruitment of Pir1p. <i>Eukaryotic Cell</i> , 2005, 4, 1872-1881.	3.4	40
1293	<i>Cryptococcus neoformans</i> Isolates from Transplant Recipients Are Not Selected for Resistance to Calcineurin Inhibitors by Current Immunosuppressive Regimens. <i>Journal of Clinical Microbiology</i> , 2005, 43, 464-467.	1.8	24
1294	Disruption of MRG19 results in altered nitrogen metabolic status and defective pseudohyphal development in <i>Saccharomyces cerevisiae</i> . <i>Microbiology (United Kingdom)</i> , 2005, 151, 91-98.	0.7	5
1295	OsZIP4, a novel zinc-regulated zinc transporter in rice. <i>Journal of Experimental Botany</i> , 2005, 56, 3207-3214.	2.4	350
1296	Calcineurin Is Required for <i>Candida albicans</i> To Survive Calcium Stress in Serum. <i>Infection and Immunity</i> , 2005, 73, 5767-5774.	1.0	97

#	ARTICLE	IF	CITATIONS
1297	Targeting of Tsc13p to Nucleusâ€“Vacuole Junctions: A Role for Very-Long-Chain Fatty Acids in the Biogenesis of Microautophagic Vesicles. <i>Molecular Biology of the Cell</i> , 2005, 16, 3987-3998.	0.9	65
1298	The [URE3] Prion Is Not Conserved Among <i>Saccharomyces</i> Species. <i>Genetics</i> , 2005, 171, 23-34.	1.2	39
1299	Analysis of Repeat-Mediated Deletions in the Mitochondrial Genome of <i>Saccharomyces cerevisiae</i> . <i>Genetics</i> , 2005, 171, 1549-1559.	1.2	40
1300	Evidence that the Tfg1/Tfg2 dimer interface of TFIIF lies near the active center of the RNA polymerase II initiation complex. <i>Nucleic Acids Research</i> , 2005, 33, 5045-5052.	6.5	41
1301	Complete loss-of-function of the heart/muscle-specific adenine nucleotide translocator is associated with mitochondrial myopathy and cardiomyopathy. <i>Human Molecular Genetics</i> , 2005, 14, 3079-3088.	1.4	165
1302	A MAPK gene from Dead Sea fungus confers stress tolerance to lithium salt and freezing-thawing: Prospects for saline agriculture. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 18992-18997.	3.3	55
1303	Isolation of Auxotrophic Mutants of Diploid Industrial Yeast Strains after UV Mutagenesis. <i>Applied and Environmental Microbiology</i> , 2005, 71, 312-319.	1.4	68
1304	Anchorage of <i>Candida albicans</i> Ssr1 to the cell wall, and transcript profiling of the null mutant. <i>Research in Microbiology</i> , 2005, 156, 911-920.	1.0	13
1305	Effects of splitting alternative KICYC1 3â€²-UTR regions on processing: Metabolic consequences and biotechnological applications. <i>Journal of Biotechnology</i> , 2005, 118, 149-156.	1.9	9
1306	Yeast poly(A)-binding protein, Pab1, and PAN, a poly(A) nuclease complex recruited by Pab1, connect mRNA biogenesis to export. <i>Genes and Development</i> , 2005, 19, 90-103.	2.7	103
1307	Osmotin Is a Homolog of Mammalian Adiponectin and Controls Apoptosis in Yeast through a Homolog of Mammalian Adiponectin Receptor. <i>Molecular Cell</i> , 2005, 17, 171-180.	4.5	179
1308	Characterization of O-mannosyltransferase family in <i>Schizosaccharomyces pombe</i> . <i>Biochemical and Biophysical Research Communications</i> , 2005, 330, 813-820.	1.0	22
1309	Characterization of genes encoding metal tolerance proteins isolated from <i>Nicotiana glauca</i> and <i>Nicotiana tabacum</i> . <i>Biochemical and Biophysical Research Communications</i> , 2005, 331, 675-680.	1.0	69
1310	Global analysis of altered gene expression during morphogenesis of <i>Candida albicans</i> in vitro. <i>Biochemical and Biophysical Research Communications</i> , 2005, 334, 1149-1158.	1.0	22
1311	Systematic screening of nuclear encoded proteins involved in the splicing metabolism of group II introns in yeast mitochondria. <i>Gene</i> , 2005, 354, 72-79.	1.0	20
1312	Use of a restriction endonuclease cytotoxicity assay to identify inducible GAL1 promoter variants with reduced basal activity. <i>Gene</i> , 2005, 363, 183-192.	1.0	8
1313	Overexpression of Rad51 inhibits double-strand break-induced homologous recombination but does not affect gene conversion tract lengths. <i>DNA Repair</i> , 2005, 4, 687-698.	1.3	24
1314	SKN1, a novel plant defensin-sensitivity gene in <i>Saccharomyces cerevisiae</i> , is implicated in sphingolipid biosynthesis. <i>FEBS Letters</i> , 2005, 579, 1973-1977.	1.3	43

#	ARTICLE	IF	CITATIONS
1315	Expression of one-hybrid fusions with <i>Staphylococcus aureus</i> <i>lexA</i> in <i>Candida albicans</i> confirms that Nrg1 is a transcriptional repressor and that Gcn4 is a transcriptional activator. <i>Fungal Genetics and Biology</i> , 2005, 42, 676-683.	0.9	28
1316	Gene disruption in <i>Candida albicans</i> using a synthetic, codon-optimised Cre-loxP system. <i>Fungal Genetics and Biology</i> , 2005, 42, 737-748.	0.9	91
1317	ER stress signaling by regulated splicing: IRE1/HAC1/XBP1. <i>Methods</i> , 2005, 35, 395-416.	1.9	198
1318	Mitochondrial transporters involved in oleic acid utilization and glutamate metabolism in yeast. <i>Archives of Biochemistry and Biophysics</i> , 2005, 442, 21-32.	1.4	22
1319	Dual Luciferase Assay System for Rapid Assessment of Gene Expression in <i>Saccharomyces cerevisiae</i> . <i>Eukaryotic Cell</i> , 2005, 4, 1539-1549.	3.4	84
1320	Estrogenic Activity in Sediments from European Mountain Lakes. <i>Environmental Science & Technology</i> , 2005, 39, 1427-1435.	4.6	33
1321	The undertranslated transcriptome reveals widespread translational silencing by alternative 5' transcript leaders. <i>Genome Biology</i> , 2005, 6, R111.	13.9	49
1322	Molecular-Genetic Biodiversity in a Natural Population of the Yeast <i>Saccharomyces cerevisiae</i> From "Evolution Canyon": Microsatellite Polymorphism, Ploidy and Controversial Sexual Status. <i>Genetics</i> , 2006, 174, 1455-1468.	1.2	93
1323	Comprehensive Two-Dimensional Gas Chromatography Time-of-Flight Mass Spectrometry Analysis of Metabolites in Fermenting and Respiring Yeast Cells. <i>Analytical Chemistry</i> , 2006, 78, 2700-2709.	3.2	150
1324	The in Vivo Characterization of Translesion Synthesis Across UV-Induced Lesions in <i>Saccharomyces cerevisiae</i> : Insights Into Pol η - and Pol ζ -Dependent Frameshift Mutagenesis. <i>Genetics</i> , 2006, 172, 1487-1498.	1.2	35
1325	Effects of recombinant precursor pathway variations on poly[(R)-3-hydroxybutyrate] synthesis in <i>Saccharomyces cerevisiae</i> . <i>Journal of Biotechnology</i> , 2006, 124, 561-573.	1.9	39
1326	Purification and Assays of <i>Saccharomyces cerevisiae</i> Homologous Recombination Proteins. <i>Methods in Enzymology</i> , 2006, 408, 445-463.	0.4	41
1327	Top-Down Approaches for Measuring Expression Ratios of Intact Yeast Proteins Using Fourier Transform Mass Spectrometry. <i>Analytical Chemistry</i> , 2006, 78, 686-694.	3.2	76
1328	Determination of the in Vivo Stoichiometry of Tyrosyl Radical per H_2O_2 in <i>Saccharomyces cerevisiae</i> Ribonucleotide Reductase. <i>Biochemistry</i> , 2006, 45, 12282-12294.	1.2	23
1329	Yeast AMID Homologue Ndi1p Displays Respiration-restricted Apoptotic Activity and Is Involved in Chronological Aging. <i>Molecular Biology of the Cell</i> , 2006, 17, 1802-1811.	0.9	126
1330	Inositol polyphosphate multikinase regulates inositol 1,4,5,6-tetrakisphosphate. <i>Biochemical and Biophysical Research Communications</i> , 2006, 339, 209-216.	1.0	14
1331	A novel phenotype of eight spores asci in deletants of the prion-like Rnq1p in <i>Saccharomyces cerevisiae</i> . <i>Biochemical and Biophysical Research Communications</i> , 2006, 340, 190-193.	1.0	9
1332	Ubiquinone accumulates in the mitochondria of yeast mutated in the ubiquinone binding protein, Qcr8p. <i>Biochemical and Biophysical Research Communications</i> , 2006, 344, 241-245.	1.0	5

#	ARTICLE	IF	CITATIONS
1333	Visual screening for localized RNAs in yeast revealed novel RNAs at the bud-tip. <i>Biochemical and Biophysical Research Communications</i> , 2006, 351, 999-1004.	1.0	16
1334	The effect of oxidative metabolism on spontaneous Pol η -dependent translesion synthesis in <i>Saccharomyces cerevisiae</i> . <i>DNA Repair</i> , 2006, 5, 226-234.	1.3	18
1335	Suppression of genomic instability by SLX5 and SLX8 in <i>Saccharomyces cerevisiae</i> . <i>DNA Repair</i> , 2006, 5, 336-346.	1.3	92
1336	Ntg1p, the base excision repair protein, generates mutagenic intermediates in yeast mitochondrial DNA. <i>DNA Repair</i> , 2006, 5, 829-839.	1.3	12
1337	The Kelch Proteins Gpb1 and Gpb2 Inhibit Ras Activity via Association with the Yeast RasGAP Neurofibromin Homologs Ira1 and Ira2. <i>Molecular Cell</i> , 2006, 22, 819-830.	4.5	63
1338	Identification of translational release factor eRF1a binding sites on eRF3 in <i>Euplotes octocarinatus</i> . <i>Research in Microbiology</i> , 2006, 157, 842-850.	1.0	6
1339	Transformation of yeast by infectious prion particles. <i>Methods</i> , 2006, 39, 68-71.	1.9	16
1340	Disappearance of the budding yeast Bub2-Bfa1 complex from the mother-bound spindle pole contributes to mitotic exit. <i>Journal of Cell Biology</i> , 2006, 172, 335-346.	2.3	56
1341	Cloning and Characterization of a Novel Invertase from the Obligate Biotroph <i>Uromyces fabae</i> and Analysis of Expression Patterns of Host and Pathogen Invertases in the Course of Infection. <i>Molecular Plant-Microbe Interactions</i> , 2006, 19, 625-634.	1.4	95
1342	Sterol trafficking between the endoplasmic reticulum and plasma membrane in yeast. <i>Biochemical Society Transactions</i> , 2006, 34, 356-358.	1.6	78
1343	Nitrogen source and the retrograde signalling pathway affect detection, not generation, of the [URE3] prion. <i>Yeast</i> , 2006, 23, 833-840.	0.8	4
1344	Niche-specific regulation of central metabolic pathways in a fungal pathogen. <i>Cellular Microbiology</i> , 2006, 8, 961-971.	1.1	322
1345	Roles of BOR1, DUR3, and FPS1 in boron transport and tolerance in <i>Saccharomyces cerevisiae</i> . <i>FEMS Microbiology Letters</i> , 2006, 262, 216-222.	0.7	95
1346	Reconstruction of a novel pathway for synthesis of UDP-glucuronic acid and UDP-xylose from intrinsic UDP-glucose in <i>Saccharomyces cerevisiae</i> . <i>FEBS Journal</i> , 2006, 273, 2645-2657.	2.2	71
1347	Oligomerization of the Mg ²⁺ -transport proteins Alr1p and Alr2p in yeast plasma membrane. <i>FEBS Journal</i> , 2006, 273, 4236-4249.	2.2	33
1348	The mechanism by which overexpression of Gts1p induces flocculation in a FLO8-inactive strain of the yeast <i>Saccharomyces cerevisiae</i> . <i>FEMS Yeast Research</i> , 2006, 6, 914-923.	1.1	13
1349	Roles for the Drs2p-Cdc50p Complex in Protein Transport and Phosphatidylserine Asymmetry of the Yeast Plasma Membrane. <i>Traffic</i> , 2006, 7, 1503-1517.	1.3	90
1350	Dynamic Organization of the Actin Cytoskeleton During Meiosis and Spore Formation in Budding Yeast. <i>Traffic</i> , 2006, 7, 1628-1642.	1.3	39

#	ARTICLE	IF	CITATIONS
1351	tRNAGluwobble uridine methylation by Trm9 identifies Elongator's key role for zymocin-induced cell death in yeast. <i>Molecular Microbiology</i> , 2006, 59, 677-688.	1.2	98
1352	Arf1p, Chs5p and the ChAPs are required for export of specialized cargo from the Golgi. <i>EMBO Journal</i> , 2006, 25, 943-954.	3.5	82
1353	Opposing roles for Set2 and yFACT in regulating TBP binding at promoters. <i>EMBO Journal</i> , 2006, 25, 4479-4489.	3.5	64
1354	Rice plants take up iron as an Fe ³⁺ -phytosiderophore and as Fe ²⁺ . <i>Plant Journal</i> , 2006, 45, 335-346.	2.8	703
1355	KLHIS4-modulated histidine auxotrophy in yeast and characterisation of a KLHIS4-lacZ-based cadmium and copper biosensor. <i>Enzyme and Microbial Technology</i> , 2006, 40, 67-70.	1.6	3
1356	Yeast as a drug discovery platform in Huntington's and Parkinson's diseases. <i>Biotechnology Journal</i> , 2006, 1, 258-269.	1.8	48
1357	Kinase Cak1 functionally interacts with the PAF1 complex and phosphatase Ssu72 via kinases Ctk1 and Bur1. <i>Molecular Genetics and Genomics</i> , 2006, 275, 136-147.	1.0	8
1358	Residues of the yeast ALR1 protein that are critical for Magnesium uptake. <i>Current Genetics</i> , 2006, 49, 7-20.	0.8	26
1359	Coordinate regulation of multiple and distinct biosynthetic pathways by TOR and PKA kinases in <i>S. cerevisiae</i> . <i>Current Genetics</i> , 2006, 49, 281-293.	0.8	46
1360	Physiological role of d-amino acid-N-acetyltransferase of <i>Saccharomyces cerevisiae</i> : detoxification of d-amino acids. <i>Archives of Microbiology</i> , 2006, 185, 39-46.	1.0	14
1361	The yeast cytosolic thioredoxins are involved in the regulation of methionine sulfoxide reductase A. <i>Free Radical Biology and Medicine</i> , 2006, 40, 1391-1396.	1.3	11
1362	IQGAP and mitotic exit network (MEN) proteins are required for cytokinesis and re-polarization of the actin cytoskeleton in the budding yeast, <i>Saccharomyces cerevisiae</i> . <i>European Journal of Cell Biology</i> , 2006, 85, 1201-1215.	1.6	27
1363	Epistatic participation of REV1 and REV3 in the formation of UV-induced frameshift mutations in cell cycle-arrested yeast cells. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2006, 593, 187-195.	0.4	15
1364	Deletion of the chromatin remodeling gene SPT10 sensitizes yeast cells to a subclass of DNA-damaging agents. <i>Environmental and Molecular Mutagenesis</i> , 2006, 47, 707-717.	0.9	2
1365	Collision-induced dissociation pathways of yeast sphingolipids and their molecular profiling in total lipid extracts: a study by quadrupole TOF and linear ion trap orbitrap mass spectrometry. <i>Journal of Mass Spectrometry</i> , 2006, 41, 372-389.	0.7	124
1366	Competitive intra- and extracellular nutrient sensing by the transporter homologue Ssy1p. <i>Journal of Cell Biology</i> , 2006, 173, 327-331.	2.3	63
1367	Slx4 Regulates DNA Damage Checkpoint-dependent Phosphorylation of the BRCT Domain Protein Rtt107/Esc4. <i>Molecular Biology of the Cell</i> , 2006, 17, 539-548.	0.9	76
1368	Regulated Phosphorylation of Budding Yeast's Essential Myosin V Heavy Chain, Myo2p. <i>Molecular Biology of the Cell</i> , 2006, 17, 1812-1821.	0.9	12

#	ARTICLE	IF	CITATIONS
1369	Recombination Hotspots Flank the <i>Cryptococcus</i> Mating-Type Locus: Implications for the Evolution of a Fungal Sex Chromosome. <i>PLoS Genetics</i> , 2006, 2, e184.	1.5	72
1370	A Novel Enzyme Conferring Streptothricin Resistance Alters the Toxicity of Streptothricin D from Broad-spectrum to Bacteria-specific. <i>Journal of Biological Chemistry</i> , 2006, 281, 16842-16848.	1.6	28
1371	Rsc4 Connects the Chromatin Remodeler RSC to RNA Polymerases. <i>Molecular and Cellular Biology</i> , 2006, 26, 4920-4933.	1.1	98
1372	Structure and function of nucleus-vacuole junctions: outer-nuclear-membrane targeting of Nvj1p and a role in tryptophan uptake. <i>Journal of Cell Science</i> , 2006, 119, 3622-3633.	1.2	35
1373	A Screen for Genes of Heme Uptake Identifies the FLC Family Required for Import of FAD into the Endoplasmic Reticulum. <i>Journal of Biological Chemistry</i> , 2006, 281, 21445-21457.	1.6	64
1374	N-Terminal Domain of Yeast Hsp104 Chaperone Is Dispensable for Thermotolerance and Prion Propagation but Necessary for Curing Prions by Hsp104 Overexpression. <i>Genetics</i> , 2006, 173, 611-620.	1.2	140
1375	<i>Candida albicans</i> VAC8 Is Required for Vacuolar Inheritance and Normal Hyphal Branching. <i>Eukaryotic Cell</i> , 2006, 5, 359-367.	3.4	32
1376	Rtn1p Is Involved in Structuring the Cortical Endoplasmic Reticulum. <i>Molecular Biology of the Cell</i> , 2006, 17, 3009-3020.	0.9	118
1377	Slm1 and Slm2 Are Novel Substrates of the Calcineurin Phosphatase Required for Heat Stress-Induced Endocytosis of the Yeast Uracil Permease. <i>Molecular and Cellular Biology</i> , 2006, 26, 4729-4745.	1.1	100
1378	Inositol Deacylation by Bst1p Is Required for the Quality Control of Glycosylphosphatidylinositol-anchored Proteins. <i>Molecular Biology of the Cell</i> , 2006, 17, 834-850.	0.9	86
1379	Heavy Metal Stress and Sulfate Uptake in Maize Roots. <i>Plant Physiology</i> , 2006, 141, 1138-1148.	2.3	200
1380	De Novo Appearance and "Strain" Formation of Yeast Prion [PSI ⁺] Are Regulated by the Heat-Shock Transcription Factor. <i>Genetics</i> , 2006, 173, 35-47.	1.2	30
1381	Analyses of SUM1-1-Mediated Long-Range Repression. <i>Genetics</i> , 2006, 172, 99-112.	1.2	10
1382	The yeast Igl family member Sro7p is an effector of the secretory Rab GTPase Sec4p. <i>Journal of Cell Biology</i> , 2006, 172, 55-66.	2.3	81
1383	Genetic Interactions Between Nhp6 and Gcn5 With Mot1 and the Ccr4"Not Complex That Regulate Binding of TATA-Binding Protein in <i>Saccharomyces cerevisiae</i> . <i>Genetics</i> , 2006, 172, 837-849.	1.2	20
1384	Glycosylphosphatidylinositol-anchored Proteins Are Required for the Transport of Detergent-resistant Microdomain-associated Membrane Proteins Tat2p and Fur4p. <i>Journal of Biological Chemistry</i> , 2006, 281, 4013-4023.	1.6	45
1385	The Cdc14p phosphatase affects late cell-cycle events and morphogenesis in <i>Candida albicans</i> . <i>Journal of Cell Science</i> , 2006, 119, 1130-1143.	1.2	57
1386	Role of the Transcription Activator Ste12p as a Repressor of PRY3 Expression. <i>Molecular and Cellular Biology</i> , 2006, 26, 7901-7912.	1.1	11

#	ARTICLE	IF	CITATIONS
1387	PER1 Is Required for GPI-Phospholipase A2 Activity and Involved in Lipid Remodeling of GPI-anchored Proteins. <i>Molecular Biology of the Cell</i> , 2006, 17, 5253-5264.	0.9	103
1388	Primate Chaperones Hsc70 (Constitutive) and Hsp70 (Induced) Differ Functionally in Supporting Growth and Prion Propagation in <i>Saccharomyces cerevisiae</i> . <i>Genetics</i> , 2006, 172, 851-861.	1.2	52
1389	Chs5/6 Complex: A Multiprotein Complex That Interacts with and Conveys Chitin Synthase III from the Trans-Golgi Network to the Cell Surface. <i>Molecular Biology of the Cell</i> , 2006, 17, 4157-4166.	0.9	68
1390	Nonredundant Roles of Mitochondria-associated F-Box Proteins Mfb1 and Mdm30 in Maintenance of Mitochondrial Morphology in Yeast. <i>Molecular Biology of the Cell</i> , 2006, 17, 3745-3755.	0.9	66
1391	Copper Induces Cytoplasmic Retention of Fission Yeast Transcription Factor Cuf1. <i>Eukaryotic Cell</i> , 2006, 5, 277-292.	3.4	29
1392	Characterization of the Yeast Amphiphysins Rvs161p and Rvs167p Reveals Roles for the Rvs Heterodimer In Vivo. <i>Molecular Biology of the Cell</i> , 2006, 17, 1306-1321.	0.9	54
1393	Erv26p Directs Pro-Alkaline Phosphatase into Endoplasmic Reticulum-derived Coat Protein Complex II Transport Vesicles. <i>Molecular Biology of the Cell</i> , 2006, 17, 4780-4789.	0.9	34
1394	Intragenic Suppression of Gal3C Interaction With Gal80 in the <i>Saccharomyces cerevisiae</i> GAL Gene Switch. <i>Genetics</i> , 2006, 172, 77-87.	1.2	14
1395	Heterologous Expression of Arabidopsis UDP-Glucosyltransferases in <i>Saccharomyces cerevisiae</i> for Production of Zearalenone-4-O-Glucoside. <i>Applied and Environmental Microbiology</i> , 2006, 72, 4404-4410.	1.4	74
1396	Impacts of Gene Essentiality, Expression Pattern, and Gene Compactness on the Evolutionary Rate of Mammalian Proteins. <i>Molecular Biology and Evolution</i> , 2006, 23, 2072-2080.	3.5	170
1397	Gene Expression From Random Libraries of Yeast Promoters. <i>Genetics</i> , 2006, 172, 2113-2122.	1.2	26
1398	Chromatin-Modifying Enzymes Are Essential When the <i>Saccharomyces cerevisiae</i> Morphogenesis Checkpoint Is Constitutively Activated. <i>Genetics</i> , 2006, 174, 1135-1149.	1.2	16
1399	ELM1 Is Required for Multidrug Resistance in <i>Saccharomyces cerevisiae</i> . <i>Genetics</i> , 2006, 173, 1919-1937.	1.2	17
1400	Mutations in ABO1/ELO2, a Subunit of Holo-Elongator, Increase Abscisic Acid Sensitivity and Drought Tolerance in <i>Arabidopsis thaliana</i> . <i>Molecular and Cellular Biology</i> , 2006, 26, 6902-6912.	1.1	138
1401	SWI/SNF Binding to the HO Promoter Requires Histone Acetylation and Stimulates TATA-Binding Protein Recruitment. <i>Molecular and Cellular Biology</i> , 2006, 26, 4095-4110.	1.1	58
1402	Defective Mitochondrial Gene Expression Results in Reactive Oxygen Species-Mediated Inhibition of Respiration and Reduction of Yeast Life Span. <i>Molecular and Cellular Biology</i> , 2006, 26, 4818-4829.	1.1	120
1403	Rck2 Is Required for Reprogramming of Ribosomes during Oxidative Stress. <i>Molecular Biology of the Cell</i> , 2006, 17, 1472-1482.	0.9	43
1404	Mutual Antagonism of Target of Rapamycin and Calcineurin Signaling. <i>Journal of Biological Chemistry</i> , 2006, 281, 33000-33007.	1.6	64

#	ARTICLE	IF	CITATIONS
1405	Importin- β Family Members Mediate Alpharetrovirus Gag Nuclear Entry via Interactions with Matrix and Nucleocapsid. <i>Journal of Virology</i> , 2006, 80, 1798-1806.	1.5	56
1406	Metabolic Engineering of <i>Saccharomyces cerevisiae</i> Producing Nicotianamine: Potential for Industrial Biosynthesis of a Novel Antihypertensive Substrate. <i>Bioscience, Biotechnology and Biochemistry</i> , 2006, 70, 1408-1415.	0.6	18
1407	H2A.Z Functions To Regulate Progression through the Cell Cycle. <i>Molecular and Cellular Biology</i> , 2006, 26, 489-501.	1.1	86
1408	Conserved Fungal Genes as Potential Targets for Broad-Spectrum Antifungal Drug Discovery. <i>Eukaryotic Cell</i> , 2006, 5, 638-649.	3.4	40
1409	Mechanisms of copper loading on the <i>Schizosaccharomyces pombe</i> copper amine oxidase 1 expressed in <i>Saccharomyces cerevisiae</i> . <i>Microbiology (United Kingdom)</i> , 2006, 152, 2819-2830.	0.7	16
1410	Effects of Depleting the Essential Central Metabolic Enzyme Fructose-1,6-Bisphosphate Aldolase on the Growth and Viability of <i>Candida albicans</i> : Implications for Antifungal Drug Target Discovery. <i>Eukaryotic Cell</i> , 2006, 5, 1371-1377.	3.4	75
1411	Identification of the Mitochondrial NAD ⁺ Transporter in <i>Saccharomyces cerevisiae</i> . <i>Journal of Biological Chemistry</i> , 2006, 281, 1524-1531.	1.6	215
1412	Phosphatidylinositol 4-Phosphate Is Required for Translation Initiation in <i>Saccharomyces cerevisiae</i> . <i>Journal of Biological Chemistry</i> , 2006, 281, 38139-38149.	1.6	13
1413	Vhr1p, a New Transcription Factor from Budding Yeast, Regulates Biotin-dependent Expression of VHT1 and BIO5. <i>Journal of Biological Chemistry</i> , 2006, 281, 13513-13524.	1.6	24
1414	Construction of a Library of Human Glycosyltransferases Immobilized in the Cell Wall of <i>Saccharomyces cerevisiae</i> . <i>Applied and Environmental Microbiology</i> , 2006, 72, 7003-7012.	1.4	40
1415	Mapping of an Internal Protease Cleavage Site in the Ssy5p Component of the Amino Acid Sensor of <i>Saccharomyces cerevisiae</i> and Functional Characterization of the Resulting Pro- and Protease Domains by Gain-of-Function Genetics. <i>Eukaryotic Cell</i> , 2006, 5, 601-608.	3.4	24
1416	Role of the Hog1 Stress-activated Protein Kinase in the Global Transcriptional Response to Stress in the Fungal Pathogen <i>Candida albicans</i> . <i>Molecular Biology of the Cell</i> , 2006, 17, 1018-1032.	0.9	343
1417	Cysteine-Disulfide Cross-linking to Monitor SNARE Complex Assembly during Endoplasmic Reticulum-Golgi Transport. <i>Journal of Biological Chemistry</i> , 2006, 281, 2281-2288.	1.6	20
1418	The La protein functions redundantly with tRNA modification enzymes to ensure tRNA structural stability. <i>Rna</i> , 2006, 12, 644-654.	1.6	55
1419	Expression of FLR1 Transporter Requires Phospholipase C and Is Repressed by Mediator. <i>Journal of Biological Chemistry</i> , 2006, 281, 5677-5685.	1.6	8
1420	Yeast P4-ATPases Drs2p and Dnf1p Are Essential Cargos of the NPFXD/Sla1p Endocytic Pathway. <i>Molecular Biology of the Cell</i> , 2007, 18, 487-500.	0.9	63
1421	Mitochondrial Genome Integrity Mutations Uncouple the Yeast <i>Saccharomyces cerevisiae</i> ATP Synthase. <i>Journal of Biological Chemistry</i> , 2007, 282, 8228-8236.	1.6	28
1422	A Poised Initiation Complex Is Activated by SNF1. <i>Journal of Biological Chemistry</i> , 2007, 282, 37308-37315.	1.6	27

#	ARTICLE	IF	CITATIONS
1423	Stb3 Binds to Ribosomal RNA Processing Element Motifs That Control Transcriptional Responses to Growth in <i>Saccharomyces cerevisiae</i> . <i>Journal of Biological Chemistry</i> , 2007, 282, 26623-26628.	1.6	62
1424	Loss of Vacuolar Proton-translocating ATPase Activity in Yeast Results in Chronic Oxidative Stress*. <i>Journal of Biological Chemistry</i> , 2007, 282, 7125-7136.	1.6	94
1425	Oligonucleotide transformation of yeast reveals mismatch repair complexes to be differentially active on DNA replication strands. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 11352-11357.	3.3	40
1426	Chd1 and yFACT Act in Opposition in Regulating Transcription. <i>Molecular and Cellular Biology</i> , 2007, 27, 6279-6287.	1.1	35
1427	GGA2- and Ubiquitin-dependent Trafficking of Arn1, the Ferrichrome Transporter of <i>Saccharomyces cerevisiae</i> . <i>Molecular Biology of the Cell</i> , 2007, 18, 1790-1802.	0.9	40
1428	Structural and Functional Fingerprint of the Mitochondrial ATP-binding Cassette Transporter Mdl1 from <i>Saccharomyces cerevisiae</i> . <i>Journal of Biological Chemistry</i> , 2007, 282, 3951-3961.	1.6	27
1429	Yeast TFIID Serves as a Coactivator for Rap1p by Direct Protein-Protein Interaction. <i>Molecular and Cellular Biology</i> , 2007, 27, 297-311.	1.1	79
1430	An <i>Arabidopsis thaliana</i> high-affinity molybdate transporter required for efficient uptake of molybdate from soil. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 18807-18812.	3.3	236
1431	Functional Association between Three Archaeal Aminoacyl-tRNA Synthetases. <i>Journal of Biological Chemistry</i> , 2007, 282, 3680-3687.	1.6	23
1432	Identification of an N-Acetylglucosamine Transporter That Mediates Hyphal Induction in <i>Candida albicans</i> . <i>Molecular Biology of the Cell</i> , 2007, 18, 965-975.	0.9	124
1433	Regulation of the Yeast TSA1 Peroxiredoxin by ZAP1 Is an Adaptive Response to the Oxidative Stress of Zinc Deficiency. <i>Journal of Biological Chemistry</i> , 2007, 282, 2184-2195.	1.6	67
1434	Requirements for nuclear localization of the Lsm2-8p complex and competition between nuclear and cytoplasmic Lsm complexes. <i>Journal of Cell Science</i> , 2007, 120, 4310-4320.	1.2	25
1435	The Sensitivity of Yeast Mutants to Oleic Acid Implicates the Peroxisome and Other Processes in Membrane Function. <i>Genetics</i> , 2007, 175, 77-91.	1.2	95
1436	The Role of Sse1 in the <i>de Novo</i> Formation and Variant Determination of the [PSI ⁺] Prion. <i>Genetics</i> , 2007, 177, 1583-1593.	1.2	80
1437	Hemoglobin is an effective inducer of hyphal differentiation in <i>Candida albicans</i> . <i>Medical Mycology</i> , 2007, 45, 61-71.	0.3	16
1438	Yeast Phenotypic Assays on Translational Control. <i>Methods in Enzymology</i> , 2007, 429, 105-137.	0.4	20
1439	Diagnostic Assays for Defects in mtDNA Replication and Transcription in Yeast and Humans. <i>Methods in Cell Biology</i> , 2007, 80, 465-479.	0.5	5
1440	Mg ²⁺ Deprivation Elicits Rapid Ca ²⁺ Uptake and Activates Ca ²⁺ /Calcineurin Signaling in <i>Saccharomyces cerevisiae</i> . <i>Eukaryotic Cell</i> , 2007, 6, 592-599.	3.4	51

#	ARTICLE	IF	CITATIONS
1441	Small Ubiquitin-Related Modifier Pathway Is a Major Determinant of Doxorubicin Cytotoxicity in <i>Saccharomyces cerevisiae</i> . <i>Cancer Research</i> , 2007, 67, 765-772.	0.4	28
1442	Genome-Wide Expression and Location Analyses of the <i>Candida albicans</i> Tac1p Regulon. <i>Eukaryotic Cell</i> , 2007, 6, 2122-2138.	3.4	118
1443	Novel Membrane-Bound eIF2 γ Kinase in the Flagellar Pocket of <i>Trypanosoma brucei</i> . <i>Eukaryotic Cell</i> , 2007, 6, 1979-1991.	3.4	65
1444	Divergence of Protein Kinase A Catalytic Subunits in <i>Cryptococcus neoformans</i> and <i>Cryptococcus gattii</i> Illustrates Evolutionary Reconfiguration of a Signaling Cascade. <i>Eukaryotic Cell</i> , 2007, 6, 413-420.	3.4	25
1445	Niche-Specific Activation of the Oxidative Stress Response by the Pathogenic Fungus <i>Candida albicans</i> . <i>Infection and Immunity</i> , 2007, 75, 2143-2151.	1.0	125
1446	Nucleotide Exchange Factors for Hsp70s Are Required for [URE3] Prion Propagation in <i>Saccharomyces cerevisiae</i> . <i>Molecular Biology of the Cell</i> , 2007, 18, 2149-2154.	0.9	98
1447	A Single MAPKKK Regulates the Hog1 MAPK Pathway in the Pathogenic Fungus <i>Candida albicans</i> . <i>Molecular Biology of the Cell</i> , 2007, 18, 4603-4614.	0.9	103
1448	Plc1p Is Required for SAGA Recruitment and Derepression of Sko1p-regulated Genes. <i>Molecular Biology of the Cell</i> , 2007, 18, 2419-2428.	0.9	19
1449	Characterization of glycoinositolphosphoryl ceramide structure mutant strains of <i>Cryptococcus neoformans</i> . <i>Glycobiology</i> , 2007, 17, 1C-1C.	1.3	36
1450	Mutations in Alternative Carbon Utilization Pathways in <i>Candida albicans</i> Attenuate Virulence and Confer Pleiotropic Phenotypes. <i>Eukaryotic Cell</i> , 2007, 6, 280-290.	3.4	151
1451	<i>Saccharomyces cerevisiae</i> CWH43 Is Involved in the Remodeling of the Lipid Moiety of GPI Anchors to Ceramides. <i>Molecular Biology of the Cell</i> , 2007, 18, 4304-4316.	0.9	65
1452	The Transmembrane Domain Is Sufficient for Sbh1p Function, Its Association with the Sec61 Complex, and Interaction with Rtn1p. <i>Journal of Biological Chemistry</i> , 2007, 282, 30618-30628.	1.6	21
1453	Yct1p, a Novel, High-Affinity, Cysteine-Specific Transporter From the Yeast <i>Saccharomyces cerevisiae</i> . <i>Genetics</i> , 2007, 176, 877-890.	1.2	54
1454	Role for the Ssu72 C-Terminal Domain Phosphatase in RNA Polymerase II Transcription Elongation. <i>Molecular and Cellular Biology</i> , 2007, 27, 926-936.	1.1	50
1455	Genetic Dissection of Parallel Sister-Chromatid Cohesion Pathways. <i>Genetics</i> , 2007, 176, 1417-1429.	1.2	102
1456	Functional Analysis of <i>Arabidopsis thaliana</i> RHM2/MUM4, a Multidomain Protein Involved in UDP-D-glucose to UDP-L-rhamnose Conversion. <i>Journal of Biological Chemistry</i> , 2007, 282, 5389-5403.	1.6	147
1457	Membrane Topology of the Alg14 Endoplasmic Reticulum UDP-GlcNAc Transferase Subunit. <i>Journal of Biological Chemistry</i> , 2007, 282, 29081-29088.	1.6	20
1458	LPT1 Encodes a Membrane-bound O-Acyltransferase Involved in the Acylation of Lysophospholipids in the Yeast <i>Saccharomyces cerevisiae</i> . <i>Journal of Biological Chemistry</i> , 2007, 282, 34288-34298.	1.6	82

#	ARTICLE	IF	CITATIONS
1459	Lipid perturbations sensitize osmotic downâ€šock activated Ca ²⁺ influx, a yeast â€œdeletomeâ€• analysis. <i>FASEB Journal</i> , 2007, 21, 1813-1820.	0.2	12
1460	The Iron-Sulfur Cluster Proteins Isa1 and Isa2 Are Required for the Function but Not for the De Novo Synthesis of the Fe/S Clusters of Biotin Synthase in <i>Saccharomyces cerevisiae</i> . <i>Eukaryotic Cell</i> , 2007, 6, 495-504.	3.4	52
1461	Developmental Regulation of an Adhesin Gene during Cellular Morphogenesis in the Fungal Pathogen <i>Candida albicans</i> . <i>Eukaryotic Cell</i> , 2007, 6, 682-692.	3.4	107
1462	Transcriptional regulation of phospholipid biosynthesis is linked to fatty acid metabolism by an acyl-CoA-binding-protein-dependent mechanism in <i>Saccharomyces cerevisiae</i> . <i>Biochemical Journal</i> , 2007, 407, 219-230.	1.7	45
1463	Cell Cycle- and Ribonucleotide Reductase-Driven Changes in mtDNA Copy Number Influence mtDNA Inheritance Without Compromising Mitochondrial Gene Expression. <i>Cell Cycle</i> , 2007, 6, 2048-2057.	1.3	35
1464	Estrogenic activity associated with organochlorine compounds in fish extracts from European mountain lakes. <i>Environmental Pollution</i> , 2007, 145, 745-752.	3.7	16
1465	Nicotinamide Riboside Promotes Sir2 Silencing and Extends Lifespan via Nrk and Urh1/Pnp1/Meu1 Pathways to NAD ⁺ . <i>Cell</i> , 2007, 129, 473-484.	13.5	351
1466	Phagocytosis by Human Neutrophils Is Stimulated by a Unique Fungal Cell Wall Component. <i>Cell Host and Microbe</i> , 2007, 2, 55-67.	5.1	102
1467	Reduced TOR Signaling Extends Chronological Life Span via Increased Respiration and Upregulation of Mitochondrial Gene Expression. <i>Cell Metabolism</i> , 2007, 5, 265-277.	7.2	389
1468	Change in Nutritional Status Modulates the Abundance of Critical Pre-initiation Intermediate Complexes During Translation Initiation in Vivo. <i>Journal of Molecular Biology</i> , 2007, 370, 315-330.	2.0	42
1469	Ubiquitin Binds to and Regulates a Subset of SH3 Domains. <i>Molecular Cell</i> , 2007, 25, 273-284.	4.5	71
1470	Dissecting yeast Hog1 MAP kinase pathway using a chemical genetic approach. <i>FEBS Letters</i> , 2007, 581, 1209-1216.	1.3	31
1471	Construction of thermotolerant yeast expressing thermostable cellulase genes. <i>Journal of Biotechnology</i> , 2007, 130, 114-123.	1.9	134
1472	Efficient Production of L-Lactic Acid from Xylose by <i>Pichia stipitis</i> . <i>Applied and Environmental Microbiology</i> , 2007, 73, 117-123.	1.4	126
1473	Molecular Genetic Structureâ€•Function Analysis of Translation Initiation Factor eIF5B. <i>Methods in Enzymology</i> , 2007, 429, 185-201.	0.4	12
1474	Telomerase repeat addition processivity is increased at critically short telomeres in a Tel1-dependent manner in <i>Saccharomyces cerevisiae</i> . <i>Genes and Development</i> , 2007, 21, 2485-2494.	2.7	134
1475	Localization and Characterization of Proteinâ€•Protein Interaction Sites. <i>Methods in Enzymology</i> , 2007, 429, 139-161.	0.4	18
1476	Comprehensive analysis of yeast metabolite GCâ€•GCâ€•TOFMS data: combining discovery-mode and deconvolution chemometric software. <i>Analyst</i> , The, 2007, 132, 756-767.	1.7	103

#	ARTICLE	IF	CITATIONS
1477	Characterization of Squalene Epoxidase of <i>Saccharomyces cerevisiae</i> by Applying Terbinafine-Sensitive Variants. <i>Antimicrobial Agents and Chemotherapy</i> , 2007, 51, 275-284.	1.4	36
1478	<i>Saccharomyces cerevisiae</i> as a Model Organism to Study Mitochondrial Biology. <i>Methods in Molecular Biology</i> , 2007, 372, 81-90.	0.4	39
1479	Classical Genetics. <i>Methods in Molecular Biology</i> , 2007, 389, 189-201.	0.4	9
1480	DNA Replication Stress Is a Determinant of Chronological Lifespan in Budding Yeast. <i>PLoS ONE</i> , 2007, 2, e748.	1.1	94
1481	Transport and regulatory characteristics of the yeast bicarbonate transporter homolog Bor1p. <i>American Journal of Physiology - Cell Physiology</i> , 2007, 293, C468-C476.	2.1	46
1482	Heterologous expression of <i>Melanocarpus albomyces</i> cellobiohydrolase Cel7B, and random mutagenesis to improve its thermostability. <i>Enzyme and Microbial Technology</i> , 2007, 41, 234-243.	1.6	41
1483	Global transcriptional profiling of <i>Candida albicans</i> cwt1 null mutant. <i>Yeast</i> , 2007, 24, 357-370.	0.8	6
1484	Evidence for distinct DNA- and RNA-based mechanisms of 5-fluorouracil cytotoxicity in <i>Saccharomyces cerevisiae</i> . <i>Yeast</i> , 2007, 24, 861-870.	0.8	39
1485	Mdm38 protein depletion causes loss of mitochondrial K ⁺ /H ⁺ exchange activity, osmotic swelling and mitophagy. <i>Cell Death and Differentiation</i> , 2007, 14, 1647-1656.	5.0	209
1486	The asymmetric distribution of the essential histidine kinase PdhS indicates a differentiation event in <i>Brucella abortus</i> . <i>EMBO Journal</i> , 2007, 26, 1444-1455.	3.5	70
1487	Forkhead proteins control the outcome of transcription factor binding by antiactivation. <i>EMBO Journal</i> , 2007, 26, 4324-4334.	3.5	59
1488	Yeast PAS kinase coordinates glucose partitioning in response to metabolic and cell integrity signaling. <i>EMBO Journal</i> , 2007, 26, 4824-4830.	3.5	44
1489	RNA polymerase I transcription obstructs condensin association with 35S rRNA coding regions and can cause contraction of long repeat in <i>Saccharomyces cerevisiae</i> . <i>Genes To Cells</i> , 2007, 12, 070606122915001-???	0.5	30
1490	Systematic capsule gene disruption reveals the central role of galactose metabolism on <i>Cryptococcus neoformans</i> virulence. <i>Molecular Microbiology</i> , 2007, 64, 771-781.	1.2	102
1491	The zinc cluster transcription factor Tac1p regulates PDR16 expression in <i>Candida albicans</i> . <i>Molecular Microbiology</i> , 2007, 66, 440-452.	1.2	81
1492	Differential Flo8-dependent regulation of <i>FLO1</i> and <i>FLO11</i> for cell-cell and cell-substrate adherence of <i>S. cerevisiae</i> S288c. <i>Molecular Microbiology</i> , 2007, 66, 1276-1289.	1.2	76
1493	The <i>Chlamydia</i> outer membrane protein OmcB is required for adhesion and exhibits biovar-specific differences in glycosaminoglycan binding. <i>Molecular Microbiology</i> , 2008, 67, 403-419.	1.2	85
1494	Comparative analysis of environmental DNA extraction and purification methods from different humic acid-rich soils. <i>Journal of Applied Microbiology</i> , 2007, 102, 265-273.	1.4	158

#	ARTICLE	IF	CITATIONS
1495	Dosage suppression of the <i>Kluyveromyces lactis</i> zymocin by <i>Saccharomyces cerevisiae</i> ISR1 and UGP1. <i>FEMS Yeast Research</i> , 2007, 7, 722-730.	1.1	8
1496	Mutations of the RAG3 gene encoding a regulator of fermentation in <i>Kluyveromyces lactis</i> are suppressed by a mutation of the transcription factor gene KIGCR1. <i>FEMS Yeast Research</i> , 2007, 7, 675-682.	1.1	6
1497	Why do some yeast species require niacin for growth? Different modes of NAD synthesis. <i>FEMS Yeast Research</i> , 2007, 7, 657-664.	1.1	37
1498	Rsc14-controlled expression of <i>MNN6</i> , <i>MNN4</i> and <i>MNN1</i> regulates mannosylphosphorylation of <i>Saccharomyces cerevisiae</i> cell wall mannoproteins. <i>FEMS Yeast Research</i> , 2007, 7, 1248-1255.	1.1	10
1499	<i>Saccharomyces cerevisiae</i> Bor1p is a boron exporter and a key determinant of boron tolerance. <i>FEMS Microbiology Letters</i> , 2007, 267, 230-235.	0.7	60
1500	Switching of the homooligomeric ATP-binding cassette transport complex MDL1 from post-translational mitochondrial import to endoplasmic reticulum insertion. <i>FEBS Journal</i> , 2007, 274, 5298-5310.	2.2	14
1501	Rpn13p and Rpn14p are involved in the recognition of ubiquitinated Gcn4p by the 26S proteasome. <i>FEBS Letters</i> , 2007, 581, 2567-2573.	1.3	27
1502	Yeast Rev1 is cell cycle regulated, phosphorylated in response to DNA damage and its binding to chromosomes is dependent upon MEC1. <i>DNA Repair</i> , 2007, 6, 121-127.	1.3	53
1503	Mutations affecting a putative MutL± endonuclease motif impact multiple mismatch repair functions. <i>DNA Repair</i> , 2007, 6, 1463-1470.	1.3	45
1504	Analysis of Rev1p and Pol Î¶ in mitochondrial mutagenesis suggests an alternative pathway of damage tolerance. <i>DNA Repair</i> , 2007, 6, 1732-1739.	1.3	30
1505	Localization of Gts1p in cortical actin patches of yeast and its possible role in endocytosis. <i>European Journal of Cell Biology</i> , 2007, 86, 275-285.	1.6	4
1506	Enhanced expression of EGFP gene in CHSE-214 cells by an ARS element from mud loach (<i>Misgurnus</i>) Tj ETQq1 1 0.784314 rgBT / Overl	0.4	4
1507	Low auxotrophy-complementing amino acid concentrations reduce yeast chronological life span. <i>Mechanisms of Ageing and Development</i> , 2007, 128, 383-391.	2.2	49
1508	Structure of the Yeast WD40 Domain Protein Cia1, a Component Acting Late in Iron-Sulfur Protein Biogenesis. <i>Structure</i> , 2007, 15, 1246-1257.	1.6	74
1509	Colony density influences invasive and filamentous growth in <i>Saccharomyces cerevisiae</i> . <i>Folia Microbiologica</i> , 2007, 52, 35-38.	1.1	3
1510	Membrane stress is coupled to a rapid translational control of gene expression in chlorpromazine-treated cells. <i>Current Genetics</i> , 2007, 52, 171-185.	0.8	36
1511	High rate of starvation-associated mutagenesis in Ungâ'' yeast caused by the overproduction of human activation-induced deaminase. <i>Current Genetics</i> , 2007, 52, 239-245.	0.8	3
1512	Characterisation of a prokaryote-type tRNA-isopentenyltransferase gene from the moss <i>Physcomitrella patens</i> . <i>Planta</i> , 2007, 226, 683-695.	1.6	31

#	ARTICLE	IF	CITATIONS
1513	Reduction of Aluminum Toxicity by 2-Isopropylmalic Acid in the Budding Yeast <i>Saccharomyces cerevisiae</i> . <i>Biological Trace Element Research</i> , 2007, 120, 257-263.	1.9	15
1514	Expression patterns of the rice class I metallothionein gene family in response to lead stress in rice seedlings and functional complementation of its members in lead-sensitive yeast cells. <i>Science Bulletin</i> , 2007, 52, 2203-2209.	1.7	19
1515	Parallel analysis of tetramerization domain mutants of the human p53 protein using PCR colonies. <i>Genomic Medicine</i> , 2007, 1, 113-124.	0.6	4
1516	A putative role for the plasma membrane potential in the control of the expression of the gene encoding the tomato high-affinity potassium transporter HAK5. <i>Plant Molecular Biology</i> , 2008, 68, 521-532.	2.0	119
1517	Obtaining and selection of hexokinases-less strains of <i>Saccharomyces cerevisiae</i> for production of ethanol and fructose from sucrose. <i>Applied Microbiology and Biotechnology</i> , 2008, 77, 1131-1137.	1.7	9
1518	Promotion of Zn ²⁺ Uptake by Al ³⁺ in a <i>Saccharomyces Cerevisiae</i> Mutant that Lacks the ZRT1 Gene Encoding a High-Affinity Zn Transporter. <i>Biological Trace Element Research</i> , 2008, 124, 262-268.	1.9	4
1519	The Tsc/Rheb signaling pathway controls basic amino acid uptake via the Cat1 permease in fission yeast. <i>Molecular Genetics and Genomics</i> , 2008, 279, 441-450.	1.0	41
1520	Proteomic analysis of the pH response in the fungal pathogen <i>Candida glabrata</i> . <i>Proteomics</i> , 2008, 8, 534-544.	1.3	42
1521	A study of the <i>Candida albicans</i> cell wall proteome. <i>Proteomics</i> , 2008, 8, 3871-3881.	1.3	88
1522	Characterization of a temperature-sensitive mutation that impairs the function of yeast tRNA nucleotidyltransferase. <i>Yeast</i> , 2008, 25, 219-233.	0.8	9
1523	Effects of the S288c genetic background and common auxotrophic markers on mitochondrial DNA function in <i>Saccharomyces cerevisiae</i> . <i>Yeast</i> , 2008, 25, 903-912.	0.8	38
1524	Simultaneous saccharification and fermentation of acid-pretreated corncobs with a recombinant <i>Saccharomyces cerevisiae</i> expressing β -glucosidase. <i>Bioresource Technology</i> , 2008, 99, 5099-5103.	4.8	86
1525	Human RhoA/RhoGDI complex expressed in yeast: Gtp exchange is sufficient for translocation of RhoA to liposomes. <i>Protein Science</i> , 2000, 9, 376-386.	3.1	14
1526	Yeast as a model for studying human neurodegenerative disorders. <i>Biotechnology Journal</i> , 2008, 3, 325-338.	1.8	72
1527	The Luminal N-Terminus of Yeast Nvj1 is an Inner Nuclear Membrane Anchor. <i>Traffic</i> , 2008, 9, 1653-1664.	1.3	28
1528	Posttranscriptional regulation of <i>FLO11</i> upon amino acid starvation in <i>Saccharomyces cerevisiae</i> . <i>FEMS Yeast Research</i> , 2008, 8, 225-236.	1.1	12
1529	Overexpressed ribosomal proteins suppress defective chaperonins in <i>Saccharomyces cerevisiae</i> . <i>FEMS Yeast Research</i> , 2008, 8, 1236-1244.	1.1	19
1530	Yeast β -tubulin suppressor <i>Ats1/Kti13</i> relates to the Elongator complex and interacts with Elongator partner protein <i>Kti11</i> . <i>Molecular Microbiology</i> , 2008, 69, 175-187.	1.2	33

#	ARTICLE	IF	CITATIONS
1531	A versatile partner of eukaryotic protein complexes that is involved in multiple biological processes: Kti11/Dph3. <i>Molecular Microbiology</i> , 2008, 69, 1221-1233.	1.2	48
1532	tRNA and protein methylase complexes mediate zymocin toxicity in yeast. <i>Molecular Microbiology</i> , 2008, 69, 1266-1277.	1.2	56
1533	Intrinsic 5â€²-deoxyribose-5-phosphate lyase activity in <i>Saccharomyces cerevisiae</i> Trf4 protein with a possible role in base excision DNA repair. <i>DNA Repair</i> , 2008, 7, 187-198.	1.3	21
1534	The N- and C-termini of Elg1 contribute to the maintenance of genome stability. <i>DNA Repair</i> , 2008, 7, 1221-1232.	1.3	18
1535	Chemostat-Based Micro-Array Analysis in Baker's Yeast. <i>Advances in Microbial Physiology</i> , 2008, 54, 257-417.	1.0	50
1536	Genomic response programs of <i>Saccharomyces cerevisiae</i> following protoplasting and regeneration. <i>Fungal Genetics and Biology</i> , 2008, 45, 253-265.	0.9	6
1537	Impact of the unfolded protein response upon genome-wide expression patterns, and the role of Hac1 in the polarized growth, of <i>Candida albicans</i> . <i>Fungal Genetics and Biology</i> , 2008, 45, 1235-1247.	0.9	97
1538	Stimulation of Prostate Cancer Cellular Proliferation and Invasion by the Androgen Receptor Co-Activator ARA70 ^Δ . <i>American Journal of Pathology</i> , 2008, 172, 225-235.	1.9	47
1539	A Functional Putative Phytochelatin Synthase from the Primitive Red Alga <i>Cyanidioschyzon merolae</i> . <i>Bioscience, Biotechnology and Biochemistry</i> , 2008, 72, 3306-3309.	0.6	10
1540	Phylogenomic and Functional Analysis of Pterin-4a-Carbinolamine Dehydratase Family (COG2154) Proteins in Plants and Microorganisms. <i>Plant Physiology</i> , 2008, 146, 1515-1527.	2.3	33
1541	<i>Saccharomyces cerevisiae</i> YOR071C Encodes the High Affinity Nicotinamide Riboside Transporter Nrt1. <i>Journal of Biological Chemistry</i> , 2008, 283, 8075-8079.	1.6	69
1542	Î±-Isopropylmalate, a Leucine Biosynthesis Intermediate in Yeast, Is Transported by the Mitochondrial Oxalacetate Carrier. <i>Journal of Biological Chemistry</i> , 2008, 283, 28445-28453.	1.6	71
1543	Construction of Sterile <i>Saccharomyces cerevisiae</i> Wine Yeasts Unable To Disseminate in Nature. <i>Applied and Environmental Microbiology</i> , 2008, 74, 2129-2134.	1.4	10
1544	A Role for Chd1 and Set2 in Negatively Regulating DNA Replication in <i>Saccharomyces cerevisiae</i> . <i>Genetics</i> , 2008, 178, 649-659.	1.2	43
1545	The <i>Cryptococcus neoformans</i> Rho-GDP Dissociation Inhibitor Mediates Intracellular Survival and Virulence. <i>Infection and Immunity</i> , 2008, 76, 5729-5737.	1.0	47
1546	Genetic Evidence for Sites of Interaction Between the Gal3 and Gal80 Proteins of the <i>Saccharomyces cerevisiae</i> GAL Gene Switch. <i>Genetics</i> , 2008, 178, 725-736.	1.2	19
1547	The <i>Saccharomyces cerevisiae</i> Actin Cytoskeletal Component Bsp1p Has an Auxiliary Role in Actomyosin Ring Function and in the Maintenance of Bud-Neck Structure. <i>Genetics</i> , 2008, 178, 1903-1914.	1.2	7
1548	Different Genetic Functions for the Rpd3(L) and Rpd3(S) Complexes Suggest Competition between NuA4 and Rpd3(S). <i>Molecular and Cellular Biology</i> , 2008, 28, 4445-4458.	1.1	35

#	ARTICLE	IF	CITATIONS
1549	Artificial Recruitment of Mediator by the DNA-Binding Domain of Adr1 Overcomes Glucose Repression of <i>ADH2</i> Expression. <i>Molecular and Cellular Biology</i> , 2008, 28, 2509-2516.	1.1	15
1550	Slx5 Promotes Transcriptional Silencing and Is Required for Robust Growth in the Absence of Sir2. <i>Molecular and Cellular Biology</i> , 2008, 28, 1361-1372.	1.1	27
1551	Functional Conservation of the Yeast and Arabidopsis <i>RAD54</i> -Like Genes. <i>Genetics</i> , 2008, 178, 2389-2397.	1.2	23
1552	Dysregulation of Purine Nucleotide Biosynthesis Pathways Modulates Cisplatin Cytotoxicity in <i>Saccharomyces cerevisiae</i> . <i>Molecular Pharmacology</i> , 2008, 74, 1092-1100.	1.0	15
1553	Basic-Zipper-Type Transcription Factor FlbB Controls Asexual Development in <i>Aspergillus nidulans</i> . <i>Eukaryotic Cell</i> , 2008, 7, 38-48.	3.4	97
1554	Cdc1p Is an Endoplasmic Reticulum-Localized Putative Lipid Phosphatase That Affects Golgi Inheritance and Actin Polarization by Activating Ca^{2+} Signaling. <i>Molecular and Cellular Biology</i> , 2008, 28, 3336-3343.	1.1	24
1555	Genome wide screens in yeast to identify potential binding sites and target genes of DNA-binding proteins. <i>Nucleic Acids Research</i> , 2008, 36, e8-e8.	6.5	24
1556	A novel zinc-dependent <i>D</i> -serine dehydratase from <i>Saccharomyces cerevisiae</i> . <i>Biochemical Journal</i> , 2008, 409, 399-406.	1.7	50
1557	Nuclear Export Receptor Xpo1/Crm1 Is Physically and Functionally Linked to the Spindle Pole Body in Budding Yeast. <i>Molecular and Cellular Biology</i> , 2008, 28, 5348-5358.	1.1	15
1558	A C-terminal Sequence in the Guanine Nucleotide Exchange Factor Sec7 Mediates Golgi Association and Interaction with the Rsp5 Ubiquitin Ligase. <i>Journal of Biological Chemistry</i> , 2008, 283, 34188-34196.	1.6	13
1559	Substrate-binding Sites of UBR1, the Ubiquitin Ligase of the N-end Rule Pathway. <i>Journal of Biological Chemistry</i> , 2008, 283, 24011-24028.	1.6	93
1560	The Sur7 Protein Regulates Plasma Membrane Organization and Prevents Intracellular Cell Wall Growth in <i>Candida albicans</i> . <i>Molecular Biology of the Cell</i> , 2008, 19, 5214-5225.	0.9	77
1561	The DNA End-Binding Protein Ku Regulates Silencing at the Internal <i>HML</i> and <i>HMR</i> Loci in <i>Saccharomyces cerevisiae</i> . <i>Genetics</i> , 2008, 180, 1407-1418.	1.2	19
1562	UGE1 and UGE2 Regulate the UDP-Glucose/UDP-Galactose Equilibrium in <i>Cryptococcus neoformans</i> . <i>Eukaryotic Cell</i> , 2008, 7, 2069-2077.	3.4	36
1563	<i>Chlamydia pneumoniae</i> GroEL1 Protein Is Cell Surface Associated and Required for Infection of HEp-2 Cells. <i>Journal of Bacteriology</i> , 2008, 190, 3757-3767.	1.0	48
1564	The Rsp5 E3 Ligase Mediates Turnover of Low Affinity Phosphate Transporters in <i>Saccharomyces cerevisiae</i> . <i>Journal of Biological Chemistry</i> , 2008, 283, 5327-5334.	1.6	16
1565	Regulation of Gic2 Localization and Function by Phosphatidylinositol 4,5-Bisphosphate during the Establishment of Cell Polarity in Budding Yeast. <i>Journal of Biological Chemistry</i> , 2008, 283, 14205-14212.	1.6	30
1566	Interaction between the C Termini of Alg13 and Alg14 Mediates Formation of the Active UDP-N-acetylglucosamine Transferase Complex. <i>Journal of Biological Chemistry</i> , 2008, 283, 32534-32541.	1.6	42

#	ARTICLE	IF	CITATIONS
1567	Role of Proliferating Cell Nuclear Antigen Interactions in the Mismatch Repair-Dependent Processing of Mitotic and Meiotic Recombination Intermediates in Yeast. <i>Genetics</i> , 2008, 178, 1221-1236.	1.2	26
1568	The Cytoplasmic Region of Î±-1,6-Mannosyltransferase Mnn9p Is Crucial for Retrograde Transport from the Golgi Apparatus to the Endoplasmic Reticulum in <i>Saccharomyces cerevisiae</i> . <i>Eukaryotic Cell</i> , 2008, 7, 310-318.	3.4	25
1569	The crucial role of mitochondrial regulation in adaptive aluminium resistance in <i>Rhodotorula glutinis</i> . <i>Microbiology (United Kingdom)</i> , 2008, 154, 3437-3446.	0.7	20
1570	Genomewide Location Analysis of <i>Candida albicans</i> Upc2p, a Regulator of Sterol Metabolism and Azole Drug Resistance. <i>Eukaryotic Cell</i> , 2008, 7, 836-847.	3.4	107
1571	Role of PUG1 in Inducible Porphyrin and Heme Transport in <i>Saccharomyces cerevisiae</i> . <i>Eukaryotic Cell</i> , 2008, 7, 859-871.	3.4	53
1572	The yeast p24 complex is required for the formation of COPI retrograde transport vesicles from the Golgi apparatus. <i>Journal of Cell Biology</i> , 2008, 180, 713-720.	2.3	62
1573	RNA-Based 5-Fluorouracil Toxicity Requires the Pseudouridylation Activity of Cbf5p. <i>Genetics</i> , 2008, 179, 323-330.	1.2	37
1574	Role of Acetyl Coenzyme A Synthesis and Breakdown in Alternative Carbon Source Utilization in <i>Candida albicans</i> . <i>Eukaryotic Cell</i> , 2008, 7, 1733-1741.	3.4	65
1575	Sep7 Is Essential to Modify Septin Ring Dynamics and Inhibit Cell Separation during <i>Candida albicans</i> Hyphal Growth. <i>Molecular Biology of the Cell</i> , 2008, 19, 1509-1518.	0.9	74
1576	Sequence Divergence Impedes Crossover More Than Noncrossover Events During Mitotic Gap Repair in Yeast. <i>Genetics</i> , 2008, 179, 1251-1262.	1.2	36
1577	Alg13p, the Catalytic Subunit of the Endoplasmic Reticulum UDP-GlcNAc Glycosyltransferase, Is a Target for Proteasomal Degradation. <i>Molecular Biology of the Cell</i> , 2008, 19, 2169-2178.	0.9	18
1578	Strain-specific sequences required for yeast [<i>PSI⁺</i>] prion propagation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 13345-13350.	3.3	60
1579	Chloride Homeostasis in <i>Saccharomyces cerevisiae</i> : High Affinity Influx, V-ATPase-dependent Sequestration, and Identification of a Candidate Cl ⁻ Sensor. <i>Journal of General Physiology</i> , 2008, 131, 379-391.	0.9	23
1580	Ty3 Nucleocapsid Controls Localization of Particle Assembly. <i>Journal of Virology</i> , 2008, 82, 2501-2514.	1.5	35
1581	The effect of sequence context on spontaneous PolÎ±-dependent mutagenesis in <i>Saccharomyces cerevisiae</i> . <i>Nucleic Acids Research</i> , 2008, 36, 2082-2093.	6.5	19
1582	Competition between the Rex1 exonuclease and the La protein affects both Trf4p-mediated RNA quality control and pre-tRNA maturation. <i>Rna</i> , 2008, 14, 1214-1227.	1.6	79
1583	Regulation of Rtt107 Recruitment to Stalled DNA Replication Forks by the Cullin Rtt101 and the Rtt109 Acetyltransferase. <i>Molecular Biology of the Cell</i> , 2008, 19, 171-180.	0.9	53
1584	Formulation of a Defined V8 Medium for Induction of Sexual Development of <i>Cryptococcus neoformans</i> . <i>Applied and Environmental Microbiology</i> , 2008, 74, 6248-6253.	1.4	40

#	ARTICLE	IF	CITATIONS
1585	Mind Bomb-2 Is an E3 Ligase That Ubiquitinates the N-Methyl-d-aspartate Receptor NR2B Subunit in a Phosphorylation-dependent Manner. <i>Journal of Biological Chemistry</i> , 2008, 283, 301-310.	1.6	66
1586	Localization and Interaction of the Proteins Constituting the GAL Genetic Switch in <i>Saccharomyces cerevisiae</i> . <i>Eukaryotic Cell</i> , 2008, 7, 2061-2068.	3.4	25
1587	An Internal Polarity Landmark Is Important for Externally Induced Hyphal Behaviors in <i>Candida albicans</i> . <i>Eukaryotic Cell</i> , 2008, 7, 712-720.	3.4	55
1588	Target of Rapamycin and LST8 Proteins Associate with Membranes from the Endoplasmic Reticulum in the Unicellular Green Alga <i>Chlamydomonas reinhardtii</i> . <i>Eukaryotic Cell</i> , 2008, 7, 212-222.	3.4	70
1589	The Catalytic Activity of Protein-disulfide Isomerase Requires a Conformationally Flexible Molecule. <i>Journal of Biological Chemistry</i> , 2008, 283, 33630-33640.	1.6	75
1590	Manganese Efficiency in Barley: Identification and Characterization of the Metal Ion Transporter HvIRT1. <i>Plant Physiology</i> , 2008, 148, 455-466.	2.3	182
1591	<i>Saccharomyces cerevisiae</i> Phospholipase C Regulates Transcription of Msn2p-Dependent Stress-Responsive Genes. <i>Eukaryotic Cell</i> , 2008, 7, 967-979.	3.4	21
1592	Ypt1p is essential for retrograde Golgi-ER transport and for Golgi maintenance in <i>S. cerevisiae</i> . <i>Journal of Cell Science</i> , 2008, 121, 1293-1302.	1.2	28
1593	Isolation of Baker's Yeast Mutants Defective in .GAMMA.-aminobutyric Acid Assimilation and Evaluation of Usefulness of these Mutants for Bread Dough Fermentation. <i>Journal of the Japanese Society for Food Science and Technology</i> , 2008, 55, 32-36.	0.1	3
1594	Chemical Genetic Profiling of Imidazo[1,2-a]pyridines and -Pyrimidines Reveals Target Pathways Conserved between Yeast and Human Cells. <i>PLoS Genetics</i> , 2008, 4, e1000284.	1.5	37
1595	Promoter Binding by the Adr1 Transcriptional Activator May Be Regulated by Phosphorylation in the DNA-Binding Region. <i>PLoS ONE</i> , 2008, 3, e3213.	1.1	20
1596	Proline transport and stress tolerance of ammonia-insensitive mutants of the PUT4-encoded proline-specific permease in yeast. <i>Journal of General and Applied Microbiology</i> , 2009, 55, 427-439.	0.4	16
1597	The Transcription Factor Homolog CTF1 Regulates \hat{I}^2 -Oxidation in <i>Candida albicans</i> . <i>Eukaryotic Cell</i> , 2009, 8, 1604-1614.	3.4	51
1598	Localization of recombination proteins and Srs2 reveals anti-recombinase function in vivo. <i>Journal of Cell Biology</i> , 2009, 185, 969-981.	2.3	72
1599	Stress-induced Ceramide-activated Protein Phosphatase Can Compensate for Loss of Amphiphysin-like Activity In <i>Saccharomyces cerevisiae</i> and Functions to Reinitiate Endocytosis. <i>Journal of Biological Chemistry</i> , 2009, 284, 11930-11941.	1.6	14
1600	Role of the Rad52 Amino-terminal DNA Binding Activity in DNA Strand Capture in Homologous Recombination. <i>Journal of Biological Chemistry</i> , 2009, 284, 33275-33284.	1.6	50
1601	Gln-222 in Transmembrane Domain 4 and Gln-526 in Transmembrane Domain 9 Are Critical for Substrate Recognition in the Yeast High Affinity Glutathione Transporter, Hgt1p. <i>Journal of Biological Chemistry</i> , 2009, 284, 23872-23884.	1.6	12
1602	Superoxide Dismutase 1-mediated Production of Ethanol- and DNA-derived Radicals in Yeasts Challenged with Hydrogen Peroxide. <i>Journal of Biological Chemistry</i> , 2009, 284, 5546-5556.	1.6	18

#	ARTICLE	IF	CITATIONS
1603	Functional Interaction of the Ess1 Prolyl Isomerase with Components of the RNA Polymerase II Initiation and Termination Machineries. <i>Molecular and Cellular Biology</i> , 2009, 29, 2925-2934.	1.1	44
1604	Control of Protein and Sterol Trafficking by Antagonistic Activities of a Type IV P-type ATPase and Oxysterol Binding Protein Homologue. <i>Molecular Biology of the Cell</i> , 2009, 20, 2920-2931.	0.9	41
1605	Identification of the <i>Candida albicans</i> Cap1p Regulon. <i>Eukaryotic Cell</i> , 2009, 8, 806-820.	3.4	94
1606	Quantitative Physiology of <i>Saccharomyces cerevisiae</i> at Near-Zero Specific Growth Rates. <i>Applied and Environmental Microbiology</i> , 2009, 75, 5607-5614.	1.4	95
1607	Subcellular Localization Directs Signaling Specificity of the <i>Cryptococcus neoformans</i> Ras1 Protein. <i>Eukaryotic Cell</i> , 2009, 8, 181-189.	3.4	59
1608	SLA2 mutations cause SWE1-mediated cell cycle phenotypes in <i>Candida albicans</i> and <i>Saccharomyces cerevisiae</i> . <i>Microbiology (United Kingdom)</i> , 2009, 155, 3847-3859.	0.7	23
1609	Yeast AEP3p Is an Accessory Factor in Initiation of Mitochondrial Translation. <i>Journal of Biological Chemistry</i> , 2009, 284, 34116-34125.	1.6	19
1610	Prion Variants and Species Barriers Among <i>Saccharomyces</i> Ure2 Proteins. <i>Genetics</i> , 2009, 181, 1159-1167.	1.2	63
1611	Telomerase Is Essential to Alleviate Pif1-Induced Replication Stress at Telomeres. <i>Genetics</i> , 2009, 183, 779-791.	1.2	28
1612	Controlled Enlargement of the Glycoprotein Vesicle Surrounding a <i>Volvox</i> Embryo Requires the InvB Nucleotide-Sugar Transporter and Is Required for Normal Morphogenesis. <i>Plant Cell</i> , 2009, 21, 1166-1181.	3.1	37
1613	A Multifunctional, Synthetic <i>Gaussia princeps</i> Luciferase Reporter for Live Imaging of <i>Candida albicans</i> Infections. <i>Infection and Immunity</i> , 2009, 77, 4847-4858.	1.0	123
1614	Qri7/OSGEPL, the mitochondrial version of the universal Kae1/YgjD protein, is essential for mitochondrial genome maintenance. <i>Nucleic Acids Research</i> , 2009, 37, 5343-5352.	6.5	55
1615	Mutants of the <i>Arabidopsis thaliana</i> Cation/H ⁺ Antiporter AtNHX1 Conferring Increased Salt Tolerance in Yeast. <i>Journal of Biological Chemistry</i> , 2009, 284, 14276-14285.	1.6	71
1616	Snf1 Controls the Activity of Adr1 Through Dephosphorylation of Ser230. <i>Genetics</i> , 2009, 182, 735-745.	1.2	53
1617	Molecular Dissection of Erv26p Identifies Separable Cargo Binding and Coat Protein Sorting Activities. <i>Journal of Biological Chemistry</i> , 2009, 284, 24049-24060.	1.6	25
1618	A Promiscuous Prion: Efficient Induction of [URE3] Prion Formation by Heterologous Prion Domains. <i>Genetics</i> , 2009, 183, 929-940.	1.2	17
1619	Curing of Yeast [URE3] Prion by the Hsp40 Cochaperone Ydj1p Is Mediated by Hsp70. <i>Genetics</i> , 2009, 181, 129-137.	1.2	37
1620	Growth at High pH and Sodium and Potassium Tolerance in Media above the Cytoplasmic pH Depend on ENA ATPases in <i>Ustilago maydis</i> . <i>Eukaryotic Cell</i> , 2009, 8, 821-829.	3.4	36

#	ARTICLE	IF	CITATIONS
1621	Regulation of the RSP5 Ubiquitin Ligase by an Intrinsic Ubiquitin-binding Site. <i>Journal of Biological Chemistry</i> , 2009, 284, 12071-12079.	1.6	72
1622	Mcm10 Mediates the Interaction Between DNA Replication and Silencing Machineries. <i>Genetics</i> , 2009, 181, 379-391.	1.2	22
1623	Multicopy suppressor analysis of thermosensitive YIP1 alleles implicates GOT1 in transport from the ER. <i>Journal of Cell Science</i> , 2009, 122, 1540-1550.	1.2	38
1624	Impaired Uptake and/or Utilization of Leucine by <i>Saccharomyces cerevisiae</i> Is Suppressed by the SPT15-300 Allele of the TATA-Binding Protein Gene. <i>Applied and Environmental Microbiology</i> , 2009, 75, 6055-6061.	1.4	19
1625	Effect of sequence context and direction of replication on AP site bypass in <i>Saccharomyces cerevisiae</i> . <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2009, 669, 147-154.	0.4	6
1626	Phylogenetic diversity of stress signalling pathways in fungi. <i>BMC Evolutionary Biology</i> , 2009, 9, 44.	3.2	177
1627	Global transcriptional response of <i>Saccharomyces cerevisiae</i> to the deletion of SDH3. <i>BMC Systems Biology</i> , 2009, 3, 17.	3.0	23
1628	Involvement of Pta1, Pcf11 and a K1CYC1 AU-rich element in alternative RNA 3' end processing selection in yeast. <i>FEBS Letters</i> , 2009, 583, 2843-2848.	1.3	12
1629	Differential regulation of the HAK5 genes encoding the high-affinity K ⁺ transporters of <i>Thellungiella halophila</i> and <i>Arabidopsis thaliana</i> . <i>Environmental and Experimental Botany</i> , 2009, 65, 263-269.	2.0	73
1630	A new <i>Schizosaccharomyces pombe</i> chronological lifespan assay reveals that caloric restriction promotes efficient cell cycle exit and extends longevity. <i>Experimental Gerontology</i> , 2009, 44, 493-502.	1.2	42
1631	Different modulation of the outputs of yeast MAPK-mediated pathways by distinct stimuli and isoforms of the dual-specificity phosphatase Msg5. <i>Molecular Genetics and Genomics</i> , 2009, 281, 345-359.	1.0	24
1632	Plc1p is required for proper chromatin structure and activity of the kinetochore in <i>Saccharomyces cerevisiae</i> by facilitating recruitment of the RSC complex. <i>Molecular Genetics and Genomics</i> , 2009, 281, 511-523.	1.0	14
1633	Cloning and functional identification of two members of the ZIP (Zrt, Irt-like protein) gene family in rice (<i>Oryza sativa</i> L.). <i>Molecular Biology Reports</i> , 2009, 36, 281-287.	1.0	121
1634	3D microfabricated bioreactor with capillaries. <i>Biomedical Microdevices</i> , 2009, 11, 1309-1315.	1.4	31
1635	Role of ENA ATPase in Na ⁺ efflux at high pH in bryophytes. <i>Plant Molecular Biology</i> , 2009, 71, 599-608.	2.0	20
1636	Alcoholic fermentation of xylose and mixed sugars using recombinant <i>Saccharomyces cerevisiae</i> engineered for xylose utilization. <i>Applied Microbiology and Biotechnology</i> , 2009, 82, 1037-1047.	1.7	79
1637	Improving the thermostability and activity of <i>Melanocarpus albomyces</i> cellobiohydrolase Cel7B. <i>Applied Microbiology and Biotechnology</i> , 2009, 83, 261-272.	1.7	61
1638	Plasmids with E2 epitope tags: tagging modules for N- and C-terminal PCR-based gene targeting in both budding and fission yeast, and inducible expression vectors for fission yeast. <i>Yeast</i> , 2009, 26, 55-66.	0.8	4

#	ARTICLE	IF	CITATIONS
1639	Additional cassettes for epitope and fluorescent fusion proteins in <i>Candida albicans</i> . <i>Yeast</i> , 2009, 26, 399-406.	0.8	65
1640	Dosage-dependent roles of the Cwt1 transcription factor for cell wall architecture, morphogenesis, drug sensitivity and virulence in <i>Candida albicans</i> . <i>Yeast</i> , 2010, 27, 77-87.	0.8	13
1641	A proteomic analysis of the salt, cadmium and peroxide stress responses in <i>Candida albicans</i> and the role of the Hog1 stress-activated MAPK in regulating the stress-induced proteome. <i>Proteomics</i> , 2009, 9, 4686-4703.	1.3	51
1642	Functional characterization of the trans-membrane domain interactions of the Sec61 protein translocation complex beta-subunit. <i>BMC Cell Biology</i> , 2009, 10, 76.	3.0	18
1643	cpFBPaseII, a novel redox-independent chloroplastic isoform of fructose-1,6-bisphosphatase. <i>Plant, Cell and Environment</i> , 2009, 32, 811-827.	2.8	22
1644	Microsatellite analysis of genetic diversity among clinical and nonclinical <i>Saccharomyces cerevisiae</i> isolates suggests heterozygote advantage in clinical environments. <i>Molecular Ecology</i> , 2009, 18, 2779-2786.	2.0	43
1645	Genome-wide gene expression profiling and a forward genetic screen show that differential expression of the sodium ion transporter Ena21 contributes to the differential tolerance of <i>Candida albicans</i> and <i>Candida dubliniensis</i> to osmotic stress. <i>Molecular Microbiology</i> , 2009, 72, 216-228.	1.2	37
1646	Dbf2 is essential for cytokinesis and correct mitotic spindle formation in <i>Candida albicans</i> . <i>Molecular Microbiology</i> , 2009, 72, 1364-1378.	1.2	21
1647	Snf1-independent, glucose-resistant transcription of Adr1-dependent genes in a mediator mutant of <i>Saccharomyces cerevisiae</i> . <i>Molecular Microbiology</i> , 2009, 74, 364-383.	1.2	7
1648	Role of the heat shock transcription factor, Hsf1, in a major fungal pathogen that is obligately associated with warm-blooded animals. <i>Molecular Microbiology</i> , 2009, 74, 844-861.	1.2	88
1649	The E2F functional analogue SBF recruits the Rpd3(L) HDAC, via Whi5 and Stb1, and the FACT chromatin reorganizer, to yeast G1 cyclin promoters. <i>EMBO Journal</i> , 2009, 28, 3378-3389.	3.5	81
1650	18S rRNA processing requires base pairings of snR30 H/ACA snoRNA to eukaryote-specific 18S sequences. <i>EMBO Journal</i> , 2009, 28, 1260-1270.	3.5	54
1651	Erv26-dependent Export of Alkaline Phosphatase from the ER Requires Luminal Domain Recognition. <i>Traffic</i> , 2009, 10, 1006-1018.	1.3	17
1652	The GAP Domain and the SNARE, Coatamer and Cargo Interaction Region of the ArfGAP2/3 Glo3 are Sufficient for Glo3 Function. <i>Traffic</i> , 2009, 10, 1362-1375.	1.3	30
1653	Role of Plc1p in regulation of Mcm1p-dependent genes. <i>FEMS Microbiology Letters</i> , 2009, 295, 245-250.	0.7	2
1654	A yeast-based genetic screen for identification of pathogenic <i>Salmonella</i> proteins. <i>FEMS Microbiology Letters</i> , 2009, 296, 167-177.	0.7	11
1655	Analysis of Lsm1p and Lsm8p domains in the cellular localization of Lsm complexes in budding yeast. <i>FEBS Journal</i> , 2009, 276, 3602-3617.	2.2	10
1656	Essential role of the C-terminus in <i>Melanocarpus albomyces</i> laccase for enzyme production, catalytic properties and structure. <i>FEBS Journal</i> , 2009, 276, 6285-6300.	2.2	73

#	ARTICLE	IF	CITATIONS
1657	Modulation of sterol homeostasis by the Cdc42p effectors Cla4p and Ste20p in the yeast <i>Saccharomyces cerevisiae</i> . <i>FEBS Journal</i> , 2009, 276, 7253-7264.	2.2	11
1658	Conservation and dispersion of sequence and function in fungal TRK potassium transporters: focus on <i>Candida albicans</i> . <i>FEMS Yeast Research</i> , 2009, 9, 278-292.	1.1	21
1659	Use of novel selenomethionine-resistant yeast to produce selenomethionyl protein suitable for structural analysis. <i>FEMS Yeast Research</i> , 2009, 9, 439-445.	1.1	8
1660	An atypical PMR2 locus is responsible for hypersensitivity to sodium and lithium cations in the laboratory strain <i>Saccharomyces cerevisiae</i> CEN.PK113-7D. <i>FEMS Yeast Research</i> , 2009, 9, 789-792.	1.1	35
1661	Large-scale identification of <i>Legionella pneumophila</i> Dot/Icm substrates that modulate host cell vesicle trafficking pathways. <i>Cellular Microbiology</i> , 2009, 11, 230-248.	1.1	143
1662	Identification and characterization of zinc-starvation-induced ZIP transporters from barley roots. <i>Plant Physiology and Biochemistry</i> , 2009, 47, 377-383.	2.8	73
1663	Characterization of self-assembly of <i>Euplotes octocarinatus</i> centriole. <i>Journal of Photochemistry and Photobiology B: Biology</i> , 2009, 95, 26-32.	1.7	21
1664	Novel role for the <i>Saccharomyces cerevisiae</i> oligopeptide transporter Opt2 in drug detoxification in memory of Ghassan Belhadji. <i>Biochemistry and Cell Biology</i> , 2009, 87, 653-661.	0.9	18
1665	Chapter 17 Determination of Yeast Mitochondrial KHE Activity, Osmotic Swelling and Mitophagy. <i>Methods in Enzymology</i> , 2009, 457, 305-317.	0.4	4
1666	Spindle Alignment Regulates the Dynamic Association of Checkpoint Proteins with Yeast Spindle Pole Bodies. <i>Developmental Cell</i> , 2009, 16, 146-156.	3.1	67
1667	A Role for <i>C. elegans</i> Eph RTK Signaling in PTEN Regulation. <i>Developmental Cell</i> , 2009, 17, 459-469.	3.1	58
1668	Genome-wide analysis of <i>Candida albicans</i> gene expression patterns during infection of the mammalian kidney. <i>Fungal Genetics and Biology</i> , 2009, 46, 210-219.	0.9	87
1669	Functional connection between histone acetyltransferase Gcn5p and methyltransferase Hmt1p. <i>Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms</i> , 2009, 1789, 395-402.	0.9	12
1670	The yeast mitochondrial carrier proteins Mrs3p/Mrs4p mediate iron transport across the inner mitochondrial membrane. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2009, 1788, 1044-1050.	1.4	99
1671	Characterization of a PutCAX1 gene from <i>Puccinellia tenuiflora</i> that confers Ca ²⁺ and Ba ²⁺ tolerance in yeast. <i>Biochemical and Biophysical Research Communications</i> , 2009, 383, 392-396.	1.0	32
1672	Detection of gene loops by 3C in yeast. <i>Methods</i> , 2009, 48, 361-367.	1.9	26
1673	Structure-Function Studies of a <i>Melanocarpus albomyces</i> Laccase Suggest a Pathway for Oxidation of Phenolic Compounds. <i>Journal of Molecular Biology</i> , 2009, 392, 895-909.	2.0	99
1674	FACT and Asf1 Regulate Nucleosome Dynamics and Coactivator Binding at the HO Promoter. <i>Molecular Cell</i> , 2009, 34, 405-415.	4.5	106

#	ARTICLE	IF	CITATIONS
1675	Arabidopsis thaliana PRP40s are RNA polymerase II C-terminal domain-associating proteins. Archives of Biochemistry and Biophysics, 2009, 484, 30-38.	1.4	39
1676	Control of translation initiation: a model-based analysis from limited experimental data. Journal of the Royal Society Interface, 2009, 6, 51-61.	1.5	27
1677	Cross-Linking of a DOPA-Containing Peptide Ligand into Its G Protein-Coupled Receptor. Biochemistry, 2009, 48, 2033-2044.	1.2	25
1678	Genome-wide deletion mutant analysis reveals genes required for respiratory growth, mitochondrial genome maintenance and mitochondrial protein synthesis in Saccharomyces cerevisiae. Genome Biology, 2009, 10, R95.	13.9	166
1679	Mutants, Overexpressors, and Interactors of Arabidopsis Plastocyanin Isoforms: Revised Roles of Plastocyanin in Photosynthetic Electron Flow and Thylakoid Redox State. Molecular Plant, 2009, 2, 236-248.	3.9	92
1680	Saccharomyces cerevisiae Na ⁺ /H ⁺ Antiporter Nha1p Associates with Lipid Rafts and Requires Sphingolipid for Stable Localization to the Plasma Membrane. Journal of Biochemistry, 2009, 145, 709-720.	0.9	13
1681	Saccharomyces cerevisiae glucose signalling regulator Mth1p regulates the organellar Na ⁺ /H ⁺ exchanger Nhx1p. Biochemical Journal, 2010, 432, 343-352.	1.7	2
1682	Genetic identification of new biological species Saccharomyces arboricolus Wang et Bai. Antonie Van Leeuwenhoek, 2010, 98, 1-7.	0.7	41
1683	Identification of Saccharomyces cerevisiae Genes Involved in the Resistance to Phenolic Fermentation Inhibitors. Applied Biochemistry and Biotechnology, 2010, 161, 106-115.	1.4	36
1684	Insufficient uracil supply in fully aerobic chemostat cultures of Saccharomyces cerevisiae leads to respiro-fermentative metabolism and double nutrient-limitation. Biotechnology Letters, 2010, 32, 973-977.	1.1	18
1685	The relevance of oxidative stress and cytotoxic DNA lesions for spontaneous mutagenesis in non-replicating yeast cells. Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis, 2010, 688, 47-52.	0.4	18
1686	A mutation-promotive role of nucleotide excision repair in cell cycle-arrested cell populations following UV irradiation. DNA Repair, 2010, 9, 96-100.	1.3	7
1687	Genes involved in novel adaptive aluminum resistance in Rhodotorula glutinis. Journal of Bioscience and Bioengineering, 2010, 109, 453-458.	1.1	7
1688	Innovative cationic fullerenes as broad-spectrum light-activated antimicrobials. Nanomedicine: Nanotechnology, Biology, and Medicine, 2010, 6, 442-452.	1.7	104
1689	Development of a single-use microbioreactor for cultivation of microorganisms. Chemical Engineering Journal, 2010, 160, 891-898.	6.6	42
1690	NAD ⁺ metabolite levels as a function of vitamins and calorie restriction: evidence for different mechanisms of longevity. BMC Chemical Biology, 2010, 10, 2.	1.6	69
1691	Impact of the transcriptional regulator, Ace2, on the <i>Candida glabrata</i> secretome. Proteomics, 2010, 10, 212-223.	1.3	23
1692	Genetic evidence for a role of <i>Saccharomyces cerevisiae</i> Mph1 in recombinational DNA repair under replicative stress. Yeast, 2010, 27, 11-27.	0.8	20

#	ARTICLE	IF	CITATIONS
1693	Plasmids for <i>in vivo</i> construction of integrative <i>Candida albicans</i> vectors in <i>Saccharomyces cerevisiae</i> . <i>Yeast</i> , 2010, 27, 933-939.	0.8	3
1694	The SOS1 transporter of <i>Physcomitrella patens</i> mediates sodium efflux <i>in planta</i> . <i>New Phytologist</i> , 2010, 188, 750-761.	3.5	59
1695	Modifications to the C-Terminus of Arf1 Alter Cell Functions and Protein Interactions. <i>Traffic</i> , 2010, 11, 732-742.	1.3	53
1696	An oleate-stimulated, phosphatidylinositol 4,5-bisphosphate-independent phospholipase D in <i>Schizosaccharomyces pombe</i> . <i>FEMS Yeast Research</i> , 2010, 10, 717-726.	1.1	6
1697	The biochemical properties of the mitochondrial thiamine pyrophosphate carrier from <i>Drosophila melanogaster</i> . <i>FEBS Journal</i> , 2010, 277, 1172-1181.	2.2	34
1698	Heterothallism in <i>Saccharomyces cerevisiae</i> isolates from nature: effect of <i>HO</i> locus on the mode of reproduction. <i>Molecular Ecology</i> , 2010, 19, 121-131.	2.0	46
1699	Functional specialization and differential regulation of short-chain carboxylic acid transporters in the pathogen <i>Candida albicans</i> . <i>Molecular Microbiology</i> , 2010, 75, 1337-1354.	1.2	54
1700	Two <i>CDC42</i> paralogues modulate <i>Cryptococcus neoformans</i> thermotolerance and morphogenesis under host physiological conditions. <i>Molecular Microbiology</i> , 2010, 75, 763-780.	1.2	44
1701	Elongator function in tRNA wobble uridine modification is conserved between yeast and plants. <i>Molecular Microbiology</i> , 2010, 76, 1082-1094.	1.2	87
1702	F1bC is a putative nuclear C2H2 transcription factor regulating development in <i>Aspergillus nidulans</i> . <i>Molecular Microbiology</i> , 2010, 77, 1203-1219.	1.2	138
1703	Members of the Pmp protein family of <i>Chlamydia pneumoniae</i> mediate adhesion to human cells via short repetitive peptide motifs. <i>Molecular Microbiology</i> , 2010, 78, 1004-1017.	1.2	86
1704	Tah18 transfers electrons to Dre2 in cytosolic iron-sulfur protein biogenesis. <i>Nature Chemical Biology</i> , 2010, 6, 758-765.	3.9	176
1705	<i>Lotus tenuis</i> tolerates combined salinity and waterlogging: maintaining O ₂ transport to roots and expression of an NHX1-like gene contribute to regulation of Na ⁺ transport. <i>Physiologia Plantarum</i> , 2010, 139, no-no.	2.6	31
1706	Functional Characterization of the <i>Chlamydomonas reinhardtii</i> ERG3 Ortholog, a Gene Involved in the Biosynthesis of Ergosterol. <i>PLoS ONE</i> , 2010, 5, e8659.	1.1	29
1707	Mutation of High-Affinity Methionine Permease Contributes to Selenomethionyl Protein Production in <i>Saccharomyces cerevisiae</i> . <i>Applied and Environmental Microbiology</i> , 2010, 76, 6351-6359.	1.4	12
1708	Mso1p Regulates Membrane Fusion through Interactions with the Putative N-Peptide-binding Area in Sec1p Domain 1. <i>Molecular Biology of the Cell</i> , 2010, 21, 1362-1374.	0.9	17
1709	Identification of GIG1, a GlcNAc-Induced Gene in <i>Candida albicans</i> Needed for Normal Sensitivity to the Chitin Synthase Inhibitor Nikkomycin Z. <i>Eukaryotic Cell</i> , 2010, 9, 1476-1483.	3.4	43
1710	Histone H3 Exerts a Key Function in Mitotic Checkpoint Control. <i>Molecular and Cellular Biology</i> , 2010, 30, 537-549.	1.1	34

#	ARTICLE	IF	CITATIONS
1711	Compositional Determinants of Prion Formation in Yeast. <i>Molecular and Cellular Biology</i> , 2010, 30, 319-332.	1.1	159
1712	Snf1 Dependence of Peroxisomal Gene Expression Is Mediated by Adr1. <i>Journal of Biological Chemistry</i> , 2010, 285, 10703-10714.	1.6	39
1713	Integration of a splicing regulatory network within the meiotic gene expression program of <i>Saccharomyces cerevisiae</i> . <i>Genes and Development</i> , 2010, 24, 2693-2704.	2.7	41
1714	Identification of an Htm1 (EDEM)-dependent, Mns1-independent Endoplasmic Reticulum-associated Degradation (ERAD) Pathway in <i>Saccharomyces cerevisiae</i> . <i>Journal of Biological Chemistry</i> , 2010, 285, 24324-24334.	1.6	38
1715	Identification of Residue-to-residue Contact between a Peptide Ligand and Its G Protein-coupled Receptor Using Periodate-mediated Dihydroxyphenylalanine Cross-linking and Mass Spectrometry. <i>Journal of Biological Chemistry</i> , 2010, 285, 39425-39436.	1.6	25
1716	Elm1 kinase activates the spindle position checkpoint kinase Kin4. <i>Journal of Cell Biology</i> , 2010, 190, 975-989.	2.3	55
1717	Defects in the Secretory Pathway and High Ca^{2+} Induce Multiple P-bodies. <i>Molecular Biology of the Cell</i> , 2010, 21, 2624-2638.	0.9	52
1718	Dissecting BAR Domain Function in the Yeast Amphiphysins Rvs161 and Rvs167 during Endocytosis. <i>Molecular Biology of the Cell</i> , 2010, 21, 3054-3069.	0.9	73
1719	Regulation of Vacuolar Proton-translocating ATPase Activity and Assembly by Extracellular pH. <i>Journal of Biological Chemistry</i> , 2010, 285, 23771-23778.	1.6	74
1720	Thioredoxin Regulates Multiple Hydrogen Peroxide-Induced Signaling Pathways in <i>Candida albicans</i> . <i>Molecular and Cellular Biology</i> , 2010, 30, 4550-4563.	1.1	93
1721	The requirement for the highly conserved G^{1} residue of <i>Saccharomyces cerevisiae</i> tRNA ^{His} can be circumvented by overexpression of tRNA ^{His} and its synthetase. <i>Rna</i> , 2010, 16, 1068-1077.	1.6	31
1722	Crystal Structure of Yeast Rpn14, a Chaperone of the 19 S Regulatory Particle of the Proteasome. <i>Journal of Biological Chemistry</i> , 2010, 285, 15159-15166.	1.6	20
1723	Targeted localization of Inn1, Cyk3 and Chs2 by the mitotic-exit network regulates cytokinesis in budding yeast. <i>Journal of Cell Science</i> , 2010, 123, 1851-1861.	1.2	83
1724	Adaptations of <i>Candida albicans</i> for Growth in the Mammalian Intestinal Tract. <i>Eukaryotic Cell</i> , 2010, 9, 1075-1086.	3.4	131
1725	An Extensive Circuitry for Cell Wall Regulation in <i>Candida albicans</i> . <i>PLoS Pathogens</i> , 2010, 6, e1000752.	2.1	182
1726	Snf1p Regulates Gcn5p Transcriptional Activity by Antagonizing Spt3p. <i>Genetics</i> , 2010, 184, 91-105.	1.2	26
1727	TRAUICO, a Trithorax-group gene homologue, is required for early embryogenesis in <i>Arabidopsis thaliana</i> . <i>Journal of Experimental Botany</i> , 2010, 61, 1215-1224.	2.4	12
1728	Dynamic analysis of cytosolic glucose and ATP levels in yeast using optical sensors. <i>Biochemical Journal</i> , 2010, 432, 399-406.	1.7	81

#	ARTICLE	IF	CITATIONS
1729	Mechanism of Antifungal Activity of Terpenoid Phenols Resembles Calcium Stress and Inhibition of the TOR Pathway. <i>Antimicrobial Agents and Chemotherapy</i> , 2010, 54, 5062-5069.	1.4	225
1730	Identification and Functional Characterization of a Novel Mitochondrial Carrier for Citrate and Oxoglutarate in <i>Saccharomyces cerevisiae</i> . <i>Journal of Biological Chemistry</i> , 2010, 285, 17359-17370.	1.6	107
1731	Biophysical Characterization of Iron in Mitochondria Isolated from Respiring and Fermenting Yeast. <i>Biochemistry</i> , 2010, 49, 5436-5444.	1.2	56
1732	Dissection of the assembly pathway of the proteasome lid in <i>Saccharomyces cerevisiae</i> . <i>Biochemical and Biophysical Research Communications</i> , 2010, 396, 1048-1053.	1.0	63
1733	The <i>Candida albicans</i> Rgd1 is a RhoGAP protein involved in the control of filamentous growth. <i>Fungal Genetics and Biology</i> , 2010, 47, 1001-1011.	0.9	21
1734	Characterization of the developmental regulator FlbE in <i>Aspergillus fumigatus</i> and <i>Aspergillus nidulans</i> . <i>Fungal Genetics and Biology</i> , 2010, 47, 981-993.	0.9	72
1735	The RAD6 DNA Damage Tolerance Pathway Operates Uncoupled from the Replication Fork and Is Functional Beyond S Phase. <i>Cell</i> , 2010, 141, 255-267.	13.5	254
1736	Stable Synthetic Cationic Bacteriochlorins as Selective Antimicrobial Photosensitizers. <i>Antimicrobial Agents and Chemotherapy</i> , 2010, 54, 3834-3841.	1.4	136
1737	Construction and Analyses of Tetrameric Forms of Yeast NAD ⁺ -Specific Isocitrate Dehydrogenase. <i>Biochemistry</i> , 2011, 50, 230-239.	1.2	9
1738	A New Wine <i>Saccharomyces cerevisiae</i> Killer Toxin (Klus), Encoded by a Double-Stranded RNA Virus, with Broad Antifungal Activity Is Evolutionarily Related to a Chromosomal Host Gene. <i>Applied and Environmental Microbiology</i> , 2011, 77, 1822-1832.	1.4	109
1739	Changes in Conformation at the Cytoplasmic Ends of the Fifth and Sixth Transmembrane Helices of a Yeast G Protein-Coupled Receptor in Response to Ligand Binding. <i>Biochemistry</i> , 2011, 50, 6841-6854.	1.2	22
1740	Measuring Signaling by the Unfolded Protein Response. <i>Methods in Enzymology</i> , 2011, 491, 261-292.	0.4	20
1741	Initial antibodies binding to HIV-1 gp41 in acutely infected subjects are polyreactive and highly mutated. <i>Journal of Experimental Medicine</i> , 2011, 208, 2237-2249.	4.2	198
1742	Regulation of Yeast Chronological Life Span by TORC1 via Adaptive Mitochondrial ROS Signaling. <i>Cell Metabolism</i> , 2011, 13, 668-678.	7.2	273
1743	PI4P and Rab Inputs Collaborate in Myosin-V-Dependent Transport of Secretory Compartments in Yeast. <i>Developmental Cell</i> , 2011, 20, 47-59.	3.1	95
1744	Activation of the heat shock transcription factor Hsf1 is essential for the full virulence of the fungal pathogen <i>Candida albicans</i> . <i>Fungal Genetics and Biology</i> , 2011, 48, 297-305.	0.9	89
1745	Potassium and sodium uptake systems in fungi. The transporter diversity of <i>Magnaporthe oryzae</i> . <i>Fungal Genetics and Biology</i> , 2011, 48, 812-822.	0.9	52
1746	Skin-Resident Murine Dendritic Cell Subsets Promote Distinct and Opposing Antigen-Specific T Helper Cell Responses. <i>Immunity</i> , 2011, 35, 260-272.	6.6	379

#	ARTICLE	IF	CITATIONS
1747	Structure of H/ACA RNP Protein Nhp2p Reveals Cis/Trans Isomerization of a Conserved Proline at the RNA and Nop10 Binding Interface. <i>Journal of Molecular Biology</i> , 2011, 411, 927-942.	2.0	30
1748	<i>Cryptococcus neoformans</i> Mediator Protein Ssn8 Negatively Regulates Diverse Physiological Processes and Is Required for Virulence. <i>PLoS ONE</i> , 2011, 6, e19162.	1.1	10
1749	Ubiquitin Ligases of the N-End Rule Pathway: Assessment of Mutations in UBR1 That Cause the Johanson-Blizzard Syndrome. <i>PLoS ONE</i> , 2011, 6, e24925.	1.1	40
1750	Wild-Type <i>Drosophila melanogaster</i> as a Model Host to Analyze Nitrogen Source Dependent Virulence of <i>Candida albicans</i> . <i>PLoS ONE</i> , 2011, 6, e27434.	1.1	30
1751	Identification of a Novel Response Regulator, Crr1, That Is Required for Hydrogen Peroxide Resistance in <i>Candida albicans</i> . <i>PLoS ONE</i> , 2011, 6, e27979.	1.1	9
1752	Cotranslational transport of ABP140 mRNA to the distal pole of <i>S. cerevisiae</i> . <i>EMBO Journal</i> , 2011, 30, 3567-3580.	3.5	36
1753	Identification of a <i>Brucella</i> spp. secreted effector specifically interacting with human small GTPase Rab2. <i>Cellular Microbiology</i> , 2011, 13, 1044-1058.	1.1	119
1754	Genetic identification of <i>Arabidopsis</i> RID2 as an essential factor involved in pre-mRNA processing. <i>Plant Journal</i> , 2011, 67, 49-60.	2.8	53
1755	EGD1 (β -NAC) mRNA is localized in a novel cytoplasmic structure in <i>Saccharomyces cerevisiae</i> . <i>Genes To Cells</i> , 2011, 16, 316-329.	0.5	3
1756	Inner nuclear membrane protein Ima1 is dispensable for intranuclear positioning of centromeres. <i>Genes To Cells</i> , 2011, 16, 1000-1011.	0.5	63
1757	Genome-wide association analysis of clinical vs. nonclinical origin provides insights into <i>Saccharomyces cerevisiae</i> pathogenesis. <i>Molecular Ecology</i> , 2011, 20, 4085-4097.	2.0	46
1758	Molecular and proteomic analyses highlight the importance of ubiquitination for the stress resistance, metabolic adaptation, morphogenetic regulation and virulence of <i>Candida albicans</i> . <i>Molecular Microbiology</i> , 2011, 79, 1574-1593.	1.2	59
1759	Activator-independent transcription of Snf1-dependent genes in mutants lacking histone tails. <i>Molecular Microbiology</i> , 2011, 80, 407-422.	1.2	5
1760	Nature and distribution of large sequence polymorphisms in <i>Saccharomyces cerevisiae</i> . <i>FEMS Yeast Research</i> , 2011, 11, 587-594.	1.1	10
1761	Cellular responses of <i>Saccharomyces cerevisiae</i> at near-zero growth rates: transcriptome analysis of anaerobic retentostat cultures. <i>FEMS Yeast Research</i> , 2011, 11, 603-620.	1.1	43
1762	Long telomeres are preferentially extended during recombination-mediated telomere maintenance. <i>Nature Structural and Molecular Biology</i> , 2011, 18, 451-456.	3.6	34
1763	Quick and reliable assessment of chronological life span in yeast cell populations by flow cytometry. <i>Mechanisms of Ageing and Development</i> , 2011, 132, 315-323.	2.2	45
1764	Experimental annotation of the human pathogen <i>Histoplasma capsulatum</i> transcribed regions using high-resolution tiling arrays. <i>BMC Microbiology</i> , 2011, 11, 216.	1.3	8

#	ARTICLE	IF	CITATIONS
1765	Uncharacterized conserved motifs outside the HD-Zip domain in HD-Zip subfamily I transcription factors; a potential source of functional diversity. <i>BMC Plant Biology</i> , 2011, 11, 42.	1.6	70
1766	Extreme calorie restriction and energy source starvation in <i>Saccharomyces cerevisiae</i> represent distinct physiological states. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2011, 1813, 2133-2144.	1.9	29
1767	Enhanced resistance of <i>Saccharomyces cerevisiae</i> to vanillin by expression of <i>lacA</i> from <i>Trametes</i> sp. AH28-2. <i>Bioresource Technology</i> , 2011, 102, 8105-8109.	4.8	25
1768	Lateral release of proteins from the TOM complex into the outer membrane of mitochondria. <i>EMBO Journal</i> , 2011, 30, 3232-3241.	3.5	55
1769	Physiological and Toxic Effects of Purine Intermediate 5-Amino-4-imidazolecarboxamide Ribonucleotide (AICAR) in Yeast. <i>Journal of Biological Chemistry</i> , 2011, 286, 30994-31002.	1.6	34
1770	Giant yeast cells with nonrecyclable ribonucleotide reductase. <i>Molecular Genetics and Genomics</i> , 2011, 285, 415-425.	1.0	1
1771	Mcm1p binding sites in the ARG1 promoter positively regulate ARG1 transcription and <i>S. cerevisiae</i> growth in the absence of arginine and Gcn4p. <i>Amino Acids</i> , 2011, 40, 623-631.	1.2	3
1772	A low-cost procedure for production of fresh autochthonous wine yeast. <i>Journal of Industrial Microbiology and Biotechnology</i> , 2011, 38, 459-469.	1.4	18
1773	A stress response related to the carbon source and the absence of KIHAP2 in <i>Kluyveromyces lactis</i> . <i>Journal of Industrial Microbiology and Biotechnology</i> , 2011, 38, 43-49.	1.4	3
1774	A new yeast genetic resource for analysis and breeding. <i>Yeast</i> , 2011, 28, 63-80.	0.8	27
1775	The Chaperone Network Connected to Human Ribosome-Associated Complex. <i>Molecular and Cellular Biology</i> , 2011, 31, 1160-1173.	1.1	77
1776	The Fungal Pathogen <i>Candida albicans</i> Autoinduces Hyphal Morphogenesis by Raising Extracellular pH. <i>MBio</i> , 2011, 2, e00055-11.	1.8	273
1777	<i>Candida</i> Species Differ in Their Interactions With Immature Human Gastrointestinal Epithelial Cells. <i>Pediatric Research</i> , 2011, 69, 384-389.	1.1	25
1778	Orthologues of the Anaphase-Promoting Complex/Cyclosome Coactivators Cdc20p and Cdh1p Are Important for Mitotic Progression and Morphogenesis in <i>Candida albicans</i> . <i>Eukaryotic Cell</i> , 2011, 10, 696-709.	3.4	17
1779	Requirement for Golgi-localized PI(4)P in fusion of COPII vesicles with Golgi compartments. <i>Molecular Biology of the Cell</i> , 2011, 22, 216-229.	0.9	28
1780	Inhibition of Protein Synthesis by TOR Inactivation Revealed a Conserved Regulatory Mechanism of the BiP Chaperone in <i>Chlamydomonas</i> . <i>Plant Physiology</i> , 2011, 157, 730-741.	2.3	44
1781	Budding yeast Dma1 and Dma2 participate in regulation of Swe1 levels and localization. <i>Molecular Biology of the Cell</i> , 2011, 22, 2185-2197.	0.9	23
1782	Curcumin Inhibits Growth of <i>Saccharomyces cerevisiae</i> through Iron Chelation. <i>Eukaryotic Cell</i> , 2011, 10, 1574-1581.	3.4	40

#	ARTICLE	IF	CITATIONS
1783	Glutathione Utilization by <i>Candida albicans</i> Requires a Functional Glutathione Degradation (DUG) Pathway and OPT7, an Unusual Member of the Oligopeptide Transporter Family. <i>Journal of Biological Chemistry</i> , 2011, 286, 41183-41194.	1.6	17
1784	Phosphorylation-dependent regulation of the F-BAR protein Hof1 during cytokinesis. <i>Genes and Development</i> , 2011, 25, 875-888.	2.7	91
1785	The <i>Candida albicans</i> Sur7 Protein Is Needed for Proper Synthesis of the Fibrillar Component of the Cell Wall That Confers Strength. <i>Eukaryotic Cell</i> , 2011, 10, 72-80.	3.4	50
1786	Structural basis for the role of the Sir3 AAA ⁺ domain in silencing: interaction with Sir4 and unmethylated histone H3K79. <i>Genes and Development</i> , 2011, 25, 1835-1846.	2.7	40
1787	Lipid Droplet Formation Is Dispensable for Endoplasmic Reticulum-associated Degradation. <i>Journal of Biological Chemistry</i> , 2011, 286, 27872-27874.	1.6	50
1788	Repressive Chromatin Affects Factor Binding at Yeast HO (Homothallic Switching) Promoter. <i>Journal of Biological Chemistry</i> , 2011, 286, 34809-34819.	1.6	23
1789	Mms1 and Mms22 stabilize the replisome during replication stress. <i>Molecular Biology of the Cell</i> , 2011, 22, 2396-2408.	0.9	16
1790	Identification of sumoylation targets, combined with inactivation of <i>SMT3</i> , reveals the impact of sumoylation upon growth, morphology, and stress resistance in the pathogen <i>Candida albicans</i> . <i>Molecular Biology of the Cell</i> , 2011, 22, 687-702.	0.9	59
1791	Hph1 and Hph2 Are Novel Components of the Sec63/Sec62 Posttranslational Translocation Complex That Aid in Vacuolar Proton ATPase Biogenesis. <i>Eukaryotic Cell</i> , 2011, 10, 63-71.	3.4	17
1792	<i>Cryptococcus neoformans</i> Requires a Functional Glycolytic Pathway for Disease but Not Persistence in the Host. <i>MBio</i> , 2011, 2, e00103-11.	1.8	89
1793	Regulation of Manganese Antioxidants by Nutrient Sensing Pathways in <i>Saccharomyces cerevisiae</i> . <i>Genetics</i> , 2011, 189, 1261-1270.	1.2	20
1794	Molecular Chaperone Hsp104 Can Promote Yeast Prion Generation. <i>Genetics</i> , 2011, 188, 339-348.	1.2	39
1795	Prion-Forming Ability of Ure2 of Yeasts Is Not Evolutionarily Conserved. <i>Genetics</i> , 2011, 188, 81-90.	1.2	30
1796	Mitochondrial Genomic Dysfunction Causes Dephosphorylation of Sch9 in the Yeast <i>Saccharomyces cerevisiae</i> . <i>Eukaryotic Cell</i> , 2011, 10, 1367-1369.	3.4	29
1797	A highly conserved protein of unknown function in <i>Sinorhizobium meliloti</i> affects sRNA regulation similar to Hfq. <i>Nucleic Acids Research</i> , 2011, 39, 4691-4708.	6.5	67
1798	N-Acetylglucosamine (GlcNAc) Induction of Hyphal Morphogenesis and Transcriptional Responses in <i>Candida albicans</i> Are Not Dependent on Its Metabolism. <i>Journal of Biological Chemistry</i> , 2011, 286, 28671-28680.	1.6	74
1799	MAPKKK-independent Regulation of the Hog1 Stress-activated Protein Kinase in <i>Candida albicans</i> . <i>Journal of Biological Chemistry</i> , 2011, 286, 42002-42016.	1.6	46
1800	Translocation channel gating kinetics balances protein translocation efficiency with signal sequence recognition fidelity. <i>Molecular Biology of the Cell</i> , 2011, 22, 2983-2993.	0.9	29

#	ARTICLE	IF	CITATIONS
1801	The Dsl1 Tethering Complex Actively Participates in Soluble NSF (N-Ethylmaleimide-sensitive Factor) Attachment Protein Receptor (SNARE) Complex Assembly at the Endoplasmic Reticulum in <i>Saccharomyces cerevisiae</i> . <i>Journal of Biological Chemistry</i> , 2011, 286, 25027-25038.	1.6	22
1802	Ribosomal RNA processing in <i>Candida albicans</i> . <i>Rna</i> , 2011, 17, 2235-2248.	1.6	20
1803	The myosin-related motor protein Myo2 is an essential mediator of bud-directed mitochondrial movement in yeast. <i>Journal of Cell Biology</i> , 2011, 194, 473-488.	2.3	67
1804	The Rag4 Glucose Sensor Is Involved in the Hypoxic Induction of KIPDC1 Gene Expression in the Yeast <i>Kluyveromyces lactis</i> . <i>Eukaryotic Cell</i> , 2011, 10, 146-148.	3.4	9
1805	Distinct Docking Mechanisms Mediate Interactions between the Msg5 Phosphatase and Mating or Cell Integrity Mitogen-activated Protein Kinases (MAPKs) in <i>Saccharomyces cerevisiae</i> . <i>Journal of Biological Chemistry</i> , 2011, 286, 42037-42050.	1.6	15
1806	Translational recoding as a feedback controller: systems approaches reveal polyamine-specific effects on the antizyme ribosomal frameshift. <i>Nucleic Acids Research</i> , 2011, 39, 4587-4597.	6.5	31
1807	An intrinsically disordered C-terminus allows the La protein to assist the biogenesis of diverse noncoding RNA precursors. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 1308-1313.	3.3	38
1808	The cortical protein Lte1 promotes mitotic exit by inhibiting the spindle position checkpoint kinase Kin4. <i>Journal of Cell Biology</i> , 2011, 193, 1033-1048.	2.3	56
1809	Transport to the plasma membrane is regulated differently early and late in the cell cycle in <i>Saccharomyces cerevisiae</i> . <i>Journal of Cell Science</i> , 2011, 124, 1055-1066.	1.2	28
1810	Sec1p and Mso1p C-terminal tails cooperate with the SNAREs and Sec4p in polarized exocytosis. <i>Molecular Biology of the Cell</i> , 2011, 22, 230-244.	0.9	14
1811	The mitochondrial contact site complex, a determinant of mitochondrial architecture. <i>EMBO Journal</i> , 2011, 30, 4356-4370.	3.5	395
1812	Inter-Allelic Prion Propagation Reveals Conformational Relationships among a Multitude of [PSI] Strains. <i>PLoS Genetics</i> , 2011, 7, e1002297.	1.5	15
1813	Functional Study of Genes Essential for Autogamy and Nuclear Reorganization in <i>Paramecium</i> . <i>Eukaryotic Cell</i> , 2011, 10, 363-372.	3.4	17
1814	Cellular stress induces cytoplasmic RNA granules in fission yeast. <i>Rna</i> , 2011, 17, 120-133.	1.6	45
1815	Budding Yeast Dma Proteins Control Septin Dynamics and the Spindle Position Checkpoint by Promoting the Recruitment of the Elm1 Kinase to the Bud Neck. <i>PLoS Genetics</i> , 2012, 8, e1002670.	1.5	25
1816	Heme Uptake by <i>Leishmania amazonensis</i> Is Mediated by the Transmembrane Protein LHR1. <i>PLoS Pathogens</i> , 2012, 8, e1002795.	2.1	88
1817	The <i>Caenorhabditis elegans</i> Eph Receptor Activates NCK and N-WASP, and Inhibits Ena/VASP to Regulate Growth Cone Dynamics during Axon Guidance. <i>PLoS Genetics</i> , 2012, 8, e1002513.	1.5	33
1818	Hsp90 Orchestrates Transcriptional Regulation by Hsf1 and Cell Wall Remodelling by MAPK Signalling during Thermal Adaptation in a Pathogenic Yeast. <i>PLoS Pathogens</i> , 2012, 8, e1003069.	2.1	102

#	ARTICLE	IF	CITATIONS
1819	A <i>Candida albicans</i> Temperature-Sensitive <i>cdc12-6</i> Mutant Identifies Roles for Septins in Selection of Sites of Germ Tube Formation and Hyphal Morphogenesis. <i>Eukaryotic Cell</i> , 2012, 11, 1210-1218.	3.4	28
1820	<i>Cep164</i> mediates vesicular docking to the mother centriole during early steps of ciliogenesis. <i>Journal of Cell Biology</i> , 2012, 199, 1083-1101.	2.3	255
1821	Structural Basis for Specific Recognition of Rpt1p, an ATPase Subunit of 26 S Proteasome, by Proteasome-dedicated Chaperone Hsm3p. <i>Journal of Biological Chemistry</i> , 2012, 287, 12172-12182.	1.6	30
1822	Do replication forks control late origin firing in <i>Saccharomyces cerevisiae</i> ?. <i>Nucleic Acids Research</i> , 2012, 40, 2010-2019.	6.5	21
1823	Methylation of CenH3 arginine 37 regulates kinetochore integrity and chromosome segregation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 9029-9034.	3.3	62
1824	A novel role for protein kinase Gcn2 in yeast tolerance to intracellular acid stress. <i>Biochemical Journal</i> , 2012, 441, 255-264.	1.7	36
1825	The <i>Salmonella</i> Typhimurium effector SteC inhibits Cdc42-mediated signaling through binding to the exchange factor Cdc24 in <i>Saccharomyces cerevisiae</i> . <i>Molecular Biology of the Cell</i> , 2012, 23, 4430-4443.	0.9	14
1826	Plasma membrane recruitment and activation of the AGC kinase Ypk1 is mediated by target of rapamycin complex 2 (TORC2) and its effector proteins Slm1 and Slm2. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 1536-1541.	3.3	123
1827	<i>Brittle Culm15</i> Encodes a Membrane-Associated Chitinase-Like Protein Required for Cellulose Biosynthesis in Rice. <i>Plant Physiology</i> , 2012, 159, 1440-1452.	2.3	76
1828	The Putative Guanine Nucleotide Exchange Factor RicA Mediates Upstream Signaling for Growth and Development in <i>Aspergillus</i> . <i>Eukaryotic Cell</i> , 2012, 11, 1399-1412.	3.4	25
1829	Utp23p is required for dissociation of snR30 small nucleolar RNP from preribosomal particles. <i>Nucleic Acids Research</i> , 2012, 40, 3641-3652.	6.5	25
1830	The Evolutionary Rewiring of Ubiquitination Targets Has Reprogrammed the Regulation of Carbon Assimilation in the Pathogenic Yeast <i>Candida albicans</i> . <i>MBio</i> , 2012, 3, .	1.8	102
1831	Rapid Triacylglycerol Turnover in <i>Chlamydomonas reinhardtii</i> Requires a Lipase with Broad Substrate Specificity. <i>Eukaryotic Cell</i> , 2012, 11, 1451-1462.	3.4	73
1832	Cytotoxic Mechanism of Selenomethionine in Yeast. <i>Journal of Biological Chemistry</i> , 2012, 287, 10032-10038.	1.6	22
1833	Mismatch repair-dependent mutagenesis in nondividing cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 6153-6158.	3.3	39
1834	Characterization, Ecological Distribution, and Population Dynamics of <i>Saccharomyces Sensu Stricto</i> Killer Yeasts in the Spontaneous Grape Must Fermentations of Southwestern Spain. <i>Applied and Environmental Microbiology</i> , 2012, 78, 735-743.	1.4	36
1835	Cdc14-dependent dephosphorylation of Inn1 contributes to Inn1-Cyk3 complex formation. <i>Journal of Cell Science</i> , 2012, 125, 3091-6.	1.2	43
1836	Essential Role of the NH ₂ -Terminal Region of Cdc24 Guanine Nucleotide Exchange Factor in Its Initial Polarized Localization in <i>Saccharomyces cerevisiae</i> . <i>Eukaryotic Cell</i> , 2012, 11, 2-15.	3.4	3

#	ARTICLE	IF	CITATIONS
1837	Tor1 regulates protein solubility in <i>Saccharomyces cerevisiae</i> . <i>Molecular Biology of the Cell</i> , 2012, 23, 4679-4688.	0.9	26
1838	Pmt1, a Dnmt2 homolog in <i>Schizosaccharomyces pombe</i> , mediates tRNA methylation in response to nutrient signaling. <i>Nucleic Acids Research</i> , 2012, 40, 11648-11658.	6.5	70
1839	Air proteins control differential TRAMP substrate specificity for nuclear RNA surveillance. <i>Rna</i> , 2012, 18, 1934-1945.	1.6	25
1840	Dual functions of the Hsm3 protein in chaperoning and scaffolding regulatory particle subunits during the proteasome assembly. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, E1001-E1010.	3.3	54
1841	Mechanism of Start Site Selection by RNA Polymerase II. <i>Journal of Biological Chemistry</i> , 2012, 287, 557-567.	1.6	24
1842	Analysis of <i>Cryptococcus neoformans</i> Sexual Development Reveals Rewiring of the Pheromone-Response Network by a Change in Transcription Factor Identity. <i>Genetics</i> , 2012, 191, 435-449.	1.2	27
1843	Yeast formin Bni1p has multiple localization regions that function in polarized growth and spindle orientation. <i>Molecular Biology of the Cell</i> , 2012, 23, 412-422.	0.9	16
1844	NAC functions as a modulator of SRP during the early steps of protein targeting to the endoplasmic reticulum. <i>Molecular Biology of the Cell</i> , 2012, 23, 3027-3040.	0.9	57
1845	The Three Clades of the Telomere-Associated <i>TLO</i> Gene Family of <i>Candida albicans</i> Have Different Splicing, Localization, and Expression Features. <i>Eukaryotic Cell</i> , 2012, 11, 1268-1275.	3.4	38
1846	Topologically Conserved Residues Direct Heme Transport in HRG-1-related Proteins. <i>Journal of Biological Chemistry</i> , 2012, 287, 4914-4924.	1.6	55
1847	Acetyl-CoA Carboxylase Regulates Global Histone Acetylation. <i>Journal of Biological Chemistry</i> , 2012, 287, 23865-23876.	1.6	165
1848	A gating motif in the translocation channel sets the hydrophobicity threshold for signal sequence function. <i>Journal of Cell Biology</i> , 2012, 199, 907-918.	2.3	54
1849	Mitochondrial release of the NADH dehydrogenase Ndi1 induces apoptosis in yeast. <i>Molecular Biology of the Cell</i> , 2012, 23, 4373-4382.	0.9	33
1850	The complex interactions of Chs5p, the ChAPs, and the cargo Chs3p. <i>Molecular Biology of the Cell</i> , 2012, 23, 4402-4415.	0.9	22
1851	Aggregate Clearance of α -Synuclein in <i>Saccharomyces cerevisiae</i> Depends More on Autophagosome and Vacuole Function Than on the Proteasome. <i>Journal of Biological Chemistry</i> , 2012, 287, 27567-27579.	1.6	66
1852	Variation in <i>Candida albicans</i> <i>EFG1</i> Expression Enables Host-Dependent Changes in Colonizing Fungal Populations. <i>MBio</i> , 2012, 3, e00117-12.	1.8	110
1853	A dynamical model of the spindle position checkpoint. <i>Molecular Systems Biology</i> , 2012, 8, 582.	3.2	42
1854	Identification of residues involved in homodimer formation located within a β -strand region of the N-terminus of a Yeast G protein-coupled receptor. <i>Journal of Receptor and Signal Transduction Research</i> , 2012, 32, 65-75.	1.3	24

#	ARTICLE	IF	CITATIONS
1855	The Erf4 Subunit of the Yeast Ras Palmitoyl Acyltransferase Is Required for Stability of the Acyl-Erf2 Intermediate and Palmitoyl Transfer to a Ras2 Substrate. <i>Journal of Biological Chemistry</i> , 2012, 287, 34337-34348.	1.6	41
1856	Superior thermotolerance of <i>Saccharomyces cerevisiae</i> for efficient bioethanol fermentation can be achieved by overexpression of RSP5 ubiquitin ligase. <i>Biotechnology Advances</i> , 2012, 30, 1289-1300.	6.0	73
1857	Protein Group Modification and Synergy in the SUMO Pathway as Exemplified in DNA Repair. <i>Cell</i> , 2012, 151, 807-820.	13.5	404
1858	Analysis of Nucleosome Positioning Using a Nucleosome-Scanning Assay. <i>Methods in Molecular Biology</i> , 2012, 833, 63-87.	0.4	33
1859	Post-Translational Modification of Cu/Zn Superoxide Dismutase under Anaerobic Conditions. <i>Biochemistry</i> , 2012, 51, 677-685.	1.2	24
1860	Sex, prions, and plasmids in yeast. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, E2683-90.	3.3	63
1861	Genome Rearrangements Caused by Depletion of Essential DNA Replication Proteins in <i>Saccharomyces cerevisiae</i> . <i>Genetics</i> , 2012, 192, 147-160.	1.2	25
1862	Multiple Roles for the Ess1 Prolyl Isomerase in the RNA Polymerase II Transcription Cycle. <i>Molecular and Cellular Biology</i> , 2012, 32, 3594-3607.	1.1	16
1863	Facilitated Assembly of the Preinitiation Complex by Separated Tail and Head/Middle Modules of the Mediator. <i>Journal of Molecular Biology</i> , 2012, 415, 464-474.	2.0	12
1864	Interaction of J-Protein Co-Chaperone Jac1 with Fe-S Scaffold Isu Is Indispensable In Vivo and Conserved in Evolution. <i>Journal of Molecular Biology</i> , 2012, 417, 1-12.	2.0	59
1865	A high-throughput screen to identify novel calcineurin inhibitors. <i>Journal of Microbiological Methods</i> , 2012, 88, 63-66.	0.7	6
1866	A plant peptide: N-glycanase orthologue facilitates glycoprotein ER-associated degradation in yeast. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2012, 1820, 1457-1462.	1.1	34
1867	Phosphate disruption and metal toxicity in <i>Saccharomyces cerevisiae</i> : Effects of RAD23 and the histone chaperone HPC2. <i>Biochemical and Biophysical Research Communications</i> , 2012, 418, 414-419.	1.0	10
1868	Low-affinity copper transporter CTR2 is regulated by copper-sensing transcription factor Mac1p in <i>Saccharomyces cerevisiae</i> . <i>Biochemical and Biophysical Research Communications</i> , 2012, 420, 600-604.	1.0	15
1869	GiFRD encodes a protein involved in anaerobic growth in the arbuscular mycorrhizal fungus <i>Glomus intraradices</i> . <i>Fungal Genetics and Biology</i> , 2012, 49, 313-321.	0.9	1
1870	Quantitative proteomics and metabolomics approaches to demonstrate N-acetyl-d-glucosamine inducible amino acid deprivation response as morphological switch in <i>Candida albicans</i> . <i>Fungal Genetics and Biology</i> , 2012, 49, 369-378.	0.9	28
1871	Characterization of a putative grapevine Zn transporter, VvZIP3, suggests its involvement in early reproductive development in <i>Vitis vinifera</i> L. <i>BMC Plant Biology</i> , 2012, 12, 111.	1.6	51
1872	Inactivation of <i>Saccharomyces cerevisiae</i> Sulfate Transporter Sul2p: Use It and Lose It. <i>Biophysical Journal</i> , 2012, 102, 768-776.	0.2	16

#	ARTICLE	IF	CITATIONS
1873	A <i>Brucella abortus</i> cstA mutant is defective for association with endoplasmic reticulum exit sites and displays altered trafficking in HeLa cells. <i>Microbiology (United Kingdom)</i> , 2012, 158, 2610-2618.	0.7	8
1874	Identification of [CuCl(acac)(tmed)], a copper(II) complex with mixed ligands, as a modulator of Cu,Zn superoxide dismutase (Sod1p) activity in yeast. <i>Journal of Biological Inorganic Chemistry</i> , 2012, 17, 961-974.	1.1	8
1875	<i>Biological Nanotechnology.</i> , 2012, , 255-304.		0
1876	Nuclear Import and Export Signals of Human Cohesins SA1/STAG1 and SA2/STAG2 Expressed in <i>Saccharomyces cerevisiae</i> . <i>PLoS ONE</i> , 2012, 7, e38740.	1.1	9
1877	MRN1 Implicates Chromatin Remodeling Complexes and Architectural Factors in mRNA Maturation. <i>PLoS ONE</i> , 2012, 7, e44373.	1.1	6
1878	Analysis of protein function in clinical <i>C. albicans</i> isolates. <i>Yeast</i> , 2012, 29, 303-309.	0.8	21
1879	De novo design of synthetic prion domains. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 6519-6524.	3.3	144
1880	<i>Chemical Techniques.</i> , 2012, , 35-204.		2
1881	Endogenous DNA replication stress results in expansion of dNTP pools and a mutator phenotype. <i>EMBO Journal</i> , 2012, 31, 895-907.	3.5	95
1882	Heterologous expression of a plant RelA-SpoT homologue results in increased stress tolerance in <i>Saccharomyces cerevisiae</i> by accumulation of the bacterial alarmone ppGpp. <i>Microbiology (United Kingdom)</i> , 2012, 158, 2610-2618.	1.1	8
1883	[PSI ⁺] Prion Transmission Barriers Protect <i>Saccharomyces cerevisiae</i> from Infection: Intraspecies 'Species Barriers'. <i>Genetics</i> , 2012, 190, 569-579.	1.2	39
1884	Role of a conserved aspartic acid in nucleotide binding domain 1 (NBD1) of Hsp100 chaperones in their activities. <i>Cell Stress and Chaperones</i> , 2012, 17, 361-373.	1.2	8
1885	Identification of mitochondrial thiamin diphosphate carriers from <i>Arabidopsis</i> and maize. <i>Functional and Integrative Genomics</i> , 2012, 12, 317-326.	1.4	37
1886	Yeast as a model eukaryote in toxinology: A functional genomics approach to studying the molecular basis of action of pharmacologically active molecules. <i>Toxicon</i> , 2012, 60, 558-571.	0.8	9
1887	HKT2;2/1, a K ⁺ -permeable transporter identified in a salt-tolerant rice cultivar through surveys of natural genetic polymorphism. <i>Plant Journal</i> , 2012, 71, 750-762.	2.8	94
1888	Competition between Pre-mRNAs for the Splicing Machinery Drives Global Regulation of Splicing. <i>Molecular Cell</i> , 2013, 51, 338-348.	4.5	99
1889	Tam41 Is a CDP-Diacylglycerol Synthase Required for Cardiolipin Biosynthesis in Mitochondria. <i>Cell Metabolism</i> , 2013, 17, 709-718.	7.2	135
1890	Production of omega-3 eicosapentaenoic acid by metabolic engineering of <i>Yarrowia lipolytica</i> . <i>Nature Biotechnology</i> , 2013, 31, 734-740.	9.4	470

#	ARTICLE	IF	CITATIONS
1891	Intracellular protein production in <i>Trichoderma reesei</i> (<i>Hypocrea jecorina</i>) with hydrophobin fusion technology. <i>New Biotechnology</i> , 2013, 30, 262-268.	2.4	22
1892	Membrane sequestration by the <i>EilB</i> domain of the mannitol permease <i>MtlA</i> activates the <i>Bacillus subtilis</i> <i>mtl</i> operon regulator <i>MtlR</i> . <i>Molecular Microbiology</i> , 2013, 87, 789-801.	1.2	24
1893	Upregulation of galactose metabolic pathway by N-acetylglucosamine induced endogenous synthesis of galactose in <i>Candida albicans</i> . <i>Fungal Genetics and Biology</i> , 2013, 54, 15-24.	0.9	19
1894	Golgi enlargement in Arf-depleted yeast cells is due to altered dynamics of cisternal maturation. <i>Journal of Cell Science</i> , 2014, 127, 250-7.	1.2	47
1895	The Yeast AMPK Homolog SNF1 Regulates Acetyl Coenzyme A Homeostasis and Histone Acetylation. <i>Molecular and Cellular Biology</i> , 2013, 33, 4701-4717.	1.1	71
1896	Genome-wide Consequences of Deleting Any Single Gene. <i>Molecular Cell</i> , 2013, 52, 485-494.	4.5	163
1897	Cytoplasmic proteasomes are not indispensable for cell growth in <i>Saccharomyces cerevisiae</i> . <i>Biochemical and Biophysical Research Communications</i> , 2013, 436, 372-376.	1.0	19
1898	A High-Throughput Yeast Assay Identifies Synergistic Drug Combinations. <i>Assay and Drug Development Technologies</i> , 2013, 11, 299-307.	0.6	18
1899	CaRch1p does not functionally interact with the high-affinity Ca ²⁺ influx system (HACS) of <i>Candida albicans</i> . <i>Yeast</i> , 2013, 30, 449-457.	0.8	18
1900	The <i>Schizosaccharomyces pombe</i> fusion gene <i>hal3</i> encodes three distinct activities. <i>Molecular Microbiology</i> , 2013, 90, 367-382.	1.2	11
1901	Mutations in the N-terminal region of the <i>Schizosaccharomyces pombe</i> glutathione transporter <i>pgt1+</i> allows functional expression in <i>Saccharomyces cerevisiae</i> . <i>Yeast</i> , 2013, 30, 45-54.	0.8	1
1902	Ybp1 and Gpx3 Signaling in <i>Candida albicans</i> Govern Hydrogen Peroxide-Induced Oxidation of the Cap1 Transcription Factor and Macrophage Escape. <i>Antioxidants and Redox Signaling</i> , 2013, 19, 2244-2260.	2.5	65
1903	Caesium accumulation in yeast and plants is selectively repressed by loss of the SNARE Sec22p/SEC22. <i>Nature Communications</i> , 2013, 4, 2092.	5.8	26
1904	tRNA ^{His} 5-methylcytidine levels increase in response to several growth arrest conditions in <i>Saccharomyces cerevisiae</i> . <i>Rna</i> , 2013, 19, 243-256.	1.6	40
1905	SOD1 Integrates Signals from Oxygen and Glucose to Repress Respiration. <i>Cell</i> , 2013, 152, 224-235.	13.5	186
1906	Transcriptional Profiling of <i>Candida glabrata</i> during Phagocytosis by Neutrophils and in the Infected Mouse Spleen. <i>Infection and Immunity</i> , 2013, 81, 1325-1333.	1.0	40
1907	Nucleoid localization of Hsp40 Mdj1 is important for its function in maintenance of mitochondrial DNA. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2013, 1833, 2233-2243.	1.9	12
1908	Nucleotide-Specific Recognition of Iron-Responsive Elements by Iron Regulatory Protein 1. <i>Journal of Molecular Biology</i> , 2013, 425, 3301-3310.	2.0	14

#	ARTICLE	IF	CITATIONS
1909	Structurally conserved and functionally divergent yeast Ssu72 phosphatases. <i>FEBS Letters</i> , 2013, 587, 2617-2622.	1.3	6
1910	Roles of BOR2, a Boron Exporter, in Cross Linking of Rhamnogalacturonan II and Root Elongation under Boron Limitation in <i>Arabidopsis</i> . <i>Plant Physiology</i> , 2013, 163, 1699-1709.	2.3	117
1911	Two Rac paralogs regulate polarized growth in the human fungal pathogen <i>Cryptococcus neoformans</i> . <i>Fungal Genetics and Biology</i> , 2013, 57, 58-75.	0.9	24
1912	Mitochondrial function is impaired in yeast and human cellular models of Shwachman Diamond syndrome. <i>Biochemical and Biophysical Research Communications</i> , 2013, 437, 29-34.	1.0	19
1913	Xylanase XYN ^{IV} from <i>Trichoderma reesei</i> showing exo- and endo-xylanase activity. <i>FEBS Journal</i> , 2013, 280, 285-301.	2.2	67
1914	Ty1 Gag Enhances the Stability and Nuclear Export of Ty1 mRNA. <i>Traffic</i> , 2013, 14, 57-69.	1.3	28
1915	<i>Candida albicans</i> Induces Arginine Biosynthetic Genes in Response to Host-Derived Reactive Oxygen Species. <i>Eukaryotic Cell</i> , 2013, 12, 91-100.	3.4	62
1916	A Network of Cytosolic Factors Targets SRP-Independent Proteins to the Endoplasmic Reticulum. <i>Cell</i> , 2013, 152, 1134-1145.	13.5	166
1917	Indoleamine 2,3-dioxygenases with very low catalytic activity are well conserved across kingdoms: IDOs of Basidiomycota. <i>Fungal Genetics and Biology</i> , 2013, 56, 98-106.	0.9	26
1918	The <i>Saccharomyces cerevisiae</i> enolase-related regions encode proteins that are active enolases. <i>Yeast</i> , 2013, 30, 55-69.	0.8	11
1919	Determination and physiological roles of the glycosylphosphatidylinositol lipid remodelling pathway in yeast. <i>Molecular Microbiology</i> , 2013, 88, 140-155.	1.2	27
1920	Reporters for the analysis of N-glycosylation in <i>Candida albicans</i> . <i>Fungal Genetics and Biology</i> , 2013, 56, 107-115.	0.9	6
1921	Epigenetic Silencing Mediates Mitochondria Stress-Induced Longevity. <i>Cell Metabolism</i> , 2013, 17, 954-964.	7.2	171
1922	A role for Myh1 in DNA repair after treatment with strand-breaking and crosslinking chemotherapeutic agents. <i>Environmental and Molecular Mutagenesis</i> , 2013, 54, 327-337.	0.9	7
1923	The yeast cell cortical protein Num1 integrates mitochondrial dynamics into cellular architecture. <i>Journal of Cell Science</i> , 2013, 126, 2924-30.	1.2	86
1924	TARGETED, LCMS-BASED METABOLOMICS FOR QUANTITATIVE MEASUREMENT OF NAD + METABOLITES. <i>Computational and Structural Biotechnology Journal</i> , 2013, 4, e201301012.	1.9	152
1925	Protease-Deficient <i>Saccharomyces cerevisiae</i> Strains for the Synthesis of Human-Compatible Glycoproteins. <i>Bioscience, Biotechnology and Biochemistry</i> , 2013, 77, 2461-2466.	0.6	23
1926	Interaction with Cfd1 Increases the Kinetic Lability of FeS on the Nbp35 Scaffold. <i>Journal of Biological Chemistry</i> , 2013, 288, 23358-23367.	1.6	35

#	ARTICLE	IF	CITATIONS
1927	Yeast Phospholipase C Is Required for Normal Acetyl-CoA Homeostasis and Global Histone Acetylation. <i>Journal of Biological Chemistry</i> , 2013, 288, 27986-27998.	1.6	19
1928	Binding of the Chaperone Jac1 Protein and Cysteine Desulfurase Nfs1 to the Iron-Sulfur Cluster Scaffold Isu Protein Is Mutually Exclusive. <i>Journal of Biological Chemistry</i> , 2013, 288, 29134-29142.	1.6	50
1929	Molecular genetic diversity of the <i>Saccharomyces</i> yeasts in Taiwan: <i>Saccharomyces arboricola</i> , <i>Saccharomyces cerevisiae</i> and <i>Saccharomyces kudriavzevii</i> . <i>Antonie Van Leeuwenhoek</i> , 2013, 103, 217-228.	0.7	38
1930	Genome Sequences of Industrially Relevant <i>Saccharomyces cerevisiae</i> Strain M3707, Isolated from a Sample of Distillers Yeast and Four Haploid Derivatives. <i>Genome Announcements</i> , 2013, 1, .	0.8	8
1931	Telomere Length Homeostasis Responds to Changes in Intracellular dNTP Pools. <i>Genetics</i> , 2013, 193, 1095-1105.	1.2	44
1932	Inhibition of Cdc42 during mitotic exit is required for cytokinesis. <i>Journal of Cell Biology</i> , 2013, 202, 231-240.	2.3	74
1933	Ras1 Acts through Duplicated Cdc42 and Rac Proteins to Regulate Morphogenesis and Pathogenesis in the Human Fungal Pathogen <i>Cryptococcus neoformans</i> . <i>PLoS Genetics</i> , 2013, 9, e1003687.	1.5	33
1934	The Yeast P5 Type ATPase, Spf1, Regulates Manganese Transport into the Endoplasmic Reticulum. <i>PLoS ONE</i> , 2013, 8, e85519.	1.1	62
1935	Budding Yeast Greatwall and Endosulfines Control Activity and Spatial Regulation of PP2A ^{Cdc55} for Timely Mitotic Progression. <i>PLoS Genetics</i> , 2013, 9, e1003575.	1.5	53
1936	Differential regulation of glucose transport activity in yeast by specific cAMP signatures. <i>Biochemical Journal</i> , 2013, 452, 489-497.	1.7	18
1937	A Comprehensive Functional Portrait of Two Heat Shock Factor-Type Transcriptional Regulators Involved in <i>Candida albicans</i> Morphogenesis and Virulence. <i>PLoS Pathogens</i> , 2013, 9, e1003519.	2.1	53
1938	The [PSI ⁺] Prion Exists as a Dynamic Cloud of Variants. <i>PLoS Genetics</i> , 2013, 9, e1003257.	1.5	65
1939	Different Roles of Eukaryotic MutS and MutL Complexes in Repair of Small Insertion and Deletion Loops in Yeast. <i>PLoS Genetics</i> , 2013, 9, e1003920.	1.5	33
1940	The Amidation Step of Diphthamide Biosynthesis in Yeast Requires DPH6, a Gene Identified through Mining the DPH1-DPH5 Interaction Network. <i>PLoS Genetics</i> , 2013, 9, e1003334.	1.5	51
1941	A Safeguard Mechanism Regulates Rho GTPases to Coordinate Cytokinesis with the Establishment of Cell Polarity. <i>PLoS Biology</i> , 2013, 11, e1001495.	2.6	35
1942	Divergent Molecular Evolution of the Mitochondrial Sulfhydryl:Cytochrome c Oxidoreductase Erv in Opisthokonts and Parasitic Protists. <i>Journal of Biological Chemistry</i> , 2013, 288, 2676-2688.	1.6	31
1943	Translation of CGA codon repeats in yeast involves quality control components and ribosomal protein L1. <i>Rna</i> , 2013, 19, 1208-1217.	1.6	100
1944	The Potassium Transporters HAK2 and HAK3 Localize to Endomembranes in <i>Physcomitrella patens</i> . HAK2 is Required in Some Stress Conditions. <i>Plant and Cell Physiology</i> , 2013, 54, 1441-1454.	1.5	18

#	ARTICLE	IF	CITATIONS
1945	Knockouts of <i>Physcomitrella patens</i> CHX1 and CHX2 Transporters Reveal High Complexity of Potassium Homeostasis. <i>Plant and Cell Physiology</i> , 2013, 54, 1455-1468.	1.5	24
1946	Genome-wide haploinsufficiency screen reveals a novel role for $\hat{1}^3$ -TuSC in spindle organization and genome stability. <i>Molecular Biology of the Cell</i> , 2013, 24, 2753-2763.	0.9	11
1947	Restricted Substrate Specificity for the Geranylgeranyltransferase-I Enzyme in <i>Cryptococcus neoformans</i> : Implications for Virulence. <i>Eukaryotic Cell</i> , 2013, 12, 1462-1471.	3.4	16
1948	Las1 interacts with Grc3 polynucleotide kinase and is required for ribosome synthesis in <i>Saccharomyces cerevisiae</i> . <i>Nucleic Acids Research</i> , 2013, 41, 1135-1150.	6.5	40
1949	Dual function of the NDR-kinase Dbf2 in the regulation of the F-BAR protein Hof1 during cytokinesis. <i>Molecular Biology of the Cell</i> , 2013, 24, 1290-1304.	0.9	43
1950	Sec16 influences transitional ER sites by regulating rather than organizing COPII. <i>Molecular Biology of the Cell</i> , 2013, 24, 3406-3419.	0.9	53
1951	Rsr1 Focuses Cdc42 Activity at Hyphal Tips and Promotes Maintenance of Hyphal Development in <i>Candida albicans</i> . <i>Eukaryotic Cell</i> , 2013, 12, 482-495.	3.4	29
1952	<i>Enterococcus faecalis</i> Inhibits Hyphal Morphogenesis and Virulence of <i>Candida albicans</i> . <i>Infection and Immunity</i> , 2013, 81, 189-200.	1.0	143
1953	Functional characterization of <i>Citrus macrophylla</i> <i>scp</i> BOR1 as a boron transporter. <i>Physiologia Plantarum</i> , 2013, 149, 329-339.	2.6	41
1954	An expanded tool kit for the auxin-inducible degron system in budding yeast. <i>Yeast</i> , 2013, 30, 341-351.	0.8	342
1955	Transcriptome-Based Characterization of Interactions between <i>Saccharomyces cerevisiae</i> and <i>Lactobacillus delbrueckii</i> subsp. <i>bulgaricus</i> in Lactose-Grown Chemostat Cocultures. <i>Applied and Environmental Microbiology</i> , 2013, 79, 5949-5961.	1.4	50
1956	Inhibition of Nucleotide Sugar Transport in <i>Trypanosoma brucei</i> Alters Surface Glycosylation. <i>Journal of Biological Chemistry</i> , 2013, 288, 10599-10615.	1.6	14
1957	Variant-specific prion interactions. <i>Cellular Logistics</i> , 2013, 3, e25698.	0.9	6
1958	Phosphatidylserine flipping enhances membrane curvature and negative charge required for vesicular transport. <i>Journal of Cell Biology</i> , 2013, 202, 875-886.	2.3	124
1959	Intramolecular interactions control Vms1 translocation to damaged mitochondria. <i>Molecular Biology of the Cell</i> , 2013, 24, 1263-1273.	0.9	31
1960	Normal Adaptation of <i>Candida albicans</i> to the Murine Gastrointestinal Tract Requires Efg1p-Dependent Regulation of Metabolic and Host Defense Genes. <i>Eukaryotic Cell</i> , 2013, 12, 37-49.	3.4	84
1961	Spindle pole body-anchored Kar3 drives the nucleus along microtubules from another nucleus in preparation for nuclear fusion during yeast karyogamy. <i>Genes and Development</i> , 2013, 27, 335-349.	2.7	25
1962	Auto-inhibition of Drs2p, a Yeast Phospholipid Flippase, by Its Carboxyl-terminal Tail. <i>Journal of Biological Chemistry</i> , 2013, 288, 31807-31815.	1.6	56

#	ARTICLE	IF	CITATIONS
1963	A conserved regulatory mode in exocytic membrane fusion revealed by Mso1p membrane interactions. <i>Molecular Biology of the Cell</i> , 2013, 24, 331-341.	0.9	6
1964	<i>Saccharomyces cerevisiae</i> Dma proteins participate in cytokinesis by controlling two different pathways. <i>Cell Cycle</i> , 2013, 12, 2794-2808.	1.3	12
1965	The Yeast Transcription Factor Crz1 Is Activated by Light in a Ca ²⁺ /Calcineurin-Dependent and PKA-Independent Manner. <i>PLoS ONE</i> , 2013, 8, e53404.	1.1	41
1966	The Budding Yeast Cdc48Shp1 Complex Promotes Cell Cycle Progression by Positive Regulation of Protein Phosphatase 1 (Glc7). <i>PLoS ONE</i> , 2013, 8, e56486.	1.1	19
1967	The Synthetic Amphipathic Peptidomimetic LTX109 Is a Potent Fungicide That Disturbs Plasma Membrane Integrity in a Sphingolipid Dependent Manner. <i>PLoS ONE</i> , 2013, 8, e69483.	1.1	23
1968	Complementation of Essential Yeast GPI Mannosyltransferase Mutations Suggests a Novel Specificity for Certain Trypanosoma and Plasmodium PigB Proteins. <i>PLoS ONE</i> , 2014, 9, e87673.	1.1	13
1969	Increasing Prion Propensity by Hydrophobic Insertion. <i>PLoS ONE</i> , 2014, 9, e89286.	1.1	23
1970	New Clox Systems for Rapid and Efficient Gene Disruption in <i>Candida albicans</i> . <i>PLoS ONE</i> , 2014, 9, e100390.	1.1	34
1971	Stepwise Splitting of Ribosomal Proteins from Yeast Ribosomes by LiCl. <i>PLoS ONE</i> , 2014, 9, e101561.	1.1	8
1972	Loss of the Thioredoxin Reductase Trr1 Suppresses the Genomic Instability of Peroxiredoxin tsa1 Mutants. <i>PLoS ONE</i> , 2014, 9, e108123.	1.1	14
1973	Breaking an Epigenetic Chromatin Switch: Curious Features of Hysteresis in <i>Saccharomyces cerevisiae</i> Telomeric Silencing. <i>PLoS ONE</i> , 2014, 9, e113516.	1.1	8
1974	Sub1 and Maf1, Two Effectors of RNA Polymerase III, Are Involved in the Yeast Quiescence Cycle. <i>PLoS ONE</i> , 2014, 9, e114587.	1.1	13
1975	Double-stranded DNA-dependent ATPase Irc3p is directly involved in mitochondrial genome maintenance. <i>Nucleic Acids Research</i> , 2014, 42, 13214-13227.	6.5	12
1976	Tanshinones extend chronological lifespan in budding yeast <i>Saccharomyces cerevisiae</i> . <i>Applied Microbiology and Biotechnology</i> , 2014, 98, 8617-8628.	1.7	20
1977	Vhs2 is a novel regulator of septin dynamics in budding yeast. <i>Cell Cycle</i> , 2014, 13, 1590-1601.	1.3	3
1978	Cdc42 GTPase dynamics control directional growth responses. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 811-816.	3.3	38
1979	<i>Saccharomyces cerevisiae</i> biofilm tolerance towards systemic antifungals depends on growth phase. <i>BMC Microbiology</i> , 2014, 14, 305.	1.3	35
1980	Characterization of TM8, a MADS-box gene expressed in tomato flowers. <i>BMC Plant Biology</i> , 2014, 14, 319.	1.6	44

#	ARTICLE	IF	CITATIONS
1981	A Tetraploid Intermediate Precedes Aneuploid Formation in Yeasts Exposed to Fluconazole. <i>PLoS Biology</i> , 2014, 12, e1001815.	2.6	147
1982	Inversion of the Chromosomal Region between Two Mating Type Loci Switches the Mating Type in <i>Hansenula polymorpha</i> . <i>PLoS Genetics</i> , 2014, 10, e1004796.	1.5	43
1983	The F130S point mutation in the Arabidopsis high-affinity K ⁺ transporter AtHAK5 increases K ⁺ over Na ⁺ and Cs ⁺ selectivity and confers Na ⁺ and Cs ⁺ tolerance to yeast under heterologous expression. <i>Frontiers in Plant Science</i> , 2014, 5, 430.	1.7	68
1984	The Yeast Ess1 Prolyl Isomerase Controls Swi6 and Whi5 Nuclear Localization. <i>G3: Genes, Genomes, Genetics</i> , 2014, 4, 523-537.	0.8	13
1985	Membrane Fluidity and Temperature Sensing Are Coupled via Circuitry Comprised of Ole1, Rsp5, and Hsf1 in <i>Candida albicans</i> . <i>Eukaryotic Cell</i> , 2014, 13, 1077-1084.	3.4	46
1986	Granules Harboring Translationally Active mRNAs Provide a Platform for P-Body Formation following Stress. <i>Cell Reports</i> , 2014, 9, 944-954.	2.9	55
1987	RhoJ interacts with the GIT-PIX complex and regulates focal adhesion disassembly. <i>Journal of Cell Science</i> , 2014, 127, 3039-51.	1.2	51
1988	Synthetic lethal screen of NAA20, a catalytic subunit gene of NatB N-terminal acetylase in <i>Saccharomyces cerevisiae</i> . <i>Journal of Microbiology</i> , 2014, 52, 842-848.	1.3	5
1989	Btn3 regulates the endosomal sorting function of the yeast Ent3 epsin, an adaptor for SNARE proteins. <i>Journal of Cell Science</i> , 2015, 128, 706-16.	1.2	9
1990	TOR complex 2â€™Ypk1 signaling regulates actin polarization via reactive oxygen species. <i>Molecular Biology of the Cell</i> , 2014, 25, 3962-3972.	0.9	53
1991	Loss of Vacuolar H ⁺ -ATPase Activity in Organelles Signals Ubiquitination and Endocytosis of the Yeast Plasma Membrane Proton pump Pma1p. <i>Journal of Biological Chemistry</i> , 2014, 289, 32316-32326.	1.6	39
1993	The 14-3-3 protein Bmh1 functions in the spindle position checkpoint by breaking Bfa1 asymmetry at yeast centrosomes. <i>Molecular Biology of the Cell</i> , 2014, 25, 2143-2151.	0.9	26
1994	Comparison of intracellular and secretion-based strategies for production of human Î±-galactosidase A in the filamentous fungus <i>Trichoderma reesei</i> . <i>BMC Biotechnology</i> , 2014, 14, 91.	1.7	11
1995	Secretion of a foreign protein from budding yeasts is enhanced by cotranslational translocation and by suppression of vacuolar targeting. <i>Microbial Cell Factories</i> , 2014, 13, 125.	1.9	93
1996	Loss of Ubp3 increases silencing, decreases unequal recombination in rDNA, and shortens the replicative life span in <i>Saccharomyces cerevisiae</i> . <i>Molecular Biology of the Cell</i> , 2014, 25, 1916-1924.	0.9	5
1997	A genetic approach for analyzing the co-operative function of the tRNA mimicry complex, eRF1/eRF3, in translation termination on the ribosome. <i>Nucleic Acids Research</i> , 2014, 42, 7851-7866.	6.5	10
1998	Hug1 is an intrinsically disordered protein that inhibits ribonucleotide reductase activity by directly binding Rnr2 subunit. <i>Nucleic Acids Research</i> , 2014, 42, 13174-13185.	6.5	19
1999	Developmental Cell Fate and Virulence Are Linked to Trehalose Homeostasis in <i>Cryptococcus neoformans</i> . <i>Eukaryotic Cell</i> , 2014, 13, 1158-1168.	3.4	18

#	ARTICLE	IF	CITATIONS
2000	The <i>Saccharomyces cerevisiae</i> gene YPR011c encodes a mitochondrial transporter of adenosine 5'-phosphosulfate and 3'-phospho-adenosine 5'-phosphosulfate. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2014, 1837, 326-334.	0.5	22
2001	Guided reconstitution of membrane protein fragments. <i>Biopolymers</i> , 2014, 102, 16-29.	1.2	3
2002	Quantitative live-cell imaging reveals spatio-temporal dynamics and cytoplasmic assembly of the 26S proteasome. <i>Nature Communications</i> , 2014, 5, 3396.	5.8	111
2003	Species-specific activation of Cu/Zn SOD by its CCS copper chaperone in the pathogenic yeast <i>Candida albicans</i> . <i>Journal of Biological Inorganic Chemistry</i> , 2014, 19, 595-603.	1.1	36
2004	Plant homeodomain-leucine zipper I transcription factors exhibit different functional AHA motifs that selectively interact with TBP or/and TFIIB. <i>Plant Cell Reports</i> , 2014, 33, 955-967.	2.8	42
2005	The N-Terminal Methionine of Cellular Proteins as a Degradation Signal. <i>Cell</i> , 2014, 156, 158-169.	13.5	147
2006	Secretory pathway engineering enhances secretion of cellobiohydrolase I from <i>Trichoderma reesei</i> in <i>Saccharomyces cerevisiae</i> . <i>Journal of Bioscience and Bioengineering</i> , 2014, 117, 45-52.	1.1	42
2007	Overlapping Binding Sites of the Frataxin Homologue Assembly Factor and the Heat Shock Protein 70 Transfer Factor on the Isu Iron-Sulfur Cluster Scaffold Protein. <i>Journal of Biological Chemistry</i> , 2014, 289, 30268-30278.	1.6	38
2008	On the fermentative behavior of auxotrophic strains of <i>Saccharomyces cerevisiae</i> . <i>Electronic Journal of Biotechnology</i> , 2014, 17, 246-249.	1.2	2
2009	The small GTPase Arf1 modulates mitochondrial morphology and function. <i>EMBO Journal</i> , 2014, 33, 2659-2675.	3.5	81
2010	A Memory System of Negative Polarity Cues Prevents Replicative Aging. <i>Cell</i> , 2014, 159, 1056-1069.	13.5	50
2011	Sporadic Distribution of Prion-Forming Ability of Sup35p from Yeasts and Fungi. <i>Genetics</i> , 2014, 198, 605-616.	1.2	28
2012	Yeast Cells Expressing the Human Mitochondrial DNA Polymerase Reveal Correlations between Polymerase Fidelity and Human Disease Progression. <i>Journal of Biological Chemistry</i> , 2014, 289, 5970-5985.	1.6	18
2013	Locating folds of the in-register parallel β -sheet of the Sup35p prion domain infectious amyloid. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, E4615-22.	3.3	67
2014	TOR complex 2-Ypk1 signaling is an essential positive regulator of the general amino acid control response and autophagy. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 10586-10591.	3.3	43
2015	Normal levels of the antiprion proteins Btn2 and Cur1 cure most newly formed [URE3] prion variants. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, E2711-20.	3.3	61
2016	Cbc2p, Upf3p and eIF4G are components of the DRN (Degradation of mRNA in the Nucleus) in <i>Saccharomyces cerevisiae</i> . <i>FEMS Yeast Research</i> , 2014, 14, 922-932.	1.1	14
2017	Opposing roles of Ubp3-dependent deubiquitination regulate replicative life span and heat resistance. <i>EMBO Journal</i> , 2014, 33, 747-761.	3.5	49

#	ARTICLE	IF	CITATIONS
2018	Autophagic Clearance of PolyQ Proteins Mediated by Ubiquitin-Atg8 Adaptors of the Conserved CUET Protein Family. <i>Cell</i> , 2014, 158, 549-563.	13.5	285
2019	Rapid identification of mRNA processing defects with a novel single-cell yeast reporter. <i>Rna</i> , 2014, 20, 732-745.	1.6	10
2020	TOR Complex 2-Ypk1 Signaling Maintains Sphingolipid Homeostasis by Sensing and Regulating ROS Accumulation. <i>Cell Reports</i> , 2014, 6, 541-552.	2.9	59
2021	A novel mutation in the SLC25A15 gene in a Turkish patient with HHH syndrome: Functional analysis of the mutant protein. <i>Molecular Genetics and Metabolism</i> , 2014, 112, 25-29.	0.5	25
2022	A cytosolic degradation pathway, prERAD, monitors pre-inserted secretory pathway proteins. <i>Journal of Cell Science</i> , 2014, 127, 3017-23.	1.2	40
2023	Histone hypoacetylation-activated genes are repressed by acetyl-CoA- and chromatin-mediated mechanism. <i>Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms</i> , 2014, 1839, 751-763.	0.9	13
2024	Yeast model identifies ENTPD6 as a potential non-obstructive azoospermia pathogenic gene. <i>Scientific Reports</i> , 2015, 5, 11762.	1.6	4
2025	The Chromone Alkaloid, Rohitukine, Affords Anti-Cancer Activity via Modulating Apoptosis Pathways in A549 Cell Line and Yeast Mitogen Activated Protein Kinase (MAPK) Pathway. <i>PLoS ONE</i> , 2015, 10, e0137991.	1.1	32
2026	Cu/Zn superoxide dismutase and the proton ATPase Pma1p of <i>Saccharomyces cerevisiae</i> . <i>Biochemical and Biophysical Research Communications</i> , 2015, 462, 251-256.	1.0	8
2027	W8, a new Sup35 prion strain, transmits distinctive information with a conserved assembly scheme. <i>Prion</i> , 2015, 9, 207-227.	0.9	10
2028	Calcineurin regulates the yeast synaptojanin Inp53/Sjl3 during membrane stress. <i>Molecular Biology of the Cell</i> , 2015, 26, 769-785.	0.9	24
2029	Diverse Nitrogen Sources in Seminal Fluid Act in Synergy To Induce Filamentous Growth of <i>Candida albicans</i> . <i>Applied and Environmental Microbiology</i> , 2015, 81, 2770-2780.	1.4	7
2030	Srs2 promotes Mus81- ϵ -Mms4-mediated resolution of recombination intermediates. <i>Nucleic Acids Research</i> , 2015, 43, 3626-3642.	6.5	21
2031	Multiplexed, Proteome-Wide Protein Expression Profiling: Yeast Deubiquitylating Enzyme Knockout Strains. <i>Journal of Proteome Research</i> , 2015, 14, 5306-5317.	1.8	56
2032	Identification, functional characterization, and expression pattern of a NaCl-inducible vacuolar Na ⁺ /H ⁺ antiporter in chicory (<i>Cichorium intybus</i> L.). <i>Plant Growth Regulation</i> , 2015, 75, 605-614.	1.8	9
2033	Distinct Amino Acid Compositional Requirements for Formation and Maintenance of the [PSI ⁺] Prion in Yeast. <i>Molecular and Cellular Biology</i> , 2015, 35, 899-911.	1.1	30
2034	Hyphal growth in <i>Candida albicans</i> does not require induction of hyphal-specific gene expression. <i>Molecular Biology of the Cell</i> , 2015, 26, 1174-1187.	0.9	37
2035	Cytoplasmic peptide:N-glycanase cleaves N-glycans on a carboxypeptidase Y mutant during ERAD in <i>Saccharomyces cerevisiae</i> . <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2015, 1850, 612-619.	1.1	9

#	ARTICLE	IF	CITATIONS
2036	The yeast <i>Saccharomyces cerevisiae</i> : An overview of methods to study autophagy progression. <i>Methods</i> , 2015, 75, 3-12.	1.9	46
2037	Budding Yeast Swe1 Is Involved in the Control of Mitotic Spindle Elongation and Is Regulated by Cdc14 Phosphatase during Mitosis. <i>Journal of Biological Chemistry</i> , 2015, 290, 1-12.	1.6	13
2038	Ligand-dependent localization and function of ORP-VAP complexes at membrane contact sites. <i>Cellular and Molecular Life Sciences</i> , 2015, 72, 1967-1987.	2.4	68
2039	Urm1 and tRNA thiolation functions of ubiquitin-like Uba4-Urm1 systems are conserved from yeast to man. <i>FEBS Letters</i> , 2015, 589, 904-909.	1.3	25
2040	Garlic γ -glutamyl transpeptidases that catalyze deglutamylation of biosynthetic intermediate of alliin. <i>Frontiers in Plant Science</i> , 2014, 5, 758.	1.7	57
2041	The repressor Rgt1 and the cAMP-dependent protein kinases control the expression of the SUC2 gene in <i>Saccharomyces cerevisiae</i> . <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2015, 1850, 1362-1367.	1.1	14
2042	Rapid mapping of insertional mutations to probe cell wall regulation in <i>Cryptococcus neoformans</i> . <i>Fungal Genetics and Biology</i> , 2015, 82, 9-21.	0.9	21
2043	Comparative Analysis of the Conserved Functions of Arabidopsis DRL1 and Yeast KTI12. <i>Molecules and Cells</i> , 2015, 38, 243-250.	1.0	9
2044	The <i>Cryptococcus neoformans</i> Alkaline Response Pathway: Identification of a Novel Rim Pathway Activator. <i>PLoS Genetics</i> , 2015, 11, e1005159.	1.5	80
2045	Generating new prions by targeted mutation or segment duplication. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 8584-8589.	3.3	21
2046	Characterization of Virulence-Related Phenotypes in <i>Candida</i> Species of the CUG Clade. <i>Eukaryotic Cell</i> , 2015, 14, 931-940.	3.4	44
2047	Examination of Sec22 Homodimer Formation and Role in SNARE-dependent Membrane Fusion. <i>Journal of Biological Chemistry</i> , 2015, 290, 10657-10666.	1.6	16
2048	Human Milk Oligosaccharides Inhibit <i>Candida albicans</i> Invasion of Human Premature Intestinal Epithelial Cells. <i>Journal of Nutrition</i> , 2015, 145, 1992-1998.	1.3	61
2049	$\hat{\pm}$ -Synuclein Shows High Affinity Interaction with Voltage-dependent Anion Channel, Suggesting Mechanisms of Mitochondrial Regulation and Toxicity in Parkinson Disease. <i>Journal of Biological Chemistry</i> , 2015, 290, 18467-18477.	1.6	157
2050	Interaction with Enzyme IIB ^{Mpo} (EIIB ^{Mpo}) and Phosphorylation by Phosphorylated EIIB ^{Mpo} Exert Antagonistic Effects on the Transcriptional Activator ManR of <i>Listeria monocytogenes</i> . <i>Journal of Bacteriology</i> , 2015, 197, 1559-1572.	1.0	11
2051	Replicative DNA Polymerase $\hat{\gamma}$ but Not $\hat{\mu}$ Proofreads Errors in Cis and in Trans. <i>PLoS Genetics</i> , 2015, 11, e1005049.	1.5	47
2052	Spatiotemporal Regulation of a <i>Legionella pneumophila</i> T4SS Substrate by the Metaeffector SidJ. <i>PLoS Pathogens</i> , 2015, 11, e1004695.	2.1	96
2053	Transcription activator-like effector nucleases mediated metabolic engineering for enhanced fatty acids production in <i>Saccharomyces cerevisiae</i> . <i>Journal of Bioscience and Bioengineering</i> , 2015, 120, 364-371.	1.1	23

#	ARTICLE	IF	CITATIONS
2054	Impact of Protein Palmitoylation on the Virulence Potential of <i>Cryptococcus neoformans</i> . <i>Eukaryotic Cell</i> , 2015, 14, 626-635.	3.4	18
2055	Pathogenic potential of SLC25A15 mutations assessed by transport assays and complementation of <i>Saccharomyces cerevisiae</i> ORT1 null mutant. <i>Molecular Genetics and Metabolism</i> , 2015, 115, 27-32.	0.5	22
2056	Control of mammalian G protein signaling by N-terminal acetylation and the N-end rule pathway. <i>Science</i> , 2015, 347, 1249-1252.	6.0	131
2057	Loss of RPS41 but not its paralog RPS42 results in altered growth, filamentation and transcriptome changes in <i>Candida albicans</i> . <i>Fungal Genetics and Biology</i> , 2015, 80, 31-42.	0.9	6
2058	Evolutionary Divergence of Plant Borate Exporters and Critical Amino Acid Residues for the Polar Localization and Boron-Dependent Vacuolar Sorting of AtBOR1. <i>Plant and Cell Physiology</i> , 2015, 56, 852-862.	1.5	40
2059	Regulation of Ceramide Synthase by Casein Kinase 2-dependent Phosphorylation in <i>Saccharomyces cerevisiae</i> . <i>Journal of Biological Chemistry</i> , 2015, 290, 1395-1403.	1.6	28
2060	Rho1- and Pkc1-dependent phosphorylation of the F-BAR protein Syp1 contributes to septin ring assembly. <i>Molecular Biology of the Cell</i> , 2015, 26, 3245-3262.	0.9	21
2061	Multiplexed, Scheduled, High-Resolution Parallel Reaction Monitoring on a Full Scan QqTOF Instrument with Integrated Data-Dependent and Targeted Mass Spectrometric Workflows. <i>Analytical Chemistry</i> , 2015, 87, 10222-10229.	3.2	88
2062	8-Dehydrosterols induce membrane traffic and autophagy defects through V-ATPase dysfunction in <i>Saccharomyces cerevisiae</i> . <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2015, 1853, 2945-2956.	1.9	8
2063	Target of rapamycin signaling mediates vacuolar fission caused by endoplasmic reticulum stress in <i>Saccharomyces cerevisiae</i> . <i>Molecular Biology of the Cell</i> , 2015, 26, 4618-4630.	0.9	23
2064	The ArfGAP2/3 Glo3 and ergosterol collaborate in transport of a subset of cargoes. <i>Biology Open</i> , 2015, 4, 792-802.	0.6	10
2065	The GH130 Family of Mannoside Phosphorylases Contains Glycoside Hydrolases That Target β -1,2-Mannosidic Linkages in <i>Candida</i> Mannan. <i>Journal of Biological Chemistry</i> , 2015, 290, 25023-25033.	1.6	32
2066	Spatiotemporal Cascade of Transcription Factor Binding Required for Promoter Activation. <i>Molecular and Cellular Biology</i> , 2015, 35, 688-698.	1.1	14
2067	Identification of proteins associated with RNA polymerase III using a modified tandem chromatin affinity purification. <i>Gene</i> , 2015, 556, 51-60.	1.0	8
2068	Sulfur transfer and activation by ubiquitin-like modifier system Uba4-Urm1 link protein urmylation and tRNA thiolation in yeast. <i>Microbial Cell</i> , 2016, 3, 554-564.	1.4	35
2069	An evidence based hypothesis on the existence of two pathways of mitochondrial crista formation. <i>ELife</i> , 2016, 5, .	2.8	81
2070	The Type III Secretion System-Related CPn0809 from <i>Chlamydia pneumoniae</i> . <i>PLoS ONE</i> , 2016, 11, e0148509.	1.1	5
2071	Vacuolar H ⁺ -Pyrophosphatase AVP1 is Involved in Amine Fungicide Tolerance in <i>Arabidopsis thaliana</i> and Provides Tridormorph Resistance in Yeast. <i>Frontiers in Plant Science</i> , 2016, 7, 85.	1.7	11

#	ARTICLE	IF	CITATIONS
2072	Molecular Cloning and Functional Analysis of a Na ⁺ -Insensitive K ⁺ Transporter of <i>Capsicum chinense</i> Jacq. <i>Frontiers in Plant Science</i> , 2016, 7, 1980.	1.7	9
2073	PCR-mediated gene modification strategy for construction of fluorescent protein fusions in <i>Candida parapsilosis</i> . <i>Yeast</i> , 2016, 33, 63-69.	0.8	5
2074	The Sec1/Munc18 Protein Groove Plays a Conserved Role in Interaction with Sec9p/SCAP-SNAP25. <i>Traffic</i> , 2016, 17, 131-153.	1.3	6
2075	Mechanisms Underlying the Delayed Activation of the Cap1 Transcription Factor in <i>Candida albicans</i> following Combinatorial Oxidative and Cationic Stress Important for Phagocytic Potency. <i>MBio</i> , 2016, 7, e00331.	1.8	28
2076	Pho4 mediates phosphate acquisition in <i>Candida albicans</i> and is vital for stress resistance and metal homeostasis. <i>Molecular Biology of the Cell</i> , 2016, 27, 2784-2801.	0.9	46
2077	Analysis of COPII Vesicles Indicates a Role for the Emp47-Ssp120 Complex in Transport of Cell Surface Glycoproteins. <i>Traffic</i> , 2016, 17, 191-210.	1.3	9
2078	Research Article: Protein-protein interaction analysis reveals a novel function of the <i>thlx1</i> transcription factor in zebrafish. <i>Bios</i> , 2016, 87, 31-38.	0.0	1
2079	Identification of Tension Sensing Motif of Histone H3 in <i>Saccharomyces cerevisiae</i> and Its Regulation by Histone Modifying Enzymes. <i>Genetics</i> , 2016, 204, 1029-1043.	1.2	14
2080	Calcium channel regulator Mid1 links TORC2-mediated changes in mitochondrial respiration to autophagy. <i>Journal of Cell Biology</i> , 2016, 215, 779-788.	2.3	18
2081	Robust Extracellular pH Modulation by <i>Candida albicans</i> during Growth in Carboxylic Acids. <i>MBio</i> , 2016, 7, .	1.8	55
2082	The sequence spectrum of frameshift reversions obtained with a novel adaptive mutation assay in <i>Saccharomyces cerevisiae</i> . <i>Data in Brief</i> , 2016, 9, 1113-1117.	0.5	1
2083	Identification of PNGase-dependent ERAD substrates in <i>Saccharomyces cerevisiae</i> . <i>Biochemical Journal</i> , 2016, 473, 3001-3012.	1.7	19
2084	The Proteasome Subunit Rpn8 Interacts with the Small Nucleolar RNA Protein (snoRNP) Assembly Protein Pih1 and Mediates Its Ubiquitin-independent Degradation in <i>Saccharomyces cerevisiae</i> . <i>Journal of Biological Chemistry</i> , 2016, 291, 11761-11775.	1.6	5
2085	Eisosomes promote the ability of Sur7 to regulate plasma membrane organization in <i>Candida albicans</i> . <i>Molecular Biology of the Cell</i> , 2016, 27, 1663-1675.	0.9	32
2086	The game theory of <i>Candida albicans</i> colonization dynamics reveals host status-responsive gene expression. <i>BMC Systems Biology</i> , 2016, 10, 20.	3.0	14
2087	Promoter-Terminator Gene Loops Affect Alternative 3'-End Processing in Yeast. <i>Journal of Biological Chemistry</i> , 2016, 291, 8960-8968.	1.6	15
2088	Yeast models of mutations in the mitochondrial ATP6 gene found in human cancer cells. <i>Mitochondrion</i> , 2016, 29, 7-17.	1.6	14
2089	Assays for genetic dissection of septin filament assembly in yeast, from de novo folding through polymerization. <i>Methods in Cell Biology</i> , 2016, 136, 99-116.	0.5	5

#	ARTICLE	IF	CITATIONS
2090	Terpenoids with antifungal activity trigger mitochondrial dysfunction in <i>Saccharomyces cerevisiae</i> . <i>Microbiology</i> , 2016, 85, 436-443.	0.5	32
2091	Control of Formin Distribution and Actin Cable Assembly by the E3 Ubiquitin Ligases Dma1 and Dma2. <i>Genetics</i> , 2016, 204, 205-220.	1.2	11
2092	Disruption of promoter memory by synthesis of a long noncoding RNA. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 9575-9580.	3.3	21
2093	Heme acquisition in the parasitic filarial nematode <i>Brugia malayi</i> . <i>FASEB Journal</i> , 2016, 30, 3501-3514.	0.2	20
2094	Optimisation and validation of a high-throughput semi-quantitative solid-phase microextraction method for analysis of fermentation aroma compounds in metabolomic screening studies of wines. <i>Australian Journal of Grape and Wine Research</i> , 2016, 22, 3-10.	1.0	9
2095	Dynamic assembly of the exomer secretory vesicle cargo adaptor subunits. <i>EMBO Reports</i> , 2016, 17, 202-219.	2.0	16
2096	Characterization of Human and Yeast Mitochondrial Glycine Carriers with Implications for Heme Biosynthesis and Anemia. <i>Journal of Biological Chemistry</i> , 2016, 291, 19746-19759.	1.6	63
2097	Microfluidic partition with in situ biofabricated semipermeable biopolymer membranes for static gradient generation. <i>Lab on A Chip</i> , 2016, 16, 3815-3823.	3.1	18
2098	Hsf1 and Hsp90 orchestrate temperature-dependent global transcriptional remodelling and chromatin architecture in <i>Candida albicans</i> . <i>Nature Communications</i> , 2016, 7, 11704.	5.8	77
2099	Identification of the Target of the Retrograde Response that Mediates Replicative Lifespan Extension in <i>Saccharomyces cerevisiae</i> . <i>Genetics</i> , 2016, 204, 659-673.	1.2	21
2100	Chemo-Genetic Interactions Between Histone Modification and the Antiproliferation Drug AICAR Are Conserved in Yeast and Humans. <i>Genetics</i> , 2016, 204, 1447-1460.	1.2	7
2101	An improved reversibly dimerizing mutant of the FK506-binding protein FKBP. <i>Cellular Logistics</i> , 2016, 6, e1204848.	0.9	17
2102	Kinesin-related Smy1 enhances the Rab-dependent association of myosin-V with secretory cargo. <i>Molecular Biology of the Cell</i> , 2016, 27, 2450-2462.	0.9	13
2103	Core regulatory components of the PHO pathway are conserved in the methylotrophic yeast <i>Hansenula polymorpha</i> . <i>Current Genetics</i> , 2016, 62, 595-605.	0.8	9
2104	Reduced Histone Expression or a Defect in Chromatin Assembly Induces Respiration. <i>Molecular and Cellular Biology</i> , 2016, 36, 1064-1077.	1.1	26
2105	Cold Temperature Induces the Reprogramming of Proteolytic Pathways in Yeast. <i>Journal of Biological Chemistry</i> , 2016, 291, 1664-1675.	1.6	12
2106	A Computational Approach to Estimating Nondisjunction Frequency in <i>Saccharomyces cerevisiae</i> . <i>G3: Genes, Genomes, Genetics</i> , 2016, 6, 669-682.	0.8	5
2107	Iron-Sulfur Cluster Biogenesis Chaperones: Evidence for Emergence of Mutational Robustness of a Highly Specific Protein-Protein Interaction. <i>Molecular Biology and Evolution</i> , 2016, 33, 643-656.	3.5	19

#	ARTICLE	IF	CITATIONS
2108	Nucleosomes Are Essential for Proper Regulation of a Multigated Promoter in <i>Saccharomyces cerevisiae</i> . <i>Genetics</i> , 2016, 202, 551-563.	1.2	10
2109	The N-terminus of the yeast G protein-coupled receptor Ste2p plays critical roles in surface expression, signaling, and negative regulation. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2016, 1858, 715-724.	1.4	16
2110	Roles of septins in prospore membrane morphogenesis and spore wall assembly in <i>Saccharomyces cerevisiae</i> . <i>Molecular Biology of the Cell</i> , 2016, 27, 442-450.	0.9	24
2111	Effects of Mutations on the Aggregation Propensity of the Human Prion-Like Protein hnRNPA2B1. <i>Molecular and Cellular Biology</i> , 2017, 37, .	1.1	31
2112	Calcineurin, the Ca ²⁺ -dependent phosphatase, regulates Rga2, a Cdc42 GTPase-activating protein, to modulate pheromone signaling. <i>Molecular Biology of the Cell</i> , 2017, 28, 576-586.	0.9	12
2113	An N-end rule pathway that recognizes proline and destroys gluconeogenic enzymes. <i>Science</i> , 2017, 355, .	6.0	163
2114	Variants of the Sir4 Coiled-Coil Domain Improve Binding to Sir3 for Heterochromatin Formation in <i>Saccharomyces cerevisiae</i> . <i>G3: Genes, Genomes, Genetics</i> , 2017, 7, 1117-1126.	0.8	6
2115	LjMOT1, a high-affinity molybdate transporter from <i>Lotus japonicus</i> , is essential for molybdate uptake, but not for the delivery to nodules. <i>Plant Journal</i> , 2017, 90, 1108-1119.	2.8	32
2116	<i>Enterococcus faecalis</i> bacteriocin EntV inhibits hyphal morphogenesis, biofilm formation, and virulence of <i>Candida albicans</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 4507-4512.	3.3	176
2117	Functional specialization of two paralogous TAF12 variants by their selective association with SAGA and TFIID transcriptional regulatory complexes. <i>Journal of Biological Chemistry</i> , 2017, 292, 6047-6055.	1.6	5
2118	Hsp104 disaggregase at normal levels cures many [PSI ⁺] prion variants in a process promoted by Sti1p, Hsp90, and Sis1p. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, E4193-E4202.	3.3	40
2119	scpTOR complex 1 regulates the yeast plasma membrane proton pump and scp <ph <i="" and="" homeostasis.="" potassium="">FEBS Letters, 2017, 591, 1993-2002.</ph>	1.3	17
2120	Fusion, fission, and transport control asymmetric inheritance of mitochondria and protein aggregates. <i>Journal of Cell Biology</i> , 2017, 216, 2481-2498.	2.3	46
2121	<i>Candida albicans</i> Is Resistant to Polyglutamine Aggregation and Toxicity. <i>G3: Genes, Genomes, Genetics</i> , 2017, 7, 95-108.	0.8	6
2122	Cellular conditions that modulate the fungicidal activity of occidiofungin. <i>Journal of Applied Microbiology</i> , 2017, 123, 380-391.	1.4	8
2123	Genetic Dissection of Heritable Traits in Yeast Using Bulk Segregant Analysis. <i>Cold Spring Harbor Protocols</i> , 2017, 2017, pdb.prot088989.	0.2	4
2124	The septin-associated kinase Gin4 recruits Gps1 to the site of cell division. <i>Molecular Biology of the Cell</i> , 2017, 28, 883-889.	0.9	8
2125	Impact of plasmid architecture on stability and yEGFP3 reporter gene expression in a set of isomeric multicopy vectors in yeast. <i>Applied Microbiology and Biotechnology</i> , 2017, 101, 8455-8463.	1.7	4

#	ARTICLE	IF	CITATIONS
2126	Increased heme synthesis in yeast induces a metabolic switch from fermentation to respiration even under conditions of glucose repression. <i>Journal of Biological Chemistry</i> , 2017, 292, 16942-16954.	1.6	48
2127	[PSI ⁺] prion propagation is controlled by inositol polyphosphates. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, E8402-E8410.	3.3	34
2128	Differential effects of soluble and aggregating polyQ proteins on cytotoxicity and type-1 myosin-dependent endocytosis in yeast. <i>Scientific Reports</i> , 2017, 7, 11328.	1.6	6
2129	Interrogation of β -tubulin alleles using high-resolution fitness measurements reveals a distinct cytoplasmic function in spindle alignment. <i>Scientific Reports</i> , 2017, 7, 11398.	1.6	11
2130	The unique C terminus of the calcineurin isoform CNA ² 1 confers non-canonical regulation of enzyme activity by Ca ²⁺ and calmodulin. <i>Journal of Biological Chemistry</i> , 2017, 292, 16709-16721.	1.6	17
2131	Evidence for a Role of ANAC082 as a Ribosomal Stress Response Mediator Leading to Growth Defects and Developmental Alterations in Arabidopsis. <i>Plant Cell</i> , 2017, 29, 2644-2660.	3.1	49
2132	The Gcn4 transcription factor reduces protein synthesis capacity and extends yeast lifespan. <i>Nature Communications</i> , 2017, 8, 457.	5.8	83
2133	Production of low ⁺ rice plants by inactivation of the K ⁺ transporter Os ^{HAK1} with the CRISPR-Cas system. <i>Plant Journal</i> , 2017, 92, 43-56.	2.8	161
2134	The two-component response regulator Skn7 belongs to a network of transcription factors regulating morphogenesis in <i>Candida albicans</i> and independently limits morphogenesis-induced ROS accumulation. <i>Molecular Microbiology</i> , 2017, 106, 157-182.	1.2	20
2135	Dynamic roles for the N-terminus of the yeast G protein-coupled receptor Ste2p. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2017, 1859, 2058-2067.	1.4	6
2136	Protein glutamylation is a yeast-specific posttranslational modification of elongation factor 1A. <i>Journal of Biological Chemistry</i> , 2017, 292, 16014-16023.	1.6	13
2137	Grf10 and Bas1 Regulate Transcription of Adenylate and One-Carbon Biosynthesis Genes and Affect Virulence in the Human Fungal Pathogen <i>Candida albicans</i> . <i>MSphere</i> , 2017, 2, .	1.3	9
2138	Stress-response transcription factors Msn2 and Msn4 couple TORC2-Ypk1 signaling and mitochondrial respiration to <i>ATG8</i> gene expression and autophagy. <i>Autophagy</i> , 2017, 13, 1804-1812.	4.3	24
2139	Sterol Oxidation Mediates Stress-Responsive Vms1 Translocation to Mitochondria. <i>Molecular Cell</i> , 2017, 68, 673-685.e6.	4.5	33
2140	<i>Saccharomyces cerevisiae</i> MSA1 mRNA has a sequence for localization at the bud tip. <i>Bioscience, Biotechnology and Biochemistry</i> , 2017, 81, 1778-1785.	0.6	0
2141	The effects of glutamine/asparagine content on aggregation and heterologous prion induction by yeast prion-like domains. <i>Prion</i> , 2017, 11, 249-264.	0.9	14
2142	Analysis of the Localization of MEN Components by Live Cell Imaging Microscopy. <i>Methods in Molecular Biology</i> , 2017, 1505, 151-166.	0.4	4
2143	Glucose starvation as a selective tool for the study of adaptive mutations in <i>Saccharomyces cerevisiae</i> . <i>Journal of Microbiological Methods</i> , 2017, 132, 4-8.	0.7	1

#	ARTICLE	IF	CITATIONS
2144	Yeast phospholipase C is required for stability of casein kinase I Yck2p and expression of hexose transporters. <i>FEMS Microbiology Letters</i> , 2017, 364, .	0.7	0
2145	Bypass of Activation Loop Phosphorylation by Aspartate 836 in Activation of the Endoribonuclease Activity of Ire1. <i>Molecular and Cellular Biology</i> , 2017, 37, .	1.1	12
2146	Yeast Nutrition. , 2017, , 109-146.		0
2147	Use of a Yeast tRNase Killer Toxin to Diagnose Kti12 Motifs Required for tRNA Modification by Elongator. <i>Toxins</i> , 2017, 9, 272.	1.5	14
2148	The Chlamydia pneumoniae Tarp Ortholog CPn0572 Stabilizes Host F-Actin by Displacement of Cofilin. <i>Frontiers in Cellular and Infection Microbiology</i> , 2017, 7, 511.	1.8	12
2149	Candida parapsilosis Protects Premature Intestinal Epithelial Cells from Invasion and Damage by Candida albicans. <i>Frontiers in Pediatrics</i> , 2017, 5, 54.	0.9	14
2150	Filamentation Involves Two Overlapping, but Distinct, Programs of Filamentation in the Pathogenic Fungus <i>Candida albicans</i> . <i>G3: Genes, Genomes, Genetics</i> , 2017, 7, 3797-3808.	0.8	67
2151	Role of PCNA and RFC in promoting Mus81-complex activity. <i>BMC Biology</i> , 2017, 15, 90.	1.7	14
2152	Regulation of mating type switching by the mating type genes and RME1 in <i>Ogataea polymorpha</i> . <i>Scientific Reports</i> , 2017, 7, 16318.	1.6	8
2153	Defects in methylation of arginine 37 on CENP-A/Cse4 are compensated by the ubiquitin ligase complex Ubr2/Mub1. <i>FEMS Yeast Research</i> , 2017, 17, .	1.1	4
2154	Pre-colonization with the commensal fungus <i>Candida albicans</i> reduces murine susceptibility to <i>Clostridium difficile</i> infection. <i>Gut Microbes</i> , 2018, 9, 1-13.	4.3	57
2155	Ub-ProT reveals global length and composition of protein ubiquitylation in cells. <i>Nature Communications</i> , 2018, 9, 524.	5.8	50
2156	A Failsafe for Sensing Chromatid Tension in Mitosis with the Histone H3 Tail in <i>Saccharomyces cerevisiae</i> . <i>Genetics</i> , 2018, 208, 565-578.	1.2	8
2157	Decreased aluminium tolerance in the growth of <i>Saccharomyces cerevisiae</i> with SSO2 gene disruption. <i>BioMetals</i> , 2018, 31, 203-215.	1.8	7
2158	Bioprospecting microbes for single-cell oil production from starchy wastes. <i>Preparative Biochemistry and Biotechnology</i> , 2018, 48, 296-302.	1.0	13
2159	Constructing Synthetic Ecosystems with Biopolymer Fluitrodes. <i>Advanced Biology</i> , 2018, 2, 1700180.	3.0	12
2160	Nonsense-mediated mRNA decay factors cure most [PSI ⁺] prion variants. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E1184-E1193.	3.3	26
2161	A single-cysteine mutant and chimeras of essential <i>Leishmania Erv</i> can complement the loss of <i>Erv1</i> but not of <i>Mia40</i> in yeast. <i>Redox Biology</i> , 2018, 15, 363-374.	3.9	12

#	ARTICLE	IF	CITATIONS
2162	Compensatory Internalization of Pma1 in V-ATPase Mutants in <i>Saccharomyces cerevisiae</i> Requires Calcium- and Glucose-Sensitive Phosphatases. <i>Genetics</i> , 2018, 208, 655-672.	1.2	15
2163	Staged development of long-lived T-cell receptor $\alpha\beta$ T H 17 resident memory T-cell population to <i>Candida albicans</i> after skin infection. <i>Journal of Allergy and Clinical Immunology</i> , 2018, 142, 647-662.	1.5	104
2164	A role for CENP-A/Cse4 phosphorylation on serine 33 in deposition at the centromere. <i>FEMS Yeast Research</i> , 2018, 18, .	1.1	20
2165	Redox Regulation, Rather than Stress-Induced Phosphorylation, of a Hog1 Mitogen-Activated Protein Kinase Modulates Its Nitrosative-Stress-Specific Outputs. <i>MBio</i> , 2018, 9, .	1.8	23
2166	In <i>Saccharomyces cerevisiae</i> grown in synthetic minimal medium supplemented with non-fermentable carbon sources glutamate is synthesized within mitochondria. <i>Rendiconti Lincei</i> , 2018, 29, 483-490.	1.0	6
2167	Phylogenetic and expression analysis of the magnesium transporter family in pear, and functional verification of <i>PbrMCT7</i> in pear pollen. <i>Journal of Horticultural Science and Biotechnology</i> , 2018, 93, 51-63.	0.9	14
2168	Failed mitochondrial import and impaired proteostasis trigger SUMOylation of mitochondrial proteins. <i>Journal of Biological Chemistry</i> , 2018, 293, 599-609.	1.6	20
2169	Exploiting Post-mitotic Yeast Cultures to Model Neurodegeneration. <i>Frontiers in Molecular Neuroscience</i> , 2018, 11, 400.	1.4	13
2170	Natural Genetic Variation in Yeast Reveals That NEDD4 Is a Conserved Modifier of Mutant Polyglutamine Aggregation. <i>G3: Genes, Genomes, Genetics</i> , 2018, 8, 3421-3431.	0.8	5
2171	Formyl-methionine as an N-degron of a eukaryotic N-end rule pathway. <i>Science</i> , 2018, 362, .	6.0	65
2172	Hypoxia Promotes Immune Evasion by Triggering β -Glucan Masking on the <i>Candida albicans</i> Cell Surface via Mitochondrial and cAMP-Protein Kinase A Signaling. <i>MBio</i> , 2018, 9, .	1.8	105
2173	Antimicrobial Activity of NCR Plant Peptides Strongly Depends on the Test Assays. <i>Frontiers in Microbiology</i> , 2018, 9, 2600.	1.5	33
2174	Functional Mapping of Transcription Factor Grf10 That Regulates Adenine-Responsive and Filamentation Genes in <i>Candida albicans</i> . <i>MSphere</i> , 2018, 3, .	1.3	4
2175	Tripartite Chromatin Localization of Budding Yeast Shugoshin Involves Higher-Ordered Architecture of Mitotic Chromosomes. <i>G3: Genes, Genomes, Genetics</i> , 2018, 8, 2901-2911.	0.8	5
2176	Methionine coordinates a hierarchically organized anabolic program enabling proliferation. <i>Molecular Biology of the Cell</i> , 2018, 29, 3183-3200.	0.9	36
2177	As Symbol as That: Inconsistencies in Symbol Systems of Alleles in Textbooks, and Students'™ Justifications for Them. <i>Education Sciences</i> , 2018, 8, 110.	1.4	2
2178	Conserved motifs on the cytoplasmic face of the protein translocation channel are critical for the transition between resting and active conformations. <i>Journal of Biological Chemistry</i> , 2018, 293, 13662-13672.	1.6	5
2179	Banana peel waste management for single-cell oil production. <i>Energy, Ecology and Environment</i> , 2018, 3, 296-303.	1.9	12

#	ARTICLE	IF	CITATIONS
2180	Nucleosomes inhibit target cleavage by CRISPR-Cas9 in vivo. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 9351-9358.	3.3	159
2181	Global analysis of mutations driving microevolution of a heterozygous diploid fungal pathogen. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E8688-E8697.	3.3	109
2182	Calcineurin Regulatory Subunit Calcium-Binding Domains Differentially Contribute to Calcineurin Signaling in <i>Saccharomyces cerevisiae</i> . <i>Genetics</i> , 2018, 209, 801-813.	1.2	9
2183	Purification of kinetochores from the budding yeast <i>Saccharomyces cerevisiae</i> . <i>Methods in Cell Biology</i> , 2018, 144, 349-370.	0.5	18
2184	A framework for the identification of promising bio-based chemicals. <i>Biotechnology and Bioengineering</i> , 2018, 115, 2328-2340.	1.7	22
2185	Novel insights into Swe1 and Mih1 role in the regulation of mitotic spindle dynamics. <i>Journal of Cell Science</i> , 2018, 131, .	1.2	6
2186	Ssb2 is a novel factor in regulating synthesis and degradation of Gcn4 in <i>Saccharomyces cerevisiae</i> . <i>Molecular Microbiology</i> , 2018, 110, 728-740.	1.2	2
2187	Sequence features governing aggregation or degradation of prion-like proteins. <i>PLoS Genetics</i> , 2018, 14, e1007517.	1.5	16
2188	Redesigning TOR Kinase to Explore the Structural Basis for TORC1 and TORC2 Assembly. <i>Biomolecules</i> , 2018, 8, 36.	1.8	13
2189	LRRC45 contributes to early steps of axoneme extension. <i>Journal of Cell Science</i> , 2018, 131, .	1.2	31
2190	Study of Amyloids Using Yeast. <i>Methods in Molecular Biology</i> , 2018, 1779, 313-339.	0.4	6
2191	Novel Cell Wall Antifungals Reveal a Special Synergistic Activity in pbr1 Mutants Resistant to the Glucan Synthesis Antifungals Papulacandins and Echinocandins. <i>Frontiers in Microbiology</i> , 2019, 10, 1692.	1.5	2
2192	Unique, Diverged, and Conserved Mitochondrial Functions Influencing <i>Candida albicans</i> Respiration. <i>MBio</i> , 2019, 10, .	1.8	30
2193	Valorization of agro-starchy wastes as substrates for oleaginous microbes. <i>Biomass and Bioenergy</i> , 2019, 127, 105294.	2.9	31
2194	Cutaneous TRPV1+ Neurons Trigger Protective Innate Type 17 Anticipatory Immunity. <i>Cell</i> , 2019, 178, 919-932.e14.	13.5	202
2195	A Nuclear Zip Code in SKS1 mRNA Promotes Its Slow Export, Nuclear Retention, and Degradation by the Nuclear Exosome/DRN in <i>Saccharomyces cerevisiae</i> . <i>Journal of Molecular Biology</i> , 2019, 431, 3626-3646.	2.0	8
2196	Physiologically Relevant Alternative Carbon Sources Modulate Biofilm Formation, Cell Wall Architecture, and the Stress and Antifungal Resistance of <i>Candida glabrata</i> . <i>International Journal of Molecular Sciences</i> , 2019, 20, 3172.	1.8	30
2197	Successive Kinesin-5 Microtubule Crosslinking and Sliding Promote Fast, Irreversible Formation of a Stereotyped Bipolar Spindle. <i>Current Biology</i> , 2019, 29, 3825-3837.e3.	1.8	15

#	ARTICLE	IF	CITATIONS
2198	Asparagine-linked glycosylation is not directly coupled to protein translocation across the endoplasmic reticulum in <i>Saccharomyces cerevisiae</i> . <i>Molecular Biology of the Cell</i> , 2019, 30, 2626-2638.	0.9	13
2199	SUMO-Chain-Regulated Proteasomal Degradation Timing Exemplified in DNA Replication Initiation. <i>Molecular Cell</i> , 2019, 76, 632-645.e6.	4.5	39
2200	A cysteine protease-like domain enhances the cytotoxic effects of the <i>Photorhabdus asymbiotica</i> toxin PaTox. <i>Journal of Biological Chemistry</i> , 2019, 294, 1035-1044.	1.6	8
2201	Establishment and Maintenance of Chromatin Architecture Are Promoted Independently of Transcription by the Histone Chaperone FACT and H3-K56 Acetylation in <i>Saccharomyces cerevisiae</i> . <i>Genetics</i> , 2019, 211, 877-892.	1.2	16
2202	Superloser: A Plasmid Shuffling Vector for <i>Saccharomyces cerevisiae</i> with Exceedingly Low Background. <i>G3: Genes, Genomes, Genetics</i> , 2019, 9, 2699-2707.	0.8	9
2203	Multiple Negative Regulators Restrict Recruitment of the SWI/SNF Chromatin Remodeler to the <i>HO</i> Promoter in <i>Saccharomyces cerevisiae</i> . <i>Genetics</i> , 2019, 212, 1181-1204.	1.2	9
2204	Molecular cloning and characterisation of SaCLCa1, a novel protein of the chloride channel (CLC) family from the halophyte <i>Suaeda altissima</i> (L.) Pall. <i>Journal of Plant Physiology</i> , 2019, 240, 152995.	1.6	9
2205	Translation factor mRNA granules direct protein synthetic capacity to regions of polarized growth. <i>Journal of Cell Biology</i> , 2019, 218, 1564-1581.	2.3	37
2206	Selective Kinase Inhibition Shows That Bur1 (Cdk9) Phosphorylates the Rpb1 Linker <i>In Vivo</i> . <i>Molecular and Cellular Biology</i> , 2019, 39, .	1.1	20
2207	DNA damage response activates respiration and thereby enlarges dNTP pools to promote cell survival in budding yeast. <i>Journal of Biological Chemistry</i> , 2019, 294, 9771-9786.	1.6	15
2208	Purification of Functional Human TRP Channels Recombinantly Produced in Yeast. <i>Cells</i> , 2019, 8, 148.	1.8	4
2209	The PQ-loop protein Any1 segregates Drs2 and Neo1 functions required for viability and plasma membrane phospholipid asymmetry. <i>Journal of Lipid Research</i> , 2019, 60, 1032-1042.	2.0	8
2210	Asymmetric distribution of glucose transporter mRNA provides a growth advantage in yeast. <i>EMBO Journal</i> , 2019, 38, .	3.5	9
2211	Mitochondrial Citrate Transporters CtpA and YhmA Are Required for Extracellular Citric Acid Accumulation and Contribute to Cytosolic Acetyl Coenzyme A Generation in <i>Aspergillus luchuensis</i> mut. <i>kawachii</i> . <i>Applied and Environmental Microbiology</i> , 2019, 85, .	1.4	30
2212	PUS7 mutations impair pseudouridylation in humans and cause intellectual disability and microcephaly. <i>Human Genetics</i> , 2019, 138, 231-239.	1.8	53
2213	Forms and abundance of chaperone proteins influence yeast prion variant competition. <i>Molecular Microbiology</i> , 2019, 111, 798-810.	1.2	6
2214	N-terminal acetylation and the N-end rule pathway control degradation of the lipid droplet protein PLIN2. <i>Journal of Biological Chemistry</i> , 2019, 294, 379-388.	1.6	56
2215	The kinetochore module Okp1 ^{CENP-A} /Ame1 ^{CENP-U} is a reader for N-terminal modifications on the centromeric histone Cse4 ^{CENP-A} . <i>EMBO Journal</i> , 2019, 38, .	3.5	34

#	ARTICLE	IF	CITATIONS
2216	Dual roles of mitochondrial fusion gene FZO1 in yeast age asymmetry and in longevity mediated by a novel ATG32-dependent retrograde response. <i>Biogerontology</i> , 2019, 20, 93-107.	2.0	3
2217	A complete catalog of wild-type Sup35 prion variants and their protein-only propagation. <i>Current Genetics</i> , 2020, 66, 97-122.	0.8	10
2218	Single amino acid mutations in the <i>Saccharomyces cerevisiae</i> rhomboid peptidase, Pcp1p, alter mitochondrial morphology. <i>Cell Biology International</i> , 2020, 44, 200-215.	1.4	2
2219	Comparative genome-scale analysis of <i>Pichia pastoris</i> variants informs selection of an optimal base strain. <i>Biotechnology and Bioengineering</i> , 2020, 117, 543-555.	1.7	34
2220	The environmental stress sensitivities of pathogenic <i>Candida</i> species, including <i>Candida auris</i> , and implications for their spread in the hospital setting. <i>Medical Mycology</i> , 2020, 58, 744-755.	0.3	27
2221	Radio frequency-induced superoxide accumulation affected the growth and viability of <i>Saccharomyces cerevisiae</i> . <i>International Microbiology</i> , 2020, 23, 391-396.	1.1	1
2222	Analysing the vineyard soil as a natural reservoir for wine yeasts. <i>Food Research International</i> , 2020, 129, 108845.	2.9	11
2223	Effect of BRCA1 missense variants on gene reversion in DNA double-strand break repair mutants and cell cycle-arrested cells of <i>Saccharomyces cerevisiae</i> . <i>Mutagenesis</i> , 2020, 35, 189-195.	1.0	12
2224	FACT and Ash1 promote long-range and bidirectional nucleosome eviction at the HO promoter. <i>Nucleic Acids Research</i> , 2020, 48, 10877-10889.	6.5	7
2225	Th1-Dependent <i>Cryptococcus</i> -Associated Immune Reconstitution Inflammatory Syndrome Model With Brain Damage. <i>Frontiers in Immunology</i> , 2020, 11, 529219.	2.2	12
2226	Normal levels of ribosome-associated chaperones cure two groups of [PSI ⁺] prion variants. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 26298-26306.	3.3	16
2227	Water soluble lipid precursor contaminants in yeast culture medium ingredients. <i>FEMS Yeast Research</i> , 2020, 20, .	1.1	2
2228	Lipid Species in the GI Tract are Increased by the Commensal Fungus <i>Candida albicans</i> and Decrease the Virulence of <i>Clostridioides difficile</i> . <i>Journal of Fungi (Basel, Switzerland)</i> , 2020, 6, 100.	1.5	5
2229	Metabolomics profiling reveals new aspects of dolichol biosynthesis in <i>Plasmodium falciparum</i> . <i>Scientific Reports</i> , 2020, 10, 13264.	1.6	16
2230	New Insights in <i>Saccharomyces cerevisiae</i> Response to the Cyanotoxin Microcystin-LR, Revealed by Proteomics and Gene Expression. <i>Toxins</i> , 2020, 12, 667.	1.5	6
2231	Key role of the motor protein Kinesin 13B in the activity of homeodomain-leucine zipper I transcription factors. <i>Journal of Experimental Botany</i> , 2020, 71, 6282-6296.	2.4	4
2232	Hypomodified tRNA in evolutionarily distant yeasts can trigger rapid tRNA decay to activate the general amino acid control response, but with different consequences. <i>PLoS Genetics</i> , 2020, 16, e1008893.	1.5	18
2233	<i>Arabidopsis</i> K ⁺ transporter HAK5-mediated high-affinity root K ⁺ uptake is regulated by protein kinases CIPK1 and CIPK9. <i>Journal of Experimental Botany</i> , 2020, 71, 5053-5060.	2.4	50

#	ARTICLE	IF	CITATIONS
2234	Rad54 Drives ATP Hydrolysis-Dependent DNA Sequence Alignment during Homologous Recombination. <i>Cell</i> , 2020, 181, 1380-1394.e18.	13.5	77
2235	Composition-based prediction and rational manipulation of prion-like domain recruitment to stress granules. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 5826-5835.	3.3	32
2236	Regulation of the RNAPII Pool Is Integral to the DNA Damage Response. <i>Cell</i> , 2020, 180, 1245-1261.e21.	13.5	116
2237	Biocatalytic and bioelectrolytic decolorization of simulated melanoidin wastewaters by <i>Saccharomyces cerevisiae</i> cells suspended and conjugated on silica and alumina. <i>Journal of Environmental Chemical Engineering</i> , 2020, 8, 104078.	3.3	9
2238	Selective autophagy degrades nuclear pore complexes. <i>Nature Cell Biology</i> , 2020, 22, 159-166.	4.6	86
2239	Chemotropism among populations of yeast cells with spatiotemporal resolution in a biofabricated microfluidic platform. <i>Biomicrofluidics</i> , 2020, 14, 014108.	1.2	9
2240	The ATAD2/ANCCA homolog Yta7 cooperates with Scm3 ^{HJURP} to deposit Cse4 ^{CENP-A} at the centromere in yeast. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 5386-5393.	3.3	16
2241	Vitamin requirements and biosynthesis in <i>Saccharomyces cerevisiae</i> . <i>Yeast</i> , 2020, 37, 283-304.	0.8	74
2242	Redox requirements for ubiquitin-like urmylation of Ahp1, a 2-Cys peroxiredoxin from yeast. <i>Redox Biology</i> , 2020, 30, 101438.	3.9	12
2243	Hexose transport in <i>Torulaspora delbrueckii</i> : identification of Igt1, a new dual-affinity transporter. <i>FEMS Yeast Research</i> , 2020, 20, .	1.1	9
2244	ORP/Osh mediate cross-talk between ER-plasma membrane contact site components and plasma membrane SNAREs. <i>Cellular and Molecular Life Sciences</i> , 2021, 78, 1689-1708.	2.4	15
2245	Mutable yeast prion variants are stabilized by a defective Hsp104 chaperone. <i>Molecular Microbiology</i> , 2021, 115, 774-788.	1.2	8
2246	Differential role of cytosolic Hsp70s in longevity assurance and protein quality control. <i>PLoS Genetics</i> , 2021, 17, e1008951.	1.5	12
2247	Insights into the mechanisms of transport and regulation of the arabidopsis high-affinity K ⁺ transporter HAK51. <i>Plant Physiology</i> , 2021, 185, 1860-1874.	2.3	32
2248	Identification of novel genes involved in neutral lipid storage by quantitative trait loci analysis of <i>Saccharomyces cerevisiae</i> . <i>BMC Genomics</i> , 2021, 22, 110.	1.2	3
2249	Collective dynein transport of the nucleus by pulling on astral microtubules during <i>Saccharomyces cerevisiae</i> mitosis. <i>Yeast</i> , 2021, 38, 352-366.	0.8	2
2250	Innate immunity to yeast prions: Btn2p and Cur1p curing of the [URE3] prion is prevented by 60S ribosomal protein deficiency or ubiquitin/proteasome system overactivity. <i>Genetics</i> , 2021, 217, .	1.2	6
2251	The Rad51 paralog complex Rad55-Rad57 acts as a molecular chaperone during homologous recombination. <i>Molecular Cell</i> , 2021, 81, 1043-1057.e8.	4.5	45

#	ARTICLE	IF	CITATIONS
2252	Nutrient-driven genome evolution revealed by comparative genomics of chryomonad flagellates. <i>Communications Biology</i> , 2021, 4, 328.	2.0	7
2253	Proteasome Control of [URE3] Prion Propagation by Degradation of Anti-Prion Proteins Cur1 and Btn2 in <i>Saccharomyces cerevisiae</i> . <i>Genetics</i> , 2021, 218, .	1.2	7
2254	Shedding Light on the Dynamic Role of the ϵ -Target of Rapamycin Kinase in the Fast-Growing C4 Species <i>Setaria viridis</i> , a Suitable Model for Biomass Crops. <i>Frontiers in Plant Science</i> , 2021, 12, 637508.	1.7	10
2255	Dynamics of SAS-I mediated H4 K16 acetylation during DNA replication in yeast. <i>PLoS ONE</i> , 2021, 16, e0251660.	1.1	1
2256	Genetic analysis argues for a coactivator function for the <i>Saccharomyces cerevisiae</i> Tup1 corepressor. <i>Genetics</i> , 2021, 219, .	1.2	3
2257	Generalizable Compositional Features Influencing the Proteostatic Fates of Polar Low-Complexity Domains. <i>International Journal of Molecular Sciences</i> , 2021, 22, 8944.	1.8	2
2258	Optogenetic Control of Microbial Consortia Populations for Chemical Production. <i>ACS Synthetic Biology</i> , 2021, 10, 2015-2029.	1.9	30
2259	SMC complexes are guarded by the SUMO protease Ulp2 against SUMO-chain-mediated turnover. <i>Cell Reports</i> , 2021, 36, 109485.	2.9	15
2260	Application of Micropore Device for Accurate, Easy, and Rapid Discrimination of <i>Saccharomyces pastorianus</i> from <i>Dekkera</i> spp.. <i>Biosensors</i> , 2021, 11, 272.	2.3	1
2261	The Sur7 cytoplasmic C terminus regulates morphogenesis and stress responses in <i>Candida albicans</i> . <i>Molecular Microbiology</i> , 2021, 116, 1201-1215.	1.2	6
2262	Non-biodegradable objects may boost microbial growth in water bodies by harnessing bubbles. <i>Royal Society Open Science</i> , 2021, 8, 210646.	1.1	3
2263	Replication stress inhibits synthesis of histone mRNAs in yeast by removing Spt10p and Spt21p from the histone promoters. <i>Journal of Biological Chemistry</i> , 2021, 297, 101246.	1.6	7
2264	The mRNA decapping complex is buffered by nuclear localization. <i>Journal of Cell Science</i> , 2021, 134, .	1.2	9
2265	Rapid inactivation of the yeast Sec complex selectively blocks transport of post-translationally translocated proteins. <i>Journal of Biological Chemistry</i> , 2021, 297, 101171.	1.6	1
2266	A non-radioactive DNA synthesis assay demonstrates that elements of the Sigma 1278b Mip1 mitochondrial DNA polymerase domain and C-terminal extension facilitate robust enzyme activity. <i>Yeast</i> , 2021, 38, 262-275.	0.8	1
2267	Key Genes in the Regulation of Dimorphism of <i>Candida Albicans</i> . , 1993, , 61-71.		7
2268	Analysis of Protein Dynamics with Tandem Fluorescent Protein Timers. <i>Methods in Molecular Biology</i> , 2014, 1174, 195-210.	0.4	36
2269	A Method for High-Throughput Analysis of Chronological Aging in <i>Schizosaccharomyces pombe</i> . <i>Methods in Molecular Biology</i> , 2015, 1263, 93-101.	0.4	2

#	ARTICLE	IF	CITATIONS
2270	Detection of Phosphorylation Status of Cytokinetic Components. <i>Methods in Molecular Biology</i> , 2016, 1369, 219-237.	0.4	5
2271	Visualization of Cytokinesis Events in Budding Yeast by Transmission Electron Microscopy. <i>Methods in Molecular Biology</i> , 2016, 1369, 87-95.	0.4	4
2272	Production of Aromatic Plant Terpenoids in Recombinant Baker's Yeast. <i>Methods in Molecular Biology</i> , 2016, 1405, 79-89.	0.4	4
2273	Exploiting Yeast Genetics to Inform Therapeutic Strategies for Huntington's Disease. <i>Methods in Molecular Biology</i> , 2009, 548, 161-174.	0.4	13
2274	Purification of Ribonucleoproteins Using Peptide-Elutable Antibodies and Other Affinity Techniques. <i>Methods in Molecular Biology</i> , 2008, 488, 65-84.	0.4	1
2275	Study of Amyloids Using Yeast. <i>Methods in Molecular Biology</i> , 2012, 849, 321-346.	0.4	7
2276	Using Heterologous Expression Systems to Characterize Potassium and Sodium Transport Activities. <i>Methods in Molecular Biology</i> , 2012, 913, 371-386.	0.4	3
2277	Phenotypic Analysis of the <i>Kluyveromyces lactis</i> Killer Phenomenon. , 2003, , 179-183.		3
2279	Chitin-Binding Capability of the Zymocin Complex from <i>Kluyveromyces lactis</i> . , 2003, , 191-194.		8
2280	<i>Schwanniomyces occidentalis</i> . , 1996, , 117-137.		8
2281	Maximising the Yeast Chronological Lifespan. <i>Sub-Cellular Biochemistry</i> , 2011, 57, 145-159.	1.0	18
2282	Molecular Cloning of Radish Acetoacetyl-Coenzyme a Thiolase by Genetic Complementation of a Yeast Mutant. , 1995, , 335-337.		2
2283	Patterns of meiotic double-strand breakage on native and artificial yeast chromosomes. <i>Chromosoma</i> , 1996, 105, 276-284.	1.0	5
2284	A mutation in the largest subunit of yeast TFIIC affects tRNA and 5 S RNA synthesis. Identification of two classes of suppressors.. <i>Journal of Biological Chemistry</i> , 1994, 269, 23374-23381.	1.6	51
2285	Mechanistic studies of amsacrine-resistant derivatives of DNA topoisomerase II. Implications in resistance to multiple antitumor drugs targeting the enzyme.. <i>Journal of Biological Chemistry</i> , 1994, 269, 20943-20951.	1.6	42
2286	Yeast SNF1 is functionally related to mammalian AMP-activated protein kinase and regulates acetyl-CoA carboxylase in vivo.. <i>Journal of Biological Chemistry</i> , 1994, 269, 19509-19515.	1.6	340
2287	A protein which binds preferentially to single-stranded core sequence of autonomously replicating sequence is essential for respiratory function in mitochondrial of <i>Saccharomyces cerevisiae</i> .. <i>Journal of Biological Chemistry</i> , 1994, 269, 15244-15252.	1.6	28
2288	NAT2, an essential gene encoding methionine N alpha-acetyltransferase in the yeast <i>Saccharomyces cerevisiae</i> .. <i>Journal of Biological Chemistry</i> , 1994, 269, 13141-13147.	1.6	21

#	ARTICLE	IF	CITATIONS
2289	Primary structural constraints of P-loop of mitochondrial F1-ATPase from yeast. <i>Journal of Biological Chemistry</i> , 1994, 269, 9424-9428.	1.6	30
2290	The protein phosphatase calcineurin is essential for NaCl tolerance of <i>Saccharomyces cerevisiae</i> .. <i>Journal of Biological Chemistry</i> , 1994, 269, 8792-8796.	1.6	321
2291	Regulation of cellular Ca ²⁺ by yeast vacuoles.. <i>Journal of Biological Chemistry</i> , 1994, 269, 7273-7278.	1.6	171
2292	Requirement of the propeptide for in vivo formation of active yeast carboxypeptidase Y.. <i>Journal of Biological Chemistry</i> , 1994, 269, 7006-7012.	1.6	52
2293	PIM1 encodes a mitochondrial ATP-dependent protease that is required for mitochondrial function in the yeast <i>Saccharomyces cerevisiae</i> .. <i>Journal of Biological Chemistry</i> , 1994, 269, 238-242.	1.6	204
2294	The propeptide is required for in vivo formation of stable active yeast proteinase A and can function even when not covalently linked to the mature region.. <i>Journal of Biological Chemistry</i> , 1993, 268, 18002-18007.	1.6	82
2295	VMA13 encodes a 54-kDa vacuolar H(+)-ATPase subunit required for activity but not assembly of the enzyme complex in <i>Saccharomyces cerevisiae</i> .. <i>Journal of Biological Chemistry</i> , 1993, 268, 18286-18292.	1.6	148
2296	Effects of amino-terminal extensions and specific mutations on the activity of restrictocin.. <i>Journal of Biological Chemistry</i> , 1992, 267, 16801-16805.	1.6	24
2297	Identification of the yeast TOP3 gene product as a single strand-specific DNA topoisomerase.. <i>Journal of Biological Chemistry</i> , 1992, 267, 17178-17185.	1.6	120
2298	Interactions between cAMP-dependent and SNF1 protein kinases in the control of glycogen accumulation in <i>Saccharomyces cerevisiae</i> .. <i>Journal of Biological Chemistry</i> , 1994, 269, 27907-27913.	1.6	105
2299	BLH1 codes for a yeast thiol aminopeptidase, the equivalent of mammalian bleomycin hydrolase.. <i>Journal of Biological Chemistry</i> , 1993, 268, 7036-7043.	1.6	70
2300	Enhanced stimulation of myosin subfragment 1 ATPase activity by addition of negatively charged residues to the yeast actin NH2 terminus.. <i>Journal of Biological Chemistry</i> , 1993, 268, 2410-2415.	1.6	89
2301	VMA12 is essential for assembly of the vacuolar H(+)-ATPase subunits onto the vacuolar membrane in <i>Saccharomyces cerevisiae</i> .. <i>Journal of Biological Chemistry</i> , 1993, 268, 961-967.	1.6	67
2302	The <i>Saccharomyces cerevisiae</i> LOS1 gene involved in pre-tRNA splicing encodes a nuclear protein that behaves as a component of the nuclear matrix.. <i>Journal of Biological Chemistry</i> , 1993, 268, 19436-19444.	1.6	37
2303	Interaction between a complex of RNA polymerase III subunits and the 70-kDa component of transcription factor IIIB.. <i>Journal of Biological Chemistry</i> , 1993, 268, 20721-20724.	1.6	115
2304	Phosphatidylserine decarboxylase from <i>Saccharomyces cerevisiae</i> . Isolation of mutants, cloning of the gene, and creation of a null allele.. <i>Journal of Biological Chemistry</i> , 1993, 268, 21416-21424.	1.6	203
2305	Yeast beta- and beta'-coat proteins (COP). Two coatomer subunits essential for endoplasmic reticulum-to-Golgi protein traffic.. <i>Journal of Biological Chemistry</i> , 1994, 269, 24486-24495.	1.6	124
2306	Interaction between Yeast Sgs1 Helicase and DNA Topoisomerase III. <i>Journal of Biological Chemistry</i> , 2000, 275, 26898-26905.	1.6	92

#	ARTICLE	IF	CITATIONS
2307	Cloning and characterization of two structurally and functionally divergent rhamnogalacturonases from <i>Aspergillus aculeatus</i> .. <i>Journal of Biological Chemistry</i> , 1994, 269, 29182-29189.	1.6	80
2308	Caffeine Targets TOR Complex I and Provides Evidence for a Regulatory Link between the FRB and Kinase Domains of Tor1p. <i>Journal of Biological Chemistry</i> , 2006, 281, 31616-31626.	1.6	57
2309	Localized mutagenesis and evidence for post-transcriptional regulation of MAK3. A putative N-acetyltransferase required for double-stranded RNA virus propagation in <i>Saccharomyces cerevisiae</i> .. <i>Journal of Biological Chemistry</i> , 1992, 267, 20270-20276.	1.6	74
2310	Control of yeast glycogen synthase-2 by COOH-terminal phosphorylation.. <i>Journal of Biological Chemistry</i> , 1993, 268, 23799-23805.	1.6	90
2311	Signal transduction by a nondissociable heterotrimeric yeast G protein. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000, 97, 3219-23.	3.3	45
2312	Lipid rafts function in biosynthetic delivery of proteins to the cell surface in yeast. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000, 97, 3254-9.	3.3	312
2313	A lower affinity to cytosolic proteins reveals VDAC3 isoform-specific role in mitochondrial biology. <i>Journal of General Physiology</i> , 2020, 152, .	0.9	36
2314	Antifungal activity of biosynthesized silver nanoparticles from <i>Candida albicans</i> on the strain lacking the CNP41 gene. <i>Materials Research Express</i> , 2020, 7, 125401.	0.8	7
2315	Genes required for vacuolar acidity in <i>Saccharomyces cerevisiae</i> .. <i>Genetics</i> , 1992, 131, 551-558.	1.2	45
2316	An examination of adaptive reversion in <i>Saccharomyces cerevisiae</i> .. <i>Genetics</i> , 1992, 132, 9-21.	1.2	120
2317	cis- and trans-acting suppressors of a translation initiation defect at the <i>cyc1</i> locus of <i>Saccharomyces cerevisiae</i> .. <i>Genetics</i> , 1992, 132, 97-112.	1.2	38
2318	Responsiveness to exogenous cAMP of a <i>Saccharomyces cerevisiae</i> strain conferred by naturally occurring alleles of PDE1 and PDE2.. <i>Genetics</i> , 1993, 135, 321-326.	1.2	17
2319	Deletion of a single-copy tRNA affects microtubule function in <i>Saccharomyces cerevisiae</i> .. <i>Genetics</i> , 1993, 135, 955-962.	1.2	10
2320	Specialization of B-type cyclins for mitosis or meiosis in <i>S. cerevisiae</i> .. <i>Genetics</i> , 1995, 140, 957-963.	1.2	78
2321	5 S rRNA is involved in fidelity of translational reading frame.. <i>Genetics</i> , 1995, 141, 95-105.	1.2	45
2322	Isolation of mutants of <i>Saccharomyces cerevisiae</i> requiring DNA topoisomerase I.. <i>Genetics</i> , 1995, 141, 465-479.	1.2	59
2323	The Identification of Transposon-Tagged Mutations in Essential Genes That Affect Cell Morphology in <i>Saccharomyces cerevisiae</i> . <i>Genetics</i> , 1996, 142, 39-50.	1.2	32
2324	New Mutants of <i>Saccharomyces cerevisiae</i> Affected in the Transport of Proteins From the Endoplasmic Reticulum to the Golgi Complex. <i>Genetics</i> , 1996, 142, 393-406.	1.2	127

#	ARTICLE	IF	CITATIONS
2325	Yeast Mutants That Produce a Novel Type of Ascus Containing Ascii Instead of Spores. <i>Genetics</i> , 1996, 144, 979-989.	1.2	14
2326	The Role of Sas2, an Acetyltransferase Homologue of <i>Saccharomyces cerevisiae</i> , in Silencing and ORC Function. <i>Genetics</i> , 1997, 145, 923-934.	1.2	126
2327	Dominant Mutations of Drosophila MAP Kinase Kinase and Their Activities in Drosophila and Yeast MAP Kinase Cascades. <i>Genetics</i> , 1997, 146, 263-273.	1.2	16
2328	The Prp1 Δ Gene Required for Pre-mRNA Splicing in <i>Schizosaccharomyces pombe</i> Encodes a Protein That Contains TPR Motifs and Is Similar to Prp6p of Budding Yeast. <i>Genetics</i> , 1997, 147, 101-115.	1.2	45
2329	Characterization of Synthetic-Lethal Mutants Reveals a Role for the <i>Saccharomyces cerevisiae</i> Guanine-Nucleotide Exchange Factor Cdc24p in Vacuole Function and Na ⁺ Tolerance. <i>Genetics</i> , 1997, 147, 43-55.	1.2	14
2330	Analysis of Mutationally Altered Forms of the Cct6 Subunit of the Chaperonin From <i>Saccharomyces cerevisiae</i> . <i>Genetics</i> , 1997, 147, 1609-1633.	1.2	29
2331	TOR2 Is Part of Two Related Signaling Pathways Coordinating Cell Growth in <i>Saccharomyces cerevisiae</i> . <i>Genetics</i> , 1998, 148, 99-112.	1.2	152
2332	Mot3, a Zn Finger Transcription Factor That Modulates Gene Expression and Attenuates Mating Pheromone Signaling in <i>Saccharomyces cerevisiae</i> . <i>Genetics</i> , 1998, 149, 879-892.	1.2	54
2333	SPE3, Which Encodes Spermidine Synthase, Is Required for Full Repression Through NREDIT in <i>Saccharomyces cerevisiae</i> . <i>Genetics</i> , 1998, 150, 59-73.	1.2	11
2334	An arf1 ^Δ Synthetic Lethal Screen Identifies a New Clathrin Heavy Chain Conditional Allele That Perturbs Vacuolar Protein Transport in <i>Saccharomyces cerevisiae</i> . <i>Genetics</i> , 1998, 150, 577-589.	1.2	48
2335	Mapping of a Yeast G Protein β Signaling Interaction. <i>Genetics</i> , 1998, 150, 1407-1417.	1.2	33
2336	An Allele of RFA1 Suppresses RAD52-Dependent Double-Strand Break Repair in <i>Saccharomyces cerevisiae</i> . <i>Genetics</i> , 1999, 151, 447-458.	1.2	68
2337	HMR-I Is an Origin of Replication and a Silencer in <i>Saccharomyces cerevisiae</i> . <i>Genetics</i> , 1999, 151, 521-529.	1.2	53
2338	Hmo1p, a High Mobility Group 1/2 Homolog, Genetically and Physically Interacts With the Yeast FKBP12 Prolyl Isomerase. <i>Genetics</i> , 1999, 151, 935-944.	1.2	33
2339	The Role of the Mismatch Repair Machinery in Regulating Mitotic and Meiotic Recombination Between Diverged Sequences in Yeast. <i>Genetics</i> , 1999, 151, 1299-1313.	1.2	162
2340	Trichome Cell Growth in <i>Arabidopsis thaliana</i> Can Be Derepressed by Mutations in at Least Five Genes. <i>Genetics</i> , 1999, 152, 461-476.	1.2	125
2341	A General Requirement for the Sin3-Rpd3 Histone Deacetylase Complex in Regulating Silencing in <i>Saccharomyces cerevisiae</i> . <i>Genetics</i> , 1999, 152, 921-932.	1.2	102
2342	Repair of Endonuclease-Induced Double-Strand Breaks in <i>Saccharomyces cerevisiae</i> : Essential Role for Genes Associated with Nonhomologous End-Joining. <i>Genetics</i> , 1999, 152, 1513-1529.	1.2	52

#	ARTICLE	IF	CITATIONS
2343	SAS4 and SAS5 Are Locus-Specific Regulators of Silencing in <i>Saccharomyces cerevisiae</i> . <i>Genetics</i> , 1999, 153, 25-33.	1.2	34
2344	The Conversion Gradient at HIS4 of <i>Saccharomyces cerevisiae</i> . I. Heteroduplex Rejection and Restoration of Mendelian Segregation. <i>Genetics</i> , 1999, 153, 555-572.	1.2	24
2345	Mks1p Is a Regulator of Nitrogen Catabolism Upstream of Ure2p in <i>Saccharomyces cerevisiae</i> . <i>Genetics</i> , 1999, 153, 585-594.	1.2	51
2346	Mutational Analysis of Yeast TFIIB: A Functional Relationship Between Ssu72 and Sub1/Tsp1 Defined by Allele-Specific Interactions With TFIIB. <i>Genetics</i> , 1999, 153, 643-652.	1.2	75
2347	Appearance and Properties of l-Sorbose-Utilizing Mutants of <i>Candida albicans</i> Obtained on a Selective Plate. <i>Genetics</i> , 1999, 153, 653-664.	1.2	60
2348	A Role for the Replication Proteins PCNA, RF-C, Polymerase $\hat{\mu}$ and Cdc45 in Transcriptional Silencing in <i>Saccharomyces cerevisiae</i> . <i>Genetics</i> , 1999, 153, 1171-1182.	1.2	83
2349	The G Protein-Coupled Receptor Gpr1 Is a Nutrient Sensor That Regulates Pseudohyphal Differentiation in <i>Saccharomyces cerevisiae</i> . <i>Genetics</i> , 2000, 154, 609-622.	1.2	224
2350	Proteasome Mutants, pre4-2 and ump1-2, Suppress the Essential Function but Not the Mitochondrial RNase P Function of the <i>Saccharomyces cerevisiae</i> Gene RPM2. <i>Genetics</i> , 2000, 154, 1013-1023.	1.2	11
2351	A STE12 Homolog Is Required for Mating but Dispensable for Filamentation in <i>Candida lusitanae</i> . <i>Genetics</i> , 2000, 155, 17-29.	1.2	48
2352	Point Mutations Identify a Conserved Region of the <i>Saccharomyces cerevisiae</i> AFR1 Gene That Is Essential for Both the Pheromone Signaling and Morphogenesis Functions. <i>Genetics</i> , 2000, 155, 43-55.	1.2	15
2353	Two Classes of <i>sir3</i> Mutants Enhance the <i>sir1</i> Mutant Mating Defect and Abolish Telomeric Silencing in <i>Saccharomyces cerevisiae</i> . <i>Genetics</i> , 2000, 155, 509-522.	1.2	44
2354	The <i>Saccharomyces cerevisiae</i> Centromere Protein Slk19p Is Required for Two Successive Divisions During Meiosis. <i>Genetics</i> , 2000, 155, 577-587.	1.2	30
2355	Zinc-Regulated Genes in <i>Saccharomyces cerevisiae</i> Revealed by Transposon Tagging. <i>Genetics</i> , 2000, 156, 45-58.	1.2	52
2356	A Role for Cytosolic Hsp70 in Yeast [<i>PSI</i> ⁺] Prion Propagation and [<i>PSI</i> ⁺] as a Cellular Stress. <i>Genetics</i> , 2000, 156, 559-570.	1.2	197
2357	Sequence Composition and Context Effects on the Generation and Repair of Frameshift Intermediates in Mononucleotide Runs in <i>Saccharomyces cerevisiae</i> . <i>Genetics</i> , 2000, 156, 571-578.	1.2	53
2358	WW Domains of Rsp5p Define Different Functions: Determination of Roles in Fluid Phase and Uracil Permease Endocytosis in <i>Saccharomyces cerevisiae</i> . <i>Genetics</i> , 2001, 157, 91-101.	1.2	55
2359	Yeast Frameshift Suppressor Mutations in the Genes Coding for Transcription Factor Mbf1p and Ribosomal Protein S3: Evidence for Autoregulation of S3 Synthesis. <i>Genetics</i> , 2001, 157, 1141-1158.	1.2	38
2360	Isolation and Characterization of <i>WHI3</i> , a Size-Control Gene of <i>Saccharomyces cerevisiae</i> . <i>Genetics</i> , 2001, 157, 1469-1480.	1.2	62

#	ARTICLE	IF	CITATIONS
2361	Multiple Functional Interactions Between Components of the Lsm2-Lsm8 Complex, U6 snRNA, and the Yeast La Protein. <i>Genetics</i> , 2001, 158, 187-196.	1.2	63
2362	Coordination Between Fission Yeast Glucan Formation and Growth Requires a Sphingolipase Activity. <i>Genetics</i> , 2001, 158, 1397-1411.	1.2	39
2363	Roles for Internal and Flanking Sequences in Regulating the Activity of Mating-Type-Silencer-Associated Replication Origins in <i>Saccharomyces cerevisiae</i> . <i>Genetics</i> , 2001, 159, 35-45.	1.2	23
2364	Spontaneous Frameshift Mutations in <i>Saccharomyces cerevisiae</i> : Accumulation During DNA Replication and Removal by Proofreading and Mismatch Repair Activities. <i>Genetics</i> , 2001, 159, 65-75.	1.2	42
2365	Cdc28 and Ime2 Possess Redundant Functions in Promoting Entry Into Premeiotic DNA Replication in <i>Saccharomyces cerevisiae</i> . <i>Genetics</i> , 2001, 159, 1547-1558.	1.2	31
2366	Sls1p Is a Membrane-Bound Regulator of Transcription-Coupled Processes Involved in <i>Saccharomyces cerevisiae</i> Mitochondrial Gene Expression. <i>Genetics</i> , 2002, 160, 75-82.	1.2	42
2367	The Cytoplasmic End of Transmembrane Domain 3 Regulates the Activity of the <i>Saccharomyces cerevisiae</i> G-Protein-Coupled $\hat{I}\pm$ -Factor Receptor. <i>Genetics</i> , 2002, 160, 429-443.	1.2	30
2368	The Novel Adaptor Protein, Mti1p, and Vrp1p, a Homolog of Wiskott-Aldrich Syndrome Protein-Interacting Protein (WIP), May Antagonistically Regulate Type I Myosins in <i>Saccharomyces cerevisiae</i> . <i>Genetics</i> , 2002, 160, 923-934.	1.2	49
2369	A Novel Selection System for Chromosome Translocations in <i>Saccharomyces cerevisiae</i> . <i>Genetics</i> , 2002, 160, 1363-1373.	1.2	17
2370	A Molecular Genetic Dissection of the Evolutionarily Conserved N Terminus of Yeast Rad52. <i>Genetics</i> , 2002, 161, 549-562.	1.2	73
2371	A Role for the <i>Saccharomyces cerevisiae</i> RENT Complex Protein Net1 in HMRSilencing. <i>Genetics</i> , 2002, 161, 1411-1423.	1.2	10
2372	Genetic Requirements for Spontaneous and Transcription-Stimulated Mitotic Recombination in <i>Saccharomyces cerevisiae</i> . <i>Genetics</i> , 2002, 162, 15-27.	1.2	24
2373	A Novel Yeast Silencer: The $2\frac{1}{4}$ Origin of <i>Saccharomyces cerevisiae</i> Has HST3-, MIG1- and SIR-Dependent Silencing Activity. <i>Genetics</i> , 2002, 162, 59-71.	1.2	27
2374	A Unique Class of Conditional sir2 Mutants Displays Distinct Silencing Defects in <i>Saccharomyces cerevisiae</i> . <i>Genetics</i> , 2002, 162, 721-736.	1.2	24
2375	The Yeast Ubiquitin Protease, Ubp3p, Promotes Protein Stability. <i>Genetics</i> , 2002, 162, 1079-1089.	1.2	22
2376	Alleles of the Yeast PMS1 Mismatch-Repair Gene That Differentially Affect Recombination- and Replication-Related Processes. <i>Genetics</i> , 2002, 162, 1131-1145.	1.2	28
2377	A <i>Saccharomyces cerevisiae</i> Genome-Wide Mutant Screen for Altered Sensitivity to K1 Killer Toxin. <i>Genetics</i> , 2003, 163, 875-894.	1.2	148
2378	Delineating the Requirements for Spontaneous DNA Damage Resistance Pathways in Genome Maintenance and Viability in <i>Saccharomyces cerevisiae</i> . <i>Genetics</i> , 2003, 164, 443-455.	1.2	8

#	ARTICLE	IF	CITATIONS
2379	Genomic Instability Induced by Mutations in <i>Saccharomyces cerevisiae</i> POL1. <i>Genetics</i> , 2003, 165, 65-81.	1.2	24
2380	Role of Mismatch Repair in the Fidelity of RAD51- and RAD59-Dependent Recombination in <i>Saccharomyces cerevisiae</i> . <i>Genetics</i> , 2003, 165, 1733-1744.	1.2	35
2381	E5 transforming proteins of papillomaviruses do not disturb the activity of the vacuolar H ⁺ -ATPase. <i>Journal of General Virology</i> , 2001, 82, 2353-2362.	1.3	26
2382	Phospholipase D activity is required for dimorphic transition in <i>Candida albicans</i> . <i>Microbiology (United Kingdom)</i> , 1997, 143, 3521-3526.	0.7	39
2383	Mitochondrial respiratory mutants of <i>Saccharomyces cerevisiae</i> accumulate glycogen and readily mobilize it in a glucose-depleted medium. <i>Microbiology (United Kingdom)</i> , 2000, 146, 2685-2694.	0.7	38
2384	Allele-specific gene targeting in <i>Candida albicans</i> results from heterology between alleles The GenBank accession numbers for the sequences reported in this paper are AF247189 and AF247190 for PHR1-1 and PHR1-2, respectively.. <i>Microbiology (United Kingdom)</i> , 2000, 146, 2097-2104.	0.7	29
2385	Cell cycle control of septin ring dynamics in the budding yeast. <i>Microbiology (United Kingdom)</i> , 2001, 147, 1437-1450.	0.7	89
2386	Thiamin auxotrophy in yeast through altered cofactor dependence of the enzyme acetohydroxyacid synthase. <i>Microbiology (United Kingdom)</i> , 2001, 147, 2389-2398.	0.7	5
2387	Phosphatidylinositol-4-phosphate 5-kinase activity is stimulated during temperature-induced morphogenesis in <i>Candida albicans</i> . <i>Microbiology (United Kingdom)</i> , 2002, 148, 1737-1746.	0.7	12
2388	A PCR-based strategy to generate integrative targeting alleles with large regions of homology. <i>Microbiology (United Kingdom)</i> , 2002, 148, 2607-2615.	0.7	290
2390	Functional interactions of Prp8 with both splice sites at the spliceosomal catalytic center. <i>Genes and Development</i> , 1999, 13, 1983-1993.	2.7	105
2391	Luc7p, a novel yeast U1 snRNP protein with a role in 5' splice site recognition. <i>Genes and Development</i> , 1999, 13, 2425-2438.	2.7	98
2392	Biogenesis of the Yeast Vacuole (lysosome). The Use of Active-Site Mutants of Proteinase yscA to Determine the Necessity of the Enzyme for Vacuolar Proteinase Maturation and Proteinase yscB Stability. <i>FEBS Journal</i> , 1995, 231, 115-125.	0.2	30
2393	Direct detection of recombinant gene expression by two genetically engineered yeasts in soil on the transcriptional and translational levels. <i>Applied and Environmental Microbiology</i> , 1995, 61, 4296-4303.	1.4	10
2394	Cloning and expression in <i>Saccharomyces cerevisiae</i> of a <i>Trichoderma reesei</i> beta-mannanase gene containing a cellulose binding domain. <i>Applied and Environmental Microbiology</i> , 1995, 61, 1090-1097.	1.4	152
2395	Cloning of genes encoding alpha-L-arabinofuranosidase and beta-xylosidase from <i>Trichoderma reesei</i> by expression in <i>Saccharomyces cerevisiae</i> . <i>Applied and Environmental Microbiology</i> , 1996, 62, 3840-3846.	1.4	155
2396	Molecular polymorphism distribution in phenotypically distinct populations of wine yeast strains. <i>Applied and Environmental Microbiology</i> , 1996, 62, 1944-1950.	1.4	62
2397	Inactivation of <i>MXR1</i> Abolishes Formation of Dimethyl Sulfide from Dimethyl Sulfoxide in <i>Saccharomyces cerevisiae</i> . <i>Applied and Environmental Microbiology</i> , 1999, 65, 3915-3919.	1.4	40

#	ARTICLE	IF	CITATIONS
2398	Expression of the Extracellular Domain of the Human Immunodeficiency Virus Type 1 Envelope Protein and Its Fusion with β -Galactosidase in <i>Saccharomyces cerevisiae</i> . <i>Vaccine Journal</i> , 1998, 5, 592-594.	2.6	1
2399	Attenuated virulence of uridine-uracil auxotrophs of <i>Aspergillus fumigatus</i> . <i>Infection and Immunity</i> , 1996, 64, 4401-4405.	1.0	128
2400	Transcriptional Regulation of CLN3 Expression by Glucose in <i>Saccharomyces cerevisiae</i> . <i>Journal of Bacteriology</i> , 1998, 180, 4508-4515.	1.0	38
2401	Growth-Independent Regulation of <i>CLN3</i> mRNA Levels by Nutrients in <i>Saccharomyces cerevisiae</i> . <i>Journal of Bacteriology</i> , 1998, 180, 225-230.	1.0	48
2402	The TATA-Binding Protein (TBP) from the Human Fungal Pathogen <i>Candida albicans</i> Can Complement Defects in Human and Yeast TBPs. <i>Journal of Bacteriology</i> , 1998, 180, 1771-1776.	1.0	4
2403	Sterol Uptake in <i>Saccharomyces cerevisiae</i> Heme Auxotrophic Mutants Is Affected by Ergosterol and Oleate but Not by Palmitoleate or by Sterol Esterification. <i>Journal of Bacteriology</i> , 1998, 180, 1913-1919.	1.0	39
2404	The Pol ϵ -14 Dominant Negative Rat DNA Polymerase ϵ Mutator Mutant Commits Errors during the Gap-Filling Step of Base Excision Repair in <i>Saccharomyces cerevisiae</i> . <i>Journal of Bacteriology</i> , 1998, 180, 2292-2297.	1.0	13
2405	Isolation of a Putative <i>Candida albicans</i> Transcriptional Regulator Involved in Pleiotropic Drug Resistance by Functional Complementation of a <i>pdr1 pdr3</i> Mutation in <i>Saccharomyces cerevisiae</i> . <i>Journal of Bacteriology</i> , 1999, 181, 231-240.	1.0	97
2406	Specific Chromosome Alterations in Fluconazole-Resistant Mutants of <i>Candida albicans</i> . <i>Journal of Bacteriology</i> , 1999, 181, 4041-4049.	1.0	129
2407	Molecular Cloning and Functional Expression of Alternative Oxidase from <i>Candida albicans</i> . <i>Journal of Bacteriology</i> , 1999, 181, 4098-4102.	1.0	59
2408	The bZip Transcription Factor Cap1p Is Involved in Multidrug Resistance and Oxidative Stress Response in <i>Candida albicans</i> . <i>Journal of Bacteriology</i> , 1999, 181, 700-708.	1.0	226
2409	Redundant Systems of Phosphatidic Acid Biosynthesis via Acylation of Glycerol-3-Phosphate or Dihydroxyacetone Phosphate in the Yeast <i>Saccharomyces cerevisiae</i> . <i>Journal of Bacteriology</i> , 1999, 181, 1458-1463.	1.0	88
2410	Elimination of L-A double-stranded RNA virus of <i>Saccharomyces cerevisiae</i> by expression of gag and gag-pol from an L-A cDNA clone. <i>Journal of Virology</i> , 1993, 67, 2764-2771.	1.5	45
2411	A cryptic RNA-binding domain in the Pol region of the L-A double-stranded RNA virus Gag-Pol fusion protein. <i>Journal of Virology</i> , 1994, 68, 6014-6020.	1.5	17
2412	Synthesis of Semliki Forest virus RNA polymerase components nsP1 through nsP4 in <i>Saccharomyces cerevisiae</i> by expression of cDNA encoding the nonstructural polyprotein. <i>Journal of Virology</i> , 1996, 70, 4086-4089.	1.5	2
2413	Analysis of the interaction of viral RNA replication proteins by using the yeast two-hybrid assay. <i>Journal of Virology</i> , 1997, 71, 7526-7532.	1.5	76
2414	Identification of Specific Nucleotide Sequences within the Conserved 3' SL in the Dengue Type 2 Virus Genome Required for Replication. <i>Journal of Virology</i> , 1998, 72, 7510-7522.	1.5	163
2415	The <i>CDC20</i> Gene Product of <i>Saccharomyces cerevisiae</i> , a β -Transducin Homolog, Is Required for a Subset of Microtubule-Dependent Cellular Processes. <i>Molecular and Cellular Biology</i> , 1991, 11, 5592-5602.	1.1	76

#	ARTICLE	IF	CITATIONS
2416	<i>RPC53</i> Encodes a Subunit of <i>Saccharomyces cerevisiae</i> RNA Polymerase C (III) Whose Inactivation Leads to a Predominantly G ₁ Arrest. <i>Molecular and Cellular Biology</i> , 1992, 12, 4314-4326.	1.1	35
2417	<i>RPC82</i> Encodes the Highly Conserved, Third-Largest Subunit of RNA Polymerase Q (III) from <i>Saccharomyces cerevisiae</i> . <i>Molecular and Cellular Biology</i> , 1992, 12, 4433-4440.	1.1	25
2418	Involvement of the <i>SIN4</i> Global Transcriptional Regulator in the Chromatin Structure of <i>Saccharomyces cerevisiae</i> . <i>Molecular and Cellular Biology</i> , 1992, 12, 4503-4514.	1.1	102
2419	The Yeast <i>EUG1</i> Gene Encodes an Endoplasmic Reticulum Protein That Is Functionally Related to Protein Disulfide Isomerase. <i>Molecular and Cellular Biology</i> , 1992, 12, 4601-4611.	1.1	54
2420	The N-Terminal 96 Residues of MCM1, a Regulator of Cell Type-Specific Genes in <i>Saccharomyces cerevisiae</i> , Are Sufficient for DNA Binding, Transcription Activation, and Interaction with \hat{I} . <i>Molecular and Cellular Biology</i> , 1992, 12, 3563-3572.	1.1	23
2421	<i>COT1</i> , a Gene Involved in Cobalt Accumulation in <i>Saccharomyces cerevisiae</i> . <i>Molecular and Cellular Biology</i> , 1992, 12, 3678-3688.	1.1	100
2422	Transcription of \hat{I} -Specific Genes in <i>Saccharomyces cerevisiae</i> : DNA Sequence Requirements for Activity of the Coregulator \hat{I} . <i>Molecular and Cellular Biology</i> , 1993, 13, 6866-6875.	1.1	22
2423	<i>AFR1</i> Acts in Conjunction with the \hat{I} -Factor Receptor To Promote Morphogenesis and Adaptation. <i>Molecular and Cellular Biology</i> , 1993, 13, 6876-6888.	1.1	28
2424	Nuclear RNase MRP is required for correct processing of pre-5.8S rRNA in <i>Saccharomyces cerevisiae</i> . <i>Molecular and Cellular Biology</i> , 1993, 13, 7935-7941.	1.1	178
2425	Transcriptional Repression in <i>Saccharomyces cerevisiae</i> by a <i>SIN3</i> - <i>LexA</i> Fusion Protein. <i>Molecular and Cellular Biology</i> , 1993, 13, 1805-1814.	1.1	70
2426	The <i>COT2</i> Gene Is Required for Glucose-Dependent Divalent Cation Transport in <i>Saccharomyces cerevisiae</i> . <i>Molecular and Cellular Biology</i> , 1993, 13, 2041-2049.	1.1	29
2427	Substrate Length Requirements for Efficient Mitotic Recombination in <i>Saccharomyces cerevisiae</i> . <i>Molecular and Cellular Biology</i> , 1993, 13, 3937-3950.	1.1	142
2428	The Immunosuppressant FK506 Inhibits Amino Acid Import in <i>Saccharomyces cerevisiae</i> . <i>Molecular and Cellular Biology</i> , 1993, 13, 5010-5019.	1.1	35
2429	Suppression of c- <i>Src</i> Activity by C-Terminal <i>Src</i> Kinase Involves the c- <i>Src</i> SH2 and SH3 Domains: Analysis with <i>Saccharomyces cerevisiae</i> . <i>Molecular and Cellular Biology</i> , 1993, 13, 5290-5300.	1.1	50
2430	Mutational and Functional Analysis of Dominant <i>SPT2</i> (<i>SIN1</i>) Suppressor Alleles in <i>Saccharomyces cerevisiae</i> . <i>Molecular and Cellular Biology</i> , 1993, 13, 5393-5407.	1.1	16
2431	The <i>sua8</i> suppressors of <i>Saccharomyces cerevisiae</i> encode replacements of conserved residues within the largest subunit of RNA polymerase II and affect transcription start site selection similarly to <i>sua7</i> (<i>TFIIB</i>) mutations. <i>Molecular and Cellular Biology</i> , 1994, 14, 226-237.	1.1	57
2432	Two FK506 Resistance-Confering Genes in <i>Saccharomyces cerevisiae</i> , <i>TAT1</i> and <i>TAT2</i> , Encode Amino Acid Permeases Mediating Tyrosine and Tryptophan Uptake. <i>Molecular and Cellular Biology</i> , 1994, 14, 6597-6606.	1.1	61
2433	G ₁ Cyclin Degradation: the PEST Motif of Yeast <i>Cln2</i> Is Necessary, but Not Sufficient, for Rapid Protein Turnover. <i>Molecular and Cellular Biology</i> , 1994, 14, 7953-7966.	1.1	62

#	ARTICLE	IF	CITATIONS
2434	MCM1 Point Mutants Deficient in Expression of $\hat{I}\pm$ -Specific Genes: Residues Important for Interaction with $\hat{I}\pm 1$. <i>Molecular and Cellular Biology</i> , 1994, 14, 2534-2544.	1.1	22
2435	Suppression of Yeast RNA Polymerase III Mutations by <i>FHL1</i> , a Gene Coding for a <i>fork head</i> Protein Involved in rRNA Processing. <i>Molecular and Cellular Biology</i> , 1994, 14, 2905-2913.	1.1	69
2436	Characterization of tobacco protein kinase NPK5, a homolog of <i>Saccharomyces cerevisiae</i> SNF1 that constitutively activates expression of the glucose-repressible SUC2 gene for a secreted invertase of <i>S. cerevisiae</i> . <i>Molecular and Cellular Biology</i> , 1994, 14, 2958-2965.	1.1	58
2437	Chromosomal DNA Replication Initiates at the Same Origins in Meiosis and Mitosis. <i>Molecular and Cellular Biology</i> , 1994, 14, 3524-3534.	1.1	36
2438	Biochemical and Genetic Analysis of Dominant-Negative Mutations Affecting a Yeast G-Protein $\hat{\beta}$ Subunit. <i>Molecular and Cellular Biology</i> , 1994, 14, 4571-4578.	1.1	17
2439	<i>MIP1</i> , a New Yeast Gene Homologous to the Rat Mitochondrial Intermediate Peptidase Gene, Is Required for Oxidative Metabolism in <i>Saccharomyces cerevisiae</i> . <i>Molecular and Cellular Biology</i> , 1994, 14, 5603-5616.	1.1	24
2440	The Val34Leu Polymorphism in the A Subunit of Coagulation Factor XIII Contributes to the Large Normal Range in Activity and Demonstrates That the Activation Peptide Plays a Role in Catalytic Activity. <i>Blood</i> , 1998, 92, 2766-2770.	0.6	2
2441	Inducible cell ablation in <i>Drosophila</i> by cold-sensitive ricin A chain. <i>Development (Cambridge)</i> , 1992, 114, 681-687.	1.2	76
2442	Deltex acts as a positive regulator of Notch signaling through interactions with the Notch ankyrin repeats. <i>Development (Cambridge)</i> , 1995, 121, 2633-2644.	1.2	275
2443	A yeast heat shock transcription factor (Hsf1) mutant is defective in both Hsc82/Hsp82 synthesis and spindle pole body duplication. <i>Journal of Cell Science</i> , 1997, 110, 1879-1891.	1.2	50
2444	A structure/function analysis of Rat7p/Nup159p, an essential nucleoporin of <i>Saccharomyces cerevisiae</i> . <i>Journal of Cell Science</i> , 1997, 110, 2987-2999.	1.2	43
2445	The <i>S. cerevisiae</i> CLU1 and <i>D. discoideum</i> cluA genes are functional homologues that influence mitochondrial morphology and distribution. <i>Journal of Cell Science</i> , 1998, 111, 1717-1727.	1.2	76
2446	The Cdk inhibitors p25rum1 and p40SIC1 are functional homologues that play similar roles in the regulation of the cell cycle in fission and budding yeast. <i>Journal of Cell Science</i> , 1998, 111, 843-851.	1.2	28
2447	Rvs167p, the budding yeast homolog of amphiphysin, colocalizes with actin patches. <i>Journal of Cell Science</i> , 1999, 112, 2529-2537.	1.2	60
2448	Yeast myosin light chain, Mlc1p, interacts with both IQGAP and Class II myosin to effect cytokinesis. <i>Journal of Cell Science</i> , 2000, 113, 4533-4543.	1.2	78
2449	Regulation of cytokinesis by the Elm1 protein kinase in <i>Saccharomyces cerevisiae</i> . <i>Journal of Cell Science</i> , 2000, 113, 1435-1445.	1.2	97
2450	Ash1 and Tup1 dependent repression of the <i>Saccharomyces cerevisiae</i> HO promoter requires activator-dependent nucleosome eviction. <i>PLoS Genetics</i> , 2020, 16, e1009133.	1.5	4
2451	[PSI ⁺] Maintenance Is Dependent on the Composition, Not Primary Sequence, of the Oligopeptide Repeat Domain. <i>PLoS ONE</i> , 2011, 6, e21953.	1.1	34

#	ARTICLE	IF	CITATIONS
2452	Characterization of <i>Leishmania donovani</i> Aquaporins Shows Presence of Subcellular Aquaporins Similar to Tonoplast Intrinsic Proteins of Plants. <i>PLoS ONE</i> , 2011, 6, e24820.	1.1	16
2453	Aminoacyl-tRNA-Charged Eukaryotic Elongation Factor 1A Is the Bona Fide Substrate for <i>Legionella pneumophila</i> Effector Glucosyltransferases. <i>PLoS ONE</i> , 2011, 6, e29525.	1.1	25
2454	Modelling the Regulation of Thermal Adaptation in <i>Candida albicans</i> , a Major Fungal Pathogen of Humans. <i>PLoS ONE</i> , 2012, 7, e32467.	1.1	52
2455	<i>Saccharomyces cerevisiae</i> Based Platform for Rapid Production and Evaluation of Eukaryotic Nutrient Transporters and Transceptors for Biochemical Studies and Crystallography. <i>PLoS ONE</i> , 2013, 8, e76851.	1.1	22
2456	Independent and Additive Effects of Glutamic Acid and Methionine on Yeast Longevity. <i>PLoS ONE</i> , 2013, 8, e79319.	1.1	72
2457	The PCNA Interaction Protein Box Sequence in Rad54 Is an Integral Part of Its ATPase Domain and Is Required for Efficient DNA Repair and Recombination. <i>PLoS ONE</i> , 2013, 8, e82630.	1.1	9
2458	VelC Positively Controls Sexual Development in <i>Aspergillus nidulans</i> . <i>PLoS ONE</i> , 2014, 9, e89883.	1.1	69
2459	<i>Candida albicans</i> Suppresses Nitric Oxide Generation from Macrophages via a Secreted Molecule. <i>PLoS ONE</i> , 2014, 9, e96203.	1.1	39
2460	The Budding Yeast Amphiphysin Complex Is Required for Contractile Actin Ring (CAR) Assembly and Post-Contraction GEF-Independent Accumulation of Rho1-GTP. <i>PLoS ONE</i> , 2014, 9, e97663.	1.1	3
2461	Characterization of a Putative Spindle Assembly Checkpoint Kinase Mps1, Suggests Its Involvement in Cell Division, Morphogenesis and Oxidative Stress Tolerance in <i>Candida albicans</i> . <i>PLoS ONE</i> , 2014, 9, e101517.	1.1	11
2462	Golgi Localized Barley MTP8 Proteins Facilitate Mn Transport. <i>PLoS ONE</i> , 2014, 9, e113759.	1.1	60
2463	Availability of Amino Acids Extends Chronological Lifespan by Suppressing Hyper-Acidification of the Environment in <i>Saccharomyces cerevisiae</i> . <i>PLoS ONE</i> , 2016, 11, e0151894.	1.1	27
2464	Sar1, a Novel Regulator of ER-Mitochondrial Contact Sites. <i>PLoS ONE</i> , 2016, 11, e0154280.	1.1	22
2465	Host-Imposed Copper Poisoning Impacts Fungal Micronutrient Acquisition during Systemic <i>Candida albicans</i> Infections. <i>PLoS ONE</i> , 2016, 11, e0158683.	1.1	64
2466	The Rewiring of Ubiquitination Targets in a Pathogenic Yeast Promotes Metabolic Flexibility, Host Colonization and Virulence. <i>PLoS Pathogens</i> , 2016, 12, e1005566.	2.1	74
2467	Blocking two-component signalling enhances <i>Candida albicans</i> virulence and reveals adaptive mechanisms that counteract sustained SAPK activation. <i>PLoS Pathogens</i> , 2017, 13, e1006131.	2.1	28
2468	A Role for Mediator Core in Limiting Coactivator Recruitment in <i>Saccharomyces cerevisiae</i> . <i>Genetics</i> , 2020, 215, 407-420.	1.2	9
2469	Ydj1 governs fungal morphogenesis and stress response, and facilitates mitochondrial protein import via Mas1 and Mas2. <i>Microbial Cell</i> , 2017, 4, 342-361.	1.4	33

#	ARTICLE	IF	CITATIONS
2470	<l>ZmGT1</l> Transports Glutathione Conjugates and Its Expression Is Induced by Herbicide Atrazine. Progress in Biochemistry and Biophysics, 2010, 37, 1120-1127.	0.3	9
2471	Antimicrobial Photodynamic Therapy with Functionalized Fullerenes: Quantitative Structure-activity Relationships. Journal of Nanomedicine & Nanotechnology, 2011, 02, 1-9.	1.1	80
2472	Aim24 and MICOS modulate respiratory function, tafazzin-related cardiolipin modification and mitochondrial architecture. ELife, 2014, 3, e01684.	2.8	64
2473	COPI selectively drives maturation of the early Golgi. ELife, 2015, 4, .	2.8	70
2474	A FRET-based study reveals site-specific regulation of spindle position checkpoint proteins at yeast centrosomes. ELife, 2016, 5, .	2.8	27
2475	Polo-like kinase Cdc5 regulates Spc72 recruitment to spindle pole body in the methylotrophic yeast Ogataea polymorpha. ELife, 2017, 6, .	2.8	9
2476	Context-dependent deposition and regulation of mRNAs in P-bodies. ELife, 2018, 7, .	2.8	63
2477	Vegemite Beer: yeast extract spreads as nutrient supplements to promote fermentation. PeerJ, 2016, 4, e2271.	0.9	12
2478	Protein phosphatase 1 in association with Bud14 inhibits mitotic exit in Saccharomyces cerevisiae. ELife, 2021, 10, .	2.8	6
2479	Nrd1p identifies aberrant and natural exosomal target messages during the nuclear mRNA surveillance in <i>Saccharomyces cerevisiae</i>. Nucleic Acids Research, 2021, 49, 11512-11536.	6.5	8
2480	The Yeast HSM3 Gene Is Not Involved in DNA Mismatch Repair in Rapidly Dividing Cells. Genetics, 2000, 154, 491-493.	1.2	4
2481	Two Hybrid cDNA Cloning. , 2002, , 145-165.		0
2482	Obtention of Auxotrophic Mutants in Hansenula polymorpha. , 2003, , 83-88.		0
2483	Functional and Structural Analysis Reveals Dual Function on C-Terminal Î± Helix of Alg13 Protein. , 2010, , 260-280.		0
2484	Rapid Fermentation of Freeze-Concentrated Ice Apple Wine by a Sugar Tolerant Yeast, Saccharomyces cerevisiae SS89. Korean Journal of Food Preservation, 2012, 19, 413-419.	0.2	6
2485	A Yeast-Based Recombination Assay for Homing Endonuclease Activity. Methods in Molecular Biology, 2014, 1123, 105-126.	0.4	0
2486	NPK1, a tobacco gene that encodes a protein with a domain homologous to yeast BCK1, STE11, and Byr2 protein kinases. Molecular and Cellular Biology, 1993, 13, 4745-4752.	1.1	44
2487	Methods for Expressing Recombinant Proteins in Yeast. , 1996, , 105-153.		0

#	ARTICLE	IF	CITATIONS
2488	Identification of Novel Cell Cycle Targets Using Small Molecule Ligands. , 1996, , 145-156.		0
2489	Establishment of a screening system for α - ^{55}Fe (III)-phytosiderophore-transporter protein from Fe-deficient barley roots. , 1997, , 291-292.		0
2490	Afr1p Regulates the <i>Saccharomyces cerevisiae</i> $\hat{1}$ -Factor Receptor by a Mechanism That Is Distinct From Receptor Phosphorylation and Endocytosis. <i>Genetics</i> , 1998, 148, 625-635.	1.2	15
2491	A Novel Asn344 Deletion in the Core Domain of Coagulation Factor XIII A Subunit: Its Effects on Protein Structure and Function. <i>Blood</i> , 1998, 92, 481-487.	0.6	0
2492	Genome-Wide Strategies for Studying Gene Function by Using Model Systems. , 0, , 347-365.		0
2493	Mating and Parasexual Genetics in <i>Candida albicans</i> . , 0, , 71-88.		0
2494	20. \hat{A} Probiotics. , 2015, , .		0
2497	Effect of Bud3 phosphorylation site mutations on bud site selection and cell cycle progression in <i>Saccharomyces cerevisiae</i> . <i>Bios</i> , 2019, 90, 59.	0.0	0
2501	Wine Yeasts Selection: Laboratory Characterization and Protocol Review. <i>Microorganisms</i> , 2021, 9, 2223.	1.6	8
2527	Direct protein-protein interaction between the intracellular domain of TRA-2 and the transcription factor TRA-1A modulates feminizing activity in <i>C. elegans</i> . <i>Genes and Development</i> , 2000, 14, 3153-65.	2.7	48
2528	A potassium transporter of the yeast <i>Schwanniomyces occidentalis</i> homologous to the Kup system of <i>Escherichia coli</i> has a high concentrative capacity. <i>EMBO Journal</i> , 1995, 14, 3021-7.	3.5	49
2529	Nin1p, a regulatory subunit of the 26S proteasome, is necessary for activation of Cdc28p kinase of <i>Saccharomyces cerevisiae</i> . <i>EMBO Journal</i> , 1995, 14, 3105-15.	3.5	32
2530	The products of the SUP45 (eRF1) and SUP35 genes interact to mediate translation termination in <i>Saccharomyces cerevisiae</i> . <i>EMBO Journal</i> , 1995, 14, 4365-73.	3.5	268
2531	The Dbf2 and Dbf20 protein kinases of budding yeast are activated after the metaphase to anaphase cell cycle transition. <i>EMBO Journal</i> , 1994, 13, 1103-13.	3.5	60
2532	The cdc7 protein kinase is a dosage dependent regulator of septum formation in fission yeast. <i>EMBO Journal</i> , 1994, 13, 3011-9.	3.5	68
2533	A zinc finger protein, essential for chromosome segregation, constitutes a putative DNA binding subunit of the <i>Saccharomyces cerevisiae</i> kinetochore complex, Cbf3. <i>EMBO Journal</i> , 1994, 13, 5203-11.	3.5	53
2534	Immunophilins interact with calcineurin in the absence of exogenous immunosuppressive ligands. <i>EMBO Journal</i> , 1994, 13, 5944-57.	3.5	79
2535	A novel nuclear pore protein Nup133p with distinct roles in poly(A) ⁺ RNA transport and nuclear pore distribution. <i>EMBO Journal</i> , 1994, 13, 6062-75.	3.5	143

#	ARTICLE	IF	CITATIONS
2536	Functional interaction of Nic96p with a core nucleoporin complex consisting of Nsp1p, Nup49p and a novel protein Nup57p. <i>EMBO Journal</i> , 1995, 14, 76-87.	3.5	87
2537	Targets of immunophilin-immunosuppressant complexes are distinct highly conserved regions of calcineurin A. <i>EMBO Journal</i> , 1995, 14, 2772-83.	3.5	48
2538	Genetic and biochemical characterization of ISP6, a small mitochondrial outer membrane protein associated with the protein translocation complex. <i>EMBO Journal</i> , 1993, 12, 3023-34.	3.5	34
2539	Purification of NSP1 reveals complex formation with 'GLFG' nucleoporins and a novel nuclear pore protein NIC96. <i>EMBO Journal</i> , 1993, 12, 3061-71.	3.5	98
2540	Nuclear pore proteins are involved in the biogenesis of functional tRNA. <i>EMBO Journal</i> , 1996, 15, 2270-84.	3.5	90
2541	Competition between folding and glycosylation in the endoplasmic reticulum. <i>EMBO Journal</i> , 1996, 15, 3538-46.	3.5	19
2542	The yeast protein Arc1p binds to tRNA and functions as a cofactor for the methionyl- and glutamyl-tRNA synthetases. <i>EMBO Journal</i> , 1996, 15, 5437-48.	3.5	88
2543	The PMT gene family: protein O-glycosylation in <i>Saccharomyces cerevisiae</i> is vital. <i>EMBO Journal</i> , 1996, 15, 5752-9.	3.5	100
2544	Human p68 kinase exhibits growth suppression in yeast and homology to the translational regulator GCN2. <i>EMBO Journal</i> , 1992, 11, 1553-62.	3.5	143
2561	Mechanism and ion-dependence of in vitro autoactivation of yeast proteinase A: possible implications for compartmentalized activation in vivo. <i>Biochemical Journal</i> , 1997, 326 (Pt 2), 339-44.	1.7	2
2562	Functional expression, quantification and cellular localization of the Hxt2 hexose transporter of <i>Saccharomyces cerevisiae</i> tagged with the green fluorescent protein. <i>Biochemical Journal</i> , 1999, 339 (Pt 1), 17-24.	1.7	10
2563	Functional divergence between the half-sites of the DNA-binding sequence for the yeast transcriptional regulator Rap1p. <i>Biochemical Journal</i> , 1999, 341 (Pt 3), 477-82.	1.7	8
2564	<i>Saccharomyces cerevisiae</i> Yak1p protein kinase autophosphorylates on tyrosine residues and phosphorylates myelin basic protein on a C-terminal serine residue. <i>Biochemical Journal</i> , 2000, 348 Pt 2, 263-72.	1.7	18
2565	Disruption and overexpression of the <i>Schizosaccharomyces pombe</i> aph1 gene and the effects on intracellular diadenosine 5',5'''-P1, P4-tetraphosphate (Ap4A), ATP and ADP concentrations. <i>Biochemical Journal</i> , 2000, 350 Pt 3, 663-9.	1.7	10
2566	Photoaffinity labelling with P3-(4-azidoanilido)uridine 5'-triphosphate identifies gpi3p as the UDP-GlcNAc-binding subunit of the enzyme that catalyses formation of GlcNAc-phosphatidylinositol, the first glycolipid intermediate in glycosylphosphatidylinositol synthesis. <i>Biochemical Journal</i> , 2000, 350 Pt 3, 815-22.	1.7	14
2567	Phosphorylation of the <i>Saccharomyces cerevisiae</i> La protein does not appear to be required for its functions in tRNA maturation and nascent RNA stabilization. <i>Rna</i> , 2001, 7, 1589-602.	1.6	16
2601	The Arabidopsis transcription factors AtPHL1 and AtHB23 act together promoting carbohydrate transport from pedicel-silique nodes to seeds. <i>Plant Science</i> , 2022, 315, 111133.	1.7	3
2602	AI-based forecasting of ethanol fermentation using yeast morphological data. <i>Bioscience, Biotechnology and Biochemistry</i> , 2021, 86, 125-134.	0.6	10

#	ARTICLE	IF	CITATIONS
2603	Single-molecule studies of yeast Rad51 paralogs. <i>Methods in Enzymology</i> , 2021, 661, 343-362.	0.4	0
2604	High-Throughput Analysis of Protein Turnover with Tandem Fluorescent Protein Timers. <i>Methods in Molecular Biology</i> , 2022, 2378, 85-100.	0.4	3
2605	Genotoxicity of aflatoxin B1: evidence for a recombination-mediated mechanism in <i>Saccharomyces cerevisiae</i> . <i>Cancer Research</i> , 1996, 56, 5457-65.	0.4	31
2606	Exportin Crm1 is important for Swi6 nuclear shuttling and MBF transcription activation in <i>Saccharomyces cerevisiae</i> . <i>BMC Molecular and Cell Biology</i> , 2022, 23, 10.	1.0	0
2607	Identification of defined structural elements within TOR2 kinase required for TOR complex 2 assembly and function in <i>Saccharomyces cerevisiae</i> . <i>Molecular Biology of the Cell</i> , 2022, 33, mbcE21120611.	0.9	5
2608	ER-PM membrane contact site regulation by yeast ORPs and membrane stress pathways. <i>PLoS Genetics</i> , 2022, 18, e1010106.	1.5	6
2609	Creeping yeast: a simple, cheap and robust protocol for the identification of mating type in <i>Saccharomyces cerevisiae</i> . <i>FEMS Yeast Research</i> , 2022, 22, .	1.1	2
2610	A high-throughput microfluidic diploid yeast long-term culturing (DYLC) chip capable of bud reorientation and concerted daughter dissection for replicative lifespan determination. <i>Journal of Nanobiotechnology</i> , 2022, 20, 171.	4.2	5
2611	Short ozonation for effective removal and detoxification of fermentation inhibitors resulting from thermal pretreatment. <i>Renewable Energy</i> , 2022, 189, 1407-1418.	4.3	6
2612	Identification and analysis of genes causing varietal differences of cesium accumulation in soybean. <i>Soil Science and Plant Nutrition</i> , 2021, 67, 670-680.	0.8	0
2617	Allele-specific suppression of temperature-sensitive mutations of the <i>Saccharomyces cerevisiae</i> RAD52 gene. <i>Current Genetics</i> , 1996, 29, 203-210.	0.8	0
2618	ERG1, encoding squalene epoxidase, is located on the right arm of chromosome VII of <i>Saccharomyces cerevisiae</i> . <i>Yeast</i> , 1996, 12, 609-13.	0.8	26
2619	Dual targeting of <i>Saccharomyces cerevisiae</i> Pso2 to mitochondria and the nucleus, and its functional relevance in the repair of DNA interstrand crosslinks. <i>G3: Genes, Genomes, Genetics</i> , 2022, 12, .	0.8	1
2620	SIN-Like Pathway Kinases Regulate the End of Mitosis in the Methylophilic Yeast <i>Ogataea polymorpha</i> . <i>Cells</i> , 2022, 11, 1519.	1.8	1
2621	Genome-wide identification and expression analysis of magnesium transporter gene family in grape (<i>Vitis vinifera</i>). <i>BMC Plant Biology</i> , 2022, 22, 217.	1.6	8
2623	Non-Thermal Biological Effect of Graphene Far-Infrared Ray on <i>Saccharomyces cerevisiae</i> . <i>Journal of Biosciences and Medicines</i> , 2022, 10, 103-112.	0.1	0
2624	Coordination of metal center biogenesis in human cytochrome c oxidase. <i>Nature Communications</i> , 2022, 13, .	5.8	28
2625	Antiprion systems in yeast cooperate to cure or prevent the generation of nearly all [PSI ⁺] and [URE3] prions. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022, 119, .	3.3	9

#	ARTICLE	IF	CITATIONS
2626	Chitosan chemistry review for living organisms encapsulation. Carbohydrate Polymers, 2022, 295, 119877.	5.1	21
2627	Biosynthesis of tetrahydropapaverine and semisynthesis of papaverine in yeast. Proceedings of the National Academy of Sciences of the United States of America, 2022, 119, .	3.3	13
2628	Independent ubiquitin-like protein conjugation by Urm1 is directly coupled to cysteine persulfidation. EMBO Journal, 2022, 41, .	3.5	6
2629	Synchronization of <i>Saccharomyces cerevisiae</i> Cells for Analysis of Progression Through the Cell Cycle. Methods in Molecular Biology, 2022, , 145-168.	0.4	0
2630	Coevolution of the Ess1-CTD axis in polar fungi suggests a role for phase separation in cold tolerance. Science Advances, 2022, 8, .	4.7	6
2631	Identification of a regiospecific <i>S</i> -oxygenase for the production of marasmin in traditional medicinal plant <i>Tubaghia violacea</i> . Plant Biotechnology, 2022, 39, 281-289.	0.5	0
2632	Eisosome protein Pil1 regulates mitochondrial morphology, mitophagy, and cell death in <i>Saccharomyces cerevisiae</i> . Journal of Biological Chemistry, 2022, 298, 102533.	1.6	2
2633	Nature of β -1,3-Glucan-Exposing Features on <i>Candida albicans</i> Cell Wall and Their Modulation. MBio, 2022, 13, .	1.8	11
2634	The Mutability of Yeast Prions. Viruses, 2022, 14, 2337.	1.5	0
2636	The budding yeast GSK-3 homologue Mck1 is an essential component of the spindle position checkpoint. Open Biology, 2022, 12, .	1.5	3
2637	Impact of changes at the <i>Candida albicans</i> cell surface upon immunogenicity and colonisation in the gastrointestinal tract. Cell Surface, 2022, 8, 100084.	1.5	4
2638	Tolerance to replication stress requires Dun1p kinase and activation of the electron transport chain. Biochimica Et Biophysica Acta - Molecular Cell Research, 2023, 1870, 119382.	1.9	1
2639	SWR1 chromatin remodeling complex prevents mitotic slippage during spindle position checkpoint arrest. Molecular Biology of the Cell, 2023, 34, .	0.9	2
2640	Evidence That the $\text{Ig}\mu$ Gene MAR Regulates the Probability of Premature V-J Joining and Somatic Hypermutation. Journal of Immunology, 1999, 162, 6029-6039.	0.4	25
2641	Prediction of ethanol fermentation under stressed conditions using yeast morphological data. Journal of Bioscience and Bioengineering, 2023, 135, 210-216.	1.1	7
2642	Metabolic profiles and fingerprints for the investigation of the influence of nitisinone on the metabolism of the yeast <i>Saccharomyces cerevisiae</i> . Scientific Reports, 2023, 13, .	1.6	3
2643	Methylation of CENP-A/Cse4 on arginine 143 and lysine 131 regulates kinetochore stability in yeast. Genetics, 2023, 223, .	1.2	2