

Hippocampal damage and kainic acid injection induce a NGF in the rat brain

Experimental Neurology

114, 35-43

DOI: [10.1016/0014-4886\(91\)90082-n](https://doi.org/10.1016/0014-4886(91)90082-n)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Increased levels of messenger RNAs for neurotrophic factors in the brain during kindling epileptogenesis. <i>Neuron</i> , 1991, 7, 165-176.	3.8	613
2	Light regulates expression of brain-derived neurotrophic factor mRNA in rat visual cortex.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1992, 89, 9444-9448.	3.3	468
3	Differential regulation of mRNAs for nerve growth factor, brain-derived neurotrophic factor, and neurotrophin 3 in the adult rat brain following cerebral ischemia and hypoglycemic coma.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1992, 89, 648-652.	3.3	485
4	Neurotrophin expression in rat hippocampal slices: A stimulus paradigm inducing LTP in CA1 evokes increases in BDNF and NT-3 mRNAs. <i>Neuron</i> , 1992, 9, 1081-1088.	3.8	557
5	Increased expression of brain-derived neurotrophic factor mRNA in rat hippocampus is associated with improved spatial memory and enriched environment. <i>Neuroscience Letters</i> , 1992, 138, 153-156.	1.0	353
6	Synthesis and purification of biologically active rat brain-derived neurotrophic factor from <i>Escherichia coli</i> . <i>Biochemical and Biophysical Research Communications</i> , 1992, 186, 1553-1559.	1.0	12
7	Activation of basal forebrain cholinergic neurons differentially regulates brain-derived neurotrophic factor mRNA expression in different projection areas. <i>Neuroscience Letters</i> , 1992, 136, 203-208.	1.0	25
8	Neurotrophic factors: From physiology to pharmacology?. <i>Pharmacological Research</i> , 1992, 26, 1-15.	3.1	35
9	Kainic acid-mediated increase of preprotachykinin-a messenger RNA expression in the rat hippocampus and a region-selective attenuation by dexamethasone. <i>Neuroscience</i> , 1992, 50, 611-618.	1.1	19
10	Cortical transynaptic activation of tyrosine kinase receptor trkB messenger RNA expression in rat hippocampus. <i>Neuroscience</i> , 1992, 51, 883-889.	1.1	38
11	Thyroid hormone regulation of NGF, NT-3 and BDNF RNA in the adult rat brain. <i>Molecular Brain Research</i> , 1992, 16, 239-245.	2.5	110
12	Stimulation of Glutamate Receptors Increases Expression of Brain-Derived Neurotrophic Factor mRNA in Rat Hippocampus. <i>Annals of the New York Academy of Sciences</i> , 1992, 648, 296-299.	1.8	33
13	Regulation of brain neurotrophin expression by physiological activity. <i>Trends in Pharmacological Sciences</i> , 1992, 13, 401-403.	4.0	74
14	Stability of septohippocampal neurons following excitotoxic lesions of the rat hippocampus. <i>Experimental Neurology</i> , 1992, 117, 1-16.	2.0	25
15	Dopaminergic stimulation up-regulates the in vivo expression of brain-derived neurotrophic factor (BDNF) in the striatum. <i>FEBS Letters</i> , 1992, 313, 138-142.	1.3	128
16	Regulation of brain-derived neurotrophic factor and nerve growth factor mRNA in primary cultures of hippocampal neurons and astrocytes. <i>Journal of Neuroscience</i> , 1992, 12, 4793-4799.	1.7	404
17	Regulation of Neurotrophin mRNA Expression in the Rat Brain by Glucocorticoids. <i>European Journal of Neuroscience</i> , 1992, 4, 396-403.	1.2	181
18	Adrenal steroids and plasticity of hippocampal neurons: Toward an understanding of underlying cellular and molecular mechanisms. <i>Cellular and Molecular Neurobiology</i> , 1993, 13, 457-482.	1.7	74

#	ARTICLE	IF	CITATIONS
19	Widespread and Developmentally Regulated Expression of Neurotrophin-4 mRNA in Rat Brain and Peripheral Tissues. <i>European Journal of Neuroscience</i> , 1993, 5, 605-613.	1.2	248
20	Differential Regulation of Preprotachykinin-A mRNA Expression in Striatum by Excitation of Hippocampal Neurons. <i>European Journal of Neuroscience</i> , 1993, 5, 839-845.	1.2	13
21	Neurotrophin production in the brain. <i>Seminars in Neuroscience</i> , 1993, 5, 227-237.	2.3	27
22	Neurotrophic factor mediated protection from excitotoxicity and disturbances in calcium and free radical metabolism. <i>Seminars in Neuroscience</i> , 1993, 5, 295-307.	2.3	50
23	The relationship between excitotoxicity and oxidative stress in the central nervous system. <i>Free Radical Biology and Medicine</i> , 1993, 14, 633-642.	1.3	143
24	Kainic acid lesions increase reafferentation of the striatum by substantia nigra grafts. <i>Brain Research</i> , 1993, 621, 71-78.	1.1	10
25	Bilateral reorganisation of mossy fibres in the rat hippocampus after a unilateral intracerebroventricular kainic acid injection. <i>Brain Research</i> , 1993, 609, 321-326.	1.1	56
26	Striatal implants of fetal striatum or gelfoam protect against quinolinic acid lesions of the striatum. <i>Brain Research</i> , 1993, 613, 203-211.	1.1	13
27	Multiple promoters direct tissue-specific expression of the rat BDNF gene. <i>Neuron</i> , 1993, 10, 475-489.	3.8	812
28	Time course, localization and pharmacological modulation of immediate early inducible genes, brain-derived neurotrophic factor and trkB messenger RNAs in the rat brain following photochemical stroke. <i>Neuroscience</i> , 1993, 55, 473-490.	1.1	166
29	Regulation of brain-derived neurotrophic factor messenger RNA and protein at the cellular level in pentylenetetrazol-induced epileptic seizures. <i>Neuroscience</i> , 1993, 53, 909-918.	1.1	131
30	Brain-derived neurotrophic factor expression after long-term potentiation. <i>Neuroscience Letters</i> , 1993, 160, 232-236.	1.0	158
31	Fast and widespread increase of basic fibroblast growth factor messenger RNA and protein in the forebrain after kainate-induced seizures. <i>Neuroscience</i> , 1993, 57, 913-922.	1.1	64
32	Contributory mechanisms in the causation of neurodegenerative disorders. <i>Neuroscience</i> , 1993, 54, 287-322.	1.1	211
33	Is c-Jun involved in nerve cell death following status epilepticus and hypoxic-ischaemic brain injury?. <i>Molecular Brain Research</i> , 1993, 18, 347-352.	2.5	213
34	Increased expression of trkB and trkC messenger RNAs in the rat forebrain after focal mechanical injury. <i>Neuroscience</i> , 1993, 57, 901-912.	1.1	65
35	Rapid increase of BDNF mRNA levels in cortical neurons following spreading depression: regulation by glutamatergic mechanisms independent of seizure activity. <i>Molecular Brain Research</i> , 1993, 19, 277-286.	2.5	109
36	Coordinated expression of messenger RNAs for nerve growth factor, brain-derived neurotrophic factor and neurotrophin-3 in the rat hippocampus following transient forebrain ischemia. <i>Neuroscience</i> , 1993, 55, 23-31.	1.1	235

#	ARTICLE	IF	CITATIONS
37	Glutamate receptor agonists enhance the expression of BDNF mRNA in cultured cerebellar granule cells. <i>Molecular Brain Research</i> , 1993, 18, 201-208.	2.5	61
38	Brain-derived neurotrophic factor is induced as an immediate early gene following N-methyl-d-aspartate receptor activation. <i>Neuroscience</i> , 1993, 57, 319-328.	1.1	121
39	Entorhinal cortex regulation of multiple brain-derived neurotrophic factor promoters in the rat hippocampus. <i>Neuroscience</i> , 1993, 57, 891-896.	1.1	34
40	Regulation of neurotrophin and trka, trkb and trkc tyrosine kinase receptor messenger RNA expression in kindling. <i>Neuroscience</i> , 1993, 53, 433-446.	1.1	197
41	Neuronal death and neurotrophin gene expression: Long-lasting stimulation of neurotrophin-3 messenger RNA in the degenerating CA1 and CA4 pyramidal cell layers. <i>Neuroscience</i> , 1993, 53, 905-908.	1.1	24
42	Adrenalectomy attenuates kainic acid-elicited increases of messenger RNAs for neurotrophins and their receptors in the rat brain. <i>Neuroscience</i> , 1993, 54, 909-922.	1.1	72
43	Cholinergic regulation of hippocampal brain-derived neurotrophic factor mRNA expression: Evidence from lesion and chronic cholinergic drug treatment studies. <i>Neuroscience</i> , 1993, 52, 575-585.	1.1	78
44	The possible contribution of microglia and macrophages to delayed neuronal death after ischemia. <i>Journal of the Neurological Sciences</i> , 1993, 114, 119-122.	0.3	191
45	Increased production of the TrkB protein tyrosine kinase receptor after brain insults. <i>Neuron</i> , 1993, 10, 151-164.	3.8	394
46	The Effects of Intraseptal Brain-derived Neurotrophic Factor on Cognition in Rats with MS/DB Lesions. <i>Annals of the New York Academy of Sciences</i> , 1993, 679, 299-305.	1.8	3
47	Visualization and Quantitation of Neurotrophin mRNAs. , 1993, , 57-106.		1
48	Structural correlates and cellular mechanisms in entorhinal hippocampal dysfunction. <i>Hippocampus</i> , 1993, 3, 293-301.	0.9	10
49	Coexpression of neurotrophins and their receptors in neurons of the central nervous system.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1993, 90, 6711-6715.	3.3	232
50	Differential usage of multiple brain-derived neurotrophic factor promoters in the rat brain following neuronal activation.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1993, 90, 8802-8806.	3.3	229
51	Expression and regulation of neurotrophins and their receptors in hippocampal systems. <i>Hippocampus</i> , 1993, 3, 171-181.	0.9	13
52	Induction of noncatalytic TrkB neurotrophin receptors during axonal sprouting in the adult hippocampus. <i>Journal of Neuroscience</i> , 1993, 13, 4001-4014.	1.7	128
53	Detection of NGF-like activity in human brain tissue: increased levels in Alzheimer's disease. <i>Journal of Neuroscience</i> , 1993, 13, 2540-2550.	1.7	230
54	Cellular and molecular pathology in alzheimer's disease. <i>Hippocampus</i> , 1993, 3, 270-287.	0.9	48

#	ARTICLE	IF	CITATIONS
55	Regulation of brain-derived neurotrophic factor (BDNF) expression and release from hippocampal neurons is mediated by non-NMDA type glutamate receptors. <i>Journal of Neuroscience</i> , 1994, 14, 1688-1700.	1.7	198
56	Nerve Growth Factor and Alzheimer's Disease. <i>Reviews in the Neurosciences</i> , 1994, 5, 179-211.	1.4	79
57	Increase of basic fibroblast growth factor (bFGF, FGF-2) messenger RNA and protein following implantation of a microdialysis probe into rat hippocampus. <i>Experimental Brain Research</i> , 1994, 98, 229-37.	0.7	28
58	Activity-dependent and hormonal regulation of neurotrophin mRNA levels in brain-implications for neuronal plasticity. <i>Journal of Neurobiology</i> , 1994, 25, 1362-1372.	3.7	272
59	Fibroblast Growth Factor-5 Promotes Differentiation of Cultured Rat Septal Cholinergic and Raphe Serotonergic Neurons: Comparison with the Effects of Neurotrophins. <i>European Journal of Neuroscience</i> , 1994, 6, 244-252.	1.2	58
60	Brain Insults in Rats Induce Increased Expression of the BDNF Gene through Differential Use of Multiple Promoters. <i>European Journal of Neuroscience</i> , 1994, 6, 587-596.	1.2	108
61	Regulation of Neuropeptides in Adult Rat Forebrain by the Neurotrophins BDNF and NGF. <i>European Journal of Neuroscience</i> , 1994, 6, 1343-1353.	1.2	202
62	Endogenous Neuroprotection Factors and Traumatic Brain Injury: Mechanisms of Action and Implications for Therapy. <i>Journal of Neurotrauma</i> , 1994, 11, 3-33.	1.7	307
63	Differential regulation of the expression of nerve growth factor, brain-derived neurotrophic factor and neurotrophin-3 mRNAs in adult rat brain after intrahippocampal injection of quinolinic acid. <i>Molecular Brain Research</i> , 1994, 26, 89-98.	2.5	39
64	Transcripts encoding a neural membrane CD26 peptidase-like protein are stimulated by synaptic activity. <i>Molecular Brain Research</i> , 1994, 25, 286-296.	2.5	49
65	Regulation of BDNF promoters in the rat hippocampus. <i>Neurochemistry International</i> , 1994, 25, 11-15.	1.9	35
66	Neurotrophin-4/5 protects hippocampal and cortical neurons against energy deprivation- and excitatory amino acid-induced injury. <i>Brain Research</i> , 1994, 650, 331-335.	1.1	61
67	NT-3 and BDNF protect CNS neurons against metabolic/excitotoxic insults. <i>Brain Research</i> , 1994, 640, 56-67.	1.1	385
68	Brain-derived neurotrophic factor and neurotrophin-4 increase neurotrophin-3 expression in the rat hippocampus. <i>International Journal of Developmental Neuroscience</i> , 1994, 12, 745-751.	0.7	46
69	Neurotrophins and brain insults. <i>Trends in Neurosciences</i> , 1994, 17, 490-496.	4.2	510
70	Short- and long-term induction of basic fibroblast growth factor gene expression in rat central nervous system following kainate injection. <i>Neuroscience</i> , 1994, 59, 55-65.	1.1	62
71	Neurons of the hippocampal formation express glial cell line-derived neurotrophic factor messenger rna in response to kainate-induced excitation. <i>Neuroscience</i> , 1994, 59, 791-795.	1.1	154
72	Positive and negative effects of neurotrophins on the isthmo-optic nucleus in chick embryos. <i>Neuron</i> , 1994, 12, 639-654.	3.8	135

#	ARTICLE	IF	CITATIONS
73	Target-deprived CNS neurons express the NGF gene while reactive glia around their axonal terminals contain low and high affinity NGF receptors. <i>Molecular Brain Research</i> , 1994, 24, 247-260.	2.5	56
74	Expression of mRNAs encoding dopamine receptors in striatal regions is differentially regulated by midbrain and hippocampal neurons. <i>Molecular Brain Research</i> , 1994, 21, 274-282.	2.5	17
75	Chapter 18 Induction of non-catalytic TrkB neurotrophin receptors during lesion-induced synaptic rearrangement in the adult rat hippocampus. <i>Progress in Brain Research</i> , 1995, 105, 197-210.	0.9	3
77	Association of nerve growth factor mRNA levels with MK-801-induced explosive behaviors in mice. <i>Journal of Neuroscience Research</i> , 1995, 42, 80-84.	1.3	0
78	Regional and temporal profiles of c-fos and nerve growth factor mRNA expression in rat brain after lateral cortical impact injury. <i>Journal of Neuroscience Research</i> , 1995, 42, 571-578.	1.3	37
79	Hypothalamic tissue stimulates hippocampal pyramidal neuron survival during development: Evidence from intraocular double transplants. <i>Hippocampus</i> , 1995, 5, 584-594.	0.9	8
80	BDNF Protein Measured by a Novel Enzyme Immunoassay in Normal Brain and after Seizure: Partial Disagreement with mRNA Levels. <i>European Journal of Neuroscience</i> , 1995, 7, 1527-1535.	1.2	312
81	The regulation of nerve growth factor synthesis and delivery to peripheral neurons. , 1995, 65, 93-123.		27
82	Neurotrophin-induced modulation of synaptic transmission in the adult hippocampus. <i>Journal of Physiology (Paris)</i> , 1995, 89, 11-22.	2.1	101
83	Expression of enkephalin and dynorphin precursor mRNAs in brain areas of hypo- and hyperthyroid rat: effect of kainic acid injection. <i>Brain Research</i> , 1995, 687, 83-93.	1.1	22
84	Role of the cholinergic system in the regulation of neurotrophin synthesis. <i>Brain Research</i> , 1995, 705, 247-254.	1.1	40
85	Targeted neocortical cell death in adult mice guides migration and differentiation of transplanted embryonic neurons. <i>Journal of Neuroscience</i> , 1995, 15, 8378-8392.	1.7	81
86	Hypothermia Attenuates the Normal Increase in Interleukin 1 β RNA and Nerve Growth Factor Following Traumatic Brain Injury in the Rat. <i>Journal of Neurotrauma</i> , 1995, 12, 159-167.	1.7	171
87	Identification of brain-derived neurotrophic factor promoter regions mediating tissue-specific, axotomy-, and neuronal activity-induced expression in transgenic mice.. <i>Journal of Cell Biology</i> , 1995, 128, 185-199.	2.3	113
88	Changes in Gene Expression Following Traumatic Brain Injury in the Rat. <i>Journal of Neurotrauma</i> , 1995, 12, 779-790.	1.7	75
89	Neuronal expression of AP-1 proteins in excitotoxic-neurodegenerative disorders and following nerve fiber lesions. <i>Progress in Neurobiology</i> , 1995, 47, 257-290.	2.8	60
90	Characteristics of BDNF-induced weight loss. <i>Experimental Neurology</i> , 1995, 131, 229-238.	2.0	278
91	Focal brain injury induces multiple immediate early genes encoding zinc finger transcription factors. <i>Molecular Brain Research</i> , 1995, 28, 157-163.	2.5	62

#	ARTICLE	IF	CITATIONS
92	Spatiotemporal selective effects on brain-derived neurotrophic factor and trkB messenger RNA in rat hippocampus by electroconvulsive shock. <i>Neuroscience</i> , 1995, 65, 661-670.	1.1	86
93	Glucocorticoids, neurotrophins and neurodegeneration. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 1995, 52, 391-401.	1.2	12
94	Degeneration of rat cholinergic basal forebrain neurons and reactive changes in nerve growth factor expression after chronic neurotoxic injury. II. Degeneration and plastic response of basal forebrain neurons. <i>Neuroscience</i> , 1995, 65, 633-645.	1.1	55
95	Morphogenetic effect of kainate on adult hippocampal neurons associated with a prolonged expression of brain-derived neurotrophic factor. <i>Neuroscience</i> , 1995, 64, 665-674.	1.1	192
96	Differential regulation of catalytic and non-catalytic trkB messenger RNAs in the rat hippocampus following seizures induced by systemic administration of kainate. <i>Neuroscience</i> , 1995, 66, 861-877.	1.1	39
97	Brain-derived neurotrophic factor messenger RNA is expressed in the septum, hypothalamus and in adrenergic brain stem nuclei of adult rat brain and is increased by osmotic stimulation in the paraventricular nucleus. <i>Neuroscience</i> , 1995, 64, 71-80.	1.1	151
98	Degeneration of rat cholinergic basal forebrain neurons and reactive changes in nerve growth factor expression after chronic neurotoxic injury. II. Reactive expression of the nerve growth factor gene in astrocytes. <i>Neuroscience</i> , 1995, 65, 647-659.	1.1	62
99	Induction of brain-derived neurotrophic factor (BDNF) and the receptor trkB mRNA following middle cerebral artery occlusion in rat. <i>Neuroscience Letters</i> , 1996, 211, 57-60.	1.0	54
100	Distribution of AMPA receptor subunits in the hippocampal formation of temporal lobe epilepsy patients. <i>Neuroscience</i> , 1996, 72, 15-29.	1.1	38
101	Short increase of BDNF messenger RNA triggers kainic acid-induced neuronal hypertrophy in adult mice. <i>Neuroscience</i> , 1996, 72, 923-931.	1.1	36
102	Dentate granule cell layer collagen explant cultures: Spontaneous axonal growth and induction by brain-derived neurotrophic factor or basic fibroblast growth factor. <i>Neuroscience</i> , 1996, 74, 1197-1208.	1.1	33
103	Seizure-induced differential expression of messenger RNAs for neurotrophins and their receptors in genetically fast and slow kindling rats. <i>Neuroscience</i> , 1996, 75, 197-207.	1.1	46
104	The induction of neurotrophin and trkB receptor mRNA expression during early avian embryogenesis. <i>International Journal of Developmental Neuroscience</i> , 1996, 14, 55-60.	0.7	11
105	Responses of basal forebrain cholinergic neurons to damage in the adult brain. <i>Progress in Neurobiology</i> , 1996, 48, 219-254.	2.8	29
106	Microdialysis: a way to study in vivo release of neurotrophic bioactivity: a critical summary. <i>Journal of Molecular Medicine</i> , 1996, 74, 523-526.	1.7	13
107	Parkinson's disease, trophic factors, and adrenal medullary chromaffin cell grafting: Basic and clinical studies. <i>Brain Research Bulletin</i> , 1996, 40, 1-19.	1.4	36
108	Glutamate release correlates with brain-derived neurotrophic factor and trkB mRNA expression in the CA1 region of rat hippocampus. <i>Molecular Brain Research</i> , 1996, 42, 317-327.	2.5	22
109	Selective failure of brain-derived neurotrophic factor mRNA expression in the cerebellum of stargazer, a mutant mouse with ataxia. <i>Journal of Neuroscience</i> , 1996, 16, 640-648.	1.7	77

#	ARTICLE	IF	CITATIONS
110	Brain-derived neurotrophic factor. , 1996, , 203-217.		0
111	Upregulation of BDNF mRNA Expression in the Barrel Cortex of Adult Mice after Sensory Stimulation. Journal of Neuroscience, 1996, 16, 4411-4419.	1.7	163
112	Expression of NGF and NT3 mRNAs in Hippocampal Interneurons Innervated by the GABAergic Septohippocampal Pathway. Journal of Neuroscience, 1996, 16, 3991-4004.	1.7	80
113	Constructing a New Nigrostriatal Pathway in the Parkinsonian Model with Bridged Neural Transplantation in Substantia Nigra. Journal of Neuroscience, 1996, 16, 6965-6974.	1.7	65
114	Change in Neurotrophins and Their Receptor mRNAs in the Rat Forebrain After Status Epilepticus Induced by Pilocarpine. Epilepsia, 1996, 37, 198-207.	2.6	84
115	Expression of brain-derived neurotrophic factor by Bacillus subtilis. Journal of Bioscience and Bioengineering, 1996, 82, 585-588.	0.9	2
116	Expression of insulin-like growth factor-1 (IGF-1) and IGF-binding protein 2 (IGF-BP2) in the hippocampus following cytotoxic lesion of the dentate gyrus. Journal of Comparative Neurology, 1996, 369, 388-404.	0.9	80
117	Increased expression of brain-derived neurotrophic factor but not neurotrophin-3 mRNA in rat brain after cortical impact injury. Journal of Neuroscience Research, 1996, 44, 157-164.	1.3	101
118	Effects of phencyclidine on immediate early gene expression in the brain. Journal of Neuroscience Research, 1996, 45, 13-27.	1.3	76
119	Stimulus-dependent, reciprocal up- and downregulation of glutamic acid decarboxylase and Ca ²⁺ /calmodulin-dependent protein kinase II gene expression in rat cerebral cortex. Experimental Brain Research, 1996, 110, 163-74.	0.7	35
120	Cellular hybridization for BDNF, trkB, and NGF mRNAs and BDNF-immunoreactivity in rat forebrain after pilocarpine-induced status epilepticus. Experimental Brain Research, 1996, 107, 331-47.	0.7	83
121	Pre-exposure to Subtoxic Levels Prevents Kainic Acid Lesions in Organotypic Hippocampal Slice Cultures: Effects of Kainic Acid on Parvalbumin-immunoreactive Neurons and Expression of Heat Shock Protein 72 Following the Induction of Tolerance. European Journal of Neuroscience, 1996, 8, 1209-1219.	1.2	29
122	Neurotrophins and their Receptors in the Adult Hypo- and Hyperthyroid Rat after Kainic Acid Injection: an In Situ Hybridization Study. European Journal of Neuroscience, 1996, 8, 1873-1881.	1.2	28
123	Increased Expression of BDNF and trkB mRNA in Rat Facial Motoneurons after Axotomy. European Journal of Neuroscience, 1996, 8, 1018-1029.	1.2	145
124	The nerve growth factor family. Growth Factors and Cytokines in Health and Disease, 1996, , 229-258.	0.2	1
125	Morphologic Changes in the Vestibular Nerves and Nuclei after Labyrinthectomy in the Cat: A Case for the Neurotrophin Hypothesis in Vestibular Compensation. Acta Oto-Laryngologica, 1997, 117, 244-249.	0.3	23
126	Chapter 11 Neurotrophic Factors and the Aging Brain. Advances in Cell Aging and Gerontology, 1997, 2, 299-345.	0.1	14
127	Expression of Brain-Derived Neurotrophic Factor and TrkB Neurotrophin Receptors after Striatal Injury in the Mouse. Experimental Neurology, 1997, 148, 83-91.	2.0	42

#	ARTICLE	IF	CITATIONS
128	Truncated trkB Receptors on Nonneuronal Cells Inhibit BDNF-Induced Neurite Outgrowth in Vitro. <i>Experimental Neurology</i> , 1997, 148, 616-627.	2.0	131
129	Neurotrophins and Time: Different Roles for TrkB Signaling in Hippocampal Long-Term Potentiation. <i>Neuron</i> , 1997, 19, 653-664.	3.8	471
130	Early induction of mRNA for calbindin-D28k and BDNF but not NT-3 in rat hippocampus after kainic acid treatment. <i>Molecular Brain Research</i> , 1997, 47, 183-194.	2.5	45
131	Brain-derived neurotrophic factor is reduced in Alzheimer's disease. <i>Molecular Brain Research</i> , 1997, 49, 71-81.	2.5	519
132	Selective up-regulation of protein kinase C β in granule cells after kainic acid-induced seizures in rat. <i>Molecular Brain Research</i> , 1997, 49, 188-196.	2.5	29
133	Alterations in BDNF and NT-3 mRNAs in rat hippocampus after experimental brain trauma. <i>Molecular Brain Research</i> , 1997, 48, 401-406.	2.5	140
134	Facilitation of AVP(4 β) on Gene Expression of BDNF and NGF in Rat Brain. <i>Peptides</i> , 1997, 18, 1179-1187.	1.2	29
135	GENE EXPRESSION AND APOPTOSIS IN THE SPINAL CORD NEURONS AFTER SCIATIC NERVE INJURY. <i>Neurochemistry International</i> , 1997, 30, 417-426.	1.9	29
136	Expression of brain-derived neurotrophic factor protein in the adult rat central nervous system. <i>Neuroscience</i> , 1997, 78, 431-448.	1.1	473
137	Glial and endothelial cell response to a fetal transplant of purified neurons. <i>Neuroscience</i> , 1997, 79, 723-734.	1.1	5
138	Thyroid Hormone-Induced Plasticity in the Adult Rat Brain. <i>Brain Research Bulletin</i> , 1997, 44, 549-557.	1.4	61
139	Hyperexcitability in Combined Entorhinal/Hippocampal Slices of Adult Rat After Exposure to Brain-Derived Neurotrophic Factor. <i>Journal of Neurophysiology</i> , 1997, 78, 1082-1095.	0.9	148
140	Differential and Time-Dependent Changes in Gene Expression for Type II Calcium/Calmodulin-Dependent Protein Kinase, 67 kDa Glutamic Acid Decarboxylase, and Glutamate Receptor Subunits in Tetanus Toxin-Induced Focal Epilepsy. <i>Journal of Neuroscience</i> , 1997, 17, 2168-2180.	1.7	38
141	Multiple Kainic Acid Seizures in the Immature and Adult Brain: Ictal Manifestations and Long-Term Effects on Learning and Memory. <i>Epilepsia</i> , 1997, 38, 1157-1166.	2.6	77
142	Kainic acid-induced generalized seizures alter the regional hippocampal expression of the rat m1 and m3 muscarinic acetylcholine receptor genes. <i>Epilepsy Research</i> , 1997, 29, 71-79.	0.8	18
143	Hyperglycemia and Hypercapnia Suppress BDNF Gene Expression in Vulnerable Regions after Transient Forebrain Ischemia in the Rat. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1997, 17, 1303-1308.	2.4	22
144	Low-level cadmium exposure of lactating rats causes alterations in brain serotonin levels in the offspring. <i>Neurotoxicology and Teratology</i> , 1997, 19, 105-115.	1.2	107
145	Granule cell mRNA levels for BDNF, NGF, and NT-3 correlate with neuron losses or supragranular mossy fiber sprouting in the chronically damaged and epileptic human hippocampus. <i>Molecular and Chemical Neuropathology</i> , 1997, 30, 53-76.	1.0	88

#	ARTICLE	IF	CITATIONS
146	Consequences of neonatal seizures in the rat: Morphological and behavioral effects. <i>Annals of Neurology</i> , 1998, 44, 845-857.	2.8	397
147	Expression of nerve growth factor and neurotrophin-3 mRNAs in hippocampal interneurons: Morphological characterization, levels of expression, and colocalization of nerve growth factor and neurotrophin-3. , 1998, 395, 73-90.		22
148	Neurotrophins regulate the function of cultured microglia. , 1998, 24, 272-289.		116
149	Amelioration of ischaemia-induced neuronal death in the rat striatum by NGF-secreting neural stem cells. <i>European Journal of Neuroscience</i> , 1998, 10, 2026-2036.	1.2	96
150	Morphological and neurochemical correlates of vestibular compensation. <i>Auris Nasus Larynx</i> , 1998, 25, 193-201.	0.5	12
151	The role of neuronal growth factors in neurodegenerative disorders of the human brain. <i>Brain Research Reviews</i> , 1998, 27, 1-39.	9.1	481
152	Inducible and constitutive transcription factors in the mammalian nervous system: control of gene expression by Jun, Fos and Krox, and CREB/ATF proteins. <i>Brain Research Reviews</i> , 1998, 28, 370-490.	9.1	1,248
153	Age-related changes in levels of brain-derived neurotrophic factor in selected brain regions of rats, normal mice and senescence-accelerated mice: a comparison to those of nerve growth factor and neurotrophin-3. <i>Neuroscience Research</i> , 1998, 31, 227-234.	1.0	153
154	Chronic cyclosporine-A injection in rats with damaged blood-brain barrier does not impair retention of passive avoidance. <i>Neuroscience Research</i> , 1998, 32, 195-200.	1.0	11
155	Differential regulation of BDNF and NT-3 mRNA levels in primary cultures of rat cerebellar neurons. <i>Neurochemistry International</i> , 1998, 32, 87-91.	1.9	20
156	Acute intermittent nicotine treatment produces regional increases of basic fibroblast growth factor messenger RNA and protein in the tel- and diencephalon of the rat. <i>Neuroscience</i> , 1998, 83, 723-740.	1.1	83
157	Dynamic changes of brain-derived neurotrophic factor protein levels in the rat forebrain after single and recurring kindling-induced seizures. <i>Neuroscience</i> , 1998, 83, 351-362.	1.1	101
158	A role for BDNF in the late-phase of hippocampal long-term potentiation. <i>Neuropharmacology</i> , 1998, 37, 553-559.	2.0	241
159	Astrocytes Are the Major Source of Nerve Growth Factor Upregulation Following Traumatic Brain Injury in the Rat. <i>Experimental Neurology</i> , 1998, 149, 301-309.	2.0	137
160	Endogenous BDNF Protein Is Increased in Adult Rat Hippocampus after a Kainic Acid Induced Excitotoxic Insult but Exogenous BDNF Is Not Neuroprotective. <i>Experimental Neurology</i> , 1998, 149, 398-410.	2.0	133
161	Cortical Interneurons Upregulate Neurotrophins in Vivo in Response to Targeted Apoptotic Degeneration of Neighboring Pyramidal Neurons. <i>Experimental Neurology</i> , 1998, 154, 389-402.	2.0	83
162	Chapter 6 Regulation of brain-derived neurotrophic factor mRNA levels in hippocampus by neuronal activity. <i>Progress in Brain Research</i> , 1998, 117, 57-64.	0.9	77
163	Upregulation of L-Type Ca ²⁺ Channels in Reactive Astrocytes after Brain Injury, Hypomyelination, and Ischemia. <i>Journal of Neuroscience</i> , 1998, 18, 2321-2334.	1.7	136

#	ARTICLE	IF	CITATIONS
164	Contributions of the Optic Tectum and the Retina as Sources of Brain-Derived Neurotrophic Factor for Retinal Ganglion Cells in the Chick Embryo. <i>Journal of Neuroscience</i> , 1998, 18, 2891-2906.	1.7	109
165	p75 Neurotrophin Receptor Expression Is Induced in Apoptotic Neurons After Seizure. <i>Journal of Neuroscience</i> , 1999, 19, 6887-6896.	1.7	203
166	Actions of Brain-Derived Neurotrophic Factor in Slices from Rats with Spontaneous Seizures and Mossy Fiber Sprouting in the Dentate Gyrus. <i>Journal of Neuroscience</i> , 1999, 19, 5619-5631.	1.7	109
167	Expression of Brain-Derived Neurotrophic Factor, Nerve Growth Factor, and Heat Shock Protein HSP70 Following Fluid Percussion Brain Injury in Rats. <i>Journal of Neurotrauma</i> , 1999, 16, 471-486.	1.7	74
168	Evidence that Brain-Derived Neurotrophic Factor Neuroprotection Is Linked to Its Ability to Reverse the NMDA-Induced Inactivation of Protein Kinase C in Cortical Neurons. <i>Journal of Neurochemistry</i> , 1999, 72, 102-111.	2.1	63
169	The Gene for Heparin-Binding Epidermal Growth Factor-Like Growth Factor is Stress-Inducible: Its Role in Cerebral Ischemia. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1999, 19, 307-320.	2.4	51
170	Basal ganglia calcification induced by excitotoxicity: an experimental model characterised by electron microscopy and X-ray microanalysis. <i>Acta Neuropathologica</i> , 1999, 98, 217-225.	3.9	38
171	Neurite outgrowth from progeny of epidermal growth factor-responsive hippocampal stem cells is significantly less robust than from fetal hippocampal cells following grafting onto organotypic hippocampal slice cultures: Effect of brain-derived neurotrophic factor. , 1999, 38, 391-413.		33
172	Brain-derived neurotrophic factor prevents neuronal death and glial activation after global ischemia in the rat. <i>Journal of Neuroscience Research</i> , 1999, 56, 21-27.	1.3	101
173	Aging impairs axonal sprouting response of dentate granule cells following target loss and partial deafferentation. , 1999, 414, 238-254.		52
174	Neuroprotective effects of brain-derived neurotrophic factor in seizures during development. <i>Neuroscience</i> , 1999, 91, 293-303.	1.1	72
175	Brain-derived neurotrophic factor infusion delays amygdala and perforant path kindling without affecting paired-pulse measures of neuronal inhibition in adult rats. <i>Neuroscience</i> , 1999, 92, 1367-1375.	1.1	56
176	Consequences of recurrent seizures during early brain development. <i>Neuroscience</i> , 1999, 92, 1443-1454.	1.1	134
177	Brain-derived neurotrophic factor transgenic mice exhibit passive avoidance deficits, increased seizure severity and in vitro hyperexcitability in the hippocampus and entorhinal cortex. <i>Neuroscience</i> , 1999, 93, 1491-1506.	1.1	279
178	Activity and injury-dependent expression of inducible transcription factors, growth factors and apoptosis-related genes within the central nervous system. <i>Progress in Neurobiology</i> , 1999, 57, 421-450.	2.8	247
179	Brain-derived neurotrophic factor, nerve growth factor and neurotrophin-3 in selected regions of the rat brain following kainic acid-induced seizure activity. <i>Neuroscience Research</i> , 1999, 35, 19-29.	1.0	56
180	Negative regulation of brain-derived neurotrophic factor mRNA expression by kainic acid in substantia nigra. <i>Molecular Brain Research</i> , 1999, 71, 341-344.	2.5	7
181	The nicotinic acetylcholine receptor agonist (Â±)-epibatidine increases FGF-2 mRNA and protein levels in the rat brain. <i>Molecular Brain Research</i> , 1999, 74, 98-110.	2.5	34

#	ARTICLE	IF	CITATIONS
182	Brain-Derived Neurotrophic Factor Improves Long-Term Potentiation and Cognitive Functions after Transient Forebrain Ischemia in the Rat. <i>Experimental Neurology</i> , 1999, 159, 511-519.	2.0	110
183	Function and molecular basis of action of vasopressin 4 α and its analogues in rat brain. <i>Progress in Brain Research</i> , 1999, 119, 163-175.	0.9	7
184	Chapter 7 Reconstruction of cortical circuitry. <i>Progress in Brain Research</i> , 2000, 127, 115-156.	0.9	24
185	Overexpression of neuropeptide Y induced by brain-derived neurotrophic factor in the rat hippocampus is long lasting. <i>European Journal of Neuroscience</i> , 2000, 12, 595-605.	1.2	73
186	Electrical stimulation accelerates and increases expression of BDNF and trkB mRNA in regenerating rat femoral motoneurons. <i>European Journal of Neuroscience</i> , 2000, 12, 4381-4390.	1.2	220
187	Enhancement of Progenitor Cell Division in the Dentate Gyrus Triggered by Initial Limbic Seizures in Rat Models of Epilepsy. <i>Epilepsia</i> , 2000, 41, 10-18.	2.6	171
188	Dietary Restriction Increases the Number of Newly Generated Neural Cells, and Induces BDNF Expression, in the Dentate Gyrus of Rats. <i>Journal of Molecular Neuroscience</i> , 2000, 15, 99-108.	1.1	343
189	Brain-Derived Neurotrophic Factor in Astrocytes, Oligodendrocytes, and Microglia/Macrophages after Spinal Cord Injury. <i>Neurobiology of Disease</i> , 2000, 7, 574-585.	2.1	330
190	Brain-derived neurotrophic factor delays hippocampal kindling in the rat. <i>Neuroscience</i> , 2000, 100, 777-788.	1.1	76
191	Spatiotemporal expression of BDNF in the hippocampus induced by the continuous intracerebroventricular infusion of β -amyloid in rats. <i>Molecular Brain Research</i> , 2000, 80, 188-197.	2.5	34
192	Neurotrophins and activity-dependent plasticity. <i>Progress in Brain Research</i> , 2000, 128, 183-191.	0.9	234
193	Long-lasting induction of brain-derived neurotrophic factor is restricted to resistant cell populations in an animal model of status epilepticus. <i>Neuroscience</i> , 2001, 103, 955-969.	1.1	8
194	Brain-derived neurotrophic factor in the control human brain, and in Alzheimer's disease and Parkinson's disease. <i>Progress in Neurobiology</i> , 2001, 63, 71-124.	2.8	760
195	The role of cytokines and growth factors in seizures and their sequelae. <i>Progress in Neurobiology</i> , 2001, 63, 125-149.	2.8	212
196	Neurochemical consequences of kainate-induced toxicity in brain: involvement of arachidonic acid release and prevention of toxicity by phospholipase A2 inhibitors. <i>Brain Research Reviews</i> , 2001, 38, 61-78.	9.1	126
197	9 Neurotrophic factors as potential therapeutic agents in neuronal ceroid lipofuscinosis. <i>Advances in Genetics</i> , 2001, 45, 169-182.	0.8	3
198	Spatial memory deficit and neurodegeneration induced by the direct injection of okadaic acid into the hippocampus in rats. <i>Journal of Neural Transmission</i> , 2001, 108, 1435-1443.	1.4	42
199	Brain-derived neurotrophic factor mediates an excitoprotective effect of dietary restriction in mice. <i>Journal of Neurochemistry</i> , 2001, 76, 619-626.	2.1	173

#	ARTICLE	IF	CITATIONS
200	BDNF mRNA expression in rat hippocampus and prefrontal cortex: effects of neonatal ventral hippocampal damage and antipsychotic drugs. <i>European Journal of Neuroscience</i> , 2001, 14, 135-144.	1.2	179
201	Absence of hippocampal mossy fiber sprouting in transgenic mice overexpressing brain-derived neurotrophic factor. <i>Journal of Neuroscience Research</i> , 2001, 64, 268-276.	1.3	37
202	Transforming growth factor- β 1 enhances expression of brain-derived neurotrophic factor and its receptor, TrkB, in neurons cultured from rat cerebral cortex. <i>Journal of Neuroscience Research</i> , 2001, 66, 369-376.	1.3	62
203	Neuroprotection by A2A receptor antagonists. <i>Drug Development Research</i> , 2001, 52, 323-330.	1.4	12
204	Dietary Restriction Stimulates BDNF Production in the Brain and Thereby Protects Neurons Against Excitotoxic Injury. <i>Journal of Molecular Neuroscience</i> , 2001, 16, 1-12.	1.1	157
205	Review: Epilepsy as an Example of Neural Plasticity. <i>Neuroscientist</i> , 2002, 8, 154-173.	2.6	110
206	From Acquisition to Consolidation: On the Role of Brain-Derived Neurotrophic Factor Signaling in Hippocampal-Dependent Learning. <i>Learning and Memory</i> , 2002, 9, 224-237.	0.5	593
207	Spontaneous Limbic Seizures after Intrahippocampal Infusion of Brain-Derived Neurotrophic Factor. <i>Experimental Neurology</i> , 2002, 174, 201-214.	2.0	179
208	Combined neurotrophic supplementation and caspase inhibition enhances survival of fetal hippocampal CA3 cell grafts in lesioned CA3 region of the aging hippocampus. <i>Neuroscience</i> , 2002, 109, 537-553.	1.1	34
209	Pilocarpine-induced seizure-like activity with increased BDNF and neuropeptide Y expression in organotypic hippocampal slice cultures. <i>Brain Research</i> , 2002, 950, 103-118.	1.1	37
210	4-Methylcatechol stimulates phosphorylation of Trk family neurotrophin receptors and MAP kinases in cultured rat cortical neurons. <i>Journal of Neuroscience Research</i> , 2002, 70, 335-339.	1.3	20
211	Dietary restriction enhances neurotrophin expression and neurogenesis in the hippocampus of adult mice. <i>Journal of Neurochemistry</i> , 2002, 80, 539-547.	2.1	416
212	Activity-induced and developmental downregulation of the Nogo receptor. <i>Cell and Tissue Research</i> , 2003, 311, 333-342.	1.5	71
213	Fetal hippocampal CA3 cell grafts enriched with fibroblast growth factor-2 exhibit enhanced neuronal integration into the lesioned aging rat hippocampus in a kainate model of temporal lobe epilepsy. <i>Hippocampus</i> , 2003, 13, 618-632.	0.9	28
214	Hippocampal neurotrophin levels in a kainate model of temporal lobe epilepsy: a lack of correlation between brain-derived neurotrophic factor content and progression of aberrant dentate mossy fiber sprouting. <i>Journal of Neurochemistry</i> , 2003, 87, 147-159.	2.1	96
215	Pretreatment of donor cells with FGF-2 enhances survival of fetal hippocampal CA3 cell transplants in the chronically lesioned young adult hippocampus. <i>Experimental Neurology</i> , 2003, 183, 11-24.	2.0	12
216	Persistent regional increases in brain-derived neurotrophic factor in the flurothyl model of epileptogenesis are dependent upon the kindling status of the animal. <i>Neuroscience</i> , 2003, 121, 1031-1045.	1.1	11
217	Bone morphogenetic proteins and neurotrophins provide complementary protection of septal cholinergic function during phosphatase inhibitor-induced stress. <i>Journal of Neurochemistry</i> , 2004, 91, 77-87.	2.1	11

#	ARTICLE	IF	CITATIONS
218	Neurotrophins as Mediators of Drug Effects on Mood, Addiction, and Neuroprotection. <i>Molecular Neurobiology</i> , 2004, 29, 289-302.	1.9	84
219	Functional interactions between somatodendritic dopamine release, glutamate receptors and brain-derived neurotrophic factor expression in mesencephalic structures of the brain. <i>Brain Research Reviews</i> , 2004, 47, 126-144.	9.1	61
220	Altered regulation of brain-derived neurotrophic factor protein in hippocampus following slice preparation. <i>Neuroscience</i> , 2004, 126, 859-869.	1.1	31
221	Differential expression of brain-derived neurotrophic factor transcripts after pilocarpine-induced seizure-like activity is related to mode of Ca ²⁺ entry. <i>Neuroscience</i> , 2004, 126, 665-676.	1.1	37
222	The antidepressant effect of running is associated with increased hippocampal cell proliferation. <i>International Journal of Neuropsychopharmacology</i> , 2005, 8, 357-368.	1.0	190
223	The possible role of neurotrophins in the pathogenesis and therapy of schizophrenia. <i>European Neuropsychopharmacology</i> , 2005, 15, 319-329.	0.3	172
224	Calcium and Neuronal Injury in Alzheimer's Disease. <i>Annals of the New York Academy of Sciences</i> , 1994, 747, 50-76.	1.8	122
225	Perinatal seizures preferentially protect CA1 neurons from seizure-induced damage in prepubescent rats. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2006, 15, 1-16.	0.9	20
226	Severe deficits in 5-HT _{2A} -mediated neurotransmission in BDNF conditional mutant mice. <i>Journal of Neurobiology</i> , 2006, 66, 408-420.	3.7	58
227	Diminished hypothalamic bdnf expression and impaired VMH function are associated with reduced SF-1 gene dosage. <i>Journal of Comparative Neurology</i> , 2006, 498, 637-648.	0.9	67
228	Pilocarpine-Induced Seizures Cause Selective Time-Dependent Changes to Adult-Generated Hippocampal Dentate Granule Cells. <i>Journal of Neuroscience</i> , 2007, 27, 7541-7552.	1.7	160
229	Sub-chronic phencyclidine administration increases brain-derived neurotrophic factor in the RAT hippocampus. <i>Schizophrenia Research</i> , 2007, 94, 371-372.	1.1	9
230	Interaction between neuropeptide Y (NPY) and brain-derived neurotrophic factor in NPY-mediated neuroprotection against excitotoxicity: a role for microglia. <i>European Journal of Neuroscience</i> , 2008, 27, 2089-2102.	1.2	50
231	Progress in neuroprotective strategies for preventing epilepsy. <i>Progress in Neurobiology</i> , 2008, 84, 363-404.	2.8	164
232	Latent Stem and Progenitor Cells in the Hippocampus Are Activated by Neural Excitation. <i>Journal of Neuroscience</i> , 2008, 28, 5240-5247.	1.7	109
233	Induction of Proneurotrophins and Activation of p75 ^{NTR} -Mediated Apoptosis via Neurotrophin Receptor-Interacting Factor in Hippocampal Neurons after Seizures. <i>Journal of Neuroscience</i> , 2008, 28, 9870-9879.	1.7	130
234	Electroconvulsive Therapy, Brain-Derived Neurotrophic Factor, and Possible Neurorestorative Benefit of the Clinical Application of Electroconvulsive Therapy. <i>Journal of ECT</i> , 2008, 24, 160-165.	0.3	47
235	Protein tyrosine kinase inhibitors modify kainic acid-induced epileptiform activity and mossy fiber sprouting but do not protect against limbic cell death. <i>Brazilian Journal of Medical and Biological Research</i> , 2008, 41, 403-410.	0.7	8

#	ARTICLE	IF	CITATIONS
236	Tissue-specific and neural activity-regulated expression of human BDNF gene in BAC transgenic mice. <i>BMC Neuroscience</i> , 2009, 10, 68.	0.8	34
237	Effect of FK506 and cyclosporine A on the expression of BDNF, tyrosine kinase B and p75 neurotrophin receptors in astrocytes exposed to simulated ischemia in vitro. <i>Cell Biology International</i> , 2009, 33, 739-748.	1.4	15
238	Orexins increase mRNA expressions of neurotrophin-3 in rat primary cortical neuron cultures. <i>Neuroscience Letters</i> , 2009, 450, 132-135.	1.0	41
239	The β_2 -adrenoceptor agonist clenbuterol elicits neuroprotective, anti-inflammatory and neurotrophic actions in the kainic acid model of excitotoxicity. <i>Brain, Behavior, and Immunity</i> , 2010, 24, 1354-1361.	2.0	56
240	Proneurotrophins, Seizures, and Neuronal Apoptosis. <i>Neuroscientist</i> , 2010, 16, 244-252.	2.6	66
241	Impact of psychotropic drugs on adult hippocampal neurogenesis. <i>Neuroscience Research</i> , 2012, 73, 93-98.	1.0	8
242	Transient domoic acid excitotoxicity increases BDNF expression and activates both MEK- and PKA-dependent neurogenesis in organotypic hippocampal slices. <i>BMC Neuroscience</i> , 2013, 14, 72.	0.8	24
243	Modulation of c-Fos and BDNF Protein Expression in Pentylentetrazole-Kindled Mice following the Treatment with Novel Antiepileptic Compound HHL-6. <i>BioMed Research International</i> , 2014, 2014, 1-9.	0.9	23
244	Neurotrophins: Transcription and Translation. <i>Handbook of Experimental Pharmacology</i> , 2014, 220, 67-100.	0.9	90
245	Alpha-Linolenic Acid-Induced Increase in Neurogenesis is a Key Factor in the Improvement in the Passive Avoidance Task After Soman Exposure. <i>NeuroMolecular Medicine</i> , 2015, 17, 251-269.	1.8	14
246	Thyroid hormones: Possible roles in epilepsy pathology. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2015, 31, 155-164.	0.9	44
247	Down-regulation of brain-derived neurotrophic factor and its signaling components in the brain tissues of scrapie experimental animals. <i>International Journal of Biochemistry and Cell Biology</i> , 2016, 79, 318-326.	1.2	12
248	NRSF and BDNF polymorphisms as biomarkers of cognitive dysfunction in adults with newly diagnosed epilepsy. <i>Epilepsy and Behavior</i> , 2016, 54, 117-127.	0.9	19
249	The relationship of <i>Chlamydomonas pneumoniae</i> with schizophrenia: The role of brain-derived neurotrophic factor (BDNF) and neurotrophin-3 (NT-3) in this relationship. <i>Revista Argentina De Microbiologia</i> , 2017, 49, 39-49.	0.4	2
250	Chronic asthma-induced behavioral and hippocampal neuronal morphological changes are concurrent with BDNF, cofilin1 and Cdc42/RhoA alterations in immature mice. <i>Brain Research Bulletin</i> , 2018, 143, 194-206.	1.4	16
251	Testosterone replacement causes dose-dependent improvements in spatial memory among aged male rats. <i>Psychoneuroendocrinology</i> , 2020, 113, 104550.	1.3	9
252	Activity-Dependent Regulation of Brain-derived neurotrophic factor Transcription. , 0, , 155-173.		2
253	Growth Factors and Brain Injury. , 1993, , 137-146.		6

#	ARTICLE	IF	CITATIONS
254	Neurotrophins in Kindling Epilepsy: Neuronal Protection or Induction of Sprouting and Epileptogenesis?. , 1995, , 417-438.		1
255	Electrical stimulation accelerates and increases expression of BDNF and trkB mRNA in regenerating rat femoral motoneurons. European Journal of Neuroscience, 2000, 12, 4381-4390.	1.2	63
256	Insights from Zebrafish and Mouse Models on the Activity and Safety of Ar-Turmerone as a Potential Drug Candidate for the Treatment of Epilepsy. PLoS ONE, 2013, 8, e81634.	1.1	53
257	Brain-derived neurotropic factor and GABAergic transmission in neurodegeneration and neuroregeneration. Neural Regeneration Research, 2017, 12, 1733.	1.6	36
259	Seizures Tip the Balance of Neurotrophin Signaling Toward Neuronal Death. , 2014, , 1945-1953.		0
260	Effects of Brain-Derived Neurotrophic Factor on Injured Dopaminergic Neurons. , 1994, , 167-183.		0
261	Expression, Regulation and Receptor Distribution of Neurotrophins in the Mammalian Central Nervous System. , 1994, , 123-150.		0
262	Localization of Neurotrophins and Their Receptors at the mRNA and Protein Level. , 1994, , 151-165.		0
263	Glutamate, beta-amyloid precursor proteins, and calcium mediated neurofibrillary degeneration. , 1994, 44, 29-45.		17
265	Molecular Determinants of Neurotrophin Actions in the Brain. , 1995, , 297-312.		1
266	Structure and Regulation of BDNF and NT-4 Genes. , 1995, , 235-260.		1
267	The regulation of nerve growth factor synthesis and delivery to peripheral neurons. , 1996, , 171-202.		0
268	Neurotrophin-3 and neurotrophin-4/5. , 1996, , 219-249.		1
269	Clinical Potential of Compounds That Stimulate Nerve Growth Factor Production. , 1998, , 95-110.		0
270	Role of Neurotrophic Factors in Cerebral Ischemia. Handbook of Experimental Pharmacology, 1999, , 225-253.	0.9	1
271	Trophic Factors in Experimental Models of Adult Central Nervous System Injury. Cerebral Cortex, 1999, , 129-173.	0.6	0
272	Stimulation of neurotrophin synthesis by 4-methylcatechol: a promising approach for neuroprotection. Biomedical Reviews, 2014, 10, 45.	0.6	1
274	The potential neuroprotective effects of stingless bee honey. Frontiers in Aging Neuroscience, 0, 14, .	1.7	3

#	ARTICLE	IF	CITATIONS
---	---------	----	-----------