

# CITATION REPORT

List of articles citing

**Nb-Th-La in komatiites and basalts: constraints on komatiite petrogenesis and mantle evolution**

**DOI: 10.1016/0012-821x(91)90076-t**  
**Earth and Planetary Science Letters, 1991, 107, 272-289.**

**Source:** <https://exaly.com/paper-pdf/22080508/citation-report.pdf>

**Version:** 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
247	Potassium, rubidium, and cesium in the Earth and Moon and the evolution of the mantle of the Earth. <i>Geochimica Et Cosmochimica Acta</i> , <b>1992</b> , 56, 1001-1012	5.5	339
246	APPLICATION OF THE ICP-MS TECHNIQUE TO TRACE ELEMENT ANALYSIS OF PERIDOTITES AND THEIR MINERALS. <b>1992</b> , 16, 311-315		151
245	Intraplate origin of komatiites inferred from trace elements in glass inclusions. <b>1993</b> , 365, 432-434		82
244	Constraining the potential temperature of the Archaean mantle: A review of the evidence from komatiites. <i>Lithos</i> , <b>1993</b> , 30, 291-307	2.9	311
243	A model of ocean-crust accretion for the Superior province, Canada. <i>Lithos</i> , <b>1993</b> , 30, 337-355	2.9	114
242	The evolution of the mantle's chemical structure. <i>Lithos</i> , <b>1993</b> , 30, 389-399	2.9	63
241	Th, U and other trace elements in carbonaceous chondrites: Implications for the terrestrial and solar-system Th/U ratios. <i>Earth and Planetary Science Letters</i> , <b>1993</b> , 117, 265-278	5.3	91
240	Mafic and ultramafic amphibolites from the northwestern Pontiac Subprovince: chemical characterization and implications for tectonic setting. <b>1993</b> , 30, 1110-1122		16
239	Tin in mantle-derived rocks: Constraints on Earth evolution. <i>Geochimica Et Cosmochimica Acta</i> , <b>1993</b> , 57, 3585-3595	5.5	79
238	HFSE/REE fractionations recorded in three komatiite-basalt sequences, Archean Abitibi greenstone belt: Implications for multiple plume sources and depths. <i>Geochimica Et Cosmochimica Acta</i> , <b>1993</b> , 57, 4111-4118	5.5	139
237	Petrology and Sm-Nd and Pb-Pb Systematics of the Early Archean Highly Magnesian Metavolcanics of the Vodla Block, Baltic Shield. <i>International Geology Review</i> , <b>1993</b> , 35, 825-839	2.3	4
236	Early Precambrian crustal development: changing styles of mafic magmatism. <b>1993</b> , 150, 625-635		26
235	Chapter 3 Greenstones Through Time. <b>1994</b> , 85-120		66
234	Light-rare earth element-rich minerals associated with platinum-group element mineralization in the Archean Boston Creek Flow, Ontario. <b>1994</b> , 51, 85-109		2
233	ICP-MS ANALYSIS OF BASALT BIR-1 FOR TRACE ELEMENTS. <b>1994</b> , 18, 53-63		44
232	Evolution of the Precambrian lithosphere: Seismological and geochemical constraints. <b>1994</b> , 99, 15359		186
231	Silicate-perovskite and majorite signature komatiites from the Archean Abitibi Greenstone Belt: Implications for early mantle differentiation and stratification. <b>1994</b> , 99, 15799		52

230	Phosphorus and high field strength element anomalies in Archean high-magnesian magmas as possible indicators of source mineralogy and depth. <i>Earth and Planetary Science Letters</i> , <b>1994</b> , 124, 221-239	5.3	44
229	Trace elements in diamond inclusions from eclogites reveal link to Archean granites. <i>Earth and Planetary Science Letters</i> , <b>1994</b> , 128, 199-213	5.3	130
228	Formation of 1.9-Ga-old Trans-Hudson continental crust: Pb isotopic data. <i>Chemical Geology</i> , <b>1994</b> , 118, 9-26	4.2	23
227	Chapter 1 Archean Komatiites. <b>1994</b> , 11, 11-44		84
226	The Generation of Kimberlites, Lamproites, and their Source Rocks. <b>1994</b> , 35, 787-817		131
225	Geochemistry and petrogenesis of late Archaean Aravalli volcanics, basement enclaves and granitoids, Rajasthan. <i>Precambrian Research</i> , <b>1994</b> , 65, 1-23	3.9	64
224	REE and Nd isotope geochemistry, petrogenesis and volcanic evolution of contaminated komatiites at Kambalda, Western Australia. <i>Lithos</i> , <b>1995</b> , 34, 127-157	2.9	139
223	Early Precambrian crustal development: changing styles of mafic magmatism. <b>1995</b> , 16, 25-35		2
222	Origin of Archean ferropicrites: geochemical constraints from the Boston Creek Flow, Abitibi greenstone belt, Ontario, Canada. <i>Chemical Geology</i> , <b>1995</b> , 121, 51-71	4.2	43
221	Application of isotope dilution for precise measurement of Zr and Hf in low-abundance samples and international reference materials by inductively coupled plasma mass spectrometry: implications for Zr (Hf)/REE fractionations in komatiites. <i>Chemical Geology</i> , <b>1995</b> , 123, 17-27	4.2	25
220	Generation of plume magmas through time: An experimental perspective. <i>Chemical Geology</i> , <b>1995</b> , 126, 1-16	4.2	150
219	Secular trends in the melting depths of mantle plumes: Evidence from HFSE/REE systematics of Archean high-Mg lavas and modern oceanic basalts. <i>Chemical Geology</i> , <b>1995</b> , 126, 29-42	4.2	19
218	The influence of alteration on the trace-element and Nd isotopic compositions of komatiites. <i>Chemical Geology</i> , <b>1995</b> , 126, 43-64	4.2	168
217	Hydration and dehydration of oceanic crust controls Pb evolution in the mantle. <i>Chemical Geology</i> , <b>1995</b> , 126, 65-75	4.2	108
216	Bimodal cyclical Archean basalts and rhyolites from the Michipicoten (Wawa) greenstone belt, Ontario: geochemical evidence for magma contributions from the asthenospheric mantle and ancient continental lithosphere near the southern margin of the Superior Province. <i>Precambrian Research</i> , <b>1996</b> , 76, 119-153	3.9	27
215	The Itsaq Gneiss Complex of southern West Greenland; the world's most extensive record of early crustal evolution (3900-3600 Ma). <i>Precambrian Research</i> , <b>1996</b> , 78, 1-39	3.9	377
214	Evolution of the Archaean Aulian Gneiss Complex, Middle Dnieper gneiss-greenstone terrain, Ukrainian Shield: SHRIMP U/Pb zircon evidence. <i>Precambrian Research</i> , <b>1996</b> , 78, 65-78	3.9	18
213	The depletion of tungsten in the bulk silicate earth: Constraints on core formation. <i>Geochimica Et Cosmochimica Acta</i> , <b>1996</b> , 60, 1155-1169	5.5	106

212	Melting experiments on anhydrous peridotite KLB-1: Compositions of magmas in the upper mantle and transition zone. <b>1996</b> , 101, 8271-8295		270
211	Geochemistry and provenance of metasedimentary rocks from the Archean Golden Pond sequence (Casa Berardi mining district, Abitibi subprovince). <b>1996</b> , 33, 676-690		13
210	Subduction zone geochemical characteristics in ocean ridge basalts from the southern Chile Ridge: Implications of modern ridge subduction systems for the Archean. <i>Lithos</i> , <b>1996</b> , 37, 143-161	2.9	74
209	Nd and Sr isotopic geochemistry of mafic layered intrusions in the eastern Baltic shield: implications for the evolution of Paleoproterozoic continental mafic magmas. <b>1996</b> , 124, 255-272		83
208	Petrology of a 2.41 Ga remarkably fresh komatiitic basalt lava lake in Lion Hills, central Vetreny Belt, Baltic Shield. <b>1996</b> , 124, 273-290		54
207	Isotopic and trace element constraints on the genesis of a boninitic sequence in the Thetford Mines ophiolitic complex, Quebec, Canada. <b>1997</b> , 34, 1258-1271		17
206	Review of developments in trace-element fingerprinting of geodynamic settings and their implications for mineral exploration. <b>1997</b> , 44, 465-487		43
205	Niobium/Uranium Evidence for Early Formation of the Continental Crust. <b>1997</b> , 275, 521-3		89
204	Petrology and geochemistry of crustally contaminated komatiitic basalts from the Vetreny Belt, southeastern Baltic Shield: Evidence for an early Proterozoic mantle plume beneath rifted Archean continental lithosphere. <i>Geochimica Et Cosmochimica Acta</i> , <b>1997</b> , 61, 1205-1222	5.5	170
203	Geochemical characteristics of aluminum depleted and undepleted komatiites and HREE-enriched low-Ti tholeiites, western Abitibi greenstone belt: A heterogeneous mantle plume-convergent margin environment. <i>Geochimica Et Cosmochimica Acta</i> , <b>1997</b> , 61, 4723-4744	5.5	118
202	Constraints on earth evolution from antimony in mantle-derived rocks. <i>Chemical Geology</i> , <b>1997</b> , 139, 39-49	4.2	49
201	Dynamic melting in plume heads: the formation of Gorgona komatiites and basalts. <i>Earth and Planetary Science Letters</i> , <b>1997</b> , 146, 289-301	5.3	145
200	Late Archaean Mantle Fertility : Constraints from Metavolcanics of the Sandur Schist Belt, India. <i>Gondwana Research</i> , <b>1997</b> , 1, 69-89	5.1	13
199	Garnet + liquid equilibrium. <b>1998</b> , 131, 273-288		13
198	The evidence of Sm-Nd isochron age for the early Paleozoic ophiolite in Mangya area, Altun Mountains. <b>1998</b> , 43, 754-756		36
197	Lead Isotope Geochemistry of Paleoproterozoic Layered Intrusions in the Eastern Baltic Shield: Inferences About Magma Sources and U-Th-Pb Fractionation in the Crust-Mantle System. <i>Geochimica Et Cosmochimica Acta</i> , <b>1998</b> , 62, 493-505	5.5	11
196	Nb/Ta fractionation in a Cambrian arc/back arc system, New Zealand: source constraints and application of refined ICPMS techniques. <i>Chemical Geology</i> , <b>1998</b> , 144, 23-45	4.2	130
195	Depleted spinel harzburgite xenoliths in Tertiary dykes from East Greenland: Restites from high degree melting. <i>Earth and Planetary Science Letters</i> , <b>1998</b> , 154, 221-235	5.3	134

194	Boninite series: low Ti-tholeiite associations from the 2.7 Ga Abitibi greenstone belt. <i>Earth and Planetary Science Letters</i> , <b>1998</b> , 164, 303-316	5.3	169
193	The Mantle's Chemical Structure: Insights from the Melting Products of Mantle Plumes. 259-310		1
192	Plume magmatism and crustal growth at 2.9 to 3.0 Ga in the Steep Rock and Lumby Lake area, Western Superior Province. <i>Lithos</i> , <b>1999</b> , 46, 103-136	2.9	61
191	Komatiite-Basalt-Hyolite volcanic associations in Northern Superior Province greenstone belts: significance of plume-arc interaction in the generation of the proto continental Superior Province. <i>Lithos</i> , <b>1999</b> , 46, 137-161	2.9	99
190	Trace element systematics of Mg-, to Fe-tholeiitic basalt suites of the Superior Province: implications for Archean mantle reservoirs and greenstone belt genesis. <i>Lithos</i> , <b>1999</b> , 46, 163-187	2.9	132
189	Trace element and Sm-Nd systematics of volcanic and intrusive rocks from the 3 Ga Lumby Lake Greenstone belt, Superior Province: evidence for Archean plume-arc interaction. <i>Lithos</i> , <b>1999</b> , 46, 189-213	2.9	83
188	Geochemical diversity in oceanic komatiites and basalts from the late Archean Wawa greenstone belts, Superior Province, Canada: trace element and Nd isotope evidence for a heterogeneous mantle. <i>Precambrian Research</i> , <b>1999</b> , 94, 139-173	3.9	155
187	Constraints from high-pressure veins in eclogites on the composition of hydrous fluids in subduction zones. <i>Chemical Geology</i> , <b>1999</b> , 160, 291-308	4.2	89
186	Picrite evidence for more Fe in Archean mantle reservoirs. <i>Earth and Planetary Science Letters</i> , <b>1999</b> , 167, 197-213	5.3	58
185	Variability of Nb/U and Th/La in 3.0 to 2.7 Ga Superior Province ocean plateau basalts: implications for the timing of continental growth and lithosphere recycling. <i>Earth and Planetary Science Letters</i> , <b>1999</b> , 168, 101-115	5.3	68
184	Hf isotope compositions of komatiites. <i>Earth and Planetary Science Letters</i> , <b>1999</b> , 171, 439-451	5.3	99
183	Growth of granite-greenstone terranes at convergent margins, and stabilization of Archean cratons. <b>1999</b> , 305, 43-73		189
182	Ir, Ru, Pt, and Pd in basalts and komatiites: new constraints for the geochemical behavior of the platinum-group elements in the mantle. <i>Geochimica Et Cosmochimica Acta</i> , <b>1999</b> , 63, 3915-3934	5.5	239
181	An Archean arc basalt-Nb-enriched basalt-dakite association: the 2.7 Ga Confederation assemblage of the Birch-Chi greenstone belt, Superior Province. <b>2000</b> , 139, 208-226		108
180	The Isotope and Trace Element Budget of the Cambrian Devil River Arc System, New Zealand: Identification of Four Source Components. <b>2000</b> , 41, 759-788		72
179	The Variscan lower continental crust: evidence for crustal delamination from geochemical and petrophysical investigations. <b>2000</b> , 179, 401-414		4
178	Mafic sheets from Indian plate gneisses in the Nanga Parbat syntaxis: their significance in dating crustal growth and metamorphic and deformation events. <b>2000</b> , 170, 25-50		13
177	Crustal-contaminated komatiitic basalts in Southern China: products of a Proterozoic mantle plume beneath the Yangtze Block. <i>Precambrian Research</i> , <b>2000</b> , 103, 175-189	3.9	47

176	Comment on "Variability of Nb/U and Th/La in 3.0 to 2.7 Ga Superior Province ocean plateau basalts: implications for the timing of continental growth and lithosphere recycling" <i>Earth and Planetary Science Letters</i> , <b>2000</b> , 177, 337-339	5-3	4
175	Trace element geochemistry of the Meen-Dempster greenstone belt, Uchi subprovince, Superior Province, Canada: back-arc development on the margins of an Archean protocontinent. <b>2000</b> , 37, 1021-1038		26
174	The production of Barberton komatiites in an Archean Subduction Zone. <b>2001</b> , 28, 2513-2516		120
173	TRACE-ELEMENT GEOCHEMISTRY AND PETROGENESIS OF BARREN AND ORE-ASSOCIATED KOMATIITES. <b>2001</b> , 39, 673-696		90
172	Comparative geochemistry of basalts from the moon, earth, HED asteroid, and Mars: implications for the origin of the moon. <i>Geochimica Et Cosmochimica Acta</i> , <b>2001</b> , 65, 979-997	5-5	51
171	Melting relations of the hydrous primitive mantle in the CMAS-H <sub>2</sub> O system at high pressures and temperatures, and implications for generation of komatiites. <b>2001</b> , 125, 31-44		27
170	References. <b>2001</b> , 273-302		
169	Experimental constraints on major and trace element partitioning during partial melting of eclogite. <i>Geochimica Et Cosmochimica Acta</i> , <b>2002</b> , 66, 3109-3123	5-5	343
168	Boninite-like volcanic rocks in the 3.7-3.8 Ga Isua greenstone belt, West Greenland: geochemical evidence for intra-oceanic subduction zone processes in the early Earth. <i>Chemical Geology</i> , <b>2002</b> , 184, 231-254	4-2	590
167	Crust-mantle interaction in the genesis of siliceous high magnesian basalts: evidence from the Early Proterozoic Dongargarh Supergroup, India. <i>Chemical Geology</i> , <b>2002</b> , 187, 21-37	4-2	27
166	Major element heterogeneity in Archean to Recent mantle plume starting-heads. <i>Earth and Planetary Science Letters</i> , <b>2002</b> , 195, 59-74	5-3	83
165	Helium in the Archean komatiites revisited: significantly high <sup>3</sup> He/ <sup>4</sup> He ratios revealed by fractional crushing gas extraction. <i>Earth and Planetary Science Letters</i> , <b>2002</b> , 196, 213-225	5-3	32
164	Archaean boninite-like rocks in an intracratonic setting. <i>Earth and Planetary Science Letters</i> , <b>2002</b> , 197, 19-34	5-3	106
163	Comment on: "Growth and recycling of early Archaean continental crust: geochemical evidence from the Coonterunah and Warrawoona groups, Pilbara Craton, Australia" by Green, M.G. et al. ( <i>Tectonophysics</i> 322, 69-88). <b>2002</b> , 344, 289-292		5
162	Reply to the comment by Bolhar et al. on "Growth and recycling of early Archaean continental crust: geochemical evidence from the Coonterunah and Warrawoona Groups, Pilbara Craton, Australia" by Green et al. [ <i>Tectonophysics</i> 322 (2000) 69-88]. <b>2002</b> , 344, 293-296		
161	Compositional recycling structure of an Archean super-plume: Nb-Th-U-REE systematics of Archean komatiites and basalts revisited. <b>2002</b> , 142, 476-484		65
160	Mantle Mixing: The Generation, Preservation, and Destruction of Chemical Heterogeneity. <b>2002</b> , 30, 493-525		184
159	Constraints on the pre-metamorphic trace element composition of Barberton komatiites from ion probe analyses of preserved clinopyroxene. <b>2003</b> , 144, 383-396		50

158	Constraints on early Archean crustal extraction and tholeiitic-komatiitic volcanism in greenstone belts of the Northern Superior Province. <b>2003</b> , 40, 431-445		8
157	Oceanic Plateaus. <b>2003</b> , 537-565		41
156	Incompatible element ratios in oceanic basalts and komatiites: Tracking deep mantle sources and continental growth rates with time. <b>2003</b> , 4, 1-28		161
155	Re-Os, Sm-Nd isotope- and REE systematics on ultramafic rocks and pillow basalts from the Earth's oldest oceanic crustal fragments (Isua Supracrustal Belt and Ujaragssuit nunatak area, W Greenland). <i>Chemical Geology</i> , <b>2003</b> , 196, 163-191	4.2	24
154	A refined solution to Earth's hidden niobium: implications for evolution of continental crust and mode of core formation. <i>Precambrian Research</i> , <b>2003</b> , 126, 289-308	3.9	93
153	Compositional Evolution of the Mantle. <b>2003</b> , 493-519		43
152	Petrology and Geochemistry of Barberton Komatiites and Basaltic Komatiites: Evidence of Archean Fore-Arc Magmatism. <b>2004</b> , 13, 539-565		7
151	2.8 Ga Boninite-Hosting Partial Suprasubduction Zone Ophiolite Sequences from the North Karelian Greenstone Belt, NE Baltic Shield, Russia. <b>2004</b> , 13, 425-486		29
150	The Hadean upper mantle conundrum: evidence for source depletion and enrichment from Sm-Nd, Re-Os, and Pb isotopic compositions in 3.71 Gy boninite-like metabasalts from the Isua Supracrustal Belt, Greenland. <i>Geochimica Et Cosmochimica Acta</i> , <b>2004</b> , 68, 1645-1660	5.5	43
149	Comment on "Petrogenesis of an early archaean (3.4 Ga) norite dyke, Isua, West Greenland: evidence for early Archaean crustal recycling?" <i>Precambrian Research</i> , <b>2004</b> , 128, 189-193	3.9	1
148	Geochemical systematics of tholeiites from the 2.86 Ga Pickle Crow Assemblage, northwestern Ontario: arc basalts with positive and negative Nb-Ta anomalies. <i>Precambrian Research</i> , <b>2004</b> , 134, 1-20	3.9	51
147	Geochemical systematics of tholeiitic basalts from the 2.7 Ga Ramagiri-Hungund composite greenstone belt, Dharwar craton. <i>Precambrian Research</i> , <b>2004</b> , 134, 21-39	3.9	80
146	Geochemical, <sup>40</sup> Ar/ <sup>39</sup> Ar geochronological and Sr-Nd isotopic constraints on the origin of Paleoproterozoic mafic dikes from the southern Taihang Mountains and implications for the ca. 1800 Ma event of the North China Craton. <i>Precambrian Research</i> , <b>2004</b> , 135, 55-77	3.9	164
145	Composition of the depleted mantle. <b>2004</b> , 5, n/a-n/a		1105
144	References. <b>2004</b> , 12, 771-921		
143	Crustal development at the pre-Grenvillian Laurentian margin: a record from contrasting geochemistry of mafic and ultramafic orthogneisses in the Chochocouane River area, Quebec. <b>2005</b> , 42, 1653-1675		1
142	Light rare earth element depleted to enriched basaltic flows from 2.8 to 2.7 Ga greenstone belts of the Uchi Subprovince, Ontario, Canada. <i>Chemical Geology</i> , <b>2006</b> , 227, 133-153	4.2	43
141	Geochemical characteristics of the Neoproterozoic (2800-700 Ma) Taishan greenstone belt, North China Craton: Evidence for plume-craton interaction. <i>Chemical Geology</i> , <b>2006</b> , 230, 60-87	4.2	140

140	Low- and high-alumina komatiites of Goiás, Central Brazil. <b>2006</b> , 20, 315-326		13
139	Petrology and geochemistry of metamorphosed basaltic pillow lava and basaltic komatiite in the Mauranipur area: subduction related volcanism in the Archean Bundelkhand craton, Central India. <b>2006</b> , 101, 199-217		69
138	Geochemistry of heavily altered Archean volcanic and volcanoclastic rocks of the Warrawoona Group, at Mt. Goldsworthy in the Pilbara Craton, Western Australia: Implications for alteration and origin. <b>2006</b> , 40, 523-535		10
137	Geochemistry of adakites and rhyolites from the Neoproterozoic Gadwal greenstone belt, eastern Dharwar craton, India: implications for sources and geodynamic setting. <b>2007</b> , 44, 1517-1535		31
136	Geochemistry and protoliths of the metabasite-enderbite association of the Dzhugdzhur block, Aldan Shield. <b>2007</b> , 45, 546-560		6
135	Geodynamics of the eastern margin of Sarmatia in the Paleoproterozoic. <b>2007</b> , 41, 38-62		43
134	Isotopic and geochemical characteristics of the late Miocene subalkali and alkali basalts of the southern part of the Russian Far East and the role of continental lithosphere in their genesis. <i>Petrology</i> , <b>2007</b> , 15, 575-598	1.2	9
133	Geochemical fingerprinting of oceanic basalts with applications to ophiolite classification and the search for Archean oceanic crust. <i>Lithos</i> , <b>2008</b> , 100, 14-48	2.9	1929
132	Geochemical systematics of 2.7 Ga Korojiv Group (Abitibi), and Manitouwadge and Winston Lake (Wawa) Fe-rich basalt-rhyolite associations: Backarc rift oceanic crust?. <i>Lithos</i> , <b>2008</b> , 101, 1-23	2.9	37
131	Geochemistry, isotope systematics and petrogenesis of the volcanic rocks in the Zhongtiao Mountain: An alternative interpretation for the evolution of the southern margin of the North China Craton. <i>Lithos</i> , <b>2008</b> , 102, 158-178	2.9	82
130	Geochemical systematics of komatiite-holeiite and adakitic-arc basalt associations: The role of a mantle plume and convergent margin in formation of the Sandur Superterrane, Dharwar craton, India. <i>Lithos</i> , <b>2008</b> , 106, 155-172	2.9	76
129	3.35 Ga komatiite volcanism in the western Dharwar craton, southern India: Constraints from Nd isotopes and whole-rock geochemistry. <i>Precambrian Research</i> , <b>2008</b> , 162, 160-179	3.9	176
128	Geochemistry and geochronology of Neoproterozoic volcanic rocks of the Iramba-Bekenke greenstone belt, central Tanzania. <i>Precambrian Research</i> , <b>2008</b> , 163, 265-278	3.9	19
127	Implications of observed primary lithologies. 501-518		7
126	Calcium Isotopes ( $^{44}\text{Ca}/^{40}\text{Ca}$ ) in MPI-DING Reference Glasses, USGS Rock Powders and Various Rocks: Evidence for Ca Isotope Fractionation in Terrestrial Silicates. <b>2009</b> , 33, 231-247		88
125	Origin of the deep metamorphic complexes of the Early Proterozoic folded framing, the eastern part of the Aldan shield. <b>2009</b> , 3, 137-153		4
124	Re-Os isotope systematics and HSE abundances of the 3.5 Ga Schapenburg komatiites, South Africa: Hydrous melting or prolonged survival of primordial heterogeneities in the mantle?. <i>Chemical Geology</i> , <b>2009</b> , 262, 355-369	4.2	46
123	Enriched and depleted arc basalts, with Mg-andesites and adakites: A potential paired arc-back-arc of the 2.6 Ga Hutti greenstone terrane, India. <i>Geochimica Et Cosmochimica Acta</i> , <b>2009</b> , 73, 1711-1736	5.5	116



122	Geochemistry of coexisting depleted and enriched Paringa Basalts, in the 2.7Ga Kalgoorlie Terrane, Yilgarn Craton, Western Australia: Evidence for a heterogeneous mantle plume event. <i>Precambrian Research</i> , <b>2009</b> , 174, 287-309	3.9	67
121	Geodynamic evolution of the 2.25-2.0 Ga Palaeoproterozoic magmatic rocks in the Man-Leo Shield of the West African Craton. A model of subsidence of an oceanic plateau. <b>2009</b> , 323, 231-254		32
120	Enrichment of PGE through interaction of evolved boninitic magmas with early formed cumulates in a gabbro-breccia zone of the Mesoarchean Nuasahi massif (eastern India). <b>2010</b> , 45, 69-91		30
119	Petrogenesis and tectonic setting of volcanic rocks in the Xiaoshan and Waifangshan areas along the southern margin of the North China Craton: Constraints from bulk-rock geochemistry and Sr-Nd isotopic composition. <i>Lithos</i> , <b>2010</b> , 114, 186-199	2.9	80
118	Depleted mantle sources through time: Evidence from Lu-Hf and Sm-Nd isotope systematics of Archean komatiites. <i>Earth and Planetary Science Letters</i> , <b>2010</b> , 297, 598-606	5.3	136
117	Precise U-Pb dating of Paleoproterozoic mafic dyke swarms of the Dharwar craton, India: Implications for the existence of the Neoproterozoic supercraton Sclavia. <i>Precambrian Research</i> , <b>2010</b> , 183, 416-441	3.9	171
116	Geodynamics of the eastern Yilgarn Craton. <i>Precambrian Research</i> , <b>2010</b> , 183, 175-202	3.9	137
115	Geochemistry and Secular Geochemical Evolution of the Earth's Mantle and Lower Crust. <b>2011</b> , 1-19		
114	Rhodium, gold and other highly siderophile elements in orogenic peridotites and peridotite xenoliths. <i>Chemical Geology</i> , <b>2011</b> , 280, 365-383	4.2	133
113	Geochemical diversity in oceanic basalts hosted by the Zaskurva accretionary complex, NW Russian Altai, Central Asia: Implications from trace elements and Nd isotopes. <b>2011</b> , 42, 191-207		45
112	Multistage late Neoproterozoic crustal evolution of the North China Craton, eastern Hebei. <i>Precambrian Research</i> , <b>2011</b> , 189, 43-65	3.9	216
111	An estimate of 1.9 Ga mantle depletion using the high-field-strength elements and Nd-Pb isotopes of ocean floor basalts, Flin Flon Belt, Canada. <i>Precambrian Research</i> , <b>2011</b> , 189, 114-139	3.9	17
110	Palaeozoic tectonics and evolutionary history of the Qinling orogen: Evidence from geochemistry and geochronology of ophiolite and related volcanic rocks. <i>Lithos</i> , <b>2011</b> , 122, 39-56	2.9	222
109	The geochemistry of host arc volcanic rocks to the Co-Cu epithermal gold deposit, Eastern Mindanao, Philippines. <i>Lithos</i> , <b>2011</b> , 127, 564-580	2.9	13
108	A New Model for Barberton Komatiites: Deep Critical Melting with High Melt Retention. <b>2012</b> , 53, 2191-2229		98
107	Arc picrite-potassic adakitic-shoshonitic volcanic association of the Neoproterozoic Sigegudda greenstone terrane, western Dharwar craton: Transition from arc wedge to lithosphere melting. <i>Precambrian Research</i> , <b>2012</b> , 212-213, 207-224	3.9	31
106	Cambrian rift-related magmatism in the Ossa-Morena Zone (Iberian Massif): Geochemical and geophysical evidence of Gondwana break-up. <b>2012</b> , 570-571, 135-150		16
105	New age, geochemical and paleomagnetic data on a 2.21Ga dyke swarm from south India: Constraints on Paleoproterozoic reconstruction. <i>Precambrian Research</i> , <b>2012</b> , 220-221, 123-138	3.9	55

104	Geological and geochemical evolution of the Trinchiera Complex, a Mesoproterozoic ophiolite in the southwestern Amazon craton, Brazil. <i>Lithos</i> , <b>2012</b> , 148, 277-295	2.9	22
103	Trace element partitioning between majoritic garnet and silicate melt at 10–7 GPa: Implications for deep mantle processes. <i>Lithos</i> , <b>2012</b> , 148, 128-141	2.9	32
102	Contemporaneous eruption of Nb-enriched basalts and adakites from the 2.7 Ga Penakacherla terrane: implications for subduction zone processes and crustal growth in the eastern Dharwar craton, India. <b>2012</b> , 49, 615-636		24
101	Multi-stage origin of Roberts Victor eclogites: Progressive metasomatism and its isotopic effects. <i>Lithos</i> , <b>2012</b> , 142-143, 161-181	2.9	43
100	Suprasubduction zone ophiolite from Agali hill: Petrology, zircon SHRIMP U–Pb geochronology, geochemistry and implications for Neoproterozoic plate tectonics in southern India. <i>Precambrian Research</i> , <b>2013</b> , 231, 301-324	3.9	104
99	Subduction related tectonic evolution of the Neoproterozoic eastern Dharwar Craton, southern India: New geochemical and isotopic constraints. <i>Precambrian Research</i> , <b>2013</b> , 227, 204-226	3.9	67
98	Petrogenesis of mafic alkaline dikes from the ~ 2.18 Ga Mahbubnagar Large Igneous Province, Eastern Dharwar Craton, India: Geochemical evidence for uncontaminated intracontinental mantle derived magmatism. <i>Lithos</i> , <b>2013</b> , 179, 84-98	2.9	11
97	Insights into early Earth from Barberton komatiites: Evidence from lithophile isotope and trace element systematics. <i>Geochimica Et Cosmochimica Acta</i> , <b>2013</b> , 108, 63-90	5.5	94
96	Neoproterozoic siliceous high-Mg basalt (SHMB) from the Taishan granite-greenstone terrane, Eastern North China Craton: Petrogenesis and tectonic implications. <i>Precambrian Research</i> , <b>2013</b> , 228, 233-249	3.9	49
95	Geochemical constraints on komatiite volcanism from Sargur Group Nagamangala greenstone belt, western Dharwar craton, southern India: Implications for Mesoproterozoic mantle evolution and continental growth. <b>2013</b> , 4, 321-340		34
94	Geochemistry of a komatiitic, boninitic, and tholeiitic basalt association in the Mesoproterozoic Koolyanobbing greenstone belt, Southern Cross Domain, Yilgarn craton: Implications for mantle sources and geodynamic setting of banded iron formation. <i>Precambrian Research</i> , <b>2013</b> , 224, 110-128	3.9	33
93	Natural Radioactivity of the Crust and Mantle. <b>2013</b> , 283-291		35
92	Geochronology and geochemistry of the Paleoproterozoic Fe-rich mafic sills from the Zhongtiao Mountains: Petrogenesis and tectonic implications. <i>Precambrian Research</i> , <b>2014</b> , 255, 668-684	3.9	10
91	Melting of a subduction-modified mantle source: A case study from the Archean Marda Volcanic Complex, central Yilgarn Craton, Western Australia. <i>Lithos</i> , <b>2014</b> , 190-191, 403-419	2.9	15
90	Neoproterozoic amalgamation of the Northern Qinling terrain to the North China Craton: Constraints from geochronology and geochemistry of the Kuanping ophiolite. <i>Precambrian Research</i> , <b>2014</b> , 255, 77-95	3.9	105
89	Oceanic Plateaus. <b>2014</b> , 631-667		37
88	Neoproterozoic arc-juvenile back-arc magmatism in eastern Dharwar Craton, India: Geochemical fingerprints from the basalts of Kadiri greenstone belt. <i>Precambrian Research</i> , <b>2015</b> , 258, 1-23	3.9	46
87	Arc-nascent back-arc signature in metabasalts from the Neoproterozoic Jonnagiri greenstone terrane, Eastern Dharwar Craton, India. <i>Geological Journal</i> , <b>2015</b> , 50, 651-669	1.7	29

86	The Lamandau IOCG deposit, southwestern Kalimantan Island, Indonesia: Evidence for its formation from geochronology, mineralogy, and petrogenesis of igneous host rocks. <b>2015</b> , 68, 43-58		5
85	Petrogenesis of basaltic-high-Mg andesite-dakite in the Neoproterozoic Veligallu greenstone terrane: Geochemical evidence for a rifted back-arc crust in the eastern Dharwar craton, India. <i>Precambrian Research</i> , <b>2015</b> , 258, 260-277	3.9	21
84	Composition, melting and evolution of the upper mantle beneath the Jurassic Pindos ocean inferred by ophiolitic ultramafic rocks in East Othris, Greece. <b>2015</b> , 104, 1185-1207		20
83	Geochemistry of contaminated komatiites from the Umburanas greenstone belt, Bahia State, Brazil. <b>2015</b> , 61, 1-13		10
82	Two episodes of Paleoproterozoic mafic intrusions from Liaoning province, North China Craton: Petrogenesis and tectonic implications. <i>Precambrian Research</i> , <b>2015</b> , 264, 119-139	3.9	76
81	Provenance of <sup>37</sup> Ar/ <sup>39</sup> K zircons in the Belomorian mobile belt, Baltic shield, and some geodynamic implications. <b>2015</b> , 53, 869-891		9
80	The Neoproterozoic ultramafic-mafic complex in the Yinshan Block, North China Craton: Magmatic monitor of development of Archean lithospheric mantle. <i>Precambrian Research</i> , <b>2015</b> , 270, 80-99	3.9	23
79	Boninitic metavolcanic rocks and island arc tholeiites from the Older Metamorphic Group (OMG) of Singhbhum Craton, eastern India: Geochemical evidence for Archean subduction processes. <i>Precambrian Research</i> , <b>2015</b> , 271, 138-159	3.9	41
78	Archaean Kuru-Vaara eclogites in the northern Belomorian Province, Fennoscandian Shield: crustal architecture, timing, and tectonic implications. <i>International Geology Review</i> , <b>2015</b> , 57, 1543-1565	2.3	27
77	Physical volcanology and geochemistry of Palaeoproterozoic komatiite lava flows from the western Dharwar craton, southern India: implications for Archaean mantle evolution and crustal growth. <i>International Geology Review</i> , <b>2016</b> , 58, 1569-1595	2.3	20
76	Geochronological and geochemical studies of mafic and intermediate dykes from the Khao Khwang Fold-Thrust Belt: Implications for petrogenesis and tectonic evolution. <i>Gondwana Research</i> , <b>2016</b> , 36, 124-141	5.1	17
75	Petrogenesis of ultramafics in the Neoproterozoic Veligallu greenstone terrane, eastern Dharwar craton, India: Constraints from bulk-rock geochemistry and Lu-Hf isotopes. <i>Precambrian Research</i> , <b>2016</b> , 285, 186-201	3.9	23
74	Upper Paleozoic mafic and intermediate volcanic rocks of the Mount Pleasant caldera associated with the Sn deposit in southwestern New Brunswick (Canada): Petrogenesis and metallogenic implications. <i>Lithos</i> , <b>2016</b> , 262, 428-441	2.9	4
73	Petrology and geochemistry of mafic rocks in the Acasta Gneiss Complex: Implications for the oldest mafic rocks and their origin. <i>Precambrian Research</i> , <b>2016</b> , 283, 190-207	3.9	18
72	Boninitic and tholeiitic basaltic lavas and dikes from dispersed Jurassic East Othris ophiolitic units, Greece: petrogenesis and geodynamic implications. <i>International Geology Review</i> , <b>2016</b> , 58, 1983-2006	2.3	10
71	A primitive mantle source for the Neoproterozoic mafic rocks from the Tanzania Craton. <b>2016</b> , 7, 911-926		23
70	Geochemical constraints on cumulate textured Ti-rich Al-depleted Komatiites from Chotanagpur Gneissic Complex, Eastern India. <b>2016</b> , 87, 429-438		1
69	Zircon U-Pb geochronology, Lu-Hf isotope systematics, and geochemistry of bimodal volcanic rocks and associated granitoids from Kotri Belt, Central India: Implications for Neoproterozoic-Paleoproterozoic crustal growth. <i>Gondwana Research</i> , <b>2016</b> , 38, 313-333	5.1	46

68	Petrogenesis and Geochemistry of Archean Komatiites. <b>2016</b> , 57, 147-184			70
67	Mantle Sulfides and their Role in Re-Os and Pb Isotope Geochronology. <b>2016</b> , 81, 579-649			43
66	Geochemical characterization of Archean amphibolites from the eastern part of Anshan-Benxi iron producing area, northeastern China: implication for tectonic setting of BIFs. <i>Geological Journal</i> , <b>2016</b> , 51, 480-498	1.7		5
65	Major, trace and platinum group element (PGE) geochemistry of Archean Iron Ore Group and Proterozoic Malangtoli metavolcanic rocks of Singhbhum Craton, Eastern India: Inferences on mantle melting and sulphur saturation history. <b>2016</b> , 72, 1263-1289			25
64	Petrogenesis of 3.15 Ga old Banasandra komatiites from the Dharwar craton, India: Implications for early mantle heterogeneity. <b>2017</b> , 8, 467-481			39
63	Geochemistry and Sm-Nd isotopic characteristics of the Paleoproterozoic Komatiites from Singhbhum Craton, Eastern India and their implications. <i>Precambrian Research</i> , <b>2017</b> , 298, 385-402	3.9		23
62	Tracking the evolution of mantle sources with incompatible element ratios in stagnant-lid and plate-tectonic planets. <i>Geochimica Et Cosmochimica Acta</i> , <b>2017</b> , 213, 47-62	5.5		20
61	Geochemistry of Early Paleozoic boninites from the Central Qilian block, Northwest China: Constraints on petrogenesis and back-arc basin development. <b>2018</b> , 158, 227-239			18
60	A ca.2.1 Ga Andean-type margin built on metasomatized lithosphere in the northern Yangtze craton, China: Evidence from high-Mg basalts and andesites. <i>Precambrian Research</i> , <b>2018</b> , 309, 309-324	3.9		36
59	Geochemical and Sm-Nd isotopic constraints on the petrogenesis and tectonic setting of the Proterozoic mafic magmatism of the Gwalior Basin, central India: the influence of Large Igneous Provinces on Proterozoic crustal evolution. <b>2018</b> , 463, 243-268			14
58	Geochemistry, <sup>40</sup> Ar/ <sup>39</sup> Ar geochronology, and geodynamic implications of Early Cretaceous basalts from the western Qinling orogenic belt, China. <b>2018</b> , 151, 62-72			6
57	Slab break-off triggered lithosphere - asthenosphere interaction at a convergent margin: The Neoproterozoic bimodal magmatism in NW India. <i>Lithos</i> , <b>2018</b> , 296-299, 281-296	2.9		54
56	Belingwe komatiites (2.7 Ga) originate from a plume with moderate water content, as inferred from inclusions in olivine. <i>Chemical Geology</i> , <b>2018</b> , 478, 39-59	4.2		16
55	Mantle source heterogeneity of the Early Jurassic basalt of eastern North America. <b>2018</b> , 107, 1033-1058			9
54	Boninites in the ~3.3 Ga Holenarsipur Greenstone Belt, Western Dharwar Craton, India. <b>2018</b> , 8, 248			3
53	Molybdenum partitioning behavior and content in the depleted mantle: Insights from Balmuccia and Baldissero mantle tectonites (Ivrea Zone, Italian Alps). <i>Chemical Geology</i> , <b>2018</b> , 499, 138-150	4.2		4
52	Precambrian origin of the North Lhasa terrane, Tibetan Plateau: Constraint from early Cryogenian back-arc magmatism. <i>Precambrian Research</i> , <b>2018</b> , 313, 51-67	3.9		46
51	Water and Volatile Inventories of Mercury, Venus, the Moon, and Mars. <b>2018</b> , 214, 1			22

50	Geochemistry of the Mafic Metavolcanic Rocks of Mauranipur-Babina Greenstone Belt, Bundelkhand Craton, Central India: Implication for Tectonic Settings During the Archaean. <b>2019</b> , 577-607		2
49	A Tectonic Remnant of the Mesoarchean Oceanic Lithosphere in the Belomorian Province, Fennoscandian Shield. <b>2019</b> , 53, 205-230		3
48	Calcium isotope fractionation during magmatic processes in the upper mantle. <i>Geochimica Et Cosmochimica Acta</i> , <b>2019</b> , 249, 121-137	5.5	32
47	Late Cryogenian magmatic activity in the North Lhasa terrane, Tibet: Implication of slab break-off process. <i>Gondwana Research</i> , <b>2019</b> , 71, 129-149	5.1	10
46	Neoproterozoic magmatism in Shimoga greenstone belt, India: Evidence for subduction-accretion processes in the evolution of the western Dharwar stratigraphy. <i>Lithos</i> , <b>2019</b> , 330-331, 177-193	2.9	12
45	Petrogenetic evolution of metabasalts and metakomatiites of the lower Onverwacht Group, Barberton Greenstone Belt (South Africa). <i>Chemical Geology</i> , <b>2019</b> , 511, 152-177	4.2	22
44	Age, composition and tectonic implications of late Ordovician-early Silurian igneous rocks of the Loel Volcanic Belt, NW Laos. <i>International Geology Review</i> , <b>2019</b> , 61, 1940-1956	2.3	6
43	Trace element-enriched mid-Visean dikes in the New Carlisle area of Quebec, Canada: Unusual products of a tholeiitic melt sourced from metasomatized mantle rocks and fractionated in a brine-rich upper-crustal environment. <i>Bulletin of the Geological Society of America</i> , <b>2019</b> , 131, 2079-2093	3.9	1
42	Meso- to Neoproterozoic crustal evolution of the Bundelkhand Craton, Indian Shield: new data from greenstone belts. <i>International Geology Review</i> , <b>2019</b> , 61, 1409-1428	2.3	26
41	Early Cretaceous rift-related volcanism in the Songliao Basin, NE China - A geochemical study. <i>International Geology Review</i> , <b>2019</b> , 61, 39-55	2.3	2
40	Neoproterozoic arc magmatism and Paleoproterozoic granulite-facies metamorphism in the Bhavani Suture Zone, South India. <i>Geological Journal</i> , <b>2020</b> , 55, 3870-3895	1.7	5
39	Neoproterozoic arc-back arc subduction system in the Indian Peninsula: Evidence from mafic magmatism in the Shimoga greenstone belt, western Dharwar Craton. <i>Geological Journal</i> , <b>2020</b> , 55, 5308-5329	1.7	0
38	Hafnium-Neodymium isotope, trace element and U-Pb zircon age constraints on the petrogenesis of the 3.44-3.46 Ga Dwalile greenstone remnant, Ancient gneiss Complex, Swaziland. <i>Precambrian Research</i> , <b>2020</b> , 351, 105970	3.9	4
37	U-Pb zircon geochronology, geochemistry, and Sr-Nd-Hf isotopic study of Middle Neoproterozoic magmatic rocks in the Kangdian Rift, South China: Slab rollback and backarc extension at the northwestern edge of the Rodinia. <i>Precambrian Research</i> , <b>2020</b> , 347, 105863	3.9	5
36	Ultra-depleted <sup>2.05 Ga</sup> komatiites of Finnish Lapland: Products of grainy late accretion or core-mantle interaction?. <i>Chemical Geology</i> , <b>2020</b> , 554, 119801	4.2	13
35	Physical volcanology and petrogenesis of the Archean Quebra Osso komatiite flow field, Rio das Velhas greenstone belt, Quadrilheira Ferrifera (Brazil). <i>Lithos</i> , <b>2020</b> , 370-371, 105626	2.9	1
34	Restoring original composition of hydrothermally altered Archean metavolcanic rocks of the Carajás Mineral Province (Brazil): Geodynamic implications for the transition from lid to mobile tectonics. <i>Lithos</i> , <b>2020</b> , 372-373, 105647	2.9	2
33	Petrogenesis of low-Ti and high-Ti basalt, adakite and rhyolite association in the Peddavuru greenstone belt, eastern Dharwar craton, India: A Neoproterozoic analogue of Phanerozoic-type back-arc magmatism. <i>Chemie Der Erde</i> , <b>2020</b> , 80, 125606	4.3	4

32	Early Permian to Late Triassic tectonics of the southern Central Asian Orogenic Belt: geochronological and geochemical constraints from gabbros and granites in the northern Alxa area, NW China. <i>Geological Magazine</i> , <b>2020</b> , 157, 2089-2105	2	1
31	Petrogenesis and Age of Rocks from the Lower Zone of the Monchetundra Mafic Platinum-Bearing Massif, Kola Peninsula. <i>Petrology</i> , <b>2020</b> , 28, 151-182	1.2	2
30	Neo-Tethyan slab tearing constrained by Palaeocene N-MORB -like magmatism in southern Tibet. <i>Geological Journal</i> , <b>2021</b> , 56, 205-223	1.7	3
29	Petrology and geochemistry of mafic plugs associated with the Semri Group of the Vindhyan Supergroup in the eastern part of the Son valley, Central India: Implications for bimodal volcanism. <i>Geological Journal</i> , <b>2021</b> , 56, 2848-2867	1.7	
28	Origins of the meta-mafic rocks in the southern Dunhuang Block (NW China): Implication for tectonic framework of the southernmost Central Asian Orogenic Belt. <i>Geological Journal</i> , <b>2021</b> , 56, 3959-3973	1.7	1
27	Cambrian and Cryogenian tectonothermal events in the Amdo microcontinent, Central Tibet: Implications for paleogeographic reconstruction and tectonic evolution of northern Gondwana. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , <b>2021</b> , 569, 110332	2.9	1
26	Localized Backarc Extension in an Overall Compressional Setting During the Assembly of Nuna: Geochemical and Isotopic Evidence From Orosirian (1883-1848 Ma) Mafic Magmatism of the Aillik Group, Labrador, Canada. <i>Earth and Space Science</i> , <b>2021</b> , 8, e2020EA001489	3.1	3
25	Neoproterozoic bimodal magmatism in the eastern Himalayan orogen: Tectonic implications for the Rodinia supercontinent evolution. <i>Gondwana Research</i> , <b>2021</b> , 94, 87-105	5.1	0
24	Geochemistry and Petrogenesis of Lower Jurassic Mafic Rock Suites in the External Rif Belt, and Chemical Geodynamics of the Central Atlantic Magmatic Province (CAMP) in NW Morocco. <i>Journal of Geology</i> ,	2	3
23	LIP printing: Use of immobile element proxies to characterize Large Igneous Provinces in the geologic record. <i>Lithos</i> , <b>2021</b> , 392-393, 106068	2.9	25
22	Coupled stable chromium and iron isotopic fractionation tracing magmatic mineral crystallization in Archean komatiite-tholeiite suites. <i>Chemical Geology</i> , <b>2021</b> , 576, 120121	4.2	4
21	Mantle-like HfNd isotope signatures in ~3.5 Ga greenstones: No evidence for Hadean crust beneath the East Pilbara Craton. <i>Chemical Geology</i> , <b>2021</b> , 576, 120273	4.2	2
20	Petrogenesis of Eocene shoshonitic rocks from South-Central British Columbia: Melting of Proterozoic lithospheric mantle. <i>Lithos</i> , <b>2021</b> , 398-399, 106289	2.9	1
19	Rare earth elements in hypabyssal and subvolcanic rocks with high in magnesium composition. <b>2010</b> , 129-232		
18	References. <i>Handbook of Exploration Geochemistry</i> , <b>1994</b> , 635-707		
17	Water and Volatile Inventories of Mercury, Venus, the Moon, and Mars. <i>Space Sciences Series of ISSI</i> , <b>2018</b> , 151-189	0.1	
16	Geology, petrology and U-Pb geochronology of metavolcanic rocks in the Mundo Novo greenstone belt, eastern São Francisco Craton, NE Brazil: considerations about its tectonic setting. <i>Brazilian Journal of Geology</i> , <b>2020</b> , 50,	1.5	1
15	Early global mantle chemical and isotope heterogeneity revealed by the komatiite-basalt record: The Western Australia connection. <i>Geochimica Et Cosmochimica Acta</i> , <b>2021</b> , 320, 238-238	5.5	3

14	Neoproterozoic and Early Paleozoic magmatism in the eastern Lhasa terrane: Implications for Andean-type orogeny along the northern margin of Rodinia and Gondwana. <i>Precambrian Research</i> , <b>2022</b> , 369, 106520	3.9	1
13	A Mesoarchean Large Igneous Province on the Eastern Kaapvaal Craton (Southern Africa) Confirmed by Metavolcanic Rocks from Kubuta, Eswatini. <i>Lithosphere</i> , <b>2022</b> , 2022,	2.7	
12	The chronological and geochemical characteristics of Triassic gabbro diorite in the Hongshuihe area of the East Kunlun Orogenic Belt, Northwest China. <i>Arabian Journal of Geosciences</i> , <b>2022</b> , 15, 1	1.8	
11	The komatiite testimony to ancient mantle heterogeneity. <i>Chemical Geology</i> , <b>2022</b> , 594, 120776	4.2	1
10	Mafic-ultramafic suite from the Karwar Block, SW India: Implications for Mesoarchean geodynamics. <i>Precambrian Research</i> , <b>2022</b> , 372, 106601	3.9	0
9	The Paleoproterozoic magmatic arc of Trivandrum Block, southern India: From Columbia to Gondwana. <i>Precambrian Research</i> , <b>2022</b> , 372, 106612	3.9	0
8	The cadmium and zinc isotope compositions of the silicate Earth – implications for terrestrial volatile accretion. <b>2022</b> ,		2
7	Petrology of ultramafic and mafic rocks from the South Andaman Ophiolite, Bay of Bengal: Evidence for an arc-related high-pressure origin.		0
6	?????????????????????. <b>2022</b> , 47, 2968		0
5	Origin of the oldest (3600±200 Ma) cratonic core in the Western Dharwar Craton, Southern India: Implications for evolving tectonics of the Archean Earth. <b>2023</b> , 236, 104278		0
4	Late Permian to early Triassic gabbro in North Lhasa, Tibet: evidence for plume – subduction-zone interaction of the Palaeo-Tethys ocean. 1-16		0
3	Geochemistry and Petrogenesis of Basic and Ultrabasic Rocks Elogo Complex in Ivindo Archean Block (Congo Craton): Geodynamic Implications. <b>2023</b> , 13, 107-135		0
2	Temporal geochemical variation in early Paleozoic mafic rocks from the Qinling orogen: Implications for the evolution of slab fluids during oceanic subduction. <b>2023</b> , 624, 121431		0
1	The Coorg Block, southern India: Insights from felsic and mafic magmatic suites on Mesoarchean plate tectonics and correlation with supercontinent Ur. <b>2023</b> , 118, 1-36		0