CITATION REPORT List of articles citing

The volatiles record of a popping rock from the Mid-Atlantic Ridge at 14°N: chemical and isotopic composition of gas trapped in the vesicles

DOI: 10.1016/0012-821x(91)90104-p Earth and Planetary Science Letters, 1991, 107, 598-611.

Source: https://exaly.com/paper-pdf/22080536/citation-report.pdf

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
355	C and N isotopic composition and the infrared absorption spectra of coated diamonds: evidence for the regional uniformity of CO2FH2O rich fluids in lithospheric mantle. <i>Earth and Planetary Science Letters</i> , 1992 , 108, 139-150	5.3	30
354	C and N isotopic composition and the infrared absorption spectra of coated diamonds: evidence for the regional uniformity of CO2H2O rich fluids in lithospheric mantle. <i>Earth and Planetary Science Letters</i> , 1992 , 109, 633-644	5.3	62
353	Isotopic shifts in waters from geothermal and volcanic systems along convergent plate boundaries and their origin. <i>Earth and Planetary Science Letters</i> , 1992 , 113, 495-510	5.3	548
352	The nature of mantle neon contributions to Vienna Basin hydrocarbon reservoirs. <i>Earth and Planetary Science Letters</i> , 1992 , 113, 553-567	5.3	48
351	Helium isotopic and chemical composition of gases from volcanic-hydrothermal systems in the Philippines. 1993 , 22, 369-380		46
350	Lieofluid IA FORTRAN 77 program to compute chemical properties of gas species in C?O?H fluids. 1993 , 19, 1295-1320		7
349	An experimental study of krypton diffusion and solubility in silicic glasses. <i>Chemical Geology</i> , 1993 , 109, 9-28	4.2	31
348	Distribution and evolution of carbon and nitrogen in Earth. <i>Earth and Planetary Science Letters</i> , 1993 , 117, 331-345	5.3	169
347	C-He systematics in hotspot xenoliths: Implications for mantle carbon contents and carbon recycling. <i>Earth and Planetary Science Letters</i> , 1993 , 118, 43-64	5.3	142
346	Fluid evolution in submarine magma-hydrothermal systems at the Mid-Atlantic Ridge. 1993 , 98, 19579-7	19596	67
345	The concentration and isotopic composition of carbon in basaltic glasses from the Juan de Fuca Ridge, Pacific Ocean. <i>Geochimica Et Cosmochimica Acta</i> , 1993 , 57, 875-87	5.5	40
344	Chapter 5. EXPERIMENTAL STUDIES OF CARBON DIOXIDE IN SILICATE MELTS: SOLUBILITY, SPECIATION, AND STABLE CARBON ISOTOPE BEHAVIOR. 1994 , 157-186		34
343	Chapter 7. SOLUBILITIES OF SULFUR, NOBLE GASES, NITROGEN, CHLORINE, AND FLUORINE IN MAGMAS. 1994 , 231-280		125
342	A carbon-rich multiphase inclusion in a Chinese diamond and its geochemical implications. 1994 , 117, 15-24		1
341	Surface degassing and modifications to vesicle size distributions in active basalt flows. <i>Journal of Volcanology and Geothermal Research</i> , 1994 , 61, 45-68	2.8	114
340	The role of magmas in the formation of hydrothermal ore deposits. <i>Nature</i> , 1994 , 370, 519-527	50.4	1171
339	Isotope palaeohydrology and the prediction of long-term repository behaviour. 1994 , 6, 20-36		7

338	Helium and neon isotope systematics in carbon dioxide-rich and hydrocarbon-rich gas reservoirs. <i>Geochimica Et Cosmochimica Acta</i> , 1994 , 58, 5279-5290	5.5	47
337	Carbon dioxide and helium in hydrothermal fluids from Loihi Seamount, Hawaii, USA: Temporal variability and implications for the release of mantle volatiles. <i>Geochimica Et Cosmochimica Acta</i> , 1994 , 58, 1219-1227	5.5	44
336	The magma body at Kilauea Iki lava lake: Potential insights into mid-ocean ridge magma chambers. 1994 , 99, 7199		28
335	The evolution of alkaline groundwaters in the continental intercalaire aquifer of the Irhazer Plain, Niger. 1994 , 30, 45-61		54
334	Air contamination of basaltic magmas: Implications for high 3He/4He mantle Ar isotopic composition. 1994 , 99, 17709-17715		35
333	Carbon isotope variations of CO2 in Central Lau Basin basalts and ferrobasalts. <i>Earth and Planetary Science Letters</i> , 1994 , 121, 263-276	5.3	41
332	C?He?Ar variations within a dunite nodule as a function of fluid inclusion morphology. <i>Earth and Planetary Science Letters</i> , 1994 , 128, 243-258	5.3	26
331	Fluid transfer in anorthosites and related rocks from Rogaland (Southwest Norway): Evidence from stable isotopes. <i>Earth and Planetary Science Letters</i> , 1994 , 125, 55-70	5.3	6
330	He, Ar, O, Sr and Nd isotope constraints on the origin and evolution of Mount Etna magmatism. <i>Earth and Planetary Science Letters</i> , 1994 , 126, 23-39	5.3	124
329	Strong degassing at ridge crests: The behaviour of dissolved carbon and water in basalt glasses at 14°N, Mid-Atlantic Ridge. <i>Earth and Planetary Science Letters</i> , 1994 , 123, 179-198	5.3	105
328	Noble gases as trace elements in magmatic processes. Chemical Geology, 1994, 117, 37-56	4.2	7º
327	Modelling the growth of natural diamonds. <i>Chemical Geology</i> , 1994 , 116, 29-42	4.2	118
326	A preliminary study of 15N14N in octahedral growth form diamonds. <i>Chemical Geology</i> , 1994 , 116, 43-5	94.2	75
325	Nitrogen content of the mantle inferred from N2Ar correlation in oceanic basalts. <i>Nature</i> , 1995 , 377, 326-329	50.4	146
324	Nitrogen, helium and argon in basalt: a static mass spectrometry study. <i>Chemical Geology</i> , 1995 , 120, 183-195	4.2	36
323	The composition of the Earth. <i>Chemical Geology</i> , 1995 , 120, 223-253	4.2	9036
322	Helium and carbon geochemistry of hydrothermal fluids from the Mid-Okinawa Trough Back Arc Basin, southwest of Japan. <i>Chemical Geology</i> , 1995 , 123, 1-15	4.2	107
321	Carbon isotopic composition and origin of SiC from kimberlites of Yakutia, Russia. <i>Geochimica Et Cosmochimica Acta</i> , 1995 , 59, 781-791	5.5	61

320	Holocene environmental changes in Lake Bangong basin (Western Tibet). Part 1: Chronology and stable isotopes of carbonates of a Holocene lacustrine core. 1996 , 120, 25-47		213
319	The helium and carbon isotope systematics of a continental geothermal system: results from monitoring studies at Long Valley caldera (California, U.S.A.). <i>Chemical Geology</i> , 1996 , 127, 269-295	4.2	124
318	Methane-rich fluids in the oceanic crust. 1996 , 101, 2943-2962		109
317	The Northwest Geysers high-temperature reservoir: evidence for active magmatic degassing and implications for the origin of the Geysers geothermal field. 1996 , 25, 365-387		23
316	Possible contribution of a metal-rich magmatic fluid to a sea-floor hydrothermal system. <i>Nature</i> , 1996 , 383, 420-423	50.4	166
315	Chemical Composition of Volcanic Gases. 1996 , 221-256		156
314	Volatiles in Alkalic Basalts form the North Arch Volcanic Field, Hawaii: Extensive Degassing of Deep Submarine-erupted Alkalic Series Lavas. 1997 , 38, 911-939		219
313	Vesicle-Specific Noble Gas Analyses of "Popping Rock": Implications for Primordial Noble Gases in Earth. 1997 , 276, 568-71		207
312	Carbon isotopes of hydrocarbons and carbon dioxide in natural gases in China. 1997 , 15, 89-101		5
311	The fate of mantle-derived carbon in a continental sedimentary basin: Integration of CHe relationships and stable isotope signatures. <i>Geochimica Et Cosmochimica Acta</i> , 1997 , 61, 2295-2307	5.5	103
310	Experimental measurements of the properties of H2OCO2 mixtures at high pressures and temperatures. <i>Geochimica Et Cosmochimica Acta</i> , 1997 , 61, 3301-3309	5.5	61
309	Carbon solubility in Mid-Ocean Ridge basaltic melt at low pressures (250🛮 950 bar). <i>Chemical Geology</i> , 1997 , 138, 81-92	4.2	58
308	Multiple source components in gas manifestations from north-central Italy. <i>Chemical Geology</i> , 1997 , 142, 175-192	4.2	93
307	Nitrogen and argon isotopes in oceanic basalts. <i>Earth and Planetary Science Letters</i> , 1997 , 152, 101-112	5.3	146
306	The major volatile elements of the Earth: Their origin, behavior, and fate. 1997 , 24, 177-180		109
305	Bubble coalescence in basaltic lava: Its impact on the evolution of bubble populations. <i>Journal of Volcanology and Geothermal Research</i> , 1997 , 75, 137-157	2.8	53
304	The chemical and isotopic composition of fumarolic gases and spring discharges from Galeras Volcano, Colombia. <i>Journal of Volcanology and Geothermal Research</i> , 1997 , 77, 229-253	2.8	68
303	Nitrogen isotopes in peridotitic diamonds from Fuxian, China: the mantle signature. 1997 , 9, 175-179		99

302	Abiotic nitrogen reduction on the early Earth. <i>Nature</i> , 1998 , 395, 365-7	50.4	169
301	Quantification of dust-forced heating of the lower troposphere. <i>Nature</i> , 1998 , 395, 367-370	50.4	197
300	CO2 supply from deep-sea hydrothermal systems. 1998 , 17, 385-390		6
299	Variation in fumarolic H2 gas and volcanic activity at Nasudake in Japan. <i>Journal of Volcanology and Geothermal Research</i> , 1998 , 80, 27-37	2.8	7
298	CO2 fluxes from mid-ocean ridges, arcs and plumes. <i>Chemical Geology</i> , 1998 , 145, 233-248	4.2	326
297	The birth of the Earth's atmosphere: the behaviour and fate of its major elements. <i>Chemical Geology</i> , 1998 , 147, 11-25	4.2	90
296	The evolution of terrestrial volatiles: a view from helium, neon, argon and nitrogen isotope modelling. <i>Chemical Geology</i> , 1998 , 147, 27-52	4.2	134
295	Multiple fluid pulses in a Samoan harzburgite. <i>Chemical Geology</i> , 1998 , 147, 99-114	4.2	47
294	A melt and fluid inclusion study of the gas phase at Piton de la Fournaise volcano (RŪnion Island). <i>Chemical Geology</i> , 1998 , 147, 115-130	4.2	86
293	Subduction-related diamonds? The evidence for a mantle-derived origin from coupled [13Cf]5N determinations. <i>Chemical Geology</i> , 1998 , 147, 147-159	4.2	105
292	Fluxes and sources of volatiles discharged from Kudryavy, a subduction zone volcano, Kurile Islands. <i>Earth and Planetary Science Letters</i> , 1998 , 160, 81-96	5.3	112
291	Mantle degassing of major and minor volatile elements during the Earth's history. 1998 , 25, 3991-3994		6
290	Nitrogen recycling in subduction zones. 1998 , 25, 2289-2292		63
289	Rare gas systematics in popping rock: isotopic and elemental compositions in the upper mantle. 1998 , 279, 1178-81		306
288	Fluid composition and carbon & oxygen isotope geochemistry of Cenozoic alkali basalts in eastern China. 1999 , 18, 276-282		1
287	Eruption dynamics of popping rocklfrom vesicle morphologies. <i>Journal of Volcanology and Geothermal Research</i> , 1999 , 92, 247-258	2.8	15
286	Chemical earth models. 1999 , 329, 537-555		6
285	Nitrogen isotope ratios of kerogens in Precambrian cherts: a record of the evolution of atmosphere chemistry?. 1999 , 96, 63-82		186

284	The genesis of the stable isotope (O, H) record in arc magmas: the Kamtchatka's case. <i>Chemical Geology</i> , 1999 , 153, 93-124	4.2	38
283	A helium, argon, and nitrogen record of the upper continental crust (KTB drill holes, Oberpfalz, Germany): implications for crustal degassing. <i>Chemical Geology</i> , 1999 , 160, 81-101	4.2	25
282	Long-term fluxes and budget of ferric iron: implication for the redox states of the Earth's mantle and atmosphere. <i>Earth and Planetary Science Letters</i> , 1999 , 165, 197-211	5.3	121
281	Volatile element isotopic systematics of the Rodrigues Triple Junction Indian Ocean MORB: implications for mantle heterogeneity. <i>Earth and Planetary Science Letters</i> , 1999 , 170, 241-253	5.3	41
280	The bubble-by-bubble volatile evolution of two mid-ocean ridge basalts. <i>Earth and Planetary Science Letters</i> , 1999 , 174, 199-211	5.3	44
279	Hydrogen and carbon abundances and isotopic ratios in apatite from alkaline intrusive complexes, with a focus on carbonatites. <i>Geochimica Et Cosmochimica Acta</i> , 1999 , 63, 1837-1851	5.5	36
278	CO2, 13C/12C and H2O variability in natural basaltic glasses: a study comparing stepped heating and ftir spectroscopic techniques. <i>Geochimica Et Cosmochimica Acta</i> , 1999 , 63, 1805-1813	5.5	26
277	Volatiles (He, C, N, Ar) in mid-ocean ridge basalts: assesment of shallow-level fractionation and characterization of source composition. <i>Geochimica Et Cosmochimica Acta</i> , 1999 , 63, 3619-3633	5.5	272
276	Systematic elemental fractionation of mantle-derived helium, neon, and argon in mid-oceanic ridge glasses. <i>Geochimica Et Cosmochimica Acta</i> , 1999 , 63, 2863-2874	5.5	73
275	Abiogenic methane in deep-seated mid-ocean ridge environments: Insights from stable isotope analyses. 1999 , 104, 10439-10460		109
274	Geochemical evidence of melt intrusions along lithospheric faults of the Southern Apennines, Italy: Geodynamic and seismogenic implications. 2000 , 105, 13569-13578		65
273	Diamond growth during ultrahigh-pressure metamorphism of the Kokchetav Massif, northern Kazakhstan. 2000 , 9, 428-438		36
272	Deep sea explosive activity on the Mid-Atlantic Ridge near 34°50?N: Magma composition, vesicularity and volatile content. <i>Journal of Volcanology and Geothermal Research</i> , 2000 , 98, 49-77	2.8	55
271	The characteristics, origins, and geodynamic settings of supergiant gold metallogenic provinces. 2000 , 43, 1-68		218
270	Magmatic CO2 in natural gases in the Permian Basin, West Texas: identifying the regional source and filling history. 2000 , 69-70, 59-63		14
269	Noble gas constraints on degassing processes. <i>Earth and Planetary Science Letters</i> , 2000 , 176, 375-386	5.3	94
268	Comparison of carbon, nitrogen and water budgets on Venus and the Earth. <i>Earth and Planetary Science Letters</i> , 2000 , 181, 33-40	5.3	52
	Giant quartz vein systems in accretionary orogenic belts: the evidence for a metamorphic fluid		

(2002-2000)

266	Reduction of Carbon Dioxide by Magnetite: Implications for the Primordial Synthesis of Organic Molecules. 2000 , 122, 970-971		59
265	Production of CO2 and H2 by Diking-Eruptive Events at Mid-Ocean Ridges: Implications for Abiotic Organic Synthesis and Global Geochemical Cycling. 2000 , 42, 673-683		25
264	H2O and CO2 in magmas from the Mariana arc and back arc systems. <i>Geochemistry, Geophysics, Geosystems</i> , 2000 , 1,	3.6	71
263	Rare gas systematics on the southernmost Mid-Atlantic Ridge: Constraints on the lower mantle and the Dupal source. 2000 , 105, 5973-5996		94
262	CO2 gas pools in Jiyang sag, China. <i>Applied Geochemistry</i> , 2001 , 16, 1033-1039	3.5	19
261	The geological water cycle and the evolution of marine 🛮 8 O values. <i>Geochimica Et Cosmochimica Acta</i> , 2001 , 65, 2469-2485	5.5	161
260	Volatile lines of descent in submarine plutonic environments: insights from stable isotope and fluid inclusion analyses. <i>Geochimica Et Cosmochimica Acta</i> , 2001 , 65, 3325-3346	5.5	58
259	Nitrogen in future biosphere studies. <i>Chemical Geology</i> , 2001 , 176, 1-30	4.2	52
258	Diamond genesis, mantle fractionations and mantle nitrogen content: a study of 13CN concentrations in diamonds. <i>Earth and Planetary Science Letters</i> , 2001 , 185, 85-98	5.3	162
257	Magmatic degassing of multicomponent vapors and assessment of magma depth: application to Vulcano Island (Italy). <i>Earth and Planetary Science Letters</i> , 2001 , 193, 467-481	5.3	54
256	Volatile (C, N, Ar) variability in MORB and the respective roles of mantle source heterogeneity and degassing: the case of the Southwest Indian Ridge. <i>Earth and Planetary Science Letters</i> , 2001 , 194, 241-2	2573	110
255	Stabilities and equations of state of dense hydrous magnesium silicates. 2001 , 127, 181-196		77
254	Stable Isotope (O, H, S, C, and N) Systematics of Quartz Vein Systems in the Turbidite-Hosted Central and North Deborah Gold Deposits of the Bendigo Gold Field, Central Victoria, Australia: Constraints on the Origin of Ore-Forming Fluids. 2001 , 96, 705-721		54
253	300-Myr-old magmatic CO2 in natural gas reservoirs of the west Texas Permian basin. <i>Nature</i> , 2001 , 409, 327-31	50.4	93
252	Water-saturated oceanic lavas from the Manus Basin: volatile behaviour during assimilation B ractional crystallisationBegassing (AFCD). <i>Journal of Volcanology and Geothermal Research</i> , 2001 , 108, 1-10	2.8	26
251	Initiation of clement surface conditions on the earliest Earth. 2001 , 98, 3666-72		171
250	Numerical models, geochemistry and the zero-paradox noble-gas mantle. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2002 , 360, 2611-31	3	54
249	Magmatic Degassing of Volatiles and Ore Metals into a Hydrothermal System on the Modern Sea Floor of the Eastern Manus Back-Arc Basin, Western Pacific. 2002 , 97, 1079-1100		78

248	Tracing Fluid Origin, Transport and Interaction in the Crust. 2002 , 47, 539-614		206
247	Models for Distribution of Terrestrial Noble Gases and Evolution of the Atmosphere. 2002 , 47, 411-480)	79
246	Noble Gas Isotope Geochemistry of Mid-Ocean Ridge and Ocean Island Basalts: Characterization of Mantle Source Reservoirs. 2002 , 47, 247-317		375
245	Vesiculation and vesicle loss in mid-ocean ridge basalt glasses: He, Ne, Ar elemental fractionation and pressure influence. <i>Geochimica Et Cosmochimica Acta</i> , 2002 , 66, 1449-1458	5.5	56
244	Fluid bubbles in melt inclusions and pillow-rim glasses: high-temperature precursors to hydrothermal fluids?. <i>Chemical Geology</i> , 2002 , 183, 349-364	4.2	48
243	Thermogenic hydrocarbons from the offshore Calypso hydrothermal field, Bay of Plenty, New Zealand. <i>Chemical Geology</i> , 2002 , 186, 235-248	4.2	31
242	Geochemistry of hydrothermal fluids from an intraplate ocean island: Everman volcano, Socorro Island, Mexico. <i>Chemical Geology</i> , 2002 , 188, 51-63	4.2	22
241	Fluid transfers at the basement/cover interface: Part I. Subsurface recycling of trace carbonate from granitoid basement rocks (France). <i>Chemical Geology</i> , 2002 , 192, 99-119	4.2	18
240	Rare gas systematics on Mid Atlantic Ridge (37월0°N). <i>Earth and Planetary Science Letters</i> , 2002 , 198, 401-416	5.3	56
239	Mechanisms of magmatic gas loss along the Southeast Indian Ridge and the Amsterdam B t. Paul Plateau. <i>Earth and Planetary Science Letters</i> , 2002 , 203, 131-148	5.3	40
238	Nitrogen and noble gas isotopes in mafic and ultramafic inclusions in the alkali basalts from Kutch and Reunion [Implications for their mantle sources. 2002 , 20, 867-877		7
237	13. Tracing Fluid Origin, Transport and Interaction in the Crust. 2002 , 539-614		38
236	Vapour undersaturation in primitive mid-ocean-ridge basalt and the volatile content of Earth's upper mantle. <i>Nature</i> , 2002 , 419, 451-5	50.4	590
235	Mantle Mixing: The Generation, Preservation, and Destruction of Chemical Heterogeneity. <i>Annual Review of Earth and Planetary Sciences</i> , 2002 , 30, 493-525	15.3	184
234	Deep submarine pyroclastic eruptions: theory and predicted landforms and deposits. <i>Journal of Volcanology and Geothermal Research</i> , 2003 , 121, 155-193	2.8	156
233	Unusual mineral inclusions and carbon isotopes of alluvial diamonds from Bingara, eastern Australia. <i>Lithos</i> , 2003 , 69, 51-66	2.9	22
232	Degassing and contamination of noble gases in Mid-Atlantic Ridge basalts. <i>Geochemistry, Geophysics, Geosystems</i> , 2003 , 4, 1-20	3.6	30
231	Evidence of deep magma degassing and ascent by geochemistry of peripheral gas emissions at Mount Etna (Italy): Assessment of the magmatic reservoir pressure. 2003 , 108,		60

(2004-2003)

230	On the possibility of a kinetic fractionation of nitrogen stable isotopes during natural diamond growth. <i>Geochimica Et Cosmochimica Acta</i> , 2003 , 67, 1571-1576	5.5	37
229	Nitrogen solubility in basaltic melt. Part I. Effect of oxygen fugacity. <i>Geochimica Et Cosmochimica Acta</i> , 2003 , 67, 4123-4135	5.5	125
228	The nitrogen record of crustInantle interaction and mantle convection from Archean to Present. <i>Earth and Planetary Science Letters</i> , 2003 , 206, 397-410	5.3	159
227	15 N-enriched Gondwana lamproites, eastern India: crustal N in the mantle source. <i>Earth and Planetary Science Letters</i> , 2003 , 215, 43-56	5.3	23
226	Massive recycling of nitrogen and other fluid-mobile elements (K, Rb, Cs, H) in a cold slab environment: evidence from HP to UHP oceanic metasediments of the Schistes Lustr nappe (western Alps, Europe). <i>Earth and Planetary Science Letters</i> , 2003 , 215, 27-42	5.3	156
225	Mitrogen isotopic compositions of the present mantle and the Archean biosphere[Reply to comment by Pierre Cartigny and Magali Ader. <i>Earth and Planetary Science Letters</i> , 2003 , 216, 433-439	5.3	14
224	A comment on The nitrogen record of crustthantle interaction and mantle convection from Archean to Presenttby B. Marty and N. Dauphas [Earth Planet. Sci. Lett. 206(2003) 397 10]. Earth and Planetary Science Letters, 2003, 216, 425-432	5.3	24
223	Submarine Strombolian Eruptions on the Gorda Mid-Ocean Ridge. 2003, 111-128		21
222	Recent MORB Volcaniclastic Explosive Deposits Formed Between 500 and 1750 m.b.s.l. on the Axis of the Mid-Atlantic Ridge, South of the Azores. 2003 , 143-166		14
221	The Origin of Noble Gases and Major Volatiles in the Terrestrial Planets. 2003, 319-347		7
220	Noble Gases as Mantle Tracers. 2003 , 277-318		21
219	The History of Planetary Degassing as Recorded by Noble Gases. 2003 , 281-318		4
218	Origin of basalts from Sambosan accretionary complex, Shikoku and Kyushu. 2004 , 110, 222-236		25
217	Earth science: role of fO2 on fluid saturation in oceanic basalt. <i>Nature</i> , 2004 , 430, 1 p following 523; discussion 2 p following 523	50.4	8
216	Role of fO2 on fluid saturation in oceanic basalt (reply). <i>Nature</i> , 2004 , 430, 1-2	50.4	1
215	Nitrogen 15日nriched Precambrian kerogen and hydrothermal systems. <i>Geochemistry, Geophysics, Geosystems</i> , 2004 , 5,	3.6	40
214	Deep-sea explosive activity on the Mid-Atlantic Ridge near 34°50?N: a stable isotope (C, H, O) study. <i>Chemical Geology</i> , 2004 , 211, 159-175	4.2	44
213	Isotopic composition of carbon in diamonds of diamondites: record of mass fractionation in the upper mantle. <i>Geochimica Et Cosmochimica Acta</i> , 2004 , 68, 1635-1644	5.5	27

212	The CO2-He-Ar-H2O systematics of the manus back-arc basin: resolving source composition from degassing and contamination effects. <i>Geochimica Et Cosmochimica Acta</i> , 2004 , 68, 1837-1855	5.5	47
211	Evidence for a nitrogen flux directly derived from the European subcontinental mantle in the Western Eger Rift, Central Europe. <i>Geochimica Et Cosmochimica Acta</i> , 2004 , 68, 4935-4947	5.5	47
210	Kinetic disequilibrium of C, He, Ar and carbon isotopes during degassing of mid-ocean ridge basalts. <i>Earth and Planetary Science Letters</i> , 2004 , 222, 391-406	5.3	63
209	CO2 and 3He in hydrothermal plumes: implications for mid-ocean ridge CO2 flux. <i>Earth and Planetary Science Letters</i> , 2004 , 226, 449-464	5.3	52
208	Surface noble gas recycling to the terrestrial mantle. Earth and Planetary Science Letters, 2004, 228, 49-	63 .3	32
207	Composition of the depleted mantle. <i>Geochemistry, Geophysics, Geosystems</i> , 2004 , 5, n/a-n/a	3.6	1105
206	Solubilities of nitrogen and noble gases in silicate melts under various oxygen fugacities: implications for the origin and degassing history of nitrogen and noble gases in the earth. <i>Geochimica Et Cosmochimica Acta</i> , 2004 , 68, 387-401	5.5	63
205	Volatiles in Submarine Environments: Food for Life. 2004 , 167-189		15
204	Breaking of Henry's law for noble gas and CO2 solubility in silicate melt under pressure. <i>Nature</i> , 2005 , 436, 95-8	50.4	33
203	Equations of state of dense hydrous magnesium silicates: results from single-crystal X-ray diffraction. 2005 , 69, 273-287		7
202	Mantle-derived CO2 in Hot Springs of the Rehai Geothermal Field, Tengchong, China. <i>Acta Geologica Sinica</i> , 2005 , 79, 426-431	0.7	10
201	Water in the Earth's mantle. 2005 , 69, 229-257		160
200	Calubility, and trailed a children for atting the decision of the decision for a children for a children		
	Solubility controlled noble gas fractionation during magmatic degassing: Implications for noble gas compositions of primary melts of OIB and MORB. <i>Geochimica Et Cosmochimica Acta</i> , 2005 , 69, 727-734	5.5	27
199		5.5 5.5	27
199 198	compositions of primary melts of OIB and MORB. <i>Geochimica Et Cosmochimica Acta</i> , 2005 , 69, 727-734 Sources, degassing, and contamination of CO2, H2O, He, Ne, and Ar in basaltic glasses from		
	compositions of primary melts of OIB and MORB. <i>Geochimica Et Cosmochimica Acta</i> , 2005 , 69, 727-734 Sources, degassing, and contamination of CO2, H2O, He, Ne, and Ar in basaltic glasses from Kolbeinsey Ridge, North Atlantic. <i>Geochimica Et Cosmochimica Acta</i> , 2005 , 69, 5729-5746 Experimental determination of argon solubility in silicate melts: An assessment of the effects of	5.5	23
198	compositions of primary melts of OIB and MORB. <i>Geochimica Et Cosmochimica Acta</i> , 2005 , 69, 727-734 Sources, degassing, and contamination of CO2, H2O, He, Ne, and Ar in basaltic glasses from Kolbeinsey Ridge, North Atlantic. <i>Geochimica Et Cosmochimica Acta</i> , 2005 , 69, 5729-5746 Experimental determination of argon solubility in silicate melts: An assessment of the effects of liquid composition and temperature. <i>Geochimica Et Cosmochimica Acta</i> , 2005 , 69, 5765-5776 Quantification and isotopic analysis of nitrogen in rocks at the ppm level using sealed tube combustion technique: A prelude to the study of altered oceanic crust. <i>Chemical Geology</i> , 2005 ,	5·5 5·5 4·2	23

(2007-2005)

194	Enigmatic nature of thick sedimentary carbonates depleted in 13C beyond the canonical mantle value: The challenges to our understanding of the terrestrial carbon cycle. 2005 , 137, 131-165		64
193	Formation of methane on Mars by fluid-rock interaction in the crust. 2005 , 32,		90
192	Nitrogen content and isotopic composition of oceanic crust at a superfast spreading ridge: A profile in altered basalts from ODP Site 1256, Leg 206. <i>Geochemistry, Geophysics, Geosystems</i> , 2005 , 6, n/a-n/a	3.6	43
191	Magmatic Fluids as a Source of Metals in Seafloor Hydrothermal Systems. 2006 , 163-184		17
190	Carbon and hydrogen isotope constraints on degassing of CO2 and H2O in submarine lavas from the Pitcairn hotspot (South Pacific). 2006 , 33,		27
189	Magma dynamics at mid-ocean ridges by noble gas kinetic fractionation: Assessment of magmatic ascent rates. <i>Earth and Planetary Science Letters</i> , 2006 , 241, 138-158	5.3	23
188	Incorporation of seawater into mid-ocean ridge lava flows during emplacement. <i>Earth and Planetary Science Letters</i> , 2006 , 252, 289-307	5.3	26
187	The effect of compression on noble gas solubility in silicate melts and consequences for degassing at mid-ocean ridges. <i>Geochimica Et Cosmochimica Acta</i> , 2006 , 70, 1215-1230	5.5	28
186	Dual speciation of nitrogen in silicate melts at high pressure and temperature: An experimental study. <i>Geochimica Et Cosmochimica Acta</i> , 2006 , 70, 2902-2918	5.5	63
185	Melting in the Earth's deep upper mantle caused by carbon dioxide. <i>Nature</i> , 2006 , 440, 659-62	50.4	399
184	Secular variations of N-isotopes in terrestrial reservoirs and ore deposits. 2006,		6
183	Partial Melting Experiments of Peridotite + CO2 at 3 GPa and Genesis of Alkalic Ocean Island Basalts. 2007 , 48, 2093-2124		404
182	Methane-related diamond crystallization in the Earth's mantle: Stable isotope evidences from a single diamond-bearing xenolith. <i>Earth and Planetary Science Letters</i> , 2007 , 257, 362-371	5.3	111
181	A new view of the HeArIO2 degassing at mid-ocean ridges: Homogeneous composition of magmas from the upper mantle. <i>Geochimica Et Cosmochimica Acta</i> , 2007 , 71, 1747-1763	5.5	34
180	Nitrogen concentration and \$\textit{15N}\$ of altered oceanic crust obtained on ODP Legs 129 and 185: Insights into alteration-related nitrogen enrichment and the nitrogen subduction budget. **Geochimica Et Cosmochimica Acta*, 2007*, 71, 2344-2360**	5.5	60
179	Fluid Immiscibility in Volcanic Environments. 2007 , 65, 313-362		48
178	References and notes. 356-374		1
177	10. Fluid Immiscibility in Volcanic Environments. 2007 , 313-362		3

176	Non-equilibrium degassing and a primordial source for helium in ocean-island volcanism. <i>Nature</i> , 2007 , 449, 1037-40	50.4	76
175	The hydrothermal karstification and its effect on Ordovician carbonate reservoir in Tazhong uplift of Tarim Basin, Northwest China. 2007 , 50, 103-113		9
174	Volatile Abundances in Basaltic Magmas and Their Degassing Paths Tracked by Melt Inclusions. 2008 , 69, 363-402		207
173	Explosive volcanism on the ultraslow-spreading Gakkel ridge, Arctic Ocean. <i>Nature</i> , 2008 , 453, 1236-8	50.4	89
172	Fault rotation and core complex formation: Significant processes in seafloor formation at slow-spreading mid-ocean ridges (Mid-Atlantic Ridge, 13°115°N). <i>Geochemistry, Geophysics, Geosystems</i> , 2008 , 9, n/a-n/a	3.6	155
171	Towards a consistent mantle carbon flux estimate: Insights from volatile systematics (H2O/Ce, D , CO2/Nb) in the North Atlantic mantle (14° N and 34° N). <i>Earth and Planetary Science Letters</i> , 2008 , 265, 672-685	5.3	144
170	He, Ne and Ar systematics in single vesicles: Mantle isotopic ratios and origin of the air component in basaltic glasses. <i>Earth and Planetary Science Letters</i> , 2008 , 274, 142-150	5.3	39
169	Stable isotopic evidence in support of active microbial methane cycling in low-temperature diffuse flow vents at 9°50?N East Pacific Rise. <i>Geochimica Et Cosmochimica Acta</i> , 2008 , 72, 2005-2023	5.5	42
168	Carbon solubility in core melts in a shallow magma ocean environment and distribution of carbon between the Earth core and the mantle. <i>Geochimica Et Cosmochimica Acta</i> , 2008 , 72, 4627-4641	5.5	100
167	Argon isotope ratio of the plume-source deduced from high-resolution stepwise crushing extraction. 2008 , 42, 39-49		6
166	10. Volatile Abundances in Basaltic Magmas and Their Degassing Paths Tracked by Melt Inclusions. 2008 , 363-402		41
165	The Origin of Nanoscopic Grooving on Vesicle Walls in Submarine Basaltic Glass: Implications for Nanotechnology. 2009 , 2009, 1-14		2
164	Widespread strombolian eruptions of mid-ocean ridge basalt. <i>Journal of Volcanology and Geothermal Research</i> , 2009 , 180, 171-188	2.8	87
163	Diamond origin and genesis: A C and N stable isotope study on diamonds from a single eclogitic xenolith (Kaalvallei, South Africa). <i>Lithos</i> , 2009 , 112, 758-766	2.9	24
162	Pre-eruption history of enriched MORB from the Menez Gwen (37°50?N) and Lucky Strike (37°17?N) hydrothermal systems, Mid-Atlantic Ridge. <i>Lithos</i> , 2009 , 112, 18-39	2.9	13
161	Metasomatic diamond growth: A multi-isotope study (13C, 15N, 33S, 34S) of sulphide inclusions and their host diamonds from Jwaneng (Botswana). <i>Earth and Planetary Science Letters</i> , 2009 , 282, 79-90	5.3	103
160	The H/C ratios of Earth's near-surface and deep reservoirs, and consequences for deep Earth volatile cycles. <i>Chemical Geology</i> , 2009 , 262, 4-16	4.2	139
159	Trace element partitioning between carbonatitic melts and mantle transition zone minerals: Implications for the source of carbonatites. <i>Geochimica Et Cosmochimica Acta</i> , 2009 , 73, 239-255	5.5	49

(2011-2009)

158	Nitrogen in peridotite xenoliths: Lithophile behavior and magmatic isotope fractionation. <i>Geochimica Et Cosmochimica Acta</i> , 2009 , 73, 4843-4861	5.5	49
157	Radon, helium and CO2 measurements in soils overlying a former exploited oilfield, Pechelbronn district, Bas-Rhin, France. 2010 , 101, 835-46		11
156	Magmatic fluids immiscible with silicate melts: examples from inclusions in phenocrysts and glasses, and implications for magma evolution and metal transport. 2010 ,		3
155	Rare gases in lavas from the ultraslow spreading Lena Trough, Arctic Ocean. <i>Geochemistry, Geophysics, Geosystems</i> , 2010 , 11, n/a-n/a	3.6	7
154	Deep pooling of low degree melts and volatile fluxes at the 85°E segment of the Gakkel Ridge: Evidence from olivine-hosted melt inclusions and glasses. <i>Earth and Planetary Science Letters</i> , 2010 , 289, 311-322	5.3	87
153	The chemical composition of the Earth: Enstatite chondrite models. <i>Earth and Planetary Science Letters</i> , 2010 , 293, 259-268	5.3	302
152	The deep carbon cycle and melting in Earth's interior. <i>Earth and Planetary Science Letters</i> , 2010 , 298, 1-13	5.3	605
151	Chemical variations and regional diversity observed in MORB. <i>Chemical Geology</i> , 2010 , 271, 70-85	4.2	239
150	Partial melt in the oceanic low velocity zone. 2010 , 179, 60-71		201
149	Volcanic versus anthropogenic carbon dioxide. 2011 , 92, 201-202		93
148	Magmatic Fluids Immiscible with Silicate Melts: Examples from Inclusions in Phenocrysts and Glasses, and Implications for Magma Evolution and Metal Transport. 2011 , 293-311		2
148	Magmatic Fluids Immiscible with Silicate Melts: Examples from Inclusions in Phenocrysts and		
	Magmatic Fluids Immiscible with Silicate Melts: Examples from Inclusions in Phenocrysts and Glasses, and Implications for Magma Evolution and Metal Transport. 2011 , 293-311	5.5	2
147	Magmatic Fluids Immiscible with Silicate Melts: Examples from Inclusions in Phenocrysts and Glasses, and Implications for Magma Evolution and Metal Transport. 2011, 293-311 Oceanic Volcanism from the Low-velocity Zone Ewithout Mantle Plumes. 2011, 52, 1533-1546 Plumelidge interaction along the Galapagos Spreading Center: discerning between gas loss and source effects using neon isotopic compositions and 4HeBOAr*CO2 relative abundances.	5·5 5·5	2 27
147 146	Magmatic Fluids Immiscible with Silicate Melts: Examples from Inclusions in Phenocrysts and Glasses, and Implications for Magma Evolution and Metal Transport. 2011, 293-311 Oceanic Volcanism from the Low-velocity Zone Ewithout Mantle Plumes. 2011, 52, 1533-1546 PlumeEdge interaction along the Galapagos Spreading Center: discerning between gas loss and source effects using neon isotopic compositions and 4HeBOAr*EO2 relative abundances. Geochimica Et Cosmochimica Acta, 2011, 75, 1145-1160 Insights into C and H storage in the altered oceanic crust: Results from ODP/IODP Hole 1256D.		2 27 17
147 146 145	Magmatic Fluids Immiscible with Silicate Melts: Examples from Inclusions in Phenocrysts and Glasses, and Implications for Magma Evolution and Metal Transport. 2011, 293-311 Oceanic Volcanism from the Low-velocity Zone Ewithout Mantle Plumes. 2011, 52, 1533-1546 PlumeEdge interaction along the Galapagos Spreading Center: discerning between gas loss and source effects using neon isotopic compositions and 4HealOAr*CO2 relative abundances. Geochimica Et Cosmochimica Acta, 2011, 75, 1145-1160 Insights into C and H storage in the altered oceanic crust: Results from ODP/IODP Hole 1256D. Geochimica Et Cosmochimica Acta, 2011, 75, 2237-2255 Carbon dioxide in silicate melts: A molecular dynamics simulation study. Geochimica Et	5.5	2 27 17 85
147 146 145	Magmatic Fluids Immiscible with Silicate Melts: Examples from Inclusions in Phenocrysts and Glasses, and Implications for Magma Evolution and Metal Transport. 2011, 293-311 Oceanic Volcanism from the Low-velocity Zone Iwithout Mantle Plumes. 2011, 52, 1533-1546 PlumeIdge interaction along the Galapagos Spreading Center: discerning between gas loss and source effects using neon isotopic compositions and 4HeIOAr*IO2 relative abundances. Geochimica Et Cosmochimica Acta, 2011, 75, 1145-1160 Insights into C and H storage in the altered oceanic crust: Results from ODP/IODP Hole 1256D. Geochimica Et Cosmochimica Acta, 2011, 75, 2237-2255 Carbon dioxide in silicate melts: A molecular dynamics simulation study. Geochimica Et Cosmochimica Acta, 2011, 75, 1829-1857 Nitrogen isotopes in ophiolitic metagabbros: A re-evaluation of modern nitrogen fluxes in subduction zones and implication for the early Earth atmosphere. Geochimica Et Cosmochimica Acta	5·5 5·5	2 27 17 85 77

140	A New View on the Petrogenesis of the Oman Ophiolite Chromitites from Microanalyses of Chromite-hosted Inclusions. 2012 , 53, 2411-2440		80
139	Constraints on fluid origins and migration velocities along the Marmara Main Fault (Sea of Marmara, Turkey) using helium isotopes. <i>Earth and Planetary Science Letters</i> , 2012 , 341-344, 68-78	5.3	34
138	Noble gas isotopes in hydrothermal volcanic fluids of La Soufrille volcano, Guadeloupe, Lesser Antilles arc. <i>Chemical Geology</i> , 2012 , 304-305, 158-165	4.2	24
137	Experimental evidence for interaction of water vapor and platinum crucibles at high temperatures: Implications for volatiles from igneous rocks and minerals. <i>Geochimica Et Cosmochimica Acta</i> , 2012 , 83, 125-137	5.5	9
136	An overview of the volatile systematics of the Lau Basin [Resolving the effects of source variation, magmatic degassing and crustal contamination. <i>Geochimica Et Cosmochimica Acta</i> , 2012 , 85, 88-113	5.5	32
135	Subseafloor nitrogen transformations in diffuse hydrothermal vent fluids of the Juan de Fuca Ridge evidenced by the isotopic composition of nitrate and ammonium. <i>Geochemistry, Geophysics, Geosystems</i> , 2012 , 13, n/a-n/a	3.6	45
134	High precision nitrogen isotope measurements in oceanic basalts using a static triple collection noble gas mass spectrometer. <i>Geochemistry, Geophysics, Geosystems</i> , 2012 , 13, n/a-n/a	3.6	17
133	Evidence for deep mantle convection and primordial heterogeneity from nitrogen and carbon stable isotopes in diamond. <i>Earth and Planetary Science Letters</i> , 2012 , 357-358, 179-193	5.3	69
132	Ore Genesis of the Kalatongke CuNi Sulfide Deposits, Western China: Constraints from Volatile Chemical and Carbon Isotopic Compositions. <i>Acta Geologica Sinica</i> , 2012 , 86, 568-578	0.7	5
131	Vesicularity, bubble formation and noble gas fractionation during MORB degassing. <i>Chemical Geology</i> , 2013 , 343, 85-98	4.2	13
130	Multiple growth events, processes and fluid sources involved in diamond genesis: A micro-analytical study of sulphide-bearing diamonds from Finsch mine, RSA. <i>Geochimica Et Cosmochimica Acta</i> , 2013 , 106, 51-70	5.5	27
129	Constraints on light noble gas partitioning at the conditions of spinel-peridotite melting. <i>Earth and Planetary Science Letters</i> , 2013 , 384, 178-187	5.3	24
128	Stable carbon isotopes of C3 plant resins and ambers record changes in atmospheric oxygen since the Triassic. <i>Geochimica Et Cosmochimica Acta</i> , 2013 , 121, 240-262	5.5	62
127	The Magnitude and Global Implications of Hydrothermal Flux. 2013 , 446-466		19
126	Indications for the existence of different magmatic reservoirs beneath the Eifel area (Germany): A multi-isotope (C, N, He, Ne, Ar) approach. <i>Chemical Geology</i> , 2013 , 356, 193-208	4.2	30
125	Carbon and helium isotopes in thermal springs of La Soufrille volcano (Guadeloupe, Lesser Antilles): Implications for volcanological monitoring. <i>Chemical Geology</i> , 2013 , 359, 70-80	4.2	23
124	Mechanisms of magma degassing at mid-oceanic ridges and the local volatile composition (4He월0Ar?업O2) of the mantle by laser ablation analysis of individual MORB vesicles. <i>Earth and Planetary Science Letters</i> , 2013 , 361, 183-194	5.3	19
123	The geology of the southern Mariana fore-arc crust: Implications for the scale of Eocene volcanism in the western Pacific. <i>Earth and Planetary Science Letters</i> , 2013 , 380, 41-51	5.3	83

(2014-2013)

122	and thermal decarbonation using soil gas 222Rn a 3C systematics: Application to Santorini volcano, Greece. <i>Earth and Planetary Science Letters</i> , 2013 , 377-378, 180-190	5.3	59
121	The high pCO2 Caprese Reservoir (Northern Apennines, Italy): Relationships between present- and paleo-fluid geochemistry and structural setting. <i>Chemical Geology</i> , 2013 , 351, 40-56	4.2	9
120	Deep Carbon Emissions from Volcanoes. 2013 , 75, 323-354		240
119	Redox heterogeneity in mid-ocean ridge basalts as a function of mantle source. 2013 , 340, 1314-7		61
118	Subseafloor Processes in Mid-Ocean Ridge Hydrothennal Systems. 2013 , 85-114		117
117	11. Deep Carbon Emissions from Volcanoes. 2013 , 323-354		9
116	Seismically triggered anomalies in the isotope signatures of mantle-derived gases detected at degassing sites along two neighboring faults in NW Bohemia, central Europe. <i>Journal of Geophysical Research: Solid Earth</i> , 2014 , 119, 5613-5632	3.6	19
115	The History of Planetary Degassing as Recorded by Noble Gases. 2014 , 353-382		
114	Degassing History of Earth. 2014 , 37-69		7
113	The Origin of Noble Gases and Major Volatiles in the Terrestrial Planets. 2014 , 383-406		1
112	Electrical conductivity during incipient melting in the oceanic low-velocity zone. <i>Nature</i> , 2014 , 509, 81-5	50.4	137
111	Mapping modern CO2 fluxes and mantle carbon content all along the mid-ocean ridge system. <i>Earth and Planetary Science Letters</i> , 2014 , 387, 229-239	5.3	24
110	Composition and sources of volatiles and noble gases in fluid inclusions in pyroxenites and carbonatites of the Seblyavr Massif, Kola Peninsula. <i>Petrology</i> , 2014 , 22, 507-520	1.2	12
109	Sea Floor Exploration. 2014 ,		2
108	PVT parameters of fluid inclusions and the C, O, N, and Ar isotopic composition in a garnet lherzolite xenolith from the Oasis Jetty, East Antarctica. <i>Geochemistry International</i> , 2014 , 52, 805-821	0.8	13
107	CO2-induced small water solubility in olivine and implications for properties of the shallow mantle. <i>Earth and Planetary Science Letters</i> , 2014 , 403, 37-47	5.3	31
106	Anomalous nitrogen isotopes in ultrahigh-pressure metamorphic rocks from the Sulu orogenic belt: Effect of abiotic nitrogen reduction during fluidflock interaction. <i>Earth and Planetary Science Letters</i> , 2014 , 403, 67-78	5.3	19
105	Noble Gases as Mantle Tracers. 2014 , 293-325		4

104	Volatiles in Earth's Mantle. 2014 , 355-391		16
103	Stable isotope (C, O, S) compositions of volatile-rich minerals in kimberlites: A review. <i>Chemical Geology</i> , 2014 , 374-375, 61-83	4.2	63
102	Isotopic constraints on the nature and circulation of deep mantle CHIDN fluids: Carbon and nitrogen systematics within ultra-deep diamonds from Kankan (Guinea). <i>Geochimica Et Cosmochimica Acta</i> , 2014 , 139, 26-46	5.5	34
101	Carbon isotopes and nitrogen contents in placer diamonds from the NE Siberian craton: implications for diamond origins. 2014 , 26, 41-52		24
100	Carbon isotope and abundance systematics of Icelandic geothermal gases, fluids and subglacial basalts with implications for mantle plume-related CO2 fluxes. <i>Geochimica Et Cosmochimica Acta</i> , 2014 , 134, 74-99	5.5	74
99	The behavior and concentration of CO2 in the suboceanic mantle: Inferences from undegassed ocean ridge and ocean island basalts. <i>Lithos</i> , 2015 , 236-237, 338-351	2.9	53
98	The carbon-isotope signature of ultramafic xenoliths from the Hyblean Plateau (southeast Sicily, Italy): Evidence of mantle heterogeneity. <i>Geochemistry, Geophysics, Geosystems</i> , 2015 , 16, 600-611	3.6	9
97	OH solubility in olivine in the peridotite©OH system under reducing conditions and implications for water storage and hydrous melting in the reducing upper mantle. <i>Earth and Planetary Science Letters</i> , 2015 , 432, 199-209	5.3	17
96	Water in Hawaiian peridotite minerals: A case for a dry metasomatized oceanic mantle lithosphere. <i>Geochemistry, Geophysics, Geosystems</i> , 2015 , 16, 1211-1232	3.6	46
95	Water, fluorine, and sulfur concentrations in the lunar mantle. <i>Earth and Planetary Science Letters</i> , 2015 , 427, 37-46	5.3	66
94	The effect of primary versus secondary processes on the volatile content of MORB glasses: An example from the equatorial Mid-Atlantic Ridge (5°NB°S). <i>Journal of Geophysical Research: Solid Earth</i> , 2015 , 120, 125-144	3.6	48
93	CO2 geological storage in olivine rich basaltic aquifers: New insights from reactive-percolation experiments. <i>Applied Geochemistry</i> , 2015 , 52, 174-190	3.5	32
92	Experimental determination of C, F, and H partitioning between mantle minerals and carbonated basalt, CO2/Ba and CO2/Nb systematics of partial melting, and the CO2 contents of basaltic source regions. <i>Earth and Planetary Science Letters</i> , 2015 , 412, 77-87	5.3	119
91	Multiple sulfur isotope composition of oxidized Samoan melts and the implications of a sulfur isotope thantle arrayth chemical geodynamics. <i>Earth and Planetary Science Letters</i> , 2015 , 417, 28-39	5.3	52
90	Nitrogen isotope variations in the Solar System. 2015 , 8, 515-522		108
89	The production of methane, hydrogen, and organic compounds in ultramafic-hosted hydrothermal vents of the Mid-Atlantic Ridge. 2015 , 15, 381-99		73
88	TalcEarbonate alteration of ultramafic rocks within the Leka Ophiolite Complex, Central Norway. <i>Lithos</i> , 2015 , 227, 21-36	2.9	32
87	Extensive hydrothermal activity revealed by multi-tracer survey in the Wallis and Futuna region (SW Pacific). 2016 , 116, 127-144		6

86	Causes of unrest at silicic calderas in the East African Rift: New constraints from InSAR and soil-gas chemistry at Aluto volcano, Ethiopia. <i>Geochemistry, Geophysics, Geosystems</i> , 2016 , 17, 3008-3030	3.6	50
85	Geochemical and tectonic uplift controls on rock nitrogen inputs across terrestrial ecosystems. 2016 , 30, 333-349		15
84	Recycling of crustal material by the Iceland mantle plume: New evidence from nitrogen elemental and isotope systematics of subglacial basalts. <i>Geochimica Et Cosmochimica Acta</i> , 2016 , 176, 206-226	5.5	23
83	Prospects of the method of stepwise crushing as a source of information on the fluid phase of rocks and minerals. <i>Petrology</i> , 2016 , 24, 303-313	1.2	5
82	Multiple carbon and nitrogen sources associated with the parental mantle fluids of fibrous diamonds from Diavik, Canada, revealed by SIMS microanalysis. 2016 , 171, 1		6
81	Two-component mantle melting-mixing model for the generation of mid-ocean ridge basalts: Implications for the volatile content of the Pacific upper mantle. <i>Geochimica Et Cosmochimica Acta</i> , 2016 , 176, 44-80	5.5	85
80	Constraints on the early delivery and fractionation of Earth® major volatiles from C/H, C/N, and C/S ratios. 2016 , 101, 540-553		58
79	Helium and carbon isotope signatures of gas exhalations in the westernmost part of the Pannonian Basin (SE Austria/NE Slovenia): Evidence for active lithospheric mantle degassing. <i>Chemical Geology</i> , 2016 , 422, 60-70	4.2	26
78	Heterogeneity in mantle carbon content from CO-undersaturated basalts. 2017, 8, 14062		61
77	Carbon isotope composition of CO 2 -rich inclusions in cumulate-forming mantle minerals from Stromboli volcano (Italy). <i>Journal of Volcanology and Geothermal Research</i> , 2017 , 346, 95-103	2.8	14
76	Regional distribution pattern of carbon and helium isotopes from different volcanic fields in the French Massif Central: Evidence for active mantle degassing and water transport. <i>Chemical Geology</i> , 2017 , 469, 4-18	4.2	7
75	Constraining mantle carbon: CO 2 -trace element systematics in basalts and the roles of magma mixing and degassing. <i>Earth and Planetary Science Letters</i> , 2017 , 480, 1-14	5.3	21
74	Remobilization of crustal carbon may dominate volcanic arc emissions. 2017, 357, 290-294		101
73	Origin of the Earth: A proposal of new model called ABEL. 2017 , 8, 253-274		43
72	8. Microbial nitrogen cycling processes at submarine hydrothermal vents. 2017 ,		1
71	Weekly to monthly time scale of melt inclusion entrapment prior to eruption recorded by phosphorus distribution in olivine from mid-ocean ridges. 2017 , 45, 1059-1062		20
70	Monitoring of helium and carbon isotopes in the western Eger Rift area (Czech Republic): Relationships with the 2014 seismic activity and indications for recent (2000\(\mathbb{\textit{0}}\)016) magmatic unrest. Chemical Geology, 2018, 482, 131-145	4.2	16
69	Significant contrast in the Mg-C-O isotopes of carbonate between carbonated eclogite and marble from the S.W. Tianshan UHP subduction zone: Evidence for two sources of recycled carbon. <i>Chemical Geology</i> , 2018 , 483, 65-77	4.2	14

68	The Magmatic Gas Signature of Pacaya Volcano, With Implications for the Volcanic CO2 Flux From Guatemala. <i>Geochemistry, Geophysics, Geosystems</i> , 2018 , 19, 667-692	3.6	13
67	Atmospheric noble gases in Mid-Ocean Ridge Basalts: Identification of atmospheric contamination processes. <i>Geochimica Et Cosmochimica Acta</i> , 2018 , 222, 253-268	5.5	6
66	ABEL Model of the Two-step Formation of the Earth and the Significance of ABEL Bombardment to Produce a Habitable Planet. 2018 , 127, 647-682		2
65	Geochemistry of Noble Gases and CO2 in Fluid Inclusions From Lithospheric Mantle Beneath Wilcza Gfa (Lower Silesia, Southwest Poland). <i>Frontiers in Earth Science</i> , 2018 , 6,	3.5	18
64	Comparative deep Earth volatile cycles: The case for C recycling from exosphere/mantle fractionation of major (H2O, C, N) volatiles and from H2O/Ce, CO2/Ba, and CO2/Nb exosphere ratios. <i>Earth and Planetary Science Letters</i> , 2018 , 502, 262-273	5.3	67
63	Predicting Rates and Distribution of Carbonate Melting in Oceanic Upper Mantle: Implications for Seismic Structure and Global Carbon Cycling. 2018 , 45, 6944-6953		4
62	Reconstructing mantle carbon and noble gas contents from degassed mid-ocean ridge basalts. <i>Earth and Planetary Science Letters</i> , 2018 , 496, 108-119	5.3	28
61	Extensive CO2 degassing in the upper mantle beneath oceanic basaltic volcanoes: First insights from Piton de la Fournaise volcano (La Rūnion Island). <i>Geochimica Et Cosmochimica Acta</i> , 2018 , 235, 376-401	5.5	25
60	Nitrogen abundance and isotope analysis of silicate glasses by secondary ionization mass spectrometry. <i>Chemical Geology</i> , 2018 , 493, 327-337	4.2	10
59	Nitrogen in the Earth: abundance and transport. 2019 , 6,		21
59 58	Nitrogen in the Earth: abundance and transport. 2019 , 6, Deep Carbon Cycling Over the Past 200 Million Years: A Review of Fluxes in Different Tectonic Settings. <i>Frontiers in Earth Science</i> , 2019 , 7,	3.5	21
	Deep Carbon Cycling Over the Past 200 Million Years: A Review of Fluxes in Different Tectonic	3.5	
58	Deep Carbon Cycling Over the Past 200 Million Years: A Review of Fluxes in Different Tectonic Settings. <i>Frontiers in Earth Science</i> , 2019 , 7,	3·5 5·3	17
58 57	Deep Carbon Cycling Over the Past 200 Million Years: A Review of Fluxes in Different Tectonic Settings. <i>Frontiers in Earth Science</i> , 2019 , 7, Carbon in the Convecting Mantle. 2019 , 237-275 Noble gas systematics in new popping rocks from the Mid-Atlantic Ridge (14°N): Evidence for		17
58 57 56	Deep Carbon Cycling Over the Past 200 Million Years: A Review of Fluxes in Different Tectonic Settings. Frontiers in Earth Science, 2019, 7, Carbon in the Convecting Mantle. 2019, 237-275 Noble gas systematics in new popping rocks from the Mid-Atlantic Ridge (14°N): Evidence for small-scale upper mantle heterogeneities. Earth and Planetary Science Letters, 2019, 519, 70-82 Evaluating the roles of melt-rock interaction and partial degassing on the CO2/Ba ratios of MORB: Implications for the CO2 budget in the EarthB depleted upper mantle. Geochimica Et Cosmochimica	5-3	17 4 8
58575655	Deep Carbon Cycling Over the Past 200 Million Years: A Review of Fluxes in Different Tectonic Settings. Frontiers in Earth Science, 2019, 7, Carbon in the Convecting Mantle. 2019, 237-275 Noble gas systematics in new popping rocks from the Mid-Atlantic Ridge (14°N): Evidence for small-scale upper mantle heterogeneities. Earth and Planetary Science Letters, 2019, 519, 70-82 Evaluating the roles of melt-rock interaction and partial degassing on the CO2/Ba ratios of MORB: Implications for the CO2 budget in the Earth® depleted upper mantle. Geochimica Et Cosmochimica Acta, 2019, 260, 29-48 Geochemistry of CO2-Rich Gases Venting From Submarine Volcanism: The Case of Kolumbo	5·3 5·5	17 4 8
5857565554	Deep Carbon Cycling Over the Past 200 Million Years: A Review of Fluxes in Different Tectonic Settings. Frontiers in Earth Science, 2019, 7, Carbon in the Convecting Mantle. 2019, 237-275 Noble gas systematics in new popping rocks from the Mid-Atlantic Ridge (14°N): Evidence for small-scale upper mantle heterogeneities. Earth and Planetary Science Letters, 2019, 519, 70-82 Evaluating the roles of melt-rock interaction and partial degassing on the CO2/Ba ratios of MORB: Implications for the CO2 budget in the Earth® depleted upper mantle. Geochimica Et Cosmochimica Acta, 2019, 260, 29-48 Geochemistry of CO2-Rich Gases Venting From Submarine Volcanism: The Case of Kolumbo (Hellenic Volcanic Arc, Greece). Frontiers in Earth Science, 2019, 7,	5·3 5·5 3·5	17 4 8 7 17

(2021-2019)

50	Control of CO2 on flow and reaction paths in olivine-dominated basements: An experimental study. <i>Geochimica Et Cosmochimica Acta</i> , 2019 , 252, 16-38	5.5	7
49	Grain scale processes recorded by oxygen isotopes in olivine-hosted melt inclusions from two MORB samples. <i>Chemical Geology</i> , 2019 , 511, 11-20	4.2	4
48	Carbon Fluxes and Primary Magma CO2 Contents Along the Global Mid-Ocean Ridge System. <i>Geochemistry, Geophysics, Geosystems</i> , 2019 , 20, 1387-1424	3.6	36
47	Helium distributions in ocean island basalt olivines revealed by X-ray computed tomography and single-grain crushing experiments. <i>Geochimica Et Cosmochimica Acta</i> , 2019 , 244, 467-477	5.5	6
46	Habitability of the marine serpentinite subsurface: a case study of the Lost City hydrothermal field. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2020 , 378, 2018042	<u>.</u> ું	19
45	An evaluation of the C/N ratio of the mantle from natural CO2-rich gas analysis: Geochemical and cosmochemical implications. <i>Earth and Planetary Science Letters</i> , 2020 , 551, 116574	5.3	12
44	Oxygen fugacity and melt composition controls on nitrogen solubility in silicate melts. <i>Geochimica Et Cosmochimica Acta</i> , 2020 , 284, 120-133	5.5	11
43	An isotope ratio mass spectrometry-based method for hydrogen isotopic analysis in sub-microliter volumes of water: Application for multi-isotope investigations of gases extracted from fluid inclusions. <i>Rapid Communications in Mass Spectrometry</i> , 2020 , 34, e8923	2.2	2
42	Quantitative vesicle analyses and total CO2 reconstruction in mid-ocean ridge basalts. <i>Journal of Volcanology and Geothermal Research</i> , 2020 , 407, 107109	2.8	3
41	Genesis of the Yessentuki Deposit of Carbonated Waters, North Caucasus. <i>Geochemistry International</i> , 2020 , 58, 77-90	0.8	4
40	Carbonatites as a record of the carbon isotope composition of large igneous province outgassing. Earth and Planetary Science Letters, 2020 , 535, 116076	5.3	16
39	Hydrothermal NN abundances constrain the origins of mantle nitrogen. <i>Nature</i> , 2020 , 580, 367-371	50.4	24
38	Subduction-Driven Volatile Recycling: A Global Mass Balance. <i>Annual Review of Earth and Planetary Sciences</i> , 2021 , 49,	15.3	23
37	Heavy noble gas signatures of the North Atlantic Popping Rock 2D43: Implications for mantle noble gas heterogeneity. <i>Geochimica Et Cosmochimica Acta</i> , 2021 , 294, 89-105	5.5	5
36	Calcium isotope compositions of arc magmas: Implications for Ca and carbonate recycling in subduction zones. <i>Geochimica Et Cosmochimica Acta</i> , 2021 , 306, 1-19	5.5	3
35	Interactions Between Gas Slug Ascent and Exchange Flow in the Conduit of Persistently Active Volcanoes. <i>Journal of Geophysical Research: Solid Earth</i> , 2021 , 126, e2021JB022120	3.6	O
34	The origin and fate of C during alteration of the oceanic crust. <i>Comptes Rendus - Geoscience</i> , 2021 , 353, 319-336	1.4	1
33	Recycling of nitrogen and light noble gases in the Central American subduction zone: Constraints from 15N15N. <i>Earth and Planetary Science Letters</i> , 2021 , 571, 117112	5.3	2

32	In situ quantification of the nitrogen content of olivine-hosted melt inclusions from Klyuchevskoy volcano (Kamchatka): Implications for nitrogen recycling at subduction zones. <i>Chemical Geology</i> , 2021 , 582, 120456	4.2	2
31	Intraslab remobilization of nitrogen during early subduction facilitates deep nitrogen recycling: Insights from the blueschists in the Heilongjiang Complex in NE China. <i>Chemical Geology</i> , 2021 , 583, 12	20474	3
30	Earth Mantle Melting and Volcanism. 2014, 109-143		1
29	Noble Gases as Tracers of Mantle Processes and Magmatic Degassing. <i>Advances in Isotope Geochemistry</i> , 2013 , 371-391	1.2	14
28	Isotopic Signatures of Volatiles in Terrestrial Planets. Space Sciences Series of ISSI, 2003, 377-410	0.1	
27	High vacuum system for the stepwise crushing study of the light elements isotopic composition from fluid inclusions in mantle rocks. <i>Vestnik Otdelenia Nauk O Zemle RAN</i> , 2010 , 2, 54-57	1	
26	The Sources and Evolution of Fluid Phases of Guli Massif Carbonatites (West Siberia): Summarizing of Noble Gases, N2, CO2, H2O Stepwise Crushing Data. <i>Petrology</i> , 2021 , 29, 657-675	1.2	
25	Dispersed Carbon in Basalts of the Altered Oceanic Crust: Isotope Composition and Mechanisms of Formation. <i>Petrology</i> , 2021 , 29, 614-626	1.2	
24	The origin and dynamics of nitrogen in the Earth's mantle constrained by 15N15N in hydrothermal gases. <i>Chemical Geology</i> , 2022 , 120709	4.2	2
23	The origin of nitrogen in Earth's mantle: Constraints from basalts 15N/14N and N2/3He ratios. <i>Chemical Geology</i> , 2022 , 597, 120780	4.2	O
22	Data_Sheet_1.docx. 2018 ,		
21	Image_1.JPEG. 2018 ,		
20	Image_2.JPEG. 2018 ,		
19	Image_3.JPEG. 2018 ,		
18	Image_4.JPEG. 2018 ,		
17	Image_5.JPEG. 2018 ,		
16	Image_6.JPEG. 2018 ,		
15	Image_7.JPEG. 2018 ,		

14 Table_1.DOCX. **2019**,

13	Table_2.XLSX. 2019 ,		
12	Carbon and oxygen isotope analysis of CO2 trapped in silicate minerals. <i>Chemical Geology</i> , 2022 , 602, 120872	4.2	1
11	Carbon stable isotope constraints on CO2 degassing models of ridge, hotspot and arc magmas. <i>Chemical Geology</i> , 2022 , 120962	4.2	O
10	Disrupt the upper or the lower conduit? The dual role of gas exsolution in the conduits of persistently active volcanoes. <i>Journal of Fluid Mechanics</i> , 2022 , 942,	3.7	
9	Tungsten Isotopic Constraints on the Nature of Earth's Accreting Materials. Acta Geologica Sinica,	0.7	
8	The role of gas flushing on magma reservoir crystallization and its consequences for the growth of planetary crust. <i>Lithos</i> , 2022 , 106811	2.9	
7	Nitrogen, helium, and argon reveal the magmatic signature of fumarole gases and episodes of outgassing from upper-crustal magma reservoirs: The case of the Nisyros caldera (Aegean Arc, Greece). 2022 , 335, 68-84		O
6	Continental flood basalts drive Phanerozoic extinctions. 2022 , 119,		O
5	High-C content and CO2/Ba ratio of the Earth®enriched upper mantle. 2022 ,		O
4	Rates of seafloor and continental weathering govern Phanerozoic marine phosphate levels.		O
3	Volatiles of the active Mayotte volcanic chain: STA &		O
2	Genesis of vesiculation in dolerite sills of the Shimokawa ophiolite in the northern Hidaka belt,Hokkaido and origin of albite - K-feldspar veins. 2022 , 128, 427-443		О
1	Gas Emissions and Subsurface Architecture of Fault-Controlled Geothermal Systems: A Case Study of the North Abaya Geothermal Area. 2023 , 24,		O