

CITATION REPORT

List of articles citing

Chronology of early Archaean granite-greenstone evolution in the Barberton Mountain Land, South Africa, based on precise dating by single zircon evaporation

DOI: 10.1016/0012-821x(91)90148-b
Earth and Planetary Science Letters, 1991, 103, 41-54.

Source: <https://exaly.com/paper-pdf/22080580/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
283	Crust formation and plate motion in the early archean. 1992 , 256, 1405-11		94
282	Geochemical studies of Archean granitoid rocks in the Southeastern Kaapvaal Province: implications for crustal development. 1992 , 15, 127-151		13
281	A $^{40}\text{Ar}/^{39}\text{Ar}$ geochronological study of komatiites and komatiitic basalts from the Lower Onverwacht Volcanics: Barberton Mountain Land, South Africa. <i>Precambrian Research</i> , 1992 , 57, 91-119	3.9	49
280	Dating of late Proterozoic ophiolites in Egypt and the Sudan using the single grain zircon evaporation technique. <i>Precambrian Research</i> , 1992 , 59, 15-32	3.9	201
279	Microfossils and possible microfossils from the Early Archean Onverwacht Group, Barberton Mountain Land, South Africa. <i>Precambrian Research</i> , 1992 , 54, 271-93	3.9	236
278	Noble metal abundances in an Early Archean impact deposit. <i>Geochimica Et Cosmochimica Acta</i> , 1992 , 56, 1365-72	5.5	80
277	Evidence from zircon dating for existence of approximately 2.1 Ga old crystalline basement in southern Bohemia, Czech Republic. 1993 , 82, 42-50		56
276	Earth's earliest continental lithosphere, hydrothermal flux and crustal recycling. 1993 , 30, 309-335		95
275	Geochemistry and mineralogy of Early Archean spherule beds, Barberton Mountain Land, South Africa: evidence for origin by impact doubtful. <i>Earth and Planetary Science Letters</i> , 1993 , 119, 441-452	5.3	36
274	Geochemistry of a silicified, felsic volcanoclastic suite from the early Archean Panorama Formation, Pilbara Block, Western Australia: an evaluation of depositional and post-depositional processes with special emphasis on the rare-earth elements. <i>Precambrian Research</i> , 1993 , 60, 99-116	3.9	35
273	Granulites in the Tongbai Area, Qinling Belt, China: Geochemistry, petrology, single zircon geochronology, and implications for the tectonic evolution of eastern Asia. 1993 , 12, 245-255		217
272	Oxygen Isotope Records and Salinity Changes in the Northeastern Atlantic Ocean during the Last 18,000 Years. 1993 , 8, 341-350		46
271	Review in Zirconology. I. Progress in U-Pb dating of zircon.. 1993 , 88, 499-516		3
270	U-Pb zircon and Sm-Nd dating of Moldanubian HP/HT granulites from South ohemia, Czech Republic. 1994 , 151, 83-90		76
269	Chapter 4 Archean Greenstone-Related Sedimentary Rocks. 1994 , 11, 121-169		17
268	Age and tectonic setting of granitoid gneisses in the Eastern Desert of Egypt and south-west Sinai. <i>Geologische Rundschau: Zeitschrift Fur Allgemeine Geologie</i> , 1994 , 83, 502		2
267	Age and tectonic setting of granitoid gneisses in the Eastern Desert of Egypt and south-west Sinai. <i>Geologische Rundschau: Zeitschrift Fur Allgemeine Geologie</i> , 1994 , 83, 502-513		150

266	Geochemistry and single zircon geochronology of Archaean TTG gneisses in the Taihua high-grade terrain, Lushan area, central China. 1994 , 10, 227-233		27
265	Spinel from Archean impact spherules. <i>Geochimica Et Cosmochimica Acta</i> , 1994 , 58, 3469-3486	5.5	91
264	Reassessment of Archean crustal development in the Barberton Mountain Land, South Africa, based on U-Pb dating. 1994 , 13, 167-192		228
263	Tectonic history of the Barberton greenstone belt, South Africa: 490 million years of Archean crustal evolution. 1994 , 13, 983-1005		179
262	Late syndepositional deformation and detachment tectonics in the Barberton Greenstone Belt, South Africa. 1994 , 13, 1514-1536		47
261	Gneiss-greenstone relationships in the Ancient Gneiss Complex of southwestern Swaziland, southern Africa, and implications for early crustal evolution. <i>Precambrian Research</i> , 1994 , 67, 109-139	3.9	71
260	Pb-loss patterns in zircons from a high-grade metamorphic terrain as revealed by different dating methods: U?Pb and Pb?Pb ages for igneous and metamorphic zircons from northern Sri Lanka. <i>Precambrian Research</i> , 1994 , 66, 151-181	3.9	118
259	Depositional and tectonic setting of the Archean Moodies Group, Barberton Greenstone Belt, South Africa. <i>Precambrian Research</i> , 1994 , 68, 257-90	3.9	102
258	Age of the oldest rocks with biogenic components. 1995 , 20, 85-94		11
257	Geology and metallogeny of the Barberton greenstone belt: a survey. <i>Journal of African Earth Sciences</i> , 1995 , 21, 213-240	2.2	14
256	The Witwatersrand Basin, South Africa: Geological framework and mineralization processes. <i>Ore Geology Reviews</i> , 1995 , 10, 67-94	3.2	156
255	Orthogneisses in the Spessart Crystalline Complex, north-west Bavaria: Silurian granitoid magmatism at an active continental margin. <i>Geologische Rundschau: Zeitschrift Fur Allgemeine Geologie</i> , 1995 , 84, 399		5
254	Latest precambrian (Cadomian) zircon ages, Nd isotopic systematics and P-T evolution of granitoid orthogneisses of the Erzgebirge, Saxony and Czech Republic. <i>Geologische Rundschau: Zeitschrift Fur Allgemeine Geologie</i> , 1995 , 84, 437		3
253	Early Archaean spherule beds in the Barberton Mountain Land, South Africa: no evidence for impact origin. <i>Precambrian Research</i> , 1995 , 74, 1-33	3.9	40
252	Emplacement features of Archaean TTG plutons along the southern margin of the Barberton greenstone belt, South Africa. <i>Precambrian Research</i> , 1995 , 75, 1-15	3.9	46
251	The influence of alteration on the trace-element and Nd isotopic compositions of komatiites. <i>Chemical Geology</i> , 1995 , 126, 43-64	4.2	168
250	A Pan African origin and uplift for the gneisses and peridotites of Zabargad Island, Red Sea: A Nd, Sr, Pb, and Os isotope study. 1995 , 100, 22283-22297		25
249	The oldest part of the Barberton granitoid-greenstone terrain, South Africa: evidence for crust formation between 3.5 and 3.7 Ga. <i>Precambrian Research</i> , 1996 , 78, 105-124	3.9	165

248	Prolonged magmatism and time constraints for sediment deposition in the early Archean Barberton greenstone belt: evidence from the Upper Onverwacht and Fig Tree groups. <i>Precambrian Research</i> , 1996 , 78, 125-138	3.9	185
247	Chemical variations in clay minerals of the Archean Barberton Greenstone Belt (South Africa). <i>Precambrian Research</i> , 1996 , 79, 195-207	3.9	11
246	An Archean Geomagnetic Reversal in the Kaap Valley Pluton, South Africa. 1996 , 273, 943-6		28
245	Evolution of the northern Somali basement: new constraints from zircon ages. <i>Journal of African Earth Sciences</i> , 1996 , 22, 1-15	2.2	51
244	Geochemistry and geochronology of the Mkhondo suite, Swaziland: evidence for passive-margin deposition and granulite facies metamorphism in the Late Archean of Southern Africa. <i>Journal of African Earth Sciences</i> , 1996 , 22, 483-506	2.2	18
243	Zircon dating of North Bohemian granulites, Czech Republic: further evidence for the Lower Carboniferous high-pressure event in the Bohemian Massif. <i>Geologische Rundschau: Zeitschrift Fur Allgemeine Geologie</i> , 1996 , 85, 154		2
242	From plume head to continental lithosphere in the Arabian-Nubian shield. 1996 , 382, 773-778		280
241	Zircon geochronology of anatectic melts and residues from a highgrade pelitic assemblage at Ihosy, southern Madagascar: evidence for Pan-African granulite metamorphism. 1996 , 133, 311-323		75
240	Palaeozoic pre- and post-collision calc-alkaline magmatism in the Qinling orogenic belt, central China, as documented by zircon ages on granitoid rocks. 1996 , 153, 409-417		120
239	Zircon ages constrain the timing of deformation events in the the Granites-Tanami region, northwest Australia* Tables 3 to 6 [indicated by an asterisk (*) in the text] are Supplementary Papers lodged with the National Library of Australia (Manuscript Section); copies may be obtained from the Business Manager, Geological Society of Australia. 1997 , 44, 777-787		7
238	Petrological and Isotopic Studies on Palaeozoic High-pressure Granulites, Gory Sowie Mts, Polish Sudetes. 1997 , 38, 433-456		81
237	The mafic-ultramafic complex near Finero (Ivrea-Verbano Zone), II. Geochronology and isotope geochemistry. <i>Chemical Geology</i> , 1997 , 140, 223-235	4.2	48
236	Tectono-metamorphic setting and paragenetic sequence of Au-U mineralisation in the Archean Witwatersrand Basin, South Africa. 1997 , 44, 353-371		43
235	Palaeoproterozoic granulite-facies metamorphism and granitoid intrusions in the Ubendian-Usagaran Orogen of northern Malawi, east-central Africa. <i>Precambrian Research</i> , 1997 , 85, 27-51	3.9	63
234	Isotopic constraints on the age and formation of a Palaeoproterozoic volcanic arc complex in the Kedougou Inlier, eastern Senegal, West Africa. <i>Journal of African Earth Sciences</i> , 1997 , 24, 197-213	2.2	72
233	Kibaran magmatism and Pan-African granulite metamorphism in northern Mozambique: single zircon ages and regional implications. <i>Journal of African Earth Sciences</i> , 1997 , 25, 467-484	2.2	77
232	A metamorphosed, stratabound-epigenetic origin for a gruneritic Archean gold deposit, Barberton, South Africa. <i>Ore Geology Reviews</i> , 1997 , 12, 135-151	3.2	3
231	Ilb trioctahedral chlorite from the Barberton greenstone belt: crystal structure and rock composition constraints with implications to geothermometry. 1997 , 126, 275-291		116

230	Single zircon evaporation ages from the Oban Massif, southeastern Nigeria. <i>Journal of African Earth Sciences</i> , 1998 , 26, 195-205	2.2	20
229	Time of formation and peak of Variscan HP-HT metamorphism of quartz-feldspar rocks in the central Erzgebirge, Saxony, Germany. 1998 , 132, 1-20		132
228	Further evidence for an early Carboniferous (~340 Ma) age of high-grade metamorphism in the Saxonian granulite complex. <i>Geologische Rundschau: Zeitschrift Fur Allgemeine Geologie</i> , 1998 , 86, 751-766		43
227	A high relative sea-level stand in the middle Holocene of southeastern Tunisia. 1998 , 147, 123-130		38
226	Vaalbara, Earth's oldest assembled continent? A combined structural, geochronological, and palaeomagnetic test. <i>Terra Nova</i> , 1998 , 10, 250-259	3	114
225	Geochemistry, Pb/Pb single zircon ages and Nd/Sr isotope composition of Precambrian rocks from southern and eastern Ethiopia: implications for crustal evolution in East Africa. <i>Journal of African Earth Sciences</i> , 1998 , 26, 207-227	2.2	89
224	Archean magmatism and deformation were not products of plate tectonics. <i>Precambrian Research</i> , 1998 , 91, 143-179	3.9	310
223	Sm/Nd, Rb/Sr and Pb/Pb dating of silicic carbonates from the early Archean Barberton Greenstone Belt, South Africa. <i>Precambrian Research</i> , 1998 , 92, 129-144	3.9	45
222	Archean to Neoproterozoic magmatic events in the Kaoko belt of NW Namibia and their geodynamic significance. <i>Precambrian Research</i> , 1998 , 92, 341-363	3.9	135
221	Comparison of single filament Pb evaporation/ionization zircon ages with conventional U-Pb results: examples from the Precambrian of Brazil. <i>Journal of South American Earth Sciences</i> , 1998 , 11, 351-363	2	40
220	Single zircon ages from high-grade rocks of the Jianping Complex, Liaoning Province, NE China. 1998 , 16, 519-532		194
219	Archean Tectonics and Magmatism. <i>International Geology Review</i> , 1998 , 40, 1-39	2.3	41
218	Geochemistry, single zircon ages and Sm/Nd systematics of granitoid rocks from the Główny Sowie (Owl Mts), Polish West Sudetes: evidence for early arc-related plutonism. 1998 , 155, 711-724		106
217	Characterization, provenance, and tectonic setting of Fig Tree greywackes from the Archean Barberton Greenstone Belt, South Africa. 1999 , 124, 113-129		53
216	Structural relations and Pb/Pb zircon ages for the Makuti gneisses: evidence for a crustal-scale Pan-African shear zone in the Zambezi Belt, northwest Zimbabwe. <i>Journal of African Earth Sciences</i> , 1999 , 28, 427-442	2.2	23
215	Nitrogen isotope ratios of kerogens in Precambrian cherts: a record of the evolution of atmosphere chemistry?. <i>Precambrian Research</i> , 1999 , 96, 63-82	3.9	186
214	Chronological correlations between the Pilbara and Kaapvaal cratons. <i>Precambrian Research</i> , 1999 , 97, 165-189	3.9	181
213	Deformed A-type granites in northern Malawi, east-central Africa: pre- or syntectonic?. 1999 , 156, 695-714		31

212	New zircon ages and regional significance for the evolution of the Pan-African orogen in Madagascar. 1999 , 156, 1125-1135		83
211	Early archean spherule beds in the Barberton mountain land, South Africa: Impact or terrestrial origin?. 2000 , 117-180		16
210	Single zircon ages for felsic to intermediate rocks from the Pietersburg and Giyani greenstone belts and bordering granitoid orthogneisses, northern Kaapvaal Craton, South Africa. <i>Journal of African Earth Sciences</i> , 2000 , 30, 773-793	2.2	53
209	An Arch?an arc-arc collisional event: a short-lived (ca 3 Myr) episode, Weltevreden area, Barberton greenstone belt, South Africa. <i>Journal of African Earth Sciences</i> , 2000 , 30, 219-248	2.2	84
208	Zircon isotopic ages from magnetite quartzites of the Jianping metamorphic complex, western Liaoning Province. 2000 , 45, 547-551		2
207	Pan-African granulite formation in the Kabye Massif of northern Togo (West Africa): Pb/Bb zircon ages. 2000 , 88, 778-790		38
206	The Johannesburg Dome, South Africa: new single zircon U/Bb isotopic evidence for early Archaean granite-greenstone development within the central Kaapvaal Craton. <i>Precambrian Research</i> , 2001 , 108, 139-157	3.9	58
205	Single zircon ages, PT evolution and Nd isotopic systematics of high-grade gneisses in southern Malawi and their bearing on the evolution of the Mozambique belt in southeastern Africa. <i>Precambrian Research</i> , 2001 , 109, 257-291	3.9	87
204	Tectonic significance of deformation patterns in granitoid rocks of the Menderes nappes, Anatolide belt, southwest Turkey. 2001 , 89, 766-780		103
203	The oldest rocks on Earth: time constraints and geological controversies. <i>Geological Society Special Publication</i> , 2001 , 190, 177-203	1.7	19
202	The Chirwa dome: granite emplacement during late Archaean thrusting along the northeastern margin of the Zimbabwe craton. <i>South African Journal of Geology</i> , 2002 , 105, 285-300	1.6	5
201	An archean impact layer from the Pilbara and Kaapvaal cratons. 2002 , 297, 1325-7		122
200	Amphibolite facies metamorphism in the Schapenburg schist belt: A record of the mid-crustal response to 3.23 Ga terrane accretion in the Barberton greenstone belt. <i>South African Journal of Geology</i> , 2002 , 105, 271-284	1.6	41
199	Revisiting an archean impact layer. 2002 , 298, 750-1; author reply 750-1		2
198	Timing of accretion and collisional deformation in the Central Asian Orogenic Belt: implications of granite geochronology in the Bayankhongor Ophiolite Zone. <i>Chemical Geology</i> , 2002 , 192, 23-45	4.2	108
197	Metamorphism of the granite-greenstone terrane south of the Barberton greenstone belt, South Africa: an insight into the tectono-thermal evolution of the lower portions of the Onverwacht Group. <i>Precambrian Research</i> , 2002 , 114, 221-247	3.9	112
196	Shear-zone patterns and eclogite-facies metamorphism in the Mozambique belt of northern Malawi, east-central Africa: implications for the assembly of Gondwana. <i>Precambrian Research</i> , 2002 , 116, 19-56	3.9	64
195	Geology and geodynamic setting of Archaean silicic metavolcaniclastic rocks of the Bien Venue Formation, Fig Tree Group, northeast Barberton greenstone belt, South Africa. <i>Precambrian Research</i> , 2002 , 116, 199-235	3.9	27

194	Extensional detachment faulting and core-complex formation in the southern Barberton granite-greenstone terrain, South Africa: evidence for a 3.2 Ga orogenic collapse. <i>Precambrian Research</i> , 2003 , 127, 355-378	3.9	104
193	Significance of the Tambien Group (Tigray, N. Ethiopia) for Snowball Earth events in the Arabian-Nubian Shield. <i>Precambrian Research</i> , 2003 , 121, 263-283	3.9	49
192	A review of the geochronological constraints on the evolution of the Kaapvaal Craton, South Africa. <i>Precambrian Research</i> , 2003 , 127, 181-213	3.9	137
191	Ca. 750–100 Ma magmatic events and Grenville-age deformation in Sri Lanka: relevance for Rodinia supercontinent formation and dispersal, and Gondwana amalgamation. 2003 , 22, 279-300		75
190	Historical Development of Zircon Geochronology. <i>Reviews in Mineralogy and Geochemistry</i> , 2003 , 53, 145-181	7.1	84
189	Dedication. <i>Reviews in Mineralogy and Geochemistry</i> , 2003 , 53, 1a-1a	7.1	
188	Spherule beds 3.47-3.24 billion years old in the Barberton Greenstone Belt, South Africa: a record of large meteorite impacts and their influence on early crustal and biological evolution. <i>Astrobiology</i> , 2003 , 3, 7-48	3.7	146
187	Early Archean spherule beds: Chromium isotopes confirm origin through multiple impacts of projectiles of carbonaceous chondrite type. <i>Geology</i> , 2003 , 31, 283	5	102
186	Protolith ages of eclogites, Marun-Keu Complex, Polar Urals, Russia: implications for the pre- and early Uralian evolution of the northeastern European continental margin. 2004 , 30, 87-105		21
185	Single stage, late Archean exhumation of granulites in the Northern Marginal Zone, Limpopo Belt, Zimbabwe, and relevance to gold mineralization at Renco mine. <i>South African Journal of Geology</i> , 2004 , 107, 377-396	1.6	21
184	U-Pb and Pb-Pb zircon ages for metamorphic rocks in the Kaoko Belt of Northwestern Namibia: A Palaeo- to Mesoproterozoic basement reworked during the Pan-African orogeny. <i>South African Journal of Geology</i> , 2004 , 107, 455-476	1.6	62
183	Vertical extrusion and middle crustal spreading of omphacite granulite: a model of syn-convergent exhumation (Bohemian Massif, Czech Republic). 2004 , 22, 179-198		123
182	Tectono-Magmatic Evolution, Age and Emplacement of the Agardagh Tes-Chem Ophiolite in Tuva, Central Asia: Crustal Growth by Island arc Accretion. 2004 , 207-221		10
181	Mediterranean Sea palaeohydrology and pluvial periods during the Late Quaternary. 2004 , 307-324		5
180	Zircon ages, geochemistry, and Nd isotopic systematics of pre-Variscan orthogneisses from the Erzgebirge, Saxony (Germany), and geodynamic interpretation. 2004 , 93, 706-727		40
179	Ubendian basement and its late Mesoproterozoic and early Neoproterozoic structural and metamorphic overprint in northeastern Zambia. <i>Journal of African Earth Sciences</i> , 2004 , 38, 1-21	2.2	21
178	Past Climate Variability through Europe and Africa. 2004 ,		16
177	Paleomagnetic constraints on the Archean geomagnetic field intensity obtained from komatiites of the Barberton and Belingwe greenstone belts, South Africa and Zimbabwe. <i>Precambrian Research</i> , 2004 , 131, 111-142	3.9	45

176	Origin of negative Ce anomalies in Barberton sedimentary rocks, deduced from La/Ce and Sm/Nd isotope systematics. <i>Precambrian Research</i> , 2004 , 135, 345-357	3.9	34
175	Thermal evolution of the Earth as recorded by komatiites. <i>Earth and Planetary Science Letters</i> , 2004 , 219, 173-187	5.3	192
174	Metamorphic evolution and zircon geochronology of early Proterozoic granulites in the Aravalli Mountains of northwestern India. 2005 , 142, 287-302		52
173	Zircon age and occurrence of the Adaatsag ophiolite and Muron shear zone, central Mongolia: constraints on the evolution of the Mongol-Dkhotsk ocean, suture and orogen. 2005 , 162, 125-134		291
172	Age and evolution of a late Archean to Paleoproterozoic upper to lower crustal section in the Wutaishan/Hengshan/Fuping terrain of northern China. 2005 , 24, 577-595		494
171	Biogeochemical cycling of iron in the Archean-Paleoproterozoic Earth: Constraints from iron isotope variations in sedimentary rocks from the Kaapvaal and Pilbara Cratons. <i>Chemical Geology</i> , 2005 , 218, 135-169	4.2	124
170	The geochemistry of sedimentary rocks from the Fig Tree Group, Barberton greenstone belt: Implications for tectonic, hydrothermal and surface processes during mid-Archaean times. <i>Precambrian Research</i> , 2005 , 143, 23-49	3.9	159
169	Metamorphism and exhumation of the basal parts of the Barberton greenstone belt, South Africa: Constraining the rates of Mesoarchaean tectonism. <i>Precambrian Research</i> , 2005 , 143, 87-112	3.9	98
168	High-Pressure Intermediate-Temperature Metamorphism in the Southern Barberton Granitoid-Greenstone Terrain, South Africa: A Consequence of Subduction-Driven Overthickening and Collapse of Mid-Archaean Continental Crust. 2006 , 239-254		9
167	A new window into Early Archean life: Microbial mats in Earth's oldest siliciclastic tidal deposits (3.2 Ga Moodies Group, South Africa). <i>Geology</i> , 2006 , 34, 253	5	169
166	The 3.26±.24 Ga Barberton asteroid impact cluster: Tests of tectonic and magmatic consequences, Pilbara Craton, Western Australia. <i>Earth and Planetary Science Letters</i> , 2006 , 241, 11-20	5.3	33
165	Asteroid impact ejecta units overlain by iron-rich sediments in 3.5±.4 Ga terrains, Pilbara and Kaapvaal cratons: Accidental or cause-effect relationships?. <i>Earth and Planetary Science Letters</i> , 2006 , 246, 149-160	5.3	27
164	Zircon geochronology and metamorphic evolution of mafic dykes in the Hengshan Complex of northern China: Evidence for late Palaeoproterozoic extension and subsequent high-pressure metamorphism in the North China Craton. <i>Precambrian Research</i> , 2006 , 146, 45-67	3.9	359
163	Growth-fault structure and stratigraphic architecture of the Buck Ridge volcano-sedimentary complex, upper Hooggenoeg Formation, Barberton Greenstone Belt, South Africa. <i>Precambrian Research</i> , 2006 , 149, 77-98	3.9	39
162	Barberton (South Africa) TTG magmas: Geochemical and experimental constraints on source-rock petrology, pressure of formation and tectonic setting. <i>Precambrian Research</i> , 2006 , 151, 53-78	3.9	83
161	An unusual fluvial to tidal transition in the mesoarchaean Moodies Group, South Africa: A response to high tidal range and active tectonics. 2006 , 190, 13-24		33
160	The origin of carbonaceous matter in pre-3.0 Ga greenstone terrains: A review and new evidence from the 3.42 Ga Buck Reef Chert. <i>Earth-Science Reviews</i> , 2006 , 76, 259-300	10.2	87
159	Compositional grading in an ~3.24 Ga impact-produced spherule bed, Barberton greenstone belt, South Africa: A key to impact plume evolution. <i>South African Journal of Geology</i> , 2006 , 109, 233-244	1.6	16

158	Geochemistry, zircon ages and whole-rock Nd isotopic systematics for Palaeoproterozoic A-type granitoids in the northern part of the Delhi belt, Rajasthan, NW India: implications for late Palaeoproterozoic crustal evolution of the Aravalli craton. 2007 , 144, 361-378		62
157	Tectonic controls on atmospheric, climatic, and biological evolution 3.5–4.4 Ga. <i>Precambrian Research</i> , 2007 , 158, 177-197	3.9	45
156	A comment on Weathering of quartz as an Archean climatic indicator by N.H. Sleep and A.M. Hessler [Earth Planet. Sci. Lett. 241 (2006) 594–602]. <i>Earth and Planetary Science Letters</i> , 2007 , 253, 530-533		6
155	Carbonaceous cherts in the Barberton greenstone belt and their significance for the study of early life in the Archean record. <i>Astrobiology</i> , 2007 , 7, 355-88	3.7	85
154	The New Consort Gold Mine, Barberton greenstone belt, South Africa: orogenic gold mineralization in a condensed metamorphic profile. 2007 , 42, 715-735		33
153	Environmental controls on photosynthetic microbial mat distribution and morphogenesis on a 3.42 Ga clastic-starved platform. <i>Astrobiology</i> , 2009 , 9, 989-1000	3.7	26
152	Record of 1.82 Ga Andean-type continental arc magmatism in NE Rajasthan, India: Insights from zircon and Sm–Nd ages, combined with Nd–Br isotope geochemistry. <i>Gondwana Research</i> , 2009 , 16, 56-71	5.1	86
151	Sm–Nd isotopic mapping of lithospheric growth and stabilization in the eastern Kaapvaal craton. <i>Terra Nova</i> , 2009 , 21, 219-228	3	72
150	Early traces of life investigations in drilling Archean hydrothermal and sedimentary rocks of the Pilbara Craton, Western Australia and Barberton Greenstone Belt, South Africa. 2009 , 8, 649-663		30
149	Age, lithology and structural evolution of the c. 3.53 Ga Theespruit Formation in the Tjakastad area, southwestern Barberton Greenstone Belt, South Africa, with implications for Archaean tectonics. <i>Chemical Geology</i> , 2009 , 261, 115-139	4.2	71
148	Evidence for a 3.45-billion-year-old magnetic remanence: Hints of an ancient geodynamo from conglomerates of South Africa. 2009 , 10, n/a-n/a		35
147	Pb–Pb age, stable isotope and chemical composition of Archaean magnesite, Barberton Greenstone Belt, South Africa. 2010 , 167, 943-952		5
146	The Petrogenesis of Volcaniclastic Komatiites in the Barberton Greenstone Belt, South Africa: a Textural and Geochemical Study. 2010 , 51, 947-972		33
145	Rates and mechanisms of Mesoarchean magmatic arc construction, eastern Kaapvaal craton, Swaziland. <i>Bulletin of the Geological Society of America</i> , 2010 , 122, 408-429	3.9	54
144	Single zircon U–Pb ages and geochemistry of granitoid gneisses from SW Poland: evidence for an Avalonian affinity of the Brunian microcontinent. 2010 , 147, 508-526		46
143	New U–Pb and ⁴⁰ Ar/ ³⁹ Ar ages from the northern margin of the Barberton greenstone belt, South Africa: Implications for the formation of Mesoarchean gold deposits. <i>Precambrian Research</i> , 2010 , 179, 206-220	3.9	42
142	Sedimentary geology of the Palaeoarchean Buck Ridge (South Africa) and Kittys Gap (Western Australia) volcano-sedimentary complexes. <i>Precambrian Research</i> , 2010 , 183, 749-769	3.9	21
141	New constraints on the auriferous Witwatersrand sediment provenance from combined detrital zircon U–Pb and Lu–Hf isotope data for the Eldorado Reef (Central Rand Group, South Africa). <i>Precambrian Research</i> , 2010 , 183, 817-824	3.9	33

140	Calibration of carbonate composition using micro-Raman analysis: application to planetary surface exploration. <i>Astrobiology</i> , 2010 , 10, 293-309	3.7	66
139	A combined in situ oxygen, silicon isotopic and fluid inclusion study of a chert sample from Onverwacht Group (3.35 Ga, South Africa): New constraints on fluid circulation. <i>Chemical Geology</i> , 2011 , 286, 59-59	4.2	36
138	Paleoarchean detrital zircon ages from the earliest tectonic basin in the Barberton Greenstone Belt, Kaapvaal craton, South Africa. <i>Precambrian Research</i> , 2011 , 191, 85-99	3.9	45
137	Sedimentary Provenance of the Neoproterozoic Ventersdorp Supergroup, Southern Africa: Shedding Light on the Evolution of the Kaapvaal Craton during the Neoproterozoic. 2011 , 119, 575-596		12
136	3230±200 Ma post-orogenic extension and mid-crustal magmatism along the southeastern margin of the Barberton Greenstone Belt, South Africa. 2011 , 33, 844-858		28
135	Zircon ages of late Palaeoproterozoic (ca. 1.72–1.70 Ga) extension-related granitoids in NE Rajasthan, India: Regional and tectonic significance. <i>Gondwana Research</i> , 2011 , 19, 1040-1053	5.1	62
134	Detrital and xenocrystic zircon ages from Neoproterozoic to Palaeozoic arc terranes of Mongolia: Significance for the origin of crustal fragments in the Central Asian Orogenic Belt. <i>Gondwana Research</i> , 2011 , 19, 751-763	5.1	334
133	P-T Constraints on the Metamorphic Evolution of the Paleoproterozoic Kromberg Type-Section, Barberton Greenstone Belt, South Africa. 2012 , 53, 513-545		47
132	Geochemistry and petrogenesis of the Mesoproterozoic granites from the Canaã dos Carajás area, Carajás Province, Brazil: Implications for the origin of Archean granites. 2012 , 154, 33-52		22
131	A Chronostratigraphic Division of the Precambrian: Possibilities and Challenges. 2012 , 299-392		33
130	Mineralogy and diagenesis of 3.24Ga meteorite impact spherules. <i>Precambrian Research</i> , 2012 , 196-197, 128-148	3.9	21
129	Multiple sulfur isotopes in Paleoproterozoic barites identify an important role for microbial sulfate reduction in the early marine environment. <i>Earth and Planetary Science Letters</i> , 2012 , 331-332, 177-186	5.3	53
128	3.2 Ga eolian deposits from the Moodies Group, Barberton Greenstone Belt, South Africa: Implications for the origin of first-cycle quartz sandstones. <i>Precambrian Research</i> , 2012 , 214-215, 185-191	3.9	34
127	Variations in atmospheric sulphur chemistry on early Earth linked to volcanic activity. <i>Nature Geoscience</i> , 2012 , 5, 668-674	18.3	79
126	Single zircon evaporation ages: Evidence for the Mesoproterozoic crust in the southeastern Nigerian basement complex. 2012 , 31, 48-54		3
125	Zircon ages and Hf isotopic systematics reveal vestiges of Mesoproterozoic to Archean crust within the late Neoproterozoic/Cambrian high-grade terrain of southernmost India. <i>Gondwana Research</i> , 2012 , 21, 876-886	5.1	64
124	Zircon SHRIMP dating confirms a Palaeoproterozoic supracrustal terrain in the southeastern Kaapvaal Craton, southern Africa. <i>Gondwana Research</i> , 2012 , 21, 818-828	5.1	22
123	Zircon evaporation ages and geochemistry of metamorphosed volcanic rocks from the Vinjamuru domain, Krishna Province: evidence for 1.78 Ga convergent tectonics along the southeastern margin of the Eastern Dharwar Craton. 2013 , 48, 293-309		16

122	Distal Impact Ejecta Layers. 2013 ,		34
121	Timing of deposition and deformation of the Moodies Group (Barberton Greenstone Belt, South Africa): Very-high-resolution of Archaean surface processes. <i>Precambrian Research</i> , 2013 , 231, 236-262	3.9	67
120	Juvenile crust formation in the northeastern Kaapvaal Craton at 2.97Ga—Implications for Archean terrane accretion, and the source of the Pietersburg gold. <i>Precambrian Research</i> , 2013 , 233, 20-43	3.9	65
119	Generation of early Archaean felsic greenstone volcanic rocks through crustal melting in the Kaapvaal, craton, southern Africa. <i>Earth and Planetary Science Letters</i> , 2013 , 381, 188-197	5.3	65
118	Crustal fracturing and chert dike formation triggered by large meteorite impacts, ca. 3.260 Ga, Barberton greenstone belt, South Africa. <i>Bulletin of the Geological Society of America</i> , 2013 , 125, 894-912	3.9	28
117	Insights into early Earth from Barberton komatiites: Evidence from lithophile isotope and trace element systematics. <i>Geochimica Et Cosmochimica Acta</i> , 2013 , 108, 63-90	5.5	94
116	Siliciclastic associated banded iron formation from the 3.2 Ga Moodies Group, Barberton Greenstone Belt, South Africa. <i>Precambrian Research</i> , 2013 , 226, 116-124	3.9	21
115	LA-ICP-MS dating of zircons from Meso- and Neoproterozoic granitoids of the Pietersburg block (South Africa): Crustal evolution at the northern margin of the Kaapvaal craton. <i>Precambrian Research</i> , 2013 , 230, 209-226	3.9	44
114	The Murchison Greenstone Belt, South Africa: Accreted slivers with contrasting metamorphic conditions. <i>Precambrian Research</i> , 2013 , 227, 77-98	3.9	27
113	A century of U-Pb geochronology: The long quest towards concordance. <i>Bulletin of the Geological Society of America</i> , 2013 , 125, 33-47	3.9	87
112	U-Pb and Hf isotope data of detrital zircons from the Barberton Greenstone Belt: constraints on provenance and Archaean crustal evolution. 2013 , 170, 215-223		62
111	CHERTS OF THE BARBERTON GREENSTONE BELT, SOUTH AFRICA: PETROLOGY AND TRACE-ELEMENT GEOCHEMISTRY OF 3.5 TO 3.3 GA OLD SILICIFIED VOLCANICLASTIC SEDIMENTS. <i>South African Journal of Geology</i> , 2013 , 116, 297-322	1.6	32
110	Paleohydrology reconstruction and Holocene climate variability in the South Adriatic Sea. 2013 , 9, 499-515		56
109	Silica precipitation triggered by clastic sedimentation in the Archean: New petrographic evidence from cherts of the Kromberg type section, South Africa. <i>Precambrian Research</i> , 2014 , 255, 316-334	3.9	19
108	Time-scale of deformation and intertectonic phases revealed by P-T-t relationships in the orogenic middle crust of the Orlica-Bieńik Dome, Polish/Czech Central Sudetes. 2014 , 32, 981-1003		17
107	Generation of early Archaean grey gneisses through melting of older crust in the eastern Kaapvaal craton, southern Africa. <i>Precambrian Research</i> , 2014 , 255, 823-846	3.9	70
106	Trace element zoning of sulfides and quartz at Sheba and Fairview gold mines: Clues to Mesoproterozoic mineralisation in the Barberton Greenstone Belt, South Africa. <i>Ore Geology Reviews</i> , 2014 , 56, 94-114	3.2	29
105	Sulfur isotope mass-independent fractionation in impact deposits of the 3.2 billion-year-old Mapepe Formation, Barberton Greenstone Belt, South Africa. <i>Geochimica Et Cosmochimica Acta</i> , 2014 , 142, 429-441	5.5	9

104	Archaean greenstone belts and associated granitic rocks – A review. <i>Journal of African Earth Sciences</i> , 2014 , 100, 684-732	2.2	77
103	The Archaean: Geological and Geochemical Windows into the Early Earth. <i>Modern Approaches in Solid Earth Sciences</i> , 2014 ,	0.5	4
102	Recently discovered 3.42-3.23 Ga impact layers, Barberton Belt, South Africa: 3.8 Ga detrital zircons, Archean impact history, and tectonic implications. <i>Geology</i> , 2014 , 42, 747-750	5	53
101	The rheological behaviour of fracture-filling cherts: example of Barite Valley dikes, Barberton Greenstone Belt, South Africa. 2015 , 6, 253-269		7
100	Tourmaline B-isotopes as tracers of fluid sources in silicified Palaeoarchaeoan oceanic crust of the Mendon Formation, Barberton greenstone belt, South Africa. <i>Chemical Geology</i> , 2015 , 417, 134-147	4.2	15
99	A Mineralogical, Chemical and Isotopic Investigation of Shales from the Barberton Greenstone Belt, South Africa, To Constrain Source Materials and Post-Deposition Evolution. <i>South African Journal of Geology</i> , 2015 , 118, 389-410	1.6	9
98	Texture-specific Si isotope variations in Barberton Greenstone Belt cherts record low temperature fractionations in early Archean seawater. <i>Geochimica Et Cosmochimica Acta</i> , 2015 , 150, 26-52	5.5	39
97	Fluid inclusion analysis of silicified Palaeoarchaeoan oceanic crust – A record of Archean seawater?. <i>Precambrian Research</i> , 2015 , 266, 150-164	3.9	14
96	High resolution tephra and U/Pb chronology of the 3.33–2.6 Ga Mendon Formation, Barberton Greenstone Belt, South Africa. <i>Precambrian Research</i> , 2015 , 261, 54-74	3.9	24
95	In-situ iron isotope analyses of pyrites from 3.5 to 3.2 Ga sedimentary rocks of the Barberton Greenstone Belt, Kaapvaal Craton. <i>Chemical Geology</i> , 2015 , 403, 58-73	4.2	8
94	Records of geomagnetism, climate, and tectonics across a Paleoproterozoic erosion surface. <i>Earth and Planetary Science Letters</i> , 2015 , 419, 1-13	5.3	8
93	Palaeoarchaeoan felsic magmatism: A melt inclusion study of 3.45 Ga old rhyolites from the Barberton Greenstone Belt, South Africa. <i>Chemical Geology</i> , 2015 , 414, 69-83	4.2	6
92	Zircon U/Pb ages and petrogenesis of a tonalite-trondhjemite-granodiorite (TTG) complex in the northern Sanandaj-Sirjan zone, northwest Iran: Evidence for Late Jurassic arc-continent collision. 2015 , 216-217, 178-195		49
91	Petrology, geochemistry and fluid inclusion analysis of altered komatiites of the Mendon Formation in the BARB4 drill core, Barberton greenstone belt, South Africa. <i>South African Journal of Geology</i> , 2016 , 119, 639-654	1.6	5
90	Nondestructive spectroscopic and petrochemical investigations of Paleoproterozoic spherule layers from the ICDP drill core BARB5, Barberton Mountain Land, South Africa. <i>Meteoritics and Planetary Science</i> , 2016 , 51, 2441-2458	2.8	13
89	Chronology of the oldest supracrustal sequences in the Palaeoproterozoic Barberton Greenstone Belt, South Africa and Swaziland. <i>Precambrian Research</i> , 2016 , 279, 123-143	3.9	46
88	A high continental weathering flux into Paleoproterozoic seawater revealed by strontium isotope analysis of 3.26 Ga barite. <i>Earth and Planetary Science Letters</i> , 2016 , 454, 28-35	5.3	25
87	An atmospheric source of S in Mesoproterozoic structurally-controlled gold mineralisation of the Barberton Greenstone Belt. <i>Precambrian Research</i> , 2016 , 285, 10-20	3.9	31

86	A deep electrical conductivity structure of the southern Barberton Greenstone Belt, South Africa, derived from magnetotelluric measurements. <i>South African Journal of Geology</i> , 2016 , 119, 273-290	1.6	6
85	Climatic and geochemical implications of Archean pedogenic gypsum in the Moodies Group (~3.2 Ga), Barberton Greenstone Belt, South Africa. <i>Precambrian Research</i> , 2016 , 275, 119-134	3.9	24
84	Source composition, fractional crystallization and magma mixing processes in the 3.48-3.43 Ga Tsawela tonalite suite (Ancient Gneiss Complex, Swaziland) Implications for Palaeoarchean geodynamics. <i>Precambrian Research</i> , 2016 , 276, 43-66	3.9	52
83	Zircon geochronology of the Koraput alkaline complex: Insights from combined geochemical and U-Pb-Hf isotope analyses, and implications for the timing of alkaline magmatism in the Eastern Ghats Belt, India. <i>Gondwana Research</i> , 2016 , 34, 205-220	5.1	6
82	Erosion of Archean continents: The Sm-Nd and Lu-Hf isotopic record of Barberton sedimentary rocks. <i>Geochimica Et Cosmochimica Acta</i> , 2017 , 206, 216-235	5.5	22
81	Iron and sulfur isotope constraints on redox conditions associated with the 3.2 Ga barite deposits of the Mapepe Formation (Barberton Greenstone Belt, South Africa). <i>Geochimica Et Cosmochimica Acta</i> , 2017 , 210, 247-266	5.5	18
80	The use of chromium reduction in the analysis of organic carbon and inorganic sulfur isotope compositions in Archean rocks. <i>Chemical Geology</i> , 2017 , 457, 68-74	4.2	6
79	Early Archean spherule layers from the Barberton Greenstone Belt, South Africa: Mineralogy and geochemistry of the spherule beds in the CT3 drill core. <i>Meteoritics and Planetary Science</i> , 2017 , 52, 2586-2631	2.8	6
78	The Kalahari Craton, Southern Africa: From Archean Crustal Evolution to Gondwana Amalgamation. <i>Regional Geology Reviews</i> , 2018 , 133-159	2.5	3
77	Coexistence of enriched and modern-like ¹⁴² Nd signatures in Archean igneous rocks of the eastern Kaapvaal Craton, southern Africa. <i>Earth and Planetary Science Letters</i> , 2018 , 487, 54-66	5.3	19
76	Australian Asteroid Ejecta/Fallout Units. <i>Modern Approaches in Solid Earth Sciences</i> , 2018 , 31-59	0.5	
75	A review of Palaeoarchean felsic volcanism in the eastern Kaapvaal craton: Linking plutonic and volcanic records. <i>Geoscience Frontiers</i> , 2018 , 9, 667-688	6	34
74	Petrographic and Micro-XRF analysis of multiple archean impact-derived spherule layers in drill core CT3 from the northern Barberton Greenstone Belt (South Africa). <i>Journal of African Earth Sciences</i> , 2018 , 138, 264-288	2.2	6
73	Hadean zircon from a 3.3 Ga sandstone, Barberton greenstone belt, South Africa. <i>Geology</i> , 2018 , 46, 967-970	5	18
72	Volcanological and petrogenetic characteristics of komatiites of the 3.3 Ga Saw Mill Complex, Weltevreden Formation, Barberton Greenstone Belt, South Africa. <i>South African Journal of Geology</i> , 2018 , 121, 463-486	1.6	3
71	Regional folding, low-angle thrusting and permeability networks: Structural controls of gold mineralization in the Hope reef at Fairview Mine, Barberton Greenstone Belt, South Africa. <i>Ore Geology Reviews</i> , 2018 , 102, 585-603	3.2	7
70	(Ca-Y)-phosphate inclusions in apatite crystals from Archean rocks from the Barberton Greenstone Belt and Pilbara Craton: First report of natural occurrence. <i>American Mineralogist</i> , 2018 , 103, 307-313	2.9	4
69	Geochemistry of molybdenum in the continental crust. <i>Geochimica Et Cosmochimica Acta</i> , 2018 , 238, 36-54	5.5	24

68	Metamorphic processes preserved in early Archean supracrustal rocks of the Barberton Greenstone Belt, South Africa. <i>Geological Society Special Publication</i> , 2019 , 478, 315-334	1.7	6
67	The Lomati Delta Complex: A prograding tidal delta in the Archean Moodies Group, Barberton Greenstone Belt. <i>South African Journal of Geology</i> , 2019 , 122, 17-38	1.6	4
66	Stratigraphic update, paleotectonic, paleogeographic, and depositional environments of the Crixó Greenstone Belt, Central Brazil. <i>Journal of South American Earth Sciences</i> , 2019 , 96, 102329	2	7
65	The Sedimentary Origin of Black and White Banded Cherts of the Buck Reef, Barberton, South Africa. <i>Geosciences (Switzerland)</i> , 2019 , 9, 424	2.7	5
64	The geology and tectonic evolution of the northwest part of the Barberton Greenstone Belt, South Africa: A review. <i>South African Journal of Geology</i> , 2019 , 122, 421-454	1.6	6
63	Evolution of an Archean fan delta and its implications for the initiation of uplift and deformation in the Barberton greenstone belt, South Africa. <i>Journal of Sedimentary Research</i> , 2019 , 89, 849-874	2.1	6
62	Earliest life on Earth: Evidence from the Barberton Greenstone Belt, South Africa. <i>Earth-Science Reviews</i> , 2019 , 196, 102888	10.2	21
61	Non-subduction origin for 3.2 Ga high-pressure metamorphic rocks in the Barberton granitoid-greenstone terrane, South Africa. <i>Terra Nova</i> , 2019 , 31, 373	3	7
60	The Archaean Geology of the Kaapvaal Craton, Southern Africa. <i>Regional Geology Reviews</i> , 2019 ,	2.5	5
59	Archaean Crystalline Rocks of the Eastern Kaapvaal Craton. <i>Regional Geology Reviews</i> , 2019 , 1-32	2.5	7
58	The Moodies Group – High-Resolution Archive of Archaean Surface Processes and Basin-Forming Mechanisms. <i>Regional Geology Reviews</i> , 2019 , 133-169	2.5	11
57	Petrogenetic evolution of metabasalts and metakomatiites of the lower Onverwacht Group, Barberton Greenstone Belt (South Africa). <i>Chemical Geology</i> , 2019 , 511, 152-177	4.2	22
56	Crustal fracturing, unconformities, and barite deposition, 3.26–2.23 Ga, Barberton Greenstone Belt, South Africa. <i>Precambrian Research</i> , 2019 , 327, 34-46	3.9	8
55	Provenance and tectonic implications of the 3.28–2.23 Ga Fig Tree Group, central Barberton greenstone belt, South Africa. <i>Precambrian Research</i> , 2019 , 325, 1-19	3.9	19
54	Metamorphic P-T path and geochronology of garnet-bearing amphibolite of the Inyoni Shear Zone, southwestern Barberton Greenstone Belt, South Africa. <i>Precambrian Research</i> , 2019 , 321, 261-276	3.9	12
53	Paleoarchean (3.6–2 Ga) Mineral Systems in the Context of Continental Crust Building and the Role of Mantle Plumes. 2019 , 187-209		1
52	Early Archean Crustal Evolution in Southern Africa – An Updated Record of the Ancient Gneiss Complex of Swaziland. 2019 , 553-567		3
51	Geologic Evolution of the Barberton Greenstone Belt – A Unique Record of Crustal Development, Surface Processes, and Early Life 3.55–2.0 Ga. 2019 , 569-613		14

50	TTG Plutons of the Barberton Granitoid-Greenstone Terrain, South Africa. 2019 , 615-653		15
49	Tectonometamorphic Controls on Archaean Gold Mineralization in the Barberton Greenstone Belt, South Africa. 2019 , 655-674		6
48	Archean Cherts. 2019 , 913-944		0
47	Traces of Early Life From the Barberton Greenstone Belt, South Africa. 2019 , 1029-1058		6
46	Age, geochemistry, and emplacement of the ~40-Ma Baneh granite–epipinite complex in a transpressional tectonic regime, Zagros suture zone, northwest Iran. <i>International Geology Review</i> , 2019 , 61, 195-223	2.3	23
45	Modeling and analysis of Lily gold mine disasters using geoinformatics. <i>Geo Journal</i> , 2020 , 85, 837-862	2.2	3
44	Earth’s Impact Events Through Geologic Time: A List of Recommended Ages for Terrestrial Impact Structures and Deposits. <i>Astrobiology</i> , 2020 , 20, 91-141	3.7	51
43	Petrographic characterization of Archaean impact spherule layers from Fairview Gold Mine, northern Barberton Greenstone Belt, South Africa. <i>Journal of African Earth Sciences</i> , 2020 , 162, 103718	2.2	1
42	Post-depositional REE mobility in a Paleoproterozoic banded iron formation revealed by La-Ce geochronology: A cautionary tale for signals of ancient oxygenation. <i>Earth and Planetary Science Letters</i> , 2020 , 547, 116452	5.3	13
41	Multi-stage alteration, rheological switches and high-grade gold mineralization at Sheba Mine, Barberton Greenstone Belt, South Africa. <i>Ore Geology Reviews</i> , 2020 , 127, 103852	3.2	3
40	Granitoids and greenstones of the White Mfolozi Inlier, south-east Kaapvaal Craton. <i>South African Journal of Geology</i> , 2020 , 123, 263-276	1.6	2
39	The non-glacial and non-cratonic origin of an early Archean felsic volcanoclastic unit, Barberton Greenstone Belt, South Africa. <i>Precambrian Research</i> , 2020 , 341, 105647	3.9	5
38	The Mesoarchean Dominion Group and the onset of intracontinental volcanism on the Kaapvaal craton – Geological, geochemical and temporal constraints. <i>Gondwana Research</i> , 2020 , 84, 131-150	5.1	6
37	Alluvial fan to shallow marine sedimentation record in the ~3.0 Ga Keonjhar Quartzite, Singhbhum Craton, India: An example of Phanerozoic style passive margin sedimentation from the Mesoarchean. <i>Precambrian Research</i> , 2021 , 352, 105962	3.9	7
36	Volcanic Landforms. 2021 , 340-340		0
35	Triple Oxygen Isotope Trend Recorded by Precambrian Cherts: A Perspective from Combined Bulk and in situ Secondary Ion Probe Measurements. <i>Reviews in Mineralogy and Geochemistry</i> , 2021 , 86, 323-365	7.1	15
34	Provenance and paleogeography of Archean Fig Tree siliciclastic rocks in the East-Central Barberton Greenstone Belt, South Africa. <i>Precambrian Research</i> , 2021 , 354, 106041	3.9	1
33	Gliding and overthrust nappe tectonics of the Barberton Greenstone Belt revisited: A review of deformation styles and processes. <i>South African Journal of Geology</i> , 2021 , 124, 181-210	1.6	0

32	Metamorphic evolution for the Inyoni shear zone: Investigating the geodynamic evolution of a 3.20 Ga terrane boundary in the Barberton granitoid greenstone terrane, South Africa. <i>South African Journal of Geology</i> , 2021 , 124, 163-180	1.6	
31	De Kraalen and Witrivier Greenstone Belts, Kaapvaal Craton, South Africa: Characterisation of the Palaeo-Mesoarchaeon evolution by rutile and zircon U-Pb geochronology combined with Hf isotopes. <i>South African Journal of Geology</i> , 2021 , 124, 17-36	1.6	1
30	Layered ultramafic complexes of the Barberton Greenstone Belt: Age constraints and tectonic implications. <i>South African Journal of Geology</i> , 2021 , 124, 7-16	1.6	0
29	Can mineral equilibrium modelling provide additional details on metamorphism of the Barberton garnet amphibolites?. <i>South African Journal of Geology</i> , 2021 , 124, 211-224	1.6	1
28	Tectonic significance of the late Eocene (Bartonian) calc-alkaline granitoid body in the Marivan area, Zagros suture zone, northwest Iran. <i>International Geology Review</i> , 1-16	2.3	1
27	A petrochronology window into near-surface fluid/rock interaction within Archaean ultramafic-mafic crust: Insights from the 3.25 Ga Stolzberg Complex, Barberton Greenstone Belt. <i>Chemical Geology</i> , 2021 , 569, 120130	4.2	1
26	Terrestrial and extraterrestrial chemical components of early Archean impact spherule layers from Fairview Gold Mine, northern Barberton greenstone belt, South Africa. 2021 ,		
25	Residual liquid from deep magma ocean crystallization in the source of komatiites from the ICDP drill core in the Barberton Greenstone Belt. <i>Geochimica Et Cosmochimica Acta</i> , 2021 , 304, 141-159	5.5	6
24	Cellular remains in a ~3.42-billion-year-old subseafloor hydrothermal environment. <i>Science Advances</i> , 2021 , 7,	14.3	6
23	Thermal evolution of the Stolzberg Block, Barberton granitoid-greenstone terrain, South Africa: Implications for Paleoproterozoic tectonic processes. <i>Precambrian Research</i> , 2021 , 359, 106082	3.9	0
22	Progressive accretion recorded in sedimentary rocks of the 3.28-3.23 Ga Fig Tree Group, Barberton Greenstone Belt. <i>Bulletin of the Geological Society of America</i> ,	3.9	0
21	A LA-ICPMS zircon record of magmatic crystallization and compositional alteration in meta-igneous rocks of the eastern Kaapvaal Craton. <i>South African Journal of Geology</i> , 2021 , 124, 761-782	1.6	0
20	Sequential leaching of silicified Archaean carbonates: A Rb-Sr, Sm-Nd and Pb-Pb isotopic contribution to their tectonic-thermal history (Kaapvaal Craton, South Africa). <i>Precambrian Research</i> , 2021 , 365, 106393	3.9	
19	Archaean Hydrothermal Systems in the Barberton Greenstone Belt and Their Significance as a Habitat for Early Life. 2011 , 51-78		9
18	Age of the Oldest Rocks with Biogenic Components. 1995 , 85-94		1
17	The Diversity of Fossil Microorganisms in Archaean-Age Rocks. 2000 , 15-27		3
16	Archaean Biofilms Preserved in the Swaziland Supergroup, South Africa. 2003 , 307-316		8
15	Geochronology and Nd-Sr systematics of Lusatian granitoids: significance for the evolution of the Variscan orogen in east-central Europe. <i>Geologische Rundschau: Zeitschrift Fur Allgemeine Geologie</i> , 1994 , 83, 357-376		21

14	A Broader View. 597-636		1
13	The rheological behavior of fracture-filling cherts: example of Barite Valley dikes, Barberton Greenstone Belt, South Africa.		3
12	Delayed and variable late Archaean atmospheric oxidation due to high collision rates on Earth. <i>Nature Geoscience</i> ,	18.3	1
11	Evolution and Pre-3.2 Ga Asteroid Impact Clusters: Pilbara Craton, Western Australia. <i>Modern Approaches in Solid Earth Sciences</i> , 2014 , 97-117	0.5	
10	Pre-3.2 Ga Evolution and Asteroid Impacts of the Barberton Greenstone Belt, Kaapvaal Craton, South Africa. <i>Modern Approaches in Solid Earth Sciences</i> , 2014 , 73-96	0.5	
9	Geochronology and Nd-Sr systematics of Lusatian granitoids: significance for the evolution of the Variscan orogen in east-central Europe. 1994 , 357-376		0
8	Rock magnetism of the banded iron formation in Barberton greenstone belt, South Africa. <i>Acta Petrologica Sinica</i> , 2019 , 35, 2206-2218	1.1	
7	Entrapment history of aqueous fluids in Archean cherts from the Barberton Greenstone Belt, South Africa. <i>Precambrian Research</i> , 2022 , 368, 106502	3.9	0
6	Archean crustal growth and reworking revealed by combined U-Pb-Hf-O isotope and trace element data of detrital zircons from ancient and modern river sediments of the eastern Kaapvaal Craton. <i>Geochimica Et Cosmochimica Acta</i> , 2022 , 320, 79-104	5.5	1
5	The effects of fault-zone architecture, wall-rock competence and fluid pressure variations on hydrothermal veining and gold mineralization along the Sheba Fault, Barberton Greenstone Belt, South Africa. <i>Journal of African Earth Sciences</i> , 2022 , 192, 104554	2.2	0
4	The petrogenesis and emplacement mechanism of layered ultramafic-mafic complexes of the Barberton Greenstone Belt: Insights from the Stolzberg Complex, South Africa. <i>South African Journal of Geology</i> , 2022 , 125, 133-166	1.6	0
3	The Malolotsha Klippe: Large-scale subhorizontal tectonics along the southern margin of the Archean Barberton Greenstone Belt, Eswatini.		0
2	Methane, water, quartz, siderite, hematite, and possibly greenalite and sodium hydroxide in a BARB3 drilled sample of the 3.4 Ga Buck ReefChert. Crustal anoxic alkaline high subcritical water at the origin of the observed ferric minerals, methane and disordered graphitic carbon, and of plausible molecules of life.		0
1	Reworking of aged mafic crust in a Palaeoarchaeon layered complex inferred from coupled Sm-Nd and Lu-Hf isotope systematics, Stolzberg Complex, Barberton Greenstone Belt, South Africa. 2023 , 626, 121427		0