Cosmic ray labeling of erosion surfaces: in situ nuclide production rates and erosion models

DOI: 10.1016/0012-821x(91)90220-c
Earth and Planetary Science Letters, 1991, 104, 424-439.

#	Paper	IF	Citations
2009	Cosmic ray produced 10Be and 26Al in Antarctic rocks: exposure and erosion history. *Earth and Planetary Science Letters*, **1991**, 104, 440-454	5.3	202
2008	Age and geomorphic history of Meteor Crater, Arizona, from cosmogenic 36Cl and 14C in rock varnish. **1991**, 55, 2695-2698		86
2007	In situ10Be-26Al exposure ages at Meteor Crater, Arizona. **1991**, 55, 2699-2703		81
2006	SURFACE EXPOSURE DATING: REVIEW AND CRITICAL EVALUATION. **1991**, 12, 303-333		29
2005	Cosmogenic in Situ Radiocarbon on the Earth. **1992**, 146-161		3
2004	3He surface exposure dating and its implications for magma evolution in the Potrillo volcanic field, Rio Grande Rift, New Mexico, USA. **1992**, 56, 4105-4108		31
2003	Effective attenuation lengths of cosmic rays producing 10Be AND 26Al in quartz: Implications for exposure age dating. **1992**, 19, 369-372		105
2002	Cosmogenic neon in recent lavas from the western United States. **1992**, 19, 1863-1866		61
2001	Role of in situ cosmogenic nuclides 10be and 26al in the study of diverse geomorphic processes. **1993**, 18, 407-425		165
2000	Surface-Exposure Chronology Using in Situ Cosmogenic 3He in Antarctic Quartz Sandstone Boulders. **1993**, 39, 1-10		45
1999	Chronology of Taylor Glacier Advances in Arena Valley, Antarctica, Using in Situ Cosmogenic 3He and 10Be. **1993**, 39, 11-23		111
1998	Cosmogenic neon and helium at Rûnion: measurement of erosion rate. *Earth and Planetary Science Letters*, **1993**, 119, 405-417	5.3	44
1997	The cosmic ray produced He/21Ne ratio in ultramafic rocks. **1993**, 20, 1075-1078		15
1996	Cosmogenic and nucleogenic isotopic changes in Mars: their rates and implications to the evolutionary history of Martian surface. **1993**, 57, 4627-37		8
1995	Geomorphology and In-Situ Cosmogenic Isotopes. **1994**, 22, 273-317		235
1994	Extensive Boulder Erosion Resulting from a Range Fire on the Type-Pinedale Moraines, Fremont Lake, Wyoming. **1994**, 42, 255-265		47
1993	Studies of cosmogenic in-situ 14CO and 14CO2 produced in terrestrial and extraterrestrial samples: experimental procedures and applications. **1994**, 92, 291-296		24

1992	Depth dependence of cosmogenic neutron-capture-produced 36C1 in a terrestrial rock. **1994**, 92, 301-307		12
1991	Studies of the production rate of cosmic-ray produced 14C in rock surfaces. **1994**, 92, 308-310		15
1990	Limestone erosion measurements with cosmogenic chlorine-36 in calcite â preliminary results from Australia. **1994**, 92, 311-316		56
1989	Production rate systematics of in-situ-produced cosmogenic nuclides in terrestrial rocks: Monte Carlo approach of investigating 35Cl (n,) 36Cl. **1994**, 92, 321-325		28
1988	Report on the Workshop on production rates of terrestrial in-situ-produced cosmogenic nuclides. **1994**, 92, 335-339		12
1987	â garden varietyâ 10Be in soils on hill slopes. **1994**, 92, 357-361		5
1986	Noble gases in mafic phenocrysts and xenoliths from New Zealand. **1994**, 58, 4411-4427		52
1985	Cosmogenic 3He production rates from 39°N to 46°N latitude, western USA and France. **1994**, 58, 249-255		104
1984	cosmic ray produced 32P and 33P in Cl, S and K at mountain altitude and calculation of oceanic production rates. **1994**, 21, 991-994		7
1983	Using in situ produced cosmogenic isotopes to estimate rates of landscape evolution: A review from the geomorphic perspective. **1994**, 99, 13885-13896		173
1982	Cosmogenic 36Cl accumulation in unstable landforms: 2. Simulations and measurements on eroding moraines. **1994**, 30, 3127-3136		71
1981	Cosmogenic 36Cl accumulation in unstable landforms: 1. Effects of the thermal neutron distribution. **1994**, 30, 3115-3125		69
1980	The development of iron crust lateritic systems in Burkina Faso, West Africa examined with in-situ-produced cosmogenic nuclides. *Earth and Planetary Science Letters*, **1994**, 124, 19-33	5.3	61
1979	Cosmic-ray-produced 21Ne in terrestrial quartz: the neon inventory of Sierra Nevada quartz separates. *Earth and Planetary Science Letters*, **1994**, 125, 341-355	5.3	64
1978	Dating terrestrial impact events. **1994**, 29, 301-322		109
1977	Quaternary Climate Change and the Formation of River Terraces across Growing Anticlines on the North Flank of the Tien Shan, China. **1994**, 102, 583-602		179
1976	On Cosmic-Ray Exposure Ages of Terrestrial Rocks: A Suggestion. **1995**, 37, 889-898		5
1975	Applications of in Situ Cosmogenic Nuclides in the Geologic Site Characterization of Yucca Mountain, Nevada. **1995**, 412, 799		3

1974	Accelerator mass spectrometry: New applications. **1995**, 46, 457-466		5
1973	Insights into alpine moraine development from cosmogenic 36Cl buildup dating. **1995**, 14, 149-156		37
1972	Cosmogenic 10Be and 3He accumulation in Pleistocene beach terraces in Death Valley, California, U.S.A.: Implications for cosmic-ray exposure dating of young surfaces in hot climates. **1995**, 119, 191-207		25
1971	Denudation rates determined from the accumulation of in situ-produced 10Be in the luquillo experimental forest, Puerto Rico. *Earth and Planetary Science Letters*, **1995**, 129, 193-202	5.3	410
1970	Cosmogenic nuclide exposure ages and glacial history of late Quaternary Ross Sea drift in McMurdo Sound, Antarctica. *Earth and Planetary Science Letters*, **1995**, 131, 41-56	5.3	40
1969	Terrestrial cosmogenic-nuclide production systematics calculated from numerical simulations. *Earth and Planetary Science Letters*, **1995**, 136, 381-395	5.3	226
1968	Evidence for muon-induced production of 10Be in near-surface rocks from the Congo. **1995**, 22, 703-706		75
1967	Helium, neon, and argon systematics of the European subcontinental mantle: Implications for its geochemical evolution. **1995**, 59, 2767-2783		218
1966	Estimating erosion rates and exposure ages with 36Cl produced by neutron activation. **1995**, 59, 3779-3798		47
1965	Beryllium-10 dating of the duration and retreat of the last pinedale glacial sequence. **1995**, 268, 1329-33		172
1964	Cosmogenic Ages for Earthquake Recurrence Intervals and Debris Flow Fan Deposition, Owens Valley, California. **1995**, 270, 447-450		78
1963	Precision of terrestrial exposure ages and erosion rates estimated from analysis of cosmogenic isotopes produced in situ. **1995**, 100, 24637-24649		32
1962	26Al-10Be systematics in deep-sea sediments. **1996**, 60, 109-119		24
1961	Cosmogenic chlorine-36 from calcium spallation. **1996**, 60, 679-692		239
1960	A reevaluation of cosmogenic 36Cl production rates in terrestrial rocks. **1996**, 23, 949-952		89
1959	Cosmogenic production of 7Be and 10Be in water targets. **1996**, 101, 22225-22232		50
1958	Late Tertiary to late Quaternary record in the Mackenzie Mountains, Northwest Territories, Canada: stratigraphy, paleosols, paleomagnetism, and chlorine - 36. **1996**, 33, 875-895		60
1957	Overview of the Workshop on Secular Variations in Production Rates of Cosmogenic Nuclides on Earth 1. **1996**, 38, 135-147		22

1956	ESTIMATING RATES OF DENUDATION USING COSMOGENIC ISOTOPE ABUNDANCES IN SEDIMENT. **1996**, 21, 125-139		305
1955	Cosmic ray interaction study with low-level Ge-spectrometry. **1996**, 369, 539-543		38
1954	Bedrock incision, rock uplift and threshold hillslopes in the northwestern Himalayas. **1996**, 379, 505-510		825
1953	The soil production function and landscape equilibrium. **1997**, 388, 358-361		667
1952	Helium isotopic composition of the Tabar-Lihir-Tanga-Feni island arc, Papua New Guinea. **1997**, 61, 2485-2496		36
1951	Dating of Sirius Group tillites in the Antarctic Dry Valleys with cosmogenic3He and21Ne. *Earth and Planetary Science Letters*, **1997**, 147, 37-54	5.3	80
1950	Erosion rates of alpine bedrock summit surfaces deduced from in situ 10Be and 26Al. *Earth and Planetary Science Letters*, **1997**, 150, 413-425	5.3	198
1949	Cosmogenic dating of fluvial terraces, Fremont River, Utah. *Earth and Planetary Science Letters*, **1997**, 152, 59-73	5.3	166
1948	Development plans for the AMS facility at the Institute of Geological and Nuclear Sciences, New Zealand. **1997**, 123, 79-83		3
1947	The chemical behavior of Be, Al, Fe, Ca and Mg during AMS target preparation from terrestrial silicates modeled with chemical speciation calculations. **1997**, 123, 235-240		53
1946	In-situ production of radionuclides at great depths. **1997**, 123, 341-346		23
1945	Cosmogenic chlorine-36 production in K-feldspar. **1997**, 123, 334-340		48
1944	The geomorphological and geological importance of palaeosurfaces. **1997**, 120, 1-12		17
1943	Comment on â10Be and 26Al Evidence for Exceptionally Low Rates of Australian Bedrock Erosion and the Likely Existence of Pre- Pleistocene Landscapesâ(Bierman and Turner, 1995). **1997**, 48, 381-385		2
1942	Cosmetic Isotope Analyses Applied to River Longitudinal Profile Evolution: Problems and Interpretations. **1997**, 22, 195-209		45
1941	A Rapid Fusion Method for Separation of Beryllium-10 From Soils and Silicates. **1998**, 62, 555-561		55
1940	African laterite dynamics using in situ-produced 10Be. **1998**, 62, 1501-1507		26
1939	41Ca, 26Al, and 10Be in lunar basalt 74275 and 10Be in the double drive tube 74002/74001. **1998**, 62, 2389-2402		26

1938	Incision and differential bedrock uplift along the Indus River near Nanga Parbat, Pakistan Himalaya, from 10Be and 26Al exposure age dating of bedrock straths. *Earth and Planetary Science Letters*, **1998**, 154, 93-107	5.3	98
1937	Dating soils and alluvium with cosmogenic 21Ne depth profiles: case studies from the Pajarito Plateau, New Mexico, USA. *Earth and Planetary Science Letters*, **1998**, 160, 209-223	5.3	59
1936	Determination of predevelopment denudation rates of an agricultural watershed (Cayagu River, Puerto Rico) using in-situ-produced 10Be in river-borne quartz. *Earth and Planetary Science Letters*, **1998**, 160, 723-728	5.3	84
1935	10Be and 26Al production rates deduced from an instantaneous event within the dendro-calibration curve, the landslide of K els, tz Valley, Austria. *Earth and Planetary Science Letters*, **1998**, 161, 231-241	5.3	124
1934	Brazilian laterite dynamics using in situ-produced 10Be. *Earth and Planetary Science Letters*, **1998**, 163, 197-205	5.3	28
1933	Age Determination of Young Rocks and Artifacts. **1998**,		54
1932	Beyond Power: Bedrock River Incision Process and Form. **1998**, 35-60		110
1931	Erosion, Weathering, and Sedimentation. **1998**, 647-678		8
1930	Ages of prehistoric earthquakes revealed by cosmogenic chlorine-36 in a bedrock fault scarp at hebgen lake. **1998**, 282, 1097-9		60
1929	Cosmogenic Cl-36 dating of postglacial landsliding at The Storr, Isle of Skye, Scotland. **1998**, 8, 347-351		61
1928	Cosmogenic radiation nuclides in archaeology: a response to Phillips et al.. **1998**, 72, 811-815		2
1927	Inland Propagation of Erosional Escarpments and River Profile Evolution Across the Southeast Australian Passive Continental Margin. **1998**, 189-206		75
1926	Denudation rates for the southern Drakensberg escarpment, SE Africa, derived from in-situ-produced cosmogenic 36C1: initial results. **1999**, 156, 209-212		96
1925	Accelerator mass spectrometry and its applications. **1999**, 62, 1223-1274		128
1924	Cosmic Ray Exposure (CRE) dating in a wet tropical domain: late Quaternary fan emplacements in central Sulawesi (Indonesia). **1999**, 11, 174-180		9
1923	Unblocking of the Nares Strait by Greenland and Ellesmere ice-sheet retreat 10,000 years ago. **1999** , 398, 139-142		85
1922	The role of hydraulic fractures and intermediate-depth earthquakes in generating subduction-zone magmatism. **1999**, 398, 142-145		134
1921	Measurements of Past Ice Sheet Elevations in Interior West Antarctica. **1999**, 286, 276-280		89

1920	Cosmogenic 36Cl dating of the maximum limit of the Laurentide Ice Sheet in southwestern Alberta. **1999**, 36, 1347-1356		37
1919	Contrasting Neogene denudation histories of different structural regions in the Transantarctic Mountains rift flank constrained by cosmogenic isotope measurements. **1999**, 23, 145-172		51
1918	Scaling factors for the rates of production of cosmogenic nuclides for geometric shielding and attenuation at depth on sloped surfaces. **1999**, 27, 3-11		400
1917	Cosmogenic in carbonate rocks. **1999**, 27, 13-24		25
1916	Mid-Pleistocene cosmogenic minimum-age limits for pre-Wisconsinan glacial surfaces in southwestern Minnesota and southern Baffin Island: a multiple nuclide approach. **1999**, 27, 25-39		200
1915	Dating fluvial terraces with 10Be and 26Al profiles: application to the Wind River, Wyoming. **1999**, 27, 41-60		142
1914	Long-term rates of denudation in the Dry Valleys, Transantarctic Mountains, southern Victoria Land, Antarctica based on in-situ-produced cosmogenic. **1999**, 27, 113-129		79
1913	Estimates of the rate of regolith production using and from an alpine hillslope. **1999**, 27, 131-150		220
1912	Cosmogenic nuclides, topography, and the spatial variation of soil depth. **1999**, 27, 151-172		245
1911	Cosmogenic noble gas studies in the oldest landscape on earth: surface exposure ages of the Dry Valleys, Antarctica. *Earth and Planetary Science Letters*, **1999**, 167, 215-226	5.3	124
1910	Calibration of cosmogenic 3He production rates from Holocene lava flows in Oregon, USA, and effects of the Earth's magnetic field. *Earth and Planetary Science Letters*, **1999**, 172, 261-271	5.3	92
1909	Dynamics of the Galapagos hotspot from helium isotope geochemistry. **1999**, 63, 4139-4156		137
1908	The use of in-situ produced cosmogenic radionuclides in glaciology and glacial geomorphology. **1999**, 28, 103-110		52
1907	Accelerator mass spectrometry: Analyzing our world atom by atom. **1999**,		4
1906	Cosmogenic analysis of glacial terrains in the eastern Canadian Arctic: a test for inherited nuclides and the effectiveness of glacial erosion. **1999**, 28, 181-188		47
1905	Soil production on a retreating escarpment in southeastern Australia. **2000**, 28, 787		196
1904	Sediment yield exceeds sediment production in arid region drainage basins. **2000**, 28, 995		84
1903	Erosional equilibrium and disequilibrium in the Sierra Nevada, inferred from cosmogenic 26Al and 10Be in alluvial sediment. **2000**, 28, 803		114

1902	Geochronology on the paleoanthropological time scale. **2000**, 9, 101-110		28
1901	Dating buried sediments using radioactive decay and muogenic production of 26Al and 10Be. **2000**, 172, 822-826		130
1900	Validation of cosmogenic nuclide production rate scaling factors through direct measurement. **2000**, 172, 802-805		7
1899	Cosmogenic nuclide production rate systematics in terrestrial materials: Present knowledge, needs and future actions for improvement. **2000**, 172, 772-781		9
1898	Numerical simulation of in situ production of cosmogenic nuclides: Effects of irradiation geometry. **2000**, 172, 786-789		25
1897	Estimating cumulative soil accumulation rates with in situ-produced cosmogenic nuclide depth profiles. **2000**, 172, 817-821		2
1896	Sample processing for earth science studies at ANTARES. **2000**, 172, 856-860		122
1895	Cold rocks, hot sands: In-situ cosmogenic applications in Australia at ANTARES. **2000**, 172, 838-846		57
1894	Determination of cosmogenic production rates of 10Be, 3He and 3H in water. **2000**, 172, 873-883		14
1893	Late Pleistocene deglaciation chronology in the NW of the Iberian Peninsula using cosmic-ray produced 21Ne in quartz. **2000**, 172, 832-837		39
1892	Dating of prehistoric caves sediments and flints using 10Be and 26Al in quartz from Tabun Cave (Israel): Progress report. **2000**, 172, 767-771		16
1891	Neutron Monitor Records in Broader Historical Context. **2000**, 93, 107-119		30
1890	Cosmogenic10Be: A critical view on its widespread dominion in geosciences. **2000**, 109, 181-186		
1889	Cosmogenic 10Be and 26Al ages for the Last Glacial Maximum, eastern Baffin Island, Arctic Canada. **2000**, 112, 1296-1312		63
1888	Application of in situ-produced cosmogenic 10Be and 26Al to the study of lateritic soil development in tropical forest: theory and examples from Cameroon and Gabon. **2000**, 170, 95-111		34
1887	Chronology of Quaternary glaciations in East Africa. *Earth and Planetary Science Letters*, **2000**, 177, 23-42	5.3	84
1886	The oldest ice on Earth in Beacon Valley, Antarctica: new evidence from surface exposure dating. *Earth and Planetary Science Letters*, **2000**, 179, 91-99	5.3	75
1885	Quantifying passive margin denudation and landscape development using a combined fission-track thermochronology and cosmogenic isotope analysis approach. *Earth and Planetary Science Letters*, **2000**, 179, 429-435	5.3	149

1884	Preservation of near-solar neon isotopic ratios in Icelandic basalts. *Earth and Planetary Science Letters*, **2000**, 180, 309-324	5.3	84
1883	The 21Ne production rate in quartz revisited. *Earth and Planetary Science Letters*, **2000**, 183, 361-364	5.3	50
1882	Long-term cosmogenic 3He production rates (152 kaâ1.35 Ma) from 40Ar/39Ar dated basalt flows at 29°N latitude. *Earth and Planetary Science Letters*, **2000**, 176, 147-156	5.3	71
1881	Scaling factors for production rates of in situ produced cosmogenic nuclides: a critical reevaluation. *Earth and Planetary Science Letters*, **2000**, 176, 157-169	5.3	310
1880	Air pressure and cosmogenic isotope production. **2000**, 105, 23753-23759		1528
1879	Chlorine-36. **2000**, 299-348		33
1878	Terrestrial cosmogenic nuclide methods passing milestones toward paleo-altimetry. **2001**, 82, 82-89		28
1877	Using Cosmogenic Nuclide Measurements In Sediments To Understand Background Rates Of Erosion And Sediment Transport. **2001**, 89-115		21
1876	Displacement history of a limestone normal fault scarp, northern Israel, from cosmogenic 36Cl. **2001**, 106, 4247-4264		65
1875	Terrestrial in situ cosmogenic nuclides: theory and application. **2001**, 20, 1475-1560		1332
1874	Response to Discussion by Wolfe et al. on Bierman et al. (Geomorphology 25 (1999) 25â39). **2001**, 39, 255-260		11
1873	Quantifying quartz enrichment and its consequences for cosmogenic measurements of erosion rates from alluvial sediment and regolith. **2001**, 40, 15-19		40
1872	Natural and human-induced landsliding in the Garhwal Himalaya of northern India. **2001**, 40, 21-35		158
1871	Constraints for the latest glacial advance on Wrangel Island, Arctic Ocean, from rock surface exposure dating. **2001**, 31, 447-451		14
1870	Long-term slip rates and characteristic slip: keys to active fault behaviour and earthquake hazard. **2001**, 333, 483-494		10
1869	Late Quaternary erosion in southeastern Australia: a field example using cosmogenic nuclides. **2001**, 83-85, 169-185		148
1868	Apparent gibbsite growth ages for regolith in the Georgia Piedmont. **2001**, 65, 381-386		14
1867	A new extraction technique and production rate estimate for in situ cosmogenic 14C in quartz. **2001**, 65, 1953-1969		96

1866	Correction of in situ cosmogenic nuclide production rates for geomagnetic field intensity variations during the past 800,000 years. **2001**, 65, 2995-3003		99
1865	An improved approach to calculating low-energy cosmic-ray neutron fluxes near the land/atmosphere interface. **2001**, 175, 689-701		159
1864	Cosmogenic 3He in igneous and fossil tooth enamel fluorapatite. *Earth and Planetary Science Letters*, **2001**, 185, 7-14	5.3	9
1863	Modulation of erosion on steep granitic slopes by boulder armoring, as revealed by cosmogenic 26Al and 10Be. *Earth and Planetary Science Letters*, **2001**, 186, 269-281	5.3	84
1862	Comment on â‰scaling factors for production rates of in situ produced cosmogenic nuclides: a critical reevaluationâ by Tibor J. Dunai. *Earth and Planetary Science Letters*, **2001**, 188, 283-287	5.3	15
1861	Reply to comment on â‰scaling factors for production rates of in situ produced cosmogenic nuclides: a critical reevaluationâ by Darin Desilets, Marek Zreda and Nathaniel Lifton. *Earth and Planetary Science Letters*, **2001**, 188, 289-298	5.3	21
1860	Dating sediment burial with in situ-produced cosmogenic nuclides: theory, techniques, and limitations. *Earth and Planetary Science Letters*, **2001**, 188, 269-281	5.3	304
1859	Large-scale erosion rates from in situ-produced cosmogenic nuclides in European river sediments. *Earth and Planetary Science Letters*, **2001**, 188, 441-458	5.3	216
1858	Terrestrial cosmogenic argon. *Earth and Planetary Science Letters*, **2001**, 188, 435-440	5.3	23
1857	On scaling cosmogenic nuclide production rates for altitude and latitude using cosmic-ray measurements. *Earth and Planetary Science Letters*, **2001**, 193, 213-225	5.3	46
1856	Influence of secular variation of the geomagnetic field on production rates of in situ produced cosmogenic nuclides. *Earth and Planetary Science Letters*, **2001**, 193, 197-212	5.3	279
1855	References. **2001**, 253-280		
1854	Can We Use Cosmogenic Isotopes to Date Stone Artifacts?. **2001**, 43, 759-764		7
1853	Low-gradient outlet glaciers (ice streams?) drained the Laurentide ice sheet. **2001**, 29, 343		38
1852	In-Situ Radiocarbon Production by Neutrons and Muons in an Antarctic Blue Ice Field at Scharffenbergbotnen: A Status Report. **2001**, 43, 751-757		4
1851	Cosmogenic 3He and 10Be chronologies of the late Pinedale northern Yellowstone ice cap, Montana, USA. **2001**, 29, 1095		67
1850	In-Situ Cosmogenic 14C: Production and Examples of its Unique Applications in Studies of Terrestrial and Extraterrestrial Processes. **2001**, 43, 731-742		14
1849	Cosmogenic radionuclide dating of glacial landforms in the Lahul Himalaya, northern India: defining the timing of Late Quaternary glaciation. **2001**, 16, 555-563		120

1848	Stochastic processes of soil production and transport: erosion rates, topographic variation and cosmogenic nuclides in the Oregon Coast Range. **2001**, 26, 531-552	226
1847	Rates of Sediment Supply to Arroyos from Upland Erosion Determined Using in Situ Produced Cosmogenic 10Be and 26Al. **2001**, 55, 235-245	62
1846	Late Pleistocene Glaciation of the Kosciuszko Massif, Snowy Mountains, Australia. **2001**, 55, 179-189	150
1845	Late Pleistocene Cosmogenic 36Cl Glacial Chronology of the Southwestern Ahklun Mountains, Alaska. **2001**, 56, 148-154	34
1844	Determination of 36Cl Production Rates Derived from the Well-Dated Deglaciation Surfaces of Whidbey and Fidalgo Islands, Washington. **2001**, 56, 366-382	53
1843	Primordial helium isotope signature from Plio-Quaternary alkaline basalts in Yemen. **2001**, 10, 145-157	9
1842	Minimal climatic control on erosion rates in the Sierra Nevada, California. **2001**, 29, 447	136
1841	A review of cosmogenic nuclide surface exposure dating: new challenges for Scottish geomorphology. **2001**, 117, 1-15	8
1840	Mountain erosion over 10 yr, 10 k.y., and 10 m.y. time scales. **2001**, 29, 591	368
1839	Reconstructing the erosion history of glaciated passive margins: applications of in situ produced cosmogenic nuclide techniques. **2002**, 196, 153-168	5
1838	Impulsive alluviation during early Holocene strengthened monsoons, central Nepal Himalaya. **2002**, 30, 911	108
1837	Cosmogenic Be-10 and the Solid Earth: Studies in Geomagnetism, Subduction Zone Processes, and Active Tectonics. **2002**, 50, 207-270	14
1836	Rates and Timing of Earth Surface Processes From In Situ-Produced Cosmogenic Be-10. **2002**, 50, 147-205	50
1835	The Dating of Rock Art: a Critique. **2002**, 29, 1213-1233	49
1834	Volcanic evolution in the Galpagos: The dissected shield of Volcan Ecuador. **2002**, 3, 1 of 32-32 of 32	31
1833	Production, Release and Transport of Noble Gases in the Continental Crust. **2002**, 47, 481-538	294
1832	Cosmic-Ray-Produced Noble Gases in Terrestrial Rocks: Dating Tools for Surface Processes. **2002**, 47, 731-784	104
1831	Measurement of ancient cosmogenic 21Ne in quartz from the 28 Ma Fish Canyon Tuff, Colorado. **2002**, 186, 199-213	17

1830	The limited influence of glaciations in Tibet on global climate over the past 170 000 yr. *Earth and Planetary Science Letters*, **2002**, 194, 287-297	5.3	121
1829	Production of selected cosmogenic radionuclides by muons: 2. Capture of negative muons. *Earth and Planetary Science Letters*, **2002**, 200, 357-369	5.3	334
1828	Landscape preservation under Fennoscandian ice sheets determined from in situ produced 10Be and 26Al. *Earth and Planetary Science Letters*, **2002**, 201, 397-406	5.3	191
1827	21Ne versus 10Be and 26Al exposure ages of fluvial terraces: the influence of crustal Ne in quartz. *Earth and Planetary Science Letters*, **2002**, 201, 575-591	5.3	48
1826	A 30 000 yr record of erosion rates from cosmogenic 10Be in Middle European river terraces. *Earth and Planetary Science Letters*, **2002**, 204, 307-320	5.3	143
1825	Fast late Pleistocene slip rate on the Leng Long Ling segment of the Haiyuan fault, Qinghai, China. **2002**, 107, ETG 4-1-ETG 4-15		107
1824	Slip rates of the Karakorum fault, Ladakh, India, determined using cosmic ray exposure dating of debris flows and moraines. **2002**, 107, ESE 7-1-ESE 7-13		138
1823	A relict landscape in the centre of Fennoscandian glaciation: cosmogenic radionuclide evidence of tors preserved through multiple glacial cycles. **2002**, 44, 145-154		150
1822	Using 10Be and 26Al to determine sediment generation rates and identify sediment source areas in an arid region drainage basin. **2002**, 45, 89-104		67
1821	Quantifying sediment transport on desert piedmonts using 10Be and 26Al. **2002**, 45, 105-125		53
1820	The Goldilocks dilemma: big ice, little ice, or â□ust-rightâ□ice in the Eastern Canadian Arctic. **2002**, 21, 33-48		73
1819	Pre-atmospheric depths and thermal histories of Canyon Diablo spheroids. **2002**, 37, 1015-1025		4
1818	5. Cosmogenic Be-10 and the Solid Earth: Studies in Geomagnetism, Subduction Zone Processes, and Active Tectonics. **2002**, 207-270		5
1817	Monte Carlo simulations of neutron fluxes for varying rock types. **2002**, 194, 226-228		1
1816	Relative and â□bsoluteâ□dating of land surfaces. **2002**, 58, 1-49		56
1815	26Al and 10Be dating of late pleistocene and holocene fill terraces: a record of fluvial deposition and incision, Colorado front range. **2002**, 27, 773-787		51
1814	Uniform postglacial slip-rate along the central 600 km of the Kunlun Fault (Tibet), from 26Al, 10Be, and 14C dating of riser offsets, and climatic origin of the regional morphology. **2002**, 148, 356-388		292
1813	Seismic hazard reappraisal from combined structural geology, geomorphology and cosmic ray exposure dating analyses: the Eastern Precordillera thrust system (NW Argentina). **2002**, 150, 241-260		45

1812	Quantifying the erosional impact of the fennoscandian ice sheet in the tornetr□kâ□arvik corridor, northern sweden, based on cosmogenic radionuclide data. **2002**, 84, 275-287		59
1811	Cosmic-ray-induced 63Ni --A potential confounder of fast-neutron-induced 63Ni in copper samples from Hiroshima. **2003**, 17, 633-639		3
1810	Chlorine-36 and 14C chronology support a limited last glacial maximum across central Chukotka, northeastern Siberia, and no Beringian ice sheet. **2003**, 59, 386-398		50
1809	Complex exposure histories of chert clasts in the late Pleistocene shorelines of Lake Lisan, southern Israel. **2003**, 28, 493-506		23
1808	Motion on the Kaparelli fault (Greece) prior to the 1981 earthquake sequence determined from 36Cl cosmogenic dating. **2003**, 15, 118-124		52
1807	Lithology, landscape dissection and glaciation controls on catchment erosion as determined by cosmogenic nuclides in river sediment (the Wutach Gorge, Black Forest). **2003**, 15, 398-404		25
1806	Late Pleistocene to Holocene slip rates for the Gurvan Bulag thrust fault (Gobi-Altay, Mongolia) estimated with 10Be dates. **2003**, 108,		64
1805	Geochemistry of Kauai shield-stage lavas: Implications for the chemical evolution of the Hawaiian plume. **2003**, 4,		61
1804	Northwest Svalbard during the last glaciation: Ice-free areas existed. **2003**, 31, 905		77
1803	Long-term rates of chemical weathering and physical erosion from cosmogenic nuclides and geochemical mass balance. **2003**, 67, 4411-4427		240
1802	Early Holocene climate recorded in geomorphological features in Western Tibet. **2003**, 199, 141-151		39
1801	Monte Carlo simulations of low-energy cosmogenic neutron fluxes near the bottom of cliff faces. *Earth and Planetary Science Letters*, **2003**, 206, 43-49	5.3	4
1800	Spatial and temporal distribution of secondary cosmic-ray nucleon intensities and applications to in situ cosmogenic dating. *Earth and Planetary Science Letters*, **2003**, 206, 21-42	5.3	215
1799	Erosion and exhumation in the Himalaya from cosmogenic isotope inventories of river sediments. *Earth and Planetary Science Letters*, **2003**, 206, 273-288	5.3	224
1798	Long-term fluvial incision rates and postglacial river relaxation time in the French Western Alps from 10Be dating of alluvial terraces with assessment of inheritance, soil development and wind ablation effects. *Earth and Planetary Science Letters*, **2003**, 209, 197-214	5.3	104
1797	Long-term cosmogenic 3 He production rates from 40 Ar/ 39 Ar and K□Ar dated Patagonian lava flows at 47°S. *Earth and Planetary Science Letters*, **2003**, 210, 119-136	5.3	74
1796	Production rates of cosmogenic nuclides in boulders. *Earth and Planetary Science Letters*, **2003**, 216, 201-208	5.3	69
1795	Last Glacial Maximum ice sheet dynamics in Arctic Canada inferred from young erratics perched on ancient tors. **2003**, 22, 437-444		120

1794	Reconstruction of the Late Quaternary Glaciation of the Macha Khola valley (Gorkha Himal, Nepal) using relative and absolute (14C, 10Be, dendrochronology) dating techniques. **2003**, 22, 2253-2265	47
1793	Influence of periglacial cover beds on in situ-produced cosmogenic 10Be in soil sections. **2003**, 49, 255-267	18
1792	Cosmogenic 36Cl ages of Quaternary basalt flows in the Mojave Desert, California, USA. **2003**, 53, 199-208	50
1791	Glacial advances in Tibet during the Younger Dryas? Evidence from cosmogenic 10Be, 26Al, and 21Ne. **2003**, 22, 301-306	35
1790	Lower Pliocene hominid remains from Sterkfontein. **2003**, 300, 607-12	172
1789	Increase of human over natural erosion rates in tropical highlands constrained by cosmogenic nuclides. **2003**, 31, 597	122
1788	Temporally and spatially uniform rates of erosion in the southern Appalachian Great Smoky Mountains. **2003**, 31, 155	130
1787	Radiometric ages of laterites and constraints on long-term denudation rates in West Africa. **2003**, 31, 131	31
1786	Cosmogenic 10Be ages of the Saglek Moraines, Torngat Mountains, Labrador. **2003**, 31, 617	23
1785	Dating Techniques. **2003**,	1
1784	Preliminary Results for the Extraction and Measurement of Cosmogenic in Situ 14C from Quartz. **2004**, 46, 201-206	13
1783	10Be, 14C Distribution, and Soil Production Rate in a Soil Profile of a Grassland Slope at Heshan Hilly Land, Guangdong. **2004**, 46, 445-454	9
1782	Early Pleistocene incision of the San Juan River, Utah, dated with 26Al and 10Be. **2004**, 32, 749	65
1781	Flint mining in prehistory recorded by in situ-produced cosmogenic 10Be. **2004**, 101, 7880-4	30
1780	Towards a chronology of the Late Pleistocene in the northern Alpine Foreland. **2004**, 33, 195-210	91
1779	The Beinn Alligin rock avalanche, NW Scotland: cosmogenic 10Be dating, interpretation and significance. **2004**, 14, 448-453	66
1778	ROCK TO SEDIMENTâSLOPE TO SEA WITH10BEâRATES OF LANDSCAPE CHANGE. **2004**, 32, 215-255	138
1777	Spatial Patterns of Glacial Erosion at a Valley Scale Derived From Terrestrial Cosmogenic 10Be and 26Al Concentrations in Rock. **2004**, 94, 241-255	54

1776	Radiocarbon analysis of the EPICA Dome C ice core: no in situ 14C from the firn observed. **2004**, 223-224, 516-520	6
1775	Exposure dating of underwater rocks: potential application to studies of land bridges during the Ice Ages. **2004**, 223-224, 608-612	2
1774	A re-evaluation of the 0â10 ka 10Be production rate for exposure dating obtained from the KÎels (Austria) landslide. **2004**, 223-224, 618-622	31
1773	Exposure ages deduced from cosmogenic 10Be and 26Al produced in situ: application to granite domes and tors in Korea. **2004**, 223-224, 628-632	6
1772	Cosmogenic 10Be and 26Al dating of erratic boulders in the southern coastal area of Lake Baikal, Siberia. **2004**, 223-224, 633-638	14
1771	In situ cosmogenic nuclide production of 10Be and 26Al in marine terraces, Fiordland, New Zealand. **2004**, 223-224, 639-644	3
1770	AMS measurements of 26Al in quartz to assess the cosmic ray background for the geochemical solar neutrino experiment LOREX. **2004**, 223-224, 660-667	10
1769	Cosmogenic nuclide ages for Last Glacial Maximum moraine at Schnells Ridge, Southwest Tasmania. **2004**, 61, 335-338	18
1768	Surface exposure dating of the Great Aletsch Glacier Egesen moraine system, western Swiss Alps, using the cosmogenic nuclide 10Be. **2004**, 19, 431-441	62
1767	Style and timing of glacial and paraglacial sedimentation in a monsoon-influenced high Himalayan environment, the upper Bhagirathi Valley, Garhwal Himalaya. **2004**, 165, 199-221	93
1766	Felsenmeer persistence under non-erosive ice in the Torngat and Kaumajet mountains, Quebec and Labrador, as determined by soil weathering and cosmogenic nuclide exposure dating. **2004**, 41, 19-38	100
1765	Rapid slip along the central Altyn Tagh Fault: Morphochronologic evidence from Cherchen He and Sulamu Tagh. **2004**, 109,	137
1764	Cosmogenic nuclide evidence for low weathering and denudation in the wet, tropical highlands of Sri Lanka. **2004**, 109,	141
1763	Late Pleistocene/Holocene slip rate of the Zhangye thrust (Qilian Shan, China) and implications for the active growth of the northeastern Tibetan Plateau. **2004**, 23, n/a-n/a	105
1762	Geomorphological applications of cosmogenic isotope analysis. **2004**, 28, 1-42	122
1761	Uplift rate and landscape development in southwest Fiordland, New Zealand, determined using 10Be and 26Al exposure dating of marine terraces. **2004**, 68, 2313-2319	25
1760	Late Quaternary (Holocene) landscape evolution of a monsoon-influenced high Himalayan valley, Gori Ganga, Nanda Devi, NE Garhwal. **2004**, 61, 91-110	79
1759	New frontiers in dating of geological, paleoclimatic and anthropological applications using accelerator mass spectrometric measurements of 14C and 10Be in diverse samples. **2004**, 41, 309-323	28

1758	Age and uplift rates of Sirius Group sediments in the Dominion Range, Antarctica, from surface exposure dating and geomorphology. **2004**, 42, 207-225		52
1757	Stone-line formation processes documented by in situ-produced 10Be distribution, Jardim River basin, DF, Brazil. *Earth and Planetary Science Letters*, **2004**, 222, 645-651	5.3	7
1756	Profiles of in situ 10Be and 26Al at great depths at the Macraes Flat, East Otago, New Zealand. *Earth and Planetary Science Letters*, **2004**, 223, 113-126	5.3	20
1755	Erosional and climatic effects on long-term chemical weathering rates in granitic landscapes spanning diverse climate regimes. *Earth and Planetary Science Letters*, **2004**, 224, 547-562	5.3	392
1754	Slip history of the Magnola fault (Apennines, Central Italy) from 36Cl surface exposure dating: evidence for strong earthquakes over the Holocene. *Earth and Planetary Science Letters*, **2004**, 225, 163-176	5.3	96
1753	Constraints on the post ~25-ka slip rate of the Yammoûneh fault (Lebanon) using in situ cosmogenic 36Cl dating of offset limestone-clast fans. *Earth and Planetary Science Letters*, **2004**, 227, 105-119	5.3	88
1752	Geomagnetic effects on time-integrated cosmogenic nuclide production with emphasis on in situ 14C and 10Be. *Earth and Planetary Science Letters*, **2004**, 226, 193-205	5.3	112
1751	Cosmogenic 3He in Himalayan garnets indicating an altitude dependence of the 3He/10Be production ratio. *Earth and Planetary Science Letters*, **2004**, 229, 91-104	5.3	39
1750	Assessing past climate changes from proxy records: an iterative process between discovery and observations. **2004**, 117, 5-16		2
1749	Erosion history of the Tibetan Plateau since the last interglacial: constraints from the first studies of cosmogenic 10Be from Tibetan bedrock. *Earth and Planetary Science Letters*, **2004**, 217, 33-42	5.3	57
1748	Quantitative resolution of the debate over antiquity of the central Australian landscape: implications for the tectonic and geomorphic stability of cratonic interiors. *Earth and Planetary Science Letters*, **2004**, 219, 21-34	5.3	87
1747	Local erosion rates versus active tectonics: cosmic ray exposure modelling in Provence (south-east France). *Earth and Planetary Science Letters*, **2004**, 220, 345-364	5.3	83
1746	Sharp decrease in long-term chemical weathering rates along an altitudinal transect. *Earth and Planetary Science Letters*, **2004**, 218, 421-434	5.3	95
1745	Pace of landscape evolution in the Sierra Nevada, California, revealed by cosmogenic dating of cave sediments. **2004**, 32, 193		112
1744	Cosmogenically enabled sediment budgeting. **2005**, 33, 133		38
1743	Exploring pedogenesis via nuclide-based soil production rates and OSL-based bioturbation rates. **2005**, 43, 767		76
1742	Fast-growing till over ancient ice in Beacon Valley, Antarctica. **2005**, 33, 121		44
1741	âSarsen Stonesâat German Hill, Central Otago, New Zealand, and Their Potential for In Situ Cosmogenic Isotope Dating of Landscape Evolution. **2005**, 113, 341-354		10

1740	Progress in isotope analysis at ultra-trace level by AMS. **2005**, 242, 145-160	108
1739	Dating faulted alluvial fans with cosmogenic 10Be in the Gurvan Bogd mountain range (Gobi-Altay, Mongolia): climatic and tectonic implications. **2005**, 17, 278-285	49
1738	Cumulative right-lateral fault slip rate across the Zagros-Makran transfer zone: role of the Minab-Zendan fault system in accommodating Arabia-Eurasia convergence in southeast Iran. **2005**, 162, 177-203	112
1737	Terrestrial record of post-eocene climate history in marie byrd land, west antarctica. **2005**, 87, 51-66	10
1736	Chronology of the last glaciation in central strait of magellan and bahã¯a inútil, southernmost south america. **2005**, 87, 289-312	130
1735	A glacial stage spanning the antarctic cold reversal in torres del paine (51°s), chile, based on preliminary cosmogenic exposure ages. **2005**, 87, 403-408	36
1734	Cosmogenic nuclide chronology of pre-last glacial maximum moraines at Lago Buenos Aires, 46?S, Argentina. **2005**, 63, 301-315	97
1733	A glacial chronology for the Fish Creek drainage of Boulder Mountain, Utah, USA. **2005**, 64, 264-271	19
1732	Soil production in heath and forest, Blue Mountains, Australia: influence of lithology and palaeoclimate. **2005**, 30, 923-934	69
1731	Using cosmogenic nuclides to contrast rates of erosion and sediment yield in a semi-arid, arroyo-dominated landscape, Rio Puerco Basin, New Mexico. **2005**, 30, 935-953	41
1730	Fluvial bedrock incision in the active mountain belt of Taiwan from in situ-produced cosmogenic nuclides. **2005**, 30, 955-971	57
1729	Episodic incision of the Colorado River in Glen Canyon, Utah. **2005**, 30, 973-984	17
1728	Rates of erosion and topographic evolution of the Sierra Nevada, California, inferred from cosmogenic 26Al and 10Be concentrations. **2005**, 30, 985-1006	63
1727	Erosion rates driven by channel network incision in the Bolivian Andes. **2005**, 30, 1007-1024	183
1726	Erosion rates over millennial and decadal timescales at Caspar Creek and Redwood Creek, Northern California Coast Ranges. **2005**, 30, 1025-1038	34
1725	Ice sheet erosion patterns in valley systems in northern Sweden investigated using cosmogenic nuclides. **2005**, 30, 1039-1049	36
1724	Measuring middle Pleistocene erosion rates with cosmic-ray-produced nuclides in buried alluvial sediment, Fisher Valley, southeastern Utah. **2005**, 30, 1051-1067	31
1723	Probabilistic formulation of conservation of cosmogenic nuclides: effect of surface elevation fluctuations on approach to steady state. **2005**, 30, 1127-1144	16

1722	Quaternary relief generation by polythermal glacier ice. **2005**, 30, 1145-1159	62
1721	Moraine preservation and boulder erosion in the tropical Andes: interpreting old surface exposure ages in glaciated valleys. **2005**, 20, 735-758	49
1720	The age and extent of tropical alpine glaciation in the Cordillera Blanca, Peru. **2005**, 20, 759-776	87
1719	Science and technology with nuclear tracks in solids. **2005**, 40, 146-159	28
1718	The Hiroshima thermal-neutron discrepancy for (36)Cl at large distances. Part II: Natural in situ production as a source. **2005**, 44, 87-96	7
1717	Cross-Section Measurements for Proton- and Neutron-Induced Reactions Needed to Understand Cosmic-Ray Interactions on Earth and in Space. **2005**,	
1716	Dating offset fans along the Mojave section of the San Andreas fault using cosmogenic 26Al and 10Be. **2005**, 117, 795	76
1715	Late Pleistocene Glacial Geology of the Okpilak-Kongakut Rivers Region, Northeastern Brooks Range, Alaska. **2005**, 37, 416-424	13
1714	Cosmogenic 10Be ages on the Pomeranian Moraine, Poland. **2005**, 34, 186-191	49
1713	Isotopes in the Water Cycle. **2005**,	32
1712	The Rõ Chagres, Panama. **2005**,	7
1711	Cosmogenic exposure dating in arctic glacial landscapes: implications for the glacial history of northeastern Baffin Island, Arctic Canada. **2005**, 42, 67-84	71
1710	Global cooling initiated stony deserts in central Australia 2â4 Ma, dated by cosmogenic 21Ne-10Be. **2005**, 33, 993	116
1709	Flint procurement strategies in the Late Lower Palaeolithic recorded by in situ produced cosmogenic 10Be in Tabun and Qesem Caves (Israel). **2005**, 32, 207-213	37
1708	Use of in situ-produced 10Be in carbonate-rich environments: A first attempt. **2005**, 69, 1473-1478	17
1707	Geomagnetic field variations and the accumulation of in-situ cosmogenic nuclides in an eroding landform. **2005**, 69, 4127-4131	2
1706	Records of cosmogenic radionuclides 10Be, 26Al and 36Cl in corals: First studies on coral erosion rates and potential of dating very old corals. **2005**, 69, 5717-5728	11
1705	Cosmogenic 3He exposure ages of Pleistocene debris flows and desert pavements in Capitol Reef National Park, Utah. **2005**, 67, 423-435	27

1704	Cosmogenic 3He concentrations in ancient flood deposits from the Coombs Hills, northern Dry Valleys, East Antarctica: interpreting exposure ages and erosion rates. *Earth and Planetary Science Letters*, **2005**, 230, 163-175	5.3	68
1703	Chronological constraints on processes leading to large active landslides. *Earth and Planetary Science Letters*, **2005**, 235, 141-150	5.3	80
1702	Comparison of Uâ‹¯Th, paleomagnetism, and cosmogenic burial methods for dating caves: Implications for landscape evolution studies. *Earth and Planetary Science Letters*, **2005**, 236, 388-403	5.3	61
1701	In situ cosmogenic 10Be and 21Ne in sanidine and in situ cosmogenic 3He in Feâ‹¯i-oxide minerals. *Earth and Planetary Science Letters*, **2005**, 236, 404-418	5.3	49
1700	Cosmic ray labeling of erosion surfaces II: Special cases of exposure histories of boulders, soils and beach terraces. *Earth and Planetary Science Letters*, **2005**, 236, 797-813	5.3	25
1699	Fossil cosmogenic He record from KâAr dated basaltic flows of Mount Etna volcano (Sicily, 38°N): Evaluation of a new paleoaltimeter. *Earth and Planetary Science Letters*, **2005**, 236, 613-631	5.3	36
1698	Remnants of a fossil alluvial fan landscape of Miocene age in the Atacama Desert of northern Chile using cosmogenic nuclide exposure age dating. *Earth and Planetary Science Letters*, **2005**, 237, 499-507	5.3	93
1697	The control mechanisms of erosion and weathering at basin scale from cosmogenic nuclides in river sediment. *Earth and Planetary Science Letters*, **2005**, 237, 462-479	5.3	377
1696	Evidence for long-lasting landform surface instability on hummocky moraines in the Pamir Mountains (Tajikistan) from 10Be surface exposure dating. *Earth and Planetary Science Letters*, **2005**, 237, 453-461	5.3	58
1695	Landscape development in an hyperarid sandstone environment along the margins of the Dead Sea fault: Implications from dated rock falls. *Earth and Planetary Science Letters*, **2005**, 240, 803-817	5.3	39
1694	Addressing solar modulation and long-term uncertainties in scaling secondary cosmic rays for in situ cosmogenic nuclide applications. *Earth and Planetary Science Letters*, **2005**, 239, 140-161	5.3	244
1693	Effects of bedrock landslides on cosmogenically determined erosion rates. *Earth and Planetary Science Letters*, **2005**, 237, 480-498	5.3	207
1692	Middle to late Pleistocene uplift rate of the Hungarian Mountain Range at the Danube Bend, (Pannonian Basin) using in situ produced 3He. **2005**, 410, 173-187		36
1691	Holocene glaciation and climate evolution of Baffin Island, Arctic Canada. **2005**, 24, 1703-1721		82
1690	Using pyroxene microphenocrysts to determine cosmogenic 3He concentrations in old volcanic rocks: an example of landscape development in central Gran Canaria. **2005**, 24, 211-222		40
1689	Climatic and topographic controls on the style and timing of Late Quaternary glaciation throughout Tibet and the Himalaya defined by 10Be cosmogenic radionuclide surface exposure dating. **2005**, 24, 1391-1411		249
1688	Irregular earthquake cycle along the southern Tianshan front, Aksu area, China. **2005**, 110,		25
1687	High 3He/4He ratios in peridotite xenoliths from SW Japan revisited: Evidence for cosmogenic 3He released by vacuum crushing. **2005**, 6, n/a-n/a		46

1686	Growth of South Rough Ridge, Central Otago, New Zealand: Using in situ cosmogenic isotopes and geomorphology to study an active, blind reverse fault. **2005**, 110,		31
1685	The Aksay segment of the northern Altyn Tagh fault: Tectonic geomorphology, landscape evolution, and Holocene slip rate. **2005**, 110,		138
1684	Late Holocene uplift of beach ridges at Turakirae Head, south Wellington coast, New Zealand. **2006** , 49, 337-358		60
1683	Extending 10Be applications to carbonate-rich and mafic environments. **2006**,		3
1682	Applications of ancient cosmic-ray exposures: Theory, techniques and limitations. **2006**, 1, 59-73		23
1681	Glacial erosion and sediment dispersion from detrital cosmogenic nuclide analyses of till. **2006**, 1, 29-42		28
1680	Limited ice-sheet erosion and complex exposure histories derived from in situ cosmogenic 10Be, 26Al, and 14C on Baffin Island, Arctic Canada. **2006**, 1, 74-85		69
1679	Cosmogenic-nuclide and varve chronologies for the deglaciation of southern New England. **2006**, 1, 15-28		55
1678	. **2006**, 1, 2-3		0
1677	Long-term slip rate of the southern San Andreas Fault from 10Be-26Al surface exposure dating of an offset alluvial fan. **2006**, 111,		60
1676	Using fill terraces to understand incision rates and evolution of the Colorado River in eastern Grand Canyon, Arizona. **2006**, 111,		40
1675	Climatic versus tectonic control on river incision at the margin of NE Tibet: 10Be exposure dating of river terraces at the mountain front of the Qilian Shan. **2006**, 111, n/a-n/a		62
1674	Young displacements on the Atacama Fault System, northern Chile from field observations and cosmogenic 21Ne concentrations. **2006**, 25, n/a-n/a		59
1673	The control mechanisms of erosion and weathering at basin scale from cosmogenic nuclides in river sediment. *Earth and Planetary Science Letters*, **2006**, 242, 224-239	5.3	97
1672	Pleistocene deglaciation chronology of the Amery Oasis and Radok Lake, northern Prince Charles Mountains, Antarctica. *Earth and Planetary Science Letters*, **2006**, 243, 229-243	5.3	43
1671	Cosmogenic 3He production rates from Holocene lava flows in Iceland. *Earth and Planetary Science Letters*, **2006**, 246, 251-264	5.3	54
1670	Elevation dependence of cosmogenic 36Cl production in Hawaiian lava flows. *Earth and Planetary Science Letters*, **2006**, 246, 277-287	5.3	14
1669	Extended scaling factors for in situ cosmogenic nuclides: New measurements at low latitude. *Earth and Planetary Science Letters*, **2006**, 246, 265-276	5.3	213

1668	Cosmogenic 3He production rates revisited from evidences of grain size dependent release of matrix-sited helium. *Earth and Planetary Science Letters*, **2006**, 247, 222-234	5.3	51
1667	Limits to quantifying climate driven changes in denudation rates with cosmogenic radionuclides. *Earth and Planetary Science Letters*, **2006**, 248, 153-167	5.3	55
1666	Cosmogenic and nucleogenic 3He in apatite, titanite, and zircon. *Earth and Planetary Science Letters* , **2006**, 248, 451-461	5.3	43
1665	A threshold in soil formation at Earthâ aridâ hyperarid transition. **2006**, 70, 5293-5322		195
1664	Cosmogenic nuclide evidence for minimal erosion across two subglacial sliding boundaries of the late glacial Fennoscandian ice sheet. **2006**, 75, 90-99		47
1663	Cosmogenic 10Be and 26Al exposure ages of tors and erratics, Cairngorm Mountains, Scotland: Timescales for the development of a classic landscape of selective linear glacial erosion. **2006**, 73, 222-245		118
1662	Glacial survival of blockfields on the Varanger Peninsula, northern Norway. **2006**, 82, 255-272		44
1661	Long-term denudation rates of actively uplifting hillcrests in the Boso Peninsula, Japan, estimated from depth profiling of in situ-produced cosmogenic 10Be and 26Al. **2006**, 82, 283-294		20
1660	Cosmogenic nuclide methods for measuring long-term rates of physical erosion and chemical weathering. **2006**, 88, 296-299		17
1659	Late Quaternary landscape evolution in the Kunlun Mountains and Qaidam Basin, Northern Tibet: A framework for examining the links between glaciation, lake level changes and alluvial fan formation. **2006**, 154-155, 73-86		117
1658	A lateglacial rock avalanche event, Tianchi Lake, Tien Shan, Xinjiang. **2006**, 154-155, 26-31		10
1657	Holocene loess sedimentation along the Qilian Shan (China): significance for understanding the processes and timing of loess deposition. **2006**, 25, 114-125		78
1656	Pleistocene glaciations of Central Asia: results from 10Be surface exposure ages of erratic boulders from the Pamir (Tajikistan), and the Alayâ urkestan range (Kyrgyzstan). **2006**, 25, 1080-1096		86
1655	In situ 10Be exposure ages from southeastern Norway: implications for the geometry of the Weichselian Scandinavian ice sheet. **2006**, 25, 1097-1109		37
1654	Vertical dimensions and age of the Wicklow Mountains ice dome, Eastern Ireland, and implications for the extent of the last Irish Ice Sheet. **2006**, 25, 2048-2058		60
1653	Landscape response to deglaciation in a high relief, monsoon-influenced alpine environment, Langtang Himal, Nepal. **2006**, 25, 2162-2176		46
1652	Late Pleistocene and Holocene glaciation in the Pyrenees: a critical review and new evidence from 10Be exposure ages, south-central Pyrenees. **2006**, 25, 2937-2963		129
1651	Late Quaternary glacial history in the Encierro Valley, northern Chile (29°S), deduced from 10Be surface exposure dating. **2006**, 234, 277-286		32

1650	Yangtse River sediments and erosion rates from source to sink traced with cosmogenic 10Be: Sediments from major rivers. **2006**, 241, 79-94	41
1649	References. 459-516	
1648	Combining geomorphic observations with in situ cosmogenic isotope measurements to study anticline growth and fault propagation in Central Otago, New Zealand. **2006**, 49, 217-231	24
1647	Chronology of deglaciation based on 10Be dates of glacial erosional features in the Grimsel Pass region, central Swiss Alps. **2006**, 35, 634-643	35
1646	Amplified erosion above waterfalls and oversteepened bedrock reaches. **2006**, 111,	37
1645	Cosmogenic 10Be exposure age dating across Early to Late Weichselian ice-marginal zones in northwestern Russia. **2006**, 35, 576-586	14
1644	Quartz from Allchar as monitor for cosmogenic 26Al: Geochemical and petrogenetic constraints. **2006**, 88, 527-550	4
1643	In situ cosmogenic 10Be dating of the Quaternary glaciations in the southern Shaluli Mountain on the Southeastern Tibetan Plateau. **2006**, 49, 1291-1298	21
1642	Exposure ages from relict lateral moraines overridden by the Fennoscandian ice sheet. **2006**, 65, 136-146	36
1641	Preservation of Arctic landscapes overridden by cold-based ice sheets. **2006**, 65, 156-163	63
1640	Cosmogenic radionuclide evidence for the limited extent of last glacial maximum glaciers in the Tanggula Shan of the Central Tibetan Plateau. **2006**, 65, 336-339	30
1639	Isotopic insights into smoothening of abandoned fan surfaces, Southern California. **2006**, 66, 109-118	41
1638	Estimation of episodic exfoliation rates of rock sheets on a granite dome in Korea from cosmogenic nuclide analysis. **2006**, 31, 1246-1256	16
1637	Calculation of the cosmogenic nuclide production topographic shielding scaling factor for large areas using DEMs. **2006**, 31, 785-794	78
1636	Dimensions and deglacial chronology of the Outer Hebrides Ice Cap, northwest Scotland: implications of cosmic ray exposure dating. **2006**, 21, 75-84	57
1635	Glacier response in the European Alps to Heinrich Event 1 cooling: the Gschnitz stadial. **2006**, 21, 115-130	137
1634	Latest Pleistocene advance of alpine glaciers in the southwestern Uinta Mountains, Utah, USA: Evidence for the influence of local moisture sources. **2006**, 34, 841	52
1633	Holocene monsoonal dynamics and fluvial terrace formation in the northwest Himalaya, India. **2006** , 34, 601	97

1632	Multiple constraints on the age of a Pleistocene lava dam across the Little Colorado River at Grand Falls, Arizona. **2006**, 118, 421-429	28
1631	Cosmogenic radionuclides from fiord landscapes support differential erosion by overriding ice sheets. **2006**, 118, 406-420	124
1630	Quaternary fans and terraces in the Khumbu Himal south of Mount Everest: their characteristics, age and formation. **2006**, 163, 383-399	49
1629	Slow, patchy landscape evolution in northern Sweden despite repeated ice-sheet glaciation. **2006**,	2
1628	A review of burial dating methods using 26Al and 10Be. **2006**,	19
1627	Escarpment erosion and landscape evolution in southeastern Australia. **2006**,	14
1626	Eroding the land: Steady-state and stochastic rates and processes through a cosmogenic lens. **2006**,	12
1625	Surface uplift and climate change: The geomorphic evolution of the Western Escarpment of the Andes of northern Chile between the Miocene and present. **2006**,	12
1624	Surface process models and the links between tectonics and topography. **2006**, 30, 307-333	39
1623	Applications of cosmogenic nuclides to Laurentide Ice Sheet history and dynamics. **2006**,	4
1622	Chronology of deglaciation based on 10 Be dates of glacial erosional features in the Grimsel Pass region, central Swiss Alps. **2006**, 35, 634-643	36
1621	LONG-TERM RATES OF FAULTING DERIVED FROM COSMOGENIC NUCLIDES AND SHORT-TERM VARIATIONS CAUSED BY GLACIAL-INTERGLACIAL VOLUME CHANGES OF GLACIERS AND LAKES. **2006**, 20, 261-276	6
1620	Centennial- to Millennial-Scale Geomagnetic Field Variations. **2007**, 337-372	9
1619	COSMOGENIC NUCLIDE DATING | Landscape Evolution. **2007**, 445-452	
1618	Orbital forcing of mid-latitude Southern Hemisphere glaciation since 100 ka inferred from cosmogenic nuclide ages of moraine boulders from the Cascade Plateau, southwest New Zealand. **2007**, 119, 443-451	37
1617	Rapid Holocene Deglaciation of the Labrador Sector of the Laurentide Ice Sheet. **2007**, 20, 5126-5133	57
1616	A 25,000-year record of earthquakes on the Owens Valley fault near Lone Pine, California: Implications for recurrence intervals, slip rates, and segmentation models. **2007**, 119, 823-847	27
1615	Terrestrial Cosmogenic Nuclides as Paleoaltimetric Proxies. **2007**, 66, 269-278	10

1614	Summit erosion rates deduced from 10Be: Implications for relief production in the central Appalachians. **2007**, 35, 89		47
1613	Age and significance of former low-altitude corrie glaciers on Hoy, Orkney Islands. **2007**, 43, 107-114		27
1612	Tectonic denudation and topographic development in the Spanish Sierra Nevada. **2007**, 26, n/a-n/a		23
1611	Cosmogenic Nuclides in Weathering and Erosion. **2007**, 1-43		18
1610	Late Pleistocene glacial chronology of the Pietrele Valley, Retezat Mountains, Southern Carpathians constrained by 10Be exposure ages and pedological investigations. **2007**, 164-165, 151-169		74
1609	Quaternary Perspectives 16-2. **2007**, 160, 129-140		
1608	Cosmogenic nuclides and the dating of Lateglacial and Early Holocene glacier variations: The Alpine perspective. **2007**, 164-165, 53-63		98
1607	Numerical dating of a Late Quaternary spit-shoreline complex at the northern end of Silver Lake playa, Mojave Desert, California: A comparison of the applicability of radiocarbon, luminescence, terrestrial cosmogenic nuclide, electron spin resonance, U-series and amino acid racemization methods. **2007**, 166, 87-110		35
1606	Glacial geomorphology and chronology of deglaciation, South Georgia, sub-Antarctic. **2007**, 26, 644-677		52
1605	Glacial and volcanic history of Icelandic table mountains from cosmogenic 3He exposure ages. **2007**, 26, 1529-1546		54
1604	Glacial retreat history of Nanhuta Shan (north-east Taiwan) from preserved glacial features: the cosmic ray exposure perspective.. **2007**, 26, 2185-2200		15
1603	10Be ages from central east Greenland constrain the extent of the Greenland ice sheet during the Last Glacial Maximum. **2007**, 26, 2316-2321		47
1602	Quaternary glacial history of the Central Karakoram. **2007**, 26, 3384-3405		111
1601	Triassic magnetic overprints related to albitization in granites from the Morvan massif (France). **2007**, 251, 268-282		13
1600	Ages and significance of glacial and mass movement deposits on the west side of Boulder Mountain, Utah, USA. **2007**, 252, 503-513		10
1599	COSMOGENIC NUCLIDE DATING | Cosmic Ray Interactions in Minerals. **2007**, 419-436		1
1598	COSMOGENIC NUCLIDE DATING | Methods. **2007**, 412-419		
1597	Combining [3He] cosmogenic dating with Uâ€“Th/He eruption ages using olivine in basalt. *Earth and Planetary Science Letters*, **2007**, 254, 288-302	5.3	25

1596	The production rate of cosmogenic 38Ar from calcium in terrestrial pyroxene. *Earth and Planetary Science Letters*, **2007**, 257, 596-608	5.3	22
1595	Production of 3He in crustal rocks by cosmogenic thermal neutrons. *Earth and Planetary Science Letters*, **2007**, 258, 228-236	5.3	55
1594	Landscape responses to intraplate tectonism: Quantitative constraints from 10Be nuclide abundances. *Earth and Planetary Science Letters*, **2007**, 261, 120-133	5.3	33
1593	Beryllium-10 concentrations of tektites from the Ivory Coast and from Central Europe: Evidence for near-surface residence of precursor materials. **2007**, 71, 1574-1582		17
1592	Denudation rates and a topography-driven rainfall threshold in northern Chile: Multiple cosmogenic nuclide data and sediment yield budgets. **2007**, 83, 97-120		136
1591	Cosmogenic nuclide measurements in southernmost South America and implications for landscape change. **2007**, 87, 284-301		42
1590	Cosmogenic 10Be inferred lake-level changes in Sumxi Co basin, Western Tibet. **2007**, 29, 698-703		40
1589	Transpressional tectonics and stream terraces of the Gobi-Altay, Mongolia. **2007**, 26, n/a-n/a		44
1588	Restoring dense vegetation can slow mountain erosion to near natural benchmark levels. **2007**, 35, 303		128
1587	Alpine glacial geology of the Tablelands, Gros Morne National Park, Newfoundland. **2007**, 44, 819-834		2
1586	Atmospheric scaling of cosmogenic nuclide production: Climate effect. **2007**, 112,		76
1585	CosmoCalc: An Excel add-in for cosmogenic nuclide calculations. **2007**, 8, n/a-n/a		98
1584	Cosmogenic 10Be and 36Cl geochronology of offset alluvial fans along the northern Death Valley fault zone: Implications for transient strain in the eastern California shear zone. **2007**, 112,		86
1583	Tectonic record of strain buildup and abrupt coseismic stress release across the northwestern Peru coastal plain, shelf, and continental slope during the past 200 kyr. **2007**, 112,		17
1582	Quantification of the transient response to base-level fall in a small mountain catchment: Sierra Nevada, southern Spain. **2007**, 112,		44
1581	Timing and patterns of debris flow deposition on Shepherd and Symmes creek fans, Owens Valley, California, deduced from cosmogenic 10Be. **2007**, 112,		37
1580	Modeling long-term stability of the Ferrar Glacier, East Antarctica: Implications for interpreting cosmogenic nuclide inheritance. **2007**, 112,		16
1579	Relation between rock uplift and denudation from cosmogenic nuclides in river sediment in the Central Alps of Switzerland. **2007**, 112,		167

1578	Spatial variations in slip rate along the Death Valley-Fish Lake Valley fault system determined from LiDAR topographic data and cosmogenic 10Be geochronology. **2007**, 34,	72
1577	LGM and Late Glacial glacier advances in the Cordillera Real and Cochabamba (Bolivia) deduced from ¹⁰Be surface exposure dating. **2007**, 3, 623-635	30
1576	COSMOGENIC NUCLIDE DATING | Exposure Geochronology. **2007**, 436-445	1
1575	11. Terrestrial Cosmogenic Nuclides as Paleoaltimetric Proxies. **2007**, 269-278	1
1574	Laterite and Ferricrete. 45-94	9
1573	Erosion in northwest Tibet from in-situ-produced cosmogenic 10Be and 26Al in bedrock. **2007**, 32, 116-125	22
1572	Quantifying hillslope erosion rates and processes for a coastal California landscape over varying timescales. **2007**, 32, 544-560	30
1571	Interpreting erosion rates from cosmogenic radionuclide concentrations measured in rapidly eroding terrain. **2007**, 32, 390-406	29
1570	Study of the erosion rates in the upper Maracuj Basin (Quadril ero Ferr ero/MG, Brazil) by the in situ produced cosmogenic 10Be method. **2007**, 32, 905-911	18
1569	Bedrock erosion and relief production in the northern Flinders Ranges, Australia. **2007**, 32, 929-944	44
1568	Long-term landscape evolution: linking tectonics and surface processes. **2007**, 32, 329-365	243
1567	Role of basin-wide landslides in the formation of extensive alluvial gemstone deposits in Sri Lanka. **2007**, 32, 1863-1873	9
1566	The deglaciation of Clyde Inlet, northeastern Baffin Island, Arctic Canada. **2007**, 22, 223-232	35
1565	The Donegal ice dome, northwest Ireland: dimensions and chronology. **2007**, 22, 773-783	54
1564	26Al measurements with 10Be counting statistics. **2007**, 259, 178-183	28
1563	WebCN: A web-based computation tool for in situ-produced cosmogenic nuclides. **2007**, 259, 646-652	7
1562	In situ 14C depth profile of subsurface vein quartz samples from Macraes Flat New Zealand. **2007**, 259, 632-636	7
1561	Cosmogenic 10Be, 21Ne and 36Cl in sanidine and quartz from Chilean ignimbrites. **2007**, 259, 588-594	9

1560	Numerical simulations of in situ production of terrestrial cosmogenic nuclides. **2007**, 259, 642-645	18
1559	Attenuation of cosmogenic 10Be production in the first 20 cm below a rock surface. **2007**, 259, 616-624	4
1558	First cosmic ray exposure dating (in situ produced 10Be) of the late pleistocene and holocene glaciation in the Nanhutashan Mountains (Taiwan). **2007**, 19, 331-336	3
1557	The surface geometry of the Last Glacial Maximum ice sheet in the Andøya-Skjåland region, northern Norway, constrained by surface exposure dating and clay mineralogy. **2007**, 36, 227-239	30
1556	Timing of the last deglaciation in Belarus. **2007**, 36, 307-313	29
1555	Glacial geomorphology and geographic information systems. **2007**, 85, 1-22	34
1554	Timing of surficial process changes down a Mojave Desert piedmont. **2007**, 68, 151-161	15
1553	Transient fluvial incision in the headwaters of the Yellow River, northeastern Tibet, China. **2007**, 112,	189
1552	Interstellar-Terrestrial Relations: Variable Cosmic Environments, The Dynamic Heliosphere, and Their Imprints on Terrestrial Archives and Climate. **2007**, 127, 327-465	63
1551	Erosion rates on subalpine paleosurfaces in the western Mediterranean by in-situ 10Be concentrations in granites: implications for surface processes and long-term landscape evolution in Corsica (France). **2008**, 97, 549-564	14
1550	Timing of the late Quaternary glaciation in the Andes from ~15 to 40° S. **2008**, 23, 635-647	70
1549	Quaternary glaciation in Africa: key chronologies and climatic implications. **2008**, 23, 589-608	64
1548	The timing and magnitude of mountain glaciation in the tropical Andes. **2008**, 23, 609-634	46
1547	10Be dating of Younger Dryas Salpausselkä formation in Finland. **2008**, 29, 287-293	26
1546	Timing of Late Quaternary glaciation along the southwestern slopes of the Qilian Shan, Tibet. **2008**, 32, 281-291	4
1545	Towards a chronology of the Late Pleistocene in the northern Alpine Foreland. **2008**, 33, 195-210	10
1544	Cosmogenic 10 Be ages on the Pomeranian Moraine, Poland. **2008**, 34, 186-191	3
1543	Timing of the last deglaciation in Lithuania. **2008**, 37, 426-433	37

1542	Primordial helium isotope signature from PlioâQuaternary alkaline basalts in Yemen. **2008**, 10, 145-157		
1541	Last glacial maximum climate inferences from cosmogenic dating and glacier modeling of the western Uinta ice field, Uinta Mountains, Utah. **2008**, 69, 130-144		43
1540	Slow regolith degradation without creep determined by cosmogenic nuclide measurements in Arena Valley, Antarctica. **2008**, 69, 242-249		25
1539	Late Pleistocene glaciers in Darhad Basin, northern Mongolia. **2008**, 69, 169-187		64
1538	Geochronology of the Australian Cenozoic: a history of tectonic and igneous activity, weathering, erosion, and sedimentation*. **2008**, 55, 865-914		69
1537	Isotope Geochemistry as a Tool for Deciphering Kinetics of Water-Rock Interaction. **2008**, 591-653		3
1536	Evolution of sediment accommodation space in steady state bedrock-incising valleys subject to episodic aggradation. **2008**, 113,		6
1535	10Be exposure ages of a rock avalanche and a late glacial moraine in Alta Valtellina, Italian Alps. **2008**, 190, 136-145		54
1534	Southern Patagonian glacial chronology for the Last Glacial period and implications for Southern Ocean climate. **2008**, 27, 284-294		90
1533	Dimensions and chronology of the last ice sheet in Western Ireland. **2008**, 27, 185-200		51
1532	Beryllium-10 exposure ages of erratic boulders in southern Norway and implications for the history of the Fennoscandian Ice Sheet. **2008**, 27, 320-336		69
1531	Cosmogenic exposure-age chronologies of Pinedale and Bull Lake glaciations in greater Yellowstone and the Teton Range, USA. **2008**, 27, 814-831		90
1530	Late Quaternary glaciation in the Kyrgyz Tien Shan. **2008**, 27, 846-866		91
1529	Glaciers in the Polar Urals, Russia, were not much larger during the Last Global Glacial Maximum than today. **2008**, 27, 1047-1057		55
1528	Clastic sediment flux to tropical Andean lakes: records of glaciation and soil erosion. **2008**, 27, 1612-1626		43
1527	Geochronology of pediment surfaces in southern Peru: Implications for Quaternary deformation of the Andean forearc. **2008**, 459, 186-205		28
1526	Anomalous cosmogenic 3He production and elevation scaling in the high Himalaya. *Earth and Planetary Science Letters*, **2008**, 265, 287-301	5.3	25
1525	Spatial variability of erosion rates inferred from the frequency distribution of cosmogenic 3He in olivines from Hawaiian river sediments. *Earth and Planetary Science Letters*, **2008**, 266, 303-315	5.3	46

1524	Cosmogenic 36Cl production rates from Ca spallation in Iceland. *Earth and Planetary Science Letters*, **2008**, 267, 365-377	5.3	38
1523	Scaling time-integrated in situ cosmogenic nuclide production rates using a continuous geomagnetic model. *Earth and Planetary Science Letters*, **2008**, 268, 190-201	5.3	91
1522	Meteoritic and bedrock constraints on the glacial history of Frontier Mountain in northern Victoria Land, Antarctica. *Earth and Planetary Science Letters*, **2008**, 270, 308-315	5.3	23
1521	Effects of physical erosion on chemical denudation rates: A numerical modeling study of soil-mantled hillslopes. *Earth and Planetary Science Letters*, **2008**, 272, 591-599	5.3	101
1520	Attenuation length for fast nucleon production of 10Be derived from near-surface production profiles. *Earth and Planetary Science Letters*, **2008**, 274, 295-300	5.3	20
1519	Quantifying periglacial erosion in the Nepal high Himalaya. **2008**, 97, 5-23		61
1518	Origin, structure and exposure history of a wave-cut platform more than 1 Ma in age at the coast of northern Spain: A multiple cosmogenic nuclide approach. **2008**, 93, 316-334		60
1517	Rates of fluvial bedrock incision within an actively uplifting orogen: Central Karakoram Mountains, northern Pakistan. **2008**, 97, 274-286		39
1516	Cosmogenic nuclide concentrations in episodically eroding surfaces: Theoretical results. **2008**, 97, 407-413		18
1515	Unraveling complex exposure-burial histories of bedrock surfaces under ice sheets by integrating cosmogenic nuclide concentrations with climate proxy records. **2008**, 99, 139-149		20
1514	Erosion rates and sediment budgets in vineyards at 1-m resolution based on stock unearthing (Burgundy, France). **2008**, 100, 345-355		46
1513	Quaternary alluvial-fan development, climate and morphologic dating of fault scarps in Laguna Salada, Baja California, Mexico. **2008**, 102, 578-594		46
1512	An alternative isochron method for measuring cosmogenic 3He in lava flows. **2008**, 251, 20-32		14
1511	Potential of in situ-produced cosmogenic nuclides for quantifying strength reduction of bedrock in soil-mantled hillslopes. **2008**, 3, 262-267		5
1510	In situ cosmogenic 10Be in olivines and pyroxenes. **2008**, 3, 196-205		15
1509	A complete and easily accessible means of calculating surface exposure ages or erosion rates from 10Be and 26Al measurements. **2008**, 3, 174-195		1340
1508	Quaternary glaciation of the Himalayanâ□□ibetan orogen. **2008**, 23, 513-531		181
1507	Dynamic equilibrium among erosion, river incision, and coastal uplift in the northern and central Apennines, Italy. **2008**, 36, 103		80

1506	Single-grain cosmogenic 21Ne concentrations in fluvial sediments reveal spatially variable erosion rates. **2008**, 36, 159	60
1505	Cosmogenic 10Be and 26Al ages of Holocene moraines in southern Norway I: testing the method and confirmation of the date of the Erdalen Event (c. 10 ka) at its type-site. **2008**, 18, 1155-1164	27
1504	Late Quaternary MIS 6â8 shoreline features of pluvial Owens Lake, Owens Valley, eastern California. **2008**, 185-206	4
1503	Late Pleistocene lakes and wetlands, Panamint Valley, Inyo County, California. **2008**, 151-184	12
1502	Cosmogenic 10Be and 26Al ages of Holocene moraines in southern Norway II: evidence for individualistic responses of high-altitude glaciers to millennial-scale climatic fluctuations. **2008**, 18, 1165-1177	19
1501	Fluctuation history of the interior East Antarctic Ice Sheet since mid-Pliocene. **2008**, 20, 197-203	13
1500	Timing and nature of Quaternary fluvial incision in the Ouarzazate foreland basin, Morocco. **2008**, 165, 1059-1073	37
1499	Combination of Numerical Dating Techniques Using 10Be in Rock Boulders and 14C of Resilient Soil Organic Matter for Reconstructing the Chronology of Glacial and Periglacial Processes in a High Alpine Catchment during the Late Pleistocene and Early Holocene. **2009**, 51, 537-552	9
1498	Chapter 6 Examining Processes and Rates of Landscape Change with Cosmogenic Radionuclides. **2009**, 16, 231-294	21
1497	Australian desert dune fields initiated with PlioceneâPleistocene global climatic shift. **2009**, 37, 51-54	126
1496	Field evidence for climate-driven changes in sediment supply leading to strath terrace formation. **2009**, 37, 467-470	95
1495	Glacial geology and chronology of Bishop Creek and vicinity, eastern Sierra Nevada, California. **2009** , 121, 1013-1033	59
1494	Quaternary glaciation of Muztag Ata and Kongur Shan: Evidence for glacier response to rapid climate changes throughout the Late Glacial and Holocene in westernmost Tibet. **2009**, 121, 348-365	126
1493	Weathering of granite and granitic regolith in Corsica: short-term 10Be versus long-term thermochronological constraints. **2009**, 324, 217-235	3
1492	Glaciation and deglaciation of the SW Lake District, England: implications of cosmogenic 36Cl exposure dating. **2009**, 120, 139-144	34
1491	Early Acheulean technology in the Rietputs Formation, South Africa, dated with cosmogenic nuclides. **2009**, 56, 152-60	96
1490	Multiple cosmogenic nuclides document complex Pleistocene exposure history of glacial drifts in Terra Nova Bay (northern Victoria Land, Antarctica). **2009**, 71, 83-92	41
1489	Uplift and active tectonics of southern Albania inferred from incision of alluvial terraces. **2009**, 71, 465-476	35

1488	Effects of terrain smoothing on topographic shielding correction factors for cosmogenic nuclide-derived estimates of basin-averaged denudation rates. **2009**, 34, 145-154	29
1487	Complex multiple cosmogenic nuclide concentration and histories in the arid Rio Lluta catchment, northern Chile. **2009**, 34, 398-412	45
1486	Assessing the age-weathering correspondence of cosmogenic 21Ne dated Pleistocene surfaces by the Schmidt Hammer. **2009**, 34, 1121-1125	27
1485	The critical role of climate and saprolite weathering in landscape evolution. **2009**, 34, 1507-1521	181
1484	The â□umpedâ□soil production function: eroding Arnhem Land, Australia. **2009**, 34, 1674-1684	86
1483	Quantifying periglacial erosion: insights on a glacial sediment budget, Matanuska Glacier, Alaska. **2009**, 34, 2008-2022	25
1482	Preliminary 10Be chronology for the last deglaciation of the western margin of the Greenland Ice Sheet. **2009**, 24, 270-278	44
1481	Late Pleistocene and Holocene glaciation of the Fish Lake valley, northeastern Alaska Range, Alaska. **2009**, 24, 677-689	26
1480	Surface exposure dating of Late Pleistocene glaciations at the Dedeg□Mountains (Lake Beyşehir, SW Turkey). **2009**, 24, 1016-1028	49
1479	Cosmogenic nuclide exposure ages from the â□arallel Roadsâ□of Glen Roy, Scotland. **2009**, 25, 597-603	28
1478	Thick- and thin-skinned deformation rates in the central Zagros simple folded zone (Iran) indicated by displacement of geomorphic surfaces. **2009**, 176, 627-654	53
1477	10Be chronology of the last deglaciation of County Donegal, northwestern Ireland. **2009**, 38, 111-118	36
1476	Late Pleistocene glacial history of Jameson Land, central East Greenland, derived from cosmogenic 10Be and 26Al exposure dating. **2009**, 38, 244-260	39
1475	Rate of late Quaternary ice-cap thinning on King George Island, South Shetland Islands, West Antarctica defined by cosmogenic 36Cl surface exposure dating. **2009**, 38, 207-213	24
1474	New 10be cosmogenic ages from the vimmerby moraine confirm the timing of scandinavian ice sheet deglaciation in southern sweden. **2009**, 91, 113-120	18
1473	Cosmogenic helium and neon in mantle xenoliths from the Cameroon Volcanic Line (West Africa): Preliminary observations. **2009**, 55, 175-184	9
1472	Chronologies of the Last Glacial Maximum and its Termination in the Andes (~10â□5°S) Based on Surface Exposure Dating. **2009**, 61-87	3
1471	Non-steady long-term uplift rates and Pleistocene marine terrace development along the Andean margin of Chile (31°S) inferred from 10Be dating. *Earth and Planetary Science Letters*, **2009**, 277, 50-63 5.3	82

1470	Cosmogenic nuclide burial ages and provenance of the Xigeda paleo-lake: Implications for evolution of the Middle Yangtze River. *Earth and Planetary Science Letters*, **2009**, 278, 131-141	5.3	59
1469	Cosmogenic 3He and 21Ne production rates calibrated against 10Be in minerals from the Coso volcanic field. *Earth and Planetary Science Letters*, **2009**, 280, 194-204	5.3	37
1468	Production rate of cosmogenic 21Ne in quartz estimated from 10Be, 26Al, and 21Ne concentrations in slowly eroding Antarctic bedrock surfaces. *Earth and Planetary Science Letters*, **2009**, 281, 48-58	5.3	65
1467	An improved experimental determination of cosmogenic 10Be/21Ne and 26Al/21Ne production ratios in quartz. *Earth and Planetary Science Letters*, **2009**, 284, 187-198	5.3	54
1466	Cosmogenic 3He and 21Ne measured in quartz targets after one year of exposure in the Swiss Alps. *Earth and Planetary Science Letters*, **2009**, 284, 417-425	5.3	16
1465	Middle Pleistocene glaciation in Patagonia dated by cosmogenic-nuclide measurements on outwash gravels. *Earth and Planetary Science Letters*, **2009**, 286, 184-197	5.3	87
1464	The late Quaternary slip-rate of the Har-Us-Nuur fault (Mongolian Altai) from cosmogenic 10Be and luminescence dating. *Earth and Planetary Science Letters*, **2009**, 286, 467-478	5.3	37
1463	Atmospheric 38Ar/36Ar in the mantle: Implications for the nature of the terrestrial parent bodies. *Earth and Planetary Science Letters*, **2009**, 287, 551-558	5.3	55
1462	From source to sink: Preserving the cosmogenic 10Be-derived denudation rate signal of the Bolivian Andes in sediment of the Beni and Mamoré foreland basins. *Earth and Planetary Science Letters*, **2009**, 288, 463-474	5.3	53
1461	Using argon as a temporal tracer of large-scale geologic processes. **2009**, 266, 104-112		14
1460	Surface exposure dating of the Flims landslide, Graubünden, Switzerland. **2009**, 103, 104-112		130
1459	Geomorphology of anomalously high glaciated mountains at the northwestern end of Tibet: Muztag Ata and Kongur Shan. **2009**, 103, 227-250		48
1458	Landforms and landscape evolution in the Skardu, Shigar and Braldu Valleys, Central Karakoram. **2009**, 103, 251-267		44
1457	Large rockslides in the Southern Central Andes of Chile (32â34.5°S): Tectonic control and significance for Quaternary landscape evolution. **2009**, 104, 117-133		75
1456	Deep-seated failure propagation in a fractured rock slope over 10,000 years: The La Clapière slope, the south-eastern French Alps. **2009**, 105, 232-238		56
1455	Rates of basin-wide rockwall retreat in the K2 region of the Central Karakoram defined by terrestrial cosmogenic nuclide 10Be. **2009**, 107, 254-262		25
1454	Exhumation and incision history of the Lahul Himalaya, northern India, based on (Uâ Th)/He thermochronometry and terrestrial cosmogenic nuclide methods. **2009**, 107, 285-299		27
1453	Cosmogenic nuclide budgeting of floodplain sediment transfer. **2009**, 109, 246-256		51

1452	Cenozoic uplift and subsidence in the North Atlantic region: Geological evidence revisited. **2009**, 474, 78-105	104
1451	Nature and timing of large landslides in the Himalaya and Transhimalaya of northern India. **2009**, 28, 1037-1054	165
1450	Deglaciation and landscape history around Annapurna, Nepal, based on 10Be surface exposure dating. **2009**, 28, 1106-1118	65
1449	Latest Pleistocene glacial chronology of the Uinta Mountains: support for moisture-driven asynchrony of the last deglaciation. **2009**, 28, 1171-1187	46
1448	Readvance of the last BritishâIrish Ice Sheet during Greenland Interstade 1 (GI-1): the Wester Ross Readvance, NW Scotland. **2009**, 28, 783-789	48
1447	Quaternary glaciation of Mount Everest. **2009**, 28, 1412-1433	91
1446	Glaciation in the Andes during the Lateglacial and Holocene. **2009**, 28, 2165-2212	68
1445	Relative timing of last glacial maximum and late-glacial events in the central tropical Andes. **2009**, 28, 2514-2526	41
1444	Holocene and latest Pleistocene alpine glacier fluctuations: a global perspective. **2009**, 28, 2021-2033	82
1443	Geochronology of Quaternary glaciations from the tropical Cordillera Huayhuash, Peru. **2009**, 28, 2991-3009	26
1442	Tropical glacier fluctuations in the Cordillera Blanca, Peru between 12.5 and 7.6ka from cosmogenic 10Be dating. **2009**, 28, 3448-3458	40
1441	Glacier and climate reconstruction at Tres Lagunas, NW Argentina, based on 10Be surface exposure dating and lake sediment analyses. **2009**, 284, 180-190	31
1440	Quaternary history of the piedmont reach of RÕ Diamante, Argentina. **2009**, 28, 54-73	25
1439	Kinematic behavior of southern Alaska constrained by westward decreasing postglacial slip rates on the Denali Fault, Alaska. **2009**, 114,	29
1438	Cosmogenic 36Cl in karst waters: Quantifying contributions from atmospheric and bedrock sources. **2009**, 36,	2
1437	CLIMATE IN THE DRY CENTRAL ANDES OVER GEOLOGIC, MILLENNIAL, AND INTERANNUAL TIMESCALES1. **2009**, 96, 386-397	77
1436	Multiphase development of the Atacama Planation Surface recorded by cosmogenic 3He exposure ages: Implications for uplift and Cenozoic climate change in western South America. **2009**, 37, 27-30	85
1435	Chapter 1 Origin and Distribution of Radionuclides in the Continental Environment. **2009**, 16, 1-25	6

1434	Determination of both exposure time and denudation rate from an in situ-produced 10Be depth profile: A mathematical proof of uniqueness. Model sensitivity and applications to natural cases. **2009**, 4, 56-67	96
1433	General models for episodic surface denudation and its measurement by cosmogenic nuclides. **2009**, 4, 50-55	19
1432	Cosmogenic 3He exposure dating of the Quaternary basalts from Fogo, Cape Verdes: Implications for rift zone and magmatic reorganisation. **2009**, 4, 37-49	59
1431	Regional beryllium-10 production rate calibration for late-glacial northeastern North America. **2009** , 4, 93-107	294
1430	Theoretical cosmogenic nuclide concentration in river bed load clasts: Does it depend on clast size?. **2009**, 4, 108-123	21
1429	Inferring exposure ages and erosion rates from cosmogenic nuclides: A probabilistic formulation. **2009**, 4, 124-129	2
1428	Moraine pebbles and boulders yield indistinguishable 10Be ages: A case study from Colorado, USA. **2009**, 4, 299-305	32
1427	Reporting of cosmogenic nuclide data for exposure age and erosion rate determinations. **2009**, 4, 437-440	33
1426	The current performance of the in situ 14C extraction line at ETH. **2009**, 4, 493-500	29
1425	Evaluation of cosmogenic 3He and 21Ne production rates in olivine and pyroxene from two Pleistocene basalt flows, western Grand Canyon, AZ, USA. **2009**, 4, 475-492	24
1424	How well do we understand production of 36Cl in limestone and dolomite?. **2009**, 4, 462-474	52
1423	Moraine dam related to late Quaternary glaciation in the Yulong Mountains, southwest China, and impacts on the Jinsha River. **2009**, 28, 3224-3235	35
1422	Numerical and analytical models of cosmogenic radionuclide dynamics in landslide-dominated drainage basins. **2009**, 114,	113
1421	A late Holocene slip rate for the central North Anatolian fault, at Tahtakp̄r,Turkey, from cosmogenic 10Be geochronology: Implications for fault loading and strain release rates. **2009**, 114,	51
1420	Segmentation of megathrust rupture zones from fore-arc deformation patterns over hundreds to millions of years, Arauco peninsula, Chile. **2009**, 114,	137
1419	Riser diachroneity, lateral erosion, and uncertainty in rates of strike-slip faulting: A case study from Tuzidun along the Altyn Tagh Fault, NW China. **2009**, 114,	73
1418	Surface exposure ages imply multiple low-amplitude Pleistocene variations in East Antarctic Ice Sheet, Ricker Hills, Victoria Land. **2009**, 21, 59-69	27
1417	Deglaciation and weathering of Larsemann Hills, East Antarctica. **2009**, 21, 373	29

1416	Erosion Rates and Sediment Sources in Madagascar Inferred from10Be Analysis of Lavaka, Slope, and River Sediment. **2009**, 117, 363-376	32
1415	References. 155-179	
1414	Late Quaternary slip rate on the Kern Canyon fault at Soda Spring, Tulare County, California. **2010**, 2, 411-417	16
1413	Quantitative determination of long-term erosion rates of weathered granitic soil surfaces in western Abukuma, Japan using cosmogenic 10Be and 26Al depth profile. **2010**, 44, e23-e27	12
1412	Erosion rates on different timescales derived from cosmogenic 10Be and river loads: implications for landscape evolution in the Rhenish Massif, Germany. **2010**, 99, 395-412	22
1411	Cosmogenic 21Ne concentrations and exposure ages of summit bedrocks in the Grove Mountains, Antarctica. **2010**, 53, 518-521	2
1410	10Be in quartz gravel from the Gobi Desert and evolutionary history of alluvial sedimentation in the Ejina Basin, Inner Mongolia, China. **2010**, 55, 3802-3809	14
1409	Review on dating methods: Numerical dating in the quaternary geology of High Asia. **2010**, 7, 105-122	4
1408	Cosmogenic isotope (36Cl) surface exposure dating of the Norber erratics, Yorkshire Dales: Further constraints on the timing of the LGM deglaciation in Britain. **2010**, 121, 24-31	26
1407	Meteoric cosmogenic Beryllium-10 adsorbed to river sediment and soil: Applications for Earth-surface dynamics. **2010**, 98, 105-122	154
1406	Cosmogenic 21Ne analysis of individual detrital grains: Opportunities and limitations. **2010**, 35, 16-27	13
1405	Cosmogenic nuclide-derived rates of diffusive and episodic erosion in the glacially sculpted upper Rhone Valley, Swiss Alps. **2010**, 35, n/a-n/a	23
1404	Catastrophic rock avalanche 3600 years BP from El Capitan, Yosemite Valley, California. **2010**, 35, 941-951	40
1403	Beryllium-10 surface exposure dating of glacial successions in the Central Alaska Range. **2010**, 25, 1259-1269	24
1402	Vertical distribution of 10Be, 26Al, and 36Cl in the surface soil layer of weathered granite at Abukuma, Japan. **2010**, 268, 1197-1200	2
1401	Chlorine-36 in seawater. **2010**, 268, 1226-1228	24
1400	Late Quaternary glaciation and equilibrium line altitude variations of the McKinley River region, central Alaska Range. **2010**, 39, 233-246	31
1399	A multi-dating approach applied to proglacial sediments attributed to the Most Extensive Glaciation of the Swiss Alps. **2010**, 39, 620	29

1398	Late Pleistocene slip rate of the Hí Serh-Tsagaan Salaa fault system, Mongolian Altai and intracontinental deformation in central Asia. **2010**, 183, 1134-1150	15
1397	Radiocarbon in the Antarctic ice: The formation of the cosmic ray muon component at large depths. **2010**, 50, 134-140	4
1396	Sand residence times of one million years in the Namib Sand Sea from cosmogenic nuclides. **2010**, 3, 862-865	73
1395	Extraction of In Situ Cosmogenic 14C from Olivine. **2010**, 52, 1244-1260	4
1394	Geomorphology: The Mechanics and Chemistry of Landscapes. 600-634	
1393	A Simplified In Situ Cosmogenic 14C Extraction System. **2010**, 52, 1236-1243	20
1392	Modeling the statistical distributions of cosmogenic exposure dates from moraines. **2010**, 3, 293-307	81
1391	Pleistocene dynamics of the interior East Antarctic ice sheet. **2010**, 38, 703-706	51
1390	Eroding Australia: rates and processes from Bega Valley to Arnhem Land. **2010**, 346, 225-241	33
1389	Evolution of solution dolines inferred from cosmogenic36Cl in calcite. **2010**, 38, 1039-1042	10
1388	Late Pleistocene landscape evolution in south-central Chile constrained by luminescence and stable cosmogenic nuclide dating. **2010**, 122, 1235-1247	10
1387	Uncertainties in slip-rate estimates for the Mission Creek strand of the southern San Andreas fault at Biskra Palms Oasis, southern California. **2010**, 122, 1360-1377	78
1386	Temporal variations in extension rate on the Lone Mountain fault and strain distribution in the eastern California shear zoneâWalker Lane. **2010**, 6, 917-936	9
1385	Rates of extension along the Fish Lake Valley fault and transtensional deformation in the Eastern California shear zoneâWalker Lane belt. **2010**, 2, 33-49	24
1384	Millennial slip rates along the eastern Kunlun fault: Implications for the dynamics of intracontinental deformation in Asia. **2010**, 2, 247-266	57
1383	Glaciation history of Queen Maud Land (Antarctica) reconstructed from in-situ produced cosmogenic 10Be, 26Al and 21Ne. **2010**, 4, 42-61	28
1382	Dip-slip rate determined by cosmogenic surface dating on a Holocene scarp of the Daju fault, Yunnan, China. **2010**, 493, 106-112	14
1381	Late Quaternary slip rate gradient defined using high-resolution topography and 10Be dating of offset landforms on the southern San Jacinto Fault zone, California. **2010**, 115,	44

1380	Early Holocene and Late Pleistocene slip rates of the southern Dead Sea Fault determined from 10Be cosmogenic dating of offset alluvial deposits. **2010**, 115,		26
1379	Quantifying regolith erosion rates with cosmogenic nuclides 10Be and 26Al in the McMurdo Dry Valleys, Antarctica. **2010**, 115,		11
1378	Steady state reach-scale theory for radioactive tracer concentration in a simple channel/floodplain system. **2010**, 115,		26
1377	Along-strike growth of the Ostler fault, New Zealand: Consequences for drainage deflection above active thrusts. **2010**, 29, n/a-n/a		30
1376	Nature's neutron probe: Land surface hydrology at an elusive scale with cosmic rays. **2010**, 46,		181
1375	Terrestrial Cosmogenic Nuclide Geochronology Data Reporting Standards Needed. **2010**, 91, 31-32		14
1374	A geologically constrained Monte Carlo approach to modeling exposure ages from profiles of cosmogenic nuclides: An example from Lees Ferry, Arizona. **2010**, 11,		137
1373	Evidence for active retreat of a coastal cliff between 3.5 and 12 ka in Cassis (South East France). **2010**, 115, 1-10		16
1372	Topographic and lithologic control on catchment-wide denudation rates derived from cosmogenic 10Be in two mountain ranges at the margin of NE Tibet. **2010**, 117, 130-142		59
1371	Late Miocene ice sheet elevation in the Grove Mountains, East Antarctica, inferred from cosmogenic 21Neâ10Beâ26Al. **2010**, 72, 50-54		10
1370	History of ice sheet elevation in East Antarctica: Paleoclimatic implications. *Earth and Planetary Science Letters*, **2010**, 290, 281-288	5.3	14
1369	10Be exposure ages of ancient desert pavements reveal Quaternary evolution of the Dead Sea drainage basin and rift margin tilting. *Earth and Planetary Science Letters*, **2010**, 290, 132-141	5.3	38
1368	Determining the growth rate of topographic relief using in situ-produced 10Be: A case study in the Black Forest, Germany. *Earth and Planetary Science Letters*, **2010**, 290, 391-402	5.3	20
1367	Evidence for active landscape evolution in the hyperarid Atacama from multiple terrestrial cosmogenic nuclides. *Earth and Planetary Science Letters*, **2010**, 295, 12-20	5.3	69
1366	Regolith production rates calculated with uranium-series isotopes at Susquehanna/Shale Hills Critical Zone Observatory. *Earth and Planetary Science Letters*, **2010**, 297, 211-225	5.3	111
1365	Climatic significance of glacier retreat and rockglaciers re-assessed in the light of cosmogenic dating and weathering rind thickness in Clarè valley (Briançonnais, French Alps). **2010**, 80, 204-219		24
1364	The longevity of hillslope soil in SE and NW Australia. **2010**, 81, 32-42		31
1363	Mineral-specific chemical weathering rates over millennial timescales: Measurements at Rio Icacos, Puerto Rico. **2010**, 277, 101-114		45

1362	Lateglacial and early Holocene glaciation in the tropical Andes caused by La Niâ-like conditions. **2010**, 293, 248-254	13
1361	Late Cenozoic deposits at Reedy Glacier, Transantarctic Mountains: implications for former thickness of the West Antarctic Ice Sheet. **2010**, 29, 384-398	37
1360	Chronology of Late Pleistocene glacier variations at the Uluda Mountain, NW Turkey. **2010**, 29, 1173-1187	58
1359	The chronology of the Last Glacial Maximum and deglacial events in central Argentine Patagonia. **2010**, 29, 1212-1227	100
1358	Late Quaternary evolution of Reedy Glacier, Antarctica. **2010**, 29, 1328-1341	58
1357	Quaternary glaciation of Gurla Mandhata (Naimonâ nyi). **2010**, 29, 1817-1830	50
1356	Exposure-age constraints on the extent, timing and rate of retreat of the last Irish Sea ice stream. **2010**, 29, 1844-1852	52
1355	Early to middle Holocene valley glaciations on northernmost Greenland. **2010**, 29, 3379-3398	36
1354	Minimum Bedrock Exposure Ages and Their Implications: Larsemann Hills and Neighboring Bolingen Islands, East Antarctica. **2010**, 84, 543-548	6
1353	In situ cosmogenic 53Mn production rate from ancient low-denudation surface in tropic Brazil. **2010**, 268, 1209-1213	17
1352	Cosmogenic 21Ne exposure dating of young basaltic lava flows from the Newer Volcanic Province, western Victoria, Australia. **2010**, 5, 1-9	28
1351	In situ cosmogenic 10Be production-rate calibration from the Southern Alps, New Zealand. **2010**, 5, 392-409	207
1350	A reevaluation of in situ cosmogenic 3He production rates. **2010**, 5, 410-418	96
1349	Episodic fluvial incision of rivers and rock uplift in the Himalaya and Transhimalaya. **2011**, 168, 783-804	36
1348	Natural Ar concentrations in soil air: implications for monitoring underground nuclear explosions. **2011**, 45, 8656-64	38
1347	Weathering patterns in high-latitude regolith. **2011**, 116,	20
1346	Fast slip-rate along the northern end of the Karakorum fault system, western Tibet. **2011**, 38, n/a-n/a	35
1345	Topographic control of asynchronous glacial advances: A case study from Annapurna, Nepal. **2011**, 38, n/a-n/a	32

1344	Reply to comment by K. Pedoja et al. on â□□tectonic record of strain buildup and abrupt coseismic stress release across the northwestern Peru coastal plain, shelf, and continental slope during the past 200 kyrâ□ **2011**, 116,		2
1343	Coseismic displacements and Holocene slip rates for two active thrust faults at the mountain front of the Andean Precordillera (~33°S). **2011**, 30, n/a-n/a		30
1342	Desert landscape processes on a timescale of millions of years, probed by cosmogenic nuclides. **2011**, 3, 157-164		17
1341	Challenges in the Use of Cosmogenic Exposure Dating of Moraine Boulders to Trace the Geographic Extents of Abrupt Climate Changes: The Younger Dryas Example. **2011**, 111-122		0
1340	Calibration of cosmogenic 36Cl production rates from Ca and K spallation in lava flows from Mt. Etna (38°N, Italy) and Payun Matru (36°S, Argentina). **2011**, 75, 2611-2632		81
1339	Surface ages and rates of erosion at the Calico Archaeological Site in the Mojave Desert, Southern California. **2011**, 125, 40-50		5
1338	Fluctuations of the □tima Esperanza ice lobe (52°S), Chilean Patagonia, during the last glacial maximum and termination 1. **2011**, 125, 92-108		53
1337	Beryllium-10 terrestrial cosmogenic nuclide surface exposure dating of Quaternary landforms in Death Valley. **2011**, 125, 541-557		55
1336	Application of a combination of dating techniques to reconstruct the Lateglacial and early Holocene landscape history of the Albula region (eastern Switzerland). **2011**, 127, 1-13		43
1335	Quaternary-scale evolution of sequences of talus flatirons in the hyperarid Negev. **2011**, 127, 41-52		25
1334	Solving a conundrum of a steady-state hilltop with variable soil depths and production rates, Bodmin Moor, UK. **2011**, 128, 73-84		29
1333	Andean coastal uplift and active tectonics in southern Peru: 10Be surface exposure dating of differentially uplifted marine terrace sequences (San Juan de Marcona, ~15.4°S). **2011**, 128, 178-190		50
1332	Control of geomorphic processes on 10Be concentrations in individual clasts: Complexity of the exposure history in Gobi-Altay range (Mongolia). **2011**, 135, 35-47		22
1331	Asymmetrical erosion and morphological development of the central Ladakh Range, northern India. **2011**, 135, 167-180		50
1330	Elevated East Antarctic outlet glaciers during warmer-than-present climates in southern Victoria Land. **2011**, 79, 61-72		24
1329	A note of caution on the use of boulders for exposure dating of depositional surfaces. *Earth and Planetary Science Letters*, **2011**, 302, 60-70	5.3	55
1328	Too young or too old: Evaluating cosmogenic exposure dating based on an analysis of compiled boulder exposure ages. *Earth and Planetary Science Letters*, **2011**, 302, 71-80	5.3	273
1327	The cosmogenic 21Ne production rate in quartz evaluated on a large set of existing 21Neâ□10Be data. *Earth and Planetary Science Letters*, **2011**, 302, 163-171	5.3	22

1326	Paleo-erosion rates in Central Asia since 9Ma: A transient increase at the onset of Quaternary glaciations?. *Earth and Planetary Science Letters*, **2011**, 304, 85-92	5.3	80
1325	Glacial/interglacial ice-stream stability in the Weddell Sea embayment, Antarctica. *Earth and Planetary Science Letters*, **2011**, 307, 211-221	5.3	46
1324	In-situ cosmogenic 10Be production rate at Lago Argentino, Patagonia: Implications for late-glacial climate chronology. *Earth and Planetary Science Letters*, **2011**, 309, 21-32	5.3	141
1323	Production of cosmogenic radionuclides at great depth: A multi element approach. *Earth and Planetary Science Letters*, **2011**, 309, 1-9	5.3	224
1322	Sediment production and transport from in situ-produced cosmogenic 10Be and river loads in the Napo River basin, an upper Amazon tributary of Ecuador and Peru. **2011**, 31, 45-53		17
1321	Geomorphic constraints on active mountain growth by the lateral propagation of fault-related folding: A case study on Yumu Shan, NE Tibet. **2011**, 41, 184-194		15
1320	Last Glacial Maximum and deglaciation of Sierra de Gredos, central Iberian Peninsula. **2011**, 233, 16-26		84
1319	The role of mass movements on landscape evolution in the Central Karakoram: Discussion and speculation. **2011**, 236, 34-47		33
1318	Towards defining the transition in style and timing of Quaternary glaciation between the monsoon-influenced Greater Himalaya and the semi-arid Transhimalaya of Northern India. **2011**, 236, 21-33		74
1317	Contributions and unrealized potential contributions of cosmogenic-nuclide exposure dating to glacier chronology, 1990â2010. **2011**, 30, 3-27		236
1316	Constraints on the late Quaternary glaciations in Tibet from cosmogenic exposure ages of moraine surfaces. **2011**, 30, 528-554		84
1315	Chronology of glaciations in the Sierra Nevada, California, from 10Be surface exposure dating. **2011**, 30, 646-661		50
1314	Paired bedrock and boulder 10Be concentrations resulting from early Holocene ice retreat near Jakobshavn Isfjord, western Greenland. **2011**, 30, 1739-1749		53
1313	Palaeoglaciology of Bayan Har Shan, NE Tibetan Plateau: exposure ages reveal a missing LGM expansion. **2011**, 30, 1988-2001		57
1312	Rapid deglaciation of Marguerite Bay, western Antarctic Peninsula in the Early Holocene. **2011**, 30, 3338-3349		43
1311	Holocene deglacial history of the northeast Antarctic Peninsula â A review and new chronological constraints. **2011**, 30, 3791-3802		40
1310	Constraining the evolution of river terraces with integrated OSL and cosmogenic nuclide data. **2011**, 6, 22-32		32
1309	Effect of density uncertainties in cosmogenic 10Be depth-profiles: Dating a cemented Pleistocene alluvial fan (Carboneras Fault, SE Iberia). **2011**, 6, 186-194		31

1308	Quaternary river incision in NE Ardennes (Belgium)âInsights from 10Be/26Al dating of river terraces. **2011**, 6, 273-284	46
1307	Erosion rates in an active orogen (NE-Taiwan): A confrontation of cosmogenic measurements with river suspended loads. **2011**, 6, 246-260	37
1306	Can in-situ cosmogenic 14C be used to assess the influence of clast recycling on exposure dating of ice retreat in Antarctica?. **2011**, 6, 289-294	23
1305	Cosmogenic isotope burial dating of fluvial sediments from the Lower Rhine Embayment, Germany. **2011**, 6, 313-325	5
1304	Regional 10Be production rate calibration for the past 12 ka deduced from the radiocarbon-dated Grï¿½landsura and Russenes rock avalanches at 69° N, Norway. **2011**, 6, 437-452	99
1303	Inter-comparison of cosmogenic in-situ 3He, 21Ne and 36Cl at low latitude along an altitude transect on the SE slope of Kilimanjaro volcano (3°S, Tanzania). **2011**, 6, 425-436	18
1302	Dating Pleistocene aeolian landforms in Hungary, Central Europe, using in situ produced cosmogenic 10BE. **2011**, 6, 515-529	20
1301	References. **2011**, 412-443	
1300	Climate Signals from 10Be Records of Marine Sediments Surrounded with Nearby a Continent. **2011**,	
1299	Constant slip rate during the late Quaternary along the Sulu He segment of the Altyn Tagh Fault near Changma, Gansu, China. **2011**, 20, 94-106	13
1298	Slip rate and slip magnitudes of past earthquakes along the Bogd left-lateral strike-slip fault (Mongolia). **2011**, 186, 897-927	31
1297	Evolution of a Lateglacial mountain icecap in northern Scotland. **2011**, 40, 536-554	56
1296	Age of the Pomeranian ice-marginal position in northeastern Germany determined by Optically Stimulated Luminescence (OSL) dating of glaciofluvial sediments. **2011**, 40, 598-615	65
1295	Late Quaternary glacial chronology on Nevado Illimani, Bolivia, and the implications for paleoclimatic reconstructions across the Andes. **2011**, 75, 1-10	13
1294	Timing of glaciation and last glacial maximum paleoclimate estimates from the Fish Lake Plateau, Utah. **2011**, 75, 183-195	11
1293	Cosmogenic nuclide exposure ages for moraines in the Lago San Martin Valley, Argentina. **2011**, 75, 636-646	22
1292	Importance of sampling across an assemblage of glacial landforms for interpreting cosmogenic ages of deglaciation. **2011**, 76, 148-156	30
1291	10Be data from meltwater channels suggest that Jameson Land, east Greenland, was ice-covered during the last glacial maximum. **2011**, 76, 452-459	8

1290	Glacial advances constrained by 10Be exposure dating of bedrock landslides, Kyrgyz Tien Shan. **2011**, 76, 295-304	28
1289	Chronology of latest Pleistocene mountain glaciation in the western Wasatch Mountains, Utah, U.S.A.. **2011**, 76, 272-284	20
1288	Cosmogenic 10Be and OSL dating of fluvial strath terraces along the Osip-cheon River, Korea: tectonic implications. **2011**, 15, 359-378	10
1287	A 36Cl age determination for Mystery Creek rock avalanche and its implications in the context of hazard assessment, British Columbia, Canada. **2011**, 8, 407-416	9
1286	Post-depositional impacts on â€indlingeâ€(erratic boulders) and their implications for surface-exposure dating. **2011**, 104, 445-453	38
1285	Glacier fluctuations in the southern Peruvian Andes during the late-glacial period, constrained with cosmogenic 3He. **2011**, 26, 37-43	29
1284	Cosmogenic 10Be insights into the extent and chronology of the last deglaciation in Wester Ross, northwest Scotland. **2011**, 26, 97-108	12
1283	Cosmogenic nuclide constraints on glacial chronology in the source area of the Urumqi River, Tian Shan, China. **2011**, 26, 297-304	28
1282	Degradation of glacial deposits quantified with cosmogenic nuclides, Quartermain Mountains, Antarctica. **2011**, 36, 217-228	18
1281	Geomorphic and cosmogenic nuclide constraints on escarpment evolution in an intraplate setting, Darling Escarpment, Western Australia. **2011**, 36, 449-459	15
1280	The use of ablation-dominated medial moraines as samplers for 10Be-derived erosion rates of glacier valley walls, Kichatna Mountains, AK. **2011**, 36, 495-512	22
1279	The sensitivity of hillslope bedrock erosion to precipitation. **2011**, 36, 117-135	71
1278	Geological constraints and 26Alâ10Be burial dating isochrons. **2011**, 36, 946-952	5
1277	Erosion rates and mechanisms of knickzone retreat inferred from 10Be measured across strong climate gradients on the northern and central Andes Western Escarpment. **2011**, 36, 1464-1473	39
1276	The High Glacial (Last Ice Age and Last Glacial Maximum) Ice Cover of High and Central Asia, with a Critical Review of Some Recent OSL and TCN Dates. **2011**, 15, 943-965	2
1275	Recycling of Amazon floodplain sediment quantified by cosmogenic 26Al and 10Be. **2011**, 39, 467-470	49
1274	Reconstructing the Glacial History of Green Lakes Valley, North Boulder Creek, Colorado Front Range. **2011**, 43, 527-542	26
1273	Whither shore platforms?. **2011**, 35, 183-209	14

1272	Peneplain formation in southern Tibet predates the India-Asia collision and plateau uplift. **2011**, 39, 983-986	123
1271	Incision rate of the Yellow River in Northeastern Tibet constrained by 10Be and 26Al cosmogenic isotope dating of fluvial terraces: implications for catchment evolution and plateau building. **2011**, 353, 189-219	38
1270	Exposure dating outwash gravels to determine the age of the greatest Patagonian glaciations. **2011**, 39, 103-106	36
1269	The role of the Nile in initiating a massive dust influx to the Negev late in the middle Pleistocene. **2011**, 123, 873-889	59
1268	Cosmogenic nuclide and uranium-series dating of old, high shorelines in the western Great Basin, USA. **2011**, 123, 744-768	24
1267	Geomorphologic evidence for the late Pliocene onset of hyperaridity in the Atacama Desert. **2012**, 124, 1048-1070	73
1266	Gravel-capped benches above northern tributaries of the Escalante River, south-central Utah. **2012**, 8, 835-853	4
1265	Glacier extent during the Younger Dryas and 8.2-ka event on Baffin Island, Arctic Canada. **2012**, 337, 1330-3	43
1264	Climate-controlled landscape evolution in the Western Transverse Ranges, California: Insights from Quaternary geochronology of the Saugus Formation and strath terrace flights. **2012**, 4, 110-130	24
1263	Quantifying Processes Governing Soil-Mantled Hillslope Evolution. **2012**, 205-242	2
1262	The Binalud Mountains: A key piece for the geodynamic puzzle of NE Iran. **2012**, 31, n/a-n/a	18
1261	Meteoric 10Be concentrations from saprolite and till in northern Sweden: Implications for glacial erosion and age. **2012**, 12, 11-22	26
1260	Assessing the reliability of U-series and 10Be dating techniques on alluvial fans in the Anza Borrego Desert, California. **2012**, 13, 26-41	30
1259	Cosmogenic surface exposure dating the last deglaciation in Denmark: Discrepancies with independent age constraints suggest delayed periglacial landform stabilisation. **2012**, 13, 1-17	39
1258	Trimlines, blockfields, mountain-top erratics and the vertical dimensions of the last Britishâ€Irish Ice Sheet in NW Scotland. **2012**, 55, 91-102	99
1257	Maximum late Holocene extent of the western Greenland Ice Sheet during the late 20th century. **2012**, 56, 89-98	39
1256	Multiple cosmogenic nuclides document the stability of the East Antarctic Ice Sheet in northern Victoria Land since the Late Miocene (5â€Ma). **2012**, 57, 85-94	15
1255	Spatially constant slip rate along the southern segment of the Karakorum fault since 200 ka. **2012**, 530-531, 152-179	37

1254	Earth surface erosion and weathering from the 10Be (meteoric)/9Be ratio. *Earth and Planetary Science Letters*, **2012**, 351-352, 295-305	5.3	67
1253	Long-term shoreline retreat rates on Whidbey Island, Washington, USA. **2012**, 78, 315-322		8
1252	Late Quaternary ice sheet extents in northeastern Germany inferred from surface exposure dating. **2012**, 44, 89-95		37
1251	Expression of the Younger Dryas cold event in the Carpathian Mountains, Ukraine?. **2012**, 39, 106-114		20
1250	Paired 26Al and 10Be exposure ages from Lundy: new evidence for the extent and timing of Devensian glaciation in the southern British Isles. **2012**, 43, 61-73		26
1249	Quaternary glaciation of the Tashkurgan Valley, Southeast Pamir. **2012**, 47, 56-72		59
1248	Cosmogenic nuclide age constraints on Middle Stone Age lithics from Niassa, Mozambique. **2012**, 47, 116-130		25
1247	Age of the Ikendalen moraines, Kangerlussuaq, Greenland: constraints on the extent of the southwestern margin of the Greenland Ice Sheet during the Holocene. **2012**, 52, 1-5		50
1246	Deglaciation pattern during the Lateglacial/Holocene transition in the southern French Alps. Chronological data and geographical reconstruction from the Clarè Valley (upper Durance catchment, southeastern France). **2012**, 315-316, 109-123		34
1245	Last Glacial Maximum and the Gschnitz stadial in the Maritime Alps according to 10Be cosmogenic dating. **2012**, 41, 277-291		52
1244	Chronology of glaciation and deglaciation during the Loch Lomond (Younger Dryas) Stade in the Scottish Highlands: implications of recalibrated 10Be exposure ages. **2012**, 41, 513-526		47
1243	The Pingding segment of the Altyn Tagh Fault (91°E): Holocene slip-rate determination from cosmogenic radionuclide dating of offset fluvial terraces. **2012**, 117,		38
1242	Pleistocene alluvial deposits dating along frontal thrust of Changhua Fault in western Taiwan: The cosmic ray exposure point of view. **2012**, 51, 1-20		18
1241	Multi-phased uplift of the southern margin of the Central Anatolian plateau, Turkey: A record of tectonic and upper mantle processes. *Earth and Planetary Science Letters*, **2012**, 317-318, 85-95	5.3	145
1240	Spatiotemporal trends in erosion rates across a pronounced rainfall gradient: Examples from the southern Central Andes. *Earth and Planetary Science Letters*, **2012**, 327-328, 97-110	5.3	158
1239	Cosmogenic 3He in hematite and goethite from Brazilian â□angaâ□duricrust demonstrates the extreme stability of these surfaces. *Earth and Planetary Science Letters*, **2012**, 329-330, 41-50	5.3	48
1238	Recently active contractile deformation in the forearc of southern Peru. *Earth and Planetary Science Letters*, **2012**, 337-338, 85-92	5.3	22
1237	Miocene to recent ice elevation variations from the interior of the West Antarctic ice sheet: Constraints from geologic observations, cosmogenic nuclides and ice sheet modeling. *Earth and Planetary Science Letters*, **2012**, 337-338, 243-251	5.3	9

1236	The theoretical basis of ACE, an Age Calculation Engine for cosmogenic nuclides. **2012**, 291, 199-205		11
1235	Glacial landforms and their paleoclimatic significance in Sierra de Guadarrama, Central Iberian Peninsula. **2012**, 139-140, 67-78		73
1234	Toward quantifying geomorphic rates of crustal displacement, landscape development, and the age of glaciation in the Venezuelan Andes. **2012**, 141-142, 99-113		20
1233	Quantification of fluvial incision in the Duero Basin (NW Iberia) from longitudinal profile analysis and terrestrial cosmogenic nuclide concentrations. **2012**, 165-166, 50-61		42
1232	Surface uplift and erosion of the southernmost Argentine Precordillera. **2012**, 153-154, 156-168		33
1231	Landscape evolution of a bedrock peneplain on the southern Tibetan Plateau revealed by in situ-produced cosmogenic 10Be and 21Ne. **2012**, 153-154, 192-204		30
1230	The deglaciation of the Sierra Nevada (Southern Spain). **2012**, 159-160, 93-105		59
1229	10Be ages reveal >12ka of gravitational movement in a major sackung of the Western Alps (France). **2012**, 171-172, 139-153		33
1228	Quaternary morphotectonic mapping of the Wadi Araba and implications for the tectonic activity of the southern Dead Sea fault. **2012**, 31, n/a-n/a		26
1227	Inherited strike-slip faults as an origin for basement-cored uplifts: Example of the Kungey and Zailiskey ranges, northern Tian Shan. **2012**, 31, n/a-n/a		50
1226	Calibration of the in situ cosmogenic 14C production rate in New Zealand's Southern Alps. **2012**, 27, 671-674		17
1225	An Overview of Isotope Geochemistry in Environmental Studies. **2012**, 11-32		7
1224	In situ cosmogenic radiocarbon production and 2-D ice flow line modeling for an Antarctic blue ice area. **2012**, 117, n/a-n/a		5
1223	Paleoseismology of the Mejillones Fault, northern Chile: Insights from cosmogenic 10Be and optically stimulated luminescence determinations. **2012**, 31, n/a-n/a		26
1222	Distributed extensional deformation in a zone of right-lateral shear: Implications for geodetic versus geologic rates of deformation in the eastern California shear zone-Walker Lane. **2012**, 31, n/a-n/a		13
1221	Uplift history of the Sila Massif, southern Italy, deciphered from cosmogenic 10Be erosion rates and river longitudinal profile analysis. **2012**, 31, n/a-n/a		53
1220	Surface exposure dating of non-terrestrial bodies using optically stimulated luminescence: A new method. **2012**, 221, 160-166		22
1219	Pothole and channel system formation in the McMurdo Dry Valleys of Antarctica: New insights from cosmogenic nuclides. *Earth and Planetary Science Letters*, **2012**, 355-356, 341-350	5.3	15

1218	Helium distribution in a mantle shear zone from the Josephine Peridotite. *Earth and Planetary Science Letters*, **2012**, 359-360, 162-172	5.3	12
1217	Long-term low latitude cosmogenic 3He production rate determined from a 126ka basalt from Fogo, Cape Verdes. *Earth and Planetary Science Letters*, **2012**, 359-360, 14-25	5.3	19
1216	Long-term evolution of denudational escarpments in southeastern Brazil. **2012**, 173-174, 118-127		19
1215	Maximum glacial advance and deglaciation of the Pinar Valley (Sierra de Gredos, Central Spain) and its significance in the Mediterranean context. **2012**, 177-178, 51-61		51
1214	Quantifying denudation rates and sediment storage on the eastern Altiplano, Bolivia, using cosmogenic 10Be, 26Al, and in situ 14C. **2012**, 179, 58-70		40
1213	A 0.65Ma chronology and incision rate assessment of the NW Iberian Miê River terraces based on 10Be and luminescence dating. **2012**, 94-95, 82-100		33
1212	Quality assurance in accelerator mass spectrometry: Results from an international round-robin exercise for 10Be. **2012**, 289, 68-73		17
1211	The late Pleistocene glaciation in the Bogchigir Valleys (Pamir, Tajikistan) based on 10Be surface exposure dating. **2012**, 78, 590-597		27
1210	Using Cosmogenic 10Be Dating to Unravel the Antiquity of a Rocky Shore Platform on the West Coast of Korea. **2012**, 28, 641		27
1209	Terrestrial Cosmogenic Nuclide Techniques for Assessing Exposure History of Surfaces and Sediments in Active Tectonic Regions. **2012**, 63-79		3
1208	Did large ice caps persist on low ground in north-west Scotland during the Lateglacial Interstade?. **2012**, 27, 297-306		72
1207	The AD 1717 rock avalanche deposits in the upper Ferret Valley (Italy): a dating approach with cosmogenic 10Be. **2012**, 27, 383-392		63
1206	Multitemporal ALSM change detection, sediment delivery, and process mapping at an active earthflow. **2012**, 37, 262-272		64
1205	10Be-derived assessment of accelerated erosion in a glacially conditioned inner gorge, Entlebuch, Central Alps of Switzerland. **2012**, 37, 1176-1188		20
1204	Surface lowering of limestone pavement as determined by cosmogenic (36Cl) analysis. **2012**, 37, 1518-1526		16
1203	State of geoscientific research within the lorandite experiment (LOREX). **2012**, 105, 157-169		10
1202	Constancy of geologic slip rate along the central Garlock fault: implications for strain accumulation and release in southern California. **2012**, 190, 745-760		19
1201	In situ formation of cosmogenic 14C by cosmic ray nucleons in polar ice. **2012**, 270, 12-18		9

1200	A late pleistocene glacial chronology from the Kitschi-Kurumdu Valley, Tien Shan (Kyrgyzstan), based on 10Be surface exposure dating. **2012**, 77, 281-288		45
1199	The deglacial history of NW Alexander Island, Antarctica, from surface exposure dating. **2012**, 77, 273-280		16
1198	Improved moraine age interpretations through explicit matching of geomorphic process models to cosmogenic nuclide measurements from single landforms. **2012**, 77, 293-304		79
1197	Late glacial and holocene 10Be production rates for western Norway. **2012**, 27, 89-96		91
1196	10Be and 26Al exposure-age dating of bedrock surfaces on the Aran ridge, Wales: evidence for a thick Welsh Ice Cap at the Last Glacial Maximum. **2012**, 27, 97-104		30
1195	Investigating the last deglaciation of the Scandinavian Ice Sheet in southwest Sweden with 10Be exposure dating. **2012**, 27, 211-220		23
1194	Deciphering boulder mobility and erosion from cosmogenic nuclide exposure dating. **2013**, 118, 184-197		8
1193	Paleoseismic study of the east Kalpintage fault in southwest Tianshan based on deformation of alluvial fans and 10Be dating. **2013**, 68, 1075-1087		9
1192	Timing of glaciation during the last glacial cycle: evaluating the concept of a global â□last Glacial Maximumâ□(LGM). **2013**, 125, 171-198		206
1191	Distributed deformation around the eastern tip of the Kunlun fault. **2013**, 102, 1759-1772		34
1190	Determining topographic shielding from digital elevation models for cosmogenic nuclide analysis: a GIS approach and field validation. **2013**, 10, 355-362		39
1189	Late Weichselian local ice dome configuration and chronology in Northwestern Svalbard: early thinning, late retreat. **2013**, 72, 112-127		25
1188	Timing and nature of alluvial fan and strath terrace formation in the Eastern Precordillera of Argentina. **2013**, 80, 143-168		20
1187	Did rock avalanche deposits modulate the late Holocene advance of Tiedemann Glacier, southern Coast Mountains, British Columbia, Canada?. *Earth and Planetary Science Letters*, **2013**, 384, 154-164	5.3	20
1186	Cosmogenic nuclide constraints on late Quaternary glacial chronology on the Dalijia Shan, northeastern Tibetan Plateau. **2013**, 79, 439-451		28
1185	Zebra stripes in the Atacama Desert: Fossil evidence of overland flow. **2013**, 182, 157-172		24
1184	Last glacial maximum climate based on cosmogenic 10Be exposure ages and glacier modeling for the head of Tashkurgan Valley, northwest Tibetan Plateau. **2013**, 80, 91-101		30
1183	Constraining Holocene lake-level highstands on the Tibetan Plateau by 10Be exposure dating: a case study at Tangra Yumco, southern Tibet. **2013**, 82, 68-77		43

1182	Long-term talus flatirons formation in the hyperarid northeastern Negev, Israel. **2013**, 79, 256-267		13
1181	Geomorphic Mesozoic and Cenozoic evolution in the Oka-Jombolok region (East Sayan ranges, Siberia). **2013**, 62, 117-133		41
1180	10Be dating of river terraces of Santo Domingo river, on Southeastern flank of the Mŕida Andes, Venezuela: Tectonic and climatic implications. **2013**, 48, 85-96		10
1179	Timing of the last glaciation and subsequent deglaciation in the Ruby Mountains, Great Basin, USA. *Earth and Planetary Science Letters*, **2013**, 361, 16-25	5.3	27
1178	Effective closure temperature in leaky and/or saturating thermochronometers. *Earth and Planetary Science Letters*, **2013**, 384, 209-218	5.3	32
1177	How Predictable is Local Erosion Rate in Eroding Landscapes?. **2013**, 231-240		7
1176	Dating Torrential Processes on Fans and Cones. **2013**,		6
1175	Late Occupation of the High-Elevation Northern Tibetan Plateau Based on Cosmogenic, Luminescence, and Radiocarbon Ages. **2013**, 28, 413-431		46
1174	Tectonic implications of fluvial incision and pediment deformation at the northern margin of the Central Anatolian Plateau based on multiple cosmogenic nuclides. **2013**, 32, 1107-1120		27
1173	Chronology of tectonic, geomorphic, and volcanic interactions and the tempo of fault slip near Little Lake, California. **2013**, 125, 1187-1202		13
1172	Analyzing complex rock slope deformation at Stampa, western Norway, by integrating geomorphology, kinematics and numerical modeling. **2013**, 154, 116-130		30
1171	Nature and timing of large landslides within an active orogen, eastern Pamir, China. **2013**, 182, 49-65		21
1170	Latest Pleistocene and Holocene glacier fluctuations in southernmost Tierra del Fuego, Argentina. **2013**, 77, 70-79		41
1169	Active forearc shortening in Tohoku, Japan: Constraints on fault geometry from erosion rates and fluvial longitudinal profiles. **2013**, 195, 84-98		28
1168	Collapse of marine-based outlet glaciers from the Scandinavian Ice Sheet. **2013**, 67, 8-16		45
1167	The deglaciation and neoglaciation of Upernavik Isstrđm, Greenland. **2013**, 80, 459-467		37
1166	Kinetics of argon diffusion in calcite. **2013**, 73, 113-115		3
1165	Snow shielding factors for cosmogenic nuclide dating inferred from Monte Carlo neutron transport simulations. *Earth and Planetary Science Letters*, **2013**, 379, 64-71	5.3	40

1164	Controls on magmatic cycles and development of rift topography of the Manda Hararo segment (Afar, Ethiopia): Insights from cosmogenic 3He investigation of landscape evolution. *Earth and Planetary Science Letters*, **2013**, 367, 133-145	5.3	20
1163	Neogene rejuvenation of central Appalachian topography: Evidence for differential rock uplift from stream profiles and erosion rates. *Earth and Planetary Science Letters*, **2013**, 369-370, 1-12	5.3	110
1162	Paleoglaciation of Shaluli Shan, southeastern Tibetan Plateau. **2013**, 64, 121-135		43
1161	Terrace staircase development in the Southern Pyrenees Foreland: Inferences from 10Be terrace exposure ages at the Segre River. **2013**, 101, 97-112		34
1160	Rapid ice retreat in Disko Bugt supported by 10Be dating of the last recession of the western Greenland Ice Sheet. **2013**, 82, 13-22		39
1159	Late Pleistocene glaciations in the Gissar Range, Tajikistan, based on 10Be surface exposure dating. **2013**, 369, 253-261		26
1158	Application of Schmidt hammer relative age dating to Late Pleistocene moraines and rock glaciers in the Western Tatra Mountains, Slovakia. **2013**, 111, 104-121		33
1157	Erosion rates and weathering history of rock surfaces associated with Aboriginal rock art engravings (petroglyphs) on Burrup Peninsula, Western Australia, from cosmogenic nuclide measurements. **2013**, 69, 98-106		28
1156	Timing and climatic drivers for glaciation across semi-arid western HimalayanâTibetan orogen. **2013**, 78, 188-208		127
1155	Age of the Fjord Stade moraines in the Disko Bugt region, western Greenland, and the 9.3 and 8.2 ka cooling events. **2013**, 60, 76-90		77
1154	Late Pleistocene glacial stratigraphy of the Kumara-Moana region, West Coast of South Island, New Zealand. **2013**, 74, 139-159		29
1153	Cosmogenic 3He age estimates of Plio-Pleistocene alluvial-fan surfaces in the Lower Colorado River Corridor, Arizona, USA. **2013**, 79, 86-99		7
1152	From mountain top to the deep sea âDeglaciation in 4D of the northwestern Barents Sea ice sheet. **2013**, 75, 78-99		65
1151	Cosmogenic 3He production rate in the high tropical Andes (3800 m, 20°S): Implications for the local last glacial maximum. *Earth and Planetary Science Letters*, **2013**, 377-378, 260-275	5.3	42
1150	An in situ 14Câ10Be Bayesian isochron approach for interpreting complex glacial histories. **2013**, 15, 61-66		11
1149	Slip-rates along the Chaman fault: Implication for transient strain accumulation and strain partitioning along the western Indian plate margin. **2013**, 608, 389-400		21
1148	Warming and glacier recession in the Rakaia valley, Southern Alps of New Zealand, during Heinrich Stadial 1. *Earth and Planetary Science Letters*, **2013**, 382, 98-110	5.3	70
1147	Timing of the last Deglaciation in the Sierra Nevada of the Mŕida Andes, Venezuela. **2013**, 80, 482-494		14

1146	Cosmogenic 10Be production rate calibrated against 3He in the high Tropical Andes (3800â4900 m, 20â22° S). *Earth and Planetary Science Letters*, **2013**, 382, 140-149	5.3	40
1145	10Be exposure age constraints on the Late Weichselian ice-sheet geometry and dynamics in inter-ice-stream areas, western Svalbard. **2013**, 42, 43-56		26
1144	5.4 Transform Plate Margins and Strikeâslip Fault Systems. **2013**, 37-70		2
1143	Lowland river responses to intraplate tectonism and climate forcing quantified with luminescence and cosmogenic 10Be. *Earth and Planetary Science Letters*, **2013**, 366, 49-58	5.3	18
1142	Applications of accelerator mass spectrometry. **2013**, 349-350, 203-218		60
1141	Wind as the primary driver of erosion in the Qaidam Basin, China. *Earth and Planetary Science Letters*, **2013**, 374, 1-10	5.3	64
1140	Chemical and physical weathering in south Patagonian rivers: A combined Sr□âBe isotope approach. **2013**, 101, 173-190		5
1139	Modeling the earthâs cosmic radiation. **2013**, 294, 464-469		34
1138	Investigation of the Dashigil mud volcano (Azerbaijan) using beryllium-10. **2013**, 294, 606-610		
1137	Extraction and purification of quartz in rock using hot phosphoric acid for in situ cosmogenic exposure dating. **2013**, 294, 203-207		40
1136	Active faulting, mountain growth, and erosion at the margins of the Tibetan Plateau constrained by in situ-produced cosmogenic nuclides. **2013**, 582, 1-24		68
1135	Dating chert (diagenetic silica) using in-situ produced 10Be: Possible complications revealed through a comparison with 36Cl applied to coexisting limestone. **2013**, 17, 81-93		26
1134	Erosion of a granite inselberg, Gross Spitzkoppe, Namib Desert. **2013**, 201, 52-59		21
1133	Quantifying rates of detachment faulting and erosion in the central Menderes Massif (western Turkey) by thermochronology and cosmogenic 10Be. **2013**, 170, 669-683		26
1132	Spatial and Temporal Variations in Landscape Evolution: Historic and Longer-Term Sediment Flux through Global Catchments. **2013**, 121, 35-56		72
1131	COSMOGENIC NUCLIDE DATING | Landscape Evolution. **2013**, 440-445		
1130	Constraining landscape history and glacial erosivity using paired cosmogenic nuclides in Upernavik, northwest Greenland. **2013**, 125, 1539-1553		40
1129	Covariation of climate and long-term erosion rates across a steep rainfall gradient on the Hawaiian island of Kaua'i. **2013**, 125, 1146-1163		45

1128	Supporting Evidence for a 9.6 ´1 ka Rock Fall Originating from Glacier Point in Yosemite Valley, California. **2013**, 19, 345-361	6
1127	A cosmic trip: 25 years of cosmogenic nuclides in geology. **2013**, 125, 1379-1402	98
1126	Low rates of bedrock outcrop erosion in the central Appalachian Mountains inferred from in situ10Be. **2013**, 125, 201-215	30
1125	Restraining bend tectonics in the Santa Cruz Mountains, California, imaged using 10Be concentrations in river sands. **2013**, 41, 843-846	20
1124	Late Quaternary Slip-Rate Variations along the Warm Springs Valley Fault System, Northern Walker Lane, CaliforniaâNevada Border. **2013**, 103, 542-558	19
1123	West Antarctic Ice Sheet Elevation Changes. **2013**, 75-90	19
1122	Landscape response to Pleistocene-Holocene precipitation change in the Western Cordillera, Peru: 10Be concentrations in modern sediments and terrace fills. **2013**, 118, 2488-2499	22
1121	What does a mean mean? The temporal evolution of detrital cosmogenic denudation rates in a transient landscape. **2013**, 41, 1215-1218	48
1120	Quantifying effects of deep and near-surface chemical erosion on cosmogenic nuclides in soils, saprolite, and sediment. **2013**, 38, 523-533	44
1119	10Be ages of late Pleistocene deglaciation and Neoglaciation in the north-central Brooks Range, Arctic Alaska. **2013**, 28, 95-102	41
1118	Bayesian modelling the retreat of the Irish Sea Ice Stream. **2013**, 28, 200-209	77
1117	Obituary: Devendra Lal (1929â2012). **2013**, 55, v-vii	
1116	Deciphering the driving forces of erosion rates on millennial to million-year timescales in glacially impacted landscapes: An example from the Western Alps. **2013**, 118, 1491-1515	41
1115	Regolith production and transport at the Susquehanna Shale Hills Critical Zone Observatory, Part 2: Insights from meteoric 10Be. **2013**, 118, 1877-1896	76
1114	New age constraints for the maximum extent of the last Britishâ Irish Ice Sheet (NW sector). **2013**, 28, 2-7	24
1113	A 10Be production-rate calibration for the Arctic. **2013**, 28, 515-526	166
1112	Deglaciation chronology of the Galloway Hills Ice Centre, southwest Scotland. **2013**, 28, 412-420	27
1111	Lateglacial rock slope failures in north-west Ireland: age, causes and implications. **2013**, 28, 789-802	27

1110	Cosmogenic Nuclide Buildup in Surficial Materials. **2013**, 61-76	17
1109	COSMOGENIC NUCLIDE DATING | Exposure Geochronology. **2013**, 432-439	2
1108	COSMOGENIC NUCLIDE DATING | Methods. **2013**, 410-417	
1107	Recent erosional history of a soil profile based on cosmogenic in-situ radionuclides 14C and 10Be. **2013**, 371-376	2
1106	COSMOGENIC NUCLIDE DATING | Cosmic Ray Interactions in Minerals. **2013**, 418-431	1
1105	Holocene and â□little Ice Ageâ□glacial activity in the Marbor'Cirque, Monte Perdido Massif, Central Spanish Pyrenees. **2014**, 24, 1439-1452	58
1104	GGR Biennial Critical Review: Analytical Developments Since 2012. **2014**, 38, 467-512	8
1103	Encyclopedia of Scientific Dating Methods. **2014**, 1-10	
1102	Encyclopedia of Scientific Dating Methods. **2014**, 1-23	
1101	The first major incision of the Swiss Deckenschotter landscape. **2014**, 107, 337-347	12
1100	Ice dams, outburst floods, and glacial incision at the western margin of the Tibetan Plateau: A >100 k.y. chronology from the Shyok Valley, Karakoram. **2014**, 126, 738-758	29
1099	Chapter 11 The rock coast of Korea. **2014**, 40, 193-202	6
1098	Controls on denudation rates in tectonically stable Mediterranean carbonate terrain. **2014**, 126, 553-568	35
1097	10Be dating of the Narsarsuaq moraine in southernmost Greenland: evidence for a late-Holocene ice advance exceeding the Little Ice Age maximum. **2014**, 98, 135-143	30
1096	Glacial retreat in the Amundsen Sea sector, West Antarctica â□first cosmogenic evidence from central Pine Island Bay and the Kohler Range. **2014**, 98, 166-173	12
1095	Evidence for the asynchronous retreat of large outlet glaciers in southeast Greenland at the end of the last glaciation. **2014**, 99, 244-259	36
1094	Knickpoint formation, rapid propagation, and landscape response following coastal cliff retreat at the last interglacial sea-level highstand: Kaua'i, Hawai'i. **2014**, 126, 925-942	41
1093	Postglacial denudation of western Tibetan Plateau margin outpaced by long-term exhumation. **2014**, 126, 1580-1594	30

1092	A 10Be-based reconstruction of the last deglaciation in southern Sweden. **2014**, 43, 132-148	30
1091	Transient sediment supply in a high-altitude Alpine environment evidenced through a 10Be budget of the Etages catchment (French Western Alps). **2014**, 39, 890-899	26
1090	Denudation and retreat of the Serra do Mar escarpment in southern Brazil derived from in situ-produced 10Be concentration in river sediment. **2014**, 39, 311-319	20
1089	Late Quaternary glaciation in the Nun-Kun massif, northwestern India. **2014**, 43, 67-89	30
1088	Tectonic control on 10Be-derived erosion rates in the Garhwal Himalaya, India. **2014**, 119, 83-105	105
1087	Quantitative retention of atmospherically deposited elements by native vegetation is traced by the fallout radionuclides 7Be and 210Pb. **2014**, 48, 12022-30	19
1086	Evolution and degradation of flat-top mesas in the hyper-arid Negev, Israel revealed from 10Be cosmogenic nuclides. **2014**, 39, n/a-n/a	4
1085	A 10Be chronology of south-western Scandinavian Ice Sheet history during the Lateglacial period. **2014**, 29, 370-380	27
1084	36Cl production rate from K-spallation in the European Alps (Chironico landslide, Switzerland). **2014**, 29, 407-413	31
1083	West Greenland and global in situ 14C production-rate calibrations. **2014**, 29, 401-406	16
1082	10Be dating of the Main Terrace level in the Amblève valley (Ardennes, Belgium): new age constraint on the archaeological and palaeontological filling of the Belle-Roche palaeokarst. **2014**, 43, 528-542	16
1081	Combined uranium series and 10Be cosmogenic exposure dating of surface abandonment: A case study from the Ögiy strike-slip fault in western Mongolia. **2014**, 24, 27-43	9
1080	A Paleogeographic Model of the Galápagos Islands and Biogeographical and Evolutionary Implications. **2014**, 145-166	39
1079	The Chironico landslide (Valle Leventina, southern Swiss Alps): age and evolution. **2014**, 107, 273-291	59
1078	Detection of Supernova Neutrinos on the Earth for Large 13. **2014**, 61, 226-234	3
1077	The long-term denudation rate of granitic regolith in Qinhuangdao, North China determined from the in situ depth profile of the cosmogenic nuclides 26Al and 10Be. **2014**, 59, 4823-4828	4
1076	Quantifying sediment supply at the end of the last glaciation: Dynamic reconstruction of an alpine debris-flow fan. **2014**, 126, 773-790	19
1075	Timing of retreat of the Reuss Glacier (Switzerland) at the end of the Last Glacial Maximum. **2014**, 107, 293-307	22

1074	Unraveling tectonic and climatic controls on synorogenic growth strata (Northern Apennines, Italy). **2014**, 126, 532-552	45
1073	Last Deglaciation Climatic Fluctuation Record by the Palaeo-Daocheng Ice Cap, Southeastern Qinghai-Tibetan Plateau. **2014**, 88, 1863-1874	5
1072	Late Holocene fluctuations of Qori Kalis outlet glacier, Quelccaya Ice Cap, Peruvian Andes. **2014**, 42, 347-350	19
1071	Expanded glaciers during a dry and cold Last Glacial Maximum in equatorial East Africa. **2014**, 42, 519-522	22
1070	Cosmogenic 10Be dating of ice sheet marginal belts in Mecklenburg-Vorpommern, Western Pomerania (northeast Germany). **2014**, 19, 42-51	29
1069	Tracking the pace of Quaternary landscape change with cosmogenic nuclides. **2014**, 19, 1-3	2
1068	Progressive glacial retreat in the Southern Altiplano (Uturuncu volcano, 22°S) between 65 and 14 ka constrained by cosmogenic 3He dating. **2014**, 82, 209-221	24
1067	An early advance of glaciers on Mount Akda□SW Turkey, before the global Last Glacial Maximum; insights from cosmogenic nuclides and glacier modeling. **2014**, 88, 96-109	68
1066	Latest PleistoceneâHolocene debris flow activity, Santa Catalina Mountains, Arizona; Implications for modern debris-flow hazards under a changing climate. **2014**, 219, 87-102	6
1065	Controls upon the Last Glacial Maximum deglaciation of the northern Uummannaq Ice Stream System, West Greenland. **2014**, 92, 324-344	34
1064	Combining surface exposure dating and burial dating from paired cosmogenic depth profiles. Example of El Lẽhite alluvial fan in Huſcal-Overa basin (SE Iberia). **2014**, 19, 127-134	7
1063	Reconstruction of changes in the Amundsen Sea and Bellingshausen Sea sector of the West Antarctic Ice Sheet since the Last Glacial Maximum. **2014**, 100, 55-86	68
1062	Lavini di Marco (Trentino, Italy): 36Cl exposure dating of a polyphase rock avalanche. **2014**, 19, 106-116	25
1061	Grain size-dependent 10Be concentrations in alluvial stream sediment of the Huasco Valley, a semi-arid Andes region. **2014**, 19, 163-172	33
1060	Late-Cenozoic relief evolution under evolving climate: A review. **2014**, 614, 44-65	40
1059	Linking morphology across the glaciofluvial interface: A 10Be supported chronology of glacier advances and terrace formation in the Garonne River, northern Pyrenees, France. **2014**, 207, 71-95	30
1058	Little Ice Age on the Tibetan Plateau and its bordering mountains: Evidence from moraine chronologies. **2014**, 116, 41-53	39
1057	The glacial (MIS 3-2) outlet glacier of the Marsyandi Nadi-icestream-network with its Ngadi Khola tributary glacier (Manaslu- and Lamjung Himalaya): The reconstructed lowering of the Marsyandi Nadi ice stream tongue down in to the southern Himalaya Foreland. **2014**, 11, 236-287	2

1056	10Be dating of boulders on moraines from the last glacial period in the Nyainqentanglha mountains, Tibet. **2014**, 57, 221-231		26
1055	Scaling in situ cosmogenic nuclide production rates using analytical approximations to atmospheric cosmic-ray fluxes. *Earth and Planetary Science Letters*, **2014**, 386, 149-160	5.3	386
1054	10Be surface exposure ages on the late-Pleistocene and Holocene history of Linnbreen on Svalbard. **2014**, 89, 5-12		37
1053	Nature and timing of Quaternary glaciation in the Himalayanâ□Tibetan orogen. **2014**, 88, 14-54		173
1052	Cosmogenic Nuclide Burial Dating in Archaeology and Paleoanthropology. **2014**, 81-97		12
1051	Rapid thinning of Pine Island Glacier in the early Holocene. **2014**, 343, 999-1001		49
1050	A chronology of Holocene and Little Ice Age glacier culminations of the Steingletscher, Central Alps, Switzerland, based on high-sensitivity beryllium-10 moraine dating. *Earth and Planetary Science Letters*, **2014**, 393, 220-230	5.3	82
1049	A geochronologic framework for the Ziegler Reservoir fossil site, Snowmass Village, Colorado. **2014**, 82, 490-503		27
1048	Rapid soil production and weathering in the Southern Alps, New Zealand. **2014**, 343, 637-40		129
1047	Unbalanced sediment budgets in the catchmentâalluvial fan system of the Kuitun River (northern Tian Shan, China): Implications for mass-balance estimates, denudation and sedimentation rates in orogenic systems. **2014**, 214, 168-182		21
1046	Late Quaternary alluvial fans at the eastern end of the San Bernardino Mountains, Southern California. **2014**, 87, 114-134		37
1045	Dynamics and retreat of the Late Weichselian Kongsfjorden ice stream, NW Svalbard. **2014**, 92, 235-245		22
1044	Investigation of late-Holocene moraines in the western Southern Alps, New Zealand, applying Schmidt-hammer exposure-age dating. **2014**, 24, 48-66		21
1043	How fast does soil grow?. **2014**, 216, 48-61		71
1042	Rock-slope failure following Late Pleistocene deglaciation on tectonically stable mountainous terrain. **2014**, 86, 144-157		131
1041	10Be exposure dating of river terraces at the southern mountain front of the Dzungarian Alatau (SE Kazakhstan) reveals rate of thrust faulting over the past ~ 400 ka. **2014**, 81, 168-178		19
1040	Cosmogenic 3He exposure ages of basalt flows in the northwestern Payñ Matru volcanic field, Mendoza Province, Argentina. **2014**, 19, 67-75		10
1039	Tectonic control of Yarlung Tsangpo Gorge revealed by a buried canyon in Southern Tibet. **2014**, 346, 978-81		120

1038	Using in situ cosmogenic 10Be to identify the source of sediment leaving Greenland. **2014**, 39, 1087-1100		25
1037	Modelling glacier advances and related climate conditions during the last glaciation cycle in the Kuzigun Valley, Tashkurgan catchment, on the north-west Tibetan Plateau. **2014**, 29, 279-288		9
1036	Enhanced rock-slope failure following ice-sheet deglaciation: timing and causes. **2014**, 39, 900-913		63
1035	The influence of bedrock orientation on the landscape evolution, surface morphology and denudation (10Be) at the Niesen, Switzerland. **2014**, 39, 1153-1166		21
1034	Minor inheritance inhibits the calibration of the 10Be production rate from the AD 1717 Val Ferret rock avalanche, European Alps. **2014**, 29, 318-328		8
1033	Quantifying the impact of former glaciation on catchment-wide denudation rates derived from cosmogenic 10Be. **2014**, 26, 186-194		8
1032	The Nuts and Bolts of Cosmogenic Nuclide Production. **2014**, 10, 347-350		11
1031	Cosmogenic noble gas paleothermometry. *Earth and Planetary Science Letters*, **2014**, 400, 195-205	5.3	20
1030	Cosmogenic Nuclides in Weathering and Erosion. **2014**, 401-436		27
1029	Surface exposure dating reveals MIS-3 glacial maximum in the Khangai Mountains of Mongolia. **2014**, 82, 297-308		42
1028	The impact of diamond extraction on natural denudation rates in the Diamantina Plateau (Minas Gerais, Brazil). **2014**, 56, 357-364		3
1027	Quaternary landscape development, alluvial fan chronology and erosion of the Mecca Hills at the southern end of the San Andreas Fault zone. **2014**, 105, 66-85		14
1026	Quantifying Geomorphic Controls on Time in Weathering Systems. **2014**, 10, 249-253		1
1025	Timing of terminal Pleistocene deglaciation at high elevations in southern and central British Columbia constrained by 10Be exposure dating. **2014**, 99, 193-202		18
1024	Grain-size dependent concentration of cosmogenic 10Be and erosion dynamics in a landslide-dominated Himalayan watershed. **2014**, 224, 55-68		32
1023	Constraints on the late Quaternary glacial history of the Inylchek and Sary-Dzaz valleys from in situ cosmogenic 10Be and 26Al, eastern Kyrgyz Tian Shan. **2014**, 101, 77-90		23
1022	Glacier advances in northeastern Turkey before and during the global Last Glacial Maximum. **2014**, 101, 177-192		30
1021	Snow shielding factors for cosmogenic nuclide dating inferred from long-term neutron detector monitoring. **2014**, 24, 16-26		37

1020	10Be constrains the sediment sources and sediment yields to the Great Barrier Reef from the tropical Barron River catchment, Queensland, Australia. **2014**, 224, 102-110		20
1019	Quantitative study of tectonic geomorphology along Haiyuan fault based on airborne LiDAR. **2014**, 59, 2396-2409		17
1018	Direct comparison of site-specific and basin-scale denudation rate estimation by in situ cosmogenic nuclides: an example from the Abukuma Mountains, Japan. **2014**, 1, 9		8
1017	Earliest Holocene south Greenland ice sheet retreat within its late Holocene extent. **2014**, 41, 5514-5521		45
1016	Reconstruction of ice-sheet changes in the Antarctic Peninsula since the Last Glacial Maximum. **2014**, 100, 87-110		107
1015	Cosmogenic Erosion Rate Estimation from Detrital Olivine without Soil Characterization: The Case of the Matatia Basin (Tahiti Island). **2014**, 10, 254-259		1
1014	Terrestrial and submarine evidence for the extent and timing of the Last Glacial Maximum and the onset of deglaciation on the maritime-Antarctic and sub-Antarctic islands. **2014**, 100, 137-158		71
1013	A long-term rock uplift rate for eastern Crete and geodynamic implications for the Hellenic subduction zone. **2014**, 78, 21-31		19
1012	Timing and climatic drivers for glaciation across monsoon-influenced regions of the Himalayanâ□Tibetan orogen. **2014**, 88, 159-182		95
1011	Simple computer code for estimating cosmic-ray shielding by oddly shaped objects. **2014**, 22, 175-182		11
1010	Growth and decay of a marine terminating sector of the last Britishâ□Irish Ice Sheet: a geomorphological reconstruction. **2014**, 83, 28-45		42
1009	Glacialâ□Interglacial variation in denudation rates from interior Texas, USA, established with cosmogenic nuclides. *Earth and Planetary Science Letters*, **2014**, 390, 209-221	5.3	33
1008	Pyroxene separation by HF leaching and its impact on helium surface-exposure dating. **2014**, 23, 1-8		12
1007	Chronology of Lateglacial ice flow reorganization and deglaciation in the Gotthard Pass area, Central Swiss Alps, based on cosmogenic 10Be and in situ 14C. **2014**, 19, 14-26		38
1006	How fast is the denudation of the Taiwan mountain belt? Perspectives from in situ cosmogenic 10Be. **2014**, 88, 230-245		26
1005	Glacier response to the change in atmospheric circulation in the eastern Mediterranean during the Last Glacial Maximum. **2014**, 19, 27-41		47
1004	The deglaciation history of the Simplon region (southern Swiss Alps) constrained by 10Be exposure dating of ice-molded bedrock surfaces. **2014**, 84, 26-38		19
1003	Rapid early Holocene ice retreat in West Greenland. **2014**, 92, 310-323		50

1002	Geological scatter of cosmogenic-nuclide exposure ages in the Shackleton Range, Antarctica: Implications for glacial history. **2014**, 19, 52-66		14
1001	Cosmogenic 3He and 21Ne surface exposure dating of young basalts from Southern Mendoza, Argentina. **2014**, 19, 76-86		19
1000	Surface exposure dating of young basalts (1â200 ka) in the San Francisco volcanic field (Arizona, USA) using cosmogenic 3He and 21Ne. **2014**, 19, 87-105		20
999	Cosmogenic nuclides in buried sediments from the hyperarid Atacama Desert, Chile. **2014**, 19, 117-126		6
998	Effects of sediment mixing on 10Be concentrations in the Zielbach catchment, central-eastern Italian Alps. **2014**, 19, 148-162		27
997	Holocene rockfalls in the southern Negev Desert, Israel and their relation to Dead Sea fault earthquakes. **2014**, 81, 260-273		10
996	Holocene fluctuations of Bregne ice cap, Scoresby Sund, east Greenland: a proxy for climate along the Greenland Ice Sheet margin. **2014**, 92, 357-368		46
995	Dilution of 10Be in detrital quartz by earthquake-induced landslides: Implications for determining denudation rates and potential to provide insights into landslide sediment dynamics. *Earth and Planetary Science Letters*, **2014**, 396, 143-153	5.3	64
994	Methods for measuring rock surface weathering and erosion: A critical review. **2014**, 135, 141-161		94
993	26Al/10Be dating of an aeolian dust mantle soil in western New South Wales, Australia. **2014**, 219, 201-212		5
992	Timing and extent of Quaternary glaciations in the Tianger Range, eastern Tian Shan, China, investigated using 10Be surface exposure dating. **2014**, 98, 7-23		49
991	Correspondence on âErosion rates and weathering history of rock surfaces associated with Aboriginal rock art engravings (petroglyphs) on Burrup Peninsula, Western Australia, from cosmogenic nuclide measurementsâby Brad Pillans and Keith Fifield. Quaternary Science Reviews 69: 98â106, 2014, 91, 70-73		5
990	Climatically controlled formation of river terraces in a tectonically active region along the southern piedmont of the Tian Shan, NW China. **2014**, 220, 15-29		24
989	East Antarctic deglaciation and the link to global cooling during the Quaternary: evidence from glacial geomorphology and 10Be surface exposure dating of the Sï Rondane Mountains, Dronning Maud Land. **2014**, 97, 102-120		35
988	Patterns of landscape evolution on the central and northern Tibetan Plateau investigated using in-situ produced 10Be concentrations from river sediments. *Earth and Planetary Science Letters*, **2014**, 398, 77-89	5.3	19
987	Glacial morphology in the Chinese Pamir: Connections among climate, erosion, topography, lithology and exhumation. **2014**, 221, 1-17		8
986	Late Quaternary valley infill and dissection in the Indus River, western Tibetan Plateau margin. **2014**, 94, 102-119		47
985	Mid-Holocene cluster of large-scale landslides revealed in the Southwestern Alps by 36Cl dating. Insight on an Alpine-scale landslide activity. **2014**, 90, 106-127		80

984	Estimating the return times of great Himalayan earthquakes in eastern Nepal: Evidence from the Patu and Bardibas strands of the Main Frontal Thrust. **2014**, 119, 7123-7163	144
983	Implementation of Maximum-Likelihood Expectation-Maximization Algorithm for Tomographic Reconstruction of TDLAT Measurements. **2014**,	5
982	Formation and geomorphologic history of the Lonar impact crater deduced from in situ cosmogenic 10Be and 26Al. **2014**, 15, 3190-3197	12
981	Coastal glaciers advanced onto Jameson Land, East Greenland during the late glacialâEarly Holocene Milne Land Stade. **2014**, 33, 20313	9
980	Eruption Rates for Fernandina Volcano. **2014**, 41-54	14
979	Features of the glacial history of the Transantarctic Mountains inferred from cosmogenic 26Al, 10Be and 21Ne concentrations in bedrock surfaces. **2014**, 26, 708-723	19
978	Late Quaternary glacial history constrains glacio-isostatic rebound in Enderby Land, East Antarctica. **2014**, 119, 401-413	11
977	Effects of a tectonically-triggered wave of incision on riverine exports and soil mineralogy in the Luquillo Mountains of Puerto Rico. **2015**, 63, 586-598	25
976	Preface âThe CRONUS-EARTH Volume. **2015**, 26, 1-2	1
975	Multiple advances of Alpine glaciers into the Jura Mountains in the Northwestern Switzerland. **2015**, 108, 225-238	18
974	Slow Cenozoic uplift of the western Andean Cordillera indicated by cosmogenic 3He in alluvial boulders from the Pacific Planation Surface. **2015**, 42, 8448-8455	25
973	Active basement uplift of Sierra Pie de Palo (Northwestern Argentina): Rates and inception from10Be cosmogenic nuclide concentrations. **2015**, 34, 1129-1153	24
972	Latest Pleistocene and Holocene slip rates on the Lone Mountain fault: Evidence for accelerating slip in the Silver Peak-Lone Mountain extensional complex. **2015**, 34, 449-463	9
971	Combining contemporary and long-term erosion rates to target erosion hot-spots in the Great Barrier Reef, Australia. **2015**, 10, 1-12	19
970	In situ cosmogenic 10Be production rate in the High Tropical Andes. **2015**, 30, 54-68	32
969	A new Holocene eruptive history of Erebus volcano, Antarctica using cosmogenic 3He and 36Cl exposure ages. **2015**, 30, 114-131	16
968	Flood-flipped boulders: In-situ cosmogenic nuclide modeling of flood deposits in the monsoon tropics of Australia. **2015**, 43, 43-46	7
967	Erosion of a high-altitude, low-relief area on the Korean Peninsula: implications for its development processes and evolution. **2015**, 40, 1730-1745	5

966	Defining rates of landscape evolution in a south Tibetan graben with in situ-produced cosmogenic 10Be. **2015**, 40, 1862-1876	12
965	Late Holocene fluctuations of Quelccaya Ice Cap, Peru, registered by nearby lake sediments. **2015**, 30, 830-840	5
964	Holocene geologic slip rate for the Banning strand of the southern San Andreas Fault, southern California. **2015**, 120, 5639-5663	20
963	Improved discrimination of subglacial and periglacial erosion using 10Be concentration measurements in subglacial and supraglacial sediment load of the Bossons glacier (Mont Blanc massif, France). **2015**, 40, 1202-1215	20
962	A Lateglacial 10Be production rate from glacial lake shorelines in Scotland. **2015**, 30, 509-513	25
961	A test of the cosmogenic 3He production rate in the south-west Pacific (39°S). **2015**, 30, 79-87	17
960	Bedrock bedding, landsliding and erosional budgets in the Central European Alps. **2015**, 27, 370-378	24
959	The influence of ice marginal setting on early Holocene retreat rates in central West Greenland. **2015**, 30, 271-280	18
958	Understanding erosion rates in the Himalayan orogen: A case study from the Arun Valley. **2015**, 120, 2080-2102	30
957	Very slow erosion rates and landscape preservation across the southwestern slope of the Ladakh Range, India. **2015**, 40, 389-402	16
956	Late Miocene northward propagation of the northeast Pamir thrust system, northwest China. **2015**, 34, 510-534	60
955	Quantification of both normal and right-lateral late Quaternary activity along the Kongur Shan extensional system, Chinese Pamir. **2015**, 27, 379-391	12
954	High natural erosion rates are the backdrop for present-day soil erosion in the agricultural Middle Hills of Nepal. **2015**, 3, 363-387	10
953	How many and from where? Assessing the sensitivity of exposure durations calculated from paired bedrock 14 C/ 10 Be measurements in glacial troughs. **2015**, 29, 1-5	3
952	Geomorphology and weathering characteristics of erratic boulder trains on Tierra del Fuego, southernmost South America: Implications for dating of glacial deposits. **2015**, 228, 382-397	27
951	A new AMS facility at Inter University Accelerator Centre, New Delhi. **2015**, 361, 115-119	15
950	Rapid and early deglaciation in the central Brooks Range, Arctic Alaska. **2015**, 43, 419-422	15
949	36Cl terrestrial cosmogenic nuclide dating suggests Late Pleistocene to Early Holocene mass movements on the south face of Aconcagua mountain and in the Las CuevasâĦorcones valleys, Central Andes, Argentina. **2015**, 399, 345-368	13

948	Glacier maxima in Baffin Bay during the Medieval Warm Period coeval with Norse settlement. **2015**, 1, e1500806		37
947	Extensive MIS 3 glaciation in southernmost Patagonia revealed by cosmogenic nuclide dating of outwash sediments. *Earth and Planetary Science Letters*, **2015**, 429, 157-169	5.3	35
946	Frost for the trees: Did climate increase erosion in unglaciated landscapes during the late Pleistocene?. **2015**, 1, e1500715		53
945	Dating alluvial fan surfaces in Owens Valley, California, using weathering fractures in boulders. **2015**, 40, 487-501		18
944	Reconstructing the Timing of Flash Floods Using 10Be Surface Exposure Dating at Leidy Creek Alluvial Fan and Valley, White Mountains, CaliforniaâNevada, USA. **2015**, 83, 178-186		4
943	Erosion rates and landscape evolution of the lowlands of the Upper Paraguay river basin (Brazil) from cosmogenic 10Be. **2015**, 234, 151-160		14
942	Quantifying soil loss with in-situ cosmogenic 10Be and 14C depth-profiles. **2015**, 27, 78-93		11
941	Erosion rates of the Bhutanese Himalaya determined using in situ-produced 10Be. **2015**, 233, 112-126		44
940	Climate-induced changes in sediment supply revealed by surface exposure dating of Sijiquan River terraces, northeastern Tibet. **2015**, 235, 15-26		5
939	Distribution of the Late-Quaternary deformation in Northwestern Himalaya. *Earth and Planetary Science Letters*, **2015**, 411, 241-252	5.3	42
938	Maximum extent of Late Pleistocene glaciers and last deglaciation of La Cerdanya mountains, Southeastern Pyrenees. **2015**, 231, 116-129		58
937	Quaternary uplift rates of the Central Anatolian Plateau, Turkey: insights from cosmogenic isochron-burial nuclide dating of the Kž̄ž̄mak River terraces. **2015**, 107, 81-97		54
936	The Southern Glacial Maximum 65,000 years ago and its Unfinished Termination. **2015**, 114, 52-60		60
935	Active mountain building along the eastern Colombian Subandes: A folding history from deformed terraces across the Tame anticline, Llanos Basin. **2015**, 127, 1155-1173		13
934	Physics-based modeling of cosmogenic nuclides part I â Radiation transport methods and new insights. **2015**, 26, 29-43		19
933	Single grain optically stimulated luminescence dating of glacial sediments from the Baiyu Valley, southeastern Tibet. **2015**, 30, 314-319		8
932	Early Holocene collapse of Volcã Parinacota, central Andes, Chile: Volcanological and paleohydrological consequences. **2015**, 127, 1681-1688		6
931	Spatial variability of 10 Be-derived erosion rates across the southern Peninsular Indian escarpment: A key to landscape evolution across passive margins. *Earth and Planetary Science Letters*, **2015**, 425, 154-167	5.3	49

930	Resolving the integral connection between pedogenesis and landscape evolution. **2015**, 150, 102-120		59
929	Physics-based modeling of cosmogenic nuclides part II â Key aspects of in-situ cosmogenic nuclide production. **2015**, 26, 44-55		24
928	Early break-up of the Norwegian Channel Ice Stream during the Last Glacial Maximum. **2015**, 107, 231-242		38
927	Late glacial fluctuations of the Laurentide Ice Sheet in the White Mountains of Maine and New Hampshire, U.S.A.. **2015**, 83, 522-530		13
926	Hillslope lowering rates and mobile-regolith residence times from in situ and meteoric10Be analysis, Boulder Creek Critical Zone Observatory, Colorado. **2015**, 127, 862-878		26
925	The role of waterfalls and knickzones in controlling the style and pace of landscape adjustment in the western San Gabriel Mountains, California. **2015**, 127, 539-559		51
924	The unusual temporal and spatial slip history of the Wassuk Range normal fault, western Nevada (USA): Implications for seismic hazard and Walker Lane deformation. **2015**, 127, 737-758		5
923	Extracting dynamic topography from river profiles and cosmogenic nuclide geochronology in the Middle Atlas and the High Plateaus of Morocco. **2015**, 663, 95-109		15
922	Rapid last-deglacial thinning and retreat of the marine-terminating southwestern Greenland ice sheet. *Earth and Planetary Science Letters*, **2015**, 426, 1-12	5.3	36
921	Paleodischarge of the Mojave River, southwestern United States, investigated with single-pebble measurements of10Be. **2015**, 11, 1158-1171		1
920	Correlation of fluvial terraces and temporal steady-state incision on the onshore Makran accretionary wedge in southeastern Iran: Insight from channel profiles and 10Be exposure dating of strath terraces. **2015**, 127, 560-583		9
919	A lake-level chronology based on feldspar luminescence dating of beach ridges at Tangra Yum Co (Southern Tibet). **2015**, 83, 469-478		29
918	Centennial- to Millennial-Scale Geomagnetic Field Variations. **2015**, 309-341		15
917	A new Scandinavian reference 10Be production rate. **2015**, 29, 104-115		47
916	Cosmogenic exposure age evidence for rapid Laurentide deglaciation of the Katahdin area, west-central Maine, USA, 16 to 15 ka. **2015**, 116, 95-105		14
915	Analytical procedure of neon measurements on GV 5400 noble gas mass spectrometer and its evaluation by quartz standard CREU-1. **2015**, 380, 26-33		8
914	Dating Pleistocene deltaic deposits using in-situ 26Al and 10Be cosmogenic nuclides. **2015**, 28, 71-79		3
913	Depth-dependence of the production rate of in situ 14C in quartz from the Leymon High core, Spain. **2015**, 28, 80-87		19

912	Landscape Evolution. **2015**, 593-630		2
911	Geomorphology reveals active dčollement geometry in the central Himalayan seismic gap. **2015**, 7, 247-256		40
910	Late Quaternary glacial history of the Karlik Range, easternmost Tian Shan, derived from 10Be surface exposure and optically stimulated luminescence datings. **2015**, 115, 17-27		39
909	10Be-derived denudation rates from the Burdekin catchment: The largest contributor of sediment to the Great Barrier Reef. **2015**, 241, 122-134		10
908	Sequence and chronology of the Cuerpo de Hombre paleoglacier (Iberian Central System) during the last glacial cycle. **2015**, 129, 163-177		46
907	Analyses of past and present rock slope instabilities in a fjord valley: Implications for hazard estimations. **2015**, 248, 464-474		27
906	Increased late Pleistocene erosion rates during fluvial aggradation in the Garhwal Himalaya, northern India. *Earth and Planetary Science Letters*, **2015**, 428, 255-266	5.3	52
905	Cosmogenic 10Be and 26Al Chronology of the Last Glaciation of the Palaeo-Daocheng Ice Cap, Southeastern Qinghai-Tibetan Plateau. **2015**, 89, 575-584		6
904	Effect of vegetation cover on millennial-scale landscape denudation rates in East Africa. **2015**, 7, 408-420		43
903	Spatial variability of African dust in soils in a montane tropical landscape in Puerto Rico. **2015**, 412, 69-81		9
902	Late Pleistocene glaciations of the arid subtropical Andes and new results from the Chajnantor Plateau, northern Chile. **2015**, 128, 98-116		21
901	Surface exposure chronology of the Waimakariri glacial sequence in the Southern Alps of New Zealand: Implications for MIS-2 ice extent and LGM glacial mass balance. *Earth and Planetary Science Letters*, **2015**, 429, 69-81	5.3	19
900	COSMOGENIC 21Ne AND 10Be REVEAL A MORE THAN 2 Ma ALLUVIAL FAN FLANKING THE CAPE MOUNTAINS, SOUTH AFRICA. **2015**, 118, 129-144		15
899	Regional and global forcing of glacier retreat during the last deglaciation. **2015**, 6, 8059		55
898	A multi-nuclide approach to constrain landscape evolution and past erosion rates in previously glaciated terrains. **2015**, 30, 100-113		18
897	New chronology for the southern Kalahari Group sediments with implications for sediment-cycle dynamics and early hominin occupation. **2015**, 84, 118-132		24
896	Repeated Holocene rock avalanches onto the Brenva Glacier, Mont Blanc massif, Italy: A chronology. **2015**, 126, 186-200		28
895	Dating Methods I. **2015**, 55-101		0

894	References. **2015**, 559-665		
893	Landscape chronology and glacial history in Thule, northwest Greenland. **2015**, 109, 57-67		21
892	Rate of fluvial incision in the Central Alps constrained through joint inversion of detrital 10Be and thermochronometric data. *Earth and Planetary Science Letters*, **2015**, 411, 27-36	5.3	17
891	A locally calibrated, late glacial 10Be production rate from a low-latitude, high-altitude site in the Peruvian Andes. **2015**, 26, 70-85		66
890	Interlaboratory comparison of cosmogenic 21 Ne in quartz. **2015**, 26, 20-28		31
889	Quantifying variable erosion rates to understand the coupling of surface processes in the Teton Range, Wyoming. **2015**, 228, 409-420		5
888	Late Quaternary alluvial fans of Emli Valley in the Ecemi Fault Zone, south central Turkey: Insights from cosmogenic nuclides. **2015**, 228, 512-525		20
887	The CAIRN method: automated, reproducible calculation of catchment-averaged denudation rates from cosmogenic nuclide concentrations. **2016**, 4, 655-674		35
886	Glaciation's topographic control on Holocene erosion at the eastern edge of the Alps. **2016**, 4, 895-909		13
885	Landslide deposits as stratigraphical markers for a sequence-based glacial stratigraphy: a case study of a Younger Dryas system in the Eastern Alps. **2016**, 45, 537-551		17
884	The predominance of post-wildfire erosion in the long-term denudation of the Valles Caldera, New Mexico. **2016**, 121, 843-864		23
883	Climate-driven sediment aggradation and incision since the late Pleistocene in the NW Himalaya, India. *Earth and Planetary Science Letters*, **2016**, 449, 321-331	5.3	33
882	Advance, deglacial and sea-level chronology for Foxe Peninsula, Baffin Island, Nunavut. **2016**, 45, 439-454		4
881	Million year old ice found under meter thick debris layer in Antarctica. **2016**, 43, 6995-7001		14
880	Reconciling tectonic shortening, sedimentation and spatial patterns of erosion from 10Be paleo-erosion rates in the Argentine Precordillera. *Earth and Planetary Science Letters*, **2016**, 450, 173-185	5.3	22
879	A practical tool for examining paleoerosion rates from sedimentary deposits using cosmogenic radionuclides: Examples from hypothetical scenarios and data. **2016**, 17, 5078-5088		4
878	Evidence for the stability of the West Antarctic Ice Sheet divide for 1.4 million years. **2016**, 7, 10325		24
877	A Case Study Using 10Be-26Al Exposure Dating at the Xiâ n AMS Center. **2016**, 58, 193-203		7

876	The deep accumulation of 10Be at Utsira, southwestern Norway: Implications for cosmogenic nuclide exposure dating in peripheral ice sheet landscapes. **2016**, 43, 9121-9129		35
875	The build-up, configuration, and dynamical sensitivity of the Eurasian ice-sheet complex to Late Weichselian climatic and oceanic forcing. **2016**, 153, 97-121		108
874	A persistent and dynamic East Greenland Ice Sheet over the past 7.5 million years. **2016**, 540, 256-260		48
873	The Longriqu fault zone, eastern Tibetan Plateau: Segmentation and Holocene behavior. **2016**, 35, 565-585		17
872	Dating the southern African landscape. 99-120		1
871	Climate-change versus landslide origin of fill terraces in a rapidly eroding bedrock landscape: San Gabriel River, California. **2016**, 128, 1228-1248		14
870	Long-term background denudation rates of southern and southeastern Brazilian watersheds estimated with cosmogenic 10Be. **2016**, 268, 54-63		17
869	Tectonic-geomorphology of the Litang fault system, SE Tibetan Plateau, and implication for regional seismic hazard. **2016**, 682, 278-292		31
868	Subtropical denudation rates of granitic regolith along a hill ridge in Longnan, SE China derived from cosmogenic nuclide depth-profiles. **2016**, 117, 146-152		12
867	Final deglaciation of the Scandinavian Ice Sheet and implications for the Holocene global sea-level budget. *Earth and Planetary Science Letters*, **2016**, 448, 34-41	5.3	51
866	Dating buried glacier ice using cosmogenic 3He in surface clasts: Theory and application to Mullins Glacier, Antarctica. **2016**, 140, 75-100		13
865	Revealing magma degassing below closed-conduit active volcanoes: Geochemical features of volcanic rocks versus fumarolic fluids at Vulcano (Aeolian Islands, Italy). **2016**, 248-251, 272-287		25
864	CRONUS-Earth calibration samples from the Huancan'll moraines, Quelccaya Ice Cap, Peru. **2016**, 31, 220-236		10
863	Timing and rates of Holocene normal faulting along the Black Mountains fault zone, Death Valley, USA. **2016**, 8, 3-22		10
862	Cenozoic rejuvenation events of Massif Central topography (France): Insights from cosmogenic denudation rates and river profiles. *Earth and Planetary Science Letters*, **2016**, 444, 179-191	5.3	20
861	Assessing the effect of a major storm on 10BE concentrations and inferred basin-averaged denudation rates. **2016**, 34, 58-68		15
860	10Be surface-exposure age dating of the Last Glacial Maximum in the northern Pamir (Tajikistan). **2016**, 34, 47-57		6
859	Major temporal variations in shortening rate absorbed along a large active fold of the southeastern Tianshan piedmont (China). *Earth and Planetary Science Letters*, **2016**, 434, 333-348	5.3	44

858	Measured rates of sedimentation: What exactly are we estimating, and why?. **2016**, 339, 151-171		17
857	Using (1)(0)Be cosmogenic isotopes to estimate erosion rates and landscape changes during the Plio-Pleistocene in the Cradle of Humankind, South Africa. **2016**, 96, 19-34		14
856	Post-tectonic landscape evolution of a coupled basin and range: Pinaleô Mountains and Safford Basin, southeastern Arizona. **2016**, 128, 469-486		9
855	Long term low latitude and high elevation cosmogenic 3He production rate inferred from a 107 ka-old lava flow in northern Chile; 22°S-3400 m a.s.l.. **2016**, 184, 71-87		13
854	10Be ages of flood deposits west of Lake Nipigon, Ontario: evidence for eastward meltwater drainage during the early Holocene Epoch. **2016**, 53, 321-330		8
853	Last Glacial Maximum cirque glaciation in Ireland and implications for reconstructions of the Irish Ice Sheet. **2016**, 141, 85-93		16
852	Shortening rate and Holocene surface rupture on the Riasi fault system in the Kashmir Himalaya: Active thrusting within the Northwest Himalayan orogenic wedge. **2016**, 128, 1070-1094		33
851	Timing and nature of alluvial fan development along the Chajnantor Plateau, northern Chile. **2016**, 273, 412-427		10
850	Combined cosmogenic 10Be, in situ 14C and 36Cl concentrations constrain Holocene history and erosion depth of Grueben glacier (CH). **2016**, 109, 379-388		11
849	Regolith production and chemical weathering of granitic rocks in central Chile. **2016**, 446, 87-98		28
848	Was Scotland deglaciated during the Younger Dryas?. **2016**, 145, 259-263		32
847	Mid-late Pleistocene glacial evolution in the Grove Mountains, East Antarctica, constraints from cosmogenic 10Be surface exposure dating of glacial erratic cobbles. **2016**, 145, 71-81		5
846	Final Laurentide ice-sheet deglaciation and Holocene climate-sea level change. **2016**, 152, 49-59		61
845	The cosmogenic record of mountain erosion transmitted across a foreland basin: Source-to-sink analysis of in situ 10 Be, 26 Al and 21 Ne in sediment of the Po river catchment. *Earth and Planetary Science Letters*, **2016**, 452, 258-271	5.3	31
844	The timing and cause of glacial advances in the southern mid-latitudes during the last glacial cycle based on a synthesis of exposure ages from Patagonia and New Zealand. **2016**, 149, 200-214		42
843	Two million years of river and cave aggradation in NE Brazil: Implications for speleogenesis and landscape evolution. **2016**, 273, 63-77		13
842	The last Eurasian ice sheets â chronological database and time-slice reconstruction, DATED-1. **2016**, 45, 1-45		557
841	A deglaciation model of the Oberhasli, Switzerland. **2016**, 31, 46-59		37

840	Glacier fluctuations during the past 2000 years. **2016**, 149, 61-90	117
839	A cosmogenic 10Be chronology for the local last glacial maximum and termination in the Cordillera Oriental, southern Peruvian Andes: Implications for the tropical role in global climate. **2016**, 148, 54-67	16
838	10Be cosmic-ray exposure dating of moraines and rock avalanches in the Upper Romanche valley (French Alps): Evidence of two glacial advances during the Late Glacial/Holocene transition. **2016**, 148, 209-221	20
837	Geomorphology, sedimentology and minimum exposure ages of streamlined subglacial landforms in the NW Himalaya, India. **2016**, 45, 284-303	23
836	Deglaciation chronology in the Mŕida Andes from cosmogenic 10Be dating, (Gavidia valley, Venezuela). **2016**, 71, 235-247	3
835	Quaternary evolution and ice sheet history of contrasting landscapes in Uummannaq and Sukkertoppen, western Greenland. **2016**, 149, 248-258	16
834	Complex patterns of glacier advances during the late glacial in the Chagan Uzun Valley, Russian Altai. **2016**, 149, 288-305	28
833	10Be measurements in bedrock constrain erosion beneath the Greenland Ice Sheet margin. **2016**, 43, 11,708	19
832	Climatic controls on debris-flow activity and sediment aggradation: The Del Medio fan, NW Argentina. **2016**, 121, 2424-2445	12
831	A rock fall of the north Zhongtiao Shan fault and the Yongji earthquake in 793, Shanxi Province, North China. **2016**, 9, 1	5
830	Cenozoic landscape evolution of the Kruger National Park as derived from cosmogenic nuclide analyses. **2016**, 28, 316-322	9
829	Evaluating the life expectancy of a desert pavement. **2016**, 162, 129-154	27
828	Late Quaternary glacial history of the Nalati Range, central Tian Shan, China, investigated using 10Be surface exposure dating. **2016**, 31, 659-670	13
827	Geomorphic Records along the General Carrera (Chile)âBuenos Aires (Argentina) Glacial Lake (46°â48°S), Climate Inferences, and Glacial Rebound for the Past 7â9 ka. **2016**, 124, 27-53	21
826	Evidence of active shortening along the eastern border of the San Rafael basement block: characterization of the seismic source of the Villa Atuel earthquake (1929), Mendoza province, Argentina. **2016**, 153, 911-925	6
825	Production of 3He in rocks by reactions induced by particles of the nuclear-active and muon components of cosmic rays: Geological and petrological implications. **2016**, 24, 21-34	7
824	Catchment-scale denudation and chemical erosion rates determined from 10Be and mass balance geochemistry (Mt. Lofty Ranges of South Australia). **2016**, 270, 40-54	4
823	Coeval fluctuations of the Greenland ice sheet and a local glacier, central East Greenland, during late glacial and early Holocene time. **2016**, 43, 1623-1631	20

822	Evaluating the timing of former glacier expansions in the Tian Shan: A key step towards robust spatial correlations. **2016**, 153, 78-96		39
821	Mid-Holocene pulse of thinning in the Weddell Sea sector of the West Antarctic ice sheet. **2016**, 7, 12511		31
820	The tectonics of the western Ordos Plateau, Ningxia, China: Slip rates on the Luoshan and East Helanshan Faults. **2016**, 35, 2754-2777		18
819	Recent acceleration in coastal cliff retreat rates on the south coast of Great Britain. **2016**, 113, 13336-13341		49
818	Unglaciated areas in East Antarctica during the Last Glacial (Marine Isotope Stage 3) â€New evidence from Rauer Group. **2016**, 153, 1-10		14
817	Pace of Landscape Change and Pediment Development in the Northeastern Sonoran Desert, United States. **2016**, 106, 1195-1216		6
816	Holocene internal shortening within the northwest Sub-Himalaya: Out-of-sequence faulting of the Jwalamukhi Thrust, India. **2016**, 35, 2677-2697		21
815	Time scale bias in erosion rates of glaciated landscapes. **2016**, 2, e1600204		42
814	Erosion rate study at the Allchar deposit (Macedonia) based on radioactive and stable cosmogenic nuclides (Al, Cl, He, and Ne). **2016**, 17, 410-424		8
813	Terrestrial cosmogenic surface exposure dating of glacial and associated landforms in the Ruby Mountains-East Humboldt Range of central Nevada and along the northeastern flank of the Sierra Nevada. **2016**, 268, 72-81		5
812	The geological significance of cosmogenic nuclides in large lowland river basins. **2016**, 159, 118-141		18
811	Global analysis of the stream power law parameters based on worldwide 10Be denudation rates. **2016**, 268, 184-196		117
810	Reconstructing the recent failure chronology of a multistage landslide complex using cosmogenic isotope concentrations: St Catherine's Point, UK. **2016**, 268, 288-295		9
809	Evidence from cosmic ray exposure (CRE) dating for the existence of a pre-Minoan caldera on Santorini, Greece. **2016**, 78, 1		12
808	Surface exposure dating of Holocene basalt flows and cinder cones in the Kula volcanic field (Western Turkey) using cosmogenic 3He and 10Be. **2016**, 34, 81-91		18
807	Glacial chronology and palaeoclimate in the Bystra catchment, Western Tatra Mountains (Poland) during the Late Pleistocene. **2016**, 134, 74-91		18
806	Simulating the mobility of meteoric 10 Be in the landscape through a coupled soil-hillslope model (Be2D). *Earth and Planetary Science Letters*, **2016**, 439, 143-157	5.3	18
805	Geomorphic disequilibrium in the Eastern Korean Peninsula: Possible evidence for reactivation of a rift-flank margin. **2016**, 254, 130-145		12

804	Constraining multi-stage exposure-burial scenarios for boulders preserved beneath cold-based glacial ice in Thule, northwest Greenland. *Earth and Planetary Science Letters*, **2016**, 440, 147-157	5.3	19
803	CRONUS-Earth cosmogenic 36Cl calibration. **2016**, 31, 199-219		106
802	Chronology of glaciations in the Cantabrian Mountains (NW Iberia) during the Last Glacial Cycle based on in situ-produced 10Be. **2016**, 138, 31-48		48
801	Late Pleistocene - Holocene slip history of the Langshan-Seertengshan piedmont fault (Inner Mongolia, northern China) from cosmogenic 10Be dating on a bedrock fault scarp. **2016**, 13, 882-890		6
800	Coupling uranium series and 10Be cosmogenic radionuclides to evaluate steady-state soil thickness in the Betic Cordillera. **2016**, 446, 99-109		9
799	Implications of two Holocene time-dependent geomagnetic models for cosmogenic nuclide production rate scaling. *Earth and Planetary Science Letters*, **2016**, 433, 257-268	5.3	48
798	Long-term erosion rates of Panamanian drainage basins determined using in situ 10Be. **2016**, 275, 1-15		7
797	Cosmogenic nuclide data sets from the Sierra Nevada, California, for assessment of nuclide production models: II. Sample sites and evaluation. **2016**, 35, 101-118		10
796	Schmidt Hammer exposure dating (SHED): Establishment and implications for the retreat of the last British Ice Sheet. **2016**, 33, 46-60		29
795	In situ development of high-elevation, low-relief landscapes via duplex deformation in the Eastern Himalayan hinterland, Bhutan. **2016**, 121, 294-319		35
794	Landscape response to late Pleistocene climate change in NW Argentina: Sediment flux modulated by basin geometry and connectivity. **2016**, 121, 392-414		32
793	Relict landscape resistance to dissection by upstream migrating knickpoints. **2016**, 121, 1182-1203		28
792	Grain size bias in cosmogenic nuclide studies of stream sediment in steep terrain. **2016**, 121, 978-999		29
791	Evidence of central Alpine glacier advances during the Younger Dryasâ□Early Holocene transition period. **2016**, 45, 398-410		32
790	Redating the moraines in the Kromer Valley (Silvretta Mountains) â□New evidence for an early Holocene glacier advance. **2016**, 26, 655-664		17
789	Cosmogenic 10Be constraints on Little Ice Age glacial advances in the eastern Tian Shan, China. **2016**, 138, 105-118		27
788	Uncertainty quantification in modeling earth surface processes: more applicable for some types of models than for others. **2016**, 90, 6-16		11
787	Revised deglaciation history of the Pietreleâ□Stâ□iâ□ara glacial complex, Retezat Mts, Southern Carpathians, Romania. **2016**, 415, 216-229		39

786	Geological calibration of spallation production rates in the CRONUS-Earth project. **2016**, 31, 188-198	388
785	The erosion response to Quaternary climate change quantified using uranium isotopes and in situ - produced cosmogenic nuclides. **2016**, 155, 60-81	29
784	A cosmogenic 3He chronology of late Quaternary glacier fluctuations in North Island, New Zealand (39°S). **2016**, 132, 40-56	30
783	A late Holocene onset of Aboriginal burning in southeastern Australia. **2016**, 44, 131-134	16
782	The CRONUS-Earth Project: A synthesis. **2016**, 31, 119-154	116
781	Quantification of subaerial and episodic subglacial erosion rates on high latitude upland plateaus: Cumberland Peninsula, Baffin Island, Arctic Canada. **2016**, 133, 108-129	33
780	Glacial history and landscape evolution of southern Cumberland Peninsula, Baffin Island, Canada, constrained by cosmogenic10Be and26Al. **2016**, 128, 1173-1192	13
779	Kinematics of late Quaternary slip along the Yabrai fault: Implications for Cenozoic tectonics across the Gobi Alashan block, China. **2016**, 8, 199-218	25
778	Relief evolution of the Continental Rift of Southeast Brazil revealed by in situ-produced 10Be concentrations in river-borne sediments. **2016**, 67, 89-99	14
777	Controls on aggradation and incision in the NE Negev, Israel, since the middle Pleistocene. **2016**, 261, 132-146	7
776	Evaluating process domains in small arid granitic watersheds: Case study of Pima Wash, South Mountains, Sonoran Desert, USA. **2016**, 255, 108-124	8
775	Late glacial 10Be ages for glacial landforms in the upper region of the Taibai glaciation in the Qinling Mountain range, China. **2016**, 115, 383-392	8
774	Extensive glaciation in Transbaikalia, Siberia, at the Last Glacial Maximum. **2016**, 132, 161-174	8
773	Outburst floods of the Maly Yenisei. Part I. **2016**, 58, 1723-1752	11
772	Tectonic and climatic control on terrace formation: Coupling in situ produced 10Be depth profiles and luminescence approach, Danube River, Hungary, Central Europe. **2016**, 131, 127-147	23
771	Erosion rate in the Shapotou area, northwestern China, constrained by in situ-produced cosmogenic 21Ne in long-exposed erosional surfaces. **2016**, 31, 3-11	7
770	Holocene lake level history of the Tangra Yumco lake system, southern-central Tibetan Plateau. **2016**, 26, 176-187	26
769	Cosmogenic nuclide systematics and the CRONUScalc program. **2016**, 31, 160-187	201

768	10Be dating reveals early-middle Holocene age of the Drygalski Moraines in central West Greenland. **2016**, 147, 59-68	19
767	Paleoseismology of the Mount Narryer fault zone, Western Australia: A multistrand intraplate fault system. **2016**, 128, 684-704	4
766	Where now? Reflections on future directions for cosmogenic nuclide research from the CRONUS Projects. **2016**, 31, 155-159	14
765	Active tectonics within the NW and SE extensions of the Pambak-Sevan-Syunik fault: Implications for the present geodynamics of ́Armenia. **2016**, 395, 61-78	12
764	First tectonic-geomorphology study along the Longmuâ□ozha Co fault system, Western Tibet. **2017**, 41, 411-424	10
763	Synchronous Last Glacial Maximum across the Anatolian peninsula. **2017**, 433, 251-269	18
762	The Egiin Davaa prehistoric rupture, central Mongolia: a large magnitude normal faulting earthquake on a reactivated fault with little cumulative slip located in a slowly deforming intraplate setting. **2017**, 432, 187-212	15
761	Holocene ice recession at Polygon Spur, Reedy Glacier, Antarctica. **2017**, 27, 122-129	2
760	The timing and extent of Quaternary glaciation of Stok, northern Zanskar Range, Transhimalaya, of northern India. **2017**, 284, 142-155	21
759	Cosmogenic 10Be denudation rates and geomorphometric analysis in the Ambato range (28°â□9°S), Sierras Pampeanas, Argentina. **2017**, 438, 80-91	4
758	Inverted relief landforms in the Kumtagh Desert of northwestern China: a mechanism to estimate wind erosion rates. **2017**, 52, 131-140	6
757	Detection of transience in eroding landscapes. **2017**, 42, 24-41	37
756	Controls on Holocene denudation rates in mountainous environments under Mediterranean climate. **2017**, 42, 272-289	4
755	Cosmogenic 26Al/10Be surface production ratio in Greenland. **2017**, 44, 1350-1359	28
754	New age constraints for the limit of the Britishâ□ish Ice Sheet on the Isles of Scilly. **2017**, 32, 48-62	45
753	Controls on Quaternary incision of the Northern Pyrenean foreland: Chronological and geomorphological constraints from the Lannemezan megafan, SW France. **2017**, 281, 78-93	13
752	Timing of early Quaternary gravel accumulation in the Swiss Alpine Foreland. **2017**, 276, 71-85	12
751	Deglacial history of the Pensacola Mountains, Antarctica from glacial geomorphology and cosmogenic nuclide surface exposure dating. **2017**, 158, 58-76	16

750	Late Quaternary climatic controls on erosion rates and geomorphic processes in western Oregon, USA. **2017**, 129, 715-731	28
749	Geomorphology, denudation rates, and stream channel profiles reveal patterns of mountain building adjacent to the San Andreas fault in northern California, USA. **2017**, 129, 732-749	7
748	Exposure dating of a pronounced glacier advance at the onset of the late-Holocene in the central Tyrolean Alps. **2017**, 27, 1350-1358	9
747	Along-strike variation in catchment morphology and cosmogenic denudation rates reveal the pattern and history of footwall uplift, Main Gulf Escarpment, Baja California. **2017**, 129, 837-854	11
746	A 10Be chronology of early Holocene local glacier moraines in central West Greenland. **2017**, 46, 655-666	9
745	Late Pleistocene glaciations at Lake Donggi Cona, eastern Kunlun Shan (NE Tibet): early maxima and a diminishing trend of glaciation during the last glacial cycle. **2017**, 46, 503-524	11
744	Holocene shortening rates and seismic hazard assessment for the frontal Potwar Plateau, NW Himalaya of Pakistan: Insights from 10Be concentrations on fluvial terraces of the Mahesian Anticline. **2017**, 462, 75-89	6
743	One million years of glaciation and denudation history in west Greenland. **2017**, 8, 14199	24
742	Characterizing the transient geomorphic response to base-level fall in the northeastern Tibetan Plateau. **2017**, 122, 546-572	23
741	Production rate calculations for cosmic-ray-muon-produced 10Be and 26Al benchmarked against geological calibration data. **2017**, 39, 150-173	82
740	Cosmogenic 10Be surface exposure dating of â□little Ice Ageâ□glacial events in the Mount Jaggang area, central Tibet. **2017**, 27, 1516-1525	14
739	The 1905 Chamonix earthquakes: active tectonics in the Mont Blanc and Aiguilles Rouges massifs. **2017**, 110, 631-651	7
738	Very low inheritance in cosmogenic surface exposure ages of glacial deposits: A field experiment from two Norwegian glacier forelands. **2017**, 27, 1406-1414	3
737	Systematic variation of Late Pleistocene fault scarp height in the Teton Range, Wyoming, USA: Variable fault slip rates or variable landform ages?. **2017**, 13, 287-300	8
736	Glacial fluctuations around the Karola Pass, eastern Lhagoi Kangri Range, since the Last Glacial Maximum. **2017**, 32, 516-527	18
735	Cosmogenic nuclide age estimate for Laurentide Ice Sheet recession from the terminal moraine, New Jersey, USA, and constraints on latest Pleistocene ice sheet history. **2017**, 87, 482-498	9
734	Tropical ocean-atmospheric forcing of Late Glacial and Holocene glacier fluctuations in the Cordillera Blanca, Peru. **2017**, 44, 4176-4185	8
733	Geochronological investigations using a combination of luminescence and cosmogenic nuclide burial dating of drill cores from the Vienna Basin. **2017**, 168, 115-140	6

732	Late Holocene glacier activity at inner Hornsund and Scottbreen, southern Svalbard. **2017**, 32, 501-515		10
731	Cosmogenic exposure age constraints on deglaciation and flow behaviour of a marine-based ice stream in western Scotland, 21â16 ka. **2017**, 167, 30-46		31
730	Late Pleistocene slip rate of the northern Qilian Shan frontal thrust, western Hexi Corridor, China. **2017**, 29, 238-244		23
729	Short-lived increase in erosion during the African Humid Period: Evidence from the northern Kenya Rift. *Earth and Planetary Science Letters*, **2017**, 459, 58-69	5.3	17
728	Late Cenozoic landscape evolution along the Ailao Shan Shear Zone, SE Tibetan Plateau: Evidence from fluvial longitudinal profiles and cosmogenic erosion rates. *Earth and Planetary Science Letters*, **2017**, 472, 323-333	5.3	12
727	Testing monsoonal controls on bedrock river incision in the Himalaya and Eastern Tibet with a stochastic-threshold stream power model. **2017**, 122, 1389-1429		39
726	Age of the Pineo Ridge System: Implications for behavior of the Laurentide Ice Sheet in eastern Maine, U.S.A., during the last deglaciation. **2017**, 169, 344-356		6
725	100 kyr fluvial cut-and-fill terrace cycles since the Middle Pleistocene in the southern Central Andes, NW Argentina. *Earth and Planetary Science Letters*, **2017**, 473, 141-153	5.3	40
724	Holocene slip rates along the San Andreas Fault System in the San Gorgonio Pass and implications for large earthquakes in southern California. **2017**, 44, 5391-5400		17
723	Pleistocene slip rates on the Bocon fault along the North Andean Block plate boundary, Venezuela. **2017**, 36, 1207-1231		7
722	Last Glacial climate reconstruction by exploring glacier sensitivity to climate on the southeastern slope of the western Nyaiqentanglha Shan, Tibetan Plateau. **2017**, 63, 361-371		7
721	Cosmogenic 10Be surface exposure dating and glacier reconstruction for the Last Glacial Maximum in the Quemuqu Valley, western Nyainqentanglha Mountains, south Tibet. **2017**, 32, 639-652		14
720	Role of debris flow on the change of 10Be concentration in rapidly eroding watersheds: a case study on the Seti River, central Nepal. **2017**, 14, 716-730		3
719	Evidence for >5 Ma paleo-exposure of an EoceneâMiocene paleosol of the Bohnerz Formation, Switzerland. *Earth and Planetary Science Letters*, **2017**, 465, 168-175	5.3	11
718	Deglaciation in the central Pyrenees during the PleistoceneâHolocene transition: Timing and geomorphological significance. **2017**, 162, 111-127		46
717	Middle and Late Pleistocene glaciations in the southwestern Pamir and their effects on topography. *Earth and Planetary Science Letters*, **2017**, 466, 181-194	5.3	8
716	Rapid thinning of the Laurentide Ice Sheet in coastal Maine, USA, during late Heinrich Stadial 1. **2017**, 163, 180-192		12
715	Regional mid-Pleistocene glaciation in central Patagonia. **2017**, 164, 77-94		23

714	First cosmogenic geochronology from the Lesser Caucasus: Late Pleistocene glaciation and rock glacier development in the Karâl Valley, NE Turkey. **2017**, 164, 54-67		27
713	Geomorphology on geologic timescales: Evolution of the late Cenozoic Pacific paleosurface in Northern Chile and Southern Peru. **2017**, 171, 1-27		41
712	Using Cosmogenic 10Be Exposure Dating and Lichenometry to Constrain Holocene Glaciation in the Central Brooks Range, Alaska. **2017**, 49, 115-132		14
711	Beyond debuttressing: Mechanics of paraglacial rock slope damage during repeat glacial cycles. **2017**, 122, 1004-1036		88
710	The projected demise of Barnes Ice Cap: Evidence of an unusually warm 21st century Arctic. **2017**, 44, 2810-2816		15
709	Cosmic ray exposure dating on the large landslide of Sčhilienne (Western Alps): A synthesis to constrain slope evolution. **2017**, 278, 329-344		11
708	Early to Late Pleistocene history of debris-flow fan evolution in western Death Valley (California) using cosmogenic 10Be and 26Al. **2017**, 281, 53-65		13
707	Variability of magmatic and cosmogenic 3 He in Ethiopian river sands of detrital pyroxenes: Impact on denudation rate determinations. **2017**, 448, 13-25		28
706	Rock avalanches clusters along the northern Chile coastal scarp. **2017**, 289, 27-43		13
705	The CREp program and the ICE-D production rate calibration database: A fully parameterizable and updated online tool to compute cosmic-ray exposure ages. **2017**, 38, 25-49		101
704	First cosmogenic ages for glacial deposits from the Plata range (33°S): New inferences for Quaternary landscape evolution in the Central Andes. **2017**, 438, 50-64		9
703	Constraints on Water Reservoir Lifetimes From Catchment-Wide 10Be Erosion Ratesâ Case Study From Western Turkey. **2017**, 53, 9206-9224		3
702	Terrestrial cosmogenic surface exposure dating of moraines at Lake Tahoe in the Sierra Nevada of California and slip rate estimate for the West Tahoe Fault. **2017**, 298, 63-71		6
701	Late Quaternary strike-slip along the Taohuala Shan-Ayouqi fault zone and its tectonic implications in the Hexi Corridor and the southern Gobi Alashan, China. **2017**, 721, 28-44		16
700	Cosmogenic nuclides constrain surface fluctuations of an East Antarctic outlet glacier since the Pliocene. *Earth and Planetary Science Letters*, **2017**, 480, 75-86	5.3	11
699	Advancements in cosmogenic 38 Ar exposure dating of terrestrial rocks. **2017**, 217, 193-218		2
698	Tectonic and Climatic Controls on the Spatial Distribution of Denudation Rates in Northern Chile (18°S to 23°S) Determined From Cosmogenic Nuclides. **2017**, 122, 1949-1971		24
697	The influence of climate and microclimate (aspect) on soil creep efficiency: Cinder cone morphology and evolution along the eastern Mediterranean Golan Heights. **2017**, 42, 2649-2662		9

696	Efficacy of in situ and meteoric 10 Be mixing in fluvial sediment collected from small catchments in China. **2017**, 471, 119-130		8
695	Steady 10Be-derived paleoerosion rates across the Plio-Pleistocene climate transition, Fish Creek-Vallecito basin, California. **2017**, 122, 1653-1677		6
694	Geometric disequilibrium of river basins produces long-lived transient landscapes. *Earth and Planetary Science Letters*, **2017**, 475, 34-43	5.3	48
693	Bouldery slope landforms on Mt. Biseul, Korea, and implications for paleoclimate and slope evolution. **2017**, 88, 293-312		7
692	Current strain accumulation in the hinterland of the northwest Himalaya constrained by landscape analyses, basin-wide denudation rates, and low temperature thermochronology. **2017**, 721, 70-89		10
691	Interpreting exposure ages from ice-cored moraines: a Neoglacial case study on Baffin Island, Arctic Canada. **2017**, 32, 1049-1062		21
690	Double response of glaciers in the Upper Peio Valley (Rhaetian Alps, Italy) to the Younger Dryas climatic deterioration. **2017**, 46, 783-798		14
689	Transient Quaternary erosion and tectonic inversion of the Northern Range, Trinidad. **2017**, 295, 337-353		5
688	Timing of last deglaciation in the Cantabrian Mountains (Iberian Peninsula; North Atlantic Region) based on in situ-produced 10Be exposure dating. **2017**, 171, 166-181		31
687	Cosmogenic 10Be dating of raised shorelines constrains the timing of lake levels in the eastern Lake Agassiz-Ojibway basin. **2017**, 88, 265-276		9
686	Spatial and temporal replicability of meteoric and in situ 10Be concentrations in fluvial sediment. **2017**, 42, 2570-2584		14
685	Isochron-burial dating of glaciofluvial deposits: First results from the Swiss Alps. **2017**, 42, 2414-2425		28
684	Chronology of Quaternary terrace deposits at the locality Hohle Gasse (Pratteln, NW Switzerland). **2017**, 110, 793-809		5
683	Chronological and geomorphological investigation of fossil debris-covered glaciers in relation to deglaciation processes: A case study in the Sierra de La Demanda, northern Spain. **2017**, 170, 232-249		31
682	Long-term soil erosion derived from in-situ 10Be and inventories of meteoric 10Be in deeply weathered soils in southern Brazil. **2017**, 466, 380-388		17
681	Toward the feldspar alternative for cosmogenic 10Be applications. **2017**, 41, 83-96		12
680	Rapid early-Holocene deglaciation in the Ross Sea, Antarctica. **2017**, 44, 7817-7825		46
679	Active transpressional tectonics in the Andean forearc of southern Peru quantified by 10Be surface exposure dating of an active fault scarp. **2017**, 36, 1662-1678		18

678	Perturbation of fluvial sediment fluxes following the 2008 Wenchuan earthquake. **2017**, 42, 2611-2622	29
677	An examination of the steady-state assumption in soil development models with application to landscape evolution. **2017**, 42, 2599-2610	13
676	Glacier-based climate reconstructions for the last glacialâ□interglacial transition: Arthur's Pass, New Zealand (43°S). **2017**, 32, 877-887	10
675	Constraining processes of landscape change with combined in situ cosmogenic 14C-10Be analysis. **2017**, 173, 1-19	24
674	Late Pleistocene glacial fluctuations in Cordillera Oriental, subtropical Andes. **2017**, 171, 245-259	18
673	Global patterns of dust and bedrock nutrient supply to montane ecosystems. **2017**, 3, eaao1588	29
672	Kinematics of Active Deformation Across the Western Kunlun Mountain Range (Xinjiang, China) and Potential Seismic Hazards Within the Southern Tarim Basin. **2017**, 122, 10,398-10,426	19
671	References. 364-402	
670	10Be exposure dating of the timing of Neoglacial glacier advances in the Ecrins-Pelvoux massif, southern French Alps. **2017**, 178, 118-138	35
669	Variations of Lateral Bedrock Erosion Rates Control Planation of Uplifting Folds in the Foreland of the Tian Shan, NW China. **2017**, 122, 2431-2467	16
668	Time constraints for post-LGM landscape response to deglaciation in Val Viola, Central Italian Alps. **2017**, 177, 10-33	13
667	High-resolution chronology for deglaciation of the Patagonian Ice Sheet at Lago Buenos Aires (46.5°S) revealed through varve chronology and Bayesian age modelling. **2017**, 177, 314-339	36
666	Lateglacial retreat chronology of the Scandinavian Ice Sheet in Finnmark, northern Norway, reconstructed from surface exposure dating of major end moraines. **2017**, 177, 130-144	14
665	A beryllium-10 chronology of late-glacial moraines in the upper Rakaia valley, Southern Alps, New Zealand supports Southern-Hemisphere warming during the Younger Dryas. **2017**, 170, 14-25	13
664	Late Cenozoic cooling history of the central Menderes Massif: Timing of the B□□ Menderes detachment and the relative contribution of normal faulting and erosion to rock exhumation. **2017**, 717, 585-598	10
663	Noble gas data from Goldfield and Tonopah epithermal Au-Ag deposits, ancestral Cascades Arc, USA: Evidence for a primitive mantle volatile source. **2017**, 89, 683-700	9
662	Dating of river terraces along Lefthand Creek, western High Plains, Colorado, reveals punctuated incision. **2017**, 295, 176-190	10
661	Cirques have growth spurts during deglacial and interglacial periods: Evidence from 10Be and 26Al nuclide inventories in the central and eastern Pyrenees. **2017**, 278, 60-77	46

660	Limited impact of Quaternary glaciations on denudation rates in Central Asia. **2017**, 129, 479-499	21
659	Plateau reduction by drainage divide migration in the Eastern Cordillera of Colombia defined by morphometry and 10Be terrestrial cosmogenic nuclides. **2017**, 42, 1155-1170	18
658	Sedimentation close to the active Medlicott Wadia Thrust (Western Himalaya): How to estimate climatic base level changes and tectonics. **2017**, 284, 175-190	7
657	Quaternary history and landscape evolution of a high-altitude intermountain basin at the western end of the Himalayan-Tibetan orogen, Waqia Valley, Chinese Pamir. **2017**, 284, 156-174	8
656	Squeezing river catchments through tectonics: Shortening and erosion across the Indus Valley, NW Himalaya. **2017**, 129, 203-217	12
655	Equilibrium line altitudes along the Andes during the Last millennium: Paleoclimatic implications. **2017**, 27, 1019-1033	16
654	Rates of erosion and landscape change along the Blue Ridge escarpment, southern Appalachian Mountains, estimated from in situ cosmogenic 10Be. **2017**, 42, 928-940	10
653	Cosmic-ray exposure dating of a ~5 ka open cast copper mine in the Aegean: modeling volume modulations. **2017**, 61, 43-51	
652	The last glaciation of Bear Peninsula, central Amundsen Sea Embayment of Antarctica: Constraints on timing and duration revealed by in situ cosmogenic 14C and 10Be dating. **2017**, 178, 77-88	11
651	Controls on the distribution of cosmogenic ¹⁰Be across shore platforms. **2017**, 5, 67-84	16
650	The age of fossil StW573 (â□little Footâ□] An alternative interpretation of 26Al/10Be burial data. **2017** , Volume 113,	14
649	Cosmogenic nuclides. **2017**, 395-420	
648	¹⁰Be systematics in the Tsangpo-Brahmaputra catchment: the cosmogenic nuclide legacy of the eastern Himalayan syntaxis. **2017**, 5, 429-449	23
647	¹⁰Be systematics in the Tsangpo-Brahmaputra catchment: the cosmogenic nuclide legacy of the eastern Himalayan syntaxis. **2017**,	
646	U-Th and ¹⁰Be constraints on sediment recycling in proglacial settings, Lago Buenos Aires, Patagonia. **2017**,	
645	Late Pleistocene - Holocene development of the Tista megafan (West Bengal, India): 10Be cosmogenic and IRSL age constraints. **2018**, 185, 69-90	4
644	Age-erosion constraints on an Early Pleistocene paleosol in Yukon, Canada, with profiles of 10Be and 26Al: Evidence for a significant loess cover effect on cosmogenic nuclide production rates. **2018**, 165, 260-271	10
643	Climate-driven unsteady denudation and sediment flux in a high-relief unglaciated catchmentâ□an using 26Al and 10Be: Panamint Valley, California. *Earth and Planetary Science Letters*, **2018**, 492, 130-143	7

642	Terrace sequence along the Yushanguxi River in the southern piedmont of Tian Shan and its relationship to climate and tectonics in northwestern China. **2018**, 313, 48-57	12
641	Mid-latitude trans-Pacific reconstructions and comparisons of coupled glacial/interglacial climate cycles based on soil stratigraphy of cover-beds. **2018**, 189, 57-75	10
640	Widespread erosion on high plateaus during recent glaciations in Scandinavia. **2018**, 9, 830	15
639	Valley glaciers persisted in the Lake District, north-west England, until ~16â15 ka as revealed by terrestrial cosmogenic nuclide (10Be) dating: a response to Heinrich event 1?. **2018**, 33, 518-526	7
638	Rapid age assessment of glacial landforms in the Pyrenees using Schmidt hammer exposure dating (SHED). **2018**, 90, 26-37	32
637	Timing and nature of Holocene glacier advances at the northwestern end of the Himalayan-Tibetan orogen. **2018**, 187, 177-202	25
636	Quantifying river incision into low-relief surfaces using local and catchment-wide 10Be denudation rates. **2018**, 43, 2327-2341	3
635	Be-inferred paleo-denudation rates imply that the mid-Miocene western central Andes eroded as slowly as today. **2018**, 8, 2299	9
634	Implications of drainage rearrangement for passive margin escarpment evolution in southern Brazil. **2018**, 306, 155-169	14
633	Coarse- versus fine-grain quartz OSL and cosmogenic 10 Be dating of deformed fluvial terraces on the northeast Pamir margin, northwest China. **2018**, 46, 1-15	23
632	Much late onset of Quaternary glaciations on the Tibetan Plateau: determining the age of the Shishapangma Glaciation using cosmogenic 26 Al and 10 Be dating. **2018**, 63, 306-313	10
631	Late quaternary out-of-sequence deformation in the innermost Kangra Reentrant, NW Himalaya of India: Seismic potential appraisal from 10Be dated fluvial terraces. **2018**, 158, 140-152	4
630	Quaternary volcanic evolution in the continental back-arc of southern Mendoza, Argentina. **2018**, 84, 88-103	4
629	The MIS 3 maximum of the Torres del Paine and Ltima Esperanza ice lobes in Patagonia and the pacing of southern mountain glaciation. **2018**, 185, 9-26	21
628	The glacial geomorphology of the Loch Lomond (Younger Dryas) Stadial in Britain: a review. **2018**, 33, 1-54	26
627	A Combined (U-Th)/He and Cosmogenic 3He Record of Landscape Armoring by Biogeochemical Iron Cycling. **2018**, 123, 298-323	21
626	10Be surface exposure dating of the last deglaciation in the Aare Valley, Switzerland. **2018**, 111, 295-303	7
625	Cosmogenic Nuclides. 363-406	

624	Schmidt Hammer exposure dating (SHED): Calibration procedures, new exposure age data and an online calculator. **2018**, 44, 55-62		18
623	Palaeoclimate, glacier and treeline reconstruction based on geomorphic evidences in the Mongun-Taiga massif (south-eastern Russian Altai) during the Late Pleistocene and Holocene. **2018**, 470, 26-37		18
622	Response of a land-terminating sector of the western Greenland Ice Sheet to early Holocene climate change: Evidence from 10Be dating in the Søndre Isortoq region. **2018**, 180, 145-156		17
621	Investigation of OSL surface exposure dating to reconstruct post-LIA glacier fluctuations in the French Alps (Mer de Glace, Mont Blanc massif). **2018**, 44, 63-74		17
620	Timing of Pleistocene glaciations in the High Atlas, Morocco: New 10Be and 36Cl exposure ages. **2018**, 180, 193-213		35
619	Asynchronous glaciations in arid continental climate. **2018**, 182, 1-19		28
618	Reduced sediment supply in a fast eroding landscape? A multi-proxy sediment budget of the upper Rhône basin, Central Alps. **2018**, 375, 105-119		24
617	Tracking paraglacial sediment with cosmogenic 10Be using an example from the northwest Scottish Highlands. **2018**, 182, 20-36		13
616	Persistent rupture terminations at a restraining bend from slip rates on the eastern Altyn Tagh fault. **2018**, 733, 57-72		17
615	Southeastward increase of the late Quaternary slip-rate of the Xianshuihe fault, eastern Tibet. Geodynamic and seismic hazard implications. *Earth and Planetary Science Letters*, **2018**, 485, 19-31	5.3	47
614	Was South Georgia covered by an ice cap during the Last Glacial Maximum?. **2018**, 461, 49-59		6
613	One-, Two- and Three-Dimensional Pedogenetic Models. **2018**, 555-593		1
612	10Be Exposure Ages Obtained From Quaternary Glacial Landforms on the Tibetan Plateau and in the Surrounding Area. **2018**, 92, 786-800		1
611	Last Glacial Maximum and Lateglacial in the Polish High Tatra Mountains - Revised deglaciation chronology based on the 10Be exposure age dating. **2018**, 187, 130-156		31
610	Trans-pacific glacial response to the Antarctic Cold Reversal in the southern mid-latitudes. **2018**, 188, 160-166		27
609	Age and evolution of diachronous erosion surfaces in the Amazon: Combining (U-Th)/He and cosmogenic 3He records. **2018**, 229, 162-183		23
608	Naturally occurring 32Si and low-background silicon dark matter detectors. **2018**, 99, 9-20		5
607	The timing and cause of glacial activity during the last glacial in central Tibet based on 10Be surface exposure dating east of Mount Jaggang, the Xainza range. **2018**, 186, 284-297		19

606	The use of in-situ cosmogenic 21Ne in studies on long-term landscape development. **2018**, 37, 310-322		5
605	Late Pleistocene talus flatiron formation below the Coal Cliffs cuesta, Utah, USA. **2018**, 43, 1973-1992		7
604	The timing of the Weichselian Pomeranian ice marginal position south of the Baltic Sea: A critical review of morphological and geochronological results. **2018**, 478, 51-58		20
603	Earliest Holocene deglaciation of the central Uummannaq Fjord system, West Greenland. **2018**, 47, 311-325		4
602	Evolution of sandstone peak-forest landscapes â□insights from quantifying erosional processes with cosmogenic nuclides. **2018**, 43, 639-653		5
601	Agricultural land use doubled sediment loads in western Chinaâ□s rivers. **2018**, 21, 95-106		14
600	New constraints on slip rates of the Fodongmiao-Hongyazi fault in the Northern Qilian Shan, NE Tibet, from the 10Be exposure dating of offset terraces. **2018**, 151, 131-147		39
599	Quaternary geomorphological evolution of a granitic shore platform constrained by in situ 10 Be concentrations, Penmarcâ□, SW Brittany, France. **2018**, 395, 33-47		6
598	Production of 21Ne in depth-profiled olivine from a 54 Ma basalt sequence, Eastern Highlands (37° S), Australia. **2018**, 220, 276-290		
597	Lag and mixing during sediment transfer across the Tian Shan piedmont caused by climate-driven aggradationâ□incision cycles. **2018**, 30, 613-635		26
596	Latest Quaternary rapid river incision across an inactive fold in the northern Chinese Tian Shan foreland. **2018**, 179, 167-181		18
595	Coupling erosion and topographic development in the rainiest place on Earth: Reconstructing the Shillong Plateau uplift history with in-situ cosmogenic 10Be. *Earth and Planetary Science Letters*, **2018**, 483, 39-51	5.3	21
594	Causes of rapid uplift and exceptional topography of Gongga Shan on the eastern margin of the Tibetan Plateau. *Earth and Planetary Science Letters*, **2018**, 481, 328-337	5.3	13
593	Establishing a Bayesian approach to determining cosmogenic nuclide reference production rates using He-3. *Earth and Planetary Science Letters*, **2018**, 481, 91-100	5.3	8
592	Catchment-wide weathering and erosion rates of mafic, ultramafic, and granitic rock from cosmogenic meteoric 10Be/9Be ratios. **2018**, 222, 618-641		22
591	An Oldest Dryas glacier expansion on Mount Pelister (Former Yugoslavian Republic of Macedonia) according to 10Be cosmogenic dating. **2018**, 175, 100-110		28
590	Temporally constant slip rate along the Ganzi fault, NW Xianshuihe fault system, eastern Tibet. **2018**, 130, 396-410		21
589	Dating growth strata and basin fill by combining 26Al/10Be burial dating and magnetostratigraphy: Constraining active deformation in the Pamirâ□ian Shan convergence zone, NW China. **2018**, 10, 806-828		15

588	Short communication: Increasing vertical attenuation length of cosmogenic nuclide production on steep slopes negates topographic shielding corrections for catchment erosion rates. **2018**, 6, 923-931	19
587	Addressing time-scaleâdependent erosion rates from measurement methods with censorship. **2018**, 130, 381-395	5
586	Millennial-scale denudation rates of the Santa Lucia Mountains, California: Implications for landscape evolution in steep, high-relief, coastal mountain ranges. **2018**, 130, 1809-1824	2
585	Soil production and transport on postorogenic desert hillslopes quantified with 10Be and 26Al. **2018**, 130, 1017-1040	21
584	Record of coupled hillslope and channel response to Pleistocene erosion and deposition in a sandstone headwater valley, central Pennsylvania. **2018**, 130, 1903-1917	12
583	The rarefied (non-continuum) conditions of tracer particle transport in soils, with implications for assessing the intensity and depth dependence of mixing from geochronology. **2018**, 6, 1169-1202	5
582	Tracking the ¹⁰Beâ²⁶Al source-area signal in sediment-routing systems of arid central Australia. **2018**, 6, 329-349	9
581	Cosmogenic ¹⁰Be in river sediment: where grain size matters and why. **2018**,	
580	Temporal variability in detrital ¹⁰Be concentrations in a large Himalayan catchment. **2018**, 6, 611-635	11
579	Deglaciation of coastal south-western Spitsbergen dated with in situ cosmogenic 10Be and 14C measurements. **2018**, 33, 763-776	12
578	Tracking the ²⁶Al/¹⁰Be source-area signal in sediment-routing systems of arid central Australia. **2018**,	
577	The rarefied (non-continuum) conditions of tracer particle transport in soils, with implications for assessing the intensity and depth dependence of mixing from geochronology. **2018**,	
576	Late Quaternary glaciations in the Cogarbu valley, Bhutanese Himalaya. **2018**, 34, 40	3
575	Tectonic controls of Holocene erosion in a glaciated orogen. **2018**, 6, 595-610	3
574	Importância da denudação diferencial nos granitoides da serra do Mar para a evolução do relevo da região da baía de Antonina âPR, Brasil. **2018**, 33, 200-213	
573	Spatiotemporal variation of late Quaternary river incision rates in southeast Tibet, constrained by dating fluvial terraces. **2018**, 10, 662-675	17
572	Ice margin oscillations during deglaciation of the northern Irish Sea Basin. **2018**, 33, 739-762	34
571	Anatomy, Age and Origin of an Intramontane Top Basin Surface (Sorbas Basin, Betic Cordillera, SE Spain). **2018**, 1, 15	15

570	Pleistocene Evolution of a Scandinavian Plateau Landscape. **2018**, 123, 3370-3387		11
569	Geomorphometry: Quantitative Land-Surface Analysis and Modeling. **2018**,		1
568	Active tectonics in 4D high-resolution. **2018**, 117, 264-271		16
567	Greenland ice mass loss during the Younger Dryas driven by Atlantic Meridional Overturning Circulation feedbacks. **2018**, 8, 11307		13
566	Middle to late Holocene chronology of the western margin of the Greenland Ice Sheet: A comparison with Holocene temperature and precipitation records. **2018**, 50, S100004		10
565	Further constraint of the in situ cosmogenic 10Be production rate in pyroxene and a viability test for late Quaternary exposure dating. **2018**, 48, 121-132		5
564	Asynchronous glacier dynamics during the Antarctic Cold Reversal in central Patagonia. **2018**, 200, 287-312		16
563	The Last Glacial Maximum extent of the Scandinavian Ice Sheet in the Valday Heights, western Russia: Evidence from cosmogenic surface exposure dating using 10Be. **2018**, 200, 106-113		8
562	Quaternary glaciations in the Lopu Kangri area, central Gangdise Mountains, southern Tibetan Plateau. **2018**, 201, 470-482		6
561	Revisiting the age of the Jumento volcano, Chichinautzin Volcanic Field (Central Mexico), using in situ-produced cosmogenic 10Be. **2018**, 366, 112-119		7
560	Timing of glacial retreat in the Wicklow Mountains, Ireland, conditioned by glacier size and topography. **2018**, 33, 611-623		11
559	Pattern of southern Laurentide Ice Sheet margin position changes during Heinrich Stadials 2 and 1. **2018**, 201, 362-379		21
558	Stratigraphic control of landscape response to base-level fall, Young Womans Creek, Pennsylvania, USA. *Earth and Planetary Science Letters*, **2018**, 504, 163-173	5.3	13
557	Quantifying Uncertainty in Cumulative Surface Slip Along the Cucamonga Fault, a Crustal Thrust Fault in Southern California. **2018**, 123, 9063-9083		7
556	Erosion of coastal drainages in the Mendocino Triple Junction region (MTJ), northern California. *Earth and Planetary Science Letters*, **2018**, 502, 156-165	5.3	5
555	Tectonic controls of Holocene erosion in a glaciated orogen. **2018**,		1
554	Controls on subaerial erosion rates in Antarctica. *Earth and Planetary Science Letters*, **2018**, 501, 56-66	5.3	15
553	Lake Tauca highstand (Heinrich Stadial 1a) driven by a southward shift of the Bolivian High. **2018**, 4, eaar2514		19

552	Integration of new and revised chronological data to constrain the terrace evolution of the Danube River (Gerecse Hills, Pannonian Basin). **2018**, 48, 148-170	13
551	Mid-Miocene cosmogenic upper limit for 10Be/21Ne burial age. **2018**, 48, 72-79	3
550	Trough geometry was a greater influence than climate-ocean forcing in regulating retreat of the marine-based Irish-Sea Ice Stream. **2018**, 130, 1981-1999	33
549	Volcanic history of the northernmost part of the Harrat Rahat volcanic field, Saudi Arabia. **2018**, 14, 1253-1282	28
548	Soil Particle Transport and Mixing Near a Hillslope Crest: 1. Particle Ages and Residence Times. **2018**, 123, 1052-1077	12
547	Soil Particle Transport and Mixing Near a Hillslope Crest: 2. Cosmogenic Nuclide and Optically Stimulated Luminescence Tracers. **2018**, 123, 1078-1093	12
546	Limited influence of climatic gradients on the denudation of a Mediterranean carbonate landscape. **2018**, 316, 44-58	15
545	Chronology of alluvial terrace sediment accumulation and incision in the Pativilca Valley, western Peruvian Andes. **2018**, 315, 45-56	4
544	Timing and features of a late MIS 2 rock avalanche in the Eastern Himalayas, constrained by 10Be exposure dating. **2018**, 318, 58-68	6
543	Deglaciation of the Pacific coastal corridor directly preceded the human colonization of the Americas. **2018**, 4, eaar5040	62
542	Timing and dynamics of glaciation in the Ikh Turgen Mountains, Altai region, High Asia. **2018**, 47, 54-71	24
541	Instability of the Northeast Greenland Ice Stream over the last 45,000 years. **2018**, 9, 1872	38
540	Late Quaternary deglacial history across the Larsen B embayment, Antarctica. **2018**, 189, 134-148	16
539	Uâ Th and ¹⁰Be constraints on sediment recycling in proglacial settings, Lago Buenos Aires, Patagonia. **2018**, 6, 121-140	9
538	10Be dating the last deglaciation of Bj nya, Svalbard. **2018**, 4, 1	1
537	Revised Quaternary glacial succession and post-LGM recession, southern Wind River Range, Wyoming, USA. **2018**, 192, 167-184	16
536	Direct response of small non-glaciated headwater catchments to Late Quaternary climate change: The Valle de la Fueva, southern Pyrenees. **2018**, 318, 187-202	3
535	Timescales of magmatic differentiation from alkali basalt to trachyte within the Harrat Rahat volcanic field, Kingdom of Saudi Arabia. **2018**, 173, 1	5

534	A test of rock surface luminescence dating using glaciofluvial boulders from the Chinese Pamir. **2018**, 120, 290-297		3
533	Coupled feedbacks between mountain erosion rate, elevation, crustal temperature, and density. *Earth and Planetary Science Letters*, **2018**, 498, 377-386	5.3	4
532	Constraining the age of superimposed glacial records in mountain environments with multiple dating methods (Cantabrian Mountains, Iberian Peninsula). **2018**, 195, 215-231		14
531	Temporal variability in detrital ¹⁰Be concentrations in large Himalayan catchments. **2018**,		
530	Effects of deep-seated versus shallow hillslope processes on cosmogenic 10Be concentrations in fluvial sand and gravel. **2018**, 43, 3086-3098		17
529	Encyclopedia of Geochemistry. **2018**, 171-172		
528	The near steady state landscape of western Namibia. **2018**, 313, 72-87		4
527	Centennial- to millennial-scale hard rock erosion rates deduced from luminescence-depth profiles. *Earth and Planetary Science Letters*, **2018**, 493, 218-230	5.3	18
526	Holocene history of the Greenland Ice-Sheet margin in Northern Nunatarssuaq, Northwest Greenland. **2018**, 4, 1		14
525	Denudation variability of the Sila Massif upland (Italy) from decades to millennia using 10Be and 239+240Pu. **2018**, 29, 3736-3752		14
524	Beryllium-10 chronology of early and late Wisconsinan moraines in the Revelation Mountains, Alaska: Insights into the forcing of Wisconsinan glaciation in Beringia. **2018**, 197, 129-141		9
523	Late Devensian deglaciation of south-west Wales from luminescence and cosmogenic isotope dating. **2018**, 33, 804-818		11
522	Prospecting Glacial Ages and Paleoclimatic Reconstructions Northeastward of Nevado Coropuna (16° S, 73° W, 6377 m), Arid Tropical Andes. **2018**, 8, 307		2
521	Pedometrics. **2018**,		7
520	The deglaciation of coastal areas of southeast Greenland. **2018**, 28, 1535-1544		4
519	Using 10Be exposure dating to constrain glacial advances during the late glacial and Holocene on Mount Xuebaoding, eastern Tibetan Plateau. **2018**, 90, 348-359		3
518	Late Pleistocene slip rate on a blind thrust in the western Qilian Shan, NW China. **2019**, 345, 106841		9
517	Consistent slow exhumation in a late Cenozoic glaciated landscape: The Presidential and Carter ranges of the White Mountains in New Hampshire, USA. **2019**, 345, 106842		1

516	Rates of rockwall slope erosion in the upper Bhagirathi catchment, Garhwal Himalaya. **2019**, 44, 3108-3127		3
515	Spallation, cosmic rays, meteorites, and planetology. **2019**, 109, 103711		5
514	New constraints on the late Quaternary landscape evolution of the eastern Tibetan Plateau from 10Be and 26Al in-situ cosmogenic nuclides. **2019**, 220, 244-262		7
513	Cosmogenic Be and equilibrium-line altitude dataset of Holocene glacier advances in the Himalayan-Tibetan orogen. **2019**, 26, 104412		2
512	The Local Last Glacial Maximum of the southern Scandinavian Ice Sheet front: Cosmogenic nuclide dating of erratics in northern Poland. **2019**, 219, 36-46		21
511	Evaluating post-glacial bedrock erosion and surface exposure duration by coupling in situ optically stimulated luminescence and ¹⁰Be dating. **2019**, 7, 633-662		7
510	Bedrock fracture density controls on hillslope erodibility in steep, rocky landscapes with patchy soil cover, southern California, USA. *Earth and Planetary Science Letters*, **2019**, 522, 186-197	5.3	13
509	Late Quaternary Tectonics, Incision, and Landscape Evolution of the Calchaqu□River Catchment, Eastern Cordillera, NW Argentina. **2019**, 124, 2265-2287		4
508	Late Pleistocene climate of the northern Iberian Peninsula: New insights from palaeoglaciers at Fuentes Carrionas (Cantabrian Mountains). **2019**, 34, 342-354		13
507	In-situ cosmogenic 14C analysis at ETH Z□ich: Characterization and performance of a new extraction system. **2019**, 457, 30-36		8
506	Fast long-term denudation rate of steep alpine headwalls inferred from cosmogenic Cl depth profiles. **2019**, 9, 11023		2
505	How Slow Rock Weathering Balances Nutrient Loss During Fast Forest Floor Turnover in Montane, Temperate Forest Ecosystems. **2019**, 7,		23
504	Detecting landscape transience with in situ cosmogenic 14C and 10Be. **2019**, 54, 101008		4
503	Two MATLAB programs for computing paleo-elevations and burial ages from paired-cosmogenic nuclides. **2019**, 6, 1547-1556		7
502	Cryosphere response resolves conflicting evidence for the timing of peak Holocene warmth on Baffin Island, Arctic Canada. **2019**, 216, 107-115		6
501	Assessing Quaternary Shortening Rates at an Andean Frontal Thrust (32°30?S), Argentina. **2019**, 38, 3034-3051		5
500	Geochemistry of Fluid Inclusions in Travertines From Western and Northern Turkey: Inferences on the Role of Active Faults in Fluids Circulation. **2019**, 20, 5473-5498		5
499	Glacial history of the Greenland Ice Sheet and a local ice cap in Qaanaaq, northwest Greenland. **2019**, 34, 536-547		10

498	Timing of the local last glacial maximum in Terra Nova Bay, Antarctica defined by cosmogenic dating. **2019**, 221, 105897		7
497	Millennial-scale denudation rates in the Himalaya of Far Western Nepal. **2019**, 7, 969-987		0
496	Arable soil formation and erosion: a hillslope-based cosmogenic nuclide study in the United Kingdom. **2019**, 5, 253-263		14
495	Cover Feature: Superior Selectivity and Tolerance towards Metal-Ion Impurities of a Fe/N/C Catalyst for CO2 Reduction (ChemSusChem 17/2019). **2019**, 12, 3879-3879		0
494	Quaternary Activity of the Beihewan Fault in the Southeastern Beishan Wrench Belt, Western China: Implications for Crustal Stability and Intraplate Earthquake Hazards North of Tibet. **2019**, 124, 13286-13309		8
493	Late-glacial and Holocene glacier fluctuations in North Island, New Zealand. **2019**, 223, 105914		6
492	In situ cosmogenic 3He and 36Cl and radiocarbon dating of volcanic deposits refine the Pleistocene and Holocene eruption chronology of SW Peru. **2019**, 81, 1		8
491	Arctic shrub colonization lagged peak postglacial warmth: Molecular evidence in lake sediment from Arctic Canada. **2019**, 25, 4244-4256		22
490	Cumulative and Coseismic (During the 2016 Mw 6.6 Aketao Earthquake) Deformation of the Dextral-Slip Muji Fault, Northeastern Pamir Orogen. **2019**, 38, 3975-3989		3
489	Major Ice Sheet Change in the Weddell Sea Sector of West Antarctica Over the Last 5,000 Years. **2019**, 57, 1197-1223		11
488	Late Pleistocene-Holocene Slip Rate Along the Hasi Shan Restraining Bend of the Haiyuan Fault: Implication for Faulting Dynamics of a Complex Fault System. **2019**, 38, 4127-4154		7
487	Comparative numerical surface exposure-age dating (10Be and Schmidt hammer) of an early-Holocene rock avalanche at Alstadfjellet, Valldalen, southern Norway. **2019**, 101, 293-309		8
486	High-frequency Holocene glacier fluctuations in the Himalayan-Tibetan orogen. **2019**, 220, 372-400		14
485	Inferring the timing of abandonment of aggraded alluvial surfaces dated with cosmogenic nuclides. **2019**, 7, 755-771		11
484	Millennial-scale denudation rates in the Himalaya of Far Western Nepal. **2019**,		
483	Cosmogenic 3He production rate in ilmenite and the redistribution of spallation 3He in fine-grained minerals. **2019**, 265, 19-31		4
482	The SPICE project: Production rates of cosmogenic 21Ne, 10Be, and 14C in quartz from the 72 ka SP basalt flow, Arizona, USAu. **2019**, 54, 101019		5
481	Revisiting erosion rate estimates from luminescence profiles in exposed bedrock surfaces using stochastic erosion simulations. *Earth and Planetary Science Letters*, **2019**, 528, 115842	5.3	3

480	Diverse manifestations of the mid-Pleistocene climate transition. **2019**, 10, 352		56
479	Coupled influence of precipitation and vegetation on millennial-scale erosion rates derived from 10Be. **2019**, 14, e0211325		12
478	Rapidly receding Arctic Canada glaciers revealing landscapes continuously ice-covered for more than 40,000 years. **2019**, 10, 445		29
477	iceTEA: Tools for plotting and analysing cosmogenic-nuclide surface-exposure data from former ice margins. **2019**, 51, 72-86		29
476	Erosion rates in Fennoscandia during the past million years. **2019**, 207, 37-48		7
475	In-situ and meteoric 10Be and 26Al measurements: Improved preparation and application at the University of Tokyo. **2019**, 455, 260-264		6
474	Stranded landscapes in the humid tropics: Earth's oldest land surfaces. *Earth and Planetary Science Letters*, **2019**, 519, 152-164	5.3	31
473	Alluvial plains formation in response to 100-ka glacialâinterglacial cycles since the Middle Pleistocene in the southern Tian Shan, NW China. **2019**, 341, 86-101		6
472	Erosive Response of Non-Glaciated Pyrenean Headwater Catchments to the Last Major Climate Transition and Establishing Interglacial Conditions. **2019**, 2, 17		2
471	New Frontiers of Research in Earth Sciences. **2019**, 93, 503-506		2
470	Paleo-shoreline changes in moraine dammed lake Khagiin Khar, Khentey Mountains, Central Mongolia. **2019**, 16, 1215-1230		3
469	Post-Last Glacial Maximum glacier fluctuations in the southern Ecrins massif (westernmost Alps): insights from 10Be cosmic ray exposure dating. **2019**, 48, 1019-1041		11
468	The nature of the West Antarctic Rift System as revealed by noble gases in mantle minerals. **2019**, 524, 104-118		12
467	Erosion rates and sediment flux within the Potomac River basin quantified over millennial timescales using beryllium isotopes. **2019**, 131, 1295-1311		14
466	Oblique Thrust of the Maidan Fault and Late Quaternary Tectonic Deformation in the Southwestern Tian Shan, Northwestern China. **2019**, 38, 2625-2645		13
465	Cosmogenic ¹⁰Be in river sediment: where grain size matters and why. **2019**, 7, 393-410		23
464	Inferring the timing of abandonment of aggraded alluvial surfaces dated with cosmogenic nuclides. **2019**,		
463	Quantifying Wind Erosion During the Late Quaternary in the Qaidam Basin, Central Asia. **2019**, 46, 6378-6387		7

462	Age determination of glacially-transported boulders in Ireland and Scotland using Schmidt-hammer exposure-age dating (SHD) and terrestrial cosmogenic nuclide (TCN) exposure-age dating. **2019**, 92, 570-582	6
461	Basinga: A cell-by-cell GIS toolbox for computing basin average scaling factors, cosmogenic production rates and denudation rates. **2019**, 44, 2349-2365	17
460	The role of the Haiyuan Fault in accelerating incision rate of the Yellow River at the Mijia Shan Area, northeastern Tibetan Plateau, as revealed by in-situ 10Be dating. **2019**, 179, 276-286	11
459	Detrital cosmogenic 21Ne records decoupling of source-to-sink signals by sediment storage and recycling in Miocene to present rivers of the Great Plains, Nebraska, USA. **2019**, 47, 3-6	9
458	Dating cave sediments with cosmogenic nuclides. **2019**, 348-352	1
457	Beryllium-10 dating of the Foothills Erratics Train in Alberta, Canada, indicates detachment of the Laurentide Ice Sheet from the Rocky Mountains at ~15 ka. **2019**, 92, 469-482	13
456	Deglaciation chronology of the Donegal Ice Centre, north-west Ireland. **2019**, 34, 16-28	11
455	Glacial limitation of tropical mountain height. **2019**, 7, 147-169	8
454	Slip rate of trench-parallel normal faulting along the Mejillones Fault (Atacama Fault System): Relationships with the northern Chile subduction and implications for seismic hazards. **2019**, 31, 390	3
453	Comparison of monitoring data with paleoâslip rates: Cosmogenic nuclide dating detects acceleration of a rockslide. **2019**, 47, 339-342	11
452	Impact of glacial isostatic adjustment on cosmogenic surface-exposure dating. **2019**, 212, 206-212	17
451	The 10Be deglaciation chronology of the Gschenertal, central Swiss Alps, and new insights into the Gschenen Cold Phases. **2019**, 48, 867-878	7
450	Arable soil formation and erosion: a hillslope-based cosmogenic-nuclide study in the United Kingdom. **2019**,	
449	Late Quaternary glacial history of Khentey Mountains, Central Mongolia. **2019**, 48, 779-799	6
448	Time-integrating cosmogenic nuclide inventories under the influence of variable erosion, exposure, and sediment mixing. **2019**, 51, 110-119	6
447	A spatially-restricted Younger Dryas plateau icefield in the Gaick, Scotland: Reconstruction and palaeoclimatic implications. **2019**, 211, 107-135	18
446	Cosmogenic Cl-36 surface exposure dating of late Quaternary glacial events in the Cordillera de Talamanca, Costa Rica. **2019**, 92, 216-231	7
445	Lateglacial and Early Holocene glacier stages - New dating evidence from the Meiental in central Switzerland. **2019**, 340, 15-31	13

444	Towards successful cleaning of chert samples for improved 10Be and 26Al measurements. **2019**, 456, 257-263		1
443	Cosmogenic 3He in alluvial metal and alloy grains: Assessing the potential for quantifying sediment transport times. **2019**, 517, 22-33		4
442	Glacier dynamics during a phase of Late Quaternary warming in Patagonia reconstructed from sediment-landform associations. **2019**, 337, 111-133		17
441	Sidewall erosion: Insights from in situ-produced 10Be concentrations measured on supraglacial clasts (Mont Blanc massif, France). **2019**, 44, 1930-1944		3
440	Paired-cosmogenic nuclide paleoaltimetry. *Earth and Planetary Science Letters*, **2019**, 515, 271-282	5.3	14
439	Calibration of the production rate of cosmogenic 36Cl from Fe. **2019**, 51, 87-98		7
438	Short-time (. **2019**, 31, 111-119		1
437	Meteoric Beryllium-10 as a Tracer of Erosion Due to Postsettlement Land Use in West-Central Minnesota, USA. **2019**, 124, 874-901		11
436	Late Quaternary Activity of the La Rinconada Fault Zone, San Juan, Argentina. **2019**, 38, 916-940		7
435	Patterns and rates of 103â105 yr denudation in carbonate terrains under subhumid to subalpine climatic gradient, Mount Hermon, Israel. **2019**, 131, 899-912		2
434	Pleistocene to recent geomorphic and incision history of the northern Rio Grande gorge, New Mexico: Constraints from field mapping and cosmogenic 3He surface exposure dating. **2019**, 15, 820-838		2
433	Changes in landscape evolution patterns in the northern Swiss Alpine Foreland during the mid-Pleistocene revolution. **2019**, 131, 2056-2078		7
432	Paleoseismic Evidence for Climatic and Magmatic Controls on the Teton Fault, WY. **2019**, 46, 13036-13043		5
431	High-latitude warming initiated the onset of the last deglaciation in the tropics. **2019**, 5, eaaw2610		7
430	Postglacial to Holocene landscape evolution and process rates in steep alpine catchments. **2019**, 44, 242-258		8
429	Animals and humans in the European Russian Arctic towards the end of the last Ice Age and during the mid-Holocene time. **2019**, 48, 387-406		7
428	Postglacial alluvial fan dynamics in the Cordillera Oriental, Peru, and palaeoclimatic implications. **2019**, 91, 431-449		3
427	10Be-derived sub-Milankovitch chronology of Late Pleistocene alluvial terraces along the piedmont of SW Tian Shan. **2019**, 328, 173-182		6

426	10Be erosion rates controlled by transient response to normal faulting through incision and landsliding. *Earth and Planetary Science Letters*, **2019**, 507, 140-153	5.3	9
425	Late Quaternary evolution of the Kumkol Basin at the northeastern margin of the Tibetan Plateau revealed by tectonic geomorphology and the analysis of in situ cosmogenic nuclides. **2019**, 329, 224-247		5
424	Deciphering old moraine age distributions in SE Tibet showing bimodal climatic signal for glaciations: Marine Isotope Stages 2 and 6. *Earth and Planetary Science Letters*, **2019**, 507, 105-118	5.3	18
423	High-Angle Normal Faulting at the Tangra Yumco Graben (Southern Tibet) since ~15 Ma. **2019**, 127, 15-36		16
422	Episodic erosion in West Antarctica inferred from cosmogenic 3He and 10Be in olivine from Mount Hampton. **2019**, 327, 438-445		8
421	Possible climatic controls on the accumulation of Peru's most prominent alluvial fan: The Lima Conglomerate. **2019**, 44, 991-1003		1
420	In situ 10Be production-rate calibration from a 14C-dated late-glacial moraine belt in Rannoch Moor, central Scottish Highlands. **2019**, 50, 109-125		17
419	Glacial lake evolution and Atlantic-Pacific drainage reversals during deglaciation of the Patagonian Ice Sheet. **2019**, 203, 102-127		30
418	How significant is inheritance when dating rockslide boulders with terrestrial cosmogenic nuclide dating?â€ case study of an historic event. **2019**, 16, 729-738		10
417	A constant slip rate for the western Qilian Shan frontal thrust during the last 200 ka consistent with GPS-derived and geological shortening rates. *Earth and Planetary Science Letters*, **2019**, 509, 100-113	5.3	28
416	10Be exposure ages for the Late Pleistocene Gour de Tazenat maar (Chaîne des Puys volcanic field, Auvergne, France). **2019**, 50, 8-13		0
415	Early deglaciation and paleolake history of Río Cisnes Glacier, Patagonian Ice Sheet (44°S). **2019**, 91, 194-217		16
414	Human and natural controls on erosion in the Lower Jinsha River, China. **2019**, 170, 351-359		4
413	Holocene uplift and rapid fluvial erosion of Iceland: A record of post-glacial landscape evolution. *Earth and Planetary Science Letters*, **2019**, 505, 118-130	5.3	17
412	Timing of past glaciation at the Sierra de Aconquija, northwestern Argentina, and throughout the Central Andes. **2019**, 204, 37-57		17
411	Fluvial dynamics and 14C-10Be disequilibrium on the Bolivian Altiplano. **2019**, 44, 766-780		5
410	Challenges in constraining ages of fluvial terraces in the Vienna Basin (Austria) using combined isochron burial and pIRIR225 luminescence dating. **2019**, 509, 87-102		5
409	Cosmogenic nuclides (10Be and 26Al) erosion rate constraints in the Badain Jaran Desert, northwest China: implications for surface erosion mechanisms and landform evolution. **2019**, 23, 59-68		3

408	A NW-striking dextral strike-slip fault at the eastern end of the Altyn Tagh fault and its tectonic implications for northeastward growth of the Tibetan Plateau. **2020**, 188, 104069	2
407	Geodynamic importance of the strike-slip faults at the eastern part of the Anatolian Scholle: Inferences from the uplift and slip rate of the Malatya Fault (Malatya-Ovacık Fault Zone, eastern Turkey). **2020**, 188, 104091	3
406	Soil denudation rates in an old-growth mountain temperate forest driven by tree uprooting dynamics, Central Europe. **2020**, 31, 222-239	12
405	10Be and OSL dating of Pleistocene fluvial terraces along the Hongshuiba River: Constraints on tectonic and climatic drivers for fluvial downcutting across the NE Tibetan Plateau margin, China. **2020**, 348, 106884	12
404	Asymmetric Hillslope Retreat Revealed from Talus Flatirons on Rock Peak, San Tan Mountains, Arizona, United States: Assessing Caprock Lithology Control on Landscape Evolution. **2020**, 110, 98-119	0
403	Using in situ-produced 10Be to constrain the age of the latest surface-rupturing earthquake along the Middle Kedrovaya fault (Baikal rift). **2020**, 55, 101036	0
402	Development of a steep erosional gradient over a short distance in the hyperarid core of the Atacama Desert, northern Chile. **2020**, 184, 103068	4
401	The timing and compositional evolution of volcanism within northern Harrat Rahat, Kingdom of Saudi Arabia. **2020**, 132, 1381-1403	4
400	26Al/10Be ratios reveal the source of river sediments in the Kimberley, NW Australia. **2020**, 45, 424-439	6
399	Co-seismic deformation and post-glacial slip rate along the Magallanes-Fagnano fault, Tierra Del Fuego, Argentina. **2020**, 32, 1-10	4
398	Chronology of the Yellow River terraces at Qingtong Gorge (NE Tibet): Insights into evolution of the Yellow River since the Middle Pleistocene. **2020**, 349, 106889	6
397	Method developments for accelerator mass spectrometry at CologneAMS, 53Mn/3He burial dating and ultra-small 14CO2 samples. **2020**, 184, 103053	5
396	Volcanic edifice slip events recorded on the fault plane of the San Andrš Landslide, El Hierro, Canary Islands. **2020**, 776, 228317	11
395	10Be dating and seismic origin of Luanshibao rock avalanche in SE Tibetan Plateau and implications on Litang active fault. **2020**, 17, 1091-1104	7
394	Deglaciation of the Greenland and Laurentide ice sheets interrupted by glacier advance during abrupt coolings. **2020**, 229, 106091	29
393	Landscape dynamics and human-environment interactions in the northern foothills of Cho Oyu and Mount Everest (southern Tibet) during the Late Pleistocene and Holocene. **2020**, 229, 106127	3
392	Timing and flow pattern of the Orta Glacier (European Alps) during the Last Glacial Maximum. **2020**, 49, 315-332	11
391	Last deglaciation in the central Balkan Peninsula: Geochronological evidence from the Jablanica Mt. (North Macedonia). **2020**, 351, 106985	12

390	Extensive mountain glaciation in central Patagonia during Marine Isotope Stage 5. **2020**, 227, 105996		13
389	Glacier expansion in central Patagonia during the Antarctic Cold Reversal followed by retreat and stabilisation during the Younger Dryas. **2020**, 227, 106047		9
388	Unsteady migration of Taebaek Mountain drainage divide, Cenozoic extensional basin margin, Korean Peninsula. **2020**, 352, 107012		4
387	Paired 10Be sampling of polished bedrock and erratic boulders to improve dating of glacial landforms: an example from the Western Alps. **2020**, 45, 1168-1180		3
386	Postglacial erosion of bedrock surfaces and deglaciation timing: New insights from the Mont Blanc massif (western Alps). **2020**, 48, 139-144		10
385	Age of the Berlin moraine complex, New Hampshire, USA, and implications for ice sheet dynamics and climate during Termination 1. **2020**, 94, 80-93		
384	Maximum Southwest Greenland Ice Sheet Recession in the Early Holocene. **2020**, 47, e2019GL083164		13
383	Evaluating debris-flow and anthropogenic disturbance on 10Be concentration in mountain drainage basins: implications for functional connectivity and denudation rates across time scales. **2020**, 45, 3955-3974		1
382	Landscape evolution, post-LGM surface denudation and soil weathering processes from Dickinson Park mire, Wind River Range, Wyoming (USA). **2020**, 371, 107433		
381	Antarctic-like temperature variations in the Tropical Andes recorded by glaciers and lakes during the last deglaciation. **2020**, 247, 106542		6
380	Contrasting modes of deglaciation between fjords and inter-fjord areas in eastern North Greenland. **2020**, 49, 903-917		3
379	Climate controls on erosion in tectonically active landscapes. **2020**, 6,		25
378	Production and Transport of Supraglacial Debris: Insights From Cosmogenic 10Be and Numerical Modeling, Chhota Shigri Glacier, Indian Himalaya. **2020**, 125, e2020JF005586		9
377	Late Cenozoic evolution of the Ariège River valley (Pyrenees) constrained by cosmogenic 26Al/10Be and 10Be/21Ne dating of cave sediments. **2020**, 371, 107441		3
376	Temperature and precipitation in the southern Central Andes during the last glacial maximum, Heinrich Stadial 1, and the Younger Dryas. **2020**, 248, 106592		3
375	Lithology, topography, and spatial variability of vegetation moderate fluvial erosion in the south-central Andes. *Earth and Planetary Science Letters*, **2020**, 551, 116555	5.3	4
374	Late Glacial mountain glacier culmination in Arctic Norway prior to the Younger Dryas. **2020**, 245, 106461		7
373	14C and 10Be dated Late Holocene fluctuations of Patagonian glaciers in Torres del Paine (Chile, 51°S) and connections to Antarctic climate change. **2020**, 246, 106541		6

372	Seismic Hazard Analyses From Geologic and Geomorphic Data: Current and Future Challenges. **2020**, 39, e2018TC005365	13
371	Earthquake Hazard Uncertainties Improved Using Precariously Balanced Rocks. **2020**, 1, e2020AV000182	5
370	Multi-phased deglaciation of south and southeast Greenland controlled by climate and topographic setting. **2020**, 242, 106454	7
369	Evaluating escarpment evolution and bedrock erosion rates in the western Guadalupe Mountains, West Texas and New Mexico. **2020**, 368, 107335	0
368	Glacier expansion on Baffin Island during early Holocene cold reversals. **2020**, 241, 106419	3
367	Updated cosmogenic chronologies of Pleistocene mountain glaciation in the western United States and associated paleoclimate inferences. **2020**, 242, 106427	6
366	A GIS-based multi-proxy analysis of the evolution of subglacial dynamics of the Quebecâ□labrador ice dome, northeastern Quebec, Canada. **2020**, 45, 3155-3177	1
365	Spatial Analysis and Modeling in Geomorphology. **2020**,	3
364	Climatic and structural controls on Late-glacial and Holocene rockfall occurrence in high-elevated rock walls of the Mont Blanc massif (Western Alps). **2020**, 45, 3071-3091	2
363	Tracking denudation and sediment production and transport with cosmogenic 10Be in arid, high-altitude Himalayan half-grabens, Zanskar, northern India. **2020**, 45, 3103-3119	0
362	Neotectonic evolution of Northeastern Venezuela . Geomorphological and seismic analysis in the Monagas Fold and Thrust Belt. **2020**, 104, 102867	0
361	Multiple glacial maxima of similar extent at ~20â45 ka on Mt. Usborne, East Falkland, South Atlantic region. **2020**, 250, 106677	2
360	Holocene glacier change in the Silvretta Massif (Austrian Alps) constrained by a new 10Be chronology, historical records and modern observations. **2020**, 245, 106493	8
359	Mountain glacier fluctuations during the Lateglacial and Holocene on Clavering Island (northeastern Greenland) from 10Be moraine dating. **2020**, 49, 873-885	2
358	Dates and rates of endo-exorheic drainage development: Insights from fluvial terraces (Duero River, Iberian Peninsula). **2020**, 193, 103271	11
357	Chronology and Geomorphological Activity of the Akdag Rock Avalanche (SW Turkey). **2020**, 8,	3
356	Time-Invariant Late Quaternary Slip Rates Along the Agua Blanca Fault, Northern Baja California, Mexico. **2020**, 39, e2019TC005788	0
355	Interpretation, age and significance of a relict paraglacial and periglacial boulder-dominated landform assemblage in Alnesdalen, Romsdalsalpane, southern Norway. **2020**, 369, 107362	8

354	Glacial fluctuations in tropical Africa during the last glacial termination and implications for tropical climate following the Last Glacial Maximum. **2020**, 243, 106455	3
353	Late Pleistocene slip rate of the central Haiyuan fault constrained from optically stimulated luminescence, 14C, and cosmogenic isotope dating and high-resolution topography. **2020**,	3
352	Growth Model and Tectonic Significance of the Guman Fold Along the Western Kunlun Mountain Front (Xinjiang, China) Derived From Terrace Deformation and Seismic Data. **2020**, 8,	2
351	Seismic observations, numerical modeling, and geomorphic analysis of a glacier lake outburst flood in the Himalayas. **2020**, 6,	16
350	Build-up and chronology of blue ice moraines in Queen Maud Land, Antarctica. **2020**, 2, 100012	3
349	Cosmogenic exposure dating reveals limited long-term variability in erosion of a rocky coastline. **2020**, 11, 3804	10
348	Post-LGM dynamic deglaciation along the Victoria Land coast, Antarctica. **2020**, 247, 106595	3
347	Late Pleistocene glaciers in Greece: A new 36Cl chronology. **2020**, 245, 106528	18
346	Development of the Truckee River terraces on the northeastern flank of the Sierra Nevada. **2020**, 370, 107399	2
345	Sediment sources and transport by the Kahiltna Glacier and other catchments along the south side of the Alaska Range, Alaska. **2020**, 16, 787-805	1
344	Late Quaternary Tectonic Activity and Slip Rates of Active Faults in the Western Hexi Corridor, NW China. **2020**, 31, 968-977	2
343	New constraints on the last deglaciation of the Cordilleran Ice Sheet in coastal Southeast Alaska. **2020**, 96, 140-160	16
342	Bouldery deposits along the Kherlen fault, Central Khentey, Mongolia: implications for paleoseismology. **2020**, 103, 189-209	
341	Late Quaternary Extension Rates Across the Northern Half of the Yadong-Gulu Rift: Implication for East-West Extension in Southern Tibet. **2020**, 125, e2019JB019106	9
340	Early Holocene collapse of marine-based ice in northwest Greenland triggered by atmospheric warming. **2020**, 239, 106360	6
339	Reply to Carlson (2020) comment on âDeglaciation of the Greenland and Laurentide ice sheets interrupted by glacier advance during abrupt coolingsâ**2020**, 240, 106329	3
338	Steady erosion rates in the Himalayas through late Cenozoic climatic changes. **2020**, 13, 448-452	20
337	Late Quaternary fluvial landform evolution and controlling factors along the Yulin River on the Northern Tibetan Plateau. **2020**, 363, 107213	2

336	Cosmogenic 10Be and 36Cl geochronology of cryoplanation terraces in the Alaskan Yukon-Tanana Upland. **2020**, 97, 157-166		7
335	Glacial advances and stability of the moraine dam on Mount Namcha Barwa since the Last Glacial Maximum, eastern Himalayan syntaxis. **2020**, 365, 107246		11
334	Evidence for rapid paraglacial formation of rock glaciers in southern Norway from 10Be surface-exposure dating. **2020**, 97, 55-70		7
333	Topographical evolution and glaciation history of South Greenland constrained by paired 26Al/10Be nuclides. *Earth and Planetary Science Letters*, **2020**, 542, 116300	5.3	3
332	The Idre marginal moraine â An anchorpoint for Middle and Late Weichselian ice sheet chronology. **2020**, 2, 100010		4
331	Quantification of the late Quaternary throw rates along the Yadong rift, southern Tibet. **2020**, 790, 228545		10
330	Fluvial or aeolian? Unravelling the origin of the silty clayey sediment cover of terraces in the Hanzhong Basin (Qinling Mountains, central China). **2020**, 367, 107294		4
329	Geochemical methods to infer landscape response to Quaternary climate change and land use in depositional archives: A review. **2020**, 207, 103218		3
328	Origin and 10Be surface exposure dating of a coarse debris accumulation in the Hrubý Jeseník Mountains, Central Europe. **2020**, 365, 107292		2
327	Glacial events during the last glacial termination in the Pagele valley, Qiongmu Gangri peak, southern Tibetan Plateau, and their links to oceanic and atmospheric circulation. **2020**, 95, 129-141		6
326	The evolution of the Patagonian Ice Sheet from 35 ka to the present day (PATICE). **2020**, 204, 103152		63
325	Constraints from cosmogenic nuclides on the glaciation and erosion history of Dove Bugt, northeast Greenland. **2020**, 132, 2282-2294		3
324	A global rate of denudation from cosmogenic nuclides in the Earth's largest rivers. **2020**, 204, 103147		18
323	Seismic assessment of the Weihe Graben, central China: Insights from geomorphological analyses and 10Be-derived catchment denudation rates. **2020**, 359, 107151		8
322	Inversion of bedrock channel profiles in the Daqing Shan in Inner Mongolia, northern China: Implications for late Cenozoic tectonic history in the Hetao Basin and the Yellow River evolution. **2020**, 790, 228558		6
321	Active Thrusting in an Intermontane Basin: The Kumysh Fault, Eastern Tian Shan. **2020**, 39, e2019TC006029		4
320	Last glacial maximum deglaciation of the Southern Velebit Mt. (Croatia): insights from cosmogenic 36Cl dating of Rujanska Kosa. **2020**, 2, 53-64		9
319	Tracking rockglacier evolution in the Eastern Alps from the Lateglacial to the early Holocene. **2020**, 241, 106424		17

318	Holocene glacial history of Svalbard: Status, perspectives and challenges. **2020**, 208, 103249		26
317	The deglaciation of the Americas during the Last Glacial Termination. **2020**, 203, 103113		30
316	Quaternary drainage network reorganization in the Colombian Eastern Cordillera plateau. **2020**, 45, 1789-1804		9
315	Soil production and the soil geomorphology legacy of Grove´Karl´Gilbert. **2020**, 84, 1-20		11
314	Latest Pleistocene glacier advances and post-Younger Dryas rock glacier stabilization in the Mt. Kriv□group, High Tatra Mountains, Slovakia. **2020**, 358, 107093		19
313	Quaternary evolution of a hyperarid drainage under climatic fluctuations and rift-margin base-level fall, NE Negev, Israel. **2020**, 354, 107042		3
312	Holocene glacier behavior around the northern Antarctic Peninsula and possible causes. *Earth and Planetary Science Letters*, **2020**, 534, 116077	5.3	17
311	The implications of sampling approach and geomorphological processes for cosmogenic 10Be exposure dating of marine terraces. **2020**, 467, 130-139		3
310	A Regionally Evolving Transpressional Duplex Along the Northern Margin of the Altyn Tagh Fault: New Kinematic and Timing Constraints From the Sanweishan and Nanjieshan, China. **2020**, 39, e2019TC005749		4
309	Glacier fluctuations during the Late Glacial and Holocene on the Ari□e valley, northern slope of the Pyrenees and reconstructed climatic conditions. **2020**, 2, 37-51		14
308	A mechanistic erosion model for cosmogenic nuclide inheritance in single-clast exposure ages. *Earth and Planetary Science Letters*, **2020**, 535, 116066	5.3	7
307	Early-to-mid Miocene erosion rates inferred from pre-Dead Sea rift Hazeva River fluvial chert pebbles using cosmogenic ²¹Ne. **2020**, 8, 289-301		3
306	Response of Gamma-Ray Spectrum During Ockhi Cyclone. **2020**, 8,		4
305	Stable Rate of Slip Along the Karakax Section of the Altyn Tagh Fault from Observation of Interglacial and Postglacial Offset Morphology and Surface Dating. **2020**, 125, e2019JB018893		5
304	Development of a Holocene glacier-fed composite alluvial fan based on surface exposure-age dating techniques: The Ill□ fan, Jotunheimen, Norway. **2020**, 363, 107200		5
303	Surface exposure dating of the Pierre Sublobe of the James Lobe, Laurentide Ice Sheet. **2020**, 97, 88-98		1
302	Delayed maximum and recession of an East Antarctic outlet glacier. **2020**, 48, 630-634		4
301	The sensitivity of cosmogenic radionuclide analysis to soil bulk density: Implications for soil formation rates. **2021**, 72, 174-182		1

300	Quaternary slip rates on the White Mountains fault zone, eastern California: Implications for comparing geologic to geodetic slip rates across the Walker Lane. **2021**, 133, 307-324		2
299	Glacial erosion by the Trift glacier (Switzerland): Deciphering the development of riegels, rock basins and gorges. **2021**, 375, 107533		3
298	Billion-year exposure ages in Gale crater (Mars) indicate Mount Sharp formed before the Amazonian period. *Earth and Planetary Science Letters*, **2021**, 554, 116667	5.3	2
297	Rockwall Slope Erosion in the Northwestern Himalaya. **2021**, 126, e2020JF005619		2
296	Constraining the long-term lowering rates of shore platforms on volcanic islands in the East Sea of the Korean Peninsula, using cosmogenic 36Cl. **2021**, 25, 267-281		2
295	Exposure-age data from across Antarctica reveal mid-Miocene establishment of polar desert climate. **2021**, 49, 91-95		5
294	Nonlinear forcing of climate on mountain denudation during glaciations. **2021**, 14, 16-22		10
293	The convexity of carbonate hilltops: 36Cl constraints on denudation and chemical weathering rates and implications for hillslope curvature. **2021**, 133, 1930-1946		0
292	Cryospheric Geomorphology: Dating Glacial Landforms II: Radiometric Techniques. **2021**,		1
291	Timing and extent of Late Pleistocene glaciation in the Chugach Mountains, Alaska. 1-20		3
290	Accommodation of Plate Motion in an Incipient Strike-Slip System: The Central Walker Lane. **2021**, 40, e2019TC005612		2
289	The Influence of Climate on the Dynamics of Mountain Building Within the Northern Patagonian Andes. **2021**, 40, e2020TC006374		4
288	Paleoglacial and paleoclimate reconstructions during the global Last Glacial Maximum in the Longriba area, eastern Tibetan Plateau. **2021**, 18, 307-322		1
287	In situ cosmogenic ¹⁰Beâ¹⁴Câ²⁶Al measurements from recently deglaciated bedrock as a new tool to decipher changes in Greenland Ice Sheet size. **2021**, 17, 419-450		5
286	Spatial variability of Quaternary denudation rates across a volcanic ocean island (Santo Antão, Cape Verde) from cosmogenic 3He. **2021**, 375, 107557		2
285	Late Quaternary Slip Rate and Kinematics of the Baoertu Fault, Constrained by 10Be Exposure Ages of Displaced Surfaces within Eastern Tian Shan. **2021**, 2021,		1
284	Assessing non-steady-state erosion processes using paired 10Beâ26Al in southeastern Tibet. **2021**, 46, 1363-1374		2
283	Tectonic Controls on Surface Erosion Rates in the Longmen Shan, Eastern Tibet. **2021**, 40, e2020TC006445		3

282	Along-Stream Variations in Valley Flank Erosion Rates Measured Using 10Be Concentrations in Colluvial Deposits From Canyons in the Atacama Desert. **2021**, 48, e2020GL089961		1
281	Beryllium isotopes in sediments from Lake Maruwan Oike and Lake Skallen, East Antarctica, reveal substantial glacial discharge during the late Holocene. **2021**, 256, 106841		3
280	Evidence of Glacial Erratic Rollover Revealed by 10Be and 26Al Concentration Variations.		
279	Younger Dryas ice margin retreat in Greenland: new evidence from southwestern Greenland. **2021**, 17, 587-601		2
278	Coastal chalk cliff retreat rates during the Holocene, inferred from submarine platform morphology and cosmogenic exposure along the Normandy coast (NW France). **2021**, 433, 106405		7
277	Devendra Lal. 14 February 1929â December 2012. **2021**, 70, 263-281		
276	Growing topography due to contrasting rock types in a tectonically dead landscape. **2021**, 9, 167-181		4
275	Determining the Slip Rate and Earthquake Recurrence Interval on the Tip of a Foreberg in the Gobi-Altai, Mongolia.		
274	A numerical model study for simulation of rocky coast evolution and erosion using cosmogenic nuclides: A case study along the Dunduri and Dokdo shore platform in Korea. **2021**, 57, 195-207		
273	The Zealandia Switch: Ice age climate shifts viewed from Southern Hemisphere moraines. **2021**, 257, 106771		19
272	Deciphering the evolution of the Bleis Marscha rock glacier (Val d'Err, eastern Switzerland) with cosmogenic nuclide exposure dating, aerial image correlation, and finite element modeling. **2021**, 15, 2057-2081		6
271	Seismo-Tectonic Model for the Southern Pre-Rif Border (Northern Morocco): Insights From Morphochronology. **2021**, 40, e2020TC006633		0
270	Late Quaternary Intraplate Deformation Defined by the Las Chacras Fault Zone, West-Central Argentina. **2021**, 40, e2020TC006509		1
269	Geomorphic constraints on the development of a blind-thrust induced landform, south-central Mongolia: Insights into foreberg growth. **2021**, 378, 107613		1
268	Quaternary landscape evolution in a tectonically active rift basin (paleo-lake Mweru, south-central Africa). **2021**, 381, 107669		1
267	Empirical evidence for cosmogenic 3He production by muons. *Earth and Planetary Science Letters*, **2021**, 562, 116825	5.3	1
266	Climatic conditions between 19 and 12 ka in the eastern Pyrenees, and wider implications for atmospheric circulation patterns in Europe. **2021**, 260, 106923		9
265	A composite ¹⁰Be, IR-50 and ¹⁴C chronology of the pre-Last Glacial Maximum (LGM) full ice extent of the western Patagonian Ice Sheet on the Isla de Chiloé, south Chile (42° S). **2021**, 70, 105-128		3

264	Interplay of fluvial incision and rockfalls in shaping periglacial mountain gorges. **2021**, 381, 107665		0
263	Evidence of Glacial Erratic Rollover Revealed by 10 Be and 26 Al Concentration Variations.		
262	Landslides, hurricanes, and sediment sourcing impact basin-scale erosion estimates in Luquillo, Puerto Rico. *Earth and Planetary Science Letters*, **2021**, 562, 116821	5.3	3
261	Paleoseismology of the 2016 MW 6.1 Petermann earthquake source: Implications for intraplate earthquake behaviour and the geomorphic longevity of bedrock fault scarps in a low strain-rate cratonic region. **2021**, 46, 1238-1256		4
260	Rock-Sourced Nitrogen in Semi-Arid, Shale-Derived California Soils. **2021**, 4,		0
259	Late Quaternary Glacier Fluctuations in the NW Himalaya: Evolving Perspectives. **2021**, 97, 447-450		1
258	Fold segment linkage and lateral propagation along the Qiulitage anticline, South Tianshan, NW China. **2021**, 381, 107662		1
257	Quaternary landscape evolution of patagonia at the Chilean Triple Junction: Climate and tectonic forcings. **2021**, 261, 106960		0
256	Neogene basin infilling from cosmogenic nuclides (10Be and 21Ne) in Atacama, Chile: Implications for palaeoclimate and supergene copper mineralization. **2021**, 33, 2549-2571		
255	Millennial-scale erosion patterns of the northern Qinling Mountains, Central China: Implications for topographical evolution. **2021**, 382, 107670		3
254	The large MIS 4 and long MIS 2 glacier maxima on the southern tip of South America. **2021**, 262, 106858		8
253	The Cosmolian program for simulating aeolian dynamics and its application to central Australia. **2021**, 46, 1631-1639		1
252	A maximum in global glacier extent during MIS 4. **2021**, 261, 106948		11
251	First Use of Fragile Geologic Features to Set the Design Motions for a Major Existing Engineered Structure.		2
250	In situ cosmogenic 10Be, 26Al, and 21Ne dating in sediments from the Guizhou Plateau, southwest China. **2021**, 64, 1305-1317		1
249	Plio-Pleistocene Establishment of Irtysh River in Junggar, Northwest China: Implications for Siberian-Arctic River System Evolution and Resulting Climate Impact. **2021**, 48, e2021GL093217		2
248	Limited glacial erosion during the last glaciation in mid-latitude cirques (Retezat Mts, Southern Carpathians, Romania). **2021**, 384, 107719		8
247	Exposure dating of detrital magnetite using ³He enabled by microCT and calibration of the cosmogenic ³He production rate in magnetite. **2021**, 3, 395-414		2

246	Ice thinning on nunataks during the glacial to interglacial transition in the Antarctic Peninsula region according to Cosmic-Ray Exposure dating: Evidence and uncertainties. **2021**, 264, 107029	1
245	The late Quaternary mountain-front terrace sequences along the Langshan Mountains: Implications for the evolution of the western Hetao Graben. **2021**, 1, 109-109	0
244	Latest Quaternary slip rates of the San Bernardino strand of the San Andreas fault, southern California, from Cajon Creek to Badger Canyon.	3
243	Holocene glacier history of northeastern Cordillera Darwin, southernmost South America (55°S). 1-16	2
242	Isolating Lithologic Versus Tectonic Signals of River Profiles to Test Orogenic Models for the Eastern and Southeastern Carpathians. **2021**, 126, e2020JF005970	2
241	The Late Quaternary slip-rate of the Kichera Fault (North Baikal Rift) from morphotectonic, paleoseismological and cosmogenic 10Be analyses. **2021**, 812, 228915	0
240	Deposition and retention of meteoric 10Be in Holocene Taiwan river terraces. **2021**, 265, 107048	2
239	Cosmogenic nuclide inheritance in Little Ice Age moraines - A case study from Greenland. **2021**, 65, 101200	2
238	Late Miocene - Quaternary forearc uplift in southern Peru: new insights from 10Be dates and rocky coastal sequences. **2021**, 109, 103261	4
237	Adaptation of the revised universal soil loss equation to map spatial distribution of soil erosion in tropical watersheds: a GIS/RS-based study of the Upper Mahaweli River Catchment of Sri Lanka. 1	0
236	Comparison and performance of two cosmogenic nuclide sample preparation procedures of in situ produced 10Be and 26Al. **2021**, 329, 1523-1536	1
235	Application of Rock Weathering and Colonization by Biota for the Relative Dating of Moraines from the Arid Part of the Russian Altai Mountains. **2021**, 11, 342	0
234	Erosion around a large-scale topographic high in a semi-arid sedimentary basin: Interactions between fluvial erosion, aeolian erosion and aeolian transport. **2021**, 386, 107747	4
233	The NUNAtak Ice Thinning (NUNAIT) Calculator for Cosmonuclide Elevation Profiles. **2021**, 11, 362	
232	The role of glacial dynamics in the development of ice divides and the Horseshoe Intersection Zone of the northeastern Labrador Sector of the Laurentide Ice Sheet. **2021**, 387, 107777	1
231	Late Quaternary variations in paleoerosion rates in the northern Qilian Shan revealed by 10Be in fluvial terraces. **2021**, 386, 107751	0
230	Acceleration of Soil Erosion by Different Land Uses in Arid Lands above 10Be Natural Background Rates: Case Study in the Sonoran Desert, USA. **2021**, 10, 834	0
229	Sedimentary basin evolution and its implications for outward expansion of the northeastern Tibetan Plateau: Insights from the Tongxin Basin, China. **2021**, 575, 110460	0

228	The Late Quaternary Hydrological Changes in the Eastern Tarim Basin Inferred From 10Be Exposure Ages of River Terraces. **2021**, 126, e2021JD035022		
227	Slip Rate and Paleoseismology of the Bolokenu-Aqikekuduk (Dzhungarian) Right-Lateral Strike-Slip Fault in the Northern Tian Shan, NW China. **2021**, 40, e2020TC006604		3
226	Evidence of the largest Late Holocene mountain glacier extent in southern and southeastern Greenland during the middle Neoglacial from 10Be moraine dating.		0
225	Impact of Changing Concavity Indices on Channel Steepness and Divide Migration Metrics. **2021**, 126, e2020JF006060		3
224	New chronological constraints on the Plio-Pleistocene uplift of the Guizhou Plateau, SE margin of the Tibetan Plateau. **2021**, 67, 101237		1
223	Escarpment retreat rates derived from detrital cosmogenic nuclide concentrations. **2021**, 9, 1301-1322		4
222	Moraine crest or slope: An analysis of the effects of boulder position on cosmogenic exposure age. *Earth and Planetary Science Letters*, **2021**, 570, 117092	5.3	6
221	Rates of geological processes. **2021**, 220, 103723		0
220	Late Quaternary glacial history of the Altyn Tagh Range, northern Tibetan Plateau. **2021**, 577, 110561		0
219	Empirical Evidence for Latitude and Altitude Variation of the In Situ Cosmogenic 26Al/10Be Production Ratio. **2021**, 11, 402		2
218	Cosmogenic 3He in terrestrial rocks: A review. **2021**, 120543		0
217	Cosmogenic Exposure Dating (36Cl) of Landforms on Jan Mayen, North Atlantic, and the Effects of Bedrock Formation Age Assumptions on 36Cl Ages. **2021**, 11, 390		1
216	Nonrigid Bookshelf Kinematics of Northeastern Tibet: Constrains from Fault Slip Rates around the Qinghai Lake and Chaka-Gonghe Basins. **2021**, 2021,		3
215	Tectonic Accretion Controls Erosional Cyclicity in the Himalaya. **2021**, 2, e2021AV000487		3
214	Pulsebeat of early Holocene glaciation in Baffin Bay from high-resolution beryllium-10 moraine chronologies. **2021**, 270, 107179		1
213	Denudation rates of granitic regolith along climatic gradient in Eastern China. **2021**, 390, 107872		2
212	On the generation and degradation of emerged coral reef terrace sequences: First cosmogenic 36Cl analysis at Cape Laundi, Sumba Island (Indonesia). **2021**, 269, 107144		1
211	Erosion rates and weathering timescales in the eastern Great Escarpment, South Africa. **2021**, 580, 120368		0

210	Evidence for and against landscape transience in the Northern Qinling Mountains, China. **2021**, 391, 107890		
209	An early glacial maximum during the last glacial cycle on the northern Velebit Mt. (Croatia). **2021**, 392, 107918		2
208	How the composition of sandstone matrices affects rates of soil formation. **2021**, 401, 115337		1
207	Pre-development denudation rates for the Great Barrier Reef catchments derived using Be. **2021**, 172, 112731		1
206	Extensive glaciations between MIS 8 and MIS 5 on the eastern side of the Guliya ice cap, West Kunlun Mountains. **2021**, 604, 28-37		1
205	Early Holocene rock glacier stabilisation at col du Lautaret (French Alps): Palaeoclimatic implications. **2021**, 394, 107962		3
204	The SPICE project: Calibrated cosmogenic 26Al production rates and cross-calibrated 26Al /10Be, 26Al/14C, and 26Al/21Ne ratios in quartz from the SP basalt flow, AZ, USA. **2022**, 67, 101218		0
203	Quaternary ice thinning of David Glacier in the Terra Nova Bay region, Antarctica. **2022**, 67, 101233		1
202	Dating by Cosmogenic Nuclides. **2021**, 101-115		2
201	Late Pliocene-Pleistocene incision in the Ebro Basin (North Spain). **2021**, 192, 30		1
200	Late Miocene to Quaternary Development of the Jiujing Basin, Southern Beishan Block, China: Implications for the Kinematics and Timing of Crustal Reactivation North of Tibet. **2021**, 2021,		3
199	Long-Term Sediment Generation Rates for the Upper Rõ Chagres Basin. **2005**, 297-313		6
198	Paraglacial Rock-Slope Failure Following Deglaciation in Western Norway. **2021**, 97-130		4
197	Managing Rainwater for Resilient Dryland Systems in Sub-Saharan Africa: Review of Evidences. **2014**, 517-540		2
196	Encyclopedia of Geochemistry. **2017**, 1-10		1
195	Dating Fan Deposits with Cosmogenic Nuclides. **2013**, 243-263		9
194	Encyclopedia of Scientific Dating Methods. **2015**, 799-813		3
193	Denudation outpaced by crustal thickening in the eastern Tianshan. *Earth and Planetary Science Letters*, **2017**, 479, 179-191	5.3	24

192	The distribution and magnitude of subglacial erosion on millennial timescales at Engabreen, Norway. **2019**, 60, 73-81	3
191	Timing of Late Quaternary glaciation along the southwestern slopes of the Qilian Shan, Tibet. **2003**, 32, 281-291	60
190	Holocene erosion at the summit of Ingleborough, Yorkshire Dales, northern England, indicated by cosmogenic 10Be surface exposure dating. **2013**, 59, 247-253	2
189	Modification of the lithospheric mantle during the early activity of a cenozoic plume in the North Tien Shan: Evidence from mantle xenoliths in basalts. **2014**, 14, 1-13	2
188	Glacial history of Inglefield Land, north Greenland from combined in situ ¹⁰Be and ¹⁴C exposure dating. **2020**, 16, 1999-2015	2
187	LGM and Late Glacial glacier advances in the Cordillera Real and Cochabamba (Bolivia) deduced from ¹⁰Be surface exposure dating.	4
186	¹⁰Be depth profiles in glacial sediments on the Swiss Plateau: deposition age, denudation and (pseudo-) inheritance. **2017**, 66, 57-68	1
185	OCTOPUS: an open cosmogenic isotope and luminescence database. **2018**, 10, 2123-2139	28
184	Denudation systematics inferred from in situ cosmogenic ¹⁰Be concentrations in fine (50â100 µm) and medium (100â250 µm) sediments of the Var River basin, southern French Alps. **2019**, 7, 1059-1074	5
183	The role of frost cracking in local denudation of steep Alpine rockwalls over millennia (Eiger, Switzerland). **2020**, 8, 637-659	4
182	Tectonic and climatic controls on the Chuquibamba landslide (western Andes, southern Peru).	2
181	Arctic-alpine blockfields in northern Sweden: Quaternary not Neogene.	1
180	Millennial erosion rates across the Pamir based on ¹⁰Be concentrations in fluvial sediments: dominance of topographic over climatic factors.	4
179	Delayed and rapid deglaciation of alpine valleys in the Sawatch Range, southern Rocky Mountains, USA. **2020**, 2, 245-255	3
178	Piecing together the Lateglacial advance phases of the Reussgletscher (central Swiss Alps). **2018**, 73, 241-252	2
177	Modeling the statistical distributions of cosmogenic exposure dates from moraines.	1
176	The Volta Grande do Xingu: reconstruction of past environments and forecasting of future scenarios of a unique Amazonian fluvial landscape. **2015**, 20, 21-32	19
175	A 14.5-million-year record of East Antarctic Ice Sheet fluctuations from the central Transantarctic Mountains, constrained with cosmogenic ³He, ¹⁰Be, ²¹Ne, and ²⁶Al. **2020**, 14, 2647-2672	13

174	Terrestrial Cosmogenic Nuclides as a tool for studying earth surface processes. **2005**, 111, 693-700	6
173	Topographic Relief Response to Fluvial Incision in the Central Tibetan Plateau: Evidence From Cosmogenic 10 Be. **2021**, 126,	
172	Spatial Slip Rate Distribution Along the SE Xianshuihe Fault, Eastern Tibet, and Earthquake Hazard Assessment. **2021**, 40, e2021TC006985	1
171	Geomorphology and 10Be chronology of the Last Glacial Maximum and deglaciation in northeastern Patagonia, 43°S-71°W. **2021**, 272, 107194	3
170	Neutron Monitor Records in Broader Historical Context. **2000**, 107-119	
169	10 Be dating of Younger Dryas Salpausselk formation in Finland. **2000**, 29, 287-293	2
168	The muonic atom and its formation in matter. **2003**, 51-68	
167	Nuclear Reactions of Cosmic Rays with Ground, Water, and Air Atoms; Production of Cosmogenic Nuclides. **2004**, 485-520	
166	Radionuclide Sources. **2006**, 23-36	
165	Using Cosmogenic Radionuclides for the Determination of Effective Surface Exposure Age and Time-Averaged Erosion Rates. **2012**, 477-486	
164	Dating. **2012**, 397-417	
163	Estimating Geologic Age from Cosmogenic Nuclides: An Update. **1996**, 271, 1606-1606	
162	Estimating Geologic Age from Cosmogenic Nuclides: An Update. **1996**, 271, 1606-1606	1
161	Cosmogenic Nuclides Dating of the Earth Surface: Focusing on Korean Cases. **2014**, 23, 261-272	4
160	Encyclopedia of Scientific Dating Methods. **2015**, 301-308	
159	Quantification des processus superficiels et datation par les radionuclîdes cosmoghiques 10Be, 26Al et 36Cl. **2015**, 193-213	1
158	key words -18-. **2016**, 53, 109-111	
157	Error Analysis of Influence Factors of In Situ Cosmogenic Exposure Dating Method. **2017**, 07, 803-811	

156	Quantification of Long-term Rates of Bedrock Weathering and Soil Production Using Terrestrial Cosmogenic Nuclides: Principles, Methodology, Current Research Status, and Perspectives. **2017**, 126, 487-511	3
155	Encyclopedia of Geochemistry. **2018**, 1-5	
154	A Review on the Little Ice Age and Factors to Glacier Changes in the Tian Shan, Central Asia.	0
153	Encyclopedia of Geochemistry. **2018**, 317-325	
152	Encyclopedia of Geochemistry. **2018**, 95-99	
151	Research Areas. **2018**, 5-268	
150	Seepage Erosion in the Luquillo Mountains, Puerto Rico, Relict Landscapes. **2020**, 125, e2019JF005341	0
149	Distribuci□n espacio-temporal de los deslizamientos y erosi□n h□rica en una cuenca Andina tropical. 175, 051	2
148	Erosion rates in a wet, temperate climate derived from rock luminescence techniques. **2021**, 3, 525-543	0
147	Limit of monsoonal precipitation in southern Tibet during the Last Glacial Maximum from relative moraine extents. **2021**, 108012	2
146	CRE Dating of Torrential Alluvial Deposits as an Approximation to Holocene Climate-Change Signatures in the Northwestern Andes of Colombia. **2021**, 377-382	0
145	Quaternary landscape evolution in the Western Argentine Precordillera constrained by 10Be cosmogenic dating. **2022**, 396, 107984	1
144	Transform Plate Margins and Strike-Slip Fault Systems. **2021**,	
143	Origins of the divergent evolution of mountain glaciers during deglaciation: Hofsdalur cirques, Northern Iceland. **2021**, 273, 107248	3
142	Hydrologic Process Studies Using Radionuclides Produced by Cosmic Rays. **2005**, 25-37	
141	Encyclopedia of Geochemistry. **1999**, 5-5	0
140	Rapid erosion increases the efficiency of hillslope sediment transport.	
139	A photogrammetry-based approach for soil bulk density measurements with an emphasis on applications to cosmogenic nuclide analysis. **2020**, 8, 995-1020	0

138	Late Cenozoic fold deformation in the northern margin of Qaidam Basin and southward propagation of Qilian Shan. **2022**, 822, 229153		0
137	Deglaciation of the Scandinavian Ice Sheet and a Younger Dryas ice cap in the outer Hardangerfjorden area, southwestern Norway.		0
136	LGM ice extent and deglaciation history in the Gurktal and Lavantal Alps (eastern European Alps): first constraints from 10Be surface exposure dating of glacially polished quartz veins.		0
135	Coupling Late Glacial Deglaciation and Paraglacial Dynamics in the Zackenberg Area, Ne Greenland.		
134	Neon isotopic signature applied to detrital provenance assignment in foreland basins. **2022**, 590, 120701		0
133	Weathering under coastal hyperaridity â Late Quaternary development of spectral, textural, and gravelometric alluvial fan surface characteristics. **2022**, 277, 107339		1
132	De-icing landsystem model for the Universidad Glacier (34° S) in the Central Andes of Chile during the past ~660 years. **2022**, 400, 108096		0
131	Block Tectonics Across Western Tibet and Multi-Millennial Recurrence of Great Earthquakes on the Karakax Fault. **2021**, 126,		1
130	Deciphering non-steady landscape evolution by in-situ cosmogenic nuclide depth profile. **2022**, 65, 490		0
129	Erosions on the southern Tibetan Plateau: Evidence from in-situ cosmogenic nuclides 10Be and 26Al in fluvial sediments. **2022**, 32, 333-357		
128	Late Quaternary Marine Terraces and Tectonic Uplift Rates of the Broader Neapolis Area (SE Peloponnese, Greece). **2022**, 10, 99		0
127	Age of the Most Extensive Glaciation in the Alps. **2022**, 12, 39		0
126	Impact of Late Pleistocene climate variability on paleo-erosion rates in the western Himalaya. *Earth and Planetary Science Letters*, **2022**, 578, 117326	5.3	0
125	Late Pleistocene glaciation history of the southern Black Forest, Germany: 10 Be cosmic-ray exposure dating and equilibrium line altitude reconstructions in Sankt Wilhelmer Tal.		0
124	Glacier response to Holocene warmth inferred from in situ ¹⁰Be and ¹⁴C bedrock analyses in Steingletscher's forefield (central Swiss Alps). **2022**, 18, 23-44		2
123	Evolution of Glacial Lake Cochrane During the Last Glacial Termination, Central Chilean Patagonia (~47°S). **2022**, 10,		0
122	In situ-produced cosmogenic krypton in zircon and its potential for Earth surface applications. **2022**, 4, 65-85		
121	Effects of the Laschamps Excursion on Geomagnetic Cutoff Rigidities. **2022**, 23,		0

120	Late Glacial deglaciation of the Zackenberg area, NE Greenland. **2022**, 401, 108125	1
119	The origin and collapse of rock glaciers during the Bølling-Allerød interstadial: A new study case from the Cantabrian Mountains (Spain). **2022**, 401, 108112	3
118	Radiocarbon Dating of the Nyixoi Chongco Rock Avalanche, Southern Tibet: Search for Signals of Seismic Shaking and Hydroclimatic Events. **2022**, 9,	
117	Source-to-sink aeolian fluxes from arid landscape dynamics in the Lut Desert. **2022**,	3
116	Delayed 10Be dilution in detrital quartz following extensive coseismic landsliding: A 2016 Kaikōura earthquake case study. *Earth and Planetary Science Letters*, **2022**, 581, 117392	5.3
115	New Terrestrial Cosmogenic 10be Dating of the Ultima Esperanza Moraine Belts (52°S, Patagonia) Confirm the Global Last Glacial Maximum (Lgm) Ice Lobe Extent Was Half of the Local Lgm.	
114	Disequilibrium river networks dissecting the western slope of the Sierra Nevada, California, USA, record significant late Cenozoic tilting and associated surface uplift.	1
113	The Ticino-Toce glacier system (Swiss-Italian Alps) in the framework of the Alpine Last Glacial Maximum. **2022**, 279, 107400	1
112	Early Pleistocene complex cut-and-fill sequences in the Alps. **2022**, 115,	
111	Cosmogenic nuclide techniques. **2022**, 2,	3
110	Hurricanes alter 10 Be concentrations in tropical river sediment but do not change regional erosion rate estimates. **2022**, 47, 1196-1211	0
109	Geomorphic imprints of lithospheric flexure in central Australia. *Earth and Planetary Science Letters*, **2022**, 584, 117456	5.3
108	A 10Be-dated record of glacial retreat in Connemara, Ireland, following the Last Glacial Maximum and implications for regional climate. **2022**, 592, 110901	0
107	A Combined Cosmogenic Nuclides Approach for Determining the Temperature-Dependence of Erosion. **2022**, 127,	1
106	Cosmogenic ages indicate no MIS 2 refugia in the Alexander Archipelago, Alaska. **2022**, 4, 191-211	0
105	Quantifying Rates of Landscape Unzipping.	
104	Quantifying late Pleistocene to Holocene erosion rates in the Hami Basin, China: Insights into Pleistocene dust dynamics of an East Asian stony desert.	
103	Direct cosmogenic nuclide isochron burial dating of early Acheulian stone tools at the T69 Complex (FLK West, Olduvai Bed II, Tanzania).. **2022**, 165, 103155	2

102	Use of terrestrial cosmogenic 10Be to quantify anthropogenic sediment yield from mountainous watersheds: Application in reconstructing environmental change in the Tanakami Mountains, central Japan. **2022**, 405, 108201	0
101	Quaternary dating and instrumental development: An overview. **2022**, 7, 100091	2
100	Northeastern Patagonian Glacier Advances (43°S) Reflect Northward Migration of the Southern Westerlies Towards the End of the Last Glaciation. **2021**, 9,	1
99	Sulama Suyu pHâ§ñ Asma Anal□arñ Biyok□le, K□lenme, K□ ve S□g□ Geli□mi □erine Etkisi. **2021**, 2, 276-288	
98	Holocene History of R□ Tranquilo Glacier, Monte San Lorenzo (47°S), Central Patagonia. **2021**, 9,	1
97	Drainage Development in the Dunhuang Basin, NE Tibet, Controlled by Multi-Segment Fault Growth. **2021**, 9,	0
96	Centennial- and Orbital-Scale Erosion Beneath the Greenland Ice Sheet Near Jakobshavn Isbr□ **2021**, 126,	0
95	Comparison of basin-scale in situ and meteoric ¹⁰Be erosion and denudation rates in felsic lithologies across an elevation gradient at the George River, northeast Tasmania, Australia. **2022**, 4, 153-176	0
94	Temporal Evolution of Headwall Erosion Rates derived from Cosmogenic Nuclide Concentrations in the Medial Moraines of Glacier dâ□temma, Switzerland.	
93	The Namaras rock avalanche: Evidence of mid-to-late Holocene paraglacial activity in the Central Taurus Mountains, SW Turkey. **2022**, 108261	0
92	Modeling the systematics of cosmogenic nuclide signals in fluvial sediments following extreme events..	0
91	A 10 Be moraine chronology of the Last Glaciation and termination at 49°N in the Mongolian Altai of Central Asia.	0
90	Data_Sheet_1.pdf. **2019**,	
89	A tool for the ages: The Probabilistic Cosmogenic Age Analysis Tool (P-CAAT). **2022**, 101323	2
88	Sediment Residence Times in Large Rivers Quantified Using a Cosmogenic Nuclides Based Transport Model and Implications for Buffering of Continental Erosion Signals.	0
87	LGM glaciers in the SE Mediterranean? First evidence from glacial landforms and 36Cl dating on Mount Lebanon. **2022**, 285, 107502	1
86	Tectonic geomorphology and prehistoric earthquakes of the West Helanshan fault, West Ordos, and its implications for regional tectonics and seismic hazard. **2022**, 833, 229375	0
85	Last glacial fluctuations in the southwestern Massif Central, Aubrac (France): First direct chronology from cosmogenic 10Be and 26Al exposure dating. **2022**, 285, 107500	0

84	Little Ice Age climate inferred from glacier-climate modeling: A case study of Gurla Mandhata, southwestern Tibetan Plateau. **2022**, 598, 111034		0
83	Reconstructing the post-LGM deglacial history of Hollingsworth Glacier on Ricker Hills, Transantarctic Mountains, Antarctica. **2022**, 19, 1217-1230		
82	10Be and 26Al exposure history of the highest mountains in Wales: Evidence from Yr Wyddfa (Snowdon) and Y Glyderau for a nunatak landscape at the global Last Glacial Maximum. **2022**, 286, 107523		1
81	Cosmic ray produced isotopes in terrestrial systems. **1998**, 107, 241-249		1
80	10Be dating of the Kuitun River terraces in the northern Chinese Tian Shan foreland: Insights into fluvial evolution and tectonic shortening pattern. **2022**, 412, 108317		
79	Modeling of the Late Quaternary Glacial History of the La Ji Shan: Implications for the Global Last Glacial Maximum on the Northeastern Tibetan Plateau.		
78	Evidence for a more extensive Greenland Ice Sheet in southwestern Greenland during the Last Glacial Maximum.		
77	Signature of Himalayan orogenic features in Brahmaputra River sediments, Bangladesh: Evidence from single-grain heavy mineral chemistry. **2022**, 125897		
76	Spatio-temporal variability and controlling factors for postglacial denudation rates in the Dora Baltea catchment (western Italian Alps). **2022**, 10, 493-512		
75	The last deglaciation of Alaska and a new benchmark 10Be moraine chronology from the western Alaska Range. **2022**, 287, 107549		0
74	Acceleration of Late Pleistocene activity of a Central European fault driven by ice loading. *Earth and Planetary Science Letters*, **2022**, 591, 117596	5.3	1
73	Late Pleistocene glacial advances, equilibrium-line altitude changes and paleoclimate in the Jakupica Mts (North Macedonia). **2022**, 216, 106383		0
72	Cosmogenic age constraints on rock avalanches in the Qinling Range associated with paleoearthquake activity, central China. **2022**, 413, 108347		
71	Late Quaternary slip rate of the northern Lancangjiang fault zone in eastern Tibet: Seismic hazards for the Sichuan-Tibet Railway and regional tectonic implications. **2022**, 306, 106748		0
70	Debris flow and long-term denudation rates in a tropical passive margin escarpment in South America. **2022**, 413, 108333		0
69	Glacier fluctuations in the northern Patagonian Andes (44°S) imply wind-modulated interhemispheric in-phase climate shifts during Termination 1. **2022**, 12,		0
68	Relative sea-level data preclude major late Holocene ice-mass change in Pine Island Bay. **2022**, 15, 568-572		0
67	Cosmogenic nuclide and solute flux data from central Cuban rivers emphasize the importance of both physical and chemical mass loss from tropical landscapes. **2022**, 4, 435-453		1

66	Spatiotemporal Variation of Late Quaternary River Incision Along the Heihe River in the Northeastern Tibetan Plateau, Constrained by Dating Fluvial Terraces. 10,	
65	Dense vegetation promotes denudation in Patagonian rainforests.	
64	Chronology of Glacial Advances and Deglaciation in the Encierro River Valley (29° Lat. S), Southern Atacama Desert, Based on Geomorphological Mapping and Cosmogenic 10Be Exposure Ages. 10,	0
63	Cosmogenic nuclide weathering biases: corrections and potential for denudation and weathering rate measurements. **2022**, 4, 455-470	0
62	Cosmogenic nuclide dating of two stacked ice masses: Ong Valley, Antarctica. **2022**, 16, 2793-2817	1
61	The Last Glacial Maximum and Deglacial History of the Seno Skyring Ice Lobe (52°S), Southern Patagonia. 10,	
60	Review on the Application of Airborne LiDAR in Active Tectonics of China: Dushanzi Reverse Fault in the Northern Tian Shan. 10,	
59	Late Cenozoic locally landslide-dammed lakes across the Middle Yangtze River. **2022**, 413, 108366	
58	Quantifying geomorphological evolution from 10 Be denudation rates: insights from high-resolution depth profiles, topsoils and stream sediments (Strengbach CZO, France).	0
57	Geomagnetic field shielding over the last one hundred thousand years.	
56	Sediment-transport rates from decadal to millennial timescales across the Indo-Gangetic Plain: Impacts of tectonics, climatic processes, and vegetation cover. **2022**, 104165	
55	Late glacial and Holocene glaciation history of North and Northeast Greenland. **2022**, 54, 294-313	1
54	Low-volume magmatism linked to flank deformation on Isla Santa Cruz, Galp̃agos Archipelago, using cosmogenic 3He exposure and 40Ar/39Ar dating of fault scarps and lavas. **2022**, 84,	0
53	Combined linear-regression and Monte Carlo approach to modeling exposure age depth profiles. **2022**, 4, 533-549	
52	Terrestrial cosmogenic 10Be dating of the Ltima Esperanza ice lobe moraines (52°S, Patagonia) indicates the global Last Glacial Maximum (LGM) extent was half of the local LGM. **2022**, 414, 108381	
51	Paleo-glacial reconstruction of the Thajwas glacier in the Kashmir Himalaya using 10Be cosmogenic radionuclide dating. **2022**, 13, 101432	0
50	Quantification of post-glacier bedrock surface erosion in the European Alps using 10Be and optically stimulated luminescence exposure dating. **2022**, 10, 909-928	0
49	Three-dimensional control of alluvial fans by rock uplift in an extensional regime: Aydn̄ Range, Aegean extensional province. **2022**, 12,	0

48	Asynchronous dynamics of the last Scandinavian Ice Sheet´along the Pomeranian ice-marginal belt: A new scenario inferred from surface exposure 10Be dating. **2022**, 294, 107755	0
47	Timing and climatic drivers for the MIS 6 glaciation in the central Himalaya: 10Be surface exposure dating of hummocky moraine northwest of Mt. Gang Benchhen, Paiku Gangri. **2022**, 605, 111230	1
46	Late Quaternary Glaciations in the Taniantaweng Mountains.	0
45	OSL- 14 C- 10 Be: a novel composite geochronometer for simultaneous quantification of timing and magnitude of change in bedrock outcrop erosion rate.	0
44	Paleoglaciology of the central East Antarctic Ice Sheet as revealed by blue-ice sediment. **2022**, 107718	0
43	Late Quaternary Slip Rates for the Hyde and Dunstan Faults, Southern New Zealand: Implications for Strain Migration in a Slowly Deforming Continental Plate Margin. **2022**, 41,	0
42	Late Holocene initiation of a deep rock slope failure in an alpine valley revealed by 10Be surface exposure dating (Chamonix, France). **2022**,	0
41	Frost-weathering control on the rate of late Quaternary landscape evolution, western flank of the Taebaek Mountain Range, Korea: a case of passive margin landscape evolution. 1-23	0
40	Marine Oxygen Isotope Stage (MIS)-6 Glacial Advances on the Tibetan Plateau More Extensive than during MIS-2 due to More Abundant Precipitation. **2022**, 96, 1484-1494	1
39	Millennial-scale glacier fluctuations on the southeastern Tibetan Plateau during MIS 2. **2023**, 601, 117903	1
38	????????-????????????????????????. **2022**,	0
37	Fluctuations of the Universidad Glacier in the Andes of central Chile (34° S) during the latest Holocene derived from a 10Be moraine chronology. **2023**, 300, 107884	0
36	Stepwise northward compression in the northeastern Tibetan Plateau: Insights from the chronology of the Baima Basin. **2023**, 220, 104015	0
35	PâPINI: A cosmogenic nuclide burial dating method for landscapes undergoing non-steady erosion. **2023**, 74, 101420	0
34	Non-Steady-State 14 C- 10 Be and Transient Hillslope Dynamics in Steep High Mountain Catchments. **2022**, 49,	0
33	Pre-agricultural soil erosion rates in the midwestern United States.	0
32	Last Glacial Maximum glacier fluctuations on the northern Alpine foreland: Geomorphological and chronological reconstructions from the Rhine and Reuss glacier systems. **2022**, 108548	0
31	Technical note: Evaluating a geographical information system (GIS)-based approach for determining topographic shielding factors in cosmic-ray exposure dating. **2022**, 4, 691-712	0

30	The collapse of the Cordilleranâ laurentide ice saddle and early opening of the Mackenzie Valley, Northwest Territories, Canada, constrained by 10Be exposure dating. **2022**, 16, 4865-4886	2
29	The Erosional Signature of Drainage Divide Motion Along the Blue Ridge Escarpment.	0
28	Shortening rates and recurrence of large earthquakes from folded and uplifted terraces in the Western Danghe Nan Shan foreland, north Tibet.	0
27	Climate Change Impact on Land Degradation and Soil Erosion in Hilly and Mountainous Landscape: Sustainability Issues and Adaptation Strategies. **2022**, 119-155	0
26	A cosmogenic nuclide-derived chronology of pre-Last Glacial Cycle glaciations during MIS 8 and MIS 6 in northern Patagonia. **2023**, 19, 35-59	0
25	The impact of Holocene deglaciation and glacial dynamics on the landscapes and geomorphology of Potter Peninsula, King George Island (Isla 25 Mayo), NW Antarctic Peninsula. 10,	1
24	An initial attempt to date Pleistocene marine terraces in the south coast of Japan using in situ cosmogenic 10Be and 26Al. **2023**, 535, 255-260	0
23	Dating Landforms by Terrestrial Cosmogenic Nuclides: A Methodological Review. **2023**, 72, 11-19	0
22	Age and recurrence of coseismic rock avalanches in Sierra de la Sobia (Cantabrian Mountains, Spain). **2023**, 223, 106931	0
21	Uso de cosmogħicos estables y radioactivos para la datacin en Espaâ. 44, 33-54	0
20	Milankovitch-paced erosion in the southern Central Andes. **2023**, 14,	0
19	??????????????????????????????. **2023**,	0
18	A quantitative assessment of snow shielding effects on surface exposure dating from a western North American 10Be data compilation. **2023**, 76, 101440	0
17	10Be analysis of the rock samples from the northeastern shore of Lake Pumoyum Co in south Tibetan Plateau. **2023**, 539, 28-32	0
16	A 10Be-based paleo-erosion record for the Qilian Shan (NE Tibet) over the past 4.2´Ma from a drillcore in the Hexi Corridor. **2023**, 430, 108657	0
15	Lithospheric controls on the formation of the Qilian Shan plateau: Evidence from apatite (U Th)/He and cosmogenic 21Ne results in the Central Qilian Shan. **2023**, 620, 111563	0
14	Holocene glacial oscillations in the Tyroler Valley (NE Greenland).	0
13	Sedimentary and tectonic evolution of the Banquan pull-apart basin and implications for late Cenozoic dextral strike-slip movement of the Tanlu Fault Zone. **2023**, 66, 797-820	0

12	The last two glacial cycles in central Patagonia: A precise record from the Frehuao glacier lobe. **2023**, 304, 107873	0
11	Late quaternary glacial history of the La Ji Shan: Implications for the LGM on the northeastern Tibetan Plateau. 11,	0
10	Timing and seismic origin of the historic Luanshibao rock avalanche in the Maoyaba basin, SE Tibetan Plateau: New evidence from 10Be exposure-ages. **2023**, 75, 101430	0
9	Paleoseismic evolution of the central section of the Serteng Shan fault at the northern Ordos Block (North China) since the Late Pleistocene. 1-14	0
8	Supernovae and the Earth. **2023**, 129, 125-143	0
7	Shaping the Huara Intrusive Complex in the Hyperarid Atacama Desertâ€Erosional Near-Stasis Contrasting High Topographic Gradients. **2023**, 128,	1
6	The influence of erosion and vegetation on soil production and chemical weathering rates in the Southern Alps, New Zealand. **2023**, 608, 118036	0
5	An Evolving Lithospheric-Scale Wrench Fault System Along the Eastern End of the Altyn Tagh Fault: Kinematics and Quaternary Activity of the Heishan Fault System, Western China. **2023**, 42,	0
4	River incision, 10Be production and transport in a source-to-sink sediment system (Var catchment, SW´Alps). **2023**, 11, 183-201	0
3	Erosion and weathering in carbonate regions reveal climatic and tectonic drivers of carbonate landscape evolution. **2023**, 11, 247-257	0
2	Late Holocene Cliff Retreat in Del Mar, CA, Revealed From Shore Platform 10 Be Concentrations and Numerical Modeling. **2023**, 128,	0
1	The story of a summit nucleus: hillslope boulders and their effect on erosional patterns and landscape morphology in the Chilean Coastal Cordillera. **2023**, 11, 305-324	0