

CITATION REPORT

List of articles citing

Cosmic ray produced ^{10}Be and ^{26}Al in Antarctic rocks: exposure and erosion history

DOI: 10.1016/0012-821x(91)90221-3
Earth and Planetary Science Letters, 1991, 104, 440-454.

Source: <https://exaly.com/paper-pdf/22080653/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
216	Cosmic ray labeling of erosion surfaces: in situ nuclide production rates and erosion models. <i>Earth and Planetary Science Letters</i> , 1991 , 104, 424-439	5.3	1879
215	In situ ^{10}Be - ^{26}Al exposure ages at Meteor Crater, Arizona. 1991 , 55, 2699-2703		81
214	Effective attenuation lengths of cosmic rays producing ^{10}Be AND ^{26}Al in quartz: Implications for exposure age dating. 1992 , 19, 369-372		105
213	Role of in situ cosmogenic nuclides ^{10}be and ^{26}al in the study of diverse geomorphic processes. 1993 , 18, 407-425		165
212	Chronology of Taylor Glacier Advances in Arena Valley, Antarctica, Using in Situ Cosmogenic ^3He and ^{10}Be . 1993 , 39, 11-23		111
211	Cosmogenic neon and helium at Rönneby: measurement of erosion rate. <i>Earth and Planetary Science Letters</i> , 1993 , 119, 405-417	5.3	44
210	Mass spectrometric identification of cosmic-ray-produced neon in terrestrial rocks with multiple neon components. <i>Earth and Planetary Science Letters</i> , 1993 , 118, 65-73	5.3	79
209	The natural thermoluminescence of meteorites: 5. Ordinary chondrites at the Allan Hills Ice Fields. 1993 , 98, 1875-1888		13
208	The age of the Roter Kamm impact crater, Namibia: Constraints from ^{40}Ar - ^{39}Ar , K-Ar, Rb-Sr, fission track, and ^{10}Be - ^{26}Al studies. 1993 , 28, 204-212		24
207	Global change, Antarctic meteorite traps and the East Antarctic ice sheet. 1993 , 39, 397-408		2
206	Global change, Antarctic meteorite traps and the East Antarctic ice sheet. 1993 , 39, 397-408		20
205	Geomorphology and In-Situ Cosmogenic Isotopes. 1994 , 22, 273-317		235
204	Studies of cosmogenic in-situ ^{14}CO and $^{14}\text{CO}_2$ produced in terrestrial and extraterrestrial samples: experimental procedures and applications. 1994 , 92, 291-296		24
203	Simulations of terrestrial in-situ cosmogenic-nuclide production. 1994 , 92, 297-300		14
202	Depth dependence of cosmogenic neutron-capture-produced ^{36}Cl in a terrestrial rock. 1994 , 92, 301-307		12
201	Report on the Workshop on production rates of terrestrial in-situ-produced cosmogenic nuclides. 1994 , 92, 335-339		12
200	Using in situ produced cosmogenic isotopes to estimate rates of landscape evolution: A review from the geomorphic perspective. 1994 , 99, 13885-13896		173

199	Cosmogenic ^{36}Cl accumulation in unstable landforms: 1. Effects of the thermal neutron distribution. 1994 , 30, 3115-3125		69
198	Cosmic-ray-produced ^{21}Ne in terrestrial quartz: the neon inventory of Sierra Nevada quartz separates. <i>Earth and Planetary Science Letters</i> , 1994 , 125, 341-355	5-3	64
197	On Cosmic-Ray Exposure Ages of Terrestrial Rocks: A Suggestion. 1995 , 37, 889-898		5
196	Applications of in Situ Cosmogenic Nuclides in the Geologic Site Characterization of Yucca Mountain, Nevada. 1995 , 412, 799		3
195	Rock weathering processes and landform development in the Sør Rondane Mountains, Antarctica. 1995 , 12, 323-339		57
194	Meteorites as surface exposure time markers on the blue ice fields of Antarctica: Episodic ice flow in Victoria land over the last 300,000 years. 1995 , 14, 531-540		8
193	Cosmogenic nuclide exposure ages and glacial history of late Quaternary Ross Sea drift in McMurdo Sound, Antarctica. <i>Earth and Planetary Science Letters</i> , 1995 , 131, 41-56	5-3	40
192	Terrestrial cosmogenic-nuclide production systematics calculated from numerical simulations. <i>Earth and Planetary Science Letters</i> , 1995 , 136, 381-395	5-3	226
191	Estimating erosion rates and exposure ages with ^{36}Cl produced by neutron activation. 1995 , 59, 3779-3798		47
190	Precision of terrestrial exposure ages and erosion rates estimated from analysis of cosmogenic isotopes produced in situ. 1995 , 100, 24637-24649		32
189	Cosmogenic chlorine-36 from calcium spallation. 1996 , 60, 679-692		239
188	Cosmogenic production of ^7Be and ^{10}Be in water targets. 1996 , 101, 22225-22232		50
187	Overview of the Workshop on Secular Variations in Production Rates of Cosmogenic Nuclides on Earth 1. 1996 , 38, 135-147		22
186	ESTIMATING RATES OF DENUDATION USING COSMOGENIC ISOTOPE ABUNDANCES IN SEDIMENT. 1996 , 21, 125-139		305
185	Late Quaternary faulting and neotectonics, South Victoria Land, Antarctica. 1997 , 154, 645-652		13
184	The soil production function and landscape equilibrium. 1997 , 388, 358-361		667
183	Erosion rates of alpine bedrock summit surfaces deduced from in situ ^{10}Be and ^{26}Al . <i>Earth and Planetary Science Letters</i> , 1997 , 150, 413-425	5-3	198
182	In-situ production of radionuclides at great depths. 1997 , 123, 341-346		23

181	The geomorphological and geological importance of palaeosurfaces. 1997 , 120, 1-12		17
180	Reply to Comment by C. Rowland Twidale. 1997 , 48, 386-389		1
179	Cosmetic Isotope Analyses Applied to River Longitudinal Profile Evolution: Problems and Interpretations. 1997 , 22, 195-209		45
178	Cosmogenic Chlorine-36 Production in Calcite by Muons. 1998 , 62, 433-454		175
177	¹⁰ Be and ²⁶ Al production rates deduced from an instantaneous event within the dendro-calibration curve, the landslide of Kfels, the Valley, Austria. <i>Earth and Planetary Science Letters</i> , 1998 , 161, 231-241	5-3	124
176	Erosion, Weathering, and Sedimentation. 1998 , 647-678		8
175	Encyclopedia of Geochemistry. 1999 , 1-2		0
174	Accelerator mass spectrometry and its applications. 1999 , 62, 1223-1274		128
173	Cosmogenic isotope data support previous evidence of extremely low rates of denudation in the Dry Valleys region, southern Victoria Land, Antarctica. 1999 , 162, 255-267		26
172	Measurements of Past Ice Sheet Elevations in Interior West Antarctica. 1999 , 286, 276-280		89
171	Mid-Pleistocene cosmogenic minimum-age limits for pre-Wisconsinan glacial surfaces in southwestern Minnesota and southern Baffin Island: a multiple nuclide approach. 1999 , 27, 25-39		200
170	Long-term rates of denudation in the Dry Valleys, Transantarctic Mountains, southern Victoria Land, Antarctica based on in-situ-produced cosmogenic. 1999 , 27, 113-129		79
169	Cosmogenic nuclides, topography, and the spatial variation of soil depth. 1999 , 27, 151-172		245
168	The use of in-situ produced cosmogenic radionuclides in glaciology and glacial geomorphology. 1999 , 28, 103-110		52
167	Cosmogenic in situ production of radionuclides: Exposure ages and erosion rates. 2000 , 172, 790-795		21
166	Advances in accelerator mass spectrometry. 2000 , 172, 134-143		32
165	Application of in situ-produced cosmogenic ¹⁰ Be and ²⁶ Al to the study of lateritic soil development in tropical forest: theory and examples from Cameroon and Gabon. 2000 , 170, 95-111		34
164	Air pressure and cosmogenic isotope production. 2000 , 105, 23753-23759		1528

163	Using Cosmogenic Nuclide Measurements In Sediments To Understand Background Rates Of Erosion And Sediment Transport. 2001 , 89-115	21
162	Displacement history of a limestone normal fault scarp, northern Israel, from cosmogenic ³⁶ Cl. 2001 , 106, 4247-4264	65
161	Terrestrial in situ cosmogenic nuclides: theory and application. 2001 , 20, 1475-1560	1332
160	Late Quaternary erosion in southeastern Australia: a field example using cosmogenic nuclides. 2001 , 83-85, 169-185	148
159	Apparent gibbsite growth ages for regolith in the Georgia Piedmont. 2001 , 65, 381-386	14
158	Stochastic processes of soil production and transport: erosion rates, topographic variation and cosmogenic nuclides in the Oregon Coast Range. 2001 , 26, 531-552	226
157	Rates of Sediment Supply to Arroyos from Upland Erosion Determined Using in Situ Produced Cosmogenic ¹⁰ Be and ²⁶ Al. 2001 , 55, 235-245	62
156	Cosmogenic Be-10 and the Solid Earth: Studies in Geomagnetism, Subduction Zone Processes, and Active Tectonics. 2002 , 50, 207-270	14
155	Rates and Timing of Earth Surface Processes From In Situ-Produced Cosmogenic Be-10. 2002 , 50, 147-205	50
154	Cosmic-Ray-Produced Noble Gases in Terrestrial Rocks: Dating Tools for Surface Processes. 2002 , 47, 731-784	104
153	The Goldilocks dilemma: big ice, little ice, or just-right ice in the Eastern Canadian Arctic. 2002 , 21, 33-48	73
152	16. Cosmic-Ray-Produced Noble Gases in Terrestrial Rocks: Dating Tools for Surface Processes. 2002 , 731-784	11
151	Weathering Characteristics of the Glacial Drifts, Bunge Hills, East Antarctica. 2002 , 34, 65-75	2
150	Relative and Absolute Dating of land surfaces. 2002 , 58, 1-49	56
149	Complex exposure histories of chert clasts in the late Pleistocene shorelines of Lake Lisan, southern Israel. 2003 , 28, 493-506	23
148	Lithology, landscape dissection and glaciation controls on catchment erosion as determined by cosmogenic nuclides in river sediment (the Wutach Gorge, Black Forest). 2003 , 15, 398-404	25
147	Ice-driven creep on Martian debris slopes. 2003 , 30,	22
146	Image processing and roughness analysis of exposed bedrock fault planes as a tool for paleoseismological analysis: results from the Campo Felice fault (central Apennines, Italy). 2003 , 49, 281-301	25

145	Limited Pliocene/Pleistocene glaciation in Deep Freeze Range, northern Victoria Land, Antarctica, derived from in situ cosmogenic nuclides. 2003 , 15, 493-502		37
144	Wet and cold thick atmosphere on early Mars. 2004 , 121, 283-288		4
143	ROCK TO SEDIMENT SLOPE TO SEA WITH 10 ⁶ RATES OF LANDSCAPE CHANGE. 2004 , 32, 215-255		138
142	In situ cosmogenic nuclide production of 10Be and 26Al in marine terraces, Fiordland, New Zealand. 2004 , 223-224, 639-644		3
141	AMS measurements of 26Al in quartz to assess the cosmic ray background for the geochemical solar neutrino experiment LOREX. 2004 , 223-224, 660-667		10
140	Felsenmeer persistence under non-erosive ice in the Torngat and Kaumajet mountains, Quebec and Labrador, as determined by soil weathering and cosmogenic nuclide exposure dating. 2004 , 41, 19-38		100
139	Rapid slip along the central Altyn Tagh Fault: Morphochronologic evidence from Cherchen He and Sulamu Tagh. 2004 , 109,		137
138	Geomorphological applications of cosmogenic isotope analysis. 2004 , 28, 1-42		122
137	Age and uplift rates of Sirius Group sediments in the Dominion Range, Antarctica, from surface exposure dating and geomorphology. 2004 , 42, 207-225		52
136	Profiles of in situ 10Be and 26Al at great depths at the Macraes Flat, East Otago, New Zealand. <i>Earth and Planetary Science Letters</i> , 2004 , 223, 113-126	5-3	20
135	Assessing past climate changes from proxy records: an iterative process between discovery and observations. 2004 , 117, 5-16		2
134	Erosion history of the Tibetan Plateau since the last interglacial: constraints from the first studies of cosmogenic 10Be from Tibetan bedrock. <i>Earth and Planetary Science Letters</i> , 2004 , 217, 33-42	5-3	57
133	Quantitative resolution of the debate over antiquity of the central Australian landscape: implications for the tectonic and geomorphic stability of cratonic interiors. <i>Earth and Planetary Science Letters</i> , 2004 , 219, 21-34	5-3	87
132	Exploring pedogenesis via nuclide-based soil production rates and OSL-based bioturbation rates. 2005 , 43, 767		76
131	Moraine preservation and boulder erosion in the tropical Andes: interpreting old surface exposure ages in glaciated valleys. 2005 , 20, 735-758		49
130	Cosmogenic nuclides. 2005 , 383-425		
129	Cosmogenic 3He concentrations in ancient flood deposits from the Coombs Hills, northern Dry Valleys, East Antarctica: interpreting exposure ages and erosion rates. <i>Earth and Planetary Science Letters</i> , 2005 , 230, 163-175	5-3	68
128	In situ cosmogenic 10Be and 21Ne in sanidine and in situ cosmogenic 3He in Fe ³⁺ -oxide minerals. <i>Earth and Planetary Science Letters</i> , 2005 , 236, 404-418	5-3	49

127	Remnants of a fossil alluvial fan landscape of Miocene age in the Atacama Desert of northern Chile using cosmogenic nuclide exposure age dating. <i>Earth and Planetary Science Letters</i> , 2005 , 237, 499-507	5.3	93
126	Applications of ancient cosmic-ray exposures: Theory, techniques and limitations. <i>Quaternary Geochronology</i> , 2006 , 1, 59-73	2.7	23
125	Pleistocene deglaciation chronology of the Amery Oasis and Radok Lake, northern Prince Charles Mountains, Antarctica. <i>Earth and Planetary Science Letters</i> , 2006 , 243, 229-243	5.3	43
124	A threshold in soil formation at Earth's arid-hyperarid transition. 2006 , 70, 5293-5322		195
123	Quaternary bedrock erosion and landscape evolution in the Sør Rondane Mountains, East Antarctica: Reevaluating rates and processes. 2006 , 81, 408-420		28
122	Cosmogenic ¹⁰ Be age constraints for the western Ross readvance moraine: insights into British ice-sheet behaviour. 2006 , 88, 9-17		39
121	Quartz from Allchar as monitor for cosmogenic ²⁶ Al: Geochemical and petrogenetic constraints. 2006 , 88, 527-550		4
120	In situ cosmogenic ¹⁰ Be dating of the Quaternary glaciations in the southern Shaluli Mountain on the Southeastern Tibetan Plateau. 2006 , 49, 1291-1298		21
119	Estimation of episodic exfoliation rates of rock sheets on a granite dome in Korea from cosmogenic nuclide analysis. 2006 , 31, 1246-1256		16
118	The deglaciation of eastern Scotland: cosmogenic ¹⁰ Be evidence for a Lateglacial stillstand. 2006 , 21, 95-104		42
117	Applications of morphochronology to the active tectonics of Tibet. 2006 ,		13
116	Low long-term erosion rates and extreme continental stability documented by ancient (U-Th)/He dates. 2006 , 34, 925		46
115	Escarpment erosion and landscape evolution in southeastern Australia. 2006 ,		14
114	Production of ³ He in crustal rocks by cosmogenic thermal neutrons. <i>Earth and Planetary Science Letters</i> , 2007 , 258, 228-236	5.3	55
113	Denudation rates and a topography-driven rainfall threshold in northern Chile: Multiple cosmogenic nuclide data and sediment yield budgets. 2007 , 83, 97-120		136
112	CosmoCalc: An Excel add-in for cosmogenic nuclide calculations. 2007 , 8, n/a-n/a		98
111	Erosion in northwest Tibet from in-situ-produced cosmogenic ¹⁰ Be and ²⁶ Al in bedrock. 2007 , 32, 116-125		22
110	Quantifying hillslope erosion rates and processes for a coastal California landscape over varying timescales. 2007 , 32, 544-560		30

109	Contemporary versus long-term denudation along a passive plate margin: the role of extreme events. 2007 , 32, 1013-1031	55
108	Long-term landscape evolution: linking tectonics and surface processes. 2007 , 32, 329-365	243
107	Atmospheric transport and concentration of diatoms in surficial and glacial sediments of the Allan Hills, Transantarctic Mountains. 2008 , 260, 168-183	20
106	Meteoritic and bedrock constraints on the glacial history of Frontier Mountain in northern Victoria Land, Antarctica. <i>Earth and Planetary Science Letters</i> , 2008 , 270, 308-315	5.3 23
105	Quantifying periglacial erosion in the Nepal high Himalaya. 2008 , 97, 5-23	61
104	Rock varnish microlamination dating of late Quaternary geomorphic features in the drylands of western USA. 2008 , 93, 501-523	55
103	Dating late Cenozoic erosional surfaces in Victoria Land, Antarctica, with cosmogenic neon in pyroxenes. 2008 , 20, 89-98	26
102	Fluctuation history of the interior East Antarctic Ice Sheet since mid-Pliocene. 2008 , 20, 197-203	13
101	The last deglaciation of Cape Adare, northern Victoria Land, Antarctica. 2008 , 20, 581-587	10
100	Chapter 6 Examining Processes and Rates of Landscape Change with Cosmogenic Radionuclides. 2009 , 16, 231-294	21
99	The Bumped Soil production function: eroding Arnhem Land, Australia. 2009 , 34, 1674-1684	86
98	Determination of both exposure time and denudation rate from an in situ-produced ^{10}Be depth profile: A mathematical proof of uniqueness. Model sensitivity and applications to natural cases. <i>Quaternary Geochronology</i> , 2009 , 4, 56-67	2.7 96
97	References. 155-179	
96	Vertical distribution of ^{10}Be , ^{26}Al , and ^{36}Cl in the surface soil layer of weathered granite at Abukuma, Japan. 2010 , 268, 1197-1200	2
95	Glaciation history of Queen Maud Land (Antarctica) reconstructed from in-situ produced cosmogenic ^{10}Be , ^{26}Al and ^{21}Ne . 2010 , 4, 42-61	28
94	Late Noachian to Hesperian climate change on Mars: Evidence of episodic warming from transient crater lakes near Ares Vallis. 2010 , 115,	41
93	Late Quaternary evolution of Reedy Glacier, Antarctica. 2010 , 29, 1328-1341	58
92	Minimum Bedrock Exposure Ages and Their Implications: Larsemann Hills and Neighboring Bolingen Islands, East Antarctica. 2010 , 84, 543-548	6

91	Desert landscape processes on a timescale of millions of years, probed by cosmogenic nuclides. 2011 , 3, 157-164		17
90	References. 2011 , 412-443		
89	The last deglacial history of Lützow-Holm Bay, East Antarctica. 2011 , 26, 3-6		34
88	The sensitivity of hillslope bedrock erosion to precipitation. 2011 , 36, 117-135		71
87	Miocene to recent ice elevation variations from the interior of the West Antarctic ice sheet: Constraints from geologic observations, cosmogenic nuclides and ice sheet modeling. <i>Earth and Planetary Science Letters</i> , 2012 , 337-338, 243-251	5-3	9
86	Surface exposure dating of non-terrestrial bodies using optically stimulated luminescence: A new method. 2012 , 221, 160-166		22
85	Pothole and channel system formation in the McMurdo Dry Valleys of Antarctica: New insights from cosmogenic nuclides. <i>Earth and Planetary Science Letters</i> , 2012 , 355-356, 341-350	5-3	15
84	Terrestrial Cosmogenic Nuclide Techniques for Assessing Exposure History of Surfaces and Sediments in Active Tectonic Regions. 2012 , 63-79		3
83	State of geoscientific research within the LORANDITE experiment (LOREX). 2012 , 105, 157-169		10
82	The deglacial history of NW Alexander Island, Antarctica, from surface exposure dating. 2012 , 77, 273-280		16
81	Controls on interior West Antarctic Ice Sheet Elevations: inferences from geologic constraints and ice sheet modeling. 2013 , 65, 26-38		19
80	Wind as the primary driver of erosion in the Qaidam Basin, China. <i>Earth and Planetary Science Letters</i> , 2013 , 374, 1-10	5-3	64
79	Constraining landscape history and glacial erosivity using paired cosmogenic nuclides in Upernavik, northwest Greenland. 2013 , 125, 1539-1553		40
78	Cosmogenic Nuclide Buildup in Surficial Materials. 2013 , 61-76		17
77	Encyclopedia of Scientific Dating Methods. 2014 , 1-23		
76	Retreat history of the East Antarctic Ice Sheet since the Last Glacial Maximum. 2014 , 100, 10-30		124
75	Cosmogenic Nuclide Burial Dating in Archaeology and Paleoanthropology. 2014 , 81-97		12
74	How fast does soil grow?. 2014 , 216, 48-61		71

73	East Antarctic deglaciation and the link to global cooling during the Quaternary: evidence from glacial geomorphology and ^{10}Be surface exposure dating of the Sør Rondane Mountains, Dronning Maud Land. 2014 , 97, 102-120		35
72	A new AMS facility at Inter University Accelerator Centre, New Delhi. 2015 , 361, 115-119		15
71	Erosion rates and landscape evolution of the lowlands of the Upper Paraguay river basin (Brazil) from cosmogenic ^{10}Be . 2015 , 234, 151-160		14
70	Resolving the integral connection between pedogenesis and landscape evolution. 2015 , 150, 102-120		59
69	Encyclopedia of Scientific Dating Methods. 2015 , 814-818		
68	Encyclopedia of Scientific Dating Methods. 2015 , 824-827		
67	Dating Pleistocene deltaic deposits using in-situ ^{26}Al and ^{10}Be cosmogenic nuclides. <i>Quaternary Geochronology</i> , 2015 , 28, 71-79	2.7	3
66	Glaciation history of Queen Maud Land (Antarctica) [New exposure data from nunataks. 2015 , 361, 599-603		4
65	Exposure age and ice-sheet model constraints on Pliocene East Antarctic ice sheet dynamics. 2015 , 6, 7016		39
64	Stretching out the Australasian microtektite strewn field in Victoria Land Transantarctic Mountains. 2016 , 10, 147-159		20
63	Comparative geochemistry of four ferromanganese crusts from the Pacific Ocean and significance for the use of Ni isotopes as paleoceanographic tracers. 2016 , 189, 214-235		31
62	Tectonic and climatic considerations for deep geological disposal of radioactive waste: A UK perspective. 2016 , 571, 507-21		10
61	Surface ages and weathering rates from ^{10}Be (meteoric) and $^{10}\text{Be}/^9\text{Be}$: Insights from differential mass balance and reactive transport modeling. 2016 , 446, 70-86		18
60	Terrestrial cosmogenic surface exposure dating of glacial and associated landforms in the Ruby Mountains-East Humboldt Range of central Nevada and along the northeastern flank of the Sierra Nevada. 2016 , 268, 72-81		5
59	Constraining multi-stage exposure-burial scenarios for boulders preserved beneath cold-based glacial ice in Thule, northwest Greenland. <i>Earth and Planetary Science Letters</i> , 2016 , 440, 147-157	5.3	19
58	An approach for optimizing in situ cosmogenic ^{10}Be sample preparation. <i>Quaternary Geochronology</i> , 2016 , 33, 24-34	2.7	74
57	Quantification of subaerial and episodic subglacial erosion rates on high latitude upland plateaus: Cumberland Peninsula, Baffin Island, Arctic Canada. 2016 , 133, 108-129		33
56	Glacial history and landscape evolution of southern Cumberland Peninsula, Baffin Island, Canada, constrained by cosmogenic ^{10}Be and ^{26}Al . 2016 , 128, 1173-1192		13

55	Cosmogenic $^{26}\text{Al}/^{10}\text{Be}$ surface production ratio in Greenland. 2017 , 44, 1350-1359		28
54	Thermal stress weathering and the spalling of Antarctic rocks. <i>Journal of Geophysical Research F: Earth Surface</i> , 2017 , 122, 3-24	3.8	27
53	Late Pleistocene glaciations at Lake Donggi Cona, eastern Kunlun Shan (NE Tibet): early maxima and a diminishing trend of glaciation during the last glacial cycle. 2017 , 46, 503-524		11
52	Difference Dating—A novel approach towards dating alpine glacial moraines. <i>Quaternary Geochronology</i> , 2017 , 41, 1-10	2.7	3
51	Soil formation and weathering in a permafrost environment of the Swiss Alps: a multi-parameter and non-steady-state approach. 2017 , 42, 814-835		10
50	An examination of the steady-state assumption in soil development models with application to landscape evolution. 2017 , 42, 2599-2610		13
49	Cosmogenic-Isotope Based Erosion Rates along the Western Margin of the Dead Sea Fault. 391-400		1
48	Bibliography. 467-561		
47	Cosmogenic Nuclides. 363-406		
46	Constraining Quaternary ice covers and erosion rates using cosmogenic $^{26}\text{Al}/^{10}\text{Be}$ nuclide concentrations. 2018 , 181, 65-75		15
45	One-, Two- and Three-Dimensional Pedogenetic Models. 2018 , 555-593		1
44	Millennial-scale denudation rates of the Santa Lucia Mountains, California: Implications for landscape evolution in steep, high-relief, coastal mountain ranges. 2018 , 130, 1809-1824		2
43	Craters of the Moon National Monument basalts as unshocked compositional and weathering analogs for martian rocks and meteorites. 2018 , 103, 502-516		5
42	Controls on subaerial erosion rates in Antarctica. <i>Earth and Planetary Science Letters</i> , 2018 , 501, 56-66	5.3	15
41	Pedometrics. 2018 ,		7
40	Spallation, cosmic rays, meteorites, and planetology. 2019 , 109, 103711		5
39	Timing of the local last glacial maximum in Terra Nova Bay, Antarctica defined by cosmogenic dating. 2019 , 221, 105897		7
38	iceTEA: Tools for plotting and analysing cosmogenic-nuclide surface-exposure data from former ice margins. <i>Quaternary Geochronology</i> , 2019 , 51, 72-86	2.7	29

37	Erosion rates in Fennoscandia during the past million years. 2019 , 207, 37-48		7
36	Stranded landscapes in the humid tropics: Earth's oldest land surfaces. <i>Earth and Planetary Science Letters</i> , 2019 , 519, 152-164	5.3	31
35	Time-integrating cosmogenic nuclide inventories under the influence of variable erosion, exposure, and sediment mixing. <i>Quaternary Geochronology</i> , 2019 , 51, 110-119	2.7	6
34	¹⁰ Be-derived sub-Milankovitch chronology of Late Pleistocene alluvial terraces along the piedmont of SW Tian Shan. 2019 , 328, 173-182		6
33	Episodic erosion in West Antarctica inferred from cosmogenic ³ He and ¹⁰ Be in olivine from Mount Hampton. 2019 , 327, 438-445		8
32	Cosmogenic nuclides (¹⁰ Be and ²⁶ Al) erosion rate constraints in the Badain Jaran Desert, northwest China: implications for surface erosion mechanisms and landform evolution. 2019 , 23, 59-68		3
31	Cosmic spherules from Widerøefjellet, Sør Rondane Mountains (East Antarctica). 2020 , 270, 112-143		14
30	Abrupt Holocene ice-sheet thinning along the southern Soya Coast, Lützow-Holm Bay, East Antarctica, revealed by glacial geomorphology and surface exposure dating. 2020 , 247, 106540		12
29	Tracing the deglaciation since the Last Glacial Maximum. 2020 , 89-107		1
28	The implications of sampling approach and geomorphological processes for cosmogenic ¹⁰ Be exposure dating of marine terraces. 2020 , 467, 130-139		3
27	Exposure-age data from across Antarctica reveal mid-Miocene establishment of polar desert climate. 2021 , 49, 91-95		5
26	Chemical Weathering in the McMurdo Dry Valleys, Antarctica. 2021 , 205-216		3
25	Beryllium isotopes in sediments from Lake Maruwan Oike and Lake Skallen, East Antarctica, reveal substantial glacial discharge during the late Holocene. 2021 , 256, 106841		3
24	Evidence of Glacial Erratic Rollover Revealed by ¹⁰ Be and ²⁶ Al Concentration Variations.		
23	Evidence of Glacial Erratic Rollover Revealed by ¹⁰ Be and ²⁶ Al Concentration Variations.		
22	Ice thinning on nunataks during the glacial to interglacial transition in the Antarctic Peninsula region according to Cosmic-Ray Exposure dating: Evidence and uncertainties. 2021 , 264, 107029		1
21	The NUNAtak Ice Thinning (NUNAIT) Calculator for Cosmonuclide Elevation Profiles. 2021 , 11, 362		
20	Empirical Evidence for Latitude and Altitude Variation of the In Situ Cosmogenic ²⁶ Al/ ¹⁰ Be Production Ratio. 2021 , 11, 402		2

19	The SPICE project: Calibrated cosmogenic ²⁶ Al production rates and cross-calibrated ²⁶ Al/ ¹⁰ Be, ²⁶ Al/ ¹⁴ C, and ²⁶ Al/ ²¹ Ne ratios in quartz from the SP basalt flow, AZ, USA. <i>Quaternary Geochronology</i> , 2022 , 67, 101218	2.7	0
18	The Contribution of Cosmogenic Nuclides to Unraveling Alpine Paleoclimate Histories. 2005 , 39-49		2
17	Encyclopedia of Scientific Dating Methods. 2015 , 799-813		3
16	Unmanned Aerial Vehicle (UAV)-based Survey in Antarctica for High-definition Topographic Measurements. <i>Journal of Geography (Chigaku Zasshi)</i> , 2017 , 126, 1-24	0.5	4
15	Terrestrial Cosmogenic Nuclides as a tool for studying earth surface processes. <i>Journal of the Geological Society of Japan</i> , 2005 , 111, 693-700	0.6	6
14	COSMOGENIC ISOTOPE ¹⁰ Be DATING FOR KUZHAORI MORAINES IN DAOCHENG ICE CAP. <i>Marine Geology & Quaternary Geology</i> , 2012 , 32, 85-92		
13	Cold Region Geomorphology in Japan. <i>Geographical Review of Japan</i> , 2013 , 86, 22-32	0.9	1
12	Quantification of Long-term Rates of Bedrock Weathering and Soil Production Using Terrestrial Cosmogenic Nuclides: Principles, Methodology, Current Research Status, and Perspectives. <i>Journal of Geography (Chigaku Zasshi)</i> , 2017 , 126, 487-511	0.5	3
11	Reconstruction of Ice Sheet Retreat History at Skarvsnes, Southern Part of the Soya Coast, East Antarctica, Based on Glacial Landforms and Surface Exposure Ages. <i>Journal of Geography (Chigaku Zasshi)</i> , 2020 , 129, 315-336	0.5	1
10	Modeling soil development in a landscape context. 2021 ,		
9	Dronning Maud Land (Antarctica) and Reconstruction of Its Glacial History with Cosmogenic Radionuclides. <i>Earth and Environmental Sciences Library</i> , 2022 , 73-95		
8	Thermal history along the Arauá Drogen and São Francisco Craton border, eastern Brazilian continental margin, based on low-temperature thermochronologic data. <i>Tectonophysics</i> , 2022 , 825, 229231	3.8	0
7	Quantifying Rates of Landscape Unzipping. <i>Journal of Geophysical Research F: Earth Surface</i> ,	3.8	
6	A new and effective method for quartz-feldspar separation for OSL and CRN dating. <i>Quaternary Geochronology</i> , 2022 , 72, 101315	2.7	1
5	Cosmic ray produced isotopes in terrestrial systems. <i>Journal of Earth System Science</i> , 1998 , 107, 241-249	1.8	1
4	Neotectonic Movements and Channel Evolution in the Indian Subcontinent: Issues, Challenges and Prospects. <i>Society of Earth Scientists Series</i> , 2022 , 1-49	0.6	
3	Clean quartz matters for cosmogenic nuclide analyses: An exploration of the importance of sample purity using the CRONUS-N reference material. 2022 , 73, 101403		1
2	Ice-sheet and sea-level reconstructions in East Antarctica since the Last Interglacial period: review and future challenges. 2022 , 128, 465-474		0

- 1 Cosmogenic-nuclide data from Antarctic nunataks can constrain past ice sheet instabilities. **2023**, 17, 1623-1643

o