

Reliability and validity of the apathy evaluation scale

Psychiatry Research

38, 143-162

DOI: [10.1016/0165-1781\(91\)90040-v](https://doi.org/10.1016/0165-1781(91)90040-v)

Citation Report

#	ARTICLE	IF	CITATIONS
1	The sources of convergence between measures of apathy and depression. <i>Journal of Affective Disorders</i> , 1993, 28, 117-124.	2.0	188
2	The sources of convergence between measures of apathy and depression. <i>Journal of Affective Disorders</i> , 1993, 28, 7-14.	2.0	69
3	The numbing scale: Psychometric properties, a preliminary report. <i>Anxiety</i> , 1994, 1, 70-79.	0.5	13
4	The therapeutic potential of bromocriptine in neuropsychological rehabilitation of patients with acquired brain damage. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 1994, 18, 1103-1120.	2.5	41
5	Review: Measures to determine the Outcome of Community Services for People with Dementia. <i>Age and Ageing</i> , 1995, 24, 73-83.	0.7	28
6	Apathy: a treatable syndrome. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 1995, 7, 23-30.	0.9	203
7	Psychometric characteristics of the Children's Motivation Scale. <i>Psychiatry Research</i> , 1996, 63, 205-217.	1.7	15
8	Executive functions and Alzheimer's disease: problems and prospects. <i>European Journal of Neurology</i> , 1996, 3, 5-15.	1.7	48
9	Apathy and loss of insight in Alzheimer's disease: a SPECT imaging study. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 1996, 8, 41-46.	0.9	114
10	Control-Relevant Intervention in the Treatment of Minor and Major Depression in a Long-Term Care Facility. <i>American Journal of Geriatric Psychiatry</i> , 1997, 5, 247-257.	0.6	35
11	Tc-HMPAO SPECT in persistent post-concussion syndrome after mild head injury comparison with MRI/CT. <i>Brain Injury</i> , 1997, 11, 115-124.	0.6	134
12	Prevalence of apathy following head injury. <i>Brain Injury</i> , 1998, 12, 87-92.	0.6	179
13	Use of the Apathy Evaluation Scale as a Measure of Motivation in Elderly People. <i>Rehabilitation Nursing</i> , 1998, 23, 141-147.	0.3	68
14	Apathy and hypersomnia are common features of myotonic dystrophy. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1998, 64, 510-515.	0.9	110
15	Apathy Is Not Depression. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 1998, 10, 314-319.	0.9	554
16	Neuropsychiatry and Pituitary Disease: An Overview. <i>Psychotherapy and Psychosomatics</i> , 1998, 67, 125-132.	4.0	19
17	Neurobehavioral functioning in asymptomatic HIV-1 infected women. <i>Journal of the International Neuropsychological Society</i> , 1998, 4, 172-178.	1.2	37
18	Assessment of Mood States in Aphasia. <i>Seminars in Speech and Language</i> , 1999, 20, 33-50.	0.5	26

#	ARTICLE	IF	CITATIONS
19	Clinical and Neuroradiologic Features Associated With Chronicity in Late-Life Depression. <i>American Journal of Geriatric Psychiatry</i> , 1999, 7, 309-316.	0.6	51
20	Emotional activation during therapeutic interaction in traumatic brain injury: effect of apathy, self-awareness and implications for rehabilitation. <i>Brain Injury</i> , 1999, 13, 393-404.	0.6	63
21	Apathy and depressed mood in acquired brain damage: relationship to lesion localization and psychophysiological reactivity. <i>Psychological Medicine</i> , 1999, 29, 447-456.	2.7	206
22	Apathy in Neuropsychiatric Disorders. <i>CNS Spectrums</i> , 1999, 4, 31-34,47-50.	0.7	5
23	Relationships Among Apathy, Depression, and Cognitive Impairment in HIV/AIDS. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2000, 12, 451-457.	0.9	74
24	Apathy in neurologic disorders. <i>Current Psychiatry Reports</i> , 2000, 2, 434-439.	2.1	33
25	drug hydroquinidine on apathy and hypersomnia. <i>Neurological Sciences</i> , 2000, 21, 81-86.	0.9	11
26	Apathy in patients with Parkinson's disease. <i>International Review of Psychiatry</i> , 2000, 12, 298-306.	1.4	22
27	The central role of the prefrontal cortex in directing attention to novel events. <i>Brain</i> , 2000, 123, 927-939.	3.7	235
28	Disruption of attention to novel events after frontal lobe injury in humans. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2000, 68, 18-24.	0.9	70
29	Affective behavioural disturbances in Alzheimer's disease and ischaemic vascular disease. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2000, 68, 41-46.	0.9	42
30	Negative symptoms: the "pathology" of motivation and goal-directed behaviour. <i>Trends in Neurosciences</i> , 2000, 23, 412-417.	4.2	256
31	Apolipoprotein-E and White-Matter Hyperintensities in Late-Life Depression. <i>American Journal of Geriatric Psychiatry</i> , 2000, 8, 257-261.	0.6	39
32	Coping strategies in patients with acquired brain injury: relationships between coping, apathy, depression and lesion location. <i>Brain Injury</i> , 2000, 14, 887-905.	0.6	191
33	Relationship of Numbing to Alexithymia, Apathy, and Depression. <i>Psychological Reports</i> , 2001, 88, 189-200.	0.9	21
35	Pallidotomy: A Comparison of Responders and Nonresponders. <i>Neurosurgery</i> , 2001, 48, 263-273.	0.6	25
36	Pallidotomy: A Comparison of Responders and Nonresponders. <i>Neurosurgery</i> , 2001, 48, 263-273.	0.6	26
37	Toward Individualized Evidence-Based Medicine: Five Years of Trials of Methylphenidate in Geriatric Patients. <i>Journal of the American Geriatrics Society</i> , 2001, 49, 474-476.	1.3	49

#	ARTICLE	IF	CITATIONS
38	Apathy in Alzheimer's Disease. <i>Journal of the American Geriatrics Society</i> , 2001, 49, 1700-1707.	1.3	332
39	Relationship of psychosis to aggression, apathy and function in dementia. <i>International Journal of Geriatric Psychiatry</i> , 2001, 16, 123-130.	1.3	64
40	Family, Alzheimer's disease and negative symptoms. <i>International Journal of Geriatric Psychiatry</i> , 2001, 16, 192-202.	1.3	66
41	Apathy, Anhedonia, and Psychomotor Retardation in Elderly Psychiatric Patients and Healthy Elderly Individuals. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2001, 14, 11-16.	1.2	36
42	Syndromic Validity of Apathy in Alzheimer's Disease. <i>American Journal of Psychiatry</i> , 2001, 158, 872-877.	4.0	352
43	Pathophysiology underlying diminished attention to novel events in patients with early AD. <i>Neurology</i> , 2001, 56, 1377-1383.	1.5	63
44	Randomized placebo-controlled trial of donepezil in patients with progressive supranuclear palsy. <i>Neurology</i> , 2001, 57, 467-473.	1.5	160
45	Apathy in Parkinson's disease. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2002, 73, 636-642.	0.9	389
46	Growth hormone deficiency in pituitary disease: relationship to depression, apathy and somatic complaints. <i>European Journal of Endocrinology</i> , 2002, 147, 165-171.	1.9	19
47	Cutoff score on the apathy evaluation scale in subjects with traumatic brain injury. <i>Brain Injury</i> , 2002, 16, 509-516.	0.6	41
48	Emotional and affective disturbances in patients with epilepsy. <i>Epilepsy and Behavior</i> , 2002, 3, 255-261.	0.9	33
49	Brain Imaging of Cognitive Disorders. , 0, , 353-359.		0
50	Clinical, neuropsychological, and morphometric correlates of apathy in Parkinson's disease. <i>Movement Disorders</i> , 2002, 17, 366-371.	2.2	195
51	The Apathy Inventory: assessment of apathy and awareness in Alzheimer's disease, Parkinson's disease and mild cognitive impairment. <i>International Journal of Geriatric Psychiatry</i> , 2002, 17, 1099-1105.	1.3	351
52	Vitality Index as a useful tool to assess elderly with dementia. <i>Geriatrics and Gerontology International</i> , 2002, 2, 23-29.	0.7	107
53	Implicit and Explicit Emotional Memory for Melodies in Alzheimer's Disease and Depression. <i>Annals of the New York Academy of Sciences</i> , 2003, 999, 381-384.	1.8	46
54	Apathy and cognitive performance in older adults with depression. <i>International Journal of Geriatric Psychiatry</i> , 2003, 18, 479-485.	1.3	89
55	Apathy in schizophrenia: clinical correlates and association with functional outcome. <i>Schizophrenia Research</i> , 2003, 63, 79-88.	1.1	106

#	ARTICLE	IF	CITATIONS
57	Factor Analysis of the Frontal Systems Behavior Scale (FrSBe). <i>Assessment</i> , 2003, 10, 79-85.	1.9	179
58	The Impact of Apathy and Depression on Quality of Life in Patients Infected with HIV. <i>AIDS Patient Care and STDs</i> , 2003, 17, 115-120.	1.1	108
59	Physical anhedonia in Parkinson's disease. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2003, 74, 1308-1311.	0.9	72
60	Apathy and Executive Function in Depressed Elderly. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2003, 16, 112-116.	1.2	46
61	A Review of Cholinergic Agents in the Treatment of Neurobehavioral Deficits Following Traumatic Brain Injury. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2003, 15, 17-26.	0.9	49
63	Bupropion in the management of apathy. <i>Journal of Psychopharmacology</i> , 2004, 18, 133-135.	2.0	64
65	Treating Apathy in Alzheimer's Disease. <i>Dementia and Geriatric Cognitive Disorders</i> , 2004, 17, 91-99.	0.7	89
66	The effects of tyrosine depletion in normal healthy volunteers: implications for unipolar depression. <i>Psychopharmacology</i> , 2004, 171, 286-297.	1.5	102
67	A randomized, controlled, clinical trial of activity therapy for apathy in patients with dementia residing in long-term care. <i>International Journal of Geriatric Psychiatry</i> , 2004, 19, 1087-1094.	1.3	132
68	Effects of recurrent major depressive disorder on behavior and cognitive function in female depressed patients. <i>Psychiatry Research</i> , 2004, 125, 73-79.	1.7	62
69	Relationship Between Post-Stroke Depression and Lesion Location: A Meta-Analysis. <i>Kaohsiung Journal of Medical Sciences</i> , 2004, 20, 372-380.	0.8	44
70	Sex Differences in Brain Structure in Geriatric Depression. <i>American Journal of Geriatric Psychiatry</i> , 2004, 12, 653-657.	0.6	24
71	Is apathy in late-life depressive illness related to age-at-onset, cognitive function or vascular risk?. <i>International Psychogeriatrics</i> , 2004, 16, 481-486.	0.6	39
72	Apathy is Associated With Volume of the Nucleus Accumbens in Patients Infected With HIV. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2005, 17, 167-171.	0.9	85
73	A Review of Rating Scales for Measuring Behavior Change Due to Frontal Systems Damage. <i>Cognitive and Behavioral Neurology</i> , 2005, 18, 18-27.	0.5	123
74	Apathy Correlates With Cognitive Function But Not CD4 Status in Patients With Human Immunodeficiency Virus. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2005, 17, 114-118.	0.9	37
75	Psychological and Psychiatric Aspects of Brain Disorder: Nature, Assessment and Implications for Clinical Neuropsychology. , 2005, , 79-98.		2
76	Disorders of Diminished Motivation. <i>Journal of Head Trauma Rehabilitation</i> , 2005, 20, 377-388.	1.0	177

#	ARTICLE	IF	CITATIONS
77	Frequency and clinical, neuropsychological and neuroimaging correlates of apathy following stroke â€” the Sydney Stroke Study. <i>Psychological Medicine</i> , 2005, 35, 1707-1716.	2.7	146
78	Efficacy of milnacipran on poststroke depression on inpatient rehabilitation. <i>Psychiatry and Clinical Neurosciences</i> , 2005, 59, 705-710.	1.0	17
79	Dissociable elements of human foresight: a role for the ventromedial frontal lobes in framing the future, but not in discounting future rewards. <i>Neuropsychologia</i> , 2005, 43, 1214-1221.	0.7	156
80	Depressive symptom quality and neuropsychological performance in dementia. <i>International Journal of Geriatric Psychiatry</i> , 2005, 20, 479-484.	1.3	16
81	Neuropsychiatric symptoms of dementia: cross-sectional analysis from a prospective, longitudinal Belgian study. <i>International Journal of Geriatric Psychiatry</i> , 2005, 20, 1028-1037.	1.3	104
83	Role of Neuropsychiatric Assessment in Diagnosis and Research. , 2005, , 163-183.		0
84	Probing for Affective Side Effects of Drugs Used in Geriatric Practice: Use of Daily Diaries to Test for Effects of Metoclopramide and Naproxen. <i>Neuropsychopharmacology</i> , 2005, 30, 1568-1575.	2.8	6
85	Prevalence of Apathy, Dysphoria, and Depression in Relation to Dementia Severity in Alzheimerâ€™s Disease. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2005, 17, 342-349.	0.9	103
86	A Comparison of Self-Report and Caregiver Assessment of Depression, Apathy, and Irritability in Huntingtonâ€™s Disease. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2005, 17, 378-383.	0.9	73
87	Metacognitive deficits in frontotemporal dementia. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2005, 76, 1630-1635.	0.9	125
88	Apathy: Why Care?. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2005, 17, 7-19.	0.9	257
89	Functional Neuroanatomical Substrates of Altered Reward Processing in Major Depressive Disorder Revealed by a Dopaminergic Probe. <i>Archives of General Psychiatry</i> , 2005, 62, 1228.	13.8	321
90	Effects of methylphenidate on cognition and apathy in normal pressure hydrocephalus: A case study and review. <i>British Journal of Neurosurgery</i> , 2005, 19, 46-50.	0.4	28
91	Depression in Parkinson's disease: loss of dopamine and noradrenaline innervation in the limbic system. <i>Brain</i> , 2005, 128, 1314-1322.	3.7	905
92	Atypical Parkinsonian Disorders. , 2005, , .		10
93	Methylphenidate May Treat Apathy Independent of Depression. <i>Annals of Pharmacotherapy</i> , 2005, 39, 1947-1949.	0.9	31
94	Down and drowsy? Do apathetic nursing home residents experience low quality of life?. <i>Aging and Mental Health</i> , 2005, 9, 135-141.	1.5	34
95	The neuropsychology of normal pressure hydrocephalus (NPH). <i>British Journal of Neurosurgery</i> , 2005, 19, 217-224.	0.4	54

#	ARTICLE	IF	CITATIONS
96	Reduced prefrontal N-acetylaspartate in stroke patients with apathy. <i>Journal of the Neurological Sciences</i> , 2005, 238, 19-24.	0.3	32
97	Apathy in patients with mild cognitive impairment and the risk of developing dementia of Alzheimer's disease. <i>Clinical Neurology and Neurosurgery</i> , 2006, 108, 733-736.	0.6	182
99	Lack of initiative and interest in Alzheimer's disease: a single photon emission computed tomography study. <i>European Journal of Neurology</i> , 2006, 13, 729-735.	1.7	90
100	Simvastatin Causes Changes in Affective Processes in Elderly Volunteers. <i>Journal of the American Geriatrics Society</i> , 2006, 54, 70-76.	1.3	45
102	Does subthalamic nucleus stimulation induce apathy in Parkinson's disease?. <i>Journal of Neurology</i> , 2006, 253, 1083-1091.	1.8	191
103	Dysprosodic speech following basal ganglia insult: Toward a conceptual framework for the study of the cerebral representation of prosody. <i>Brain and Language</i> , 2006, 97, 135-153.	0.8	104
104	Processing of emotionally toned pictures in dementia. <i>International Journal of Geriatric Psychiatry</i> , 2006, 21, 831-837.	1.3	6
105	The Lille apathy rating scale (LARS), a new instrument for detecting and quantifying apathy: validation in Parkinson's disease. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2006, 77, 579-584.	0.9	396
106	Characteristics of Poststroke Depression in Japanese Patients. <i>Neuropsychobiology</i> , 2006, 53, 148-152.	0.9	20
108	Dissociating apathy and depression in Parkinson disease. <i>Neurology</i> , 2006, 67, 33-38.	1.5	267
109	Neuropsychological Performance in Mild Cognitive Impairment with and without Apathy. <i>Dementia and Geriatric Cognitive Disorders</i> , 2006, 21, 192-197.	0.7	71
110	Intervening in the neuropsychiatric features of Parkinson's disease. <i>Expert Review of Neurotherapeutics</i> , 2007, 7, 699-710.	1.4	6
111	Apathy in Dementia: An Examination of the Psychometric Properties of the Apathy Evaluation Scale. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2007, 19, 57-64.	0.9	104
113	Modafinil Therapy for Apathy in an Elderly Patient. <i>Annals of Pharmacotherapy</i> , 2007, 41, 346-349.	0.9	39
114	Depression after stroke. , 2007, , 548-570.		3
115	Treatment of Apathy With Methylphenidate. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2007, 19, 81-83.	0.9	39
116	Restorative Care With Cognitively Impaired Older Adults. <i>Topics in Geriatric Rehabilitation</i> , 2007, 23, 114-125.	0.2	10
117	The Negative Syndrome as a Dimension: Factor Analyses of PANSS in Major Depressive Disorder and Organic Brain Disease Compared With Negative Syndrome Structures Found in the Schizophrenia Literature. <i>Cognitive and Behavioral Neurology</i> , 2007, 20, 113-120.	0.5	15

#	ARTICLE	IF	CITATIONS
118	Relationship Between Self-reported Apathy and Executive Dysfunction in Nondemented Patients With Parkinson Disease. <i>Cognitive and Behavioral Neurology</i> , 2007, 20, 184-192.	0.5	78
119	Apathy Syndrome After Traumatic Brain Injury Compared With Deficits in Schizophrenia. <i>Psychosomatics</i> , 2007, 48, 217-222.	2.5	27
120	Neurobehavioral disorders in Parkinson's disease. <i>Handbook of Clinical Neurology</i> / Edited By P J Vinken and G W Bruyn, 2007, 83, 435-455.	1.0	4
121	Amygdala in Stroke/Transient Ischemic Attack Patients and Its Relationship to Cognitive Impairment and Psychopathology: The Sydney Stroke Study. <i>American Journal of Geriatric Psychiatry</i> , 2007, 15, 487-496.	0.6	37
122	Rates of Depression at 3 and 15 Months Poststroke and Their Relationship With Cognitive Decline: the Sydney Stroke Study. <i>American Journal of Geriatric Psychiatry</i> , 2007, 15, 477-486.	0.6	103
124	Epidemiology of Apathy in Older Adults: The Cache County Study. <i>American Journal of Geriatric Psychiatry</i> , 2007, 15, 365-375.	0.6	149
125	Psychometric Properties of the German "Pain Assessment in Advanced Dementia Scale" (PAINAD-G) in Nursing Home Residents. <i>Journal of the American Medical Directors Association</i> , 2007, 8, 388-395.	1.2	93
126	Apathy and Agitation: Challenges and Future Directions. <i>American Journal of Geriatric Psychiatry</i> , 2007, 15, 361-364.	0.6	7
127	Development of a Short Version of the Apathy Evaluation Scale Specifically Adapted for Demented Nursing Home Residents. <i>American Journal of Geriatric Psychiatry</i> , 2007, 15, 376-385.	0.6	75
128	Exekutive Funktionen. <i>Zeitschrift für Neuropsychologie = Journal of Neuropsychology</i> , 2007, 18, 233-248.	0.2	53
129	An appraisal of the psychometric properties of the Clinician version of the Apathy Evaluation Scale (AES-C). <i>International Journal of Methods in Psychiatric Research</i> , 2007, 16, 97-110.	1.1	27
130	Onset of Depression in Elderly Persons After Hip Fracture: Implications for Prevention and Early Intervention of Late-Life Depression. <i>Journal of the American Geriatrics Society</i> , 2007, 55, 81-86.	1.3	98
131	Does depression, apathy or cognitive impairment reduce the benefit of inpatient rehabilitation facilities for elderly hip fracture patients?. <i>General Hospital Psychiatry</i> , 2007, 29, 141-146.	1.2	61
132	Apathy and its treatment. <i>Current Treatment Options in Neurology</i> , 2007, 9, 363-370.	0.7	1
133	Depression and apathy in Parkinson's disease. <i>Current Neurology and Neuroscience Reports</i> , 2007, 7, 295-301.	2.0	23
134	Apathy and its treatment. <i>Current Treatment Options in Neurology</i> , 2007, 9, 363-370.	0.7	48
135	The effects of modafinil on mood and cognition in Huntington's disease. <i>Psychopharmacology</i> , 2008, 199, 29-36.	1.5	37
136	The use of advanced tracking technologies for the analysis of mobility in Alzheimer's disease and related cognitive diseases. <i>BMC Geriatrics</i> , 2008, 8, 7.	1.1	100

#	ARTICLE	IF	CITATIONS
137	The Lille Apathy Rating Scale: Validation of a caregiverâ€based version. <i>Movement Disorders</i> , 2008, 23, 845-849.	2.2	56
138	Apathy and anhedonia rating scales in Parkinson's disease: Critique and recommendations. <i>Movement Disorders</i> , 2008, 23, 2004-2014.	2.2	285
139	Weakness of will, akrasia, and the neuropsychiatry of decision making: An interdisciplinary perspective. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 2008, 8, 402-417.	1.0	52
140	Emotion recognition impairment and apathy after subthalamic nucleus stimulation in Parkinson's disease have separate neural substrates. <i>Neuropsychologia</i> , 2008, 46, 2796-2801.	0.7	81
141	Apathy and the processing of novelty in schizophrenia. <i>Schizophrenia Research</i> , 2008, 98, 232-238.	1.1	16
142	Neurocognitive deficits and prefrontal cortical atrophy in patients with schizophrenia. <i>Schizophrenia Research</i> , 2008, 101, 142-151.	1.1	73
143	Pilot study exploring quality of life and barriers to leisure-time physical activity in persons with moderate to severe multiple sclerosis. <i>Disability and Health Journal</i> , 2008, 1, 58-65.	1.6	74
144	Rehabilitation of Traumatic Brain Injury in Active Duty Military Personnel and Veterans: Defense and Veterans Brain Injury Center Randomized Controlled Trial of Two Rehabilitation Approaches. <i>Archives of Physical Medicine and Rehabilitation</i> , 2008, 89, 2227-2238.	0.5	117
145	Validation of the Unified Parkinson's Disease Rating Scale (UPDRS) section I as a screening and diagnostic instrument for apathy in patients with Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2008, 14, 183-186.	1.1	34
146	The impact of apathy on glycemic control in diabetes: A cross-sectional study. <i>Diabetes Research and Clinical Practice</i> , 2008, 79, 37-41.	1.1	45
147	Assessing apathy: The use of the Apathy Evaluation Scale in first episode psychosis. <i>European Psychiatry</i> , 2008, 23, 33-39.	0.1	62
148	Apathy Associated with Alzheimer Disease: Use of Dextroamphetamine Challenge. <i>American Journal of Geriatric Psychiatry</i> , 2008, 16, 551-557.	0.6	40
149	Ageing and Alexithymia: Association With Reduced Right Rostral Cingulate Volume. <i>American Journal of Geriatric Psychiatry</i> , 2008, 16, 760-769.	0.6	60
150	Chapter 31 Strokeâ€related psychiatric disorders. <i>Handbook of Clinical Neurology</i> / Edited By P J Vinken and G W Bruyn, 2008, 93, 623-651.	1.0	2
151	An Open-Label Pilot Study of Acetylcholinesterase Inhibitors to Promote Functional Recovery in Elderly Cognitively Impaired Stroke Patients. <i>Cerebrovascular Diseases</i> , 2008, 26, 317-321.	0.8	61
152	The development of a measure of motivational changes following acquired brain injury. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2008, 30, 568-575.	0.8	19
153	The nosological position of apathy in clinical practice. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2008, 79, 1088-1092.	0.9	294
154	Patient ethnicity and perceptions of families and friends regarding depression treatment. <i>Ethnicity and Health</i> , 2008, 13, 465-478.	1.5	6

#	ARTICLE	IF	CITATIONS
156	An exploratory case study of the impact of ambient biographical displays on identity in a patient with Alzheimer's disease. <i>Neuropsychological Rehabilitation</i> , 2008, 18, 742-765.	1.0	48
157	Apathy in late-life depression among Taiwanese patients. <i>International Psychogeriatrics</i> , 2008, 20, 328-37.	0.6	16
158	Why Don't You Exercise? Development of the Amotivation Toward Exercise Scale among Older Inactive Individuals. <i>Journal of Aging and Physical Activity</i> , 2008, 16, 316-341.	0.5	13
159	Dysregulation of the behavioral activation system in remitted bipolar I disorder.. <i>Journal of Abnormal Psychology</i> , 2008, 117, 838-848.	2.0	26
160	Methylphenidate for the Treatment of Apathy in Alzheimer Disease. <i>Journal of Clinical Psychopharmacology</i> , 2008, 28, 296-301.	0.7	124
161	Apathy and functional recovery following first-ever stroke. <i>International Journal of Rehabilitation Research</i> , 2008, 31, 321-326.	0.7	46
162	Apathy in Dementia: Clinical and Sociodemographic Correlates. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2008, 20, 337-347.	0.9	55
164	Fitness training for cardiorespiratory conditioning after traumatic brain injury. <i>The Cochrane Library</i> , 2008, , CD006123.	1.5	22
165	Psychiatric disorders and traumatic brain injury. <i>Neuropsychiatric Disease and Treatment</i> , 2008, 4, 797.	1.0	141
166	Neurobiology of apathy in Alzheimer's disease. <i>Arquivos De Neuro-Psiquiatria</i> , 2008, 66, 436-443.	0.3	53
167	Neurological Soft Signs in Nursing Home Residents with Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2009, 18, 525-532.	1.2	17
168	Brazilian caregiver version of the Apathy Scale. <i>Dementia E Neuropsychologia</i> , 2009, 3, 321-326.	0.3	21
169	Neuropsychological Profile of a Filipino Gentleman with X-Linked Dystoniaâ€“Parkinsonism: A Case Report of Lubag Disease. <i>Clinical Neuropsychologist</i> , 2009, 23, 100-117.	1.5	12
170	The scientific and clinical basis for the treatment of Parkinson disease (2009). <i>Neurology</i> , 2009, 72, S1-136.	1.5	685
171	Executive dysfunction in chronic brain-injured patients: Assessment in outpatient rehabilitation. <i>Neuropsychological Rehabilitation</i> , 2009, 19, 625-644.	1.0	30
172	Interventions for apathy after traumatic brain injury. <i>The Cochrane Library</i> , 2009, , CD006341.	1.5	28
173	Pharmacological Treatment of Apathy in Neurodegenerative Diseases: A Systematic Review. <i>Dementia and Geriatric Cognitive Disorders</i> , 2009, 28, 13-22.	0.7	59
174	Subjective Memory Complaints and Awareness of Memory Functioning in Mild Cognitive Impairment: A Systematic Review. <i>Dementia and Geriatric Cognitive Disorders</i> , 2009, 28, 95-109.	0.7	188

#	ARTICLE	IF	CITATIONS
175	Double-Blind Treatment of Apathy in Patients with Poststroke Depression Using Nefiracetam. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2009, 21, 144-151.	0.9	34
176	Subthalamic nucleus stimulation in Parkinson disease induces apathy. <i>Neurology</i> , 2009, 73, 1746-1751.	1.5	168
177	Reliability and Validity of the Massachusetts General Hospital Cognitive and Physical Functioning Questionnaire. <i>Psychotherapy and Psychosomatics</i> , 2009, 78, 91-97.	4.0	114
178	Reduced approach motivation following nonreward: Extension of the BIS/BAS scales. <i>Personality and Individual Differences</i> , 2009, 47, 753-757.	1.6	10
179	Depression and parkinsonism in older Europeans: results from the EURODEP concerted action. <i>International Journal of Geriatric Psychiatry</i> , 2010, 25, 679-687.	1.3	12
180	Examination of the Lille Apathy Rating Scale in Parkinson disease. <i>Movement Disorders</i> , 2009, 24, 677-683.	2.2	55
181	Relationship between depression and cognitive dysfunctions in Parkinson's disease without dementia. <i>Journal of Neurology</i> , 2009, 256, 632-638.	1.8	95
182	Psychological distress and risk for dementia. <i>Current Psychiatry Reports</i> , 2009, 11, 41-47.	2.1	50
183	Apathy is associated with executive functioning in first episode psychosis. <i>BMC Psychiatry</i> , 2009, 9, 1.	1.1	171
184	Apathy after acquired brain impairment: A systematic review of non-pharmacological interventions. <i>Neuropsychological Rehabilitation</i> , 2009, 19, 481-516.	1.0	40
185	The relation of testosterone levels with fatigue and apathy in Parkinson's disease. <i>Clinical Neurology and Neurosurgery</i> , 2009, 111, 412-414.	0.6	33
186	Symptômes comportementaux et psychologiques des démences: aspects cliniques. <i>Annales Medico-Psychologiques</i> , 2009, 167, 201-205.	0.2	3
188	Cognitive functioning and health related quality of life after rupture of an aneurysm on the anterior communicating artery versus middle cerebral artery. <i>British Journal of Neurosurgery</i> , 2009, 23, 507-515.	0.4	25
189	Motivational deficits as the central link to functioning in schizophrenia: A pilot study. <i>Schizophrenia Research</i> , 2009, 115, 333-337.	1.1	96
190	The Evaluation of Anosognosia in Stroke Patients. <i>Cerebrovascular Diseases</i> , 2009, 27, 280-289.	0.8	50
191	Who does well after a stroke? The Sydney Stroke Study. <i>Aging and Mental Health</i> , 2009, 13, 693-698.	1.5	18
192	Measuring apathy after traumatic brain injury: Psychometric properties of the Apathy Evaluation Scale and the Frontal Systems Behavior Scale. <i>Brain Injury</i> , 2009, 23, 999-1007.	0.6	73
193	Proposed diagnostic criteria for apathy in Alzheimer's disease and other neuropsychiatric disorders. <i>European Psychiatry</i> , 2009, 24, 98-104.	0.1	504

#	ARTICLE	IF	CITATIONS
195	Apathy: A Common Psychiatric Syndrome in the Elderly. <i>Journal of the American Medical Directors Association</i> , 2009, 10, 381-393.	1.2	136
196	Apathy After Hip Fracture: A Potential Target for Intervention to Improve Functional Outcomes. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2009, 21, 271-278.	0.9	15
197	Apathy is a syndrome of executive dysfunction that exists in patients with late-life depression. <i>International Psychogeriatrics</i> , 2009, 21, 205.	0.6	3
198	Negative affect predicts subsequent cognitive change in multiple sclerosis. <i>Journal of the International Neuropsychological Society</i> , 2009, 15, 53-61.	1.2	29
199	Apathy Is Not Depression in Huntington's Disease. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2009, 21, 266-270.	0.9	58
200	Apathy and Functioning in First-Episode Psychosis. <i>Psychiatric Services</i> , 2009, 60, 1495-1503.	1.1	72
201	White Matter Correlates of Apathy in HIV-Positive Subjects: A Diffusion Tensor Imaging Study. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2010, 22, 313-320.	0.9	47
202	The Neuropsychiatric Inventory-Clinician rating scale (NPI-C): reliability and validity of a revised assessment of neuropsychiatric symptoms in dementia. <i>International Psychogeriatrics</i> , 2010, 22, 984-994.	0.6	195
203	Apathy and cognitive and functional decline in community-dwelling older adults: results from the Baltimore ECA longitudinal study. <i>International Psychogeriatrics</i> , 2010, 22, 819-829.	0.6	89
204	Evaluation of an Intervention for Apathy After Traumatic Brain Injury. <i>Journal of Head Trauma Rehabilitation</i> , 2010, 25, 459-469.	1.0	22
205	The independent influence of apathy and depression on cognitive functioning in Parkinson's disease.. <i>Neuropsychology</i> , 2010, 24, 721-730.	1.0	76
206	Regret and the negative evaluation of decision outcomes in major depression. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 2010, 10, 406-413.	1.0	31
207	Alzheimer's disease and impairment of the Self. <i>Consciousness and Cognition</i> , 2010, 19, 969-976.	0.8	42
208	Clinical Staging in the Pathophysiology of Psychotic and Affective Disorders: Facilitation of Prognosis and Treatment. <i>Neurotoxicity Research</i> , 2010, 18, 211-228.	1.3	12
209	Neurocognitive correlates of alexithymia in asymptomatic individuals with HIV. <i>Neuropsychologia</i> , 2010, 48, 1295-1304.	0.7	40
210	Early detection of patients at risk for anxiety, depression and apathy after stroke. <i>General Hospital Psychiatry</i> , 2010, 32, 80-85.	1.2	67
211	Behavioral phenotype in the 9q subtelomeric deletion syndrome: A report about two adult patients. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010, 153B, 536-541.	1.1	22
212	Neuroanatomical correlates of apathy in Parkinson's disease: A magnetic resonance imaging study using voxel-based morphometry. <i>Movement Disorders</i> , 2010, 25, 2318-2325.	2.2	171

#	ARTICLE	IF	CITATIONS
213	Snoezelen, structured reminiscence therapy and 10-minutes activation in long term care residents with dementia (WISDE): study protocol of a cluster randomized controlled trial. <i>BMC Geriatrics</i> , 2010, 10, 5.	1.1	15
214	The <i>in vivo</i> distribution of brain tissue loss in Richardson's syndrome and PSP-parkinsonism: a VBM-DARTEL study. <i>European Journal of Neuroscience</i> , 2010, 32, 640-647.	1.2	71
215	Assessing behavior in dementia across cultures. , 0, , 73-86.		0
216	Apathy: A common neurobehavioural problem. <i>British Journal of Neuroscience Nursing</i> , 2010, 6, 335-341.	0.1	2
217	Measurement of Neuropsychiatric Symptoms in Clinical Trials Targeting Alzheimer's Disease and Related Disorders. <i>Pharmaceuticals</i> , 2010, 3, 2387-2397.	1.7	12
218	The Pharmacotherapy of Neuropsychiatric Symptoms of Dementia. <i>Deutsches A&#x0308;rzteblatt International</i> , 2010, 107, 320-7.	0.6	45
219	Apathy in Alzheimer's disease: Contribution to a clinical view on progression of dementia. <i>Dementia E Neuropsychologia</i> , 2010, 4, 188-193.	0.3	6
220	Negative Symptoms in Schizophrenia: Avolition and Occam's Razor. <i>Schizophrenia Bulletin</i> , 2010, 36, 359-369.	2.3	504
221	Are there common core features of apathy in different neuropsychiatric samples as assessed by the Apathy Evaluation Scale?. <i>Nordic Journal of Psychiatry</i> , 2010, 64, 49-57.	0.7	17
222	Multi-Modal Hallucinations and Cognitive Function in Parkinson's Disease. <i>Dementia and Geriatric Cognitive Disorders</i> , 2010, 30, 51-56.	0.7	22
223	Use of Psychostimulants in Patients with Dementia. <i>Annals of Pharmacotherapy</i> , 2010, 44, 1624-1632.	0.9	53
224	Do people become more apathetic as they grow older? A longitudinal study in healthy individuals. <i>International Psychogeriatrics</i> , 2010, 22, 426-436.	0.6	126
225	Regional patterns of brain tissue loss associated with depression in Parkinson disease. <i>Neurology</i> , 2010, 75, 857-863.	1.5	143
228	Methylphenidate for Apathy and Functional Status in Dementia of the Alzheimer Type. <i>American Journal of Geriatric Psychiatry</i> , 2010, 18, 371-374.	0.6	81
229	Management of behavioral problems in Alzheimer's disease. <i>International Psychogeriatrics</i> , 2010, 22, 346-372.	0.6	295
230	Apathy in first episode psychosis patients: One year follow up. <i>Schizophrenia Research</i> , 2010, 116, 20-26.	1.1	72
231	Reminiscence Group Therapy on Depression and Apathy in Nursing Home Residents With Mild-to-moderate Dementia. <i>Journal of Experimental and Clinical Medicine</i> , 2010, 2, 72-78.	0.2	53
232	Mortality and Institutionalization in Early Survivors of Stroke: The Effects of Cognition, Vascular Mild Cognitive Impairment, and Vascular Dementia. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2010, 19, 485-493.	0.7	22

#	ARTICLE	IF	CITATIONS
233	Cognitive and Affective Predictors of Rehabilitation Participation After Stroke. <i>Archives of Physical Medicine and Rehabilitation</i> , 2010, 91, 203-207.	0.5	140
234	REVIEW: Apathy Diagnosis, Assessment, and Treatment in Alzheimer's Disease. <i>CNS Neuroscience and Therapeutics</i> , 2010, 16, 263-271.	1.9	66
235	Post-injury personality in the prediction of outcome following severe acquired brain injury. <i>Brain Injury</i> , 2011, 25, 1035-1046.	0.6	23
236	Pre- and Post- GPI DBS Neuropsychological Profiles in a Case of X-Linked Dystonia-Parkinsonism. <i>Clinical Neuropsychologist</i> , 2011, 25, 141-159.	1.5	8
237	Rationale and design of a multicentre, double-blind, prospective, randomized, European and Canadian study: Evaluating patient outcomes and costs of managing adults with post-stroke focal spasticity. <i>Journal of Rehabilitation Medicine</i> , 2011, 43, 15-22.	0.8	32
238	Complementary Use of Tai Chi Chih Augments Escitalopram Treatment of Geriatric Depression: A Randomized Controlled Trial. <i>American Journal of Geriatric Psychiatry</i> , 2011, 19, 839-850.	0.6	180
239	Prediction of longitudinal functional outcomes in schizophrenia: The impact of baseline motivational deficits. <i>Schizophrenia Research</i> , 2011, 132, 24-27.	1.1	128
240	Apathy, cognitive deficits and functional impairment in schizophrenia. <i>Schizophrenia Research</i> , 2011, 133, 193-198.	1.1	126
241	Apathy and depression scales in Parkinson's disease: Are they good enough?. <i>Journal of the Neurological Sciences</i> , 2011, 310, 216-219.	0.3	16
244	Avolition and expressive deficits capture negative symptom phenomenology: Implications for DSM-5 and schizophrenia research. <i>Clinical Psychology Review</i> , 2011, 31, 161-168.	6.0	231
245	Are the available apathy measures reliable and valid? A review of the psychometric evidence. <i>Journal of Psychosomatic Research</i> , 2011, 70, 73-97.	1.2	175
246	The trajectory of apathy after deep brain stimulation: From pre-surgery to 6 months post-surgery in Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2011, 17, 182-188.	1.1	66
247	Social cognition and negative symptoms in psychosis. <i>Psychiatry Research</i> , 2011, 188, 283-285.	1.7	19
248	The Role of Dopamine in Symptoms and Treatment of Apathy in Alzheimer's Disease. <i>CNS Neuroscience and Therapeutics</i> , 2011, 17, 411-427.	1.9	99
249	The Negative Impact of Apathy in Parkinson's Disease. , 0, , .		0
250	Differential diagnosis between dementia and psychiatric disorders: Diagnostic criteria and supplementary exams Recommendations of the Scientific Department of Cognitive Neurology and Aging of the Brazilian Academy of Neurology. <i>Dementia E Neuropsychologia</i> , 2011, 5, 288-296.	0.3	6
251	Apathy, but Not Depression, Reflects Inefficient Cognitive Strategies in Parkinson's Disease. <i>PLoS ONE</i> , 2011, 6, e17846.	1.1	76
252	Neuropsychiatric Disorders in Persons With Severe Traumatic Brain Injury. <i>Journal of Head Trauma Rehabilitation</i> , 2011, 26, 116-126.	1.0	159

#	ARTICLE	IF	CITATIONS
253	Apathy and Depression: Separate Factors in Parkinson's Disease. Journal of the International Neuropsychological Society, 2011, 17, 1058-1066.	1.2	109
254	Unawareness of deficits in Alzheimer's disease: role of the cingulate cortex. Brain, 2011, 134, 1061-1076.	3.7	124
255	Is apathy a valid and meaningful symptom or syndrome in Parkinson's disease? A critical review.. Health Psychology, 2011, 30, 386-400.	1.3	32
256	Relationship between Apathy and Sleep Disturbance in Mild and Moderate Alzheimer's Disease: An Actigraphic Study. Journal of Alzheimer's Disease, 2011, 25, 85-91.	1.2	50
257	PLASMA HOMOCYSTEINE LEVEL AND APATHY IN ALZHEIMER'S DISEASE. Journal of the American Geriatrics Society, 2011, 59, 1752-1754.	1.3	8
258	COGNITIVE RESERVE, HOMOCYSTEINE, AND COGNITION IN THE BAVARIAN SCHOOL SISTERS STUDY. Journal of the American Geriatrics Society, 2011, 59, 1754-1756.	1.3	1
259	Differential effects of deep TMS of the prefrontal cortex on apathy and depression. Brain Stimulation, 2011, 4, 266-274.	0.7	41
260	A longitudinal study examining the independence of apathy and depression after stroke: the Sydney Stroke Study. International Psychogeriatrics, 2011, 23, 264-273.	0.6	67
261	In vivo comparison of Richardson's syndrome and progressive supranuclear palsy-parkinsonism. Journal of Neural Transmission, 2011, 118, 1191-1197.	1.4	30
262	Apathy in Neuropsychiatric Disease: Diagnosis, Pathophysiology, and Treatment. Neurotoxicity Research, 2011, 19, 266-278.	1.3	111
263	Anhedonia in Parkinson's disease: A systematic review of the literature. Movement Disorders, 2011, 26, 1825-1834.	2.2	60
264	Kleefstra syndrome in three adult patients: Further delineation of the behavioral and neurological phenotype shows aspects of a neurodegenerative course. American Journal of Medical Genetics, Part A, 2011, 155, 2409-2415.	0.7	38
265	The feasibility of meta-cognitive strategy training in acute inpatient stroke rehabilitation: Case report. Neuropsychological Rehabilitation, 2011, 21, 208-223.	1.0	62
266	Apathy and Anhedonia in Parkinson's Disease. ISRN Neurology, 2011, 2011, 1-9.	1.5	28
267	Apathy After Traumatic Brain Injury: An Overview of the Current State of Play. Brain Impairment, 2011, 12, 43-53.	0.5	9
268	Behavioural disorders, disability and quality of life in Parkinson's disease. Age and Ageing, 2011, 40, 614-621.	0.7	90
269	Parkinson's Disease and Dementia: A Longitudinal Study (DEMPARK). Neuroepidemiology, 2011, 37, 168-176.	1.1	47
270	Post-Stroke Apathy and Hypoperfusion in Basal Ganglia: SPECT Study. Cerebrovascular Diseases, 2011, 31, 6-11.	0.8	62

#	ARTICLE	IF	CITATIONS
271	Boredom: An Emotional Experience Distinct from Apathy, Anhedonia, or Depression. <i>Journal of Social and Clinical Psychology</i> , 2011, 30, 647-666.	0.2	176
272	Dysthymia and Apathy: Diagnosis and Treatment. <i>Depression Research and Treatment</i> , 2011, 2011, 1-7.	0.7	37
273	The Validity of the WHO-5 as an Early Screening for Apathy in an Elderly Population. <i>Current Gerontology and Geriatrics Research</i> , 2012, 2012, 1-5.	1.6	23
274	An Exploration of Apathy and Impulsivity in Parkinson Disease. <i>Current Gerontology and Geriatrics Research</i> , 2012, 2012, 1-10.	1.6	28
275	Successful use of modafinil in treatment-resistant bipolar depression in an elderly woman. <i>Indian Journal of Psychiatry</i> , 2012, 54, 390.	0.4	0
276	Apathy in patients with Parkinson disease without dementia or depression. <i>Neurology</i> , 2012, 79, 1155-1160.	1.5	88
277	Reversal of SSRI-Associated Apathy Syndrome by Discontinuation of Therapy. <i>Annals of Pharmacotherapy</i> , 2012, 46, 452-452.	0.9	52
278	Apathy. <i>American Journal of Alzheimer's Disease and Other Dementias</i> , 2012, 27, 196-201.	0.9	18
279	Neurological and psychiatric aspects of emotion. <i>Handbook of Clinical Neurology</i> / Edited By P J Vinken and G W Bruyn, 2012, 106, 53-74.	1.0	15
280	A Case of an Arachnoid Cyst Masquerading as Corticobasal Degeneration. <i>Clinical Neuropsychologist</i> , 2012, 26, 1342-1357.	1.5	1
281	Poor Dissociation of Patient-Evaluated Apathy and Depressive Symptoms. <i>Current Gerontology and Geriatrics Research</i> , 2012, 2012, 1-8.	1.6	15
282	Apathy in Parkinson's Disease. <i>Advances in Biological Psychiatry</i> , 2012, , 27-40.	0.2	4
283	The Neurocognitive Phenotype of Apathy following Acquired Brain Damage. <i>South African Journal of Psychology</i> , 2012, 42, 369-380.	1.0	0
285	Toys and Gadgets: Construct Validity of Apathy in Parkinson's Disease. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2012, 24, 463-471.	0.9	4
286	Vascular Burden and Cognitive Functioning in Depressed Older Adults. <i>American Journal of Geriatric Psychiatry</i> , 2012, 20, 673-681.	0.6	12
288	Psychometric Properties of the Starkstein Apathy Scale in Patients With Early Untreated Parkinson Disease. <i>American Journal of Geriatric Psychiatry</i> , 2012, 20, 142-148.	0.6	57
289	Pharmacologic Treatment of Apathy in Dementia. <i>American Journal of Geriatric Psychiatry</i> , 2012, 20, 104-122.	0.6	83
290	A Comparative Validation of the Abbreviated Apathy Evaluation Scale (AES-10) With the Neuropsychiatric Inventory Apathy Subscale Against Diagnostic Criteria of Apathy. <i>Journal of the American Medical Directors Association</i> , 2012, 13, 308.e1-308.e6.	1.2	16

#	ARTICLE	IF	CITATIONS
291	The Riddle of Psychiatric Disorders in Parkinson Disease: From Phenomenology to Treatment. <i>American Journal of Geriatric Psychiatry</i> , 2012, 20, 99-103.	0.6	3
292	Psychiatric Disorders and Health-Related Quality of Life after Severe Traumatic Brain Injury: A Prospective Study. <i>Journal of Neurotrauma</i> , 2012, 29, 1029-1037.	1.7	104
293	Physical and Cognitive Stimulation in Alzheimer Disease. The GAIA Project. <i>American Journal of Alzheimer's Disease and Other Dementias</i> , 2012, 27, 107-113.	0.9	52
294	Quality of life in dementia care – differences in quality of life measurements performed by residents with dementia and by nursing staff. <i>Aging and Mental Health</i> , 2012, 16, 819-827.	1.5	66
296	Validation of the Icelandic version of the Neuropsychiatric Inventory with Caregiver Distress (NPI-D). <i>Nordic Journal of Psychiatry</i> , 2012, 66, 26-32.	0.7	12
297	Diffusion tensor MRI contributes to differentiate Richardson's syndrome from PSP-parkinsonism. <i>Neurobiology of Aging</i> , 2012, 33, 2817-2826.	1.5	48
298	Apathy and impulse control disorders in Parkinson's disease: A direct comparison. <i>Parkinsonism and Related Disorders</i> , 2012, 18, 198-203.	1.1	58
299	Change in fatigue after bilateral subthalamic nucleus deep brain stimulation for Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2012, 18, 510-513.	1.1	31
300	Apathy symptoms modulate motivational decision making on the Iowa gambling task. <i>Behavioral and Brain Functions</i> , 2012, 8, 63.	1.4	5
301	Apathy in first episode psychosis patients: A ten year longitudinal follow-up study. <i>Schizophrenia Research</i> , 2012, 136, 19-24.	1.1	67
302	Behavioral validation of avolition in schizophrenia. <i>Schizophrenia Research</i> , 2012, 138, 255-261.	1.1	22
303	The role of the dopaminergic system in mood, motivation and cognition in Parkinson's disease: A double blind randomized placebo-controlled experimental challenge with pramipexole and methylphenidate. <i>Journal of the Neurological Sciences</i> , 2012, 320, 121-126.	0.3	37
304	Facial Expression in Alzheimer's Disease. <i>American Journal of Alzheimer's Disease and Other Dementias</i> , 2012, 27, 100-106.	0.9	32
306	Environmental Enrichment Reduces Signs of Boredom in Caged Mink. <i>PLoS ONE</i> , 2012, 7, e49180.	1.1	92
307	Frontostriatal Cognitive Staging in Parkinson's Disease. <i>Parkinson's Disease</i> , 2012, 2012, 1-8.	0.6	33
308	Neurocognitive Correlates of Apathy and Anxiety in Parkinson's Disease. <i>Parkinson's Disease</i> , 2012, 2012, 1-9.	0.6	32
309	Trastornos del comportamiento en daño cerebral adquirido. <i>Acción Psicológica</i> , 2012, 4, 101.	0.1	1
310	Neuropsiquiatría y daño cerebral. <i>Acción Psicológica</i> , 2012, 4, 17.	0.1	0

#	ARTICLE	IF	CITATIONS
311	Memantine for late-life depression and apathy after a disabling medical event: a 12-week, double-blind placebo-controlled pilot study. <i>International Journal of Geriatric Psychiatry</i> , 2012, 27, 974-980.	1.3	49
312	Cognitive Deficits in Early Parkinson's Disease: New Areas of Research. <i>Current Translational Geriatrics and Experimental Gerontology Reports</i> , 2012, 1, 39-44.	0.7	3
313	Functional connectivity in the cognitive control network and the default mode network in late-life depression. <i>Journal of Affective Disorders</i> , 2012, 139, 56-65.	2.0	357
314	Improvement of Glycemic Control Using Methylphenidate Treatment of Apathy: A Preliminary Report. <i>Journal of the American Geriatrics Society</i> , 2012, 60, 1383-1384.	1.3	2
315	Validation of Physician Orders for Life-Sustaining Treatment: Electronic Registry to Guide Emergency Care. <i>Journal of the American Geriatrics Society</i> , 2012, 60, 1384-1386.	1.3	9
316	Apathy in currently nondepressed patients treated with a SSRI for a major depressive episode: Outcomes following randomized switch to either duloxetine or escitalopram. <i>Journal of Psychiatric Research</i> , 2012, 46, 667-674.	1.5	21
317	Validation of apathy evaluation scale and assessment of severity of apathy in Alzheimer's disease. <i>Psychiatry and Clinical Neurosciences</i> , 2012, 66, 227-234.	1.0	26
318	Role of apathy in the effectiveness of weight management programmes. <i>Diabetes, Obesity and Metabolism</i> , 2012, 14, 419-423.	2.2	16
319	Carer burden in apathy and impulse control disorders in Parkinson's disease. <i>International Journal of Geriatric Psychiatry</i> , 2012, 27, 160-166.	1.3	134
320	Neuropsychological correlates of theory of mind in patients with early Parkinson's disease. <i>Movement Disorders</i> , 2012, 27, 98-105.	2.2	67
321	Apathy in essential tremor, dystonia, and Parkinson's disease: A comparison with normal controls. <i>Movement Disorders</i> , 2012, 27, 432-434.	2.2	24
322	Reflection impulsivity in adolescent cannabis users: a comparison with alcohol-using and non-substance-using adolescents. <i>Psychopharmacology</i> , 2012, 219, 575-586.	1.5	98
323	Location of Infarcts and Apathy in Ischemic Stroke. <i>Cerebrovascular Diseases</i> , 2013, 35, 566-571.	0.8	36
324	Predictors of early post ischemic stroke apathy and depression: a cross-sectional study. <i>BMC Psychiatry</i> , 2013, 13, 164.	1.1	29
325	Behavioural and emotional symptoms of apathy are associated with distinct patterns of brain atrophy in neurodegenerative disorders. <i>Journal of Neurology</i> , 2013, 260, 2481-2490.	1.8	82
326	Neuropsychological profile of adult patients with nonsymptomatic occipital lobe epilepsies. <i>Journal of Neurology</i> , 2013, 260, 445-453.	1.8	15
327	Factors Influencing the Break Even Probabilities of Agency Recruited Low Value Charity Donors. <i>Voluntas</i> , 2013, 24, 1091-1112.	1.1	4
328	Inpatients with schizophrenia report impaired situational motivation but intact global and social motivation. <i>Psychiatry Research</i> , 2013, 210, 43-49.	1.7	29

#	ARTICLE	IF	CITATIONS
329	Clinical Neurogenetics. <i>Neurologic Clinics</i> , 2013, 31, 1121-1144.	0.8	2
330	Hedonic and behavioral deficits associated with apathy in Parkinson's disease: Potential treatment implications. <i>Movement Disorders</i> , 2013, 28, 1301-1304.	2.2	28
331	Incentive motivation deficits in schizophrenia reflect effort computation impairments during cost-benefit decision-making. <i>Journal of Psychiatric Research</i> , 2013, 47, 1590-1596.	1.5	177
332	The Longitudinal Course of Post-Stroke Apathy Over Five Years. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2013, 25, 283-291.	0.9	38
333	Apathy Is Associated With Increased Amyloid Burden in Mild Cognitive Impairment. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2013, 25, 302-307.	0.9	56
334	Absence of congruency sequence effects reveals neurocognitive inflexibility in Parkinson's disease. <i>Neuropsychologia</i> , 2013, 51, 2976-2987.	0.7	26
335	Study protocol: translating and implementing psychosocial interventions in aged home care the lifestyle engagement activity program (LEAP) for life. <i>BMC Geriatrics</i> , 2013, 13, 124.	1.1	4
336	Phelan-McDermid syndrome: Clinical report of a 70-year-old woman. <i>American Journal of Medical Genetics, Part A</i> , 2013, 161, 158-161.	0.7	34
337	Apathie: point sur un syndrome psychogériatrique incontournable. <i>NPG Neurologie - Psychiatrie - Geriatrie</i> , 2013, 13, 159-165.	0.1	1
338	Designing a Trial to Evaluate Potential Treatments for Apathy in Dementia: The Apathy in Dementia Methylphenidate Trial (ADMET). <i>American Journal of Geriatric Psychiatry</i> , 2013, 21, 549-559.	0.6	13
339	Functional connectivity in apathy of late-life depression: A preliminary study. <i>Journal of Affective Disorders</i> , 2013, 149, 398-405.	2.0	98
340	Amotivation and functional outcomes in early schizophrenia. <i>Psychiatry Research</i> , 2013, 210, 665-668.	1.7	69
341	Neural substrates underlying effort computation in schizophrenia. <i>Neuroscience and Biobehavioral Reviews</i> , 2013, 37, 2649-2665.	2.9	74
343	Hippocampal volume reduction and autobiographical memory deficits in chronic schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2013, 211, 189-194.	0.9	35
344	Apathy, poor verbal memory and male gender predict lower psychosocial functioning one year after the first treatment of psychosis. <i>Psychiatry Research</i> , 2013, 210, 55-61.	1.7	52
345	The late positive potential, emotion and apathy in Parkinson's disease. <i>Neuropsychologia</i> , 2013, 51, 960-966.	0.7	32
346	Correlates of Apathy During the First Year After Traumatic Brain Injury. <i>Psychosomatics</i> , 2013, 54, 403-404.	2.5	9
347	Apathy, depression, and motor symptoms have distinct and separable resting activity patterns in idiopathic Parkinson disease. <i>NeuroImage</i> , 2013, 81, 484-495.	2.1	135

#	ARTICLE	IF	CITATIONS
348	Actigraphic Daytime Activity is Reduced in Patients With Cognitive Impairment and Apathy. <i>European Psychiatry</i> , 2013, 28, 94-97.	0.1	45
349	Apathy Secondary to Stroke: A Systematic Review and Meta-Analysis. <i>Cerebrovascular Diseases</i> , 2013, 35, 23-39.	0.8	132
350	Validation of the Brazilian version of the Apathy Inventory. <i>International Journal of Geriatric Psychiatry</i> , 2013, 28, 979-986.	1.3	11
351	Patients'™ expectations of deep brain stimulation, and subjective perceived outcome related to clinical measures in Parkinson's disease: a mixed-method approach. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2013, 84, 1273-1281.	0.9	96
352	The Prevalence and Course of Neuropsychiatric Symptoms in Nursing Home Patients With Dementia: A Systematic Review. <i>Journal of the American Medical Directors Association</i> , 2013, 14, 161-169.	1.2	177
353	A Multidimensional Approach to Apathy after Traumatic Brain Injury. <i>Neuropsychology Review</i> , 2013, 23, 210-233.	2.5	67
354	Differential Diagnosis of Depression and Dementia. , 2013, , 257-270.		3
355	Group reminiscence therapy for adults with dementia: a review. <i>British Journal of Community Nursing</i> , 2013, 18, 228-232.	0.2	24
356	Assessing apathy in everyday clinical practice with the short-form Lille Apathy Rating Scale. <i>Movement Disorders</i> , 2013, 28, 2014-2019.	2.2	23
357	What Neuropsychiatrists Would Like to See in DSM-5. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2013, 25, 6-11.	0.9	4
358	Neuropsychiatric Symptoms of Cerebrovascular Diseases. <i>Neuropsychiatric Symptoms of Neurological Disease</i> , 2013, , .	0.3	5
359	Prevalence, associations, and predictors of apathy in adult survivors of infantile (<5 years of age) posterior fossa brain tumors. <i>Neuro-Oncology</i> , 2013, 15, 497-505.	0.6	8
360	Caregiver rating bias in mild cognitive impairment and mild Alzheimer's disease: impact of caregiver burden and depression on dyadic rating discrepancy across domains. <i>International Psychogeriatrics</i> , 2013, 25, 1345-1355.	0.6	54
361	Neuroimaging Markers of Motor and Nonmotor Features of Parkinson's Disease: An [¹⁸ F]Fluorodeoxyglucose Positron Emission Computed Tomography Study. <i>Dementia and Geriatric Cognitive Disorders</i> , 2013, 35, 183-196.	0.7	87
362	Post-Stroke Apathy: An Exploratory Longitudinal Study. <i>Cerebrovascular Diseases</i> , 2013, 35, 507-513.	0.8	41
363	Apathy and Cognitive Test Performance in Patients Undergoing Cardiac Testing. <i>Cardiovascular Psychiatry and Neurology</i> , 2013, 2013, 1-7.	0.8	0
364	Impulsivity and apathy in Parkinson's disease. <i>Journal of Neuropsychology</i> , 2013, 7, 255-283.	0.6	81
365	Dopaminergic influences on executive function and impulsive behaviour in impulse control disorders in Parkinson's disease. <i>Journal of Neuropsychology</i> , 2013, 7, 306-325.	0.6	44

#	ARTICLE	IF	CITATIONS
366	Apathy is more severe in vascular than amnesic mild cognitive impairment in a community: The Kurihara Project. <i>Psychiatry and Clinical Neurosciences</i> , 2013, 67, 517-525.	1.0	15
367	Apathy correlates with cognitive performance, functional disability, and HIV RNA plasma levels in HIV-positive individuals. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2013, 35, 934-945.	0.8	26
368	Diurnal Variation of Hypothalamic Function and Chronic Subthalamic Nucleus Stimulation in Parkinson's Disease. <i>Neuroendocrinology</i> , 2013, 97, 283-290.	1.2	37
369	More insight into the concept of apathy: a multidisciplinary depression management program has different effects on depressive symptoms and apathy in nursing homes. <i>International Psychogeriatrics</i> , 2013, 25, 1941-1952.	0.6	31
370	Hippocampal Volume Reduction Correlates With Apathy in Traumatic Brain Injury, But Not Schizophrenia. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2013, 25, 292-301.	0.9	21
371	Social Withdrawal of Persons With Vascular Dementia Associated With Disturbance of Basic Daily Activities, Apathy, and Impaired Social Judgment. <i>Care Management Journals: Journal of Case Management ; the Journal of Long Term Home Health Care</i> , 2013, 14, 108-113.	0.5	12
372	The Brazilian version of the Neuropsychiatric Inventory-Clinician rating scale (NPI-C): reliability and validity in dementia. <i>International Psychogeriatrics</i> , 2013, 25, 1503-1511.	0.6	24
375	Assessment of neuropsychiatric symptoms in dementia: Toward improving accuracy. <i>Dementia E Neuropsychologia</i> , 2013, 7, 244-251.	0.3	11
376	Pharmacotherapy of behavioral disturbances. , 0, , 566-586.		0
377	Principles of pharmacotherapy. , 0, , 498-510.		0
378	Exploring the Effect of Companion Robots on Emotional Expression in Older Adults with Dementia: A Pilot Randomized Controlled Trial. <i>Journal of Gerontological Nursing</i> , 2013, 39, 46-53.	0.3	249
379	Mental status examination. , 0, , 344-393.		4
380	Apathy in Parkinson's Disease: Diagnosis, Neuropsychological Correlates, Pathophysiology and Treatment. <i>Behavioural Neurology</i> , 2013, 27, 501-513.	1.1	72
381	Alexithymia and Apathy in Parkinson's Disease: Neurocognitive Correlates. <i>Behavioural Neurology</i> , 2013, 27, 535-545.	1.1	24
382	Apathy as a Key Symptom in Behavior Disorders: Difference Between Alzheimer's Disease and Subcortical Vascular Dementia. , 2013, , .		2
383	The Reliability and Validity of the Korean Version of Apathy Evaluation Scale and its Application in Patients with Schizophrenia. <i>Korean Journal of Schizophrenia Research</i> , 2013, 16, 80.	0.3	11
384	Validation of a Spanish Version of the Lille Apathy Rating Scale for Parkinson's Disease. <i>Scientific World Journal</i> , The, 2014, 2014, 1-7.	0.8	18
385	Outcome Measures for Dementia in the Advanced Stage and at the End of Life. <i>Advances in Geriatrics</i> , 2014, 2014, 1-10.	1.6	17

#	ARTICLE	IF	CITATIONS
386	Effects of combined MAO-B inhibitors and levodopa vs. monotherapy in Parkinson's disease. <i>Frontiers in Aging Neuroscience</i> , 2014, 6, 180.	1.7	33
387	Impairments of working memory in schizophrenia and bipolar disorder: the effect of history of psychotic symptoms and different aspects of cognitive task demands. <i>Frontiers in Behavioral Neuroscience</i> , 2014, 8, 416.	1.0	40
388	Is Anterior Communicating Artery Syndrome Related to Fornix Lesions?. <i>Journal of Alzheimer's Disease</i> , 2014, 42, S199-S204.	1.2	9
389	Understanding the Outcomes Measures used in Huntington Disease Pharmacological Trials: A Systematic Review. <i>Journal of Huntington's Disease</i> , 2014, 3, 233-252.	0.9	25
390	Assessing the effect of a physical activity intervention in a nursing home ecology: a natural lab approach. <i>BMC Geriatrics</i> , 2014, 14, 117.	1.1	13
392	Cognitive Reserve Protects Against Apathy in Individuals with Human Immunodeficiency Virus. <i>Archives of Clinical Neuropsychology</i> , 2014, 29, 110-120.	0.3	20
393	Apathy in untreated, de novo patients with Parkinson's disease: validation study of Apathy Evaluation Scale. <i>Journal of Neurology</i> , 2014, 261, 2319-2328.	1.8	74
394	The Prevalence and Correlates of Mental and Emotional Health Among American Indian Adults With Type 2 Diabetes. <i>The Diabetes Educator</i> , 2014, 40, 319-328.	2.6	19
395	Assessing neuropsychiatric symptoms in people with dementia: a systematic review of measures. <i>International Psychogeriatrics</i> , 2014, 26, 1805-1848.	0.6	59
396	Implication of dopamine D3 receptor activation in the reversion of Parkinson's disease-related motivational deficits. <i>Translational Psychiatry</i> , 2014, 4, e401-e401.	2.4	58
397	Functional Magnetic Resonance Imaging Study of Apathy in Alzheimer's Disease. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2014, 26, 134-141.	0.9	14
398	Behavioral scales used in severe and moderate traumatic brain injury. <i>NeuroRehabilitation</i> , 2014, 35, 67-76.	0.5	13
399	Distinct Neuropsychological Correlates of Cognitive, Behavioral, and Affective Apathy Sub-Domains in Acquired Brain Injury. <i>Frontiers in Neurology</i> , 2014, 5, 73.	1.1	15
400	Development and Reliability Testing of a Health Action Process Approach Inventory for Physical Activity Participation among Individuals with Schizophrenia. <i>Frontiers in Psychiatry</i> , 2014, 5, 68.	1.3	24
401	Optimizing Function and Physical Activity Among Nursing Home Residents With Dementia: Testing the Impact of Function-Focused Care. <i>Gerontologist</i> , The, 2014, 54, 930-943.	2.3	96
402	Pallidal Stimulation in Parkinson's Disease Does Not Induce Apathy. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2014, 26, 221-226.	0.9	7
404	Instrumental activities of daily living in remitted late-life depression: a preliminary study. <i>International Journal of Geriatric Psychiatry</i> , 2014, 29, 109-110.	1.3	4
405	SESSION 1 JOINT OPENING SESSION. Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration, 2014, 15, 1-56.	1.1	1

#	ARTICLE	IF	CITATIONS
406	Insight in Alzheimer's disease and its relation to psychiatric and behavioral disturbances. <i>International Journal of Geriatric Psychiatry</i> , 2014, 29, 77-84.	1.3	53
407	Reward-related decision making in older adults: relationship to clinical presentation of depression. <i>International Journal of Geriatric Psychiatry</i> , 2014, 29, 1125-1131.	1.3	19
408	Motivational and neurocognitive deficits are central to the prediction of longitudinal functional outcome in schizophrenia. <i>Acta Psychiatrica Scandinavica</i> , 2014, 130, 290-299.	2.2	190
409	A review of current information and communication technologies: can they be used to assess apathy?. <i>International Journal of Geriatric Psychiatry</i> , 2014, 29, 345-358.	1.3	30
410	Effect of methylphenidate on attention in apathetic AD patients in a randomized, placebo-controlled trial. <i>International Psychogeriatrics</i> , 2014, 26, 239-246.	0.6	40
411	A model for streamlining psychotherapy in the RDoC era: the example of "Engage". <i>Molecular Psychiatry</i> , 2014, 19, 14-19.	4.1	82
412	The Diagnostic Apathia Scale predicts the ability to return to work following depression or anxiety. <i>Acta Neuropsychiatrica</i> , 2014, 26, 364-371.	1.0	12
413	Neurological Involvement in Primary Sjögren Syndrome: A Focus on Central Nervous System. <i>PLoS ONE</i> , 2014, 9, e84605.	1.1	88
414	Measuring negative symptom change in schizophrenia: considering alternatives to self-report. <i>Expert Review of Neurotherapeutics</i> , 2014, 14, 911-922.	1.4	4
415	On the Relation among Mood, Apathy, and Anosognosia in Alzheimer's Disease. <i>Journal of the International Neuropsychological Society</i> , 2014, 20, 2-7.	1.2	67
416	Social Adaptive Functioning, Apathy, and Nondysphoric Depression among Nursing Home-Dwelling Very Old Adults. <i>Psychopathology</i> , 2014, 47, 319-326.	1.1	4
417	Clinical Correlates of Unawareness of Deficits Among Patients With Dementia Due to Alzheimer's Disease. <i>American Journal of Alzheimer's Disease and Other Dementias</i> , 2014, 29, 533-539.	0.9	6
418	Exploring social cognition in patients with apathy following acquired brain damage. <i>BMC Neurology</i> , 2014, 14, 18.	0.8	21
419	Prospective Memory Performance of Patients with Parkinson's Disease Depends on Shifting Aptitude: Evidence from Cognitive Rehabilitation. <i>Journal of the International Neuropsychological Society</i> , 2014, 20, 717-726.	1.2	23
420	Apathy in aging: Are lack of interest and lack of initiative dissociable?. <i>Archives of Gerontology and Geriatrics</i> , 2014, 58, 43-50.	1.4	22
421	Amotivation as central to negative schizotypy and their predictive value for happiness. <i>Personality and Individual Differences</i> , 2014, 68, 37-42.	1.6	11
422	The link between dopamine function and apathy in cannabis users: an [18F]-DOPA PET imaging study. <i>Psychopharmacology</i> , 2014, 231, 2251-2259.	1.5	86
423	Neuropsychiatric outcomes of stroke. <i>Lancet Neurology</i> , The, 2014, 13, 525-534.	4.9	228

#	ARTICLE	IF	CITATIONS
424	Negative symptoms of schizophrenia: Clinical features, relevance to real world functioning and specificity versus other CNS disorders. <i>European Neuropsychopharmacology</i> , 2014, 24, 693-709.	0.3	171
425	Clinical, cognitive, and behavioural correlates of white matter damage in progressive supranuclear palsy. <i>Journal of Neurology</i> , 2014, 261, 913-924.	1.8	50
426	Apathy Following Traumatic Brain Injury. <i>Psychiatric Clinics of North America</i> , 2014, 37, 103-112.	0.7	38
427	The Patterns of Cognitive and Functional Impairment in Amnesic and Non-amnesic Mild Cognitive Impairment in Geriatric Depression. <i>American Journal of Geriatric Psychiatry</i> , 2014, 22, 1487-1495.	0.6	22
428	Pallidal stimulation for primary generalised dystonia: effect on cognition, mood and quality of life. <i>Journal of Neurology</i> , 2014, 261, 164-173.	1.8	51
429	Guide to Assessment Scales in Parkinson's Disease. , 2014, , .		5
430	Instruments to measure behavioural and psychological symptoms of dementia. <i>International Journal of Methods in Psychiatric Research</i> , 2014, 23, 69-98.	1.1	34
431	Apathy in Parkinson disease. <i>Frontiers in Biology</i> , 2014, 9, 324-331.	0.7	7
432	Unawareness of deficits in ischemic injury: Role of the cingulate cortex. <i>Neurocase</i> , 2014, 20, 540-555.	0.2	18
433	Preoperative factors of apathy in subthalamic stimulated Parkinson disease. <i>Neurology</i> , 2014, 83, 1620-1626.	1.5	51
434	Does acute TBI-related sleep disturbance predict subsequent neuropsychiatric disturbances?. <i>Brain Injury</i> , 2014, 28, 20-26.	0.6	43
435	Apathy and impaired emotional facial recognition networks overlap in Parkinson's disease: a PET study with conjunction analyses. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2014, 85, 1153-1158.	0.9	60
436	Developing a new apathy measurement scale: Dimensional Apathy Scale. <i>Psychiatry Research</i> , 2014, 219, 658-663.	1.7	163
437	The salience network in the apathy of late-life depression. <i>International Journal of Geriatric Psychiatry</i> , 2014, 29, 1116-1124.	1.3	103
438	Methodological approaches and magnitude of the clinical unmet need associated with amotivation in mood disorders. <i>Journal of Affective Disorders</i> , 2014, 168, 439-451.	2.0	43
439	Immediate affective motivation is not impaired in schizophrenia. <i>Schizophrenia Research</i> , 2014, 159, 157-163.	1.1	13
440	Apathy and Health-Related Quality of Life in Stroke. <i>Archives of Physical Medicine and Rehabilitation</i> , 2014, 95, 857-861.	0.5	29
441	How to measure quality of life in shared-housing arrangements? A comparison of dementia-specific instruments. <i>Quality of Life Research</i> , 2014, 23, 549-559.	1.5	27

#	ARTICLE	IF	CITATIONS
442	Quality of Life in Community-Dwelling Older Persons with Apathy. <i>American Journal of Geriatric Psychiatry</i> , 2014, 22, 186-194.	0.6	33
443	The relationship between change in apathy and changes in cognition and functional outcomes in currently non-depressed SSRI-treated patients with major depressive disorder. <i>Comprehensive Psychiatry</i> , 2014, 55, 1-10.	1.5	55
445	Neuroanatomical correlates of apathy in late-life depression and antidepressant treatment response. <i>Journal of Affective Disorders</i> , 2014, 166, 179-186.	2.0	58
446	I can't get no satisfaction: Potential causes of boredom. <i>Consciousness and Cognition</i> , 2014, 27, 27-41.	0.8	47
447	Parkinson's disease patients with subthalamic stimulation and carers judge quality of life differently. <i>Parkinsonism and Related Disorders</i> , 2014, 20, 514-519.	1.1	26
448	The Lille Apathy Rating Scale (LARS): Exploring its psychometric properties in schizophrenia. <i>Schizophrenia Research</i> , 2014, 157, 278-284.	1.1	26
449	Neurobiological Correlates of Apathy in Alzheimer's Disease and Mild Cognitive Impairment: A Critical Review. <i>Journal of Alzheimer's Disease</i> , 2014, 39, 633-648.	1.2	47
450	Measuring Life Space in Older Adults with Mild-to-Moderate Alzheimer's Disease Using Mobile Phone GPS. <i>Gerontology</i> , 2014, 60, 154-162.	1.4	88
451	Attention shifting in Parkinson's disease: An analysis of behavioral and cortical responses.. <i>Neuropsychology</i> , 2014, 28, 929-944.	1.0	20
452	Apathy and its therapeutic approaches in rehabilitation facilities. <i>Higher Brain Function Research</i> , 2014, 34, 184-192.	0.0	0
453	Predictors of Response to Adjunctive Osmotic-Release Methylphenidate or Placebo in Patients With Major Depressive Disorder. <i>Journal of Clinical Psychopharmacology</i> , 2014, 34, 755-759.	0.7	16
454	Predictors of outcome for telephone and face-to-face administered cognitive behavioral therapy for depression. <i>Psychological Medicine</i> , 2015, 45, 3205-3215.	2.7	26
455	P.1.i.051 Intermittent Theta Burst Stimulation of the left dorsolateral prefrontal cortex for the treatment of persistent negative symptoms in schizophrenia. <i>European Neuropsychopharmacology</i> , 2015, 25, S329-S330.	0.3	0
456	Satisfaction des besoins psychologiques fondamentaux, symptômes dépressifs et apathie chez des personnes âgées hospitalisées.. <i>Canadian Journal of Behavioural Science</i> , 2015, 47, 59-67.	0.5	9
457	The BCoS cognitive profile screen: Utility and predictive value for stroke.. <i>Neuropsychology</i> , 2015, 29, 638-648.	1.0	44
458	The Unique and Combined Effects of Apathy and Depression on Cognition in Parkinson's Disease. <i>Journal of Parkinson's Disease</i> , 2015, 5, 351-359.	1.5	16
459	Interventions for Neuropsychiatric Symptoms in Neurocognitive Impairment Due to Alzheimer's Disease. <i>Harvard Review of Psychiatry</i> , 2015, 23, 377-393.	0.9	33
461	Relationship between apathy and cognitive dysfunctions in <i>de novo</i> untreated Parkinson's disease: a prospective longitudinal study. <i>European Journal of Neurology</i> , 2015, 22, 253-260.	1.7	58

#	ARTICLE	IF	CITATIONS
462	Motivational processes in mild cognitive impairment and Alzheimer's disease: results from the Motivational Reserve in Alzheimer's (MoReA) study. <i>BMC Psychiatry</i> , 2015, 15, 293.	1.1	23
463	Cognitive behavioural treatment for mild Alzheimer's patients and their caregivers (CBTAC): study protocol for a randomized controlled trial. <i>Trials</i> , 2015, 16, 526.	0.7	17
464	Assessing clinicopathological correlation in chronic traumatic encephalopathy: rationale and methods for the UNITE study. <i>Alzheimer's Research and Therapy</i> , 2015, 7, 62.	3.0	99
465	Rating Apathy in Huntington's Disease: Patients and Companions Agree. <i>Journal of Huntington's Disease</i> , 2015, 4, 49-59.	0.9	21
466	Diagnostic Accuracy of Behavioral, Activity, Ferritin, and Clinical Indicators of Restless Legs Syndrome. <i>Sleep</i> , 2015, 38, 371-380.	0.6	12
467	A new delirium phenotype with rapid high amplitude onset and nearly as rapid reversal: Central Coast Australia Delirium Intervention Study. <i>Clinical Interventions in Aging</i> , 2015, 10, 473.	1.3	4
468	The Apathy Evaluation Scale: A Comparison of Subject, Informant, and Clinician Report in Cognitively Normal Elderly and Mild Cognitive Impairment. <i>Journal of Alzheimer's Disease</i> , 2015, 47, 421-432.	1.2	65
469	The translational study of apathy—an ecological approach. <i>Frontiers in Behavioral Neuroscience</i> , 2015, 9, 241.	1.0	35
470	Brain-derived neurotrophic factor serum levels correlate with cognitive performance in Parkinson's disease patients with mild cognitive impairment. <i>Frontiers in Behavioral Neuroscience</i> , 2015, 9, 253.	1.0	55
471	A pilot study on the effect of cognitive training on BDNF serum levels in individuals with Parkinson's disease. <i>Frontiers in Human Neuroscience</i> , 2015, 9, 130.	1.0	72
472	Gray Matter Volume Changes in the Apathetic Elderly. <i>Frontiers in Human Neuroscience</i> , 2015, 9, 318.	1.0	10
473	Time-based prospective memory functioning in mild cognitive impairment associated with Parkinson's disease: relationship with autonomous management of daily living commitments. <i>Frontiers in Human Neuroscience</i> , 2015, 9, 333.	1.0	12
474	Cognitive control of conscious error awareness: error awareness and error positivity (Pe) amplitude in moderate-to-severe traumatic brain injury (TBI). <i>Frontiers in Human Neuroscience</i> , 2015, 9, 397.	1.0	12
475	Reduced Verbal Fluency following Subthalamic Deep Brain Stimulation: A Frontal-Related Cognitive Deficit?. <i>PLoS ONE</i> , 2015, 10, e0140083.	1.1	20
476	Neuropsychology, autobiographical memory, and hippocampal volume in younger and older patients with chronic schizophrenia. <i>Frontiers in Psychiatry</i> , 2015, 6, 53.	1.3	16
477	Self-Reported Executive Functioning in Everyday Life in Parkinson's Disease after Three Months of Subthalamic Deep Brain Stimulation. <i>Parkinson's Disease</i> , 2015, 2015, 1-8.	0.6	9
478	The Italian version of the Brain Injury Rehabilitation Trust (BIRT) personality questionnaires: five new measures of personality change after acquired brain injury. <i>Neurological Sciences</i> , 2015, 36, 1793-1798.	0.9	3
479	Depression and Apathy Among People Living with HIV: Implications for Treatment of HIV Associated Neurocognitive Disorders. <i>AIDS and Behavior</i> , 2015, 19, 1430-1437.	1.4	30

#	ARTICLE	IF	CITATIONS
480	Negative Attention Bias and Processing Deficits During the Cognitive Reappraisal of Unpleasant Emotions in HIV+ Women. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2015, 27, e32-e39.	0.9	13
481	Neuropsychiatric Disturbances Associated with Traumatic Brain Injury: A Practical Approach to Evaluation and Management. <i>Seminars in Neurology</i> , 2015, 35, 064-082.	0.5	45
482	Examining Huntington's disease patient and informant concordance on frontally mediated behaviors. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2015, 37, 981-987.	0.8	14
483	Impact of care settings on residents' functional and psychosocial status, physical activity and adverse events. <i>International Journal of Older People Nursing</i> , 2015, 10, 273-283.	0.6	21
484	LACK OF MOTIVATION: A NEW MODIFIABLE RISK FACTOR FOR PERITONITIS IN PATIENTS UNDERGOING PERITONEAL DIALYSIS?. <i>Journal of Renal Care</i> , 2015, 41, 33-42.	0.6	15
485	Function Focused Care for Assisted Living Residents With Dementia. <i>Gerontologist, The</i> , 2015, 55, S13-S26.	2.3	45
486	Natural History of Poststroke Apathy During Acute Rehabilitation. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2015, 27, 333-338.	0.9	11
487	Memory Similarities Between Essential Tremor and Parkinson's Disease: A Final Common Pathway?. <i>Clinical Neuropsychologist</i> , 2015, 29, 985-1001.	1.5	13
488	Distress related to subclinical negative symptoms in a non-clinical sample: Role of dysfunctional attitudes. <i>Psychiatry Research</i> , 2015, 230, 249-254.	1.7	14
489	Measuring motivation in people with schizophrenia. <i>Schizophrenia Research</i> , 2015, 169, 423-426.	1.1	19
490	Effects of high-intensity aerobic exercise on psychotic symptoms and neurocognition in outpatients with schizophrenia: study protocol for a randomized controlled trial. <i>Trials</i> , 2015, 16, 557.	0.7	22
491	Cognitive impairments and mood disruptions negatively impact instrumental activities of daily living performance in the first three months after a first stroke. <i>Topics in Stroke Rehabilitation</i> , 2015, 22, 144-151.	1.0	24
492	Dissecting negative symptoms in schizophrenia: Opportunities for translation into new treatments. <i>Journal of Psychopharmacology</i> , 2015, 29, 116-126.	2.0	44
493	Effects of dance on motor functions, cognitive functions, and mental symptoms of Parkinson's disease: A quasi-randomized pilot trial. <i>Complementary Therapies in Medicine</i> , 2015, 23, 210-219.	1.3	125
494	Citalopram, Methylphenidate, or Their Combination in Geriatric Depression: A Randomized, Double-Blind, Placebo-Controlled Trial. <i>American Journal of Psychiatry</i> , 2015, 172, 561-569.	4.0	140
495	Deficiency of brain structural subnetwork underlying post-schaemic stroke apathy. <i>European Journal of Neurology</i> , 2015, 22, 341-347.	1.7	26
496	Unawareness of bipolar disorder: the role of the cingulate cortex. <i>Neurocase</i> , 2015, 21, 438-447.	0.2	15
497	Depression, Apathy, Anhedonia, and Fatigue in Parkinson's Disease. <i>Neuropsychiatric Symptoms of Neurological Disease</i> , 2015, , 1-28.	0.3	3

#	ARTICLE	IF	CITATIONS
498	Cognitive Screening in Brain Tumors: Short but Sensitive Enough?. <i>Frontiers in Oncology</i> , 2015, 5, 60.	1.3	26
499	Effort-based decision making as an objective paradigm for the assessment of motivational deficits in schizophrenia. <i>Schizophrenia Research</i> , 2015, 168, 483-490.	1.1	43
500	Mild Cognitive Impairment in Early Parkinson's Disease Using the Movement Disorder Society Task Force Criteria: Cross-Sectional Study in Hoehn and Yahr Stage 1. <i>Dementia and Geriatric Cognitive Disorders</i> , 2015, 40, 199-209.	0.7	30
501	Motivated to do well: An examination of the relationships between motivation, effort, and cognitive performance in schizophrenia. <i>Schizophrenia Research</i> , 2015, 166, 276-282.	1.1	57
502	Effort Cost Computation in Schizophrenia: A Commentary on the Recent Literature. <i>Biological Psychiatry</i> , 2015, 78, 747-753.	0.7	88
503	Cognitive and neuroanatomical correlates of neuropsychiatric symptoms in Parkinson's disease: A systematic review. <i>Journal of the Neurological Sciences</i> , 2015, 356, 32-44.	0.3	83
504	The impact of Parkinson's disease and subthalamic deep brain stimulation on reward processing. <i>Neuropsychologia</i> , 2015, 75, 11-19.	0.7	26
505	Role of Socioeconomic Status and Political Participation in Construction of Apathy Among Youth. <i>Journal of Human Behavior in the Social Environment</i> , 2015, 25, 801-809.	1.1	6
506	Neuropsychiatric symptoms in Alzheimer's disease: What might be associated brain circuits?. <i>Molecular Aspects of Medicine</i> , 2015, 43-44, 25-37.	2.7	223
507	Apathy in schizophrenia as a deficit in the generation of options for action.. <i>Journal of Abnormal Psychology</i> , 2015, 124, 309-318.	2.0	27
508	Brain structure abnormalities in first-episode psychosis patients with persistent apathy. <i>Schizophrenia Research</i> , 2015, 164, 59-64.	1.1	41
509	Apathy is Associated With Lower Inferior Temporal Cortical Thickness in Mild Cognitive Impairment and Normal Elderly Individuals. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2015, 27, e22-e27.	0.9	50
510	Quantifying motivational deficits and apathy: A review of the literature. <i>European Neuropsychopharmacology</i> , 2015, 25, 1060-1081.	0.3	22
511	Preoperative brain metabolism and quality of life after subthalamic nucleus stimulation in Parkinson's disease. <i>Journal of Neurology</i> , 2015, 262, 881-889.	1.8	5
512	Dopamine agonists can improve pure apathy associated with lesions of the prefrontal-basal ganglia functional system. <i>Neurological Sciences</i> , 2015, 36, 1197-1201.	0.9	20
513	Psychometric properties of the Hamilton Depression Rating Scale in multiple sclerosis. <i>Quality of Life Research</i> , 2015, 24, 1973-1980.	1.5	41
514	Apathy in Neurodegenerative Diseases. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2015, 28, 159-173.	1.2	46
515	Clinical associations of anosognosia in mild cognitive impairment and Alzheimer's disease. <i>International Journal of Geriatric Psychiatry</i> , 2015, 30, 1207-1214.	1.3	53

#	ARTICLE	IF	CITATIONS
516	The Diagnostic Apathia Scale predicts a doseâ€“remission relationship of T-PEMF in treatment-resistant depression. <i>Acta Neuropsychiatrica</i> , 2015, 27, 1-7.	1.0	9
517	Neuropathological sequelae of Human Immunodeficiency Virus and apathy: A review of neuropsychological and neuroimaging studies. <i>Neuroscience and Biobehavioral Reviews</i> , 2015, 55, 147-164.	2.9	40
518	Strategy Training During Inpatient Rehabilitation May Prevent Apathy Symptoms After Acute Stroke. <i>PM and R</i> , 2015, 7, 562-570.	0.9	32
519	Differential relationships between apathy and depression with white matter microstructural changes and functional outcomes. <i>Brain</i> , 2015, 138, 3803-3815.	3.7	126
520	Prospective memory performance in individuals with Parkinsonâ€™s disease who have mild cognitive impairment.. <i>Neuropsychology</i> , 2015, 29, 782-791.	1.0	15
521	Alarm fatigue and its influence on staff performance. <i>IIE Transactions on Healthcare Systems Engineering</i> , 2015, 5, 183-196.	0.8	46
522	Prevalence and correlates of apathy in myotonic dystrophy type 1. <i>BMC Neurology</i> , 2015, 15, 148.	0.8	61
523	The Lifestyle Engagement Activity Program (LEAP): Implementing Social and Recreational Activity into Case-Managed Home Care. <i>Journal of the American Medical Directors Association</i> , 2015, 16, 1069-1076.	1.2	26
524	PRospective Observational POLish Study on post-stroke delirium (PROPOLIS): methodology of hospital-based cohort study on delirium prevalence, predictors and diagnostic tools. <i>BMC Neurology</i> , 2015, 15, 94.	0.8	26
525	The association between fatigue and apathy in patients with either Parkinson's disease or multiple sclerosis. <i>Parkinsonism and Related Disorders</i> , 2015, 21, 1093-1095.	1.1	21
526	Quality of life in patients with progressive supranuclear palsy: one-year follow-up. <i>Journal of Neurology</i> , 2015, 262, 2042-2048.	1.8	22
528	The independence of schizotypy from affective temperaments â€“ A combined confirmatory factor analysis of SPQ and the short TEMPS-A. <i>Psychiatry Research</i> , 2015, 225, 145-156.	1.7	10
529	A systematic review of the validity and reliability of apathy scales in neurodegenerative conditions. <i>International Psychogeriatrics</i> , 2015, 27, 903-923.	0.6	59
530	Apathy in Nursing Home Residents with Dementia: Results From A Cluster-Randomized Controlled Trial. <i>European Psychiatry</i> , 2015, 30, 251-257.	0.1	32
531	Characterization of reward and effort mechanisms in apathy. <i>Journal of Physiology (Paris)</i> , 2015, 109, 16-26.	2.1	83
532	A Novel Rating Scale for the Measurement of Apathy in Institutionalized Persons with Dementia: The APADEM-NH. <i>American Journal of Geriatric Psychiatry</i> , 2015, 23, 149-159.	0.6	16
533	Gait and Apathy as Relevant Symptoms of Subcortical Vascular Dementia. <i>American Journal of Alzheimer's Disease and Other Dementias</i> , 2015, 30, 390-399.	0.9	21
534	Neuropsychiatric Symptoms of Movement Disorders. <i>Neuropsychiatric Symptoms of Neurological Disease</i> , 2015, , .	0.3	0

#	ARTICLE	IF	CITATIONS
535	Effect of Tramadol/Acetaminophen on Motivation in Patients with Chronic Low Back Pain. <i>Pain Research and Management</i> , 2016, 2016, 1-7.	0.7	10
536	Characterizing a psychiatric symptom dimension related to deficits in goal-directed control. <i>ELife</i> , 2016, 5, .	2.8	365
537	Neural Correlates for Apathy: Frontal-Prefrontal and Parietal Cortical- Subcortical Circuits. <i>Frontiers in Aging Neuroscience</i> , 2016, 8, 289.	1.7	75
538	Concomitant Use of Transcranial Direct Current Stimulation and Computer-Assisted Training for the Rehabilitation of Attention in Traumatic Brain Injured Patients: Behavioral and Neuroimaging Results. <i>Frontiers in Behavioral Neuroscience</i> , 2016, 10, 57.	1.0	49
539	Feasibility of a Cognitive Behavioral Intervention to Manage Fatigue in Individuals With Traumatic Brain Injury: A Pilot Study. <i>Journal of Head Trauma Rehabilitation</i> , 2016, 31, E41-E49.	1.0	27
540	Vocational Functioning in Schizophrenia Spectrum Disorders. <i>Journal of Nervous and Mental Disease</i> , 2016, 204, 599-605.	0.5	6
541	Neuropsychological correlates of Pisa syndrome in patients with Parkinson's disease. <i>Acta Neurologica Scandinavica</i> , 2016, 134, 101-107.	1.0	23
542	Human behavioral assessments in current research of Parkinson's disease. <i>Neuroscience and Biobehavioral Reviews</i> , 2016, 68, 741-772.	2.9	58
543	Fighting apathy in Alzheimer's dementia: A brief emotional-based intervention. <i>Psychiatry Research</i> , 2016, 242, 331-335.	1.7	22
544	Apathy in Mild Parkinson's Disease: Neuropsychological and Neuroimaging Evidence. <i>Journal of Parkinson's Disease</i> , 2016, 6, 821-832.	1.5	28
545	Aerobic Exercise Improves Mood, Cognition, and Language Function in Parkinson's Disease: Results of a Controlled Study. <i>Journal of the International Neuropsychological Society</i> , 2016, 22, 878-889.	1.2	75
546	Cognitive Flexibility in Primary Dystonia. <i>Journal of the International Neuropsychological Society</i> , 2016, 22, 662-670.	1.2	26
547	Alzheimer's Disease Severity is Not Significantly Associated with Short Sleep: Survey by Actigraphy on 208 Mild and Moderate Alzheimer's Disease Patients. <i>Journal of Alzheimer's Disease</i> , 2016, 55, 321-331.	1.2	14
548	The brief negative symptom scale: validation of the German translation and convergent validity with self-rated anhedonia and observer-rated apathy. <i>BMC Psychiatry</i> , 2016, 16, 415.	1.1	40
549	Apathy and Attentional Biases in Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2016, 51, 837-846.	1.2	19
550	The Group Reminiscence Approach Can Increase Self-Awareness of Memory Deficits and Evoke a Life Review in People With Mild Cognitive Impairment: The Kurihara Project Data. <i>Journal of the American Medical Directors Association</i> , 2016, 17, 501-507.	1.2	7
552	Neuropsychiatric symptoms and their impact on quality of life in multiple system atrophy. <i>Cogent Psychology</i> , 2016, 3, 1131476.	0.6	14
553	Alexithymia in Parkinson's disease: A systematic review of the literature. <i>Parkinsonism and Related Disorders</i> , 2016, 28, 1-11.	1.1	41

#	ARTICLE	IF	CITATIONS
554	The evaluation of behavioural changes in brain-injured patients: SOFMER recommendations for clinical practice. <i>Annals of Physical and Rehabilitation Medicine</i> , 2016, 59, 23-30.	1.1	2
555	Neuropsychiatric sequelae of stroke. <i>Nature Reviews Neurology</i> , 2016, 12, 269-280.	4.9	160
556	Multidimensional model of apathy in older adults using partial least squaresâ€”path modeling. <i>Age</i> , 2016, 38, 55.	3.0	10
557	Apathy in Older Persons With Depression: Course and Predictors. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2016, 29, 178-186.	1.2	15
558	Neural correlates of apathy in patients with neurodegenerative disorders, acquired brain injury, and psychiatric disorders. <i>Neuroscience and Biobehavioral Reviews</i> , 2016, 69, 381-401.	2.9	81
559	Neural mechanisms underlying cognitive inflexibility in Parkinson's disease. <i>Neuropsychologia</i> , 2016, 93, 142-150.	0.7	37
560	The research domain criteria framework: The case for anterior cingulate cortex. <i>Neuroscience and Biobehavioral Reviews</i> , 2016, 71, 418-443.	2.9	158
561	The relationships between apathy and executive dysfunction in multiple sclerosis.. <i>Neuropsychology</i> , 2016, 30, 767-774.	1.0	13
562	In Parkinsonâ€™s disease STN stimulation enhances responsiveness of movement initiation speed to high reward value. <i>Neuropsychologia</i> , 2016, 89, 273-280.	0.7	8
563	Influence of subthalamic deep-brain stimulation on cognitive action control in incentive context. <i>Neuropsychologia</i> , 2016, 91, 519-530.	0.7	8
564	Apathy, alexithymia, and depressive symptoms: Points of convergence and divergence. <i>Psychiatry Research</i> , 2016, 244, 306-311.	1.7	11
565	Cognitive dysfunctions and psychological symptoms in migraine without aura: a cross-sectional study. <i>Journal of Headache and Pain</i> , 2016, 17, 76.	2.5	66
566	Mood-congruent recollection and anosognosia in Alzheimer's disease. <i>Cortex</i> , 2016, 84, 55-62.	1.1	9
567	Evaluation of rotigotine transdermal patch for the treatment of apathy and motor symptoms in Parkinsonâ€™s disease. <i>BMC Neurology</i> , 2016, 16, 90.	0.8	43
568	Apathy in Dementia: Systematic Review of Recent Evidence on Pharmacological Treatments. <i>Current Psychiatry Reports</i> , 2016, 18, 103.	2.1	54
569	The effect of an acute bout of exercise on executive function among individuals with schizophrenia. <i>Psychiatry Research</i> , 2016, 246, 637-643.	1.7	8
570	Anxiety and depression symptoms among caregivers of care-recipients with subjective cognitive decline and cognitive impairment. <i>BMC Neurology</i> , 2016, 16, 191.	0.8	31
571	Effect of Fluoxetine on Inflammatory Cytokines in Drug-Naive Major Depression. <i>Journal of Clinical Psychopharmacology</i> , 2016, 36, 726-728.	0.7	3

#	ARTICLE	IF	CITATIONS
572	The role of dopamine in the pathophysiology and treatment of apathy. <i>Progress in Brain Research</i> , 2016, 229, 389-426.	0.9	61
573	Apathy: Why Care?. <i>Focus (American Psychiatric Publishing)</i> , 2016, 14, 523-532.	0.4	2
574	Prevalence of Selective Serotonin Reuptake Inhibitor-Related Apathy in Patients With Obsessive Compulsive Disorder. <i>Journal of Clinical Psychopharmacology</i> , 2016, 36, 725-726.	0.7	1
575	Quantifying motivation with effort-based decision-making paradigms in health and disease. <i>Progress in Brain Research</i> , 2016, 229, 71-100.	0.9	79
576	Development of two measures of client engagement for use in home aged care. <i>Health and Social Care in the Community</i> , 2016, 24, 363-374.	0.7	3
577	The Cognition and Affect after Stroke - a Prospective Evaluation of Risks (CASPER) study: rationale and design. <i>BMC Neurology</i> , 2016, 16, 65.	0.8	29
578	Characterizing the affective responses to an acute bout of moderate-intensity exercise among outpatients with schizophrenia. <i>Psychiatry Research</i> , 2016, 237, 264-270.	1.7	2
579	Disease awareness in myotonic dystrophy type 1: an observational cross-sectional study. <i>Orphanet Journal of Rare Diseases</i> , 2016, 11, 34.	1.2	63
580	Latent class analysis of the Apathy Scale does not identify subtypes of apathy in general population-based older persons. <i>International Journal of Geriatric Psychiatry</i> , 2016, 31, 1021-1028.	1.3	3
581	Effect of lumbo-peritoneal shunt surgery on neuropsychiatric symptoms in patients with idiopathic normal pressure hydrocephalus. <i>Journal of the Neurological Sciences</i> , 2016, 361, 206-212.	0.3	22
582	Impact of avolition and cognitive impairment on functional outcome in first-episode schizophrenia-spectrum disorder: a prospective one-year follow-up study. <i>Schizophrenia Research</i> , 2016, 170, 318-321.	1.1	44
583	The relationship between apathy and participation in therapeutic activities in nursing home residents with dementia: Evidence for an association and directions for further research. <i>Dementia</i> , 2016, 15, 494-509.	1.0	9
584	Know thyself: Exploring interoceptive sensitivity in Parkinson's disease. <i>Journal of the Neurological Sciences</i> , 2016, 364, 110-115.	0.3	28
585	Apathy Is Associated With Ventral Striatum Volume in Schizophrenia Spectrum Disorder. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2016, 28, 191-194.	0.9	15
586	What are the disruptive symptoms of behavioral disorders after traumatic brain injury? A systematic review leading to recommendations for good practices. <i>Annals of Physical and Rehabilitation Medicine</i> , 2016, 59, 5-17.	1.1	72
587	Motivational deficits in major depressive disorder: Cross-sectional and longitudinal relationships with functional impairment and subjective well-being. <i>Comprehensive Psychiatry</i> , 2016, 66, 31-38.	1.5	22
588	Working Memory Deficit as a Risk Factor for Severe Apathy in Schizophrenia: A 1-Year Longitudinal Study. <i>Schizophrenia Bulletin</i> , 2016, 42, 642-651.	2.3	20
589	Serum uric acid is associated with apathy in early, drug-naïve Parkinson's disease. <i>Journal of Neural Transmission</i> , 2016, 123, 371-377.	1.4	9

#	ARTICLE	IF	CITATIONS
590	Subjective perceived outcome of subthalamic deep brain stimulation in Parkinson's disease one year after surgery. <i>Parkinsonism and Related Disorders</i> , 2016, 24, 41-47.	1.1	36
591	Assessing anhedonia in depression: Potentials and pitfalls. <i>Neuroscience and Biobehavioral Reviews</i> , 2016, 65, 21-35.	2.9	344
592	What can rodent models tell us about apathy and associated neuropsychiatric symptoms in Parkinson's disease?. <i>Translational Psychiatry</i> , 2016, 6, e753-e753.	2.4	60
593	Neuroimaging and clinical predictors of fatigue in Parkinson disease. <i>Parkinsonism and Related Disorders</i> , 2016, 23, 45-49.	1.1	33
594	Validation of the Lille's Apathy Rating Scale in Very Mild to Moderate Dementia. <i>American Journal of Geriatric Psychiatry</i> , 2016, 24, 517-527.	0.6	15
595	Neurobehavioral Manifestations of Human Immunodeficiency Virus/AIDS. <i>Neurologic Clinics</i> , 2016, 34, 33-53.	0.8	21
596	Aging and the subjective experience of time. <i>Aging Clinical and Experimental Research</i> , 2016, 28, 327-332.	1.4	5
597	<i>Dementia Care.</i> , 2016, , .		6
598	Apathy: a practical guide for neurologists. <i>Practical Neurology</i> , 2016, 16, 42-47.	0.5	25
599	Prevalence and cognitive underpinnings of isolated apathy in young healthy subjects. <i>Journal of Affective Disorders</i> , 2016, 189, 272-275.	2.0	16
600	Multidimensional apathy in ALS: validation of the Dimensional Apathy Scale. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2016, 87, 663-669.	0.9	93
601	Current developments and challenges in the assessment of negative symptoms. <i>Schizophrenia Research</i> , 2017, 186, 8-18.	1.1	75
602	Caregiver perception of apathy in persons with mild cognitive impairment or Alzheimer's disease: a longitudinal study. <i>Aging and Mental Health</i> , 2017, 21, 494-500.	1.5	14
603	High early life stress and aberrant amygdala activity: risk factors for elevated neuropsychiatric symptoms in HIV+ adults. <i>Brain Imaging and Behavior</i> , 2017, 11, 649-665.	1.1	18
604	Job Apathy. <i>Journal of Career Assessment</i> , 2017, 25, 484-501.	1.4	11
605	Cumulative Head Impact Exposure Predicts Later-Life Depression, Apathy, Executive Dysfunction, and Cognitive Impairment in Former High School and College Football Players. <i>Journal of Neurotrauma</i> , 2017, 34, 328-340.	1.7	425
606	Validity of the three apathy items of the Geriatric Depression Scale (<sc>GDS-3A</sc>) in measuring apathy in older persons. <i>International Journal of Geriatric Psychiatry</i> , 2017, 32, 421-428.	1.3	34
607	Apathy associated with neurocognitive disorders: Recent progress and future directions. <i>Alzheimer's and Dementia</i> , 2017, 13, 84-100.	0.4	167

#	ARTICLE	IF	CITATIONS
608	A randomized controlled trial of Kundalini yoga in mild cognitive impairment. <i>International Psychogeriatrics</i> , 2017, 29, 557-567.	0.6	91
609	Development and validation of the deep brain stimulation impairment scale (DBS-IS). <i>Parkinsonism and Related Disorders</i> , 2017, 36, 69-75.	1.1	9
610	Neural correlates of apathy in late-life depression: a pilot [¹⁸ F]FDDNP positron emission tomography study. <i>Psychogeriatrics</i> , 2017, 17, 186-193.	0.6	23
611	Dopaminergic modulation of performance monitoring in Parkinson's disease: An event-related potential study. <i>Scientific Reports</i> , 2017, 7, 41222.	1.6	21
612	A composite measure of cognitive and functional progression in Alzheimer's disease: Design of the Capturing Changes in Cognition study. <i>Alzheimer's and Dementia: Translational Research and Clinical Interventions</i> , 2017, 3, 130-138.	1.8	26
613	Awareness, apathy, and depression in Alzheimer's disease and mild cognitive impairment. <i>Brain and Behavior</i> , 2017, 7, e00661.	1.0	21
614	Pharmacological Therapy for Apathy in Alzheimer's Disease: A Systematic Review and Meta-Analysis. <i>Canadian Journal of Neurological Sciences</i> , 2017, 44, 267-275.	0.3	28
615	Depressive disorder may be associated with raphe nuclei lesions in patients with brainstem infarction. <i>Journal of Affective Disorders</i> , 2017, 213, 191-198.	2.0	14
616	Apathy is related to reduced activation in cognitive control regions during set-shifting. <i>Human Brain Mapping</i> , 2017, 38, 2722-2733.	1.9	10
617	The Parkinson's Active Living (PAL) Program. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2017, 30, 11-25.	1.2	26
618	Regional 18F-Fluorodeoxyglucose Hypometabolism is Associated with Higher Apathy Scores Over Time in Early Alzheimer Disease. <i>American Journal of Geriatric Psychiatry</i> , 2017, 25, 683-693.	0.6	37
619	Relationship of Cognitive Function to Motor Symptoms and Mood Disorders in Patients With Isolated Dystonia. <i>Cognitive and Behavioral Neurology</i> , 2017, 30, 16-22.	0.5	33
620	The brain and the subjective experience of time. A voxel based symptom-lesion mapping study. <i>Behavioural Brain Research</i> , 2017, 329, 26-34.	1.2	7
621	Apathy in amyotrophic lateral sclerosis: insights from Dimensional Apathy Scale. <i>Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration</i> , 2017, 18, 434-442.	1.1	38
622	Psychometric properties of the apathy evaluation scale in patients with Parkinson's disease. <i>International Journal of Methods in Psychiatric Research</i> , 2017, 26, .	1.1	10
623	Neuropsychological correlates of theory of mind deficits in patients with multiple sclerosis.. <i>Neuropsychology</i> , 2017, 31, 811-821.	1.0	56
624	Is there a specific psychiatric background or personality profile in functional dystonia?. <i>Journal of Psychosomatic Research</i> , 2017, 97, 58-62.	1.2	12
625	Investigating consummatory and anticipatory pleasure across motivation deficits in schizophrenia and healthy controls. <i>Psychiatry Research</i> , 2017, 254, 112-117.	1.7	27

#	ARTICLE	IF	CITATIONS
626	A Transdiagnostic Review of Negative Symptom Phenomenology and Etiology. <i>Schizophrenia Bulletin</i> , 2017, 43, 712-719.	2.3	146
628	Frontal Tasks and Behavior in Rigid or Tremor-Dominant Parkinson Disease. <i>American Journal of Alzheimer's Disease and Other Dementias</i> , 2017, 32, 300-306.	0.9	7
629	Apathy Due to Injury of the Prefrontocaudate Tract Following Mild Traumatic Brain Injury. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2017, 96, e130-e133.	0.7	10
630	Prediction of motivational impairment: 12-month follow-up of the randomized-controlled trial on extended early intervention for first-episode psychosis. <i>European Psychiatry</i> , 2017, 41, 37-41.	0.1	11
631	Assessment of apathy minimising the effect of motor dysfunctions in Parkinson's disease: a validation study of the dimensional apathy scale. <i>Quality of Life Research</i> , 2017, 26, 2533-2540.	1.5	22
632	A trans-diagnostic perspective on obsessive-compulsive disorder. <i>Psychological Medicine</i> , 2017, 47, 1528-1548.	2.7	115
633	Effort-Based Reinforcement Processing and Functional Connectivity Underlying Amotivation in Medicated Patients with Depression and Schizophrenia. <i>Journal of Neuroscience</i> , 2017, 37, 4370-4380.	1.7	51
634	Life-space and movement behavior in nursing home residents: results of a new sensor-based assessment and associated factors. <i>BMC Geriatrics</i> , 2017, 17, 36.	1.1	40
635	Research in Clinical Pragmatics. <i>Perspectives in Pragmatics, Philosophy and Psychology</i> , 2017, , .	0.2	33
636	Temporal Associations between Fatigue, Depression, and Apathy after Stroke: Results of the Cognition and Affect after Stroke, a Prospective Evaluation of Risks Study. <i>Cerebrovascular Diseases</i> , 2017, 44, 330-337.	0.8	39
637	Methylphenidate, cognition, and epilepsy: A 12-month open-label trial. <i>Epilepsia</i> , 2017, 58, 2124-2132.	2.6	18
638	Imaging Markers of Post-Stroke Depression and Apathy: a Systematic Review and Meta-Analysis. <i>Neuropsychology Review</i> , 2017, 27, 202-219.	2.5	79
639	Measurement of Nonmotor Symptoms in Clinical Practice. <i>International Review of Neurobiology</i> , 2017, 133, 291-345.	0.9	18
640	Deep Brain Stimulation of the subthalamic nucleus does not negatively affect social cognitive abilities of patients with Parkinson's disease. <i>Scientific Reports</i> , 2017, 7, 9413.	1.6	19
641	Striatal dopamine D2/3 receptor-mediated neurotransmission in major depression: Implications for anhedonia, anxiety and treatment response. <i>European Neuropsychopharmacology</i> , 2017, 27, 977-986.	0.3	70
642	Social cognition impairments after aneurysmal subarachnoid haemorrhage: Associations with deficits in interpersonal behaviour, apathy, and impaired self-awareness. <i>Neuropsychologia</i> , 2017, 103, 131-139.	0.7	26
643	Multidimensional apathy and executive dysfunction in amyotrophic lateral sclerosis. <i>Cortex</i> , 2017, 94, 142-151.	1.1	56
644	Does Tobacco Abstinence Decrease Reward Sensitivity? A Human Laboratory Test. <i>Nicotine and Tobacco Research</i> , 2017, 19, 677-685.	1.4	60

#	ARTICLE	IF	CITATIONS
645	Apathy in Parkinson's Disease. <i>International Review of Neurobiology</i> , 2017, 133, 657-678.	0.9	27
646	Apathy: Risk Factor for Mortality in Nursing Home Patients. <i>Journal of the American Geriatrics Society</i> , 2017, 65, 2182-2189.	1.3	36
647	Apathy in people with epilepsy and its clinical significance: A case-control study. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2017, 51, 80-86.	0.9	7
648	Neuropsychiatric signs and symptoms of Alzheimer's disease: New treatment paradigms. <i>Alzheimer's and Dementia: Translational Research and Clinical Interventions</i> , 2017, 3, 440-449.	1.8	240
649	Separate mesocortical and mesolimbic pathways encode effort and reward learning signals. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, E7395-E7404.	3.3	107
651	A Novel Assessment and Profiling of Multidimensional Apathy in Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2017, 60, 57-67.	1.2	39
652	Neural basis of self-initiative in relation to apathy in a student sample. <i>Scientific Reports</i> , 2017, 7, 3264.	1.6	6
653	Psychometric testing of a Swedish version of the Apathy Evaluation Scale. <i>Nordic Journal of Psychiatry</i> , 2017, 71, 477-484.	0.7	5
654	Assessment of apathy independent of physical disability: validation of the Dimensional Apathy Scale in Italian healthy sample. <i>Neurological Sciences</i> , 2017, 38, 303-309.	0.9	39
655	Frontotemporal Dementia. <i>Neuropsychiatric Symptoms of Neurological Disease</i> , 2017, , 279-302.	0.3	0
656	Depression Predicts Functional Outcome in Geriatric Inpatient Rehabilitation. <i>Archives of Physical Medicine and Rehabilitation</i> , 2017, 98, 500-507.	0.5	16
657	Structural correlates of apathy in Alzheimer's disease: a multimodal MRI study. <i>International Journal of Geriatric Psychiatry</i> , 2017, 32, 922-930.	1.3	27
658	Olfactory Function and Associated Clinical Correlates in Former National Football League Players. <i>Journal of Neurotrauma</i> , 2017, 34, 772-780.	1.7	41
659	Relationship among apathy, cognition, and real-world disability after mild traumatic brain injury. <i>Applied Neuropsychology Adult</i> , 2017, 24, 559-565.	0.7	15
660	Revisiting the International Physical Activity Questionnaire (IPAQ): Assessing physical activity among individuals with schizophrenia. <i>Schizophrenia Research</i> , 2017, 179, 2-7.	1.1	39
661	Fitness training for cardiorespiratory conditioning after traumatic brain injury. <i>The Cochrane Library</i> , 2017, 2017, CD006123.	1.5	33
662	Apathy and Cognitive Deficits in Patients with Transient Global Ischemia After Cardiac Arrest. <i>Cognitive and Behavioral Neurology</i> , 2017, 30, 172-175.	0.5	17
663	The Cerebrospinal Fluid A β ₄₂ /A β ₄₀ Ratio Improves Concordance with Amyloid-PET for Diagnosing Alzheimer's Disease in a Clinical Setting. <i>Journal of Alzheimer's Disease</i> , 2017, 60, 561-576.	1.2	82

#	ARTICLE	IF	CITATIONS
665	Development of a home-based training program for post-ward geriatric rehabilitation patients with cognitive impairment: study protocol of a randomized-controlled trail. <i>BMC Geriatrics</i> , 2017, 17, 214.	1.1	14
666	Apathy and Type 2 Diabetes among American Indians: Exploring the Protective Effects of Traditional Cultural Involvement. <i>Journal of Health Care for the Poor and Underserved</i> , 2017, 28, 770-783.	0.4	11
667	Application of transcranial direct current stimulation to a patient with asponaneity caused by multiple cerebral infarction. <i>Nosotchu</i> , 2017, 39, 391-395.	0.0	2
668	The Utility of the Health Action Process Approach Model for Predicting Physical Activity Intentions and Behavior in Schizophrenia. <i>Frontiers in Psychiatry</i> , 2017, 8, 135.	1.3	20
669	Sembragiline in Moderate Alzheimer's Disease: Results of a Randomized, Double-Blind, Placebo-Controlled Phase II Trial (MAYflower RoAD). <i>Journal of Alzheimer's Disease</i> , 2017, 58, 1217-1228.	1.2	33
670	Functional decline in the elderly with MCI: Cultural adaptation of the ADCS-ADL scale. <i>Revista Da AssociaçãO MÃ©dica Brasileira</i> , 2017, 63, 590-599.	0.3	11
671	Cortical and Striatal Reward Processing in Parkinson's Disease Psychosis. <i>Frontiers in Neurology</i> , 2017, 8, 156.	1.1	9
672	Apathy and Reduced Speed of Processing Underlie Decline in Verbal Fluency following DBS. <i>Behavioural Neurology</i> , 2017, 2017, 1-10.	1.1	15
673	Apathy, but not depression, is associated with executive dysfunction in cerebral small vessel disease. <i>PLoS ONE</i> , 2017, 12, e0176943.	1.1	46
674	Rivastigmine as a Symptomatic Treatment for Apathy in Parkinson's Dementia Complex: New Aspects for This Riddle. <i>Parkinson's Disease</i> , 2017, 2017, 1-9.	0.6	10
675	Bupropion for the treatment of apathy in Huntington's disease: A multicenter, randomised, double-blind, placebo-controlled, prospective crossover trial. <i>PLoS ONE</i> , 2017, 12, e0173872.	1.1	43
676	Distinct Subtypes of Apathy Revealed by the Apathy Motivation Index. <i>PLoS ONE</i> , 2017, 12, e0169938.	1.1	138
677	Physical Activity Level of Ambulatory Stroke Patients: Is it Related to Neuropsychological Factors?. <i>Noropsikiyatri Arsivi</i> , 2017, 54, 155-161.	0.7	6
678	Motivational impairment predicts functional remission in first-episode psychosis: 3-Year follow-up of the randomized controlled trial on extended early intervention. <i>Australian and New Zealand Journal of Psychiatry</i> , 2018, 52, 1194-1201.	1.3	16
680	Apathy following traumatic brain injury: A review. <i>Neuropsychologia</i> , 2018, 118, 40-47.	0.7	33
681	Music-supported therapy in the rehabilitation of subacute stroke patients: a randomized controlled trial. <i>Annals of the New York Academy of Sciences</i> , 2018, 1423, 318-328.	1.8	51
682	A meta-analytic review of self-reported, clinician-rated, and performance-based motivation measures in schizophrenia: Are we measuring the same "stuff"? <i>Clinical Psychology Review</i> , 2018, 61, 24-37.	6.0	23
683	Neuropsychological correlates of cognitive, emotional-affective and auto-activation apathy in Alzheimer's disease. <i>Neuropsychologia</i> , 2018, 118, 12-21.	0.7	17

#	ARTICLE	IF	CITATIONS
684	Multidimensional apathy: evidence from neurodegenerative disease. <i>Current Opinion in Behavioral Sciences</i> , 2018, 22, 42-49.	2.0	45
685	Assessment of Snaith-Hamilton Pleasure Scale (SHAPS): the dimension of anhedonia in Italian healthy sample. <i>Neurological Sciences</i> , 2018, 39, 657-661.	0.9	12
686	Is Cannabis Use Associated with Various Indices of Motivation among Adolescents?. <i>Substance Use and Misuse</i> , 2018, 53, 1158-1169.	0.7	10
687	Apathy in Alzheimer's disease. <i>Current Opinion in Behavioral Sciences</i> , 2018, 22, 7-13.	2.0	86
688	Apathy and depression: Which clinical specificities?. <i>Personalized Medicine in Psychiatry</i> , 2018, 7-8, 21-26.	0.1	3
689	Reliability of the Apathy Evaluation Scale in Myotonic Dystrophy Type 1. <i>Journal of Neuromuscular Diseases</i> , 2018, 5, 39-46.	1.1	4
690	Repetitive transcranial magnetic stimulation for apathy in mild cognitive impairment: A double-blind, randomized, sham-controlled, cross-over pilot study. <i>Psychiatry Research</i> , 2018, 261, 312-318.	1.7	75
691	Interoceptive processing deficit: A behavioral marker for subtyping Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2018, 53, 64-69.	1.1	24
692	The Relationship of Motivation and Neurocognition with Functionality in Schizophrenia: A Meta-analytic Review. <i>Community Mental Health Journal</i> , 2018, 54, 1019-1049.	1.1	19
693	C-Reactive Protein Can Be an Early Predictor of Poststroke Apathy in Acute Ischemic Stroke Patients. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2018, 27, 1861-1869.	0.7	7
694	Effect of music intervention on apathy in nursing home residents with dementia. <i>Geriatric Nursing</i> , 2018, 39, 471-476.	0.9	24
695	Cardiometabolic risk factors, physical activity and psychiatric status in patients in long-term psychiatric inpatient departments. <i>Nordic Journal of Psychiatry</i> , 2018, 72, 296-302.	0.7	48
696	Real-world implications of apathy among older adults: Independent associations with activities of daily living and quality of life. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2018, 40, 895-903.	0.8	22
697	Pilot Study for Implementing an Osteoporosis Education and Exercise Program in an Assisted Living Facility and Senior Community. <i>Journal of Applied Gerontology</i> , 2018, 37, 745-762.	1.0	11
698	Achievement motivation in early schizophrenia: Relationship with symptoms, cognition and functional outcome. <i>Microbial Biotechnology</i> , 2018, 12, 1038-1044.	0.9	16
699	Apathy dimensions in Parkinson's disease. <i>International Journal of Geriatric Psychiatry</i> , 2018, 33, 151-158.	1.3	42
700	Apathy Mediates Cognitive Difficulties in Geriatric Depression. <i>American Journal of Geriatric Psychiatry</i> , 2018, 26, 100-106.	0.6	28
701	Prevalence, neurobiology, and treatments for apathy in prodromal dementia. <i>International Psychogeriatrics</i> , 2018, 30, 177-184.	0.6	41

#	ARTICLE	IF	CITATIONS
702	Facial emotion recognition in Parkinson's disease: Association with age and olfaction. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2018, 40, 274-284.	0.8	11
703	Baseline Vascular Cognitive Impairment Predicts the Course of Apathetic Symptoms After Stroke: The CASPER Study. <i>American Journal of Geriatric Psychiatry</i> , 2018, 26, 291-300.	0.6	18
704	Pushing the Boundaries: A Physical Activity Intervention Extends Sensor-Assessed Life-Space in Nursing Home Residents. <i>Gerontologist</i> , The, 2018, 58, 979-988.	2.3	13
705	Objective assessment of exploratory behaviour in schizophrenia using wireless motion capture. <i>Schizophrenia Research</i> , 2018, 195, 122-129.	1.1	3
706	Apathy in schizophrenia: A review of neuropsychological and neuroanatomical studies. <i>Neuropsychologia</i> , 2018, 118, 22-33.	0.7	48
707	Age at First Exposure to Repetitive Head Impacts Is Associated with Smaller Thalamic Volumes in Former Professional American Football Players. <i>Journal of Neurotrauma</i> , 2018, 35, 278-285.	1.7	76
708	Symptom Dimensions of Depression and Apathy and Their Relationship With Cognition in Parkinson's Disease. <i>Journal of the International Neuropsychological Society</i> , 2018, 24, 269-282.	1.2	15
709	Noncognitive Behavioral Changes Associated With Alzheimer's Disease: Implications of Neuroimaging Findings. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2018, 30, 14-21.	0.9	20
710	Methylphenidate for Apathy in Community-Dwelling Older Veterans With Mild Alzheimer's Disease: A Double-Blind, Randomized, Placebo-Controlled Trial. <i>American Journal of Psychiatry</i> , 2018, 175, 159-168.	4.0	84
711	Apathy, not depressive symptoms, as a predictor of semantic and phonemic fluency task performance in stroke and transient ischemic attack. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2018, 40, 449-461.	0.8	19
712	The pathophysiological mechanisms of motivational deficits in Parkinson's disease. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2018, 81, 138-152.	2.5	10
713	Apathy and its impact on patient outcome in amyotrophic lateral sclerosis. <i>Journal of Neurology</i> , 2018, 265, 187-193.	1.8	24
714	Post-Stroke Cognitive Impairment, Depression and Apathy: Untangling the Relationship. <i>American Journal of Geriatric Psychiatry</i> , 2018, 26, 301-303.	0.6	11
715	Investigating the predictors of happiness, life satisfaction and success in schizophrenia. <i>Comprehensive Psychiatry</i> , 2018, 81, 42-47.	1.5	23
716	Characteristics of two distinct clinical phenotypes of functional (psychogenic) dystonia: follow-up study. <i>Journal of Neurology</i> , 2018, 265, 82-88.	1.8	10
717	Association between altered neurochemical metabolites and apathy in patients with Alzheimer's disease. <i>International Psychogeriatrics</i> , 2018, 30, 761-768.	0.6	14
718	The role of apathy, personal insecurity, and socio-economic status in formation of risk-taking behavior among university students. <i>Journal of Human Behavior in the Social Environment</i> , 2018, 28, 221-239.	1.1	2
719	Apathy in Parkinson's disease: differences between caregiver's report and self-evaluation. <i>Functional Neurology</i> , 2018, 33, 31.	1.3	13

#	ARTICLE	IF	CITATIONS
720	Effect of Methylphenidate for Apathy on Visual Attention Scanning Behavior: a Pilot Study. <i>Canadian Geriatrics Journal</i> , 2018, 21, 139-142.	0.7	2
721	Relationship of apathy in geriatric depression with depressive symptom severity and cognitive functions. <i>Noropsikiyatri Arsivi</i> , 2018, 56, 133-138.	0.2	1
722	Apathy in Huntington's Disease: A Review of the Current Conceptualization. , 2018, 08, .		11
723	Emotional feeling in patients suffering from amyotrophic lateral sclerosis. <i>Psychologie & Neuropsychiatrie Du Vieillissement</i> , 2018, 16, 414-422.	0.2	7
724	6 .Diagnostische Methoden. , 2018, , 187-352.		0
725	Apathy Is Correlated with Widespread Diffusion Tensor Imaging (DTI) Impairment in Amyotrophic Lateral Sclerosis. <i>Behavioural Neurology</i> , 2018, 2018, 1-10.	1.1	15
727	Decision Making assessed by the Iowa Gambling Task and Major Depressive Disorder A systematic review. <i>Dementia E Neuropsychologia</i> , 2018, 12, 250-255.	0.3	13
728	Psychometric Properties of Apathy Scales in Dementia: A Systematic Review. <i>Journal of Alzheimer's Disease</i> , 2018, 66, 1065-1082.	1.2	22
729	Remini-Sing: A Feasibility Study of Therapeutic Group Singing to Support Relationship Quality and Wellbeing for Community-Dwelling People Living With Dementia and Their Family Caregivers. <i>Frontiers in Medicine</i> , 2018, 5, 245.	1.2	51
730	â€ˆEarly Stageâ€™ Instrumental Irrationality: Lessons from Apathy. <i>Philosophy, Psychiatry and Psychology</i> , 2018, 25, E-1-E-12.	0.2	0
731	Dysfunctional effort-based decision-making underlies apathy in genetic cerebral small vessel disease. <i>Brain</i> , 2018, 141, 3193-3210.	3.7	27
732	The burden of apathy for caregivers of patients with amyotrophic lateral sclerosis. <i>Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration</i> , 2018, 19, 599-605.	1.1	20
733	Prefrontal expectancy and reinforcement-driven antidepressant placebo effects. <i>Translational Psychiatry</i> , 2018, 8, 222.	2.4	21
734	Using motivational techniques to reduce cardiometabolic risk factors in long term psychiatric inpatients: a naturalistic interventional study. <i>BMC Psychiatry</i> , 2018, 18, 255.	1.1	5
735	Dopamine Release in Antidepressant-Naive Major Depressive Disorder: A Multimodal [11C]-(+)-PHNO Positron Emission Tomography and Functional Magnetic Resonance Imaging Study. <i>Biological Psychiatry</i> , 2018, 84, 563-573.	0.7	31
736	Neuropsychiatric Symptoms of Major or Mild Neurocognitive Disorders. , 2018, , 467-494.		0
737	Apathy in individuals with Parkinson's disease associated with mild cognitive impairment. A neuropsychological investigation. <i>Neuropsychologia</i> , 2018, 118, 4-11.	0.7	27
738	Cerebral small vessel disease: from a focal to a global perspective. <i>Nature Reviews Neurology</i> , 2018, 14, 387-398.	4.9	310

#	ARTICLE	IF	CITATIONS
739	Huntingtonâ€™s Disease Gene Expansion Carriers Are Aware of Their Degree of Apathy. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2018, 30, 183-187.	0.9	8
740	The course of apathy in late-life depression treated with electroconvulsive therapy; a prospective cohort study. <i>International Journal of Geriatric Psychiatry</i> , 2018, 33, 1253-1259.	1.3	6
741	Self- and informant-rated apathy in patients with childhood-onset craniopharyngioma. <i>Journal of Neuro-Oncology</i> , 2018, 140, 27-35.	1.4	18
742	Psychometric Properties of an Abbreviated Version of the Apathy Evaluation Scale for Parkinson Disease (AES-12PD). <i>American Journal of Geriatric Psychiatry</i> , 2018, 26, 1079-1090.	0.6	5
743	Sensitivity and Specificity of the ECAS in Parkinsonâ€™s Disease and Progressive Supranuclear Palsy. <i>Parkinson's Disease</i> , 2018, 2018, 1-8.	0.6	11
744	Personality traits and course of symptoms of depression and apathy after stroke: Results of the CASPER study. <i>Journal of Psychosomatic Research</i> , 2018, 111, 69-75.	1.2	12
745	Objective investigation of activity preference in schizophrenia: A pilot study. <i>Psychiatry Research</i> , 2018, 267, 551-559.	1.7	1
746	Reliability and validity of the self-report version of the apathy evaluation scale in first-episode Psychosis: Concordance with the clinical version at baseline and 12 months follow-up. <i>Psychiatry Research</i> , 2018, 267, 140-147.	1.7	13
747	Apathy following Bilateral Deep Brain Stimulation of Subthalamic Nucleus in Parkinsonâ€™s Disease: A Meta-Analysis. <i>Parkinson's Disease</i> , 2018, 2018, 1-7.	0.6	16
748	Social Cognition Dysfunctions in Neurodegenerative Diseases: Neuroanatomical Correlates and Clinical Implications. <i>Behavioural Neurology</i> , 2018, 2018, 1-18.	1.1	85
749	Psychometric properties of apathy scales in Parkinson's disease: a systematic review. <i>Neurodegenerative Disease Management</i> , 2018, 8, 267-282.	1.2	8
750	Neurological Soft Signs and Psychopathology in Chronic Schizophrenia: A Cross-Sectional Study in Three Age Groups. <i>Frontiers in Psychiatry</i> , 2018, 9, 98.	1.3	25
751	An Examination of the Multi-Faceted Motivation System in Healthy Young Adults. <i>Frontiers in Psychiatry</i> , 2018, 9, 191.	1.3	4
752	Resilience predicts remission in antidepressant treatment of geriatric depression. <i>International Journal of Geriatric Psychiatry</i> , 2018, 33, 1596-1603.	1.3	18
753	Depression in people with type 2 diabetes: current perspectives. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2018, Volume 11, 333-343.	1.1	83
754	A Modified Reading the Mind in the Eyes Test Predicts Behavioral Variant Frontotemporal Dementia Better Than Executive Function Tests. <i>Frontiers in Aging Neuroscience</i> , 2018, 10, 11.	1.7	34
755	Health-related quality of life, neuropsychiatric symptoms and structural brain changes in clinically isolated syndrome. <i>PLoS ONE</i> , 2018, 13, e0200254.	1.1	12
756	Music and Dementia: Individual Differences in Response to Personalized Playlists. <i>Journal of Alzheimer's Disease</i> , 2018, 64, 933-941.	1.2	47

#	ARTICLE	IF	CITATIONS
757	Assessment and Management of Neuropsychiatric Symptoms in Parkinson's Disease. <i>CNS Drugs</i> , 2018, 32, 621-635.	2.7	43
758	Standardised Neuropsychological Assessment for the Selection of Patients Undergoing DBS for Parkinson's Disease. <i>Parkinson's Disease</i> , 2018, 2018, 1-13.	0.6	11
759	The Behavioral and Psychological Symptoms of Dementia in Down Syndrome (BPSD-DS) Scale: Comprehensive Assessment of Psychopathology in Down Syndrome. <i>Journal of Alzheimer's Disease</i> , 2018, 63, 797-819.	1.2	38
760	Participation and the Role of Neuropsychological Functioning in Myotonic Dystrophy Type 1. <i>Journal of Neuromuscular Diseases</i> , 2018, 5, 205-214.	1.1	18
761	The Apathy in Dementia Methylphenidate Trial 2 (ADMET 2): study protocol for a randomized controlled trial. <i>Trials</i> , 2018, 19, 46.	0.7	34
762	Pharmacological interventions for apathy in Alzheimer's disease. <i>The Cochrane Library</i> , 2018, 2018, CD012197.	1.5	57
763	Consequences of persistent depression and apathy in first-episode psychosis – A one-year follow-up study. <i>Comprehensive Psychiatry</i> , 2018, 86, 60-66.	1.5	9
764	Dimensional Psychopathology. , 2018, , .		8
765	Sadness/Demoralisation and Apathy. , 2018, , 175-209.		0
766	Capturing the noonday demon: development and validation of the State Boredom Inventory. <i>European Journal of Work and Organizational Psychology</i> , 2018, 27, 477-492.	2.2	7
767	The motor and cognitive features of Parkinson's disease in patients with concurrent Gaucher disease over 2 years: a case series. <i>Journal of Neurology</i> , 2018, 265, 1789-1794.	1.8	11
768	Myotonic dystrophy type 1: reasons to be OPTIMISTIC. <i>Lancet Neurology</i> , The, 2018, 17, 652-653.	4.9	7
769	Assessing apathy in long-term care residents with dementia: Who should be the rater?. <i>Dementia</i> , 2019, 18, 2220-2229.	1.0	2
770	The cognitive, affective motivational and clinical longitudinal determinants of apathy in schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2019, 269, 911-920.	1.8	6
771	Impaired Prefrontal Cortical Dopamine Release in Schizophrenia During a Cognitive Task: A [11C]FLB 457 Positron Emission Tomography Study. <i>Schizophrenia Bulletin</i> , 2019, 45, 670-679.	2.3	39
772	Electrophysiological indices of anterior cingulate cortex function reveal changing levels of cognitive effort and reward valuation that sustain task performance. <i>Neuropsychologia</i> , 2019, 123, 67-76.	0.7	25
773	Incentives Boost Model-Based Control Across a Range of Severity on Several Psychiatric Constructs. <i>Biological Psychiatry</i> , 2019, 85, 425-433.	0.7	66
774	Apathy in Preclinical Alzheimer's Disease: Psychometric Validation of the Apathy Evaluation Scale. <i>American Journal of Alzheimer's Disease and Other Dementias</i> , 2019, 34, 16-22.	0.9	11

#	ARTICLE	IF	CITATIONS
775	Beneficial effects of bilateral subthalamic stimulation on alexithymia in Parkinson's disease. <i>European Journal of Neurology</i> , 2019, 26, 222.	1.7	22
776	Brief Psychiatric Screening Questionnaire in Parkinson's Disease. <i>Parkinson's Disease</i> , 2019, 2019, 1-5.	0.6	0
777	Primary Care Mental Health in Older People. , 2019, , .		2
778	The role of residents' apathy in tourism: a tourist perspective. <i>Anatolia</i> , 2019, 30, 572-585.	1.3	2
779	Diagnosing and Treating Depression in Patients with Alzheimer's Disease. <i>Neurology and Therapy</i> , 2019, 8, 325-350.	1.4	67
780	Occupational therapy with Nordic walking and therapeutic touch: A pilot study for multidisciplinary rehabilitation in Parkinson's disease. <i>NeuroRehabilitation</i> , 2019, 45, 125-134.	0.5	3
781	Cerebellar contribution to vocal emotion decoding: Insights from stroke and neuroimaging. <i>Neuropsychologia</i> , 2019, 132, 107141.	0.7	20
782	Acquired Brain Injury. , 2019, , .		3
783	Insensitivity to loss predicts apathy in huntington's disease. <i>Movement Disorders</i> , 2019, 34, 1381-1391.	2.2	14
784	Selective Emotional Dysregulation in Splenium Agenesis. A Case Report of a Patient With Normal Cognitive Profile. <i>Frontiers in Psychology</i> , 2019, 10, 631.	1.1	4
785	A Multimodal Imaging Study in a Case of Bilateral Thalamic Damage With Multidomain Cognitive Impairment. <i>Frontiers in Neurology</i> , 2019, 10, 1048.	1.1	5
786	Comorbid depression and apathy in HIV-associated neurocognitive disorders in the era of chronic HIV infection. <i>Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn</i> , 2019, 165, 71-82.	1.0	19
787	The LIBRA Index in Relation to Cognitive Function, Functional Independence, and Psycho-Behavioral Symptoms in a Sample of Non-Institutionalized Seniors at Risk of Dementia. <i>Journal of Alzheimer's Disease</i> , 2019, 72, 717-731.	1.2	5
788	A Touchscreen Motivation Assessment Evaluated in Huntington's Disease Patients and R6/1 Model Mice. <i>Frontiers in Neurology</i> , 2019, 10, 858.	1.1	21
789	Detecting Apathy in Individuals with Parkinson's Disease: A Systematic Review. <i>Journal of Parkinson's Disease</i> , 2019, 9, 653-664.	1.5	4
790	Assessment of Effects of the OPRD1 and OPRM1 Genes Encoding Opioid Receptors on Apathy in Schizophrenia. <i>Russian Journal of Genetics</i> , 2019, 55, 914-917.	0.2	1
791	Improving environmental interventions for neuropsychiatric symptoms in dementia. <i>International Psychogeriatrics</i> , 2019, 31, 1077-1080.	0.6	0
792	Can we predict amyloid deposition by objective cognition and regional cerebral blood flow in patients with subjective cognitive decline?. <i>Psychogeriatrics</i> , 2019, 19, 325-332.	0.6	10

#	ARTICLE	IF	CITATIONS
793	Apathy alters emotional arousal in chronic schizophrenia. <i>Journal of Psychiatry and Neuroscience</i> , 2019, 44, 54-61.	1.4	4
794	Regional Tau Correlates of Instrumental Activities of Daily Living and Apathy in Mild Cognitive Impairment and Alzheimer's Disease Dementia. <i>Journal of Alzheimer's Disease</i> , 2019, 67, 757-768.	1.2	32
795	The impact of apathy on cognitive performance in the elderly. <i>International Journal of Geriatric Psychiatry</i> , 2019, 34, 657-665.	1.3	23
796	Intrinsic mesocorticolimbic connectivity is negatively associated with social amotivation in people with schizophrenia. <i>Schizophrenia Research</i> , 2019, 208, 353-359.	1.1	18
797	Coping Strategies in Migraine without Aura: A Cross-Sectional Study. <i>Behavioural Neurology</i> , 2019, 2019, 1-7.	1.1	10
798	Pisa Syndrome in Parkinson's Disease Is Associated With Specific Cognitive Alterations. <i>Frontiers in Neurology</i> , 2019, 10, 577.	1.1	23
799	Psychological and Cognitive Markers of Behavioral Variant Frontotemporal Dementia—A Clinical Neuropsychologist's View on Diagnostic Criteria and Beyond. <i>Frontiers in Neurology</i> , 2019, 10, 594.	1.1	67
800	Impairment in Theory of Mind in Parkinson's Disease Is Explained by Deficits in Inhibition. <i>Parkinson's Disease</i> , 2019, 2019, 1-8.	0.6	14
801	Validity of a novel screen for cognitive impairment and neuropsychiatric symptoms in cardiac rehabilitation. <i>BMC Geriatrics</i> , 2019, 19, 163.	1.1	5
802	Early recognition and treatment of neuropsychiatric symptoms to improve quality of life in early Alzheimer's disease: protocol of the BEAT-IT study. <i>Alzheimer's Research and Therapy</i> , 2019, 11, 48.	3.0	14
803	Clinimetric approach to rating scales for the assessment of apathy in Parkinson's disease: A systematic review. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019, 94, 109641.	2.5	62
804	Non-alcoholic fatty liver disease and neurological defects. <i>Annals of Hepatology</i> , 2019, 18, 563-570.	0.6	15
805	Assessing cognition and daily function in early dementia using the cognitive-functional composite: findings from the Catch-Cog study cohort. <i>Alzheimer's Research and Therapy</i> , 2019, 11, 45.	3.0	19
806	Updating Apathy: Using Research Domain Criteria to Inform Clinical Assessment and Diagnosis of Disorders of Motivation. <i>Journal of Nervous and Mental Disease</i> , 2019, 207, 707-714.	0.5	11
807	Apathy: A Conceptual Review. <i>Current Psychiatry Research and Reviews</i> , 2019, 15, 88-104.	0.1	1
808	Psychological aspects of diet: Development and validation of three measures assessing dietary goal-desire incongruence, motivation, and satisfaction with dietary behavior. <i>Appetite</i> , 2019, 138, 223-232.	1.8	11
809	Differential Diagnosis of Depression and Dementia. <i>Clinical Handbooks in Neuropsychology</i> , 2019, , 179-195.	0.1	1
810	Olfaction and taste in Parkinson's disease: the association with mild cognitive impairment and the single cognitive domain dysfunction. <i>Journal of Neural Transmission</i> , 2019, 126, 585-595.	1.4	52

#	ARTICLE	IF	CITATIONS
811	Prognostic importance of apathy in syndromes associated with frontotemporal lobar degeneration. <i>Neurology</i> , 2019, 92, e1547-e1557.	1.5	42
812	White matter abnormalities in depression: A categorical and phenotypic diffusion MRI study. <i>NeuroImage: Clinical</i> , 2019, 22, 101710.	1.4	52
813	Apathy is associated with large-scale white matter network disruption in small vessel disease. <i>Neurology</i> , 2019, 92, e1157-e1167.	1.5	40
814	The transdiagnostic structure of mental effort avoidance. <i>Scientific Reports</i> , 2019, 9, 1689.	1.6	32
815	Enhanced Motivational Modulation of Motor Behaviour with Subthalamic Nucleus Deep Brain Stimulation in Parkinson's Disease. <i>Parkinson's Disease</i> , 2019, 2019, 1-6.	0.6	2
816	Impact of physical activity in vascular cognitive impairment (AFIVASC): study protocol for a randomised controlled trial. <i>Trials</i> , 2019, 20, 114.	0.7	3
818	How Cognition and Motivation "Freeze" the Motor Behavior in Parkinson's Disease. <i>Frontiers in Neuroscience</i> , 2019, 13, 1302.	1.4	9
819	A randomised controlled trial of an exercise intervention promoting activity, independence and stability in older adults with mild cognitive impairment and early dementia (PrAISED) - A Protocol. <i>Trials</i> , 2019, 20, 815.	0.7	26
820	Returning to work after fatigue treatment and counseling in HIV/AIDS. <i>Work</i> , 2019, 64, 843-852.	0.6	3
821	Clarifying the overlap between motivation and negative symptom measures in schizophrenia research: A meta-analysis. <i>Schizophrenia Research</i> , 2019, 206, 27-36.	1.1	17
822	Neuropsychiatric Symptoms in Alzheimer's Disease Are the Main Determinants of Functional Impairment in Advanced Everyday Activities. <i>Journal of Alzheimer's Disease</i> , 2019, 67, 381-392.	1.2	25
823	Repetitive Transcranial Magnetic Stimulation Improves Executive Function and Music Rhythm. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2019, 31, 178-180.	0.9	1
824	Clinical and demographic correlates of apathy in Parkinson's disease. <i>Journal of Neurology</i> , 2019, 266, 507-514.	1.8	16
825	Life-space mobility in older persons with cognitive impairment after discharge from geriatric rehabilitation. <i>Archives of Gerontology and Geriatrics</i> , 2019, 81, 192-200.	1.4	27
826	High Risk of Suicide in Behavioral Variant Frontotemporal Dementia. <i>American Journal of Alzheimer's Disease and Other Dementias</i> , 2019, 34, 265-271.	0.9	21
827	Reward systems and cognitions in Major Depressive Disorder. <i>CNS Spectrums</i> , 2019, 24, 64-77.	0.7	38
828	Pharmacological treatment of apathy in Lewy body disorders: A systematic review. <i>Parkinsonism and Related Disorders</i> , 2019, 60, 14-24.	1.1	15
829	Reward-driven decision-making impairments in schizophrenia. <i>Schizophrenia Research</i> , 2019, 206, 277-283.	1.1	26

#	ARTICLE	IF	CITATIONS
830	Goal-directed planning and action impairments in schizophrenia evaluated in a virtual environment. <i>Schizophrenia Research</i> , 2019, 206, 400-406.	1.1	9
831	Screening for Post-Stroke Depression and Cognitive Impairment at Baseline Predicts Long-Term Patient-Centered Outcomes After Stroke. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2019, 32, 40-48.	1.2	42
832	The Effect of Reminiscence Therapy With Internet-Based Videos on Cognitive Status and Apathy of Older People With Mild Dementia. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2019, 32, 104-113.	1.2	29
833	Your lying, incompetent and selfish member of Congress: Cynical appeals in U.S. Senate advertising. <i>Social Science Journal</i> , 2019, 56, 38-47.	0.9	1
834	Comparison of Motor Relearning Program versus Bobath Approach for Prevention of Poststroke Apathy: A Randomized Controlled Trial. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2019, 28, 655-664.	0.7	10
835	Revisiting the International Physical Activity Questionnaire (IPAQ): Assessing sitting time among individuals with schizophrenia. <i>Psychiatry Research</i> , 2019, 271, 311-318.	1.7	11
836	Intrinsic Functional Network Connectivity Is Associated With Clinical Symptoms and Cognition in Late-Life Depression. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2019, 4, 160-170.	1.1	30
837	Clinical correlates of resilience factors in geriatric depression. <i>International Psychogeriatrics</i> , 2019, 31, 193-202.	0.6	57
838	Apathy Is Associated With Greater Decline in Subjective, but not in Objective Measures of Physical Functioning in Older People Without Dementia. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2019, 74, 254-260.	1.7	11
839	Using Virtual Reality to investigate multitasking ability in individuals with frontal lobe lesions. <i>Neuropsychological Rehabilitation</i> , 2019, 29, 767-788.	1.0	23
840	Effects of a behaviour management technique for nursing staff on behavioural problems after acquired brain injury. <i>Neuropsychological Rehabilitation</i> , 2019, 29, 605-624.	1.0	4
841	Different aspects of emotional processes in apathy: Application of the French translated dimensional apathy scale. <i>Current Psychology</i> , 2020, 39, 564-570.	1.7	13
842	Reward sensitivity predicts dopaminergic response in spatial neglect. <i>Cortex</i> , 2020, 122, 213-224.	1.1	7
843	Sociopsychological characteristics of late nonagenarians in Japan: the protocol of the Arakawa 95+ study. <i>Psychogeriatrics</i> , 2020, 20, 50-58.	0.6	4
844	The brief Dimensional Apathy Scale: A short clinical assessment of apathy. <i>Clinical Neuropsychologist</i> , 2020, 34, 423-435.	1.5	22
845	A systematic review and meta-analysis on basic psychological need satisfaction, motivation, and well-being in later life: Contributions of self-determination theory. <i>PsyCh Journal</i> , 2020, 9, 5-33.	0.5	86
846	Are there two different forms of functional dystonia? A multimodal brain structural MRI study. <i>Molecular Psychiatry</i> , 2020, 25, 3350-3359.	4.1	22
847	Apathy as a behavioural marker of cognitive impairment in Parkinson's disease: a longitudinal analysis. <i>Journal of Neurology</i> , 2020, 267, 214-227.	1.8	27

#	ARTICLE	IF	CITATIONS
848	A Randomized Double-Blind Placebo-Controlled Trial of Combined Escitalopram and Memantine for Older Adults With Major Depression and Subjective Memory Complaints. <i>American Journal of Geriatric Psychiatry</i> , 2020, 28, 178-190.	0.6	40
849	Distinct structural brain circuits indicate mood and apathy profiles in bipolar disorder. <i>NeuroImage: Clinical</i> , 2020, 26, 101989.	1.4	4
850	Post-intensive Care Unit Care. A Qualitative Analysis of Patient Priorities and Implications for Redesign. <i>Annals of the American Thoracic Society</i> , 2020, 17, 221-228.	1.5	15
851	Toward the Design and Validation of a Scale to Assess Amotivational Syndrome in Chronic Marijuana Users (ESATHC). <i>International Journal of Mental Health and Addiction</i> , 2020, 18, 305-313.	4.4	0
852	Review of outcome measures in PARO robot intervention studies for dementia care. <i>Geriatric Nursing</i> , 2020, 41, 207-214.	0.9	56
853	Performance and Symptom Validity Assessment in Patients with Apathy and Cognitive Impairment. <i>Journal of the International Neuropsychological Society</i> , 2020, 26, 314-321.	1.2	16
854	Methylphenidate and galantamine in patients with vascular cognitive impairment—the proof-of-principle study STREAM-VCI. <i>Alzheimer's Research and Therapy</i> , 2020, 12, 10.	3.0	10
855	A subjective cognitive impairments scale for migraine attacks: validation of the Italian version of the MIG-SCOG. <i>Neurological Sciences</i> , 2020, 41, 1139-1143.	0.9	5
856	Disease-specific profiles of apathy in Alzheimer's disease and behavioural-variant frontotemporal dementia differ across the disease course. <i>Journal of Neurology</i> , 2020, 267, 1086-1096.	1.8	36
857	Assessing analytic and intuitive reasoning using the cognitive reflection test in young patients with schizophrenia. <i>Psychiatry Research</i> , 2020, 284, 112683.	1.7	5
858	Apathy rating scores and β -amyloidopathy in patients with Parkinson disease at risk for cognitive decline. <i>Neurology</i> , 2020, 94, e376-e383.	1.5	20
859	Assessing apathy in multiple sclerosis: Validation of the dimensional apathy scale and comparison with apathy evaluation scale. <i>Multiple Sclerosis and Related Disorders</i> , 2020, 38, 101870.	0.9	11
860	Altered verbal fluency processes in older adults with age-related hearing loss. <i>Experimental Gerontology</i> , 2020, 130, 110794.	1.2	10
861	Imaging markers associated with the development of post-stroke depression and apathy: Results of the Cognition and Affect after Stroke—a Prospective Evaluation of Risks study. <i>European Stroke Journal</i> , 2020, 5, 78-84.	2.7	18
862	Psychosocial treatments for schizophrenia: insights from Russian theoretical psychology. <i>Annals of General Psychiatry</i> , 2020, 33, e100234.	1.1	6
863	Selective serotonin reuptake inhibitors-associated apathy syndrome. <i>Medicine (United States)</i> , 2020, 99, e21497.	0.4	18
864	The spectrum of language impairments in amyotrophic lateral sclerosis. <i>Cortex</i> , 2020, 132, 349-360.	1.1	9
865	Apathy and risk of probable incident dementia among community-dwelling older adults. <i>Neurology</i> , 2020, 95, e3280-e3287.	1.5	28

#	ARTICLE	IF	CITATIONS
866	Delirium Post-Strokeâ€™ Influence on Post-Stroke Dementia (Research Studyâ€™Part of the PROPOLIS) Tj ETQq0 0 0 rgBT /Overlock 10 T	1.6	9
867	Apathy, but not depression, predicts all-cause dementia in cerebral small vessel disease. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2020, 91, 953-959.	0.9	24
868	A central role for apathy in the effectiveness of interventions for cancerâ€™related fatigue. <i>Psycho-Oncology</i> , 2020, 29, 1613-1619.	1.0	0
869	Endocannabinoid Metabolism in Posttraumatic Stress Disorder: Results From a Neuroimaging Study With the Novel Fatty Acid Amide Hydrolase Probe, [C-11] Curb. <i>Biological Psychiatry</i> , 2020, 87, S282-S283.	0.7	1
870	Time will tell: Decision making in premanifest and manifest Huntingtonâ€™s disease. <i>Brain and Behavior</i> , 2020, 10, e01843.	1.0	9
871	Cognitive Reserve, Leisure Activity, and Neuropsychological Profile in the Early Stage of Cognitive Decline. <i>Frontiers in Aging Neuroscience</i> , 2020, 12, 590607.	1.7	20
872	Early Depression Independently of Other Neuropsychiatric Conditions, Influences Disability and Mortality after Stroke (Research Studyâ€™Part of PROPOLIS Study). <i>Biomedicine</i> , 2020, 8, 509.	1.4	15
873	Apathy Classification Based on Doppler Radar Image for the Elderly Person. <i>Frontiers in Bioengineering and Biotechnology</i> , 2020, 8, 553847.	2.0	8
874	Reduced Self-Awareness Following a Combined Polar and Paramedian Bilateral Thalamic Infarction. A Possible Relationship With SARS-CoV-2 Risk of Contagion?. <i>Frontiers in Psychology</i> , 2020, 11, 570160.	1.1	3
875	A Case of Abulia From Left Middle Cerebral Artery Stroke in an Adolescent Treated Successfully With Short Duration Olanzapine. <i>Clinical Neuropharmacology</i> , 2020, 43, 86-89.	0.2	1
876	The Effectiveness of Nonâ€™Pharmacological Interventions on Apathy in Patients With Dementia: A Systematic Review of Systematic Reviews. <i>Worldviews on Evidence-Based Nursing</i> , 2020, 17, 311-318.	1.2	12
877	Hypomimia in Parkinsonâ€™s disease: an axial sign responsive to levodopa. <i>European Journal of Neurology</i> , 2020, 27, 2422-2429.	1.7	34
878	Delirium Post-Stroke: Short- and Long-Term Effect on Depression, Anxiety, Apathy and Aggression (Research Studyâ€™Part of PROPOLIS Study). <i>Journal of Clinical Medicine</i> , 2020, 9, 2232.	1.0	17
879	Structural abnormalities associated with poor outcome of a major depressive episode: The role of thalamus. <i>Psychiatry Research - Neuroimaging</i> , 2020, 305, 111158.	0.9	11
880	A dimensional investigation of error-related negativity (ERN) and self-reported psychiatric symptoms. <i>International Journal of Psychophysiology</i> , 2020, 158, 340-348.	0.5	17
881	Increasing Life-Space Mobility in Community-Dwelling Older Persons With Cognitive Impairment Following Rehabilitation: A Randomized Controlled Trial. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2021, 76, 1988-1996.	1.7	6
882	Diagnosis, treatment and management of apathy in Parkinsonâ€™s disease: a scoping review. <i>BMJ Open</i> , 2020, 10, e037632.	0.8	37
883	Neuromodulation for Apathy in Alzheimerâ€™s Disease: A Double-Blind, Randomized, Sham-Controlled Pilot Study. <i>Journal of Alzheimer's Disease</i> , 2020, 77, 1483-1493.	1.2	25

#	ARTICLE	IF	CITATIONS
884	An Iatrogenic Model of Brain Small-Vessel Disease: Post-Radiation Encephalopathy. <i>International Journal of Molecular Sciences</i> , 2020, 21, 6506.	1.8	9
885	Validation of the interview-based life-space assessment in institutionalized settings (LSA-IS) for older persons with and without cognitive impairment. <i>BMC Geriatrics</i> , 2020, 20, 534.	1.1	9
886	Regional White Matter Integrity Predicts Treatment Response to Escitalopram and Memantine in Geriatric Depression: A Pilot Study. <i>Frontiers in Psychiatry</i> , 2020, 11, 548904.	1.3	3
887	Differences of apathy perfusion correlates between Alzheimer's disease and frontotemporal dementia. A 99mTc-HMPAO SPECT study with automated Brodmann areas analysis. <i>International Journal of Psychiatry in Clinical Practice</i> , 2022, 26, 14-22.	1.2	4
888	A pilot protocol to assess the feasibility of a virtual multiple crossover, randomized controlled trial design using methylphenidate in mild cognitive impairment. <i>Trials</i> , 2020, 21, 1016.	0.7	0
889	Dopaminergic modulation of novelty repetition in Parkinson's disease: A study of P3 event-related brain potentials. <i>Clinical Neurophysiology</i> , 2020, 131, 2841-2850.	0.7	6
890	No Need to Worry: Your Neuropsychological Evaluation Was Normal. , 2020, , 9-11.		0
891	Modelling Awareness in Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2020, 76, 89-95.	1.2	4
892	Neurological soft signs and cognition in the late course of chronic schizophrenia: a longitudinal study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021, 271, 1465-1473.	1.8	14
893	From correlational approaches to meta-analytical symptom reading in individual patients: Bilateral lesions in the inferior frontal junction specifically cause dysexecutive syndrome. <i>Cortex</i> , 2020, 128, 73-87.	1.1	9
894	Independent associations of apathy and depressive symptoms with perceived social support in healthy older adults. <i>Aging and Mental Health</i> , 2021, 25, 1796-1802.	1.5	3
895	Behavior in subcortical vascular dementia with sight pathologies: visual hallucinations as a consequence of precocious gait imbalance and institutionalization. <i>Neurological Sciences</i> , 2020, 41, 3283-3292.	0.9	5
896	Multidimensional Apathy in Behavioral Variant Frontotemporal Dementia, Primary Progressive Aphasia, and Alzheimer Disease. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2021, 34, 349-356.	1.2	25
897	Insula and Amygdala Atrophy Are Associated With Functional Impairment in Subjects With Presbycusis. <i>Frontiers in Aging Neuroscience</i> , 2020, 12, 102.	1.7	20
898	Motor symptom asymmetry in Parkinson's disease predicts emotional outcome following subthalamic nucleus deep brain stimulation. <i>Neuropsychologia</i> , 2020, 144, 107494.	0.7	12
899	Pathophysiology of negative symptom dimensions of schizophrenia – Current developments and implications for treatment. <i>Neuroscience and Biobehavioral Reviews</i> , 2020, 116, 74-88.	2.9	57
900	Resting-state fMRI analysis in apathetic Alzheimer's disease. <i>Diagnostic and Interventional Radiology</i> , 2020, 26, 363-369.	0.7	12
901	Transcranial Direct Current Stimulation Over Prefrontal Areas Improves Psychomotor Inhibition State in Patients With Traumatic Brain Injury: A Pilot Study. <i>Frontiers in Neuroscience</i> , 2020, 14, 386.	1.4	13

#	ARTICLE	IF	CITATIONS
902	Neurobehavioral Initiation and Motivation Problems After Acquired Brain Injury. <i>Frontiers in Neurology</i> , 2020, 11, 23.	1.1	13
903	An overview of screening instruments for cognition and behavior in patients with ALS: selecting the appropriate tool for clinical practice. <i>Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration</i> , 2020, 21, 324-336.	1.1	35
904	Effectiveness of Pharmacological Interventions for Symptoms of Behavioral Variant Frontotemporal Dementia: A Systematic Review. <i>Cognitive and Behavioral Neurology</i> , 2020, 33, 1-15.	0.5	21
905	Trajectory and early predictors of apathy development in first-episode psychosis and healthy controls: a 10-year follow-up study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020, 270, 709-722.	1.8	9
906	Altered subcortical emotional salience processing differentiates Parkinson's patients with and without psychotic symptoms. <i>NeuroImage: Clinical</i> , 2020, 27, 102277.	1.4	8
907	Comparing the streamlined psychotherapy "Engage" with problem-solving therapy in late-life major depression. A randomized clinical trial. <i>Molecular Psychiatry</i> , 2020, 26, 5180-5189.	4.1	29
908	Modifiable predictors of nonresponse to psychotherapies for late-life depression with executive dysfunction: a machine learning approach. <i>Molecular Psychiatry</i> , 2021, 26, 5190-5198.	4.1	17
909	Long-term digital device-enabled monitoring of functional status: Implications for management of persons with Alzheimer's disease. <i>Alzheimer's and Dementia: Translational Research and Clinical Interventions</i> , 2020, 6, e12017.	1.8	4
910	Associations between schizophrenia polygenic risk and apathy in schizophrenia spectrum disorders and healthy controls. <i>Acta Psychiatrica Scandinavica</i> , 2020, 141, 452-464.	2.2	2
911	Efficacy and Safety of Psychostimulants for Alzheimer's Disease: A Systematic Review and Meta-Analysis. <i>Pharmacopsychiatry</i> , 2020, 53, 109-114.	1.7	11
912	A Comprehensive Examination of the Links between Cannabis Use and Motivation. <i>Substance Use and Misuse</i> , 2020, 55, 1155-1164.	0.7	14
913	Transdiagnostic Phenotyping Reveals a Host of Metacognitive Deficits Implicated in Compulsivity. <i>Scientific Reports</i> , 2020, 10, 2883.	1.6	49
914	Physical activity in myotonic dystrophy type 1. <i>Journal of Neurology</i> , 2020, 267, 1679-1686.	1.8	7
915	Promoting physical activity in geriatric patients with cognitive impairment after discharge from ward-rehabilitation: a feasibility study. <i>European Journal of Ageing</i> , 2020, 17, 309-320.	1.2	5
916	Single and repeated ketamine treatment induces perfusion changes in sensory and limbic networks in major depressive disorder. <i>European Neuropsychopharmacology</i> , 2020, 33, 89-100.	0.3	27
917	Behavioral manifestations in a Brazilian non-demented C9orf72-negative ALS population. <i>Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration</i> , 2020, 21, 100-106.	1.1	3
918	Is Parkinson's disease an unique clinical entity? Rigid or tremor dominant PD: Two faces of the same coin. <i>Journal of Clinical Neuroscience</i> , 2020, 74, 18-24.	0.8	1
919	A Comparison of Divergent Thinking Abilities Between Healthy Elderly Subjects and MCI Patients: Preliminary Findings and Implications. <i>Frontiers in Psychology</i> , 2020, 11, 738.	1.1	8

#	ARTICLE	IF	CITATIONS
920	Improving Self-Awareness of Motor Symptoms in Patients With Parkinson's Disease by Using Mindfulness – A Study Protocol for a Randomized Controlled Trial. <i>Frontiers in Psychology</i> , 2020, 11, 743.	1.1	5
921	Elderly Body Movement Alteration at 2nd Experience of Digital Art Installation with Cognitive and Motivation Scores. <i>J</i> , 2020, 3, 138-150.	0.6	3
922	Breakdown of the affective-cognitive network in functional dystonia. <i>Human Brain Mapping</i> , 2020, 41, 3059-3076.	1.9	16
923	Theory of Mind in multiple system atrophy: comparison with Parkinson's disease and healthy subjects. <i>Journal of Neural Transmission</i> , 2020, 127, 915-923.	1.4	4
924	Can Social Cognition Measurements Differentiate Behavioral Variant Frontotemporal Dementia from Alzheimer's Disease Regardless of Apathy?. <i>Journal of Alzheimer's Disease</i> , 2020, 74, 817-827.	1.2	24
925	Computational Modeling for Neuropsychological Assessment of Bradyphrenia in Parkinson's Disease. <i>Journal of Clinical Medicine</i> , 2020, 9, 1158.	1.0	9
926	Effects of an extrinsic motivator on the evaluation of cognitive and daily living functions in patients with schizophrenia. <i>Schizophrenia Research</i> , 2020, 220, 172-178.	1.1	1
927	Identifying and responding to fatigue and apathy in Parkinson's disease: a review of current practice. <i>Expert Review of Neurotherapeutics</i> , 2020, 20, 477-495.	1.4	29
928	Neurological soft signs (NSS) and brain morphology in patients with chronic schizophrenia and healthy controls. <i>PLoS ONE</i> , 2020, 15, e0231669.	1.1	11
929	Predictors of Cognitive Improvement Following Treatment for Late-Life Depression. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2021, 34, 162-168.	1.2	4
930	Cortical Thickness of the Salience Network and Change in Apathy Following Antidepressant Treatment for Late-Life Depression. <i>American Journal of Geriatric Psychiatry</i> , 2021, 29, 241-248.	0.6	7
931	Engagement in rehabilitation therapy and functional outcomes among individuals with acquired brain injuries. <i>Disability and Rehabilitation</i> , 2021, 43, 33-41.	0.9	23
932	Levodopa Versus Dopamine Agonist after Subthalamic Stimulation in Parkinson's Disease. <i>Movement Disorders</i> , 2021, 36, 672-680.	2.2	8
933	Italian version of the Starkstein Apathy Scale (SAS-I) and a shortened version (SAS-6) to assess "pure apathy"-symptoms: normative study on 392 individuals. <i>Neurological Sciences</i> , 2021, 42, 1065-1072.	0.9	12
934	Rationale and design of a longitudinal study of cerebral small vessel diseases, clinical and imaging outcomes in patients presenting with mild ischaemic stroke: Mild Stroke Study 3. <i>European Stroke Journal</i> , 2021, 6, 81-88.	2.7	17
935	Caffeine Consumption and Behavioral Symptoms in Nursing Home Residents: A Cross-Sectional Analysis. <i>Journal of Nutrition, Health and Aging</i> , 2021, 25, 100-107.	1.5	3
936	Function-Focused Person-Environment Fit for Long-Term Care Residents With Dementia: Impact on Apathy. <i>Gerontologist</i> , The, 2021, 61, 413-424.	2.3	10
937	Unraveling Apathy in Korsakoff Syndrome Patients Receiving Long-Term Care With and Without Cerebrovascular Comorbidity. <i>Alcoholism: Clinical and Experimental Research</i> , 2021, 45, 131-139.	1.4	5

#	ARTICLE	IF	CITATIONS
938	Accelerated repetitive transcranial magnetic stimulation in the treatment of post-concussion symptoms due to mild traumatic brain injury: a pilot study. <i>Brain Injury</i> , 2021, 35, 48-58.	0.6	8
939	Neuropsychological and neurophysiological correlates of fatigue in post-acute patients with neurological manifestations of COVID-19: Insights into a challenging symptom. <i>Journal of the Neurological Sciences</i> , 2021, 420, 117271.	0.3	181
940	Correlates of Psychological Distress in Patients with Parkinson's Disease During the COVID-19 Outbreak. <i>Movement Disorders Clinical Practice</i> , 2021, 8, 60-68.	0.8	21
941	Age-related hearing loss associated with altered response efficiency and variability on a visual sustained attention task. <i>Aging, Neuropsychology, and Cognition</i> , 2021, 28, 1-25.	0.7	4
942	Evidence for deficits in behavioural and physiological responses in aged mice relevant to the psychiatric symptom of apathy. <i>Brain and Neuroscience Advances</i> , 2021, 5, 239821282110151.	1.8	12
943	The emotional disorders associated with multiple sclerosis. <i>Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn</i> , 2021, 183, 197-220.	1.0	6
944	Sensory contribution to vocal emotion deficit in patients with cerebellar stroke. <i>NeuroImage: Clinical</i> , 2021, 31, 102690.	1.4	3
945	Widespread white matter aberration is associated with the severity of apathy in amnesic Mild Cognitive Impairment: Tract-based spatial statistics analysis. <i>NeuroImage: Clinical</i> , 2021, 29, 102567.	1.4	14
946	Evaluating the feasibility of a decision aid to promote shared decision making among young adults with first-episode psychosis: protocol for a pilot study. <i>Pilot and Feasibility Studies</i> , 2021, 7, 22.	0.5	8
947	Apathy Measures in Older Adults and People with Dementia: A Systematic Review of Measurement Properties Using the COSMIN Methodology. <i>Dementia and Geriatric Cognitive Disorders</i> , 2021, 50, 111-123.	0.7	7
948	Emotional dyscontrol. , 2021, , 247-251.e2.		0
949	Functional reserve: The residual variance in instrumental activities of daily living not explained by brain structure, cognition, and demographics.. <i>Neuropsychology</i> , 2021, 35, 19-32.	1.0	10
950	Effects of a Trans-Theoretical Model-Based Health Education Program on the Management of Cognitive Dysfunction in Older Adults With Mild Cognitive Impairment: Study Rationale and Protocol Design for a Randomized Controlled Trial. <i>Frontiers in Psychiatry</i> , 2020, 11, 616420.	1.3	3
951	Application of functional analytic psychotherapy to manage schizophrenia. <i>Industrial Psychiatry</i> , 2021, 30, 55.	0.3	5
952	Machine Learning based Apathy Classification on Doppler Radar Image for the Elderly Person. <i>Procedia Computer Science</i> , 2021, 187, 146-151.	1.2	4
953	The effect of severe traumatic brain injury on social cognition, emotion regulation, and mood. <i>Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn</i> , 2021, 183, 235-260.	1.0	13
954	Multidimensional Apathy: The Utility of the Dimensional Apathy Scale in Huntington's Disease. <i>Movement Disorders Clinical Practice</i> , 2021, 8, 361-370.	0.8	11
955	Virtual reality intervention to improve apathy in residential aged care: protocol for a multisite non-randomised controlled trial. <i>BMJ Open</i> , 2021, 11, e046030.	0.8	6

#	ARTICLE	IF	CITATIONS
956	Goal Setting Improves Cognitive Performance in a Randomized Trial of Chronic Stroke Survivors. <i>Stroke</i> , 2021, 52, 458-470.	1.0	7
957	Magnetisation transfer imaging revealed microstructural changes related to apathy symptoms after ischaemic stroke. <i>International Journal of Geriatric Psychiatry</i> , 2021, 36, 1264-1273.	1.3	5
959	Withdrawal or continuation of cholinesterase inhibitors or memantine or both, in people with dementia. <i>The Cochrane Library</i> , 2021, 2021, .	1.5	11
960	A Systematic Review of Apathy and Depression in Progressive Supranuclear Palsy. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2022, 35, 280-292.	1.2	12
961	Statistically Defined Parkinson's Disease Executive and Memory Cognitive Phenotypes: Demographic, Behavioral, and Structural Neuroimaging Comparisons. <i>Journal of Parkinson's Disease</i> , 2021, 11, 283-297.	1.5	8
962	A Goal Intervention Improves Language Fluency: Evidence from Parkinson's Disease and Healthy Aging. <i>Medicines (Basel, Switzerland)</i> , 2021, 8, 15.	0.7	2
963	Early apathetic, but not depressive, symptoms are associated with poor outcome after stroke. <i>European Journal of Neurology</i> , 2021, 28, 1949-1957.	1.7	14
964	The Experience of Apathy in Dementia: A Qualitative Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 3325.	1.2	10
965	The relationship between apathy and impulsivity in large population samples. <i>Scientific Reports</i> , 2021, 11, 4830.	1.6	22
966	Neurocognitive Features of Motor Premanifest Individuals With Myotonic Dystrophy Type 1. <i>Neurology: Genetics</i> , 2021, 7, e577.	0.9	5
967	Apathy and Depression as Predictors of Activities of Daily Living Following Stroke and Traumatic Brain Injuries in Adults: A Meta-Analysis. <i>Neuropsychology Review</i> , 2022, 32, 51-69.	2.5	8
969	Apathy, Cognitive Impairment, and Social Support Contribute to Participation in Cognitively Demanding Activities Poststroke. <i>Behavioural Neurology</i> , 2021, 2021, 1-8.	1.1	11
970	Diminished Feedback Evaluation and Knowledge Updating Underlying Age-Related Differences in Choice Behavior During Feedback Learning. <i>Frontiers in Human Neuroscience</i> , 2021, 15, 635996.	1.0	1
971	Correlates of the discrepancy between objective and subjective cognitive functioning in non-demented patients with Parkinson's disease. <i>Journal of Neurology</i> , 2021, 268, 3444-3455.	1.8	14
972	The Effect of Psychological Symptoms on Divergent Thinking in Healthy Older Adults. <i>Creativity Research Journal</i> , 2021, 33, 302-310.	1.7	3
973	Unravelling moral cognition in acquired brain injury: a scoping review. <i>Brain Impairment</i> , 2022, 23, 143-163.	0.5	0
974	Design and psychometric evaluation of epilepsy-related apathy scale (E-RAS) in adults with epilepsy: a sequential exploratory mixed methods design. <i>BMC Neurology</i> , 2021, 21, 121.	0.8	0
975	Phonemic fluency quantity and quality: Comparing patients with PSP, Parkinson's disease and focal frontal and subcortical lesions. <i>Neuropsychologia</i> , 2021, 153, 107772.	0.7	7

#	ARTICLE	IF	CITATIONS
976	Verbal Adynamia and Conceptualization in Partial Rhombencephalosynapsis and Corpus Callosum Dysgenesis. <i>Cognitive and Behavioral Neurology</i> , 2021, 34, 38-52.	0.5	5
977	Apathy in small vessel cerebrovascular disease is associated with deficits in effort-based decision making. <i>Brain</i> , 2021, 144, 1247-1262.	3.7	25
978	Foreign Language Learning as Cognitive Training to Prevent Old Age Disorders? Protocol of a Randomized Controlled Trial of Language Training vs. Musical Training and Social Interaction in Elderly With Subjective Cognitive Decline. <i>Frontiers in Aging Neuroscience</i> , 2021, 13, 550180.	1.7	7
979	Factors Associated with Level of Physical Activity After Minor Stroke. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2021, 30, 105628.	0.7	10
980	Does Late-Life Depression Counteract the Beneficial Effect of Physical Activity on Cognitive Decline? Results From the NESDO Study. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2022, 35, 450-459.	1.2	1
981	Effect of horticultural therapy on apathy in nursing home residents with dementia: a pilot randomized controlled trial. <i>Aging and Mental Health</i> , 2021, , 1-9.	1.5	9
983	Functional Role of the Cerebellum in Parkinson Disease. <i>Neurology</i> , 2021, 96, e2874-e2884.	1.5	13
984	Psychometric Properties of the Proxy-Reported Life-Space Assessment in Institutionalized Settings (LSA-IS-Proxy) for Older Persons with and without Cognitive Impairment. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 3872.	1.2	5
986	Multimodal brain imaging connectivity analyses of emotional and motivational deficits in depression among women. <i>Journal of Psychiatry and Neuroscience</i> , 2021, 46, E303-E312.	1.4	8
987	Apathy and executive functioning among non-demented community-dwelling elderly individuals in an everyday environment: the mediating effect of impulsivity. <i>Psychogeriatrics</i> , 2021, 21, 636-649.	0.6	8
988	Diagnostic criteria for apathy in neurocognitive disorders. <i>Alzheimer's and Dementia</i> , 2021, 17, 1892-1904.	0.4	71
989	Efficacy of dance for Parkinson's disease: a pooled analysis of 372 patients. <i>Journal of Neurology</i> , 2022, 269, 1195-1208.	1.8	14
991	Effect of Cognitive Training in Fully Immersive Virtual Reality on Visuospatial Function and Frontal-Occipital Functional Connectivity in Predementia: Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2021, 23, e24526.	2.1	40
992	Emotional Comparison Between Semantic Dementia and Alzheimer's Disease. <i>Frontiers in Psychiatry</i> , 2021, 12, 680332.	1.3	0
993	The Carers' Needs Assessment for Dementia (CNA-D): a validation study in the Italian population. <i>Neurological Sciences</i> , 2022, 43, 275-284.	0.9	2
994	Apathy and Anhedonia in Adult and Adolescent Cannabis Users and Controls Before and During the COVID-19 Pandemic Lockdown. <i>International Journal of Neuropsychopharmacology</i> , 2021, 24, 859-866.	1.0	9
995	Reinforcement enhancement by nicotine: A novel abuse-liability assessment of e-cigarettes in young adults.. <i>Experimental and Clinical Psychopharmacology</i> , 2022, 30, 959-972.	1.3	2
997	Model-Based Planning Deficits in Compulsivity Are Linked to Faulty Neural Representations of Task Structure. <i>Journal of Neuroscience</i> , 2021, 41, 6539-6550.	1.7	17

#	ARTICLE	IF	CITATIONS
998	Patterns of discordance of physical functioning in older persons; different associations for apathy and depression? Results from the NESDO-study. <i>Aging and Mental Health</i> , 2022, 26, 1580-1588.	1.5	2
999	A tablet-based intervention for activating nursing home residents with dementia: results from a cluster-randomized controlled trial. <i>International Psychogeriatrics</i> , 2022, 34, 129-141.	0.6	8
1000	Repurposing bromocriptine for A β metabolism in Alzheimer's disease (REBRAnD) study: randomised placebo-controlled double-blind comparative trial and open-label extension trial to investigate the safety and efficacy of bromocriptine in Alzheimer's disease with presenilin 1 (PSEN1) mutations. <i>BMJ Open</i> , 2021, 11, e051343.	0.8	9
1001	Preoperative Electroencephalography-Based Machine Learning Predicts Cognitive Deterioration After Subthalamic Deep Brain Stimulation. <i>Movement Disorders</i> , 2021, 36, 2324-2334.	2.2	12
1002	Characterization of alexithymia in clinically isolated syndrome. <i>Revue Neurologique</i> , 2021, 177, 1145-1150.	0.6	0
1003	Interventional Study to Evaluate the Clinical Effects and Safety of the Nutraceutical Compound BrainUp-10A $\text{\textcircled{R}}$ in a Cohort of Patients with Alzheimer's Disease: A Multicenter, Randomized, Double-Blind, and Placebo-Controlled Trial. <i>Journal of Alzheimer's Disease</i> , 2021, 81, 1231-1241.	1.2	13
1004	Association between sleep disorders and cognitive dysfunctions in non-demented patients with advanced Parkinson's disease. <i>Journal of Neurology</i> , 2022, 269, 1538-1545.	1.8	2
1005	Olfaction in patients with Parkinson's disease: a new threshold test analysis through turning points trajectories. <i>Journal of Neural Transmission</i> , 2021, 128, 1641-1653.	1.4	1
1006	Apathetic symptoms and white matter integrity after traumatic brain injury. <i>Brain Injury</i> , 2021, 35, 1043-1053.	0.6	2
1007	The Daily Activity Study of Health (DASH): A pilot randomized controlled trial to enhance physical activity in sedentary older adults. <i>Contemporary Clinical Trials</i> , 2021, 106, 106405.	0.8	1
1008	COVID-19 Lockdown Effect on Not Institutionalized Patients with Dementia and Caregivers. <i>Healthcare (Switzerland)</i> , 2021, 9, 893.	1.0	13
1009	Clinical Outcome Evaluations and CBT Response Prediction in Myotonic Dystrophy. <i>Journal of Neuromuscular Diseases</i> , 2021, 8, 1031-1046.	1.1	4
1010	Cognitive Deficits, Apathy, and Hypersomnolence Represent the Core Brain Symptoms of Adult-Onset Myotonic Dystrophy Type 1. <i>Frontiers in Neurology</i> , 2021, 12, 700796.	1.1	15
1011	Comparison of counseling methods to promote employment for HIV+ ADULTS. <i>Work</i> , 2021, 69, 981-995.	0.6	0
1012	Identifying a Common Functional Framework for Apathy Large-Scale Brain Network. <i>Journal of Personalized Medicine</i> , 2021, 11, 679.	1.1	5
1013	Explaining distortions in metacognition with an attractor network model of decision uncertainty. <i>PLoS Computational Biology</i> , 2021, 17, e1009201.	1.5	9
1014	Time to consider the role of rationalisation in health psychology. <i>Public Health</i> , 2021, 196, 59-61.	1.4	0
1015	Lockdown effects on Parkinson's disease during COVID-19 pandemic: a pilot study. <i>Acta Neurologica Belgica</i> , 2021, 121, 1191-1198.	0.5	11

#	ARTICLE	IF	CITATIONS
1016	ECOCAPTURE@HOME: Protocol for the Remote Assessment of Apathy and Its Everyday-Life Consequences. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 7824.	1.2	2
1017	Apathy as a Treatment Target in Alzheimer's Disease: Implications for Clinical Trials. <i>American Journal of Geriatric Psychiatry</i> , 2022, 30, 119-147.	0.6	28
1018	Evidence Lacking for Cannabis Users Slacking: A Longitudinal Analysis of Escalating Cannabis Use and Motivation among Adolescents. <i>Journal of the International Neuropsychological Society</i> , 2021, 27, 637-647.	1.2	5
1019	Deconstructing Apathy in Parkinson's Disease: Challenges in Isolating Core Components of Apathy From Depression, Anxiety, and Fatigue. <i>Frontiers in Neurology</i> , 2021, 12, 720921.	1.1	5
1020	Revisiting Apathy in Alzheimer's Disease: From Conceptualization to Therapeutic Approaches. <i>Behavioural Neurology</i> , 2021, 2021, 1-8.	1.1	15
1021	Preventing Delirium and Promoting Long-Term Brain Health: A Clinical Trial Design for the Perioperative Cognitive Enhancement (PROTECT) Trial. <i>Journal of Alzheimer's Disease</i> , 2021, 83, 1-13.	1.2	8
1022	Neuropsychiatric Consequences of Moderate to Severe Traumatic Brain Injury. , 2021, , 128-139.		0
1023	Lesion evidence for a causal role of the insula in aversion to social inequity. <i>Social Cognitive and Affective Neuroscience</i> , 2021, , .	1.5	2
1024	HIV-Associated Apathy/Depression and Neurocognitive Impairments Reflect Persistent Dopamine Deficits. <i>Cells</i> , 2021, 10, 2158.	1.8	18
1025	Assessment of Affective-Behavioral States in Parkinson's Disease Patients: Towards a New Screening Tool. <i>Journal of Parkinson's Disease</i> , 2021, 11, 1417-1430.	1.5	1
1026	Developing methods to detect and diagnose chronic traumatic encephalopathy during life: rationale, design, and methodology for the DIAGNOSE CTE Research Project. <i>Alzheimer's Research and Therapy</i> , 2021, 13, 136.	3.0	30
1027	Safety of Levofloxacin in Older Adults. <i>Geriatrîk Bilimler Dergisi</i> , 0, , .	1.0	0
1028	BIOFACE: A Prospective Study of Risk Factors, Cognition, and Biomarkers in a Cohort of Individuals with Early-Onset Mild Cognitive Impairment. Study Rationale and Research Protocols. <i>Journal of Alzheimer's Disease</i> , 2021, 83, 1233-1249.	1.2	7
1029	Awareness dimensions and associated factors in Alzheimer's disease. <i>Revue Neurologique</i> , 2022, 178, 363-369.	0.6	3
1030	The experience of cognitive behavioural therapy in depressed adolescents who are fatigued. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2022, 95, 234-255.	1.3	6
1031	Brain Networks and Cognitive Impairment in Parkinson's Disease. <i>Brain Connectivity</i> , 2022, 12, 465-475.	0.8	15
1032	Mechanisms Underlying Motivational Dysfunction in Schizophrenia. <i>Frontiers in Behavioral Neuroscience</i> , 2021, 15, 709753.	1.0	9
1033	Anosognosia in amyotrophic lateral sclerosis: A cross-sectional study of 85 individuals and their relatives. <i>Annals of Physical and Rehabilitation Medicine</i> , 2021, 64, 101440.	1.1	2

#	ARTICLE	IF	CITATIONS
1035	Exploring reward-related attention selectivity deficits in Parkinson's disease. <i>Scientific Reports</i> , 2021, 11, 18751.	1.6	2
1036	A Neurocomputational Model for Intrinsic Reward. <i>Journal of Neuroscience</i> , 2021, 41, 8963-8971.	1.7	13
1037	The Effect of Reminiscence Therapy Using Virtual Reality on Apathy in Residential Aged Care: Multisite Nonrandomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2021, 23, e29210.	2.1	20
1038	Assessment of apathy in neurological patients using the Apathy Motivation Index caregiver version. <i>Journal of Neuropsychology</i> , 2022, 16, 236-258.	0.6	7
1039	The Apathy Evaluation Scale (AES-C): Psychometric Properties and Invariance of Italian Version in Mild Cognitive Impairment and Alzheimer's Disease. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 9597.	1.2	7
1040	Trust and childhood maltreatment: evidence of bias in appraisal of unfamiliar faces. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2022, 63, 655-662.	3.1	13
1041	When to Assess: Cognitive Impact of Ventriculoperitoneal Shunt Operation in Elderly Adults with Normal Pressure Hydrocephalus. <i>World Neurosurgery</i> , 2021, 154, e302-e312.	0.7	2
1042	The association among apathy, leisure activity participation, and severity of dementia in nursing home residents with Alzheimer's disease: A cross-sectional study. <i>Geriatric Nursing</i> , 2021, 42, 1373-1378.	0.9	2
1043	The use of the French Dimensional Apathy Scale (f-DAS) to assess apathy in schizophrenia: Properties and profiles. <i>Journal of Affective Disorders</i> , 2021, 294, 181-188.	2.0	3
1044	Anatomy and Disorders of Frontal Lobe Functions: Fundamental Functions. , 2022, , 266-279.		2
1045	Neuropsychological Assessment. , 2022, , 342-349.		0
1046	Syndromes and Diseases Studied by Behavioral Neurology. , 2022, , 1-16.		2
1047	Enriched Music-supported Therapy for chronic stroke patients: a study protocol of a randomised controlled trial. <i>BMC Neurology</i> , 2021, 21, 19.	0.8	9
1048	Management Approaches for Behavioural and Psychological Symptoms of Dementia. , 2021, , 129-153.		0
1049	Understanding the Neurocomputational Mechanisms of Antidepressant Placebo Effects. <i>Journal of Psychiatry and Brain Science</i> , 2021, 6, .	0.3	0
1050	Non-pharmacologic interventions to treat apathy in Parkinson's disease: A realist review. <i>Clinical Parkinsonism & Related Disorders</i> , 2021, 4, 100096.	0.5	6
1051	Développement et validation de contenu de l'échelle d'impact des problèmes actuels de comportement (IMPAC). <i>Revue De Psychoéducation</i> , 0, 50, 23-45.	0.3	2
1052	Hemispheric stroke: Mood disorders. <i>Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn</i> , 2021, 183, 155-167.	1.0	7

#	ARTICLE	IF	CITATIONS
1053	Protocol for an open label: phase I trial within a cohort of foetal cell transplants in people with Huntingtonâ€™s disease. <i>Brain Communications</i> , 2021, 3, fcaa230.	1.5	12
1054	Apathy Induced by Subthalamic Nucleus Deep Brain Stimulation in Parkinson's Disease: A Metaâ€™Analysis. <i>Movement Disorders</i> , 2021, 36, 317-326.	2.2	27
1055	Clinical Considerations: Assessment and Treatment. , 2014, , 637-686.		3
1057	Apathy in Neuropsychiatric Disease: Diagnosis, Pathophysiology, and Treatment. , 2012, , 63-75.		4
1058	Cognition and Neuropsychiatric Symptoms. , 2014, , 67-89.		1
1059	Treatment of Dementia: Non-pharmacological Approaches. , 2016, , 97-112.		2
1060	Parkinsonâ€™s Disease Without Dementia. <i>Perspectives in Pragmatics, Philosophy and Psychology</i> , 2017, , 379-407.	0.2	4
1061	Assessment and Management of Psychiatric Symptoms in Neurodegenerative Disorders. , 2017, , 367-388.		1
1062	Neuropsychologie der Motivation. , 2004, , 67-89.		4
1063	Resting state fMRI correlates of Theory of Mind impairment in amyotrophic lateral sclerosis. <i>Cortex</i> , 2017, 97, 1-16.	1.1	43
1064	Dissociable Motivational Deficits in Pre-manifest Huntingtonâ€™s Disease. <i>Cell Reports Medicine</i> , 2020, 1, 100152.	3.3	16
1066	Improvement of neuronal integrity with methylphenidate treatment for apathy in Alzheimerâ€™s disease. <i>International Psychogeriatrics</i> , 2020, 32, 539-540.	0.6	2
1068	Apathy and Its Nonpharmacological Treatment in Dementia. <i>GeroPsych: the Journal of Gerontopsychology and Geriatric Psychiatry</i> , 2011, 24, 155-164.	0.2	4
1069	Behavioral Competence and Emotional Well-Being of Older Adults with Mild Cognitive Impairment. <i>GeroPsych: the Journal of Gerontopsychology and Geriatric Psychiatry</i> , 2014, 27, 55-65.	0.2	12
1070	Apathy in Dementia Care. <i>GeroPsych: the Journal of Gerontopsychology and Geriatric Psychiatry</i> , 2016, 29, 129-139.	0.2	2
1071	Electrodermal Responsiveness and Negative Symptoms in Brain Injured Patients. <i>Journal of Psychophysiology</i> , 1999, 13, 109-116.	0.3	7
1072	Nonacute effects of cannabis use on motivation and reward sensitivity in humans: A systematic review.. <i>Psychology of Addictive Behaviors</i> , 2018, 32, 497-507.	1.4	44
1073	Heterogeneity of anosognosia in Alzheimerâ€™s disease according to the object of awareness.. <i>Psychology and Neuroscience</i> , 2019, 12, 282-290.	0.5	12

#	ARTICLE	IF	CITATIONS
1075	Do young-adult cannabis users show amotivation? An analysis of informant reports.. Translational Issues in Psychological Science, 2018, 4, 99-107.	0.6	13
1076	Age of first exposure to American football and long-term neuropsychiatric and cognitive outcomes. Translational Psychiatry, 2017, 7, e1236-e1236.	2.4	141
1077	How Is Quality of Life Assessed in People With Dementia? A Systematic Literature Review and a Primer for Speech-Language Pathologists. American Journal of Speech-Language Pathology, 2020, 29, 1702-1715.	0.9	7
1079	Apathy in corticobasal degeneration: possible parietal involvement. Functional Neurology, 2017, 32, 201.	1.3	6
1080	Apathy and executive functions: insights from brain damage involving the anterior cingulate cortex. BMJ Case Reports, 2012, 2012, bcr0220125934-bcr0220125934.	0.2	5
1081	Sex differences in brain structure in geriatric depression. American Journal of Geriatric Psychiatry, 2004, 12, 653-7.	0.6	38
1084	Apathy After Hip Fracture: A Potential Target for Intervention to Improve Functional Outcomes. Journal of Neuropsychiatry and Clinical Neurosciences, 2009, 21, 271-278.	0.9	9
1085	Mood Changes and Disorders After Stroke. , 2002, , .		1
1086	Clinical Assessment of Prefrontal Lobe Functions. CONTINUUM Lifelong Learning in Neurology, 2018, 24, 704-726.	0.4	32
1087	A mixed fixed ratio/progressive ratio procedure reveals an apathy phenotype in the BAC HD and the z_Q175 KI mouse models of Huntingtongen™s disease. PLOS Currents, 2012, 4, e4f972cffe82c0.	1.4	24
1088	Acute and Chronic Mood and Apathy Outcomes from a Randomized Study of Unilateral STN and GPi DBS. PLoS ONE, 2014, 9, e114140.	1.1	40
1089	Voxel-Based Analysis of Fractional Anisotropy in Post-Stroke Apathy. PLoS ONE, 2015, 10, e116168.	1.1	28
1090	Gray and White Matter Contributions to Cognitive Frontostriatal Deficits in Non-Demented Parkinson's Disease. PLoS ONE, 2016, 11, e0147332.	1.1	31
1091	Prefrontal Activity and Connectivity with the Basal Ganglia during Performance of Complex Cognitive Tasks Is Associated with Apathy in Healthy Subjects. PLoS ONE, 2016, 11, e0165301.	1.1	14
1092	Ventral striatal hypoactivation is associated with apathy but not diminished expression in patients with schizophrenia. Journal of Psychiatry and Neuroscience, 2016, 41, 152-161.	1.4	64
1093	Pharmacological Dopamine Manipulation Does Not Alter Reward-Based Improvements in Memory Retention during a Visuomotor Adaptation Task. ENeuro, 2018, 5, ENEURO.0453-17.2018.	0.9	21
1094	Neural Basis of Anhedonia and Amotivation in Patients with Schizophrenia: The Role of Reward System. Current Neuropharmacology, 2015, 13, 750-759.	1.4	46
1095	Effects of a Humanoid Socially Assistive Robot Versus Tablet Training on Psychosocial and Physical Outcomes of Persons With Dementia: Protocol for a Mixed Methods Study. JMIR Research Protocols, 2020, 9, e14927.	0.5	22

#	ARTICLE	IF	CITATIONS
1096	Using Virtual Reality to Improve Apathy in Residential Aged Care: Mixed Methods Study. <i>Journal of Medical Internet Research</i> , 2020, 22, e17632.	2.1	42
1098	Apathy in Parkinson's disease: diagnosis, neuropsychological correlates, pathophysiology and treatment. <i>Behavioural Neurology</i> , 2013, 27, 501-13.	1.1	36
1099	Apathy in frontotemporal dementia: behavioral and neuroimaging correlates. <i>Behavioural Neurology</i> , 2012, 25, 127-36.	1.1	63
1100	Apathy: a separate syndrome from depression in dementia? A critical review. <i>Aging Clinical and Experimental Research</i> , 2012, 24, 305-16.	1.4	45
1101	Apathy-Who Cares? An Introduction to Apathy and Related Disorders of Diminished Motivation. <i>Psychiatric Annals</i> , 1997, 27, 18-23.	0.1	29
1102	Motivational Impairment in Primary Psychiatric and Medical Illness. <i>Psychiatric Annals</i> , 1997, 27, 34-38.	0.1	8
1103	Apathy Secondary to Neurologic Disease. <i>Psychiatric Annals</i> , 1997, 27, 39-43.	0.1	22
1104	Ethical Considerations in Apathy Syndromes. <i>Psychiatric Annals</i> , 1997, 27, 50-54.	0.1	2
1105	MOTIVATING: Older Adults to Perform Functional Activities. <i>Journal of Gerontological Nursing</i> , 1998, 24, 23-30.	0.3	12
1106	Are Gerontological Nurses Apathetic About Apathy in Older Adults. <i>Journal of Gerontological Nursing</i> , 2012, 38, 22-28.	0.3	1
1107	Real-Time Observation of Apathy in Long-Term Care Residents With Dementia: Reliability of the Personâ€Environment Apathy Rating Scale. <i>Journal of Gerontological Nursing</i> , 2018, 44, 23-28.	0.3	5
1108	Safety and Efficacy of Methylphenidate for Apathy in Alzheimerâ€™s Disease. <i>Journal of Clinical Psychiatry</i> , 2013, 74, 810-816.	1.1	155
1109	Transdermal Nicotine for the Treatment of Mood and Cognitive Symptoms in Nonsmokers With Late-Life Depression. <i>Journal of Clinical Psychiatry</i> , 2018, 79, .	1.1	12
1110	Methylphenidate-Induced Akathisia in a Patient With Multiple Sclerosis. <i>Primary Care Companion To the Journal of Clinical Psychiatry</i> , 2006, 8, 379-80.	0.6	1
1111	Neuropsychology of prefrontal cortex. <i>Indian Journal of Psychiatry</i> , 2008, 50, 202.	0.4	144
1112	Properties of the Apathy Scale (AS) for use on Parkinsonâ€™s patients. <i>Advances in Parkinson S Disease</i> , 2013, 02, 53-57.	0.2	6
1113	DBS-implanted Parkinson's Disease Patients Show Better Olfaction Than Those Treated Medically. <i>Neurological Bulletin</i> , 2010, 2, 1-6.	0.0	3
1114	Non-Motor Symptoms of Essential Tremor Are Independent of Tremor Severity and Have an Impact on Quality of Life. <i>Tremor and Other Hyperkinetic Movements</i> , 2016, 6, 361.	1.1	15

#	ARTICLE	IF	CITATIONS
1115	Theoretical Analysis of the Apathy Diagnostical Measurement. <i>Kliničeska I Specialna Psihologija</i> , 2021, 10, 17-30.	0.1	1
1116	Modifiable predictors of suicidal ideation during psychotherapy for late-life major depression. A machine learning approach. <i>Translational Psychiatry</i> , 2021, 11, 536.	2.4	8
1117	Intensive rehabilitation programme for patients with subacute stroke in an inpatient rehabilitation facility: describing a protocol of a prospective cohort study. <i>BMJ Open</i> , 2021, 11, e046346.	0.8	3
1119	Efficacy of non-invasive brain stimulation on global cognition and neuropsychiatric symptoms in Alzheimer's disease and mild cognitive impairment: A meta-analysis and systematic review. <i>Ageing Research Reviews</i> , 2021, 72, 101499.	5.0	34
1120	Do we experience pandemic fatigue? current state, predictors, and prevention. <i>Current Psychology</i> , 2022, 41, 7314-7325.	1.7	75
1121	Prognostic factors of depression and depressive symptoms after hip fracture surgery: systematic review. <i>BMC Geriatrics</i> , 2021, 21, 537.	1.1	3
1122	Emotion prediction errors guide socially adaptive behaviour. <i>Nature Human Behaviour</i> , 2021, 5, 1391-1401.	6.2	18
1123	Verhaltensauffälligkeiten und andere Störungen. , 2002, , 457-483.		0
1124	Functional Neuro-imaging in Apathy. , 2004, , 531-538.		0
1126	Neuropsychología del tálamo y de los núcleos grises centrales. , 2007, , 340-346.		0
1127	Trastornos del comportamiento en daño cerebral adquirido [Behavioural disorders after acquired brain injury]. <i>Acción Psicológica</i> , 2007, 4, .	0.1	0
1128	Evaluación de la apatía: uso de la Escala de Evaluación de la Apatía en el primer episodio de psicosis. <i>European Psychiatry (Ed Española)</i> , 2008, 15, 145-151.	0.0	0
1129	7 Diagnostische instrumenten. , 2009, , 59-102.		0
1130	Diagnosis and Clinical Relevance of Depression and Apathy in Alzheimer's Disease. , 2010, , 199-212.		0
1131	Neuropsychologie der Motivation. , 2010, , 67-88.		0
1132	Apathy. , 2011, , 210-217.		0
1133	Negative Symptoms Across the Schizophrenia Spectrum: Phenomenological and Neurobiological Perspectives. , 2011, , 1-32.		2
1134	Symptoms of Parkinson's Disease. , 2011, , .		0

#	ARTICLE	IF	CITATIONS
1135	Are Gerontological Nurses Apathetic About Apathy in Older Adults. <i>Journal of Gerontological Nursing</i> , 2012, 38, 22-28.	0.3	1
1136	Apathy. <i>Neuropsychiatric Symptoms of Neurological Disease</i> , 2013, , 109-129.	0.3	1
1137	Apathy in Neuropsychiatric Disease: Diagnosis, Pathophysiology, and Treatment. , 2013, , 67-79.		0
1138	Riabilitazione motoria degli anziani affetti da malattie psicogeriatriche. <i>Ricerche Di Psicologia</i> , 2013, , 543-562.	0.2	0
1139	ContribuiÃ§Ã£o do Estudo da Apatia Para a CompreensÃ£o da DoenÃ§a de Parkinson. <i>Revista Neurociencias</i> , 2013, 21, 229-236.	0.0	0
1140	ContribuiÃ§Ã£o do Estudo da Apatia Para a CompreensÃ£o da DoenÃ§a de Parkinson. <i>Revista Neurociencias</i> , 0, 21, 229-236.	0.0	0
1141	The Law of Diminishing Intent: Getting Excited About Apathy. <i>Journal of Clinical Psychiatry</i> , 2013, 74, 817-818.	1.1	0
1142	The Evaluation of Apathy by Using the Scale of Clinical Assessment for Spontaneity: Characteristics of Evaluation between Families and Nurses. <i>Nihon Kango Kagakkai Shi = Journal of Japan Academy of Nursing Science</i> , 2014, 34, 66-73.	0.1	0
1143	Personality Style in Behavioural Disturbances in Parkinson?s Disease. <i>Journal of Neurology & Neurophysiology</i> , 2014, 05, .	0.1	1
1144	Alteraciones neuropsicolÃ³gicas asociadas en pacientes con infarto lacunar.. <i>Acta Colombiana De Psicologia</i> , 2014, 17, 43-52.	0.1	3
1146	Motivational Deficits in Parkinsonâ€™s Disease: Role of the Dopaminergic System and Deep-Brain Stimulation of the Subthalamic Nucleus. <i>Innovations in Cognitive Neuroscience</i> , 2016, , 363-388.	0.3	0
1148	Global Hypoactivity and Apathy. <i>Neuropsychiatric Symptoms of Neurological Disease</i> , 2017, , 71-91.	0.3	1
1149	Depression in Nursing Home Residents with Dementia. , 2017, , 179-189.		0
1150	Apathy. , 2017, , 1-10.		0
1151	Association between Cannabis use, Depression and Apathy: A Study of an Internet Community Sample of Young Adults. <i>Archives of Depression and Anxiety</i> , 0, , 001-008.	0.8	0
1153	Anhedonia inÂ depressive disorders. <i>Psychiatria I Psychologia Kliniczna</i> , 2017, 17, 216-224.	0.3	2
1155	The Relationship Between Resilience and Motivation. , 2018, , 221-244.		7
1156	Neuropsychologie du thalamus, des noyaux gris centraux du cervelet. , 2018, , 567-577.		0

#	ARTICLE	IF	CITATIONS
1158	Apathy. , 2018, , 293-302.		0
1159	Neuropsychologie du lobe frontal. , 2018, , 225-244.		0
1160	Cas 10. Reconnaissance de la prosodie Émotionnelle suite É un accident vasculaire du cervelet. , 2018, , 269-290.		0
1161	Maladie d'Alzheimer et maladies apparentées: symptômes psychocomportementaux dans la démence (SPCD). , 2018, , 631-641.		0
1162	History Taking and Assessment. , 2019, , 53-64.		0
1163	Characteristics and correlates of poststroke depression: An Indian study. Indian Journal of Psychiatry, 2019, 61, 605.	0.4	2
1164	Neuropsychiatry and Traumatic Brain Injury. , 2019, , 227-301.		0
1165	Effects of a Cycling Dual Task on Emotional Word Choice in Parkinson's Disease. Journal of Speech, Language, and Hearing Research, 2019, 62, 1951-1958.	0.7	1
1169	Validity and Reliability of the Korean Version of the Apathy Evaluation Scale Short form for Patients with Dementia. Journal of the Korean Academy of Fundamentals of Nursing, 2020, 27, 164-175.	0.1	1
1173	Validation of a European Spanish adaptation of the Apathy Evaluation Scale-self-rated version (AES-S) in patients with schizophrenia. Revista De Psiquiatría Y Salud Mental, 2020, , .	1.0	2
1174	Chapitre 5. L'examen psychologique du sujet vieillissant. , 2020, , 201-253.		0
1175	Clinical utility and psychometric properties of the Apathy Evaluation Scale.. Rehabilitation Psychology, 2020, 65, 311-312.	0.7	8
1177	Long-term psychological consequences of stroke (OX-CHRONIC): A longitudinal study of cognition in relation to mood and fatigue after stroke: Protocol. European Stroke Journal, 2021, 6, 428-437.	2.7	9
1178	Estimulação transcraniana por corrente contínua na doença de Alzheimer: uma revisão sistemática. Research, Society and Development, 2020, 9, e43291210459.	0.0	0
1179	Young Adults With Higher Motives and Expectancies of Regular Cannabis Use Show Poorer Psychosocial Functioning. Frontiers in Psychiatry, 2020, 11, 599365.	1.3	7
1182	Verification of the Intervention Effects of Cognitive and Physical Training for Community-dwelling Elderly. Rigakuryoho Kagaku, 2020, 35, 867-872.	0.0	0
1183	Parkinson's disease rating scales: a literature review. Annals of Movement Disorders, 2020, 3, 3.	0.3	8
1185	Art, Drawing Task Processes, and Identity Awareness. Advances in Psychology, Mental Health, and Behavioral Studies, 0, , 208-228.	0.1	0

#	ARTICLE	IF	CITATIONS
1186	Neuropsychiatry and Traumatic Brain Injury. , 2007, , 81-121.		0
1187	Changes of Phenotypic Pattern in Functional Movement Disorders: A Prospective Cohort Study. <i>Frontiers in Neurology</i> , 2020, 11, 582215.	1.1	5
1190	Depression in acute stroke. <i>Journal of Psychiatry and Neuroscience</i> , 2006, 31, 377-83.	1.4	59
1191	SSRI-Induced Indifference. <i>Psychiatry</i> , 2010, 7, 14-8.	0.3	24
1192	Behavioral and psychological symptoms of dementia and their management. <i>Indian Journal of Psychiatry</i> , 2009, 51 Suppl 1, S77-86.	0.4	13
1193	Alexithymia and apathy in Parkinson's disease: neurocognitive correlates. <i>Behavioural Neurology</i> , 2013, 27, 535-45.	1.1	5
1194	Aripiprazole for Treatment of Apathy. <i>Innovations in Clinical Neuroscience</i> , 2015, 12, 33-6.	0.1	2
1195	Prenatal metal mixture concentrations and reward motivation in children. <i>NeuroToxicology</i> , 2022, 88, 124-133.	1.4	7
1196	Wisket rat model of schizophrenia: Impaired motivation and, altered brain structure, but no anhedonia. <i>Physiology and Behavior</i> , 2022, 244, 113651.	1.0	3
1197	Increasing motivation in effort-based decision-making tasks: effects of salience and reward expectancy manipulations. <i>Cognitive Neuropsychiatry</i> , 2022, 27, 20-34.	0.7	4
1198	Apathy in Parkinson's Disease: A Retrospective Study of Its Prevalence and Relationship With Mood, Anxiety, and Cognitive Function. <i>Frontiers in Psychology</i> , 2021, 12, 749624.	1.1	5
1199	Pilot Study of Mindfulness Training on the Self-Awareness of Motor Symptoms in Parkinson's Disease " A Randomized Controlled Trial. <i>Frontiers in Psychology</i> , 2021, 12, 763350.	1.1	6
1200	Measuring social cognition in frontotemporal lobar degeneration: a clinical approach. <i>Journal of Neurology</i> , 2021, , 1.	1.8	2
1201	Extracting Apathy From Depression Syndrome in Traumatic Brain Injury by Using a Clustering Method. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2022, 34, 158-167.	0.9	4
1202	Functional MRI connectivity of the primary motor cortex in functional dystonia patients. <i>Journal of Neurology</i> , 2022, 269, 2961-2971.	1.8	6
1203	Minor hallucinations in isolated rapid eye movement sleep behavior disorder indicative of early phenoconversion: A preliminary study. <i>Acta Neurologica Scandinavica</i> , 2022, 145, 348-359.	1.0	5
1204	The struggle of apathy in dementia. <i>Aging and Mental Health</i> , 2022, 26, 1909-1911.	1.5	4
1205	Effects of different types of augmented feedback on intrinsic motivation and walking speed performance in post-stroke: A study protocol. <i>Contemporary Clinical Trials Communications</i> , 2021, 24, 100863.	0.5	9

#	ARTICLE	IF	CITATIONS
1206	OUP accepted manuscript. <i>Brain</i> , 2022, , .	3.7	1
1207	Mindfulness-Based Cognitive Therapy for Stress Reduction in Family Carers of People Living with Dementia: A Systematic Review. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 614.	1.2	9
1208	Fatigue and apathy in patients on chronic hemodialysis. <i>Therapeutic Apheresis and Dialysis</i> , 2022, 26, 932-940.	0.4	6
1209	Validation of the self-rated Dimensional Apathy Scale in community stroke survivors. <i>Journal of the Neurological Sciences</i> , 2022, 434, 120103.	0.3	8
1210	Planning in amnesic mild cognitive impairment: an fMRI study. <i>Experimental Gerontology</i> , 2022, 159, 111673.	1.2	1
1211	Disrupted Computations of Social Control in OCD and Misophonia. <i>SSRN Electronic Journal</i> , 0, , .	0.4	0
1212	Factors Associated with Apathy in Alzheimer's Disease: A Cross-Sectional Analysis of the Texas Alzheimer's Research and Care Consortium (TARCC) Study. <i>Journal of Alzheimer's Disease</i> , 2022, 86, 403-411.	1.2	6
1213	Are there distinct dimensions of apathy? The argument for reappraisal. <i>Cortex</i> , 2022, 149, 246-256.	1.1	13
1214	Effects of a Home-Based Physical Training and Activity Promotion Program in Community-Dwelling Older Persons with Cognitive Impairment after Discharge from Rehabilitation: A Randomized Controlled Trial. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2022, 77, 2435-2444.	1.7	5
1215	Moving beyond basic emotions in Parkinson's disease. <i>British Journal of Clinical Psychology</i> , 2022, 61, 647-665.	1.7	3
1216	Emotional and Neuropsychiatric Disorders Associated with Alzheimer's Disease. <i>Neurotherapeutics</i> , 2022, 19, 99-116.	2.1	15
1217	Effects of Early-Life Adversities on Neuropsychiatric and Executive Functions in HIV-Positive Adults. <i>Journal of the International Neuropsychological Society</i> , 2023, 29, 68-79.	1.2	6
1218	Apathy after subarachnoid haemorrhage: A systematic review. <i>Journal of Psychosomatic Research</i> , 2022, 155, 110742.	1.2	2
1219	Cerebral Volumetric Correlates of Apathy in Alzheimer's Disease and Cognitively Normal Older Adults: Meta-Analysis, Label-Based Review, and Study of an Independent Cohort. <i>Journal of Alzheimer's Disease</i> , 2022, 85, 1251-1265.	1.2	9
1220	Psychometric properties of the BIRT Motivation Questionnaire (BMQ), a self-measure of avolition in individuals with schizophrenia. <i>Journal of Psychiatric Research</i> , 2022, 147, 274-282.	1.5	2
1221	Dissociable Functional Brain Networks Associated With Apathy in Subcortical Ischemic Vascular Disease and Alzheimer's Disease. <i>Frontiers in Aging Neuroscience</i> , 2021, 13, 717037.	1.7	2
1222	Instrumental activities of daily living in adults with the DM1 childhood phenotype: going beyond motor impairments. <i>Neuromuscular Disorders</i> , 2022, 32, 313-320.	0.3	3
1223	Individual differences in information-seeking. <i>Nature Communications</i> , 2021, 12, 7062.	5.8	30

#	ARTICLE	IF	CITATIONS
1224	Validation of a European Spanish adaptation of the Apathy Evaluation Scale-self-rated version (AES-S) in patients with schizophrenia. <i>Revista De Psiquiatr�a Y Salud Mental (English Edition)</i> , 2022, 15, 22-28.	0.2	1
1225	Olive polyphenols and bioavailable glutathione: Promising results in patients diagnosed with mild Alzheimer's disease. <i>Alzheimer's and Dementia: Translational Research and Clinical Interventions</i> , 2022, 8, e12278.	1.8	2
1226	Neurological manifestations of long-COVID syndrome: a narrative review. <i>Therapeutic Advances in Chronic Disease</i> , 2022, 13, 204062232210768.	1.1	120
1227	Multidimensional Clinical Assessment in Frontotemporal Dementia and Its Spectrum in Latin America and the Caribbean: A Narrative Review and a Glance at Future Challenges. <i>Frontiers in Neurology</i> , 2021, 12, 768591.	1.1	6
1228	Motor symptom asymmetry predicts non-motor outcome and quality of life following STN DBS in Parkinson's disease. <i>Scientific Reports</i> , 2022, 12, 3007.	1.6	10
1229	Sarcopenia and motoric cognitive risk syndrome: a moderated mediation model. <i>BMC Geriatrics</i> , 2022, 22, 141.	1.1	6
1230	Traits and Distorted Symptom Presentation: a Scoping Review. <i>Psychological Injury and Law</i> , 0, , 1.	1.0	1
1231	Spectrum of neuropsychiatric symptoms in chronic post-stroke aphasia. <i>World Journal of Psychiatry</i> , 2022, 12, 450-469.	1.3	9
1232	Apathy Is the Best Dimension to Consider for Awareness Assessment in Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2022, 87, 149-154.	1.2	2
1233	Evaluation of neuropsychiatric symptoms in patients with multiple sclerosis. <i>Cukurova Medical Journal</i> , 2022, 47, 208-218.	0.1	1
1234	Machine learning of language use on Twitter reveals weak and non-specific predictions. <i>Npj Digital Medicine</i> , 2022, 5, 35.	5.7	10
1235	Guidelines for diagnosis and treatment of depression in older adults: A report from the Japanese Society of mood disorders. <i>Psychiatry and Clinical Neurosciences</i> , 2022, 76, 222-234.	1.0	25
1236	Identifying emotional contributors to participation post-stroke. <i>Topics in Stroke Rehabilitation</i> , 2023, 30, 180-192.	1.0	10
1237	Are the Items of the Starkstein Apathy Scale Fit for the Purpose of Measuring Apathy Post-stroke?. <i>Frontiers in Psychology</i> , 2021, 12, 754103.	1.1	4
1238	Apathy and residual neurological impairment are associated with community reintegration after mild stroke. <i>Neuropsychological Rehabilitation</i> , 2023, 33, 379-392.	1.0	4
1239	Depression and Apathy across Different Variants of Progressive Supranuclear Palsy. <i>Movement Disorders Clinical Practice</i> , 2022, 9, 212-217.	0.8	8
1240	Clinical and Preclinical Assessments of Anhedonia in Psychiatric Disorders. <i>Current Topics in Behavioral Neurosciences</i> , 2022, , 3-21.	0.8	7
1241	Parkinson's disease, temporomandibular disorder pain and bruxism and its clinical consequences: a protocol of a single-centre observational outpatient study. <i>BMJ Open</i> , 2022, 12, e052329.	0.8	5

#	ARTICLE	IF	CITATIONS
1243	Exploración psicométrica sobre deficiencia motivacional en consumidores de marihuana. Interdisciplinaria, 2020, 37, .	0.1	0
1251	Dopamine D3 Receptors: A Potential Target to Treat Motivational Deficits in Parkinson's Disease. Current Topics in Behavioral Neurosciences, 2022, , 109-132.	0.8	4
1252	Apathy as a Predictor for Conversion From Mild Cognitive Impairment to Dementia: A Systematic Review and Meta-Analysis of Longitudinal Studies. Journal of Geriatric Psychiatry and Neurology, 2023, 36, 3-17.	1.2	9
1254	Preliminary Evidence of Efficacy and Target Engagement of Pramipexole in Anhedonic Depression. Psychiatric Research and Clinical Practice, 2022, 4, 42-47.	1.3	3
1255	Crossed functional specialization between the basal ganglia and cerebellum during vocal emotion decoding: Insights from stroke and Parkinson's disease. Cognitive, Affective and Behavioral Neuroscience, 2022, 22, 1030-1043.	1.0	4
1256	Parkinson's disease disrupts the ability to initiate and apply episodic foresight. Journal of the International Neuropsychological Society, 2023, 29, 290-297.	1.2	3
1257	Objective measures of reward sensitivity and motivation in people with high <i>v.</i> low anhedonia. Psychological Medicine, 2023, 53, 4324-4332.	2.7	2
1258	The Deep Brain Stimulation Impairment Scale: A useful complement in assessment of well-being and functioning in DBS-patients – Results from a large multicentre survey in patients with Parkinson's disease. Parkinsonism and Related Disorders, 2022, 99, 8-15.	1.1	0
1260	Telehealth cancer-related fatigue clinic model for cancer survivors: a pilot randomised controlled trial protocol (the T-CRF trial). BMJ Open, 2022, 12, e059952.	0.8	3
1261	Validation of new diagnostic criteria for fatigue in patients with Parkinson disease. European Journal of Neurology, 2022, 29, 2631-2638.	1.7	4
1262	Prevalence and Correlates of Psychiatric Comorbidity and Multimorbidity in Parkinson's Disease and Atypical Parkinsonian Syndromes. Journal of Geriatric Psychiatry and Neurology, 2023, 36, 155-163.	1.2	2
1263	Apathy and depression in amnesic and non-amnesic mild cognitive impairment. Journal of Clinical and Experimental Neuropsychology, 2022, 44, 103-108.	0.8	3
1264	Neuropsychiatric disorders after severe traumatic brain injury: An overview. , 2022, , 71-83.		0
1265	Depression history modulates effects of subthalamic nucleus topography on neuropsychological outcomes of deep brain stimulation for Parkinson's disease. Translational Psychiatry, 2022, 12, .	2.4	1
1266	A temporal classification method based on behavior time series data in patients with behavioral variant of frontotemporal dementia and apathy. Journal of Neuroscience Methods, 2022, 376, 109625.	1.3	0
1268	Fonctions exécutives et neuropsychologie du lobe frontal. , 2021, , 487-536.		0
1269	Affective forecasting in Parkinson's disease. Journal of the International Neuropsychological Society, 2023, 29, 406-409.	1.2	1
1270	Calling on clinicians to get social and emotional. Clinical Neuropsychologist, 2023, 37, 506-544.	1.5	4

#	ARTICLE	IF	CITATIONS
1271	Patient-reported outcome measures for life engagement in mental health: a systematic review. <i>Journal of Patient-Reported Outcomes</i> , 2022, 6, .	0.9	12
1272	An Internet-Based Self-Management Intervention to Reduce Fatigue Among People With Traumatic Brain Injury: A Pilot Randomized Controlled Trial. <i>American Journal of Occupational Therapy</i> , 2022, 76, .	0.1	1
1273	Disrupted computations of social control in individuals with obsessive-compulsive and misophonia symptoms. <i>IScience</i> , 2022, 25, 104617.	1.9	3
1274	Methodologies Used to Study the Feasibility, Usability, Efficacy, and Effectiveness of Social Robots For Elderly Adults: Scoping Review. <i>Journal of Medical Internet Research</i> , 2022, 24, e37434.	2.1	12
1275	Functional connectivity correlates of reduced goal-directed behaviors in behavioural variant frontotemporal dementia. <i>Brain Structure and Function</i> , 2022, 227, 2971-2989.	1.2	6
1276	Effort-based decision making and self-reported apathy in frequent cannabis users and healthy controls: A replication and extension. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2022, 44, 146-162.	0.8	2
1278	Rivastigmine for ECT-induced cognitive adverse effects in late life depression (RECALL study): A multicenter, randomized, double blind, placebo-controlled, cross-over trial in patients with depression aged 55 years or older: Rationale, objectives and methods. <i>Frontiers in Psychiatry</i> , 0, 13, .	1.3	0
1279	Various courses of early post-stroke apathy symptoms are associated with different outcomes. <i>European Journal of Clinical Investigation</i> , 2022, 52, .	1.7	1
1280	Nonalcoholic Fatty Liver Disease and Altered Neuropsychological Functions in Patients with Subcortical Vascular Dementia. <i>Journal of Personalized Medicine</i> , 2022, 12, 1106.	1.1	6
1281	Relating psychiatric symptoms and self-regulation during the COVID-19 crisis. <i>Translational Psychiatry</i> , 2022, 12, .	2.4	0
1282	Synaptic dysfunction is associated with alterations in the initiation of goal-directed behaviors: Implications for HIV-1-associated apathy. <i>Experimental Neurology</i> , 2022, 357, 114174.	2.0	1
1283	Impact of a 12-week strength training program on fatigue, daytime sleepiness, and apathy in men with myotonic dystrophy type 1. <i>Journal of Neuromuscular Diseases</i> , 2022, , 1-11.	1.1	2
1284	Comparison of Functional and Structural Neural Network Features in Older Adults With Depression With vs Without Apathy and Association With Response to Escitalopram. <i>JAMA Network Open</i> , 2022, 5, e2224142.	2.8	7
1285	The New Zealand Genetic Frontotemporal Dementia Study (FTDGeNZ): a longitudinal study of pre-symptomatic biomarkers. <i>Journal of the Royal Society of New Zealand</i> , 2023, 53, 511-531.	1.0	1
1289	The longitudinal course of anxiety, depression and apathy through two years after stroke. <i>Journal of Psychosomatic Research</i> , 2022, 162, 111016.	1.2	12
1290	Anhedonia, Apathy, Pleasure, and Effort-Based Decision-Making in Adult and Adolescent Cannabis Users and Controls. <i>International Journal of Neuropsychopharmacology</i> , 2023, 26, 9-19.	1.0	6
1292	Are effort-based decision-making tasks worth the effort? A study on the associations between effort-based decision-making tasks and self-report measures. <i>International Journal of Methods in Psychiatric Research</i> , 0, , .	1.1	1
1293	Delay discounting in Parkinson's disease: A systematic review and meta-analysis. <i>Behavioural Brain Research</i> , 2023, 436, 114101.	1.2	5

#	ARTICLE	IF	CITATIONS
1294	Person-centered assessment of apathy and resistance to care in people living with dementia: Review of existing measures. <i>Alzheimer's and Dementia: Translational Research and Clinical Interventions</i> , 2022, 8, .	1.8	1
1295	Comparison of Computerized Testing Versus Paper-Based Testing in the Neurocognitive Assessment of Seniors at Risk of Dementia. <i>Lecture Notes in Electrical Engineering</i> , 2022, , 291-314.	0.3	0
1296	Psychiatrically relevant signatures of domain-general decision-making and metacognition in the general population. , 2022, 1, .		9
1297	Marijuana Use and Health Outcomes in Persons Living With HIV: Protocol for the Marijuana Associated Planning and Long-term Effects (MAPLE) Longitudinal Cohort Study. <i>JMIR Research Protocols</i> , 2022, 11, e37153.	0.5	0
1298	Disentangling Clinical Profiles of Apathy in Behavioral Variant Frontotemporal Dementia. <i>Journal of Alzheimer's Disease</i> , 2022, 90, 639-654.	1.2	3
1300	Autobiographical memory impairment in chronic schizophrenia: Significance and clinical correlates. <i>Journal of Neuropsychology</i> , 2023, 17, 89-107.	0.6	0
1301	Neurorehabilitation Through Synergistic Man-Machine Interfaces Promoting Dormant Neuroplasticity in Spinal Cord Injury: Protocol for a Nonrandomized Controlled Trial. <i>JMIR Research Protocols</i> , 2022, 11, e41152.	0.5	2
1303	The antecedents and consequences of stereotype threat in Parkinson's disease. <i>British Journal of Clinical Psychology</i> , 2023, 62, 1-9.	1.7	2
1304	Preliminary Validation Study of the French-Quebec Version of the Mild Behavioral Impairment Checklist. <i>Cognitive and Behavioral Neurology</i> , 2023, 36, 9-18.	0.5	2
1305	Strengths and Weaknesses of the Vascular Apathy Hypothesis: A Narrative Review. <i>American Journal of Geriatric Psychiatry</i> , 2023, 31, 183-194.	0.6	4
1306	Apathy following Bilateral Deep Brain Stimulation of Subthalamic Nucleus and Globus Pallidus Internus in Parkinson's Disease: A Meta-Analysis. <i>Parkinson's Disease</i> , 2022, 2022, 1-8.	0.6	1
1307	Considerations for clinical trial design and conduct in the evaluation of novel advanced therapeutics in neurodegenerative disease. <i>International Review of Neurobiology</i> , 2022, , .	0.9	0
1308	The effect of salience of rewards on effort-based decision making in psychotic disorders. <i>BMC Psychiatry</i> , 2022, 22, .	1.1	5
1309	Psychiatric Symptoms in Parkinson's Disease Patients before and One Year after Subthalamic Nucleus Deep Brain Stimulation Therapy: Role of Lead Positioning and Not of Total Electrical Energy Delivered. <i>Journal of Personalized Medicine</i> , 2022, 12, 1643.	1.1	6
1310	Behavioural phenotypes of intrinsic motivation in schizophrenia determined by cluster analysis of objectively quantified real-world performance. , 2022, 8, .		0
1311	Hypothalamic Functional Connectivity and Apathy in People with Alzheimer's Disease and Cognitively Normal Healthy Controls. <i>Journal of Alzheimer's Disease</i> , 2022, 90, 1615-1628.	1.2	3
1312	Understanding the relationship between apathy, cognition and functional outcome in schizophrenia: The significance of an ecological assessment. <i>PLoS ONE</i> , 2022, 17, e0277047.	1.1	0
1313	Different depression: motivational anhedonia governs antidepressant efficacy in Huntington's disease. <i>Brain Communications</i> , 2022, 4, .	1.5	7

#	ARTICLE	IF	CITATIONS
1314	Association between <scp>Insulinâ€Like</scp> Growth Factorâ€1 and Social Cognition in Huntington's Disease. <i>Movement Disorders Clinical Practice</i> , 0, , .	0.8	1
1315	Frequency and Pathophysiology of Apathy in Huntington Disease: A Systematic Review and Meta-Analysis. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2023, 35, 121-132.	0.9	2
1316	Motivationally salient cue processing measured using the monetary incentive delay (MID) task with electroencephalography (EEG): A potential marker of apathy in Huntington's disease. <i>Neuropsychologia</i> , 2022, 177, 108426.	0.7	4
1318	Non-pharmacological interventions for behavioral and psychological symptoms of dementia: A systematic review and network meta-analysis protocol. <i>Frontiers in Psychiatry</i> , 0, 13, .	1.3	1
1320	Deploying Digital Health Technologies for Remote Physical Activity Monitoring of Rural Populations with Chronic Neurologic Disease. <i>Archives of Rehabilitation Research and Clinical Translation</i> , 2022, , 100250.	0.5	0
1321	The neurobiology of apathy in depression and neurocognitive impairment in older adults: a review of epidemiological, clinical, neuropsychological and biological research. <i>Translational Psychiatry</i> , 2022, 12, .	2.4	11
1322	Dissociable behavioural signatures of co-existing impulsivity and apathy in decision-making. <i>Scientific Reports</i> , 2022, 12, .	1.6	1
1323	Apathy associated with antidepressant drugs: a systematic review. <i>Acta Neuropsychiatrica</i> , 2023, 35, 189-204.	1.0	6
1325	Empathic Accuracy Task: Indian Adaptation and Validation. <i>Indian Journal of Psychological Medicine</i> , 0, , 025371762211415.	0.6	0
1326	Clinical determinants of apathy and its impact on health-related quality of life in early Parkinson disease. <i>Medicine (United States)</i> , 2023, 102, e32674.	0.4	0
1327	The Precision in Psychiatry (PIP) study: Testing an internet-based methodology for accelerating research in treatment prediction and personalisation. <i>BMC Psychiatry</i> , 2023, 23, .	1.1	5
1328	Apathy evaluation scale-informant version in progressive supranuclear palsy: Psychometric properties and clinical correlates. <i>Parkinsonism and Related Disorders</i> , 2023, 107, 105293.	1.1	0
1329	Dysfunctional cerebello-cerebral network associated with vocal emotion recognition impairments. <i>Cerebral Cortex Communications</i> , 2023, 4, .	0.7	1
1330	Development and Psychometric Validation of the 27 Item Zarit Caregiver Interview for Alzheimerâ€s Disease (ZCI-AD-27). <i>Current Alzheimer Research</i> , 2022, 20, .	0.7	0
1331	Interdialytic weight gain is not associated with symptoms of depression or apathy in patients on chronic hemodialysis. <i>International Urology and Nephrology</i> , 0, , .	0.6	0
1332	Apathy is associated with striatal atrophy and cognitive impairment in cerebral small vessel disease. <i>Journal of Affective Disorders</i> , 2023, 328, 39-46.	2.0	1
1333	A systematic review and meta-analysis of depression and apathy frequency in adult-onset Huntingtonâ€s disease. <i>Neuroscience and Biobehavioral Reviews</i> , 2023, 149, 105166.	2.9	1
1335	Poststroke apathy: Major role of cognitive, depressive and neurological disorders over imaging determinants. <i>Cortex</i> , 2023, 160, 55-66.	1.1	3

#	ARTICLE	IF	CITATIONS
1336	Distinguishing apathy from depression: A review differentiating the behavioral, neuroanatomic, and treatment-related aspects of apathy from depression in neurocognitive disorders. <i>International Journal of Geriatric Psychiatry</i> , 2023, 38, .	1.3	15
1337	A dual-task gait test detects mild cognitive impairment with a specificity of 91.2%. <i>Frontiers in Neuroscience</i> , 0, 16, .	1.4	2
1338	The Possible Role of Apathy on Conflict Monitoring: Preliminary Findings of a Behavioral Study on Severe Acquired Brain Injury Patients Using Flanker Tasks. <i>Brain Sciences</i> , 2023, 13, 298.	1.1	1
1339	Clinical Significance of Apathy in Parkinson's Disease. <i>European Medical Journal Neurology</i> , 0, , 56-63.	0.0	7
1340	Motor Symptom Asymmetry Predicts Cognitive and Neuropsychiatric Profile Following Deep Brain Stimulation of the Subthalamic Nucleus in Parkinson's Disease: a 5-Year Longitudinal Study. <i>Archives of Clinical Neuropsychology</i> , 0, , .	0.3	2
1341	Distinct Neuropsychological Correlates of Apathy Sub-Domains in Multiple Sclerosis. <i>Brain Sciences</i> , 2023, 13, 385.	1.1	0
1342	Motivation as a Measurable Outcome in Stroke Rehabilitation: A Systematic Review of the Literature. <i>International Journal of Environmental Research and Public Health</i> , 2023, 20, 4187.	1.2	5
1343	Sex differences in mild vascular cognitive impairment: A multimodal transcranial magnetic stimulation study. <i>PLoS ONE</i> , 2023, 18, e0282751.	1.1	2
1344	Effects of Contact/Collision Sport History on Patient Reported Outcomes in Early to Mid-Adulthood. <i>Journal of Athletic Training</i> , 2023, , .	0.9	0
1345	Experiences and understanding of apathy in people with neurocognitive disorders and their carers: a qualitative interview study. <i>Age and Ageing</i> , 2023, 52, .	0.7	2
1346	Cutoff scores for the "Interest game", an application for the assessment of diminished interest in neurocognitive disorders. <i>Frontiers in Psychiatry</i> , 0, 14, .	1.3	0
1347	Cognitive evaluation in Parkinson's disease: applying the Movement Disorder Society recommendations in a population with a low level of formal education. <i>Arquivos De Neuro-Psiquiatria</i> , 2023, 81, 119-127.	0.3	1
1349	Willingness of people with severe visual impairments to accept new transportation assistive technologies. <i>Technology and Disability</i> , 2023, , 1-16.	0.3	0
1350	The Immediate Effects of Different Types of Augmented Feedback on Fast Walking Speed Performance and Intrinsic Motivation After Stroke. <i>Archives of Rehabilitation Research and Clinical Translation</i> , 2023, 5, 100265.	0.5	1
1351	Prise en charge neuropsychologique des patients bnficiant d'une stimulation crbrale profonde en neurologie et en psychiatrie: vers une approche individualisde et intgrative. , 2016, Volume 8, 16-24.	0.0	0
1352	Association between apathy in patients with maintenance dialysis and hospitalization or mortality: a prospective cohort study. <i>Frontiers in Psychiatry</i> , 0, 14, .	1.3	0
1385	Psychological and Psychiatric Aspects of Brain and Spinal Cord Tumors. <i>Advances in Experimental Medicine and Biology</i> , 2023, , 673-687.	0.8	0
1414	Apathy: a separate syndrome from depression in dementia? A critical review. <i>Aging Clinical and Experimental Research</i> , 2012, 24, 305-316.	1.4	6

#	ARTICLE	IF	CITATIONS
1422	Cognitive and Neuropsychiatric Features of Idiopathic Normal Pressure Hydrocephalus. , 2023, , 169-195.		0
1427	A Promising Approach to Detect Signs of Apathy from a Single Tri-axial Accelerometer. , 2023, , .		0