

CITATION REPORT

List of articles citing

The distribution of tangles, plaques and related immunohistochemical markers in healthy aging and Alzheimer's disease

DOI: 10.1016/0197-4580(91)90006-6
Neurobiology of Aging, 1991, 12, 295-312.

Source: <https://exaly.com/paper-pdf/22146558/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
726	Association between vascular basement membrane components and the lesions of Alzheimer's disease. 1991 , 30, 673-81		88
725	Neurofibrillary tangles but not senile plaques parallel duration and severity of Alzheimer's disease. 1992 , 42, 631-9		2058
724	The human entorhinal cortex: normal morphology and lamina-specific pathology in various diseases. 1992 , 15, 6-31		268
723	Distribution of neurofibrillary tangles and senile plaques in the cerebral cortex in postencephalitic parkinsonism. 1992 , 139, 10-4		36
722	Beta A4 amyloid protein and its precursor in Alzheimer's disease. 1992 , 56, 97-117		28
721	Presence of abnormally phosphorylated Tau proteins in the entorhinal cortex of aged non-demented subjects. 1992 , 144, 143-6		40
720	Olfactory bulb lesions in Alzheimer's disease. <i>Neurobiology of Aging</i> , 1992 , 13, 469-73	5.6	57
719	Down's syndrome: occurrence of ALZ-50 reactive neurons and the formation of senile plaques. 1992 , 109, 77-82		19
718	Progressive transformation of the cytoskeleton associated with normal aging and Alzheimer's disease. <i>Brain Research</i> , 1992 , 594, 273-8	3.7	97
717	Allocortical neurofibrillary changes in progressive supranuclear palsy. <i>Acta Neuropathologica</i> , 1992 , 84, 478-83	14.3	53
716	Mapping of neurofibrillary degeneration in Alzheimer's disease: evaluation of heterogeneity using the quantification of abnormal tau proteins. <i>Acta Neuropathologica</i> , 1992 , 85, 48-54	14.3	44
715	Cortical biopsy in Alzheimer's disease: diagnostic accuracy and neurochemical, neuropathological, and cognitive correlations. Intraventricular Bethanecol Study Group. 1992 , 32, 625-32		193
714	Synapse loss in the temporal lobe in Alzheimer's disease. 1993 , 33, 190-9		195
713	Dementia in Parkinson's disease: biochemical evidence for cortical involvement using the immunodetection of abnormal Tau proteins. 1993 , 33, 445-50		55
712	Quantitative assessment of synaptic density in the entorhinal cortex in Alzheimer's disease. 1993 , 34, 356-61		64
711	Pathological markers associated with normal aging and dementia in the elderly. 1993 , 34, 566-73		152
710	Evidence that transmitter-containing dystrophic neurites precede paired helical filament and Alz-50 formation within senile plaques in the amygdala of nondemented elderly and patients with Alzheimer's disease. 1993 , 334, 176-91		48

709	Quantitative immunohistochemical analysis of the distribution of neurofibrillary tangles and senile plaques in the cerebral cortex of nonagenarians and centenarians. <i>Acta Neuropathologica</i> , 1993 , 85, 602-10 ³	14	52
708	Drastic reduction of the zinc- and magnesium-stimulated protein tyrosine kinase activities in Alzheimer's disease hippocampus. 1993 , 328, 6-8		11
707	Organization and quantitative analysis of kainate receptor subunit GluR5-7 immunoreactivity in monkey hippocampus. <i>Brain Research</i> , 1993 , 624, 347-53	3.7	48
706	Immunocytochemical distribution of peptidergic and cholinergic fibers in the human amygdala: their depletion in Alzheimer's disease and morphologic alteration in non-demented elderly with numerous senile plaques. <i>Brain Research</i> , 1993 , 625, 125-38	3.7	40
705	Towards an improved survival of rat brain neurons in culture by cerebrospinal fluid of patients with senile dementia of Alzheimer's type. <i>Brain Research</i> , 1993 , 610, 8-15	3.7	9
704	The cortical topography of temporal lobe hypometabolism in early Alzheimer's disease. <i>Brain Research</i> , 1993 , 629, 189-98	3.7	60
703	Evidence that transmitter-containing dystrophic neurites precede those containing paired helical filaments within senile plaques in the entorhinal cortex of nondemented elderly and Alzheimer's disease patients. <i>Brain Research</i> , 1993 , 619, 55-68	3.7	29
702	alpha 2-Macroglobulin expression in neuritic-type plaques in patients with Alzheimer's disease. <i>Neurobiology of Aging</i> , 1993 , 14, 233-7	5.6	98
701	The relationship between tangle and plaque formation during healthy aging and mild dementia. <i>Neurobiology of Aging</i> , 1993 , 14, 661-3	5.6	24
700	Neurofibrillary tangle densities in the hippocampal formation in a non-demented population define subgroups of patients with differential early pathologic changes. 1993 , 153, 131-5		120
699	Neuroanatomical connections and specific regional vulnerability in Alzheimer's disease. <i>Neurobiology of Aging</i> , 1993 , 14, 45-7; discussion 55-6	5.6	25
698	Neuropathological staging of Alzheimer lesions and intellectual status in Alzheimer's and Parkinson's disease patients. 1993 , 162, 179-82		258
697	Pathological changes in frontal cortex from biopsy to autopsy in Alzheimer's disease. <i>Neurobiology of Aging</i> , 1993 , 14, 589-96	5.6	60
696	Axonal loss from the olfactory tracts in Alzheimer's disease. <i>Neurobiology of Aging</i> , 1993 , 14, 353-7	5.6	52
695	Two neurotropic viruses, herpes simplex virus type 1 and mouse hepatitis virus, spread along different neural pathways from the main olfactory bulb. 1993 , 57, 1007-25		100
694	Increased levels of truncated nerve growth factor receptor in urine of mildly demented patients with Alzheimer's disease. 1993 , 50, 1054-60		14
693	Structural correlates and cellular mechanisms in entorhinal hippocampal dysfunction. 1993 , 3, 293-301		9
692	Recent research on the causes of Alzheimer's disease. 1993 , 52, 255-62		3

691	[Neuropathologic, immunologic and psychobiological aspects of Alzheimer's dementia]. 1993 , 61, 225-40		11
690	Entorhinal-Hippocampal interaction in mnemonic disorders. 1993 , 3, 239-246		58
689	Differential Diagnosis of Alzheimer's Disease. 1994 , 10, 257-276		26
688	Dementia in the oldest-old: quantitative analysis of 12 cases from a psychiatric hospital. 1994 , 5, 348-56		8
687	Basal forebrain lesions in monkeys disrupt attention but not learning and memory. 1994 , 14, 167-86		431
686	NMDA receptors: the first decade. 1994 , 3, 341-354		4
685	Computed detection and quantitative morphometry of Alzheimer senile plaques. 1994 , 52, 175-89		11
684	Cortical and striatal neurone number in Huntington's disease. <i>Acta Neuropathologica</i> , 1994 , 88, 320-33	14.3	136
683	Alzheimer's disease with asymmetric atrophy of the cerebral hemispheres: morphometric analysis of four cases. <i>Acta Neuropathologica</i> , 1994 , 88, 440-7	14.3	26
682	Neuropathological changes in the cerebral cortex of 1258 cases from a geriatric hospital: retrospective clinicopathological evaluation of a 10-year autopsy population. <i>Acta Neuropathologica</i> , 1994 , 87, 456-68	14.3	92
681	Pathological alterations of the cerebral microvasculature in Alzheimer's disease and related dementing disorders. <i>Acta Neuropathologica</i> , 1994 , 87, 469-80	14.3	248
680	Senile plaques in temporal lobe epilepsy. <i>Acta Neuropathologica</i> , 1994 , 87, 504-10	14.3	136
679	Senile plaques do not progressively accumulate with normal aging. <i>Acta Neuropathologica</i> , 1994 , 87, 520-5	14.3	56
678	Analysis of staining methods for different cortical plaques in Alzheimer's disease. <i>Acta Neuropathologica</i> , 1994 , 87, 174-86	14.3	29
677	Neurofibrillary tangle predominant form of senile dementia of Alzheimer type: a rare subtype in very old subjects. <i>Acta Neuropathologica</i> , 1994 , 88, 565-70	14.3	89
676	Cytological demonstration of features of Alzheimer's disease using brain smear technique. 1994 , 10, 320-5		3
675	Alzheimer's disease: Recent advances in molecular pathology and genetics. 1994 , 9, 431-444		7
674	APOE is a major susceptibility gene for Alzheimer's disease. 1994 , 5, 663-7		82

673	Regional distribution of neurofibrillary tangles and senile plaques in the cerebral cortex of elderly patients: a quantitative evaluation of a one-year autopsy population from a geriatric hospital. 1994 , 4, 138-50		226
672	Microtubule-associated protein MAP1B showing a fetal phosphorylation pattern is present in sites of neurofibrillary degeneration in brains of Alzheimer's disease patients. 1994 , 26, 113-22		60
671	Morphological criteria for the recognition of Alzheimer's disease and the distribution pattern of cortical changes related to this disorder. <i>Neurobiology of Aging</i> , 1994 , 15, 355-6; discussion 379-80	5.6	138
670	Studying the Alzheimer's disease brain: insights, puzzles, and opportunities. <i>Neurobiology of Aging</i> , 1994 , 15 Suppl 2, S79-83	5.6	5
669	beta-Amyloid (A beta) deposition in elderly non-demented patients and patients with Alzheimer's disease. 1994 , 178, 59-62		16
668	Human striatum: the distribution of neurofibrillary tangles in Alzheimer's disease. <i>Brain Research</i> , 1994 , 648, 327-31	3.7	41
667	Terminin (Tp 63/60), a novel cell senescence-related protein, is present in the aging human hippocampus. <i>Brain Research</i> , 1994 , 644, 188-96	3.7	6
666	Differences in the pattern of hippocampal neuronal loss in normal ageing and Alzheimer's disease. 1994 , 344, 769-72		983
665	Acetylcholinesterase provides deeper insights into Alzheimer's disease. 1994 , 43, 21-30		19
664	Increased monoamine oxidase B activity in plaque-associated astrocytes of Alzheimer brains revealed by quantitative enzyme radioautography. 1994 , 62, 15-30		310
663	Phosphoinositide metabolism, aging and Alzheimer's disease. 1994 , 1225, 111-24		21
662	Attentional disengagement deficit in nondemented elderly over 75 years of age. 1994 , 1, 188-202		33
661	Reverse genetics of the mouse central nervous system: targeted genetic analysis of neuropeptide function and reverse genetic screens for genes involved in human neurodegenerative disease. 1994 , 42, 319-31		3
660	Functional integrity of neural systems related to memory in Alzheimer's disease. 1994 , 100, 245-54		5
659	Reduced temporal lobe glucose metabolism in aging. 1995 , 5, 178-82		28
658	Human Nervous System. 1995 , 325-344		3
657	Aging, alzheimer's disease, and word recognition: A review of the recent literature. 1995 , 220-246		4
656	Morphometrical comparison of neurofibrillary tangles and senile plaques in Alzheimer's disease and the senile dementia of Alzheimer type. 1995 , 15, 21-26		6

655	Microglial interleukin-1 alpha expression in brain regions in Alzheimer's disease: correlation with neuritic plaque distribution. 1995 , 21, 290-301		139
654	Reduction of beta-amyloid peptide42 in the cerebrospinal fluid of patients with Alzheimer's disease. 1995 , 38, 643-8		609
653	Morphology and kainate-receptor immunoreactivity of identified neurons within the entorhinal cortex projecting to superior temporal sulcus in the cynomolgus monkey. 1995 , 357, 25-35		16
652	Beta-amyloid deposition in the medial temporal lobe in elderly non-demented brains and in Alzheimer's disease. 1995 , 6, 121-5		9
651	Alzheimer's disease—New approaches to old problems. 1995 , 7, 419-435		1
650	Odor identification as an early marker for Alzheimer's disease: impact of lexical functioning and detection sensitivity. 1995 , 17, 793-803		119
649	Cognitive test performance in detecting, staging, and tracking Alzheimer's disease. 1995 , 52, 1087-99		177
648	DNA testing detente?. 1995 , 268, 371		
647	The morphologic and neurochemical basis of dementia: aging, hierarchical patterns of lesion distribution and vulnerable neuronal phenotype. 1995 , 6, 97-124		22
646	Regional distribution of neurofibrillary tangles and senile plaques in the cerebral cortex of very old patients. 1995 , 52, 1150-9		64
645	Quantitative analysis of neuropathologic changes in the cerebral cortex of centenarians. 1995 , 19, 577-92		16
644	Cortical mapping of Alzheimer pathology in brains of aged non-demented subjects. 1995 , 19, 1035-47		21
643	Glial cytokines in Alzheimer's disease: review and pathogenic implications. 1995 , 26, 816-23		364
642	Alzheimer's disease: maladaptive synaptoplasticity hypothesis. 1995 , 4, 217-32		24
641	Increased incidence of neurofibrillary tangles (NFT) in non-demented individuals with hypertension. 1995 , 131, 162-9		186
640	Neuroanatomy of Alzheimer's disease: Hierarchical vulnerability and neural system compromise. <i>Neurobiology of Aging</i> , 1995 , 16, 278-280	5.6	222
639	Staging of Alzheimer's disease-related neurofibrillary changes. <i>Neurobiology of Aging</i> , 1995 , 16, 271-8; discussion 278-84	5.6	1589
638	Role of microglia in senile plaque formation. <i>Neurobiology of Aging</i> , 1995 , 16, 797-804	5.6	165

637	Neocortical neurofibrillary tangles correlate with dementia severity in Alzheimer's disease. 1995 , 52, 81-8		405
636	Increased messenger RNA expression of the 695 and 751 amino acid isoforms of the beta-amyloid protein precursor in the thalamus of 17-year-old cynomolgus (<i>Macaca fascicularis</i>) monkeys. 1995 , 65, 51-7		14
635	Elevated thiobarbituric acid-reactive substances and antioxidant enzyme activity in the brain in Alzheimer's disease. 1995 , 45, 1594-601		534
634	Stilboestrol exposure in utero and risk of pre-eclampsia. 1995 , 345, 265-6		3
633	Hippocampal volume losses in minimally impaired elderly. 1995 , 345, 266		84
632	CORRECTIONS. 1995 , 345, 266		1
631	APP transgenesis: approaches toward the development of animal models for Alzheimer disease neuropathology. <i>Neurobiology of Aging</i> , 1996 , 17, 153-71	5.6	44
630	In vivo structural studies of the hippocampus in normal aging and in incipient Alzheimer's disease. 1996 , 777, 1-13		62
629	Functional imaging patterns in Alzheimer's disease. Relationships to neurobiology. 1996 , 777, 30-6		21
628	Dystrophic neurite formation associated with age-related beta amyloid deposition in the neocortex: clues to the genesis of neurofibrillary pathology. 1996 , 141, 1-11		68
627	A comparison of beta-amyloid deposition in the medial temporal lobe in sporadic Alzheimer's disease, Down's syndrome and normal elderly brains. 1996 , 5, 35-41		16
626	Comparative investigation of neurofibrillary damage in the temporal lobe in Alzheimer's disease, Down's syndrome and dementia pugilistica. 1996 , 5, 259-64		17
625	Neuropsychological features of early Alzheimer's disease: preclinical and clinical stages. 1996 , 165, 63-71		62
624	Hippocampal pathology reflects memory deficit and brain imaging measurements in Alzheimer's disease: clinicopathologic correlations using three sets of pathologic diagnostic criteria. 1996 , 7, 76-81		26
623	Hippocampal and neocortical involvement in normal brain aging and dementia: morphological and neurochemical profile of the vulnerable circuits. 1996 , 44, 857-64		15
622	Age-associated memory impairment and Alzheimer's disease. 1996 , 44, 209-11		6
621	Neuropathological Diagnosis of Dementia Using Silver Stains and Immunohistochemical Techniques. 1996 , 19, 235-240		2
620	Chapter 7 Neuronal Aging and Alzheimer's Disease. 1996 , 1, 157-168		2

619	Profound loss of layer II entorhinal cortex neurons occurs in very mild Alzheimer's disease. 1996 , 16, 4491-500		1359
618	Perceptual priming in Alzheimer's and Parkinson's diseases. 1996 , 34, 449-57		47
617	Diagnostic accuracy of Alzheimer's disease: a neuropathological study. <i>Acta Neuropathologica</i> , 1996 , 91, 185-93	14.3	83
616	Early-onset dementias: clinical, neuropathological and genetic characteristics. <i>Acta Neuropathologica</i> , 1996 , 91, 451-65	14.3	19
615	Pattern of brain destruction in Parkinson's and Alzheimer's diseases. 1996 , 103, 455-90		265
614	Correlations between mental state and quantitative neuropathology in the Vienna Longitudinal Study on Dementia. 1996 , 246, 137-46		91
613	Apolipoprotein E distribution among different plaque types in Alzheimer's disease: implications for its role in plaque progression. 1996 , 22, 334-41		36
612	Constructional apraxia in Alzheimer's disease correlates with neuritic neuropathology in occipital cortex. <i>Brain Research</i> , 1996 , 741, 284-93	3.7	36
611	cDNA cloning and chromosome mapping of the human Fe65 gene: interaction of the conserved cytoplasmic domains of the human beta-amyloid precursor protein and its homologues with the mouse Fe65 protein. <i>Human Molecular Genetics</i> , 1996 , 5, 1589-98	5.6	95
610	Obtaining consent for autopsy in dementia research: The Memory and Aging Project experience. 1996 , 11, 2-6		1
609	Associations of status and change measures of neuropsychological function with pathologic changes in elderly, originally nondemented subjects. 1996 , 53, 82-7		23
608	Olfactory dysfunction for pyridine and dementia progression in Alzheimer disease. 1997 , 54, 993-8		37
607	The ratio of mesial to neocortical temporal lobe blood flow as a predictor of dementia. 1997 , 45, 329-33		7
606	Chapter 3 Structural Changes in the Aged Brain. 1997 , 51-76		
605	A novel metalloprotease in rat brain cleaves the amyloid precursor protein of Alzheimer's disease generating amyloidogenic fragments. 1997 , 36, 156-63		21
604	Alzheimer-type of pathological changes in Chinese. 1997 , 145, 97-103		7
603	Life and death of neurons in the aging brain. 1997 , 278, 412-9		1083
602	Estrogen and the treatment of Alzheimer's disease. 1997 , 103, 36S-45S		30

601	Cerebral cortex pathology in aging and Alzheimer's disease: a quantitative survey of large hospital-based geriatric and psychiatric cohorts. 1997 , 25, 217-45		149
600	Olfactory event-related potentials: older males demonstrate the greatest deficits. 1997 , 104, 351-8		54
599	Frequency of hippocampal formation atrophy in normal aging and Alzheimer's disease. <i>Neurobiology of Aging</i> , 1997 , 18, 1-11	5.6	716
598	Specific hippocampal volume reductions in individuals at risk for Alzheimer's disease. <i>Neurobiology of Aging</i> , 1997 , 18, 131-8	5.6	344
597	Correspondence. <i>Neurobiology of Aging</i> , 1997 , 18, 389-392	5.6	25
596	Neuropathological staging of Alzheimer-related lesions: the challenge of establishing relations to age. <i>Neurobiology of Aging</i> , 1997 , 18, 369-75; discussion 389-92	5.6	12
595	The value of cross sectional neuroanatomical studies as a conceptual framework for prospective clinicopathological studies. <i>Neurobiology of Aging</i> , 1997 , 18, 382-6; discussion 389-92	5.6	9
594	The challenge of characterizing normal brain aging in relation to Alzheimer's disease. <i>Neurobiology of Aging</i> , 1997 , 18, 388-9; discussion 389-92	5.6	11
593	Comparison of neuropathologic criteria for the diagnosis of Alzheimer's disease. <i>Neurobiology of Aging</i> , 1997 , 18, S99-105	5.6	66
592	Neuropathological criteria for the diagnosis of Alzheimer's disease. <i>Neurobiology of Aging</i> , 1997 , 18, S13-96	5.6	60
591	Neuropathological diagnosis of Alzheimer's disease: a perspective from longitudinal clinicopathological studies. <i>Neurobiology of Aging</i> , 1997 , 18, S21-6	5.6	122
590	Proposals for re-evaluation of current autopsy criteria for the diagnosis of Alzheimer's disease. <i>Neurobiology of Aging</i> , 1997 , 18, S55-65	5.6	16
589	Diagnostic criteria for Alzheimer's disease. <i>Neurobiology of Aging</i> , 1997 , 18, S67-70	5.6	26
588	Proposal to revise the morphologic criteria for the diagnosis of Alzheimer's disease. <i>Neurobiology of Aging</i> , 1997 , 18, S81-4	5.6	0
587	Preserved number of entorhinal cortex layer II neurons in aged macaque monkeys. <i>Neurobiology of Aging</i> , 1997 , 18, 549-53	5.6	106
586	Choline acetyltransferase mRNA expression in the striatal neurons of patients with Alzheimer's disease. 1997 , 225, 169-72		22
585	A cellular mechanism for the neuronal changes underlying Alzheimer's disease. 1997 , 78, 629-39		31
584	Abeta deposition is associated with neuropil changes, but not with overt neuronal loss in the human amyloid precursor protein V717F (PDAPP) transgenic mouse. 1997 , 17, 7053-9		448

583	Cerebromicrovascular pathology in Alzheimer's disease compared to normal aging. 1997 , 43, 26-43		69
582	Involvement of neuronal anion exchange proteins in cell death in Alzheimer's disease. 1997 , 43, 67-78		12
581	Frontal Brain and Leptomeningeal Biopsy Specimens Correlated with Cerebrospinal Fluid Outflow Resistance and B-wave Activity in Patients Suspected of Normal-pressure Hydrocephalus. 1997 ,		
580	Relationship between apolipoprotein E and the amyloid deposits and dystrophic neurites of Alzheimer's disease. 1997 , 23, 483-91		22
579	The progression of beta-amyloid deposition in the frontal cortex of the aged canine. <i>Brain Research</i> , 1997 , 774, 35-43	3.7	80
578	Metallothioneins in brain--the role in physiology and pathology. 1997 , 142, 229-42		164
577	Cholinergic fibre loss associated with diffuse plaques in the non-demented elderly: the preclinical stage of Alzheimer's disease?. <i>Acta Neuropathologica</i> , 1997 , 93, 146-53	14.3	60
576	Quantitative analysis of tau protein-immunoreactive accumulations and beta amyloid protein deposits in the cerebral cortex of the mouse lemur, <i>Microcebus murinus</i> . <i>Acta Neuropathologica</i> , 1997 , 94, 131-9	14.3	55
575	Lack of correlation between plaque burden and cognition in the aged monkey. <i>Acta Neuropathologica</i> , 1997 , 94, 471-8	14.3	72
574	Age effects on central nervous system activity reflected in the olfactory event-related potential. Evidence for decline in middle age. 1998 , 855, 598-607		18
573	Odor memory in normal aging and Alzheimer's disease. 1998 , 855, 686-93		55
572	Apolipoprotein E status is associated with odor identification deficits in nondemented older persons. 1998 , 855, 744-50		89
571	Sympathetic neurite outgrowth is greater on plaque-poor vs. plaque-rich regions of Alzheimer's disease cryostat sections. <i>Brain Research</i> , 1998 , 787, 49-58	3.7	7
570	Selective vulnerability of neocortical association areas in Alzheimer's disease. 1998 , 43, 16-23		23
569	Pitfalls in the quantitative estimation of beta-amyloid immunoreactivity in human brain tissue. 1998 , 110, 439-45		12
568	Cognitive impairment in Parkinson's disease. 1998 , 5, 431-441		20
567	Visual-discrimination learning ability and beta-amyloid accumulation in the dog. <i>Neurobiology of Aging</i> , 1998 , 19, 415-25	5.6	147
566	Progression of neurofibrillary changes and PHF-tau in end-stage Alzheimer's disease is different from plaque and cortical microglial pathology. <i>Neurobiology of Aging</i> , 1998 , 19, 517-25	5.6	60

565	Cortical distribution of neurofibrillary tangles in Alzheimer's disease matches the pattern of neurons that retain their capacity of plastic remodelling in the adult brain. 1998 , 83, 991-1002	110
564	Neuroimaging of the aging brain. 1998 , 16, 581-98	33
563	The neurotoxicity of amyloid beta protein in aged primates. 1998 , 5, 1-9	49
562	Memory performances in young, elderly, and very old healthy individuals versus patients with Alzheimer's disease: evidence for discontinuity between normal and pathological aging. 1998 , 20, 14-29	47
561	Increased peroxidation and reduced antioxidant enzyme activity in Alzheimer's disease. 1998 , 150, 40-4	336
560	Early amyloid deposition in the medial temporal lobe of young Down syndrome patients: a regional quantitative analysis. 1998 , 150, 296-304	153
559	Density of choline acetyltransferase-immunoreactive terminals in the rat dentate gyrus after entorhinal cortex lesions: a quantitative light microscope study. 1998 , 152, 50-63	13
558	Disseminated corticolimbic neuronal degeneration induced in rat brain by MK-801: potential relevance to Alzheimer's disease. 1998 , 5, 305-22	72
557	Category-specific semantic deficits in focal and widespread brain damage: a computational account. 1998 , 10, 77-94	308
556	Clinicopathologic studies in cognitively healthy aging and Alzheimer's disease: relation of histologic markers to dementia severity, age, sex, and apolipoprotein E genotype. 1998 , 55, 326-35	579
555	Re-evaluating the role of vascular changes in the differential diagnosis of Alzheimer's disease and vascular dementia. 1998 , 40, 121-9	36
554	Neurofibrillary tangles and Alzheimer's disease. 1998 , 40, 130-40	108
553	Pathologic correlates of apraxia in Alzheimer disease. 1998 , 55, 689-95	49
552	Reduced neuronal activity and reactivation in Alzheimer's disease. 1998 , 117, 343-77	50
551	A study of performance on tests from the CANTAB battery sensitive to frontal lobe dysfunction in a large sample of normal volunteers: implications for theories of executive functioning and cognitive aging. Cambridge Neuropsychological Test Automated Battery. 1998 , 4, 474-90	412
550	Neuropathological hallmarks of Alzheimer's and Parkinson's diseases. 1998 , 117, 267-85	93
549	Excitotoxic lesions centered on perirhinal cortex produce delay-dependent deficits in a test of spatial memory.. 1998 , 112, 512-524	94
548	Normal Aging and Alzheimer's Disease. 1998 , 83-92	1

547	Electrochemical analysis of protein nitrotyrosine and dityrosine in the Alzheimer brain indicates region-specific accumulation. 1998 , 18, 8126-32		438
546	Neurochemical aspects of memory dysfunction in neurodegenerative disease. 1998 , 87-99		
545	Drug treatment of cognitive impairment in neurodegenerative disease: rationale, current experience and expectations for the future. 1998 , 349-361		
544	Regional selective neuronal degeneration after protein phosphatase inhibition in hippocampal slice cultures: evidence for a MAP kinase-dependent mechanism. 1998 , 18, 7296-305		155
543	Bursting Dense Microspheres (Spherons) in Alzheimer's Disease A Review of Studies (1980-1997) on Spherons and the Pathogenesis of Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 1998 , 1, 1-34	4-3	5
542	Neurofibrillary tangles in nondemented elderly subjects and mild Alzheimer disease. 1999 , 56, 713-8		176
541	The diagnosis of Alzheimer's disease. <i>Journal of Alzheimer's Disease</i> , 1999 , 1, 249-63	4-3	4
540	Neuroanatomy of Apraxia and Visual Agnosia in Alzheimer's Disease. 1999 , 30, 135-152		
539	Cognitive support at episodic encoding and retrieval: similar patterns of utilization in community-based samples of Alzheimer's disease and vascular dementia patients. 1999 , 21, 816-30		33
538	Neuropsychological performance and cognitive olfactory event-related brain potentials in young and elderly adults. 1999 , 21, 108-26		28
537	Progression of Alzheimer-related neuritic plaque pathology in the entorhinal region, perirhinal cortex and hippocampal formation. 1999 , 10, 70-6		21
536	Low amyloid (Abeta) plaque load and relative predominance of diffuse plaques distinguish argyrophilic grain disease from Alzheimer's disease. 1999 , 25, 295-305		22
535	REVIEW: tau protein pathology in Alzheimer's disease and related disorders. 1999 , 25, 171-87		154
534	beta-amyloid deposition and neurofibrillary tangle formation in the olfactory bulb in ageing and Alzheimer's disease. 1999 , 25, 481-91		118
533	Frontal cortex contributes to human memory formation. 1999 , 2, 311-4		313
532	Remote Odor Memory in Alzheimer's Disease: Deficits as Measured by Familiarity. 1999 , 6, 131-136		18
531	Tangles and plaques in nondemented aging and "preclinical" Alzheimer's disease. 1999 , 45, 358-68		1360
530	Soluble pool of Abeta amyloid as a determinant of severity of neurodegeneration in Alzheimer's disease. 1999 , 46, 860-6		1572

529	Very Early Decline in Recognition Memory for Odors in Alzheimer's Disease. 1999 , 6, 229-240		12
528	A test of odor fluency in patients with Alzheimer's and Huntington's disease. 1999 , 21, 341-51		42
527	Unchanged levels of interleukins, neopterin, interferon-gamma and tumor necrosis factor-alpha in cerebrospinal fluid of patients with dementia of the Alzheimer type. 1999 , 34, 523-30		61
526	Neuronal loss and beta-amyloid removal in the amygdala of people with Down syndrome. <i>Neurobiology of Aging</i> , 1999 , 20, 259-69	5.6	22
525	Normal aging and odor intensity effects on the olfactory event-related potential. 1999 , 32, 205-14		42
524	Loss of olfactory function in dementing disease. 1999 , 66, 177-82		123
523	Motor cortex inhibition is not impaired in patients with Alzheimer's disease: evidence from paired transcranial magnetic stimulation. 1999 , 170, 119-23		63
522	Individuals with Down's syndrome demonstrate abnormal olfactory event-related potentials. 1999 , 110, 1563-9		29
521	Entorhinal cortex beta-amyloid load in individuals with mild cognitive impairment. 1999 , 158, 469-90		184
520	Zinc and Alzheimer's Disease: An Update. 1999 , 2, 191-208		5
519	Regional distribution of tau, beta-amyloid and beta-amyloid precursor protein in the Alzheimer's brain: a quantitative immunolabelling study. 1999 , 10, 3785-9		25
518	DNA Damage does not Correlate with Amyloid-beta-Plaques and Neurofibrillary Tangles in Familial Alzheimer's Disease Presenilin-1 [E280A] Mutation. <i>Journal of Alzheimer's Disease</i> , 2000 , 2, 47-57	4.3	4
517	Orbital and dorsolateral frontal perfusion defect associated with behavioral response to cholinesterase inhibitor therapy in Alzheimer's disease. 2000 , 12, 209-18		43
516	Sequence of Abeta-protein deposition in the human medial temporal lobe. <i>Journal of Neuropathology and Experimental Neurology</i> , 2000 , 59, 733-48	3.1	248
515	Consequences of long-term hormone replacement therapy. 2000 , 56, 809-23		11
514	The frontal aging hypothesis evaluated. 2000 , 6, 705-26		208
513	Left frontotemporal hypoperfusion is associated with aggression in patients with dementia. 2000 , 57, 861-6		108
512	A beta peptides and calcium influence secretion of the amyloid protein precursor from chick sympathetic neurons in culture. 2000 , 61, 449-57		10

511	Alzheimer disease constricts the dynamic range of spatial attention in visual search. 2000 , 38, 1126-35		53
510	Diagnosis of Alzheimer's disease: MRI of the hippocampus vs delayed recall. 2000 , 38, 579-84		66
509	Long-term evolution of local, proximal and remote astrocyte responses after diverse nucleus basalis lesioning (an experimental Alzheimer model): GFAP immunocytochemical study. <i>Brain Research</i> , 2000 , 865, 245-58	3.7	12
508	Functional brain imaging as a looking-glass into the degraded brain: reviewing evidence from Alzheimer disease in relation to normal aging. 2000 , 105, 255-77		11
507	Mild cognitive impairment: emerging therapeutics. 2000 , 34, 1179-88		9
506	Diagnosing dementia: interrater reliability assessment and accuracy of the NINCDS/ADRDA criteria versus CERAD histopathological criteria for Alzheimer's disease. 2000 , 11, 107-13		29
505	Spatial Memory and Aging: Performance on a Human Analog of the Morris Water Maze. 2000 , 7, 86-93		84
504	Cerebral correlates of psychotic symptoms in Alzheimer's disease. 2000 , 69, 167-71		127
503	Ultrastructural evidence of fibrillar beta-amyloid associated with neuronal membranes in behaviorally characterized aged dog brains. 2000 , 96, 495-506		54
502	Olfactory event-related potentials and aging: normative data. 2000 , 36, 133-45		99
501	The cause of neuronal degeneration in Alzheimer's disease. 2000 , 60, 139-65		201
500	Formation of diffuse and fibrillar tangles in aging and early Alzheimer's disease. <i>Neurobiology of Aging</i> , 2000 , 21, 1-10	5.6	37
499	Atrophy of the medial occipitotemporal, inferior, and middle temporal gyri in non-demented elderly predict decline to Alzheimer's disease. <i>Neurobiology of Aging</i> , 2000 , 21, 19-26	5.6	279
498	Oxidation of Abeta and plaque biogenesis in Alzheimer's disease and Down syndrome. 2001 , 8, 792-806		63
497	Apolipoprotein E epsilon4 positive individuals demonstrate delayed olfactory event-related potentials. <i>Neurobiology of Aging</i> , 2001 , 22, 439-47	5.6	27
496	Hippocampal formation glucose metabolism and volume losses in MCI and AD. <i>Neurobiology of Aging</i> , 2001 , 22, 529-39	5.6	448
495	Tau, beta-amyloid and beta-amyloid precursor protein distribution in the entorhinal-hippocampal alvear and perforant pathways in the Alzheimer's brain. 2001 , 303, 193-7		16
494	Age-related changes in olfactory processing detected with olfactory event-related brain potentials using velopharyngeal closure and natural breathing. 2001 , 40, 119-27		27

493	Etiology, Genetics, and Pathogenesis of Alzheimer's Disease. 2001 , 333-348		
492	Cholinergic Basal Forebrain Systems in the Primate Central Nervous System: Anatomy, Connectivity, Neurochemistry, Aging, Dementia, and Experimental Therapeutics. 2001 , 243-281		5
491	Olfactory centres in Alzheimer's disease: olfactory bulb is involved in early Braak's stages. 2001 , 12, 285-8		172
490	Olfactory Function and Event-Related Potentials in Alzheimer's Disease. 237-251		
489	Absence of cognitive impairment or decline in preclinical Alzheimer's disease. 2001 , 56, 361-7		119
488	Olfactory-evoked regional cerebral blood flow in Alzheimer's disease.. 2001 , 15, 18-29		46
487	Amyloid, PHF-tau, Ubiquitin and Synaptic Markers in the Progression of Alzheimer's Disease: Immunochemical Analyses of Frontal Cortex from Prospectively Studied Elderly Humans. 165-180		2
486	Clinical validity of A beta-protein deposition staging in brain aging and Alzheimer disease. <i>Journal of Neuropathology and Experimental Neurology</i> , 2001 , 60, 946-52	3.1	42
485	Alzheimer's disease-related synapse loss in the cingulate cortex. <i>Journal of Alzheimer's Disease</i> , 2001 , 3, 495-505	4.3	51
484	Fibrillar amyloid-beta affects neurofibrillary changes but only in neurons already involved in neurofibrillary degeneration. <i>Acta Neuropathologica</i> , 2001 , 101, 585-90	14.3	4
483	The load and distribution of beta-amyloid in brain tissue of patients with Alzheimer's disease. 2001 , 103, 88-92		17
482	The C-terminal fragment of the Alzheimer's disease amyloid protein precursor is degraded by a proteasome-dependent mechanism distinct from gamma-secretase. 2001 , 268, 5329-36		97
481	Pathologic correlates of nondemented aging, mild cognitive impairment, and early-stage Alzheimer's disease. 2001 , 17, 101-18		359
480	Neuron number in the entorhinal cortex and CA1 in preclinical Alzheimer disease. 2001 , 58, 1395-402		433
479	Tasks for Assessing Memory for Temporal Order Versus Memory for Items in Aging. 2001 , 8, 72-78		13
478	The Aetiology of Alzheimer's Disease: Diverse Routes into a Common Tau Pathway. 2001 , 97-132		1
477	The status of ongoing trials for mild cognitive impairment. 2001 , 10, 741-52		17
476	Phases of A beta-deposition in the human brain and its relevance for the development of AD. 2002 , 58, 1791-800		1908

475	Cerebral and hippocampal volumetry in early Alzheimer's disease.		1
474	Antemortem MRI findings correlate with hippocampal neuropathology in typical aging and dementia. 2002 , 58, 750-7		45 ⁰
473	Decrements in nuclear glucocorticoid receptor (GR) protein levels and DNA binding in aged rat hippocampus. 2002 , 143, 1362-70		75
472	Olfactory event-related potentials in Alzheimer's disease. 2002 , 8, 753-63		58
471	Olfactory acuity and cognitive function converge in older adulthood: Support for the common cause hypothesis.. 2002 , 17, 392-404		3 ⁰
470	Psychophysiology: Event-Related Potentials and Psychophysics in Dementia. 295-308		
469	Phenotypic and functional changes in glial cells as a function of age. <i>Neurobiology of Aging</i> , 2002 , 23, 105-15	5.6	62
468	Olfactory impairment increases as a function of age in persons with Down syndrome. <i>Neurobiology of Aging</i> , 2002 , 23, 65-73	5.6	36
467	Psychosis in Alzheimer disease: postmortem magnetic resonance spectroscopy evidence of excess neuronal and membrane phospholipid pathology. <i>Neurobiology of Aging</i> , 2002 , 23, 547-53	5.6	51
466	Stereologic assessment of the total cortical volume occupied by amyloid deposits and its relationship with cognitive status in aging and Alzheimer's disease. 2002 , 112, 75-91		93
465	Memory. 2002 , 209-210		
464	Odor Memory in Alzheimer's Disease. 2002 , 261-277		1
463	Loss of basal forebrain P75(NTR) immunoreactivity in subjects with mild cognitive impairment and Alzheimer's disease. 2002 , 443, 136-53		182
462	Olfactory functional testing: sensitivity and specificity for Alzheimer's disease. 2002 , 56, 123-131		9
461	Cholinergic abnormalities in Alzheimer's disease: are there new targets for drug development?. 2002 , 56, 369-379		2
460	Neuritic pathology is lacking in the entorhinal cortex, subiculum and hippocampus in middle-aged adults with schizophrenia, bipolar disorder or unipolar depression. <i>Acta Neuropathologica</i> , 2002 , 103, 488-94	14.3	18
459	Amyloid-beta deposits in the cerebral cortex of the aged common marmoset (<i>Callithrix jacchus</i>): incidence and chemical composition. <i>Acta Neuropathologica</i> , 2002 , 103, 48-58	14.3	90
458	Regulation of tau phosphorylation and protection against beta-amyloid-induced neurodegeneration by lithium. Possible implications for Alzheimer's disease. 2002 , 4, 153-65		92

457	Alzheimer's disease and the amyloid beta protein: What is the role of amyloid?. 1999 , 73, 443-9		106
456	Brain glucose hypometabolism after perirhinal lesions in baboons: implications for Alzheimer disease and aging. 2002 , 22, 1248-61		23
455	Gene expression profiles of cholinergic nucleus basalis neurons in Alzheimer's disease. 2002 , 27, 1035-48		119
454	In vivo brain imaging of tangle burden in humans. 2002 , 19, 323-7		40
453	Tangle and neuron numbers, but not amyloid load, predict cognitive status in Alzheimer's disease. 2003 , 60, 1495-500		763
452	Distribution, progression and chemical composition of cortical amyloid-beta deposits in aged rhesus monkeys: similarities to the human. <i>Acta Neuropathologica</i> , 2003 , 105, 145-56	14.3	52
451	Proteasome-mediated degradation of the C-terminus of the Alzheimer's disease beta-amyloid protein precursor: effect of C-terminal truncation on production of beta-amyloid protein. 2003 , 74, 378-85		51
450	Cholesterol is necessary both for the toxic effect of Abeta peptides on vascular smooth muscle cells and for Abeta binding to vascular smooth muscle cell membranes. 2003 , 84, 471-9		82
449	Synaptic plasticity and cell cycle activation in neurons are alternative effector pathways: the 'Dr. Jekyll and Mr. Hyde concept' of Alzheimer's disease or the yin and yang of neuroplasticity. 2003 , 71, 83-248		158
448	Increased plasma levels of matrix metalloproteinase-9 in patients with Alzheimer's disease. 2003 , 43, 191-6		172
447	Identifying severely atrophic cortical subregions in Alzheimer's disease. <i>Neurobiology of Aging</i> , 2003 , 24, 797-806	5.6	57
446	Stereologic analysis of neurofibrillary tangle formation in prefrontal cortex area 9 in aging and Alzheimer's disease. 2003 , 117, 577-92		95
445	Zinc takes the center stage: its paradoxical role in Alzheimer's disease. 2003 , 41, 44-56		191
444	Neurofibrillary tangles, amyloid, and memory in aging and mild cognitive impairment. 2003 , 60, 729-36		426
443	Stereologic evidence for persistence of viable neurons in layer II of the entorhinal cortex and the CA1 field in Alzheimer disease. <i>Journal of Neuropathology and Experimental Neurology</i> , 2003 , 62, 55-67	3.1	59
442	Loss of calbindin-D28K from aging human cholinergic basal forebrain: relation to plaques and tangles. <i>Journal of Neuropathology and Experimental Neurology</i> , 2003 , 62, 605-16	3.1	23
441	Left hippocampal volume loss in Alzheimer's disease is reflected in performance on odor identification: a structural MRI study. 2003 , 9, 459-71		86
440	Structural magnetic resonance imaging in established and prodromal Alzheimer disease: a review. 2003 , 17, 177-95		77

439	Early intervention is key to successful management of Alzheimer disease. 2003 , 17 Suppl 4, S99-104		47
438	Functional anatomy of human odor sensation, discrimination, and identification in health and aging. 2003 , 17, 482-95		89
437	Cholinergic plasticity in hippocampus of individuals with mild cognitive impairment: correlation with Alzheimer's neuropathology. <i>Journal of Alzheimer's Disease</i> , 2003 , 5, 39-48	4-3	114
436	Neuronal cell death is preceded by cell cycle events at all stages of Alzheimer's disease. 2003 , 23, 2557-63		378
435	Handbook of Clinical Nutrition and Aging. 2004 ,		4
434	The effect of the ApoE epsilon4 allele on recognition memory for olfactory and visual stimuli in patients with pathologically confirmed Alzheimer's disease, probable Alzheimer's disease, and healthy elderly controls. 2004 , 26, 779-94		54
433	Isolated executive impairment and associated frontal neuropathology. 2004 , 17, 360-7		22
432	Demographic and cognitive predictors of cued odor identification: evidence from a population-based study. 2004 , 29, 547-54		139
431	Neuropathologic criteria for diagnosing Alzheimer disease in persons with pure dementia of Alzheimer type. <i>Journal of Neuropathology and Experimental Neurology</i> , 2004 , 63, 1028-37	3-1	39
430	Age-related cortical grey matter reductions in non-demented Down's syndrome adults determined by MRI with voxel-based morphometry. 2004 , 127, 811-24		115
429	Differences in olfactory and visual memory in patients with pathologically confirmed Alzheimer's disease and the Lewy body variant of Alzheimer's disease. 2004 , 10, 835-42		31
428	Differential vulnerability of anterior white matter in nondemented aging with minimal acceleration in dementia of the Alzheimer type: evidence from diffusion tensor imaging. 2004 , 14, 410-23		461
427	MRI and CSF studies in the early diagnosis of Alzheimer's disease. 2004 , 256, 205-23		156
426	A role for semaphorin 3A signaling in the degeneration of hippocampal neurons during Alzheimer's disease. 2004 , 91, 716-36		108
425	Differences between recognition memory and remote memory for olfactory and visual stimuli in nondemented elderly individuals genetically at risk for Alzheimer's disease. 2004 , 39, 433-41		29
424	Artificial neural networks and artificial organisms can predict Alzheimer pathology in individual patients only on the basis of cognitive and functional status. 2004 , 2, 399-416		19
423	Magnetic resonance and PET studies in the early diagnosis of Alzheimer's disease. 2004 , 4, 831-49		34
422	A 6-Month Observational Study of the Relationship Between Weight Loss and Behavioral Symptoms in Institutionalized Alzheimer's Disease Subjects. 2004 , 5, 89-97		73

421	Looking for the link between plaques and tangles. <i>Neurobiology of Aging</i> , 2004 , 25, 735-9; discussion 743-6	5.6	44
420	So what if tangles precede plaques?. <i>Neurobiology of Aging</i> , 2004 , 25, 721-3; discussion 743-6	5.6	29
419	Memory and executive function in aging and AD: multiple factors that cause decline and reserve factors that compensate. 2004 , 44, 195-208		1128
418	Beta-secretase activity increases with aging in human, monkey, and mouse brain. <i>American Journal of Pathology</i> , 2004 , 164, 719-25	5.8	233
417	Expression of nitric oxide system in clinically evaluated cases of Alzheimer's disease. 2004 , 15, 287-305		99
416	Spatial and temporal relationships between plaques and tangles in Alzheimer-pathology. <i>Neurobiology of Aging</i> , 2004 , 25, 697-711	5.6	184
415	Neuropathological Changes in Visuospatial Systems in Alzheimer's Disease. 2004 , 34, 30-61		2
414	Early-stage and preclinical Alzheimer disease. 2005 , 19, 163-5		107
413	Complement activation in very early Alzheimer disease. 2005 , 19, 55-66		88
412	2005 Potamkin Prize awarded for research in early detection of Alzheimer disease. 2005 , 19, 162		
411	Progress in clinical neurosciences: cognitive markers of progression in Alzheimer's disease. 2005 , 32, 140-51		38
410	Eyeblink classical conditioning to auditory and olfactory stimuli: performance among older adults with and without the apolipoprotein E epsilon 4 allele. 2005 , 19, 437-45		8
409	Overlap between neurodegenerative disorders. 2005 , 25, 111-24		90
408	The impact of argyrophilic grain disease on the development of dementia and its relationship to concurrent Alzheimer's disease-related pathology. 2005 , 31, 270-9		53
407	Natural oligomers of the amyloid-beta protein specifically disrupt cognitive function. 2005 , 8, 79-84		1436
406	Retrieval of autobiographical memory in Alzheimer's disease: relation to volumes of medial temporal lobe and other structures. 2005 , 15, 535-50		98
405	Measuring morphological and cellular changes in Alzheimer's dementia: a review emphasizing stereology. 2005 , 2, 449-81		24
404	Technology Insight: imaging amyloid plaques in the living brain with positron emission tomography and MRI. 2005 , 1, 96-105		17

403	Odor identification in old age: demographic, sensory and cognitive correlates. 2005 , 12, 231-44		23
402	Unequal neuroprotection afforded by the acetylcholinesterase inhibitors galantamine, donepezil, and rivastigmine in SH-SY5Y neuroblastoma cells: role of nicotinic receptors. 2005 , 315, 1346-53		140
401	Neurodegenerative memory disorders: a potential role of environmental toxins. 2005 , 23, 485-521		18
400	Functional magnetic resonance imaging study of human olfaction and normal aging. 2005 , 60, 510-4		98
399	Apolipoprotein epsilon4 is associated with more rapid decline in odor identification than in odor threshold or Dementia Rating Scale scores. 2005 , 58, 178-82		58
398	Tau alteration and neuronal degeneration in tauopathies: mechanisms and models. 2005 , 1739, 331-54		154
397	Beta-amyloid deposition and tau phosphorylation in clinically characterized aged cats. <i>Neurobiology of Aging</i> , 2005 , 26, 749-63	5.6	79
396	Imaging beta-amyloid fibrils in Alzheimer's disease: a critical analysis through simulation of amyloid fibril polymerization. 2005 , 32, 337-51		34
395	Molecular, structural, and functional characterization of Alzheimer's disease: evidence for a relationship between default activity, amyloid, and memory. 2005 , 25, 7709-17		1550
394	Neuroinflammation and regeneration in the early stages of Alzheimer's disease pathology. 2006 , 24, 157-65		117
393	Amyloid beta and neuromelanin--toxic or protective molecules? The cellular context makes the difference. 2006 , 78, 364-73		38
392	Similarities between CSF-brain extracellular transfer and neurofibrillary tangle invasion in Alzheimer's disease. <i>Neurobiology of Aging</i> , 2006 , 27, 402-12	5.6	2
391	Hippocampal synaptic loss in early Alzheimer's disease and mild cognitive impairment. <i>Neurobiology of Aging</i> , 2006 , 27, 1372-84	5.6	670
390	High sensitivity analysis of amyloid-beta peptide composition in amyloid deposits from human and PS2APP mouse brain. 2006 , 143, 461-75		146
389	Vulnerability to Alzheimer's pathology in neocortex: the roles of plasticity and columnar organization. <i>Journal of Alzheimer's Disease</i> , 2006 , 9, 79-89	4.3	27
388	Quantitative in vivo biomarkers of oxidative damage and their application to the diagnosis and management of Alzheimer's disease. <i>Journal of Alzheimer's Disease</i> , 2005 , 8, 359-67	4.3	18
387	Perceived loss of memory ability and cerebral metabolic decline in persons with the apolipoprotein E-IV genetic risk for Alzheimer disease. 2006 , 63, 442-8		22
386	Alzheimer's disease-related alterations in synaptic density: neocortex and hippocampus. <i>Journal of Alzheimer's Disease</i> , 2006 , 9, 101-15	4.3	188

385	Alzheimer's Disease. 2006,	
384	The effects of normal aging on source memory for odors. 2006, 61, P58-60	14
383	Estrogen and performance in recognition memory for olfactory and visual stimuli in females diagnosed with Alzheimer's disease. 2006, 12, 400-4	18
382	Selective vulnerability of different types of commissural neurons for amyloid beta-protein-induced neurodegeneration in APP23 mice correlates with dendritic tree morphology. 2006, 129, 2992-3005	40
381	Gel-free analysis of the human brain proteome: application of liquid chromatography and mass spectrometry on biopsy and autopsy samples. 2006, 6, 4967-77	17
380	The beta-amyloid peptide of Alzheimer's disease decreases adhesion of vascular smooth muscle cells to the basement membrane. 2006, 96, 53-64	28
379	Exploring a mathematical model for the kinetics of beta-amyloid molecular imaging probes through a critical analysis of plaque pathology. 2006, 8, 151-62	15
378	The possible role of capillary cerebral amyloid angiopathy in Alzheimer lesion development: a regional comparison. <i>Acta Neuropathologica,</i> 2006, 112, 417-27	14.3 31
377	Cytoarchitectonic organization of the entorhinal cortex of the canine brain. 2006, 52, 346-67	9
376	Quantitative MR imaging in Alzheimer disease. 2006, 241, 26-44	93
375	Enhanced brain activity may precede the diagnosis of Alzheimer's disease by 30 years. 2006, 129, 2908-22	91
374	X-34 labeling of abnormal protein aggregates during the progression of Alzheimer's disease. 2006, 412, 123-44	42
373	Geriatric Otolaryngology. 2006,	6
372	Increased neurofibrillary tangles in the brains of older pedestrians killed in traffic accidents. 2006, 22, 20-6	14
371	Biomarkers for Alzheimer's disease. 2007, 7, 1021-8	11
370	Diffusion tensor imaging of normal-appearing white matter in mild cognitive impairment and early Alzheimer disease: preliminary evidence of axonal degeneration in the temporal lobe. <i>American Journal of Neuroradiology,</i> 2007, 28, 1943-8	4.4 180
369	Idiopathic normal-pressure hydrocephalus: clinical comorbidity correlated with cerebral biopsy findings and outcome of cerebrospinal fluid shunting. 2007, 78, 157-61	93
368	Gene expression profiles in anatomically and functionally distinct regions of the normal aged human brain. 2007, 28, 311-22	184

367	Synaptic alterations in CA1 in mild Alzheimer disease and mild cognitive impairment. 2007 , 68, 1501-8		528
366	Clinicopathologic correlations in a large Alzheimer disease center autopsy cohort: neuritic plaques and neurofibrillary tangles "do count" when staging disease severity. <i>Journal of Neuropathology and Experimental Neurology</i> , 2007 , 66, 1136-46	3.1	199
365	Melatonin and the aging brain. 2007 , 50, 571-80		39
364	Apolipoprotein E epsilon4 genotype and gender: effects on memory. 2007 , 15, 869-78		20
363	[Imaging of the Alzheimer's disease: MRI and functional imaging]. 2007 , 91, 202-6		
362	Morphological substrates of cognitive decline in nonagenarians and centenarians: a new paradigm?. 2007 , 257, 72-9		86
361	Correlation of proton transverse relaxation rates (R2) with iron concentrations in postmortem brain tissue from alzheimer's disease patients. 2007 , 57, 172-80		82
360	Changes in the structural complexity of the aged brain. 2007 , 6, 275-84		288
359	ApoE allelic variability influences pupil response to cholinergic challenge and cognitive impairment. 2007 , 6, 209-15		8
358	Imaging and CSF studies in the preclinical diagnosis of Alzheimer's disease. 2007 , 1097, 114-45		151
357	Plaques, tangles, and memory loss in mouse models of neurodegeneration. 2007 , 37, 79-100		113
356	Assessing the cognitive impact of Alzheimer disease pathology and vascular burden in the aging brain: the Geneva experience. <i>Acta Neuropathologica</i> , 2007 , 113, 1-12	14.3	82
355	F(2)-isoprostanes as biomarkers of late-onset Alzheimer's disease. 2007 , 33, 114-9		55
354	Immunoreactivities and levels of mineralocorticoid and glucocorticoid receptors in the hippocampal CA1 region and dentate gyrus of adult and aged dogs. 2008 , 33, 562-8		8
353	Tracing of temporo-entorhinal connections in the human brain: cognitively impaired argyrophilic grain disease cases show dendritic alterations but no axonal disconnection of temporo-entorhinal association neurons. <i>Acta Neuropathologica</i> , 2008 , 115, 175-83	14.3	11
352	Cerebral amyloid angiopathy and its relationship to Alzheimer's disease. <i>Acta Neuropathologica</i> , 2008 , 115, 599-609	14.3	240
351	1.4T study of proton magnetic relaxation rates, iron concentrations, and plaque burden in Alzheimer's disease and control postmortem brain tissue. 2008 , 60, 41-52		34
350	The olfactory vector hypothesis of neurodegenerative disease: is it viable?. 2008 , 63, 7-15		273

349	Identification of odors of edible and nonedible stimuli as affected by age and gender. 2008 , 40, 752-9		21
348	Olfaction and the 5-year incidence of cognitive impairment in an epidemiological study of older adults. 2008 , 56, 1517-21		133
347	Free radical-mediated damage to brain in Alzheimer's disease and its transgenic mouse models. 2008 , 45, 219-30		87
346	Non-tau based neuronal degeneration in Alzheimer's disease -- an immunocytochemical and quantitative study in the supragranular layers of the middle temporal neocortex. <i>Brain Research</i> , 2008 , 1213, 152-65	3-7	33
345	The ubiquitin-proteasome system in Alzheimer's disease. 2008 , 12, 363-73		178
344	Parenchymal and vascular Abeta-deposition and its effects on the degeneration of neurons and cognition in Alzheimer's disease. 2008 , 12, 1848-62		90
343	Functional abnormalities of the medial temporal lobe memory system in mild cognitive impairment and Alzheimer's disease: insights from functional MRI studies. 2008 , 46, 1624-35		285
342	Plaque complement activation and cognitive loss in Alzheimer's disease. 2008 , 5, 9		51
341	II. Temporal patterns of longitudinal change in aging brain function. <i>Neurobiology of Aging</i> , 2008 , 29, 497-513	5.6	24
340	Modular and laminar pathology of Brodmann's area 37 in Alzheimer's disease. 2008 , 152, 50-5		19
339	Multitracer PET imaging of amyloid plaques and neurofibrillary tangles in Alzheimer's disease. 2008 , 43, 236-44		84
338	Differential effects of normal aging on memory for odor-place and object-place associations. 2008 , 34, 437-52		15
337	The chemical senses and nutrition in older adults. 2008 , 27, 247-65		50
336	Effect of encoding condition on source memory for odors in healthy young and older adults. 2008 , 54, 187-92		5
335	Neuropathology for the neuroradiologist: plaques and tangles. <i>American Journal of Neuroradiology</i> , 2008 , 29, 18-22	4.4	33
334	Molecular imaging and magnetic resonance imaging in early diagnosis of Alzheimer's disease. A literature review. 2009 , 21, 755-71		1
333	Molecular Aspects of Memory Dysfunction in Alzheimer's Disease. 2008 , 245-293		3
332	Early-onset and robust amyloid pathology in a new homozygous mouse model of Alzheimer's disease. 2009 , 4, e7931		36

331	APOE epsilon2 is associated with intact cognition but increased Alzheimer pathology in the oldest old. 2009 , 72, 829-34		145
330	The cortical signature of Alzheimer's disease: regionally specific cortical thinning relates to symptom severity in very mild to mild AD dementia and is detectable in asymptomatic amyloid-positive individuals. 2009 , 19, 497-510		669
329	The role of the human hippocampus in odor-place associative memory. 2009 , 34, 513-21		21
328	Sensory perception of food and ageing. 2009 , 73-94		5
327	Biomarkers of Alzheimer's disease. 2009 , 35, 128-40		134
326	Abeta aggregation and possible implications in Alzheimer's disease pathogenesis. 2009 , 13, 412-21		90
325	The abnormally phosphorylated tau lesion of early Alzheimer's disease. 2009 , 34, 118-23		15
324	Distribution of neurofibrillary tangles in diffuse neurofibrillary tangles with calcification. 2009 , 63, 646-51		3
323	Olfactory impairment in presymptomatic Alzheimer's disease. 2009 , 1170, 730-5		140
322	Olfaction in aging and Alzheimer's disease: event-related potentials to a cross-modal odor-recognition memory task discriminate ApoE epsilon4+ and ApoE epsilon 4- individuals. 2009 , 1170, 647-57		32
321	Symposium overview: Chemical senses and mechanisms of neurodegenerative diseases. 2009 , 1170, 644-6		
320	High-throughput quantification of Alzheimer's disease pathological markers in the post-mortem human brain. 2009 , 176, 298-309		8
319	Nicotinic acetylcholine receptor signalling: roles in Alzheimer's disease and amyloid neuroprotection. 2009 , 61, 39-61		223
318	Differential effects of aging and Alzheimer's disease on medial temporal lobe cortical thickness and surface area. <i>Neurobiology of Aging</i> , 2009 , 30, 432-40	5.6	203
317	Synaptic proteins, neuropathology and cognitive status in the oldest-old. <i>Neurobiology of Aging</i> , 2009 , 30, 1125-34	5.6	77
316	Neuropathology of nondemented aging: presumptive evidence for preclinical Alzheimer disease. <i>Neurobiology of Aging</i> , 2009 , 30, 1026-36	5.6	485
315	Neuropathology and cognitive impairment in Alzheimer disease: a complex but coherent relationship. <i>Journal of Neuropathology and Experimental Neurology</i> , 2009 , 68, 1-14	3.1	388
314	Recent Advances in Visualizing Alzheimers Plaques by Magnetic Resonance Imaging. 2009 , 5, 2-9		7

313	Amyloid deposition and influx transporter expression at the blood-brain barrier increase in normal aging. <i>Journal of Neuropathology and Experimental Neurology</i> , 2010 , 69, 98-108	3.1	78
312	Semantic networks for odors and colors in Alzheimer's disease. 2010 , 24, 291-9		12
311	Mapping brain morphological and functional conversion patterns in amnesic MCI: a voxel-based MRI and FDG-PET study. 2010 , 37, 36-45		82
310	Vascular pathology in the aged human brain. <i>Acta Neuropathologica</i> , 2010 , 119, 277-90	14.3	225
309	Olfactory deficit detected by fMRI in early Alzheimer's disease. <i>Brain Research</i> , 2010 , 1357, 184-94	3.7	129
308	Characterization of AZD4694, a novel fluorinated Abeta plaque neuroimaging PET radioligand. 2010 , 114, 784-94		101
307	Yeast as a model for studying Alzheimer's disease. 2010 , 10, 961-9		44
306	Pericellular innervation of neurons expressing abnormally hyperphosphorylated tau in the hippocampal formation of Alzheimer's disease patients. 2010 , 4, 20		14
305	Uncovering molecular biomarkers that correlate cognitive decline with the changes of hippocampus' gene expression profiles in Alzheimer's disease. 2010 , 5, e10153		100
304	Olfactory dysfunction correlates with amyloid-beta burden in an Alzheimer's disease mouse model. 2010 , 30, 505-14		203
303	Brain aging in the oldest-old. 2010 ,		29
302	Familiarity, cued and free odor identification and their association with cognitive functioning in middle aged and older adults. 2010 , 17, 205-19		8
301	Functional, global and cognitive decline correlates to accumulation of Alzheimer's pathology in MCI and AD. 2010 , 7, 280-6		62
300	Differential effects of active attention and age on event-related potentials to visual and olfactory stimuli. 2010 , 78, 190-9		16
299	Somatostatin, tau, and beta-amyloid within the anterior olfactory nucleus in Alzheimer disease. 2010 , 223, 347-50		46
298	Automated detection of brain atrophy patterns based on MRI for the prediction of Alzheimer's disease. 2010 , 50, 162-74		230
297	Should olfactory dysfunction be used as a biomarker of Alzheimer's disease?. 2010 , 10, 633-5		43
296	Decline and Fall: A biological, developmental, and psycholinguistic account of deliberative language processes and ageing. 2011 , 25, 123-153		10

295	Animal Models of Traumatically-Induced Dementia. 2011 , 643-662		1
294	Sensory network dysfunction, behavioral impairments, and their reversibility in an Alzheimer's amyloidosis mouse model. 2011 , 31, 15962-71		96
293	Fractionating verbal episodic memory in Alzheimer's disease. 2011 , 54, 1530-9		137
292	Animal Models of Dementia. 2011 ,		7
291	Olfactory memory is impaired in a triple transgenic model of Alzheimer disease. 2011 , 224, 408-12		42
290	Alzheimer-signature MRI biomarker predicts AD dementia in cognitively normal adults. 2011 , 76, 1395-402		222
289	Multimodal Imaging of Alzheimer Pathophysiology in the Brain's Default Mode Network. 2011 , 2011, 687945		20
288	Asymptomatic Alzheimer's disease: a prodrome or a state of resilience?. 2011 , 8, 330-5		72
287	Dementia and the default mode. 2011 , 8, 361-5		28
286	Amygdala atrophy is prominent in early Alzheimer's disease and relates to symptom severity. 2011 , 194, 7-13		216
285	Functional connectivity during recognition memory in individuals genetically at risk for Alzheimer's disease. 2013 , 34, 530-42		14
284	Pilot data on telmisartan short-term effects on glucose metabolism in the olfactory tract in Alzheimer's disease. 2011 , 1, 63-9		7
283	Age-related changes in the thickness of cortical zones in humans. 2011 , 24, 279-91		100
282	Granular expression of prolyl-peptidyl isomerase PIN1 is a constant and specific feature of Alzheimer's disease pathology and is independent of tau, A β and TDP-43 pathology. <i>Acta Neuropathologica</i> , 2011 , 121, 635-49	14.3	18
281	Increased dopaminergic cells and protein aggregates in the olfactory bulb of patients with neurodegenerative disorders. <i>Acta Neuropathologica</i> , 2011 , 122, 61-74	14.3	112
280	Mechanisms of neural and behavioral dysfunction in Alzheimer's disease. 2011 , 43, 163-79		12
279	Olfactory dysfunction and cognitive impairment in age-related neurodegeneration: prevalence related to patient selection, diagnostic criteria and therapeutic treatment of aged clients receiving clinical neurology and community-based care. 2011 , 6, 236-59		17
278	Ecology of the aging human brain. 2011 , 68, 1049-56		128

277	Neurotoxicity induced by okadaic acid in the human neuroblastoma SH-SY5Y line can be differentially prevented by α and α^* nicotinic stimulation. 2011 , 123, 193-205		41
276	Both odor identification and ApoE- ϵ contribute to normative cognitive aging. 2011 , 26, 872-83		28
275	Microanatomical correlates of cognitive ability and decline: normal ageing, MCI, and Alzheimer's disease. 2011 , 21, 1870-8		36
274	Olfactory memory impairment in neurodegenerative diseases. 2012 , 6, 1437-41		6
273	Resting state brain networks and their implications in neurodegenerative disease. 2012 ,		
272	CSF biomarker and PIB-PET-derived beta-amyloid signature predicts metabolic, gray matter, and cognitive changes in nondemented subjects. 2012 , 22, 1993-2004		73
271	Butyrylcholinesterase is associated with β amyloid plaques in the transgenic APPSWE/PSEN1dE9 mouse model of Alzheimer disease. <i>Journal of Neuropathology and Experimental Neurology</i> , 2012 , 71, 2-14	3.1	93
270	Differential expression of interneuron populations and correlation with amyloid- β deposition in the olfactory cortex of an APP/PS1 transgenic mouse model of Alzheimer's disease. <i>Journal of Alzheimer's Disease</i> , 2012 , 31, 113-29	4.3	27
269	The diagnosis and evaluation of dementia and mild cognitive impairment with emphasis on SPECT perfusion neuroimaging. 2012 , 17, 176-206		24
268	Cerebrovascular atherosclerosis correlates with Alzheimer pathology in neurodegenerative dementias. 2012 , 135, 3749-56		179
267	MRI cortical thickness biomarker predicts AD-like CSF and cognitive decline in normal adults. 2012 , 78, 84-90		145
266	Cognition, glucose metabolism and amyloid burden in Alzheimer's disease. <i>Neurobiology of Aging</i> , 2012 , 33, 215-25	5.6	108
265	Should Alzheimer's disease be equated with human brain ageing? A maladaptive interaction between brain evolution and senescence. <i>Ageing Research Reviews</i> , 2012 , 11, 104-22	12	16
264	Abnormal event-related potentials in young and middle-aged adults with the ApoE ϵ allele. 2012 , 83, 276-81		9
263	PET amyloid-beta imaging in preclinical Alzheimer's disease. 2012 , 1822, 370-9		102
262	Working memory, attention, and executive function in Alzheimer's disease and frontotemporal dementia. 2012 , 48, 429-46		165
261	Alzheimer's disease: redox dysregulation as a common denominator for diverse pathogenic mechanisms. 2012 , 16, 974-1031		144
260	Preclinical Alzheimer disease: identification of cases at risk among cognitively intact older individuals. 2012 , 10, 127		37

259	Regional changes of cortical mean diffusivities with aging after correction of partial volume effects. 2012 , 62, 1705-16		20
258	Characteristic clinical presentation and CSF biomarker pattern in cerebral small vessel disease. 2012 , 322, 192-6		22
257	The molecular pathology of Alzheimer's disease. 2012 , 22, 11-22, vii		40
256	Aggregation, impaired degradation and immunization targeting of amyloid-beta dimers in Alzheimer's disease: a stochastic modelling approach. 2012 , 7, 32		18
255	Age-related increase in amyloid plaque burden is associated with impairment in conditioned fear memory in CRND8 mouse model of amyloidosis. 2012 , 4, 21		24
254	Current Understanding and Experimental Approaches to the Study of Repetitive Brain Injury. 2012 ,		
253	Amygdala in Alzheimer's Disease. 2012 ,		3
252	Cholinestrase inhibitory effects of geranylated flavonoids from Paulownia tomentosa fruits. 2012 , 20, 2595-602		46
251	Olfactory ERPs in an odor/visual congruency task differentiate ApoE ϵ carriers from non-carriers. <i>Brain Research</i> , 2012 , 1442, 55-65	3.7	21
250	Hippocampal subregions are differentially affected in the progression to Alzheimer's disease. 2012 , 295, 132-40		24
249	Perfusion abnormalities in mild cognitive impairment and mild dementia in Alzheimer's disease measured by pulsed arterial spin labeling MRI. 2012 , 262, 69-77		81
248	APOE-related biomarker profiles in non-pathological aging and early phases of Alzheimer's disease. 2013 , 37, 1322-35		82
247	Pathology of clinical and preclinical Alzheimer's disease. 2013 , 263 Suppl 2, S137-45		39
246	Amyloid PET Imaging: MCI and AD. 2013 , 8, 431-45		2
245	Glutamine synthetase in astrocytes from entorhinal cortex of the triple transgenic animal model of Alzheimer's disease is not affected by pathological progression. 2013 , 14, 777-87		15
244	Vascular aspects of cognitive impairment and dementia. 2013 , 33, 1696-706		101
243	A brief olfactory test for Alzheimer's disease. 2013 , 333, 19-24		62
242	Mechanisms of protein seeding in neurodegenerative diseases. <i>JAMA Neurology</i> , 2013 , 70, 304-10	17.2	158

241	Age-related loss of noradrenergic neurons in the brains of triple transgenic mice. 2013 , 35, 139-47		35
240	The effects of aging and Alzheimer's disease on cerebral cortical anatomy: specificity and differential relationships with cognition. 2013 , 76, 332-44		140
239	Inhibitory neuron and hippocampal circuit dysfunction in an aged mouse model of Alzheimer's disease. 2013 , 8, e64318		52
238	Amyloid beta inhibits olfactory bulb activity and the ability to smell. 2013 , 8, e75745		30
237	Age and apolipoprotein E ϵ effects on neural correlates of odor memory. 2013 , 127, 339-49		11
236	Interneurons and beta-amyloid in the olfactory bulb, anterior olfactory nucleus and olfactory tubercle in APPxPS1 transgenic mice model of Alzheimer's disease. 2013 , 296, 1413-23		24
235	Longitudinal monitoring of sex-related in vivo metabolic changes in the brain of Alzheimer's disease transgenic mouse using magnetic resonance spectroscopy. <i>Journal of Alzheimer's Disease</i> , 2013 , 34, 1051-9	4-3	15
234	AD-Type Neuron Loss in Transgenic Mouse Models. 2013 , 177-190		
233	Cerebral microvascular rather than parenchymal amyloid- β protein pathology promotes early cognitive impairment in transgenic mice. <i>Journal of Alzheimer's Disease</i> , 2014 , 38, 621-32	4-3	33
232	Brain [18F]FDDNP binding and glucose metabolism in advanced elderly healthy subjects and Alzheimer's disease patients. <i>Journal of Alzheimer's Disease</i> , 2013 , 36, 311-20	4-3	17
231	MR microscopy of human amyloid- β deposits: characterization of parenchymal amyloid, diffuse plaques, and vascular amyloid. <i>Journal of Alzheimer's Disease</i> , 2013 , 34, 1037-49	4-3	15
230	Therapeutic Targets in the Ubiquitin-proteasome System for Alzheimer's Disease. 2013 , 9, 46-54		1
229	. 2014 ,		10
228	Pharmacotherapy of Alzheimer's Disease: Current State and Future Perspectives. 2014 , 3-39		2
227	Tau PET imaging in Alzheimer's disease. 2014 , 14, 500		119
226	Region-specific expression of tau, amyloid- β protein precursor, and synaptic proteins at physiological condition or under endoplasmic reticulum stress in rats. <i>Journal of Alzheimer's Disease</i> , 2014 , 41, 1149-63	4-3	20
225	Modulatory role of the prefrontal generator within the auditory M50 network. 2014 , 92, 120-31		13
224	Phosphorylated tau-A β 2 ratio as a continuous trait for biomarker discovery for early-stage Alzheimer's disease in multiplex immunoassay panels of cerebrospinal fluid. 2014 , 75, 723-31		58

223	Spreading of amyloid, tau, and microvascular pathology in Alzheimer's disease: findings from neuropathological and neuroimaging studies. <i>Journal of Alzheimer's Disease</i> , 2014 , 42 Suppl 4, S421-9	4-3	60
222	Neuropathologic assessment of participants in two multi-center longitudinal observational studies: the Alzheimer Disease Neuroimaging Initiative (ADNI) and the Dominantly Inherited Alzheimer Network (DIAN). 2015 , 35, 390-400		47
221	Protein Folding and Mechanisms of Proteostasis. 2015 , 16, 17193-230		158
220	Connectivity of Pathology: The Olfactory System as a Model for Network-Driven Mechanisms of Alzheimer's Disease Pathogenesis. 2015 , 7, 234		27
219	Altered Functional Connectivity of Fusiform Gyrus in Subjects with Amnesic Mild Cognitive Impairment: A Resting-State fMRI Study. 2015 , 9, 471		30
218	The Role of Oxidative Damage in the Pathogenesis and Progression of Alzheimer's Disease and Vascular Dementia. 2015 , 2015, 504678		84
217	Three dimensions of the amyloid hypothesis: time, space and 'wingmen'. 2015 , 18, 800-6		435
216	An Assessment of Possible Neuropathology and Clinical Relationships in 46 Sporadic Amyotrophic Lateral Sclerosis Patient Autopsies. 2015 , 15, 301-12		37
215	The diffeomorphometry of regional shape change rates and its relevance to cognitive deterioration in mild cognitive impairment and Alzheimer's disease. 2015 , 36, 2093-117		42
214	Frontotemporal lobar degeneration FTLD-tau: preclinical lesions, vascular, and Alzheimer-related co-pathologies. 2015 , 122, 1007-18		41
213	An odor identification approach based on event-related pupil dilation and gaze focus. 2015 , 96, 201-9		6
212	Amyloid PET in European and North American cohorts; and exploring age as a limit to clinical use of amyloid imaging. 2015 , 42, 1492-506		9
211	In-vivo and in-vitro techniques used to investigate Alzheimer's disease. 2015 , 8, 332-347		9
210	HIV effects on age-associated neurocognitive dysfunction: premature cognitive aging or neurodegenerative disease?. 2015 , 7, 37		89
209	Olfactory Dysfunction in ApoE e4/4 Homozygotes with Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2015 , 46, 791-803	4-3	14
208	Semaphorins. 2015 ,		5
207	Olfactory cortex degeneration in Alzheimer's disease and mild cognitive impairment. <i>Journal of Alzheimer's Disease</i> , 2015 , 45, 947-58	4-3	70
206	Paradigm shift redefining molecular, metabolic and structural events in Alzheimer's disease involves a proposed contribution by transition metals. Defined lengthy preclinical stage provides new hope to circumvent advancement of disease- and age-related neurodegeneration. 2015 , 84, 460-9		8

205	Regional brain hypometabolism is unrelated to regional amyloid plaque burden. 2015 , 138, 3734-46		75
204	The Roots of Alzheimer's Disease: Are High-Expanding Cortical Areas Preferentially Targeted? 2015 , 25, 2556-65		16
203	Neuropathology and biochemistry of A β and its aggregates in Alzheimer's disease. <i>Acta Neuropathologica</i> , 2015 , 129, 167-82	14.3	141
202	Neuroanatomy and Pathology of Sporadic Alzheimer's Disease. 2015 ,		13
201	Interneurons, tau and amyloid- β in the piriform cortex in Alzheimer's disease. 2015 , 220, 2011-25		43
200	Anticancer and Antineurodegenerative Effects of Ginsenosides. 2016 , 50, 131-158		2
199	Fus1 KO Mouse As a Model of Oxidative Stress-Mediated Sporadic Alzheimer's Disease: Circadian Disruption and Long-Term Spatial and Olfactory Memory Impairments. 2016 , 8, 268		16
198	Selenomethionine Ameliorates Neuropathology in the Olfactory Bulb of a Triple Transgenic Mouse Model of Alzheimer's Disease. 2016 , 17,		9
197	Structural MR Imaging in the Diagnosis of Alzheimer's Disease and Other Neurodegenerative Dementia: Current Imaging Approach and Future Perspectives. 2016 , 17, 827-845		38
196	Volume Loss of the Nucleus Basalis of Meynert is Associated with Atrophy of Innervated Regions in Mild Cognitive Impairment. 2017 , 27, 3881-3889		27
195	Patterns of Cortical and Subcortical Amyloid Burden across Stages of Preclinical Alzheimer's Disease. 2016 , 22, 978-990		13
194	Protein homeostasis gene dysregulation in pretangle-bearing nucleus basalis neurons during the progression of Alzheimer's disease. <i>Neurobiology of Aging</i> , 2016 , 42, 80-90	5.6	24
193	The Pathophysiology of Concussion. 2016 , 20, 42		50
192	Atrophy and structural covariance of the cholinergic basal forebrain in primary progressive aphasia. 2016 , 83, 124-35		13
191	Animal Models of Behavior Genetics. 2016 ,		
190	Network-Based Statistic Show Aberrant Functional Connectivity in Alzheimer's Disease. 2016 , 10, 1182-1188		15
189	Neurodegenerative Diseases and Dementia. 2016 , 167-197		
188	Multimodal Magnetic Resonance Imaging in Alzheimer's Disease Patients at Prodromal Stage. <i>Journal of Alzheimer's Disease</i> , 2016 , 50, 1035-50	4.3	21

187	The relationship between cerebrospinal fluid markers of Alzheimer pathology and positron emission tomography tau imaging. 2016 , 139, 2249-60		125
186	Cognitive decline in normal aging and early Alzheimer's disease: A continuous or discontinuous transition? A historical review and future research proposal. 2016 , 3, 1185226		3
185	Neurotoxicity in the Post-HAART Era: Caution for the Antiretroviral Therapeutics. 2016 , 30, 677-697		58
184	Cerebral and blood correlates of reduced functional connectivity in mild cognitive impairment. 2016 , 221, 631-45		14
183	Microtubule Dynamics in Neuronal Development, Plasticity, and Neurodegeneration. 2016 , 321, 89-169		55
182	Long-term episodic memory decline is associated with olfactory deficits only in carriers of ApoE- ϵ . 2016 , 85, 1-9		31
181	Oxidative stress and hippocampal synaptic protein levels in elderly cognitively intact individuals with Alzheimer's disease pathology. <i>Neurobiology of Aging</i> , 2016 , 42, 1-12	5.6	51
180	Interneurons in the human olfactory system in Alzheimer's disease. 2016 , 276, 13-21		28
179	Olfactory function in neuropsychiatric disorders. 2017 , 252, 175-179		10
178	Mitophagy and Alzheimer's Disease: Cellular and Molecular Mechanisms. 2017 , 40, 151-166		330
177	Multiregional Age-Associated Reduction of Brain Neuronal Reserve Without Association With Neurofibrillary Degeneration or β -Amyloidosis. <i>Journal of Neuropathology and Experimental Neurology</i> , 2017 , 76, 439-457	3.1	13
176	Multimodal PET Imaging of Amyloid and Tau Pathology in Alzheimer Disease and Non-Alzheimer Disease Dementias. 2017 , 12, 351-359		17
175	Alzheimer's disease: The next frontier-Special Report 2017. <i>Alzheimer's and Dementia</i> , 2017 , 13, 374-380	1.2	60
174	Central Olfactory Dysfunction in Alzheimer's Disease and Mild Cognitive Impairment: A Functional MRI Study. <i>Journal of Alzheimer's Disease</i> , 2017 , 59, 359-368	4.3	33
173	In vivo staging of regional amyloid deposition. 2017 , 89, 2031-2038		190
172	Hierarchical Subcortical Sub-Regional Shape Network Analysis in Alzheimer's Disease. 2017 , 366, 70-83		6
171	Cholinesterases in normal and Alzheimer's disease primary olfactory gyrus. 2017 , 43, 571-583		6
170	Age-Related Changes in Human and Nonhuman Timing. 2017 , 5, 261-279		8

169	Molecular Mechanisms of Synaptic Plasticity and Memory and Their Dysfunction in Alzheimer's Disease. 2017 , 65-135		1
168	Blood-based immunoassay of tau proteins for early diagnosis of Alzheimer's disease using surface plasmon resonance fiber sensors.. 2018 , 8, 7855-7862		23
167	Human Apolipoprotein E Genotype Differentially Affects Olfactory Behavior and Sensory Physiology in Mice. 2018 , 380, 103-110		12
166	NIA-AA Research Framework: Toward a biological definition of Alzheimer's disease. <i>Alzheimer's and Dementia</i> , 2018 , 14, 535-562	1.2	3155
165	Early vs late age at onset frontotemporal dementia and frontotemporal lobar degeneration. 2018 , 90, e1047-e1056		25
164	The Amygdala as a Locus of Pathologic Misfolding in Neurodegenerative Diseases. <i>Journal of Neuropathology and Experimental Neurology</i> , 2018 , 77, 2-20	3.1	40
163	The olfactory bulb as the entry site for prion-like propagation in neurodegenerative diseases. 2018 , 109, 226-248		136
162	Variations in Acetylcholinesterase Activity within Human Cortical Pyramidal Neurons Across Age and Cognitive Trajectories. 2018 , 28, 1329-1337		19
161	Sex- and age-specific modulation of brain GABA levels in a mouse model of Alzheimer's disease. <i>Neurobiology of Aging</i> , 2018 , 62, 168-179	5.6	21
160	Microglial activation occurs late during preclinical Alzheimer's disease. 2018 , 66, 2550-2562		38
159	"APP"reciating the complexity of HIV-induced neurodegenerative diseases. 2018 , 14, e1007309		3
158	Proteomic Investigation of Murine Neuronal α -Nicotinic Acetylcholine Receptor Interacting Proteins. 2018 , 17, 3959-3975		2
157	Inter-network connectivity and amyloid-beta linked to cognitive decline in preclinical Alzheimer's disease: a longitudinal cohort study. 2018 , 10, 88		9
156	O-GlcNAcylation and neuronal energy status: Implications for Alzheimer's disease. <i>Ageing Research Reviews</i> , 2018 , 46, 32-41	12	14
155	Hippocampal projections to the anterior olfactory nucleus differentially convey spatiotemporal information during episodic odour memory. 2018 , 9, 2735		33
154	Stereological Quantification of Plaques and Tangles in Neocortex from Alzheimer's Disease Patients. <i>Journal of Alzheimer's Disease</i> , 2018 , 64, 723-734	4.3	3
153	Theories of Aging and the Prevalence of Alzheimer's Disease. 2019 , 2019, 9171424		37
152	Relationships Between Diffusion Tensor Imaging and Cerebrospinal Fluid Metrics in Early Stages of the Alzheimer's Disease Continuum. <i>Journal of Alzheimer's Disease</i> , 2019 , 70, 965-981	4.3	10

151	An experimental model of Braak's pretangle proposal for the origin of Alzheimer's disease: the role of locus coeruleus in early symptom development. 2019 , 11, 59		19
150	Emotion regulation across the life span. 2019 , 163, 257-280		9
149	Accelerated Ovarian Failure as a Unique Model to Study Peri-Menopause Influence on Alzheimer's Disease. 2019 , 11, 242		10
148	Cerebral Amyloid Angiopathy, Alzheimer's Disease and MicroRNA: miRNA as Diagnostic Biomarkers and Potential Therapeutic Targets. 2019 , 21, 369-390		8
147	Computational identification of key genes that may regulate gene expression reprogramming in Alzheimer's patients. 2019 , 14, e0222921		15
146	Differential Effects of BMI on Brain Response to Odor in Olfactory, Reward and Memory Regions: Evidence from fMRI. 2019 , 11,		13
145	2019 Alzheimer's disease facts and figures. 2019 , 15, 321-387		1076
144	Lifespan Changes of the Human Brain In Alzheimer's Disease. 2019 , 9, 3998		49
143	localization of human acetylcholinesterase-derived species in a β -sheet conformation at the core of senile plaques in Alzheimer's disease. 2019 , 294, 6253-6272		8
142	Different aspects of Alzheimer's disease-related amyloid β peptide pathology and their relationship to amyloid positron emission tomography imaging and dementia. 2019 , 7, 178		16
141	Neuroimaging modality fusion in Alzheimer's classification using convolutional neural networks. 2019 , 14, e0225759		23
140	In vivo hippocampal subfield shape related to TDP-43, amyloid beta, and tau pathologies. <i>Neurobiology of Aging</i> , 2019 , 74, 171-181	5.6	12
139	Olfactory and other sensory impairments in Alzheimer disease. 2019 , 15, 11-24		108
138	The intact postsynaptic protein neurogranin is reduced in brain tissue from patients with familial and sporadic Alzheimer's disease. <i>Acta Neuropathologica</i> , 2019 , 137, 89-102	14.3	47
137	To stage, or not to stage. 2020 , 61, 10-22		14
136	The Relation Between Personality and Biomarkers in Sensitivity and Conversion to Alzheimer-Type Dementia. 2020 , 26, 596-606		11
135	Optimized Electrode Placements for Non-invasive Electrical Stimulation of the Olfactory Bulb and Olfactory Mucosa. <i>Frontiers in Neuroscience</i> , 2020 , 14, 581503	5.1	3
134	The Neuroprotective Action of Amidated-Kyotorphin on Amyloid β Peptide-Induced Alzheimer's Disease Pathophysiology. 2020 , 11, 985		4

133	Novel MRI Techniques Identifying Vascular Leak and Paravascular Flow Reduction in Early Alzheimer Disease. 2020 , 8,		7
132	Perspectives on the Intracellular Bacterium Chlamydia pneumoniae in Late-Onset Dementia. 2020 , 7, 90-99		0
131	Nanoparticle-Based Technology Approaches to the Management of Neurological Disorders. 2020 , 21,		15
130	The coarse-grained plaque: a divergent A β plaque-type in early-onset Alzheimer's disease. <i>Acta Neuropathologica</i> , 2020 , 140, 811-830	14.3	20
129	Extracellular Sortilin Proteopathy Relative to β Amyloid and Tau in Aged and Alzheimer's Disease Human Brains. 2020 , 12, 93		3
128	Older, non-demented apolipoprotein E carrier males show hyperactivation and structural differences in odor memory regions: a blood-oxygen-level-dependent and structural magnetic resonance imaging study. <i>Neurobiology of Aging</i> , 2020 , 93, 25-34	5.6	1
127	PLA2G4E, a candidate gene for resilience in Alzheimer's disease and a new target for dementia treatment. 2020 , 191, 101818		9
126	Alzheimer's Disease: What Can We Learn From the Peripheral Olfactory System?. <i>Frontiers in Neuroscience</i> , 2020 , 14, 440	5.1	14
125	A soluble phosphorylated tau signature links tau, amyloid and the evolution of stages of dominantly inherited Alzheimer's disease. 2020 , 26, 398-407		160
124	Amyloid- β tau, and the cholinergic system in Alzheimer's disease: seeking direction in a tangle of clues. 2020 , 31, 391-413		26
123	Inhibition of 5 α Reductase Impairs Cognitive Performance, Alters Dendritic Morphology and Increases Tau Phosphorylation in the Hippocampus of Male 3xTg-AD Mice. 2020 , 429, 185-202		9
122	Intranasal glyphosate-based herbicide administration alters the redox balance and the cholinergic system in the mouse brain. 2020 , 77, 205-215		6
121	Nanoformulations of Herbal Extracts in Treatment of Neurodegenerative Disorders. 2020 , 8, 238		43
120	The Brief Form of the California Odor Learning Test 3. <i>Frontiers in Neuroscience</i> , 2020 , 14, 173	5.1	2
119	An evaluation of the amyloid cascade model using in vivo positron emission tomographic imaging. 2021 , 21, 14-23		1
118	Potential neurotoxins: Okadaic acid and analogs. 2021 , 6, 193-221		
117	Environmental exposures and the etiopathogenesis of Alzheimer's disease: The potential role of BACE1 as a critical neurotoxic target. 2021 , 35, e22694		2
116	Magnetic Resonance Imaging for Drug Development. 2021 , 1310, 187-209		

115	Genetic Aspects of Early-Onset Alzheimer's Disease. 2021 , 29-39	
114	Nonphosphorylated tau slows down A β aggregation, binds to A β oligomers, and reduces A β toxicity. 2021 , 296, 100664	1
113	Neurologin-1 in brain and CSF of neurodegenerative disorders: investigation for synaptic biomarkers. 2021 , 9, 19	8
112	The Role of Microglia in Sporadic Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2021 , 79, 961-968	4-3 14
111	Could COVID-19 anosmia and olfactory dysfunction trigger an increased risk of future dementia in patients with ApoE4?. 2021 , 147, 110479	6
110	Semaphorins in Adult Nervous System Plasticity and Disease. 2021 , 13, 672891	9
109	Clinical Phenotypes of Behavioral Variant Frontotemporal Dementia by Age at Onset. <i>Journal of Alzheimer's Disease</i> , 2021 , 82, 381-390	4-3 2
108	Specific neuronal subpopulations in the rat basolateral amygdala express high levels of nonphosphorylated neurofilaments. 2021 , 529, 3292-3312	1
107	Ganoderic Acid A Promotes Amyloid- β Clearance (In Vitro) and Ameliorates Cognitive Deficiency in Alzheimer's Disease (Mouse Model) through Autophagy Induced by Activating Axl. 2021 , 22,	4
106	Olfaction and anosmia: From ancient times to COVID-19. 2021 , 425, 117433	1
105	Comparative neuropathology in aging primates: A perspective. 2021 , 83, e23299	5
104	Objective Assessment of Hyposmia in Alzheimer's Disease From Image and Behavior by Combining Pleasant Odor With Unpleasant Odor. 2021 , 12, 697487	1
103	Oxygen Sensing and Signaling in Alzheimer's Disease: A Breathtaking Story!. 2021 , 1	
102	Magnetic resonance imaging biomarkers for cognitive decline in Down syndrome. 2022 , 149-172	0
101	Ageing-Dependent Mitophagy Dysfunction in Alzheimer's Disease. 2021 , 58, 2362-2378	9
100	What's that smell? A pictorial review of the olfactory pathways and imaging assessment of the myriad pathologies that can affect them. 2021 , 12, 7	2
99	Cognition in Rodents. 2009 , 159-174	1
98	Cortical Destruction and Cell Death in Alzheimer's Disease. 1999 , 497-510	2

97	Animal Models of General Cognitive Ability for Genetic Research into Cognitive Functioning. 2014 , 257-278	6
96	Temporal Sequence of Alzheimer’s Disease-Related Pathology. 1999 , 475-512	57
95	Vascular-Related and Mediated Alterations in Alzheimer’s Disease. 1999 , 733-772	4
94	Cortical Neuropathology in Aging and Dementing Disorders. 1999 , 175-311	17
93	Glial Activation as a Common Denominator in Neurodegenerative Disease: A Hypothesis in Neuropathophysiology. 1993 , 359-381	2
92	Magnetic Resonance Imaging of Brain Iron. 1997 , 41-56	1
91	Early Diagnosis of Alzheimer’s Disease. 2000 , 1-27	1
90	Pathological Diagnosis of Alzheimer’s Disease. 2000 , 65-82	2
89	Dementia. 2004 , 349-365	1
88	Melatonin, Oxidative Stress, and the Aging Brain. 2010 , 339-357	2
87	The Involvement of A β in the Neuroinflammatory Response. 2007 , 52-82	1
86	The Pattern of Lesions During the Transition to the Symptomatic Phase and in Fully Developed Alzheimer’s Disease. 2015 , 95-130	2
85	Aspects of Cortical Destruction in Alzheimer’s Disease. 1997 , 1-16	4
84	Connections and Cognitive Impairment in Alzheimer’s Disease. 1997 , 149-166	7
83	The neuropathological diagnosis of Alzheimer disease. 1998 , 53, 97-118	55
82	Mild cognitive impairment--an early stage of Alzheimer’s disease?. 1998 , 54, 21-9	53
81	Neuropathology of Alzheimer’s disease: a critical update. 1998 , 54, 77-95	150
80	Evolution of Alzheimer’s disease related cortical lesions. 1998 , 54, 97-106	96

79	Classification of dementias based on functional morphology. 1994 , 9-39	4
78	Amyloid- β and Tau at the 'Crossroads of Alzheimer's Disease. 2019 , 1184, 187-203	48
77	Types of Age-Related Brain Lesions and Relationship to Neuropathologic Diagnostic Systems of Alzheimer's Disease. 2001 , 65-76	2
76	Morphological Changes in Human Cerebral Cortex during Normal Aging. 2001 , 77-84	2
75	Neurobiological Models of Aging in the Dog and Other Vertebrate Species. 2001 , 457-468	22
74	Glucocorticoids and the Aging Brain: Cause or Consequence?. 2001 , 883-905	4
73	Brain Glucose Hypometabolism After Perirhinal Lesions in Baboons: Implications for Alzheimer Disease and Aging. 2002 , 1248-1261	7
72	Frontal brain and leptomeningeal biopsy specimens correlated with cerebrospinal fluid outflow resistance and B-wave activity in patients suspected of normal-pressure hydrocephalus. 1997 , 40, 497-502	29
71	The utility of olfactory function in distinguishing early-stage Alzheimer's disease from HIV-associated neurocognitive disorders. 2021 , 35, 429-437	3
70	Alzheimer's disease-like perturbations in HIV-mediated neuronal dysfunctions: understanding mechanisms and developing therapeutic strategies. 2020 , 10, 200286	5
69	Neurodegeneration in normal brain aging and disease. 2004 , 2004, pe26	89
68	The development of amyloid beta protein deposits in the aged brain. 2006 , 2006, re1	142
67	Is Alzheimer's disease inevitable with age?: Lessons from clinicopathologic studies of healthy aging and very mild alzheimer's disease. 1999 , 104, 1171-3	35
66	Frontal Brain and Leptomeningeal Biopsy Specimens Correlated with Cerebrospinal Fluid Outflow Resistance and B-wave Activity in Patients Suspected of Normal-pressure Hydrocephalus. 1997 , 40, 497-502	46
65	hESC-secreted proteins can be enriched for multiple regenerative therapies by heparin-binding. 2013 , 5, 357-72	12
64	Olfactory phenotypic expression unveils human aging. 2016 , 7, 19193-200	10
63	The Amyloid Cascade Hypothesis in Alzheimer's Disease: It's Time to Change Our Mind. 2017 , 15, 926-935	151
62	Gonadotropin-releasing hormone receptor system: modulatory role in aging and neurodegeneration. 2010 , 9, 651-60	45

61	At the Crossroads Between Neurodegeneration and Cancer: A Review of Overlapping Biology and Its Implications. 2018 , 11, 77-89	37
60	Imaging of Neurotransmitter Systems in Dementia. 2016 , 271-296	9
59	Age-related mild cognitive deficit: a ready-to-use concept?. 2003 , 5, 61-76	3
58	Is there a neuropathology difference between mild cognitive impairment and dementia?. 2009 , 11, 171-9	30
57	Distinguishing normal brain aging from the development of Alzheimer's disease: inflammation, insulin signaling and cognition. 2018 , 13, 1719-1730	41
56	Cognitive assessment in Alzheimer's disease. 2013 , 02, 123-125	3
55	Genotype-Phenotype Correlation of T Cell Subtypes Reveals Senescent and Cytotoxic Genes in Alzheimer's Disease.	
54	Olfactory Measures as Predictors of Conversion to Mild Cognitive Impairment and Alzheimer's Disease. 2021 , 11,	2
53	Literatur. 2000 , 192-251	
52	Longevity and Brain Aging: The Paradigm of Centenarians. 2001 , 85-93	
51	Patterns of Tissue Pathology in Neurological Diseases. 2002 , 49-55	
50	Vieillessement cérébral normal, troubles de la mémoire et maladie d'Alzheimer : des lésions neuropathologiques impliquées dans l'altération de la cognition. 2003 , 67, 67	
49	F2-Isoprostanes as Biomarkers of Late Onset Alzheimer's Disease. 2005 , 147-157	
48	Olfaction and Aging. 2006 , 173-180	
47	Protein Aggregates in Neurodegenerative Disorders. 355	
46	Microstructural Imaging of Neurodegenerative Changes. 2009 , 95-117	
45	Alzheimer's Disease: Neurodegeneration. 2009 , 275-281	
44	Neuropathology of Aging. 2009 , 27-40	

43	Olfactory Bulb Involvement in AD: An Early Change. 1994 , 34-40		
42	The Roles of Zinc and Copper in the Function and Metabolism of the Amyloid Protein Precursor Superfamily. 1994 , 169-180		
41	Relationship of plaques and tangles to Alzheimer's disease phenotype. 1995 , 193-223		
40	Pathological Changes in the Elderly Human Brain. 1997 , 5-114		
39	Pathological Changes in Neurodegenerative Disease. 1997 , 115-152		
38	Relationships Between Aging and Neurodegenerative Disease. 1997 , 187-196		
37	Anatomy of Pathological Alterations in Alzheimer's Disease. 1997 , 219-223		
36	Neuronal anion exchange proteins in Alzheimer's disease pathology. 1998 , 249-257		
35	Semaphorins and Neurodegenerative Disorders. 2015 , 189-205		
34	FDG PET: Imaging Cerebral Glucose Metabolism with Positron Emission Tomography. 2016 , 247-270		1
33	Intranasal Glyphosate-Based Herbicide Administration Alters the Redox Balance and the Cholinergic System in the Mouse Brain.		
32	A smaller olfactory bulb in a mouse model of Down syndrome. 2020 , 80, 375-380		1
31	The Correlation Between Olfactory Test and Hippocampal Volume in Alzheimer's Disease and Mild Cognitive Impairment Patients: A Meta-Analysis. 2021 , 13, 755160		1
30	Synaptic Pathology in Dementia. 2006 , 431-443		
29	Brain, Head, and Neck. 2008 , 169-533		
28	Causes of Alzheimer's disease. 2000 , 162, 65-72		24
27	Casein kinase II alteration precedes tau accumulation in tangle formation. <i>American Journal of Pathology</i> , 1992 , 140, 263-8	5.8	45
26	Biochemical and anatomical redistribution of tau protein in Alzheimer's disease. <i>American Journal of Pathology</i> , 1993 , 143, 565-78	5.8	78

25	Functional assessment of magno, parvo and konio-cellular pathways; current state and future clinical applications. <i>Journal of Ophthalmic and Vision Research</i> , 2011 , 6, 119-26	1.2	24
24	Changes in brain morphology in Alzheimer disease and normal aging: is Alzheimer disease an exaggerated aging process?. <i>American Journal of Neuroradiology</i> , 2001 , 22, 1680-5	4.4	103
23	An insight into Alzheimer's disease and its on-setting novel genes. <i>Egyptian Journal of Neurology, Psychiatry and Neurosurgery</i> , 2021 , 57,	1.6	2
22	Specific neuronal subpopulations in the amygdala of macaque monkeys express high levels of nonphosphorylated neurofilaments.. <i>Brain Research</i> , 2021 , 1777, 147767	3.7	0
21	Olfactory Impairment and Neurodegenerative Disorders. 2021 , 145-158		
20	Deep residual inception encoder-decoder network for amyloid PET harmonization.. <i>Alzheimer's and Dementia</i> , 2022 ,	1.2	1
19	Nano-based phytodrug delivery systems for the management of neurodegenerative disorders. 2022 , 207-222		
18	Human APOE e3 and APOE e4 Alleles Have Differential Effects on Mouse Olfactory Epithelium.. <i>Journal of Alzheimer's Disease</i> , 2021 ,	4.3	0
17	Potential Mechanisms Underlying Resistance to Dementia in Non-Demented Individuals with Alzheimer's Disease Neuropathology.. <i>Journal of Alzheimer's Disease</i> , 2022 ,	4.3	1
16	Data_Sheet_1.pdf. 2020 ,		
15	Alzheimer's disease with asymmetric atrophy of the cerebral hemispheres: morphometric analysis of four cases. <i>Acta Neuropathologica</i> , 1994 , 88, 440-447	14.3	
14	Neurogenesis in Aging and Age-related Neurodegenerative Diseases.. <i>Ageing Research Reviews</i> , 2022 , 101636	12	4
13	Genotype-Phenotype Correlation of T Cell Subtypes Reveals Senescent and Cytotoxic Genes in Alzheimer's Disease. <i>Human Molecular Genetics</i> ,	5.6	
12	Noradrenergic Modulation of the Piriform Cortex: A Possible Avenue for Understanding Pre-Clinical Alzheimer's Disease Pathogenesis. <i>Frontiers in Cellular Neuroscience</i> , 16,	6.1	
11	A History of Senile Plaques: From Alzheimer to Amyloid Imaging. <i>Journal of Neuropathology and Experimental Neurology</i> , 2022 , 81, 387-413	3.1	0
10	Transmembrane protein 184B (TMEM184B) promotes expression of synaptic gene networks in the mouse hippocampus.		
9	Inter-organellar Communication in Parkinson's and Alzheimer's Disease: Looking Beyond Endoplasmic Reticulum-Mitochondria Contact Sites. <i>Frontiers in Neuroscience</i> , 16,	5.1	0
8	Association of Aortic Stiffness and Pressure Pulsatility With Global Amyloid- β and Regional Tau Burden Among Framingham Heart Study Participants Without Dementia. <i>JAMA Neurology</i> ,	17.2	2

7	Evaluating measurement properties of subjective cognitive decline self-reported outcome measures: a systematic review. <i>Systematic Reviews</i> , 2022 , 11,	3	0
6	Neuropathology and cholinesterase expression in the brains of octogenarians and older. <i>Chemico-Biological Interactions</i> , 2022 , 110065	5	0
5	Molecular linkages among A β tau, impaired mitophagy, and mitochondrial dysfunction in Alzheimer's disease. 2022 , 91-109		0
4	Hypothesis review: Alzheimer's overture guidelines.		1
3	Pattern of structural magnetic resonance imaging lesions in the patients with progressive cognitive decline: A single-center study in Southeast Nigeria. 2022 , 29, 59		0
2	Association of apolipoprotein E epsilon 4 and cognitive impairment in adults living with human immunodeficiency virus: a meta-analysis. Publish Ahead of Print,		0
1	Antibodies Raised Against an A β Oligomer Mimic Recognize Pathological Features in Alzheimer's Disease and Associated Amyloid-Disease Brain Tissue.		0