Weed Survey of Nova Scotia Lowbush Blueberry (<i>Va

Weed Science 39, 180-185 DOI: 10.1017/s0043174500071447

Citation Report

#	Article	IF	CITATIONS
1	Weed survey of spring cereals in New Brunswick. Phytoprotection, 1994, 75, 113-124.	0.3	17
2	Weed survey of lowbush blueberry fields in Saguenay–Lac-Saint-Jean, Québec, following eight years of herbicide application. Canadian Journal of Plant Science, 2001, 81, 471-478.	0.9	14
3	The biology of Canadian weeds. 126. Amaranthus albus L., A. blitoides S. Watson and A. blitum L Canadian Journal of Plant Science, 2003, 83, 1039-1066.	0.9	23
4	An Overview of Weed Management in the Wild Lowbush Blueberry—Past and Present. International Journal of Fruit Science, 2004, 3, 229-255.	0.2	51
5	Weed survey in cotton (<i>Gossypium hirsutum</i> L.) and sunflower (<i>Helianthus annuus</i> L.) fields in the Pandamatenga plains of northeastern Botswana. South African Journal of Plant and Soil, 2004, 21, 21-24.	1.1	5
6	Introducing an abundance index for assessing weed flora in survey studies. Weed Biology and Management, 2008, 8, 172-180.	1.4	10
7	Residual Weeds of Processing Sweet Corn in the North Central Region. Weed Technology, 2008, 22, 646-653.	0.9	25
8	Effect of long-term burn-pruning on the flora in a lowbush blueberry (<i>Vaccinium) Tj ETQq1 1 0.784314 rgBT /C</i>	Dverlock 1	0 Jf 50 462
9	Effects of Forest Cover on Fruit Set in the Woodland Herb, Maianthemum canadense (Liliaceae). Canadian Field-Naturalist, 2008, 122, 234.	0.1	5
10	Impact of Wild Blueberry Harvesters on Weed Seed Dispersal within and between Fields. Weed Science, 2009, 57, 541-546.	1.5	26
11	Hexazinone and Fertilizer Impacts on Sheep Sorrel (Rumex acetosella) in Wild Blueberry. Weed Science, 2010, 58, 317-322.	1.5	23
12	PRE and POST Herbicides for Management of Goldenrods (<i>Solidago</i> spp.) and Black Bulrush (<i>Scirpus atrovirens</i>) in Wild Blueberry. Weed Technology, 2010, 24, 446-452.	0.9	13
13	Characterizing Weed Populations in Different Turfgrass Sites throughout the Klang Valley of Western Peninsular Malaysia. Weed Technology, 2010, 24, 173-181.	0.9	27
14	Germination and Emergence Characteristics of Spreading Dogbane (<i>Apocynum) Tj ETQq1 1 0.784314 rgBT /C</i>)verlock 10)
15	Development of prototype automated variable rate sprayer for real-time spot-application of agrochemicals in wild blueberry fields. Computers and Electronics in Agriculture, 2011, 76, 175-182.	7.7	47
16	The Biology of Canadian Weeds. 149. <i>Rumex acetosella</i> L Canadian Journal of Plant Science, 2011, 91, 1037-1052.	0.9	23
17	Management of Spreading Dogbane (<i>Apocynum androsaemifolium</i>) in Wild Blueberry Fields. Weed Technology, 2012, 26, 777-782.	0.9	9
18	Soybean Yield Loss Potential Associated with Early-Season Weed Competition across 64 Site-Years.	1.5	28

CITATION REPORT

#	Article	IF	CITATIONS
19	Predicted Corn Yield Loss Due to Weed Competition Prior to Postemergence Herbicide Application on Wisconsin Farms. Weed Technology, 2013, 27, 54-62.	0.9	25
20	Spreading Dogbane (Apocynum androsaemifolium) Development in Wild Blueberry Fields. Weed Science, 2013, 61, 422-427.	1.5	10
21	Weedy Host Plants of the Sugarcane Root Weevil (Coleoptera: Curculionidae) in Florida Sugarcane. Journal of Entomological Science, 2013, 48, 81-89.	0.3	3
22	Fertilizer and Fluazifop-P Inputs for Winter Bentgrass- (Agrostis hyemalis) Infested Lowbush Blueberry Fields. Weed Technology, 2014, 28, 527-534.	0.9	11
23	Field type, trap type and field-edge characteristics affect <i>Rhagoletis mendax</i> captures in lowbush blueberries. Pest Management Science, 2014, 70, 1720-1727.	3.4	7
24	Weed flora survey in alfalfa (<i>Medicago sativa</i> L.) fields of Shabestar (northwest of Iran). Archives of Agronomy and Soil Science, 2014, 60, 971-991.	2.6	98
25	Pre- and post-vernalization ramet removal reduces flowering of red sorrel (Rumex acetosellaL.) in wild blueberry (Vaccinium angustifoliumAit.). Canadian Journal of Plant Science, 2015, 95, 549-556.	0.9	2
26	Studies on the flowering biology of red sorrel (<i>Rumex acetosella</i>) ramets from lowbush blueberry (<i>Vaccinium angustifolium</i>) fields in Nova Scotia, Canada. Botany, 2015, 93, 41-46.	1.0	5
27	Temperature Thresholds and Growing-Degree-Day Models for Red Sorrel (<i>Rumex acetosella</i>) Ramet Sprouting, Emergence, and Flowering in Wild Blueberry. Weed Science, 2015, 63, 254-263.	1.5	12
28	Red sorrel management and potential effect of red sorrel pollen onBotrytis cinereaspore germination and infection of lowbush blueberry (Vaccinium angustifoliumAit.) flowers. Canadian Journal of Plant Science, 2016, , 590-596.	0.9	6
29	Evaluation of aminocyclopyrachlor applied aloneand in combination with registered herbicides for crop tolerance and weed control in wild blueberry (<i>Vaccinium angustifolium</i> Ait.). Canadian Journal of Plant Science, 2016, 96, 11-16.	0.9	4
30	Effect of Dry Heat, Direct Flame, and Straw Burning on Seed Germination of Weed Species Found in Lowbush Blueberry Fields. Weed Technology, 2016, 30, 263-270.	0.9	15
31	Comparison of artificial neural networks and logistic regression as potential methods for predicting weed populations on dryland chickpea and winter wheat fields of Kurdistan province, Iran. Crop Protection, 2017, 93, 43-51.	2.1	21
32	Investigation of Potential Seed Dormancy Mechanisms in American Burnweed (Erechtites) Tj ETQq1 1 0.784314 256-265.	rgBT /Ove 1.5	rlock 10 Tf 5 4
33	Susceptibility of American burnweed (Erechtities hieraciifolius) to herbicides and clipping in wild blueberry (Vaccinium angustifolium Ait.). Canadian Journal of Plant Science, 2017, , .	0.9	2
34	Infestation of Wild Fruit by <i>Drosophila suzukii</i> Surrounding Maine Wild Blueberry Fields ¹ . Journal of Agricultural and Urban Entomology, 2017, 33, 61-70.	0.6	20
35	Potential Role of Sequential Glufosinate and Foramsulfuron Applications for Management of Fescues (<i>Festuca</i> spp.) in Wild Blueberry. Weed Technology, 2017, 31, 100-110.	0.9	17
36	Determination of <i>Festuca filiformis</i> seedbank characteristics, seedling emergence and herbicide susceptibility to aid management in lowbush blueberry (<i>Vaccinium angustifolium</i>). Weed Research, 2018, 58, 112-120.	1.7	14

#	Article	IF	CITATIONS
37	Evaluation of flazasulfuron for hair fescue (<>>Festuca filiformis>) suppression and wild blueberry (<i>>Vaccinium angustifolium</i> >Ait.) tolerance. Canadian Journal of Plant Science, 2018, 98, 1293-1303.	0.9	12
38	Optimising the parameters influencing performance and weed (goldenrod) identification accuracy of colour co-occurrence matrices. Biosystems Engineering, 2018, 170, 85-95.	4.3	14
39	Evaluation of foramsulfuron for poverty oat grass [Danthonia spicata (L.) P. Beauv. ex Roem. & Schult.] and rough bentgrass (Agrostis scabra Willd.) management in lowbush blueberry (Vaccinium) Tj ETQq0 0 C) œg®T /Ove	edock 10 Tf
40	Evaluation of broadcast and spot herbicide applications for narrowleaf goldenrod [<i>Euthamia graminifolia</i> (L.) Nutt.] management in lowbush blueberry. Weed Technology, 2019, 33, 739-747.	0.9	7
41	Development and field evaluation of a machine vision based in-season weed detection system for wild blueberry. Computers and Electronics in Agriculture, 2019, 162, 1-13.	7.7	28
42	Common St. John's Wort (Malpighiales: Hypericaceae): An Invasive Plant in Maine Wild Blueberry Production and Its Potential for Indirectly Supporting Ecosystem Services. Environmental Entomology, 2019, 48, 1369-1376.	1.4	1
43	Evaluation of herbicides for hair fescue (<i>Festuca filiformis</i>) management and potential seedbank reduction in lowbush blueberry. Weed Technology, 2019, 33, 840-846.	0.9	11
44	Development and Evaluation of a Closed-Loop Control System for Automation of a Mechanical Wild Blueberry Harvester's Picking Reel. AgriEngineering, 2020, 2, 322-335.	3.2	2
45	Weed Survey of Nova Scotia Lowbush Blueberry (<i>Vaccinium Angustifolium</i> Ait.) Fields. International Journal of Fruit Science, 2021, 21, 359-378.	2.4	9
46	Evaluation of Autosteer in Rough Terrain at Low Ground Speed for Commercial Wild Blueberry Harvesting. Agronomy, 2021, 11, 384.	3.0	8
47	Hair Fescue and Sheep Sorrel Identification Using Deep Learning in Wild Blueberry Production. Remote Sensing, 2021, 13, 943.	4.0	11
48	Evaluation of currently registered herbicides for fall bearing year red sorrel (<i>Rumex) Tj ETQq1 1 0.784314 rgBT Journal of Plant Science, 2021, 101, 199-211.</i>	/Overlock 0.9	10 Tf 50 30 2
49	Evaluation of acetolactate synthase/acetohydroxyacid synthase – inhibiting herbicide spot applications and mesotrione tank mixtures for narrow-leaved goldenrod management in lowbush blueberry. Canadian Journal of Plant Science, 2021, 101, 177-187.	0.9	1
50	Parameters Influencing Hair Fescue And Sheep Sorrel Identification In Wild Blueberry Fields Using Convolutional Neural Networks. , 0, , .		0
51	We stand on guard for thee: A brief history of pest surveillance on the Canadian Prairies. Crop Protection, 2021, 149, 105748.	2.1	7
52	Control of Bunchberry in Wild Blueberry Fields. International Journal of Fruit Science, 1996, 3, 125-132.	0.2	4
53	Fall-bearing Year Herbicides and Spring-nonbearing Year Foramsulfuron Applications for Hair Fescue Management in Lowbush Blueberry. HortTechnology, 2020, 30, 670-676.	0.9	6
54	Dynamics of Weed Communities in Gram Fields of Chakwal, Pakistan. Asian Journal of Plant Sciences, 2003, 2, 1198-1204.	0.4	1

CITATION REPORT

#	Article	IF	CITATIONS
55	Densities and Importance Values of Weeds in Lentil Production. International Journal of Botany, 2004, 1, 15-18.	0.2	5
56	Distribution of dominant weed species in winter wheat at Tabriz county. International Journal of Biosciences, 2013, 3, 8-16.	0.1	0
57	Control of Bunchberry in Wild Blueberry Fields. , 2018, , 125-132.		0
58	Qualitative and Quantitative Assessment of Common Weed Species in West Gondar Sesame Growing Area, Ethiopia. ABC Journal of Advanced Research, 2020, 9, 53-62.	0.1	0
59	Effects of fall bearing-year glufosinate applications, spring nonbearing-year glufosinate applications, and spring nonbearing-year foramsulfuron applications on hair fescue (Festuca filiformis) in lowbush blueberry. Weed Technology, 2021, 35, 330-337.	0.9	1
60	Evaluation of terbacil-based herbicide treatments for hair fescue (<i>Festuca filiformis</i>) management in lowbush blueberry. Weed Technology, 2021, 35, 485-491.	0.9	4
61	Evaluation of cameras and image distance for CNN-based weed detection in wild blueberry. Smart Agricultural Technology, 2022, 2, 100030.	5.4	9
62	Assessering van die onkruidspektrum en assosiasies daarvan met onderdrukkende verbouingstrategieë op George. South African Journal of Science and Technology, 2021, 40, 20-30.	0.1	0
63	Will Climate Warming Alter Biotic Stresses in Wild Lowbush Blueberries?. Agronomy, 2022, 12, 371.	3.0	7
64	Survey of Weed Flora and Weed Management Practices in Florida Strawberry Fields. Weed Science, 0, , 1-25.	1.5	0
65	The amino acid substitution Phe-255-lle in the <i>psbA</i> gene confers resistance to hexazinone in hair fescue (<i>Festuca filiformis</i>) plants from lowbush blueberry fields. Weed Science, 2022, 70, 401-407.	1.5	2
66	Evaluation of amino acid–inhibiting herbicide mixtures for hair fescue (<i>Festuca filiformis</i>) management in lowbush blueberry. Weed Technology, 2022, 36, 553-560.	0.9	1
67	Evaluation of broadcast and spot herbicide applications for spreading dogbane (Apocynum) Tj ETQq0 0 0 rgBT /C)verlock 1	0 Tf 50 262 1
69	Evaluation of acetolactae synthase (ALS)-inhibiting herbicides for red sorrel (Rumex acetosella L.) management in lowbush blueberry (Vaccinium angustifolium Ait.). Canadian Journal of Plant Science, 0	0.9	0

CITATION REPORT

0

Assessment of weed species composition and diversity in tomato (Solanum lycopersicum L.) farms in Ethiopia. F1000Research, 0, 12, 1429.